# **AE Order Number Banner**

**Application Number:** pMSG2334935528

**PMX-331** 

**OCCIDENTAL PERMIAN LTD [157984]** 



5 Greenway Plaza, Suite 110, Houston, Texas 77046-0521 P.O. Box 27570, Houston, Texas 77227-7570 Phone 713.215.7000

October 30, 2023

State of New Mexico
Energy, Minerals & Natural Resources Department
Oil Conservation Division
1220 S. St. Frances Dr.
Santa Fe, NM 87505

RE: Pressure Maintenance Project North Hobbs Unit Well No. 712; API 30-025-37558 Lea County, NM

Occidental Permian Ltd. respectfully requests administrative approval to inject produced CO2 into the above referenced injector in the North Hobbs Unit per Order No. R-6199-F. The wells are currently authorized to inject water and purchased CO2. The H2S contingency plan which covers both North and South Hobbs Units will be updated to reflect this change.

In support of this request, please find the following documentation:

- Administrative Application Checklist
- Form C-108 with required data attached
- Injection Well Data Sheet with Wellbore Schematic
- Form C-102
- AOR Map

Per R-6199-F Paragraph 3 on page 9, "(...) Application for approval of additional injection wells in the expanded Phase I Area of the North Hobbs Unit shall be filed in accordance with NMAC 19.15.26.8 and may be approved administratively by the Division Director without Notice and hearing." The injector in this application is located within the expanded Phase I Area of the North Hobbs Unit.

If you have any questions regarding this application, please contact me at 713-215-7827 or email roni mathew@oxy.com.

Sincerely,

Roni Mathew

Roni Mathew

**Regulatory Advisor** 

ENGINEER APP NO. DATE IN LOGGED IN TYPE

ABOVE THIS LINE FOR DIVISION USE ONLY

## NEW MEXICO OIL CONSERVATION DIVISION

- Engineering Bureau -1220 South St. Francis Drive, Santa Fe, NM 87505



		ADMINISTRATIVE APPLICATION APP	ATION CHECKLIST	
1	THIS CHECKLIST IS N	MANDATORY FOR ALL ADMINISTRATIVE APPLICATIONS WHICH REQUIRE PROCESSING AT THE DI		ND REGULATIONS
Appli	[DHC-Dow [PC-Po	ns: Indexing the second of the	tion Unit] [SD-Simultaneous Ded ngling] [PLC-Pool/Lease Comm ge] [OLM-Off-Lease Measureme sure Maintenance Expansion] ction Pressure Increase]	ingling] ent]
[1]	TYPE OF AI [A]	PPLICATION - Check Those Which Apply Location - Spacing Unit - Simultaneous D  NSL NSP SD"		
	Checl [B]	C One Only for [B] or [C]"  Commingling - Storage - Measurement"  DHC CTB PLC	PC OLS OLM"	
	[C]	Injection - Disposal - Pressure Increase - F	Enhanced Oil Recovery" IPI	
	[D]	Other: Specify Additional Injector within appro	oved project area (R-6199-G)Á	
[2]	NOTIFICAT [A]	TION REQUIRED TO: - Check Those White Working, Royalty or Overriding Royalty		
	[B]	Offset Operators, Leaseholders or Su	rface Owner	
	[C]	Application is One Which Requires F	Published Legal Notice	
	[D]	Notification and/or Concurrent Approus. Bureau of Land Management - Commissioner of Put	oval by BLM or SLO dic Lands, State Land Office	
	[E]	For all of the above, Proof of Notifica	ation or Publication is Attached, an	d/or,
	[F]	Waivers are Attached		
[3]		CURATE AND COMPLETE INFORMA ATION INDICATED ABOVE.	TION REQUIRED TO PROCES	SS THE TYPE
	val is <b>accurate</b> a	<b>TION:</b> I hereby certify that the information nd <b>complete</b> to the best of my knowledge. I quired information and notifications are subs	also understand that no action wil	
	Note	Statement must be completed by an individual with	n managerial and/or supervisory capacity	<i>/</i> .
_	Mathew or Type Name	Roni Mathew Signature	Regulatory Advisor Title	10/19/2023 Date
			roni_mathew@oxy.com	-

STATE OF NEW MEXICO ENERGY, MINERALS AND NATURAL RESOURCES DEPARTMENT

## Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, New Mexico 87505

FORM C-108 Revised June 10, 2003

### **APPLICATION FOR AUTHORIZATION TO INJECT**

I.	PURPOSE:Secondary RecoveryXPressure MaintenanceDisposalStorage Application qualifies for administrative approval?XYesNo
II.	OPERATOR: OCCIDENTAL PERMIAN LTD
	ADDRESS: P.O. Box 4294 Houston, TX 77210-4294
	CONTACT PARTY: Roni Mathew PHONE: 713-215-7827
III.	WELL DATA: Complete the data required on the reverse side of this form for each well proposed for injection.  Additional sheets may be attached if necessary.
IV.	Is this an expansion of an existing project? X Yes No If yes, give the Division order number authorizing the project: R-6199-F
V.	Attach a map that identifies all wells and leases within two miles of any proposed injection well with a one-half mile radius circle drawn around each proposed injection well. This circle identifies the well's area of review.
VI.	Attach a tabulation of data on all wells of public record within the area of review which penetrate the proposed injection zone. Such data shall include a description of each well's type, construction, date drilled, location, depth, record of completion, and a schematic of any plugged well illustrating all plugging detail.
VII.	Attach data on the proposed operation, including:
	<ol> <li>Proposed average and maximum daily rate and volume of fluids to be injected;</li> <li>Whether the system is open or closed;</li> <li>Proposed average and maximum injection pressure;</li> <li>Sources and an appropriate analysis of injection fluid and compatibility with the receiving formation if other than reinjected produced water; and,</li> <li>If injection is for disposal purposes into a zone not productive of oil or gas at or within one mile of the proposed well, attach a chemical analysis of the disposal zone formation water (may be measured or inferred from existing literature, studies, nearby wells, etc.).</li> </ol>
*VIII.	Attach appropriate geologic data on the injection zone including appropriate lithologic detail, geologic name, thickness, and depth. Give the geologic name, and depth to bottom of all underground sources of drinking water (aquifers containing waters with total dissolved solids concentrations of 10,000 mg/l or less) overlying the proposed injection zone as well as any such sources known to be immediately underlying the injection interval.
IX.	Describe the proposed stimulation program, if any.
*X.	Attach appropriate logging and test data on the well. (If well logs have been filed with the Division, they need not be resubmitted).
*XI.	Attach a chemical analysis of fresh water from two or more fresh water wells (if available and producing) within one mile of any injection or disposal well showing location of wells and dates samples were taken.
XII.	Applicants for disposal wells must make an affirmative statement that they have examined available geologic and engineering data and find no evidence of open faults or any other hydrologic connection between the disposal zone and any underground sources of drinking water.
XIII.	Applicants must complete the "Proof of Notice" section on the reverse side of this form.
XIV.	Certification: I hereby certify that the information submitted with this application is true and correct to the best of my knowledge and belief.
	NAME: Roni Mathew TITLE: Regulatory Advisor
	SIGNATURE: Roni Mathew DATE: 10/19/2023
*	E-MAIL ADDRESS: roni_mathew@oxy.com  If the information required under Sections VI, VIII, X, and XI above has been previously submitted, it need not be resubmitted. Please show the date and circumstances of the earlier submittal: February 11, 2014 as part of Order No. R-6199-F application

### III. WELL DATA

- A. The following well data must be submitted for each injection well covered by this application. The data must be both in tabular and schematic form and shall include:
  - (1) Lease name; Well No.; Location by Section, Township and Range; and footage location within the section.
  - (2) Each casing string used with its size, setting depth, sacks of cement used, hole size, top of cement, and how such top was determined.
  - (3) A description of the tubing to be used including its size, lining material, and setting depth.
  - (4) The name, model, and setting depth of the packer used or a description of any other seal system or assembly used.

Division District Offices have supplies of Well Data Sheets which may be used or which may be used as models for this purpose. Applicants for several identical wells may submit a "typical data sheet" rather than submitting the data for each well.

- B. The following must be submitted for each injection well covered by this application. All items must be addressed for the initial well. Responses for additional wells need be shown only when different. Information shown on schematics need not be repeated.
  - (1) The name of the injection formation and, if applicable, the field or pool name.
  - (2) The injection interval and whether it is perforated or open-hole.
  - (3) State if the well was drilled for injection or, if not, the original purpose of the well.
  - (4) Give the depths of any other perforated intervals and detail on the sacks of cement or bridge plugs used to seal off such perforations.
  - (5) Give the depth to and the name of the next higher and next lower oil or gas zone in the area of the well, if any.

### XIV. PROOF OF NOTICE

All applicants must furnish proof that a copy of the application has been furnished, by certified or registered mail, to the owner of the surface of the land on which the well is to be located and to each leasehold operator within one-half mile of the well location.

Where an application is subject to administrative approval, a proof of publication must be submitted. Such proof shall consist of a copy of the legal advertisement which was published in the county in which the well is located. The contents of such advertisement must include:

- (1) The name, address, phone number, and contact party for the applicant;
- (2) The intended purpose of the injection well; with the exact location of single wells or the Section, Township, and Range location of multiple wells;
- (3) The formation name and depth with expected maximum injection rates and pressures; and,
- (4) A notation that interested parties must file objections or requests for hearing with the Oil Conservation Division, 1220 South St. Francis Dr., Santa Fe, New Mexico 87505, within 15 days.

NO ACTION WILL BE TAKEN ON THE APPLICATION UNTIL PROPER PROOF OF NOTICE HAS BEEN SUBMITTED.

NOTICE: Surface owners or offset operators must file any objections or requests for hearing of administrative applications within 15 days from the date this application was mailed to them.

C-108 Application Attachment Occidental Permian Ltd. North Hobbs G/SA Unit No. 712 Lea County, New Mexico

- I. This is a pressure maintenance project. The project qualifies for administrative approval.
- II. OCCIDENTAL PERMIAN Ltd.

P.O. Box 4294 Houston, TX 77210-4294

Contact Party: Roni Mathew, 713-215-7827

- III. Injection well data sheet and wellbore schematic has been attached for NORTH HOBBS G/SA UNIT No. 712
- IV. This is an expansion of an existing project authorized under Order No. R-6199-F.
- V. The map with a two mile radius surrounding the injection well and a one half mile radius for area of review is attached.
- VI. In accordance to Order No. R-6199-F Section 4 OCCIDENTAL PERMIAN Ltd certifies that: The area of review for well "NORTH HOBBS G/SA UNIT #712" shows no substantive changes in the information furnished in support of Order No. R-6199-F concerning the status of construction of any well that penetrates the injection interval within the one-half (1/2) mile around the injection well, with the exemption of the wells listed below:

API	Well Name	Operator	Status after Jan 2014
30-025-35914	BOWERS A FEDERAL #044	TEXLAND PETROLEUM-HOBBS, LLC	Plugged
30-025-23022	BOWERS A FEDERAL #028	TEXLAND PETROLEUM-HOBBS, LLC	Plugged
30-025-07430	NORTH HOBBS G/SA UNIT #221	OCCIDENTAL PERMIAN LTD	Plugged
30-025-23585	HOBBS STATE #001	SABRE OP INC	Plugged
30-025-23620	HOBBS STATE #002	SABRE OP INC	Plugged

The wellbore diagrams, their tabulated data, and the area of review map are attached.

VII. Proposed Operation

Average Injection Rate
 Maximum Injection Rate
 3,000 BWPD / 10,000 MCFGPD
 8,000 BWPD / 20,000 MCFGPD

2 This will be a closed system.

3. Average Surface Injection Pressure 1,300 PSIG

Maximum Surface Injection Pressure

Produced Water 1,150 PSIG
CO2 1,250 PSIG
CO2 w/produced gas 1,650 PSIG

(In accordance with Order No. R-6199-F, effective 7/18/13)

4. Source Water – San Andres Produced Water (Analysis previously provided at hearing, Case No. 14981)

- VIII. The information was previously submitted as part of Order No. R-6199-F application
- IX. Acid stimulate well with  $\sim$ 4,000 gal 15% HCL. Max rate = 4-5 BPM. Flush acid with  $\sim$ 200 bbls off fresh water.
- X. Logs were filed at the time of drilling.

XI. Water analysis from 72699 Smith Irrigation and 72700 NMOCD Sprinkler and their location map are included with the application.

WATER WELL NAME	LAT	LONG	Date Collected
72699 Smith Irrigation	32°43′45.64″N	103°10′44.90″W	10/24/2013
72700 NMOCD Sprinkler	32°43′05.88″N	103°09′44.88″W	10/24/2013


- XII. N/A. This is a pressure maintenance project, not a disposal well.
- XIII. Order No. R-6199-F allows the administrative approval, from the Division Director, of additional injection wells without notice and hearing. Notices to producers and surface owners for the water/CO2 flood area were provided at the time of the application and hearing for Order No. R-6199-F.

1450 0 7 22															
API NUMBER	OPERATOR	LEASE	WELL	WELL	STATUS	FTG.	N/S	FTG.	E/W	UNIT	SEC.	TSHP.	RNG.	DATE	TVD
AFTNONIBLE	OPERATOR	NAME	NO.	TYPE	SIAIUS	N/S		E/W	L/VV	ONIT	JLC.	TOTIF.	KNG.	DRILLED	(ft)
30-025-23620	SABRE OP INC	HOBBS STATE	002	Oil	Plugged, Site Released	1980	Z	1830	E	G	29	185	38E	11/7/1970	7075

HOLE SIZE (in)	CSG. SIZE (in)	SET AT (ft)	SX. CMT.	CMT. TOP (ft)	MTD.	COMPLETION	REMARKS
12.75	9.625	358	200	Surf	Circ	6318-6352	Well Plugged on 12/20/2022
8.625	7.000	3850	250	Surf	Circ	HOBBS DRINKARD	
6.75	4.500	7075	425	Surf	Circ		

Sabre Op Inc Author:	Abby BCM		9'
Well Name	Hobbs State	Well No.	#2
Field/Pool	Hobbs Drinkard	API#:	30-025-23620
County	Lea	Location:	Sec 29, T18S, R38E
State	NM		1980 FNL & 1830 FSL
Spud Date _	11/7/1970	GL:	3653


Description	O.D.	Grade	Weight	Depth	Hole	Cmt Sx	TOC
Surface Csg	9 5/8		36#	358	12 3/4	200	0
Inter Csg	7		20 & 23#	3,850	8 5/8	250	2600
Prod Csg	4 1/2		11.60#	7,075	6 3/4	425	3,839



1. Set 4 ½ CIBP @ 6655'. Circ hole w/ MLF. Pressure test csg. Spot 25 sx cmt @ 6655-6355'. Perfs @ 6705-7030


4 1/2 11.60# CSG @ 7,075

API NUMBER OPERATOR	ODEDATOR	LEASE		WELL	STATUS	FTG.	N/S	FTG.	EAN	LIMIT	SEC	TSHP.	RNG.	DATE	TVD	HOLE	CSG.	SET	SX.	CMT.	MTD.	COMPLETION	REMARKS	
	OPERATOR	NAME	NO.	TYPE	STATOS	N/S	1 14/5	E/W	1 2,00		JEC.	TOTIF.	KI4G.	DRILLED	(ft)	SIZE (in)	SIZE (in)	AT (ft)	CMT.	TOP (ft)	MIID.	COMPLETION	KEMAKKO	
Г			NORTH														15	12.5	245	250	Surf	Circ.	4217'-4335'	
	30-025-07454	OCCIDENTAL PERMIAN	HOBBS G/SA	411	Injection	Plugged, Not	990	l N	990			20	185	38E	8/5/1930	1225	11.25	9.625	2750	650	365	Calc.		Well Plugged on 10/15/2021
	30 023 07434	LTD	UNIT	411	Injection	Released	330	. "	330	"	^	2.5	103	301	8/3/1330	4335	8.75	7	4045	300	2980	Calc.		Well Flugged 011 10/13/2021
			UNII														6.125	5.5	3941'-4217'	30	3941	Circ.	GRAYBURG-SAN ANDRES	



API NUMBER	OPERATOR	LEASE NAME	WELL NO.	WELL TYPE	STATUS	FTG. N/S	N/S	FTG. E/W	E/W	UNIT	SEC.	TSHP.	RNG.	DATE DRILLED	TVD (ft)
30-025-23022	TEXLAND PETROLEUM- HOBBS, LLC	BOWERS A FEDERAL	28	OIL	Plugged, Site Released	660	S	990	w	М	29	185	38E	3/12/1969	6020

HOLE SIZE (in)	CSG. SIZE (in)	SET AT (ft)	SX. CMT.	CMT. TOP (ft)	MTD.	COMPLETION	REMARKS
15	11.750	374	300	Surf	Circ.	5376'-5452'	Well Plugged on 8/8/2023
11	8.625	3850	500	Surf	Circ.	HOBBS UPPER BLINEBRY	
7.875	5.500	5989	450	Surf	Circ.		




Received by OCD: 12/15/2023 9:56:39 AM

Page 11 of 22

API NUMBER	OPERATOR	LEASE NAME	WELL NO.	TYPE	STATUS	FTG. N/S	N/S	FTG. E/W	E/W	UNIT	SEC.	TSHP.	RNG.	DATE DRILLED	TVD (ft)	HOLE SIZE (in)	CSG. SIZE (in)	SET AT (ft)	SX. CMT.	CMT. TOP (ft)	MTD.	COMPLETION	REMARKS
30-025-35914	TEXLAND PETROLEUM-	BOWERS A	044	Oil	Plugged, Site	710	c	900	۱۸/	M	20	100	38E	37413	6020	12.25	8.625	1529	800	Surf	Circ	5749'-5978'	Well Plugged on 02/29/2020
30 023-33314	HOBBS, LLC	FEDERAL	044	JII	Released	,15	3	000	**	IVI	2.5	103	JOL	3,413	0020	7.875	5.5	6020	975	Surf	Circ	GRAYBURG-SAN ANDRES	**Cii i lugged 011 02/23/2020

## Bowers A Federal #44

719' FSL 800' FWL, SEC 29, T-18S, R-38E LEA COUNTY, NEW MEXICO API# 30-025-35914




API NUMBER	OPERATOR	LEASE NAME	WELL NO.	WELL TYPE	STATUS	FTG. N/S	N/S	FTG. E/W	E/W	UNIT	SEC.	TSHP.	RNG.	DATE DRILLED	TVD (ft)
30-025-23585	SABRE OP INC	HOBBS STATE	001	OIL	Plugged, Site Released	2130	N	1650	w	F	29	185	38E	9/18/1970	7050

HOLE SIZE (in)	CSG. SIZE (in)	SET AT (ft)	SX. CMT.	CMT. TOP (ft)	MTD.	COMPLETION	REMARKS
17.5	12.750	356	400	Surf	Circ.	6680-6992	Well Plugged on 12/9/2022
11	8.625	3795	300	Surf	Circ.	HOBBS DRINKARD	
7.875	5.500	7050	150	Surf	Circ.		

Sabre Op Inc	The second second second	Proposed				
Author:	Abby BCM		and the control of			
Well Name	Hobbs State	Well No.	#1			
Field/Pool	Hobbs Drinkard	API#:	30-025-23585			
County	Lea	Location:	Sec 29, T18S, R38E			
State	NM	S Same 2	2130 FNL & 1650 FWL			
Spud Date	09/17/1070	GL:	3654			

Description	O.D.	Grade	Weight	Depth	Hole	Cmt Sx	TOC
Surface Csg	12 3/4		34#	356	17 1/2	400	0
Inter Csg	8 5/8		28#	3,795	11	300	2600
Prod Csg	5 1/2		15.5 & 17#	7,050	7 7/8	150	3,839



INJECTION WELL DATA SHEET Side 1 OPERATOR: OCCIDENTAL PERMIAN LTD WELL NAME & NUMBER: NORTH HOBBS G/SA UNIT #712 Ε 29 WELL LOCATION: 2378' FNL 1086' FWL **18S** 38E FOOTAGE LOCATION **UNIT LETTER TOWNSHIP RANGE SECTION WELLBORE SCHEMATIC WELL CONSTRUCTION DATA Surface Casing** See attached Hole Size: 26" Casing Size: 16" Cemented with: 100 Top of Cement: Surface Method Determined: Circulated **Intermediate Casing** Hole Size: \_12.25" Casing Size: 8.625" Cemented with: 750 Top of Cement: Surface Method Determined: Circulated **Production Casing** Hole Size: 7-7/8" Casing Size:\_5-1/2" Cemented with: 800 Method Determined: Circulated Top of Cement: Surface Total Depth: 4372' MD Injection Interval 4148' (Perforated) 4300' (Perforated) feet to


(Perforated or Open Hole; indicate which)

Side 2

# INJECTION WELL DATA SHEET

_Lining Material: Duoline
<u> </u>
9):
tional Data
YesXNo
ally drilled? Injection
/San Andres
os; Grayburg - San Andres
ner zone(s)? List all such perforated s of cement or plug(s) used. No
zones underlying or overlying the proposed

# **WBD**



### State of New Mexico

DISTRICT I 1625 N. FRENCH DR., HORBS, NM 88240

Energy, Minerals and Natural Resources Department

DISTRICT II 1301 V. GRAND AVENUE, ARTESIA, NW 88210

DISTRICT IV

OIL CONSERVATION DIVISION 1220 SOUTH ST. FRANCIS DR. Santa Fe, New Mexico 87505

Form C-102 Revised JUNE 10, 2003 Submit to Appropriate District Office State Lease - 4 Copies Fee Lease - 3 Copies

DISTRICT III 1000 Rio Brazos Rd., Aztec, NM 87410

WELL LOCATION AND ACREAGE DEDICATION PLAT 1220 S. ST. FRANCIS DR., SANTA PE, NM 67505

□ AMENDED REPORT

30.025-37558	Pool Code / 31920	Pool Name Hobbs; Grayburg-San And	res
Property Code / 19520	Property NORTH HOBBS		Well Number 712
OGRID No. / 157984	Operator OCCIDENTAL PE	1	Elevation 3645'


### Surface Location

UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
E	29	18-S	38-E		2378	NORTH	1086	WEST	LEA

### Bottom Hole Location If Different From Surface

UL or lot No.	Section	Townshi	ip Range	Lot Id	Feet from the	North/South line	Feet from the	East/West line	County
Dedicated Acres	Joint o	r Infill	Consolidation	Code	Order No.				
40		I	U					. •	

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION



Re Nice 7th 040 0205/2023 9:56:39 AM Page 17 of NVC30-025-05447 NESE 30-025-40822 30-025-40634 (L) 30-025-40816 NESE (1) 301025-05445 30-025-07336 (4) G/SA Unit 712 30-025-29255 16 30-025-27198 30-025-424930-025-4247830-025-42453-30-025-42469 30-025-36087-430-025-42490-30-023-2235-42470 (P1 30-025-12732 30-025-56134 50-025-02342 930-025-02732 30-025-56134 30-025-02342 930-025-027332 30-025-0236 30-025-05436 30-025-05446 (P) **AOR** SWSE [0] SESE (P) SWSW (M) (P) M \_ 20-025-38023 (0) 30-025-29130 30-025-05477 30-025-43846 30-025-43842 30-025-4302630-025-05953 30-025-05479 30-025-34788 30-025-37127 Oil and Gas Wells 30-025-38524 38-025-36125 L438-025-36035<sub>HENV</sub> Wells - Large Scale 30-025-23522 30-025-28414 (9) 30-025-07369 30-025-43840 Miscellaneous CO2, Active 20-025-05475 CO2, Cancelled 30-025-4307330-025-43039 30-025-07355 30-025-40859 (E) 30-025-0736630-925-37446 30-025-37435 10-025-07380 (H)30-025 \*30-025-6737930-025-67388 30,025-4307430-025-07357 30-025-20172<sub>19</sub> 30-025-07362 30-025-07367 30-025-07361 38-025-07382 30-025-4357936-025-43580 30-025-05483-30-025-36213 CO2, Temporarily Abandoned 30,025-36193 30-025/3715430-025-37235 (K10-025-20696 ad 025-07192 1 20-025-22601 30-025-37445 30-025-29195 Gas, Active 30-025-05488 30-025-07384 30-025-26832 0-025-29098 Gas. Cancelled W (on 30-025-28881 20-025-4422820-025-44221 NET 7 30-025-43038 9 - 425-0736630-025-07383 (N 38-025-1249330-025-07371 30-025-07373 Gas, Plugged 30-025-0548230-025-05490 30-025-29062-30-025-29062-30-025-05486 42 30-025-07365 30-025-12491 30-025-07364 30-025-0739 30-025-22602 Gas, Temporarily Abandoned 2 025 44827 30-025-29063 30 30-025-23270 Injection, Active JE 30-025-37451 (A) Injection, Cancelled 30-025-37102 30-025-25332 30-025-37118 30-025-07425 30-025-21964 30-025-26934 30-025-28882 (C) (B 30-025-4983 30-025-27059 30-025-27059 30-025-26933 Injection, Plugged (G) (H) Injection, Temporarily Abandoned 0075-07487 30-025-07487 30-025-0747 30-025-0747 30-025-07487 30-025-07 Cancelled 30 025 0549430-025-05500 -30-025-26935 30-02 30-025-05499 30-025-07467 Oil, Temporarily Abandoned 30-025-05501 Salt Water Injection, Active 30-025-37191 30 025-1663 30-025-12496 30-025-1249830-025-12489 (0) Salt Water Injection, Cancelled 185 37E 30-025-0250 30-025 Salt Water Injection, New 10-025-07512 L 1 30-025-28299 30-025-28968 Salt Water Injection, Plugged Salt Water Injection, Temporarily Abandoned 30-025-37428 30-025-27060 30-025-07428 30-025-07629 30-025-0752530-025-13667 30-025-12566 30-025 Water, Active 30-025-07513 30-025-07506 Water Cancelled Water, Plugged 30-025-0752+30-025-07538 30-025-07547 30-025-07544 30-025-07545 30-025-28410 30-025-35758 30.025.07543 30.025.07543 30.025.07543 30.025.07543 30.025.07543 30.025.07543 30.025.07543 30.025.0755 30.0255 30. 30-025-07507, 10-0 30-025-37214 Water, Temporarily Abandoned NESW 30-025-0749930-025-12503 NF30-025-0750170-023-23045 30-025-35365 (K) 30-025-3030-30-025-38572 30-025-075330-025-28769 30-025-27139 301025-07500 30-025-28411 30-025-28411 30-025-44720 30-025-3553430-025-3499330-025-44721 30-025-28943 (P) 30-025-323630-025-31662 30-025-3545230-025-29906 30-025-07543 30-025-07547 30-025-07523 \$2500 (N) 30-025-07530 \$20-025-07530 \$30-025-07540 \$30 OCD Districts and Offices (M) ... (8) 30-025-07502<sub>30-025-12502</sub>30-025-28265<sub>30-025-3</sub>1662 30-025-0756130-025-07572 OCD District Offices 30-025-12803 36 185 38E 30-025-28333 185 37E 30-025-07E14 30-025-07637 30-025-0762530-025-28975 2530-025-28975 30-025-0762730-025-07815 30-025-07619 30-025-07605 10-025-07626 20-025-28305 30-025-28305 Public Land Survey System 30-025-07629 30-025-07629 LI L2 20-025-2989230-025-31421 PLSS Second Division **e**30-025-29456 20-025-36661 30,025 44510 30-025-07626 20-025-27628 30-025-07631 30-025-07631 30-025-07631 PLS Released to Imaging: 12/15/2023 9:57:42 AM 30-025-29410

# **MITCHELL ANALYTICAL LABORATORY**

2638 Faudree Odessa, Texas 79765-8538 561-5579

Company:	Nalco	Company
----------	-------	---------

Smith Irrigation System 70 Well Number: Sample Temp:

OXY Date Sampled: 10/24/2013 Lease:

Location:

Sampled by: **Bobby Hunt** 10/31/2013 Employee #: 27-022 Date Run: Lab Ref #: 13-nov-n72699 Analyzed by: GR

			Dissolved C	Gases			
	(1120)				Mg/L	Eq. Wt.	MEq/L
Hydrogen Sulfide	• •		NOT ANA		.00	16.00	.00
Carbon Dioxide Dissolved Oxyger	(CO2) n (O2)		NOT ANA				
			Cations				
Calcium	(Ca++	)			191.67	20.10	9.54
Magnesium	(Mg++	-)			35.97	12.20	2.95
Sodium	(Na+)				102.74	23.00	4.47
Barium	(Ba++	)	NOT ANAL	YZED			
Manganese	(Mn+)				.03	27.50	.00
Strontium	(Sr++	)	NOT ANAL	YZED			
			Anions				
Hydroxyl	(OH-)				.00	17.00	.00
Carbonate	(CO3=	)			.00	30.00	.00
BiCarbonate	(HCO3	-)			268.84	61.10	4.40
Sulfate	(SO4=	)			124.00	48.80	2.54
Chloride	(CI-)				355.39	35.50	10.01
Total Iron	(Fe)				0	18.60	.00
Total Dissolved S	Solids			-	1,078.64		
Total Hardness a					626.65		
Conductivity MIC	ROMHOS/CN	1			1,825		
рН	7.730			Specific G	ravity 60/60	) F.	1.001
CaSO4 Solubility	@ 80 F.	16.8	30MEq/L,	CaSO4 scale	e is unlikely	′	
CaCO3 Scale Index							
70.0	.265	100.0	.615	130.0	1.12	5	
80.0	.395	110.0	.855	140.0	1.12	5	
90.0	.615	120.0	.855	150.0	1.35	5	

Smith Irrigation System

32°43′45.64″N 103°10′44.90″W

# **MITCHELL ANALYTICAL LABORATORY**

2638 Faudree Odessa, Texas 79765-8538 561-5579

Company:	Nalco	Company
----------	-------	---------

NM OCD Sprinkler System Well 70 Well Number: Sample Temp:

OXY Date Sampled: 10/24/2013 Lease:

Location:

Sampled by: **Bobby Hunt** Date Run: 10/31/2013 Employee #: 27-022 Lab Ref #: 13-nov-n72700 Analyzed by: GR

			Dissolved G	Gases	Mg/L	Eq. Wt.	MEq/L
Hydrogen Sulfide	e (H2S)				.00	16.00	.00
Carbon Dioxide Dissolved Oxyge	(CO2)		NOT ANAI				
			Cations				
Calcium	(Ca++)	)			105.89	20.10	5.27
Magnesium	(Mg++	)			12.15	12.20	1.00
Sodium	(Na+)				54.56	23.00	2.37
Barium	(Ba++)	)	NOT ANAL	YZED			
Manganese	(Mn+)				.02	27.50	.00
Strontium	(Sr++)		NOT ANAL	YZED			
			Anions				
Hydroxyl	(OH-)				.00	17.00	.00
Carbonate	(CO3=)	)			.00	30.00	.00
BiCarbonate	(HCO3-	·)			268.84	61.10	4.40
Sulfate	(SO4=)	)			54.00	48.80	1.11
Chloride	(CI-)				111.12	35.50	3.13
Total Iron	(Fe)				0	18.60	.00
Total Dissolved S					606.58		
Total Hardness a					314.54		
Conductivity MIC	ROMHOS/CM				858		
pH	7.960			Specific G	ravity 60/6	0 F.	1.000
CaSO4 Solubility	@ 80 F.	18.	02MEq/L,	CaSO4 scal	e is unlikely	/	
CaCO3 Scale Index							
70.0	.237	100.0	.587	130.0	1.09	7	
80.0	.367	110.0	.827	140.0	1.09	7	
90.0	.587	120.0	.827	150.0	1.32	7	

NM OCD Sprinklers 32°43′05.88″N 103°09′44.88″W

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505** 

CONDITIONS

Action 295137

### **CONDITIONS**

Operator:	OGRID:
OCCIDENTAL PERMIAN LTD	157984
P.O. Box 4294	Action Number:
Houston, TX 772104294	295137
	Action Type:
	[IM-SD] Admin Order Support Doc (ENG) (IM-AAO)

#### CONDITIONS

Created By	Condition	Condition Date
mgebremichael	None	12/15/2023