

State of New Mexico
Energy, Minerals and Natural Resources Department

Michelle Lujan-Grisham
Governor

Melanie A. Kenderdine
Cabinet Secretary

Ben Shelton
Deputy Secretary

Erin Taylor
Deputy Secretary

Albert C.S. Chang
Division Director
Oil Conservation Division



Brock Dixon
bdixon@mewbourne.com

Administrative Order NSP – 2328

ADMINISTRATIVE NON-STANDARD HORIZONTAL SPACING UNIT

Mewbourne Oil Company [OGRID 14744]

Easy Peasy 32 33 Federal Com Well No. 521H [API No. 30-015-56387]

Easy Peasy 32 33 Federal Com Well No. 523H [API No. 30-015-56388]

Easy Peasy 32 33 Federal Com Well No. 525H [API No. 30-015-PENDING]

Easy Peasy 32 33 Federal Com Well No. 527H [API No. 30-015-56389]

HSU: E/2 W/2 & E/2 Section 32 and Section 33, T18S R31E, Eddy County

Reference is made to your application received on August 21st, 2025.

You have requested approval of a non-standard horizontal spacing unit to be included in your proposed horizontal spacing unit, as follows:

Proposed Increased Horizontal Spacing Unit:

Description	Acres	Pool	Pool Code
E/2 W/2, E/2 Section 32 Section 33	1120	Hack Berry; Bone Spring, North	97056

NSP - 2328
Mewbourne Oil Company
Page 2 of 2

You have requested an exception pursuant to Rule 19.15.16.15(A)(3) NMAC, to approve a non-standard horizontal spacing unit consisting of the entire area described above as the horizontal spacing unit. The proposed horizontal spacing unit does not consist of a quarter - quarter section or equivalent in both sections, as required by Rule 19.15.16.15(B)(1) NMAC.

We understand that you are seeking this exception for an allowance to create a non-standard horizontal spacing unit, comprised of the Proposed Horizontal Spacing Unit referenced above within Eddy County, New Mexico.

The Division understands you have given notice of this application to all operators or owners who are "affected persons," as defined in Paragraph (8) Subsection A of 19.15.2.7 NMAC, in all adjoining units which are to be being included.

You have requested this non-standard horizontal spacing unit to eliminate the need for separate production facilities and additional administrative approvals all while protecting the correlative rights within the Bone Spring formation. Thus, preventing waste and limiting the environmental footprint underlying the E/2 W/2, E/2 Section 32, and all of Section 33 within the referenced Horizontal Spacing Unit.

Pursuant to the authority conferred by Division Rule 19.15.16.15(B)(5) NMAC, the above-described **non-standard horizontal spacing unit is hereby approved**. Further, the Applicant may add additional wells to the non-standard spacing unit, the well(s) must be in the same horizontal spacing unit and pool/formation. The new well's APD shall reference this NSP order number on Form C-102 with an adjacent letter stating this request.

General Provisions

The above approvals are subject to your being in compliance with all other applicable Division rules, including, but not limited to Division Rule 19.15.5.9 NMAC.

Jurisdiction of this case is retained for the entry of such further orders as the Division may deem necessary.



Albert C.S. Chang
Division Director
AC/lrl

Date: 10/20/2025

ID NO. 498062

NSP - 2328

Revised March 23, 2017

RECEIVED: 08/21/25	REVIEWER:	TYPE:	APP NO:
--------------------	-----------	-------	---------

ABOVE THIS TABLE FOR OCD DIVISION USE ONLY

NEW MEXICO OIL CONSERVATION DIVISION
 - Geological & Engineering Bureau -
 1220 South St. Francis Drive, Santa Fe, NM 87505

**ADMINISTRATIVE APPLICATION CHECKLIST**

THIS CHECKLIST IS MANDATORY FOR ALL ADMINISTRATIVE APPLICATIONS FOR EXCEPTIONS TO DIVISION RULES AND REGULATIONS WHICH REQUIRE PROCESSING AT THE DIVISION LEVEL IN SANTA FE

Applicant: Mewbourne Oil Company**OGRID Number:** 14744**Well Name:** Easy Peasy 32/33 Fed Com #521H, #523H, #525H, #527H**API:** 30-015-56387, 56388, Pending, 56389**Pool:** Hackberry; Bone Spring**Pool Code:** 97056

SUBMIT ACCURATE AND COMPLETE INFORMATION REQUIRED TO PROCESS THE TYPE OF APPLICATION INDICATED BELOW

1) TYPE OF APPLICATION: Check those which apply for [A]

A. Location - Spacing Unit - Simultaneous Dedication

☐ NSL☐ NSP (PROJECT AREA)☒ NSP (PRORATION UNIT)☐ SD

B. Check one only for [I] or [II]

[I] Commingling - Storage - Measurement

☐ DHC☐ CTB☐ PLC☐ PC☐ OLS☐ OLM

[II] Injection - Disposal - Pressure Increase - Enhanced Oil Recovery

☐ WFX☐ PMX☐ SWD☐ IPI☐ EOR☐ PPR**2) NOTIFICATION REQUIRED TO:** Check those which apply.A. ☒ Offset operators or lease holdersB. ☐ Royalty, overriding royalty owners, revenue ownersC. ☐ Application requires published noticeD. ☒ Notification and/or concurrent approval by SLOE. ☒ Notification and/or concurrent approval by BLMF. ☐ Surface ownerG. ☒ For all of the above, proof of notification or publication is attached, and/or,H. ☐ No notice required**FOR OCD ONLY**☐ Notice Complete
☐ Application
 Content
 Complete

- 3) CERTIFICATION:** I hereby certify that the information submitted with this application for administrative approval is **accurate** and **complete** to the best of my knowledge. I also understand that **no action** will be taken on this application until the required information and notifications are submitted to the Division.

Note: Statement must be completed by an individual with managerial and/or supervisory capacity.

Brock Dixon

Print or Type Name

Signature

8/19/2025

Date

432-682-3715

Phone Number

bdixon@mewbourne.com

e-mail Address

MEWBOURNE OIL COMPANY

414 WEST TEXAS AVENUE
MIDLAND, TEXAS 79701-4279

TELEPHONE (432) 682-3715

August 19, 2025

Via Certified Mail

New Mexico Oil Conservation Division
1220 S. St. Francis Drive
Santa Fe, New Mexico 87505
Attn: Mr. Leonard Lowe

Re: Application for Non Standard Proration Unit

Easy Peasy 32/33 Fed Com #521H

API No. 30-015-56387

Surface Location: 2300' FNL & 205' FEL (Unit E) (Section 32)

Proposed First Perf: 400' FNL & 1420' FEL (Unit C) (Section 32)

Bottom Hole Location: 400' FNL & 100' FEL (Unit A) (Section 33)

Proposed Last Perf: 400' FNL & 100' FEL (Unit A) (Section 33)

Section 32, T18S, R31E

Sections 33, T18S, R31E

Eddy County, New Mexico

Easy Peasy 32/33 Fed Com #523H

API No. 30-015-56388

Surface Location: 2340' FNL, 205' FWL (Unit E) (Section 32)

Proposed First Perf: 1720' FNL & 1420' FWL (Unit F) (Section 32)

Bottom Hole Location: 1720' FNL & 100' FEL (Unit H) (Section 33)

Proposed Last Perf: 1720' FNL & 100' FEL (Unit H) (Section 33)

Section 32, T18S, R31E

Sections 33, T18S, R31E

Eddy County, New Mexico

Easy Peasy 32/33 Fed Com #525H

API No. 30-015-Pending

Surface Location: 1400' FSL & 205' FWL (Unit L) (Section 32)

Proposed First Perf: 2240' FSL & 1421' FWL (Unit K) (Section 32)

Bottom Hole Location: 2240' FSL & 100' FEL (Unit I) (Section 33)

Proposed Last Perf: 2240' FSL & 100' FEL (Unit I) (Section 33)

Section 32, T18S, R31E

Sections 33, T18S, R31E

Eddy County, New Mexico

Easy Peasy 32/33 Fed Com #527H

API No. 30-015-56389

Surface Location: 1360' FSL & 205' FWL (Unit L) (Section 32)

Proposed First Perf: 920' FSL & 1420' FWL (Unit N) (Section 32)

Bottom Hole Location: 920' FSL & 100' FEL (Unit P) (Section 33)

Proposed Last Perf: 920' FSL & 100' FEL (Unit P) (Section 33)

Section 32, T18S, R31E

Sections 33, T18S, R31E

Eddy County, New Mexico

Dear Mr. Lowe:

Pursuant to Division Rule 19.15.16.15(B)(5), Mewbourne Oil Company ("Mewbourne") respectfully requests administrative approval of a non-standard proration unit for its proposed Easy Peasy 32/33 wells listed above covering only the 2nd Bone Spring formation defined as those depths from the stratigraphic equivalent of 8,312 feet to the stratigraphic of 9,017 feet as referenced in the triple combo logs for the KC Strip State #2 well bearing API# 30-015-36068 located in Section 32, T18S, R32E, Eddy County, New Mexico. These wells will be drilled as horizontal oil wells in the Hackberry; Bone Spring [97056] Pool in Sections 32 and 33, T18S, R31E.

The Easy Peasy 32/33 Fed Com #521H, Easy Peasy 32/33 Fed Com #523H, Easy Peasy 32/33 Fed Com #525H and Easy Peasy 32/33 Fed Com #527H will be dedicated to a non-standard 1120.00-acre oil spacing and proration unit comprising the E/2W/2 and E/2 of Section 32 and all of Section 33, T18S, R31E, Eddy County, New Mexico.

The non-standard proration unit is necessary in order to maximize the recovery of oil and gas reserves from the Bone Spring formation underlying the E/2W/2 and E/2 of Section 32 and all of Section 33, T18S, R31E, Eddy County, New Mexico.

The affected offset acreage comprises the W/2W/2 of Section 32, S/2S/2 of Section 29, S/2S/2 of Section 28, SW/4SW/4 of Section 27, and W/2W/2 of Section 34, T18S, R31E, and Lot 1 (NW/4NW/4) of Section 3, Lots 1-4 (N/2N/2) of Section 4, and Lots 1-4 (N/2N/2) of Section 5, T19S, R31E, Eddy County, New Mexico. Notice of this application is being provided to all parties listed on the attached list of affected parties.

Attached are the Form C-102s showing the surface, first take point, and bottomhole locations for the Easy Peasy 32/33 Fed Com #521H, Easy Peasy 32/33 Fed Com #523H, Easy Peasy 32/33 Fed Com #525H and Easy Peasy 32/33 Fed Com #527H wells. Also, attached is a map showing the affected offset acreage, notice list and offset notice letter.

Mewbourne is seeking approval of this NSP to eliminate the need for separate production facilities and additional administrative approvals. Therefore, reducing waste and limiting our environmental footprint while protecting correlative rights within the referenced horizontal spacing unit.

Notice by certified mail, return receipt requested, has been given to the affected parties listed in the notification list attached.

Thank you for your consideration of this application. Should you have any questions regarding the above, please email me at bdixon@mewbourne.com or call me at (432) 682-3715.

Sincerely,

MEWBOURNE OIL COMPANY



Brock Dixon
Landman

MEWBOURNE OIL COMPANY

414 West Texas Avenue
Midland, Texas 79701
Phone (432) 682-3715

August 19, 2025

Certified Mail

Affected Parties (See Attached List)

Re: **Application for Non-Standard Proration Unit**

Easy Peasy 32/33 Fed Com #521H – API #30-015-56387

SL: 2300' FNL & 205' FEL (Section 32)
FTP: 400' FNL & 1420' FEL (Section 32)
LTP: 400' FNL & 100' FEL (Section 33)
BHL: 400' FNL & 100' FEL (Section 33)

Easy Peasy 32/33 Fed Com #523H – API #30-015-56388

SL: 2340' FNL, 205' FWL (Section 32)
FTP: 1720' FNL & 1420' FWL (Section 32)
LTP: 1720' FNL & 100' FEL (Section 33)
BHL: 1720' FNL & 100' FEL (Section 33)

Easy Peasy 32/33 Fed Com #525H – API #30-015-Pending

SL: 1400' FSL & 205' FWL (Section 32)
FTP: 2240' FSL & 1421' FWL (Section 32)
LTP: 2240' FSL & 100' FEL (Section 33)
BHL: 2240' FSL & 100' FEL (Section 33)

Easy Peasy 32/33 Fed Com #527H – API #30-015-56389

SL: 1360' FSL & 205' FWL (Section 32)
FTP: 920' FSL & 1420' FWL (Section 32)
LTP: 920' FSL & 100' FEL (Section 33)
BHL: 920' FSL & 100' FEL (Section 33)

Sections 32 and 33-T18S-R31E
Eddy County, NM

To Whom It May Concern:

Enclosed is a copy of Mewbourne Oil Company's (MOC) Application for Non-Standard Proration Unit for the above referenced Easy Peasy 32/33 Fed Com #521H, Easy Peasy 32/33 Fed Com #523H, Easy Peasy 32/33 Fed Com #525H, and Easy Peasy 32/33 Fed Com #527H wells covering a 1,120.00-acre proration unit comprising the E/2W/2 and E/2 of Sections 32 and all of Section 33, T18S, R31E, Eddy County, NM.

You are being sent a copy of this Application per OCD's requirements to notify the Operators, Record Title Owner and/or interest owners in the affected offset acreage. If you have any objection to this Application, notification should be given to the OCD within 20 days of the date of this letter. The Application has been filed with the OCD as of this date.

MOC is seeking approval of the Non-Standard Proration Unit to eliminate the need for separate production facilities and additional administrative approvals. Therefore, reducing waste while protecting correlative rights with the referenced horizontal spacing unit.

If you have any questions regarding this application, please contact me at bdixon@mewbourne.com or (432) 682-3715.

MEWBOURNE OIL COMPANY


Brock Dixon
Landman

C-102 Submit Electronically Via OCD Permitting	State of New Mexico Energy, Minerals & Natural Resources Department OIL CONSERVATION DIVISION	Revised July 9, 2024	
		Submittal Type:	☒ Initial Submittal
			☐ Amended Report
			☐ As Drilled

WELL LOCATION INFORMATION

API Number 30-015-56388	Pool Code 97056	Pool Name HACK BERRY; BONE SPRING, NORTH
Property Code 337135	Property Name EASY PEASY 32/33 FED COM	Well Number 523H
OGRID No. 14744	Operator Name MEWBOURNE OIL COMPANY	Ground Level Elevation 3553'
Surface Owner: ☐ State ☐ Fee ☐ Tribal ☒ Federal		Mineral Owner: ☐ State ☐ Fee ☐ Tribal ☒ Federal

Surface Location

UL E	Section 32	Township 18S	Range 31E	Lot	Ft. from N/S 2340 FNL	Ft. from E/W 205 FWL	Latitude 32.7047316°N	Longitude 103.8995298°W	County EDDY
----------------	----------------------	------------------------	---------------------	-----	---------------------------------	--------------------------------	---------------------------------	-----------------------------------	-----------------------

Bottom Hole Location

UL H	Section 33	Township 18S	Range 31E	Lot	Ft. from N/S 1720 FNL	Ft. from E/W 100 FEL	Latitude 32.7064902°N	Longitude 103.8661900°W	County EDDY
----------------	----------------------	------------------------	---------------------	-----	---------------------------------	--------------------------------	---------------------------------	-----------------------------------	-----------------------

Dedicated Acres 1120	Infill or Defining Well DEFINING	Defining Well API	Overlapping Spacing Unit (Y/N) Y	Consolidation Code N/A
Order Numbers.			Well setbacks are under Common Ownership: ☐ Yes ☐ No	

Kick Off Point (KOP)

UL E	Section 32	Township 18S	Range 31E	Lot	Ft. from N/S 1720 FNL	Ft. from E/W 847 FWL	Latitude 32.7064389°N	Longitude 103.8974454°W	County EDDY
----------------	----------------------	------------------------	---------------------	-----	---------------------------------	--------------------------------	---------------------------------	-----------------------------------	-----------------------


First Take Point (FTP)

UL F	Section 32	Township 18S	Range 31E	Lot	Ft. from N/S 1720 FNL	Ft. from E/W 1420 FWL	Latitude 32.7064420°N	Longitude 103.8955830°W	County EDDY
----------------	----------------------	------------------------	---------------------	-----	---------------------------------	---------------------------------	---------------------------------	-----------------------------------	-----------------------

Last Take Point (LTP)

UL H	Section 33	Township 18S	Range 31E	Lot	Ft. from N/S 1720 FNL	Ft. from E/W 100 FEL	Latitude 32.7064902N	Longitude 103.8661900W	County EDDY
----------------	----------------------	------------------------	---------------------	-----	---------------------------------	--------------------------------	--------------------------------	----------------------------------	-----------------------

Unitized Area or Area of Uniform Interest	Spacing Unit Type ☒ Horizontal ☐ Vertical	Ground Floor Elevation:
---	--	-------------------------

OPERATOR CERTIFICATIONS <i>I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and, if the well is a vertical or directional well, that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of a working interest or unleased mineral interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.</i> <i>If this well is a horizontal well, I further certify that this organization has received the consent of at least one lessee or owner of a working interest or unleased mineral interest in each tract (in the target pool or formation) in which any part of the well's completed interval will be located or obtained a compulsory pooling order from the division.</i> <i>Brett Miller</i> 12/2/2024		SURVEYOR CERTIFICATIONS <i>I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me under my supervision, and that the same is true and correct to the best of my belief.</i> 	
Signature Brett Miller		Signature and Seal of Professional Surveyor <i>Robert M. Howett</i>	
Printed Name brett.miller@mewbourne.com		Certificate Number 19680	Date of Survey 04/26/2024
Email Address			


Note: No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

ACREAGE DEDICATION PLATS

This grid represents a standard section. You may superimpose a non-standard section, or larger area, over this grid. Operators must outline the dedicated acreage in a red box, clearly show the well surface location and bottom hole location, if it is a directionally drilled, with the dimensions from the section lines in the cardinal directions. If this is a horizontal wellbore show on this plat the location of the First Take Point and Last Take Point, and the point within the Completed interval (other than the First Take Point or Last Take Point) that is closest to any outer boundary of the tract.

Surveyors shall use the latest United States government survey or dependent resurvey. Well locations will be in reference to the New Mexico Principal Meridian. If the land is not surveyed, contact the OCD Engineering Bureau. Independent subdivision surveys will not be acceptable.

EASY PEASY 32/33 FED COM #523H



GEODETIC DATA

NAD 83 GRID - NM EAST

SURFACE LOCATION (SL)

N: 620385.6 - E: 674773.2

LAT: 32.7047316° N

LONG: 103.8995298° W

KICK OFF POINT (KOP)

1720' FNL - 847' FWL SEC.32

N: 621009.4 - E: 675411.8

LAT: 32.7064389° N

LONG: 103.8974454° W

FIRST TAKE POINT (FTP)

1720' FNL - 1420' FWL SEC.32

N: 621012.9 - E: 675984.7

LAT: 32.7064420° N

LONG: 103.8955830° W

PROPOSED PENETRATION POINT 2 (PPP2)

1720' FNL - 0' FWL SEC.33

N: 621036.9 - E: 679844.5

LAT: 32.7064634° N

LONG: 103.8830345° W

PROPOSED PENETRATION POINT 3 (PPP3)

1720' FNL - 2641' FWL SEC.33

N: 621053.2 - E: 682484.9

LAT: 32.7064774° N

LONG: 103.8744501° W

LTP/ BOTTOM HOLE (BH)

N: 621069.0 - E: 685025.7

LAT: 32.7064902° N

LONG: 103.8661900° W

CORNER DATA

NAD 83 GRID - NM EAST

A: FOUND BRASS CAP "1916"

N: 617444.2 - E: 674585.8

B: FOUND BRASS CAP "1916"

N: 620084.1 - E: 674570.1

C: FOUND BRASS CAP "1916"

N: 622723.8 - E: 674554.5

D: FOUND 1" PIPE

N: 622739.9 - E: 677194.8

E: FOUND BRASS CAP "1916"

N: 622756.4 - E: 679834.6

F: FOUND BRASS CAP "1916"

N: 622772.8 - E: 682475.3

G: FOUND BRASS CAP "1916"

N: 622789.2 - E: 685115.8

H: FOUND 1/2" IRON PIPE

N: 620150.3 - E: 685130.9

I: FOUND BRASS CAP "1916"

N: 617509.7 - E: 685146.6

J: FOUND BRASS CAP "1916"

N: 617492.6 - E: 682505.0

K: FOUND BRASS CAP "1916"

N: 617475.9 - E: 679864.6

L: FOUND BRASS CAP "1916"

N: 617459.3 - E: 677225.8

M: FOUND BRASS CAP "1916"

N: 620117.5 - E: 679849.8

JOB #: LS24040359D2

C-102 Submit Electronically Via OCD Permitting	State of New Mexico Energy, Minerals & Natural Resources Department OIL CONSERVATION DIVISION		Revised July 9, 2024	
			Submittal Type:	☒ Initial Submittal
				☐ Amended Report
		☐ As Drilled		

WELL LOCATION INFORMATION

API Number 30-015-56387	Pool Code 97056	Pool Name HACK BERRY; BONE SPRING, NORTH
Property Code 337135	Property Name EASY PEASY 32/33 FED COM	Well Number 521H
OGRID No. 14744	Operator Name MEWBOURNE OIL COMPANY	Ground Level Elevation 3554'
Surface Owner: ☐ State ☐ Fee ☐ Tribal ☒ Federal		Mineral Owner: ☐ State ☐ Fee ☐ Tribal ☒ Federal

Surface Location

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
E	32	18S	31E		2300 FNL	205 FWL	32.7048414°N	103.8995302°W	EDDY

Bottom Hole Location

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
A	33	18S	31E		400 FNL	100 FEL	32.7101175°N	103.8661956°W	EDDY

Dedicated Acres 1120	Infill or Defining Well DEFINING	Defining Well API	Overlapping Spacing Unit (Y/N) Y	Consolidation Code N/A
Order Numbers.			Well setbacks are under Common Ownership: ☐ Yes ☐ No	

Kick Off Point (KOP)

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
D	32	18S	31E		400 FNL	847 FWL	32.7100662°N	103.8974530°W	EDDY

First Take Point (FTP)

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
C	32	18S	31E		400 FNL	1420 FEL	32.7100694°N	103.8955905°W	EDDY

Last Take Point (LTP)

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
A	33	18S	31E		400 FNL	100 FEL	32.7101175°N	103.8661956°W	EDDY

Unitized Area or Area of Uniform Interest	Spacing Unit Type ☒ Horizontal ☐ Vertical	Ground Floor Elevation:
---	--	-------------------------

OPERATOR CERTIFICATIONS I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and, if the well is a vertical or directional well, that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of a working interest or unleased mineral interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division. If this well is a horizontal well, I further certify that this organization has received the consent of at least one lessee or owner of a working interest or unleased mineral interest in each tract (in the target pool or formation) in which any part of the well's completed interval will be located or obtained a compulsory pooling order from the division. <i>Brett Miller</i> 12/2/2024 Signature Date		SURVEYOR CERTIFICATIONS I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me under my supervision, and that the same is true and correct to the best of my belief.  Signature and Seal of Professional Surveyor <i>Robert M. Howett</i> Certificate Number Date of Survey 19680 04/26/2024	
Printed Name brett.miller@mewbourne.com Email Address			


Note: No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

ACREAGE DEDICATION PLATS

This grid represents a standard section. You may superimpose a non-standard section, or larger area, over this grid. Operators must outline the dedicated acreage in a red box, clearly show the well surface location and bottom hole location, if it is a directionally drilled, with the dimensions from the section lines in the cardinal directions. If this is a horizontal wellbore show on this plat the location of the First Take Point and Last Take Point, and the point within the Completed interval (other than the First Take Point or Last Take Point) that is closest to any outer boundary of the tract.

Surveyors shall use the latest United States government survey or dependent resurvey. Well locations will be in reference to the New Mexico Principal Meridian. If the land is not surveyed, contact the OCD Engineering Bureau. Independent subdivision surveys will not be acceptable.

EASY PEASY 32/33 FED COM #521H



GEODETIC DATA

NAD 83 GRID - NM EAST

SURFACE LOCATION (SL)

N: 620425.6 - E: 674773.0

LAT: 32.7048414° N
LONG: 103.8995302° W

KICK OFF POINT (KOP)

400' FNL - 847' FWL SEC.32
N: 622329.0 - E: 675404.1LAT: 32.7100662° N
LONG: 103.8974530° W

FIRST TAKE POINT (FTP)

400' FNL - 1420' FWL SEC.32
N: 622332.6 - E: 675976.9LAT: 32.7100694° N
LONG: 103.8955905° W

PROPOSED PENETRATION POINT 2 (PPP2)

400' FNL - 0' FWL SEC.33
N: 622356.5 - E: 679836.9LAT: 32.7100908° N
LONG: 103.8830409° W

PROPOSED PENETRATION POINT 3 (PPP3)

400' FNL - 2641' FWL SEC.33
N: 622372.9 - E: 682477.5LAT: 32.7101047° N
LONG: 103.8744557° W

LTP/ BOTTOM HOLE (BH)

N: 622388.7 - E: 685018.1

LAT: 32.7101175° N
LONG: 103.8661956° W

CORNER DATA

NAD 83 GRID - NM EAST

A: FOUND BRASS CAP "1916"
N: 617444.2 - E: 674585.8B: FOUND BRASS CAP "1916"
N: 620084.1 - E: 674570.1C: FOUND BRASS CAP "1916"
N: 622723.8 - E: 674554.5D: FOUND 1" PIPE
N: 622739.9 - E: 677194.8E: FOUND BRASS CAP "1916"
N: 622756.4 - E: 679834.6F: FOUND BRASS CAP "1916"
N: 622772.8 - E: 682475.3G: FOUND BRASS CAP "1916"
N: 622789.2 - E: 685115.8H: FOUND 1/2" IRON PIPE
N: 620150.3 - E: 685130.9I: FOUND BRASS CAP "1916"
N: 617509.7 - E: 685146.6J: FOUND BRASS CAP "1916"
N: 617492.6 - E: 682505.0K: FOUND BRASS CAP "1916"
N: 617475.9 - E: 679864.6L: FOUND BRASS CAP "1916"
N: 617459.3 - E: 677225.8M: FOUND BRASS CAP "1916"
N: 620117.5 - E: 679849.8

JOB #: LS24040357D2

C-102 Submit Electronically Via OCD Permitting	State of New Mexico Energy, Minerals & Natural Resources Department OIL CONSERVATION DIVISION	Revised July 9, 2024	
		Submittal Type:	☒ Initial Submittal
			☐ Amended Report
		☐ As Drilled	

WELL LOCATION INFORMATION

API Number 30-015-Pending	Pool Code 97056	Pool Name HACK BERRY: BONE SPRING, NORTH
Property Code 337135	Property Name EASY PEASY 32/33 FED COM	Well Number 525H
OGRID No. 14744	Operator Name MEWBOURNE OIL COMPANY	Ground Level Elevation 3557'
Surface Owner: ☒ State ☐ Fee ☐ Tribal ☐ Federal		Mineral Owner: ☐ State ☐ Fee ☐ Tribal ☒ Federal

Surface Location

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
L	32	18S	31E		1400 FSL	205 FWL	32.7004972°N	103.8995205°W	EDDY

Bottom Hole Location

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
I	33	18S	31E		2240 FSL	100 FEL	32.7028606°N	103.8661841°W	EDDY

Dedicated Acres 1120	Infill or Defining Well DEFINING	Defining Well API	Overlapping Spacing Unit (Y/N) Y	Consolidation Code C
Order Numbers, N/A			Well setbacks are under Common Ownership: ☐ Yes ☒ No	

Kick Off Point (KOP)

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
L	32	18S	31E		2240 FSL	848 FWL	32.7028082°N	103.8974373°W	EDDY

First Take Point (FTP)

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
K	32	18S	31E		2240 FSL	1421 FWL	32.7028109°N	103.8955750°W	EDDY

Last Take Point (LTP)

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
I	33	18S	31E		2240 FSL	100 FEL	32.7028606N	103.8661841W	EDDY

Unitized Area or Area of Uniform Interest N/A	Spacing Unit Type ☒ Horizontal ☐ Vertical	Ground Floor Elevation: 3557'
--	--	----------------------------------

OPERATOR CERTIFICATIONS I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and, if the well is a vertical or directional well, that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of a working interest or unleased mineral interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division. If this well is a horizontal well, I further certify that this organization has received the consent of at least one lessee or owner of a working interest or unleased mineral interest in each tract (in the target pool or formation) in which any part of the well's completed interval will be located or obtained a compulsory pooling order from the division. <i>Brett Miller</i> 12/2/2024 Signature Date Brett Miller Printed Name brett.miller@mewbourne.com Email Address		SURVEYOR CERTIFICATIONS I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me under my supervision and that the same is true and correct to the best of my belief.  Signature and Seal of Professional Surveyor <i>Robert M. Howett</i> Certificate Number 19680 Date of Survey 04/26/2024	
--	--	---	--

Note: No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.


JOB #: LS24040361D2

ACREAGE DEDICATION PLATS

This grid represents a standard section. You may superimpose a non-standard section, or larger area, over this grid. Operators must outline the dedicated acreage in a red box, clearly show the well surface location and bottom hole location, if it is a directionally drilled, with the dimensions from the section lines in the cardinal directions. If this is a horizontal wellbore show on this plat the location of the First Take Point and Last Take Point, and the point within the Completed interval (other than the First Take Point or Last Take Point) that is closest to any outer boundary of the tract.

Surveyors shall use the latest United States government survey or dependent resurvey. Well locations will be in reference to the New Mexico Principal Meridian. If the land is not surveyed, contact the OCD Engineering Bureau. Independent subdivision surveys will not be acceptable.

EASY PEASY 32/33 FED COM #525H



CORNER DATA

NAD 83 GRID - NM EAST

A: FOUND BRASS CAP "1916"
N: 617444.2 - E: 674585.8

B: FOUND BRASS CAP "1916"
N: 620084.1 - E: 674570.1

C: FOUND BRASS CAP "1916"
N: 622723.8 - E: 674554.5

D: FOUND 1" PIPE
N: 622739.9 - E: 677194.8

E: FOUND BRASS CAP "1916"
N: 622756.4 - E: 679834.6

F: FOUND BRASS CAP "1916"
N: 622772.8 - E: 682475.3

G: FOUND BRASS CAP "1916"
N: 622789.2 - E: 685115.8

H: FOUND 1/2" IRON PIPE
N: 620150.3 - E: 685130.9

I: FOUND BRASS CAP "1916"
N: 617509.7 - E: 685146.6

J: FOUND BRASS CAP "1916"
N: 617492.6 - E: 682505.0

K: FOUND BRASS CAP "1916"
N: 617475.9 - E: 679864.6

L: FOUND BRASS CAP "1916"
N: 617459.3 - E: 677225.8

M: FOUND BRASS CAP "1916"
N: 620117.5 - E: 679849.8

GEODETTIC DATA

NAD 83 GRID - NM EAST

SURFACE LOCATION (SL)

N: 618845.1 - E: 674782.4

LAT: 32.7004972° N
LONG: 103.8995205° W

KICK OFF POINT (KOP)

2240' FSL - 848' FWL SEC.32
N: 619688.5 - E: 675419.8

LAT: 32.7028082° N
LONG: 103.8974373° W

FIRST TAKE POINT (FTP)

2240' FSL - 1421' FWL SEC.32
N: 619691.8 - E: 675992.6

LAT: 32.7028109° N
LONG: 103.8955750° W

PROPOSED PENETRATION POINT 2 (PPP2)

2240' FSL - 0' FWL SEC.33
N: 619716.0 - E: 679852.0

LAT: 32.7028329° N
LONG: 103.8830282° W

BOTTOM HOLE (BH)

N: 619748.5 - E: 685033.3

LAT: 32.7028606° N
LONG: 103.8661841° W

JOB #: LS24040361D2

C-102 Submit Electronically Via OCD Permitting	State of New Mexico Energy, Minerals & Natural Resources Department OIL CONSERVATION DIVISION	Revised July 9, 2024	
		Submittal Type:	☒ Initial Submittal
			☐ Amended Report
			☐ As Drilled

WELL LOCATION INFORMATION

API Number 30-015-56389	Pool Code 97056	Pool Name HACK BERRY; BONE SPRING, NORTH
Property Code 337135	Property Name EASY PEASY 32/33 FED COM	Well Number 527H
OGRID No. 14744	Operator Name MEWBOURNE OIL COMPANY	Ground Level Elevation 3557'
Surface Owner: ☐ State ☐ Fee ☐ Tribal ☒ Federal		Mineral Owner: ☐ State ☐ Fee ☐ Tribal ☒ Federal

Surface Location

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
L	32	18S	31E		1360 FSL	205 FWL	32.7003872°N	103.8995203°W	EDDY

Bottom Hole Location

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
P	33	18S	31E		920 FSL	100 FEL	32.6992333°N	103.8661775°W	EDDY

Dedicated Acres 1120	Infill or Defining Well DEFINING	Defining Well API	Overlapping Spacing Unit (Y/N) Y	Consolidation Code N/A
Order Numbers.			Well setbacks are under Common Ownership: ☐ Yes ☐ No	

Kick Off Point (KOP)

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
M	32	18S	31E		920 FSL	847 FWL	32.6991809°N	103.8974298°W	EDDY

First Take Point (FTP)

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
N	32	18S	31E		920 FSL	1420 FWL	32.6991835°N	103.8955675°W	EDDY

Last Take Point (LTP)

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
P	33	18S	31E		920 FSL	100 FEL	32.6992333°N	103.8661775°W	EDDY

Unitized Area or Area of Uniform Interest	Spacing Unit Type ☒ Horizontal ☐ Vertical	Ground Floor Elevation: 3557
---	--	-------------------------------------

OPERATOR CERTIFICATIONS <i>I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and, if the well is a vertical or directional well, that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of a working interest or unleased mineral interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.</i> <i>If this well is a horizontal well, I further certify that this organization has received the consent of at least one lessee or owner of a working interest or unleased mineral interest in each tract (in the target pool or formation) in which any part of the well's completed interval will be located or obtained a compulsory pooling order from the division.</i> <i>Brett Miller</i> 12/2/2024		SURVEYOR CERTIFICATIONS <i>I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me under my supervision and that the same is true and correct to the best of my belief.</i> 	
Signature Brett Miller		Signature and Seal of Professional Surveyor <i>Robert M. Howett</i>	
Printed Name brett.miller@mewbourne.com		Certificate Number 19680	Date of Survey 04/26/2024
Email Address			


Note: No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

ACREAGE DEDICATION PLATS

This grid represents a standard section. You may superimpose a non-standard section, or larger area, over this grid. Operators must outline the dedicated acreage in a red box, clearly show the well surface location and bottom hole location, if it is a directionally drilled, with the dimensions from the section lines in the cardinal directions. If this is a horizontal wellbore show on this plat the location of the First Take Point and Last Take Point, and the point within the Completed interval (other than the First Take Point or Last Take Point) that is closest to any outer boundary of the tract.

Surveyors shall use the latest United States government survey or dependent resurvey. Well locations will be in reference to the New Mexico Principal Meridian. If the land is not surveyed, contact the OCD Engineering Bureau. Independent subdivision surveys will not be acceptable.

EASY PEASY 32/33 FED COM #527H



CORNER DATA

NAD 83 GRID - NM EAST

A: FOUND BRASS CAP "1916"
N: 617444.2 - E: 674585.8

B: FOUND BRASS CAP "1916"
N: 620084.1 - E: 674570.1

C: FOUND BRASS CAP "1916"
N: 622723.8 - E: 674554.5

D: FOUND 1" PIPE
N: 622739.9 - E: 677194.8

E: FOUND BRASS CAP "1916"
N: 622756.4 - E: 679834.6

F: FOUND BRASS CAP "1916"
N: 622772.8 - E: 682475.3

G: FOUND BRASS CAP "1916"
N: 622789.2 - E: 685115.8

H: FOUND 1/2" IRON PIPE
N: 620150.3 - E: 685130.9

I: FOUND BRASS CAP "1916"
N: 617509.7 - E: 685146.6

J: FOUND BRASS CAP "1916"
N: 617492.6 - E: 682505.0

K: FOUND BRASS CAP "1916"
N: 617475.9 - E: 679864.6

L: FOUND BRASS CAP "1916"
N: 617459.3 - E: 677225.8

M: FOUND BRASS CAP "1916"
N: 620117.5 - E: 679849.8

GEODETIC DATA

NAD 83 GRID - NM EAST

SURFACE LOCATION (SL)

N: 618805.1 - E: 674782.6

LAT: 32.7003872° N
LONG: 103.8995203° W

KICK OFF POINT (KOP)

920' FSL - 847' FWL SEC. 32
N: 618368.9 - E: 675427.5

LAT: 32.6991809° N
LONG: 103.8974298° W

FIRST TAKE POINT (FTP)

920' FSL - 1420' FWL SEC. 32
N: 618372.2 - E: 676000.4

LAT: 32.6991835° N
LONG: 103.8955675° W

PROPOSED PENETRATION POINT 2 (PPP2)

920' FSL - 0' FWL SEC. 33
N: 618396.4 - E: 679859.4

LAT: 32.6992056° N
LONG: 103.8830223° W

LTP/BOTTOM HOLE (BH)

N: 618428.8 - E: 685041.1


LAT: 32.6992333° N
LONG: 103.8661775° W

JOB #: LS24040363D2

Easy Peasy 32/33 Prospect - NSP Notice List							
TYPE	OWNER NAME	LOCATION	ADDRESS	CITY	STATE	ZIP	TRACKING NUMBER
BLM	Bureau of Land Management	SE/4SE/4 of Section 30, S/2S2 of Section 29, S/2S/2 of Section 28, SW/4SW/4 of Section 27, W/2W/2 of Section 34, all of Section 33, E/2E/2 of Section 31, T18S, R31E, and lot 4 (NW/4NW/4) of Section 3, Lots 1-4 (N/2N/2) of Section 4, Lots 1, 4 (N/2N/2) of Section 5, and Lot 1 (NE/4NE/4) of Section 6, T19S, R31E, Eddy County, New Mexico	301 Dinosaur Trail	Santa Fe	NM	87508	9414836208551283413454
SLO	New Mexico State Land Office	All of Section 32, T18S, R31E, Eddy County, New Mexico	310 Old Santa Fe Trail	Santa Fe	NM	87504	9414836208551283413706
Operator - NMLC 0029387A	ConocoPhillips Company	S/2S/2 of Section 29, T18, R31E and Lots 1-4 (N/2N/2) of Section 5, T19S, R31E	600 W. Illinois Ave.	Midland	TX	79701	9414836208551283412990
Operator - NMLC 0029387B	Devon Energy Production Company, LP	SE/4SE/4 of Section 30, T18S, R31E	333 W. Sheridan Ave.	Oklahoma City	OK	73102	9414836208551283413133
Operator - NMNM 066437	Devon Energy Production Company, LP	Lot 1 (NE/4NE/4) of Section 6, T19S, R31E	333 W. Sheridan Ave.	Oklahoma City	OK	73102	9414836208551283413133
Record Title Owner - NMNM 0055648	18-31, Inc.	S/2SW/4 of Section 28, T18S, R31E	P O. Box 1884	Midland	TX	79702	9414836208551283413089
Record Title Owner - NMLC 0029390A	18-31, Inc.	S/2SE/4 of Section 28, T18S, R31E	P O. Box 1884	Midland	TX	79702	9414836208551283413089
Operator - NMLC 0029392B	G and C Operating, LLC	SW/4SW/4 of Section 27, T18S, R31E	P O. Box 1617	Artesia	NM	88211	9414836208551283413102
Record Title Owner - NMLC 0029392B	K P Kauffman Co., Inc.	W/2W/2 of Section 34, T18S, R31E	1675 Broadway, 28th Floor	Denver	CO	80202	9414836208551283413232
Record Title Owner - NMLC 0064833	OXY USA WTP LP	Lot 4 (NW/4NW/4) of Section 3, T19S, R31E	5 Greenway Plaza, Suite 110	Houston	TX	77046	9414836208551283413300
Record Title Owner - NMLC 0069041	COG Operating, LLC & Concho Oil & Gas, LLC	Lots 1-3 (N/2NE/4, NE/4NW/4) of Section 4, T19S, R31E	600 W. Illinois Ave.	Midland	TX	79701	9414836208551283412990
Record Title Owner - NMLC 0064433	Alexander Kathryn	Lot 4 (NW/4NW/4) of Section 4, T19S, R31E	P O. Box 1248	Fredricksburg	TX	78624	9414836208551283413348
Record Title Owner - NMLC 0064433	Granberry Walter	Lot 4 (NW/4NW/4) of Section 4, T19S, R31E	1923 33rd St.	Lubbock	TX	79411	9414836208551283413362
Record Title Owner - NMLC 0064433	Wade Marie	Lot 4 (NW/4NW/4) of Section 4, T19S, R31E	P O. Box 1248	Fredricksburg	TX	78624	9414836208551283413348
Record Title Owner - NMLC 0064433	Wittkopp Leland & Wittkopp Virginia	Lot 4 (NW/4NW/4) of Section 4, T19S, R31E	803 Runyon	Artesia	NM	88210	9414836208551283413386
Operator - NMLC 0062085	Coterra Energy Operating Co	E/2NE/4 of Section 31, T18S, R31E	6001 Deauville Blvd., Suite 300N	Midland	TX	79706	9414836208551283413393
Operator - NMNM 056035	Coterra Energy Operating Co	E/2NW/4 of Section 31, T18S, R31E	6001 Deauville Blvd., Suite 300N	Midland	TX	79706	9414836208551283413393

Affected Tracts

Easy Peasy 32/33 NSP



Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/oed/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 498062

CONDITIONS

Operator: MEWBOURNE OIL CO P.O. Box 5270 Hobbs, NM 88241	OGRID: 14744
	Action Number: 498062
	Action Type: [UF-NSP] Non-Standard Proration (NSP)

CONDITIONS

Created By	Condition	Condition Date
llowe	This NSP order was approved with pending API wells. The owner of the NSP shall update the OCD when API number(s) are assigned to those pending APD well(s) by sending an e-mail to ocd.engineer@emnrd.nm.gov . TITLED: Updating NSP-XXX with API number(s) and associated Well Name.	10/24/2025