







Case No
5150


Large Exhibits



















HANSON OIL CORP.										
WELL NO.	NRU - 26			NRU - 35						
	#3	#5	#7	#1	#4	#6	#8	#12	#15	#16
T. Cement (Estimated)	Surface	Surface	Surface	70'	85'	87'	95'	75'	70'	Surface
8-5/8" Csg. sx. Cement	208 200	233 200	223 200	201 125	210 125	212 125	216 125	200 125	229 150	217 250
Top Cement (Estimated)	2930	2959	2816	2914	2988	3035	3017	2911	2919	2935
Perforations	4630	No	4614	4580	4579	4591	4594	4568	4585	4582
Packer	4657 4700	Perfs 4730	4646 4700	4584 4650	4620 4670	4631 4700	4624 4680	4629 4700	4637 4700	4607 4700
Perforations	No	4990 Perfs	4989 4993	4716 5086	4717 5190	4860 5184	4739 5019	4875 5016	4738 4971	No Perfs.
5 1/2" Csg. sx. Cement	5145 350	5174 350	5031 350	5129 350	5203 350	5250 350	5232 350	5126 350	5134 350	5150 350
Total Depth	5150	5174	5031	5152	5203	5250	5232	5200	5135	5150

RALPH L. GRAY
PETROLEUM ENGINEERING

Exhibit 45

Diagrammatic
Sketch

