Case No
5403

Large Exhibits

V.S.M.C.F. MICROGRAPHICS

BEST AVAILABLE COPY

/9

IT IS THEREFORE ORDERED:


(1) That each of the spacing areas shall be cemented with sufficient amount of cement to ensure that there is cement around the production casing string throughout the Queen formation and immediately above to a depth of 3100 feet beneath the surface of the ground, or less.

TOWNSHIP 22 SOUTH, RANGE 37 EAST, NMPM, LEA COUNTY

COMPANY	LEASE	WELL NO.	UNIT	SECTION
Armor Oil Company	Keohane	1	I	26
Atlantic Richfield Co.	Boyd	2	D	23
Amerada-Hess Corp.	Walden	1	K	15
" " "	"	2	K	15
" " "	"	3	N	15
" " "	"	6	M	15
" " "	Wood	5	B	22
" " "	"	9	G	22
" " "	"	10	H	22
Cleary	Parks	7	K	14
"	"	8	J	14
"	"	9	N	14
Coquina Oil Corp.	Baker	1	B	26
Exxon Company, USA	Paddock Unit	98	H	15
Gulf Oil Corporation	Colo	5	O	16
John H. Hendrix	Cossatot F	1	C	23
Samedan Oil Corp.	Parks	3	P	14
" " "	"	4	I	14
" " "	"	5	O	14
Skelly Oil Co.	Baker A	5	E	26
" " "	Baker	9	N	22
" " "	"	10	A	27
" " "	"	11	B	27
" " "	Baker C	1	A	26
Sohio Petroleum Co.	Walden	3	F	15
" " "	"	4	E	15
" " "	"	5	E	15
Texas Pacific Oil Co., Inc.	Danglade	1	L	13
Texas Pacific Oil Co., Inc.	Walden	3	C	15
Texas Pacific Oil Co., Inc.	"	4	C	15
Texas Pacific Oil Co., Inc.	Boyd	1	G	23
Texas Pacific Oil Co., Inc.	"	2Y	H	23
Texas Pacific Oil Co., Inc.	"	3	A	23
Texas Pacific Oil Co., Inc.	"	5	B	23
Texas Pacific Oil Co., Inc.	Cary	7	F	22
Texas Pacific Oil Co., Inc.	"	8	L	22
Bruce A. Wilbanks	Baker	2	A	26

W.M.N.C.F. MICROGRAPHICS

BEST AVAILABLE COPY



LEA COUNTY, NEW MEXICO
T-22-S R-37-E & T-23-S R-37-E

EXHIBIT "B"
CASE NO. 5403

South Committee Ex # 4
Ca 5403
1-22-75

N.M.O.C.D. MICROGRAPHICS
BEST AVAILABLE COPY




EXHIBIT "B"
CASE NO. 5403

BEFORE EXAMINER NUTTER
OIL CONSERVATION COMMISSION
EXHIBIT NO. 4
CASE NO. 5403 1-22-75

U.S.G.S. PHOTOGRAPHIC
BEST AVAILABLE COPY

ENGINEERED PRODUCTION LOGGING

Schlumberger

COMPANY AMERADA HESS CORPORATION

WELL E.W. WALDEN #3

FIELD EUNICE

COUNTY LEA STATE NEW MEXICO

API Serial No.

Location: 729' FSL & 2053' FWL

Sec. 15 Twp. 22-S Rge. 37-E

Permanent Datum: G.L. Elev. 3382

Log Measured From KB=11.0 Ft. Above Perm. Datum

Drilling Measured From KB=11.0 Ft. Above Perm. Datum

SERVICES RUN: 1, 2 3/8" HJ, CBL-VOL

ELEVATION: KB 3393, DF 3393, GL 3382

Date	12-16-74	Equipment	5615
Run No.	ONE	Location	HOBBS
Depth-Driller	7647	Recorded By	BRITON
Depth-Schl.	7600	Witness By Mr.	OMAR, WAYE
Btm. Log Interval	7590		
Top Log Interval	SURFACE		

The well name, location and borehole reference data were furnished by the customer.

WELL SKETCH

Schlumberger Depths — Driller Depths

13 5/8"@175

8 5/8"@2753

PBTD @7647

5 1/2"@7875

Depths of these records refer to ☐ Schlumberger line measurements
☒ Correlated by CCL to Radioactivity Log Measurements

Indicate: Hole deviation in production zone
Open hole diameter
Diameter and weight of casing and tubing
Position & nature of Perforations (SC, Capsules, etc.)

Schlumberger

TEMPERATURE

RUN # / RUN # / RUN # / RUN # / RUN #

Date
Recorded by
Witnessed by
Run No.
Bottom log interval
Top log interval
Open hole size
Type fluid in hole
Max. rec. temp. °F
Equip. location
Rec. temp. °F
Station

DOWNHOLE EQUIPMENT

CCL — CCL-K — 5615
TEMP — TEMP-A — 1906A
CBL — CBL-A — 1418
CCL — CCL-A — 1418
CHU — CHU-A — 1418
CHU — CHU-A — 1418
TAC — TAC-B — 1418

SURFACE EQUIPMENT

CSG — CSG-K — 5615
PRS — PRS-A — 1418
FLO — FLO-A — 1418
CHU — CHU-A — 1418
CHU — CHU-A — 1418
TAC — TAC-B — 1418

CONVERSION EQUIPMENT

CCL — CCL-K — 5615
TEMP — TEMP-A — 1906A
CBL — CBL-A — 1418
CCL — CCL-A — 1418
CHU — CHU-A — 1418
CHU — CHU-A — 1418
TAC — TAC-B — 1418

REMARKS

TEMPERATURE 70 65 60

DEPTHS 100 200

REDUCED TEMPERATURE


RECORDED 8' DEEP

Casing Collars


Stone Stack

U.S.G.S. MICROGRAPHICS


BEST AVAILABLE COPY




U.S.N.C.T. MICROGRAPHICS
BEST AVAILABLE COPY



U.S.B.C.F. MICROGRAPHICS
BEST AVAILABLE COPY




W.M.H.C.F. MICROGRAPHICS
BEST AVAILABLE COPY




V.V.N.C.F. MICROGRAPHICS

BEST AVAILABLE COPY




U.S.N.C.F. MICROGRAPHICS
BEST AVAILABLE COPY




U.S.N.C.F. MICROGRAPHICS


BEST AVAILABLE COPY




V.N.M.C.F. MICROGRAPHICS
BEST AVAILABLE COPY




V.V.N.C.F. MICROGRAPHICS
BEST AVAILABLE COPY




U.S.N.C.F. MICROGRAPHICS
BEST AVAILABLE COPY




U.S.N.G.F. MICROGRAPHICS
BEST AVAILABLE COPY




U.S.N.C.F. MICROGRAPHICS
BEST AVAILABLE COPY




V.S.H.C.F. MICROGRAPHICS
BEST AVAILABLE COPY




U.S.N.C.F. MICROGRAPHICS
BEST AVAILABLE COPY



V.R.N.C.F. MICROGRAPHICS
BEST AVAILABLE COPY




V.V.M.C.F. MICROGRAPHICS
BEST AVAILABLE COPY




U.S.N.C.F. MICROGRAPHICS
BEST AVAILABLE COPY

N.M.O.C.D. MICROGRAPHICS
BEST AVAILABLE COPY




U.S.N.C.F. MICROGRAPHICS
BEST AVAILABLE COPY




U.S.N.R.C.F. MICROGRAPHICS
BEST AVAILABLE COPY


V.N.M.C.F. MICROGRAPHICS
BEST AVAILABLE COPY




V.N.N.C.F. MICROGRAPHICS
BEST AVAILABLE COPY




V.P.I.S.U. MICROGRAPHICS
BEST AVAILABLE COPY




U.S.N.R.C.F. MICROGRAPHICS
BEST AVAILABLE COPY




U.S.N.C.F. MICROGRAPHICS
BEST AVAILABLE COPY




U.S.N.R.C.F. MICROGRAPHICS
BEST AVAILABLE COPY




V.R.N.C.F. MICROGRAPHICS
BEST AVAILABLE COPY




W.S.N.C.F. MICROGRAPHICS
BEST AVAILABLE COPY




V.P.R.C.F. MICROGRAPHICS
BEST AVAILABLE COPY




V.V.N.C.F. MICROGRAPHICS
BEST AVAILABLE COPY




V.A.N.C.P. MICROGRAPHICS
BEST AVAILABLE COPY



U.S.N.C.F. MICROGRAPHICS
BEST AVAILABLE COPY



V.S.W.C.F. MICROGRAPHICS



V.V.R.C.F. MICROGRAPHICS
BEST AVAILABLE COPY

U.S.G.S. MICROGRAPHICS
BEST AVAILABLE COPY