



Case No
5719

Large Exhibits





AVIATION PHOTOGRAPHY



BEST AVAILABLE COPY

THE TOPOGRAPHIC MAPS OF THE UNITED STATES

The United States Geological Survey is making a series of standard topographic maps to cover the United States. This work has been in progress since 1882 and the published maps cover more than 47 percent of the country, exclusive of unifying possessions.

The maps are published in sheets that measure about 10 1/2 by 20 inches. Under the general plan adopted the country is divided into quadrangles bounded by parallels of latitude and meridians of longitude. These quadrangles are mapped on different scales, the scale selected for each map being that which is best adapted to general use in the development of the country, and consequently, though the standard map is of nearly uniform size, the areas that they represent are of different sizes. On the lower margin of each map are printed graphic scales showing distances in feet, meters, miles, and kilometers. In addition, the scale of the map is shown by a fraction expressing a fixed ratio between linear measurements on the map and corresponding distances on the ground. For example, the scale 1:62,500 means that 1 unit on the map (such as 1 inch, 1 foot, or 1 meter) represents 62,500 of the same units on the earth's surface.

Although some areas are surveyed and some maps are compiled and published on special scales for special purposes, the standard topographic surveys and the resulting maps have for many years been of three types, differentiated as follows:

1. Surveys of areas in which there are problems of great public importance—such as, for example, to mineral development, irrigation, or reclamation of swamp areas—are made with sufficient detail to be used in the publication of maps on a scale of 1:62,500 (1 inch=approximately 1 mile) or 1:125,000 (1 inch=approximately 2 miles), with a contour interval of 1 to 100 feet, according to the relief of the particular area mapped.
2. Surveys of areas in which there are problems of average public importance, such as most of the basin of the Mississippi and its tributaries, are made with sufficient detail to be used in the publication of maps on a scale of 1:250,000 (1 inch=approximately 4 miles), with a contour interval of 10 to 100 feet.
3. Surveys of areas in which the problems are of minor public importance, such as much of the mountain or desert region of Arizona or New Mexico, and the high mountain area of the northwest, are made with sufficient detail to be used in the publication of maps on a scale of 1:500,000 (1 inch=approximately 8 miles) or 1:1,000,000 (1 inch=approximately 16 miles), with a contour interval of 20 to 250 feet.

The aerial camera is now being used in mapping. From the information recorded on the photographs, planimetric maps, which show only distance and culture, have been made for some areas in the United States. By the use of stereoscopic plotting apparatus aerial photographs are utilized also in the making of the regular topographic maps, which show relief as well as distance and culture.

A topographic survey of Alaska has been in progress since 1905, and nearly 41 percent of its area has now been mapped. About 15 percent of the Territory has been covered by maps on a scale of 1:250,000 (1 inch=approximately 4 miles). For most of the remainder of the area surveyed the maps published are on a scale of 1:500,000 (1 inch=approximately 8 miles). For some areas of particular economic importance, covering about 1,500 square miles, the maps published are on a scale of 1:125,000 (1 inch=approximately 2 miles) or larger. In addition to the area covered by topographic maps, about 11,200 square miles of southeastern Alaska has been covered by planimetric maps on scales of 1:62,500 and 1:125,000. The Hawaiian Islands have been surveyed, and the resulting maps are published on a scale of 1:62,500.


A survey of Puerto Rico is now in progress. The scale of the published maps is 1:62,500.

The features shown on topographic maps may be arranged in three groups—(1) water, including seas, lakes, rivers, canals, swamps, and other bodies of water; (2) relief, including mountains, hills, valleys, and other features of the land surface; (3) culture (works of man), such as towns, cities, roads, railroads, and boundaries. The symbols used to represent these features are shown and explained below. Variations appear on some earlier maps, and additional features are represented on some special maps.

All the water features are represented in blue, the smaller streams and canals by single blue lines and the larger ones by double blue lines. The larger streams, lakes, and the sea are represented by blue water filling or blue tint. Intermittent streams—those whose beds are dry for a large part of the year—are shown by blue lines with short dashes.

Relief is shown by contour lines or brown, which on a few maps are supplemented by shading showing the effect of light thrown from the northwest across the area represented, for the purpose of giving the appearance of relief and thus aiding in the interpretation of the contour lines. A contour line represents an imaginary line on the ground to connect every part of which is at the same altitude above sea level. Such a line could be drawn at any altitude, but in practice only the contours at certain regular intervals are shown. The datum or zero of altitude of the Geological Survey maps is mean sea level. The 20-foot contour would be the shore line if the shore should rise 20 feet above mean sea level. Contour lines show the shape of the hills, mountains, and valleys, as well as their altitude. Successive contour lines that are far apart on the map indicate a gentle slope; lines that are close together indicate a steep slope, and lines that run together indicate a cliff.

The manner in which contour lines express altitude, form, and grade is shown in the figure below.



The sketch represents a river valley that lies between two hills. In the foreground is the sea, with a bay that is partly enclosed by a hooked sand bar. On each side of the valley is a terrace, into which small streams have cut narrow gullies. The hill on the right has a rounded summit and gently sloping sides.

STANDARD SYMBOLS

NOTE: Effective on and after October 1, 1916, the price of standard topographic quadrangle maps will be 10 cents each, with additional 25 cents for each additional sheet or more at the retail rate.

CULTURE (printed in black)									
RELIEF (printed in brown)									
WATER (printed in blue)									
WOODS (printed in green)									


THE DIRECTOR

United States Geological Survey
Washington, D. C.



November 1917.





W. A. R. C. P. MICROFILMS



BEST AVAILABLE COPY





THE TOPOGRAPHIC MAPS OF THE UNITED STATES

The United States Geological Survey is making a series of standard topographic maps to cover the United States. This work has been in progress since 1882, and the published maps cover more than 47 percent of the country, exclusive of outlying possessions.

The maps are published on sheets that measure about 104 by 20 inches. Under the general plan adopted the country is divided into quadrangles bounded by parallels of latitude and meridians of longitude. These quadrangles are mapped on different scales, the scale selected for each map being that which is best adapted to general use in the development of the country, and consequently, though the standard maps are of nearly uniform size, the areas that they represent are of different sizes. On the lower margin of each map are printed graphic scales showing distances in feet, meters, miles, and kilometers. In addition, the scale of the map is shown by a fraction expressing a fixed ratio between linear measurements on the map and corresponding distances on the ground. For example, the scale $\frac{1}{62,500}$ means that 1 unit on the map (such as 1 inch, 1 foot, or 1 meter) represents 62,500 of the same units on the earth's surface.

Although some areas are surveyed and some maps are completed and published on special scales for special purposes, the standard topographic survey and the resulting maps have for many years been of three types, differentiated as follows:

1. Surveys of areas in which there are problems of great public importance—relating, for example, to mineral development, irrigation, or reclamation of swamp areas—are made with sufficient detail to be used in the publication of maps on a scale of $\frac{1}{62,500}$ (1 inch=one-half mile) or $\frac{1}{31,250}$ (1 inch=one-quarter mile), with a contour interval of 1 to 100 feet, according to the relief of the particular area mapped.

2. Surveys of areas in which there are problems of average public importance, such as most of the lands of the Mississippi and its tributaries, are made with sufficient detail to be used in the publication of maps on a scale of $\frac{1}{62,500}$ (1 inch=one-half mile), with a contour interval of 10 to 100 feet.

3. Surveys of areas in which the problems are of minor public importance, such as much of the mountain or desert region of Arizona or New Mexico, and the high mountain areas of the northwest, are made with sufficient detail to be used in the publication of maps on a scale of $\frac{1}{125,000}$ (1 inch=nearly 2 miles) or $\frac{1}{250,000}$ (1 inch=nearly 4 miles), with a contour interval of 20 to 250 feet.

The aerial camera is now being used in mapping. From the information recorded on the photographs, planimetric maps, which show only drainage and culture, have been made for some areas in the United States. By the use of stereoscopic plotting apparatus, relief topographic maps are obtained also in the making of the aerial topographic maps, which show relief as well as drainage and culture.

A topographic survey of Alaska has been in progress since 1898, and nearly 44 percent of its area has now been mapped. About 10 percent of the Territory has been covered by maps on a scale of $\frac{1}{62,500}$ (1 inch=nearly 8 miles). For most of the remainder of the area surveyed the maps published are on a scale of $\frac{1}{125,000}$ (1 inch=nearly 4 miles). For some areas of particular economic importance, covering about 4,500 square miles, the maps published are on a scale of $\frac{1}{62,500}$ (1 inch=nearly 4 miles) or larger. In addition to the area covered by topographic maps, about 11,300 square miles of southeastern Alaska has been covered by planimetric maps on scales of $\frac{1}{62,500}$ and $\frac{1}{125,000}$.


The Hawaiian Islands have been surveyed, and the resulting maps are published on a scale of $\frac{1}{62,500}$.

A survey of Puerto Rico is now in progress. The scale of the published maps is $\frac{1}{62,500}$.

The features shown on a topographic map may be arranged in three groups—(1) water, including sea, lakes, rivers, canals, swamps, and other bodies of water; (2) relief, including mountains, hills, valleys, and other features of the land surface; (3) culture (works of man), such as towns, cities, roads, railroads, and boundaries. The symbols used to represent these features are shown and explained below. Variations appear on some earlier maps, and additional features are represented on some special maps.

All the water features are represented in blue, the smaller streams and canals by single blue lines and the larger streams by double blue lines. The larger streams, lakes, and the sea are accentuated by blue water lining or blue tint. Intermittent streams—those whose beds are dry for a large part of the year—are shown by lines of blue, black, and dashes.

Relief is shown by contour lines in brown, which on a few maps are supplemented by shading showing the effect of light thrown from the northwest across the area represented, for the purpose of giving the appearance of relief and thus aiding in the interpretation of the contour lines. A contour line represents an imaginary line on the ground (a contour every part of which is at the same altitude above sea level). Such a line could be drawn at any altitude, but in practice only the contours at certain regular intervals of altitude are shown. The datum or zero of altitude of the Geological Survey maps is mean sea level. The 20-foot contour would be the brown line if the sea should rise 20 feet above mean sea level. Contour lines show the shape of the hills, mountains, and valleys, as well as their altitude. Successive contour lines that are far apart on the map indicate a gentle slope, lines that are close together indicate a steep slope, and lines that run together indicate a cliff. The manner in which contour lines express altitude, form, and grade is shown in the figure below.



The sketch represents a river valley that lies between two hills. In the foreground is the sea, with a bay that is partly enclosed by a hooked sand bar. On each side of the valley is a terrace into which small streams have cut narrow gulches. The hill on the right has a rounded summit and gently sloping spurs separated by ridges. The main one terminates abruptly at the valley in a steep scarp, from which it slopes gradually away and forms an inclined subland that is traversed by a few shallow gullies. On the map each of these features is represented, directly beneath its position in the sketch, by contour lines.

The contour interval or the vertical distance in feet between one contour and the next is stated at the bottom of each map. This interval differs according to the topography of the area mapped: in a flat country it may be as small as 1 foot; in a mountainous region it may be as great as 250 feet. In order that the contours may be read more easily certain contour lines, every fourth or fifth, are made heavier than the others and are so arranged by figures showing altitude. The heights of many points—such as road intersections, summits, surfaces of lakes, and benchmarks—are also given on the map in figures, which show altitude to the nearest foot only. More precise figures for the altitudes of benchmarks are given in the Geological Survey's bulletin on spirit leveling. The possible coordinates of triangulation and transit-traverse stations are also published in bulletins.

Settlements and the works of man are shown in black. Boundaries, such as those of a State, county, city, land grant, town, ship or township, are shown by continuous or broken lines of different kinds and widths. Public roads—suitable for motor travel the greater part of the year—are shown by solid double lines; poor public roads and private roads by double double lines; trails by dashed single lines. Additional public road classification if available is shown by red centerlines. Each quadrangle is designated by the name of a town, town or township, and on the outer margin of the map are printed the names of adjoining quadrangles of which maps have been published. More than 1,000 quadrangles in the United States have been surveyed, and maps of them similar to the one on the other side of this sheet have been published.

Geologic maps of some of the areas shown on the topographic maps have been published in the form of folios. Each folio includes maps showing the topography, geology, and proposed measures, and various details of the area mapped, and several pages of descriptive text. The text explains the maps and describes the topographic and geologic features of the country and its natural products. Two hundred two folios to date have been published.

Plans of maps of each State and of Alaska and Hawaii, showing the areas covered by topographic maps and geologic folios published by the United States Geological Survey, may be obtained free. Copies of the standard topographic maps may be obtained for private use, at a special discount price, at different prices. A discount of 50 percent is allowed on an order amounting to \$25 or more of the retail price. The discount is allowed on orders for maps above, either of one kind or of any combination, or for maps together with geologic folios. The discount is also allowed for 25 cents or more on the order for folios in the case of the folios. A circular describing the folios will be sent on request.


Applications for maps on folio demand be accompanied by cash, draft, or money order not postage charged and should be addressed to

THE DIRECTOR,
United States Geological Survey,
Washington, D. C.

November 1907.

STANDARD SYMBOLS

CULTURE




ALSO SEE
page 26, 1-1, 1908, for notes on symbols.



NAVJAG, MICROFILMS



BEST AVAILABLE COPY



GENERAL DIRECTION OF MOVEMENT OF GROUND WATER
IN EDDY COUNTY, NEW MEXICO


SCALE 1:100,000

EXPLANATION
 ○ Well ○ Spring
 → Direction of ground water movements
 2500 Altitudes (feet above sea level) of ground water levels



DOCUMENT NUMBER 5119
 PERIOD 1910-1914
 DATE 1-13-08
 DRAWN BY H. B. Blevins / D. Blevins





LEGEND
 TA - Spot
 W - Water
 F - Fire
 D - Dry Lake


TOP RUSTLER
 T. 18 S. - R. 30 E.
 EDDY COUNTY, N.M.

Edward E. Kinney
 Nov. 22, 1976



U.S. GEOLOGICAL SURVEY
 F.D. BRANCH 250
 540 N.W. 10th Ave., P.O. Box 1000

Topographic Map of Rustler
 T. 18 S. - R. 30 E.
 Eddy County, New Mexico
 Scale 1:50,000
 Date 1-13-88
 Prepared by D. B. Lee



U.S. GEOLOGICAL SURVEY

BEST AVAILABLE COPY