


Case No.

1533

Large Exhibits







2500
2600
2700
2800
2900
3000
3100
3200
3300
3400
3500
3600
3700
3800
3900
4000
4100
4200
4300
4400
4500
4600
4700
4800
4900
5000
5100
5200
5300
5400

5600
5700
5800
5900
6000
6100
6200
6300
6400
6500
6600
6700
SENSITIVITY
SHUNT ZERO 0 DIV.

0200
0300
0400
0500
0600
0700
0800


0900 1000 1100 1200 1300 1400 1500 1600 1700 1800 1900 2000


2100 2200 2300 2400 2500 2600 2700 2800 2900 3000 3100 3200 3300

3400
3500
3600
3700
3800
3900
4000
4100
4200
4300
4400
4500


4600
4700
4500
4600
4700
4800
4900
5000
5100
5200
5300
5400

5800
5800
5700
5900
5900
6000
6100
6200
6300
6400
6500
6600


7.5
15
Micrograms Eq/kg/lbs
0
100
10 15.5 35 50 80
RESISTIVITY
ohm.m²/m
RESISTIVITY
Ohm.m²/m
GAMMA RAY ZERO 0 DIV.
SFT
GAMMA RAY P.B. 6771'
DEPTH REACHED 6777'
INDUCTION P.B. 6758'
DEPTH REACHED 6764'
COMPANY EL PASO NATURAL GAS PRODUCTS COMPANY
WELL FRONTIER #1-R
STATE & COUNTY SAN JUAN, NEW MEXICO
LOCATION SEC. 9-27N-11W
ELEVATION 6246' G.L.


COMPANY EL PASO NATURAL GAS PRODUCTS COMPANY
LOCATION SEC. 9-27N-11W
WELL FRONTIER #1-R
COUNTY SAN JUAN
STATE NEW MEXICO
First in the Field
Foremost in Research