


CASE 2737: Application of GULF for pool rules for WHITE CITY-PENNSYL-VANIAN GAS POOL.



platin, Transcript,

OIL CONSERVATION COMMISSION SANTA FE, NEW MEXICO

						Date_	4/3	164
CASE	2737			-	Hearing	Date	9am	3/11/64
	My recommendations	for a	n order	in	the above	numbered	DEN Casos are	SE follows:

Enter an order making 640-acre spracing for the White lity - Pennsylvanian gar Pool german effective until further Cerder of the Commission. While bulf har failed in theree hearings now to provide accepting infor makion on actual reserver, there is information as to ability of the wells to drain a wide radius. There is little likelihood that any for further development will take place in this pool, the Structure being limited in size. The two existing weeks will for the problem produce the gas present, artists the the structure today Nauhullu

DEFORM THE OIL CONSERVATION COMMISSION OF THE STATE OF HEW MEXICO

IN THE MATTER OF THE HEARING CALLED BY THE OIL CONSERVATION COMMISSION OF NEW MEXICO FOR THE PURPOSE OF CONSIDERING:

CASE No. 2737 Order No. R-2429

APPLICATION OF GULF OIL CORPORATION FOR SPECIAL POOL RULES, EDDY COUNTY, NEW MEXICO.

ORDER OF THE COMMISSION

BY THE COMMISSION:

This cause came on for hearing at 9 o'clock a.m. on January 23, 1963, at Santa Fe, New Mexico, before Elvis A. Utz, Examiner duly appointed by the Oil Conservation Commission of New Mexico, hereinafter referred to as the "Commission," in accordance with Rule 1214 of the Commission Rules and Regulations.

NOW, on this 21st day of February, 1963, the Commission, a quorum being present, having considered the application, the evidence adduced, and the recommendations of the Examiner, Elvis A. Utz, and being fully advised in the premises,

FINDS:

- (1) That due public notice having been given as required by law, the Commission has jurisdiction of this cause and the subject matter thereof.
- (2) That the applicant, Gulf Oil Corporation, seeks the establishment of special pool rules including provisions for 640-acre spacing for the White City-Pennsylvanian Gas Pool, Eddy County, New Mexico.
- (3) That 640-acre well spacing is a considerable deviation from the statewide rules and regulations and should not be approved without substantial evidence that such deviation is justified.
- (4) That the applicant has not presented sufficient evidence concerning the reservoir characteristics of the White City-Pennsylvanian Gas Pool to enable the Commission to determine whether 640-acre well spacing is justifiable in said pool.
- (5) That this case should be continued to enable the applicant to present additional evidence concerning the reservoir characteristics of the White City-Pennsylvanian Gas Pool.

-2-CASE No. 2737 Order No. R-2429

IT IS THEREFORE ORDERED:

- (1) That this case is hereby continued to the last examiner hearing in March, 1963.
- (2) That the subject application shall be denied if the applicant does not appear at the last examiner hearing in March, 1963, and present additional evidence concerning the reservoir characteristics of the White City-Pennsylvanian Gas Pool.
- (3) That jurisdiction of this cause is retained for the entry of such further orders as the Commission may deem necessary.

DONE at Santa Fe, New Mexico, on the day and year herein-above designated.

STATE OF NEW MEXICO OIL CONSERVATION COMMISSION

JACK W. CAMPBELL Chairman

Crualka-

W. S. WALKER, Member

A. L. PORTER, Jr., Member & Secretary

BEFORE THE OIL CONSERVATION COMMISSION OF THE STATE OF NEW MEXICO

IN THE MATTER OF THE HEARING CALLED BY THE OIL CONSERVATION COMMISSION OF NEW MEXICO FOR THE PURPOSE OF CONSIDERING:

> CASE No. 2737 Order No. R-2429-A

APPLICATION OF GULF OIL CORPORATION FOR SPECIAL POOL RULES FOR THE WHITE CITY-PENNSYLVANIAN GAS POOL, EDDY COUNTY, NEW MEXICO.

ORDER OF THE COMMISSION

BY THE COMMISSION:

This cause came on for hearing at 9 o'clock a.m. on March 20, 1963, at Santa Fe, New Mexico, before Elvis A. Utz, Examiner duly appointed by the Oil Conservation Commission of New Mexico, hereinafter referred to as the "Commission," in accordance with Rule 1214 of the Commission Rules and Regulations.

NOW, on this 27th day of March, 1963, the Commission, a quorum being present, having considered the application, the evidence adduced, and the recommendations of the Examiner, Elvis A. Utz, and being fully advised in the premises,

FINDS:

- (1) That due public notice having been given as required by law, the Commission has jurisdiction of this cause and the subject matter thereof.
- (2) That the applicant, Gulf Oil Corporation, seeks the promulgation of temporary special rules and regulations for the White City-Pennsylvanian Gas Pool in Eddy County, New Mexico, including a provision for 640-acre spacing units.
- (3) That temporary special rules and regulations establishing 640-acre spacing units should be promulgated for the subject pool in order to prevent the possibility of economic loss resulting from the drilling of unnecessary wells and in order to allow the operators in the subject pool to gather information concerning the reservoir characteristics of the pool.
- (4) That the temporary special rules and regulations should provide for limited well locations in order to assure orderly development of the pool and protect correlative rights.

-2-CASE No. 2737 Order No. R-2429-A

- (5) That the temporary special rules and regulations should be established for a one-year period and that during this one-year period all operators in the subject pool should gather all available information relative to drainage and recoverable reserves.
- (6) That this case should be reopened at an examiner hearing in March, 1964, at which time the operators in the subject pool should appear and show cause why the White City-Pennsylvanian Gas Pool should not be developed on 160-acre spacing units.

IT IS THEREFORE ORDERED:

That Special Rules and Regulations for the White City-Pennsylvanian Gas Pool in Eddy County, New Mexico, are hereby promulgated as follows, effective April 1, 1963.

SPECIAL RULES AND REGULATIONS FOR THE WHITE CITY-PENNSYLVANIAN GAS POOL

- RULE 1. Each well completed or recompleted in the White City-Pennsylvanian Gas Pool or in the Pennsylvanian formation within one mile of the White City-Pennsylvanian Gas Pool, and not nearer to or within the limits of another designated Pennsylvanian pool, shall be spaced, drilled, operated, and produced in accordance with the Special Rules and Regulations hereinafter set forth.
- <u>RULE 2</u>. Each well completed or recompleted in the White City-Pennsylvanian Gas Pool shall be located on a standard unit containing 640 acres, more or less, consisting of a single governmental section.
- RULE 3. The Secretary-Director may grant an exception to the requirements of Rule 2 without notice and hearing when an application has been filed for a non-standard unit and the unorthodox size or shape of the unit is necessitated by a variation in the legal subdivision of the United States Public Lands Survey, or the following facts exist and the following provisions are complied with:
 - (a) The non-standard unit consists of quarterquarter sections or lots that are contiguous by a common bordering side.
 - (b) The non-standard unit lies wholly within a single governmental section and contains less acreage than a standard unit.

-3-CASE No. 2737 Order No. R-2429-A

- (c) The applicant presents written consent in the form of waivers from all offset operators and from all operators owning interests in the section in which the non-standard unit is situated and which acreage is not included in said non-standard unit.
- (d) In lieu of Paragraph (c) of this rule, the applicant may furnish proof of the fact that all of the aforesaid operators were notified by registered or certified mail of his intent to form such non-standard unit. The Secretary-Director may approve the application if no such operator has entered an objection to the formation of such non-standard unit within 30 days after the Secretary-Director has received the application.
- RULE 4. Each well completed or recompleted in the White City-Pennsylvanian Gas Pool shall be located no nearer than 1650 feet to the boundary of the spacing unit and no nearer than 330 feet to any governmental quarter-quarter section line.
- RULE 5. The Secretary-Director may grant an exception to the requirements of Rule 4 without notice and hearing when an application has been filed for an unorthodox location necessitated by topographical conditions or the recompletion of a well previously drilled to another horizon. All operators offsetting the proposed unorthodox location shall be notified of the application by registered or certified mail, and the application shall state that such notice has been furnished. The Secretary-Director may approve the application upon receipt of written waivers from all offset operators or if no offset operator has entered an objection to the unorthodox location within 20 days after the Secretary-Director has received the application.

IT IS FURTHER ORDERED:

- (1) That any well presently drilling to or completed in the Pennsylvanian formation within the White City-Pennsylvanian Gas Pool or within one mile of the White City-Pennsylvanian Gas Pool that will not comply with the well location requirements of Rule 4 is hereby granted an exception to the requirements of Rule 4. The operator of any such well shall notify the Artesia District Office in writing of the name and location of the well on or before April 1, 1963.
- (2) That any operator desiring to dedicate 640 acres to a well presently drilling to or completed in the White City-Pennsylvanian Gas Pool shall file a new Form C-128 with the Commission on or before April 1, 1963.

-4-CASE No. 2737 Order No. R-2429-A

- (3) That this case shall be reopened at an examiner hearing in March, 1964, at which time the operators in the subject pool may appear and show cause why the White City-Pennsylvanian Gas Pool should not be developed on 160-acre spacing units.
- (4) That Order No. R-2429 entered by the Commission on February 21, 1963, is hereby superseded.
- (5) That jurisdiction of this cause is retained for the entry of such further orders as the Commission may deem necessary.

DONE at Santa Fe, New Mexico, on the day and year herein-above designated.

STATE OF NEW MEXICO
OIL CONSERVATION COMMISSION

JACK M. CAMPBELL. Chairman

E. S. WALKER, Member

A. L. PORTER, Jr., Member & Secretary

U. S. GEOLOGICAL SURVEY ROSWELL, NEW MEXICO

APPROVAL-CERTIFICATION-DETERMINATION

Pursuant to the authority vested in the Secretary of the Interior under Section 17(j) of the Mineral Leasing Act of 1920, as amended (74 Stat. 784; 30 U.S.C. 226(j)), and delegated to the Regional Oil and Gas Supervisors of the Geological Survey by Order approved June 14, 1962 (27 F.R. 6395), I do hereby:

- A. Approve the attached communitization agreement covering All of Section 29, Township 24 South,

 Range 26 East, NMPM, Eddy County, New Mexico,
 as to dry gas and associated liquid hydrocarbons producible from the Pennsylvanian Gas formation.
- B. Determine that the Federal lease or leases as to the lands committed to the attached agreement cannot be independently developed and operated in conformity with the well-spacing program established for the field or area in which said lands are located, and that consummation and approval of the agreement will be in the public interest.
- C. Certify and determine that the drilling, producing, rental, minimum royalty and royalty requirements of the Federal lease or leases committed to said agreement are hereby established, altered, changed or revoked to conform with the terms and conditions of the agreement.

Dated: MAY 15 1933

Regional Oil and Gas Supervisor
U.S. Geological Survey

Contract No. Comm. Agr. -SW-9 2

GULF OIL CORPORATION FEDERAL ESTALL AD NO. 1 2/11-14/1964

BOTTOM HOLE PRESSURES @ 9490

0 11 ()	40.00		J. 1000 1 410
2-11-64	10:00 A.M.	3943	GAUGE ON BOTTOM
	10:15	1952	WELL OPENED
	10:30	1803	
	10:45	1810	
	11:00	2234	WELL SHUT IN
	11:15	3677	
	11:30	3965	
	11:45	4025	
	12:00 NOON	4060	
	12:15 P.M.	4088	
	12:30	4123	
	12:45	4151	•
	1:00	4186	
	1:15	4218	
	1:30	4250	
	1:45	4278	016
	2:00	4303	0.14 9818
	2:30	4363	(120°) 262
	3:00	4430	Per 1/2 9806 - 9816
	3:30	4490	90
	4:00	4541	
	4:30	4588	
	5:00	4632	
	5:30	4683	
	6:00	4721	
	6:30	4753	
	7:00	4775	
	7:30	4791	
	8:00	4797	
	10:00	4307	
2-12-64	12:00 MIDNIGHT	4816	~
	2:00 A.M.	4822	•
•	6:00	4826	
	10:00	4832	
	2:00 P.M.	4835	
	6:00	4835	
2-13-64	2:00 A.M.	4844	
	10:00	4848	
	6:00 P.M.	4848	
2-14-64	6:00 A.M.	4848	GAUGE OFF BOTTOM

WELL OI JAN 16 @ EAN

WELL OPENED JAN 24 @ 330 PM WELL CI FOR BY FEB 11 @ 1100 AN

CASE 2737 (Reopened)
EXHIBIT NO. 3
MARCH 11, 1964

MARCH

GULF OIL CORPORATION FEDERAL ESTILL "AD" WELL NO. 1

Shut-In Tubing Pressures 2/11 - 18/1964

DATE	TIME AM PM	TIME INTERVAL	TUBING PRESSURE PSIG
2-11-64	10:55 AM	0	1500
	11:10 AM	15 Mins.	2950
	11:25 AM	30 Mins.	3117
	11:40 AM	45 Mins.	3163
	11:55 AM	1 Hr.	3194
	12:25 PM	1-1/2 Hrs. ·	3263
	2:55 PM	4 Hrs.	3509
	3:55 PM	5 Hrs.	3615
2-12-64	12:55 PM	26 Hrs.	3869
2-13-64	11:55 AM	49 Hrs.	3880
2-14-64	8:45 AM	69 Hrs. 50 Mins.	3884
2-18-64	10:50 AM	168 Hrs.	3890

CASE 2737 (Reopened)

EXHIBIT NO. 5

GULF OIL CORPORATION FEDERAL ESTILL "AD" WELL NO. 1

Shut-In Bottom Hole Pressures Corrected to 9811'

DATE	TIME_	BHP @ TIME INTERVAL 9811' - PSIG
2-11-64	10:55 AM	0 2259
	11:10 AM	15 Mins. 3702
	11:25 AM	30 Mins. 3994
·	11:40 AM	45 Mins. 4054
	11:55 AM	1 Hr. 4089
	12:25 PM	1-1/2 Hrs. 4152
	2:55 PM	4 Hrs. 4461
	3:55 PM	5 Hrs. 4572
2-12-64	12:55 PM	26 Hrs. 4868
2-13-64	11:55 AM	49 Hrs. 4381
2-14-64	8:45 AM	69-3/4 Hrs. 4881
2-18-64	10:50 AM	168 Hrs. 4881 (Est.)

CASE 2737 (Reopened)

exhibit no. 7

March 11, 1964

SUCCESTED PROCEDURE FOR BOTTOM HOLE PRESSURE EUILD-UP TESTS FEDERAL-ESTILL "AD" WELLS 1 AND 2, WHITE CITY PENN CAS POOL

Calibrate Amerada bombs (2) equipped with 72-hour clocks for pressures Coneral ranging up to 6000 psi. (Initial closed-in BHP in Well No. 1 was 5464 psi @ 9700 feet).

> Pressure recorders with 24-hour charts should be installed at both wells to continuously record surface tubing pressures during build-up

Determine when wells were opened to production for current flow period and how long they had been closed-in prior to current flow period.

- (1) On the morning of the first day close-in Well No. 1 and run pressure bomb to approximately 9500 feet (choke @ 9525 feet).
- (2) Open well at previous rate for 30-minute drawdown.
- (3) Close-in well and record surface tubing pressures with Dead Weight Tester at the following time intervals:

O	1.30
15 min.	2.00 hours
30	3.00
45	4.00
1.00 hour	

For the remainder of the 3-day closed-in period record tubing pressures with Dead Weight Tester every 24 hours.

- (4) Immediately after Step #3, close-in Well No. 2 and run pressure bomb to 9850 feet (approximately mid-point of perfs).
- (5). Open well at previous rate for 30-minute drawdown.
- (6) Close-in well and record surface tubing pressures with Dead Weight Tester at the following time intervals:

O	1.30
15 min.	2.00 hours
30	3.00
45	3.00 4. 0 0
7 00 hours	

For the remainder of the 3-day closed-in period record tubing pressures with Deed Weight Tester every 24 hours.

(7) At the end of the 72-hour closed-in periods record final tubing pressures for both wells with Dead Weight Tester then pull bombs.

> CASE 2737 (Reopened) EXHIBIT NO. $\underline{\sim}$ MARCH 11, 1964

GULF OIL CORPORATION FEDERAL ESTILL AD No. 2 2/11-14/1964

BOTTOM HOLE PRESSURES @ 9808

				4125	GAUGE ON BOTTOM	
2-11-64	12:00 No			3876	WELL OPENED	
		, M ,		3860	WELL OF LINE	
	12:30				WELL SHUT IN	0
	12:45			3873	WELL SHOT IN	O
	1:00			4013		
	1:15			4079		
	1:30			4118		
	1:45			4167 4203		
	2:00			4203 42 1 0		
	2:15					
	2:30			4216 4223	•	
	2:45			4223 4236		
	3:00		-	4236 4245		
	3:15			4245 4255		
	3:30			4255		1
	3:45			4278	2.13	1194
	4:00			4276	(1.9)	98 🗀
	4:30			4308	Partie 9828-	(
	5:00			4308	980	
	5:30			4327	•	
	6:00			4357		
	6:30			4350		
	7:00			4366		
	7:30			4376		
	8:00			4376		
	9:00			4412		
	10:00			4432		
	11:00			4448		•
2-12-64		MIDNIGHT		4500		
		A.M.		4543	•	
	8:00			4585		
	12:00			4641		
•		P.M.		4687		
2-13-64		A.M.		4719		
	12:00			4749		
		P.M.		4765		
2-14-64		A,M.		478 <u>1</u>	GAUGE OFF BOTT	ом
	8:00	A,M,		->; OT	Parties and and a control	

WELL CI JAN 18 @ 12 15 PM WELL OPEN JAN 24 @ 345 PM WELL CI for BU Feb 11 @ 12 45 PM

CASE 2737 (Reopened)

EXHIBIT NO. _______

MARCH 11, 1964

GULF OIL CORPORATION FEDERAL ESTILL "AD" WELL NO. 2

Shut-In Tubing Pressures 2/11 - 18/1964

DATE	TIME AM PM	TIME INTERVAL	TUBING PRESSURE PSIG
2-11-64	12:50 PM	0	3020
	1:05 PM	15 Mins.	3143
	1:20 PM	30 Mins.	3180
	1:35 PM	45 Mins.	3208
	1:50 PM	1 Hr.	3230
	2:20 PM	1-1/2 Hrs. ·	3262
	3:20 PM	2-1/2 Hrs.	3310
	4:20 PM	3-1/2 Hrs.	3343
	4:50 PM	4 Hrs.	3358
2-12-64	1:20 PM	24-1/2 Hrs.	3612
2-13-64	12:20 PM	47-1/2 Hrs.	3725
2-14-64	9:00 AM	68 Hrs. 10 Mins.	3778
2-18-64	11:20 AM	166-1/2 Hrs.	3868

CASE 2737 (Reopened)
EXHIBIT NO. 6
March 11, 1964

GULF OIL CORPORATION FEDERAL ESTILL "AD" WELL, NO. 2

Shut-In Bottom Hole Pressures Corrected to 9811

DATE	TIME	TIME INTERVAL	внр @
2-11-64	12:50 PM	0	9811' - PSIG
	1:05 PM	15 Mins.	3873
	1:20 PM		4013
	1:35 PM	30 Mins.	4079
	1:50 PM	45 Mins.	4118
		1 Hr.	4167
	2:20 PM	1-1/2 Hrs.	4210
	3:20 PM	2-1/2 Hrs.	4245
	4:20 PM	3-1/2 Hrs.	4294
0 0 11	4:50 PM	4 Hrs.	4308
22-64	1:20 PM	24-1/2 Hrs.	
2-13-64	12:20 PM	47-1/2 Hrs.	4585
2-14-64	9:00 AM	68 Hrs. 10 Mins.	4719
2-18-64	11:20 AM		4781
		166-1/2 Hrs.	4871 (Est.)

CASE 2737 (Reopened)
EXHIBIT NO. March 11, 1964

APPROVAL-CERTIFICATION-DETERMINATION

Pursuant to the authority vested in the Secretary of the Interior under Section 17(j) of the Mineral Leasing Act of 1920, as amended (74 Stat. 784; 30 U.S.C. 226(j)), and delegated to the Regional Oil and Gas Supervisors of the Geological Survey by Order approved June 14, 1962 (27 F.R. 6395), I do hereby:


- A. Approve the attached communitization agreement covering All of Section 29, Township 24 South,


 Range 26 East, NMPM, Eddy County, New Mexico,
 as to dry gas and associated liquid hydrocarbons producible from the Pennsylvanian Gas formation.
- B. Determine that the Federal lease or leases as to the lands committed to the attached agreement cannot be independently developed and operated in conformity with the well-spacing program established for the field or area in which said lands are located, and that consummation and approval of the agreement will be in the public interest.
- C. Certify and determine that the drilling, producing, rental, minimum royalty and royalty requirements of the Federal lease or leases committed to said agreement are hereby established, altered, changed or revoked to conform with the terms and conditions of the agreement.

Dated: MAY 1 5 (990)

Regional Oil and Gas Supervisor U.S. Geological Survey

Contract No. Comm. Agr. -SW-) 2





APPROVAL-CERTIFICATION-DETERMINATION


Pursuant to the authority vested in the Secretary of the Interior under Section 17(j) of the Mineral Leasing Act of 1920, as amended (74 Stat. 784; 30 U.S.C. 226(j)), and delegated to the Regional Oil and Gas Supervisors of the Geological Survey by Order approved June 14, 1962 (27 F.R. 6395), I do hereby:

- A. Approve the attached communitization agreement covering All of Section 20, Township 24 South,

 Range 26 East, NMPM, Eddy County, New Mexico, as to dry gas and associated liquid hydrocarbons producible from the Pennsylvanian Gas formation.
- B. Determine that the Federal lease or leases as to the lands committed to the attached agreement cannot be independently developed and operated in conformity with the well-spacing program established for the field or area in which said lands are located, and that consummation and approval of the agreement will be in the public interest.
- C. Certify and determine that the drilling, producing, rental, minimum royalty and royalty requirements of the Federal lease or leases committed to said agreement are hereby established, altered, changed or revoked to conform with the terms and conditions of the agreement.

Dated:	MAY 1 5 1883	Jahrahan.			
		Regional Oil and Gas Supervisor			

Contract No. Comm. Agr. -SW- () 1/4



10-24-68 1163 - Lening of White 12 2 4 1 9 - 2429 A+B 1 Let A Kill Call From Morrow. 9806" Tog Strome-SIR -R-185) - Frankature. to a resident and the ford Lieurn composition, in a production of the service information and menter a hen porte o quino bual.

BEFORE THE OIL CONSERVATION COMMISSION OF THE STATE OF NEW MEXICO

IN THE MATTER OF THE HEARING CALLED BY THE OIL CONSERVATION COMMISSION OF NEW MEXICO FOR THE PURPOSE OF CONSIDERING:

> CASE No. 2737 Order No. R-2429-B

APPLICATION OF GULF OIL CORPORATION FOR SPECIAL POOL RULES FOR THE WHITE CITY-PENNSYLVANIAN GAS POOL, EDDY COUNTY, NEW MEXICO.

ORDER OF THE COMMISSION

BY THE COMMISSION:

This cause came on for hearing at 9 o'clock a.m. on March 11, 1964, at Santa Fe, New Mexico, before Examiner Daniel S. Nutter.

NOW, on this 13th day of April, 1964, the Commission, a quorum being present, having considered the testimony, the record, and the recommendations of the Examiner, and being fully advised in the premises,

FINDS:

- (1) That due public notice having been given as required by law, the Commission has jurisdiction of this cause and the subject matter thereof.
- (2) That by Order No. R-2429-A, dated March 27, 1963, temporary special rules and regulations were promulgated for the White City-Pennsylvanian Gas Pool, Eddy County, New Mexico.
- (3) That pursuant to the provisions of Order No. R-2429-A, this case was reopened to allow the operators in the subject pool to appear and show cause why the White City-Pennsylvanian Gas Pool should not be developed on 160-acre spacing units.
- (4) That the evidence establishes that one well in the White City-Pennsylvanian Gas Pool can efficiently and economically drain and develop 640 acres.
- (5) That to prevent the economic loss caused by the drilling of unnecessary wells, to avoid the augmentation of risk arising from the drilling of an excessive number of wells, to prevent reduced recovery which might result from the drilling of too few wells, and to otherwise prevent waste and protect correlative rights, the Special Rules and Regulations promulgated by

-2-CASE No. 2737 Order No. R-2429-B

Order No. R-2429-A should be continued in full force and effect until further order of the Commission.

(6) That the Special Rules and Regulations promulgated by Order No. R-2429-A have afforded and will afford to the owner of each property in the pool the opportunity to produce his just and equitable share of the gas in the pool.

IT IS THEREFORE ORDERED:

- (1) That the Special Rules and Regulations governing the White City-Pennsylvanian Gas Pool promulgated by Order No. R-2429-A are hereby continued in full force and effect until further order of the Commission.
- (2) That jurisdiction of this cause is retained for the entry of such further orders as the Commission may deem necessary.

DONE at Santa Fe, New Mexico, on the day and year hereinabove designated.

STATE OF NEW MEXICO OIL CONSERVATION COMMISSION

JACK M. CAMPBELL, Chairman

E. J. WALKER, Member

A. L. PORTER, Jr., Member & Secretary

esr/

Docket No. 7-64

DOCKET: EXAMINER HEARING - WEDNESDAY - MARCH 11, 1964

9 A. M. - OIL CONSERVATION COMMISSION CONFERENCE ROOM, STATE LAND OFFICE BUILDING - SANTA FE, NEW MEXICO

The following cases will be heard before Daniel S. Nutter, Examiner, or Elvis A. Utz, Alternate Examiner:

CASE 2988 (Continued from the February 5, 1964 Examiner Hearing)

In the matter of the hearing called by the Oil Conservation Commission on its own motion to permit George E. Willett and all other interested parties to appear and show cause why the SDD Hare Well No. 7, located 600 feet from the South line and 1360 feet from the East line of Section 14, Township 29 North, Range 11 West, San Juan County, New Mexico, should not be plugged in accordance with a Commission-approved plugging program.

CASE 2998 (Continued from the February 19, 1964 Examiner Hearing)

Application of Tenneco Oil Company for a gas well-water injection well, San Juan County, New Mexico. Applicant, in the above-styled cause, seeks authority to dually complete its Central Totah Unit Well No. 24 located in Unit O of Section 11, Township 28 North, Range 13 West, San Juan County, New Mexico, to produce gas from the Basin-Dakota Gas Pool through 1 1/2 inch tubing and to inject water into the Gallup formation, Totah-Gallup Oil Pool, through 2 1/16 inch tubing with separation of the zones by a packer set at 5766 feet.

CASE 3001: In the matter of the hearing called by the Oil Conservation Commission on its own motion to permit O. A. Peters and all interested parties to appear and show cause why the Peters State Well No. 1, located 860 feet from the South line and 660 feet from the East line of Section 2, Township 1 North, Range 20 East, De Baca County, New Mexico, should not be plugged in accordance with a Commission-approved plugging program.

CASE 3002: Application of Pan American Petroleum Corporation for the creation of a new gas pool and for special pool rules, Lea County, New Mexico. Applicant, in the above-styled cause, seeks the creation of a new Lower Paddock Gas Pool for its SMU Well No. 16, located in Unit O of Section 15, Township 24 South, Range 37 East, and the establishment of special pool rules therefor, including a provision for 320-acre spacing Lea County, New Mexico.

CASE 2737 (Reopened): In the matter of Case No. 2737 being reopened pursuant to the provisions of Order No. R-2429-A, which order established temporary 640-acre spacing units for the White City-Pennsylvanian Gas Pool, Eddy County, New Mexico, for a period of one year. All interested parties may appear and show cause why said pool should not be developed on 160-acre spacing units.

CASE 3003: Application of Cabot Corporation for the creation of a new oil pool and for special pool rules, Chaves County, New Mexico. Applicant, in the above-styled cause, seeks the creation of a new Bough "C" Oil Pool for its Signal State Well No. 1, located in Unit A of Section 29, Township 8 South, Range 33 East, Chaves County, New Mexico, and for the establishment of temporary pool rules therefor, including a provision for 80-acre proration units.

MARCH 11, 1964 EXAMINER HEARING

- CASE 3004: Application of Ambassador Oil Corporation for a unit agreement Lea County, New Mexico. Applicant, in the above-styled cause, seeks approval of the Pearsall Queen Sand Unit comprising 960 acres of State and Federal land in Townships 17 and 18 South, Range 32 East, Lea County, New Mexico.
- CASE 3005: Application of Ambassador Oil Corporation for a waterflood project, Lea County, New Mexico. Applicant, in the above-styled cause, seeks authority to institute a waterflood project in the Pearsall (Queen) Pool, Lea County New Mexico, by the injection of water into the Queen formation through 5 wells, located in Sections 4 and 5 Township 18 South, Range 32 East.
- CASE 3006: Application of Continental Oil Company for a waterflood project, Lea County, New Mexico. Applicant in the above-styled cause, seeks authority to institute a waterflood project in the Pearsall (Queen) Pool, Lea County, New Mexico, by the injection of water into the Queen formation through one well located in Unit M of Section 33, Township 17 South, Range 32 East.
- CASE 3007: Application of Consolidated Oil & Gas, Inc. for a triple completion, Rio Arriba County, New Mexico. Applicant, in the above-styled cause, seeks approval of the triple completion (conventional) of its Hoyt Well No. 2-5, located in Unit L of Section 5, Township 26 North, Range 4 West, Rio Arriba County, New Mexico, to produce gas from the Basin-Dakota and Blanco Mesaverde Gas Pools and oil from an undesignated Gallup oil pool through parallel strings of 2 1/16 inch, 1 1/2 inch, and one inch tubing, respectively.
- CASE 3008: Application of Phillips Petroleum Company for a triple completion, Lea County, New Mexico. Applicant, in the above-styled cause, seeks approval of the triple completion (conventional) of its Santa Fe Well No. 87, located in Unit L of Section 31, Township 17 South, Range 35 East, Lea County, New Mexico, to produce oil from the North Vacuum-Abo, Vacuum-Wolfcamp and Vacuum-Glorieta Pools through parallel strings of 2 3/8-inch OD tubing.
- CASE 3009: Application of Cities Service Oil Company for a dual completion, Lea County, New Mexico. Applicant, in the above-styled cause, seeks approval of the dual completion (conventional) of its Owen No. 1 Well located in Unit P of Section 35, Township 21 South, Range 37 East, Lea County, New Mexico, to produce oil from the Blinebry and Drinkard Oil Pools through parallel strings of 1½-inch and 2 1/16-inch tubing, respectively.
- CASE 3010: Application of R. C. Davoust for the expansion of a waterflood project, Eddy County, New Mexico. Applicant, in the above-styled cause, as successor to Stanton Oil Company, Ltd., seeks to expand the Turkey Track Pool Waterflood Project authorized by Order No. R-1524. Said expansion would be effected by the drilling of 11 water injection wells to the Queen formation at certain unorthodox locations no nearer than 5 feet distance from any 40-acre lot line in Section 34, Township 18 South, Range 29 East, and Section 3, Township 19 South, Range 29 East, Eddy County, New Mexico.

GOVERNOR JACK M. CAMPBELL DHAIRMAN

State of New Mexico Pil Conserbation Commission

LAND COMMISSIONER E. S. JOHNRY WALKER MEMBER



STATE BEOLDGIST A. L. PORTER, JR. BEOREYARY - DIRECTOR

April 13, 1964

Mr. Bill Kastler Gulf Oil Corporation P. O. Box 1938 Roswell, New Mexico Re: Case No. 2737
Order No. R-2429-B
Applicant:
Gulf Oil Corporation

Dear Sire

Enclosed herewith are two copies of the above-referenced Commission order recently entered in the subject case.

Very truly yours,

A. L. PORTER, Jr. Secretary-Director

Carbon copy of order also sent to:

Bobbs OCC ____X

Artesia OCC ___X

Astec OCC ____

Gulf Oil Corporation

ROSWELL PRODUCTION DISTRICT

W. B. HORKINS
DISTRICT MANAGER
M. I. Taylor
DISTRICT PRODUCTION
MANAGER F. O. Mortlock DISTRICT EXPLORATION MANAGER H. A. Rankin DISTRICT SERVICES MANAGER

Roswell, New Mexico

Oil Conservation Commission Post Office Drawer D Artesia, New Mexico

> Re: Order No. R-2429-A, Application of Gulf Oil Corporation for Special Rules for the White City-Fennsylvanian Gas Pool, Eddy County, New Mexico

Gentlemen:

Reference is made to Order No. R-2429-A dated March 27, 1963, issued by the Oil Conservation Commission covering the subject pool.

This order stipulated "that any well presently drilling to or completed in the Pennsylvanian formation within the White City-Pennsylvanian Gas Pool or within one mile of the White City-Pennsylvanian Gas Pool that will not eamply with the well location requirements of Rule 4 is hereby granted an exception to the requirements of Rule 4. The Operator of any such well shall notify the Artesia District Office in writing of the name and location of the well on or before April 1, 1963".

Please accept this letter as written notification in compliance with the above Order that the Federal Estill "AD" Well No. 1, located 660 feet from the north line and 660 feet from the east line of Section 29, and the Federal Estill "AD" Well No. 2, located 2444 feet from the east line and 2400 feet from the north line of Section 20, both in Township 24 South, Range 26 East, will not comply with the well location requirements of Rule 4 of the subject Order.

Gulf intends, as soon as it can obtain preliminary communitization approval from the U. S. Geological Survey for two 640-acre gas pooling units, to file all necessary applications with the Commission to dedicate 640 acres to each of these wells. It is intended to dedicate the W/2 of Section 28 and the E/2 of Section 29 to Well No. 1 after hearing and approval of an exception to Rule 2, and to dedicate all of Section 20 to Well No. 2 by filing Form C-128.

Yours very truly,

M. I. Taylor

JHH: ore

Oil Conservation Commission cc: Post Office Box 871 Santa Fe, New Mexico

Attention: Mr. A. L. Porter, Jr.

Date 2-28-64

Gulf Oil Corporation Case No. 2737 Exhibit No. 2 January 23, 1963

SPECIAL RULES AND REGULATIONS FOR THE WHITE CITY-PENNSYLVANIAN GAS POOL

RULE 1

Each well completed or recompleted in the Pennsylvanian formation within one mile of the boundary of the White City-Pennsylvanian Gas Pool and not nearer to nor within the boundaries of another designated Pennsylvanian Gas Pool shall be drilled, spaced and produced in accordance with the special rules and regulations hereinafter set forth.

RULE 2

- (a) Each well completed or recompleted in the White City-Pennsylvanian Gas
 Pool shall be located on a tract consisting of approximately 640 acres, which may comprise a single governmental section, being a legal subdivision of the United States
 Public Land Survey, or may comprise a square tract where all sides are the same length.
 For the purposes of these rules, the Unit consisting of between 632 and 648 surface contiguous acres shall be considered a standard Unit.
- (b) The Secretary-Director shall have authority to grant an exception to Rule 2 (a) without notice and hearing where an application has been filed in due form and where the unorthodox size or shape of the tract is due to a variation in the legal subdivision of the United States Public Land Survey or where the following facts exist and all of the following provisions are complied with:
- (1) The non-standard Unit contains less acres than a standard Unit and consists of contiguous quarter-quarter sections or lots.
- (2) The length or width of the non-standard Unit does not exceed 5,280 feet.
- (3) The entire non-standard Unit may reasonably be presumed to be productive of gas from the White City-Pennsylvanian Gas Pool.
- (4) The applicant presents written consent in the form of waivers from all Operators owning contiguous acreage in the section or sections in which any part of the non-standard Unit is situated, which acreage is not to be included in said non-standard Unit, and from all Operators whose acreage, or any part of it, lies within 1,500 feet of the proposed non-standard Unit well. In the alternative, the applicant

may furnish proof of the fact that all of the aforesaid Operators were mailed a copy of the application for such non-standard Unit.

The Secretary-Director may approve the application if after a period of 30 days no such Operator has entered an objection to the formation of such non-standard Unit.

RULE 3

- (a) Each well completed or recompleted in the White City-Pennsylvanian Gas
 Pool shall be located 1,980 feet from the outer boundary line of the standard Unit with
 a tolerance of 330 feet. A well to be attributed to a non-standard Unit shall not be
 located nearer than 660 feet to the outer boundary line of such Unit. A well which was
 projected to or completed in said pool prior to the effective date of this order is
 excepted from the requirements of this rule.
- (b) The Secretary-Director shall have authority to grant exceptions to the Rule 3 (a) without notice and hearing where an appplication therefor has been filed in due form and the necessity for the unorthodox location is based on topographical conditions or is occasioned by the recompletion of a well previously drilled to another horizon.

Applicant shail furnish all Operators within a radius of 1,980 feet of the subject well a copy of the application to the Commission and shall stipulate to the Commission that proper notice has been furnished to all such Operators. The Secretary-Director may approve the application if after a period of 20 days, no offset Operator has entered an objection to the proposed unorthodox location; provided however, if the ownership of all oil and gas leases within such radius is common, approval may be given without a waiting period.

Case 2737
Heard. B-20-63
Rec. 3-21-63

1 Grant Shot While City- Penn Guardo.

Once Order R-2439 for the special pool release

2. Theoline for 1 yr. call to hearing and Det. 186 × for show accuse why should not revest to 160 Ac.

Please return R-2439 to Canofile 276 × when finished.

GOVERNOR
JACK M. CAMPBELL
CHAIRMAN

State of New Mexico

Bil Conserbation Commission

LAND COMMISSIONER
E. S. JOHNNY WALKER
MEMBER



P. D. BOX 871 BANTA FE

March 27, 1963

STATE GEOLOGIST A. L. PORTER, JR. SECRETARY - DIRECTOR

Mr. Bill Kastler Mr. M. I. Taylor Gulf Oil Corporation Post Office Box 1938 Roswell, New Mexico

Re: Case No. 2737
Order No. R-2429-A
Applicant:

Gulf Oil Corporation

Dear Sir:

Enclosed herewith are two copies of the above-referenced Commission order recently entered in the subject case.

Very truly yours,

A. L. PORTER, Jr. Secretary-Director

Carbon copy of order also sent to:

Hobbs OCC ___x

Artesia OCC __x

Aztec OCC ___
OTHER____

DOCKET: EXAMINER HEARING - WEDNESDAY - MARCH 20, 1963

9 A.M. - OIL CONSERVATION COMMISSION CONFERENCE ROOM, STATE LAND OFFICE BUILDING, SANTA FE, NEW MEXICO

The following cases will be heard before Elvis A. Utz, Examiner, or Daniel S. Nutter, as alternate examiner:

- CASE 2773: Application of C. W. Trainer for a unit agreement, Lea County, New Mexico. Applicant, in the above-styled cause, seeks approval of the Hume-Queen Unit Area comprising 1,240 acres of State land in Township 16 South, Range 34 East, Lea County, New Mexico.
- CASE 2774: Application of C. W. Trainer for a waterflood project, Lea County, New Mexico. Applicant, in the above-styled cause, seeks authority to institute a waterflood project by the injection of water into the Queen formation, Hume-Queen Pool, Lea County, New Mexico, through 15 wells located in Sections 7, 8, 9, and 17, Township 16 South, Range 34 East.
- CASE 2775: Application of Cima Capitan, Inc. et al, for a waterflood project, Eddy County, New Mexico. Applicants, in the above-styled cause, seek authority to institute a waterflood project by the injection of water into the Grayburg-San Andres formation, Red Lake Pool, Eddy County, New Mexico, through 13 wells located in Sections 22 and 27, Township 17 South, Range 28 East.
- CASE 2776: Application of International Oil & Gas Corporation for a waterflood project, Eddy County, New Mexico. Applicant, in the above-styled cause, seeks authority to institute a waterflood project by the injection of water into the Queen formation, High Lonesome Pool, Eddy County, New Mexico, through one injection well located in Section 15, Township 16 South, Range 29 East.
- CASE 2777: Application of Consolidated Oil & Gas, Inc., for an unorthodox location, Rio Arriba County, New Mexico. Applicant, in the above-styled cause, seeks approval of its Apache Well No. 2-16 at an unorthodox location 790 feet from the North line and 1850 feet from the West line of Section 16, Township 26 North, Range 3 West, Blanco Mesaverde Pool, Rio Arriba County, New Mexico.
- CASE 2778: Application of Tenneco Oil Company for a unit agreement, San Juan County, New Mexico. Applicant, in the above-styled

-2-Docket No. 10-63

cause, seeks approval of the Central Totah Gallup Unit Area comprising 2,738 acres of Federal and Fee lands in Townships 28 and 29 North, Range 13 West, San Juan County, New Mexico.

CASE 2737: (C

(Continued from January 23, 1963 Examiner Hearing)

Application of Gulf Oil Corporation for special pool rules, Eddy County, New Mexico. Applicant, in the above-styled cause, seeks the establishment of special pool rules for the White City-Pennsylvanian Gas Pool, Eddy County, New Mexico, including provisions for 640-acre spacing therein. This case was continued to the March 20, 1963 examiner hearing by Order No. R-2429.

CASE 2761: (Continued)

Application of Compass Exploration, Inc., for the creation of a Gallup Gas Pool, Rio Arriba County, New Mexico. Applicant, in the above-styled cause, seeks an order deleting certain acreage from the South Blanco-Tocito Pool and redesignating portions of said acreage to comprise a new Gallup gas pool for its Northwest Lindrith Well No.1-3, located in Unit K of Section 3, Township 26 North, Range 7 West, Rio Arriba County, New Mexico.

CASE 2746: (Continued)

In the matter of the hearing called by the Oil Conservation Commission on its own motion to permit Continental National Insurance Group and all other interested parties to appear and show cause why the Kenneth V. Barbee Well No. 1, located 1980 feet from the South line and 660 feet from the East line of Section 9, Township 11 South, Range 25 East, NMPM, Chaves County, New Mexico, should not be plugged in accordance with a a Commission-approved plugging program.

No. 10-63

SUPPLEMENTAL DOCKET - EXAMINER HEARING - WEDNESDAY, MARCH 20, 1963

9 A.M. - OIL CONSERVATION COMMISSION CONFERENCE ROOM, STATE LAND OFFICE BUILDING, SANTA FE, NEW MEXICO

The following case will be heard before Elvis A. Utz, Examiner, or Daniel S. Nutter, as alternate examiner:

CASE 2779:

Application of Marathon Oil Company for a unit agreement, Eddy County, New Mexico. Applicant, in the above-styled cause, seeks approval of the North Indian Basin Unit Area, comprising 5786 acres, more or less, of State and Federal Lands in Townships 20% and 21 South, Range 23 East, Eddy County, New Mexico.

BOVERNOR JACK M. CAMPBELL CHAIRMAN

State of New Mexico

Bil Conservation Commission

LAND COMMISSIONER E. S. JOHNNY WALKER MEMBÉR



STATE GEOLOGIST A L. PORTER, JR. BECRETARY - DIRECTOR

	February 21,	. 1963	
DOCKET MAILED			
Date 3/8/63 Nr. Bill Kastler	Re:	Case No.	2737 2751
Mr. M. I. Taylor		-	R-2429 and R-2430
Gulf Oil Corporation Post Office Box 1938		Applicant:	
Roswell, New Mexico		Gulf Oil	Corporation
Dear Sir:			

Enclosed herewith are two copies of the above-referenced

Commission order recently entered in the subject case.

A. L. PORTER, Jr. Secretary-Director

ir/	
Carbon copy of order also sent t	o:
Hobbs OCC	•
Artesia OCC <u>x</u>	
Astec OCC	
OTHER	

Vac 2737 Gulf Oil Corporation ROSWELL PRODUCTION DISTRICT W. B. Hopkins
cisted manager
F. O. Mortlock
district exploration
manager P. O. Drawer 1938 December 18, 1962 Roswell, New Mexico M. I. Taylor
district reconstion
MANAGER H. C. VIVIAN
DISTRICT SERVICES MANAGER Oil Conservation Commission State of New Mexico Post Office Box 871 Santa Fe, New Mexico Re: Application of Gulf Oil Corporation for Hearing to Consider the Adoption of Field Rules and 640-Acre Spacing for the White City-Pennsylvanian Gas Pool, Eddy County, New Mexico Gentlemen: Gulf Oil Corporation respectfully requests that an examiner hearing be scheduled at an early date to consider the adoption of Field Rules to provide, among other things, for 640-acre spacing for gas wells in the White City-Pennsylvanian Gas Pool, Eddy County, New Mexico. Yours very truly, JHH:dch cc: New Mexico Cil Conservation Commission Post Office Box 2045 Hobbs, New Mexico DOCKET MAILED DOCKET MAILED

: Cuse 2737. Leard 1-23-63 Rec. 1-25-63 1. Seant a continuance of this case to March 1, 1863. The care to be deemissed for lack of evidences if the applicant dressers by the above dateo The continuemer should be made he cause available recerrain eridenes vas not submitted. Thurse The

and the second s

DRAFT

JMD/esr February 4, 1963

BEFORE THE OIL CONSERVATION COMMISSION OF THE STATE OF NEW MEXICO

IN THE MATTER OF THE HEARING CALLED BY THE OIL CONSERVATION COMMISSION OF NEW MEXICO FOR THE PURPOSE OF CONSIDERING:

John I John Cx wing the

CASE No. 2737

Order No. R-2427

AM

APPLICATION OF GULF OIL CORPORATION FOR SPECIAL POOL RULES, EDDY COUNTY, NEW MEXICO.

ORDER OF THE COMMISSION

BY THE COMMISSION:

This cause came on for hearing at 9 o'clock a.m. on January 23, 1961, at Santa Fe, New Mexico, before Elvis A. Utz Examiner duly appointed by the Oil Conservation Commission of New Mexico, hereinafter referred to as the "Commission," in accordance with Rule 1214 of the Commission Rules and Regulations.

NOW, on this day of February, 1961, the Commission, a quorum being present, having considered the application, the evidence adduced, and the recommendations of the Examiner, Elvis A. Utz , and being fully advised in the premises,

FINDS:

- (1) That due public notice having been given as required by law, the Commission has jurisdiction of this cause and the subject matter thereof.
- (2) That the applicant, Gulf Oil Corporation, seeks the establishment of special pool rules including provisions for 640-acre spacing for the White City-Pennsylvanian Gas Pool, Eddy County, New Mexico.
- (3) That 640-acre well spacing is a considerable deviation from the statewide rules and regulations and should not be approved without substantial evidence that such deviation is justified.
- (4) That the applicant has not presented sufficient evidence concerning the reservoir characteristics of the White City-Pennsylvanian Gas Pool to enable the Commission to determine whether 640-acre well spacing is justifiable in said pool.

(5) That this case should be continued to enable the applicant to present additional evidence concerning the reservoir characteristics of the White City-Pennsylvanian Gas Pool.

IT IS THEREFORE ORDERED:

- (1) That this case is hereby continued to the tiret examiner hearing in March, 1963.
- (2) That the subject application shall be denied if the applicant does not appear at the first examiner hearing in March, 1963, and present additional evidence concerning the reservoir characteristics of the White City-Pennsylvanian Gas Pool.
- (3) That jurisdiction of this cause is retained for the entry of such further orders as the Commission may deem necessary.

DONE at Santa Fe, New Mexico, on the day and year hereinabove designated.

STATE OF NEW MEXICO OIL CONSERVATION COMMISSION

JACK M. CAMPBELL, Chairman

E. S. WALKER, Member

A. L. PORTER, Jr., Member & Secretary

DRAFT

JMD/esr March 22, 1963

> BEFORE THE OIL CONSERVATION COMMISSION OF THE STATE OF NEW MEXICO

IN THE MATTER OF THE HEARING CALLED BY THE OIL CONSERVATION COMMISSION OF NEW MEXICO FOR THE PURPOSE OF CONSIDERING:

CASE No. 2737

Order No. R- 2429-A

APPLICATION OF GULF OIL CORPORATION FOR SPECIAL POOL RULES FOR THE WHITE CITY-PENNSYLVANIAN GAS POOL, EDDY COUNTY, NEW MEXICO.

ORDER OF THE COMMISSION

BY THE COMMISSION:

This cause came on for hearing at 9 o'clock a.m. on , 1963, at Santa Fe, New Mexico, before Elvis A. Utz Examiner duly appointed by the Oil Conservation Commission of New Mexico, hereinafter referred to as the "Commission," in accordance with Rule 1214 of the Commission Rules and Regulations.

day of March NOW, on this , 1963, the Commission, a quorum being present, having considered the application, the evidence adduced, and the recommendations of the Examiner, Elvis A. Utz , and being fully advised in the premises,

FINDS:

- (1) That due public notice having been given as required by law, the Commission has jurisdiction of this cause and the subject matter thereof.
- That the applicant, Gulf Oil Corporation, seeks the promulgation of temporary special rules and regulations for the White City-Pennsylvanian Gas Pool in Eddy County, New Mexico, including a provision for 640-acre spacing units.
- (3) That temporary special rules and regulations establishing 640-acre spacing units should be promulgated for the subject pool in order to prevent the possibility of economic loss resulting from the drilling of unnecessary wells and in order to allow the operators in the subject pool to gather information concerning the reservoir characteristics of the pool.

- (4) That the temporary special rules and regulations should provide for limited well locations in order to assure orderly development of the pool and protect correlative rights.
- (5) That the temporary special rules and regulations should be established for a one-year period and that during this one-year period all operators in the subject pool should gather all available information relative to drainage and recoverable reserves.
- (6) That this case should be reopened at an examiner hearing in March, 1964, at which time the operators in the subject pool should appear and show cause why the White City-Pennsylvanian Gas Pool should not be developed on 160-acre spacing units.

IT IS THEREFORE ORDERED:

That Special Rules and Regulations for the White City-Pennsylvanian Gas Pool in Eddy County, New Mexico, are hereby promulgated as follows, effective April 1, 1963.

SPECIAL RULES AND REGULATIONS FOR THE WHITE CITY-PENNSYLVANIAN GAS POOL

- RULE 1. Each well completed or recompleted in the White City-Pennsylvanian Gas Pool or in the Pennsylvanian formation within one mile of the White City-Pennsylvanian Gas Pool, and not nearer to or within the limits of another designated Pennsylvanian pool, shall be spaced, drilled, operated, and produced in accordance with the Special Rules and Regulations hereinafter set forth.
- RULE 2. Each well completed or recompleted in the White City-Pennsylvanian Gas Pool shall be located on a standard unit containing 640 acres, more or less, consisting of a single governmental section.
- RULE 3. The Secretary-Director may grant an exception to the requirements of Rule 2 without notice and hearing when an application has been filed for a non-standard unit and the unorthodox size or shape of the unit is necessitated by a variation in the legal subdivision of the United States Public Lands

Survey, or the following facts exist and the following provisions are complied with:

- (a) The non-standard unit consists of quarterquarter sections or lots that are contiguous by a common bordering side.
- (b) The non-standard unit lies wholly within a single governmental section and contains less acreage than a standard unit.
- (c) The applicant presents written consent in the form of waivers from all offset operators and from all operators owning interests in the section in which the non-standard unit is situated and which acreage is not included in said non-standard unit.
- (d) In lieu of Paragraph (c) of this rule, the applicant may furnish proof of the fact that all of the aforesaid operators were notified by registered or certified mail of his intent to form such non-standard unit. The Secretary-Director may approve the application if no such operator has entered an objection to the formation of such non-standard unit within 30 days after the Secretary-Director has received the application.

RULE 4. Each well completed or recompleted in the White
City-Pennsylvanian Gas Pool shall be located no nearer than /6 > 0 fut
to the boundary of the opsuing unif and no nearer than 330
feet to any governmental quarter-quarter section line.

RULE 5. The Secretary-Director may grant an exception to the requirements of Rule 4 without notice and hearing when an application has been filed for an unorthodox location necessitated by topographical conditions or the recompletion of a well previously drilled to another horizon. All operators offsetting the proposed unorthodox location shall be notified of the application

by registered or certified mail, and the application shall state that such notice has been furnished. The Secretary-Director may approve the application upon receipt of written waivers from all offset operators or if no offset operator has entered an objection to the unorthodox location within 20 days after the Secretary-Director has received the application.

IT IS FURTHER ORDERED:

- (1) That any well presently drilling to or completed in the Pennsylvanian formation within the White City-Pennsylvanian Gas Pool or within one mile of the White City-Pennsylvanian Gas Pool that will not comply with the well location requirements of Rule 4 is hereby granted an exception to the requirements of Rule 4. The operator of any such well shall notify the Artesia District Office in writing of the name and location of the well on or before April 1, 1963.
- (2) That any operator desiring to dedicate 640 acres to a well presently drilling to or completed in the White City-Pennsylvanian Gas Pool shall file a new Form C-128 with the Commission on or before April 1, 1963.
- (3) That this case shall be reopened at an examiner hearing in March, 1964, at which time the operators in the subject pool may appear and show cause why the White City-Pennsylvanian Gas Pool should not be developed on 160-acre spacing units.

(5)(4) That jurisdiction of this cause is retained for the entry of such further orders as the Commission may deem necessary.

DONE at Santa Fe, New Mexico, on the day and year herein-above designated.

STATE OF NEW MEXICO OIL CONSERVATION COMMISSION

JACK M. CAMPBELL, Chairman

E. S. WALKER, Member

A. L. PORTER, Jr., Member & Secretary

(4) That order No. R- 2429 entered by the Commission on Insbruary 21, 1963, is hereby superseded.

Shut-In Tubing Pressures 2/11 - 18/1964

DATE 2-11-64	TIME <u>AM PM</u> 10:55 AM	TIME INTERVAL	TUBING PRESSURE PSIG
	11:10 AM	0	1500
	11:25 AM	15 Mins.	2950
	11:40 AM	30 Mins.	3117
	11:55 AM	45 Mins.	3163
	12:25 PM	1 Hr.	3194
	2:55 PM	1-1/2 Hrs	3263
	3:55 PM	4 Hrs	3509
2-12-64	12:55 PM	5 Hrs.	3615
2-13-64	11:55 AM	26 Hrs.	3869
2-14-64	8:45 AM	49 Hrs.	3880
2-18-64	10:50 AM	69 Hrs. 50 Mins.	3884
		168 Hrs.	3890

CASE 2737 (Reopened)
EXHIBIT NO. 3

March 11, 1964

GULF OIL CORPORATION FEDERAL ESTILL AD No. 2 2/11-14/1964 BOTTOM HOLE PRESSURES @ 9808

į				
2-11-64	110011	4125	C 1 1 1 1 1 1 1 1 1 1	
	12:15 P.M.	3876	GAUGE ON BOTTOM	
	12:30	3860	WELL OPENED	
	12:45	3873	West	
	1:00	4013	WELL SHUT IN	0
	1:15	4079		
	1:30	4118		
	1:45	4167		
	2:00	4203		
	2:15	4210		
	2:30	4216		
	2:45	4223	•	
	3:00	4236		
	3:15	4245		
	3:30	4255		
	3:45	4268		
	4:00	4278		
	4:30	4294		
	5:00	4308		
	5:30	4327		
	6:00	4337		
	6:30	4350		
	7:00	4360		
	7:30	4366		
	8:00	4376		
	9:00	4396		
	10:00	4412		
2 70 64	11:00	4432		
2-12-64	12:00 MIDNIGHT	4448		
	4:00 A.M.	4500	•	
	8:00	4543		
	12:00 NOON	4585		
2.12.71	8:00 P.M.	4641		
2-13-64	4:00 A.M.	4687		
	12:00 NOON	4719		
0_1/	8:00 P.M.	4749		
2-14-64	2:00 A.M.	4765		
	8:00 A.M.		GAUGE OFF BOTTOM	
			C. BOITOM	

WELL CI JAN 18 @ 12 15 PM WELL OPEN JAN 24@ 345 PM WELL CI for BU Feb 11@ 1245 PM

CASE 2737 (Reopened)
EXHIBIT NO. 4
MARCH 11, 1964

SUGGESTED PROCEDURE FOR BOTTOM HOLE PRESSURE BUILD-UP TESTS FEDERAL-ESTILL "AD" WELLS 1 AND 2, WHITE CITY PENN CAS POOL

Coneral Calibrate Amerada bombs (2) equipped with 72-hour clocks for pressures ranging up to 6000 psi. (Initial closed-in BHP in Well No. 1 was 5464 psi @ 9700 feet).

Pressure recorders with 24-hour charts should be installed at both wells to continuously record surface tubing pressures during build-up test.

Determine when wells were opened to production for current flow period and how long they had been closed-in prior to current flow period.

- (1) On the morning of the first day close-in Well No. 1 and run pressure bomb to approximately 9500 feet (choke @ 9525 feet).
- (2) Open well at previous rate for 30-minute drawdown.
- (3) Close-in well and record surface tubing pressures with Dead Weight Tester at the following time intervals:

0	1.30
15 min.	2.00 hours
30	3.00
45	4.00
1.00 hour	

For the remainder of the 3-day closed-in period record tubing pressures with Dead Weight Tester every 24 hours.

- (4) Immediately after Step #3, close-in Well No. 2 and run pressure bomb to 9850 feet (approximately mid-point of perfs).
- (5). Open well at previous rate for 30-minute drawdown.
- (6) Close-in well and record surface tubing pressures with Dead Weight Tester at the following time intervals:

O	1.30
15 min.	2.00 hours
30 `	3.00
45	4.00
1.00 hour	

For the remainder of the 3-day closed-in period record tubing pressures with Dead Weight Tester every 24 hours.

(7) At the end of the 72-hour closed-in periods record final tubing pressures for both wells with Dead Weight Tester then pull bombs.

CASE 2737 (Reopened)
EXHIBIT NO. 2
MARCH 11, 1964

Shut-In Bottom Hole Pressures Corrected to 9811'

DATE 2-11-64	TIME 10:55 AM 11:10 AM 11:25 AM 11:40 AM 11:55 AM	TIME INTERVAL 0 15 Mins. 30 Mins. 45 Mins.	BHP @ 9811' - PSIG 2259 3702 3994 4054 4089
2-12-64 2-13-64 2-14-64 2-18-64	12:25 PM 2:55 PM 3:55 PM 12:55 PM 11:55 AM 8:45 AM 10:50 AM	1-1/2 Hrs. 4 Hrs. 5 Hrs. 26 Hrs. 49 Hrs. 69-3/4 Hrs.	4152 4461 4572 4868 4881 4881 4881 (Est.)

CASE 2737 (Reopened)

EXHIBIT NO. 7

March 11, 1964

Shut-In Bottom Hole Pressures Corrected to 9811

DATE	TIME	TIME INTERVAL	внр а
2-11-64	12:50 PM	0	9811' - PSIG
	1:05 PM		3873
	1:20 PM	15 Mins.	4013
	1:35 PM	30 Mins.	4079
	1:50 PM	45 Mins.	4118
	2:20 PM	1 Hr.	4167
	3:20 PM	1-1/2 Hrs.	4210
	4:20 PM	2-1/2 Hrs.	4245
	4:50 PM	3-1/2 Hrs.	4294
2-12-64	•	4 Hrs.	4308
2-13-64	1:20 PM	24-1/2 Hrs.	4585
2-14-64	12:20 PM	47-1/2 Hrs.	4719
2-18-64	9:00 AM	68 Hrs. 10 Mins.	4781
~ ^V-V4	11:20 AM	166-1/2 Hrs.	4871 (Est.)

CASE 2737 (Reopened)
EXHIBIT NO. ______
March 11, 1964

Shut-In Tubing Pressures 2/11 - 18/1964

DATE	TIME AM PM	TIME INTERVAL	TUBING PRESSURE PSIG
2-11-64	12:50 PM	0	3020
	1:05 PM	15 Mins.	3143
	1:20 PM	30 Mins.	3180
	1:35 PM	45 Mins.	3208
	1:50 PM	1 Hr.	3230
	2:20 PM	1-1/2 Hrs.	3262
	3:20 PM	2-1/2 Hrs.	3310
	4:20 PM	3-1/2 Hrs.	3343
	4:50 PM	4 Hrs.	3358
2-12-64	1:20 PM	24-1/2 Hrs.	1512
2-13-64	12:20 PM	47-1/2 Hrs.	3725
2-14-64	9:00 AM	68 Hrs. 10 Mins.	3778
2-18-64	11:20 AM	166-1/2 Hrs.	3868

CASE 2737 (Reopened) EXHIBIT NO. 6

March 11, 1964

GULF OIL CORPORATION FEDERAL ESTILL AD No. 1 2/11-14/1964 BOTTOM HOLE PRESSURES @ 9490

2-1]	1-64 10:00 A.M.	204.5	
	10:15	3943	GAUGE ON BOTTOM
	10:30	1952	WELL OPENED
	10:45	1803	
	11:00	1810	
	11:15	2234	WELL SHUT IN
	11:30	3677	
	11:45	3965	
	12:00 NOON	4025	
	12:15 P.M.	4060	
	12:30	4088	
	12;45	4123	
	1:00	4151	•
	1:15	4186	
	1:30	4218	
	1:45	4250	
	2:00	4278	
	2:30	4303	
	3:00	4363	
	3:30	4430	
	4:00	4490	
	4:30	4541	
	5:00	4588	
	5:30	4632	
	6:00	4683	
	6:30	4721	
	7:00	4753	
•	7:30	4775	
	8:00	4791 .	
	10:00	4797	
2-12-64	12:00 MIDNIGHT	4807	
	2:00 A.M.	4816	
	6:00	4822	•
	10:00	4826	
	2:00 P.M.	4832	
	6:00	4835	
2-13-64	2:00 A.M.	4835	
	10:00	4844	
	6:00 P.M.	4848	
-14-64	6:00 A.M.	4848	
,	7.M.	4848 GA	AUGE OFF BOTTOM
			- BOITOM

WELL OF JAN 16 @ BAM DA & 330 PM WELL OF FOR BY FEB 11 @ 1100 AM

CASE 2737 (Reopened)
EXHIBIT NO. ______
MARCH 11, 1964

GULF OIL CORPORATION FEDERAL ESTILL AD No. 2 2/11-14/1964 BOTTOM HOLE PRESSURES @ 9808

2-11-64	12:00	Noon		4125	GAUGE ON BOTTOM	
	12:15	P.M.		3876	WELL OPENED	
	12:30			3860		
	12:45			3373	WELL SHUT IN	
	1:00			4013		
	1:15			4079		
	1:30			4118		
	1:45			4167		
	2:00			4203		
	2:15			4210		
	2:30			4216		
	2:45			4223	•	
	3:00			4236		
	3:15			4245		
	3:30			4255		
	3:45			4268	•	
	4:00			4278		
	4:30			4294		
	5:00			4308		
	5:30			4327		
	6:00			4337		
	6:30			4350		
	7:00			4360		
	7:30			4366		
	8:00			4376		
	9:00		•	4396		
	10:00			4412		
	11:00			4432		
2-12-64	12:00	MIDNIGHT		4448		
	4:00	A.M.		4500		
	8:00			4543		
	12:00	Моом		4585		
_		P.M.		4641		
2-13-64		A.M.		4687		
	12:00			4719		
		P.M.		4749		
2~14-64		A.M.		4765		
				4781	GAUGE OFF BOTTOM	
					~	

WELL CI JAN 18 @ 12 15 PM WELL OPEN JAN 240 3 45 PM WELL CI for BU Feb 11 @ 12 45 PM

CASE 2737 (Reopened)
EXHIBIT NO. 4/
MARCH 11, 1964

Shut-In Tubing Pressures 2/11 - 18/1964

DATE	TIME AM PM	TIME INTERVAL	TUBING PRESSURE PSIG
2-11-64	10:55 AM	0	1500
	11:10 AM	15 Mins.	2950
	11:25 AM	30 Mins.	3117
	11:40 AM	45 Mins.	3163
	11:55 AM	1 Hr.	3194
	12:25 PM	1-1/2 Hrs.	3263
	2:55 PM	4 Hrs.	3509
	3:55 PM	5 Hrs.	3615
2-12-64	12:55 PM	26 Hrs.	3869
2-13-64	11:55 AM	49 Hrs.	3880
2-14-64	8:45 AM	69 Hrs. 50 Mins.	
2-18-64	10:50 AM	168 Hrs.	3884 3890

CASE 2737 (Reopened)

EXHIBIT NO. 3

March 11, 1964

Shut-In Tubing Pressures 2/11 - 18/1964

DATE	TIME AM PM	TIME INTERVAL	TUBING PRESSURE
2-11-64	12:50 PM	O	3020
	1:05 PM	15 Mins.	3143
	1:20 PM	30 Mins.	3180
	1:35 PM	45 Mins.	3208
	1:50 PM	1 Hr.	. 3230
	2:20 PM	1-1/2 Hrs. ·	3262
	3:20 PM	2-1/2 Hrs.	3310
	4:20 PM	3-1/2 Hrs.	. 3343
	4:50 PM	4 Hrs.	3358
2-12-64	1:20 PM	24-1/2 Hrs.	3612
2-13-64	12:20 PM	47-1/2 Hrs.	3725
2-14-64	9:00 AM	68 Hrs. 10 Mins.	3778
2-18-64	11:20 AM	166-1/2 Hrs.	3868

Shut-In Bottom Hole Pressures Corrected to 9811'

DATE 2-11-64	TIME 10:55 AM	TIME INTERVAL 0	BHP @ 9811' - PSIG
	11:10 AM	15 Mins.	2259 3702
	11:25 AM 11:40 AM	30 Mins. 45 Mins.	3994 4054
	11:55 AM	1 Hr.	4034
	12:25 PM 2:55 PM	1-1/2 Hrs. 4 Hrs.	4152
2-12-64	3:55 PM 12:55 PM	5 Hrs.	4461 4572
2-13-64	11:55 AM	26 Hrs. 49 Hrs.	4868 4881
2-14-64 2-18-64	8:45 AM 10:50 AM	69-3/4 Hrs. 168 Hrs.	4881 4881 (Est.)

CASE 2737 (Reopened)
EXHIBIT NO. 7

March 11, 1964

Shut-In Bottom Hole Pressures Corrected to 9811'

DATE	TIME	TIME INTERVAL	BHP @ <u>9811' - PSIG</u>
2-11-64	12:50 PM	O	3873
	1:05 PM	15 Mins.	4013
	1:20 PM	30 Mins.	4079
	1:35 PM	45 Mins.	4118
	1:50 PM	l Hr.	4167
	2:20 PM	1-1/2 Hrs.	4210
	3:20 PM	2-1/2 Hrs.	4245
	4:20 PM	3-1/2 Hrs.	4294
	4:50 PM	4 Hrs.	4308
2-12-64	1:20 PM	24-1/2 Hrs.	4585
2-13-64	12:20 PM	47-1/2 Hrs.	4719
2-14-64	9:00 AM	68 Hrs. 10 Mins.	4781
2-18-64	11:20 AM	166-1/2 Hrs.	4871 (Est.)

CASE 2737 (Reopened)

EXHIBIT NO. 2

March 11, 1964

SUGGESTED PROCEDURE FOR DOTTOM HOLE PRECSURE BUILD-UP TESTS FEDERAL-ESTILL "AD" WELLS 1 AND 2, WHITE CITY PENN CAS POOL

Coneral Calibrate Amerada bombs (2) equipped with 72-hour clocks for pressures ranging up to 6000 psi. (Initial closed-in BHP in Well No. 1 was 5464 psi @ 9700 feet).

Pressure recorders with 24-hour charts should be installed at both wells to continuously record surface tubing pressures during build-up test.

Determine when wells were opened to production for current flow period and how long they had been closed-in prior to current flow period.

- (1) On the morning of the first day close-in Well No. 1 and run pressure bomb to approximately 9500 feet (choke @ 9525 feet).
- (2) Open well at previous rate for 30-minute draydown.
- (3) Close-in well and record surface tubing pressures with Dead Weight Tester at the following time intervals:

O	1.30
15 min.	2.00 hours
30	3.00
45	4.60
1 NO house	

For the remainder of the 3-day closed-in period record tubing pressures with Dead Weight Tester every 24 hours.


- (4) Immediately after Step #3, close-in Well No. 2 and run pressure bomb to 9850 feet (approximately mid-point of perfs).
- (5). Open well at previous rate for 30-minute drawdown.
- (6) Close-in well and record surface tubing pressures with Dead Weight Tester at the following time intervals:

O	1.30
15 min.	2.00 hours
30	3.00
45	¥.00
1.00 hour	

For the remainder of the 3-day closed-in period record tubing pressures with Dead Weight Tester every 24 hours.

(7) At the end of the 72-hour closed-in periods record final tubing pressures for both wells with Dead Weight Tester then pull bombs.

CASE 2737 (Reopened)
EXHIBIT NO. ______
MARCH 11, 1964



WHITE CITY-PENNSYLVANIAN GAS POOL Eddy County, New Mexico

Case 2737 (Reopened)
Exhibit No. /
March 11, 1964

DRAFT

JMD/esr

BEFORE THE OIL CONSERVATION COMMISSION OF THE STATE OF NEW MEXICO

IN THE MATTER OF THE HEARING CALLED BY THE OIL CONSERVATION COMMISSION OF NEW MEXICO FOR THE PURPOSE OF CONSIDERING:

CASE No. 2737

Order No. R-2429-B

APPLICATION OF GULF OIL CORPORATION FOR SPECIAL POOL RULES FOR THE WHITE CITY-PENNSYLVANIAN GAS POOL, EDDY COUNTY, NEW MEXICO.

ORDER OF THE COMMISSION

BY THE COMMISSION:

This cause came on for hearing at 9 o'clock a.m.anner March 11, 1964, at Santa Fe, New Mexico, before Daniel S. Nutter Examiner duly appointed by the Oil Conservation Commission of New Mexico, hereinafter referred to as the "Commission," in accordance with Rule 1214 of the Commission Rules and Regulations.

NOW, on this day of April , 1964, the Commission, a quorum being present, having considered the application testimony, the record, exidence address, and the recommendations of the Examiner, and being fully advised in the premises,

FINDS:

- (1) That due public notice having been given as required by law, the Commission has jurisdiction of this cause and the subject matter thereof.
- (2) That by Order No. R-2429-A, entered in Case No. 2737-on March 27, 1963, temporary special rules and regulations were promulgated for the White City-Pennsylvanian Gas Pool, Eddy County, New Mexico.
- (3) That pursuant to the provisions of Order No. R-2429-A, this case was reopened to allow the operators in the subject pool to appear and show cause why the White City-Pennsylvanian Gas Pool should not be developed on 160-acre spacing units.
- (4) That the evidence establishes that one well in the White City-Pennsylvanian Gas Pool can efficiently and economically drain and develop 640 acres.

- (5) That in order to prevent the economic loss caused by the drilling of unnecessary wells, to avoid the augmentation of risk arising from the drilling of an excessive number of wells, to prevent reduced recovery which might result from the drilling of too few wells, and to otherwise prevent waste and protect correlative rights, the Special Rules and Regulations promulgated by Order No. R-2429-A should be continued in full force and effect until further order of the Commission.
- (6) That the Special Rules and Regulations promulgated by Order No. R-2429-A have afforded and will afford to the owner of each property in the pool the opportunity to produce his just and equitable share of the gas in the pool.

IT IS THEREFORE ORDERED:

- (1) That the Special Rules and Regulations governing the White City-Pennsylvanian Gas Pool promulgated by Order No. R-2429-A are hereby continued in full force and effect until further order of the Commission.
- (2) That jurisdiction of this cause is retained for the entry of such further orders as the Commission may deem necessary.

DONE at Santa Fe, New Mexico, on the day and year hereinabove designated.

BEFORE THE NEW MEXICO OIL CONSERVATION COMMISSION Santa Fe, New Mexico March 11, 1964

EXAMINER HEARING

IN THE MATTER OF: (Reopened)

In the matter of Case No. 2737 being reopened pursuant to the provisions of Order No. R-2429-A, which order established temporary 640-acre spacing units for the White City-Pennsylvanian Gas Pool, Eddy County, New Mexico, for a period of one year. All interested parties may appear and show cause why said pool should not be developed on 160-acre spacing units.

Case No. 2737

BEFORE: DANIEL S. NUTTER, EXAMINER.

TRANSCRIPT OF HEARING

ALBUQUEROUE, N PHONE 243-66

DEARNLEY-MEIER REPORTING SERVICE,

1

Mexico

Building

Suite 1120 Simms

MR. NUTTER: The hearing will come to order, please. The next case will be 2737.

MR. DURRETT: In the matter of Case No. 2737 being reopened pursuant to the provisions of Order No. R-2429-A, which order established temporary 640-acre spacing units for the White City-Pennsylvanian Gas Pool, Eddy County, New Mexico, for a period of one year.

MR. KASTLER: If the Examiner please, my name is Bill Kastler and I'm appearing on behalf of Gulf Oil Corporation. Our one witness in this case is Mr. John Hoover, who would like to be sworn at this time.

(Witness sworn.)

JOHN HOOVER

called as a witness, having been first duly sworn, testified as follows:

DIRECT EXAMINATION

BY MR. KASTLER:

- For the record, would you please state your name and position?
- A John Hoover, District Production Engineer, Gulf Oil Corporation. Roswell. New Mexico.
- Have you previously appeared before the New Mexico Oil Conservation Commission Examiner Hearings and been qualified as an

expert petroleum engineer?

A Yes, I have.

Q Are you familiar with the facts in this case concerning the establishment of temporary rules for 640-acre spacing in the White City-Pennsylvanian Gas Pool?

A Yes, I am. I presented the testimony in the previous hearings concerning this matter of this case.

Q At the time of the previous hearing held in March, 1963, how many wells were developed in this pool and how many wells are now developed?

A There were two wells, those being the Federal Estelle

A. D. Wells No. 1 and No. 2, Joth Gulf wells, and these two wells

are still at this time the only two wells in the pool. These

wells are shown on Exhibit No. 1 and they are outlined in red,

circled in red. Well No. 1 is located 660 feet from the North

and East lines of Section 29, and Well No. 2 is located 2444 feet

from the East line and 2400 feet from the North line of Section 20,

both of them in Township 24 South, Range 26 East, Eddy County,

New Mexico.

(Whereupon, Applicant's Exhibit No. 1 was marked for identification.)

Q Mr. Hoover, at the previous hearing you indicated that reservoir pressure information would be obtained to attempt to



justify 640-acre spacing permanent rules, did you not?

A Yes, I did. At that time I stated that we intended to drill another well in Section 21, and if we did drill it we planned to take an initial bottom hole pressure in that well and compare it with existing bottom hole pressures in the two wells completed. This well was not drilled due to high cost, poor economics and high risk. In fact, the acreage on which this well was planned to be drilled has been released by Gulf.

Q Do you have any pressure information on tests on the existing two wells, namely Federal Estelle A. D. Wells 1 and 2?

A Yes. We conducted shut-in bottom hole pressure buildup tests starting on February 11, 1964.

(Whereupon, Applicant's Exhibit No. 2 was marked for identification.)

Q Will you please explain the results of these tests?

A Yes. Exhibit No. 2 is a procedure that we use for running these bottom hole pressure tests, and basically we had two Amerada bombs which were calibrated prior to the test. We closed in Well No. 1 and ran the bomb to approximately 9500 feet. There was a choke, bottom hole choke in the well at 9525. We opened after the bomb was on bottom, we opened the well up at the previous flow rate for thirty minutes and then closed the well in, recording the tubing pressures by dead weight tester on the time



intervals as shown there every fifteen minutes the first hour, and then up to four hours, and then thereafter we took the tubing pressures every twenty-four hours and the test was run for seventy two hours. The same procedure was used for Well No. 2.

You took both bottom hole pressure tests with the Q Amerada bomb and tubing pressure tests, is that correct?

Yes, we did. Exhibit No. 3 is a tabulation of the re-A sults of the bottom hole pressure taken in Well No. 1. The bomb was actually run to a depth of 9490 feet. The bomb was on bottom at 10:00 A.M. on February 11 and you might note there that the pressure was 3943 pounds. Then the well was opened up to the previous flow rate, which was 5,237 MCF per day.

> (Whereupon, Applicant's Exhibit No. 3 was marked for identification.)

Pardon me for interrupting. Prior to your test had this well and the Well No. 2, as well, been produced at a high rate for some time?

Yes, they had. We caught these wells when they both A had been producing for a continuous period of eighteen days. Well No. 1 was flowing at well over five million and Well No. 2 was flowing at about one million six hundred thousand, so this test was conducted after the eighteen-day flow test, immediately after the wells were shut-in, in fact, to run the test.

On this Exhibit No. 3 when the well was opened up it may be noted there that the bottom hole pressure drops quite drastically, in other words, it was opened up at 10:15, we had 1952, and 10:30, 1803, and so forth. The reason that pressure is down so low is due to the bottom hole choke. Actually it is a bottom hole regulator that was in the well, not run in for this test, but it was already there, so we are getting a drop across that choke which is reflected here on the bomb during the flow test.

Then the well was shut-in after that approximately forty minutes and we started the shut-in test, and you might note there the other significant thing on this exhibit is at the end of our pressure test the reading of 4848 pounds is the same for 10:00 A.M on February 13 and the time the bomb went off bottom at 6:00 A.M. on the 14th. So the pressure had built up in that well.

Exhibit No. 4 is a bottom hole pressure on Well No. 2. The bottom hole pressure in this well was taken, or the bomb was run at 9808 feet. The same procedure was established here, after the bomb was on bottom the well was opened at a previous flow rate which was 1,677 MCF per day.

(Whereupon, Applicant's Exhibit No. 4 was marked for identification.)

- Q No choke in this well?
- A No choke. Then the well was shut-in at 12:45, approxi-

mately thirty-minute flow period, and we started the seventy-two hour shut-in bottom hole pressure test. It may be noted that when the gauge was taken off bottom at 8:00 A.M. on February 14 that the pressure was up to 4781 pounds. It had not built up because the 2:00 A.M. reading was 4765 pounds. This information, when it got in to us, it is evidence that the well had not built up, so we took shut-in tubing pressures again on February the 18th.

Q You actually continued your tubing pressure test beyond February 14?

Exhibit No. 5 is a tabulation of the shut-in tubing pressures for Well No. 1. This is taken at the -- in other words, we're showing the time, or the time we took it and the time interval as shown on the exhibit, zero time being the time the well was shut-in and the minutes and hours after that time is the shut-in time. Exhibit No. 6 is the shut-in tubing pressures taken on Well No. 2. So, in effect, what we have here now, Exhibits 2 through 6 are just the test information which we are supplying to the Commission for your information. It's the test results. Exhibit No. 7 --

(Whereupon, Applicant's Exhibits 5, 6 and 7 were marked for identification.)

Q One question there. On Exhibit No. 6 can you establish that your tubing pressure had built up?

Q To constant?

Thank you. In the time from 9:00 A.M., February A 14 until 11:20 A.M., February 18, the tubing pressure on Well No. 2 had built up 90 pounds, so, in effect, on No. 1 it had only built up six pounds. So, we're positive that the pressure built up sooner than the 1662 hours, so that we had a maximum buildup of only 90 pounds, so at the end of our seventy-two hour test the bottom hole pressures had built up within 90 pounds of each other.

On Exhibit No. 7 we have tabulated the shut-in bottom hole pressures corrected to 9811 feet. That is the depth for approximately the mid point of our perforations in Well No. 1, and that is the interval where our initial bottom hole pressure was taken, so we have corrected the test readings to this 9811 feet, and that is reflected on Exhibit No. 7 for Well No. 1.

MR. NUTTER: Mr. Hoover, what is the perforated interval in each of these two wells?

Well No. 1 is 9806 feet to 9816. Well No. 2 is 9828 to A 9874.

MR. NUTTER: Thank you.

(Whereupon, Applicant's Exhibit No. 8 was marked for identification.)

On this Exhibit No. 7 the significant thing there is the

General Court Reporting Service

Suite 1120 Simms Building Albuquerque, New Mexico Phone 243

final bottom hole pressure is 4881 pounds, that is correcting the 4848 pounds which was recorded at 9490, which was a built up pressure correcting that to 9811, which comes out approximately 9881.

Exhibit No. 8 is the corrected bottom hole pressure for Well No. 2. Actually there is no correction because the bomb was placed at 9898 and the depth we are correcting it to was 9811, so it only made one-eighth of a pound difference, so we showed no correction.

On the final bottom hole pressure of 4871 pounds estimated on February 18, all I have done there is added the 90 pounds that the tubing pressure built up. So the two bottom hole pressures are within ten pounds of each other by this method. I think we had reason that we could have probably added a little more to that tubing differential, but rather than do that we just took the actual tubing pressure build up. So, therefore, the wells built up to within ten pounds of each other.

Exhibit No. 9 is merely a graph of the tabulated information on Exhibits 7 and 8. The only thing we show here is that the Well No. 1 built up faster than Well No. 2, which we certainly, that's what we expected. Well No. 1 is the better well, it had an open flow potential of approximately forty-seven million, whereas this Well No. 2 is tighter and it had an open flow potential of only

about 3.7 million. Also on the exhibits on 5 and 6 where the tubing pressures were recorded, they built up within 22 pounds of each other. I believe that covers the tests.

> (Whereupon, Applicant's Exhibit No. 9 was marked for identification.)

What conclusions can you make from the results of these tests?

In view of the fact that both wells had been produced A constantly for, at a relatively high rate for this eighteen-day period prior to the shut-in of the test, and that these bottom hole pressures built up to practically the same pressure in a short period of time, we conclude that there is good communication between the wells.

The initial bottom hole pressure in Well No. 1, which was taken in April of 1960, was 5,476 pounds at 9811 feet. The cumulative production from Well No. 1 from the initial completion to the date of the test was 539,160 MCF, Well No. 2, 243,633 MCF. In view of this unequal production and in view of the fact that the bottom hole pressures built up to practically the same pressure, which pressure is considerably lower than the initial pressure, we think this is also evidence that there is good communication between the wells.

At the previous hearing the geological testimony presented

Strawn was present in both wells and it was concluded that it was continuous between the two wells. Also in that testimony the core analyses presented on Well No. 2 indicated that the permeability was predominantly through fractures, and from those two facts it was concluded that one well could drain 640 acres.

We believe that this test has substantiated that testimony and the logs that there is permeability continuous between the two wells. Also, since these wells are 4100 feet apart and we had a reservoir build up pressure to within ten pounds, or we can say practically the same pressure, we can say that the wells are definitely in the same pool and that the one well can and is draining 640 acres.

Q Mr. Hoover, at the previous hearing you gave the economics for development on 320-acre spacing as against 640-acre spacing. How have the economics changed, or have they?

A They have not changed. It is still not economical to develop on less than 640 acres.

(Whereupon, Applicant's Exhibit No. 10 was marked for identification.)

Q Has Gulf communitized the leasehold rights on 640-acre spacing for each well?

A Yes, we have. Exhibit No. 10 is a copy of the United



Mexico

States Geological Survey's communitization order for Well No. 1, and that communitizes all of Section 29. Exhibit No. 11 is the United States Geological Survey communitization order for Well No. 2 and that communitizes all of Section 20.

> (Whereupon, Applicant's Exhibit No. 11 was marked for identification.)

What is your recommendation concerning the temporary pool rules for the White City-Pennsylvanian Gas Pool?

It is requested that the Commission make permanent the rules providing for 640-acre spacing in this pool.

In your opinion would that order provide the protection of correlative rights and the prevention of waste that is necessary?

Yes. A

Do you have anything further to add in this case?

No, sir. A

Q Where Exhibits 1 through 9 prepared by you or at your direction and under your supervision?

A Yes, sir, they were.

Were Exhibits 10 and 11 true copies of the executed certificate of communitization in the White City-Pennsylvanian Gas Unit No.s 1 and 2?

A Yes, they are.

General Court Reporting Service

Mexico

New

Simms

Suite 1120

MR. KASTLER: This is the conclusion of our direct testimony and I would like to move at this time that Exhibits 1 through 11 be entered into evidence.

MR. NUTTER: Gulf's Exhibits 1 through 11 are admitted in evidence.

> (Whereupon, Applicant's Exhibits 1 through 11 were offered and admitted in evidence.)

MR. NUTTER: Does anyone have any questions of Mr. Hoover?

CROSS EXAMINATION

BY MR. NUTTER:

- Q I presume at the first hearing that estimates of reserves were based on volumetric calculations, would that be correct?
 - We did not give any reserves.
 - Q How did you establish the economics of development then?
- A We established the economics based on takes, daily takes by the purchaser.
- Q If you didn't establish the reserves, how long did you figure that they would be taking daily?
- Well, certainly the takes by the purchaser had a relation to reserves, that's true, and we did not give any reserve figures, we gave what we figured the contract take would be on a daily basis.

Q But for what length of time?

A We did not state a length of time; however, I'll be glad to read those economics into the record again. We gave the pay-out on 320 acres and 640 acres at certain rates.

Q Now, the purchaser in the first eighteen days, or the eighteen days preceding this shut-in had been taking from No. 1 at about the rate of five million a day?

A Yes, sir. In fact, the takes from these wells from the time of the last hearing up until November of '63 had been very low, starting in November, the market for that gas improved. Whether it's on a permanent basis or a temporary basis, but it did improve for part of November, I am sorry, for December, part of December, all of January and into February.

Q So this five million a day hasn't been a permanent thing through the life of the wells?

A No, sir, it sure has not. In fact, the average take from Well No. 1 from the date of connection to the date of the test has only been 540 MCF per day.

Q When were the two wells connected, do you have that handy?

A Yes, sir. They were connected on November 15, 1961.

Q Both the same day?

A Yes, sir. The average takes from Well No. 2 have been

298 MCF per day. Those are takes by the purchaser.

MR. NUTTER: Are there any other questions of Mr. Hoover? He may be excused.

(Witness excused.)

MR. NUTTER: Do you have anything further, Mr. Kastler?

MR. KASTLER: No, sir.

MR. NUTTER: Does anyone have anything they wish to offer in Case 2737? We will take the case under advisement.

STATE OF NEW MEXICO នន COUNTY OF BERNALILLO)

I, ADA DEARNLEY, Court Reporter, do hereby certify that the foregoing and attached transcript of proceedings before the New Mexico Oil Conservation Commission at Santa Fe, New Mexico, is a true and correct record to the best of my knowledge, skill and ability.

IN WITNESS WHEREOF I have affixed my hand and notarial seal this 1st day of April, 1964.

My commission expires:

June 19, 1967.

d do hereby certify that the foregoing is a complete record of the processings in the Execiser hearing of Case No. Z

Wexico Oil Conservation Commission

BEFORE THE OIL CONSERVATION COMMISSION Santa Fe, New Mexico March 20, 1963

EXAMINER HEARING

IN THE MATTER OF:

Application of Gulf Oil Corporation for special pool rules, Eddy County, New Mexico. Applicant, in the abovestyled cause, seeks the establishment of special pool rules for the White City-Pennsylvanian Gas Pool, Eddy County, New Mexico, including provisions for 640-acre spacing therein. This case was continued to the March 20, 1963 Examiner Hearing by Order No. R-2429.

Case 2737

BEFORE: Elvis A. Utz, Examiner.

TRANSCRIPT OF HEARING

MR. UTZ: Case 2737.

MR. DURRETT: Application of Gulf Oil Corporation for special pool rules, Eddy County, New Mexico.

MR. KASTLER: My name is Bill Kastler and I am representing the applicant, Gulf Oil Corporation. From Gulf, our witnesses are Mr. Lester Marshall and John F. Hoover.

(Witnesses sworn.)

MR. UTZ: Are there any other appearances in this case? You may proceed.

JOHN F. HOOVER



called as a witness, having been first duly sworn, testified as follows:

DIRECT EXAMINATION

BY MR. KASTLER:

Mr. Hoover, have you previously qualified and testified before the New Mexico Oil Conservation Commission as an expert petroleum engineer?

Yes, sir. Α

MR. KASTLER: Mr. Examiner, are the witness' qualifications acceptable?

MR. UTZ: They are.

Q. (By Mr. Kastler) Mr. Hoover, what is the purpose of this hearing?

Gulf's application for special pool rules in the White Α City-Pennsylvanian Gas Pool to provide for 640-acre spacing was heard before the Examiner on January 23, 1963. As a result of that hearing the Commission issued Order No. R-2429 dated February 21, 1963 which reads in part "That the subject application shall be denied if the applicant does not appear at the last Examiner Hearing in March, 1963 and present additional evidence concerning the reservoir characteristics of the White City-Pennsylvanian Gas Pool". We are here to present additional information.

Mr. Hoover, at the hearing in January, did the Examiner ask for additional information as to logs, core analysis, etc.?



Yes, sir. We furnished logs on the Federal Estill "AD" Wells No. 1 and No. 2 as well as a core analysis for Well No. 2 by transmittal letter dated January 30, 1963. We advised that no core was taken in Well No. 1.

MR. KASTLER: Mr. Examiner, we would like to move that this information be made a part of the record in Case 2737.

Mr. Hoover, do you have additional reservoir characteristics to present as requested by the Commission?

Yes, sir. Mr. Lester Marshall, our District Production Geologist, will present this testimony; however, I would like to add additional testimony on economics at this time which I hope will clarify my previous testimony.

Will you please proceed.

The previous testimony indicated well costs as follows: Federal Estill "AD" Well No. 1, \$646,255; Federal Estill "AD" Well No. 2, \$401,493; Federal Lee "J" Well No. 1 which was nonproductive, \$387,283; Estimated cost of next well if one is drilled, \$315,000.

The economics are as follows: For 640 Acre Spacing; Well cost, \$315,000; Producing Rate, 938 MCF/day; Price of gas, 16¢/MCF; Payout time, 7.07 years; Discounted cash flow rate of return before Income Tax, 14.1%; Profit to investment ratio, 1.3 to 1.0.

For 320 Acre Spacing; Well cost, \$315,000; Froducing rate, 469 MCF/day; Price of gas, 16¢/MCF; Payout time, 13.46 years; Discounted cash flow rate of return before Income Tax, 3.4%;



Profit to investment ratio, 0.4 to 1.0.

We stated in the previous testimony that the determination of the economics was difficult because the market demand for this gas is poor at this time. For example, the average daily purchases from initial delivery through February, 1963 from the two completed wells are as follows: Federal Estill "AD" Well No. 1, 313 MCF/day; Federal Estill "AD" Well No. 2, 329 MCF/ day.

The actual purchases to date are considerably lower than the producing rates used in the economic evaluation; therefore, the payout time which is long under the best conditions will be extended an X number of years, depending on the duration of the slack gas market.

In your opinion, would a reasonable prudent operator Q undertake to drill a gas well in this pool for a calculated profit to investment ratio of 0.4 to 1.0, discounted cash flow rate of return and a 13.46 year payout which are the figures you gave for a 320-acre unit?

No, sir. The payout of 7 years for 640 acres is long Α and the payout of 13-1/2 years for 320 acres in unreasonable.

Based on these figures, therefore, what you have said in effect is that the pool stands a good chance of never being further developed if 320-acre spacing or less is enforced.

Yes, that is right. A

Might this possibly lead to waste?



It is possible that the two wells developed could drain the entire pool; however, it is also possible that gas could be left in place resulting in waste by not developing the pool further.

- Do you have anything further to add in this case?
- No, sir, nothing further insofar as economics are concerned.
- Mr. Hoover, the well logs you submitted by correspondence, could they be marked for exhibit purposes consecutively as Exhibits 1A, 1B and 1C. 1C being the Core Analysis of Well Number 2; 1B, the log of Federal Number 2; and, 1A being Federal Estill "AD" Number 1?
- That would be all right. Our Exhibit 1 is a plat. If 1A would suffice, 1B and 1C would be allowable.
- Were these logs prepared by you or under your supervision?
 - A That's right, at my direction.

MR. KASTLER: That is all I have. I would like to submit that these Exhibits be marked as 1A, B and C.

> (Exhibits 1A, 1B and 1C were marked for identification.)

MR. UTZ: They will be.

MR. KASTLER: Thank you.

CROSS EXAMINATION

BY MR. UTZ:

You still have only drilled two wells? Q

Two wells, producing. A

Are you drilling any other wells?

No, sir.

Your 160 is out of the north of Section 21?

That is correct.

Do you have any knowledge of why you drilled that well so close to the corner of Section 29?

Yes, that well was drilled as a Wildcat and it was drilled for a Devonian Test, something below 1,000 feet, so, therefore, it was drilled on a normal location under the statewide rules. And, that was the discovery well for the White City-

MR. UTZ: Any other questions of the witness? MR. KASTLER: I'd like to ask a question to clarify

MR. UTZ: Go ahead.

REDIRECT EXAMINATION

BY MR. KASTLER:

a point.

Mr. Hoover, there are to date three wells that have been drilled in the White City gas pools, is that correct?

Those being Federal Estill Numbers 1 and 2 and Federal Lee "J" Number 1?

Yes.

- Is Federal Lee "J" Number 1 a producing well?
- No, sir. Λ
- Where is the well located? Is it in Section 18?
- Yes, sir, it is in Section 18, in the NW_{4}^{1} of the SE_{4}^{1} of Section 18.

MR. KASTLER: That is all I have.

MR. UTZ: Any other questions of the witness? The witness may be excused. The hearing will recess until 1:00 o'clock.

(Witness excused.)

MR. UTZ: The hearing will come to order. Please continue with Case No. 2737.

LESTER MARSHALL

called as a witness, having been first duly sworn, testified as follows:

DIRECT EXAMINATION

BY MR. KASTLER:

- Mr. Marshall, for the record, would you please give your name, your address, and your position with Gulf Oil Corporation?
- Lester Marshall, District Production Geologist with Α Gulf Oil Corporation, Roswell.
- Are you familiar with Case No. 2737, which is Gulf's Q application of 640-acre spacing approval, Case No. 2737 continued in White City-Penn?



Yes.

Have you previously stated your qualifications and have those qualifications been approved by the New Mexico Oil Conservation Commission?

Α Yes.

MR. KASTLER: Mr. Examiner, are Mr. Marshall's qualifications satisfactory?

MR. UTZ: Yes, they are.

- (By Mr. Kastler) Mr. Marshall, have you made a study of geology for the area of the White City-Penn Gas Pool?
 - Α Yes, I have.
 - Have you prepared the structure map?
 - Yes, and it is marked Exhibit No. 1. Α
- Referring to Exhibit 1, will you state what is shown Q in the structure map?

Α This is a structure map contoured on top of the Strawn formation, with 100 foot contour interval. This shows the structural relationship of the White City-Penn Gas Pool, the Crawford-Penn Gas Pool to the east and the Black River-Penn Pool to the northeast. From this limited control, a structure is indicated underlying the two producing wells shown in the White City Pool.

- From this map, can you define the limits of the White City-Penn Gas Pool?
 - It is defined to the northwest of Gulf's Federal Lee



"J" No. 1, located in Section 18, which is found to be tried in Pennsylvania formation. The limits to the southeast are indefinite, but range between Union of California Crawford No. 2-27 and Gulf's Federal Estill No. 1. The limits to the northeast and southeast are undefined.

Has Gulf sought to establish in this application the permanent or temporary area boundaries of the White City-Penn Gas Pool?

No.it is our feeling that a pool rule should be adopted to cover the two producing wells now completed in the pool. As additional wells are drilled on offsetting spacing units, they will automatically come within those rules.

Referring now to Exhibit No. 2, will you please explain what it is?

Exhibit No. 2 is a cross section and this cross Α section shows the relationship of the stratigraphy of the White City-Penn Pool--these two wells, the Crawford-Penn Pool, these two wells, and the Black River-Penn Pool, this well. It will be noted that the producing Horizon in the White City-Penn Pool is the Strawn formation and are in New Mexico and this formation becomes tight and unproductive in the Crawford-Penn and Black River-Penn Pools. The prorated intervals in all the wells are shown in the producing Horizon in the Black River-Penn and the Crawford-Penn is marble.

Would you now refer to Exhibit No. 3 and explain



what it is?

A Exhibit No. 3 is a chart showing continuity of permeability in the Strawn lime pay between Federal Estill No. 1 and No. 2. These wells are located 4,100 feet apart.

Q The curve on the right of each well column is a microlog which indicates zones of permeability, and these zones are colored in red. It can be seen that the permeable section in the Strawn lime is present in both wells and that is the same stratigraphic level and this leads to the conclusions that the permeability in the Strawn lime is continuous and uninterrupted.

Q What is Exhibit No. 4?

A Exhibit No. 4 is core analysis of the Strawn formation in Gulf's Federal Estill No. 2. This analysis was previously furnished to the Commission, but I would like to discuss it in a little more detail here. The average porosity in the Strawn lime is 5 per cent, average permeability is 3.7 millidarcies. In the Strawn sand the average permeability is 4 millidarcies. I wish to call your particular attention to samples, numbers 2 and 8. The sample numbers are in the center left-hand column there. These sample numbers show that permeability is predominantly through fractures. Likewise, in the Strawn sand, samples, numbers 14, 15, 16, 17 and 26, show permeability predominantly through fractures.

Q As a result of your studies, what is your conclusion as to the drainage area of a Strawn Gas Well in the White City-Penn



DEARNLEY-MEIER REPORTING SERVICE, Inc.

Gas Pool?

Because of the fact that reservoir is fractured and good continuity of the permeability has been demonstrated and in view of any lack of evidence tending to show otherwise, I concluded that one well will drain in excess of 640 acres.

Do you have anything further to add?

No, there is nothing further, based on the information available at this time.

Were Exhibits Numbers 1, 2, 3, and 4 of this case, 2737-Continued, prepared by you or at your direction and under your supervision?

They were. Α

MR. KASTLER: This concludes my questions on direct testimony of Mr. Marshall, but I would like at this time to move that Exhibits 1, 2, 3, and 4 be entered into evidence.

MR. UTZ: Without objection, Exhibits 1, 2, 3, and 4 will be entered into the record of this case.

Does that complete your direct examination?

MR. KASTLER: Yes, sir, it does.

CROSS EXAMINATION

BY MR. UTZ:

Mr. Marshall, your Exhibit No. 3, from the way I interpret that, your Number 1 Well doesn't have any Strawn sand in it at all, is that right?

That is correct, yes, sir. Apparently the sand has shaled out in going from Number 2 to Number 1.

Q And was it your testimony that in the Strawn lime



that permeability was predominately through fractures from top to bottom of the Section or just the top half of it?

- A Just at these intervals designated in core analysis, Exhibit No. 4.
- Q So that there was no evidence of fracturing from your Sample Number 2 down to your Sample No. 8?
 - A That is correct.
- Q Those permeabilities are in the order of one tenth to six tenths in millidarcies, is that true?
- A The highest permeability is 24 millidarcies, Sample No. 8.
 - Q Yes, I was speaking of the samples, from No. 2 to No. 8?
 - A Yes, sir, you are correct.
- Q Number 4 is 24 millidarcies, partially due to fracturing?
 - A Yes, sir.
- Q So since we only have fracturing at the top and bottom of the Strawn lime, it would seem questionable as to how far those fractures extended in the reservoir, would it not?
 - A It would be purely conjectural, I am afraid.
- Q These wells are still not connected to the pipeline, are they?
 - A Yes, they are.
 - Q Are they both connected now?
 - A Yes, sir, they are -- Transwestern.



How much gas are they taking from the wells? Do you Q have any idea?

I believe Mr. Hoover has those exact figures, but I Α don't.

Actually, on your core graph, you don't show any perforation into these fracture zones at all, do you? Can you explain why you didn't fracture in that zone?

The perforations were pictured from the microlog as Α shown in Exhibit No. 3. You notice the perforations are opposite the microlog permeability and I am sure that is the reason they are pictured there.

So then your microlog and your core graph don't agree, Q is that true?

Not precisely, no. The microlog, generally speaking, Α will not indicate fracture permeability or fracture porosity.

MR. PORTER: Mr. Utz, Mr. Marshall indicated Mr. Hoover might have those production figures. I would be interested to know as to what volumes of gas are being taken from the wells.

MR. UTZ: Do you have those figures with you and available?

MR. HOOVER: Yes, I do.

MR. UTZ: We can put you back on the stand when we are finished with Mr. Marshall here on the record.

Are there any other questions of this witness? Witness may be excused.

(Witness excused.)

JOHN F. HOOVER

was recalled, examined and testified as follows:

RECROSS EXAMINATION

BY MR. PORTER:

MR. HOOVER: Mr. Porter, on the testimony I gave just before lunch on the economic evaluation, we gave some average daily purchases and daily production from our Federal Estill "AD" Well No. 1 which was averaging 313 MCF per day and that was from initial delivery which was in November of 1961 through February of 1963. That has been the actual average per day.

Approximately 10 million a month or something like that?

Yes, sir, slightly under 10 million a month. On our Α Well No. 2 it is averaging approximately 329 MCF per day. And on our economic evaluation, we used a well cost of \$315,000, which is \$72,000 cheaper than any well that we have drilled to date. So it is the minimum well, and on that evaluation for 640-acre spacing, we used a production rate of 938 MCF per day, which is the gas rate that they should take which would produce the gas in place over the term of the contract.

Now, bearing in mind we used the producing rate of 938 MCF per day, the actual rate has been 313 and 329, roughly a third, and we have found that the payout time was 7.07 years under those conditions of a very economical well cheaper than we have



DEARNLEY-MEIER REPORTING SERVICE, Inc.

o sent to

NNTA FE, N. M.

BUQUEROUE, N. M. HONE 243.6691 done. Our discounted cash flow rate of return was 14.1 per cent, which gave us a profit investment ratio of 1.3 to 1 or on \$1.30 earned for each dollar spent.

On 320-acre spacing, we used the same well cost, \$315,000. Our producing rate was 469 MCF per day, which was half of what it would be on 640, and bearing in mind that 469, even on 320 acres, is more than what they are taking now at the existing time, a price of 16 cents again gave us a payout of 13.46 years.

- Q Mr. Hoover, I am sure you explored this this morning, but Gulf is requesting a temporary order, is that right?
 - A Yes, sir, that is correct.
- Q Then, my main concern was whether or not you were selling gas at what volumes so I might know whether you would be in a position to conduct interference tests and so forth during the time of the temporary order?

A We hope to, say, at the end of another year to have enough gas produced out of the reservoir that we could at least run bottom hole pressures in each well as compared to what our one volume hole pressure was in No. 1 well. We do intend--I believe we can probably make arrangements to run some interference tests by cooperation of the pipeline, I believe that we could get that concession made all right.

BY MR. UTZ:

9 Mr. Hoover, you have used half of the rate flow in your 320 as you did in your 640-acre economics picture that was



prepared. Is that due to economics or is that a contract figure?

That would be a contract figure. It would be based Α on the same provision that you get the gas out of the term of the contract, but on 320 acres you have only half the gas to produce in the same contract term. So you have just like in our existing pools, where we have 640 acres spacing, a well on 640 acres under proration gets, which is the allowable that a well does on 320. The same thing holds true in this case.

- The contract minimums are based on the acreage rather Q than deliverability?
- That is right, on reserves which is based on acreage. MR. UTZ: Any other questions of this witness? The witness may be excused.

Any other statements to be made in this case? The case will be taken under advisement.

DEARNLEY-WEIER REPORTING SERVICE, Inc.

STATE OF NEW MEXICO COUNTY OF BERNALILLO)

I, ELAINE J. BUCHANAN, Court Reporter, do hereby certify that the foregoing and attached transcript of hearing before the New Mexico Oil Conservation Commission at Santa Fe, New Mexico, is a true and correct record to the best of my knowledge, skill and ability.

IN WITNESS WHEREOF I have affixed my hand and notarial seal this 30% day of April, 1963.

My Commission Expires: October 14, 1966.

ify that the foregoing is




CASE NO. 2737

Gulf Oil Corporation January 23, 1963

WHILE CILK - DENNSKINANIAN CAS POOL

TAI9



Gulf Oil Corporation Case No. 2737 Exhibit No. 2 January 23, 1963

SPECIAL RULES AND REGULATIONS FOR THE WHITE CITY-PENNSYLVANIAN GAS POOL

RULE 1

Each well completed or recompleted in the Pennsylvanian formation within one mile of the boundary of the White City-Pennsylvanian Gas Pool and not nearer to nor within the boundaries of another designated Pennsylvanian Gas Pool shall be drilled, spaced and produced in accordance with the special rules and regulations hereinafter set forth.

RULE 2

- (a) Each well completed or recompleted in the White City-Pennsylvanian Gas
 Pool shall be located on a tract consisting of approximately 640 acres, which may comprise a single governmental section, being a legal subdivision of the United States
 Public Land Survey, or may comprise a square tract where all sides are the same length.
 For the purposes of these rules, the Unit consisting of between 632 and 648 surface contiguous acres shall be considered a standard Unit.
- (b) The Secretary-Director shall have authority to grant an exception to Rule 2 (a) without notice and hearing where an application has been filed in due form and where the unorthodox size or shape of the tract is due to a variation in the legal subdivision of the United States Public Land Survey or where the following facts exist and all of the following provisions are complied with:
- (1) The non-standard Unit contains less acres than a standard Unit and consists of contiguous quarter-quarter sections or lots.
- (2) The length or width of the non-standard Unit does not exceed 5,280 feet.
- (3) The entire non-standard Unit may reasonably be presumed to be productive of gas from the White City-Pennsylvanian Gas Pool.
- (4) The applicant presents written consent in the form of waivers from all Operators owning contiguous acreage in the section or sections in which any part of the non-standard Unit is situated, which acreage is not to be included in said non-standard Unit, and from all Operators whose acreage, or any part of it, lies within 1,500 feet of the proposed non-standard Unit well. In the alternative, the applicant

may furnish proof of the fact that all of the aforesaid Operators were mailed a copy of the application for such non-standard Unit.

The Secretary-Director may approve the application if after a period of 30 days no such Operator has entered an objection to the formation of such non-standard Unit.

RULE 3

- (a) Each well completed or recompleted in the White City-Pennsylvanian Gas
 Pool shall be located 1,980 feet from the outer boundary line of the standard Unit with
 a tolerance of 330 feet. A well to be attributed to a non-standard Unit shall not be
 located nearer than 660 feet to the outer boundary line of such Unit. A well which was
 projected to or completed in said pool prior to the effective date of this order is
 excepted from the requirements of this rule.
- (b) The Secretary-Director shall have authority to grant exceptions to the Rule 3 (a) without notice and hearing where an appplication therefor has been filed in due form and the necessity for the unorthodox location is based on topographical conditions or is occasioned by the recompletion of a well previously drilled to another horizon.

Applicant shall furnish all Operators within a radius of 1,980 feet of the subject well a copy of the application to the Commission and shall stipulate to the Commission that proper notice has been furnished to all such Operators. The Secretary-Director may approve the application if after a period of 20 days, no offset Operator has entered an objection to the proposed unorthodox location; provided however, if the ownership of all oil and gas leases within such radius is common, approval may be given without a waiting period.

MRÖSWELL PRODUCTION DISTRICT

W. B. Hopkins
DISTRICT MANASER
M. I. Taylor
DISTRICT REPOUCTION
MANASER
F. O. Mortlock
DISTRICT REPLOSATION
MANAGER

H. A. Rankin
DISTRICT SERVICES MANAGER

January 30, 1963

P. O. Drawer 1938 Roswell, New Mexico

Oil Conservation Commission State of New Mexico Post Office Box 871 Santa Fe, New Mexico

Attention: Mr. A. L. Porter, Jr.

Re: Case No. 2737, Examiner Hearing, January 23, 1963

Gentlemen:


In compliance with the request of Mr. Elvis Utz, Examiner for the subject case, attached are complete sets of logs for Gulf's Federal Estill "AD" Wells No. 1 and 2 with producing formation and perforations shown. Also attached is a copy of the core analysis for Well No. 2 on which the producing formation and perforated intervals are also shown. No core was taken in Well No. 1 in the producing interval.

We appreciate the opportunity to furnish this additional information and if there are any questions concerning the attachments, please advise.

Yours very truly,

M. I. Taylor

Attachments JHH:ers




PLAT

WHITE CITY - PENNSYLVANIAN GAS POOL Eddy County, New Mexico

Gulf Oil Corporation January 23, 1963

CASE NO. 2737
EXHIBIT NO.



PIAT

WHITE CITY - PENNSYLVANIAN GAS POOL Eddy County, New Mexico

Gulf Oil Corporation January 23, 1963

CASE NO. 2737 EXHIBIT NO. /

BEFORE THE OIL CONSERVATION COMMISSION Santa Fe, New Mexico January 23, 1963

EXAMINER HEARING

IN THE MATTER OF:

Application of Gulf Oil Corporation) for special pool rules, Eddy County, New) Mexico. Applicant, in the above-styled cause, seeks the establishment of special) pool rules for the White City-Pennsylvan-) ian Gas Pool, Eddy County, New Mexico, including provisions for 640-acre spacing)

. Case No. 2737

BEFORE:

Elvis A. Utz, Examiner

TRANSCRIPT OF HEARING

MR. UTZ: The next case on the docket is Case 2737.

MR. DURRETT: Application of Gulf Oil Corporation for special pool rules, Eddy County, New Mexico.

MR. KASTLER: Bill Kastler, appearing for Gulf, and our witness in that case is again Mr. Hoover who testified in the last case. Mr. Hoover is still under oath.

JOHN HOOVER

called as a witness, having been previously duly sworn, testified as follows:

DIRECT EXAMINATION

BY MR. KASTLER:

- What is Gulf seeking in this application, Mr. Hoover?
- We are seeking approval of temporary special pool rules for the White City-Pennsylvanian Gas Pool, to provide for 640acre spacing.
 - Do you have a plat of the area involved?
 - Yes, sir, and we have marked it Exhibit Number 1.

(Whereupon Applicant's Exhibit No. 1 was marked for identification.)

- Referring to Exhibit Number 1, will you state how many wells are presently located in this pool and give their locations?
- There are two wells in the pool at this time, and they are the Gulf Federal Estill AD Well Number 1, which is located 660 feet from the north and east lines of Section 29, Township 24 South, Range 26 East, Eddy County, New Mexico. The other well is the Gulf Federal Estill AD Well Number 2, which is located 2,440 feet from the east line and 2,400 feet from the north line of Section 20, also in Township 24 South, Range 26 East.
 - Which was the discovery well?
- Well Number 1 was the discovery well and it was drilled as a wildcat to test the Devonian formation. The Devonian was not productive and the well was plugged back to the Pennsylvanian
 - How does Gulf propose to dedicate acreage to these



wells, assuming the application for 640-acre spacing is approved?

We propose to dedicate all of Section 20 to the Well Number 2, and this will be accomplished by pooling in with the Estill Lease the portion, the 40 acres of the Powers Lease, of Gulf's Powers Lease located in the southeast quarter southwest quarter of Section 20. We propose to contribute to Well Number 1 the east half of Section 29, and the west half of Section 28, and this will be accomplished by pooling in with the Estill Lease the southwest quarter southwest quarter of Section 28, which is Gulf's lease, and is a Federal acreage.

Will you please state the reason for requesting adoption of Gulf's rules for 640-acre spacing, and do you have evidence to indicate a well can drain 640 acres?

The basic reason is strictly due to cost. We believe that it is more prudent at this time to drill the wells on 640 acres, until such time that it can be proved that it will not drain 640 acres. At that time, infill drilling could be had accomplished. We feel that this would prevent economic waste in eliminating the drilling of unnecessary wells. The wells in this pool were not connected to a pipeline until November, 1961, and due to the poor gas market the takes have been very low. Therefore, we do not have any decisive pressure information which would determine the areal drainage. We feel that if the temporary rules could be approved, say, for one year, that would give us additional time to obtain additional pressure information to prove



that a well will drain 640 acres.

We anticipate that one well will drain 640 acres. As to the cost of the wells, in this area our Well Number 1, which was the initial well, was a very expensive well. It cost \$646,255.00. This unusual cost was due to lost circulation and so forth. Our Well Number 2 cost \$401,493.00.

Referring to Exhibit Number 1, in Section 18, it shows a Number 1 well on the Federal Lee J Lease. This well which was not productive in the Pennsylvanian cost \$387,283.00. We plan another well probably in the first quarter of this year to be located in Section 21; that's a west offset to the location of the Well Number 2. It will be approximately at a location 1,980 feet from the east line, 1,980 feet from the south line. It's only tentative, but that's the proposed. We intend to drill that well, and based on the experience that we've had from the other wells, we hope to drill it for \$315,000.00. If we do it will be a very good price.

- Q Still expensive.
- A Yes, sir, still expensive.

(Whereupon Applicant's Exhibit No. 2 was marked for identification.)

- Q Will you please read into the record Gulf's proposed rules for the White City-Pennsylvanian Gas Pool?
- A Yes, sir. That's marked Exhibit Number 2. It's entitled: "Special Rules and Regulations for the White City-



Pennsylvanian Gas Pool".

"RULE 1: Each well completed or recompleted in the Pennsylvanian formation within one mile of the boundary of the White City-Pennsylvanian Gas Pool and not nearer to nor within the boundaries of another designated Pennsylvanian Gas Pool shall be drilled, spaced and produced in accordance with the special rules and regulations hereinafter set forth.

RULE 2: (a) Each well completed or recompleted in the White City-Pennsylvanian Gas Pool shall be located on a tract consisting of approximately 640 acres, which may comprise a single governmental section, being a legal subdivision of the United States Public Land Survey, or may comprise a square tract where all sides are the same length. For the purpose of these rules, the Unit consisting of between 632 and 648 surface contiguous acres shall be considered a standard Unit.

- (b) The Secretary-Director shall have authority to grant an exception to Rule 2 (a) without notice and hearing where an application has been filed in due form and where the unorthodox site or shape of the tract is due to a variation in the legal subdivision of the United States Public Land Survey or where the following facts exist and all of the following provisions are complied with:
- (1) The non-standard Unit contains less acres than a standard Unit and consists of contiguous quarter-quarter sections or lots.
 - (2) The length or width of the non-standard Unit does not



REPORTING

exceed 5,280 feet.

- (3) The entire non-standard Unit may reasonably be presumed to be productive of gas from the White City-Pennsylvanian Gas Pool.
- (4) The applicant presents written consent in the form of waivers from all Operators owning contiguous acreage in the section or sections in which any part of the non-standard Unit is situated, which acreage is not to be included in said non-standard Unit, and from all Operators whose acreage, or any part of it, lies within 1,500 feet of the proposed non-standard Unit well. In the alternative, the applicant may furnish proof of the fact that all of the aforesaid Operators were mailed a copy of the application for such non-standard Unit.

The Secretary-Director may approve the application if after a period of 30 days no such Operator has entered an objection to the formation of such non-standard Unit.

- RULE 3: (a) Each well completed or recompleted in the White City-Pennsylvanian Gas Pool shall be located 1,980 feet from the outer boundary line of the standard Unit with a tolerance of 330 feet. A well to be attributed to a non-standard Unit shall not be located nearer than 660 feet to the outer boundary of such Unit. A well which was projected to or completed in said pool prior to the effective date of this order is excepted from the requirements of this rule.
 - (b) The Secretary-Director shall have authority to grant



exceptions to the Rule 3 (a) without notice and hearing where an application therefor has been filed in due form and the necessity for the unorthodox location is based on topographical conditions or is occasioned by the recompletion of a well previously drilled to another horizon.

Applicant shall furnish all Operators within a radius of 1,980 feet of the subject well a copy of the application to the Commission and shall stipulate to the Commission that proper notice has been furnished to all such Operators. The Secretary-Director may approve the application if after a period of 20 days, no offset Operator has entered an objection to the proposed unorthodox location; provided however, if the ownership of all oil and gas leases within such radius is common, approval may be given without a waiting period."

Q These proposed rules provide for exceptions to the well location requirement for wells completed in the pool prior to the effective date of the order. Are there any wells in this category now?

A Yes, sir. Gulf's Federal Estill AD Number 1 and Well Number 2, an exception would be needed for these wells.

MR. UTZ: What is the location of that well?

A Well Number 1 is located 660 feet from the north and east lines of Section 29; Well Number 2, it's in Section 20, is located 2,440 feet from the east line and 2,400 feet from the north line.



MR. UTZ: Thank you.

- Q (By Mr. Kastler) Are there any other wells being drilled in this pool at this time?
 - A To my knowledge there are none.
 - Q But one proposed, being Gulf's Lee J Number 2?
 - A That's correct.
 - Q To be drilled in Section 21, at 1,980, 1,980?
 - A Approximately, yes, sir.
- Q Were Exhibits 1 and 2 drawn by you or prepared at your direction and under your supervision?
 - A Yes, sir, they were.
- Q If granted would this application be in the interest of prevention of waste and protection of correlative rights, in your opinion?
 - A Yes, sir.

MR. KASTLER: At this time I move to admit Exhibits 1 and 2 into evidence; and this concludes our direct examination.

MR. UTZ: Without objection Exhibits 1 and 2 will be entered into the record in this case.

(Whereupon Applicant's Exhibits 1 and 2 were admitted to the record.)

MR. UTZ: Are there any questions of the witness?

MR. DURRETT: Yes, sir, I have a question.

CROSS EXAMINATION

BY MR. DURRETT:

O Do you have any evidence to offer concerning, going a

NLBUQUERQUE, N. M. PHONE 243.6691 little more into detail on the economics in volved, particularly comparing 640-acre spacing with possibly 320-acre spacing, percentage of profit to investment ratio?

A There is such a variation in our prices on these wells. Also, the pipelines are not taking what the minimum gas should be under the contract. They're only taking just a bare minimum volume, so it's hard to say what it would be on 320, what it would be on 640; but for the record I would like to give this for our Estill Number 1, on 640 acres, assuming that the pipeline would take what we say is a minimum volume of gas, we figure a payout of 11 plus years. To give you an idea of why, is'it's hard to figure a payout here. They're taking at the present time, roughly, a third. So on the present rate we're speaking of a 33 year payout. We hope that it will improve within a reasonable time.

MR. UTZ: Taking a third of what?

A Of what we consider as under the contract a minimum volume.

MR. KASTLER: What are those quantities?
MR. UTZ: Minimum take.

A They're based on reserves. As far as a well on 320 acres, and assuming the same kind of a well we get in Number 2, and using our minimum figure of \$315,000.00, which is what we think we are going to drill this next well for, we hope, by using just half of the volume that we think we should be getting, based on 320 instead of 640, it figures about 15.8 year payout.



Q (By Mr. Durrett) I think that clarifies it somewhat.

A It's long payout at best.

MR. UTZ: When were these wells connected, Mr. Hoover?

A It was in November. I was going to get the exact date here.

MR. UTZ: That's close enough.

A November 15th of 1961. That was the date of initial delivery from the first well and probably the second well would have been connected.

Q (By Mr. Durrett) How much gas does each well produce?

A Our Federal Estill Number 1 has produced, this is through December, that would be November 16th, November 15, '61 through December of '62, 102,788 MCF. Our Federal Estill Number 2 has produced during the same period 135,931 MCF.

MR. UTZ: A little over fifty or sixty thousand a month

A No, sir, it wouldn't be that much. It would roughly be about 14 months, say 13 months divided into 135,000 is roughly 10,000 MCF per month for the Number 2. On the Number 1 it's been less than that. It's not a big volume at the present time. They're taking, November took ten million from the Number 1; 8.7 million from Number 2; and December four and a half million Number 1, 3.9 million from Number 2. So that's not very much money to pay a well out.

MR. UTZ: Who is your purchaser?

A Transwestern.



MR. UTZ: I'm not real sure that I understand Section

(a) of Rule 2, the portion that says, "or may comprise a square tract where all sides are the same length". Is it your intention that the square tract would have to be legal subdivision?

A, No, it is the intention that would not be. The standard Unit could be a section or it could be, as we propose here, the east half of 29 and the west half of 28, even though it crosses section lines, it still is a square containing 640 acres. It's our thought that it's reasonable, that if you have a square and your well is located all right on that square tract, it eliminates a hearing to get it approved.

MR. UTZ: Well, what I meant was, that this would mean then that that square tract would have to consist of legal 160 acre, or legal quarter sections?

A Yes, sir, it sure would.

MR. UTZ: It might go over a section line?

A Yes, sir, but any side would be no more than 5,280 feet for the non-standard Unit, the length or width can not exceed 5,280 feet, so the standard Unit, the square sides you would not exceed 5,280 feet, you couldn't do that and have all sides equal.

MR. UTZ: I haven't had time to read this too well. It would seem to me that that portion of the sentence would take care of all your administrative approval, as it's written here; or what would be the difference between a tract that would be approved by your administrative rule of section (b) and that portion of



section (a)?

A Except in (b) we're saying where there can be approval without notice and hearing, where you file it in due form, it's due to unorthodox size or shape of the tract, which is due to a variation in the legal subdivision of the United States Public Land Survey or where the following facts exist and the following provisions are complied with. The non-standard contains less acres than a standard Unit. It might could be written where it could cover it.

MR. KASTLER: Isn't it true, Mr. Hoover, that sub-section

(a) of Rule 2 was designed for the purpose in mind in taking care

of wells already completed, or those hereafter plugged back that

are within the White City-Pennsylvanian Gas Pool, whereas sub
section (b) is to take care of wells hereafter drilled to the

White City-Pennsylvanian Gas Pool?

A Yes. Well, that's true, the (a) does take care of each well completed or recompleted, but also in (b) you could have a well completed or recompleted that maybe you wanted to assign less than 640 to, then it would fall under a non-standard Unit.

MR. KASTLER: I see.

MR. UTZ: The way this is written, that's all it would take care of, isn't that true, smaller than 640-acre tracts?

A If you have 640 acres in the form of a square with all sides equal, being used for an example, half of one section and half of another, that could be considered a standard Unit if it



met the acreage requirements and your well was so located for the standard Unit, according to the rules.

Q (By Mr. Durrett) But under these rules, Mr. Hoover, it wouldn't necessarily have to be a half of a section joined with a half of a section, isn"t that correct?

A It wouldn't have to be, it could be three-quarters of one section and a quarter of the other. It certainly could be that.

Q Couldn't it also, as a technicality, not talking practically whether it could happen or not, couldn't it also create a dangerous situation in that you could dedicate 98 percent of a section and two percent of another section that contiguous to it?

A Well, you certainly could. I don't know why a person would want to do that unless they had a two percent long strung out acreage. I mean, that is a possibility all right.

Q You wouldn't necessarily have an objection if the Commission would consider trying to prevent situations like that occurring, would you?

A I don't see any objection. If these rules don't go as they are, in other words, if it crosses a section line, if it's not a standard Unit for any reason, then we'd have to have approval for a non-standard Unit, that we're asking here for Number 1, which we, according to our rules would be a standard Unit with a well location exception.

MR. DURRETT: I see, That's all I have.



DEARNLEY-MEIER REPORTING SERVICE, Inc.

MR. KASTLER: I believe in substance what Mr. Hoover means is, these rules could be improved upon.

A Certainly they could be improved upon, but I think that it's something to consider. We had a case just prior to this that it was just a technicality because we crossed a quarter-quarter section line that it takes a hearing. I think it's something to consider.

MR. DURRETT: Thank you.

A I'm not saying that it has to be that way. I think it's worthy of consideration and that is why we put it in.

MR. KASTLER: May I ask a question on re-direct?
MR. UTZ: Yes, sir.

REDIRECT EXAMINATION

BY MR. KASTLER:

- Q Mr. Hoover, are topographical considerations pertinent to well locations in this pool?
 - A Very definitely.
 - Q Would you comment briefly on that?
- A The terrain in that particular area is pretty rough, and it was hard, in fact the Well Number 2, the reason it was located where it is is trying to find a good location, so in our rules where we are saying 1,980 feet location with a tolerance of 330 feet is in there specifically to take care of the rough country.
 - Q The land is cut by deep revines, is that correct?
 - A That's true.



MR. KAST LER: Thank you.

MR. UTZ: Mr. Hoover, do you have any down hole information, core information on either of these wells?

We may have. I don't have it with me. I don't have any, I am sure that's probably all been submitted on our completion reports. I believe Mr. Ramey could verify that, but these wells are in a pool at the present time, a designated pool.

MR. UTZ: But you don't have any idea as to what the permeabilities are?

A Not with me, no, sir. I'll furnish that, whatever you desire.

MR. UTZ: Do you know whether you cored these wells or not?

No, sir, I wouldn't say offhand. I'm not sure. I suspect we did make some cores, but in what sections I don't know.

MR. UTZ: Six hundred forty six thousand, you should have got some cores out of one.

Yes, sir, we should have, and that's a pretty expensive well.

MR. UTZ: Could you look into that and mail me any core data that you might have, permeability data, micro-logs or anything of that nature?

On any well? Α

MR. UTZ: Well, either of these two wells.

A All right.



MR. UTZ: These are the only two wells in this pool at the present time?

A That's right. You would like any core data, logs, and what else?

MR. UTZ: Micro-logs or anything that would show what the permabilities and porosities are.

A Yes, sir, if we have that information I'll certainly furnish it to you.

MR. UTZ: Are there other questions of the witness?

The witness may be excused. Any other statements in this case?

The case will be taken under advisement. We will take a fifteen minute recess.



ALBUQUERQUE, N. M. PHONE 243:6691 STATE OF NEW MEXICO)
) ss
COUNTY OF BERNALILLO)

I, ADA DEARNLEY, Court Reporter, do hereby certify that the foregoing and attached transcript of proceedings before the New Mexico Oil Conservation Commission, at Santa Fe, New Mexico, is a true and correct record to the best of my knowledge, skill and ability.

IN WITNESS WHEREOF I have affixed my hand and notarial seal this 28th day of January, 1963.

Notary Public - Court Reporter

My Commission Expires: June 19, 1963

I do hereby certify that the foregoing is a complete married of the professings in the Emaniner heading of Case No. 273.2

Thur a. D. Exa

New Mexico Gil Conservation Commission

SPECIAL RULES AND REGULATIONS FOR THE WHITE CITY-PENNSYLVANIAN GAS POOL

RULE 1

Each well completed or recompleted in the Pennsylvanian formation within one mile of the boundary of the White City-Pennsylvanian Gas Pool and not nearer to nor within the boundaries of another designated Pennsylvanian Gas Pool shall be drilled, spaced and produced in accordance with the special rules and regulations hereinafter set forth.

RULE 2

- Each well completed or recompleted in the White City-Pennsylvanian Gas

 Pool shall be located on a tract consisting of approximately 640 acres, which may comprise a single governmental section, being a legal subdivision of the United States

 Public Land Survey, or may comprise a square tract where all sides are the same length.

 For the purposes of these rules, the Unit consisting of between 632 and 648 surface contiguous acres shall be considered a standard Unit.
- where the unorthodox size or shape of the tract is due to a variation in the legal subdivision of the United States Public Land Survey or where the following facts exist and
 all of the following provisions are complied with:
- (1) The non-standard Unit contains less acres than a standard Unit and consists of contiguous quarter-quarter sections or lots.
- (2) The length or width of the non-standard Unit does not exceed 5,280 feet.
- (3) The entire non-standard Unit may reasonably be presumed to be productive of gas from the White City-Pennsylvanian Gas Pool.
- (4) The applicant presents written consent in the form of waivers from all Operators owning contiguous acreage in the section or sections in which any part of the non-standard Unit is situated, which acreage is not to be included in said non-standard Unit, and from all Operators whose acreage, or any part of it, lies within 1,500 feet of the proposed non-standard Unit well. In the alternative, the applicant

may furnish proof of the fact that all of the aforesaid Operators were mailed a copy of the application for such non-standard Unit.

The Secretary-Director may approve the application if after a period of 30 days no such Operator has entered an objection to the formation of such non-standard Unit.

RULE 3

- (a) Each well completed or recompleted in the White City-Pennsylvanian Gas
 Pool shall be located 1,980 feet from the outer boundary line of the standard Unit with
 a tolerance of 330 feet. A well to be attributed to a non-standard Unit shall not be
 located nearer than 660 feet to the outer boundary line of such Unit. A well which was
 projected to or completed in said pool prior to the effective date of this order is
 excepted from the requirements of this rule.
- (b) The Secretary-Director shall have authority to grant exceptions to the Rule 3 (a) without notice and hearing where an appplication therefor has been filed in due form and the necessity for the unorthodox location is based on topographical conditions or is occasioned by the recompletion of a well previously drilled to another horizon.

Applicant shall furnish all Operators within a radius of 1,980 feet of the subject well a copy of the application to the Commission and shall stipulate to the Commission that proper notice has been furnished to all such Operators. The Secretary-Director may approve the application if after a period of 20 days, no offset Operator has entered an objection to the proposed unorthodox location; provided however, if the ownership of all oil and gas leases within such radius is common, approval may be given without a waiting period.