

District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
811 S. First St., Artesia, NM 88210  
District III  
1000 Rio Brazos Road, Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy Minerals and Natural Resources  
Department  
Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

Form C-147  
Revised March 31, 2015

## Recycling Facility and/or Recycling Containment

Type of Facility:  Recycling Facility  Recycling Containment\*  
Type of action:  Permit  Registration  
 Modification  Extension  
 Closure  Other (explain) RWCS Variance

\* At the time C-147 is submitted to the division for a Recycling Containment, a copy shall be provided to the surface owner.

Be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.

1.  
Operator: Chevron U.S.A. Inc. (For multiple operators attach page with information) OGRID #: 4323  
Address: 1400 Smith Street, Houston TX 77002  
Facility or well name (include API# if associated with a well): Salado Draw T26S R32E Sections 13 and 23 Recycling Facility & Containment  
OCD Permit Number: 1RF-11 (For new facilities the permit number will be assigned by the district office)  
U/L or Qtr/Qtr A Section 23 Township 26 South Range 32 East County: Lea  
Surface Owner:  Federal  State  Private  Tribal Trust or Indian Allotment

2.  
 **Recycling Facility:** (Location: U/L M, Section 13, T26S, R32E)  
Location of recycling facility (if applicable): Latitude 32.036234 Longitude -103.636212 NAD:  1927  1983  
Proposed Use:  Drilling\*  Completion\*  Production\*  Plugging\*  
*\*The re-use of produced water may NOT be used until fresh water zones are cased and cemented*  
 Other, *requires permit for other uses. Describe use, process, testing, volume of produced water and ensure there will be no adverse impact on groundwater or surface water.*  
 Fluid Storage  
 Above ground tanks  Recycling containment  Activity permitted under 19.15.17 NMAC explain type \_\_\_\_\_  
 Activity permitted under 19.15.36 NMAC explain type: \_\_\_\_\_  Other explain \_\_\_\_\_  
 For multiple or additional recycling containments, attach design and location information of each containment  
 **Closure Report (required within 60 days of closure completion):**  Recycling Facility Closure Completion Date: \_\_\_\_\_

3.  
 **Recycling Containment:** (Location: U/L A, Section 23, T26S, R32E)  
 Annual Extension after initial 5 years (attach summary of monthly leak detection inspections for previous year)  
Center of Recycling Containment (if applicable): Latitude 32.033156 Longitude -103.639194 NAD:  1927  1983  
 For multiple or additional recycling containments, attach design and location information of each containment  
 Lined  Liner type: Thickness 60 mil  LLDPE  HDPE  PVC  Other \_\_\_\_\_  
 String-Reinforced  
Liner Seams:  Welded  Factory  Other Field Volume: 698,060 bbl Dimensions: L 925' x W 700' x D 23'  
 Recycling Containment Closure Completion Date: \_\_\_\_\_

4.

**Bonding:**

Covered under bonding pursuant to 19.15.8 NMAC per 19.15.34.15(A)(2) NMAC (These containments are limited to only the wells owned or operated by the owners of the containment.)

Bonding in accordance with 19.15.34.15(A)(1). Amount of bond \$ \_\_\_\_\_ (work on these facilities cannot commence until bonding amounts are approved)

Attach closure cost estimate and documentation on how the closure cost was calculated.

5.

**Fencing:**

Four foot height, four strands of barbed wire evenly spaced between one and four feet

Alternate. Please specify \_\_\_\_\_

6.

**Signs:**

12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers

Signed in compliance with 19.15.16.8 NMAC

7.

**Variiances:**

Justifications and/or demonstrations that the proposed variance will afford reasonable protection against contamination of fresh water, human health, and the environment.

**Check the below box only if a variance is requested:**

Variance(s): Requests must be submitted to the appropriate division district for consideration of approval. If a Variance is requested, include the variance information on a separate page and attach it to the C-147 as part of the application.

**If a Variance is requested, it must be approved prior to implementation.**

8.

**Siting Criteria for Recycling Containment**

*Instructions: The applicant must provide attachments that demonstrate compliance for each siting criteria below as part of the application. Potential examples of the siting attachment source material are provided below under each criteria.*

<b>General siting</b>	
<b>Ground water is less than 50 feet below the bottom of the Recycling Containment.</b> NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; written approval obtained from the municipality	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Minerals Division	<input type="checkbox"/> Yes <input type="checkbox"/> No
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; topographic map	<input type="checkbox"/> Yes <input type="checkbox"/> No
Within a 100-year floodplain. FEMA map	<input type="checkbox"/> Yes <input type="checkbox"/> No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; visual inspection (certification) of the proposed site	<input type="checkbox"/> Yes <input type="checkbox"/> No
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; aerial photo; satellite image	<input type="checkbox"/> Yes <input type="checkbox"/> No
Within 500 horizontal feet of a spring or a fresh water well used for domestic or stock watering purposes, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database search; visual inspection (certification) of the proposed site	<input type="checkbox"/> Yes <input type="checkbox"/> No
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; topographic map; visual inspection (certification) of the proposed site	<input type="checkbox"/> Yes <input type="checkbox"/> No

9.

**Recycling Facility and/or Containment Checklist:**

**Instructions:** Each of the following items must be attached to the application. Indicate, by a check mark in the box, that the documents are attached.

- Design Plan - based upon the appropriate requirements.
- Operating and Maintenance Plan - based upon the appropriate requirements.
- Closure Plan - based upon the appropriate requirements.
- Site Specific Groundwater Data -
- Siting Criteria Compliance Demonstrations -
- Certify that notice of the C-147 (only) has been sent to the surface owner(s)**

10.

**Operator Application Certification:**

I hereby certify that the information and attachments submitted with this application are true, accurate and complete to the best of my knowledge and belief.

Name (Print): Tony Vallejo Title: Senior Workforce Safety and Environmental Specialist - Factory  
 Signature: *Tony Vallejo* Date: 2/2/2021  
 e-mail address: jvallejo@chevron.com Telephone: O: 432-687-7524 or C: 325-450-1413

11.

**OCD Representative Signature:** \_\_\_\_\_ **Approval Date:** \_\_\_\_\_

**Title:** \_\_\_\_\_ **OCD Permit Number:** \_\_\_\_\_

- OCD Conditions \_\_\_\_\_
- Additional OCD Conditions on Attachment \_\_\_\_\_

**C-147 Variance request (Salado Draw 1RF-11)**

NMOCD,

Chevron MCBU is requesting a six month "Variance" from NMOCD for our Salado Draw 1RF-11 (section 23) Recycling Water Containments Structures (RWCS), due to the recent decrease in commodity oil prices, as a result of the coronavirus impacts on reduced demand and geopolitical pressures increasing supply. Chevron is managing our risk and exposure to the coronavirus, but we are also revamping our business plan, development strategy and activity levels in response to the current market and price environment. These impacts and strategy changes will defer the frac schedule beyond the six-month extension for the below registered RWCS listed below.

- **Previous extension approval: Section 23 (RWCS) – 1RF-11**
  - The request for a six-month variance for the determination of cessation of operations was approved by NMOCD per 19.15.34.13 NMAC. The variance is specifically for operations from November 1, 2020 through April 30, 2021.
- **Chevron will adhere to the following condition**
  - Section 23 RWCS will maintain a volume of water that weighs equivalent to the liner plus 20% safety factor.
- **Chevron is submitting the following options to allow for flexibility**
  - Leave both RWCSs with the current treated produced water (TPW) as long as we maintain a volume of water that weighs equivalent to the liner plus 20% safety factor. Chevron estimates that water to equal 0.5 ft. of water in the RWCS. This will ensure the liner is protected from the elements.
  - If the water volume drops below the liner weight plus 20% safety factor (less than 0.5 ft of water), then Chevron will add water to maintain the minimum weight.

*Thank you,  
Tony Vallejo*

**Senior Workforce Safety and Environmental Specialist - Factory**

**Chevron MCBU**

6301 Deauville Blvd/N3210

Midland, Tx 79706

O: [432-687-7524](tel:432-687-7524)

C: [325-450-1413](tel:325-450-1413)

[jvallejo@chevron.com](mailto:jvallejo@chevron.com)



**Safety is as simple as ABC - Always Be Careful**

Inspector :	Dave Nunley
Date & Time:	11/1/20
RWCS Name:	SD 23 North

NMOCD Registration number:	1RF-11
Allowable Leakage Rate:	5.19 gpm

Inspection Checklist	YES	NO
Fencing is in good repair	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Access gates are locked (when access is not required)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Berms and elevation are in good repair to prevent surface run-on	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Audible bird deterrent system is functioning properly	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Absence of any dead birds or other wildlife	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<p align="center"><b>NOTE:</b> The NMOCD and New Mexico Department of Game and Fish must be notified within 30 days if a dead bird or other wildlife is discovered.</p>		
Absence of any visible oil layer on surface	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<p align="center"><b>NOTE:</b> Immediate action must be taken if visible oil is detected</p>		
Freeboard - minimum of 3 feet present?	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Any visible damage to primary liner above fluid level to include those areas where pipes, hoses, supports, etc. may be in contact with liner	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<p align="center"><b>NOTE:</b> If damaged, repair / replacement must commence within 48 hours of discovery or the NMOCD District Office must be contacted to seek an extension</p>		

Observed leakage rate less than established acceptable rate.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Leak detection reading		
<p style="text-align: center;"><b>NOTE:</b> If leak detection monitoring indicates that the primary liner has been compromised below the fluid surface, immediately notify the NMOCD District Office and initiate efforts to repair/replace</p>		
Oil absorbent boom or other device is in good repair and available on site	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<b>Comments</b>		
Bird deterrent TKT DS20102949/Materials on order/TKT DS20396841 is for leak and level detection		

Inspector :	Paul Frier
Date & Time:	11/8/20
RWCS Name:	SD 23 North

NMOCD Registration number:	1RF-11
Allowable Leakage Rate:	5.19 gpm

Inspection Checklist	YES	NO
Fencing is in good repair	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Access gates are locked (when access is not required)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Berms and elevation are in good repair to prevent surface run-on	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Audible bird deterrent system is functioning properly	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<b>Reported to Water Management Team</b>		
Absence of any dead birds or other wildlife	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<b>NOTE: The NMOCD and New Mexico Department of Game and Fish must be notified within 30 days if a dead bird or other wildlife is discovered.</b>		
Absence of any visible oil layer on surface	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<b>NOTE: Immediate action must be taken if visible oil is detected</b>		
Freeboard - minimum of 3 feet present?	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Any visible damage to primary liner above fluid level to include those areas where pipes, hoses, supports, etc. may be in contact with liner	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<b>NOTE: If damaged, repair / replacement must commence within 48 hours of discovery or the NMOCD District Office must be contacted to seek an extension</b>		

Observed leakage rate less than established acceptable rate.	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Leak detection reading		
<p style="text-align: center;"><b>NOTE:</b> If leak detection monitoring indicates that the primary liner has been compromised below the fluid surface, immediately notify the NMOCD District Office and initiate efforts to repair/replace</p>		
Oil absorbent boom or other device is in good repair and available on site	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<b>Comments</b>		
Bird deterrent TKT DS20102949/Materials on order/TKT DS20396841 is for leak and level detection		

Inspector :	Dave Nunley
Date & Time:	11/15/20
RWCS Name:	SD 23 North

NMOCD Registration number:	1RF-11
Allowable Leakage Rate:	5.19 gpm

Inspection Checklist	YES	NO
Fencing is in good repair	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Access gates are locked (when access is not required)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Berms and elevation are in good repair to prevent surface run-on	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Audible bird deterrent system is functioning properly	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Absence of any dead birds or other wildlife	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<p align="center"><b>NOTE:</b> The NMOCD and New Mexico Department of Game and Fish must be notified within 30 days if a dead bird or other wildlife is discovered.</p>		
Absence of any visible oil layer on surface	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<p align="center"><b>NOTE:</b> Immediate action must be taken if visible oil is detected</p>		
Freeboard - minimum of 3 feet present?	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Any visible damage to primary liner above fluid level to include those areas where pipes, hoses, supports, etc. may be in contact with liner	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<p align="center"><b>NOTE:</b> If damaged, repair / replacement must commence within 48 hours of discovery or the NMOCD District Office must be contacted to seek an extension</p>		

Observed leakage rate less than established acceptable rate.	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Leak detection reading		
<p style="text-align: center;"><b>NOTE:</b> If leak detection monitoring indicates that the primary liner has been compromised below the fluid surface, immediately notify the NMOCD District Office and initiate efforts to repair/replace</p>		
Oil absorbent boom or other device is in good repair and available on site	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<b>Comments</b>		
rd deterrent TKT DS20102949/Materials on order/TKT DS20396841 is for leak and level detection/brackish wat		

Inspector :	Paul Frier
Date & Time:	11/22/20
RWCS Name:	SD 23 North

NMOCD Registration number:	1RF-11
Allowable Leakage Rate:	5.19 gpm

Inspection Checklist	YES	NO
Fencing is in good repair	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Access gates are locked (when access is not required)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Berms and elevation are in good repair to prevent surface run-on	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Audible bird deterrent system is functioning properly	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<b>Reported to Water Management Team</b>		
Absence of any dead birds or other wildlife	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<b>NOTE: The NMOCD and New Mexico Department of Game and Fish must be notified within 30 days if a dead bird or other wildlife is discovered.</b>		
Absence of any visible oil layer on surface	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<b>NOTE: Immediate action must be taken if visible oil is detected</b>		
Freeboard - minimum of 3 feet present?	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Any visible damage to primary liner above fluid level to include those areas where pipes, hoses, supports, etc. may be in contact with liner	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<b>NOTE: If damaged, repair / replacement must commence within 48 hours of discovery or the NMOCD District Office must be contacted to seek an extension</b>		

Observed leakage rate less than established acceptable rate.	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Leak detection reading		
<p style="text-align: center;"><b>NOTE:</b> If leak detection monitoring indicates that the primary liner has been compromised below the fluid surface, immediately notify the NMOCD District Office and initiate efforts to repair/replace</p>		
Oil absorbent boom or other device is in good repair and available on site	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<b>Comments</b>		
Bird deterrent TKT DS20102949/Materials on order/TKT DS20396841 is for leak and level detection		

Inspector :	Dave Nunley
Date & Time:	11/29/20
RWCS Name:	SD 23 North

NMOCD Registration number:	1RF-11
Allowable Leakage Rate:	5.19 gpm

Inspection Checklist	YES	NO
Fencing is in good repair	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Access gates are locked (when access is not required)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Berms and elevation are in good repair to prevent surface run-on	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Audible bird deterrent system is functioning properly	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Absence of any dead birds or other wildlife	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<p align="center"><b>NOTE:</b> The NMOCD and New Mexico Department of Game and Fish must be notified within 30 days if a dead bird or other wildlife is discovered.</p>		
Absence of any visible oil layer on surface	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<p align="center"><b>NOTE:</b> Immediate action must be taken if visible oil is detected</p>		
Freeboard - minimum of 3 feet present?	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Any visible damage to primary liner above fluid level to include those areas where pipes, hoses, supports, etc. may be in contact with liner	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<p align="center"><b>NOTE:</b> If damaged, repair / replacement must commence within 48 hours of discovery or the NMOCD District Office must be contacted to seek an extension</p>		

Observed leakage rate less than established acceptable rate.	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Leak detection reading		
<p style="text-align: center;"><b>NOTE:</b> If leak detection monitoring indicates that the primary liner has been compromised below the fluid surface, immediately notify the NMOCD District Office and initiate efforts to repair/replace</p>		
Oil absorbent boom or other device is in good repair and available on site	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<b>Comments</b>		
rd deterrent TKT DS20102949/Materials on order/TKT DS20396841 is for leak and level detection/brackish wat		

Inspector :	Paul Frier
Date & Time:	12/6/20
RWCS Name:	SD 23 North

NMOCD Registration number:	1RF-11
Allowable Leakage Rate:	5.19 gpm

Inspection Checklist	YES	NO
Fencing is in good repair	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Access gates are locked (when access is not required)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Berms and elevation are in good repair to prevent surface run-on	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Audible bird deterrent system is functioning properly	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<b>Reported to Water Management Team</b>		
Absence of any dead birds or other wildlife	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<b>NOTE:</b> The NMOCD and New Mexico Department of Game and Fish must be notified within 30 days if a dead bird or other wildlife is discovered.		
Absence of any visible oil layer on surface	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<b>NOTE:</b> Immediate action must be taken if visible oil is detected		
Freeboard - minimum of 3 feet present?	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Any visible damage to primary liner above fluid level to include those areas where pipes, hoses, supports, etc. may be in contact with liner	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<b>NOTE:</b> If damaged, repair / replacement must commence within 48 hours of discovery or the NMOCD District Office must be contacted to seek an extension		

Observed leakage rate less than established acceptable rate.	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Leak detection reading		
<p style="text-align: center;"><b>NOTE:</b> If leak detection monitoring indicates that the primary liner has been compromised below the fluid surface, immediately notify the NMOCD District Office and initiate efforts to repair/replace</p>		
Oil absorbent boom or other device is in good repair and available on site	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<b>Comments</b>		
Bird deterrent TKT DS20102949/Materials on order/TKT DS20396841 is for leak and level detection		

Inspector :	Dave Nunley
Date & Time:	12/13/20
RWCS Name:	SD 23 North

NMOCD Registration number:	1RF-11
Allowable Leakage Rate:	5.19 gpm

Inspection Checklist	YES	NO
Fencing is in good repair	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Access gates are locked (when access is not required)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Berms and elevation are in good repair to prevent surface run-on	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Audible bird deterrent system is functioning properly	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Absence of any dead birds or other wildlife	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<p align="center"><b>NOTE:</b> The NMOCD and New Mexico Department of Game and Fish must be notified within 30 days if a dead bird or other wildlife is discovered.</p>		
Absence of any visible oil layer on surface	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<p align="center"><b>NOTE:</b> Immediate action must be taken if visible oil is detected</p>		
Freeboard - minimum of 3 feet present?	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Any visible damage to primary liner above fluid level to include those areas where pipes, hoses, supports, etc. may be in contact with liner	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<p align="center"><b>NOTE:</b> If damaged, repair / replacement must commence within 48 hours of discovery or the NMOCD District Office must be contacted to seek an extension</p>		

Observed leakage rate less than established acceptable rate.	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Leak detection reading		
<p style="text-align: center;"><b>NOTE:</b> If leak detection monitoring indicates that the primary liner has been compromised below the fluid surface, immediately notify the NMOCD District Office and initiate efforts to repair/replace</p>		
Oil absorbent boom or other device is in good repair and available on site	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<b>Comments</b>		
rd deterrent TKT DS20102949/Materials on order/TKT DS20396841 is for leak and level detection/brackish wat		

Inspector :	Paul Frier
Date & Time:	12/19/20
RWCS Name:	SD 23 North

NMOCD Registration number:	1RF-11
Allowable Leakage Rate:	5.19 gpm

Inspection Checklist	YES	NO
Fencing is in good repair	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Access gates are locked (when access is not required)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Berms and elevation are in good repair to prevent surface run-on	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Audible bird deterrent system is functioning properly	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<b>Reported to Water Management Team</b>		
Absence of any dead birds or other wildlife	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<b>NOTE: The NMOCD and New Mexico Department of Game and Fish must be notified within 30 days if a dead bird or other wildlife is discovered.</b>		
Absence of any visible oil layer on surface	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<b>NOTE: Immediate action must be taken if visible oil is detected</b>		
Freeboard - minimum of 3 feet present?	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Any visible damage to primary liner above fluid level to include those areas where pipes, hoses, supports, etc. may be in contact with liner	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<b>NOTE: If damaged, repair / replacement must commence within 48 hours of discovery or the NMOCD District Office must be contacted to seek an extension</b>		

Observed leakage rate less than established acceptable rate.	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Leak detection reading		
<p style="text-align: center;"><b>NOTE:</b> If leak detection monitoring indicates that the primary liner has been compromised below the fluid surface, immediately notify the NMOCD District Office and initiate efforts to repair/replace</p>		
Oil absorbent boom or other device is in good repair and available on site	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<b>Comments</b>		
Bird deterrent TKT DS20102949/Materials on order/TKT DS20396841 is for leak and level detection		

Inspector :	Dave Nunley
Date & Time:	12/27/20
RWCS Name:	SD 23 North

NMOCD Registration number:	1RF-11
Allowable Leakage Rate:	5.19 gpm

Inspection Checklist	YES	NO
Fencing is in good repair	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Access gates are locked (when access is not required)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Berms and elevation are in good repair to prevent surface run-on	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Audible bird deterrent system is functioning properly	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Absence of any dead birds or other wildlife	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<p align="center"><b>NOTE:</b> The NMOCD and New Mexico Department of Game and Fish must be notified within 30 days if a dead bird or other wildlife is discovered.</p>		
Absence of any visible oil layer on surface	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<p align="center"><b>NOTE:</b> Immediate action must be taken if visible oil is detected</p>		
Freeboard - minimum of 3 feet present?	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Any visible damage to primary liner above fluid level to include those areas where pipes, hoses, supports, etc. may be in contact with liner	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<p align="center"><b>NOTE:</b> If damaged, repair / replacement must commence within 48 hours of discovery or the NMOCD District Office must be contacted to seek an extension</p>		

Observed leakage rate less than established acceptable rate.	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Leak detection reading		
<p style="text-align: center;"><b>NOTE:</b> If leak detection monitoring indicates that the primary liner has been compromised below the fluid surface, immediately notify the NMOCD District Office and initiate efforts to repair/replace</p>		
Oil absorbent boom or other device is in good repair and available on site	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<b>Comments</b>		
rd deterrent TKT DS20102949/Materials on order/TKT DS20396841 is for leak and level detection/brackish wat		

Inspector :	Paul Frier
Date & Time:	1/3/21
RWCS Name:	SD 23 North

NMOCD Registration number:	1RF-11
Allowable Leakage Rate:	5.19 gpm

Inspection Checklist	YES	NO
Fencing is in good repair	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Access gates are locked (when access is not required)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Berms and elevation are in good repair to prevent surface run-on	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Audible bird deterrent system is functioning properly	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<b>Reported to Water Management Team</b>		
Absence of any dead birds or other wildlife	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<b>NOTE:</b> The NMOCD and New Mexico Department of Game and Fish must be notified within 30 days if a dead bird or other wildlife is discovered.		
Absence of any visible oil layer on surface	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<b>NOTE:</b> Immediate action must be taken if visible oil is detected		
Freeboard - minimum of 3 feet present?	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Any visible damage to primary liner above fluid level to include those areas where pipes, hoses, supports, etc. may be in contact with liner	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<b>NOTE:</b> If damaged, repair / replacement must commence within 48 hours of discovery or the NMOCD District Office must be contacted to seek an extension		

Observed leakage rate less than established acceptable rate.	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Leak detection reading		
<p style="text-align: center;"><b>NOTE:</b> If leak detection monitoring indicates that the primary liner has been compromised below the fluid surface, immediately notify the NMOCD District Office and initiate efforts to repair/replace</p>		
Oil absorbent boom or other device is in good repair and available on site	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<b>Comments</b>		
Bird deterrent TKT DS20102949/Materials on order/TKT DS20396841 is for leak and level detection		

Inspector :	Dave Nunley
Date & Time:	1/10/21
RWCS Name:	SD 23 North

NMOCD Registration number:	1RF-11
Allowable Leakage Rate:	5.19 gpm

Inspection Checklist	YES	NO
Fencing is in good repair	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Access gates are locked (when access is not required)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Berms and elevation are in good repair to prevent surface run-on	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Audible bird deterrent system is functioning properly	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Absence of any dead birds or other wildlife	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<p align="center"><b>NOTE:</b> The NMOCD and New Mexico Department of Game and Fish must be notified within 30 days if a dead bird or other wildlife is discovered.</p>		
Absence of any visible oil layer on surface	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<p align="center"><b>NOTE:</b> Immediate action must be taken if visible oil is detected</p>		
Freeboard - minimum of 3 feet present?	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Any visible damage to primary liner above fluid level to include those areas where pipes, hoses, supports, etc. may be in contact with liner	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<p align="center"><b>NOTE:</b> If damaged, repair / replacement must commence within 48 hours of discovery or the NMOCD District Office must be contacted to seek an extension</p>		

Observed leakage rate less than established acceptable rate.	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Leak detection reading		
<p style="text-align: center;"><b>NOTE:</b> If leak detection monitoring indicates that the primary liner has been compromised below the fluid surface, immediately notify the NMOCD District Office and initiate efforts to repair/replace</p>		
Oil absorbent boom or other device is in good repair and available on site	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<b>Comments</b>		
rd deterrent TKT DS20102949/Materials on order/TKT DS20396841 is for leak and level detection/brackish wat		

Inspector :	Paul Frier
Date & Time:	1/16/21
RWCS Name:	SD 23 North

NMOCD Registration number:	1RF-11
Allowable Leakage Rate:	5.19 gpm

Inspection Checklist	YES	NO
Fencing is in good repair	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Access gates are locked (when access is not required)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Berms and elevation are in good repair to prevent surface run-on	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Audible bird deterrent system is functioning properly	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<b>Reported to Water Management Team</b>		
Absence of any dead birds or other wildlife	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<b>NOTE:</b> The NMOCD and New Mexico Department of Game and Fish must be notified within 30 days if a dead bird or other wildlife is discovered.		
Absence of any visible oil layer on surface	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<b>NOTE:</b> Immediate action must be taken if visible oil is detected		
Freeboard - minimum of 3 feet present?	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Any visible damage to primary liner above fluid level to include those areas where pipes, hoses, supports, etc. may be in contact with liner	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<b>NOTE:</b> If damaged, repair / replacement must commence within 48 hours of discovery or the NMOCD District Office must be contacted to seek an extension		

Observed leakage rate less than established acceptable rate.	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Leak detection reading		
<p style="text-align: center;"><b>NOTE:</b> If leak detection monitoring indicates that the primary liner has been compromised below the fluid surface, immediately notify the NMOCD District Office and initiate efforts to repair/replace</p>		
Oil absorbent boom or other device is in good repair and available on site	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<b>Comments</b>		
Bird deterrent TKT DS20102949/Materials on order/TKT DS20396841 is for leak and level detection		

Inspector :	Dave Nunley
Date & Time:	1/23/21
RWCS Name:	SD 23 North

NMOCD Registration number:	1RF-11
Allowable Leakage Rate:	5.19 gpm

Inspection Checklist	YES	NO
Fencing is in good repair	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Access gates are locked (when access is not required)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Berms and elevation are in good repair to prevent surface run-on	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Audible bird deterrent system is functioning properly	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Absence of any dead birds or other wildlife	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<p align="center"><b>NOTE:</b> The NMOCD and New Mexico Department of Game and Fish must be notified within 30 days if a dead bird or other wildlife is discovered.</p>		
Absence of any visible oil layer on surface	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<p align="center"><b>NOTE:</b> Immediate action must be taken if visible oil is detected</p>		
Freeboard - minimum of 3 feet present?	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Any visible damage to primary liner above fluid level to include those areas where pipes, hoses, supports, etc. may be in contact with liner	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<p align="center"><b>NOTE:</b> If damaged, repair / replacement must commence within 48 hours of discovery or the NMOCD District Office must be contacted to seek an extension</p>		

Observed leakage rate less than established acceptable rate.	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Leak detection reading		
<p style="text-align: center;"><b>NOTE:</b> If leak detection monitoring indicates that the primary liner has been compromised below the fluid surface, immediately notify the NMOCD District Office and initiate efforts to repair/replace</p>		
Oil absorbent boom or other device is in good repair and available on site	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<b>Comments</b>		
rd deterrent TKT DS20102949/Materials on order/TKT DS20396841 is for leak and level detection/brackish wat		

Inspector :	Paul Frier
Date & Time:	1/30/21
RWCS Name:	SD 23 North

NMOCD Registration number:	1RF-11
Allowable Leakage Rate:	5.19 gpm

Inspection Checklist	YES	NO
Fencing is in good repair	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Access gates are locked (when access is not required)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Berms and elevation are in good repair to prevent surface run-on	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Audible bird deterrent system is functioning properly	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<b>Reported to Water Management Team</b>		
Absence of any dead birds or other wildlife	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<b>NOTE: The NMOCD and New Mexico Department of Game and Fish must be notified within 30 days if a dead bird or other wildlife is discovered.</b>		
Absence of any visible oil layer on surface	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<b>NOTE: Immediate action must be taken if visible oil is detected</b>		
Freeboard - minimum of 3 feet present?	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Any visible damage to primary liner above fluid level to include those areas where pipes, hoses, supports, etc. may be in contact with liner	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<b>NOTE: If damaged, repair / replacement must commence within 48 hours of discovery or the NMOCD District Office must be contacted to seek an extension</b>		

Observed leakage rate less than established acceptable rate.	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Leak detection reading		
<p style="text-align: center;"><b>NOTE:</b> If leak detection monitoring indicates that the primary liner has been compromised below the fluid surface, immediately notify the NMOCD District Office and initiate efforts to repair/replace</p>		
Oil absorbent boom or other device is in good repair and available on site	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<b>Comments</b>		
Bird deterrent TKT DS20102949/Materials on order		

Inspector :	Dave Nunley
Date & Time:	11/1/20
RWCS Name:	SD 23 South

NMOCD Registration number:	1RF-11
Allowable Leakage Rate:	5.19 gpm

Inspection Checklist	YES	NO
Fencing is in good repair	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Access gates are locked (when access is not required)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Berms and elevation are in good repair to prevent surface run-on	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Audible bird deterrent system is functioning properly	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Absence of any dead birds or other wildlife	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<p align="center"><b>NOTE:</b> The NMOCD and New Mexico Department of Game and Fish must be notified within 30 days if a dead bird or other wildlife is discovered.</p>		
Absence of any visible oil layer on surface	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<p align="center"><b>NOTE:</b> Immediate action must be taken if visible oil is detected</p>		
Freeboard - minimum of 3 feet present?	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Any visible damage to primary liner above fluid level to include those areas where pipes, hoses, supports, etc. may be in contact with liner	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<p align="center"><b>NOTE:</b> If damaged, repair / replacement must commence within 48 hours of discovery or the NMOCD District Office must be contacted to seek an extension</p>		

Observed leakage rate less than established acceptable rate.	<input checked="" type="checkbox"/> <input type="checkbox"/>
Leak detection reading	0
<p style="text-align: center;"><b>NOTE:</b> If leak detection monitoring indicates that the primary liner has been compromised below the fluid surface, immediately notify the NMOCD District Office and initiate efforts to repair/replace</p>	
Oil absorbent boom or other device is in good repair and available on site	<input checked="" type="checkbox"/> <input type="checkbox"/>
<b>Comments</b>	
Bird deterrent TKT DS20102949/Materials on order/TKT DS20396841 is for leak and level detection	

Inspector :	Paul Frier
Date & Time:	11/8/20
RWCS Name:	SD 23 South

NMOCD Registration number:	1RF-11
Allowable Leakage Rate:	5.19 gpm

Inspection Checklist	YES	NO
Fencing is in good repair	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Access gates are locked (when access is not required)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Berms and elevation are in good repair to prevent surface run-on	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Audible bird deterrent system is functioning properly	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Absence of any dead birds or other wildlife	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<p align="center"><b>NOTE:</b> The NMOCD and New Mexico Department of Game and Fish must be notified within 30 days if a dead bird or other wildlife is discovered.</p>		
Absence of any visible oil layer on surface	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<p align="center"><b>NOTE:</b> Immediate action must be taken if visible oil is detected</p>		
Freeboard - minimum of 3 feet present?	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Any visible damage to primary liner above fluid level to include those areas where pipes, hoses, supports, etc. may be in contact with liner	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<p align="center"><b>NOTE:</b> If damaged, repair / replacement must commence within 48 hours of discovery or the NMOCD District Office must be contacted to seek an extension</p>		

Observed leakage rate less than established acceptable rate.	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Leak detection reading		
<p style="text-align: center;"><b>NOTE:</b> If leak detection monitoring indicates that the primary liner has been compromised below the fluid surface, immediately notify the NMOCD District Office and initiate efforts to repair/replace</p>		
Oil absorbent boom or other device is in good repair and available on site	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<b>Comments</b>		
Bird Deterrent TKT DS20102949/Materials on order/TKT DS20396841 is for leak and level detection		

Inspector :	Dave Nunley
Date & Time:	11/15/20
RWCS Name:	SD 23 South

NMOCD Registration number:	1RF-11
Allowable Leakage Rate:	5.19 gpm

Inspection Checklist	YES	NO
Fencing is in good repair	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Access gates are locked (when access is not required)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Berms and elevation are in good repair to prevent surface run-on	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Audible bird deterrent system is functioning properly	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Absence of any dead birds or other wildlife	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<p align="center"><b>NOTE:</b> The NMOCD and New Mexico Department of Game and Fish must be notified within 30 days if a dead bird or other wildlife is discovered.</p>		
Absence of any visible oil layer on surface	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<p align="center"><b>NOTE:</b> Immediate action must be taken if visible oil is detected</p>		
Freeboard - minimum of 3 feet present?	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Any visible damage to primary liner above fluid level to include those areas where pipes, hoses, supports, etc. may be in contact with liner	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<p align="center"><b>NOTE:</b> If damaged, repair / replacement must commence within 48 hours of discovery or the NMOCD District Office must be contacted to seek an extension</p>		

Observed leakage rate less than established acceptable rate.	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Leak detection reading	0	
<p style="text-align: center;"><b>NOTE:</b> If leak detection monitoring indicates that the primary liner has been compromised below the fluid surface, immediately notify the NMOCD District Office and initiate efforts to repair/replace</p>		
Oil absorbent boom or other device is in good repair and available on site	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<b>Comments</b>		
rd deterrent TKT DS20102949/Materials on order/TKT DS20396841 is for leak and level detection/brackish wat		

Inspector :	Paul Frier
Date & Time:	11/22/20
RWCS Name:	SD 23 South

NMOCD Registration number:	1RF-11
Allowable Leakage Rate:	5.19 gpm

Inspection Checklist	YES	NO
Fencing is in good repair	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Access gates are locked (when access is not required)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Berms and elevation are in good repair to prevent surface run-on	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Audible bird deterrent system is functioning properly	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Absence of any dead birds or other wildlife	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<p align="center"><b>NOTE:</b> The NMOCD and New Mexico Department of Game and Fish must be notified within 30 days if a dead bird or other wildlife is discovered.</p>		
Absence of any visible oil layer on surface	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<p align="center"><b>NOTE:</b> Immediate action must be taken if visible oil is detected</p>		
Freeboard - minimum of 3 feet present?	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Any visible damage to primary liner above fluid level to include those areas where pipes, hoses, supports, etc. may be in contact with liner	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<p align="center"><b>NOTE:</b> If damaged, repair / replacement must commence within 48 hours of discovery or the NMOCD District Office must be contacted to seek an extension</p>		

Observed leakage rate less than established acceptable rate.	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Leak detection reading		
<p style="text-align: center;"><b>NOTE:</b> If leak detection monitoring indicates that the primary liner has been compromised below the fluid surface, immediately notify the NMOCD District Office and initiate efforts to repair/replace</p>		
Oil absorbent boom or other device is in good repair and available on site	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<b>Comments</b>		
Bird Deterrent TKT DS20102949/Materials on order/TKT DS20396841 is for leak and level detection		

Inspector :	Dave Nunley
Date & Time:	11/29/20
RWCS Name:	SD 23 South

NMOCD Registration number:	1RF-11
Allowable Leakage Rate:	5.19 gpm

Inspection Checklist	YES	NO
Fencing is in good repair	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Access gates are locked (when access is not required)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Berms and elevation are in good repair to prevent surface run-on	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Audible bird deterrent system is functioning properly	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Absence of any dead birds or other wildlife	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<p align="center"><b>NOTE:</b> The NMOCD and New Mexico Department of Game and Fish must be notified within 30 days if a dead bird or other wildlife is discovered.</p>		
Absence of any visible oil layer on surface	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<p align="center"><b>NOTE:</b> Immediate action must be taken if visible oil is detected</p>		
Freeboard - minimum of 3 feet present?	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Any visible damage to primary liner above fluid level to include those areas where pipes, hoses, supports, etc. may be in contact with liner	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<p align="center"><b>NOTE:</b> If damaged, repair / replacement must commence within 48 hours of discovery or the NMOCD District Office must be contacted to seek an extension</p>		

Observed leakage rate less than established acceptable rate.	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Leak detection reading	0	
<p style="text-align: center;"><b>NOTE:</b> If leak detection monitoring indicates that the primary liner has been compromised below the fluid surface, immediately notify the NMOCD District Office and initiate efforts to repair/replace</p>		
Oil absorbent boom or other device is in good repair and available on site	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<b>Comments</b>		
rd deterrent TKT DS20102949/Materials on order/TKT DS20396841 is for leak and level detection/brackish wat		

Inspector :	Paul Frier
Date & Time:	12/6/20
RWCS Name:	SD 23 South

NMOCD Registration number:	1RF-11
Allowable Leakage Rate:	5.19 gpm

Inspection Checklist	YES	NO
Fencing is in good repair	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Access gates are locked (when access is not required)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Berms and elevation are in good repair to prevent surface run-on	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Audible bird deterrent system is functioning properly	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Absence of any dead birds or other wildlife	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<p style="text-align: center;"><b>NOTE:</b> The NMOCD and New Mexico Department of Game and Fish must be notified within 30 days if a dead bird or other wildlife is discovered.</p>		
Absence of any visible oil layer on surface	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<p style="text-align: center;"><b>NOTE:</b> Immediate action must be taken if visible oil is detected</p>		
Freeboard - minimum of 3 feet present?	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Any visible damage to primary liner above fluid level to include those areas where pipes, hoses, supports, etc. may be in contact with liner	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<p style="text-align: center;"><b>NOTE:</b> If damaged, repair / replacement must commence within 48 hours of discovery or the NMOCD District Office must be contacted to seek an extension</p>		

Observed leakage rate less than established acceptable rate.	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Leak detection reading		
<p style="text-align: center;"><b>NOTE:</b> If leak detection monitoring indicates that the primary liner has been compromised below the fluid surface, immediately notify the NMOCD District Office and initiate efforts to repair/replace</p>		
Oil absorbent boom or other device is in good repair and available on site	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<b>Comments</b>		
Bird Deterrent TKT DS20102949/Materials on order/TKT DS20396841 is for leak and level detection		

Inspector :	Dave Nunley
Date & Time:	12/13/20
RWCS Name:	SD 23 South

NMOCD Registration number:	1RF-11
Allowable Leakage Rate:	5.19 gpm

Inspection Checklist	YES	NO
Fencing is in good repair	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Access gates are locked (when access is not required)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Berms and elevation are in good repair to prevent surface run-on	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Audible bird deterrent system is functioning properly	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Absence of any dead birds or other wildlife	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<p align="center"><b>NOTE:</b> The NMOCD and New Mexico Department of Game and Fish must be notified within 30 days if a dead bird or other wildlife is discovered.</p>		
Absence of any visible oil layer on surface	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<p align="center"><b>NOTE:</b> Immediate action must be taken if visible oil is detected</p>		
Freeboard - minimum of 3 feet present?	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Any visible damage to primary liner above fluid level to include those areas where pipes, hoses, supports, etc. may be in contact with liner	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<p align="center"><b>NOTE:</b> If damaged, repair / replacement must commence within 48 hours of discovery or the NMOCD District Office must be contacted to seek an extension</p>		

Observed leakage rate less than established acceptable rate.	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Leak detection reading	0	
<p style="text-align: center;"><b>NOTE:</b> If leak detection monitoring indicates that the primary liner has been compromised below the fluid surface, immediately notify the NMOCD District Office and initiate efforts to repair/replace</p>		
Oil absorbent boom or other device is in good repair and available on site	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<b>Comments</b>		
rd deterrent TKT DS20102949/Materials on order/TKT DS20396841 is for leak and level detection/brackish wat		

Inspector :	Paul Frier
Date & Time:	12/19/20
RWCS Name:	SD 23 South

NMOCD Registration number:	1RF-11
Allowable Leakage Rate:	5.19 gpm

Inspection Checklist	YES	NO
Fencing is in good repair	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Access gates are locked (when access is not required)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Berms and elevation are in good repair to prevent surface run-on	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Audible bird deterrent system is functioning properly	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Absence of any dead birds or other wildlife	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<p align="center"><b>NOTE:</b> The NMOCD and New Mexico Department of Game and Fish must be notified within 30 days if a dead bird or other wildlife is discovered.</p>		
Absence of any visible oil layer on surface	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<p align="center"><b>NOTE:</b> Immediate action must be taken if visible oil is detected</p>		
Freeboard - minimum of 3 feet present?	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Any visible damage to primary liner above fluid level to include those areas where pipes, hoses, supports, etc. may be in contact with liner	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<p align="center"><b>NOTE:</b> If damaged, repair / replacement must commence within 48 hours of discovery or the NMOCD District Office must be contacted to seek an extension</p>		

Observed leakage rate less than established acceptable rate.	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Leak detection reading		
<p style="text-align: center;"><b>NOTE:</b> If leak detection monitoring indicates that the primary liner has been compromised below the fluid surface, immediately notify the NMOCD District Office and initiate efforts to repair/replace</p>		
Oil absorbent boom or other device is in good repair and available on site	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<b>Comments</b>		
Bird Deterrent TKT DS20102949/Materials on order/TKT DS20396841 is for leak and level detection		

Inspector :	Dave Nunley
Date & Time:	12/27/20
RWCS Name:	SD 23 South

NMOCD Registration number:	1RF-11
Allowable Leakage Rate:	5.19 gpm

Inspection Checklist	YES	NO
Fencing is in good repair	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Access gates are locked (when access is not required)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Berms and elevation are in good repair to prevent surface run-on	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Audible bird deterrent system is functioning properly	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Absence of any dead birds or other wildlife	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<p align="center"><b>NOTE:</b> The NMOCD and New Mexico Department of Game and Fish must be notified within 30 days if a dead bird or other wildlife is discovered.</p>		
Absence of any visible oil layer on surface	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<p align="center"><b>NOTE:</b> Immediate action must be taken if visible oil is detected</p>		
Freeboard - minimum of 3 feet present?	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Any visible damage to primary liner above fluid level to include those areas where pipes, hoses, supports, etc. may be in contact with liner	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<p align="center"><b>NOTE:</b> If damaged, repair / replacement must commence within 48 hours of discovery or the NMOCD District Office must be contacted to seek an extension</p>		

Observed leakage rate less than established acceptable rate.	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Leak detection reading		
<p style="text-align: center;"><b>NOTE:</b> If leak detection monitoring indicates that the primary liner has been compromised below the fluid surface, immediately notify the NMOCD District Office and initiate efforts to repair/replace</p>		
Oil absorbent boom or other device is in good repair and available on site	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<b>Comments</b>		
rd deterrent TKT DS20102949/Materials on order/TKT DS20396841 is for leak and level detection/brackish wat		

Inspector :	Paul Frier
Date & Time:	1/3/21
RWCS Name:	SD 23 South

NMOCD Registration number:	1RF-11
Allowable Leakage Rate:	5.19 gpm

Inspection Checklist	YES	NO
Fencing is in good repair	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Access gates are locked (when access is not required)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Berms and elevation are in good repair to prevent surface run-on	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Audible bird deterrent system is functioning properly	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Absence of any dead birds or other wildlife	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<b>NOTE:</b> The NMOCD and New Mexico Department of Game and Fish must be notified within 30 days if a dead bird or other wildlife is discovered.		
Absence of any visible oil layer on surface	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<b>NOTE:</b> Immediate action must be taken if visible oil is detected		
Freeboard - minimum of 3 feet present?	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Any visible damage to primary liner above fluid level to include those areas where pipes, hoses, supports, etc. may be in contact with liner	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<b>NOTE:</b> If damaged, repair / replacement must commence within 48 hours of discovery or the NMOCD District Office must be contacted to seek an extension		

Observed leakage rate less than established acceptable rate.	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Leak detection reading		
<p style="text-align: center;"><b>NOTE:</b> If leak detection monitoring indicates that the primary liner has been compromised below the fluid surface, immediately notify the NMOCD District Office and initiate efforts to repair/replace</p>		
Oil absorbent boom or other device is in good repair and available on site	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<b>Comments</b>		
Bird Deterrent TKT DS20102949/Materials on order/TKT DS20396841 is for leak and level detection		

Inspector :	Dave Nunley
Date & Time:	1/10/21
RWCS Name:	SD 23 South

NMOCD Registration number:	1RF-11
Allowable Leakage Rate:	5.19 gpm

Inspection Checklist	YES	NO
Fencing is in good repair	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Access gates are locked (when access is not required)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Berms and elevation are in good repair to prevent surface run-on	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Audible bird deterrent system is functioning properly	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Absence of any dead birds or other wildlife	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<p align="center"><b>NOTE:</b> The NMOCD and New Mexico Department of Game and Fish must be notified within 30 days if a dead bird or other wildlife is discovered.</p>		
Absence of any visible oil layer on surface	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<p align="center"><b>NOTE:</b> Immediate action must be taken if visible oil is detected</p>		
Freeboard - minimum of 3 feet present?	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Any visible damage to primary liner above fluid level to include those areas where pipes, hoses, supports, etc. may be in contact with liner	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<p align="center"><b>NOTE:</b> If damaged, repair / replacement must commence within 48 hours of discovery or the NMOCD District Office must be contacted to seek an extension</p>		

Observed leakage rate less than established acceptable rate.	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Leak detection reading		
<p style="text-align: center;"><b>NOTE:</b> If leak detection monitoring indicates that the primary liner has been compromised below the fluid surface, immediately notify the NMOCD District Office and initiate efforts to repair/replace</p>		
Oil absorbent boom or other device is in good repair and available on site	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<b>Comments</b>		
rd deterrent TKT DS20102949/Materials on order/TKT DS20396841 is for leak and level detection/brackish wat		

Inspector :	Paul Frier
Date & Time:	1/16/21
RWCS Name:	SD 23 South

NMOCD Registration number:	1RF-11
Allowable Leakage Rate:	5.19 gpm

Inspection Checklist	YES	NO
Fencing is in good repair	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Access gates are locked (when access is not required)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Berms and elevation are in good repair to prevent surface run-on	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Audible bird deterrent system is functioning properly	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Absence of any dead birds or other wildlife	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<p style="text-align: center;"><b>NOTE:</b> The NMOCD and New Mexico Department of Game and Fish must be notified within 30 days if a dead bird or other wildlife is discovered.</p>		
Absence of any visible oil layer on surface	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<p style="text-align: center;"><b>NOTE:</b> Immediate action must be taken if visible oil is detected</p>		
Freeboard - minimum of 3 feet present?	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Any visible damage to primary liner above fluid level to include those areas where pipes, hoses, supports, etc. may be in contact with liner	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<p style="text-align: center;"><b>NOTE:</b> If damaged, repair / replacement must commence within 48 hours of discovery or the NMOCD District Office must be contacted to seek an extension</p>		

Observed leakage rate less than established acceptable rate.	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Leak detection reading		
<p style="text-align: center;"><b>NOTE:</b> If leak detection monitoring indicates that the primary liner has been compromised below the fluid surface, immediately notify the NMOCD District Office and initiate efforts to repair/replace</p>		
Oil absorbent boom or other device is in good repair and available on site	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<b>Comments</b>		
Bird Deterrent TKT DS20102949/Materials on order/TKT DS20396841 is for leak and level detection		

Inspector :	Dave Nunley
Date & Time:	1/23/21
RWCS Name:	SD 23 South

NMOCD Registration number:	1RF-11
Allowable Leakage Rate:	5.19 gpm

Inspection Checklist	YES	NO
Fencing is in good repair	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Access gates are locked (when access is not required)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Berms and elevation are in good repair to prevent surface run-on	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Audible bird deterrent system is functioning properly	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Absence of any dead birds or other wildlife	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<p align="center"><b>NOTE:</b> The NMOCD and New Mexico Department of Game and Fish must be notified within 30 days if a dead bird or other wildlife is discovered.</p>		
Absence of any visible oil layer on surface	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<p align="center"><b>NOTE:</b> Immediate action must be taken if visible oil is detected</p>		
Freeboard - minimum of 3 feet present?	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Any visible damage to primary liner above fluid level to include those areas where pipes, hoses, supports, etc. may be in contact with liner	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<p align="center"><b>NOTE:</b> If damaged, repair / replacement must commence within 48 hours of discovery or the NMOCD District Office must be contacted to seek an extension</p>		

Observed leakage rate less than established acceptable rate.	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Leak detection reading		
<p style="text-align: center;"><b>NOTE:</b> If leak detection monitoring indicates that the primary liner has been compromised below the fluid surface, immediately notify the NMOCD District Office and initiate efforts to repair/replace</p>		
Oil absorbent boom or other device is in good repair and available on site	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<b>Comments</b>		
rd deterrent TKT DS20102949/Materials on order/TKT DS20396841 is for leak and level detection/brackish wat		

Inspector :	Paul Frier
Date & Time:	1/30/21
RWCS Name:	SD 23 South

NMOCD Registration number:	1RF-11
Allowable Leakage Rate:	5.19 gpm

Inspection Checklist	YES	NO
Fencing is in good repair	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Access gates are locked (when access is not required)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Berms and elevation are in good repair to prevent surface run-on	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Audible bird deterrent system is functioning properly	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Absence of any dead birds or other wildlife	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<p align="center"><b>NOTE:</b> The NMOCD and New Mexico Department of Game and Fish must be notified within 30 days if a dead bird or other wildlife is discovered.</p>		
Absence of any visible oil layer on surface	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<p align="center"><b>NOTE:</b> Immediate action must be taken if visible oil is detected</p>		
Freeboard - minimum of 3 feet present?	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Any visible damage to primary liner above fluid level to include those areas where pipes, hoses, supports, etc. may be in contact with liner	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<p align="center"><b>NOTE:</b> If damaged, repair / replacement must commence within 48 hours of discovery or the NMOCD District Office must be contacted to seek an extension</p>		

Observed leakage rate less than established acceptable rate.	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Leak detection reading		
<p style="text-align: center;"><b>NOTE:</b> If leak detection monitoring indicates that the primary liner has been compromised below the fluid surface, immediately notify the NMOCD District Office and initiate efforts to repair/replace</p>		
Oil absorbent boom or other device is in good repair and available on site	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<b>Comments</b>		
Bird Deterrent TKT DS20102949/Materials on order		

**District I**  
 1625 N. French Dr., Hobbs, NM 88240  
 Phone:(575) 393-6161 Fax:(575) 393-0720

**District II**  
 811 S. First St., Artesia, NM 88210  
 Phone:(575) 748-1283 Fax:(575) 748-9720

**District III**  
 1000 Rio Brazos Rd., Aztec, NM 87410  
 Phone:(505) 334-6178 Fax:(505) 334-6170

**District IV**  
 1220 S. St Francis Dr., Santa Fe, NM 87505  
 Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

CONDITIONS

Action 14671

**CONDITIONS OF APPROVAL**

Operator:	CHEVRON U S A INC	6301 Deauville Blvd	Midland, TX79706	OGRID:	4323	Action Number:	14671	Action Type:	C-147L
-----------	-------------------	---------------------	------------------	--------	------	----------------	-------	--------------	--------

OCD Reviewer	Condition
vvenegas	OCD has reviewed the determination of cessation of operations extension request for 1RF-11 Salado Draw Section 23 Recycling Facility and Containment, received from Chevron USA on January 14, 2021. The 1RF-11 Salado Draw Section 23 Recycling Facility and Containment extension of cessation of operations is approved from May 1, 2021 through September 30, 2021 with conditions of approval.