

Western Refining Southwest LLC

A subsidiary of Marathon Petroleum Corporation

92 Giant Crossing Road Jamestown, NM 87347

March 4, 2021

Mr. Bradford Billings New Mexico Oil Conservation Division Energy, Minerals, and Natural Resources Department 1220 South St. Francis Drive Santa Fe, NM 87505

RE: Scope of Work

WMW-2 Benzene Exceedance Investigation (Phase III) Marathon Petroleum Company Wingate Refinery – Gallup, New Mexico

Dear Mr. Billings,

The New Mexico Oil Conservation Department (OCD) requested an investigation into the benzene exceedances found in MWM-2 at the Marathon Wingate Facility (Wingate) located in Gallup, New Mexico in correspondence dated October 17, 2019. WMW-2 was installed in 1991 and the first sample collected was in July of 1991 with a benzene concentration 26 milligrams / liter (mg/L). Concentrations have been as high as 37 mg/L in 1993. Benzene exceedances have been recorded every year since installation.

The initial investigation (Phase I) was conducted in October 2019. Phase II was completed in December 2020. Additional investigation has been requested by OCD to determine if benzene has migrated beyond Wingate property to the south.

This Scope of Work covers Phase III of the WMW-2 Benzene Exceedance Investigation at the Marathon Petroleum Company (Marathon) — Marathon Wingate Facility (Wingate) in Gallup, New Mexico. Marathon recommends the collection and analysis of an additional 13 groundwater samples to determine the extent of groundwater contamination found near WMW-2, and the installation of a new groundwater monitoring well west and adjacent to sample location BH-23. The proposed well location and groundwater sampling locations are shown on Figure 1. Samples will be collected using HydropunchTM, or similar, technology and tested for benzene, toluene, and xylene (BTX) by Hall Environmental Laboratories. The investigation consists of the following major elements:

- a. Borehole locations will be cleared by GPRS using ground penetrating radar.
- b. Subsurface utility clearance to 5 feet will be conducted by Gallup Pipeline and Compliance Services using air excavation methods.
- c. 13 groundwater samples will be collected using HydropunchTM, or similar, technology. The samples will be collected through a disposable, single-use, screened PVC sampling point.



Western Refining Southwest LLC

A subsidiary of Marathon Petroleum Corporation

92 Giant Crossing Road Jamestown, NM 87347

- d. 13 groundwater samples will be analyzed for BTX.
- e. Analytical results for sample locations BH-40, BH-41, and BH-42 will be evaluated to determine if additional sample collection at off-site sample locations BH-43, BH-44, and BH-45 will be required.
- f. If sample collection is required at the off-site sample locations, an access agreement will need to be acquired.
- g. The proposed sampling locations will be accessible to a Direct Push Technology (DPT) track-mounted drilling rig.
- h. A new permanent monitoring well will be installed during this investigation. The well (WMW-9) will be installed near the location of BH-23 (Figure 1) and completed as a flush mount. Soil samples will be collected at the surface, at the interval with the highest PID reading, just above the water table, and at the bottom of the boring. Collected samples will be analyzed for BTX.

Sample Collection

Groundwater Collection:

- a. As discussed above, 13 groundwater samples will be collected using HydropunchTM, or similar, sampling equipment mounted on a DPT track-mounted drilling rig.
 - 1. The DPT will push the sampling device to the target depth.
 - 2. The well screen in the sampler will then be exposed allowing for groundwater collection. Field parameters will be collected using a YSI water quality meter and flow through cell.
 - 3. The screened sampler will then be retrieved, and the borehole will be plugged with bentonite.
 - 4. Total organic volatiles and benzene readings will be collected and recorded at two-foot intervals during insertion of the sample tubing and directly above groundwater.
- b. Based on Phase I results, the estimated depths for drilling and collection of groundwater samples is 15-23 feet at each location. This information is based on depth to top of the first sand.
- c. Samples will be bottled by Trihydro personnel and placed in a cooler with ice.

Soil Sample Collection:

Soil samples will be collected using DPT methods, at the surface, at the interval with the highest PID reading, just above the water table, and at the bottom of the boring. Collected samples will be analyzed for BTX. Samples will be bottled by Trihydro personnel and placed in a cooler with ice.



Western Refining Southwest LLC

A subsidiary of Marathon Petroleum Corporation

92 Giant Crossing Road Jamestown, NM 87347

Monitoring Well Installation

- a. Initially, the location will be drilled using DPT drilling methods.
- b. Hollow stem augers will be used to install the monitoring well after completion of soil sample collection. The well will be constructed using 2-inch schedule 40 PVC well casing and a 0.010-inch slotted well screen.
- c. Based on Phase I and II results, the estimated depth for drilling and completion of the monitoring well is 25' 30' below grade.

Chemical Analyses

All samples collected for laboratory analysis will be submitted to Hall Environmental Laboratories, an accredited laboratory. The laboratory will use the most recent standard EPA and industry-accepted analytical methods for target analytes as the testing methods for each medium sampled. Each groundwater and soil sample will be analyzed for BTX using EPA method 8260B.

Waste Management

- a. Waste soil and groundwater generated during installation of the monitoring well will be placed in drums, labeled. And placed on the facility's 90-day pad.
- b. Decon water generated at the decontamination area will be managed by Marathon's water treatment system.
- c. Miscellaneous debris (i.e. empty sacks, buckets, etc.) shall be disposed into waste containers designated by Marathon.

If you have any questions or comments, do not hesitate to contact John Moore at 505-879-7643 or via email at JMoore5@Marathonpetroleum.com.

Sincerely,

Marathon Petroleum Company LP, Gallup Refinery

Robert S. Hanks

Refinery General Manager

cc: D. Cobrain, NMED HWB

M. Suzuki, NMED HWB


Robert S. Hanhs

G. McCartney, Marathon Petroleum Corporation

K. Luka, Marathon Petroleum Corporation

J. Moore, Marathon Gallup Refinery

H. Jones, Trihydro Corporation



<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III
1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

COMMENTS

Action 20525

COMMENTS

Operator:			OGRID:	Action Number:	Action Type:
WESTE	RN REFINING SOUTHWEST, IN	123 W Mills Avenue	267595	20525	DISCHARGE PERMIT
Suite 200	El Paso, TX79901				

Created By	Comment	Comment Date
cchavez	Marathon's Western Refining Southwest, Inc. Wingate GP AP-121 (Formerly Conoco AP-117/GW-054) Marathon Petroleum Company- Wingate Gas Plant McKinley Co. (Secs. 9 – 10 & 15 – 17 15N-7W)	03/17/2021

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III
1000 Rio Brazos Rd., Aztec, NM 87410

Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 20525

CONDITIONS OF APPROVAL

Operator:			OGRID:	Action Number:	Action Type:
WESTE	RN REFINING SOUTHWEST, IN	123 W Mills Avenue	267595	20525	DISCHARGE PERMIT
Suite 200	El Paso, TX79901				

OCD Reviewer	Condition
cchavez	Under review with conditions of approval as per review of OCD Incident Response Group.