

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources
Department
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-147
Revised March 31, 2015

Recycling Facility and/or Recycling Containment

Type of Facility: [] Recycling Facility [X] Recycling Containment*
Type of action: [] Permit [] Registration
[] Modification [] Extension
[] Closure [X] Other (explain) Per 19.15.34. 13.B.(4), as we're

unable to dewater and initiate repairs within 48 hours, we're requesting an extension until 8/10/2021 for Salado Draw 13 West Recycling Containment

* At the time C-147 is submitted to the division for a Recycling Containment, a copy shall be provided to the surface owner.

Be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.

1. Operator: Chevron U.S.A. Inc. (For multiple operators attach page with information) OGRID #: 4323
Address: 1400 Smith Street, Houston TX 77002
Facility or well name (include API# if associated with a well): Salado Draw T26S R32E Sections 13 and 23 Recycling Facility & Containment
OCD Permit Number: 1RF-13 (For new facilities the permit number will be assigned by the district office)
U/L or Qtr/Qtr M Section 13 Township 26 South Range 32 East County: Lea
Surface Owner: [X] Federal [] State [] Private [] Tribal Trust or Indian Allotment

2. [] Recycling Facility:
Location of recycling facility (if applicable): Latitude Longitude NAD: [] 1927 [] 1983
Proposed Use: [] Drilling* [] Completion* [] Production* [] Plugging *
*The re-use of produced water may NOT be used until fresh water zones are cased and cemented
[] Other, requires permit for other uses. Describe use, process, testing, volume of produced water and ensure there will be no adverse impact on groundwater or surface water.
[] Fluid Storage
[] Above ground tanks [] Recycling containment [] Activity permitted under 19.15.17 NMAC explain type
[] Activity permitted under 19.15.36 NMAC explain type: [] Other explain
[] For multiple or additional recycling containments, attach design and location information of each containment
[] Closure Report (required within 60 days of closure completion): [] Recycling Facility Closure Completion Date:

3. [X] Recycling Containment:
[] Annual Extension after initial 5 years (attach summary of monthly leak detection inspections for previous year)
Center of Recycling Containment (if applicable): Latitude 32.038060 Longitude -103.636220 NAD: [] 1927 [X] 1983
[X] For multiple or additional recycling containments, attach design and location information of each containment
[X] Lined [X] Liner type: Thickness 60 mil [] LLDPE [X] HDPE [] PVC [] Other
[] String-Reinforced
Liner Seams: [X] Welded [] Factory [X] Other Field Volume: 644,161 bbl Dimensions: L 925' x W 700' x D 23'
[] Recycling Containment Closure Completion Date:

4.

Bonding:

Covered under bonding pursuant to 19.15.8 NMAC per 19.15.34.15(A)(2) NMAC (These containments are limited to only the wells owned or operated by the owners of the containment.)

Bonding in accordance with 19.15.34.15(A)(1). Amount of bond \$ _____ (work on these facilities cannot commence until bonding amounts are approved)

Attach closure cost estimate and documentation on how the closure cost was calculated.

5.

Fencing:

Four foot height, four strands of barbed wire evenly spaced between one and four feet

Alternate. Please specify _____

6.

Signs:

12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers

Signed in compliance with 19.15.16.8 NMAC

7.

Variations:

Justifications and/or demonstrations that the proposed variance will afford reasonable protection against contamination of fresh water, human health, and the environment.

Check the below box only if a variance is requested:

Variance(s): Requests must be submitted to the appropriate division district for consideration of approval. If a Variance is requested, include the variance information on a separate page and attach it to the C-147 as part of the application.

If a Variance is requested, it must be approved prior to implementation.

8.

Siting Criteria for Recycling Containment

Instructions: The applicant must provide attachments that demonstrate compliance for each siting criteria below as part of the application. Potential examples of the siting attachment source material are provided below under each criteria.

<u>General siting</u>	
<u>Ground water is less than 50 feet below the bottom of the Recycling Containment.</u> NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; written approval obtained from the municipality	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Minerals Division	<input type="checkbox"/> Yes <input type="checkbox"/> No
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; topographic map	<input type="checkbox"/> Yes <input type="checkbox"/> No
Within a 100-year floodplain. FEMA map	<input type="checkbox"/> Yes <input type="checkbox"/> No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; visual inspection (certification) of the proposed site	<input type="checkbox"/> Yes <input type="checkbox"/> No
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; aerial photo; satellite image	<input type="checkbox"/> Yes <input type="checkbox"/> No
Within 500 horizontal feet of a spring or a fresh water well used for domestic or stock watering purposes, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database search; visual inspection (certification) of the proposed site	<input type="checkbox"/> Yes <input type="checkbox"/> No
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; topographic map; visual inspection (certification) of the proposed site	<input type="checkbox"/> Yes <input type="checkbox"/> No

9.

Recycling Facility and/or Containment Checklist:

Instructions: Each of the following items must be attached to the application. Indicate, by a check mark in the box, that the documents are attached.

- Design Plan - based upon the appropriate requirements.
- Operating and Maintenance Plan - based upon the appropriate requirements.
- Closure Plan - based upon the appropriate requirements.
- Site Specific Groundwater Data -
- Siting Criteria Compliance Demonstrations -
- Certify that notice of the C-147 (only) has been sent to the surface owner(s)**

10.

Operator Application Certification:

I hereby certify that the information and attachments submitted with this application are true, accurate and complete to the best of my knowledge and belief.

Name (Print): Jessica Zemen Title: Lead Environmental Specialist – Field Support

Signature: *Jessica K Zemen* Date: July 23, 2021

e-mail address: jessicazemen@chevron.com Telephone: 432-530-9187

11.

OCD Representative Signature: _____ **Approval Date:** _____

Title: _____ **OCD Permit Number:** _____

OCD Conditions _____

Additional OCD Conditions on Attachment

C-147 Extension request (Salado Draw 1RF-13)

NMOCD,

Chevron MCBU is requesting a 30-day "Extension" from NMOCD for our Salado Draw 1RF-13 (section 13W) Recycling Water Containments Structure (RWCS) after finding an issue with the liner on 7/20/2021. In order to allow for proper drainage, cleaning, inspection, and repair. We will submit a follow-up report once the liner is inspected and repaired. We are requesting an extension for this variance through 8/10/2021, just in case significant delays occur due to weather, operational issues, or other unforeseen events.

Thank you.

Omar Visairo
Water Operations Supervisor
575-263-1246



Inspector :	Paul Frier
Date & Time:	4/16/21
RWCS Name:	SD 13 West

NMOCD Registration number:	1RF-13
Allowable Leakage Rate:	5.19 gpm

Inspection Checklist	YES	NO
Fencing is in good repair	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Access gates are locked (when access is not required)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Berms and elevation are in good repair to prevent surface run-on	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Audible bird deterrent system is functioning properly	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Absence of any dead birds or other wildlife	<input checked="" type="checkbox"/>	<input type="checkbox"/>
NOTE: The NMOCD and New Mexico Department of Game and Fish must be notified within 30 days if a dead bird or other wildlife is discovered.		
Absence of any visible oil layer on surface	<input checked="" type="checkbox"/>	<input type="checkbox"/>
NOTE: Immediate action must be taken if visible oil is detected		
Freeboard - minimum of 3 feet present?	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Any visible damage to primary liner above fluid level to include those areas where pipes, hoses, supports, etc. may be in contact with liner	<input type="checkbox"/>	<input checked="" type="checkbox"/>
NOTE: If damaged, repair / replacement must commence within 48 hours of discovery or the NMOCD District Office must be contacted to seek an extension		

Observed leakage rate less than established acceptable rate.	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Leak detection reading		
<p style="text-align: center;">NOTE: If leak detection monitoring indicates that the primary liner has been compromised below the fluid surface, immediately notify the NMOCD District Office and initiate efforts to repair/replace</p>		
Oil absorbent boom or other device is in good repair and available on site	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Comments		

Inspector :	Paul Frier
Date & Time:	4/24/21
RWCS Name:	SD 13 West

NMOCD Registration number:	1RF-13
Allowable Leakage Rate:	5.19 gpm

Inspection Checklist	YES	NO
Fencing is in good repair	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Access gates are locked (when access is not required)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Berms and elevation are in good repair to prevent surface run-on	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Audible bird deterrent system is functioning properly	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Absence of any dead birds or other wildlife	<input checked="" type="checkbox"/>	<input type="checkbox"/>
NOTE: The NMOCD and New Mexico Department of Game and Fish must be notified within 30 days if a dead bird or other wildlife is discovered.		
Absence of any visible oil layer on surface	<input checked="" type="checkbox"/>	<input type="checkbox"/>
NOTE: Immediate action must be taken if visible oil is detected		
Freeboard - minimum of 3 feet present?	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Any visible damage to primary liner above fluid level to include those areas where pipes, hoses, supports, etc. may be in contact with liner	<input type="checkbox"/>	<input checked="" type="checkbox"/>
NOTE: If damaged, repair / replacement must commence within 48 hours of discovery or the NMOCD District Office must be contacted to seek an extension		

Observed leakage rate less than established acceptable rate.	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Leak detection reading		
<p style="text-align: center;">NOTE: If leak detection monitoring indicates that the primary liner has been compromised below the fluid surface, immediately notify the NMOCD District Office and initiate efforts to repair/replace</p>		
Oil absorbent boom or other device is in good repair and available on site	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Comments		

Inspector :	Dave Nunley
Date & Time:	5/2/21
RWCS Name:	SD 13 West

NMOCD Registration number:	1RF-13
Allowable Leakage Rate:	5.19 gpm

Inspection Checklist	YES	NO
Fencing is in good repair	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Access gates are locked (when access is not required)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Berms and elevation are in good repair to prevent surface run-on	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Audible bird deterrent system is functioning properly	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Absence of any dead birds or other wildlife	<input checked="" type="checkbox"/>	<input type="checkbox"/>
NOTE: The NMOCD and New Mexico Department of Game and Fish must be notified within 30 days if a dead bird or other wildlife is discovered.		
Absence of any visible oil layer on surface	<input checked="" type="checkbox"/>	<input type="checkbox"/>
NOTE: Immediate action must be taken if visible oil is detected		
Freeboard - minimum of 3 feet present?	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Any visible damage to primary liner above fluid level to include those areas where pipes, hoses, supports, etc. may be in contact with liner	<input type="checkbox"/>	<input checked="" type="checkbox"/>
NOTE: If damaged, repair / replacement must commence within 48 hours of discovery or the NMOCD District Office must be contacted to seek an extension		

Observed leakage rate less than established acceptable rate.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Leak detection reading		
<p style="text-align: center;">NOTE: If leak detection monitoring indicates that the primary liner has been compromised below the fluid surface, immediately notify the NMOCD District Office and initiate efforts to repair/replace</p>		
Oil absorbent boom or other device is in good repair and available on site	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Comments		
d Deterrent TKT DS20102969/Materials on order/TKT DS20396832 is for leak and level detection/brackish wa		

Inspector :	Paul Frier
Date & Time:	5/8/21
RWCS Name:	SD 13 West

NMOCD Registration number:	1RF-13
Allowable Leakage Rate:	5.19 gpm

Inspection Checklist	YES	NO
Fencing is in good repair	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Access gates are locked (when access is not required)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Berms and elevation are in good repair to prevent surface run-on	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Audible bird deterrent system is functioning properly	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Absence of any dead birds or other wildlife	<input checked="" type="checkbox"/>	<input type="checkbox"/>
NOTE: The NMOCD and New Mexico Department of Game and Fish must be notified within 30 days if a dead bird or other wildlife is discovered.		
Absence of any visible oil layer on surface	<input checked="" type="checkbox"/>	<input type="checkbox"/>
NOTE: Immediate action must be taken if visible oil is detected		
Freeboard - minimum of 3 feet present?	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Any visible damage to primary liner above fluid level to include those areas where pipes, hoses, supports, etc. may be in contact with liner	<input type="checkbox"/>	<input checked="" type="checkbox"/>
NOTE: If damaged, repair / replacement must commence within 48 hours of discovery or the NMOCD District Office must be contacted to seek an extension		

Observed leakage rate less than established acceptable rate.	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Leak detection reading		
<p style="text-align: center;">NOTE: If leak detection monitoring indicates that the primary liner has been compromised below the fluid surface, immediately notify the NMOCD District Office and initiate efforts to repair/replace</p>		
Oil absorbent boom or other device is in good repair and available on site	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Comments		

Inspector :	Dave Nunley
Date & Time:	5/16/21
RWCS Name:	SD 13 West

NMOCD Registration number:	1RF-13
Allowable Leakage Rate:	5.19 gpm

Inspection Checklist	YES	NO
Fencing is in good repair	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Access gates are locked (when access is not required)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Berms and elevation are in good repair to prevent surface run-on	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Audible bird deterrent system is functioning properly	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Absence of any dead birds or other wildlife	<input checked="" type="checkbox"/>	<input type="checkbox"/>
NOTE: The NMOCD and New Mexico Department of Game and Fish must be notified within 30 days if a dead bird or other wildlife is discovered.		
Absence of any visible oil layer on surface	<input checked="" type="checkbox"/>	<input type="checkbox"/>
NOTE: Immediate action must be taken if visible oil is detected		
Freeboard - minimum of 3 feet present?	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Any visible damage to primary liner above fluid level to include those areas where pipes, hoses, supports, etc. may be in contact with liner	<input type="checkbox"/>	<input checked="" type="checkbox"/>
NOTE: If damaged, repair / replacement must commence within 48 hours of discovery or the NMOCD District Office must be contacted to seek an extension		

Observed leakage rate less than established acceptable rate.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Leak detection reading		
<p style="text-align: center;">NOTE: If leak detection monitoring indicates that the primary liner has been compromised below the fluid surface, immediately notify the NMOCD District Office and initiate efforts to repair/replace</p>		
Oil absorbent boom or other device is in good repair and available on site	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Comments		
TKT DS20396832 is for leak and level detection/brackish water		

Inspector :	Paul Frier
Date & Time:	5/22/21
RWCS Name:	SD 13 West

NMOCD Registration number:	1RF-13
Allowable Leakage Rate:	5.19 gpm

Inspection Checklist	YES	NO
Fencing is in good repair	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Access gates are locked (when access is not required)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Berms and elevation are in good repair to prevent surface run-on	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Audible bird deterrent system is functioning properly	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Absence of any dead birds or other wildlife	<input checked="" type="checkbox"/>	<input type="checkbox"/>
NOTE: The NMOCD and New Mexico Department of Game and Fish must be notified within 30 days if a dead bird or other wildlife is discovered.		
Absence of any visible oil layer on surface	<input checked="" type="checkbox"/>	<input type="checkbox"/>
NOTE: Immediate action must be taken if visible oil is detected		
Freeboard - minimum of 3 feet present?	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Any visible damage to primary liner above fluid level to include those areas where pipes, hoses, supports, etc. may be in contact with liner	<input type="checkbox"/>	<input checked="" type="checkbox"/>
NOTE: If damaged, repair / replacement must commence within 48 hours of discovery or the NMOCD District Office must be contacted to seek an extension		

Observed leakage rate less than established acceptable rate.	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Leak detection reading		
<p style="text-align: center;">NOTE: If leak detection monitoring indicates that the primary liner has been compromised below the fluid surface, immediately notify the NMOCD District Office and initiate efforts to repair/replace</p>		
Oil absorbent boom or other device is in good repair and available on site	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Comments		

Inspector :	Dave Nunley
Date & Time:	5/29/21
RWCS Name:	SD 13 West

NMOCD Registration number:	1RF-13
Allowable Leakage Rate:	5.19 gpm

Inspection Checklist	YES	NO
Fencing is in good repair	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Access gates are locked (when access is not required)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Berms and elevation are in good repair to prevent surface run-on	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Audible bird deterrent system is functioning properly	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Absence of any dead birds or other wildlife	<input checked="" type="checkbox"/>	<input type="checkbox"/>
NOTE: The NMOCD and New Mexico Department of Game and Fish must be notified within 30 days if a dead bird or other wildlife is discovered.		
Absence of any visible oil layer on surface	<input checked="" type="checkbox"/>	<input type="checkbox"/>
NOTE: Immediate action must be taken if visible oil is detected		
Freeboard - minimum of 3 feet present?	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Any visible damage to primary liner above fluid level to include those areas where pipes, hoses, supports, etc. may be in contact with liner	<input type="checkbox"/>	<input checked="" type="checkbox"/>
NOTE: If damaged, repair / replacement must commence within 48 hours of discovery or the NMOCD District Office must be contacted to seek an extension		

Observed leakage rate less than established acceptable rate.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Leak detection reading		
<p style="text-align: center;">NOTE: If leak detection monitoring indicates that the primary liner has been compromised below the fluid surface, immediately notify the NMOCD District Office and initiate efforts to repair/replace</p>		
Oil absorbent boom or other device is in good repair and available on site	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Comments		
TKT DS20396832 is for leak and level detection/brackish water		

Inspector :	Paul Frier
Date & Time:	6/2/21
RWCS Name:	SD 13 West

NMOCD Registration number:	1RF-13
Allowable Leakage Rate:	5.19 gpm

Inspection Checklist	YES	NO
Fencing is in good repair	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Access gates are locked (when access is not required)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Berms and elevation are in good repair to prevent surface run-on	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Audible bird deterrent system is functioning properly	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Absence of any dead birds or other wildlife	<input checked="" type="checkbox"/>	<input type="checkbox"/>
NOTE: The NMOCD and New Mexico Department of Game and Fish must be notified within 30 days if a dead bird or other wildlife is discovered.		
Absence of any visible oil layer on surface	<input checked="" type="checkbox"/>	<input type="checkbox"/>
NOTE: Immediate action must be taken if visible oil is detected		
Freeboard - minimum of 3 feet present?	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Any visible damage to primary liner above fluid level to include those areas where pipes, hoses, supports, etc. may be in contact with liner	<input type="checkbox"/>	<input checked="" type="checkbox"/>
NOTE: If damaged, repair / replacement must commence within 48 hours of discovery or the NMOCD District Office must be contacted to seek an extension		

Observed leakage rate less than established acceptable rate.	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Leak detection reading		
<p style="text-align: center;">NOTE: If leak detection monitoring indicates that the primary liner has been compromised below the fluid surface, immediately notify the NMOCD District Office and initiate efforts to repair/replace</p>		
Oil absorbent boom or other device is in good repair and available on site	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Comments		

Inspector :	Paul Frier
Date & Time:	6/20/21
RWCS Name:	SD 13 West

NMOCD Registration number:	1RF-13
Allowable Leakage Rate:	5.19 gpm

Inspection Checklist	YES	NO
Fencing is in good repair	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Access gates are locked (when access is not required)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Berms and elevation are in good repair to prevent surface run-on	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Audible bird deterrent system is functioning properly	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Absence of any dead birds or other wildlife	<input checked="" type="checkbox"/>	<input type="checkbox"/>
NOTE: The NMOCD and New Mexico Department of Game and Fish must be notified within 30 days if a dead bird or other wildlife is discovered.		
Absence of any visible oil layer on surface	<input checked="" type="checkbox"/>	<input type="checkbox"/>
NOTE: Immediate action must be taken if visible oil is detected		
Freeboard - minimum of 3 feet present?	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Any visible damage to primary liner above fluid level to include those areas where pipes, hoses, supports, etc. may be in contact with liner	<input type="checkbox"/>	<input checked="" type="checkbox"/>
NOTE: If damaged, repair / replacement must commence within 48 hours of discovery or the NMOCD District Office must be contacted to seek an extension		

Observed leakage rate less than established acceptable rate.	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Leak detection reading		
<p style="text-align: center;">NOTE: If leak detection monitoring indicates that the primary liner has been compromised below the fluid surface, immediately notify the NMOCD District Office and initiate efforts to repair/replace</p>		
Oil absorbent boom or other device is in good repair and available on site	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Comments		

Inspector :	Dave Nunley
Date & Time:	6/26/21
RWCS Name:	SD 13 West

NMOCD Registration number:	1RF-13
Allowable Leakage Rate:	5.19 gpm

Inspection Checklist	YES	NO
Fencing is in good repair	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Access gates are locked (when access is not required)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Berms and elevation are in good repair to prevent surface run-on	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Audible bird deterrent system is functioning properly	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Absence of any dead birds or other wildlife	<input checked="" type="checkbox"/>	<input type="checkbox"/>
NOTE: The NMOCD and New Mexico Department of Game and Fish must be notified within 30 days if a dead bird or other wildlife is discovered.		
Absence of any visible oil layer on surface	<input checked="" type="checkbox"/>	<input type="checkbox"/>
NOTE: Immediate action must be taken if visible oil is detected		
Freeboard - minimum of 3 feet present?	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Any visible damage to primary liner above fluid level to include those areas where pipes, hoses, supports, etc. may be in contact with liner	<input type="checkbox"/>	<input checked="" type="checkbox"/>
NOTE: If damaged, repair / replacement must commence within 48 hours of discovery or the NMOCD District Office must be contacted to seek an extension		

Observed leakage rate less than established acceptable rate.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Leak detection reading		
<p style="text-align: center;">NOTE: If leak detection monitoring indicates that the primary liner has been compromised below the fluid surface, immediately notify the NMOCD District Office and initiate efforts to repair/replace</p>		
Oil absorbent boom or other device is in good repair and available on site	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Comments		
TKT DS20396832 is for leak and level detection/brackish water		

Inspector :	Paul Frier
Date & Time:	7/3/21
RWCS Name:	SD 13 West

NMOCD Registration number:	1RF-13
Allowable Leakage Rate:	5.19 gpm

Inspection Checklist	YES	NO
Fencing is in good repair	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Access gates are locked (when access is not required)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Berms and elevation are in good repair to prevent surface run-on	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Audible bird deterrent system is functioning properly	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Absence of any dead birds or other wildlife	<input checked="" type="checkbox"/>	<input type="checkbox"/>
NOTE: The NMOCD and New Mexico Department of Game and Fish must be notified within 30 days if a dead bird or other wildlife is discovered.		
Absence of any visible oil layer on surface	<input checked="" type="checkbox"/>	<input type="checkbox"/>
NOTE: Immediate action must be taken if visible oil is detected		
Freeboard - minimum of 3 feet present?	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Any visible damage to primary liner above fluid level to include those areas where pipes, hoses, supports, etc. may be in contact with liner	<input type="checkbox"/>	<input checked="" type="checkbox"/>
NOTE: If damaged, repair / replacement must commence within 48 hours of discovery or the NMOCD District Office must be contacted to seek an extension		

Observed leakage rate less than established acceptable rate.	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Leak detection reading		
<p style="text-align: center;">NOTE: If leak detection monitoring indicates that the primary liner has been compromised below the fluid surface, immediately notify the NMOCD District Office and initiate efforts to repair/replace</p>		
Oil absorbent boom or other device is in good repair and available on site	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Comments		

Inspector :	Paul Frier
Date & Time:	7/17/21
RWCS Name:	SD 13 West

NMOCD Registration number:	1RF-13
Allowable Leakage Rate:	5.19 gpm

Inspection Checklist	YES	NO
Fencing is in good repair	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Access gates are locked (when access is not required)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Berms and elevation are in good repair to prevent surface run-on	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Audible bird deterrent system is functioning properly	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Absence of any dead birds or other wildlife	<input checked="" type="checkbox"/>	<input type="checkbox"/>
NOTE: The NMOCD and New Mexico Department of Game and Fish must be notified within 30 days if a dead bird or other wildlife is discovered.		
Absence of any visible oil layer on surface	<input checked="" type="checkbox"/>	<input type="checkbox"/>
NOTE: Immediate action must be taken if visible oil is detected		
Freeboard - minimum of 3 feet present?	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Any visible damage to primary liner above fluid level to include those areas where pipes, hoses, supports, etc. may be in contact with liner	<input type="checkbox"/>	<input checked="" type="checkbox"/>
NOTE: If damaged, repair / replacement must commence within 48 hours of discovery or the NMOCD District Office must be contacted to seek an extension		

Observed leakage rate less than established acceptable rate.	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Leak detection reading		
<p style="text-align: center;">NOTE: If leak detection monitoring indicates that the primary liner has been compromised below the fluid surface, immediately notify the NMOCD District Office and initiate efforts to repair/replace</p>		
Oil absorbent boom or other device is in good repair and available on site	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Comments		

District I
 1625 N. French Dr., Hobbs, NM 88240
 Phone:(575) 393-6161 Fax:(575) 393-0720

District II
 811 S. First St., Artesia, NM 88210
 Phone:(575) 748-1283 Fax:(575) 748-9720

District III
 1000 Rio Brazos Rd., Aztec, NM 87410
 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
 1220 S. St Francis Dr., Santa Fe, NM 87505
 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS
 Action 37659

CONDITIONS

Operator: CHEVRON U S A INC 6301 Deauville Blvd Midland, TX 79706	OGRID: 4323
	Action Number: 37659
	Action Type: [C-147] Water Recycle Long (C-147L)

CONDITIONS

Created By	Condition	Condition Date
venegas	NMOCD has approved an extension until August 10th 2021, to repair the primary liner at 1RF-13 Salado Draw Section 13 Recycling Containments Structure Facility ID [FTO1716430540] with the following conditions of approval: [4323] CHEVRON USA INC should submit a short daily email to OCD.Enviro@state.nm.us to keep OCD informed of Chevron's progress and steps taken to drain the pond and repair the liner, until the pond is completely drained. The notification should include: 1. Volume pumped out in last 24-hr period. 2. Estimated amount left in the cell. 3. Calculated ETA for completion based on current rate and volume left. 4. General comments, if any (for example, rate issues). Additional Conditions by email.	7/23/2021