Devon Energy Corporation 333 W. Sheridan Avenue Oklahoma City, OK 73102

August 30, 2023

State of New Mexico Energy, Minerals, and Natural Resources Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

RE: Devon Energy Todd 2 Containment and Recycling Facility C-147 Extension Todd 2 Containment and Recycling OCD Permit Number: 2RF-114 Sec 2-T23S-R31E Eddy County, NM

To Whom It May Concern:

Devon Energy respectfully submits the enclosed C-147 form and summary of monthly inspections and leak detection for the Todd 2 Containment (2RF-114). For original site plans and submittals, please refer to the facility's original registration application, OCD Registration number 2RF-114, received August 24th, 2017. In accordance with NMAC 19.15.34.10 RECYCLING CONTAINMENTS, Devon Energy wishes to seek a one-year extension to the facility.

Should you have any questions or require additional information, please do not hesitate to contact me at your convenience.

Thank you, Joh Bung

Josh Bruening Devon Energy Production Company, LP Supervisor (405) 501-3236

District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

Recycling Facility and/or Recycling Containment					
Type of Facility: Recycling Facility Recycling Containment* Type of action: Permit Registration Modification Extension Closure Other (explain)					
* At the time C-147 is submitted to the division for a Recycling Containment, a copy shall be provided to the surface owner.					
Be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.					
1. Operator:Devon Energy Corporation					
Facility or well name (include API# if associated with a well): <u>Todd 2 Water Treatment Facility</u>					
OCD Permit Number:					
U/L or Qtr/Qtr Section2 Township _23 South Range 31 East County:Eddy					
Surface Owner: 🗌 Federal 🔀 State 🗌 Private 🗌 Tribal Trust or Indian Allotment					
2. ∑ Recveling Facility: Location of recycling facility (if applicable): Latitude _32.329275 Longitude103.742921 NAD83 Proposed Use: ∑ Drilling* ∑ Completion* ∑ Production* ∑ Plugging * *The re-use of produced water may NOT be used until fresh water zones are cased and cemented □ Other, requires permit for other uses. Describe use, process, testing, volume of produced water and ensure there will be no adverse impact on groundwater or surface water. ∑ Fluid Storage □ Activity permitted under 19.15.36 NMAC explain type: □ Other explain □ For multiple or additional recycling containments, attach design and location information of each containment □ Closure Report (required within 60 days of closure completion): □ Recycling Facility Closure Completion Date:					
⊠ <u>Recycling Containment</u> :					
Annual Extension after initial 5 years (attach summary of monthly leak detection inspections for previous year)					
Center of Recycling Containment (if applicable): Latitude <u>32.329275</u> Longitude <u>-103.742921</u> NAD83					
For multiple or additional recycling containments, attach design and location information of each containment					
☐ Lined ☐ Liner type: Thickness <u>40 mil (secondary) 60-mil (primary)</u> ☐ LLDPE ☐ HDPE ☐ PVC ☐ Other					
String-Reinforced					
Liner Seams: \square Welded \square Factory \square Other <u>Field Welds</u> Volume: <u>560,000</u> bbl Dimensions: L_ <u>750</u> x W 5 <u>30 x D</u>					
Recycling Containment Closure Completion Date:					

.

Bonding:

4.

Covered under bonding pursuant to 19.15.8 NMAC per 19.15.34.15(A)(2) NMAC (These containments are limited to only the wells owned or

operated by the owners of the containment.)

Bonding in accordance with 19.15.34.15(A)(1). Amount of bond \$_____ (work on these facilities cannot commence until bonding

amounts are approved)

Attach closure cost estimate and documentation on how the closure cost was calculated.

Fencing:

5.

Four foot height, four strands of barbed wire evenly spaced between one and four feet

Alternate. Please specify <u>Chain Link Game Fence</u>

6. Signs:

7.

12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers

Signed in compliance with 19.15.16.8 NMAC

Variances:

Justifications and/or demonstrations that the proposed variance will afford reasonable protection against contamination of fresh water, human health, and the environment.

Check the below box only if a variance is requested:

 \boxtimes Variance(s): Requests must be submitted to the appropriate division district for consideration of approval. If a Variance is requested, include the variance information on a separate page and attach it to the C-147 as part of the application.

If a Variance is requested, it must be approved prior to implementation.

Siting Criteria for Recycling Containment

Instructions: The applicant must provide attachments that demonstrate compliance for each siting criteria below as part of the application. Potential examples of the siting attachment source material are provided below under each criteria.

General siting

Ground water is less than 50 feet below the bottom of the Recycling Containment. NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells				
 Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. Written confirmation or verification from the municipality; written approval obtained from the municipality 				
 Within the area overlying a subsurface mine. Written confirmation or verification or map from the NM EMNRD-Mining and Minerals Division 	🗌 Yes 🛛 No			
 Within an unstable area. Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; topographic map 	🗌 Yes 🛛 No			
Within a 100-year floodplain. FEMA map	🗌 Yes 🛛 No			
 Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). Topographic map; visual inspection (certification) of the proposed site 	🗌 Yes 🛛 No			
 Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. Visual inspection (certification) of the proposed site; aerial photo; satellite image 	🗌 Yes 🛛 No			
 Within 500 horizontal feet of a spring or a fresh water well used for domestic or stock watering purposes, in existence at the time of initial application. NM Office of the State Engineer - iWATERS database search; visual inspection (certification) of the proposed site 	🗌 Yes 🛛 No			
 Within 500 feet of a wetland. US Fish and Wildlife Wetland Identification map; topographic map; visual inspection (certification) of the proposed site 	🗌 Yes 🛛 No			

 Recveling Facility and/or Containment Checklist: Instructions: Each of the following items must be attached to the application Design Plan - based upon the appropriate requirements. Operating and Maintenance Plan - based upon the appropriate requirements. Closure Plan - based upon the appropriate requirements. Site Specific Groundwater Data - Siting Criteria Compliance Demonstrations - Certify that notice of the C-147 (only) has been sent to the surface of the context o	nents.
10. Operator Application Certification: I hereby certify that the information and attachments submitted with this approximation Name (Print): Josh Bruening Signature: Image: Control of the second s	lication are true, accurate and complete to the best of my knowledge and beliefTitle:SupervisorDate:8/30/2023Telephone:(405)-552-7882
IL. OCD Representative Signature: Victoria Venegas Title: Environmental Specialist Image: Special Spec	Approval Date:09/11/2023 OCD Permit Number:2RF-114

D	DATE	Fluid Level	SCADA ISSUES	BIRD DETERRENT ISSUES	FLUID IN LEAN DETECTION	FENCE ISSUES	BERM OR LINER ISSUES	SITE VISIT NOTES
	3/16/2018	2.0						
	3/23/2018	5.0						
	3/30/2018	6.0						
	4/6/2018	6.5						
	4/13/2018	7.0						
	4/20/2018	10.5						
	4/27/2018	11.5						
	5/4/2018	13.0						
	5/11/2018	14.0						
	5/18/2018	14.0						
	5/25/2018	14.0						
	6/1/2018	14.0						
	6/8/2018	14.0						
	6/15/2018	14.0						
	6/22/2018	14.0						
	6/29/2018	12.0						
	7/6/2018	12.5						
	7/13/2018	12.0						
	7/20/2018	12.0						
	7/27/2018	12.0						
	8/3/2018	12.5						
	8/10/2018	12.0						
	8/17/2018	12.5						
	8/24/2018	5.0						
	8/31/2018	5.5						
	9/7/2018	5.0						
1	11/19/2018	8.0		Х				Replaced bird deterrent battery
1	11/26/2018	5.0						
	12/3/2018	10.0						
1	12/10/2018	10.0						Should add weather proof box for batt
	12/17/2018	8.5						
1	12/28/2018	14.0						
	1/1/2019	12.0						
	1/7/2019	11.5						
	1/14/2019	9.5						
	1/21/2019	4.5						
	1/28/2019	4.5						
	2/4/2019	4.5						
	2/11/2019	5.0						
	2/18/2019	10.0						
	2/25/2019	13.0						
	3/4/2019	17.0						
	3/11/2019	17.0		Х				Bracket holding solar panel broke, need
	3/18/2019	17.0		Х				Bracket holding solar panel broke, need
	3/25/2019	17.0						

attery on bird deterrant

eeds replaced eeds replaced

1/1/2010	17.0
4/1/2019	17.0
4/8/2019	16.0
4/15/2019	16.0
	10.0
4/22/2019	16.0
4/29/2019	16.0
4/29/2019	10.0
5/6/2019	15.0
5/13/2019	13.0
F /20 /2010	10.0
5/20/2019	10.0
5/27/2019	9.0
6/3/2019	10.0
C/10/2010	C O
6/10/2019	6.0
6/17/2019	12.5
6/24/2019	14.0
	45.0
7/1/2019	15.0
7/8/2019	14.0
8/2/2019	8.0
8/15/2019	8.0
8/23/2019	10.0
0/23/2019	10.0
9/6/2019	10.0
9/13/2019	10.0
0/20/2010	14.0
9/20/2019	14.0
10/3/2019	14.0
10/11/2019	13.0
	10 F
10/25/2019	18.5
11/8/2019	18.5
12/13/2019	17.5
12/27/2010	10.0
12/27/2019	18.0
1/7/2020	14.5
1/14/2020	14.5
1/21/2020	12.0
1/31/2020	12.0
2/7/2020	10.0
2/14/2020	11.0
2/21/2020	12.0
2/21/2020	12.0
2/28/2020	7.0
3/6/2020	12.0
2/12/2020	4.0
3/13/2020	4.0
3/20/2020	3.0
3/27/2020	12.0
1/2/2020	<u> </u>
4/3/2020	6.0
4/10/2020	15.0
4/17/2020	6.0
	0.0
4/24/2020	8.0
5/1/2020	3.0
5/8/2020	2.0
5/15/2020	4.0
5/22/2020	2.0
5/29/2020	6.0

Washout on west side of pond
Washout on west side of pond
Washout on west side of pond
Washout on west side of pond

X X X X Page 6 of 13

6/5/2020	6.0
6/12/2020	11.0
6/19/2020	11.0
6/26/2020	14.0
7/3/2020	16.0
7/10/2020	10.0
7/17/2020	9.0
7/24/2020	6.0
7/31/2020	8.0
8/7/2020	9.0
8/14/2020	10.0
8/21/2020	8.0
8/28/2020	8.0
9/4/2020	8.0
9/11/2020	8.0
9/18/2020	9.0
9/25/2020	12.0
10/2/2020	18.0
10/9/2020	
	5.0
10/16/2020	6.0
10/23/2020	8.0
10/30/2020	9.0
11/6/2020	6.0
11/13/2020	6.0
11/20/2020	10.0
11/27/2020	6.0
12/4/2020	12.0
12/11/2020	12.0
12/24/2020	10.0
12/28/2020	10.0
12/31/2020	8.0
1/4/2021	9.0
1/11/2021	11.0
1/18/2021	11.0
1/25/2021	9.0
2/1/2021	7.0
2/8/2021	6.0
2/15/2021	4.0
2/26/2021	3.0
3/5/2021	5.0
3/12/2021	15.0
3/19/2021	15.0
3/26/2021	16.0
4/2/2021	14.0
4/9/2021	11.0
4/16/2021	9.0
4/23/2021	6.0
7/23/2021	0.0

Page 7 of 13

4/30/2021	6.0
5/7/2021	6.0
5/14/2021	8.0
	10.0
5/21/2021	
5/28/2021	10.0
6/4/2021	12.0
6/11/2021	13.0
6/18/2021	14.0
6/25/2021	13.0
7/2/2021	13.0
7/9/2021	9.0
7/16/2021	11.0
7/23/2021	9.0
7/30/2021	11.0
8/6/2021	10.0
8/13/2021	9.0
8/20/2021	9.0
8/27/2021	8.0
9/3/2021	1.0
9/10/2021	1.0
9/17/2021	1.0
9/24/2021	3.0
10/1/2021	3.0
10/8/2021	0.0
10/15/2021	0.0
10/22/2021	5.0
10/29/2021	10.0
11/5/2021	15.0
11/12/2021	8.0
11/19/2021	5.0
11/26/2021	4.0
12/3/2021	5.0
12/10/2021	7.0
12/17/2021	7.0
12/24/2021	12.0
12/31/2021	10.0
1/7/2022	9.0
1/14/2022	9.0
1/21/2022	9.0
1/28/2022	10.0
2/4/2022	9.0
2/11/2022	12.0
2/18/2022	14.0
2/25/2022	14.0
3/4/2022	18.0
3/11/2022	18.0
3/18/2022	9.0
5/ 10/ 2022	5.0

Page 8 of 13

3/25/2022	8.0
4/1/2022	6.0
4/8/2022	11.0
4/15/2022	8.0
4/22/2022	14.0
4/29/2022	6.0
5/6/2022	12.0
5/13/2022	10.0
5/20/2022	8.0
5/27/2022	10.0
6/3/2022	11.0
6/10/2022	13.0
6/17/2022	14.0
6/24/2022	17.0
7/1/2022	17.0
7/8/2022	18.0
7/15/2022	
	17.0
7/22/2022	18.0
7/29/2022	16.0
8/5/2022	10.0
8/12/2022	9.0
8/19/2022	8.0
9/2/2022	14.5
9/9/2022	16.0
9/16/2022	18.0
9/23/2022	18.0
9/30/2022	18.0
10/7/2022	13.0
10/14/2022	13.0
10/21/2022	11.0
10/28/2022	12.5
11/4/2022	10.0
11/11/2022	8.0
11/18/2022	11.0
11/25/2022	7.5
12/2/2022	10.0
12/9/2022	9.0
12/16/2022	18.0
12/23/2022	13.5
12/30/2022	13.5
1/6/2023	17.0
1/13/2023	12.5
1/20/2023	10.0
2/3/2023	10.0
2/10/2023	10.5
2/17/2023	12.0
2/24/2023	13.0
, ,====	

Page 9 of 13

3/3/2023	12.0
3/10/2023	11.0
3/17/2023	7.0
3/24/2023	3.0
3/31/2023	7.0
4/7/2023	3.0
4/14/2023	8.0
4/21/2023	6.5
4/28/2023	7.5
5/5/2023	7.5
5/12/2023	10.0
5/19/2023	11.5
5/26/2023	14.0
6/2/2023	15.5
6/9/2023	16.5
6/16/2023	18.0
6/23/2023	13.5
6/30/2023	5.0
7/7/2023	13.0
7/14/2023	10.5
7/21/2023	14.0
7/28/2023	3.0
8/4/2023	7.5
8/11/2023	12.0
8/18/2023	14.0
8/25/2023	12.0

Page 10 of 13

Venegas, Victoria, EMNRD

From:	Venegas, Victoria, EMNRD
Sent:	Monday, September 11, 2023 11:11 AM
То:	Bruening, Josh
Subject:	2RF-114 - Todd 2 Water Treatment Facility ID [fAB1727553163]
Attachments:	C-147 2RF-114 - Todd 2 Water Treatment Facility. Extension 09.11.2023.pdf

2RF-114 - Todd 2 Water Treatment Facility ID [fAB1727553163]

Mr. Bruening,

NMOCD has reviewed the determination of registration/permit annual extension request for 2RF-114 - Todd 2 Water Treatment Facility ID [fAB1727553163], received from DEVON ENERGY PRODUCTION COMPANY, LP [6137] on 08/30/2023. The registration/permit extension request is approved with the following conditions of approval.

- 2RF-114 Todd 2 Water Treatment Facility ID [fAB1727553163] is approved for one (1) year of operation from the date of the previous registration/permit expiration date of October 2, 2023. The new registration/permit expiration date is October 2, 2024.
- DEVON ENERGY PRODUCTION COMPANY, LP [6137] will continue to operate, maintain, and close the 2RF-114

 Todd 2 Water Treatment Facility ID [fAB1727553163] in compliance with 19.15.34 NMAC, to include but not
 limited to the performance of weekly inspections regardless of fluid levels in the containment; recording of
 detailed inspection reports; removal of debris, foreign objects and oil from the containment; and monthly
 reporting of recycling and reuse of produced water, drilling fluids, and liquid oil field waste via from C-148.
- DEVON ENERGY PRODUCTION COMPANY, LP [6137] will maintain a liquid level in the containment that is at least equal to the weight of the liner plus 20%. DEVON ENERGY PRODUCTION COMPANY, LP [6137] may maintain a higher liquid level if they choose.
- If less than 20% of the total fluid capacity is utilized every consecutive six months, operation of the facility is considered ceased and notification of cessation of operations should be sent electronically to <u>OCD Online</u>. A request to extend the cessation of operations, not to exceed six months, may be submitted using a C-147 long form through <u>OCD Online</u>.
- The recycling containment is bonded pursuant to 19.15.8 NMAC per 19.15.34.15(A)(2) NMAC. Water reuse and recycling from 2RF-114 Todd 2 Water Treatment Facility ID [fAB1727553163] is limited to wells owned or operated by DEVON ENERGY PRODUCTION COMPANY, LP [6137].
- A minimum of 3-feet freeboard must be maintained in the recycling containment at all times.
- DEVON ENERGY PRODUCTION COMPANY, LP [6137] will comply with 19.15.29 NMAC Releases in the event of any release of produced water or produced water or other oil field wastes at 2RF-114 Todd 2 Water Treatment Facility ID [fAB1727553163].
- DEVON ENERGY PRODUCTION COMPANY, LP [6137] will comply with all other OCD rules.
- DEVON ENERGY PRODUCTION COMPANY, LP [6137] must perform weekly inspections of the containment and leak detection system.
- If DEVON ENERGY PRODUCTION COMPANY, LP [6137] wishes to extend the registration/permit past the October 2, 2024, a registration/permit extension request must be submitted to OCD. Extension requests are reviewed on a case-by-case basis and evaluated on their merit. Extensions are considered for a maximum length of one year. Additional requests must be submitted to OCD through the OCD Online system on a Form C-147 (long form) as an Extension request and should include a formal extension request letter, a summary of the prior registration/permit period inspection reports, and the copies of the detailed inspection records for the prior permit period. The extension request should be submitted no later than September 2, 2024.

Victoria Venegas • Environmental Specialist

Environmental Bureau EMNRD - Oil Conservation Division 506 W. Texas Ave. Artesia, NM 88210 (575) 909-0269 | <u>Victoria.Venegas@emnrd.nm.gov</u> <u>https://www.emnrd.nm.gov/ocd/</u>



District I 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Operator:	OGRID:
DEVON ENERGY PRODUCTION COMPANY, LP	6137
333 West Sheridan Ave.	Action Number:
Oklahoma City, OK 73102	259616
	Action Type:
	[C-147] Water Recycle Long (C-147L)

CONDITIONS		
Created By	Condition	Condition Date
vvenegas	• 2RF-114 - Todd 2 Water Treatment Facility ID [fAB1727553163] is approved for one (1) year of operation from the date of the previous registration/permit expiration date of October 2, 2023. The new registration/permit expiration date is October 2, 2024. • If DEVON ENERGY PRODUCTION COMPANY, LP [6137] wishes to extend the registration/permit past the October 2, 2024, a registration/permit extension request must be submitted to OCD no later than September 2, 2024.	9/11/2023

Page 13 of 13

.

Action 259616