



ENDURING RESOURCES IV LLC

200 Energy Court Farmington, NM 87401
Field Office: 505.636.9720 | Main Office: 303.573.1222

Enduring Resources, LLC
SEU 2206 20M – 3RF-30
Recycling Facility/Containment
Cessation Request for 19.15.34 NMAC

New Mexico Oil Conservation Division
Attn: Victoria Venegas

Enduring Resources is requesting a cessation of operations for the SEU 2206 20M (RF-30) Water Recycling Facility. In accordance with 19.15.34.13.C NMAC, *"A recycling containment shall be deemed to have ceased operations if less than twenty percent of the total fluid capacity is used every six months following the first withdrawal of produced water for use. The operator must report cessation of operations to the division."*

Enduring is requesting a cessation of operations from 9/2024 through the end of 2/2025. The division may grant an extension to this determination of cessation of operations not to exceed six months. Enduring has included records for the last 6 months of inspections at this facility.

Thank you,

Heather Huntington
Permitting Technician
Enduring Resources, LLC.
hhuntington@enduringresources.com

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources
Department
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-147
Revised April 3, 2017

Recycling Facility and/or Recycling Containment

Type of Facility: ☒ Recycling Facility ☒ Recycling Containment*

Type of action: ☐ Permit ☐ Registration
☐ Modification ☒ Extension
☐ Closure ☒ Other (explain) Request for cessation of operations 9/24 through 2/25

* At the time C-147 is submitted to the division for a Recycling Containment, a copy shall be provided to the surface owner.

Be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.

1.

Operator: Enduring Resources IV, LLC (For multiple operators attach page with information) OGRID #: 372286
Address: 200 Energy Court, Farmington, New Mexico 87401
Facility or well name (include API# if associated with a well): SEU 2206-20M Water Recycle Facility / Containment
OCD Permit Number: #3RF-30 (For new facilities the permit number will be assigned by the district office)
U/L or Qtr/Qtr SE/4 SE/4 Section 20 Township 22N Range 6W County: Sandoval
Surface Owner: ☒ Federal ☐ State ☐ Private ☐ Tribal Trust or Indian Allotment

2.

☒ **Recycling Facility:**

Location of recycling facility (if applicable): Latitude 36.117776 Longitude -107.488825 NAD83

Proposed Use: ☒ Drilling* ☒ Completion* ☒ Production* ☒ Plugging *

*The re-use of produced water may NOT be used until fresh water zones are cased and cemented

☐ Other, requires permit for other uses. Describe use, process, testing, volume of produced water and ensure there will be no adverse impact on groundwater or surface water.

☒ Fluid Storage

☒ Above ground tanks ☒ Recycling containment ☐ Activity permitted under 19.15.17 NMAC explain type _____

☐ Activity permitted under 19.15.36 NMAC explain type: _____ ☐ Other explain _____

☐ For multiple or additional recycling containments, attach design and location information of each containment

☐ **Closure Report (required within 60 days of closure completion):** ☐ Recycling Facility Closure Completion Date: _____

3.

☒ **Recycling Containment:**

☐ Annual Extension after initial 5 years (attach summary of monthly leak detection inspections for previous year)

Center of Recycling Containment (if applicable): Latitude 36.117776 Longitude -107.488825 NAD83

☒ For multiple or additional recycling containments, attach design and location information of each containment

☒ Lined ☐ Liner type: Thickness 45 mil ☒ LLDPE ☐ HDPE ☐ PVC ☐ Other _____

☒ String-Reinforced

Liner Seams: ☒ Welded ☒ Factory ☐ Other _____ Volume: 212,746 bbl Dimensions: L 362' x W 350' x D 25'

☐ Recycling Containment Closure Completion Date: _____

4.

Bonding:

- ☒ Covered under bonding pursuant to 19.15.8 NMAC per 19.15.34.15(A)(2) NMAC (These containments are limited to only the wells owned or operated by the owners of the containment.)
- ☐ Bonding in accordance with 19.15.34.15(A)(1). Amount of bond \$ _____ (work on these facilities cannot commence until bonding amounts are approved)
- ☐ Attach closure cost estimate and documentation on how the closure cost was calculated.

5.

Fencing:

- ☐ Four foot height, four strands of barbed wire evenly spaced between one and four feet
- ☒ Alternate. Please specify 8 foot chain link fence

6.

Signs:

- ☒ 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers
- ☐ Signed in compliance with 19.15.16.8 NMAC

7.

Variances:

Justifications and/or demonstrations that the proposed variance will afford reasonable protection against contamination of fresh water, human health, and the environment.

Check the below box only if a variance is requested:

- ☐ Variance(s): Requests must be submitted to the appropriate division district for consideration of approval. If a Variance is requested, include the variance information on a separate page and attach it to the C-147 as part of the application.

If a Variance is requested, it must be approved prior to implementation.

8.

Siting Criteria for Recycling Containment

Instructions: The applicant must provide attachments that demonstrate compliance for each siting criteria below as part of the application. Potential examples of the siting attachment source material are provided below under each criteria.

General siting**Ground water is less than 50 feet below the bottom of the Recycling Containment.**

NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells

☐ Yes ☒ No
☐ NA

Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended.

☐ Yes ☒ No
☐ NA

- Written confirmation or verification from the municipality; written approval obtained from the municipality

Within the area overlying a subsurface mine.

☐ Yes ☒ No

- Written confirmation or verification or map from the NM EMNRD-Mining and Minerals Division

Within an unstable area.

☐ Yes ☒ No

- Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; topographic map

Within a 100-year floodplain. FEMA map

☐ Yes ☒ No

Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).

☐ Yes ☒ No

- Topographic map; visual inspection (certification) of the proposed site

Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.

☐ Yes ☒ No

- Visual inspection (certification) of the proposed site; aerial photo; satellite image

Within 500 horizontal feet of a spring or a fresh water well used for domestic or stock watering purposes, in existence at the time of initial application.

☐ Yes ☒ No

- NM Office of the State Engineer - iWATERS database search; visual inspection (certification) of the proposed site

Within 500 feet of a wetland.

☐ Yes ☒ No

- US Fish and Wildlife Wetland Identification map; topographic map; visual inspection (certification) of the proposed site

9.

Recycling Facility and/or Containment Checklist:


Instructions: Each of the following items must be attached to the application. Indicate, by a check mark in the box, that the documents are attached.

- ☐ Design Plan - based upon the appropriate requirements.
- ☐ Operating and Maintenance Plan - based upon the appropriate requirements.
- ☐ Closure Plan - based upon the appropriate requirements.
- ☐ Site Specific Groundwater Data -
- ☐ Siting Criteria Compliance Demonstrations -
- ☒ **Certify that notice of the C-147 (only) has been sent to the surface owner(s)**

10.

Operator Application Certification:

I hereby certify that the information and attachments submitted with this application are true, accurate and complete to the best of my knowledge and belief.

Name (Print): Heather Huntington Title: Permitting Technician
Signature:  Date: 8/23/2024
e-mail address: hhuntington@enduringresources.com Telephone: (970) 749-0124

11.

OCD Representative Signature: Victoria Venegas Approval Date: 08/27/2024

Title: Environmental Specialist OCD Permit Number: 3RF-30

- ☒ OCD Conditions
- ☒ Additional OCD Conditions on Attachment

Venegas, Victoria, EMNRD

From: Venegas, Victoria, EMNRD
Sent: Tuesday, August 27, 2024 2:28 PM
To: Heather Huntington; Kayla White
Subject: 3RF-30 - SEU 2206 - 20M FACILITY ID [fVF1828850052]
Attachments: C-147 3RF-30 - SEU 2206 - 20M FACILITY ID [fVF1828850052] 08.27.2028.pdf

3RF-30 - SEU 2206 - 20M FACILITY ID [fVF1828850052]

Good afternoon Ms. Huntington,
 NMOCOD has reviewed the extension of the cessation of operations request for 3RF-30 - SEU 2206 - 20M FACILITY ID [fVF1828850052], received from [372286] ENDURING RESOURCES, LLC on 08/26/2024, Application ID 377972. The extension of the cessation of operations is approved with the following conditions of approval:

- Permit 3RF-30 - SEU 2206 - 20M FACILITY ID [fVF1828850052] expires on 10/04/2024.
- The extension of the cessation of operations requested for permit 3RF-30 - SEU 2206 - 20M FACILITY ID [fVF1828850052] is approved from September 1/2024 to March 1/2025. **However, if after this 6-month period, the containment was not utilized at a minimum of 20% fluid capacity, no additional extensions would be granted, and the operator would be directed to remove all fluids and proceed with the closure requirements.**
- [372286] ENDURING RESOURCES, LLC will maintain a liquid level in the containment that is at least equal to the weight of the liner plus 20%. [372286] ENDURING RESOURCES, LLC may maintain a higher liquid level if they choose.
- [372286] ENDURING RESOURCES, LLC will provide written notice to OCD Permitting at least 72 hours, but no more than one week, prior to the recommencement of operations. Recommencement of recycling operations means that the operator plans to resume moving fluids through the containment and discharging fluids from the containment.
 - At the resumption of recycling operations, [372286] ENDURING RESOURCES, LLC is required to perform an incremental fluid level test for containment liquid levels above the minimum liquid level.
 - [372286] ENDURING RESOURCES, LLC will fill the containment. [372286] ENDURING RESOURCES, LLC will pause filling operations at every 10% of total fluid capacity above the minimum level.
 - [372286] ENDURING RESOURCES, LLC will maintain the liquid level for each 10% volume increase for 24 hours and inspect and operate the leak detection system at the end of the 24-hour period.
 - If there are no liquids present in the leak detection system, [372286] ENDURING RESOURCES, LLC may proceed to fill the next 10% volume and repeat the process until the containment full design capacity minus the 3-feet of freeboard is reached.
 - If liquids are present, [372286] ENDURING RESOURCES, LLC should immediately cease the incremental fill test and perform a liner inspection. [372286] ENDURING RESOURCES, LLC should provide written notice of the fluid detection and liner inspection findings to OCD via OCD Permitting using a C-147 (long form) with the "Other" box checked and "Notice of fluid detection" written as the explanation of "Other."
 - Upon notification of fluid detection in the leak detection system, the OCD will verify the source of water (condensation versus produced water).
 - If the detected fluid is confirmed to be condensation, the OCD will issue a written approval to proceed with the incremental fluid level test.

- If the detected fluid is confirmed to be produced water, [372286] ENDURING RESOURCES, LLC must comply with 19.15.34.13 NMAC [372286] ENDURING RESOURCES, LLC must provide written notification to OCD Permitting on the actions taken to comply with 19.15.34.13 NMAC.
 - After fluid is detected in the leak detection system, the incremental fill test cannot continue until after a written approval to proceed is issued by the OCD.
 - [372286] ENDURING RESOURCES, LLC must submit copies of the detailed containment inspection records for the prior three months and a report detailing the incremental fluid level test process and results through OCD Permitting using a C-147 (long form) with the "Other" box checked. "Recommendation of Operations - Incremental Fluid Level Test" should be written as the explanation of "Other." Form C-147 must be completed and include information in sections 1 General Information, 2 Recycling Facility, 3 Recycling Containment, 4 Bonding, and 10 Operator Application Certification. Section 9 Recycling Facility and/or Containment Checklist may also need to be partially completed. Operators should verify that the resumption of operations notification does not result in any changes to the recycling containment operating and maintenance plan or the closure plan. If the recommencement of operations will affect the operating and maintenance plan or closure plan, operators should check those boxes in section 9 and provide updated plans or plan addendums as attachments to the C-147.
- [372286] ENDURING RESOURCES, LLC will continue to operate, maintain, and close 3RF-30 - SEU 2206 - 20M FACILITY ID [fVF1828850052] in compliance with 19.15.34 NMAC, to include but not limited detailed inspection records, removal of trash/oil from containment, and monthly C-148 reporting (even if there is zero activity).
 - A minimum of 3-feet freeboard must always be maintained in the recycling containment during operations.

Please let me know if you have any further questions.

Regards,

Victoria Venegas • Environmental Specialist
Environmental Bureau
EMNRD - Oil Conservation Division
506 W. Texas Ave. Artesia, NM 88210
(575) 909-0269 | Victoria.Venegas@emnrd.nm.gov
<https://www.emnrd.nm.gov/oecd/>



From: [Kayla White](#)
To: [Tafoya, Jeff](#)
Cc: [Heather Huntington](#)
Subject: Enduring Resources SEU 2206-20M Notice of Cessation of Operations
Date: Monday, August 26, 2024 4:14:00 PM

Good afternoon Mr. Tafoya,

Enduring Resources is requesting an cessation of operations from NMOCD for the SEU 2206 20M Water Recycling Facility. In accordance with 19.15.34.10.A NMAC, Enduring Resources is required to notify the surface owner of the request, which in this case is BLM. Please consider this email as surface owner notification of this extension request. The requested extension is in accordance with 19.15.34.13.C NMAC, *"A recycling containment shall be deemed to have ceased operations if less than twenty percent of the total fluid capacity is used every six months following the first withdrawal of produced water for use. The operator must report cessation of operations to the division."*

Enduring is requesting a cessation of operations from 9/2024 through the end of 2/2025. There have been no indications that the leak detection system integrity is compromised. Enduring will continue to operate the facility per regulations in 19.15.34 NMAC.

This email is the surface owner notification of this permit extension request.

Please let us know if you have any questions.

Thank you,

Kayla White, P.E.
CDH Consulting, LLC
720-768-3575
kwhite@CDHConsult.com



www.CDHConsult.com

Work Orders

#45256 - Weekly Pond Inspections

Created On Date	Updated On
02-04-2024 06:09:34 MST	03-13-2024 14:58:22 MST

Site Information

Asset	Did you perform this inspection?
S Escavada Pond Pad	Yes
Inspected By (auto-populated if you select Yes)	Permit Number
Tina Harris	
Section	Township
Range	County
State	Map Link

General Information

Brief Description	Containment Currently Contains Fluids
Weekly Pond Inspections	Yes
Fencing is in Good condition and Functional	Gates are Closed and locked
Yes	No
Facility sign is visible and in good condition	Signs of Surface Water Runon?
Yes	No

Inspection Info for Recycling Containment

Pond Level	Containment has a minimum of three feet of freeboard
8	Yes
Containment water surface is free of visible signs of oil	Injection and withdrawal of water is done through a header
No	Yes
Oil absorbent booms are on-site and in good condition	Is there evidence of a leak in the liner above the waterline
No	No
Site is free of evidence of leaks, spills or releases	If leak detection contained liquid, was it removed?
Yes	
If leak detection contained liquid, was HSE notified?	

Upper Leak Detection

Water Present in ULD?	Total Depth of (ULD) (ft)
	101.0

Gallons of Water Removed ULD

Lower Leak Detection

Water Present in (LLD)?	Total Depth of (LLD) (ft)
Depth to Water in (LLD) (ft)	Height of Water in (LLD)
Gallons of Water Removed (LLD)	

Bird Mitigation System


Audio Bird Deterrents are present and in working order Yes	Visual Bird Deterrents are present and in working order Yes
Facility was inspected, and no evidence of bird mortality was found Yes	If evidence of bird mortality was found, HSE was notified N/A

Comments

Technician / Employee Comments
Didn't take readings due to excessive mud, trucks going in and out of location

Assignments									
Site	Created On	Created By	Updated On	Updated By	From	Contact	Status	Assignment Status	Assigned By
def	02-04-2024 06:09:34 MST		02-04-2024 06:09:34 MST		03-03-2024 06:00:00 MST	Tina Harris	P	Assigned	

Signature



Work Orders

#46012 - Weekly Pond Inspections

Created On Date	Updated On
02-11-2024 08:23:39 MST	03-13-2024 10:47:54 MST

Site Information

Asset	Did you perform this inspection?
S Escavada Pond Pad	Yes
Inspected By (auto-populated if you select Yes)	Permit Number
Tina Harris	
Section	Township
Range	County
State	Map Link

General Information

Brief Description	Containment Currently Contains Fluids
Weekly Pond Inspections	Yes
Fencing is in Good condition and Functional	Gates are Closed and locked
Yes	No
Facility sign is visible and in good condition	Signs of Surface Water Runon?
Yes	No

Inspection Info for Recycling Containment

Pond Level	Containment has a minimum of three feet of freeboard
7.5	Yes
Containment water surface is free of visible signs of oil	Injection and withdrawal of water is done through a header
No	Yes
Oil absorbent booms are on-site and in good condition	Is there evidence of a leak in the liner above the waterline
No	No
Site is free of evidence of leaks, spills or releases	If leak detection contained liquid, was it removed?
Yes	
If leak detection contained liquid, was HSE notified?	

Upper Leak Detection

Water Present in ULD?	Total Depth of (ULD) (ft)
	101.0

Gallons of Water Removed ULD
0.0

Lower Leak Detection

Water Present in (LLD)?
No

Total Depth of (LLD) (ft)

Depth to Water in (LLD) (ft)

Height of Water in (LLD)

Gallons of Water Removed (LLD)

Bird Mitigation System

Audio Bird Deterrents are present and in working order
Yes

Visual Bird Deterrents are present and in working order
Yes

Facility was inspected, and no evidence of bird mortality was found
Yes

If evidence of bird mortality was found, HSE was notified
N/A

Comments

Technician / Employee Comments
Didn't take readings due to mud,... trucks going in and out of location

Assignments

Site	Created On	Created By	Updated On	Updated By	From	Contact	Status	Assignment Status	Assigned By
def	02-11-2024 08:23:39 MST		02-11-2024 08:23:39 MST		03-10-2024 06:00:00 MST	Tina Harris	P	Assigned	

Signature



Work Orders

#46778 - Weekly Pond Inspections

Created On Date	Updated On
02-18-2024 06:00:48 MST	03-20-2024 13:02:53 MST

Site Information

Asset	Did you perform this inspection?
S Escavada Pond Pad	Yes
Inspected By (auto-populated if you select Yes)	Permit Number
Tina Harris	
Section	Township
Range	County
State	Map Link

General Information

Brief Description	Containment Currently Contains Fluids
Weekly Pond Inspections	Yes
Fencing is in Good condition and Functional	Gates are Closed and locked
Yes	No
Facility sign is visible and in good condition	Signs of Surface Water Runon?
Yes	No

Inspection Info for Recycling Containment

Pond Level	Containment has a minimum of three feet of freeboard
7.8	Yes
Containment water surface is free of visible signs of oil	Injection and withdrawal of water is done through a header
No	Yes
Oil absorbent booms are on-site and in good condition	Is there evidence of a leak in the liner above the waterline
No	No
Site is free of evidence of leaks, spills or releases	If leak detection contained liquid, was it removed?
Yes	
If leak detection contained liquid, was HSE notified?	

Upper Leak Detection

Water Present in ULD?	Total Depth of (ULD) (ft)
	101.0

Depth to Water in (ULD) (ft)

101.0

Height of Water in (ULD)

0.0

Gallons of Water Removed ULD

0.0

Lower Leak Detection

Water Present in (LLD)?

No

Total Depth of (LLD) (ft)

Depth to Water in (LLD) (ft)

Height of Water in (LLD)

Gallons of Water Removed (LLD)

Bird Mitigation System

Audio Bird Deterants are present and in working order

Yes

Visual Bird Deterants are present and in working order

Yes

Facility was inspected, and no evidence of bird mortality was found

Yes

If evidence of bird mortality was found, HSE was notified

N/A

Comments


Technician / Employee Comments

all is good gate left open

Assignments

Site	Created On	Created By	Updated On	Updated By	From	Contact	Status	Assignment Status	Assigned By
def	02-18-2024 06:00:48 MST		02-18-2024 06:00:48 MST		03-17-2024 06:00:00 MST	Tina Harris	P	Assigned	

Signature

A handwritten signature in black ink, consisting of a stylized 'Z' followed by a vertical line and a horizontal line, with a small dot above the vertical line.

Work Orders

#47522 - Weekly Pond Inspections

Created On Date	Updated On
02-25-2024 12:01:46 MST	03-27-2024 11:12:49 MST

Site Information

Asset	Did you perform this inspection?
S Escavada Pond Pad	Yes
Inspected By (auto-populated if you select Yes)	Permit Number
Tina Harris	
Section	Township
Range	County
State	Map Link

General Information

Brief Description	Containment Currently Contains Fluids
Weekly Pond Inspections	Yes
Fencing is in Good condition and Functional	Gates are Closed and locked
Yes	Yes
Facility sign is visible and in good condition	Signs of Surface Water Runon?
Yes	No

Inspection Info for Recycling Containment

Pond Level	Containment has a minimum of three feet of freeboard
7.8	Yes
Containment water surface is free of visible signs of oil	Injection and withdrawal of water is done through a header
No	Yes
Oil absorbent booms are on-site and in good condition	Is there evidence of a leak in the liner above the waterline
No	No
Site is free of evidence of leaks, spills or releases	If leak detection contained liquid, was it removed?
Yes	
If leak detection contained liquid, was HSE notified?	

Upper Leak Detection

Water Present in ULD?	Total Depth of (ULD) (ft)
No	101.0

Gallons of Water Removed ULD

Lower Leak Detection

Water Present in (LLD)?

Total Depth of (LLD) (ft)

Depth to Water in (LLD) (ft)

Height of Water in (LLD)

Gallons of Water Removed (LLD)

Bird Mitigation System

Audio Bird Deterrents are present and in working order
Yes

Visual Bird Deterrents are present and in working order
Yes

Facility was inspected, and no evidence of bird mortality was found
Yes

If evidence of bird mortality was found, HSE was notified
N/A

Comments

Technician / Employee Comments
I didn't take reading due to excessive mud,... ran pump no water

Assignments

Site	Created On	Created By	Updated On	Updated By	From	Contact	Status	Assignment Status	Assigned By
def	02-25-2024 12:01:46 MST		02-25-2024 12:01:46 MST		03-24-2024 06:00:00 MST	Tina Harris	P	Assigned	

Signature



Work Orders

#49365 - Weekly Pond Inspections

Created On Date	Updated On
03-03-2024 06:02:05 MST	04-04-2024 13:17:32 MST

Site Information

Asset	Did you perform this inspection?
S Escavada Pond Pad	Yes
Inspected By (auto-populated if you select Yes)	Permit Number
Tina Harris	
Section	Township
Range	County
State	Map Link

General Information

Brief Description	Containment Currently Contains Fluids
Weekly Pond Inspections	Yes
Fencing is in Good condition and Functional	Gates are Closed and locked
Yes	Yes
Facility sign is visible and in good condition	Signs of Surface Water Runon?
Yes	No

Inspection Info for Recycling Containment

Pond Level	Containment has a minimum of three feet of freeboard
7.8	Yes
Containment water surface is free of visible signs of oil	Injection and withdrawal of water is done through a header
No	Yes
Oil absorbent booms are on-site and in good condition	Is there evidence of a leak in the liner above the waterline
No	No
Site is free of evidence of leaks, spills or releases	If leak detection contained liquid, was it removed?
Yes	
If leak detection contained liquid, was HSE notified?	

Upper Leak Detection

Water Present in ULD?	Total Depth of (ULD) (ft)
No	101.0

Depth to Water in (ULD) (ft)

101.0

Height of Water in (ULD)

0.0

Gallons of Water Removed ULD

0.0

Lower Leak Detection

Water Present in (LLD)?

Total Depth of (LLD) (ft)

Depth to Water in (LLD) (ft)

Height of Water in (LLD)

Gallons of Water Removed (LLD)

Bird Mitigation System

Audio Bird Deterrents are present and in working order

Yes

Visual Bird Deterrents are present and in working order

Yes

Facility was inspected, and no evidence of bird mortality was found

Yes

If evidence of bird mortality was found, HSE was notified

N/A

Comments


Technician / Employee Comments

All is good

Assignments

Site	Created On	Created By	Updated On	Updated By	From	Contact	Status	Assignment Status	Assigned By
def	03-03-2024 06:02:05 MST		03-03-2024 06:02:05 MST		03-31-2024 06:00:00 MST	Tina Harris	P	Assigned	

Signature



Work Orders

#50115 - Weekly Pond Inspections

Created On Date	Updated On
03-10-2024 06:06:24 MST	04-10-2024 13:39:44 MST

Site Information

Asset	Did you perform this inspection?
S Escavada Pond Pad	Yes
Inspected By (auto-populated if you select Yes)	Permit Number
Tina Harris	
Section	Township
Range	County
State	Map Link

General Information

Brief Description	Containment Currently Contains Fluids
Weekly Pond Inspections	Yes
Fencing is in Good condition and Functional	Gates are Closed and locked
Yes	Yes
Facility sign is visible and in good condition	Signs of Surface Water Runon?
Yes	No

Inspection Info for Recycling Containment

Pond Level	Containment has a minimum of three feet of freeboard
8	Yes
Containment water surface is free of visible signs of oil	Injection and withdrawal of water is done through a header
Yes	Yes
Oil absorbent booms are on-site and in good condition	Is there evidence of a leak in the liner above the waterline
Yes	No
Site is free of evidence of leaks, spills or releases	If leak detection contained liquid, was it removed?
If leak detection contained liquid, was HSE notified?	

Upper Leak Detection

Water Present in ULD?	Total Depth of (ULD) (ft)
No	105.0

Depth to Water in (ULD) (ft)

105.0

Height of Water in (ULD)

0.0

Gallons of Water Removed ULD

0.0

Lower Leak Detection

Water Present in (LLD)?

Total Depth of (LLD) (ft)

Depth to Water in (LLD) (ft)

Height of Water in (LLD)

Gallons of Water Removed (LLD)

Bird Mitigation System

Audio Bird Deterrents are present and in working order

Yes

Visual Bird Deterrents are present and in working order

Yes

Facility was inspected, and no evidence of bird mortality was found

Yes

If evidence of bird mortality was found, HSE was notified

N/A

Comments

Technician / Employee Comments

Assignments

Site	Created On	Created By	Updated On	Updated By	From	Contact	Status	Assignment Status	Assigned By
def	03-10-2024 06:06:24 MST		03-10-2024 06:06:24 MST		04-07-2024 06:00:00 MST	Tina Harris	P	Assigned	

Signature



Work Orders

#50923 - Weekly Pond Inspections

Created On Date	Updated On
03-17-2024 06:11:49 MST	04-17-2024 12:00:30 MST

Site Information

Asset	Did you perform this inspection?
S Escavada Pond Pad	Yes
Inspected By (auto-populated if you select Yes)	Permit Number
Tina Harris	
Section	Township
Range	County
State	Map Link

General Information

Brief Description	Containment Currently Contains Fluids
Weekly Pond Inspections	Yes
Fencing is in Good condition and Functional	Gates are Closed and locked
Yes	Yes
Facility sign is visible and in good condition	Signs of Surface Water Runon?
Yes	No

Inspection Info for Recycling Containment

Pond Level	Containment has a minimum of three feet of freeboard
7.5	Yes
Containment water surface is free of visible signs of oil	Injection and withdrawal of water is done through a header
Yes	Yes
Oil absorbent booms are on-site and in good condition	Is there evidence of a leak in the liner above the waterline
No	No
Site is free of evidence of leaks, spills or releases	If leak detection contained liquid, was it removed?
Yes	
If leak detection contained liquid, was HSE notified?	

Upper Leak Detection

Water Present in ULD?	Total Depth of (ULD) (ft)
No	101.0

Depth to Water in (ULD) (ft)

Height of Water in (ULD)

101.0

Gallons of Water Removed ULD

0.0

Lower Leak Detection

Water Present in (LLD)?

Total Depth of (LLD) (ft)

Depth to Water in (LLD) (ft)

Height of Water in (LLD)

Gallons of Water Removed (LLD)

Bird Mitigation System

Audio Bird Deterrents are present and in working order

Visual Bird Deterrents are present and in working order

Yes

Yes

Facility was inspected, and no evidence of bird mortality was found

If evidence of bird mortality was found, HSE was notified

Yes

Comments

Technician / Employee Comments

Assignments

Site	Created On	Created By	Updated On	Updated By	From	Contact	Status	Assignment Status	Assigned By
def	03-17-2024 06:11:49 MST		03-17-2024 06:11:49 MST		04-14-2024 06:00:00 MST	Tina Harris	P	Assigned	

Signature



Work Orders

#63756 - Weekly Pond Inspections

Created On Date	Updated On
03-24-2024 06:13:02 MST	04-25-2024 11:33:43 MST

Site Information

Asset	Did you perform this inspection?
S Escavada Pond Pad	Yes
Inspected By (auto-populated if you select Yes)	Permit Number
Tina Harris	
Section	Township
Range	County
State	Map Link

General Information

Brief Description	Containment Currently Contains Fluids
Weekly Pond Inspections	Yes
Fencing is in Good condition and Functional	Gates are Closed and locked
Yes	Yes
Facility sign is visible and in good condition	Signs of Surface Water Runon?
Yes	No

Inspection Info for Recycling Containment

Pond Level	Containment has a minimum of three feet of freeboard
7.5	Yes
Containment water surface is free of visible signs of oil	Injection and withdrawal of water is done through a header
No	Yes
Oil absorbent booms are on-site and in good condition	Is there evidence of a leak in the liner above the waterline
No	No
Site is free of evidence of leaks, spills or releases	If leak detection contained liquid, was it removed?
Yes	
If leak detection contained liquid, was HSE notified?	

Upper Leak Detection

Water Present in ULD?	Total Depth of (ULD) (ft)
No	101.0

Depth to Water in (ULD) (ft)

101.0

Height of Water in (ULD)

0.0

Gallons of Water Removed ULD

0.0

Lower Leak Detection

Water Present in (LLD)?

Total Depth of (LLD) (ft)

Depth to Water in (LLD) (ft)

Height of Water in (LLD)

Gallons of Water Removed (LLD)

Bird Mitigation System

Audio Bird Deterrents are present and in working order

Yes

Visual Bird Deterrents are present and in working order

Yes

Facility was inspected, and no evidence of bird mortality was found

Yes

If evidence of bird mortality was found, HSE was notified

N/A

Comments

Technician / Employee Comments

All is good

Assignments

Site	Created On	Created By	Updated On	Updated By	From	Contact	Status	Assignment Status	Assigned By
def	03-24-2024 06:13:02 MST		03-24-2024 06:13:02 MST		04-21-2024 06:00:00 MST	Tina Harris	P	Assigned	

Signature



Work Orders

#65622 - Weekly Pond Inspections

Created On Date	Updated On
03-31-2024 06:11:30 MST	04-30-2024 12:43:38 MST

Site Information

Asset	Did you perform this inspection?
S Escavada Pond Pad	Yes
Inspected By (auto-populated if you select Yes)	Permit Number
Tina Harris	
Section	Township
Range	County
State	Map Link

General Information

Brief Description	Containment Currently Contains Fluids
Weekly Pond Inspections	Yes
Fencing is in Good condition and Functional	Gates are Closed and locked
Yes	Yes
Facility sign is visible and in good condition	Signs of Surface Water Runon?
Yes	No

Inspection Info for Recycling Containment

Pond Level	Containment has a minimum of three feet of freeboard
7.5	Yes
Containment water surface is free of visible signs of oil	Injection and withdrawal of water is done through a header
No	Yes
Oil absorbent booms are on-site and in good condition	Is there evidence of a leak in the liner above the waterline
No	No
Site is free of evidence of leaks, spills or releases	If leak detection contained liquid, was it removed?
Yes	
If leak detection contained liquid, was HSE notified?	

Upper Leak Detection

Water Present in ULD?	Total Depth of (ULD) (ft)
No	101.0

Depth to Water in (ULD) (ft)

101.0

Height of Water in (ULD)

0.0

Gallons of Water Removed ULD

0.0

Lower Leak Detection

Water Present in (LLD)?

Total Depth of (LLD) (ft)

Depth to Water in (LLD) (ft)

Height of Water in (LLD)

Gallons of Water Removed (LLD)

Bird Mitigation System

Audio Bird Deterrents are present and in working order

Yes

Visual Bird Deterrents are present and in working order

Yes

Facility was inspected, and no evidence of bird mortality was found

Yes

If evidence of bird mortality was found, HSE was notified

N/A

Comments

Technician / Employee Comments

All is good

Assignments

Site	Created On	Created By	Updated On	Updated By	From	Contact	Status	Assignment Status	Assigned By
def	03-31-2024 06:11:30 MST		03-31-2024 06:11:30 MST		04-28-2024 06:00:00 MST	Tina Harris	P	Assigned	

Signature



Work Orders

#77861 - Weekly Pond Inspections

Created On Date	Updated On
04-07-2024 06:02:31 MST	05-08-2024 10:47:49 MST

Site Information

Asset	Did you perform this inspection?
S Escavada Pond Pad	Yes
Inspected By (auto-populated if you select Yes)	Permit Number
Tina Harris	
Section	Township
Range	County
State	Map Link

General Information

Brief Description	Containment Currently Contains Fluids
Weekly Pond Inspections	Yes
Fencing is in Good condition and Functional	Gates are Closed and locked
Yes	Yes
Facility sign is visible and in good condition	Signs of Surface Water Runon?
Yes	No

Inspection Info for Recycling Containment

Pond Level	Containment has a minimum of three feet of freeboard
7.5	Yes
Containment water surface is free of visible signs of oil	Injection and withdrawal of water is done through a header
No	Yes
Oil absorbent booms are on-site and in good condition	Is there evidence of a leak in the liner above the waterline
No	No
Site is free of evidence of leaks, spills or releases	If leak detection contained liquid, was it removed?
Yes	
If leak detection contained liquid, was HSE notified?	

Upper Leak Detection

Water Present in ULD?	Total Depth of (ULD) (ft)
No	101.0

Depth to Water in (ULD) (ft)

101.0

Height of Water in (ULD)

0.0

Gallons of Water Removed ULD

0.0

Lower Leak Detection

Water Present in (LLD)?

Total Depth of (LLD) (ft)

Depth to Water in (LLD) (ft)

Height of Water in (LLD)

Gallons of Water Removed (LLD)

Bird Mitigation System

Audio Bird Deterrents are present and in working order

Yes

Visual Bird Deterrents are present and in working order

Yes

Facility was inspected, and no evidence of bird mortality was found

Yes

If evidence of bird mortality was found, HSE was notified

N/A

Comments

Technician / Employee Comments

Assignments

Site	Created On	Created By	Updated On	Updated By	From	Contact	Status	Assignment Status	Assigned By
def	04-07-2024 06:02:31 MST		04-07-2024 06:02:31 MST		05-05-2024 06:00:00 MST	Tina Harris	P	Assigned	

Signature



Work Orders

#79480 - Weekly Pond Inspections

Created On Date	Updated On
04-14-2024 06:03:11 MST	05-14-2024 12:27:33 MST

Site Information

Asset	Did you perform this inspection?
S Escavada Pond Pad	Yes
Inspected By (auto-populated if you select Yes)	Permit Number
Tina Harris	
Section	Township
Range	County
State	Map Link

General Information

Brief Description	Containment Currently Contains Fluids
Weekly Pond Inspections	Yes
Fencing is in Good condition and Functional	Gates are Closed and locked
Yes	Yes
Facility sign is visible and in good condition	Signs of Surface Water Runon?
Yes	No

Inspection Info for Recycling Containment

Pond Level	Containment has a minimum of three feet of freeboard
7	Yes
Containment water surface is free of visible signs of oil	Injection and withdrawal of water is done through a header
No	Yes
Oil absorbent booms are on-site and in good condition	Is there evidence of a leak in the liner above the waterline
No	No
Site is free of evidence of leaks, spills or releases	If leak detection contained liquid, was it removed?
Yes	
If leak detection contained liquid, was HSE notified?	

Upper Leak Detection

Water Present in ULD?	Total Depth of (ULD) (ft)
No	101.0

Depth to Water in (ULD) (ft)

101.0

Height of Water in (ULD)

0.0

Gallons of Water Removed ULD

0.0

Lower Leak Detection

Water Present in (LLD)?

Total Depth of (LLD) (ft)

Depth to Water in (LLD) (ft)

Height of Water in (LLD)

Gallons of Water Removed (LLD)

Bird Mitigation System

Audio Bird Deterrents are present and in working order

Yes

Visual Bird Deterrents are present and in working order

Yes

Facility was inspected, and no evidence of bird mortality was found

Yes

If evidence of bird mortality was found, HSE was notified

N/A

Comments

Technician / Employee Comments

Ran pump, no water in leak detection...

Assignments

Site	Created On	Created By	Updated On	Updated By	From	Contact	Status	Assignment Status	Assigned By
def	04-14-2024 06:03:11 MST		04-14-2024 06:03:11 MST		05-12-2024 06:00:00 MST	Tina Harris	P	Assigned	

Signature



Work Orders

#80574 - Weekly Pond Inspections

Created On Date	Updated On
04-21-2024 06:06:18 MST	05-22-2024 10:52:52 MST

Site Information

Asset	Did you perform this inspection?
S Escavada Pond Pad	Yes
Inspected By (auto-populated if you select Yes)	Permit Number
Tina Harris	
Section	Township
Range	County
State	Map Link

General Information

Brief Description	Containment Currently Contains Fluids
Weekly Pond Inspections	Yes
Fencing is in Good condition and Functional	Gates are Closed and locked
Yes	Yes
Facility sign is visible and in good condition	Signs of Surface Water Runon?
Yes	No

Inspection Info for Recycling Containment

Pond Level	Containment has a minimum of three feet of freeboard
7	Yes
Containment water surface is free of visible signs of oil	Injection and withdrawal of water is done through a header
No	Yes
Oil absorbent booms are on-site and in good condition	Is there evidence of a leak in the liner above the waterline
No	No
Site is free of evidence of leaks, spills or releases	If leak detection contained liquid, was it removed?
Yes	
If leak detection contained liquid, was HSE notified?	

Upper Leak Detection

Water Present in ULD?	Total Depth of (ULD) (ft)
No	101.0

Depth to Water in (ULD) (ft)

101.0

Height of Water in (ULD)

0.0

Gallons of Water Removed ULD

0.0

Lower Leak Detection

Water Present in (LLD)?

Total Depth of (LLD) (ft)

Depth to Water in (LLD) (ft)

Height of Water in (LLD)

Gallons of Water Removed (LLD)

Bird Mitigation System

Audio Bird Deterrents are present and in working order

Yes

Visual Bird Deterrents are present and in working order

Yes

Facility was inspected, and no evidence of bird mortality was found

Yes

If evidence of bird mortality was found, HSE was notified

N/A

Comments

Technician / Employee Comments

All is Good

Assignments

Site	Created On	Created By	Updated On	Updated By	From	Contact	Status	Assignment Status	Assigned By
def	04-21-2024 06:06:18 MST		04-21-2024 06:06:18 MST		05-19-2024 06:00:00 MST	Tina Harris	P	Assigned	

Signature



Work Orders

#82369 - Weekly Pond Inspections

Created On Date	Updated On
04-28-2024 06:07:28 MST	05-30-2024 11:58:58 MST

Site Information

Asset	Did you perform this inspection?
S Escavada Pond Pad	Yes
Inspected By (auto-populated if you select Yes)	Permit Number
Tina Harris	
Section	Township
Range	County
State	Map Link

General Information

Brief Description	Containment Currently Contains Fluids
Weekly Pond Inspections	Yes
Fencing is in Good condition and Functional	Gates are Closed and locked
Yes	Yes
Facility sign is visible and in good condition	Signs of Surface Water Runon?
Yes	No

Inspection Info for Recycling Containment

Pond Level	Containment has a minimum of three feet of freeboard
7	Yes
Containment water surface is free of visible signs of oil	Injection and withdrawal of water is done through a header
No	Yes
Oil absorbent booms are on-site and in good condition	Is there evidence of a leak in the liner above the waterline
No	No
Site is free of evidence of leaks, spills or releases	If leak detection contained liquid, was it removed?
Yes	
If leak detection contained liquid, was HSE notified?	

Upper Leak Detection

Water Present in ULD?	Total Depth of (ULD) (ft)
No	101.0

Depth to Water in (ULD) (ft)

101.0

Height of Water in (ULD)

0.0

Gallons of Water Removed ULD

0.0

Lower Leak Detection

Water Present in (LLD)?

Total Depth of (LLD) (ft)

Depth to Water in (LLD) (ft)

Height of Water in (LLD)

Gallons of Water Removed (LLD)

Bird Mitigation System

Audio Bird Deterrents are present and in working order

Yes

Visual Bird Deterrents are present and in working order

Yes

Facility was inspected, and no evidence of bird mortality was found

Yes

If evidence of bird mortality was found, HSE was notified

N/A

Comments

Technician / Employee Comments

All is good

Assignments

Site	Created On	Created By	Updated On	Updated By	From	Contact	Status	Assignment Status	Assigned By
def	04-28-2024 06:07:28 MST		04-28-2024 06:07:28 MST		05-26-2024 06:00:00 MST	Tina Harris	P	Assigned	

Signature



Work Orders

#84300 - Weekly Pond Inspections

Created On Date	Updated On
05-05-2024 06:06:50 MST	06-05-2024 16:03:59 MST

Site Information

Asset	Did you perform this inspection?
S Escavada Pond Pad	Yes
Inspected By (auto-populated if you select Yes)	Permit Number
Tina Harris	
Section	Township
Range	County
State	Map Link

General Information

Brief Description	Containment Currently Contains Fluids
Weekly Pond Inspections	Yes
Fencing is in Good condition and Functional	Gates are Closed and locked
Yes	No
Facility sign is visible and in good condition	Signs of Surface Water Runon?
Yes	No

Inspection Info for Recycling Containment

Pond Level	Containment has a minimum of three feet of freeboard
7	Yes
Containment water surface is free of visible signs of oil	Injection and withdrawal of water is done through a header
Yes	Yes
Oil absorbent booms are on-site and in good condition	Is there evidence of a leak in the liner above the waterline
No	No
Site is free of evidence of leaks, spills or releases	If leak detection contained liquid, was it removed?
Yes	
If leak detection contained liquid, was HSE notified?	

Upper Leak Detection

Water Present in ULD?	Total Depth of (ULD) (ft)
	101.0

Depth to Water in (ULD) (ft)

101.0

Height of Water in (ULD)

0.0

Gallons of Water Removed ULD

0.0

Lower Leak Detection

Water Present in (LLD)?

Total Depth of (LLD) (ft)

Depth to Water in (LLD) (ft)

Height of Water in (LLD)

Gallons of Water Removed (LLD)

Bird Mitigation System

Audio Bird Deterrents are present and in working order

Yes

Visual Bird Deterrents are present and in working order

Yes

Facility was inspected, and no evidence of bird mortality was found

Yes

If evidence of bird mortality was found, HSE was notified

N/A

Comments


Technician / Employee Comments

Crew on location spraying liner

Assignments

Site	Created On	Created By	Updated On	Updated By	From	Contact	Status	Assignment Status	Assigned By
def	05-05-2024 06:06:50 MST		05-05-2024 06:06:50 MST		06-02-2024 06:00:00 MST	Tina Harris	P	Assigned	

Signature



Work Orders

#84816 - Weekly Pond Inspections

Created On Date05-12-2024 06:03:38 MST

Updated On07-09-2024 14:22:40 MST

Site Information

Asset	Did you perform this inspection?
S Escavada Pond Pad	No
Inspected By (auto-populated if you select Yes)	Permit Number
Section	Township
Range	County
State	Map Link

General Information

Brief Description	Containment Currently Contains Fluids
Weekly Pond Inspections	
Fencing is in Good condition and Functional	Gates are Closed and locked
Facility sign is visible and in good condition	Signs of Surface Water Runon?

Inspection Info for Recycling Containment

Pond Level	Containment has a minimum of three feet of freeboard
Containment water surface is free of visible signs of oil	Injection and withdrawal of water is done through a header
Oil absorbent booms are on-site and in good condition	Is there evidence of a leak in the liner above the waterline
Site is free of evidence of leaks, spills or releases	If leak detection contained liquid, was it removed?
If leak detection contained liquid, was HSE notified?	

Upper Leak Detection

Water Present in ULD?	Total Depth of (ULD) (ft)
Depth to Water in (ULD) (ft)	Height of Water in (ULD)
Gallons of Water Removed ULD	

Water Present in (LLD)?	Total Depth of (LLD) (ft)
Depth to Water in (LLD) (ft)	Height of Water in (LLD)
Gallons of Water Removed (LLD)	

Bird Mitigation System

Audio Bird Deterants are present and in working order	Visual Bird Deterants are present and in working order
Facility was inspected, and no evidence of bird mortality was found	If evidence of bird mortality was found, HSE was notified

Comments

Technician / Employee Comments
Was not assigned to me at this time

Assignments

Site	Created On	Created By	Updated On	Updated By	From	Contact	Status	Assignment Status	Assigned By
def	05-12-2024 06:03:38 MST		07-09-2024 14:22:35 MST	Danny Montoya	06-09-2024 06:00:00 MST	Danny Montoya	P	Completed	

Signature



Work Orders

#85334 - Weekly Pond Inspections

Created On Date	Updated On
05-19-2024 06:02:12 MST	06-29-2024 07:16:58 MST

Site Information

Asset	Did you perform this inspection?
S Escavada Pond Pad	Yes
Inspected By (auto-populated if you select Yes)	Permit Number
Danny Montoya	
Section	Township
Range	County
State	Map Link

General Information

Brief Description	Containment Currently Contains Fluids
Weekly Pond Inspections	Yes
Fencing is in Good condition and Functional	Gates are Closed and locked
Yes	Yes
Facility sign is visible and in good condition	Signs of Surface Water Runon?
Yes	No

Inspection Info for Recycling Containment

Pond Level	Containment has a minimum of three feet of freeboard
7'	Yes
Containment water surface is free of visible signs of oil	Injection and withdrawal of water is done through a header
Yes	Yes
Oil absorbent booms are on-site and in good condition	Is there evidence of a leak in the liner above the waterline
Yes	No
Site is free of evidence of leaks, spills or releases	If leak detection contained liquid, was it removed?
Yes	
If leak detection contained liquid, was HSE notified?	

Upper Leak Detection

Water Present in ULD?	Total Depth of (ULD) (ft)
	101.0

Gallons of Water Removed ULD
0.0

Lower Leak Detection

Water Present in (LLD)?
Total Depth of (LLD) (ft)
Depth to Water in (LLD) (ft)
Height of Water in (LLD)
Gallons of Water Removed (LLD)

Bird Mitigation System

Audio Bird Deterrents are present and in working order
Yes
Visual Bird Deterrents are present and in working order
Yes
Facility was inspected, and no evidence of bird mortality was found
Yes
If evidence of bird mortality was found, HSE was notified


Comments

Technician / Employee Comments

Assignments

Site	Created On	Created By	Updated On	Updated By	From	Contact	Status	Assignment Status	Assigned By
def	05-19-2024 06:02:12 MST		06-29-2024 07:16:51 MST	Danny Montoya	06-16-2024 06:00:00 MST	Danny Montoya	P	Completed	

Signature



Work Orders

#85794 - Weekly Pond Inspections

Created On Date	Updated On
05-26-2024 06:04:15 MST	06-29-2024 06:43:43 MST

Site Information

Asset	Did you perform this inspection?
S Escavada Pond Pad	Yes
Inspected By (auto-populated if you select Yes)	Permit Number
Danny Montoya	
Section	Township
Range	County
State	Map Link

General Information

Brief Description	Containment Currently Contains Fluids
Weekly Pond Inspections	Yes
Fencing is in Good condition and Functional	Gates are Closed and locked
Yes	Yes
Facility sign is visible and in good condition	Signs of Surface Water Runon?
Yes	No

Inspection Info for Recycling Containment

Pond Level	Containment has a minimum of three feet of freeboard
7'	Yes
Containment water surface is free of visible signs of oil	Injection and withdrawal of water is done through a header
Yes	Yes
Oil absorbent booms are on-site and in good condition	Is there evidence of a leak in the liner above the waterline
Yes	No
Site is free of evidence of leaks, spills or releases	If leak detection contained liquid, was it removed?
Yes	
If leak detection contained liquid, was HSE notified?	

Upper Leak Detection

Water Present in ULD?	Total Depth of (ULD) (ft)
No	101.0

Depth to Water in (ULD) (ft)

0.0

Height of Water in (ULD)

0.0

Gallons of Water Removed ULD

0.0

Lower Leak Detection

Water Present in (LLD)?

No

Total Depth of (LLD) (ft)

Depth to Water in (LLD) (ft)

Height of Water in (LLD)

Gallons of Water Removed (LLD)

Bird Mitigation System

Audio Bird Deterrents are present and in working order

Yes

Visual Bird Deterrents are present and in working order

Yes

Facility was inspected, and no evidence of bird mortality was found

Yes

If evidence of bird mortality was found, HSE was notified


Comments

Technician / Employee Comments

Assignments

Site	Created On	Created By	Updated On	Updated By	From	Contact	Status	Assignment Status	Assigned By
def	05-26-2024 06:04:15 MST		06-29-2024 06:43:31 MST	Danny Montoya	06-23-2024 06:00:00 MST	Danny Montoya	P	Completed	

Signature



Work Orders

#90618 - Weekly Pond Inspections

Created On Date06-24-2024 08:19:28 MST

Updated On07-09-2024 14:25:41 MST

Site Information

Asset	Did you perform this inspection?
S Escavada Pond Pad	No
Inspected By (auto-populated if you select Yes)	Permit Number
Section	Township
Range	County
State	Map Link

General Information

Brief Description	Containment Currently Contains Fluids
Weekly Pond Inspections	
Fencing is in Good condition and Functional	Gates are Closed and locked
Facility sign is visible and in good condition	Signs of Surface Water Runon?

Inspection Info for Recycling Containment

Pond Level	Containment has a minimum of three feet of freeboard
Containment water surface is free of visible signs of oil	Injection and withdrawal of water is done through a header
Oil absorbent booms are on-site and in good condition	Is there evidence of a leak in the liner above the waterline
Site is free of evidence of leaks, spills or releases	If leak detection contained liquid, was it removed?
If leak detection contained liquid, was HSE notified?	

Upper Leak Detection

Water Present in ULD?	Total Depth of (ULD) (ft)
Depth to Water in (ULD) (ft)	Height of Water in (ULD)
Gallons of Water Removed ULD	

Water Present in (LLD)?	Total Depth of (LLD) (ft)
Depth to Water in (LLD) (ft)	Height of Water in (LLD)
Gallons of Water Removed (LLD)	

Bird Mitigation System

Audio Bird Deterants are present and in working order	Visual Bird Deterants are present and in working order
Facility was inspected, and no evidence of bird mortality was found	If evidence of bird mortality was found, HSE was notified

Comments


Technician / Employee Comments

was on PTO emailed safety supervisor to inform him that someone would need to do the pond inspections while I was off

Assignments

Site	Created On	Created By	Updated On	Updated By	From	Contact	Status	Assignment Status	Assigned By
def	06-24-2024 08:19:28 MST		06-24-2024 08:19:28 MST		06-30-2024 06:00:00 MST	Danny Montoya	P	Assigned	

Signature



Work Orders

#90619 - Weekly Pond Inspections

Created On Date	Updated On
06-24-2024 08:19:28 MST	07-09-2024 14:17:35 MST

Site Information

Asset	Did you perform this inspection?
S Escavada Pond Pad	Yes
Inspected By (auto-populated if you select Yes)	Permit Number
Danny Montoya	
Section	Township
Range	County
State	Map Link

General Information

Brief Description	Containment Currently Contains Fluids
Weekly Pond Inspections	Yes
Fencing is in Good condition and Functional	Gates are Closed and locked
Yes	Yes
Facility sign is visible and in good condition	Signs of Surface Water Runon?
Yes	No

Inspection Info for Recycling Containment

Pond Level	Containment has a minimum of three feet of freeboard
15'	Yes
Containment water surface is free of visible signs of oil	Injection and withdrawal of water is done through a header
Yes	Yes
Oil absorbent booms are on-site and in good condition	Is there evidence of a leak in the liner above the waterline
Yes	No
Site is free of evidence of leaks, spills or releases	If leak detection contained liquid, was it removed?
Yes	
If leak detection contained liquid, was HSE notified?	

Upper Leak Detection

Water Present in ULD?	Total Depth of (ULD) (ft)
	101.0

Gallons of Water Removed ULD
10.0

Lower Leak Detection

Water Present in (LLD)?
Total Depth of (LLD) (ft)
Depth to Water in (LLD) (ft)
Height of Water in (LLD)
Gallons of Water Removed (LLD)

Bird Mitigation System

Audio Bird Deterrents are present and in working order
Yes
Visual Bird Deterrents are present and in working order
Yes
Facility was inspected, and no evidence of bird mortality was found
Yes
If evidence of bird mortality was found, HSE was notified


Comments

Technician / Employee Comments

Assignments

Site	Created On	Created By	Updated On	Updated By	From	Contact	Status	Assignment Status	Assigned By
def	06-24-2024 08:19:28 MST		07-09-2024 14:17:29 MST	Danny Montoya	07-07-2024 06:00:00 MST	Danny Montoya	P	Completed	

Signature



Work Orders

#90620 - Weekly Pond Inspections

Created On Date	Updated On
06-24-2024 08:19:28 MST	07-28-2024 11:39:17 MST

Site Information

Asset	Did you perform this inspection?
S Escavada Pond Pad	Yes
Inspected By (auto-populated if you select Yes)	Permit Number
Danny Montoya	
Section	Township
Range	County
State	Map Link

General Information

Brief Description	Containment Currently Contains Fluids
Weekly Pond Inspections	Yes
Fencing is in Good condition and Functional	Gates are Closed and locked
Yes	Yes
Facility sign is visible and in good condition	Signs of Surface Water Runon?
Yes	No

Inspection Info for Recycling Containment

Pond Level	Containment has a minimum of three feet of freeboard
7'	Yes
Containment water surface is free of visible signs of oil	Injection and withdrawal of water is done through a header
Yes	Yes
Oil absorbent booms are on-site and in good condition	Is there evidence of a leak in the liner above the waterline
Yes	No
Site is free of evidence of leaks, spills or releases	If leak detection contained liquid, was it removed?
Yes	
If leak detection contained liquid, was HSE notified?	

Upper Leak Detection

Water Present in ULD?	Total Depth of (ULD) (ft)
No	

Gallons of Water Removed ULD
0.0

Lower Leak Detection

Water Present in (LLD)?
No

Total Depth of (LLD) (ft)

Depth to Water in (LLD) (ft)

Height of Water in (LLD)

Gallons of Water Removed (LLD)
0.0

Bird Mitigation System

Audio Bird Deterrents are present and in working order
Yes

Visual Bird Deterrents are present and in working order
Yes

Facility was inspected, and no evidence of bird mortality was found
Yes

If evidence of bird mortality was found, HSE was notified


Comments

Technician / Employee Comments

Assignments

Site	Created On	Created By	Updated On	Updated By	From	Contact	Status	Assignment Status	Assigned By
def	06-24-2024 08:19:28 MST		07-28-2024 11:39:11 MST	Danny Montoya	07-14-2024 06:00:00 MST	Danny Montoya	P	Completed	

Signature



Work Orders

#90621 - Weekly Pond Inspections

Created On Date	Updated On
06-24-2024 08:19:28 MST	07-28-2024 11:41:03 MST

Site Information

Asset	Did you perform this inspection?
S Escavada Pond Pad	Yes
Inspected By (auto-populated if you select Yes)	Permit Number
Danny Montoya	
Section	Township
Range	County
State	Map Link

General Information

Brief Description	Containment Currently Contains Fluids
Weekly Pond Inspections	Yes
Fencing is in Good condition and Functional	Gates are Closed and locked
Yes	Yes
Facility sign is visible and in good condition	Signs of Surface Water Runon?
Yes	No

Inspection Info for Recycling Containment

Pond Level	Containment has a minimum of three feet of freeboard
7'	Yes
Containment water surface is free of visible signs of oil	Injection and withdrawal of water is done through a header
Yes	Yes
Oil absorbent booms are on-site and in good condition	Is there evidence of a leak in the liner above the waterline
Yes	No
Site is free of evidence of leaks, spills or releases	If leak detection contained liquid, was it removed?
Yes	
If leak detection contained liquid, was HSE notified?	

Upper Leak Detection

Water Present in ULD?	Total Depth of (ULD) (ft)
No	

Gallons of Water Removed ULD
0.0

Lower Leak Detection

Water Present in (LLD)?
No

Total Depth of (LLD) (ft)

Depth to Water in (LLD) (ft)

Height of Water in (LLD)

Gallons of Water Removed (LLD)
0.0

Bird Mitigation System

Audio Bird Deterrents are present and in working order
Yes

Visual Bird Deterrents are present and in working order
Yes

Facility was inspected, and no evidence of bird mortality was found
Yes

If evidence of bird mortality was found, HSE was notified
Yes


Comments

Technician / Employee Comments

Assignments

Site	Created On	Created By	Updated On	Updated By	From	Contact	Status	Assignment Status	Assigned By
def	06-24-2024 08:19:28 MST		07-28-2024 11:40:57 MST	Danny Montoya	07-21-2024 06:00:00 MST	Danny Montoya	P	Completed	

Signature



Work Orders

#91271 - Weekly Pond Inspections

Created On Date	Updated On
06-30-2024 06:06:24 MST	08-12-2024 09:19:22 MST

Site Information

Asset	Did you perform this inspection?
S Escavada Pond Pad	Yes
Inspected By (auto-populated if you select Yes)	Permit Number
Danny Montoya	
Section	Township
Range	County
State	Map Link

General Information

Brief Description	Containment Currently Contains Fluids
Weekly Pond Inspections	Yes
Fencing is in Good condition and Functional	Gates are Closed and locked
Yes	Yes
Facility sign is visible and in good condition	Signs of Surface Water Runon?
Yes	No

Inspection Info for Recycling Containment

Pond Level	Containment has a minimum of three feet of freeboard
7'	Yes
Containment water surface is free of visible signs of oil	Injection and withdrawal of water is done through a header
Yes	Yes
Oil absorbent booms are on-site and in good condition	Is there evidence of a leak in the liner above the waterline
Yes	No
Site is free of evidence of leaks, spills or releases	If leak detection contained liquid, was it removed?
Yes	
If leak detection contained liquid, was HSE notified?	

Upper Leak Detection

Water Present in ULD?	Total Depth of (ULD) (ft)
	101.0

Gallons of Water Removed ULD
0.0

Lower Leak Detection

Water Present in (LLD)?

Total Depth of (LLD) (ft)

Depth to Water in (LLD) (ft)

Height of Water in (LLD)

Gallons of Water Removed (LLD)
0.0

Bird Mitigation System

Audio Bird Deterrents are present and in working order
Yes

Visual Bird Deterrents are present and in working order
Yes

Facility was inspected, and no evidence of bird mortality was found
Yes

If evidence of bird mortality was found, HSE was notified

Comments

Technician / Employee Comments

Assignments

Site	Created On	Created By	Updated On	Updated By	From	Contact	Status	Assignment Status	Assigned By
def	06-30-2024 06:06:24 MST		08-12-2024 09:19:16 MST	Danny Montoya	07-28-2024 06:00:00 MST	Danny Montoya	P	Completed	

Signature



Work Orders

#93565 - Weekly Pond Inspections

Created On Date	Updated On
07-07-2024 06:05:43 MST	08-12-2024 09:12:41 MST

Site Information

Asset	Did you perform this inspection?
S Escavada Pond Pad	Yes
Inspected By (auto-populated if you select Yes)	Permit Number
Danny Montoya	
Section	Township
Range	County
State	Map Link

General Information

Brief Description	Containment Currently Contains Fluids
Weekly Pond Inspections	Yes
Fencing is in Good condition and Functional	Gates are Closed and locked
Yes	Yes
Facility sign is visible and in good condition	Signs of Surface Water Runon?
Yes	No

Inspection Info for Recycling Containment

Pond Level	Containment has a minimum of three feet of freeboard
7'	Yes
Containment water surface is free of visible signs of oil	Injection and withdrawal of water is done through a header
Yes	Yes
Oil absorbent booms are on-site and in good condition	Is there evidence of a leak in the liner above the waterline
Yes	No
Site is free of evidence of leaks, spills or releases	If leak detection contained liquid, was it removed?
Yes	
If leak detection contained liquid, was HSE notified?	

Upper Leak Detection

Water Present in ULD?	Total Depth of (ULD) (ft)
	101.0

Gallons of Water Removed ULD
0.0

Lower Leak Detection

Water Present in (LLD)?
No

Total Depth of (LLD) (ft)

Depth to Water in (LLD) (ft)

Height of Water in (LLD)

Gallons of Water Removed (LLD)

Bird Mitigation System

Audio Bird Deterrents are present and in working order
Yes

Visual Bird Deterrents are present and in working order
Yes

Facility was inspected, and no evidence of bird mortality was found
Yes

If evidence of bird mortality was found, HSE was notified
N/A


Comments

Technician / Employee Comments

Assignments

Site	Created On	Created By	Updated On	Updated By	From	Contact	Status	Assignment Status	Assigned By
def	07-07-2024 06:05:43 MST		07-07-2024 06:05:43 MST		08-04-2024 06:00:00 MST	Danny Montoya	P	Assigned	

Signature



District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 377972

CONDITIONS

Operator: ENDURING RESOURCES, LLC 6300 S Syracuse Way Centennial, CO 80111	OGRID: 372286
	Action Number: 377972
	Action Type: [C-147] Water Recycle Long (C-147L)

CONDITIONS

Created By	Condition	Condition Date
vvenegas	• The extension of the cessation of operations requested for permit 3RF-30 - SEU 2206 - 20M FACILITY ID [fVF1828850052] is approved from September 1/2024 to March 1/2025. However, if after this 6-month period, the containment was not utilized at a minimum of 20% fluid capacity, no additional extensions would be granted, and the operator would be directed to remove all fluids and proceed with the closure requirements.	8/27/2024