

Daily Inspection Form  
Sundance West

Date: 9-1-22

Print Name: Deysi Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

TYPE OF INSPECTION

Item	Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual	Satisfactory	Action Required
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)						D ✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)						D ✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)						D ✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)						D ✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)						D ✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)						D ✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)						D ✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)						D ✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)						D ✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)						D ✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)						D ✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)						D ✓	
Pond levels three-foot free board						D ✓	

Daily Inspection Form  
Sundance West

Date: 9-2-22

Print Name: Deysi Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

TYPE OF INSPECTION

Item	Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual	Satisfactory	Action Required
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)						D ✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)						D ✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)						D ✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)						D ✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)						D ✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)						D ✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)						D ✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)						D ✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)						D ✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)						D ✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)						D ✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)						D ✓	
Pond levels three-foot free board						D ✓	



Daily Inspection Form  
Sundance West

Date: 9-3-22

Others: \_\_\_\_\_

Print Name: Deysi Romero

Signature: \_\_\_\_\_

TYPE OF INSPECTION

Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual
---	--------	---------	-----------	--------

Item		Satisfactory	Action Required
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)	D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)	D	✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)	D	✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)	D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)	D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)	D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)	D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)	D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)	D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127) -	D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)	D	✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)	D	✓	
Pond levels three-foot free board	D	✓	

**Daily Inspection Form  
Sundance West**

Date: 9-4-22

Print Name: Deysi Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

TYPE OF INSPECTION

Item	Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual	Satisfactory	Action Required
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)						D ✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)						D ✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)						D ✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)						D ✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)						D ✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)						D ✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)						D ✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)						D ✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)						D ✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)						D ✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)						D ✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)						D ✓	
Pond levels three-foot free board						D ✓	

Daily Inspection Form  
Sundance West

Date: 9-5-22

Others: \_\_\_\_\_

Print Name: Deysi Romero

Signature: \_\_\_\_\_

TYPE OF INSPECTION

Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual
---	--------	---------	-----------	--------

Item		Satisfactory	Action Required
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)	D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)	D	✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)	D	✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)	D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)	D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)	D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)	D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)	D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)	D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)	D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)	D	✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)	D	✓	
Pond levels three-foot free board	D	✓	



Daily Inspection Form  
Sundance West

Date: 9-6-22

Print Name: Deysi Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

TYPE OF INSPECTION

Item	Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual	D	Satisfactory	Action Required
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)						D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)						D	✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)						D	✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)						D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)						D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)						D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)						D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)						D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)						D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)						D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)						D	✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)						D	✓	
Pond levels three-foot free board						D	✓	

**Daily Inspection Form  
Sundance West**

Date: 9-7-22  
 Others: \_\_\_\_\_

Print Name: Deysi Romero  
 Signature: \_\_\_\_\_

TYPE OF INSPECTION

Daily  
  Weekly  
  Monthly  
  Quarterly  
  Annual

Item		Satisfactory	Action Required
Vehicle Screening (H2S) (Vol. II - Sec.4:2 - Pg.19)	D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)	D	✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)	D	✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)	D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)	D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)	D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)	D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)	D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)	D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)	D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)	D	✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)	D	✓	
Pond levels three-foot free board	D	✓	

**Daily Inspection Form  
Sundance West**

Date: 9-8-22

Print Name: Drew Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

**TYPE OF INSPECTION**

TYPE OF INSPECTION					Item	Satisfactory	Action Required
Daily	Weekly	Monthly	Quarterly	Annual			
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)	D ✓	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Dust Control (Vol. II - Sec.4.3 - Pg.19)	D ✓	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)	D ✓	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)	D ✓	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)	D ✓	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)	D ✓	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Waste Screening and Forms (Vol. II - Sec 2- Pg.94)	D ✓	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)	D ✓	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)	D ✓	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)	D ✓	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)	D ✓	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)	D ✓	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Pond levels three-foot free board	D ✓	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			



Daily Inspection Form  
Sundance West

Date: 9-9-22  
Others: \_\_\_\_\_

Print Name: Deysi Romero  
Signature: \_\_\_\_\_

TYPE OF INSPECTION

Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual		Satisfactory	Action Required
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)					D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)					D	✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)					D	✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)					D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)					D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)					D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)					D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)					D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)					D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)					D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)					D	✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)					D	✓	
Pond levels three-foot free board					D	✓	

**Daily Inspection Form  
Sundance West**

Date: 9-10-22

Others: \_\_\_\_\_

Print Name: Deysi Romero

Signature: \_\_\_\_\_

**TYPE OF INSPECTION**

Item	Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual	Satisfactory	Action Required
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)						D ✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)						D ✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)						D ✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)						D ✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)						D ✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)						D ✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)						D ✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)						D ✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)						D ✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)						D ✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)						D ✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)						D ✓	
Pond levels three-foot free board						D ✓	

**Daily Inspection Form  
Sundance West**

Date: 9-11-22

Others: \_\_\_\_\_

Print Name: Deisi Romero

Signature: \_\_\_\_\_

**TYPE OF INSPECTION**

Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual
---	--------	---------	-----------	--------

Item		Satisfactory	Action Required
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)	D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)	D	✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)	D	✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)	D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)	D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)	D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)	D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)	D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)	D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)	D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)	D	✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)	D	✓	
Pond levels three-foot free board	D	✓	



**Daily Inspection Form  
Sundance West**

Date: 9-12-22  
 Others: \_\_\_\_\_

Print Name: Daisy Romero  
 Signature: \_\_\_\_\_

**TYPE OF INSPECTION**

TYPE OF INSPECTION					Item	Satisfactory	Action Required
Daily	Weekly	Monthly	Quarterly	Annual			
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)	D ✓	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Dust Control (Vol. II - Sec.4.3 - Pg.19)	D ✓	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)	D ✓	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)	D ✓	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)	D ✓	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)	D ✓	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Waste Screening and Forms (Vol. II - Sec 2- Pg.94)	D ✓	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)	D ✓	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)	D ✓	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)	D ✓	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)	D ✓	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)	D ✓	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Pond levels three-foot free board	D ✓	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			

**Daily Inspection Form  
Sundance West**

Date: 9-13-22  
 Others: \_\_\_\_\_

Print Name: Deysi Romero  
 Signature: \_\_\_\_\_

TYPE OF INSPECTION

TYPE OF INSPECTION					Item	Satisfactory	Action Required
Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual			
					Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)	D ✓	
					Dust Control (Vol. II - Sec.4.3 - Pg.19)	D ✓	
					Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)	D ✓	
					Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)	D ✓	
					Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)	D ✓	
					Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)	D ✓	
					Waste Screening and Forms (Vol. II - Sec 2- Pg.94)	D ✓	
					Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)	D ✓	
					Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)	D ✓	
					Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)	D ✓	
					Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)	D ✓	
					Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)	D ✓	
					Pond levels three-foot free board	D ✓	

Daily Inspection Form  
Sundance West

Date: 9-14-22

Print Name: Deysi Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

TYPE OF INSPECTION

Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual		Satisfactory	Action Required
<b>Item</b>							
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)					D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)					D	✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)					D	✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)					D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)					D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)					D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)					D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)					D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)					D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)					D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)					D	✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)					D	✓	
Pond levels three-foot free board					D	✓	



**Daily Inspection Form  
Sundance West**

Date: 9-15-22  
 Others: \_\_\_\_\_

Print Name: Daisy Romero  
 Signature: \_\_\_\_\_

TYPE OF INSPECTION

Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual		Satisfactory	Action Required
<b>Item</b>							
Vehicle Screening (H2S) (Vol. II - Sec.4:2 - Pg.19)					D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)					D	✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)					D	✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)					D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)					D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)					D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)					D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)					D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)					D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)					D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)					D	✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)					D	✓	
Pond levels three-foot free board					D	✓	

Daily Inspection Form  
Sundance West

Date: 9-16-22

Print Name: Daisy Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

TYPE OF INSPECTION

TYPE OF INSPECTION					Item	Satisfactory	Action Required
Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual			
					Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)	D ✓	
					Dust Control (Vol. II - Sec.4.3 - Pg.19)	D ✓	
					Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)	D ✓	
					Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)	D ✓	
					Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)	D ✓	
					Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)	D ✓	
					Waste Screening and Forms (Vol. II - Sec 2- Pg.94)	D ✓	
					Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)	D ✓	
					Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)	D ✓	
					Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)	D ✓	
					Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)	D ✓	
					Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)	D ✓	
					Pond levels three-foot free board	D ✓	



Daily Inspection Form  
Sundance West

Date: 9-17-22

Print Name: Deysi Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

TYPE OF INSPECTION

TYPE OF INSPECTION					Item	Satisfactory	Action Required
Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual			
					Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)	D ✓	
					Dust Control (Vol. II - Sec.4.3 - Pg.19)	D ✓	
					Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)	D ✓	
					Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)	D ✓	
					Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)	D ✓	
					Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)	D ✓	
					Waste Screening and Forms (Vol. II - Sec 2- Pg.94)	D ✓	
					Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)	D ✓	
					Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)	D ✓	
					Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)	D ✓	
					Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)	D ✓	
					Evaopraton Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)	D ✓	
					Pond levels three-foot free board	D ✓	



**Daily Inspection Form  
Sundance West**

Date: 9-18-22  
 Others: \_\_\_\_\_

Print Name: Deysi Romero  
 Signature: \_\_\_\_\_

**TYPE OF INSPECTION**

Daily <input checked="" type="checkbox"/>	Weekly <input type="checkbox"/>	Monthly <input type="checkbox"/>	Quarterly <input type="checkbox"/>	Annual <input type="checkbox"/>		Satisfactory	Action Required
<b>Item</b>							
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)					D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)					D	✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)					D	✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)					D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)					D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)					D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)					D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)					D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)					D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)					D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)					D	✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)					D	✓	
Pond levels three-foot free board					D	✓	

Daily Inspection Form  
Sundance West

Date: 9-19-20  
Others: \_\_\_\_\_

Print Name: Deysi Romero  
Signature: \_\_\_\_\_

TYPE OF INSPECTION

Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual		Satisfactory	Action Required
Item							
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)					D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)					D	✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)					D	✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)					D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)					D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)					D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)					D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)					D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)					D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)					D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)					D	✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)					D	✓	
Pond levels three-foot free board					D	✓	

Daily Inspection Form  
Sundance West

Date: 9-20-22  
Others: \_\_\_\_\_

Print Name: Deysi Romero  
Signature: \_\_\_\_\_

TYPE OF INSPECTION

Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual		Satisfactory	Action Required
Item							
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)					D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)					D	✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)					D	✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)					D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)					D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)					D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)					D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)					D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)					D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)					D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)					D	✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)					D	✓	
Pond levels three-foot free board					D	✓	



Daily Inspection Form  
Sundance West

Date: 9-21-22  
Others: \_\_\_\_\_

Print Name: \_\_\_\_\_  
Signature: David Romero

TYPE OF INSPECTION

Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual		Satisfactory	Action Required
					Item		
					Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)	D ✓	
					Dust Control (Vol. II - Sec.4.3 - Pg.19)	D ✓	
					Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)	D ✓	
					Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)	D ✓	
					Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)	D ✓	
					Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)	D ✓	
					Waste Screening and Forms (Vol. II - Sec 2- Pg.94)	D ✓	
					Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)	D ✓	
					Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)	D ✓	
					Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)	D ✓	
					Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)	D ✓	
					Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)	D ✓	
					Pond levels three-foot free board	D ✓	

Daily Inspection Form  
Sundance West

Date: 9-22-22  
Others: \_\_\_\_\_

Print Name: Deysi Romero  
Signature: \_\_\_\_\_

TYPE OF INSPECTION

TYPE OF INSPECTION					Item	D	Satisfactory	Action Required
Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual				
					Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)	D	✓	
					Dust Control (Vol. II - Sec.4.3 - Pg.19)	D	✓	
					Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)	D	✓	
					Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)	D	✓	
					Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)	D	✓	
					Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)	D	✓	
					Waste Screening and Forms (Vol. II - Sec 2- Pg.94)	D	✓	
					Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)	D	✓	
					Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)	D	✓	
					Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)	D	✓	
					Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)	D	✓	
					Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)	D	✓	
					Pond levels three-foot free board	D	✓	

Daily Inspection Form  
Sundance West

Date: 9-23-22

Print Name: Deys Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

TYPE OF INSPECTION

Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual		Satisfactory	Action Required
					D	✓	
					D	✓	
					D	✓	
					D	✓	
					D	✓	
					D	✓	
					D	✓	
					D	✓	
					D	✓	
					D	✓	
					D	✓	
					D	✓	
					D	✓	
					D	✓	



Daily Inspection Form  
Sundance West

Date: 9-24-22  
Others: \_\_\_\_\_

Print Name: Drew Romero  
Signature: \_\_\_\_\_

TYPE OF INSPECTION

Daily <input checked="" type="checkbox"/>	Weekly <input type="checkbox"/>	Monthly <input type="checkbox"/>	Quarterly <input type="checkbox"/>	Annual <input type="checkbox"/>		Satisfactory	Action Required
Item							
Vehicle Screening (H2S) (Vol. II - Sec.4:2 - Pg.19)					D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)					D	✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)					D	✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)					D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)					D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)					D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)					D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)					D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)					D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)					D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)					D	✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)					D	✓	
Pond levels three-foot free board					D	✓	

Daily Inspection Form  
Sundance West

Date: 9-25-22  
Others: \_\_\_\_\_

Print Name: Douglas Romero  
Signature: \_\_\_\_\_

TYPE OF INSPECTION

TYPE OF INSPECTION					Item	D	Satisfactory	Action Required
Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual				
					Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)	D	✓	
					Dust Control (Vol. II - Sec.4.3 - Pg.19)	D	✓	
					Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)	D	✓	
					Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)	D	✓	
					Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)	D	✓	
					Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)	D	✓	
					Waste Screening and Forms (Vol. II - Sec 2- Pg.94)	D	✓	
					Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)	D	✓	
					Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)	D	✓	
					Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)	D	✓	
					Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)	D	✓	
					Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)	D	✓	
					Pond levels three-foot free board	D	✓	

Daily Inspection Form  
Sundance West

Date: 9-26-22

Print Name: Deysi Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

TYPE OF INSPECTION

Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual
---	--------	---------	-----------	--------

Item		Satisfactory	Action Required
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)	D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)	D	✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)	D	✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)	D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)	D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)	D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)	D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)	D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)	D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)	D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)	D	✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)	D	✓	
Pond levels three-foot free board	D	✓	



**Daily Inspection Form  
Sundance West**

Date: 9-27-22  
 Others: \_\_\_\_\_

Print Name: Davis Romero  
 Signature: \_\_\_\_\_

TYPE OF INSPECTION

TYPE OF INSPECTION					Item	Satisfactory	Action Required
Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual			
					Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)	D ✓	
					Dust Control (Vol. II - Sec.4.3 - Pg.19)	D ✓	
					Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)	D ✓	
					Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)	D ✓	
					Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)	D ✓	
					Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)	D ✓	
					Waste Screening and Forms (Vol. II - Sec 2- Pg.94)	D ✓	
					Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)	D ✓	
					Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)	D ✓	
					Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)	D ✓	
					Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)	D ✓	
					Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)	D ✓	
					Pond levels three-foot free board	D ✓	

**Daily Inspection Form  
Sundance West**

Date: 9-28-22  
 Others: \_\_\_\_\_

Print Name: \_\_\_\_\_  
 Signature: Dawn Romero

**TYPE OF INSPECTION**

TYPE OF INSPECTION					Item	D	Satisfactory	Action Required
Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual				
					Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)	D	✓	
					Dust Control (Vol. II - Sec.4.3 - Pg.19)	D	✓	
					Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)	D	✓	
					Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)	D	✓	
					Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)	D	✓	
					Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)	D	✓	
					Waste Screening and Forms (Vol. II - Sec 2- Pg.94)	D	✓	
					Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)	D	✓	
					Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)	D	✓	
					Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)	D	✓	
					Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)	D	✓	
					Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)	D	✓	
					Pond levels three-foot free board	D	✓	



Daily Inspection Form  
Sundance West

Date: 9-29-22

Print Name: Deysi Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

TYPE OF INSPECTION

Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual		Satisfactory	Action Required
Item							
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)					D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)					D	✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)					D	✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)					D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)					D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)					D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)					D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)					D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)					D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)					D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)					D	✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)					D	✓	
Pond levels three-foot free board					D	✓	



Daily Inspection Form  
Sundance West

Date: 9-30-22

Print Name: Dawn Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

TYPE OF INSPECTION

Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual
---	--------	---------	-----------	--------

Item		Satisfactory	Action Required
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)	D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)	D	✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)	D	✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)	D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)	D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)	D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)	D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)	D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)	D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)	D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)	D	✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)	D	✓	
Pond levels three-foot free board	D	✓	

**Daily Inspection Form  
Sundance West**

Date: \_\_\_\_\_

Print Name: \_\_\_\_\_

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

**TYPE OF INSPECTION**

Daily	Weekly	Monthly	Quarterly	Annual		Satisfactory	Action Required
					D		
					D		
					D		
					D		
					D		
					D		
					D		
					D		
					D		
					D		
					D		
					D		
					D		
					D		

**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 9-1-22

**Inspector(s):**

**Time:** 7:50 am

Deysi Romero

**Weather:**

Temperature 66 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies cloudy

Wind Speed 7 mph

Wind Direction NE (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**

---



---



---



**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 9-2-22

**Inspector(s):**

**Time:** 8:50 am

Deysi Romero

**Weather:**

Temperature 68 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies Fog

Wind Speed 0 mph

Wind Direction CALM (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

NOTES:

**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 9-3-22

**Inspector(s):**

**Time:** 10:50 am

Deysi Romero

**Weather:**

Temperature 81 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies Fair

Wind Speed 12 mph

Wind Direction NNE (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

NOTES:



**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 9-4-22

**Inspector(s):**

**Time:** 9:50 am

Deysi Romero

**Weather:**

Temperature 73 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies Fair

Wind Speed 8 mph

Wind Direction N (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**



**ATTACHMENT II.1.D  
Evaporation Pond Integrity/Leak Detection Inspection Checklist  
Sundance West**

Page \_\_\_\_ of \_\_\_\_

Date: 9-5-22

Inspector(s):

Time: 9:50am

Deysi Romero

**Weather:**

Temperature 79 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies Fair

Wind Speed 10 mph

Wind Direction WSW (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 9-6-22

**Inspector(s):**

**Time:** 10:50 am

Deysi Romero

**Weather:**

Temperature 84 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies Fair

Wind Speed 12 mph

Wind Direction SW (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**



**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 9-7-22

**Inspector(s):**

**Time:** 8:50am

Deyssi Romero

**Weather:**

Temperature 68 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies Fair

Wind Speed 7 mph

Wind Direction N (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**



**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 9-8-22

**Inspector(s):**  
Deysi Romero

**Time:** 11:50 am

**Weather:**

Temperature 81 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies Fair

Wind Speed 5 mph

Wind Direction VAR (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**

**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 9-9-22  
**Time:** 9:50 am

**Inspector(s):**  
Deysi Romero

**Weather:**  
 Temperature 77 deg. F      Precipitation (last 24 hours) \_\_\_\_\_ inches  
 Skies Fair  
 Wind Speed 9 mph  
 Wind Direction S (direction blowing from)

**NOTES:**  
 "X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_



**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 9-10-22

**Inspector(s):**

**Time:** 11:50am

Deysi Romero

**Weather:**

Temperature 84 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies Fair

Wind Speed 9 mph

Wind Direction SSE (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**



**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 9-11-22

**Inspector(s):**

**Time:** 8:50 am

Deysi Romero

**Weather:**

Temperature 59 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies Haze

Wind Speed 15 mph

Wind Direction N (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**

**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 9-12-22

**Inspector(s):**

**Time:** 9:30am

Deysi Romero

**Weather:**

Temperature 70 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies Fair

Wind Speed 8 mph

Wind Direction SE (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**



**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 9-13-22

**Inspector(s):**

**Time:** 7:50 am

Deysi Romero

**Weather:**

Temperature 61 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies Fog

Wind Speed 7 mph

Wind Direction S (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**



**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

Date: 9-14-22

Inspector(s):

Time: 11:50am

Deysi Romero

**Weather:**

Temperature 73 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies Fair

Wind Speed 10 mph

Wind Direction SSE (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

NOTES:

**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 9-15-22

**Inspector(s):**

**Time:** 9:50 am

Deysi Romero

**Weather:**

Temperature 70 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies Fair

Wind Speed 17 mph

Wind Direction SSE (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**



**ATTACHMENT II.1.D  
Evaporation Pond Integrity/Leak Detection Inspection Checklist  
Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 9-16-22

**Inspector(s):**

**Time:** 8:50 am

Jesus Romero

**Weather:**

Temperature 66 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies Fair

Wind Speed 7 mph

Wind Direction S (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**



**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 9-17-22

**Inspector(s):**

**Time:** 7:50 am

Dewi Romero

**Weather:**

Temperature 64 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies Few

Wind Speed 9 mph

Wind Direction S (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**

**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 9-18-22

**Inspector(s):**

**Time:** 10:00 am

Deusi Romero

**Weather:**

Temperature 77 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies Fovw

Wind Speed 14 mph

Wind Direction SSE (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**



**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 9-14-22  
**Time:** 8:20 am

**Inspector(s):**  
Deysi Romero

**Weather:**

Temperature 64 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies Mostly cloudy

Wind Speed 6 mph

Wind Direction E (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**

**ATTACHMENT II.1.D  
Evaporation Pond Integrity/Leak Detection Inspection Checklist  
Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 9-20-22

**Inspector(s):**

**Time:** 12:50pm

Deysi Romero

**Weather:**

Temperature 84 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies Fair

Wind Speed 8 mph

Wind Direction SE (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**



**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 9-21-22

**Inspector(s):**

**Time:** 8:50 am

Deysi Romero

**Weather:**

Temperature 70 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies Fair

Wind Speed 10 mph

Wind Direction SE (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**

**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 9-22-22  
**Time:** 6:50 am

**Inspector(s):**  
Deysi Romeiro

**Weather:**  
 Temperature 63 deg. F      Precipitation (last 24 hours) \_\_\_\_\_ inches  
 Skies Fair  
 Wind Speed 0 mph  
 Wind Direction CALM (direction blowing from)

**NOTES:**  
 "X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_



**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 9-23-22  
**Time:** 7:50 am

**Inspector(s):**  
Debi Romero

**Weather:**

Temperature 55 deg. F      Precipitation (last 24 hours) \_\_\_\_\_ inches  
 Skies Fair  
 Wind Speed 5 mph  
 Wind Direction N (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**

**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 9-24-22

**Inspector(s):**

**Time:** 9:50 am

Deysi Romero

**Weather:**

Temperature 73 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies Fair

Wind Speed 12 mph

Wind Direction S (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**



**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 9-25-22

**Inspector(s):**

**Time:** 7:50am

Devin Romell

**Weather:**

Temperature 61 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies Fair

Wind Speed 9 mph

Wind Direction NW (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**

**ATTACHMENT II.1.D  
Evaporation Pond Integrity/Leak Detection Inspection Checklist  
Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 9-26-22

**Inspector(s):**

**Time:** 8:50am

Deusi Romero

**Weather:**

Temperature 64 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies Partly

Wind Speed 14 mph

Wind Direction ENE (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**



**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 9-27-22

**Inspector(s):**  
Deysi Romero

**Time:** 7:50am

**Weather:**

Temperature 59 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies Fair

Wind Speed 6 mph

Wind Direction VAR (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**

**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 9-28-22  
**Time:** 9:50am

**Inspector(s):**  
Deusi Romero

**Weather:**  
 Temperature 68 deg. F      Precipitation (last 24 hours) \_\_\_\_\_ inches  
 Skies Fair  
 Wind Speed 0 mph  
 Wind Direction CALM (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**



**ATTACHMENT II.1.D  
Evaporation Pond Integrity/Leak Detection Inspection Checklist  
Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 9-29-22

**Inspector(s):**

**Time:** 12:50 pm

Deusi Romero

**Weather:**

Temperature 81 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies FAIV

Wind Speed 10 mph

Wind Direction S (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**

**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 9-30-22

**Inspector(s):**

**Time:** 8:50am

Deusi Romero

**Weather:**

Temperature 64 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies Fair

Wind Speed 7 mph

Wind Direction S (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		


**NOTES:**



# Office Pits

Date: 9-1-22

Before:  
After:




9  
Before:  
After:

WEST


Before:  
After:

10



Before:  
After:


Before:  
After:



7  
Before:  
After:

Before:  
After:

8




Before:  
After:

SOUTH

NORTH


Before:  
After:



5  
Before:  
After:


Before:  
After:

6



Before:  
After:


Before:  
After:



3  
Before:  
After:


Before:  
After:

4



Before:  
After:

Before:  
After:




1  
Before:  
After:

Before:  
After:

EAST

2




Before:  
After:



# Office Pits

Date: 9-2-22

Before:  
After:




9  
Before:  
After:

WEST


Before:  
After:

10



Before:  
After:


Before:  
After:



7  
Before:  
After:

Before:  
After:


8



Before:  
After:

SOUTH


Before:  
After:



5  
Before:  
After:

Before:  
After:


6



Before:  
After:

NORTH


Before:  
After:



3  
Before:  
After:


Before:  
After:

4



Before:  
After:


Before:  
After:



1  
Before:  
After:

Before:  
After:

2



Before:  
After:

EAST





# Office Pits

Date: 9-3-22


Before:  
After:

Before:  
After:


Before:  
After:

Before:  
After:


Before:  
After:




9  
Before:  
After:




7  
Before:  
After:



5  
Before:  
After:



3  
Before:  
After:



1  
Before:  
After:

WEST

Before:  
After:

Before:  
After:

Before:  
After:


Before:  
After:

Before:  
After:

EAST




10




Before:  
After:

8




Before:  
After:

6




Before:  
After:

4



Before:  
After:

2




Before:  
After:

NORTH

# Office Pits

Date: 9-4-22

Before:  
After:




9  
Before:  
After:

WEST


Before:  
After:

10



Before:  
After:


Before:  
After:



7  
Before:  
After:

Before:  
After:

8




Before:  
After:

SOUTH

NORTH


Before:  
After:



5  
Before:  
After:


Before:  
After:

6



Before:  
After:


Before:  
After:



3  
Before:  
After:


Before:  
After:

4



Before:  
After:


Before:  
After:



1  
Before:  
After:

Before:  
After:

2



Before:  
After:

EAST






# Office Pits

Date: 9-5-22

Before:  
After:




9  
Before:  
After:

WEST


Before:  
After:

10



Before:  
After:


Before:  
After:



7  
Before:  
After:

Before:  
After:

8




Before:  
After:

SOUTH

NORTH


Before:  
After:



5  
Before:  
After:


Before:  
After:

6



Before:  
After:


Before:  
After:



3  
Before:  
After:


Before:  
After:

4



Before:  
After:

Before:  
After:




1  
Before:  
After:

Before:  
After:

EAST

2




Before:  
After:



# Office Pits

Date: 9-6-22

Before:  
After:




9  
Before:  
After:

WEST


Before:  
After:

10



Before:  
After:


Before:  
After:



7  
Before:  
After:

Before:  
After:

8




Before:  
After:

SOUTH

NORTH


Before:  
After:



5  
Before:  
After:


Before:  
After:

6



Before:  
After:


Before:  
After:



3  
Before:  
After:


Before:  
After:

4



Before:  
After:


Before:  
After:



1  
Before:  
After:

Before:  
After:

2



Before:  
After:


EAST



# Office Pits

Date: 9-7-22

Before:  
After:




9  
Before:  
After:

WEST


Before:  
After:

10



Before:  
After:


Before:  
After:



7  
Before:  
After:

Before:  
After:

8




Before:  
After:

SOUTH

NORTH


Before:  
After:



5  
Before:  
After:


Before:  
After:

6



Before:  
After:


Before:  
After:



3  
Before:  
After:


Before:  
After:

4



Before:  
After:

Before:  
After:




1  
Before:  
After:

EAST

Before:  
After:

2



Before:  
After:





# Office Pits

Date: 9-8-22


Before:  
After:

Before:  
After:


Before:  
After:

Before:  
After:


Before:  
After:




9  
Before:  
After:




7  
Before:  
After:



5  
Before:  
After:



3  
Before:  
After:



1  
Before:  
After:

WEST

Before:  
After:

Before:  
After:

Before:  
After:

Before:  
After:


Before:  
After:

EAST




10

Before:  
After:




8

Before:  
After:




6

Before:  
After:




4

Before:  
After:



2

Before:  
After:




SOUTH

NORTH

# Office Pits

Date: 9-9-22

Before:  
After:




9  
Before:  
After:

WEST


Before:  
After:

10



Before:  
After:


Before:  
After:



7  
Before:  
After:

Before:  
After:


8



Before:  
After:

SOUTH


Before:  
After:



5  
Before:  
After:

Before:  
After:


6



Before:  
After:

NORTH


Before:  
After:



3  
Before:  
After:


Before:  
After:

4



Before:  
After:


Before:  
After:



1  
Before:  
After:

Before:  
After:

2



Before:  
After:


EAST



# Office Pits

Date: 9-10-22

Before:  
After:




9  
Before:  
After:

WEST


Before:  
After:

10



Before:  
After:


Before:  
After:



7  
Before:  
After:

Before:  
After:

8




Before:  
After:

SOUTH

NORTH


Before:  
After:



5  
Before:  
After:


Before:  
After:

6



Before:  
After:


Before:  
After:



3  
Before:  
After:


Before:  
After:

4



Before:  
After:


Before:  
After:



1  
Before:  
After:

Before:  
After:

2



Before:  
After:

EAST






# Office Pits

Date: 9-11-22

Before:  
After:




9  
Before:  
After:

WEST


Before:  
After:

10



Before:  
After:


Before:  
After:



7  
Before:  
After:

Before:  
After:

8




Before:  
After:

SOUTH

NORTH


Before:  
After:



5  
Before:  
After:


Before:  
After:

6



Before:  
After:


Before:  
After:



3  
Before:  
After:


Before:  
After:

4



Before:  
After:


Before:  
After:



1  
Before:  
After:

Before:  
After:

2



Before:  
After:

EAST



# Office Pits

Date: 9-12-22


Before:  
After:

Before:  
After:


Before:  
After:

Before:  
After:


Before:  
After:




9  
Before:  
After:




7  
Before:  
After:



5  
Before:  
After:



3  
Before:  
After:



1  
Before:  
After:

WEST

Before:  
After:

Before:  
After:

Before:  
After:

Before:  
After:


Before:  
After:

EAST




10

Before:  
After:




8

Before:  
After:




6

Before:  
After:




4

Before:  
After:



2

Before:  
After:




SOUTH

NORTH

# Office Pits

Date: 9-13-22

Before:  
After:




9  
Before:  
After:

WEST


Before:  
After:

10



Before:  
After:


Before:  
After:



7  
Before:  
After:

Before:  
After:

8




Before:  
After:

SOUTH

NORTH


Before:  
After:



5  
Before:  
After:


Before:  
After:

6



Before:  
After:


Before:  
After:



3  
Before:  
After:


Before:  
After:

4



Before:  
After:


Before:  
After:



1  
Before:  
After:

Before:  
After:

2



Before:  
After:

EAST






# Office Pits

Date: 9-14-22

Before:  
After:




9  
Before:  
After:

WEST


Before:  
After:

10



Before:  
After:


Before:  
After:



7  
Before:  
After:

Before:  
After:

8




Before:  
After:

SOUTH

NORTH


Before:  
After:



5  
Before:  
After:


Before:  
After:

6



Before:  
After:


Before:  
After:



3  
Before:  
After:


Before:  
After:

4



Before:  
After:

Before:  
After:




1  
Before:  
After:

Before:  
After:

EAST

2




Before:  
After:



# Office Pits

Date: 9-15-22

Before:  
After:




9  
Before:  
After:

WEST


Before:  
After:

10



Before:  
After:


Before:  
After:



7  
Before:  
After:

Before:  
After:

8




Before:  
After:

SOUTH

NORTH


Before:  
After:



5  
Before:  
After:


Before:  
After:

6



Before:  
After:


Before:  
After:



3  
Before:  
After:


Before:  
After:

4



Before:  
After:

Before:  
After:




1  
Before:  
After:

Before:  
After:

EAST

2



Before:  
After:



# Office Pits

Date: 9-16-22


Before:  
After:

Before:  
After:


Before:  
After:

Before:  
After:


Before:  
After:




9  
Before:  
After:




7  
Before:  
After:



5  
Before:  
After:



3  
Before:  
After:



1  
Before:  
After:

WEST

Before:  
After:


Before:  
After:

Before:  
After:

Before:  
After:


Before:  
After:

10




Before:  
After:

8




Before:  
After:

6




Before:  
After:

4



Before:  
After:

2



Before:  
After:

SOUTH

NORTH

EAST






# Office Pits

Date: 9-17-22

Before:  
After:




9  
Before:  
After:

WEST


Before:  
After:

10



Before:  
After:


Before:  
After:



7  
Before:  
After:

Before:  
After:


8



Before:  
After:

SOUTH


Before:  
After:



5  
Before:  
After:

Before:  
After:


6



Before:  
After:

NORTH


Before:  
After:



3  
Before:  
After:


Before:  
After:

4



Before:  
After:

Before:  
After:




1  
Before:  
After:

Before:  
After:

EAST

2



Before:  
After:



# Office Pits

Date: 9-18-22


Before:  
After:

Before:  
After:


Before:  
After:

Before:  
After:


Before:  
After:




9  
Before:  
After:




7  
Before:  
After:



5  
Before:  
After:



3  
Before:  
After:



1  
Before:  
After:

WEST

Before:  
After:

Before:  
After:

Before:  
After:


Before:  
After:

Before:  
After:

EAST




10




Before:  
After:

8




Before:  
After:

6




Before:  
After:

4



Before:  
After:

2



Before:  
After:


SOUTH

NORTH

# Office Pits

Date: 9-19-22

Before:  
After:




9  
Before:  
After:

WEST


Before:  
After:

10



Before:  
After:


Before:  
After:



7  
Before:  
After:

Before:  
After:


8



Before:  
After:

SOUTH


Before:  
After:



5  
Before:  
After:

Before:  
After:


6



Before:  
After:

NORTH


Before:  
After:



3  
Before:  
After:


Before:  
After:

4



Before:  
After:

Before:  
After:




1  
Before:  
After:

Before:  
After:

EAST

2



Before:  
After:






# Office Pits

Date: 9-20-22

Before:  
After:




9  
Before:  
After:

WEST


Before:  
After:

10



Before:  
After:


Before:  
After:



7  
Before:  
After:

Before:  
After:

8




Before:  
After:

SOUTH

NORTH


Before:  
After:



5  
Before:  
After:


Before:  
After:

6



Before:  
After:


Before:  
After:



3  
Before:  
After:


Before:  
After:

4



Before:  
After:

Before:  
After:




1  
Before:  
After:

Before:  
After:

EAST

2




Before:  
After:



# Office Pits

Date: 9-21-22

Before:  
After:




9  
Before:  
After:

WEST


Before:  
After:

10



Before:  
After:


Before:  
After:



7  
Before:  
After:

Before:  
After:

8




Before:  
After:

SOUTH

NORTH


Before:  
After:



5  
Before:  
After:


Before:  
After:

6



Before:  
After:


Before:  
After:



3  
Before:  
After:


Before:  
After:

4



Before:  
After:

Before:  
After:




1  
Before:  
After:

EAST

Before:  
After:

2



Before:  
After:



# Office Pits

Date: 9-22-22


Before:  
After:

Before:  
After:


Before:  
After:

Before:  
After:


Before:  
After:




9  
Before:  
After:




7  
Before:  
After:



5  
Before:  
After:



3  
Before:  
After:



1  
Before:  
After:

WEST

Before:  
After:

Before:  
After:

Before:  
After:


Before:  
After:

Before:  
After:

EAST




10




Before:  
After:

8




Before:  
After:

6




Before:  
After:

4



Before:  
After:

2



Before:  
After:

SOUTH


NORTH



# Office Pits

Date: 9-23-22

Before:  
After:




9  
Before:  
After:

WEST


Before:  
After:

10



Before:  
After:


Before:  
After:



7  
Before:  
After:

Before:  
After:

8




Before:  
After:

SOUTH

NORTH


Before:  
After:



5  
Before:  
After:


Before:  
After:

6



Before:  
After:


Before:  
After:



3  
Before:  
After:


Before:  
After:

4



Before:  
After:


Before:  
After:



1  
Before:  
After:

Before:  
After:

2



Before:  
After:


EAST



# Office Pits

Date: 9-24-22

Before:  
After:




9  
Before:  
After:

WEST


Before:  
After:

10



Before:  
After:


Before:  
After:



7  
Before:  
After:

Before:  
After:

8




Before:  
After:

SOUTH

NORTH


Before:  
After:



5  
Before:  
After:


Before:  
After:

6



Before:  
After:


Before:  
After:



3  
Before:  
After:


Before:  
After:

4



Before:  
After:


Before:  
After:



1  
Before:  
After:

Before:  
After:

2



Before:  
After:

EAST



# Office Pits

Date: 9-25-22


Before:  
After:

Before:  
After:


Before:  
After:

Before:  
After:


Before:  
After:




9  
Before:  
After:




7  
Before:  
After:



5  
Before:  
After:



3  
Before:  
After:



1  
Before:  
After:

WEST

Before:  
After:

Before:  
After:

Before:  
After:

Before:  
After:


Before:  
After:

EAST




10

Before:  
After:




8

Before:  
After:




6

Before:  
After:




4

Before:  
After:



2

Before:  
After:



SOUTH


NORTH



# Office Pits

Date: 9-26-22

Before:  
After:




9  
Before:  
After:

WEST


Before:  
After:

10



Before:  
After:


Before:  
After:



7  
Before:  
After:

Before:  
After:


8



Before:  
After:

SOUTH


Before:  
After:



5  
Before:  
After:

Before:  
After:


6



Before:  
After:

NORTH


Before:  
After:



3  
Before:  
After:


Before:  
After:

4



Before:  
After:


Before:  
After:



1  
Before:  
After:

Before:  
After:

2



Before:  
After:


EAST



# Office Pits

Date: 9-27-22

Before:  
After:




9  
Before:  
After:

WEST


10

Before:  
After:



Before:  
After:


Before:  
After:



7  
Before:  
After:

Before:  
After:

8




Before:  
After:

SOUTH

NORTH


Before:  
After:



5  
Before:  
After:


Before:  
After:

6



Before:  
After:


Before:  
After:



3  
Before:  
After:


Before:  
After:

4



Before:  
After:

Before:  
After:




1  
Before:  
After:

Before:  
After:

EAST

2




Before:  
After:



# Office Pits

Date: 9-28-22

Before:  
After:




9  
Before:  
After:

WEST


Before:  
After:

10



Before:  
After:


Before:  
After:



7  
Before:  
After:

Before:  
After:


8



Before:  
After:

SOUTH


Before:  
After:



5  
Before:  
After:

Before:  
After:


6



Before:  
After:

NORTH


Before:  
After:



3  
Before:  
After:


Before:  
After:

4



Before:  
After:

Before:  
After:




1  
Before:  
After:

Before:  
After:

EAST

2



Before:  
After:





# Office Pits

Date: 9-29-22


Before:  
After:

Before:  
After:


Before:  
After:

Before:  
After:


Before:  
After:




9  
Before:  
After:




7  
Before:  
After:



5  
Before:  
After:



3  
Before:  
After:



1  
Before:  
After:

WEST

Before:  
After:

Before:  
After:

Before:  
After:


Before:  
After:

Before:  
After:

EAST




10




Before:  
After:

8




Before:  
After:

6




Before:  
After:

4



Before:  
After:

2




Before:  
After:

NORTH

# Office Pits

Date: 9-30-22

Before:  
After:




9  
Before:  
After:

WEST


Before:  
After:

10



Before:  
After:


Before:  
After:



7  
Before:  
After:

Before:  
After:


8



Before:  
After:

SOUTH


Before:  
After:



5  
Before:  
After:

Before:  
After:


6



Before:  
After:

NORTH


Before:  
After:



3  
Before:  
After:


Before:  
After:

4



Before:  
After:


Before:  
After:



1  
Before:  
After:

Before:  
After:

2



Before:  
After:

EAST




# Office Pits

Date: \_\_\_\_\_



Before:  
After:




9  
Before:  
After:

WEST


Before:  
After:

10



Before:  
After:


Before:  
After:



7  
Before:  
After:

Before:  
After:


8



Before:  
After:

SOUTH


Before:  
After:



5  
Before:  
After:

Before:  
After:


6



Before:  
After:

NORTH


Before:  
After:



3  
Before:  
After:


Before:  
After:

4



Before:  
After:


Before:  
After:



1  
Before:  
After:

Before:  
After:

2



Before:  
After:

EAST







**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS**

DATE: 9-1-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'8"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'9"		
MW-36	3.0	42'	21'3"		
MW-37	3.0	39'3"	20'8"		
MW-40	3.0	29'7"	19'4"		
MW-41	3.0	77'	53'4"		
MW-51	3.0	65'5"	52'3"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	52'1"		
MW-73	2.0	28'	16'9"		VZ-4
MW-74	3.0	33'	28'7"	24'3"	
VZ-1	2.0	27'	5'9"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'9"		MW-73
VZ-5	2.0	32'6"	16'1"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	21'6"		
MH-69	2.0	28'1"	0'1"		



**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

MONITOR WELLS

DATE: 9-2-20

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'8"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'8"		
MW-36	3.0	42'	21'3"		
MW-37	3.0	39'3"	20'8"		
MW-40	3.0	29'7"	19'3"		
MW-41	3.0	77'	53'4"		
MW-51	3.0	65'5"	52'3"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	52'2"		
MW-73	2.0	28'	16'8"		VZ-4
MW-74	3.0	33'	24'6"		
VZ-1	2.0	27'	5'9"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'8"		MW-73
VZ-5	2.0	32'6"	16'1"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	21'6"		
MH-69	2.0	28'1"	0'1"		





**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

MONITOR WELLS

DATE: 9-3-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'9"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'8"		
MW-36	3.0	42'	21'2"		
MW-37	3.0	39'3"	20'8"		
MW-40	3.0	29'7"	19'2"		
MW-41	3.0	77'	53'3"		
MW-51	3.0	65'5"	52'4"		
MW-69	3.0	50'4"	0'6"		
MW-71	6.0	61'9"	52'1"		
MW-73	2.0	28'	16'9"		VZ-4
MW-74	3.0	33'	24'9"		
VZ-1	2.0	27'	5'8"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'9"		MW-73
VZ-5	2.0	32'6"	16'1"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	21'7"		
MH-69	2.0	28'1"	0'1"		





**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

MONITOR WELLS

DATE: 9-4-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'8"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'9"		
MW-36	3.0	42'	21'1"		
MW-37	3.0	39'3"	20'7"		
MW-40	3.0	29'7"	19'1"		
MW-41	3.0	77'	53'2"		
MW-51	3.0	65'5"	52'3"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	52'2"		
MW-73	2.0	28'	16'8"		VZ-4
MW-74	3.0	33'	25'6"		
VZ-1	2.0	27'	5'7"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'8"		MW-73
VZ-5	2.0	32'6"	16'2"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	21'6"		
MH-69	2.0	28'1"	0'1"		



**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

MONITOR WELLS

DATE: 9-5-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'9"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'9"		
MW-36	3.0	42'	21'2"		
MW-37	3.0	39'3"	20'6"		
MW-40	3.0	29'7"	19'2"		
MW-41	3.0	77'	53'1"		
MW-51	3.0	65'5"	52'2"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	52'1"		
MW-73	2.0	28'	16'7"		VZ-4
MW-74	3.0	33'	25'8"		
VZ-1	2.0	27'	5'8"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'7"		MW-73
VZ-5	2.0	32'6"	16'3"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	21'7"		
MH-69	2.0	28'1"	0'1"		





**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

MONITOR WELLS

DATE: 9-6-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'8"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'8"		
MW-36	3.0	42'	21'3"		
MW-37	3.0	39'3"	20'7"		
MW-40	3.0	29'7"	19'3"		
MW-41	3.0	77'	53'1"		
MW-51	3.0	65'5"	52'1"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	52'3"		
MW-73	2.0	28'	16'8"		VZ-4
MW-74	3.0	33'	26'3"		
VZ-1	2.0	27'	5'9"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'8"		MW-73
VZ-5	2.0	32'6"	16'2"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	21'8"		
MH-69	2.0	28'1"	0'1"		





**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS**

DATE: 9-7-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'9"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'0"		
MW-36	3.0	42'	21'2"		
MW-37	3.0	39'3"	20'8"		
MW-40	3.0	29'7"	19'2"		
MW-41	3.0	77'	53'1"		
MW-51	3.0	65'5"	52'2"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	52'4"		
MW-73	2.0	28'	16'7"		VZ-4
MW-74	3.0	33'	26'9"		
VZ-1	2.0	27'	5'8"		PGI-8
VZ-2	2.0	38'8"	0'6"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'7"		MW-73
VZ-5	2.0	32'6"	16'2"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	21'8"		
MH-69	2.0	28'1"	0'1"		



**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS**

**DATE:** 9-8-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'8"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'8"		
MW-36	3.0	42'	21'3"		
MW-37	3.0	39'3"	20'9"		
MW-40	3.0	29'7"	19'2"		
MW-41	3.0	77'	53'2"		
MW-51	3.0	65'5"	52'1"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	52'3"		
MW-73	2.0	28'	16'8"		VZ-4
MW-74	3.0	33'	26'8"		
VZ-1	2.0	27'	5'8"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'8"		MW-73
VZ-5	2.0	32'6"	16'1"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	21'7"		
MH-69	2.0	28'1"	0'1"		





**SUNDANCE SERVICES WEST, INC.**


ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS**

**DATE:** 9-7-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'9"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'0"		
MW-36	3.0	42'	21'2"		
MW-37	3.0	39'3"	20'9"		
MW-40	3.0	29'7"	19'1"		
MW-41	3.0	77'	53'1"		
MW-51	3.0	65'5"	52'3"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	52'2"		
MW-73	2.0	28'	16'7"		VZ-4
MW-74	3.0	33'	27'1"		
VZ-1	2.0	27'	5'6"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'7"		MW-73
VZ-5	2.0	32'6"	16'1"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	21'6"		
MH-69	2.0	28'1"	0'1"		





**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

MONITOR WELLS

DATE: 9-8-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4' 8"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0' 0"		
MW-36	3.0	42'	21' 3"		
MW-37	3.0	39'3"	20' 8"		
MW-40	3.0	29'7"	19' 2"		
MW-41	3.0	77'	53' 2"		
MW-51	3.0	65'5"	52' 1"		
MW-69	3.0	50'4"	0' 0"		
MW-71	6.0	61'9"	52' 1"		
MW-73	2.0	28'	16' 6"		VZ-4
MW-74	3.0	33'	27' 2"		
VZ-1	2.0	27'	5' 7"		PGI-8
VZ-2	2.0	38'8"	0' 0"		
VZ-3	2.0	28'	0' 0"		
VZ-4	2.0	28'	16' 6"		MW-73
VZ-5	2.0	32'6"	16' 2"		
VZ-6	2.0	26'3"	0' 0"		
VZ-7	2.0	49'8"	21' 7"		
MH-69	2.0	28'1"	0' 1"		



**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org


**MONITOR WELLS**

DATE:

9-9-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'9"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'8"		
MW-36	3.0	42'	21'2"		
MW-37	3.0	39'3"	20'8"		
MW-40	3.0	29'7"	19'3"		
MW-41	3.0	77'	53'1"		
MW-51	3.0	65'5"	52'2"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	52'2"		
MW-73	2.0	28'	16'7"		VZ-4
MW-74	3.0	33'	27'1"		
VZ-1	2.0	27'	5'6"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'7"		MW-73
VZ-5	2.0	32'6"	16'2"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	21'6"		
MH-69	2.0	28'1"	0'1"		





### SUNDANCE SERVICES WEST, INC.

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

MONITOR WELLS

DATE: 9-10-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'8"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'9"		
MW-36	3.0	42'	21'3"		
MW-37	3.0	39'3"	20'8"		
MW-40	3.0	29'7"	19'2"		
MW-41	3.0	77'	53'1"		
MW-51	3.0	65'5"	52'1"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	52'1"		
MW-73	2.0	28'	16'8"		VZ-4
MW-74	3.0	33'	27'8"		
VZ-1	2.0	27'	5'7"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'8"		MW-73
VZ-5	2.0	32'6"	16'2"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	21'7"		
MH-69	2.0	28'1"	0'1"		





**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

MONITOR WELLS

DATE: 9-11-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'9"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'9"		
MW-36	3.0	42'	21'2"		
MW-37	3.0	39'3"	20'7"		
MW-40	3.0	29'7"	19'1"		
MW-41	3.0	77'	53'1"		
MW-51	3.0	65'5"	52'2"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	52'1"		
MW-73	2.0	28'	16'9"		VZ-4
MW-74	3.0	33'	27'9"		
VZ-1	2.0	27'	5'8"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'9"		MW-73
VZ-5	2.0	32'6"	16'2"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	21'7"		
MH-69	2.0	28'1"	0'0"		



**SUNDANCE SERVICES WEST, INC.**


ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

MONITOR WELLS

DATE: 9-12-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'8"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'8"		
MW-36	3.0	42'	21'3"		
MW-37	3.0	39'3"	20'7"		
MW-40	3.0	29'7"	19'2"		
MW-41	3.0	77'	53'1"		
MW-51	3.0	65'5"	52'1"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	52'3"		
MW-73	2.0	28'	16'8"		VZ-4
MW-74	3.0	33'	28'2"		
VZ-1	2.0	27'	5'9"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'8"		MW-73
VZ-5	2.0	32'6"	16'1"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	21'6"		
MH-69	2.0	28'1"	0'0"		





**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS**

DATE:

9-13-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'9"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'9"		
MW-36	3.0	42'	21'2"		
MW-37	3.0	39'3"	20'7"		
MW-40	3.0	29'7"	19'1"		
MW-41	3.0	77'	53'2"		
MW-51	3.0	65'5"	52'1"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	52'2"		
MW-73	2.0	28'	16'8"		VZ-4
MW-74	3.0	33'	28'1"		
VZ-1	2.0	27'	5'8"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'8"		MW-73
VZ-5	2.0	32'6"	16'2"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	21'7"		
MH-69	2.0	28'1"	0'1"		





**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

MONITOR WELLS

DATE:

9-14-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'8"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'0"		
MW-36	3.0	42'	21'1"		
MW-37	3.0	39'3"	20'6"		
MW-40	3.0	29'7"	19'2"		
MW-41	3.0	77'	53'1"		
MW-51	3.0	65'5"	52'2"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	52'1"		
MW-73	2.0	28'	16'7"		VZ-4
MW-74	3.0	33'	28'1"		
VZ-1	2.0	27'	5'9"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'7"		MW-73
VZ-5	2.0	32'6"	16'1"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	21'6"		
MH-69	2.0	28'1"	0'1"		



**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

MONITOR WELLS

DATE:

9-15-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'9"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'8"		
MW-36	3.0	42'	21'3"		
MW-37	3.0	39'3"	20'7"		
MW-40	3.0	29'7"	19'3"		
MW-41	3.0	77'	53'2"		
MW-51	3.0	65'5"	52'1"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	52'2"		
MW-73	2.0	28'	16'8"		VZ-4
MW-74	3.0	33'	28'2"		
VZ-1	2.0	27'	5'9"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'8"		MW-73
VZ-5	2.0	32'6"	16'1"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	21'7"		
MH-69	2.0	28'1"	0'1"		





**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

MONITOR WELLS

DATE: 9-16-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'8"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'9"		
MW-36	3.0	42'	21'2"		
MW-37	3.0	39'3"	20'8"		
MW-40	3.0	29'7"	19'3"		
MW-41	3.0	77'	53'4"		
MW-51	3.0	65'5"	52'1"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	52'2"		
MW-73	2.0	28'	16'7"		VZ-4
MW-74	3.0	33'	28'1"		
VZ-1	2.0	27'	5'8"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'7"		MW-73
VZ-5	2.0	32'6"	16'2"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	21'6"		
MH-69	2.0	28'1"	0'1"		





**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

MONITOR WELLS

DATE:

9-17-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'9"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'8"		
MW-36	3.0	42'	21'1"		
MW-37	3.0	39'3"	20'7"		
MW-40	3.0	29'7"	19'2"		
MW-41	3.0	77'	53'3"		
MW-51	3.0	65'5"	52'2"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	52'1"		
MW-73	2.0	28'	16'8"		VZ-4
MW-74	3.0	33'	28'3"		
VZ-1	2.0	27'	5'9"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'8"		MW-73
VZ-5	2.0	32'6"	16'1"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	21'7"		
MH-69	2.0	28'1"	0'1"		



**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

MONITOR WELLS

DATE:

9-18-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'8"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'8"		
MW-36	3.0	42'	21'7"		
MW-37	3.0	39'3"	20'6"		
MW-40	3.0	29'7"	19'3"		
MW-41	3.0	77'	53'2"		
MW-51	3.0	65'5"	52'1"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	52'2"		
MW-73	2.0	28'	16'9"		VZ-4
MW-74	3.0	33'	28'5"		
VZ-1	2.0	27'	5'8"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'9"		MW-73
VZ-5	2.0	32'6"	16'1"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	21'6"		
MH-69	2.0	28'1"	0'1"		





**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

MONITOR WELLS

DATE: 9-19-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'9"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'7"		
MW-36	3.0	42'	21'6"		
MW-37	3.0	39'3"	20'5"		
MW-40	3.0	29'7"	19'4"		
MW-41	3.0	77'	53'1"		
MW-51	3.0	65'5"	52'2"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	52'2"		
MW-73	2.0	28'	16'8"		VZ-4
MW-74	3.0	33'	28'4"		
VZ-1	2.0	27'	5'9"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'8"		MW-73
VZ-5	2.0	32'6"	16'2"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	21'5"		
MH-69	2.0	28'1"	0'1"		





**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

MONITOR WELLS

DATE: 9-20-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'8"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'8"		
MW-36	3.0	42'	21'7"		
MW-37	3.0	39'3"	20'6"		
MW-40	3.0	29'7"	19'3"		
MW-41	3.0	77'	53'2"		
MW-51	3.0	65'5"	52'1"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	52'1"		
MW-73	2.0	28'	16'9"		VZ-4
MW-74	3.0	33'	28'6"		
VZ-1	2.0	27'	6'0"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'9"		MW-73
VZ-5	2.0	32'6"	16'1"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	21'4"		
MH-69	2.0	28'1"	0'1"		



**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

MONITOR WELLS

DATE:

9-21-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'9"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'9"		
MW-36	3.0	42'	21'6"		
MW-37	3.0	39'3"	20'7"		
MW-40	3.0	29'7"	19'2"		
MW-41	3.0	77'	53'1"		
MW-51	3.0	65'5"	52'2"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	52'1"		
MW-73	2.0	28'	16'8"		VZ-4
MW-74	3.0	33'	28'9"	26'4"	
VZ-1	2.0	27'	5'9"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'8"		MW-73
VZ-5	2.0	32'6"	16'1"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	21'3"		
MH-69	2.0	28'1"	0'0"		





**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org


MONITOR WELLS

DATE:

9-22-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'9"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'7"		
MW-36	3.0	42'	21'7"		
MW-37	3.0	39'3"	20'6"		
MW-40	3.0	29'7"	19'3"		
MW-41	3.0	77'	53'2"		
MW-51	3.0	65'5"	52'1"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	52'3"		
MW-73	2.0	28'	16'7"		VZ-4
MW-74	3.0	33'	26'8"		
VZ-1	2.0	27'	6'0"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'7"		MW-73
VZ-5	2.0	32'6"	16'2"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	21'2"		
MH-69	2.0	28'1"	0'1"		





**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

MONITOR WELLS

DATE:

9-23-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'8"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'8"		
MW-36	3.0	42'	21'6"		
MW-37	3.0	39'3"	20'7"		
MW-40	3.0	29'7"	19'2"		
MW-41	3.0	77'	53'1"		
MW-51	3.0	65'5"	52'2"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	52'1"		
MW-73	2.0	28'	16'8"		VZ-4
MW-74	3.0	33'	27'1"		
VZ-1	2.0	27'	5'9"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'8"		MW-73
VZ-5	2.0	32'6"	16'1"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	21'1"		
MH-69	2.0	28'1"	0'1"		



**SUNDANCE SERVICES WEST, INC.**


ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS**

DATE: 9-24-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4' 9"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'8"		
MW-36	3.0	42'	21'7"		
MW-37	3.0	39'3"	20'8"		
MW-40	3.0	29'7"	19'3"		
MW-41	3.0	77'	53'2"		
MW-51	3.0	65'5"	52'1"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	52'1"		
MW-73	2.0	28'	16'7"		VZ-4
MW-74	3.0	33'	27'6"		
VZ-1	2.0	27'	5'8"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'7"		MW-73
VZ-5	2.0	32'6"	16'1"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	21'2"		
MH-69	2.0	28'1"	0'1"		






**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS**

DATE: 9-25-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'8"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'9"		
MW-36	3.0	42'	21'6"		
MW-37	3.0	39'3"	20'9"		
MW-40	3.0	29'7"	19'1"		
MW-41	3.0	77'	53'1"		
MW-51	3.0	65'5"	52'2"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	52'2"		
MW-73	2.0	28'	16'7"		VZ-4
MW-74	3.0	33'	27'6"		
VZ-1	2.0	27'	5'9"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'8"		MW-73
VZ-5	2.0	32'6"	16'1"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	21'1"		
MH-69	2.0	28'1"	0'1"		



**SUNDANCE SERVICES WEST, INC.**


ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

MONITOR WELLS

DATE:

9-26-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'9"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'8"		
MW-36	3.0	42'	21'7"		
MW-37	3.0	39'3"	20'8"		
MW-40	3.0	29'7"	19'2"		
MW-41	3.0	77'	53'2"		
MW-51	3.0	65'5"	52'1"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	52'1"		
MW-73	2.0	28'	16'7"		VZ-4
MW-74	3.0	33'	28'2"		
VZ-1	2.0	27'	5'9"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'7"		MW-73
VZ-5	2.0	32'6"	16'1"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	21'2"		
MH-69	2.0	28'1"	0'1"		



**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

MONITOR WELLS

DATE: 9-27-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'8"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'9"		
MW-36	3.0	42'	21'6"		
MW-37	3.0	39'3"	20'8"		
MW-40	3.0	29'7"	14'2"		
MW-41	3.0	77'	53'1"		
MW-51	3.0	65'5"	52'1"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	52'2"		
MW-73	2.0	28'	16'8"		VZ-4
MW-74	3.0	33'	28'4"		
VZ-1	2.0	27'	5'8"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'8"		MW-73
VZ-5	2.0	32'6"	16'1"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	21'1"		
MH-69	2.0	28'1"	0'1"		





**SUNDANCE SERVICES WEST, INC.**


ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

1001 6<sup>th</sup> Street P.O.

**MONITOR WELLS**

DATE: 9-28-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'9"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'8"		
MW-36	3.0	42'	21'7"		
MW-37	3.0	39'3"	20'8"		
MW-40	3.0	29'7"	19'1"		
MW-41	3.0	77'	53'2"		
MW-51	3.0	65'5"	52'1"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	52'1"		
MW-73	2.0	28'	16'7"		VZ-4
MW-74	3.0	33'	28'3"		
VZ-1	2.0	27'	5'9"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'7"		MW-73
VZ-5	2.0	32'6"	16'0"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	21'2"		
MH-69	2.0	28'1"	0'1"		




**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS**

DATE: 9-29-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'8"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'8"		
MW-36	3.0	42'	21'6"		
MW-37	3.0	39'3"	20'9"		
MW-40	3.0	29'7"	19'2"		
MW-41	3.0	77'	53'4"		
MW-51	3.0	65'5"	52'2"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	52'2"		
MW-73	2.0	28'	16'8"		VZ-4
MW-74	3.0	33'	28'4"		
VZ-1	2.0	27'	5'9"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'8"		MW-73
VZ-5	2.0	32'6"	16'1"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	21'1"		
MH-69	2.0	28'1"	0'0"		



**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS**

DATE: 9-30-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'9"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'7"		
MW-36	3.0	42'	21'7"		
MW-37	3.0	39'3"	20'8"		
MW-40	3.0	29'7"	19'1"		
MW-41	3.0	77'	53'2"		
MW-51	3.0	65'5"	52'1"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	52'1"		
MW-73	2.0	28'	16'7"		VZ-4
MW-74	3.0	33'	28'6"		
VZ-1	2.0	27'	5'9"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'6"		
VZ-4	2.0	28'	16'7"		MW-73
VZ-5	2.0	32'6"	16'0"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	21'2"		
MH-69	2.0	28'1"	0'0"		













## SUNDANCE SERVICES WEST, INC.

ROLL-OFF BOXES    ROLL-OFF TRUCKS    DUMP TRUCKS    VACUUM TRUCKS  
 Main Office: 575-394-2511    Plant Office: 575-394-3212    Fax: 575-394-2590  
 1001 6<sup>th</sup> Street    P.O. Box 1737    Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
[www.sundanceservices.com](http://www.sundanceservices.com)    [www.sundanceservices.net](http://www.sundanceservices.net)    [www.sundanceservices.org](http://www.sundanceservices.org)

### MONITOR WELLS

DATE: 9-4-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
P-MWS 1	3.0	65'0"	0'0"		
P-MWS 2	3.0	70'0"	0'0"		
P-MWS 3	3.0	64'3"	0'0"		
P-MWS 4	3.0	53'5"	0'0"		
P-MWS 5	3.0	48'4"	0'0"		



## SUNDANCE SERVICES WEST, INC.

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS

Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590

1001 6<sup>th</sup> Street P.O. Box 1737 Eunice, New Mexico 88231

PARABO DISPOSAL FACILITY

www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

MONITOR WELLS

DATE: 9-5-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
P-MWS 1	3.0	65'0"	0'0"		
P-MWS 2	3.0	70'0"	0'0"		
P-MWS 3	3.0	64'3"	0'0"		
P-MWS 4	3.0	53'5"	0'0"		
P-MWS 5	3.0	48'4"	0'0"		







**SUNDANCE SERVICES WEST, INC.**

**ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS**  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590  
 1001 6<sup>th</sup> Street P.O. Box 1737 Eunice, New Mexico 88231

**PARABO DISPOSAL FACILITY**

[www.sundanceservices.com](http://www.sundanceservices.com) [www.sundanceservices.net](http://www.sundanceservices.net) [www.sundanceservices.org](http://www.sundanceservices.org)

MONITOR WELLS

DATE: 9-7-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
P-MWS 1	3.0	65'0"	0'0"		
P-MWS 2	3.0	70'0"	0'0"		
P-MWS 3	3.0	64'3"	0'0"		
P-MWS 4	3.0	53'5"	0'0"		
P-MWS 5	3.0	48'4"	0'0"		



### SUNDANCE SERVICES WEST, INC.

**ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS**

Main Office: 575-394-2511      Plant Office: 575-394-3212      Fax: 575-394-2590

1001 6<sup>th</sup> Street      P.O. Box 1737      Eunice, New Mexico 88231

**PARABO DISPOSAL FACILITY**

www.sundanceervices.com      www.sundanceervices.net      www.sundanceervices.org

**MONITOR WELLS**

DATE: 9-8-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
P-MWS 1	3.0	65'0"	0'0"		
P-MWS 2	3.0	70'0"	0'0"		
P-MWS 3	3.0	64'3"	0'0"		
P-MWS 4	3.0	53'5"	0'0"		
P-MWS 5	3.0	48'4"	0'0"		



# SUNDANCE SERVICES WEST, INC.

ROLL-OFF BOXES   ROLL-OFF TRUCKS   DUMP TRUCKS   VACUUM TRUCKS  
 Main Office: 575-394-2511   Plant Office: 575-394-3212   Fax: 575-394-2590  
 1001 6<sup>th</sup> Street   P.O. Box 1737   Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
[www.sundanceservices.com](http://www.sundanceservices.com)   [www.sundanceservices.net](http://www.sundanceservices.net)   [www.sundanceservices.org](http://www.sundanceservices.org)

MONITOR WELLS

DATE: 9-9-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
P-MWS 1	3.0	65'0"	0'0"		
P-MWS 2	3.0	70'0"	0'0"		
P-MWS 3	3.0	64'3"	0'0"		
P-MWS 4	3.0	53'5"	0'0"		
P-MWS 5	3.0	48'4"	0'0"		





**SUNDANCE SERVICES WEST, INC.**

**ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS**

Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590

1001 6<sup>th</sup> Street P.O. Box 1737 Eunice, New Mexico 88231

**PARABO DISPOSAL FACILITY**

www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

MONITOR WELLS

DATE: 9-10-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
P-MWS 1	3.0	65'0"	0'0"		
P-MWS 2	3.0	70'0"	0'0"		
P-MWS 3	3.0	64'3"	0'0"		
P-MWS 4	3.0	53'5"	0'0"		
P-MWS 5	3.0	48'4"	0'0"		



# SUNDANCE SERVICES WEST, INC.

**ROLL-OFF BOXES    ROLL-OFF TRUCKS    DUMP TRUCKS    VACUUM TRUCKS**

Main Office: 575-394-2511    Plant Office: 575-394-3212    Fax: 575-394-2590

1001 6<sup>th</sup> Street    P.O. Box 1737    Eunice, New Mexico 88231

**PARABO DISPOSAL FACILITY**

www.sundanceservices.com    www.sundanceservices.net    www.sundanceservices.org

## MONITOR WELLS

DATE: 9-11-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
P-MWS 1	3.0	65'0"	0'0"		
P-MWS 2	3.0	70'0"	0'0"		
P-MWS 3	3.0	64'3"	0'0"		
P-MWS 4	3.0	53'5"	0'0"		
P-MWS 5	3.0	48'4"	0'0"		



# SUNDANCE SERVICES WEST, INC.

**ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS**

Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590

1001 6<sup>th</sup> Street P.O. Box 1737 Eunice, New Mexico 88231

**PARABO DISPOSAL FACILITY**

[www.sundanceservices.com](http://www.sundanceservices.com)

[www.sundanceservices.net](http://www.sundanceservices.net)

[www.sundanceservices.org](http://www.sundanceservices.org)

## MONITOR WELLS

DATE: 9-12-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
P-MWS 1	3.0	65'0"	0'0"		
P-MWS 2	3.0	70'0"	0'0"		
P-MWS 3	3.0	64'3"	0'0"		
P-MWS 4	3.0	53'5"	0'0"		
P-MWS 5	3.0	48'4"	0'0"		







# SUNDANCE SERVICES WEST, INC.

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590  
 1001 6<sup>th</sup> Street P.O. Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

MONITOR WELLS

DATE: 9-14-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
P-MWS 1	3.0	65'0"	0'0"		
P-MWS 2	3.0	70'0"	0'0"		
P-MWS 3	3.0	64'3"	0'0"		
P-MWS 4	3.0	53'5"	0'0"		
P-MWS 5	3.0	48'4"	0'0"		



### SUNDANCE SERVICES WEST, INC.

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590  
 1001 6th Street P.O. Box 1737 Eunice, New Mexico 88231

**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS**

DATE: 9-15-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
P-MWS 1	3.0	65'0"	0'0"		
P-MWS 2	3.0	70'0"	0'0"		
P-MWS 3	3.0	64'3"	0'0"		
P-MWS 4	3.0	53'5"	0'0"		
P-MWS 5	3.0	48'4"	0'0"		





**SUNDANCE SERVICES WEST, INC.**

**ROLL-OFF BOXES   ROLL-OFF TRUCKS   DUMP TRUCKS   VACUUM TRUCKS**  
Main Office: 575-394-2511   Plant Office: 575-394-3212   Fax: 575-394-2590  
1001 6<sup>th</sup> Street   P.O. Box 1737   Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
www.sundanceservices.com   www.sundanceservices.net   www.sundanceservices.org

**MONITOR WELLS**

DATE: 9-16-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
P-MWS 1	3.0	65'0"	0'0"		
P-MWS 2	3.0	70'0"	0'0"		
P-MWS 3	3.0	64'3"	0'0"		
P-MWS 4	3.0	53'5"	0'0"		
P-MWS 5	3.0	48'4"	0'0"		



### SUNDANCE SERVICES WEST, INC.

**ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS**  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590  
 1001 6<sup>th</sup> Street P.O. Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

#### MONITOR WELLS

DATE: 9-17-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
P-MWS 1	3.0	65'0"	0'0"		
P-MWS 2	3.0	70'0"	0'0"		
P-MWS 3	3.0	64'3"	0'0"		
P-MWS 4	3.0	53'5"	0'0"		
P-MWS 5	3.0	48'4"	0'0"		



**SUNDANCE SERVICES WEST, INC.**

**ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS**

Main Office: 575-394-2511      Plant Office: 575-394-3212      Fax: 575-394-2590  
 1001 6<sup>th</sup> Street      P.O. Box 1737      Eunice, New Mexico 88231

**PARABO DISPOSAL FACILITY**

www.sundanceservices.com      www.sundanceservices.net      www.sundanceservices.org

MONITOR WELLS

DATE: 9-18-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
P-MWS 1	3.0	65'0"	0-0" <sub>4</sub>		
P-MWS 2	3.0	70'0"	0-0" <sub>d</sub>		
P-MWS 3	3.0	64'3"	0-0" <sub>11</sub>		
P-MWS 4	3.0	53'5"	0-0" <sub>4</sub>		
P-MWS 5	3.0	48'4"	0-0" <sub>4</sub>		





**SUNDANCE SERVICES WEST, INC.**

**ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS**

Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590

1001 6<sup>th</sup> Street P.O. Box 1737 Eunice, New Mexico 88231

**PARABO DISPOSAL FACILITY**

www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS**

DATE: 9-19-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
P-MWS 1	3.0	65'0"	0.0"		
P-MWS 2	3.0	70'0"	0.0"		
P-MWS 3	3.0	64'3"	0.0"		
P-MWS 4	3.0	53'5"	0.0"		
P-MWS 5	3.0	48'4"	0.0"		



### SUNDANCE SERVICES WEST, INC.

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS

Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590

1001 6th Street P.O. Box 1737 Eunice, New Mexico 88231

PARABO DISPOSAL FACILITY

www.sundanceservices.com

www.sundanceservices.net

www.sundanceservices.org

#### MONITOR WELLS

DATE: 9-20-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
P-MWS 1	3.0	65'0"	0'0"		
P-MWS 2	3.0	70'0"	0'0"		
P-MWS 3	3.0	64'3"	0'0"		
P-MWS 4	3.0	53'5"	0'0"		
P-MWS 5	3.0	48'4"	0'0"		







# SUNDANCE SERVICES WEST, INC.

**ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS**  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590  
 1001 6<sup>th</sup> Street P.O. Box 1737 Eunice, New Mexico 88231

**PARABO DISPOSAL FACILITY**

www.sundanceservices.com      www.sundanceservices.net      www.sundanceservices.org

MONITOR WELLS

DATE: 9-22-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
P-MWS 1	3.0	65'0"	0'0"		
P-MWS 2	3.0	70'0"	0'0"		
P-MWS 3	3.0	64'3"	0'0"		
P-MWS 4	3.0	53'5"	0'0"		
P-MWS 5	3.0	48'4"	0'0"		



SUNDANCE SERVICES WEST, INC.

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS

Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590

1001 6th Street P.O. Box 1737 Eunice, New Mexico 88231

PARABO DISPOSAL FACILITY

www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

MONITOR WELLS

DATE: 9-23-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
P-MWS 1	3.0	65'0"	0'0"		
P-MWS 2	3.0	70'0"	0'0"		
P-MWS 3	3.0	64'3"	0'0"		
P-MWS 4	3.0	53'5"	0'0"		
P-MWS 5	3.0	48'4"	0'0"		



# SUNDANCE SERVICES WEST, INC.

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS

Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590

1001 6<sup>th</sup> Street P.O. Box 1737 Eunice, New Mexico 88231

**PARABO DISPOSAL FACILITY**

[www.sundanceservices.com](http://www.sundanceservices.com)

[www.sundanceservices.net](http://www.sundanceservices.net)

[www.sundanceservices.org](http://www.sundanceservices.org)

**MONITOR WELLS**

DATE: 9-24-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
P-MWS 1	3.0	65'0"	0'0"		
P-MWS 2	3.0	70'0"	0'0"		
P-MWS 3	3.0	64'3"	0'0"		
P-MWS 4	3.0	53'5"	0'0"		
P-MWS 5	3.0	48'4"	0'0"		





# SUNDANCE SERVICES WEST, INC.

ROLL-OFF BOXES   ROLL-OFF TRUCKS   DUMP TRUCKS   VACUUM TRUCKS

Main Office: 575-394-2511   Plant Office: 575-394-3212   Fax: 575-394-2590

1001 6<sup>th</sup> Street   P.O. Box 1737   Eunice, New Mexico 88231

**PARABO DISPOSAL FACILITY**

www.sundanceservices.com

www.sundanceservices.net

www.sundanceservices.org

### MONITOR WELLS

DATE: 9-25-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
P-MWS 1	3.0	65'0"	0'0"		
P-MWS 2	3.0	70'0"	0'0"		
P-MWS 3	3.0	64'3"	0'0"		
P-MWS 4	3.0	53'5"	0'0"		
P-MWS 5	3.0	48'4"	0'0"		



### SUNDANCE SERVICES WEST, INC.

**ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS**

Main Office: 575-394-2511

Plant Office: 575-394-3212

Fax: 575-394-2590

1001 6<sup>th</sup> Street

P.O. Box 1737

Eunice, New Mexico 88231

**PARABO DISPOSAL FACILITY**

[www.sundanceservices.com](http://www.sundanceservices.com)

[www.sundanceservices.net](http://www.sundanceservices.net)

[www.sundanceservices.org](http://www.sundanceservices.org)

MONITOR WELLS

DATE: 9-26-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
P-MWS 1	3.0	65'0"	0'0"		
P-MWS 2	3.0	70'0"	0'0"		
P-MWS 3	3.0	64'3"	0'0"		
P-MWS 4	3.0	53'5"	0'0"		
P-MWS 5	3.0	48'4"	0'0"		



**SUNDANCE SERVICES WEST, INC.**

**ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS**

Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590

1001 6<sup>th</sup> Street P.O. Box 1737 Eunice, New Mexico 88231

**PARABO DISPOSAL FACILITY**

www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

MONITOR WELLS

DATE: 9-27-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
P-MWS 1	3.0	65'0"	0.0		
P-MWS 2	3.0	70'0"	0.0		
P-MWS 3	3.0	64'3"	0.0		
P-MWS 4	3.0	53'5"	0.0		
P-MWS 5	3.0	48'4"	0.0		





# SUNDANCE SERVICES WEST, INC.

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590  
 1001 6<sup>th</sup> Street P.O. Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

## MONITOR WELLS

DATE: 9-28-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
P-MWS 1	3.0	65'0"	0'0"		
P-MWS 2	3.0	70'0"	0'0"		
P-MWS 3	3.0	64'3"	0'0"		
P-MWS 4	3.0	53'5"	0'0"		
P-MWS 5	3.0	48'4"	0'0"		



## SUNDANCE SERVICES WEST, INC.

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS

Main Office: 575-394-2511

Plant Office: 575-394-3212

Fax: 575-394-2590

1001 6<sup>th</sup> Street

P.O. Box 1737

Eunice, New Mexico 88231

**PARABO DISPOSAL FACILITY**

[www.sundanceservices.com](http://www.sundanceservices.com)

[www.sundanceservices.net](http://www.sundanceservices.net)

[www.sundanceservices.org](http://www.sundanceservices.org)

**MONITOR WELLS**

DATE: 9-29-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
P-MWS 1	3.0	65'0"	0'0"		
P-MWS 2	3.0	70'0"	0'0"		
P-MWS 3	3.0	64'3"	0'0"		
P-MWS 4	3.0	53'5"	0'0"		
P-MWS 5	3.0	48'4"	0'0"		



### SUNDANCE SERVICES WEST, INC.

**ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS**

Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590

1001 6<sup>th</sup> Street P.O. Box 1737 Eunice, New Mexico 88231

**PARABO DISPOSAL FACILITY**

[www.sundanceservices.com](http://www.sundanceservices.com)

[www.sundanceservices.net](http://www.sundanceservices.net)

[www.sundanceservices.org](http://www.sundanceservices.org)

**MONITOR WELLS**

DATE: 9-30-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
P-MWS 1	3.0	65'0"	○ ○ ○'		
P-MWS 2	3.0	70'0"	○ ○ ○'		
P-MWS 3	3.0	64'3"	○ ○ ○'		
P-MWS 4	3.0	53'5"	○ ○ ○'		
P-MWS 5	3.0	48'4"	○ ○ ○'		





### SUNDANCE SERVICES WEST, INC.

**ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS**

Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590

1001 6<sup>th</sup> Street P.O. Box 1737 Eunice, New Mexico 88231

**PARABO DISPOSAL FACILITY**

[www.sundanceservices.com](http://www.sundanceservices.com)

[www.sundanceservices.net](http://www.sundanceservices.net)

[www.sundanceservices.org](http://www.sundanceservices.org)

**MONITOR WELLS**

DATE: \_\_\_\_\_

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
P-MWS 1	3.0	65'0"			
P-MWS 2	3.0	70'0"			
P-MWS 3	3.0	64'3"			
P-MWS 4	3.0	53'5"			
P-MWS 5	3.0	48'4"			



### SUNDANCE SERVICES WEST, INC.

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

#### MONITOR WELLS WASH OUT

DATE: 9-1-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	16"	14'7"	0'3"		
WS-2	"	14'7"	1'2"		
WS-3	"	14'7"	0'7"		
WS-4	"	14'7"	2'8"		
WS-5	"	23'6"	14'4"		
WS-6	"	8'0"	0'3"		



### SUNDANCE SERVICES WEST, INC.

Main Office: 575-394-2511    Plant Office: 575-394-3212    Fax: 575-394-2590    1001 6<sup>th</sup> Street    P.O.  
 Box 1737    Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com    www.sundanceservices.net    www.sundanceservices.org

#### MONITOR WELLS WASH OUT

DATE: 9-2-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	Poly	14'7"	0'3"		
WS-2	"	14'7"	1'1"		
WS-3	"	14'7"	0'8"		
WS-4	"	14'7"	2'7"		
WS-5	"	23'6"	14'5"		
WS-6	"	8'0"	0'3"		





### SUNDANCE SERVICES WEST, INC.

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

#### MONITOR WELLS WASH OUT

DATE: 9-3-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	Poly	14'7"	0'3"		
WS-2	Poly	14'7"	1'3"		
WS-3	"	14'7"	0'7"		
WS-4	"	14'7"	2'6"		
WS-5	"	23'6"	14'3"		
WS-6	"	8'0"	0'2"		



### SUNDANCE SERVICES WEST, INC.

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

#### MONITOR WELLS WASH OUT

DATE: 9-4-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	4" Poly	14'7"	0'2"		
WS-2	"	14'7"	1'2"		
WS-3	"	14'7"	0'7"		
WS-4	"	14'7"	2'5"		
WS-5	"	23'6"	14'2"		
WS-6	"	8'0"	0'1"		



### SUNDANCE SERVICES WEST, INC.

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceervices.com www.sundanceervices.net www.sundanceervices.org

#### MONITOR WELLS WASH OUT

DATE: 9-5-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	Poly	14'7"	0'1"		
WS-2	"	14'7"	1'3'		
WS-3	"	14'7"	0'7'		
WS-4	"	14'7"	2'6'		
WS-5	"	23'6"	14'3"		
WS-6	"	8'0"	0'2"		





### SUNDANCE SERVICES WEST, INC.

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

#### MONITOR WELLS WASH OUT

DATE: 9-5-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	Poly	14'7"	0'2"		
WS-2	"	14'7"	1'2"		
WS-3	"	14'7"	0'7"		
WS-4	"	14'7"	2'7"		
WS-5	"	23'6"	14'4"		
WS-6	"	8'0"	0'2"		



**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS WASH OUT**

DATE: 9-6-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	Poly	14'7"	0'3"		
WS-2	"	14'7"	1'2"		
WS-3	"	14'7"	0'8"		
WS-4	"	14'7"	2'7"		
WS-5	"	23'6"	14'3"		
WS-6	"	8'0"	0'2"		



### SUNDANCE SERVICES WEST, INC.

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

#### MONITOR WELLS WASH OUT

DATE: 9-7-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	Poly	14'7"	0'4"		
WS-2	"	14'7"	1'3"		
WS-3	"	14'7"	0'9"		
WS-4	"	14'7"	2'8"		
WS-5	"	23'6"	14'2"		
WS-6	"	8'0"	0'3"		





### SUNDANCE SERVICES WEST, INC.

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

#### MONITOR WELLS WASH OUT

DATE: 9-8-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	Poly	14'7"	0'4"		
WS-2	"	14'7"	1'2"		
WS-3	"	14'7"	0'9"		
WS-4	"	14'7"	2'7"		
WS-5	"	23'6"	14'3"		
WS-6	"	8'0"	0'3"		



### SUNDANCE SERVICES WEST, INC.

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

#### MONITOR WELLS WASH OUT

DATE: 9-9-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	Poly	14'7"	0'3"		
WS-2	"	14'7"	1'3"		
WS-3	"	14'7"	0'8"		
WS-4	"	14'7"	2'6"		
WS-5	"	23'6"	14'2"		
WS-6	"	8'0"	0'2"		



**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS WASH OUT**

DATE: 9-10-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	4" Poly	14'7"	0'2"		
WS-2	"	14'7"	1'2"		
WS-3	"	14'7"	0'7"		
WS-4	"	14'7"	2'7"		
WS-5	"	23'6"	14'1"		
WS-6	"	8'0"	0'2"		





**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS WASH OUT**

DATE: 9-11-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	10 1/4"	14'7"	0'3"		
WS-2	"	14'7"	1'2"		
WS-3	"	14'7"	0'7"		
WS-4	"	14'7"	2'6"		
WS-5	"	23'6"	14'2"		
WS-6	"	8'0"	0'3"		



### SUNDANCE SERVICES WEST, INC.

Main Office: 575-394-2511    Plant Office: 575-394-3212    Fax: 575-394-2590    1001 6<sup>th</sup> Street    P.O.  
 Box 1737    Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com    www.sundanceservices.net    www.sundanceservices.org

#### MONITOR WELLS WASH OUT

DATE: 9-12-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	POLY	14'7"	0'2"		
WS-2	"	14'7"	1'3"		
WS-3	"	14'7"	0'7"		
WS-4	"	14'7"	2'6"		
WS-5	"	23'6"	14'3"		
WS-6	"	8'0"	0'2"		



### SUNDANCE SERVICES WEST, INC.

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

#### MONITOR WELLS WASH OUT

DATE: 9-13-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	Poly	14'7"	0'3"		
WS-2	"	14'7"	1'2"		
WS-3	"	14'7"	0'6"		
WS-4	"	14'7"	2'7"		
WS-5	"	23'6"	14'2"		
WS-6	"	8'0"	0'1"		






### SUNDANCE SERVICES WEST, INC.

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

#### MONITOR WELLS WASH OUT

DATE: 9-14-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	Poly	14'7"	0'2"		
WS-2	"	14'7"	1'3"		
WS-3	"	14'7"	0'7"		
WS-4	"	14'7"	2'8"		
WS-5	"	23'6"	14'1"		
WS-6	"	8'0"	0'0"		



### SUNDANCE SERVICES WEST, INC.

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

#### MONITOR WELLS WASH OUT

DATE: 9-15-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	Poly	14'7"	0'1"		
WS-2	"	14'7"	1'4"		
WS-3	"	14'7"	0'9"		
WS-4	"	14'7"	2'7"		
WS-5	"	23'6"	14'4"		
WS-6	"	8'0"	0'1"		



### SUNDANCE SERVICES WEST, INC.

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

#### MONITOR WELLS WASH OUT

DATE: 9-16-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	Poly	14'7"	0'3"		
WS-2	"	14'7"	1'3"		
WS-3	"	14'7"	0'9"		
WS-4	"	14'7"	2'8"		
WS-5	"	23'6"	14'3"		
WS-6	"	8'0"	0'3"		





### SUNDANCE SERVICES WEST, INC.

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

#### MONITOR WELLS WASH OUT

DATE: 9-17-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	Poly	14'7"	0'4"		
WS-2	"	14'7"	1'4"		
WS-3	"	14'7"	0'8"		
WS-4	"	14'7"	2'9"		
WS-5	"	23'6"	14'4"		
WS-6	"	8'0"	0'2"		



### SUNDANCE SERVICES WEST, INC.

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

#### MONITOR WELLS WASH OUT

DATE: 9-18-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	4" Poly	14'7"	0'6"		
WS-2	4"	14'7"	1'2"		
WS-3	4"	14'7"	0'9"		
WS-4	4"	14'7"	2'9"		
WS-5	4"	23'6"	14'3"		
WS-6	4"	8'0"	0'2"		



### SUNDANCE SERVICES WEST, INC.

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

#### MONITOR WELLS WASH OUT

DATE: 9-19-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	Poly	14'7"	0'6"		
WS-2	"	14'7"	1'3"		
WS-3	"	14'7"	0'8"		
WS-4	"	14'7"	2'9"		
WS-5	"	23'6"	14'4"		
WS-6	"	8'0"	0'2"		





### SUNDANCE SERVICES WEST, INC.

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

#### MONITOR WELLS WASH OUT

DATE: 9-20-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	Poly	14'7"	0'6"		
WS-2	"	14'7"	1'2"		
WS-3	"	14'7"	0'9"		
WS-4	"	14'7"	2'9"		
WS-5	"	23'6"	14'3"		
WS-6	"	8'0"	0'1"		



**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS WASH OUT**

DATE: 9-21-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	Poly	14'7"	0'7"		
WS-2	"	14'7"	1'3"		
WS-3	"	14'7"	0'8"		
WS-4	"	14'7"	2'8"		
WS-5	"	23'6"	14'2"		
WS-6	"	8'0"	0'2"		



### SUNDANCE SERVICES WEST, INC.

Main Office: 575-394-2511    Plant Office: 575-394-3212    Fax: 575-394-2590    1001 6<sup>th</sup> Street    P.O.  
 Box 1737    Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com    www.sundanceservices.net    www.sundanceservices.org

#### MONITOR WELLS WASH OUT

DATE: 9-21-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	Poly	14'7"	0'7"		
WS-2	"	14'7"	1'2"		
WS-3	"	14'7"	0'9"		
WS-4	"	14'7"	2'9"		
WS-5	"	23'6"	14'6"		
WS-6	"	8'0"	0'2"		





### SUNDANCE SERVICES WEST, INC.

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590

1001 6<sup>th</sup> Street P.O.

Box 1737 Eunice, New Mexico 88231

PARABO DISPOSAL FACILITY

www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

#### MONITOR WELLS WASH OUT

DATE: 9-22-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	10"	14'7"	0'9"		
WS-2	"	14'7"	1'3"		
WS-3	"	14'7"	0'9"		
WS-4	"	14'7"	2'7"		
WS-5	"	23'6"	14'7"		
WS-6	"	8'0"	0'1"		



### SUNDANCE SERVICES WEST, INC.

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

#### MONITOR WELLS WASH OUT

DATE: 9-23-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	Poly	14'7"	0'8"		
WS-2	11	14'7"	1'4"		
WS-3	11	14'7"	0'8"		
WS-4	11	14'7"	2'8"		
WS-5	11	23'6"	14'8"		
WS-6	11	8'0"	0'2"		



### SUNDANCE SERVICES WEST, INC.

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

#### MONITOR WELLS WASH OUT

DATE: 9-24-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	Poly	14'7"	0'9"		
WS-2	"	14'7"	1'5"		
WS-3	"	14'7"	0'9"		
WS-4	"	14'7"	2'7"		
WS-5	"	23'6"	14'6"		
WS-6	"	8'0"	0'3"		





**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS WASH OUT**

DATE: 9-25-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	10 1/4"	14'7"	0'8"		
WS-2	4"	14'7"	1'4"		
WS-3	4"	14'7"	0'7"		
WS-4	4"	14'7"	2'9"		
WS-5	4"	23'6"	14'7"		
WS-6	4"	8'0"	0'2"		



### SUNDANCE SERVICES WEST, INC.

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

#### MONITOR WELLS WASH OUT

DATE: 9-26-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	Poly	14'7"	0'9"		
WS-2	"	14'7"	1'3"		
WS-3	"	14'7"	0'6"		
WS-4	"	14'7"	2'8"		
WS-5	"	23'6"	14'6"		
WS-6	"	8'0"	0'2"		



**SUNDANCE SERVICES WEST, INC.**


ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS WASH OUT**

DATE: 9-27-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	10"	14'7"	0'9"		
WS-2	"	14'7"	1'2"		
WS-3	"	14'7"	0'7"		
WS-4	"	14'7"	2'9"		
WS-5	"	23'6"	14'7"		
WS-6	"	8'0"	0'1"		






### SUNDANCE SERVICES WEST, INC.

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

#### MONITOR WELLS WASH OUT

DATE: 9-28-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	Poly	14'7"	0'8"		
WS-2	"	14'7"	1'3"		
WS-3	"	14'7"	0'7"		
WS-4	"	14'7"	2'8"		
WS-5	"	23'6"	14'9"		
WS-6	"	8'0"	0'1"		




**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS WASH OUT**

DATE: 9-29-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	POLY	14'7"	0'9"		
WS-2	"	14'7"	1'4"		
WS-3	"	14'7"	0'7"		
WS-4	"	14'7"	2'9"		
WS-5	"	23'6"	14'7"		
WS-6	"	8'0"	0'1"		



### SUNDANCE SERVICES WEST, INC.

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

#### MONITOR WELLS WASH OUT

DATE: 9-30-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	Poly	14'7"	0'9"		
WS-2	"	14'7"	1'3"		
WS-3	"	14'7"	0'8"		
WS-4	"	14'7"	2'8"		
WS-5	"	23'6"	14'9"		
WS-6	"	8'0"	0'1"		



Daily Inspection Form  
Sundance West

Date: 10-1-22

Print Name:

Daryl Romero

Others: \_\_\_\_\_

Signature:

TYPE OF INSPECTION

Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual		Satisfactory	Action Required
Item							
Vehicle Screening (H2S) (Vol. II - Sec.4:2 - Pg.19)					D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)					D	✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)					D	✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)					D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)					D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)					D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)					D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)					D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)					D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)					D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)					D	✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)					D	✓	
Pond levels three-foot free board					D	✓	

Daily Inspection Form  
Sundance West

Date: 10-2-22  
Others: \_\_\_\_\_

Print Name: Daisy Romero  
Signature: \_\_\_\_\_

TYPE OF INSPECTION

Daily	Weekly	Monthly	Quarterly	Annual		Satisfactory	Action Required
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Item		
					Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)	D ✓	
					Dust Control (Vol. II - Sec.4.3 - Pg.19)	D ✓	
					Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)	D ✓	
					Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)	D ✓	
					Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)	D ✓	
					Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)	D ✓	
					Waste Screening and Forms (Vol. II - Sec 2- Pg.94)	D ✓	
					Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)	D ✓	
					Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)	D ✓	
					Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)	D ✓	
					Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)	D ✓	
					Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)	D ✓	
					Pond levels three-foot free board	D ✓	



Daily Inspection Form  
Sundance West

Date: 10-3-22

Print Name: Dewi Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

TYPE OF INSPECTION

TYPE OF INSPECTION					Item	D	Satisfactory	Action Required
Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual				
					Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)	D	✓	
					Dust Control (Vol. II - Sec.4.3 - Pg.19)	D	✓	
					Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)	D	✓	
					Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)	D	✓	
					Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)	D	✓	
					Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)	D	✓	
					Waste Screening and Forms (Vol. II - Sec 2- Pg.94)	D	✓	
					Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)	D	✓	
					Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)	D	✓	
					Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)	D	✓	
					Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)	D	✓	
					Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)	D	✓	
					Pond levels three-foot free board	D	✓	



**Daily Inspection Form  
Sundance West**

Date: 10-5-22

Print Name: Drew Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

TYPE OF INSPECTION

TYPE OF INSPECTION					Item	Satisfactory	Action Required
Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual			
					Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)	D	✓
					Dust Control (Vol. II - Sec.4.3 - Pg.19)	D	✓
					Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)	D	✓
					Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)	D	✓
					Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)	D	✓
					Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)	D	✓
					Waste Screening and Forms (Vol. II - Sec 2- Pg.94)	D	✓
					Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)	D	✓
					Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)	D	✓
					Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)	D	✓
					Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)	D	✓
					Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)	D	✓
					Pond levels three-foot free board	D	✓

Daily Inspection Form  
Sundance West

Date: 10-6-22  
Others: \_\_\_\_\_

Print Name: \_\_\_\_\_  
Signature: Drew Romero

TYPE OF INSPECTION

TYPE OF INSPECTION					Item	D	Satisfactory	Action Required
Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual				
					Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)	D	✓	
					Dust Control (Vol. II - Sec.4.3 - Pg.19)	D	✓	
					Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)	D	✓	
					Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)	D	✓	
					Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)	D	✓	
					Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)	D	✓	
					Waste Screening and Forms (Vol. II - Sec 2- Pg.94)	D	✓	
					Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)	D	✓	
					Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)	D	✓	
					Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)	D	✓	
					Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)	D	✓	
					Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)	D	✓	
					Pond levels three-foot free board	D	✓	

Daily Inspection Form  
Sundance West

Date: 10-7-22

Print Name: Deus) Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

TYPE OF INSPECTION

TYPE OF INSPECTION					Item	Satisfactory	Action Required
Daily	Weekly	Monthly	Quarterly	Annual			
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)	D ✓	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Dust Control (Vol. II - Sec.4.3 - Pg.19)	D ✓	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)	D ✓	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)	D ✓	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)	D ✓	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)	D ✓	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Waste Screening and Forms (Vol. II - Sec 2- Pg.94)	D ✓	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)	D ✓	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)	D ✓	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)	D ✓	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)	D ✓	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)	D ✓	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Pond levels three-foot free board	D ✓	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			



Daily Inspection Form  
Sundance West

Date: 10-8-22  
Others: \_\_\_\_\_

Print Name: Deusi Romero  
Signature: \_\_\_\_\_

TYPE OF INSPECTION

Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual		Satisfactory	Action Required
Item							
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)					D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)					D	✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)					D	✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)					D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)					D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)					D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)					D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)					D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)					D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)					D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)					D	✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)					D	✓	
Pond levels three-foot free board					D	✓	

Daily Inspection Form  
Sundance West

Date: 10-9-22

Print Name: Deusi Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

TYPE OF INSPECTION

Daily <input checked="" type="checkbox"/>	Weekly <input type="checkbox"/>	Monthly <input type="checkbox"/>	Quarterly <input type="checkbox"/>	Annual <input type="checkbox"/>
---	---------------------------------	----------------------------------	------------------------------------	---------------------------------

Item		Satisfactory	Action Required
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)	D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)	D	✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)	D	✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)	D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)	D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)	D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)	D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)	D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)	D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)	D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)	D	✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)	D	✓	
Pond levels three-foot free board	D	✓	

Daily Inspection Form  
Sundance West

Date: 10-10-22

Print Name: Daisy Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

TYPE OF INSPECTION

TYPE OF INSPECTION					Satisfactory	Action Required
Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual		
Item						
Vehicle Screening (H2S) (Vol. II - Sec.4:2 - Pg.19)					D ✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)					D ✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)					D ✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)					D ✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)					D ✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)					D ✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)					D ✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)					D ✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)					D ✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)					D ✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)					D ✓	
Evaporation Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)					D ✓	
Pond levels three-foot free board					D ✓	



Daily Inspection Form  
Sundance West

Date: 10-11-22

Print Name: Deusi Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

TYPE OF INSPECTION

TYPE OF INSPECTION					Item	Satisfactory	Action Required
Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual			
					Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)	D ✓	
					Dust Control (Vol. II - Sec.4.3 - Pg.19)	D ✓	
					Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)	D ✓	
					Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)	D ✓	
					Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)	D ✓	
					Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)	D ✓	
					Waste Screening and Forms (Vol. II - Sec 2- Pg.94)	D ✓	
					Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)	D ✓	
					Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)	D ✓	
					Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)	D ✓	
					Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)	D ✓	
					Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)	D ✓	
					Pond levels three-foot free board	D ✓	

Daily Inspection Form  
Sundance West

Date: 10-12-22

Print Name: Dustin Remmen

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

TYPE OF INSPECTION

Daily <input checked="" type="checkbox"/>	Weekly <input type="checkbox"/>	Monthly <input type="checkbox"/>	Quarterly <input type="checkbox"/>	Annual <input type="checkbox"/>		Satisfactory	Action Required
Item							
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)					D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)					D	✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)					D	✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)					D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)					D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)					D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)					D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)					D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)					D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)					D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)					D	✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)					D	✓	
Pond levels three-foot free board					D	✓	

### Daily Inspection Form Sundance West

Date: 10-13-22

Print Name: Devin Roman

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

#### TYPE OF INSPECTION

TYPE OF INSPECTION					Item	Satisfactory	Action Required
Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual			
					Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)	D ✓	
					Dust Control (Vol. II - Sec.4.3 - Pg.19)	D ✓	
					Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)	D ✓	
					Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)	D ✓	
					Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)	D ✓	
					Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)	D ✓	
					Waste Screening and Forms (Vol. II - Sec 2- Pg.94)	D ✓	
					Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)	D ✓	
					Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)	D ✓	
					Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)	D ✓	
					Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)	D ✓	
					Evaopraton Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)	D ✓	
					Pond levels three-foot free board	D ✓	



Daily Inspection Form  
Sundance West

Date: 10-14-22

Print Name: Dewi Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

TYPE OF INSPECTION

Item	Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual	Satisfactory	Action Required
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)						D ✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)						D ✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)						D ✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)						D ✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)						D ✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)						D ✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)						D ✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)						D ✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)						D ✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)						D ✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)						D ✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)						D ✓	
Pond levels three-foot free board						D ✓	

**Daily Inspection Form  
Sundance West**

Date: 10-15-22

Print Name: Deysi Roman

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

TYPE OF INSPECTION

TYPE OF INSPECTION					Item	Satisfactory	Action Required
Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual			
					Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)	D ✓	
					Dust Control (Vol. II - Sec.4.3 - Pg.19)	D ✓	
					Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)	D ✓	
					Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)	D ✓	
					Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)	D ✓	
					Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)	D ✓	
					Waste Screening and Forms (Vol. II - Sec 2- Pg.94)	D ✓	
					Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)	D ✓	
					Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)	D ✓	
					Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)	D ✓	
					Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)	D ✓	
					Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)	D ✓	
					Pond levels three-foot free board	D ✓	

Daily Inspection Form  
Sundance West

Date: 10-16-22

Print Name: Deusi Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

TYPE OF INSPECTION

Item	Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual	D	Satisfactory	Action Required
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)						D	/	
Dust Control (Vol. II - Sec.4.3 - Pg.19)						D	/	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)						D	/	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)						D	/	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)						D	/	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)						D	/	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)						D	/	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)						D	/	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)						D	/	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)						D	/	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)						D	/	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)						D	/	
Pond levels three-foot free board						D	/	



Daily Inspection Form  
Sundance West

Date: 10-17-22

Others: \_\_\_\_\_

Print Name: Dewi Romero

Signature: \_\_\_\_\_

TYPE OF INSPECTION

TYPE OF INSPECTION					Item	D	Satisfactory	Action Required
Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual				
					Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)	D	✓	
					Dust Control (Vol. II - Sec.4.3 - Pg.19)	D	✓	
					Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)	D	✓	
					Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)	D	✓	
					Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)	D	✓	
					Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)	D	✓	
					Waste Screening and Forms (Vol. II - Sec 2- Pg.94)	D	✓	
					Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)	D	✓	
					Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)	D	✓	
					Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)	D	✓	
					Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)	D	✓	
					Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)	D	✓	
					Pond levels three-foot free board	D	✓	

### Daily Inspection Form Sundance West

Date: 10-18-22

Print Name: Deysi Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

#### TYPE OF INSPECTION

Item	Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual	Satisfactory	Action Required
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)						D ✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)						D ✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)						D ✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)						D ✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)						D ✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)						D ✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)						D ✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)						D ✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)						D ✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)						D ✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)						D ✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)						D ✓	
Pond levels three-foot free board						D ✓	

Daily Inspection Form  
Sundance West

Date: 10-19-22

Print Name:

Dewsi Romero

Others: \_\_\_\_\_

Signature:

TYPE OF INSPECTION

Item	Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual	D	Satisfactory	Action Required
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)						D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)						D	✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)						D	✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)						D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)						D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)						D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)						D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)						D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)						D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)						D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)						D	✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)						D	✓	
Pond levels three-foot free board						D	✓	



Daily Inspection Form  
Sundance West

Date: 10 - 20 22

Print Name: Dave Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

TYPE OF INSPECTION

Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual		Satisfactory	Action Required
Item							
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)					D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)					D	✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)					D	✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)					D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)					D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)					D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)					D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)					D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)					D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)					D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)					D	✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)					D	✓	
Pond levels three-foot free board					D	✓	

**Daily Inspection Form  
Sundance West**

Date: 10-21-22

Print Name: Deysi Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

**TYPE OF INSPECTION**

Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual		Satisfactory	Action Required
<b>Item</b>							
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)					D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)					D	✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)					D	✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)					D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)					D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)					D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)					D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)					D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)					D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)					D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)					D	✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)					D	✓	
Pond levels three-foot free board					D	✓	

Daily Inspection Form  
Sundance West

Date: 10 22 22

Print Name: Devs. Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

TYPE OF INSPECTION

TYPE OF INSPECTION					Item	Satisfactory	Action Required
Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual			
					Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)	D ✓	
					Dust Control (Vol. II - Sec.4.3 - Pg.19)	D ✓	
					Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)	D ✓	
					Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)	D ✓	
					Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)	D ✓	
					Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)	D ✓	
					Waste Screening and Forms (Vol. II - Sec 2- Pg.94)	D ✓	
					Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)	D ✓	
					Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)	D ✓	
					Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)	D ✓	
					Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)	D ✓	
					Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)	D ✓	
					Pond levels three-foot free board	D ✓	



Daily Inspection Form  
Sundance West

Date: 10-23-22  
Others: \_\_\_\_\_

Print Name: Dewi Romeio  
Signature: \_\_\_\_\_

TYPE OF INSPECTION

Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual		Satisfactory	Action Required
Item							
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)					D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)					D	✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)					D	✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)					D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)					D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)					D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)					D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)					D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)					D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)					D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)					D	✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)					D	✓	
Pond levels three-foot free board					D	✓	

Daily Inspection Form  
Sundance West

Date: 10-24-22

Print Name: Deusi Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

TYPE OF INSPECTION

Daily <input checked="" type="radio"/>	Weekly	Monthly	Quarterly	Annual		Satisfactory	Action Required
Item							
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)					D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)					D	✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)					D	✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)					D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)					D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)					D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)					D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)					D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)					D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)					D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)					D	✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)					D	✓	
Pond levels three-foot free board					D	✓	

Daily Inspection Form  
Sundance West

Date: 10 25 22

Print Name: Davi Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

TYPE OF INSPECTION

Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual		Satisfactory	Action Required
					D	✓	
					D	✓	
					D	✓	
					D	✓	
					D	✓	
					D	✓	
					D	✓	
					D	✓	
					D	✓	
					D	✓	
					D	✓	
					D	✓	
					D	✓	
					D	✓	
					D	✓	
					D	✓	
					D	✓	
					D	✓	
					D	✓	



**Daily Inspection Form  
Sundance West**

Date: 10-26-22

Print Name: Deysi Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

**TYPE OF INSPECTION**

Item	Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual	Satisfactory	Action Required
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)						D ✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)						D ✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)						D ✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)						D ✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)						D ✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)						D ✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)						D ✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)						D ✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)						D ✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)						D ✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)						D ✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)						D ✓	
Pond levels three-foot free board						D ✓	

**Daily Inspection Form  
Sundance West**

Date: 10 27 22  
Others: \_\_\_\_\_

Print Name: Dewi Romero  
Signature: \_\_\_\_\_

TYPE OF INSPECTION

TYPE OF INSPECTION					Item	Satisfactory	Action Required
Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual			
					Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)	D ✓	
					Dust Control (Vol. II - Sec.4.3 - Pg.19)	D ✓	
					Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)	D ✓	
					Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)	D ✓	
					Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)	D ✓	
					Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)	D ✓	
					Waste Screening and Forms (Vol. II - Sec 2- Pg.94)	D ✓	
					Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)	D ✓	
					Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)	D ✓	
					Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)	D ✓	
					Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)	D ✓	
					Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)	D ✓	
					Pond levels three-foot free board	D ✓	

**Daily Inspection Form  
Sundance West**

Date: 10-28-22  
Others: \_\_\_\_\_

Print Name: Dewi Romeio  
Signature: \_\_\_\_\_

**TYPE OF INSPECTION**

Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual		Satisfactory	Action Required
Item							
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)					D	/	
Dust Control (Vol. II - Sec.4.3 - Pg.19)					D	/	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)					D	/	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)					D	/	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)					D	/	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)					D	/	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)					D	/	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)					D	/	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)					D	/	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)					D	/	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)					D	/	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)					D	/	
Pond levels three-foot free board					D	/	



**Daily Inspection Form  
Sundance West**

Date: 10-29-22  
 Others: \_\_\_\_\_

Print Name: Deysi Romero  
 Signature: \_\_\_\_\_

**TYPE OF INSPECTION**

Daily	Weekly	Monthly	Quarterly	Annual		Satisfactory	Action Required
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Item		
					Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)	D ✓	
					Dust Control (Vol. II - Sec.4.3 - Pg.19)	D ✓	
					Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)	D ✓	
					Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)	D ✓	
					Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)	D ✓	
					Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)	D ✓	
					Waste Screening and Forms (Vol. II - Sec 2- Pg.94)	D ✓	
					Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)	D ✓	
					Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)	D ✓	
					Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)	D ✓	
					Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)	D ✓	
					Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)	D ✓	
					Pond levels three-foot free board	D ✓	

**Daily Inspection Form  
Sundance West**

Date: 10 30 22

Print Name: Dawn Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

**TYPE OF INSPECTION**

TYPE OF INSPECTION					Item	Satisfactory	Action Required
Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual			
					Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)	D ✓	
					Dust Control (Vol. II - Sec.4.3 - Pg.19)	D ✓	
					Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)	D ✓	
					Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)	D ✓	
					Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)	D ✓	
					Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)	D ✓	
					Waste Screening and Forms (Vol. II - Sec 2- Pg.94)	D ✓	
					Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)	D ✓	
					Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)	D ✓	
					Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)	D ✓	
					Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)	D ✓	
					Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)	D ✓	
					Pond levels three-foot free board	D ✓	

**Daily Inspection Form  
Sundance West**

Date: 10-31-22

Print Name: Deysi Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

TYPE OF INSPECTION

TYPE OF INSPECTION					Satisfactory	Action Required
Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual		
Item						
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)					D ✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)					D ✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)					D ✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)					D ✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)					D ✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)					D ✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)					D ✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)					D ✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)					D ✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)					D ✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)					D ✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)					D ✓	
Pond levels three-foot free board					D ✓	



**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 10-1-22

**Inspector(s):**

**Time:** 7:50am

Deusi Romero

**Weather:**

Temperature 54 deg. F  
 Skies Fair  
 Wind Speed E mph  
 Wind Direction 9 (direction blowing from)

Precipitation (last 24 hours) \_\_\_\_\_ inches

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**

ATTACHMENT II.1.D

Evaporation Pond Integrity/Leak Detection Inspection Checklist  
Sundance West

Page \_\_\_\_ of \_\_\_\_

Date: 10-2-22

Inspector(s):

Time: 10:50 am

Dewi Romero

**Weather:**

Temperature 72 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies Fair

Wind Speed 9 mph

Wind Direction ESE (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**

**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 10-3-22

**Inspector(s):**

**Time:** 8:50am

Deusi Romero

**Weather:**

Temperature 59 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies Fair

Wind Speed 0 mph

Wind Direction CALM (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**



**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 10-4-22

**Inspector(s):**

**Time:** 11:50am

Deusi Roman

**Weather:**

Temperature 73 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies Fair

Wind Speed 12 mph

Wind Direction ESC (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**

**ATTACHMENT II.1.D  
Evaporation Pond Integrity/Leak Detection Inspection Checklist  
Sundance West**

Page \_\_\_\_ of \_\_\_\_

Date: 10-5-22

Inspector(s):

Time: 10:50 am.

Deusi Romero

**Weather:**

Temperature 66 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies Showers in the vicinity

Wind Speed 7 mph

Wind Direction SSW (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**

**ATTACHMENT II.1.D  
Evaporation Pond Integrity/Leak Detection Inspection Checklist  
Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 10.6.22

**Inspector(s):**

**Time:** 3:50 pm

Daisy Romero

**Weather:**

Temperature 73 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies Mostly Cloudy

Wind Speed 8 mph

Wind Direction SE (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**



**ATTACHMENT II.1.D  
Evaporation Pond Integrity/Leak Detection Inspection Checklist  
Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 10-7-22

**Inspector(s):**

**Time:** 8:50am

Deysi Romero

**Weather:**

Temperature 61 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies cloudy

Wind Speed 12 mph

Wind Direction N (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**

**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 10-8-22

**Time:** 9:30am

**Inspector(s):**

Deysi Romero

**Weather:**

Temperature 55 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies Mostly Cloudy

Wind Speed 15 mph

Wind Direction ENE (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**

---



---



---

**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 10-9-22

**Inspector(s):**

**Time:** 2:50 PM

Deusi Pomeno

**Weather:**

Temperature 64 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies Partly Cloudy

Wind Speed 7 mph

Wind Direction ESE (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**



**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 10 10 22  
**Time:** 11:50 am

**Inspector(s):**  
Deysi Romo

**Weather:**

Temperature 63 deg. F      Precipitation (last 24 hours) \_\_\_\_\_ inches  
 Skies Mostly Cloudy  
 Wind Speed 5 mph  
 Wind Direction VAR (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**

**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 10-11-22

**Inspector(s):**

**Time:** 9:15 am

Deysi Romero

**Weather:**

Temperature 55 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies FAIR

Wind Speed 3 mph

Wind Direction VAR (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**

**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 10-12-22

**Inspector(s):**

**Time:** 8:50 am

Dawn Romero

**Weather:**

Temperature 61 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies Fair

Wind Speed 12 mph

Wind Direction NW (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

NOTES:



**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 10-13-22

**Inspector(s):**

**Time:** 1.50 pm

Deysi Romero

**Weather:**

Temperature 73 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies Clear

Wind Speed 9 mph

Wind Direction E (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

NOTES:

ATTACHMENT II.1.D

Evaporation Pond Integrity/Leak Detection Inspection Checklist  
Sundance West

Page \_\_\_\_ of \_\_\_\_

Date: 10-14-22

Inspector(s):

Time: 7:50am

Deysi Romero

Weather:

Temperature 45 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies Fair

Wind Speed 7 mph

Wind Direction N (direction blowing from)

NOTES:

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

EVAPORATION POND CONTAINMENT CONDITION

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

EVAPORATION POND LEAK DETECTION SYSTEM

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

NOTES:

**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 10-15-22

**Inspector(s):**

**Time:** 1:50 pm

Dawn Romeio

**Weather:**

Temperature 82 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies Fair

Wind Speed 6 mph

Wind Direction SSW (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**



**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 10-16-22

**Inspector(s):**

**Time:** 2:50pm

Dewi Romero

**Weather:**

Temperature 59 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies Cloudy

Wind Speed 15 mph

Wind Direction NNE (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**

**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 10-17-22

**Inspector(s):**

**Time:** 9:50am

Deusi Romero

**Weather:**

Temperature 50 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies cloudy

Wind Speed 10 mph

Wind Direction NNE (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 10 18 22

**Inspector(s):**

**Time:** 1:50 pm

Deysi Romero

**Weather:**

Temperature 61 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies Mostly Cloudy.

Wind Speed 7 mph

Wind Direction SSE (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**



**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 10-19-22

**Inspector(s):**

**Time:** 11:56am

Deusi Pomeno

**Weather:**

Temperature 63 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies Fair

Wind Speed 13 mph

Wind Direction SW (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**

**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 10/20/2022  
**Time:** 6:50am

**Inspector(s):** Deyoi Romero

**Weather:**

Temperature 46 deg. F      Precipitation (last 24 hours) \_\_\_\_\_ inches  
 Skies Fair  
 Wind Speed 6 mph  
 Wind Direction W (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**

**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 10-21-22

**Inspector(s):**

**Time:** 7:50 am

Devin Romero

**Weather:**

Temperature 52 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies Fair

Wind Speed 6 mph

Wind Direction WSW (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**



**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

Date: 10-22-22  
 Time: 8:50 am

Inspector(s):  
Daysi Romero

**Weather:**

Temperature 66 deg. F      Precipitation (last 24 hours) \_\_\_\_\_ inches  
 Skies FAIR  
 Wind Speed 13 mph  
 Wind Direction SSW (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**

**ATTACHMENT II.1.D  
Evaporation Pond Integrity/Leak Detection Inspection Checklist  
Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 10-23-22  
**Time:** 11:50 am

**Inspector(s):**  
Dani Romero

**Weather:**

Temperature 81 deg. F      Precipitation (last 24 hours) \_\_\_\_\_ inches  
 Skies Fair  
 Wind Speed 20 mph  
 Wind Direction SSW (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**

\_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 10-24-22

**Inspector(s):**

**Time:** 8 50 am

Deysi Romero

**Weather:**

Temperature 59 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies Fair

Wind Speed 14 mph

Wind Direction SSW (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**



ATTACHMENT II.1.D

Evaporation Pond Integrity/Leak Detection Inspection Checklist  
Sundance West

Page \_\_\_\_ of \_\_\_\_

Date: 10 25 22

Inspector(s): Deusi Romero

Time: 6 50 am

**Weather:**

Temperature 37 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies Fair

Wind Speed 0 mph

Wind Direction W (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

EVAPORATION POND CONTAINMENT CONDITION

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

EVAPORATION POND LEAK DETECTION SYSTEM

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

NOTES:

ATTACHMENT II.1.D

Evaporation Pond Integrity/Leak Detection Inspection Checklist  
Sundance West

Page \_\_\_ of \_\_\_

Date: 10-26-22

Inspector(s):

Time: 8:50am

Deysi Romero

Weather:

Temperature 50 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies FAIR

Wind Speed 0 mph

Wind Direction CALM (direction blowing from)

NOTES:

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

EVAPORATION POND CONTAINMENT CONDITION

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

EVAPORATION POND LEAK DETECTION SYSTEM

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

NOTES:

**ATTACHMENT II.1.D  
Evaporation Pond Integrity/Leak Detection Inspection Checklist  
Sundance West**

Page \_\_\_\_ of \_\_\_\_

Date: 10-27-22

Inspector(s):

Time: 10:50am

Dani Romero

**Weather:**

Temperature 73 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies Fair/Windy

Wind Speed 23 mph

Wind Direction WSW (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

NOTES:



**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 10-28-22

**Inspector(s):**

**Time:** 11:50am

Dewi Romero

**Weather:**

Temperature 61 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies Fair / Windy

Wind Speed 24 mph

Wind Direction N (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**

ATTACHMENT II.1.D

Evaporation Pond Integrity/Leak Detection Inspection Checklist  
Sundance West

Page \_\_\_\_ of \_\_\_\_

Date: 10-29-22

Inspector(s):

Time: 11:50am

Devin Romero

Weather:

Temperature 61 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies Fair

Wind Speed 6 mph

Wind Direction NW (direction blowing from)

NOTES:

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

EVAPORATION POND CONTAINMENT CONDITION

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

EVAPORATION POND LEAK DETECTION SYSTEM

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

NOTES:

**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 10-30-22

**Inspector(s):**

**Time:** 7:50am

Devin Romero

**Weather:**

Temperature 41 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies FOW

Wind Speed 5 mph

Wind Direction VAR (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**



**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 10-31-22

**Inspector(s):**

**Time:** 8:50 am

Deysi Romero

**Weather:**

Temperature 54 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies FOW

Wind Speed 0 mph

Wind Direction CALM (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**

# Office Pits

Date: 10-1-22


Before:  
After:

Before:  
After:


Before:  
After:

Before:  
After:


Before:  
After:




9  
Before:  
After:




7  
Before:  
After:



5  
Before:  
After:



3  
Before:  
After:



1  
Before:  
After:

WEST

Before:  
After:

Before:  
After:

Before:  
After:

Before:  
After:


Before:  
After:

EAST




10

Before:  
After:




8

Before:  
After:




6

Before:  
After:




4

Before:  
After:



2

Before:  
After:



# Office Pits

Date: 10-2-22


Before:  
After:

Before:  
After:


Before:  
After:

Before:  
After:


Before:  
After:




9  
Before:  
After:




7  
Before:  
After:



5  
Before:  
After:



3  
Before:  
After:



1  
Before:  
After:

WEST

Before:  
After:


Before:  
After:

Before:  
After:

Before:  
After:


Before:  
After:

10




Before:  
After:

8




Before:  
After:

6




Before:  
After:

4



Before:  
After:

2



Before:  
After:

SOUTH

NORTH


EAST






# Office Pits


Date: 10-3-22




9  
Before:  
After:




7  
Before:  
After:



5  
Before:  
After:




3  
Before:  
After:



1  
Before:  
After:


WEST

10




Before:  
After:

8




Before:  
After:

6




Before:  
After:

4



Before:  
After:

2



Before:  
After:

SOUTH

NORTH


EAST



# Office Pits

Date: 10-4-22

Before:  
After:




9  
Before:  
After:

WEST


Before:  
After:

10



Before:  
After:


Before:  
After:



7  
Before:  
After:

Before:  
After:


8



Before:  
After:

SOUTH


Before:  
After:



5  
Before:  
After:

Before:  
After:


6



Before:  
After:

NORTH


Before:  
After:



3  
Before:  
After:


Before:  
After:

4



Before:  
After:


Before:  
After:



1  
Before:  
After:

Before:  
After:

2



Before:  
After:

EAST



# Office Pits

Date: 10 5 - 22


Before:  
After:

Before:  
After:


Before:  
After:

Before:  
After:


Before:  
After:




9  
Before:  
After:




7  
Before:  
After:



5  
Before:  
After:



3  
Before:  
After:



1  
Before:  
After:

WEST

Before:  
After:

Before:  
After:

Before:  
After:


Before:  
After:

Before:  
After:

EAST




10




Before:  
After:

8




Before:  
After:

6




Before:  
After:

4



Before:  
After:

2



Before:  
After:

NORTH



# Office Pits

Date: 10-6-22


Before:  
After:

Before:  
After:


Before:  
After:

Before:  
After:


Before:  
After:




9  
Before:  
After:




7  
Before:  
After:



5  
Before:  
After:



3  
Before:  
After:



1  
Before:  
After:

WEST

Before:  
After:

Before:  
After:

Before:  
After:

Before:  
After:


Before:  
After:

EAST




10

Before:  
After:




8

Before:  
After:




6

Before:  
After:




4

Before:  
After:



2

Before:  
After:



# Office Pits

Date: 10-7-22


Before:  
After:

Before:  
After:


Before:  
After:

Before:  
After:


Before:  
After:




9  
Before:  
After:




7  
Before:  
After:



5  
Before:  
After:



3  
Before:  
After:



1  
Before:  
After:

WEST

Before:  
After:

Before:  
After:

Before:  
After:


Before:  
After:

Before:  
After:

EAST




10




Before:  
After:

8




Before:  
After:

6




Before:  
After:

4



Before:  
After:

2



Before:  
After:

NORTH

# Office Pits

Date: 10-8-22


Before:  
After:

Before:  
After:


Before:  
After:

Before:  
After:


Before:  
After:




9  
Before:  
After:




7  
Before:  
After:



5  
Before:  
After:



3  
Before:  
After:



1  
Before:  
After:

WEST

Before:  
After:

Before:  
After:

Before:  
After:


Before:  
After:

Before:  
After:

EAST


10

Before:  
After:




8

Before:  
After:




6

Before:  
After:




4

Before:  
After:



2

Before:  
After:






# Office Pits

Date: 10 9 22

Before:  
After:




9  
Before:  
After:

WEST


Before:  
After:

10



Before:  
After:


Before:  
After:



7  
Before:  
After:

Before:  
After:

8




Before:  
After:

SOUTH

NORTH


Before:  
After:



5  
Before:  
After:


Before:  
After:

6



Before:  
After:


Before:  
After:



3  
Before:  
After:


Before:  
After:

4



Before:  
After:


Before:  
After:



1  
Before:  
After:

Before:  
After:

2



Before:  
After:

EAST



# Office Pits

Date: 10-10-22


Before:  
After:

Before:  
After:


Before:  
After:

Before:  
After:


Before:  
After:




9  
Before:  
After:




7  
Before:  
After:



5  
Before:  
After:



3  
Before:  
After:



1  
Before:  
After:

WEST

Before:  
After:

Before:  
After:


Before:  
After:

Before:  
After:

Before:  
After:


EAST

10




Before:  
After:

8




Before:  
After:

6




Before:  
After:

4



Before:  
After:

2



Before:  
After:

NORTH



# Office Pits

Date: 10-11-22


Before:  
After:

Before:  
After:


Before:  
After:

Before:  
After:


Before:  
After:




9  
Before:  
After:




7  
Before:  
After:



5  
Before:  
After:



3  
Before:  
After:



1  
Before:  
After:

WEST

Before:  
After:

Before:  
After:


Before:  
After:

Before:  
After:

Before:  
After:


EAST

10




Before:  
After:

8




Before:  
After:

6




Before:  
After:

4



Before:  
After:

2



Before:  
After:

NORTH





# Office Pits

Date: 10-12-22


Before:  
After:

Before:  
After:


Before:  
After:

Before:  
After:


Before:  
After:




9  
Before:  
After:




7  
Before:  
After:



5  
Before:  
After:



3  
Before:  
After:



1  
Before:  
After:

WEST

Before:  
After:

Before:  
After:


Before:  
After:

Before:  
After:

Before:  
After:


EAST

10




Before:  
After:

8




Before:  
After:

6




Before:  
After:

4



Before:  
After:

2



Before:  
After:


NORTH



# Office Pits

Date: 10 13 22

Before:  
After:




9  
Before:  
After:

WEST


Before:  
After:

10



Before:  
After:


Before:  
After:



7  
Before:  
After:

Before:  
After:

8




Before:  
After:

SOUTH

NORTH


Before:  
After:



5  
Before:  
After:


Before:  
After:

6



Before:  
After:


Before:  
After:



3  
Before:  
After:


Before:  
After:

4



Before:  
After:


Before:  
After:



1  
Before:  
After:

Before:  
After:

2



Before:  
After:

EAST



# Office Pits

Date: 10-14-22


Before:  
After:

Before:  
After:


Before:  
After:

Before:  
After:


Before:  
After:




9  
Before:  
After:




7  
Before:  
After:



5  
Before:  
After:



3  
Before:  
After:



1  
Before:  
After:

WEST

Before:  
After:

Before:  
After:

Before:  
After:


Before:  
After:

Before:  
After:

EAST


10

Before:  
After:




8

Before:  
After:




6

Before:  
After:




4

Before:  
After:



2

Before:  
After:





# Office Pits

Date: 10-15-22


Before:  
After:

Before:  
After:


Before:  
After:

Before:  
After:


Before:  
After:




9  
Before:  
After:




7  
Before:  
After:



5  
Before:  
After:



3  
Before:  
After:



1  
Before:  
After:

WEST

Before:  
After:

Before:  
After:

Before:  
After:


Before:  
After:

Before:  
After:

EAST




10




Before:  
After:

8




Before:  
After:

6




Before:  
After:

4



Before:  
After:

2



Before:  
After:

SOUTH

NORTH

# Office Pits

Date: 10-16-22


Before:  
After:

Before:  
After:


Before:  
After:

Before:  
After:


Before:  
After:




9  
Before:  
After:




7  
Before:  
After:



5  
Before:  
After:



3  
Before:  
After:



1  
Before:  
After:

WEST

Before:  
After:

Before:  
After:

Before:  
After:

Before:  
After:

Before:  
After:

EAST

10

Before:  
After:

8

Before:  
After:

6






Before:  
After:

4

Before:  
After:

2

Before:  
After:



# Office Pits

Date: 10-17-22


Before:  
After:

Before:  
After:


Before:  
After:

Before:  
After:


Before:  
After:




9  
Before:  
After:




7  
Before:  
After:



5  
Before:  
After:



3  
Before:  
After:



1  
Before:  
After:

WEST

Before:  
After:

Before:  
After:

Before:  
After:

Before:  
After:


Before:  
After:

EAST




10

Before:  
After:




8

Before:  
After:




6

Before:  
After:




4

Before:  
After:



2

Before:  
After:





# Office Pits

Date: 10-18-22


Before:  
After:

Before:  
After:


Before:  
After:

Before:  
After:


Before:  
After:




9  
Before:  
After:




7  
Before:  
After:



5  
Before:  
After:



3  
Before:  
After:



1  
Before:  
After:

WEST

Before:  
After:

Before:  
After:

Before:  
After:

Before:  
After:


Before:  
After:

EAST




10

Before:  
After:




8

Before:  
After:




6

Before:  
After:




4

Before:  
After:



2

Before:  
After:



SOUTH

NORTH

# Office Pits

Date: 10-19-22


Before:  
After:

Before:  
After:


Before:  
After:

Before:  
After:


Before:  
After:




9  
Before:  
After:




7  
Before:  
After:



5  
Before:  
After:



3  
Before:  
After:



1  
Before:  
After:

WEST

Before:  
After:

Before:  
After:


Before:  
After:

Before:  
After:

Before:  
After:


EAST

10




Before:  
After:

8




Before:  
After:

6




Before:  
After:

4



Before:  
After:

2




Before:  
After:



# Office Pits

Date: 10-20-22

Before:  
After:




9  
Before:  
After:

WEST


Before:  
After:

10



Before:  
After:


Before:  
After:



7  
Before:  
After:

Before:  
After:

8




Before:  
After:

SOUTH

NORTH


Before:  
After:



5  
Before:  
After:


Before:  
After:

6



Before:  
After:


Before:  
After:



3  
Before:  
After:


Before:  
After:

4



Before:  
After:

Before:  
After:




1  
Before:  
After:

Before:  
After:

EAST

2




Before:  
After:



# Office Pits

Date: 3/14/2025

Before:  
After:




9  
Before:  
After:

WEST


Before:  
After:

10



Before:  
After:


Before:  
After:



7  
Before:  
After:

Before:  
After:

8




Before:  
After:

SOUTH

NORTH


Before:  
After:



5  
Before:  
After:


Before:  
After:

6



Before:  
After:


Before:  
After:



3  
Before:  
After:


Before:  
After:

4



Before:  
After:


Before:  
After:



1  
Before:  
After:

Before:  
After:

2



Before:  
After:

EAST





# Office Pits

Date: 10-22-22


Before:  
After:

Before:  
After:


Before:  
After:

Before:  
After:


Before:  
After:




9  
Before:  
After:




7  
Before:  
After:



5  
Before:  
After:



3  
Before:  
After:



1  
Before:  
After:

WEST

Before:  
After:

Before:  
After:


Before:  
After:

Before:  
After:

Before:  
After:


EAST

10




Before:  
After:

8




Before:  
After:

6




Before:  
After:

4



Before:  
After:

2



Before:  
After:

NORTH



# Office Pits

Date: 10 23 22


Before:  
After:

Before:  
After:


Before:  
After:

Before:  
After:


Before:  
After:




9  
Before:  
After:




7  
Before:  
After:



5  
Before:  
After:



3  
Before:  
After:



1  
Before:  
After:

WEST

Before:  
After:

Before:  
After:

Before:  
After:


Before:  
After:

Before:  
After:

EAST


10

Before:  
After:




8

Before:  
After:




6

Before:  
After:




4

Before:  
After:



2

Before:  
After:



# Office Pits

Date: 10-24-22


Before:  
After:

Before:  
After:


Before:  
After:

Before:  
After:


Before:  
After:




9  
Before:  
After:




7  
Before:  
After:



5  
Before:  
After:



3  
Before:  
After:



1  
Before:  
After:

WEST

Before:  
After:

Before:  
After:


Before:  
After:

Before:  
After:

Before:  
After:


EAST

10




Before:  
After:

8




Before:  
After:

6




Before:  
After:

4



Before:  
After:

2



Before:  
After:


NORTH



# Office Pits

Date: 10-25-22

Before:  
After:




9  
Before:  
After:

WEST


Before:  
After:

10



Before:  
After:


Before:  
After:



7  
Before:  
After:

Before:  
After:

8




Before:  
After:

SOUTH

NORTH


Before:  
After:



5  
Before:  
After:


Before:  
After:

6



Before:  
After:


Before:  
After:



3  
Before:  
After:


Before:  
After:

4



Before:  
After:

Before:  
After:




1  
Before:  
After:

Before:  
After:

EAST

2



Before:  
After:





# Office Pits

Date: 10-26-22


Before:  
After:

Before:  
After:


Before:  
After:

Before:  
After:


Before:  
After:




9  
Before:  
After:




7  
Before:  
After:



5  
Before:  
After:



3  
Before:  
After:



1  
Before:  
After:

WEST

Before:  
After:

Before:  
After:


Before:  
After:

Before:  
After:

Before:  
After:


EAST

10




Before:  
After:

8




Before:  
After:

6




Before:  
After:

4



Before:  
After:

2



Before:  
After:

NORTH



# Office Pits

Date: 10-27-22


Before:  
After:

Before:  
After:


Before:  
After:

Before:  
After:


Before:  
After:




9  
Before:  
After:




7  
Before:  
After:



5  
Before:  
After:



3  
Before:  
After:



1  
Before:  
After:

WEST

Before:  
After:

Before:  
After:

Before:  
After:


Before:  
After:

Before:  
After:

EAST




10




Before:  
After:

8




Before:  
After:

6




Before:  
After:

4



Before:  
After:

2




Before:  
After:

NORTH

# Office Pits

Date: 10-28-22

Before:  
After:




9  
Before:  
After:

WEST


Before:  
After:

10



Before:  
After:


Before:  
After:



7  
Before:  
After:

Before:  
After:

8




Before:  
After:

SOUTH

NORTH


Before:  
After:



5  
Before:  
After:


Before:  
After:

6



Before:  
After:


Before:  
After:



3  
Before:  
After:


Before:  
After:

4



Before:  
After:


Before:  
After:



1  
Before:  
After:

Before:  
After:

2



Before:  
After:


EAST



# Office Pits

Date: 10 29 22

Before:  
After:




9  
Before:  
After:

WEST


Before:  
After:

10



Before:  
After:


Before:  
After:



7  
Before:  
After:

Before:  
After:


8



Before:  
After:

SOUTH


Before:  
After:



5  
Before:  
After:

Before:  
After:


6



Before:  
After:

NORTH


Before:  
After:



3  
Before:  
After:


Before:  
After:

4



Before:  
After:

Before:  
After:




1  
Before:  
After:

Before:  
After:

EAST

2



Before:  
After:





# Office Pits

Date: 10 30 - 22


Before:  
After:

Before:  
After:


Before:  
After:

Before:  
After:


Before:  
After:




9  
Before:  
After:




7  
Before:  
After:



5  
Before:  
After:



3  
Before:  
After:



1  
Before:  
After:

WEST

Before:  
After:

Before:  
After:


Before:  
After:

Before:  
After:

Before:  
After:


EAST

10




Before:  
After:

8




Before:  
After:

6




Before:  
After:

4



Before:  
After:

2



Before:  
After:

NORTH



# Office Pits

Date: 10-31-22


Before:  
After:

Before:  
After:


Before:  
After:

Before:  
After:


Before:  
After:




9  
Before:  
After:




7  
Before:  
After:



5  
Before:  
After:



3  
Before:  
After:



1  
Before:  
After:

WEST

Before:  
After:

Before:  
After:


Before:  
After:

Before:  
After:

Before:  
After:


EAST

10




Before:  
After:

8




Before:  
After:

6




Before:  
After:

4



Before:  
After:


2



Before:  
After:

NORTH






**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

MONITOR WELLS

DATE: 10-1-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'9"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'8"		
MW-36	3.0	42'	21'8"		
MW-37	3.0	39'3"	20'7"		
MW-40	3.0	29'7"	19'2"		
MW-41	3.0	77'	53'3"		
MW-51	3.0	65'5"	52'1"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	52'1"		
MW-73	2.0	28'	16'6"		VZ-4
MW-74	3.0	33'	28'7"		
VZ-1	2.0	27'	5'8"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'6"		MW-73
VZ-5	2.0	32'6"	16'0"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	21'1"		
MH-69	2.0	28'1"	0'0"		



**SUNDANCE SERVICES WEST, INC.**


ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS**

DATE: 10-2-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'8"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'9"		
MW-36	3.0	42'	21'7"		
MW-37	3.0	39'3"	20'6"		
MW-40	3.0	29'7"	14'1"		
MW-41	3.0	77'	53'2"		
MW-51	3.0	65'5"	52'1"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	52'2"		
MW-73	2.0	28'	16'7"		VZ-4
MW-74	3.0	33'	28'8"	24'6"	
VZ-1	2.0	27'	5'9"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'7"		MW-73
VZ-5	2.0	32'6"	16'0"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	21'1"		
MH-69	2.0	28'1"	0'0"		






**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS**

DATE: 10-3-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'9"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'9"		
MW-36	3.0	42'	21'6"		
MW-37	3.0	39'3"	20'7"		
MW-40	3.0	29'7"	19'2"		
MW-41	3.0	77'	53'1"		
MW-51	3.0	65'5"	52'2"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	52'1"		
MW-73	2.0	28'	16'6"		VZ-4
MW-74	3.0	33'	25'1"		
VZ-1	2.0	27'	5'8"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'6"		MW-73
VZ-5	2.0	32'6"	16'0"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	21'2"		
MH-69	2.0	28'1"	0'1"		




**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS**

DATE: 10-4-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4' 9"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0' 9"		
MW-36	3.0	42'	21' 6"		
MW-37	3.0	39'3"	20' 6"		
MW-40	3.0	29'7"	14' 2"		
MW-41	3.0	77'	53' 3"		
MW-51	3.0	65'5"	52' 2"		
MW-69	3.0	50'4"	0' 0"		
MW-71	6.0	61'9"	52' 1"		
MW-73	2.0	28'	16' 7"		VZ-4
MW-74	3.0	33'	25' 6"		
VZ-1	2.0	27'	5' 9"		PGI-8
VZ-2	2.0	38'8"	0' 0"		
VZ-3	2.0	28'	0' 0"		
VZ-4	2.0	28'	16' 7"		MW-73
VZ-5	2.0	32'6"	16' 1"		
VZ-6	2.0	26'3"	0' 0"		
VZ-7	2.0	49'8"	21' 2"		
MH-69	2.0	28'1"	0' 1"		



**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

MONITOR WELLS

DATE: 10-5-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'8"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'9"		
MW-36	3.0	42'	21'7"		
MW-37	3.0	39'3"	20'8"		
MW-40	3.0	29'7"	19'1"		
MW-41	3.0	77'	53'3"		
MW-51	3.0	65'5"	52'1"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	52'1"		
MW-73	2.0	28'	16'8"		VZ-4
MW-74	3.0	33'	25'4"		
VZ-1	2.0	27'	6'0"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'8"		MW-73
VZ-5	2.0	32'6"	16'1"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	21'2"		
MH-69	2.0	28'1"	0'1"		



**SUNDANCE SERVICES WEST, INC.**


ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS**

DATE: 10-6-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'9"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'9"		
MW-36	3.0	42'	21'8"		
MW-37	3.0	39'3"	20'9"		
MW-40	3.0	29'7"	19'2"		
MW-41	3.0	77'	53'2"		
MW-51	3.0	65'5"	52'1"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	52'3"		
MW-73	2.0	28'	16'9"		VZ-4
MW-74	3.0	33'	25'7"		
VZ-1	2.0	27'	5'9"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'9"		MW-73
VZ-5	2.0	32'6"	16'1"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	21'1"		
MH-69	2.0	28'1"	0'1"		





**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS**

DATE: 10-7-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'8"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'9"		
MW-36	3.0	42'	21'7"		
MW-37	3.0	39'3"	20'8"		
MW-40	3.0	29'7"	14'3"		
MW-41	3.0	77'	53'1"		
MW-51	3.0	65'5"	52'2"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	52'2"		
MW-73	2.0	28'	16'8"		VZ-4
MW-74	3.0	33'	25'6"		
VZ-1	2.0	27'	5'9"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'8"		MW-73
VZ-5	2.0	32'6"	16'1"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	21'1"		
MH-69	2.0	28'1"	0'0"		




**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

MONITOR WELLS

DATE: 10-8-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'9"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'8"		
MW-36	3.0	42'	21'6"		
MW-37	3.0	39'3"	20'7"		
MW-40	3.0	29'7"	14'1"		
MW-41	3.0	77'	53'2"		
MW-51	3.0	65'5"	52'1"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	52'1"		
MW-73	2.0	28'	16'9"		VZ-4
MW-74	3.0	33'	25'9"		
VZ-1	2.0	27'	5'8"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'9"		MW-73
VZ-5	2.0	32'6"	16'11"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	21'2"		
MH-69	2.0	28'1"	0'1"		




**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

MONITOR WELLS

DATE: 10-9-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'8"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'9"		
MW-36	3.0	42'	21'7"		
MW-37	3.0	39'3"	20'7"		
MW-40	3.0	29'7"	14'3"		
MW-41	3.0	77'	53'1"		
MW-51	3.0	65'5"	52'3"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	52'1"		
MW-73	2.0	28'	16'8"		VZ-4
MW-74	3.0	33'	26'3"		
VZ-1	2.0	27'	5'9"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'8"		MW-73
VZ-5	2.0	32'6"	16'1"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	21'3"		
MH-69	2.0	28'1"	0'0"		



**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS**

DATE: 10-10-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'9"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'8"		
MW-36	3.0	42'	21'8"		
MW-37	3.0	39'3"	20'8"		
MW-40	3.0	29'7"	19'1"		
MW-41	3.0	77'	53'2"		
MW-51	3.0	65'5"	52'1"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	52'2"		
MW-73	2.0	28'	16'9"		VZ-4
MW-74	3.0	33'	26'6"		
VZ-1	2.0	27'	5'8"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'9"		MW-73
VZ-5	2.0	32'6"	16'2"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	21'2"		
MH-69	2.0	28'1"	0'0"		






**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS**

DATE: 10-11-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'7"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'9"		
MW-36	3.0	42'	21'7"		
MW-37	3.0	39'3"	20'9"		
MW-40	3.0	29'7"	19'3"		
MW-41	3.0	77'	53'1"		
MW-51	3.0	65'5"	52'1"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	52'1"		
MW-73	2.0	28'	16'7"		VZ-4
MW-74	3.0	33'	26'8"		
VZ-1	2.0	27'	5'9"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'7"		MW-73
VZ-5	2.0	32'6"	16'2"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	21'1"		
MH-69	2.0	28'1"	0'0"		




**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS**

DATE: 10-12-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'8"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'9"		
MW-36	3.0	42'	21'6"		
MW-37	3.0	39'3"	20'8"		
MW-40	3.0	29'7"	19'2"		
MW-41	3.0	77'	53'2"		
MW-51	3.0	65'5"	52'1"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	52'1"		
MW-73	2.0	28'	16'8"		VZ-4
MW-74	3.0	33'	27'2"		
VZ-1	2.0	27'	5'8"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'8"		MW-73
VZ-5	2.0	32'6"	16'1"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	21'1"		
MH-69	2.0	28'1"	0'0"		




**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS**

DATE: 10-13-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'9"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'8"		
MW-36	3.0	42'	21'7"		
MW-37	3.0	39'3"	20'7"		
MW-40	3.0	29'7"	19'1"		
MW-41	3.0	77'	53'1"		
MW-51	3.0	65'5"	52'3"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	52'2"		
MW-73	2.0	28'	16'7"		VZ-4
MW-74	3.0	33'	27'8"		
VZ-1	2.0	27'	5'9"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'7"		MW-73
VZ-5	2.0	32'6"	16'0"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	21'2"		
MH-69	2.0	28'1"	0'0"		



**SUNDANCE SERVICES WEST, INC.**


ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS**

DATE: 10-14-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'8"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'8"		
MW-36	3.0	42'	21'8"		
MW-37	3.0	39'3"	20'7"		
MW-40	3.0	29'7"	19'2"		
MW-41	3.0	77'	53'2"		
MW-51	3.0	65'5"	52'1"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	52'1"		
MW-73	2.0	28'	16'8"		VZ-4
MW-74	3.0	33'	28'11"		
VZ-1	2.0	27'	5'9"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'8"		MW-73
VZ-5	2.0	32'6"	16'1"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	21'3"		
MH-69	2.0	28'1"	0'0"		






**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS**

DATE: 10-15-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'9"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'8"		
MW-36	3.0	42'	21'7"		
MW-37	3.0	39'3"	20'8"		
MW-40	3.0	29'7"	19'1"		
MW-41	3.0	77'	53'1"		
MW-51	3.0	65'5"	52'2"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	52'1"		
MW-73	2.0	28'	16'7"		VZ-4
MW-74	3.0	33'	28'2"		
VZ-1	2.0	27'	6'0"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'7"		MW-73
VZ-5	2.0	32'6"	16'1"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	21'2"		
MH-69	2.0	28'1"	0'0"		




**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS**

DATE: 10-16-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'8"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'9"		
MW-36	3.0	42'	21'6"		
MW-37	3.0	39'3"	20'9"		
MW-40	3.0	29'7"	14'2"		
MW-41	3.0	77'	53'2"		
MW-51	3.0	65'5"	52'1"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	52'7"		
MW-73	2.0	28'	16'8"		VZ-4
MW-74	3.0	33'	28'3"		
VZ-1	2.0	27'	6'0"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'8"		MW-73
VZ-5	2.0	32'6"	16'1"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	21'2"		
MH-69	2.0	28'1"	0'0"		



**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS**

DATE: 10-17-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'9"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'8"		
MW-36	3.0	42'	21'7"		
MW-37	3.0	39'3"	20'8"		
MW-40	3.0	29'7"	14'1"		
MW-41	3.0	77'	53'1"		
MW-51	3.0	65'5"	52'1"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	52'8"		
MW-73	2.0	28'	16'7"		VZ-4
MW-74	3.0	33'	28'3"		
VZ-1	2.0	27'	5'9"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'7"		MW-73
VZ-5	2.0	32'6"	16'1"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	21'1"		
MH-69	2.0	28'1"	0'0"		



**SUNDANCE SERVICES WEST, INC.**


ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS**

DATE: 10-18-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'8"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'8"		
MW-36	3.0	42'	21'6"		
MW-37	3.0	39'3"	20'9"		
MW-40	3.0	29'7"	14'2"		
MW-41	3.0	77'	53'2"		
MW-51	3.0	65'5"	52'1"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	52'7"		
MW-73	2.0	28'	16'8"		VZ-4
MW-74	3.0	33'	28'4"		
VZ-1	2.0	27'	5'9"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'8"		MW-73
VZ-5	2.0	32'6"	16'0"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	21'1"		
MH-69	2.0	28'1"	0'0"		






**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS**

DATE: 10-19-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'9"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'8"		
MW-36	3.0	42'	21'7"		
MW-37	3.0	39'3"	20'8"		
MW-40	3.0	29'7"	19'1"		
MW-41	3.0	77'	53'1"		
MW-51	3.0	65'5"	52'2"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	52'7"		
MW-73	2.0	28'	16'7"		VZ-4
MW-74	3.0	33'	28'7"		
VZ-1	2.0	27'	5'8"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'7"		MW-73
VZ-5	2.0	32'6"	16'1"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	21'1"		
MH-69	2.0	28'1"	0'0"		




**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS**

DATE: 10 - 20 - 22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'9"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'0"		
MW-36	3.0	42'	21'8"		
MW-37	3.0	39'3"	20'9"		
MW-40	3.0	29'7"	19'2"		
MW-41	3.0	77'	53'1"		
MW-51	3.0	65'5"	52'1"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	52'8"		
MW-73	2.0	28'	16'8"		VZ-4
MW-74	3.0	33'	28'6"		
VZ-1	2.0	27'	5'9"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'8"		MW-73
VZ-5	2.0	32'6"	16'1"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	21'2"		
MH-69	2.0	28'1"	0'0"		




**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS**

**DATE:** 10-21-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	5'0"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'0"		
MW-36	3.0	42'	21'9"		
MW-37	3.0	39'3"	20'9"		
MW-40	3.0	29'7"	19'1"		
MW-41	3.0	77'	53'2"		
MW-51	3.0	65'5"	52'1"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	52'8"		
MW-73	2.0	28'	16'8"		VZ-4
MW-74	3.0	33'	28'8"	24'6"	
VZ-1	2.0	27'	6'0"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'8"		MW-73
VZ-5	2.0	32'6"	16'1"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	21'1"		
MH-69	2.0	28'1"	0'0"		



**SUNDANCE SERVICES WEST, INC.**


ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS**

DATE: 10-21-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'9"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'0"		
MW-36	3.0	42'	21'8"		
MW-37	3.0	39'3"	20'9"		
MW-40	3.0	29'7"	19'2"		
MW-41	3.0	77'	53'1"		
MW-51	3.0	65'5"	52'2"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	52'8"		
MW-73	2.0	28'	16'7"		VZ-4
MW-74	3.0	33'	24'8"		
VZ-1	2.0	27'	5'9"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'7"		MW-73
VZ-5	2.0	32'6"	16'0"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	21'2"		
MH-69	2.0	28'1"	0'0"		






**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS**

DATE: 10 - 22 - 22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'8"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'0"		
MW-36	3.0	42'	21'7"		
MW-37	3.0	39'3"	20'8"		
MW-40	3.0	29'7"	19'1"		
MW-41	3.0	77'	53'1"		
MW-51	3.0	65'5"	52'2"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	52'7"		
MW-73	2.0	28'	16'7"		VZ-4
MW-74	3.0	33'	24'9"		
VZ-1	2.0	27'	5'8"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'7"		MW-73
VZ-5	2.0	32'6"	16'0"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	21'1"		
MH-69	2.0	28'1"	0'0"		




**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS**

DATE: 10 - 23 - 22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'9"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'9"		
MW-36	3.0	42'	21'9"		
MW-37	3.0	39'3"	20'8"		
MW-40	3.0	29'7"	19'2"		
MW-41	3.0	77'	53'2"		
MW-51	3.0	65'5"	52'2"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	52'8"		
MW-73	2.0	28'	16'8"		VZ-4
MW-74	3.0	33'	24'9"		
VZ-1	2.0	27'	6'0"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'8"		MW-73
VZ-5	2.0	32'6"	16'2"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	21'2"		
MH-69	2.0	28'1"	0'0"		




**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS**

DATE: 10-24-22.

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'9"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'0"		
MW-36	3.0	42'	21'8"		
MW-37	3.0	39'3"	20'8"		
MW-40	3.0	29'7"	19'2"		
MW-41	3.0	77'	53'1"		
MW-51	3.0	65'5"	52'4"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	52'8"		
MW-73	2.0	28'	16'8"		VZ-4
MW-74	3.0	33'	24'8"		
VZ-1	2.0	27'	5'9"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'8"		MW-73
VZ-5	2.0	32'6"	16'1"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	21'1"		
MH-69	2.0	28'1"	0'0"		



**SUNDANCE SERVICES WEST, INC.**


ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS**

DATE: 10-25-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'9"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'6"		
MW-36	3.0	42'	21'8"		
MW-37	3.0	39'3"	20'8"		
MW-40	3.0	29'7"	19'2"		
MW-41	3.0	77'	53'1"		
MW-51	3.0	65'5"	52'3"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	52'9"		
MW-73	2.0	28'	16'9"		VZ-4
MW-74	3.0	33'	25'6"		
VZ-1	2.0	27'	6'0"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'9"		MW-73
VZ-5	2.0	32'6"	16'0"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	21'1"		
MH-69	2.0	28'1"	0'0"		






**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS**

DATE: 10 - 26 - 22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	5'0"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'6"		
MW-36	3.0	42'	21'9"		
MW-37	3.0	39'3"	20'8"		
MW-40	3.0	29'7"	14'1"		
MW-41	3.0	77'	53'2"		
MW-51	3.0	65'5"	52'1"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	52'8"		
MW-73	2.0	28'	16'7"		VZ-4
MW-74	3.0	33'	26'7"		
VZ-1	2.0	27'	6'0"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'7"		MW-73
VZ-5	2.0	32'6"	16'0"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	21'1"		
MH-69	2.0	28'1"	0'1"		




**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS**

DATE: 10-27-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'9"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'7"		
MW-36	3.0	42'	21'7"		
MW-37	3.0	39'3"	20'8"		
MW-40	3.0	29'7"	19'3"		
MW-41	3.0	77'	53'1"		
MW-51	3.0	65'5"	52'1"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	52'7"		
MW-73	2.0	28'	16'8"		VZ-4
MW-74	3.0	33'	27'6"		
VZ-1	2.0	27'	5'9"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'8"		MW-73
VZ-5	2.0	32'6"	16'1"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	21'1"		
MH-69	2.0	28'1"	0'1"		




**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS**

DATE: 10 - 28 - 22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'8"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'7"		
MW-36	3.0	42'	21'6"		
MW-37	3.0	39'3"	20'9"		
MW-40	3.0	29'7"	19'2"		
MW-41	3.0	77'	53'2"		
MW-51	3.0	65'5"	52'1"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	52'6"		
MW-73	2.0	28'	16'6"		VZ-4
MW-74	3.0	33'	27'9"		
VZ-1	2.0	27'	6'0"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'6"		MW-73
VZ-5	2.0	32'6"	16'1"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	21'0"		
MH-69	2.0	28'1"	0'1"		



**SUNDANCE SERVICES WEST, INC.**


ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS**

DATE: 10-29-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'9"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'7"		
MW-36	3.0	42'	21'6"		
MW-37	3.0	39'3"	20'8"		
MW-40	3.0	29'7"	19'1"		
MW-41	3.0	77'	53'1"		
MW-51	3.0	65'5"	52'1"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	52'7"		
MW-73	2.0	28'	16'7"		VZ-4
MW-74	3.0	33'	28'1"		
VZ-1	2.0	27'	6'0"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'7"		MW-73
VZ-5	2.0	32'6"	16'1"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	21'1"		
MH-69	2.0	28'1"	0'14"		






**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS**

DATE: 10-30-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'8"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'7"		
MW-36	3.0	42'	21'7"		
MW-37	3.0	39'3"	20'7"		
MW-40	3.0	29'7"	14'1"		
MW-41	3.0	77'	53'1"		
MW-51	3.0	65'5"	52'1"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	52'6"		
MW-73	2.0	28'	16'7"		VZ-4
MW-74	3.0	33'	28'1"		
VZ-1	2.0	27'	5'9"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'7"		MW-73
VZ-5	2.0	32'6"	16'1"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	21'1"		
MH-69	2.0	28'1"	0'1"		



**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS**

DATE: 10-31-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'9"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'8"		
MW-36	3.0	42'	21'8"		
MW-37	3.0	39'3"	20'6"		
MW-40	3.0	29'7"	19'2"		
MW-41	3.0	77'	53'2"		
MW-51	3.0	65'5"	52'2"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	52'7"		
MW-73	2.0	28'	16'8"		VZ-4
MW-74	3.0	33'	28'3"		
VZ-1	2.0	27'	5'9"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'8"		MW-73
VZ-5	2.0	32'6"	16'1"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	21'1"		
MH-69	2.0	28'1"	0'1"		



SUNDANCE SERVICES WEST, INC.

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS

Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590

1001 6th Street P.O. Box 1737 Eunice, New Mexico 88231

PARABO DISPOSAL FACILITY

www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

MONITOR WELLS

DATE: 10-1-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
P-MWS 1	3.0	65'0"	0.0"		
P-MWS 2	3.0	70'0"	0.0"		
P-MWS 3	3.0	64'3"	0.0"		
P-MWS 4	3.0	53'5"	0.0"		
P-MWS 5	3.0	48'4"	0.0"		



# SUNDANCE SERVICES WEST, INC.

**ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS**  
Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590  
1001 6<sup>th</sup> Street P.O. Box 1737 Eunice, New Mexico 88231

**PARABO DISPOSAL FACILITY**  
www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS**

DATE: 10-2-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
P-MWS 1	3.0	65'0"	0' 0"		
P-MWS 2	3.0	70'0"	0' 0"		
P-MWS 3	3.0	64'3"	0' 0"		
P-MWS 4	3.0	53'5"	0' 0"		
P-MWS 5	3.0	48'4"	0' 0"		





### SUNDANCE SERVICES WEST, INC.

**ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS**  
Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590  
1001 6<sup>th</sup> Street P.O. Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS**

DATE: 10-3-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
P-MWS 1	3.0	65'0"	0'0"		
P-MWS 2	3.0	70'0"	0'0"		
P-MWS 3	3.0	64'3"	0'0"		
P-MWS 4	3.0	53'5"	0'0"		
P-MWS 5	3.0	48'4"	0'0"		



# SUNDANCE SERVICES WEST, INC.

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590  
 1001 6<sup>th</sup> Street P.O. Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

MONITOR WELLS

DATE: 10 4 22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
P-MWS 1	3.0	65'0"	0'0"		
P-MWS 2	3.0	70'0"	0'0"		
P-MWS 3	3.0	64'3"	0'0"		
P-MWS 4	3.0	53'5"	0'0"		
P-MWS 5	3.0	48'4"	0'0"		



**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS

Main Office: 575-394-2511

Plant Office: 575-394-3212

Fax: 575-394-2590

1001 6<sup>th</sup> Street

P.O. Box 1737

Eunice, New Mexico 88231

PARABO DISPOSAL FACILITY

www.sundanceservices.com

www.sundanceservices.net

www.sundanceservices.org

MONITOR WELLS

DATE: 10-5-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
P-MWS 1	3.0	65'0"	0'0"		
P-MWS 2	3.0	70'0"	0'0"		
P-MWS 3	3.0	64'3"	0'0"		
P-MWS 4	3.0	53'5"	0'0"		
P-MWS 5	3.0	48'4"	0'0"		



**SUNDANCE SERVICES WEST, INC.**

**ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS**

Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590  
 1001 6th Street P.O. Box 1737 Eunice, New Mexico 88231

**PARABO DISPOSAL FACILITY**

www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS**

DATE: 10-6-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
P-MWS 1	3.0	65'0"	0'0"		
P-MWS 2	3.0	70'0"	0'0"		
P-MWS 3	3.0	64'3"	0'0"		
P-MWS 4	3.0	53'5"	0'0"		
P-MWS 5	3.0	48'4"	0'0"		





# SUNDANCE SERVICES WEST, INC.

**ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS**  
Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590  
1001 6<sup>th</sup> Street P.O. Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

## MONITOR WELLS

DATE: 10-7-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
P-MWS 1	3.0	65'0"	0'0"		
P-MWS 2	3.0	70'0"	0'0"		
P-MWS 3	3.0	64'3"	0'0"		
P-MWS 4	3.0	53'5"	0'0"		
P-MWS 5	3.0	48'4"	0'0"		





**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS

Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590

1001 6th Street P.O. Box 1737 Eunice, New Mexico 88231

**PARABO DISPOSAL FACILITY**

[www.sundanceservices.com](http://www.sundanceservices.com)

[www.sundanceservices.net](http://www.sundanceservices.net)

[www.sundanceservices.org](http://www.sundanceservices.org)

MONITOR WELLS

DATE: 10-9-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
P-MWS 1	3.0	65'0"	6'0"		
P-MWS 2	3.0	70'0"	6'0"		
P-MWS 3	3.0	64'3"	6'0"		
P-MWS 4	3.0	53'5"	6'0"		
P-MWS 5	3.0	48'4"	6'0"		



### SUNDANCE SERVICES WEST, INC.

**ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS**

Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590

1001 6th Street P.O. Box 1737 Eunice, New Mexico 88231

**PARABO DISPOSAL FACILITY**

www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS**

DATE: 10 10 22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
P-MWS 1	3.0	65'0"	0'0"		
P-MWS 2	3.0	70'0"	0'0"		
P-MWS 3	3.0	64'3"	0'0"		
P-MWS 4	3.0	53'5"	0'0"		
P-MWS 5	3.0	48'4"	0'0"		





### SUNDANCE SERVICES WEST, INC.

**ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS**  
Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590  
1001 6<sup>th</sup> Street P.O. Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**

www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

MONITOR WELLS

DATE: 10-11-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
P-MWS 1	3.0	65'0"	0'0"		
P-MWS 2	3.0	70'0"	0'0"		
P-MWS 3	3.0	64'3"	0'0"		
P-MWS 4	3.0	53'5"	0'0"		
P-MWS 5	3.0	48'4"	0'0"		
			0'0"		
			0'0"		



### SUNDANCE SERVICES WEST, INC.

**ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS**

Main Office: 575-394-2511    Plant Office: 575-394-3212    Fax: 575-394-2590  
1001 6<sup>th</sup> Street    P.O. Box 1737    Eunice, New Mexico 88231

**PARABO DISPOSAL FACILITY**

www.sundanceservices.com    www.sundanceservices.net    www.sundanceservices.org

**MONITOR WELLS**

DATE: 10-12-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
P-MWS 1	3.0	65'0"	0' 0"		
P-MWS 2	3.0	70'0"	0' 0"		
P-MWS 3	3.0	64'3"	0' 0"		
P-MWS 4	3.0	53'5"	0' 0"		
P-MWS 5	3.0	48'4"	0' 0"		



# SUNDANCE SERVICES WEST, INC.

**ROLL-OFF BOXES    ROLL-OFF TRUCKS    DUMP TRUCKS    VACUUM TRUCKS**

Main Office: 575-394-2511    Plant Office: 575-394-3212    Fax: 575-394-2590  
 1001 6<sup>th</sup> Street    P.O. Box 1737    Eunice, New Mexico 88231

**PARABO DISPOSAL FACILITY**

www.sundanceservices.com    www.sundanceservices.net    www.sundanceservices.org

**MONITOR WELLS**

DATE: 10-13-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
P-MWS 1	3.0	65'0"	0' 0"		
P-MWS 2	3.0	70'0"	0' 0"		
P-MWS 3	3.0	64'3"	0' 0"		
P-MWS 4	3.0	53'5"	0' 0"		
P-MWS 5	3.0	48'4"	0' 0"		



**SUNDANCE SERVICES WEST, INC.**

**ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS**

Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590

1001 6<sup>th</sup> Street P.O. Box 1737 Eunice, New Mexico 88231

**PARABO DISPOSAL FACILITY**

www.sundanceservices.com

www.sundanceservices.net

www.sundanceservices.org

MONITOR WELLS

DATE: 10-14-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
P-MWS 1	3.0	65'0"	0'0"		
P-MWS 2	3.0	70'0"	0'0"		
P-MWS 3	3.0	64'3"	0'0"		
P-MWS 4	3.0	53'5"	0'0"		
P-MWS 5	3.0	48'4"	0'0"		





### SUNDANCE SERVICES WEST, INC.

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS

Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590  
 1001 6<sup>th</sup> Street P.O. Box 1737 Eunice, New Mexico 88231

PARABO DISPOSAL FACILITY

www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

MONITOR WELLS

DATE: 10 15-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
P-MWS 1	3.0	65'0"	0'0"		
P-MWS 2	3.0	70'0"	0'0"		
P-MWS 3	3.0	64'3"	0'0"		
P-MWS 4	3.0	53'5"	0'0"		
P-MWS 5	3.0	48'4"	0'0"		



# SUNDANCE SERVICES WEST, INC.

**ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS**  
Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590  
1001 6<sup>th</sup> Street P.O. Box 1737 Eunice, New Mexico 88231

**PARABO DISPOSAL FACILITY**

www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

MONITOR WELLS

DATE: 10 16 22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
P-MWS 1	3.0	65'0"	○ ○		
P-MWS 2	3.0	70'0"	○ ○		
P-MWS 3	3.0	64'3"	○ ○		
P-MWS 4	3.0	53'5"	○ ○		
P-MWS 5	3.0	48'4"	○ ○		









# SUNDANCE SERVICES WEST, INC.

**ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS**

Main Office: 575-394-2511      Plant Office: 575-394-3212      Fax: 575-394-2590  
1001 6<sup>th</sup> Street      P.O. Box 1737      Eunice, New Mexico 88231

**PARABO DISPOSAL FACILITY**

www.sundanceservices.com

www.sundanceservices.net

www.sundanceservices.org

## MONITOR WELLS

DATE: 10-29-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
P-MWS 1	3.0	65'0"	0'0"		
P-MWS 2	3.0	70'0"	0'0"		
P-MWS 3	3.0	64'3"	0'0"		
P-MWS 4	3.0	53'5"	0'0"		
P-MWS 5	3.0	48'4"	0'0"		



### SUNDANCE SERVICES WEST, INC.

**ROLL-OFF BOXES   ROLL-OFF TRUCKS   DUMP TRUCKS   VACUUM TRUCKS**  
Main Office: 575-394-2511   Plant Office: 575-394-3212   Fax: 575-394-2590  
1001 6<sup>th</sup> Street   P.O. Box 1737   Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
www.sundanceservices.com   www.sundanceservices.net   www.sundanceservices.org

#### MONITOR WELLS

DATE: 10-20-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
P-MWS 1	3.0	65'0"	0'0"		
P-MWS 2	3.0	70'0"	0'0"		
P-MWS 3	3.0	64'3"	0'0"		
P-MWS 4	3.0	53'5"	0'0"		
P-MWS 5	3.0	48'4"	0'0"		



# SUNDANCE SERVICES WEST, INC.

**ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS**

Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590  
 1001 6<sup>th</sup> Street P.O. Box 1737 Eunice, New Mexico 88231

**PARABO DISPOSAL FACILITY**

www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

MONITOR WELLS

DATE: 10-21-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
P-MWS 1	3.0	65'0"	0'0"		
P-MWS 2	3.0	70'0"	0'0"		
P-MWS 3	3.0	64'3"	0'0"		
P-MWS 4	3.0	53'5"	0'0"		
P-MWS 5	3.0	48'4"	0'0"		



**SUNDANCE SERVICES WEST, INC.**

**ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS**

Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590

1001 6<sup>th</sup> Street P.O. Box 1737 Eunice, New Mexico 88231

**PARABO DISPOSAL FACILITY**

www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS**

DATE: 10 22- 22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
P-MWS 1	3.0	65'0"	0'0"		
P-MWS 2	3.0	70'0"	0'0"		
P-MWS 3	3.0	64'3"	0'0"		
P-MWS 4	3.0	53'5"	0'0"		
P-MWS 5	3.0	48'4"	0'0"		





**SUNDANCE SERVICES WEST, INC.**

**ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS**

Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590

1001 6<sup>th</sup> Street P.O. Box 1737 Eunice, New Mexico 88231

**PARABO DISPOSAL FACILITY**

www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

MONITOR WELLS

DATE: 10-23-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
P-MWS 1	3.0	65'0"	0'0"		
P-MWS 2	3.0	70'0"	0'0"		
P-MWS 3	3.0	64'3"	0'0"		
P-MWS 4	3.0	53'5"	0'0"		
P-MWS 5	3.0	48'4"	0'0"		



### SUNDANCE SERVICES WEST, INC.

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS

Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590

1001 6<sup>th</sup> Street P.O. Box 1737 Eunice, New Mexico 88231

**PARABO DISPOSAL FACILITY**

[www.sundance-services.com](http://www.sundance-services.com)

[www.sundance-services.net](http://www.sundance-services.net)

[www.sundance-services.org](http://www.sundance-services.org)

**MONITOR WELLS**

DATE: 10-24-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
P-MWS 1	3.0	65'0"	0'0"		
P-MWS 2	3.0	70'0"	0'0"		
P-MWS 3	3.0	64'3"	0'0"		
P-MWS 4	3.0	53'5"	0'0"		
P-MWS 5	3.0	48'4"	0'0"		



**SUNDANCE SERVICES WEST, INC.**

**ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS**

Main Office: 575-394-2511

Plant Office: 575-394-3212

Fax: 575-394-2590

1001 6<sup>th</sup> Street

P.O. Box 1737

Eunice, New Mexico 88231

**PARABO DISPOSAL FACILITY**

[www.sundanceeservices.com](http://www.sundanceeservices.com)

[www.sundanceeservices.net](http://www.sundanceeservices.net)

[www.sundanceeservices.org](http://www.sundanceeservices.org)

MONITOR WELLS

DATE: 10-25-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
P-MWS 1	3.0	65'0"	0' 0"		
P-MWS 2	3.0	70'0"	0' 0"		
P-MWS 3	3.0	64'3"	0' 0"		
P-MWS 4	3.0	53'5"	0' 0"		
P-MWS 5	3.0	48'4"	0' 0"		



# SUNDANCE SERVICES WEST, INC.

**ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS**

Main Office: 575-394-2511      Plant Office: 575-394-3212      Fax: 575-394-2590  
1001 6<sup>th</sup> Street      P.O. Box 1737      Eunice, New Mexico 88231

**PARABO DISPOSAL FACILITY**  
www.sundanceservices.com      www.sundanceservices.net      www.sundanceservices.org

## MONITOR WELLS

DATE: 10-26-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
P-MWS 1	3.0	65'0"	0'0"		
P-MWS 2	3.0	70'0"	0'0"		
P-MWS 3	3.0	64'3"	0'0"		
P-MWS 4	3.0	53'5"	0'0"		
P-MWS 5	3.0	48'4"	0'0"		





# SUNDANCE SERVICES WEST, INC.

**ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS**

Main Office: 575-394-2511      Plant Office: 575-394-3212      Fax: 575-394-2590  
1001 6<sup>th</sup> Street      P.O. Box 1737      Eunice, New Mexico 88231

**PARABO DISPOSAL FACILITY**

www.sundanceservices.com      www.sundanceservices.net      www.sundanceservices.org

## MONITOR WELLS

DATE: 10-27-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
P-MWS 1	3.0	65'0"	0'0"		
P-MWS 2	3.0	70'0"	0'0"		
P-MWS 3	3.0	64'3"	0'0"		
P-MWS 4	3.0	53'5"	0'0"		
P-MWS 5	3.0	48'4"	0'0"		



### SUNDANCE SERVICES WEST, INC.

**ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS**  
Main Office: 575-394-2511     Plant Office: 575-394-3212     Fax: 575-394-2590  
1001 6<sup>th</sup> Street     P.O. Box 1737     Eunice, New Mexico 88231

**PARABO DISPOSAL FACILITY**

www.sundanceservices.com     www.sundanceservices.net     www.sundanceservices.org

MONITOR WELLS

DATE: 10 28 22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
P-MWS 1	3.0	65'0"	0'0"		
P-MWS 2	3.0	70'0"	0'0"		
P-MWS 3	3.0	64'3"	0'0"		
P-MWS 4	3.0	53'5"	0'0"		
P-MWS 5	3.0	48'4"	0'0"		



## SUNDANCE SERVICES WEST, INC.

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS

Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590  
1001 6th Street P.O. Box 1737 Eunice, New Mexico 88231

PARABO DISPOSAL FACILITY

www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

MONITOR WELLS

DATE: 10-29-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
P-MWS 1	3.0	65'0"	0'0"		
P-MWS 2	3.0	70'0"	0'0"		
P-MWS 3	3.0	64'3"	0'0"		
P-MWS 4	3.0	53'5"	0'0"		
P-MWS 5	3.0	48'4"	0'0"		



**SUNDANCE SERVICES WEST, INC.**

**ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS**

Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590

1001 6<sup>th</sup> Street P.O. Box 1737 Eunice, New Mexico 88231

**PARABO DISPOSAL FACILITY**

www.sundanceservices.com

www.sundanceservices.net

www.sundanceservices.org

MONITOR WELLS

DATE: 10-30-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
P-MWS 1	3.0	65'0"	0'0"		
P-MWS 2	3.0	70'0"	0'0"		
P-MWS 3	3.0	64'3"	0'0"		
P-MWS 4	3.0	53'5"	0'0"		
P-MWS 5	3.0	48'4"	0'0"		





# SUNDANCE SERVICES WEST, INC.

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS

Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590

1001 6<sup>th</sup> Street P.O. Box 1737 Eunice, New Mexico 88231

PARABO DISPOSAL FACILITY

[www.sundanceservices.com](http://www.sundanceservices.com)


[www.sundanceservices.net](http://www.sundanceservices.net)

[www.sundanceservices.org](http://www.sundanceservices.org)

## MONITOR WELLS

DATE: 10-31-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
P-MWS 1	3.0	65'0"	0'0"		
P-MWS 2	3.0	70'0"	0'0"		
P-MWS 3	3.0	64'3"	0'0"		
P-MWS 4	3.0	53'5"	0'0"		
P-MWS 5	3.0	48'4"	0'0"		




### SUNDANCE SERVICES WEST, INC.

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

#### MONITOR WELLS WASH OUT

DATE: 10 - 1 - 22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	Poly	14'7"	0'8"		
WS-2	"	14'7"	1'4"		
WS-3	"	14'7"	0'9"		
WS-4	"	14'7"	2'7"		
WS-5	"	23'6"	14'6"		
WS-6	"	8'0"	0'1"		




**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS WASH OUT**

DATE: 10-2-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	Poly	14'7"	0'9"		
WS-2	"	14'7"	1'6"		
WS-3	"	14'7"	0'7"		
WS-4	"	14'7"	3'1"		
WS-5	"	23'6"	14'8"		
WS-6	"	8'0"	0'1"		



**SUNDANCE SERVICES WEST, INC.**


ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS WASH OUT**

DATE: 10-3-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	P04	14'7"	0'9"		
WS-2	"	14'7"	1'7"		
WS-3	"	14'7"	0'8"		
WS-4	"	14'7"	3'0"		
WS-5	"	23'6"	14'6"		
WS-6	"	8'0"	0'0"		






**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS WASH OUT**

DATE: 10-4-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	10 1/4"	14'7"	0'8"		
WS-2	"	14'7"	1'6"		
WS-3	"	14'7"	0'7"		
WS-4	"	14'7"	2'9"		
WS-5	"	23'6"	14'7"		
WS-6	"	8'0"	0'0"		




### SUNDANCE SERVICES WEST, INC.

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

#### MONITOR WELLS WASH OUT

DATE: 10-5-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	10"	14'7"	0'9"		
WS-2	"	14'7"	1'7"		
WS-3	"	14'7"	0'6"		
WS-4	"	14'7"	2'8"		
WS-5	"	23'6"	14'6"		
WS-6	"	8'0"	0'0"		




**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS WASH OUT**

DATE: 10-6-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	Poly	14'7"	0'8"		
WS-2	"	14'7"	1'6"		
WS-3	"	14'7"	0'7"		
WS-4	"	14'7"	2'4"		
WS-5	"	23'6"	14'6"		
WS-6	"	8'0"	0'1"		



**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS WASH OUT**

DATE: 10-7-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	Poly	14'7"	0'9"		
WS-2	"	14'7"	1'7"		
WS-3	"	14'7"	0'8"		
WS-4	"	14'7"	2'7"		
WS-5	"	23'6"	14'7"		
WS-6	"	8'0"	0'1"		






### SUNDANCE SERVICES WEST, INC.

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

#### MONITOR WELLS WASH OUT

DATE: 10-8-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	Poly	14'7"	0'7"		
WS-2	"	14'7"	1'6"		
WS-3	"	14'7"	0'9"		
WS-4	"	14'7"	2'7"		
WS-5	"	23'6"	14'6"		
WS-6	"	8'0"	0'1"		




**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

MONITOR WELLS WASH OUT

DATE: 10-9-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	Poly	14'7"	0'7"		
WS-2	"	14'7"	1'7"		
WS-3	"	14'7"	0'8"		
WS-4	"	14'7"	2'9"		
WS-5	"	23'6"	14'7"		
WS-6	"	8'0"	0'1"		




### SUNDANCE SERVICES WEST, INC.

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

#### MONITOR WELLS WASH OUT

DATE: 10 - 10 - 22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	Poly	14'7"	0'7"		
WS-2	"	14'7"	1'8"		
WS-3	"	14'7"	0'9"		
WS-4	"	14'7"	2'8"		
WS-5	"	23'6"	14'8"		
WS-6	"	8'0"	0'1"		



**SUNDANCE SERVICES WEST, INC.**


ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

MONITOR WELLS WASH OUT

DATE: 10 - 11 - 22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	POW	14'7"	0'8"		
WS-2	"	14'7"	1'7"		
WS-3	"	14'7"	0'8"		
WS-4	"	14'7"	2'9"		
WS-5	"	23'6"	14'7"		
WS-6	"	8'0"	0'1"		






**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS WASH OUT**

DATE: 10-12-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	Poly	14'7"	0'7"		
WS-2	"	14'7"	1'6"		
WS-3	"	14'7"	0'8"		
WS-4	"	14'7"	2'7"		
WS-5	"	23'6"	14'6"		
WS-6	"	8'0"	0'1"		




### SUNDANCE SERVICES WEST, INC.

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

#### MONITOR WELLS WASH OUT

DATE: 10-13-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	Pouy	14'7"	0'8"		
WS-2	"	14'7"	1'6"		
WS-3	"	14'7"	0'7"		
WS-4	"	14'7"	2'8"		
WS-5	"	23'6"	14'6"		
WS-6	"	8'0"	0'1"		




**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS WASH OUT**

DATE: 10 - 14 - 22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	Poly	14'7"	0.9"		
WS-2	"	14'7"	1.7"		
WS-3	"	14'7"	0.7"		
WS-4	"	14'7"	2.9"		
WS-5	"	23'6"	14.5'		
WS-6	"	8'0"	0.1"		



**SUNDANCE SERVICES WEST, INC.**


ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS WASH OUT**

DATE: 10-15-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	10 1/4"	14'7"	0.8"		
WS-2	"	14'7"	1'6"		
WS-3	"	14'7"	0.7"		
WS-4	"	14'7"	2.8"		
WS-5	"	23'6"	14.5"		
WS-6	"	8'0"	0.1"		






**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS WASH OUT**

DATE: 10-16-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	POW	14'7"	0'7"		
WS-2	"	14'7"	1'5"		
WS-3	"	14'7"	0'8"		
WS-4	"	14'7"	2'7"		
WS-5	"	23'6"	14'4"		
WS-6	"	8'0"	0'1"		



### SUNDANCE SERVICES WEST, INC.

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

#### MONITOR WELLS WASH OUT

DATE: 10-17-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	POW	14'7"	0'8"		
WS-2	"	14'7"	1'6"		
WS-3	"	14'7"	0'9"		
WS-4	"	14'7"	2'8"		
WS-5	"	23'6"	14'5"		
WS-6	1"	8'0"	0'1"		




**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS WASH OUT**

DATE: 10-18-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	Poly	14'7"	0'9"		
WS-2	"	14'7"	1'7"		
WS-3	"	14'7"	0'8"		
WS-4	"	14'7"	2'9"		
WS-5	"	23'6"	14'6"		
WS-6	"	8'0"	0'1"		



**SUNDANCE SERVICES WEST, INC.**


ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS WASH OUT**

DATE: 10 14 22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	Poly	14'7"	0'9"		
WS-2	"	14'7"	1'6"		
WS-3	"	14'7"	0'7"		
WS-4	"	14'7"	2'8"		
WS-5	"	23'6"	14'7"		
WS-6	"	8'0"	0'1"		






**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS WASH OUT**

DATE: 10 - 20 - 22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	10 1/2"	14'7"	0'8"		
WS-2	"	14'7"	1'6"		
WS-3	"	14'7"	0'8"		
WS-4	"	14'7"	2'7"		
WS-5	"	23'6"	14'8"		
WS-6	"	8'0"	6'1"		



**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS WASH OUT**

DATE: 10-21-27

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	Poly	14'7"	0'9"		
WS-2	"	14'7"	1'7"		
WS-3	"	14'7"	0'9"		
WS-4	"	14'7"	2'8"		
WS-5	"	23'6"	14'9"		
WS-6	"	8'0"	0'1"		




**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS WASH OUT**

DATE: 10-22-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	10 1/2"	14'7"	0.9"		
WS-2	11"	14'7"	1.8"		
WS-3	11"	14'7"	0.7"		
WS-4	11"	14'7"	2.9"		
WS-5	11"	23'6"	14.8"		
WS-6	11"	8'0"	0.1"		



**SUNDANCE SERVICES WEST, INC.**


ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS WASH OUT**

DATE: 10-23-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	POU	14'7"	0'9"		
WS-2	11	14'7"	1'7"		
WS-3	11	14'7"	0'8"		
WS-4	11	14'7"	2'7"		
WS-5	11	23'6"	14'9"		
WS-6	11	8'0"	0'1"		






### SUNDANCE SERVICES WEST, INC.

Main Office: 575-394-2511    Plant Office: 575-394-3212    Fax: 575-394-2590    1001 6<sup>th</sup> Street    P.O.  
 Box 1737    Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com    www.sundanceservices.net    www.sundanceservices.org

#### MONITOR WELLS WASH OUT

DATE: 10-24-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	10 1/4"	14'7"	0'8"		
WS-2	"	14'7"	1'7"		
WS-3	"	14'7"	0'9"		
WS-4	"	14'7"	2'9"		
WS-5	"	23'6"	14'8"		
WS-6	"	8'0"	0'1"		




### SUNDANCE SERVICES WEST, INC.

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

#### MONITOR WELLS WASH OUT

DATE: 10-25-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	P04	14'7"	0'9"		
WS-2	"	14'7"	1'7"		
WS-3	"	14'7"	0'9"		
WS-4	"	14'7"	3'1"		
WS-5	"	23'6"	14'9"		
WS-6	"	8'0"	0'1"		




**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS WASH OUT**

DATE: 10-26-72

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	Poly	14'7"	1'0"		
WS-2	Poly	14'7"	1'9"		
WS-3	4	14'7"	0'8"		
WS-4	4	14'7"	3'1"		
WS-5	4	23'6"	14'8"		
WS-6	4	8'0"	0'1"		



**SUNDANCE SERVICES WEST, INC.**


ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS WASH OUT**

DATE: 10-27-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	4" Poly	14'7"	1'1"		
WS-2	4"	14'7"	1'7"		
WS-3	4"	14'7"	0'8"		
WS-4	4"	14'7"	2'9"		
WS-5	4"	23'6"	14'9"		
WS-6	4"	8'0"	0'1"		






### SUNDANCE SERVICES WEST, INC.

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

#### MONITOR WELLS WASH OUT

DATE: 10-28-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	Poly	14'7"	0.9"		
WS-2	"	14'7"	1.8"		
WS-3	"	14'7"	0.8"		
WS-4	"	14'7"	2.9"		
WS-5	"	23'6"	14.7"		
WS-6	"	8'0"	0.1"		




**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS WASH OUT**

DATE: 10-29-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	P04	14'7"	0'9"		
WS-2	"	14'7"	1'7"		
WS-3	"	14'7"	0'9"		
WS-4	"	14'7"	2'8"		
WS-5	"	23'6"	14'7"		
WS-6	"	8'0"	0'1"		




### SUNDANCE SERVICES WEST, INC.

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

#### MONITOR WELLS WASH OUT

DATE: 10-30-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	Poly	14'7"	0'8"		
WS-2	"	14'7"	1'7"		
WS-3	"	14'7"	0'9"		
WS-4	"	14'7"	2'7"		
WS-5	"	23'6"	14'8"		
WS-6	"	8'0"	0'1"		



**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS WASH OUT**

DATE: 10-31-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	Poly	14'7"	0'9"		
WS-2	1)	14'7"	1'6"		
WS-3	1)	14'7"	0'8"		
WS-4	1)	14'7"	2'6"		
WS-5	1)	23'6"	14'7"		
WS-6	1)	8'0"	0'0"		



**Daily Inspection Form  
Sundance West**

Date: 11-1-22

Print Name: Deyvi Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

**TYPE OF INSPECTION**

	Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual		Satisfactory	Action Required
Item								
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)						D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)						D	✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)						D	✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)						D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)						D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)						D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)						D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)						D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)						D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)						D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)						D	✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)						D	✓	
Pond levels three-foot free board						D	✓	

Daily Inspection Form  
Sundance West

Date: 11-2-22

Print Name: Daisy Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

TYPE OF INSPECTION

Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual		Satisfactory	Action Required
Item							
Vehicle Screening (H2S) (Vol. II - Sec.4:2 - Pg.19)					D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)					D	✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)					D	✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)					D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)					D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)					D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)					D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)					D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)					D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)					D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)					D	✓	
Evaopraton Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)					D	✓	
Pond levels three-foot free board					D	✓	

Daily Inspection Form  
Sundance West

Date: 11-3-22

Print Name: Deusi Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

TYPE OF INSPECTION

Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual		Satisfactory	Action Required
Item							
Vehicle Screening (H2S) (Vol. II - Sec.4:2 - Pg.19)					D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)					D	✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)					D	✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)					D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)					D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)					D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)					D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)					D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)					D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)					D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)					D	✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)					D	✓	
Pond levels three-foot free board					D	✓	

Daily Inspection Form  
Sundance West

Date: 11-4-22  
Others: \_\_\_\_\_

Print Name: Drew Romero  
Signature: \_\_\_\_\_

TYPE OF INSPECTION

Item	Daily	Weekly	Monthly	Quarterly	Annual	Satisfactory	Action Required
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)	<input checked="" type="checkbox"/>					D ✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)						D ✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)						D ✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)						D ✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)						D ✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)						D ✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)						D ✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)						D ✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)						D ✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)						D ✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)						D ✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)						D ✓	
Pond levels three-foot free board							



Daily Inspection Form  
Sundance West

Date: 11-5-22

Print Name: Deysi Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

TYPE OF INSPECTION

Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual		Satisfactory	Action Required
Item							
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)					D	/	
Dust Control (Vol. II - Sec.4.3 - Pg.19)					D	/	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)					D	/	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)					D	/	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)					D	/	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)					D	/	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)					D	/	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)					D	/	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)					D	/	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)					D	/	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)					D	/	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)					D	/	
Pond levels three-foot free board							

Daily Inspection Form  
Sundance West

Date: 11-6-22  
Others: \_\_\_\_\_

Print Name: Devi Romero  
Signature: \_\_\_\_\_

TYPE OF INSPECTION

TYPE OF INSPECTION					Satisfactory	Action Required
Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual		
Item						
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)					D ✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)					D ✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)					D ✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)					D ✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)					D ✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)					D ✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)					D ✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)					D ✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)					D ✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)					D ✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)					D ✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)					D ✓	
Pond levels three-foot free board					D ✓	

Daily Inspection Form  
Sundance West

Date: 11-7-22

Print Name: Dewi Romel

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

TYPE OF INSPECTION

Item	TYPE OF INSPECTION					Satisfactory	Action Required
	Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual		
Vehicle Screening (H2S) (Vol. II - Sec.4:2 - Pg.19)						D ✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)						D ✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)						D ✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)						D ✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)						D ✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)						D ✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)						D ✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)						D ✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)						D ✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)						D ✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)						D ✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)						D ✓	
Pond levels three-foot free board						D ✓	

Daily Inspection Form  
Sundance West

Date: 11-8-22  
Others: \_\_\_\_\_

Print Name: Deusi Romel D  
Signature: \_\_\_\_\_

TYPE OF INSPECTION

	Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual		Satisfactory	Action Required
Item								
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)						D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)						D	✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)						D	✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)						D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)						D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)						D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)						D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)						D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)						D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)						D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)						D	✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)						D	✓	
Pond levels three-foot free board						D	✓	



Daily Inspection Form  
Sundance West

Date: 11-9-22

Print Name: Drew Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

TYPE OF INSPECTION

Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual		Satisfactory	Action Required
Item					D	✓	
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)					D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)					D	✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)					D	✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)					D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)					D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)					D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)					D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)					D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)					D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)					D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)					D	✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)					D	✓	
Pond levels three-foot free board					D	✓	

Daily Inspection Form  
Sundance West

Date: 11-10-22

Print Name: Deysi Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

TYPE OF INSPECTION

TYPE OF INSPECTION					Satisfactory	Action Required
Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual		
Item						
Vehicle Screening (H2S) (Vol. II - Sec.4:2 - Pg.19)					D ✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)					D ✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)					D ✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)					D ✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)					D ✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)					D ✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)					D ✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)					D ✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)					D ✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)					D ✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)					D ✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)					D ✓	
Pond levels three-foot free board					D ✓	

Daily Inspection Form  
Sundance West

Date: 11-11-22  
Others: \_\_\_\_\_

Print Name: Drew Romero  
Signature: \_\_\_\_\_

TYPE OF INSPECTION

Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual		Satisfactory	Action Required
Item							
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)					D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)					D	✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)					D	✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)					D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)					D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)					D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)					D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)					D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)					D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)					D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)					D	✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)					D	✓	
Pond levels three-foot free board							

Daily Inspection Form  
Sundance West

Date: 11-13-22

Print Name: Deysi Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

TYPE OF INSPECTION

Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual		Satisfactory	Action Required
Item					D	/	
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)					D	/	
Dust Control (Vol. II - Sec.4.3 - Pg.19)					D	/	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)					D	/	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)					D	/	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)					D	/	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)					D	/	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)					D	/	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)					D	/	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)					D	/	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)					D	/	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)					D	/	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)					D	/	
Pond levels three-foot free board							



Daily Inspection Form  
Sundance West

Date: 11-14-22  
Others: \_\_\_\_\_

Print Name: Deysi Romero  
Signature: \_\_\_\_\_

TYPE OF INSPECTION

Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual		Satisfactory	Action Required
Item							
Vehicle Screening (H2S) (Vol. II - Sec.4:2 - Pg.19)					D	/	
Dust Control (Vol. II - Sec.4.3 - Pg.19)					D	/	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)					D	/	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)					D	/	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)					D	/	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)					D	/	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)					D	/	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)					D	/	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)					D	/	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)					D	/	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)					D	/	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)					D	/	
Pond levels three-foot free board					D	/	

Daily Inspection Form  
Sundance West

Date: 11-15-22

Print Name: Deysi Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

TYPE OF INSPECTION

	Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual		Satisfactory	Action Required
Item								
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)						D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)						D	✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)						D	✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)						D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)						D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)						D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)						D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)						D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)						D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)						D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)						D	✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)						D	✓	
Pond levels three-foot free board						D	✓	

Daily Inspection Form  
Sundance West

Date: 11-16-22

Print Name: Douglas Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

TYPE OF INSPECTION

TYPE OF INSPECTION					Satisfactory	Action Required
Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual		
Item						
Vehicle Screening (H2S) (Vol. II - Sec.4:2 - Pg.19)					D ✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)					D ✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)					D ✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)					D ✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)					D ✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)					D ✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)					D ✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)					D ✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)					D ✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)					D ✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)					D ✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)					D ✓	
Pond levels three-foot free board					D ✓	

Daily Inspection Form  
Sundance West

Date: 11-17-22

Print Name: Deysi Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

TYPE OF INSPECTION

TYPE OF INSPECTION					Satisfactory	Action Required
Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual		
Item						
Vehicle Screening (H2S) (Vol. II - Sec.4:2 - Pg.19)					D ✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)					D ✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)					D ✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)					D ✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)					D ✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)					D ✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)					D ✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)					D ✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)					D ✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)					D ✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)					D ✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)					D ✓	
Pond levels three-foot free board					D ✓	



**Daily Inspection Form  
Sundance West**

Date: 11-18-22  
 Others: \_\_\_\_\_

Print Name: Deysi Romero  
 Signature: \_\_\_\_\_

**TYPE OF INSPECTION**

Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual		Satisfactory	Action Required
<b>Item</b>							
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)					D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)					D	✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)					D	✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)					D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)					D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)					D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)					D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)					D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)					D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)					D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)					D	✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)					D	✓	
Pond levels three-foot free board					D	✓	

**Daily Inspection Form  
Sundance West**

Date: 11-19-22

Print Name: Dewi Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

**TYPE OF INSPECTION**

Item	Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual	D	Satisfactory	Action Required
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)						D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)						D	✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)						D	✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)						D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)						D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)						D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)						D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)						D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)						D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)						D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)						D	✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)						D	✓	
Pond levels three-foot free board						D	✓	

Daily Inspection Form  
Sundance West

Date: 11-20-22

Print Name: Deysi Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

TYPE OF INSPECTION

Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual		Satisfactory	Action Required
<b>Item</b>							
Vehicle Screening (H2S) (Vol. II - Sec.4:2 - Pg.19)					D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)					D	✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)					D	✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)					D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)					D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)					D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)					D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)					D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)					D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)					D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)					D	✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)					D	✓	
Pond levels three-foot free board					D	✓	

Daily Inspection Form  
Sundance West

Date: 11-21-22

Print Name: Deysi Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

TYPE OF INSPECTION

Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual		Satisfactory	Action Required
<b>Item</b>							
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)					D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)					D	✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)					D	✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)					D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)					D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)					D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)					D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)					D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)					D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)					D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)					D	✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)					D	✓	
Pond levels three-foot free board					D	✓	



Daily Inspection Form  
Sundance West

Date: 11-22-22

Print Name: Deusi Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

TYPE OF INSPECTION

TYPE OF INSPECTION					Item	Satisfactory	Action Required
Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual			
					Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)	D ✓	
					Dust Control (Vol. II - Sec.4.3 - Pg.19)	D -	
					Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)	D ✓	
					Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)	D ✓	
					Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)	D ✓	
					Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)	D ✓	
					Waste Screening and Forms (Vol. II - Sec 2- Pg.94)	D ✓	
					Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)	D ✓	
					Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)	D ✓	
					Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)	D ✓	
					Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)	D ✓	
					Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)	D ✓	
					Pond levels three-foot free board	D ✓	

**Daily Inspection Form  
Sundance West**

Date: 11-23-22

Print Name: Dewi Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

**TYPE OF INSPECTION**

	Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual		Satisfactory	Action Required
<b>Item</b>								
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)						D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)						D	✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)						D	✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)						D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)						D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)						D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)						D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)						D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)						D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)						D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)						D	✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)						D	✓	
Pond levels three-foot free board						D	✓	

Daily Inspection Form  
Sundance West

Date: 11-24-22

Print Name: Deysi Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

TYPE OF INSPECTION

	Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual		Satisfactory	Action Required
Item								
Vehicle Screening (H2S) (Vol. II - Sec.4:2 - Pg.19)						D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)						D	✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)						D	✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)						D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)						D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)						D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)						D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)						D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)						D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)						D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)						D	✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)						D	✓	
Pond levels three-foot free board						D	✓	

**Daily Inspection Form  
Sundance West**

Date: 11-25-22

Print Name: Devi Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

**TYPE OF INSPECTION**

TYPE OF INSPECTION					Satisfactory	Action Required
Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual		
<b>Item</b>						
Vehicle Screening (H2S) (Vol. II - Sec.4:2 - Pg.19)					D ✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)					D ✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)					D ✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)					D ✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)					D ✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)					D ✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)					D ✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)					D ✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)					D ✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)					D ✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)					D ✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)					D ✓	
Pond levels three-foot free board					D ✓	



Daily Inspection Form  
Sundance West

Date: 11-26-22

Print Name: Daisy Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

TYPE OF INSPECTION

Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual		Satisfactory	Action Required
Item							
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)					D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)					D	✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)					D	✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)					D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)					D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)					D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)					D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)					D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)					D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)					D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)					D	✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)					D	✓	
Pond levels three-foot free board					D	✓	

Daily Inspection Form  
Sundance West

Date: 11-27-22

Print Name: Drew Romeo

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

TYPE OF INSPECTION

Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual		Satisfactory	Action Required
Item							
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)					D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)					D	✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)					D	✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)					D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)					D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)					D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)					D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)					D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)					D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)					D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)					D	✓	
Evaporation Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)					D	✓	
Pond levels three-foot free board					D	✓	

**Daily Inspection Form  
Sundance West**

Date: 11-28-22

Print Name: Deyssi Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

**TYPE OF INSPECTION**

Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual		Satisfactory	Action Required
<b>Item</b>							
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)					D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)					D	✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)					D	✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)					D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)					D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)					D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)					D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)					D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)					D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)					D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)					D	✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)					D	✓	
Pond levels three-foot free board					D	✓	

Daily Inspection Form  
Sundance West

Date: 11-29-22

Print Name: Daisy Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

TYPE OF INSPECTION

TYPE OF INSPECTION					Satisfactory	Action Required
Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual		
Item						
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)					D ✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)					D ✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)					D ✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)					D ✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)					D ✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)					D ✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)					D ✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)					D ✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)					D ✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)					D ✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)					D ✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)					D ✓	
Pond levels three-foot free board					D ✓	



Daily Inspection Form  
Sundance West

Date: 11-30-22

Print Name: Daisy Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

TYPE OF INSPECTION

TYPE OF INSPECTION					Item	Satisfactory	Action Required
Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual			
					Vehicle Screening (H2S) (Vol. II - Sec.4:2 - Pg.19)	D ✓	
					Dust Control (Vol. II - Sec.4.3 - Pg.19)	D ✓	
					Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)	D ✓	
					Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)	D ✓	
					Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)	D ✓	
					Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)	D ✓	
					Waste Screening and Forms (Vol. II - Sec 2- Pg.94)	D ✓	
					Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)	D ✓	
					Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)	D ✓	
					Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)	D ✓	
					Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)	D ✓	
					Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)	D ✓	
					Pond levels three-foot free board	D ✓	

**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

Date: Nov-1-22

Inspector(s): Debi Romero

Time: 8:10 am

**Weather:**

Temperature 54 deg. F      Precipitation (last 24 hours) \_\_\_\_\_ inches  
 Skies Fog  
 Wind Speed 13 mph  
 Wind Direction S (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**

**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 11-2-22

**Inspector(s):**

**Time:** 11:50am

Deusi Romeid

**Weather:**

Temperature 70 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies Fair

Wind Speed 17 mph

Wind Direction S (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**

**ATTACHMENT II.1.D  
Evaporation Pond Integrity/Leak Detection Inspection Checklist  
Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 11-3-22

**Inspector(s):**

**Time:** 10:50am

Deyvi Romero

**Weather:**

Temperature 66 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies Fair

Wind Speed 14 mph

Wind Direction SSE (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**



**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 11-4-22

**Inspector(s):**

**Time:** 1:50 pm

Deysi Romero

**Weather:**

Temperature 59 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies Fair/Windy

Wind Speed 25 mph

Wind Direction W (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**

**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 11-5-22

**Inspector(s):**

**Time:** 10:50 am

Deysi Romero

**Weather:**

Temperature 57 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies Fair

Wind Speed 13 mph

Wind Direction SSW (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**

**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 11-6-22

**Inspector(s):**

**Time:** 9:50am

Deysi Romero

**Weather:**

Temperature 68 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies FAIR

Wind Speed 13 mph

Wind Direction WSW (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**

**ATTACHMENT II.I.D  
Evaporation Pond Integrity/Leak Detection Inspection Checklist  
Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 11-7-22  
**Time:** 8:50am

**Inspector(s):**  
Deysi Romero

**Weather:**

Temperature 52 deg. F      Precipitation (last 24 hours) \_\_\_\_\_ inches  
Skies Fair  
Wind Speed 12 mph  
Wind Direction NE (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**



**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 11-8-22  
**Time:** 7:50 am

**Inspector(s):**  
Deyi Romero

**Weather:**  
 Temperature 64 deg. F      Precipitation (last 24 hours) \_\_\_\_\_ inches  
 Skies Cloudy  
 Wind Speed 14 mph  
 Wind Direction SE (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**

**ATTACHMENT II.1.D  
Evaporation Pond Integrity/Leak Detection Inspection Checklist  
Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 11-9-22

**Inspector(s):**

**Time:** 9:50 am

Deysi Romero

**Weather:**

Temperature 66 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies Mostly cloudy/windy

Wind Speed 32 mph

Wind Direction SSE (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**

**ATTACHMENT II.1.D  
Evaporation Pond Integrity/Leak Detection Inspection Checklist  
Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 11-10-22

**Inspector(s):**

**Time:** 7:50 am

Daisy Romero

**Weather:**

Temperature 50 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies Fair

Wind Speed 7 mph

Wind Direction SW (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**

**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 11-11-22

**Inspector(s):**

**Time:** 11:50 am

Deysi Romero

**Weather:**

Temperature 45 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies Mostly Cloudy

Wind Speed 17 mph

Wind Direction N (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**

**ATTACHMENT II.1.D  
Evaporation Pond Integrity/Leak Detection Inspection Checklist  
Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 11-12-22

**Inspector(s):**

**Time:** 10:50 am

Deyni Romero

**Weather:**

Temperature 41 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies Fair

Wind Speed 6 mph

Wind Direction SE (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**



**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 11-13-22

**Inspector(s):**

**Time:** 10:50 am

Deysi Romero

**Weather:**

Temperature 46 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies FOUW

Wind Speed 17 mph

Wind Direction SE (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**

---



---



---

**ATTACHMENT II.1.D  
Evaporation Pond Integrity/Leak Detection Inspection Checklist  
Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 11-14-22

**Inspector(s):**

**Time:** 10:50 am

Daisy Romero

**Weather:**

Temperature 45 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies Fair/Windy

Wind Speed 21 mph

Wind Direction NW (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**

**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 11-15-22  
**Time:** 9:50 am

**Inspector(s):**  
Dave Romero

**Weather:**  
 Temperature 37 deg. F      Precipitation (last 24 hours) \_\_\_\_\_ inches  
 Skies FAIR  
 Wind Speed 7 mph  
 Wind Direction NE (direction blowing from)

**NOTES:**  
 "X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 11-16-22

**Inspector(s):**

**Time:** 9:50 am

Deysi Romero

**Weather:**

Temperature 39 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies Mostly Cloudy

Wind Speed 13 mph

Wind Direction E (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**

**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 11-17-22  
**Time:** 8:50am

**Inspector(s):**  
Deusi Romero

**Weather:**

Temperature 37 deg. F      Precipitation (last 24 hours) \_\_\_\_\_ inches  
 Skies Fair  
 Wind Speed 0 mph  
 Wind Direction SSW (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

NOTES:



**ATTACHMENT H.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 11-18-22  
**Time:** 8:50 am

**Inspector(s):**  
Deyse Romero

**Weather:**  
 Temperature 27 deg. F      Precipitation (last 24 hours) \_\_\_\_\_ inches  
 Skies Fair  
 Wind Speed 14 mph  
 Wind Direction NE (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**

**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 11-19-22

**Inspector(s):**

**Time:** 9:50 am

Deysi Romero

**Weather:**

Temperature 32 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies cloudy

Wind Speed 6 mph

Wind Direction NE (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**

**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 11-20-22

**Inspector(s):**

**Time:** 8:50am

Deysi Romero

**Weather:**

Temperature 34 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies cloudy

Wind Speed 0 mph

Wind Direction CALM (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**

**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 11-21-22  
**Time:** 10:50 am

**Inspector(s):**  
Dewi Romero

**Weather:**

Temperature 36 deg. F      Precipitation (last 24 hours) \_\_\_\_\_ inches  
 Skies FUV  
 Wind Speed 6 mph  
 Wind Direction SW (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**

---



---



---

**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 11-22-22

**Inspector(s):**

**Time:** 9:50 am

Deysi Romero

**Weather:**

Temperature 43 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies Fair

Wind Speed 6 mph

Wind Direction S (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**



**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 11-23-22

**Inspector(s):**

**Time:** 10:33 am

Daisy Romero

**Weather:**

Temperature 43 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies Fog.

Wind Speed 8 mph

Wind Direction SSW (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**

**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 11-24-22

**Inspector(s):**

**Time:** 9:50 am

Devin Romero

**Weather:**

Temperature 45 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies Fair/Windy

Wind Speed 32 mph

Wind Direction NNW (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**

**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 11-25-22

**Time:** 7:50am

**Inspector(s):**

Deys. Romero

**Weather:**

Temperature 37 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies cloudy

Wind Speed 18 mph

Wind Direction NNE (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**

**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 11-26-22

**Inspector(s):**

**Time:** 11:50 am

Deysi Romero

**Weather:**

Temperature 37 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies Fair

Wind Speed 12 mph

Wind Direction WSW (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**

ATTACHMENT II.1.D

Evaporation Pond Integrity/Leak Detection Inspection Checklist  
Sundance West

Page \_\_\_\_ of \_\_\_\_

Date: 11-27-22

Inspector(s):

Time: 8:50am

Daisy Romero

Weather:

Temperature 39 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies Fair

Wind Speed 10 mph

Wind Direction NNW (direction blowing from)

NOTES:

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

EVAPORATION POND CONTAINMENT CONDITION

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

EVAPORATION POND LEAK DETECTION SYSTEM

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

NOTES:



**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 11-28-22  
**Time:** 8:50 am

**Inspector(s):**  
Deyvi Romero

**Weather:**

Temperature 36 deg. F      Precipitation (last 24 hours) \_\_\_\_\_ inches  
 Skies Fair  
 Wind Speed 8 mph  
 Wind Direction S (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**

**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 11-29-22

**Inspector(s):**

**Time:** 7:50 am

Davis Romero

**Weather:**

Temperature 41 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies Fair

Wind Speed 12 mph

Wind Direction SSW (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**

**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 11-30-22

**Inspector(s):**

**Time:** 8:50 am

Deysi Romero

**Weather:**

Temperature 28 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies 101V

Wind Speed 6 mph

Wind Direction N (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**

# Office Pits

Date: 11-1-22


Before:  
After:

Before:  
After:


Before:  
After:

Before:  
After:


Before:  
After:




9  
Before:  
After:




7  
Before:  
After:



5  
Before:  
After:



3  
Before:  
After:



1  
Before:  
After:

WEST

Before:  
After:

Before:  
After:


Before:  
After:

Before:  
After:

Before:  
After:


EAST

10




Before:  
After:

8




Before:  
After:

6




Before:  
After:

4



Before:  
After:

2



Before:  
After:

SOUTH

NORTH



# Office Pits

Date: 11-2-22


Before:  
After:

Before:  
After:


Before:  
After:

Before:  
After:


Before:  
After:




9  
Before:  
After:




7  
Before:  
After:



5  
Before:  
After:



3  
Before:  
After:



1  
Before:  
After:

WEST

Before:  
After:

Before:  
After:


Before:  
After:

Before:  
After:

Before:  
After:


EAST

10




Before:  
After:

8




Before:  
After:

6




Before:  
After:

4



Before:  
After:

2



Before:  
After:

NORTH





# Office Pits

Date: 11-3-22


Before:  
After:

Before:  
After:


Before:  
After:

Before:  
After:


Before:  
After:




9  
Before:  
After:




7  
Before:  
After:



5  
Before:  
After:



3  
Before:  
After:



1  
Before:  
After:

WEST

Before:  
After:

Before:  
After:


Before:  
After:

Before:  
After:

Before:  
After:


EAST

10




Before:  
After:

8




Before:  
After:

6




Before:  
After:

4



Before:  
After:

2



Before:  
After:

NORTH



# Office Pits

Date: 11-4-22


Before:  
After:

Before:  
After:


Before:  
After:

Before:  
After:


Before:  
After:




9  
Before:  
After:




7  
Before:  
After:



5  
Before:  
After:



3  
Before:  
After:



1  
Before:  
After:

WEST

Before:  
After:

Before:  
After:


Before:  
After:

Before:  
After:

Before:  
After:


EAST

10




Before:  
After:

8




Before:  
After:

6




Before:  
After:

4



Before:  
After:

2



Before:  
After:

NORTH



# Office Pits

Date: 11-5-22




Before:  
After:

Before:  
After:


Before:  
After:

Before:  
After:


Before:  
After:




9  
Before:  
After:




7  
Before:  
After:



5  
Before:  
After:



3  
Before:  
After:



1  
Before:  
After:

WEST

Before:  
After:

Before:  
After:


Before:  
After:

Before:  
After:

Before:  
After:


EAST

10




Before:  
After:

8




Before:  
After:

6




Before:  
After:

4



Before:  
After:

2



Before:  
After:



# Office Pits

Date: 11-6-22


Before:  
After:

Before:  
After:


Before:  
After:

Before:  
After:


Before:  
After:




9  
Before:  
After:




7  
Before:  
After:



5  
Before:  
After:



3  
Before:  
After:



1  
Before:  
After:

WEST

Before:  
After:

Before:  
After:


Before:  
After:

Before:  
After:

Before:  
After:


EAST

10




Before:  
After:

8




Before:  
After:

6




Before:  
After:

4



Before:  
After:

2



Before:  
After:

SOUTH


NORTH




# Office Pits

Date: 11-7-22


Before:  
After:  
Before:  
After:  
Before:  
After:  
Before:  
After:  
Before:  
After:  
Before:  
After:  
Before:  
After:  
Before:  
After:




9  
Before:  
After:




7  
Before:  
After:



5  
Before:  
After:




3  
Before:  
After:



1  
Before:  
After:


WEST

10




Before:  
After:

8




Before:  
After:

6




Before:  
After:

4



Before:  
After:

2



Before:  
After:

EAST





# Office Pits

Date: 11-8-22


Before:  
After:

Before:  
After:


Before:  
After:

Before:  
After:


Before:  
After:




9  
Before:  
After:




7  
Before:  
After:



5  
Before:  
After:



3  
Before:  
After:



1  
Before:  
After:

WEST

Before:  
After:

Before:  
After:


Before:  
After:

Before:  
After:

Before:  
After:


EAST

10




Before:  
After:

8




Before:  
After:

6




Before:  
After:

4



Before:  
After:

2



Before:  
After:


NORTH



# Office Pits

Date: 11-9-22

Before:  
After:




9  
Before:  
After:

WEST


Before:  
After:

10



Before:  
After:


Before:  
After:



7  
Before:  
After:

Before:  
After:

8




Before:  
After:

SOUTH

NORTH


Before:  
After:



5  
Before:  
After:


Before:  
After:

6



Before:  
After:


Before:  
After:



3  
Before:  
After:


Before:  
After:

4



Before:  
After:

Before:  
After:




1  
Before:  
After:

Before:  
After:

EAST

2



Before:  
After:



# Office Pits

Date: 11-10-22


Before:  
After:

Before:  
After:


Before:  
After:

Before:  
After:


Before:  
After:




9  
Before:  
After:




7  
Before:  
After:



5  
Before:  
After:



3  
Before:  
After:



1  
Before:  
After:

WEST

Before:  
After:

Before:  
After:


Before:  
After:

Before:  
After:

Before:  
After:


EAST

10




Before:  
After:

8




Before:  
After:

6




Before:  
After:

4



Before:  
After:

2



Before:  
After:

NORTH



# Office Pits

Date: 11-11-22




Before:  
After:

Before:  
After:


Before:  
After:

Before:  
After:


Before:  
After:




9  
Before:  
After:




7  
Before:  
After:



5  
Before:  
After:



3  
Before:  
After:



1  
Before:  
After:

WEST

Before:  
After:

Before:  
After:


Before:  
After:

Before:  
After:

Before:  
After:


EAST

10




Before:  
After:

8




Before:  
After:

6




Before:  
After:

4



Before:  
After:

2



Before:  
After:



# Office Pits

Date: 11-12-22


Before:  
After:

Before:  
After:


Before:  
After:

Before:  
After:


Before:  
After:




9  
Before:  
After:




7  
Before:  
After:



5  
Before:  
After:



3  
Before:  
After:



1  
Before:  
After:

WEST

Before:  
After:

Before:  
After:


Before:  
After:

Before:  
After:

Before:  
After:


EAST

10




Before:  
After:

8




Before:  
After:

6




Before:  
After:

4



Before:  
After:

2



Before:  
After:

NORTH





# Office Pits

Date: 11-13-22




Before:  
After:

Before:  
After:


Before:  
After:

Before:  
After:


Before:  
After:




9  
Before:  
After:




7  
Before:  
After:



5  
Before:  
After:



3  
Before:  
After:



1  
Before:  
After:

WEST

Before:  
After:

Before:  
After:


Before:  
After:

Before:  
After:

Before:  
After:


EAST

10




Before:  
After:

8




Before:  
After:

6




Before:  
After:

4



Before:  
After:

2



Before:  
After:

NORTH



# Office Pits

Date: 11-14-22


Before:  
After:

Before:  
After:


Before:  
After:

Before:  
After:


Before:  
After:




9  
Before:  
After:




7  
Before:  
After:



5  
Before:  
After:



3  
Before:  
After:



1  
Before:  
After:

WEST

Before:  
After:

Before:  
After:


Before:  
After:

Before:  
After:

Before:  
After:


EAST

10




Before:  
After:

8




Before:  
After:

6




Before:  
After:

4



Before:  
After:

2



Before:  
After:


NORTH



# Office Pits

Date: 11-15-22

Before:  
After:




9  
Before:  
After:

WEST


Before:  
After:

10



Before:  
After:


Before:  
After:



7  
Before:  
After:

Before:  
After:

8




Before:  
After:

SOUTH

NORTH


Before:  
After:



5  
Before:  
After:


Before:  
After:

6



Before:  
After:


Before:  
After:



3  
Before:  
After:


Before:  
After:

4



Before:  
After:

Before:  
After:




1  
Before:  
After:

Before:  
After:

EAST

2



Before:  
After:



# Office Pits

Date: 11-16-22


Before:  
After:

Before:  
After:


Before:  
After:

Before:  
After:


Before:  
After:




9  
Before:  
After:




7  
Before:  
After:



5  
Before:  
After:



3  
Before:  
After:



1  
Before:  
After:

WEST

Before:  
After:

Before:  
After:


Before:  
After:

Before:  
After:

Before:  
After:


EAST

10




Before:  
After:

8




Before:  
After:

6




Before:  
After:

4



Before:  
After:

2



Before:  
After:


NORTH



# Office Pits

Date: 11-17-22

Before:  
After:




9  
Before:  
After:

WEST


Before:  
After:

10



Before:  
After:


Before:  
After:



7  
Before:  
After:

Before:  
After:

8




Before:  
After:

SOUTH

NORTH


Before:  
After:



5  
Before:  
After:


Before:  
After:

6



Before:  
After:


Before:  
After:



3  
Before:  
After:


Before:  
After:

4



Before:  
After:


Before:  
After:



1  
Before:  
After:

Before:  
After:

2



Before:  
After:

EAST





# Office Pits

Date: 11-18-22


Before:  
After:

Before:  
After:


Before:  
After:

Before:  
After:


Before:  
After:




9  
Before:  
After:




7  
Before:  
After:



5  
Before:  
After:



3  
Before:  
After:



1  
Before:  
After:

WEST

Before:  
After:

Before:  
After:


Before:  
After:

Before:  
After:

Before:  
After:


EAST

10




Before:  
After:

8




Before:  
After:

6




Before:  
After:

4



Before:  
After:

2



Before:  
After:

NORTH



# Office Pits

Date: 11-19-22


Before:  
After:

Before:  
After:


Before:  
After:

Before:  
After:


Before:  
After:




9  
Before:  
After:




7  
Before:  
After:



5  
Before:  
After:



3  
Before:  
After:



1  
Before:  
After:

WEST

Before:  
After:

Before:  
After:


Before:  
After:

Before:  
After:

Before:  
After:


EAST

10




Before:  
After:

8




Before:  
After:

6




Before:  
After:

4



Before:  
After:

2



Before:  
After:



# Office Pits

Date: 11-20-22


Before:  
After:

Before:  
After:


Before:  
After:

Before:  
After:


Before:  
After:




9  
Before:  
After:




7  
Before:  
After:



5  
Before:  
After:



3  
Before:  
After:



1  
Before:  
After:

WEST

Before:  
After:

Before:  
After:


Before:  
After:

Before:  
After:

Before:  
After:


EAST

10




Before:  
After:

8




Before:  
After:

6




Before:  
After:

4



Before:  
After:

2



Before:  
After:

NORTH



# Office Pits

Date: 11-21-22


Before:  
After:

Before:  
After:


Before:  
After:

Before:  
After:


Before:  
After:




9  
Before:  
After:




7  
Before:  
After:



5  
Before:  
After:



3  
Before:  
After:



1  
Before:  
After:

WEST

Before:  
After:

Before:  
After:


Before:  
After:

Before:  
After:

Before:  
After:


EAST

10




Before:  
After:

8




Before:  
After:

6




Before:  
After:

4



Before:  
After:

2



Before:  
After:

NORTH



# Office Pits

Date: 11-22-22


Before:  
After:

Before:  
After:


Before:  
After:

Before:  
After:


Before:  
After:




9  
Before:  
After:




7  
Before:  
After:



5  
Before:  
After:



3  
Before:  
After:



1  
Before:  
After:

WEST

Before:  
After:

Before:  
After:


Before:  
After:

Before:  
After:

Before:  
After:


EAST

10




Before:  
After:

8




Before:  
After:

6




Before:  
After:

4



Before:  
After:

2



Before:  
After:

NORTH





# Office Pits

Date: 11-23-22


Before:  
After:

Before:  
After:


Before:  
After:

Before:  
After:


Before:  
After:




9  
Before:  
After:




7  
Before:  
After:



5  
Before:  
After:



3  
Before:  
After:



1  
Before:  
After:

WEST

Before:  
After:

Before:  
After:


Before:  
After:

Before:  
After:

Before:  
After:


EAST

10




Before:  
After:

8




Before:  
After:

6




Before:  
After:

4



Before:  
After:

2




Before:  
After:



# Office Pits

Date: 11-24-22


Before:  
After:



9  
Before:  
After:

WEST


10



Before:  
After:

Before:  
After:


Before:  
After:



7  
Before:  
After:

Before:  
After:

8




Before:  
After:

SOUTH

NORTH


Before:  
After:



5  
Before:  
After:


Before:  
After:

6



Before:  
After:


Before:  
After:



3  
Before:  
After:


Before:  
After:

4



Before:  
After:


Before:  
After:



1  
Before:  
After:

Before:  
After:

2



Before:  
After:

EAST



# Office Pits

Date: 11-25-22


Before:  
After:

Before:  
After:


Before:  
After:

Before:  
After:


Before:  
After:




9  
Before:  
After:




7  
Before:  
After:



5  
Before:  
After:



3  
Before:  
After:



1  
Before:  
After:

WEST

Before:  
After:

Before:  
After:


Before:  
After:

Before:  
After:

Before:  
After:


EAST

10




Before:  
After:

8




Before:  
After:

6




Before:  
After:

4



Before:  
After:

2



Before:  
After:


NORTH



# Office Pits

Date: 11-26-22

Before:  
After:




9  
Before:  
After:

WEST


Before:  
After:

10



Before:  
After:


Before:  
After:



7  
Before:  
After:

Before:  
After:

8




Before:  
After:

SOUTH

NORTH


Before:  
After:



5  
Before:  
After:


Before:  
After:

6



Before:  
After:


Before:  
After:



3  
Before:  
After:


Before:  
After:

4



Before:  
After:


Before:  
After:



1  
Before:  
After:

Before:  
After:

2



Before:  
After:

EAST



# Office Pits

Date: 11-27-22


Before:  
After:

Before:  
After:


Before:  
After:

Before:  
After:


Before:  
After:




9  
Before:  
After:




7  
Before:  
After:



5  
Before:  
After:



3  
Before:  
After:



1  
Before:  
After:

WEST

Before:  
After:

Before:  
After:


Before:  
After:

Before:  
After:

Before:  
After:


EAST

10




Before:  
After:

8




Before:  
After:

6




Before:  
After:

4



Before:  
After:

2



Before:  
After:






# Office Pits

Date: 11-28-22

Before:  
After:




9  
Before:  
After:

WEST


Before:  
After:

10



Before:  
After:


Before:  
After:



7  
Before:  
After:

Before:  
After:

8




Before:  
After:

SOUTH

NORTH


Before:  
After:



5  
Before:  
After:


Before:  
After:

6



Before:  
After:


Before:  
After:



3  
Before:  
After:


Before:  
After:

4



Before:  
After:


Before:  
After:



1  
Before:  
After:

Before:  
After:

2



Before:  
After:

EAST



# Office Pits

Date: 11-29-22


Before:  
After:

Before:  
After:


Before:  
After:

Before:  
After:


Before:  
After:




9  
Before:  
After:




7  
Before:  
After:



5  
Before:  
After:



3  
Before:  
After:



1  
Before:  
After:

WEST

Before:  
After:

Before:  
After:


Before:  
After:

Before:  
After:

Before:  
After:


EAST

10




Before:  
After:

8




Before:  
After:

6




Before:  
After:

4



Before:  
After:

2



Before:  
After:

NORTH



# Office Pits

Date: 11-30-22


Before:  
After:

Before:  
After:


Before:  
After:

Before:  
After:


Before:  
After:




9  
Before:  
After:




7  
Before:  
After:



5  
Before:  
After:



3  
Before:  
After:



1  
Before:  
After:

WEST

Before:  
After:

Before:  
After:


Before:  
After:

Before:  
After:

Before:  
After:


EAST

10




Before:  
After:

8




Before:  
After:

6




Before:  
After:

4



Before:  
After:


2



Before:  
After:

NORTH






**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS**

DATE: 11-1-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'9"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'8"		
MW-36	3.0	42'	21'9"		
MW-37	3.0	39'3"	20'7"		
MW-40	3.0	29'7"	14'1"		
MW-41	3.0	77'	53'1"		
MW-51	3.0	65'5"	52'3"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	52'6"		
MW-73	2.0	28'	16'8"		VZ-4
MW-74	3.0	33'	28'4"		
VZ-1	2.0	27'	5'9"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'8"		MW-73
VZ-5	2.0	32'6"	16'1"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	21'0"		
MH-69	2.0	28'1"	0'0"		



**SUNDANCE SERVICES WEST, INC.**


ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS**

DATE: 11-2-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'8"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'8"		
MW-36	3.0	42'	21'8"		
MW-37	3.0	39'3"	20'7"		
MW-40	3.0	29'7"	19'2"		
MW-41	3.0	77'	53'1"		
MW-51	3.0	65'5"	52'2"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	52'7"		
MW-73	2.0	28'	16'9"		VZ-4
MW-74	3.0	33'	28'5"		
VZ-1	2.0	27'	5'8"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'9"		MW-73
VZ-5	2.0	32'6"	16'1"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	21'0"		
MH-69	2.0	28'1"	0'0"		






**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS**

DATE: 11-3-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'9"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'8"		
MW-36	3.0	42'	21'9"		
MW-37	3.0	39'3"	20'7"		
MW-40	3.0	29'7"	19'3"		
MW-41	3.0	77'	53'1"		
MW-51	3.0	65'5"	52'3"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	52'9"		
MW-73	2.0	28'	16'8"		VZ-4
MW-74	3.0	33'	28'7"		
VZ-1	2.0	27'	5'9"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'8"		MW-73
VZ-5	2.0	32'6"	16'1"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	21'1"		
MH-69	2.0	28'1"	0'0"		




**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS**

DATE: 11-4-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'8"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'9"		
MW-36	3.0	42'	21'8"		
MW-37	3.0	39'3"	20'7"		
MW-40	3.0	29'7"	19'2"		
MW-41	3.0	77'	53'14"		
MW-51	3.0	65'5"	52'4"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	52'9"		
MW-73	2.0	28'	16'9"		VZ-4
MW-74	3.0	33'	28'7"		
VZ-1	2.0	27'	6'0"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'9"		MW-73
VZ-5	2.0	32'6"	16'1"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	21'1"		
MH-69	2.0	28'1"	0'0"		




**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS**

DATE: 11-5-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'9"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'9"		
MW-36	3.0	42'	21'9"		
MW-37	3.0	39'3"	20'7"		
MW-40	3.0	29'7"	19'1"		
MW-41	3.0	77'	53'1"		
MW-51	3.0	65'5"	52'3"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	52'8"		
MW-73	2.0	28'	16'7"		VZ-4
MW-74	3.0	33'	28'6"		
VZ-1	2.0	27'	5'9"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'7"		MW-73
VZ-5	2.0	32'6"	16'1"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	21'1"		
MH-69	2.0	28'1"	0'0"		




**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS**

DATE: 11-6-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'8"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'9"		
MW-36	3.0	42'	21'8"		
MW-37	3.0	39'3"	20'6"		
MW-40	3.0	29'7"	19'1"		
MW-41	3.0	77'	53'1"		
MW-51	3.0	65'5"	52'2"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	50'7"		
MW-73	2.0	28'	16'8"		VZ-4
MW-74	3.0	33'	28'4"		
VZ-1	2.0	27'	5'8"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'8"		MW-73
VZ-5	2.0	32'6"	16'1"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	21'2"		
MH-69	2.0	28'1"	0'1"		



**SUNDANCE SERVICES WEST, INC.**


ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS**

DATE: 11-7-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'9"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'9"		
MW-36	3.0	42'	21'9"		
MW-37	3.0	39'3"	20'6"		
MW-40	3.0	29'7"	19'1"		
MW-41	3.0	77'	53'3"		
MW-51	3.0	65'5"	52'1"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	52'6"		
MW-73	2.0	28'	16'7"		VZ-4
MW-74	3.0	33'	28'6"		
VZ-1	2.0	27'	5'9"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'7"		MW-73
VZ-5	2.0	32'6"	16'0"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	21'2"		
MH-69	2.0	28'1"	0'0"		






**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS**

DATE: 11-8-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'9"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'8"		
MW-36	3.0	42'	21'7"		
MW-37	3.0	39'3"	20'7"		
MW-40	3.0	29'7"	14'1"		
MW-41	3.0	77'	53'2"		
MW-51	3.0	65'5"	52'1"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	52'9"		
MW-73	2.0	28'	16'7"		VZ-4
MW-74	3.0	33'	28'7"		
VZ-1	2.0	27'	5'9"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'7"		MW-73
VZ-5	2.0	32'6"	16'0"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	21'2"		
MH-69	2.0	28'1"	0'1"		




**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS**

DATE: 11-9-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'8"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'8"		
MW-36	3.0	42'	21'7"		
MW-37	3.0	39'3"	20'8"		
MW-40	3.0	29'7"	19'2"		
MW-41	3.0	77'	53'1"		
MW-51	3.0	65'5"	52'2"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	52'7"		
MW-73	2.0	28'	16'8"		VZ-4
MW-74	3.0	33'	28'6"		
VZ-1	2.0	27'	5'8"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'8"		MW-73
VZ-5	2.0	32'6"	16'0"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	21'1"		
MH-69	2.0	28'1"	0'1"		



**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS**

DATE: 11-10-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'9"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'9"		
MW-36	3.0	42'	21'7"		
MW-37	3.0	39'3"	20'9"		
MW-40	3.0	29'7"	19'3"		
MW-41	3.0	77'	53'1"		
MW-51	3.0	65'5"	52'1"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	52'6"		
MW-73	2.0	28'	16'7"		VZ-4
MW-74	3.0	33'	28'7"		
VZ-1	2.0	27'	5'9"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'7"		MW-73
VZ-5	2.0	32'6"	16'0"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	21'1"		
MH-69	2.0	28'1"	0'1"		




**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS**

DATE: 11-11-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'9"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'9"		
MW-36	3.0	42'	21'6"		
MW-37	3.0	39'3"	20'8"		
MW-40	3.0	29'7"	14'2"		
MW-41	3.0	77'	53'2"		
MW-51	3.0	65'5"	52'2"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	52'7"		
MW-73	2.0	28'	16'7"		VZ-4
MW-74	3.0	33'	28'7"		
VZ-1	2.0	27'	6'0"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'7"		MW-73
VZ-5	2.0	32'6"	16'1"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	21'2"		
MH-69	2.0	28'1"	0'1"		



**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS**

DATE: 11-12-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'7"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'9"		
MW-36	3.0	42'	21'7"		
MW-37	3.0	39'3"	20'7"		
MW-40	3.0	29'7"	19'1"		
MW-41	3.0	77'	53'2"		
MW-51	3.0	65'5"	52'3"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	52'7"		
MW-73	2.0	28'	16'8"		VZ-4
MW-74	3.0	33'	28'6"		
VZ-1	2.0	27'	6'0"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'8"		MW-73
VZ-5	2.0	32'6"	16'1"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	21'2"		
MH-69	2.0	28'1"	0'1"		






**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS**

DATE: 11-13-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'9"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'9"		
MW-36	3.0	42'	21'8"		
MW-37	3.0	39'3"	20'7"		
MW-40	3.0	29'7"	19'1"		
MW-41	3.0	77'	53'3"		
MW-51	3.0	65'5"	52'2"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	52'7"		
MW-73	2.0	28'	16'7"		VZ-4
MW-74	3.0	33'	28'7"		
VZ-1	2.0	27'	5'9"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'7"		MW-73
VZ-5	2.0	32'6"	16'1"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	21'2"		
MH-69	2.0	28'1"	0'1"		




**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS**

DATE: 11-14-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'8"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'9"		
MW-36	3.0	42'	21'7"		
MW-37	3.0	39'3"	20'6"		
MW-40	3.0	29'7"	14'3"		
MW-41	3.0	77'	53'2"		
MW-51	3.0	65'5"	52'1"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	52'6"		
MW-73	2.0	28'	16'6"		VZ-4
MW-74	3.0	33'	28'9"		
VZ-1	2.0	27'	5'8"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'6"		MW-73
VZ-5	2.0	32'6"	16'14"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	21'14"		
MH-69	2.0	28'1"	0'1"		




**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

MONITOR WELLS

DATE: 11-15-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'9"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'4"		
MW-36	3.0	42'	21'8"		
MW-37	3.0	39'3"	20'7"		
MW-40	3.0	29'7"	19'3"		
MW-41	3.0	77'	53'3"		
MW-51	3.0	65'5"	52'1"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	52'4"		
MW-73	2.0	28'	16'7"		VZ-4
MW-74	3.0	33'	28'9"	24'4"	
VZ-1	2.0	27'	5'8"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'7"		MW-73
VZ-5	2.0	32'6"	16'1"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	21'7"		
MH-69	2.0	28'1"	0'7"		




**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS**

DATE: 11-16-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'8"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'8"		
MW-36	3.0	42'	21'7"		
MW-37	3.0	39'3"	20'6"		
MW-40	3.0	29'7"	19'1"		
MW-41	3.0	77'	53'2"		
MW-51	3.0	65'5"	52'2"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	52'6"		
MW-73	2.0	28'	16'8"		VZ-4
MW-74	3.0	33'	24'7"		
VZ-1	2.0	27'	5'8"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'8"		MW-73
VZ-5	2.0	32'6"	16'1"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	21'1"		
MH-69	2.0	28'1"	0'1"		



**SUNDANCE SERVICES WEST, INC.**


ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS**

DATE: 11-17-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4.9"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0.8"		
MW-36	3.0	42'	21'8"		
MW-37	3.0	39'3"	20'7"		
MW-40	3.0	29'7"	19.2"		
MW-41	3.0	77'	53.3"		
MW-51	3.0	65'5"	52.2"		
MW-69	3.0	50'4"	0.0"		
MW-71	6.0	61'9"	52.7"		
MW-73	2.0	28'	16.7"		VZ-4
MW-74	3.0	33'	24.9'		
VZ-1	2.0	27'	5.9"		PGI-8
VZ-2	2.0	38'8"	0.0"		
VZ-3	2.0	28'	0.0"		
VZ-4	2.0	28'	16.7"		MW-73
VZ-5	2.0	32'6"	16.1"		
VZ-6	2.0	26'3"	0.0"		
VZ-7	2.0	49'8"	21.2"		
MH-69	2.0	28'1"	0.1"		






**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS**

DATE: 11-17-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'9"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'9"		
MW-36	3.0	42'	21'7"		
MW-37	3.0	39'3"	20'6"		
MW-40	3.0	29'7"	19'1"		
MW-41	3.0	77'	53'2"		
MW-51	3.0	65'5"	52'3"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	52'6"		
MW-73	2.0	28'	16'8"		VZ-4
MW-74	3.0	33'	25'1"		
VZ-1	2.0	27'	5'8"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'8"		MW-73
VZ-5	2.0	32'6"	16'1"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	21'1"		
MH-69	2.0	28'1"	0'1"		




**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

MONITOR WELLS

DATE: 11-18-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'9"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'8"		
MW-36	3.0	42'	21'9"		
MW-37	3.0	39'3"	20'7"		
MW-40	3.0	29'7"	14'1"		
MW-41	3.0	77'	53'1"		
MW-51	3.0	65'5"	52'4"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	52'7"		
MW-73	2.0	28'	16'9"		VZ-4
MW-74	3.0	33'	25'7"		
VZ-1	2.0	27'	5'9"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'9"		MW-73
VZ-5	2.0	32'6"	16'1"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	21'1"		
MH-69	2.0	28'1"	0'1"		




**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS**

DATE: 11-19-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'9"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'8"		
MW-36	3.0	42'	21'8"		
MW-37	3.0	39'3"	20'1"		
MW-40	3.0	29'7"	14'2"		
MW-41	3.0	77'	53'2"		
MW-51	3.0	65'5"	52'4"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	52'6"		
MW-73	2.0	28'	16'8"		VZ-4
MW-74	3.0	33'	25'8"		
VZ-1	2.0	27'	5'9"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'8"		MW-73
VZ-5	2.0	32'6"	16'1"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	21'1"		
MH-69	2.0	28'1"	0'1"		




**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS**

DATE: 11-20-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'8"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'9"		
MW-36	3.0	42'	21'7"		
MW-37	3.0	39'3"	20'1"		
MW-40	3.0	29'7"	19'2"		
MW-41	3.0	77'	53'1"		
MW-51	3.0	65'5"	52'5"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	52'7"		
MW-73	2.0	28'	16'7"		VZ-4
MW-74	3.0	33'	26'2"		
VZ-1	2.0	27'	6'0"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'7"		MW-73
VZ-5	2.0	32'6"	16'1"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	21'1"		
MH-69	2.0	28'1"	0'1"		



**SUNDANCE SERVICES WEST, INC.**


ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS**

DATE: 11-21-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'9"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'9"		
MW-36	3.0	42'	21'6"		
MW-37	3.0	39'3"	20'1"		
MW-40	3.0	29'7"	19'1"		
MW-41	3.0	77'	53'1"		
MW-51	3.0	65'5"	52'6"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	52'7"		
MW-73	2.0	28'	16'8"		VZ-4
MW-74	3.0	33'	26'4"		
VZ-1	2.0	27'	5'9"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'8"		MW-73
VZ-5	2.0	32'6"	16'7"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	21'1"		
MH-69	2.0	28'1"	0'1"		






**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS**

DATE: 11-22-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'8"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'9"		
MW-36	3.0	42'	21'7"		
MW-37	3.0	39'3"	20'1"		
MW-40	3.0	29'7"	19'2"		
MW-41	3.0	77'	53'1"		
MW-51	3.0	65'5"	52'7"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	52'7"		
MW-73	2.0	28'	16'7"		VZ-4
MW-74	3.0	33'	27'1"		
VZ-1	2.0	27'	5'8"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'7"		MW-73
VZ-5	2.0	32'6"	16'1"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	21'1"		
MH-69	2.0	28'1"	0'1"		




**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS**

DATE: 11-23-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'9"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'8"		
MW-36	3.0	42'	21'8"		
MW-37	3.0	39'3"	20'1"		
MW-40	3.0	29'7"	14'1"		
MW-41	3.0	77'	53'2"		
MW-51	3.0	65'5"	52'8"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	52'8"		
MW-73	2.0	28'	16'8"		VZ-4
MW-74	3.0	33'	27'3"		
VZ-1	2.0	27'	5'7"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'8"		MW-73
VZ-5	2.0	32'6"	16'1"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	21'2"		
MH-69	2.0	28'1"	0'1"		




**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS**

DATE: 11-24-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'8"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'9"		
MW-36	3.0	42'	21'9"		
MW-37	3.0	39'3"	20'1"		
MW-40	3.0	29'7"	19'2"		
MW-41	3.0	77'	53'2"		
MW-51	3.0	65'5"	52'7"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	52'7"		
MW-73	2.0	28'	16'7"		VZ-4
MW-74	3.0	33'	27'4"		
VZ-1	2.0	27'	5'8"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'7"		MW-73
VZ-5	2.0	32'6"	16'1"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	21'1"		
MH-69	2.0	28'1"	0'1"		




**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

MONITOR WELLS

DATE: 11-25-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'9"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'9"		
MW-36	3.0	42'	21'9"		
MW-37	3.0	39'3"	20'1"		
MW-40	3.0	29'7"	19'3"		
MW-41	3.0	77'	53'2"		
MW-51	3.0	65'5"	52'7"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	52'7"		
MW-73	2.0	28'	16'8"		VZ-4
MW-74	3.0	33'	27'9"		
VZ-1	2.0	27'	5'9"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'8"		MW-73
VZ-5	2.0	32'6"	16'1"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	21'1"		
MH-69	2.0	28'1"	0'1"		



**SUNDANCE SERVICES WEST, INC.**


ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS**

DATE: 11-26-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'9"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'9"		
MW-36	3.0	42'	21'8"		
MW-37	3.0	39'3"	20'2"		
MW-40	3.0	29'7"	19'2"		
MW-41	3.0	77'	53'1"		
MW-51	3.0	65'5"	52'6"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	52'7"		
MW-73	2.0	28'	16'7"		VZ-4
MW-74	3.0	33'	28'1"		
VZ-1	2.0	27'	5'8"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'7"		MW-73
VZ-5	2.0	32'6"	16'1"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	21'1"		
MH-69	2.0	28'1"	0'1"		






**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS**

DATE: 11-27-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'8"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'9"		
MW-36	3.0	42'	21'8"		
MW-37	3.0	39'3"	20'2"		
MW-40	3.0	29'7"	19'1"		
MW-41	3.0	77'	53'1"		
MW-51	3.0	65'5"	52'1"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	52'8"		
MW-73	2.0	28'	16'7"		VZ-4
MW-74	3.0	33'	28'7"		
VZ-1	2.0	27'	5'9"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'7"		MW-73
VZ-5	2.0	32'6"	16'1"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	21'1"		
MH-69	2.0	28'1"	0'1"		




**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS**

DATE: 11-28-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'9"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'9"		
MW-36	3.0	42'	21'9"		
MW-37	3.0	39'3"	20'2"		
MW-40	3.0	29'7"	19'2"		
MW-41	3.0	77'	53'2"		
MW-51	3.0	65'5"	52'1"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	52'9"		
MW-73	2.0	28'	16'8"		VZ-4
MW-74	3.0	33'	28'8"		
VZ-1	2.0	27'	5'8"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'8"		MW-73
VZ-5	2.0	32'6"	16'1"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	21'1"		
MH-69	2.0	28'1"	0'1"		




**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS**

DATE: 11-29-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'8"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'9"		
MW-36	3.0	42'	21'9"		
MW-37	3.0	39'3"	20'1"		
MW-40	3.0	29'7"	19'1"		
MW-41	3.0	77'	53'1"		
MW-51	3.0	65'5"	52'1"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	52'8"		
MW-73	2.0	28'	16'7"		VZ-4
MW-74	3.0	33'	28'7"		
VZ-1	2.0	27'	5'9"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'7"		MW-73
VZ-5	2.0	32'6"	16'1"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	21'1"		
MH-69	2.0	28'1"	0'1"		



**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

MONITOR WELLS

DATE: 11-30-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'9"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'9"		
MW-36	3.0	42'	21'8"		
MW-37	3.0	39'3"	20'1"		
MW-40	3.0	29'7"	19'2"		
MW-41	3.0	77'	53'2"		
MW-51	3.0	65'5"	52'1"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	52'9"		
MW-73	2.0	28'	16'8"		VZ-4
MW-74	3.0	33'	28'8"		
VZ-1	2.0	27'	5'9"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'8"		MW-73
VZ-5	2.0	32'6"	16'1"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	21'1"		
MH-69	2.0	28'1"	0'1"		



**SUNDANCE SERVICES WEST, INC.**

**ROLL-OFF BOXES    ROLL-OFF TRUCKS    DUMP TRUCKS    VACUUM TRUCKS**

Main Office: 575-394-2511    Plant Office: 575-394-3212    Fax: 575-394-2590

1001 6<sup>th</sup> Street    P.O. Box 1737    Eunice, New Mexico 88231

**PARABO DISPOSAL FACILITY**

www.sundanceservices.com

www.sundanceservices.net

www.sundanceservices.org

MONITOR WELLS

DATE: 11-1-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
P-MWS 1	3.0	65'0"	0'0"		
P-MWS 2	3.0	70'0"	0'0"		
P-MWS 3	3.0	64'3"	0'0"		
P-MWS 4	3.0	53'5"	0'0"		
P-MWS 5	3.0	48'4"	0'0"		





# SUNDANCE SERVICES WEST, INC.

**ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS**  
Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590  
1001 6<sup>th</sup> Street P.O. Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

## MONITOR WELLS

DATE: 11-2-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
P-MWS 1	3.0	65'0"	0'0"		
P-MWS 2	3.0	70'0"	0'0"		
P-MWS 3	3.0	64'3"	0'0"		
P-MWS 4	3.0	53'5"	0'0"		
P-MWS 5	3.0	48'4"	0'0"		



## SUNDANCE SERVICES WEST, INC.

ROLL-OFF BOXES    ROLL-OFF TRUCKS    DUMP TRUCKS    VACUUM TRUCKS

Main Office: 575-394-2511    Plant Office: 575-394-3212    Fax: 575-394-2590  
 1001 6th Street    P.O. Box 1737    Eunice, New Mexico 88231

### PARABO DISPOSAL FACILITY

www.sundanceervices.com    www.sundanceervices.net    www.sundanceervices.org

**MONITOR WELLS**

DATE: 11-3-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
P-MWS 1	3.0	65'0"	0'-0"		
P-MWS 2	3.0	70'0"	0'-0"		
P-MWS 3	3.0	64'3"	0'-0"		
P-MWS 4	3.0	53'5"	0'-0"		
P-MWS 5	3.0	48'4"	0'-0"		



# SUNDANCE SERVICES WEST, INC.

**ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS**

Main Office: 575-394-2511      Plant Office: 575-394-3212      Fax: 575-394-2590  
1001 6th Street      P.O. Box 1737      Eunice, New Mexico 88231

**PARABO DISPOSAL FACILITY**

www.sundanceservices.com

www.sundanceservices.net

www.sundanceservices.org

## MONITOR WELLS

DATE: 11-4-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
P-MWS 1	3.0	65'0"	0'0"		
P-MWS 2	3.0	70'0"	0'0"		
P-MWS 3	3.0	64'3"	0'0"		
P-MWS 4	3.0	53'5"	0'0"		
P-MWS 5	3.0	48'4"	0'0"		



# SUNDANCE SERVICES WEST, INC.

**ROLL-OFF BOXES    ROLL-OFF TRUCKS    DUMP TRUCKS    VACUUM TRUCKS**  
Main Office: 575-394-2511    Plant Office: 575-394-3212    Fax: 575-394-2590  
1001 6<sup>th</sup> Street    P.O. Box 1737    Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
www.sundanceervices.com    www.sundanceervices.net    www.sundanceervices.org

## MONITOR WELLS

DATE: 11-5-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
P-MWS 1	3.0	65'0"	0'0"		
P-MWS 2	3.0	70'0"	0'0"		
P-MWS 3	3.0	64'3"	0'0"		
P-MWS 4	3.0	53'5"	0'0"		
P-MWS 5	3.0	48'4"	0'0"		



### SUNDANCE SERVICES WEST, INC.

**ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS**

Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590

1001 6<sup>th</sup> Street P.O. Box 1737 Eunice, New Mexico 88231

**PARABO DISPOSAL FACILITY**

www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

MONITOR WELLS

DATE: 11-6-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
P-MWS 1	3.0	65'0"			
P-MWS 2	3.0	70'0"			
P-MWS 3	3.0	64'3"			
P-MWS 4	3.0	53'5"			
P-MWS 5	3.0	48'4"			





**SUNDANCE SERVICES WEST, INC.**

**ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS**

Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590  
 1001 6<sup>th</sup> Street P.O. Box 1737 Eunice, New Mexico 88231

**PARABO DISPOSAL FACILITY**

[www.sundanceservices.com](http://www.sundanceservices.com) [www.sundanceservices.net](http://www.sundanceservices.net) [www.sundanceservices.org](http://www.sundanceservices.org)

MONITOR WELLS

DATE: 11-7-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
P-MWS 1	3.0	65'0"	0'0"		
P-MWS 2	3.0	70'0"	0'0"		
P-MWS 3	3.0	64'3"	0'0"		
P-MWS 4	3.0	53'5"	0'0"		
P-MWS 5	3.0	48'4"	0'0"		



## SUNDANCE SERVICES WEST, INC.

**ROLL-OFF BOXES    ROLL-OFF TRUCKS    DUMP TRUCKS    VACUUM TRUCKS**

Main Office: 575-394-2511    Plant Office: 575-394-3212    Fax: 575-394-2590  
 1001 6th Street    P.O. Box 1737    Eunice, New Mexico 88231

**PARABO DISPOSAL FACILITY**

www.sundanceservices.com    www.sundanceservices.net    www.sundanceservices.org

MONITOR WELLS

DATE: 11-8-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
P-MWS 1	3.0	65'0"	0.6"		
P-MWS 2	3.0	70'0"	0.0"		
P-MWS 3	3.0	64'3"	0.0"		
P-MWS 4	3.0	53'5"	0.0"		
P-MWS 5	3.0	48'4"	0.0"		



### SUNDANCE SERVICES WEST, INC.

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS

Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590

1001 6<sup>th</sup> Street P.O. Box 1737 Eunice, New Mexico 88231

PARABO DISPOSAL FACILITY

www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

MONITOR WELLS

DATE: 11-9-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
P-MWS 1	3.0	65'0"	0'0"		
P-MWS 2	3.0	70'0"	0'0"		
P-MWS 3	3.0	64'3"	0'0"		
P-MWS 4	3.0	53'5"	0'0"		
P-MWS 5	3.0	48'4"	0'0"		



**SUNDANCE SERVICES WEST, INC.**

**ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS**

Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590

1001 6<sup>th</sup> Street P.O. Box 1737 Eunice, New Mexico 88231

**PARABO DISPOSAL FACILITY**

www.sundanceservices.com

www.sundanceservices.net

www.sundanceservices.org

MONITOR WELLS

DATE: 11-10-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
P-MWS 1	3.0	65'0"	0'0"		
P-MWS 2	3.0	70'0"	0'0"		
P-MWS 3	3.0	64'3"	0'0"		
P-MWS 4	3.0	53'5"	0'0"		
P-MWS 5	3.0	48'4"	0'0"		



### SUNDANCE SERVICES WEST, INC.

**ROLL-OFF BOXES   ROLL-OFF TRUCKS   DUMP TRUCKS   VACUUM TRUCKS**  
 Main Office: 575-394-2511   Plant Office: 575-394-3212   Fax: 575-394-2590  
 1001 6<sup>th</sup> Street   P.O. Box 1737   Eunice, New Mexico 88231

**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com   www.sundanceservices.net   www.sundanceservices.org

MONITOR WELLS

DATE: 11-11-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
P-MWS 1	3.0	65'0"	0'0"		
P-MWS 2	3.0	70'0"	0'0"		
P-MWS 3	3.0	64'3"	0'0"		
P-MWS 4	3.0	53'5"	0'0"		
P-MWS 5	3.0	48'4"	0'0"		





# SUNDANCE SERVICES WEST, INC.

**ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS**

Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590  
 1001 6th Street P.O. Box 1737 Eunice, New Mexico 88231

**PARABO DISPOSAL FACILITY**

[www.sundanceservices.com](http://www.sundanceservices.com) [www.sundanceservices.net](http://www.sundanceservices.net) [www.sundanceservices.org](http://www.sundanceservices.org)

**MONITOR WELLS**

DATE: 11-12-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
P-MWS 1	3.0	65'0"	0'0"		
P-MWS 2	3.0	70'0"	0'0"		
P-MWS 3	3.0	64'3"	0'0"		
P-MWS 4	3.0	53'5"	0'0"		
P-MWS 5	3.0	48'4"	0'0"		



# SUNDANCE SERVICES WEST, INC.

**ROLL-OFF BOXES   ROLL-OFF TRUCKS   DUMP TRUCKS   VACUUM TRUCKS**

Main Office: 575-394-2511   Plant Office: 575-394-3212   Fax: 575-394-2590

1001 6<sup>th</sup> Street   P.O. Box 1737   Eunice, New Mexico 88231

**PARABO DISPOSAL FACILITY**

www.sundanceservices.com   www.sundanceservices.net   www.sundanceservices.org

MONITOR WELLS

DATE: 11-13-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
P-MWS 1	3.0	65'0"	0'0"		
P-MWS 2	3.0	70'0"	0'0"		
P-MWS 3	3.0	64'3"	0'0"		
P-MWS 4	3.0	53'5"	0'0"		
P-MWS 5	3.0	48'4"	0'0"		



# SUNDANCE SERVICES WEST, INC.

**ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS**  
Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590  
1001 6<sup>th</sup> Street P.O. Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

## MONITOR WELLS

DATE: 11-14-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
P-MWS 1	3.0	65'0"	0'0"		
P-MWS 2	3.0	70'0"	0'0"		
P-MWS 3	3.0	64'3"	0'0"		
P-MWS 4	3.0	53'5"	0'0"		
P-MWS 5	3.0	48'4"	0'0"		









### SUNDANCE SERVICES WEST, INC.

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590  
1001 6<sup>th</sup> Street P.O. Box 1737 Eunice, New Mexico 88231

**PARABO DISPOSAL FACILITY**

www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

MONITOR WELLS

DATE: 11-17-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
P-MWS 1	3.0	65'0"	0'0"		
P-MWS 2	3.0	70'0"	0'0"		
P-MWS 3	3.0	64'3"	0'0"		
P-MWS 4	3.0	53'5"	0'0"		
P-MWS 5	3.0	48'4"	0'0"		



### SUNDANCE SERVICES WEST, INC.

**ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS**  
Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590  
1001 6<sup>th</sup> Street P.O. Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

MONITOR WELLS

DATE: 11-18-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
P-MWS 1	3.0	65'0"	0'0"		
P-MWS 2	3.0	70'0"	0'0"		
P-MWS 3	3.0	64'3"	0'0"		
P-MWS 4	3.0	53'5"	0'0"		
P-MWS 5	3.0	48'4"	0'0"		



**SUNDANCE SERVICES WEST, INC.**

**ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS**  
Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590  
1001 6<sup>th</sup> Street P.O. Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

MONITOR WELLS

DATE: 11-19-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
P-MWS 1	3.0	65'0"	0'0"		
P-MWS 2	3.0	70'0"	0'0"		
P-MWS 3	3.0	64'3"	0'0"		
P-MWS 4	3.0	53'5"	0'0"		
P-MWS 5	3.0	48'4"	0'0"		



# SUNDANCE SERVICES WEST, INC.

**ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS**

Main Office: 575-394-2511      Plant Office: 575-394-3212      Fax: 575-394-2590  
1001 6<sup>th</sup> Street      P.O. Box 1737      Eunice, New Mexico 88231

**PARABO DISPOSAL FACILITY**

www.sundanceservices.com      www.sundanceservices.net      www.sundanceservices.org

## MONITOR WELLS

DATE: 11-20-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
P-MWS 1	3.0	65'0"	0'0"		
P-MWS 2	3.0	70'0"	0'0"		
P-MWS 3	3.0	64'3"	0'0"		
P-MWS 4	3.0	53'5"	0'0"		
P-MWS 5	3.0	48'4"	0'0"		



### SUNDANCE SERVICES WEST, INC.

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS

Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590  
1001 6<sup>th</sup> Street P.O. Box 1737 Eunice, New Mexico 88231

**PARABO DISPOSAL FACILITY**

www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS**

DATE: 11-21-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
P-MWS 1	3.0	65'0"	0'0"		
P-MWS 2	3.0	70'0"	0'0"		
P-MWS 3	3.0	64'3"	0'0"		
P-MWS 4	3.0	53'5"	0'0"		
P-MWS 5	3.0	48'4"	0'0"		





# SUNDANCE SERVICES WEST, INC.

ROLL-OFF BOXES   ROLL-OFF TRUCKS   DUMP TRUCKS   VACUUM TRUCKS  
 Main Office: 575-394-2511   Plant Office: 575-394-3212   Fax: 575-394-2590  
 1001 6<sup>th</sup> Street   P.O. Box 1737   Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
[www.sundanceservices.com](http://www.sundanceservices.com)   [www.sundanceservices.net](http://www.sundanceservices.net)   [www.sundanceservices.org](http://www.sundanceservices.org)

## MONITOR WELLS

DATE: 11-22-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
P-MWS 1	3.0	65'0"	0'0"		
P-MWS 2	3.0	70'0"	0'6"		
P-MWS 3	3.0	64'3"	0'6"		
P-MWS 4	3.0	53'5"	0'0"		
P-MWS 5	3.0	48'4"	0'0"		



**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES   ROLL-OFF TRUCKS   DUMP TRUCKS   VACUUM TRUCKS

Main Office: 575-394-2511   Plant Office: 575-394-3212   Fax: 575-394-2590  
 1001 6<sup>th</sup> Street   P.O. Box 1737   Eunice, New Mexico 88231

**PARABO DISPOSAL FACILITY**

www.sundanceservices.com   www.sundanceservices.net   www.sundanceservices.org

**MONITOR WELLS**

DATE: 11-23-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
P-MWS 1	3.0	65'0"	0'0"		
P-MWS 2	3.0	70'0"	0'0"		
P-MWS 3	3.0	64'3"	0'0"		
P-MWS 4	3.0	53'5"	0'0"		
P-MWS 5	3.0	48'4"	0'0"		



# SUNDANCE SERVICES WEST, INC.

ROLL-OFF BOXES   ROLL-OFF TRUCKS   DUMP TRUCKS   VACUUM TRUCKS

Main Office: 575-394-2511

Plant Office: 575-394-3212

Fax: 575-394-2590

1001 6<sup>th</sup> Street

P.O. Box 1737

Eunice, New Mexico 88231

**PARABO DISPOSAL FACILITY**

[www.sundanceservices.com](http://www.sundanceservices.com)

[www.sundanceservices.net](http://www.sundanceservices.net)

[www.sundanceservices.org](http://www.sundanceservices.org)

MONITOR WELLS

DATE: 11-24-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
P-MWS 1	3.0	65'0"	0'0"		
P-MWS 2	3.0	70'0"	0'0"		
P-MWS 3	3.0	64'3"	0'0"		
P-MWS 4	3.0	53'5"	0'0"		
P-MWS 5	3.0	48'4"	0'0"		



# SUNDANCE SERVICES WEST, INC.

**ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS**

Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590

1001 6<sup>th</sup> Street P.O. Box 1737 Eunice, New Mexico 88231

**PARABO DISPOSAL FACILITY**

www.sundanceservices.com

www.sundanceservices.net

www.sundanceservices.org

### MONITOR WELLS

DATE: 11-25-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
P-MWS 1	3.0	65'0"	0'0"		
P-MWS 2	3.0	70'0"	0'0"		
P-MWS 3	3.0	64'3"	0'0"		
P-MWS 4	3.0	53'5"	0'0"		
P-MWS 5	3.0	48'4"	0'0"		



## SUNDANCE SERVICES WEST, INC.

**ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS**

Main Office: 575-394-2511      Plant Office: 575-394-3212      Fax: 575-394-2590  
 1001 6<sup>th</sup> Street      P.O. Box 1737      Eunice, New Mexico 88231

**PARABO DISPOSAL FACILITY**

www.sundanceservices.com      www.sundanceservices.net      www.sundanceservices.org

MONITOR WELLS

DATE: 11-26-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
P-MWS 1	3.0	65'0"	0'0"		
P-MWS 2	3.0	70'0"	0'0"		
P-MWS 3	3.0	64'3"	0'0"		
P-MWS 4	3.0	53'5"	0'0"		
P-MWS 5	3.0	48'4"	0'0"		





**SUNDANCE SERVICES WEST, INC.**

**ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS**  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590  
 1001 6<sup>th</sup> Street P.O. Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

MONITOR WELLS

DATE: 11-27-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
P-MWS 1	3.0	65'0"	0'0"		
P-MWS 2	3.0	70'0"	0'6"		
P-MWS 3	3.0	64'3"	0'0"		
P-MWS 4	3.0	53'5"	0'0"		
P-MWS 5	3.0	48'4"	0'0"		



### SUNDANCE SERVICES WEST, INC.

**ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS**

Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590

1001 6<sup>th</sup> Street P.O. Box 1737 Eunice, New Mexico 88231

**PARABO DISPOSAL FACILITY**

[www.sundanceservices.com](http://www.sundanceservices.com)

[www.sundanceservices.net](http://www.sundanceservices.net)

[www.sundanceservices.org](http://www.sundanceservices.org)

MONITOR WELLS

DATE: 11-28-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
P-MWS 1	3.0	65'0"	0.0"		
P-MWS 2	3.0	70'0"	0.0"		
P-MWS 3	3.0	64'3"	0.0"		
P-MWS 4	3.0	53'5"	0.0"		
P-MWS 5	3.0	48'4"	0.0"		



**SUNDANCE SERVICES WEST, INC.**

**ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS**

Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590  
 1001 6<sup>th</sup> Street P.O. Box 1737 Eunice, New Mexico 88231

**PARABO DISPOSAL FACILITY**

www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

MONITOR WELLS

DATE: 11-29-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
P-MWS 1	3.0	65'0"	0'0"		
P-MWS 2	3.0	70'0"	0'0"		
P-MWS 3	3.0	64'3"	0'0"		
P-MWS 4	3.0	53'5"	0'0"		
P-MWS 5	3.0	48'4"	0'0"		



# SUNDANCE SERVICES WEST, INC.

**ROLL-OFF BOXES    ROLL-OFF TRUCKS    DUMP TRUCKS    VACUUM TRUCKS**

Main Office: 575-394-2511    Plant Office: 575-394-3212    Fax: 575-394-2590

1001 6<sup>th</sup> Street    P.O. Box 1737    Eunice, New Mexico 88231


**PARABO DISPOSAL FACILITY**

[www.sundanceservices.com](http://www.sundanceservices.com)    [www.sundanceservices.net](http://www.sundanceservices.net)    [www.sundanceservices.org](http://www.sundanceservices.org)

MONITOR WELLS

DATE: 11-30-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
P-MWS 1	3.0	65'0"	0'0"		
P-MWS 2	3.0	70'0"	0'0"		
P-MWS 3	3.0	64'3"	0'0"		
P-MWS 4	3.0	53'5"	0'0"		
P-MWS 5	3.0	48'4"	0'0"		



**SUNDANCE SERVICES WEST, INC.**


ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS WASH OUT**

DATE: 11-1-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	Poly	14'7"	0.8"		
WS-2	4	14'7"	1.4"		
WS-3	4	14'7"	0.6"		
WS-4	4	14'7"	2.9"		
WS-5	4	23'6"	14.9"		
WS-6	4	8'0"	0.0"		






**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS WASH OUT**

DATE: 11-2-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	Poly	14'7"	0'9"		
WS-2	"	14'7"	1'3"		
WS-3	"	14'7"	0'7"		
WS-4	"	14'7"	2'9"		
WS-5	"	23'6"	14'7"		
WS-6	"	8'0"	0'7"		



### SUNDANCE SERVICES WEST, INC.

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

#### MONITOR WELLS WASH OUT

DATE: 11-3-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	P04	14'7"	0'9"		
WS-2	11	14'7"	1'2"		
WS-3	11	14'7"	0'6"		
WS-4	11	14'7"	2'7"		
WS-5	11	23'6"	14'6"		
WS-6	11	8'0"	0'7"		




**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS WASH OUT**

DATE: 11-4-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	10 1/4"	14'7"	0'8"		
WS-2	"	14'7"	1'1"		
WS-3	"	14'7"	0'7"		
WS-4	"	14'7"	2'9"		
WS-5	"	23'6"	14'7"		
WS-6	"	8'0"	0'2"		



**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS WASH OUT**

DATE: 11-5-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	10 1/4"	14'7"	0'9"		
WS-2	"	14'7"	1'0"		
WS-3	"	14'7"	0'8"		
WS-4	"	14'7"	2'7"		
WS-5	"	23'6"	14'8"		
WS-6	"	8'0"	0'1"		



**SUNDANCE SERVICES WEST, INC.**


ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS WASH OUT**

DATE: 11-6-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	Poly	14'7"	0'9"		
WS-2	11	14'7"	1'0"		
WS-3	11	14'7"	0'7"		
WS-4	11	14'7"	2'8"		
WS-5	11	23'6"	14'9"		
WS-6	11	8'0"	0'1"		






**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS WASH OUT**

DATE: 11-7-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	POU	14'7"	0'9"		
WS-2	"	14'7"	1'0"		
WS-3	"	14'7"	0'7"		
WS-4	"	14'7"	2'9"		
WS-5	"	23'6"	14'7"		
WS-6	"	8'0"	0'1"		




**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS WASH OUT**

DATE: 11-8-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	Poly	14'7"	0'7"		
WS-2	"	14'7"	0'8"		
WS-3	"	14'7"	0'7"		
WS-4	"	14'7"	2'9"		
WS-5	"	23'6"	14'8"		
WS-6	"	8'0"	0'1"		




**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS WASH OUT**

DATE: 11-9-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	Poly	14'7"	0'8"		
WS-2	"	14'7"	0'7"		
WS-3	"	14'7"	0'3"		
WS-4	"	14'7"	2'9"		
WS-5	"	23'6"	14'9"		
WS-6	"	8'0"	0'1"		




**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS WASH OUT**

DATE: 11-10-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	Poly	14'7"	0'7"		
WS-2	"	14'7"	0'8"		
WS-3	"	14'7"	0'9"		
WS-4	"	14'7"	2'9"		
WS-5	"	23'6"	14'7"		
WS-6	"	8'0"	0'0"		



### SUNDANCE SERVICES WEST, INC.


ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

#### MONITOR WELLS WASH OUT

DATE: 11-11-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	POLY	14'7"	0'9"		
WS-2	"	14'7"	0'7"		
WS-3	"	14'7"	1'0"		
WS-4	"	14'7"	2'7"		
WS-5	"	23'6"	14'9"		
WS-6	"	8'0"	0'0"		






**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS WASH OUT**

DATE: 11-12-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	POU4	14'7"	0'8"		
WS-2	"	14'7"	0'7"		
WS-3	"	14'7"	1'1"		
WS-4	"	14'7"	2'9"		
WS-5	"	23'6"	14'8"		
WS-6	"	8'0"	0'0"		




### SUNDANCE SERVICES WEST, INC.

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

#### MONITOR WELLS WASH OUT

DATE: 11-13-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	Poly	14'7"	0.4"		
WS-2	"	14'7"	0.8"		
WS-3	"	14'7"	1.0"		
WS-4	"	14'7"	2.7"		
WS-5	"	23'6"	14.7"		
WS-6	"	8'0"	0.1"		




**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS WASH OUT**

DATE: 11-14-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	POW	14'7"	0'9"		
WS-2	"	14'7"	0'7"		
WS-3	"	14'7"	1'1"		
WS-4	"	14'7"	2'9"		
WS-5	"	23'6"	14'8"		
WS-6	"	8'0"	0'1"		




**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS WASH OUT**

DATE: 11-15-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	POU	14'7"	0'9"		
WS-2	"	14'7"	0'8"		
WS-3	"	14'7"	1'0"		
WS-4	"	14'7"	2'7"		
WS-5	"	23'6"	14'9"		
WS-6	"	8'0"	0'1"		



**SUNDANCE SERVICES WEST, INC.**


ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

MONITOR WELLS WASH OUT

DATE: 11-16-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	Poly	14'7"	0'8"		
WS-2	"	14'7"	0'7"		
WS-3	"	14'7"	1'1"		
WS-4	"	14'7"	2'8"		
WS-5	"	23'6"	14'9"		
WS-6	"	8'0"	0'11"		






### SUNDANCE SERVICES WEST, INC.

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

#### MONITOR WELLS WASH OUT

DATE: 11-17-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	Poly	14'7"	0'7"		
WS-2	11	14'7"	0'6"		
WS-3	11	14'7"	1'1"		
WS-4	11	14'7"	2'9"		
WS-5	11	23'6"	14'7"		
WS-6	11	8'0"	0'1"		




**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS WASH OUT**

DATE: 11-18-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	10 1/4"	14'7"	0'8"		
WS-2	"	14'7"	0'6"		
WS-3	"	14'7"	1'0"		
WS-4	4"	14'7"	2'9"		
WS-5	"	23'6"	14'6"		
WS-6	"	8'0"	0'14"		




**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS WASH OUT**

DATE: 11-19-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	Poly	14'7"	0'9"		
WS-2	"	14'7"	0'7"		
WS-3	"	14'7"	0'8"		
WS-4	"	14'7"	2'8"		
WS-5	"	23'6"	14'7"		
WS-6	"	8'0"	0'7"		




**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS WASH OUT**

DATE: 11-20-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	Poly	14'7"	0.9"		
WS-2	"	14'7"	0.7"		
WS-3	"	14'7"	0.8"		
WS-4	"	14'7"	2.9"		
WS-5	"	23'6"	14.9"		
WS-6	"	8'0"	0.1"		



**SUNDANCE SERVICES WEST, INC.**


ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS WASH OUT**

DATE: 11-21-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	P04	14'7"	0'7"		
WS-2	11	14'7"	0'8"		
WS-3	11	14'7"	0'7"		
WS-4	11	14'7"	2'9"		
WS-5	11	23'6"	14'7"		
WS-6	11	8'0"	0'1"		






**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

MONITOR WELLS WASH OUT

DATE: 11-22-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	Poly	14'7"	0'7"		
WS-2	4	14'7"	0'9"		
WS-3	4	14'7"	0'7"		
WS-4	4	14'7"	2'9"		
WS-5	4	23'6"	14'8"		
WS-6	4	8'0"	0'1"		




**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS WASH OUT**

DATE: 11-23-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	10"	14'7"	0'8"		
WS-2	"	14'7"	0'7"		
WS-3	"	14'7"	0'7"		
WS-4	"	14'7"	2'7"		
WS-5	"	23'6"	14'9"		
WS-6	"	8'0"	0'1"		




**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

MONITOR WELLS WASH OUT

DATE: 11-24-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	POW	14'7"	0'7"		
WS-2	"	14'7"	1'0"		
WS-3	"	14'7"	0'9"		
WS-4	"	14'7"	2'9"		
WS-5	"	23'6"	14'7"		
WS-6	"	8'0"	0'1"		




**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

MONITOR WELLS WASH OUT

DATE: 11-25-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	10 1/2"	14'7"	0'7"		
WS-2	11"	14'7"	1'0"		
WS-3	11"	14'7"	0'8"		
WS-4	11"	14'7"	2'8"		
WS-5	14"	23'6"	14'8"		
WS-6	11"	8'0"	0'1"		



**SUNDANCE SERVICES WEST, INC.**


ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS WASH OUT**

DATE: 11-26-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	10 1/2"	14'7"	0'7"		
WS-2	11"	14'7"	1'0"		
WS-3	11"	14'7"	0'9"		
WS-4	11"	14'7"	2'8"		
WS-5	11"	23'6"	14'7"		
WS-6	11"	8'0"	0'1"		






**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS WASH OUT**

DATE: 11-27-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	16W	14'7"	0'7"		
WS-2	11	14'7"	1'0"		
WS-3	11	14'7"	0'9"		
WS-4	11	14'7"	2'9"		
WS-5	11	23'6"	14'8"		
WS-6	11	8'0"	0'1"		




### SUNDANCE SERVICES WEST, INC.

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

#### MONITOR WELLS WASH OUT

DATE: 11-28-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	Poly	14'7"	0'7"		
WS-2	11	14'7"	1'0"		
WS-3	4	14'7"	0'8"		
WS-4	11	14'7"	2'8"		
WS-5	11	23'6"	14'7"		
WS-6	4	8'0"	0'1"		




**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS WASH OUT**

DATE: 11-29-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	10"	14'7"	0'7"		
WS-2	11"	14'7"	0'8"		
WS-3	11"	14'7"	0'9"		
WS-4	11"	14'7"	2'9"		
WS-5	11"	23'6"	14'7"		
WS-6	11"	8'0"	0'11"		



**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

MONITOR WELLS WASH OUT

DATE: 11-30-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	PO4	14'7"	0'6"		
WS-2	v	14'7"	0'9"		
WS-3	v	14'7"	0'8"		
WS-4	v	14'7"	2'9"		
WS-5	"	23'6"	14'8"		
WS-6	"	8'0"	0'1"		

Daily Inspection Form  
Sundance West

Date: 12-1-22

Print Name: Douglas Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

TYPE OF INSPECTION

Item	Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual	Satisfactory	Action Required
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)						D ✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)						D ✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)						D ✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)						D ✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)						D ✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)						D ✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)						D ✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)						D ✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)						D ✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)						D ✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)						D ✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)						D ✓	
Pond levels three-foot free board						D ✓	



Daily Inspection Form  
Sundance West

Date: 12-2-22

Others: \_\_\_\_\_

Print Name: Deasi Romero

Signature: \_\_\_\_\_

TYPE OF INSPECTION

Item	Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual	Satisfactory	Action Required
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)						D ✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)						D ✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)						D ✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)						D ✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)						D ✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)						D ✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)						D ✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)						D ✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)						D ✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)						D ✓	
Evaporation Pond Tests-pH (Vol. II - Sec 3- Pg.130)-O2 (Vol. II - Sec 3- Pg.131)						D ✓	
Evaporation Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)						D ✓	
Pond levels three-foot free board							

Daily Inspection Form  
Sundance West

Date: 12-3-22

Print Name: Dewi Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

TYPE OF INSPECTION

Item	Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual	Satisfactory	Action Required
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)						D ✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)						D ✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)						D ✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)						D ✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)						D ✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)						D ✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)						D ✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)						D ✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)						D ✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)						D ✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)						D ✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)						D ✓	
Pond levels three-foot free board							

Daily Inspection Form  
Sundance West

Date: 12-4-22

Print Name: Daisy Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

TYPE OF INSPECTION

Item	Daily	Weekly	Monthly	Quarterly	Annual	Satisfactory	Action Required
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)	<input checked="" type="checkbox"/>					D ✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)						D ✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)						D ✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)						D ✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)						D ✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)						D ✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)						D ✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)						D ✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)						D ✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)						D ✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)						D ✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)						D ✓	
Pond levels three-foot free board							

Daily Inspection Form  
Sundance West

Date: 12-5-22

Print Name: Daisy Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

TYPE OF INSPECTION

TYPE OF INSPECTION					Item	D	Satisfactory	Action Required
Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual				
					Vehicle Screening (H2S) (Vol. II - Sec.4:2 - Pg.19)	D	✓	
					Dust Control (Vol. II - Sec.4.3 - Pg.19)	D	✓	
					Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)	D	✓	
					Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)	D	✓	
					Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)	D	✓	
					Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)	D	✓	
					Waste Screening and Forms (Vol. II - Sec 2- Pg.94)	D	✓	
					Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)	D	✓	
					Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)	D	✓	
					Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)	D	✓	
					Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)	D	✓	
					Evaopraton Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)	D	✓	
					Pond levels three-foot free board	D	✓	

Daily Inspection Form  
Sundance West

Date: 12-6-22

Print Name: Drew Rameid

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

TYPE OF INSPECTION

Daily	Weekly	Monthly	Quarterly	Annual		Satisfactory	Action Required
<input checked="" type="checkbox"/>					Item		
					Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)	D ✓	
					Dust Control (Vol. II - Sec.4.3 - Pg.19)	D ✓	
					Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)	D ✓	
					Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)	D ✓	
					Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)	D ✓	
					Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)	D ✓	
					Waste Screening and Forms (Vol. II - Sec 2- Pg.94)	D ✓	
					Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)	D ✓	
					Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)	D ✓	
					Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)	D ✓	
					Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)	D ✓	
					Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)	D ✓	
					Pond levels three-foot free board	D ✓	



Daily Inspection Form  
Sundance West

Date: 12-7-22

Print Name: Davey Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

TYPE OF INSPECTION

Daily	Weekly	Monthly	Quarterly	Annual		Satisfactory	Action Required
<b>Item</b>							
					D	✓	
					D	✓	
					D	✓	
					D	✓	
					D	✓	
					D	✓	
					D	✓	
					D	✓	
					D	✓	
					D	✓	
					D	✓	
					D	✓	
					D	✓	
					D	✓	

**Daily Inspection Form  
Sundance West**

Date: 12-8-22  
 Others: \_\_\_\_\_

Print Name: Deusi Romero  
 Signature: \_\_\_\_\_

**TYPE OF INSPECTION**

Item	Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual	Satisfactory	Action Required
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)						D ✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)						D ✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)						D ✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)						D ✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)						D ✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)						D ✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)						D ✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)						D ✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)						D ✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)						D ✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)						D ✓	
Evaopraton Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)						D ✓	
Pond levels three-foot free board						D ✓	

Daily Inspection Form  
Sundance West

Date: 12-9-22  
Others: \_\_\_\_\_

Print Name: Douglas Romero  
Signature: \_\_\_\_\_

TYPE OF INSPECTION

Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual		Satisfactory	Action Required
Item							
Vehicle Screening (H2S) (Vol. II - Sec.4:2 - Pg.19)					D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)					D	✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)					D	✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)					D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)					D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)					D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)					D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)					D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)					D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)					D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)					D	✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)					D	✓	
Pond levels three-foot free board					D	✓	

Daily Inspection Form  
Sundance West

Date: 12-10-22

Print Name: Deyri Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

TYPE OF INSPECTION

Item	Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual		Satisfactory	Action Required
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)						D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)						D	✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)						D	✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)						D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)						D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)						D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)						D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)						D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)						D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)						D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)						D	✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)						D	✓	
Pond levels three-foot free board						D	✓	

Daily Inspection Form  
Sundance West

Date: 12-17-22

Print Name: D-cusi Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

TYPE OF INSPECTION

Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual		Satisfactory	Action Required
Item							
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)					D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)					D	✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)					D	✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)					D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)					D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)					D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)					D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)					D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)					D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)					D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)					D	✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)					D	✓	
Pond levels three-foot free board					D	✓	



Daily Inspection Form  
Sundance West

Date: 12-12-22

Print Name: Drew Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

TYPE OF INSPECTION

Item	Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual	Satisfactory	Action Required
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)						D ✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)						D ✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)						D ✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)						D ✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)						D ✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)						D ✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)						D ✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)						D ✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)						D ✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)						D ✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)						D ✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)						D ✓	
Pond levels three-foot free board						D ✓	

**Daily Inspection Form  
Sundance West**

Date: 12-13-22

Print Name: Deusi Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

**TYPE OF INSPECTION**

Daily <input checked="" type="checkbox"/>	Weekly <input type="checkbox"/>	Monthly <input type="checkbox"/>	Quarterly <input type="checkbox"/>	Annual <input type="checkbox"/>		Satisfactory	Action Required
<b>Item</b>							
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)					D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)					D	✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)					D	✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)					D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)					D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)					D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)					D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)					D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)					D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)					D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)					D	✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)					D	✓	
Pond levels three-foot free board					D	✓	

Daily Inspection Form  
Sundance West

Date: 12-14-22

Print Name: Dustin Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

TYPE OF INSPECTION

Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual		Satisfactory	Action Required
Item							
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)					D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)					D	✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)					D	✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)					D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)					D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)					D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)					D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)					D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)					D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)					D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)					D	✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)					D	✓	
Pond levels three-foot free board					D	✓	

Daily Inspection Form  
Sundance West

Date: 12-15-22  
Others: \_\_\_\_\_

Print Name: Daisy Romero  
Signature: \_\_\_\_\_

TYPE OF INSPECTION					Satisfactory	Action Required
Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual		
Item					D	✓
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)					D	✓
Dust Control (Vol. II - Sec.4.3 - Pg.19)					D	✓
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)					D	✓
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)					D	✓
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)					D	✓
Vehicle Monitoring (H2S) (Vol. II - Sec 2 - Pg.94)					D	✓
Waste Screening and Forms (Vol. II - Sec 2 - Pg.94)					D	✓
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)					D	✓
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)					D	✓
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)					D	✓
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)					D	✓
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)					D	✓
Pond levels three-foot free board						

Daily Inspection Form  
Sundance West

Date: 12-16-22

Print Name: Deysi Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

TYPE OF INSPECTION

Item	Daily	Weekly	Monthly	Quarterly	Annual	Satisfactory	Action Required
Vehicle Screening (H2S) (Vol. II - Sec.4:2 - Pg.19)						D ✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)						D ✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)						D ✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)						D ✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)						D ✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)						D ✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)						D ✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)						D ✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)						D ✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)						D ✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)						D ✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)						D ✓	
Pond levels three-foot free board						D ✓	



Daily Inspection Form  
Sundance West

Date: 12-17-22

Print Name: Douglas Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

TYPE OF INSPECTION

Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual		Satisfactory	Action Required
Item							
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)					D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)					D	✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)					D	✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)					D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)					D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)					D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)					D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)					D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)					D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)					D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)					D	✓	
Evaopraton Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)					D	✓	
Pond levels three-foot free board					D	✓	

Daily Inspection Form  
Sundance West

Date: 12-18-22

Print Name: Douglas Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

TYPE OF INSPECTION

TYPE OF INSPECTION					Satisfactory	Action Required
Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual		
Item						
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)					D ✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)					D ✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)					D ✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)					D ✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)					D ✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)					D ✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)					D ✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)					D ✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)					D ✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)					D ✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)					D ✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)					D ✓	
Pond levels three-foot free board					D ✓	

Daily Inspection Form  
Sundance West

Date: 12-19-22  
Others: \_\_\_\_\_

Print Name: Deisi Romero  
Signature: \_\_\_\_\_

TYPE OF INSPECTION

Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual		Satisfactory	Action Required
Item							
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)					D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)					D	✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)					D	✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)					D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)					D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)					D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)					D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)					D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)					D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)					D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)					D	✓	
Evaopraton Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)					D	✓	
Pond levels three-foot free board					D	✓	

Daily Inspection Form  
Sundance West

Date: 12 20 22

Print Name: Devin Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

TYPE OF INSPECTION

Item	Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual	D	Satisfactory	Action Required
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)						D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)						D	✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)						D	✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)						D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)						D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)						D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)						D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)						D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)						D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)						D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)						D	✓	
Evaopraton Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)						D	✓	
Pond levels three-foot free board						D	✓	

Daily Inspection Form  
Sundance West

Date: 12-21-22

Print Name: Douglas Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

TYPE OF INSPECTION

	Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual		Satisfactory	Action Required
Item <input checked="" type="checkbox"/>								
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)						D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)						D	✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)						D	✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)						D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)						D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)						D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)						D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)						D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)						D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)						D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)						D	✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)						D	✓	
Pond levels three-foot free board						D	✓	



Daily Inspection Form  
Sundance West

Date: 12-22-22

Print Name: Deusi Pomeio

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

TYPE OF INSPECTION

Item	Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual	Satisfactory	Action Required
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)						D ✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)						D ✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)						D ✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)						D ✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)						D ✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)						D ✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)						D ✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)						D ✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)						D ✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)						D ✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)						D ✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)						D ✓	
Pond levels three-foot free board						D ✓	

Daily Inspection Form  
Sundance West

Date: 12-22-22

Print Name: Deyi Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

TYPE OF INSPECTION

TYPE OF INSPECTION					Satisfactory	Action Required
Daily	Weekly	Monthly	Quarterly	Annual		
Item						
Vehicle Screening (H2S) (Vol. II - Sec.4:2 - Pg.19)					D ✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)					D ✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)					D ✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)					D ✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)					D ✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)					D ✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)					D ✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)					D ✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)					D ✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)					D ✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)					D ✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)					D ✓	
Pond levels three-foot free board					D ✓	

Daily Inspection Form  
Sundance West

Date: 12-23-22

Print Name: Deusi Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

TYPE OF INSPECTION

Item	Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual	Satisfactory	Action Required
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)						D ✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)						D ✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)						D ✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)						D ✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)						D ✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)						D ✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)						D ✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)						D ✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)						D ✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)						D ✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)						D ✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)						D ✓	
Pond levels three-foot free board						D ✓	

**Daily Inspection Form  
Sundance West**

Date: 12-24-22

Print Name: Doug Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

**TYPE OF INSPECTION**

Item	Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual	Satisfactory	Action Required
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)						D ✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)						D ✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)						D ✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)						D ✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)						D ✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)						D ✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)						D ✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)						D ✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)						D ✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)						D ✓	
Evaporation Pond Tests-pH (Vol. II - Sec 3- Pg.130)-O2 (Vol. II - Sec 3- Pg.131)						D ✓	
Evaporation Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)						D ✓	
Pond levels three-foot free board						D ✓	

Daily Inspection Form  
Sundance West

Date: 12-25-22

Print Name: Deysi Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

TYPE OF INSPECTION

Item	Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual	Satisfactory	Action Required
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)						D ✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)						D ✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)						D ✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)						D ✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)						D ✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)						D ✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)						D ✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)						D ✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)						D ✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)						D ✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)						D ✓	
Evaporation Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)						D ✓	
Pond levels three-foot free board						D ✓	



Daily Inspection Form  
Sundance West

Date: 12 26 22

Print Name:

Drew Purnell

Others: \_\_\_\_\_

Signature:

TYPE OF INSPECTION

Item	Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual	D	Satisfactory	Action Required
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)						D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)						D	✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)						D	✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)						D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)						D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)						D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)						D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)						D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)						D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)						D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)						D	✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)						D	✓	
Pond levels three-foot free board						D	✓	

Daily Inspection Form  
Sundance West

Date: 12 27 22

Print Name: Deyi Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

TYPE OF INSPECTION

Item	Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual	Satisfactory	Action Required
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)						D ✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)						D ✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)						D ✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)						D ✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)						D ✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)						D ✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)						D ✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)						D ✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)						D ✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)						D ✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)						D ✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)						D ✓	
Pond levels three-foot free board						D ✓	

Daily Inspection Form  
Sundance West

Date: 12-28-22

Print Name: Dawn Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

TYPE OF INSPECTION

Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual		Satisfactory	Action Required
Item							
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)					D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)					D	✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)					D	✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)					D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)					D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)					D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)					D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)					D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)					D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)					D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)					D	✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)					D	✓	
Pond levels three-foot free board					D	✓	

Daily Inspection Form  
Sundance West

Date: 12-29-22

Print Name: Drew Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

TYPE OF INSPECTION

Daily	<input checked="" type="checkbox"/> Weekly	Monthly	Quarterly	Annual		Satisfactory	Action Required
Item							
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)					D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)					D	✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)					D	✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)					D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)					D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)					D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)					D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)					D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)					D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)					D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)					D	✓	
Evaporation Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)					D	✓	
Pond levels three-foot free board					D	✓	

**Daily Inspection Form  
Sundance West**

Date: 12-30-22

Print Name: Devs. Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

TYPE OF INSPECTION

Daily <input checked="" type="checkbox"/>	Weekly <input type="checkbox"/>	Monthly <input type="checkbox"/>	Quarterly <input type="checkbox"/>	Annual <input type="checkbox"/>		Satisfactory	Action Required
Item							
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)					D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)					D	✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)					D	✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)					D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)					D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)					D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)					D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)					D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)					D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)					D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)					D	✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)					D	✓	
Pond levels three-foot free board					D	✓	



Daily Inspection Form  
Sundance West

Date: 12-31-22

Print Name: Drew Pomeroy

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

TYPE OF INSPECTION

Item	Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual	Satisfactory	Action Required
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)						D ✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)						D ✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)						D ✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)						D ✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)						D ✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)						D ✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)						D ✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)						D ✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)						D ✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)						D ✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)						D ✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)						D ✓	
Pond levels three-foot free board						D ✓	

ATTACHMENT II.1.D

Evaporation Pond Integrity/Leak Detection Inspection Checklist  
Sundance West

Page \_\_\_\_ of \_\_\_\_

Date: 12-1-22

Inspector(s):

Time: 7:50 am

Deysi Romero

Weather:

Temperature 30 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies Fair

Wind Speed 6 mph

Wind Direction ESE (direction blowing from)

NOTES:

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

EVAPORATION POND CONTAINMENT CONDITION

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

EVAPORATION POND LEAK DETECTION SYSTEM

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

NOTES:

ATTACHMENT II.1.D

Evaporation Pond Integrity/Leak Detection Inspection Checklist  
Sundance West

Page \_\_\_ of \_\_\_

Date: 12-2-22

Inspector(s):

Time: 9:50am

Deysi Romero

Weather:

Temperature 61 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies Fair/Windy

Wind Speed 21 mph

Wind Direction SSW (direction blowing from)

NOTES:

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

EVAPORATION POND CONTAINMENT CONDITION

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

EVAPORATION POND LEAK DETECTION SYSTEM

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

NOTES:

**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 12-3-22

**Inspector(s):**

**Time:** 11:50am

Deyi Romero

**Weather:**

Temperature 45 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies Fair

Wind Speed 12 mph

Wind Direction NE (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**

ATTACHMENT II.1.D

Evaporation Pond Integrity/Leak Detection Inspection Checklist  
Sundance West

Page \_\_\_ of \_\_\_

Date: 12-4-22

Inspector(s):

Time: 2:50 pm

Deysi Romero

Weather:

Temperature 63 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies Fair

Wind Speed 7 mph

Wind Direction SW (direction blowing from)

NOTES:

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

EVAPORATION POND CONTAINMENT CONDITION

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

EVAPORATION POND LEAK DETECTION SYSTEM

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

NOTES:



**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 12-5-22

**Inspector(s):**

**Time:** 11:50am

Devi Romero

**Weather:**

Temperature 72 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies Fair/Windy

Wind Speed 28 mph

Wind Direction WSW (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**

**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 12-6-22

**Inspector(s):**

**Time:** 9:50 am

Deysi Romero

**Weather:**

Temperature 63 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies Fair

Wind Speed 17 mph

Wind Direction SW † (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**

---



---



---

**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 12-7-22

**Inspector(s):**  
Deysi Romero

**Time:** 8:50am

**Weather:**

Temperature 54 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies Cloudy

Wind Speed 3 mph

Wind Direction ENE (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**

**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 12-8-22

**Inspector(s):**

**Time:** 11:50am

Dani Romero

**Weather:**

Temperature 64 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies Fair

Wind Speed 10 mph

Wind Direction SW (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**

**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 12-9-22

**Inspector(s):**

**Time:** 12:50 PM

Deysi Romero

**Weather:**

Temperature 54 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies Cloudy

Wind Speed 9 mph

Wind Direction E (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**



**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 12-10-22

**Inspector(s):**

**Time:** 9:50am

Deysi Romero

**Weather:**

Temperature 54 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies Fog

Wind Speed 8 mph

Wind Direction N (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 12-11-22

**Inspector(s):**

**Time:** 12:50 pm

Dewi Romo ID

**Weather:**

Temperature 55 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies Cloudy

Wind Speed 14 mph

Wind Direction S (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**

ATTACHMENT II.1.D

Evaporation Pond Integrity/Leak Detection Inspection Checklist  
Sundance West

Page \_\_\_\_ of \_\_\_\_

Date: 12-12-22

Inspector(s):

Time: 8:50am

Daysi Romero

**Weather:**

Temperature 54 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies cloudy

Wind Speed 16 mph

Wind Direction S (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 12-13-22

**Inspector(s):**

**Time:** 6:50 am

Deysi Romero

**Weather:**

Temperature 41 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies Cloudy

Wind Speed 13 mph

Wind Direction SW (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**

**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 12-14-22

**Inspector(s):**

**Time:** 9:50am

Deysi Romero

**Weather:**

Temperature 39 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies Low / Windy

Wind Speed 22 mph

Wind Direction WSW (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**



**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 12-15-22

**Inspector(s):**

**Time:** 10:50 am

Deysi Romeid

**Weather:**

Temperature 46 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies FOUW

Wind Speed 17 mph

Wind Direction NW (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**

**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 12-16-22

**Inspector(s):**

**Time:** 8:50 am

Devin Romero

**Weather:**

Temperature 34 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies FGIV

Wind Speed 14 mph

Wind Direction NNW (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**

**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 12-17-22

**Inspector(s):**

**Time:** 10:50am

Deyvi Pompeio

**Weather:**

Temperature 41 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies FOU

Wind Speed 12 mph

Wind Direction SSW (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**

**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 12-18-22

**Inspector(s):**

**Time:** 11:50am

Drew Romero

**Weather:**

Temperature 46 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies Mostly Cloudy

Wind Speed 18 mph

Wind Direction SSE (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 12-14-22

**Inspector(s):**

**Time:** 8:50am

Deyssi Romero

**Weather:**

Temperature 34 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies Fair

Wind Speed 3 mph

Wind Direction SSW (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

NOTES:



**ATTACHMENT II.1.D  
Evaporation Pond Integrity/Leak Detection Inspection Checklist  
Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 12-20-22

**Inspector(s):**

**Time:** 11:50 am

Deusi Romero

**Weather:**

Temperature 45 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies Fair

Wind Speed 7 mph

Wind Direction E (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**

**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 12-21-22

**Inspector(s):**

**Time:** 2:50 pm

Deysi Romero

**Weather:**

Temperature 55 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies Fair

Wind Speed 12 mph

Wind Direction WSW (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**

**ATTACHMENT H.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 12-22-22

**Inspector(s):**

**Time:** 8:50am

Devin Romero

**Weather:**

Temperature 12 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies Fair w/Inch

Wind Speed 23 mph

Wind Direction N (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**

**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 12-23-22

**Inspector(s):**

**Time:** 7:50am

Deysi Romero

**Weather:**

Temperature 10 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies Fair

Wind Speed NNE mph

Wind Direction 6 (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

NOTES:

**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 12-24-22

**Inspector(s):**

**Time:** 11:50am

Deysi Romero

**Weather:**

Temperature 30 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies Fair

Wind Speed 8 mph

Wind Direction SSE (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

NOTES:



**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

Date: 12-25-22  
 Time: 9:50am

Inspector(s):  
Dennis Romero

**Weather:**

Temperature 39 deg. F      Precipitation (last 24 hours) \_\_\_\_\_ inches  
 Skies Fair  
 Wind Speed 3 mph  
 Wind Direction VAR (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

NOTES:

**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 12-26-22  
**Time:** 8:50am

**Inspector(s):**  
Deysi Romero

**Weather:**  
 Temperature 37 deg. F      Precipitation (last 24 hours) \_\_\_\_\_ inches  
 Skies Fog  
 Wind Speed 15 mph  
 Wind Direction NNW (direction blowing from)

**NOTES:**  
 "X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

C:\Users\carri\B\AppData\Local\Microsoft\Windows\NetCache\Content.Outlook\ACBMOJVB\Sundance West II.1-Att II.1.D-EvapPondLeakInspect

**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

Date: 12-27-22

Inspector(s):

Time: 9:50am

Devi Romero

**Weather:**

Temperature 45 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies Fair

Wind Speed 17 mph

Wind Direction S (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

NOTES:

**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 12-28-22

**Inspector(s):**

**Time:** 12:50 PM

Deusi Romero

**Weather:**

Temperature 63 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies Fair

Wind Speed 13 mph

Wind Direction SSW (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**

**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 12-29-22

**Inspector(s):**

**Time:** 8:50 am

Dewey Romero

**Weather:**

Temperature 43 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies Fair

Wind Speed 10 mph

Wind Direction S (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**



**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 12-30-22

**Inspector(s):**

**Time:** 8:50 am

Deysi Romero

**Weather:**

Temperature 41 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies Mostly cloudy

Wind Speed 7 mph

Wind Direction NW (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**

**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 12-31-22

**Inspector(s):**

**Time:** 11:50 am

Deyse Romero

**Weather:**

Temperature 64 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies Fair

Wind Speed 18 mph

Wind Direction SW (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**

**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_\_ of \_\_\_\_\_

**Date:** \_\_\_\_\_

**Inspector(s):** \_\_\_\_\_

**Time:** \_\_\_\_\_

**Weather:**

Temperature \_\_\_\_\_ deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies \_\_\_\_\_

Wind Speed \_\_\_\_\_ mph

Wind Direction \_\_\_\_\_ (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

NOTES:

# Office Pits

Date: 12-1-22


Before:  
After:

Before:  
After:


Before:  
After:

Before:  
After:


Before:  
After:




9  
Before:  
After:




7  
Before:  
After:



5  
Before:  
After:



3  
Before:  
After:



1  
Before:  
After:

WEST

Before:  
After:

Before:  
After:


Before:  
After:

Before:  
After:

Before:  
After:


EAST

10




Before:  
After:

8




Before:  
After:

6




Before:  
After:

4



Before:  
After:

2



Before:  
After:

SOUTH

NORTH



# Office Pits

Date: 12-2-22


Before:  
After:

Before:  
After:


Before:  
After:

Before:  
After:


Before:  
After:




9  
Before:  
After:




7  
Before:  
After:



5  
Before:  
After:



3  
Before:  
After:



1  
Before:  
After:

WEST

Before:  
After:

Before:  
After:

Before:  
After:


Before:  
After:

Before:  
After:

EAST




10




Before:  
After:

8




Before:  
After:

6




Before:  
After:

4



Before:  
After:

2



Before:  
After:

SOUTH


NORTH



# Office Pits

Date: 12-3-22

Before:  
After:




9  
Before:  
After:

WEST


Before:  
After:

10



Before:  
After:


Before:  
After:



7  
Before:  
After:

Before:  
After:

8




Before:  
After:

SOUTH

NORTH


Before:  
After:



5  
Before:  
After:


Before:  
After:

6



Before:  
After:


Before:  
After:



3  
Before:  
After:


Before:  
After:

4



Before:  
After:


Before:  
After:



1  
Before:  
After:

Before:  
After:

2



Before:  
After:


EAST



# Office Pits

Date: 12-4-22

Before:  
After:




9  
Before:  
After:

WEST


Before:  
After:

10



Before:  
After:


Before:  
After:



7  
Before:  
After:

Before:  
After:

8




Before:  
After:

SOUTH

NORTH


Before:  
After:



5  
Before:  
After:


Before:  
After:

6



Before:  
After:


Before:  
After:



3  
Before:  
After:


Before:  
After:

4



Before:  
After:

Before:  
After:




1  
Before:  
After:

Before:  
After:

EAST

2




Before:  
After:



# Office Pits

Date: 12-5-22

Before:  
After:




9  
Before:  
After:

WEST


Before:  
After:

10



Before:  
After:


Before:  
After:



7  
Before:  
After:

Before:  
After:

8




Before:  
After:

SOUTH

NORTH


Before:  
After:



5  
Before:  
After:


Before:  
After:

6



Before:  
After:


Before:  
After:



3  
Before:  
After:


Before:  
After:

4



Before:  
After:


Before:  
After:



1  
Before:  
After:

Before:  
After:

2



Before:  
After:


EAST



# Office Pits

Date: 12-6-22

Before:  
After:




9  
Before:  
After:

WEST


Before:  
After:

10



Before:  
After:


Before:  
After:



7  
Before:  
After:

Before:  
After:

8




Before:  
After:

SOUTH

NORTH


Before:  
After:



5  
Before:  
After:


Before:  
After:

6



Before:  
After:


Before:  
After:



3  
Before:  
After:


Before:  
After:

4



Before:  
After:


Before:  
After:



1  
Before:  
After:

Before:  
After:

2



Before:  
After:


EAST



# Office Pits

Date: 12-7-22

Before:  
After:




9  
Before:  
After:

WEST


Before:  
After:

10



Before:  
After:


Before:  
After:



7  
Before:  
After:

Before:  
After:

8




Before:  
After:

SOUTH

NORTH


Before:  
After:



5  
Before:  
After:


Before:  
After:

6



Before:  
After:


Before:  
After:



3  
Before:  
After:


Before:  
After:

4



Before:  
After:


Before:  
After:



1  
Before:  
After:

Before:  
After:

2



Before:  
After:

EAST






# Office Pits

Date: 12-8-22

Before:  
After:




9  
Before:  
After:

WEST


Before:  
After:

10



Before:  
After:


Before:  
After:



7  
Before:  
After:

Before:  
After:

8




Before:  
After:

SOUTH

NORTH


Before:  
After:



5  
Before:  
After:


Before:  
After:

6



Before:  
After:


Before:  
After:



3  
Before:  
After:


Before:  
After:

4



Before:  
After:


Before:  
After:



1  
Before:  
After:

Before:  
After:

2



Before:  
After:


EAST



# Office Pits

Date: 12-9-22

Before:  
After:




9  
Before:  
After:

WEST


Before:  
After:

10



Before:  
After:


Before:  
After:



7  
Before:  
After:

Before:  
After:

8




Before:  
After:

SOUTH

NORTH


Before:  
After:



5  
Before:  
After:


Before:  
After:

6



Before:  
After:


Before:  
After:



3  
Before:  
After:


Before:  
After:

4



Before:  
After:


Before:  
After:



1  
Before:  
After:

Before:  
After:

2




Before:  
After:

EAST




# Office Pits


Date: 12-27-22




9  
Before:  
After:




7  
Before:  
After:



5  
Before:  
After:




3  
Before:  
After:



1  
Before:  
After:


WEST

10




Before:  
After:

8




Before:  
After:

6




Before:  
After:

4



Before:  
After:

2



Before:  
After:

EAST



# Office Pits

Date: 12-10-22


Before:  
After:

Before:  
After:


Before:  
After:

Before:  
After:


Before:  
After:




9  
Before:  
After:




7  
Before:  
After:



5  
Before:  
After:



3  
Before:  
After:



1  
Before:  
After:

WEST

Before:  
After:

Before:  
After:


Before:  
After:

Before:  
After:

Before:  
After:


EAST

10




Before:  
After:

8




Before:  
After:

6




Before:  
After:

4



Before:  
After:

2




Before:  
After:



# Office Pits

Date: 12-11-22

Before:  
After:




9  
Before:  
After:

WEST


Before:  
After:

10



Before:  
After:


Before:  
After:



7  
Before:  
After:

Before:  
After:

8




Before:  
After:

SOUTH

NORTH


Before:  
After:



5  
Before:  
After:


Before:  
After:

6



Before:  
After:


Before:  
After:



3  
Before:  
After:


Before:  
After:

4



Before:  
After:

Before:  
After:




1  
Before:  
After:

Before:  
After:

EAST

2



Before:  
After:





# Office Pits

Date: 12-12-22


Before:  
After:

Before:  
After:


Before:  
After:

Before:  
After:


Before:  
After:




9  
Before:  
After:




7  
Before:  
After:



5  
Before:  
After:



3  
Before:  
After:



1  
Before:  
After:

WEST

Before:  
After:

Before:  
After:


Before:  
After:

Before:  
After:

Before:  
After:


EAST

10




Before:  
After:

8




Before:  
After:

6




Before:  
After:

4



Before:  
After:

2




Before:  
After:



# Office Pits

Date: 12-13-22

Before:  
After:




9  
Before:  
After:

WEST


Before:  
After:

10



Before:  
After:


Before:  
After:



7  
Before:  
After:

Before:  
After:

8




Before:  
After:

SOUTH

NORTH


Before:  
After:



5  
Before:  
After:


Before:  
After:

6



Before:  
After:


Before:  
After:



3  
Before:  
After:


Before:  
After:

4



Before:  
After:

Before:  
After:




1  
Before:  
After:

Before:  
After:

EAST

2



Before:  
After:



# Office Pits

Date: 12-14-22


Before:  
After:

Before:  
After:


Before:  
After:

Before:  
After:


Before:  
After:




9  
Before:  
After:




7  
Before:  
After:



5  
Before:  
After:



3  
Before:  
After:



1  
Before:  
After:

WEST

Before:  
After:

Before:  
After:

Before:  
After:


Before:  
After:

Before:  
After:

EAST




10




Before:  
After:

8




Before:  
After:

6




Before:  
After:

4



Before:  
After:

2



Before:  
After:

SOUTH

NORTH

# Office Pits

Date: 12-15-23


Before:  
After:

Before:  
After:


Before:  
After:

Before:  
After:


Before:  
After:




9  
Before:  
After:




7  
Before:  
After:



5  
Before:  
After:



3  
Before:  
After:



1  
Before:  
After:

WEST

Before:  
After:

Before:  
After:


Before:  
After:

Before:  
After:

Before:  
After:


EAST

10




Before:  
After:

8




Before:  
After:

6




Before:  
After:

4



Before:  
After:

2



Before:  
After:


NORTH



# Office Pits

Date: 12-16-22

Before:  
After:




9  
Before:  
After:

WEST


Before:  
After:

10



Before:  
After:


Before:  
After:



7  
Before:  
After:

Before:  
After:

8




Before:  
After:

SOUTH

NORTH


Before:  
After:



5  
Before:  
After:


Before:  
After:

6



Before:  
After:


Before:  
After:



3  
Before:  
After:


Before:  
After:

4



Before:  
After:


Before:  
After:



1  
Before:  
After:

Before:  
After:

2



Before:  
After:


EAST





# Office Pits

Date: 12-17-22




9  
Before:  
After:

Before:  
After:

WEST


10



Before:  
After:


Before:  
After:

Before:  
After:



7  
Before:  
After:

8




Before:  
After:

Before:  
After:

SOUTH


NORTH

Before:  
After:



5  
Before:  
After:


6



Before:  
After:


Before:  
After:

Before:  
After:



3  
Before:  
After:


4



Before:  
After:


Before:  
After:

Before:  
After:



1  
Before:  
After:

2



Before:  
After:

Before:  
After:


EAST



# Office Pits

Date: 12-18-22

Before:  
After:




9  
Before:  
After:

WEST


Before:  
After:

10



Before:  
After:


Before:  
After:



7  
Before:  
After:

Before:  
After:

8




Before:  
After:

SOUTH

NORTH


Before:  
After:



5  
Before:  
After:


Before:  
After:

6



Before:  
After:


Before:  
After:



3  
Before:  
After:


Before:  
After:

4



Before:  
After:


Before:  
After:



1  
Before:  
After:

Before:  
After:

2



Before:  
After:


EAST



# Office Pits

Date: 12-14-22

Before:  
After:




9  
Before:  
After:

WEST


Before:  
After:

10



Before:  
After:


Before:  
After:



7  
Before:  
After:

Before:  
After:

8




Before:  
After:

SOUTH

NORTH


Before:  
After:



5  
Before:  
After:


Before:  
After:

6



Before:  
After:


Before:  
After:



3  
Before:  
After:


Before:  
After:

4



Before:  
After:


Before:  
After:



1  
Before:  
After:

Before:  
After:

2



Before:  
After:

EAST



# Office Pits

Date: 12-20-22


Before:  
After:

Before:  
After:


Before:  
After:

Before:  
After:


Before:  
After:




9  
Before:  
After:




7  
Before:  
After:



5  
Before:  
After:



3  
Before:  
After:



1  
Before:  
After:

WEST

Before:  
After:

Before:  
After:


Before:  
After:

Before:  
After:

Before:  
After:


EAST

10




Before:  
After:

8




Before:  
After:

6




Before:  
After:

4



Before:  
After:

2



Before:  
After:


NORTH



# Office Pits

Date: 12-21-22

Before:  
After:




9  
Before:  
After:

WEST


Before:  
After:

10



Before:  
After:


Before:  
After:



7  
Before:  
After:

Before:  
After:

8




Before:  
After:

SOUTH

NORTH


Before:  
After:



5  
Before:  
After:


Before:  
After:

6



Before:  
After:


Before:  
After:



3  
Before:  
After:


Before:  
After:

4



Before:  
After:

Before:  
After:




1  
Before:  
After:

Before:  
After:

EAST

2




Before:  
After:



# Office Pits

Date: 12-22-22

Before:  
After:




9  
Before:  
After:

WEST


Before:  
After:

10



Before:  
After:


Before:  
After:



7  
Before:  
After:

Before:  
After:

8




Before:  
After:

SOUTH

NORTH


Before:  
After:



5  
Before:  
After:


Before:  
After:

6



Before:  
After:


Before:  
After:



3  
Before:  
After:


Before:  
After:

4



Before:  
After:


Before:  
After:



1  
Before:  
After:

Before:  
After:

2



Before:  
After:

EAST





# Office Pits

Date: 12-23-22


Before:  
After:

Before:  
After:


Before:  
After:

Before:  
After:


Before:  
After:




9  
Before:  
After:




7  
Before:  
After:



5  
Before:  
After:



3  
Before:  
After:



1  
Before:  
After:

WEST

Before:  
After:

Before:  
After:


Before:  
After:

Before:  
After:

Before:  
After:


EAST

10




Before:  
After:

8




Before:  
After:

6




Before:  
After:

4



Before:  
After:

2



Before:  
After:

NORTH



# Office Pits

Date: 12-24-22




Before:  
After:

Before:  
After:


Before:  
After:

Before:  
After:


Before:  
After:




9  
Before:  
After:




7  
Before:  
After:



5  
Before:  
After:



3  
Before:  
After:



1  
Before:  
After:

WEST

Before:  
After:

Before:  
After:


Before:  
After:

Before:  
After:

Before:  
After:


EAST

10




Before:  
After:

8




Before:  
After:

6




Before:  
After:

4



Before:  
After:

2



Before:  
After:


NORTH



# Office Pits

Date: 12-25-22

Before:  
After:




9  
Before:  
After:

WEST


Before:  
After:

10



Before:  
After:


Before:  
After:



7  
Before:  
After:

Before:  
After:

8




Before:  
After:

SOUTH

NORTH


Before:  
After:



5  
Before:  
After:


Before:  
After:

6



Before:  
After:


Before:  
After:



3  
Before:  
After:


Before:  
After:

4



Before:  
After:


Before:  
After:



1  
Before:  
After:

Before:  
After:

2



Before:  
After:


EAST



# Office Pits

Date: 12-26-22

Before:  
After:




9  
Before:  
After:

WEST


Before:  
After:

10



Before:  
After:


Before:  
After:



7  
Before:  
After:

Before:  
After:

8




Before:  
After:

SOUTH

NORTH


Before:  
After:



5  
Before:  
After:


Before:  
After:

6



Before:  
After:


Before:  
After:



3  
Before:  
After:


Before:  
After:

4



Before:  
After:


Before:  
After:



1  
Before:  
After:

Before:  
After:

2



Before:  
After:

EAST



# Office Pits

Date: 12-28-22


Before:  
After:

Before:  
After:


Before:  
After:

Before:  
After:


Before:  
After:




9  
Before:  
After:




7  
Before:  
After:



5  
Before:  
After:



3  
Before:  
After:



1  
Before:  
After:

WEST

Before:  
After:

Before:  
After:


Before:  
After:

Before:  
After:

Before:  
After:


EAST

10




Before:  
After:

8




Before:  
After:

6




Before:  
After:

4



Before:  
After:

2



Before:  
After:


NORTH



# Office Pits

Date: 12-29-22

Before:  
After:




9  
Before:  
After:

WEST


Before:  
After:

10



Before:  
After:


Before:  
After:



7  
Before:  
After:

Before:  
After:

8




Before:  
After:

SOUTH

NORTH


Before:  
After:



5  
Before:  
After:


Before:  
After:

6



Before:  
After:


Before:  
After:



3  
Before:  
After:


Before:  
After:

4



Before:  
After:


Before:  
After:



1  
Before:  
After:

Before:  
After:

2



Before:  
After:

EAST






# Office Pits

Date: 12-30-22

Before:  
After:




9  
Before:  
After:

WEST


Before:  
After:

10



Before:  
After:


Before:  
After:



7  
Before:  
After:

Before:  
After:

8




Before:  
After:

SOUTH

NORTH


Before:  
After:



5  
Before:  
After:


Before:  
After:

6



Before:  
After:


Before:  
After:



3  
Before:  
After:


Before:  
After:

4



Before:  
After:


Before:  
After:



1  
Before:  
After:

Before:  
After:

2




Before:  
After:

EAST






# Office Pits

Date: 12-31-22









WEST




SOUTH

NORTH



EAST






**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS**

DATE: 12-1-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'8"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'8"		
MW-36	3.0	42'	21'9"		
MW-37	3.0	39'3"	20'0"		
MW-40	3.0	29'7"	14'1"		
MW-41	3.0	77'	52'1"		
MW-51	3.0	65'5"	52'4"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	52'8"		
MW-73	2.0	28'	16'7"		VZ-4
MW-74	3.0	33'	27'6"		
VZ-1	2.0	27'	5'9"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'7"		MW-73
VZ-5	2.0	32'6"	16'6"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	21'2"		
MH-69	2.0	28'1"	0'1"		




**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS**

DATE: 12-2-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'9"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'8"		
MW-36	3.0	42'	21'8"		
MW-37	3.0	39'3"	20'1"		
MW-40	3.0	29'7"	14'2"		
MW-41	3.0	77'	52'1"		
MW-51	3.0	65'5"	52'3"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	52'7"		
MW-73	2.0	28'	16'8"		VZ-4
MW-74	3.0	33'	27'9"		
VZ-1	2.0	27'	6'0"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'8"		MW-73
VZ-5	2.0	32'6"	16'6"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	21'1"		
MH-69	2.0	28'1"	0'1"		




**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS**

DATE: 12-3-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4.8"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0.9"		
MW-36	3.0	42'	21.7"		
MW-37	3.0	39'3"	20.1"		
MW-40	3.0	29'7"	19.1"		
MW-41	3.0	77'	52.2"		
MW-51	3.0	65'5"	52.4"		
MW-69	3.0	50'4"	0.0"		
MW-71	6.0	61'9"	52.1"		
MW-73	2.0	28'	16.7"		VZ-4
MW-74	3.0	33'	28.2"		
VZ-1	2.0	27'	6.0"		PGI-8
VZ-2	2.0	38'8"	0.0"		
VZ-3	2.0	28'	0.0"		
VZ-4	2.0	28'	16.7"		MW-73
VZ-5	2.0	32'6"	16.6"		
VZ-6	2.0	26'3"	0.0"		
VZ-7	2.0	49'8"	21.2"		
MH-69	2.0	28'1"	0.1"		



**SUNDANCE SERVICES WEST, INC.**


ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590  
 Box 1737 Eunice, New Mexico 88231 1001 6<sup>th</sup> Street P.O.  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS**

DATE: 12-4-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4.9"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0.9"		
MW-36	3.0	42'	21'6"		
MW-37	3.0	39'3"	20'3"		
MW-40	3.0	29'7"	19'3"		
MW-41	3.0	77'	52'6"		
MW-51	3.0	65'5"	53'1"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	52'1"		
MW-73	2.0	28'	16'8"		VZ-4
MW-74	3.0	33'	28'4"	24'1"	
VZ-1	2.0	27'	6'0"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'8"		MW-73
VZ-5	2.0	32'6"	16'6"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	21'3"		
MH-69	2.0	28'1"	0'1"		






**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS**

DATE: 12-5-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'8"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'8"		
MW-36	3.0	42'	21'4"		
MW-37	3.0	39'3"	14'3"		
MW-40	3.0	29'7"	18'3"		
MW-41	3.0	77'	52'4"		
MW-51	3.0	65'5"	53'2"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	52'2"		
MW-73	2.0	28'	16'7"		VZ-4
MW-74	3.0	33'	24'8"		
VZ-1	2.0	27'	5'9"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'7"		MW-73
VZ-5	2.0	32'6"	16'6"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	21'2"		
MH-69	2.0	28'1"	0'1"		




**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS**

DATE: 12-6-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'9"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'9"		
MW-36	3.0	42'	21'3"		
MW-37	3.0	39'3"	14'1"		
MW-40	3.0	29'7"	18'9"		
MW-41	3.0	77'	52'3"		
MW-51	3.0	65'5"	53'1"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	52'1"		
MW-73	2.0	28'	16'8"		VZ-4
MW-74	3.0	33'	25'1"		
VZ-1	2.0	27'	5'9"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'8"		MW-73
VZ-5	2.0	32'6"	16'7"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	21'1"		
MH-69	2.0	28'1"	0'1"		




**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

MONITOR WELLS

DATE: 12-7-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'8"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'9"		
MW-36	3.0	42'	21'2"		
MW-37	3.0	39'3"	19'1"		
MW-40	3.0	29'7"	18'8"		
MW-41	3.0	77'	52'2"		
MW-51	3.0	65'5"	53'1"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	52'1"		
MW-73	2.0	28'	16'7"		VZ-4
MW-74	3.0	33'	25'3"		
VZ-1	2.0	27'	5'9"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'7"		MW-73
VZ-5	2.0	32'6"	16'4"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	21'2"		
MH-69	2.0	28'1"	0'1"		




**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS**

DATE: 12-8-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4.9"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0.8"		
MW-36	3.0	42'	21.1"		
MW-37	3.0	39'3"	14.2"		
MW-40	3.0	29'7"	18.7"		
MW-41	3.0	77'	52.1"		
MW-51	3.0	65'5"	52.9"		
MW-69	3.0	50'4"	0.0"		
MW-71	6.0	61'9"	52.4"		
MW-73	2.0	28'	16.8"		VZ-4
MW-74	3.0	33'	25.7"		
VZ-1	2.0	27'	5.9"		PGI-8
VZ-2	2.0	38'8"	0.0"		
VZ-3	2.0	28'	0.0"		
VZ-4	2.0	28'	16.8"		MW-73
VZ-5	2.0	32'6"	16.3"		
VZ-6	2.0	26'3"	0.0"		
VZ-7	2.0	49'8"	21.1"		
MH-69	2.0	28'1"	0.1"		




**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS**

DATE: 12-9-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'8"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'7"		
MW-36	3.0	42'	21'2"		
MW-37	3.0	39'3"	14'1"		
MW-40	3.0	29'7"	18'7"		
MW-41	3.0	77'	52'2"		
MW-51	3.0	65'5"	52'8"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	52'3"		
MW-73	2.0	28'	16'7"		VZ-4
MW-74	3.0	33'	26'1"		
VZ-1	2.0	27'	5'8"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'7"		MW-73
VZ-5	2.0	32'6"	16'4"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	21'3"		
MH-69	2.0	28'1"	0'0"		



**SUNDANCE SERVICES WEST, INC.**


ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS**

DATE: 12-10-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'9"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'7"		
MW-36	3.0	42'	21'2"		
MW-37	3.0	39'3"	19'2"		
MW-40	3.0	29'7"	18'6"		
MW-41	3.0	77'	52'1"		
MW-51	3.0	65'5"	53'1"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	52'4"		
MW-73	2.0	28'	16'8"		VZ-4
MW-74	3.0	33'	26'5"		
VZ-1	2.0	27'	5'9"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'8"		MW-73
VZ-5	2.0	32'6"	16'3"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	21'2"		
MH-69	2.0	28'1"	0'0"		






**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS**

DATE: 12-11-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'8"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'7"		
MW-36	3.0	42'	21'3"		
MW-37	3.0	39'3"	19'1"		
MW-40	3.0	29'7"	18'7"		
MW-41	3.0	77'	52'1"		
MW-51	3.0	65'5"	53'2"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	52'3"		
MW-73	2.0	28'	16'7"		VZ-4
MW-74	3.0	33'	26'8"		
VZ-1	2.0	27'	5'9"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'7"		MW-73
VZ-5	2.0	32'6"	16'2"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	21'1"		
MH-69	2.0	28'1"	0'0"		




**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6th Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS**

DATE: 12-12-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'9"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'8"		
MW-36	3.0	42'	21'2"		
MW-37	3.0	39'3"	14'2"		
MW-40	3.0	29'7"	18'6"		
MW-41	3.0	77'	52'2"		
MW-51	3.0	65'5"	53'1"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	52'2"		
MW-73	2.0	28'	16'8"		VZ-4
MW-74	3.0	33'	26'9"		
VZ-1	2.0	27'	5'8"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'8"		MW-73
VZ-5	2.0	32'6"	16'1"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	21'2"		
MH-69	2.0	28'1"	0'0"		




**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS**

DATE: 12-13-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'9"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'8"		
MW-36	3.0	42'	21'3"		
MW-37	3.0	39'3"	19'1"		
MW-40	3.0	29'7"	18'7"		
MW-41	3.0	77'	52'3"		
MW-51	3.0	65'5"	53'2"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	52'1"		
MW-73	2.0	28'	16'7"		VZ-4
MW-74	3.0	33'	29'1"		
VZ-1	2.0	27'	5'9"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'7"		MW-73
VZ-5	2.0	32'6"	16'1"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	21'2"		
MH-69	2.0	28'1"	0'0"		




**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS**

DATE: 12-14-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'8"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'7"		
MW-36	3.0	42'	21'2"		
MW-37	3.0	39'3"	14'2"		
MW-40	3.0	29'7"	18'6"		
MW-41	3.0	77'	52'2"		
MW-51	3.0	65'5"	53'1"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	52'1"		
MW-73	2.0	28'	16'6"		VZ-4
MW-74	3.0	33'	27'6"		
VZ-1	2.0	27'	5'9"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'6"		MW-73
VZ-5	2.0	32'6"	16'1"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	21'2"		
MH-69	2.0	28'1"	0'0"		




**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS**

DATE: 12-15-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'9"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'7"		
MW-36	3.0	42'	21'1"		
MW-37	3.0	39'3"	19'3"		
MW-40	3.0	29'7"	18'8"		
MW-41	3.0	77'	52'3"		
MW-51	3.0	65'5"	53'2"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	52'1"		
MW-73	2.0	28'	16'7"		VZ-4
MW-74	3.0	33'	27'9"		
VZ-1	2.0	27'	5'9"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'7"		MW-73
VZ-5	2.0	32'6"	16'3"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	21'3"		
MH-69	2.0	28'1"	0'0"		



**SUNDANCE SERVICES WEST, INC.**


ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

MONITOR WELLS

DATE: 12-16-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'9"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'7"		
MW-36	3.0	42'	21'2"		
MW-37	3.0	39'3"	14'2"		
MW-40	3.0	29'7"	18'9"		
MW-41	3.0	77'	52'3"		
MW-51	3.0	65'5"	53'1"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	52'2"		
MW-73	2.0	28'	16'8"		VZ-4
MW-74	3.0	33'	28'1"		
VZ-1	2.0	27'	5'9"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'8"		MW-73
VZ-5	2.0	32'6"	16'3"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	21'2"		
MH-69	2.0	28'1"	0'1"		






**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS**

DATE: 12-17-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'8"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'8"		
MW-36	3.0	42'	21'2"		
MW-37	3.0	39'3"	14'3"		
MW-40	3.0	29'7"	18'8"		
MW-41	3.0	77'	52'2"		
MW-51	3.0	65'5"	53'11"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	52'1"		
MW-73	2.0	28'	16'7"		VZ-4
MW-74	3.0	33'	28'3"		
VZ-1	2.0	27'	5'9"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'7"		MW-73
VZ-5	2.0	32'6"	16'3"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	21'1"		
MH-69	2.0	28'1"	0'1"		




**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS**

DATE: 12-18-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'9"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'9"		
MW-36	3.0	42'	21'2"		
MW-37	3.0	39'3"	14'2"		
MW-40	3.0	29'7"	18'9"		
MW-41	3.0	77'	52'1"		
MW-51	3.0	65'5"	53'2"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	52'2"		
MW-73	2.0	28'	16'8"		VZ-4
MW-74	3.0	33'	28'6"		
VZ-1	2.0	27'	5'8"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'8"		MW-73
VZ-5	2.0	32'6"	16'2"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	21'1"		
MH-69	2.0	28'1"	0'1"		




**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS**

DATE: 12-19-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'8"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'9"		
MW-36	3.0	42'	21'3"		
MW-37	3.0	39'3"	14'1"		
MW-40	3.0	29'7"	18'8"		
MW-41	3.0	77'	52'1"		
MW-51	3.0	65'5"	53'4"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	52'1"		
MW-73	2.0	28'	16'9"		VZ-4
MW-74	3.0	33'	28'8"	24'3"	
VZ-1	2.0	27'	5'9"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'9"		MW-73
VZ-5	2.0	32'6"	16'1"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	21'1"		
MH-69	2.0	28'1"	0'1"		




**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS**

DATE: 12-20-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'9"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'9"		
MW-36	3.0	42'	21'2"		
MW-37	3.0	39'3"	19'1"		
MW-40	3.0	29'7"	18'9"		
MW-41	3.0	77'	52'3"		
MW-51	3.0	65'5"	53'3"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	52'3"		
MW-73	2.0	28'	16'8"		VZ-4
MW-74	3.0	33'	24'4"		
VZ-1	2.0	27'	5'8"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'8"		MW-73
VZ-5	2.0	32'6"	16'1"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	21'1"		
MH-69	2.0	28'1"	0'1"		




**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS**

DATE: 12-21-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'9"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'9"		
MW-36	3.0	42'	21'2"		
MW-37	3.0	39'3"	19'2"		
MW-40	3.0	29'7"	18'8"		
MW-41	3.0	77'	52'3"		
MW-51	3.0	65'5"	53'2"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	52'2"		
MW-73	2.0	28'	16'8"		VZ-4
MW-74	3.0	33'	24'8"		
VZ-1	2.0	27'	5'9"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'8"		MW-73
VZ-5	2.0	32'6"	16'1"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	21'2"		
MH-69	2.0	28'1"	0'0"		



**SUNDANCE SERVICES WEST, INC.**


ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS**

DATE: 12-22-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'8"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'9"		
MW-36	3.0	42'	21'1"		
MW-37	3.0	39'3"	14'3"		
MW-40	3.0	29'7"	18'8"		
MW-41	3.0	77'	52'2"		
MW-51	3.0	65'5"	53'1"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	52'1"		
MW-73	2.0	28'	16'9"		VZ-4
MW-74	3.0	33'	24'7"		
VZ-1	2.0	27'	5'9"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'9"		MW-73
VZ-5	2.0	32'6"	16'1"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	21'2"		
MH-69	2.0	28'1"	0'1"		






**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS**

DATE: 12-23-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'9"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'8"		
MW-36	3.0	42'	21'2"		
MW-37	3.0	39'3"	19'4"		
MW-40	3.0	29'7"	18'4"		
MW-41	3.0	77'	52'1"		
MW-51	3.0	65'5"	53'2"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	52'1"		
MW-73	2.0	28'	16'8"		VZ-4
MW-74	3.0	33'	24'8"		
VZ-1	2.0	27'	5'9"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'8"		MW-73
VZ-5	2.0	32'6"	16'2"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	21'2"		
MH-69	2.0	28'1"	0'1"		




**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

MONITOR WELLS

DATE: 12-24-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'9"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'9"		
MW-36	3.0	42'	21'3"		
MW-37	3.0	39'3"	19'3"		
MW-40	3.0	29'7"	18'9"		
MW-41	3.0	77'	52'1"		
MW-51	3.0	65'5"	53'1"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	52'1"		
MW-73	2.0	28'	16'7"		VZ-4
MW-74	3.0	33'	24'9"		
VZ-1	2.0	27'	5'8"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'7"		MW-73
VZ-5	2.0	32'6"	16'1"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	21'1"		
MH-69	2.0	28'1"	0'1"		




**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceervices.com www.sundanceervices.net www.sundanceervices.org

MONITOR WELLS

DATE: 12-25-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'9"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'8"		
MW-36	3.0	42'	21'2"		
MW-37	3.0	39'3"	14'2"		
MW-40	3.0	29'7"	18'8"		
MW-41	3.0	77'	52'4"		
MW-51	3.0	65'5"	53'4"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	52'3"		
MW-73	2.0	28'	16'8"		VZ-4
MW-74	3.0	33'	25'2"		
VZ-1	2.0	27'	5'9"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'8"		MW-73
VZ-5	2.0	32'6"	16'1"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	21'2"		
MH-69	2.0	28'1"	0'1"		




**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 G<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

MONITOR WELLS

DATE: 12-26-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'8"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'9"		
MW-36	3.0	42'	21'3"		
MW-37	3.0	39'3"	14'1"		
MW-40	3.0	29'7"	18'7"		
MW-41	3.0	77'	52'4"		
MW-51	3.0	65'5"	53'3"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	52'2"		
MW-73	2.0	28'	16'9"		VZ-4
MW-74	3.0	33'	25'7"		
VZ-1	2.0	27'	5'8"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'9"		MW-73
VZ-5	2.0	32'6"	16'1"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	21'3"		
MH-69	2.0	28'1"	0'1"		




**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

MONITOR WELLS

DATE: 12-27-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'9"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'4"		
MW-36	3.0	42'	21'4"		
MW-37	3.0	39'3"	14'2"		
MW-40	3.0	29'7"	18'6"		
MW-41	3.0	77'	52'6"		
MW-51	3.0	65'5"	53'1"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	52'1"		
MW-73	2.0	28'	16'8"		VZ-4
MW-74	3.0	33'	25'8"		
VZ-1	2.0	27'	5'9"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'8"		MW-73
VZ-5	2.0	32'6"	16'1"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	21'2"		
MH-69	2.0	28'1"	0'1"		



**SUNDANCE SERVICES WEST, INC.**


ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

MONITOR WELLS

DATE: 12-28-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'9"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'9"		
MW-36	3.0	42'	21'3"		
MW-37	3.0	39'3"	14'1"		
MW-40	3.0	29'7"	18'7"		
MW-41	3.0	77'	52'7"		
MW-51	3.0	65'5"	53'2"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	52'1"		
MW-73	2.0	28'	16'9"		VZ-4
MW-74	3.0	33'	26'2"		
VZ-1	2.0	27'	5'9"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'9"		MW-73
VZ-5	2.0	32'6"	16'1"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	21'2"		
MH-69	2.0	28'1"	0'1"		





**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

MONITOR WELLS

DATE: 12-29-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'8"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'9"		
MW-36	3.0	42'	21'2"		
MW-37	3.0	39'3"	14'1"		
MW-40	3.0	29'7"	18'6"		
MW-41	3.0	77'	52'8"		
MW-51	3.0	65'5"	53'1"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	52'1"		
MW-73	2.0	28'	16'8"		VZ-4
MW-74	3.0	33'	26'8"		
VZ-1	2.0	27'	5'8"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'8"		MW-73
VZ-5	2.0	32'6"	16'1"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	21'2"		
MH-69	2.0	28'1"	0'1"		




**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

MONITOR WELLS

DATE: 12-30-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'9"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'9"		
MW-36	3.0	42'	21'3"		
MW-37	3.0	39'3"	19'2"		
MW-40	3.0	29'7"	18'8"		
MW-41	3.0	77'	52'6"		
MW-51	3.0	65'5"	53'2"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	52'1"		
MW-73	2.0	28'	16'9"		VZ-4
MW-74	3.0	33'	27'2"		
VZ-1	2.0	27'	5'9"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'9"		MW-73
VZ-5	2.0	32'6"	16'2"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	21'3"		
MH-69	2.0	28'1"	0'1"		



**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS**

DATE: 12-31-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'8"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'9"		
MW-36	3.0	42'	21'9"		
MW-37	3.0	39'3"	20'2"		
MW-40	3.0	29'7"	19'2"		
MW-41	3.0	77'	53'1"		
MW-51	3.0	65'5"	52'1"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	52'9"		
MW-73	2.0	28'	16'7"		VZ-4
MW-74	3.0	33'	28'9"		
VZ-1	2.0	27'	5'9"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'7"		MW-73
VZ-5	2.0	32'6"	16'1"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	21'1"		
MH-69	2.0	28'1"	0'1"		



### SUNDANCE SERVICES WEST, INC.

**ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS**

Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590  
 1001 6<sup>th</sup> Street P.O. Box 1737 Eunice, New Mexico 88231

**PARABO DISPOSAL FACILITY**

www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS**

DATE: 12-1-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
P-MWS 1	3.0	65'0"	0'0"		
P-MWS 2	3.0	70'0"	0'0"		
P-MWS 3	3.0	64'3"	0'0"		
P-MWS 4	3.0	53'5"	0'0"		
P-MWS 5	3.0	48'4"	0'0"		



### SUNDANCE SERVICES WEST, INC.

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS

Main Office: 575-394-2511

Plant Office: 575-394-3212

Fax: 575-394-2590

1001 6<sup>th</sup> Street

P.O. Box 1737

Eunice, New Mexico 88231

#### PARABO DISPOSAL FACILITY

www.sundanceservices.com

www.sundanceservices.net

www.sundanceservices.org

#### MONITOR WELLS

DATE: 12-2-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
P-MWS 1	3.0	65'0"	0'0"		
P-MWS 2	3.0	70'0"	0'0"		
P-MWS 3	3.0	64'3"	0'0"		
P-MWS 4	3.0	53'5"	0'0"		
P-MWS 5	3.0	48'4"	0'0"		



**SUNDANCE SERVICES WEST, INC.**

**ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS**

Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590

1001 6<sup>th</sup> Street P.O. Box 1737 Eunice, New Mexico 88231

**PARABO DISPOSAL FACILITY**

[www.sundanceservices.com](http://www.sundanceservices.com)

[www.sundanceservices.net](http://www.sundanceservices.net)

[www.sundanceservices.org](http://www.sundanceservices.org)

**MONITOR WELLS**

DATE: 12-3-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
P-MWS 1	3.0	65'0"	0'0"		
P-MWS 2	3.0	70'0"	0'0"		
P-MWS 3	3.0	64'3"	0'0"		
P-MWS 4	3.0	53'5"	0'0"		
P-MWS 5	3.0	48'4"	0'0"		





# SUNDANCE SERVICES WEST, INC.

**ROLL-OFF BOXES   ROLL-OFF TRUCKS   DUMP TRUCKS   VACUUM TRUCKS**

Main Office: 575-394-2511   Plant Office: 575-394-3212   Fax: 575-394-2590

1001 6<sup>th</sup> Street   P.O. Box 1737   Eunice, New Mexico 88231

**PARABO DISPOSAL FACILITY**

[www.sundanceservices.com](http://www.sundanceservices.com)

[www.sundanceservices.net](http://www.sundanceservices.net)

[www.sundanceservices.org](http://www.sundanceservices.org)

### MONITOR WELLS

DATE: 12-4-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
P-MWS 1	3.0	65'0"	0'0"		
P-MWS 2	3.0	70'0"	0'0"		
P-MWS 3	3.0	64'3"	0'0"		
P-MWS 4	3.0	53'5"	0'0"		
P-MWS 5	3.0	48'4"	0'0"		



# SUNDANCE SERVICES WEST, INC.

**ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS**

Main Office: 575-394-2511

Plant Office: 575-394-3212

Fax: 575-394-2590

1001 6<sup>th</sup> Street

P.O. Box 1737

Eunice, New Mexico 88231

**PARABO DISPOSAL FACILITY**

[www.sundanceservices.com](http://www.sundanceservices.com)

[www.sundanceservices.net](http://www.sundanceservices.net)

[www.sundanceservices.org](http://www.sundanceservices.org)

## MONITOR WELLS

DATE: 12-5-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
P-MWS 1	3.0	65'0"	0'0"		
P-MWS 2	3.0	70'0"	0'0"		
P-MWS 3	3.0	64'3"	0'0"		
P-MWS 4	3.0	53'5"	0'0"		
P-MWS 5	3.0	48'4"	0'0"		



**SUNDANCE SERVICES WEST, INC.**

**ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS**  
Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590  
1001 6<sup>th</sup> Street P.O. Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
[www.sundanceservices.com](http://www.sundanceservices.com) [www.sundanceservices.net](http://www.sundanceservices.net) [www.sundanceservices.org](http://www.sundanceservices.org)

MONITOR WELLS

DATE: 12-6-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
P-MWS 1	3.0	65'0"	0'0"		
P-MWS 2	3.0	70'0"	0'0"		
P-MWS 3	3.0	64'3"	0'0"		
P-MWS 4	3.0	53'5"	0'0"		
P-MWS 5	3.0	48'4"	0'0"		



# SUNDANCE SERVICES WEST, INC.

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS

Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590

1001 6<sup>th</sup> Street P.O. Box 1737 Eunice, New Mexico 88231

**PARABO DISPOSAL FACILITY**

[www.sundanceservices.com](http://www.sundanceservices.com) [www.sundanceservices.net](http://www.sundanceservices.net) [www.sundanceservices.org](http://www.sundanceservices.org)

### MONITOR WELLS

DATE: 12-7-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
P-MWS 1	3.0	65'0"	0'0"		
P-MWS 2	3.0	70'0"	0'0"		
P-MWS 3	3.0	64'3"	0'0"		
P-MWS 4	3.0	53'5"	0'0"		
P-MWS 5	3.0	48'4"	0'0"		



# SUNDANCE SERVICES WEST, INC.

**ROLL-OFF BOXES    ROLL-OFF TRUCKS    DUMP TRUCKS    VACUUM TRUCKS**  
Main Office: 575-394-2511    Plant Office: 575-394-3212    Fax: 575-394-2590  
1001 6<sup>th</sup> Street    P.O. Box 1737    Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
www.sundanceservices.com    www.sundanceservices.net    www.sundanceservices.org

### MONITOR WELLS

DATE: 12-8-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
P-MWS 1	3.0	65'0"	0'0"		
P-MWS 2	3.0	70'0"	0'0"		
P-MWS 3	3.0	64'3"	0'0"		
P-MWS 4	3.0	53'5"	0'0"		
P-MWS 5	3.0	48'4"	0'0"		



**SUNDANCE SERVICES WEST, INC.**

**ROLL-OFF BOXES   ROLL-OFF TRUCKS   DUMP TRUCKS   VACUUM TRUCKS**

Main Office: 575-394-2511

Plant Office: 575-394-3212

Fax: 575-394-2590

1001 6<sup>th</sup> Street

P.O. Box 1737

Eunice, New Mexico 88231

**PARABO DISPOSAL FACILITY**

www.sundanceservices.com

www.sundanceservices.net

www.sundanceservices.org

MONITOR WELLS

DATE: 12-9-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
P-MWS 1	3.0	65'0"	0'0"		
P-MWS 2	3.0	70'0"	0'0"		
P-MWS 3	3.0	64'3"	0'0"		
P-MWS 4	3.0	53'5"	0'0"		
P-MWS 5	3.0	48'4"	0'0"		





### SUNDANCE SERVICES WEST, INC.

**ROLL-OFF BOXES    ROLL-OFF TRUCKS    DUMP TRUCKS    VACUUM TRUCKS**

Main Office: 575-394-2511    Plant Office: 575-394-3212    Fax: 575-394-2590

1001 6<sup>th</sup> Street    P.O. Box 1737    Eunice, New Mexico 88231

**PARABO DISPOSAL FACILITY**

www.sundanceservices.com    www.sundanceservices.net    www.sundanceservices.org

MONITOR WELLS

DATE: 12-10-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
P-MWS 1	3.0	65'0"	0'0"		
P-MWS 2	3.0	70'0"	0'0"		
P-MWS 3	3.0	64'3"	0'0"		
P-MWS 4	3.0	53'5"	0'0"		
P-MWS 5	3.0	48'4"	0'0"		





**SUNDANCE SERVICES WEST, INC.**

**ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS**  
Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590  
1001 6<sup>th</sup> Street P.O. Box 1737 Eunice, New Mexico 88231

**PARABO DISPOSAL FACILITY**

www.sundanceservices.com

www.sundanceservices.net

www.sundanceservices.org

MONITOR WELLS

DATE: 12-13-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
P-MWS 1	3.0	65'0"	0'0"		
P-MWS 2	3.0	70'0"	0'0"		
P-MWS 3	3.0	64'3"	0'0"		
P-MWS 4	3.0	53'5"	0'0"		
P-MWS 5	3.0	48'4"	0'0"		



**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590  
 1001 6<sup>th</sup> Street P.O. Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**

www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

MONITOR WELLS

DATE: 12-14-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
P-MWS 1	3.0	65'0"	0'0"		
P-MWS 2	3.0	70'0"	0'0"		
P-MWS 3	3.0	64'3"	0'0"		
P-MWS 4	3.0	53'5"	0'0"		
P-MWS 5	3.0	48'4"	0'0"		



**SUNDANCE SERVICES WEST, INC.**

**ROLL-OFF BOXES   ROLL-OFF TRUCKS   DUMP TRUCKS   VACUUM TRUCKS**

Main Office: 575-394-2511   Plant Office: 575-394-3212   Fax: 575-394-2590

1001 6<sup>th</sup> Street   P.O. Box 1737   Eunice, New Mexico 88231

**PARABO DISPOSAL FACILITY**

www.sundanceservices.com   www.sundanceservices.net   www.sundanceservices.org

**MONITOR WELLS**

DATE: 12-15-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
P-MWS 1	3.0	65'0"	0'0"		
P-MWS 2	3.0	70'0"	0'6"		
P-MWS 3	3.0	64'3"	0'0"		
P-MWS 4	3.0	53'5"	0'0"		
P-MWS 5	3.0	48'4"	0'0"		



## SUNDANCE SERVICES WEST, INC.

**ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS**

Main Office: 575-394-2511      Plant Office: 575-394-3212      Fax: 575-394-2590  
 1001 6<sup>th</sup> Street      P.O. Box 1737      Eunice, New Mexico 88231

**PARABO DISPOSAL FACILITY**

[www.sundanceservices.com](http://www.sundanceservices.com)      [www.sundanceservices.net](http://www.sundanceservices.net)      [www.sundanceservices.org](http://www.sundanceservices.org)

**MONITOR WELLS**

DATE: 12-16-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
P-MWS 1	3.0	65'0"	0'0"		
P-MWS 2	3.0	70'0"	0'0"		
P-MWS 3	3.0	64'3"	0'0"		
P-MWS 4	3.0	53'5"	0'0"		
P-MWS 5	3.0	48'4"	0'0"		





# SUNDANCE SERVICES WEST, INC.

**ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS**  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590  
 1001 6<sup>th</sup> Street P.O. Box 1737 Eunice, New Mexico 88231

**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

MONITOR WELLS

DATE: 12-17-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
P-MWS 1	3.0	65'0"	0'0"		
P-MWS 2	3.0	70'0"	0'0"		
P-MWS 3	3.0	64'3"	0'0"		
P-MWS 4	3.0	53'5"	0'0"		
P-MWS 5	3.0	48'4"	0'0"		



# SUNDANCE SERVICES WEST, INC.

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS

Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590  
1001 6th Street P.O. Box 1737 Eunice, New Mexico 88231

**PARABO DISPOSAL FACILITY**

[www.sundanceservices.com](http://www.sundanceservices.com)

[www.sundanceservices.net](http://www.sundanceservices.net)

[www.sundanceservices.org](http://www.sundanceservices.org)

## MONITOR WELLS

DATE: 12-18-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
P-MWS 1	3.0	65'0"	0'0"		
P-MWS 2	3.0	70'0"	0'0"		
P-MWS 3	3.0	64'3"	0'0"		
P-MWS 4	3.0	53'5"	0'0"		
P-MWS 5	3.0	48'4"	0'0"		



**SUNDANCE SERVICES WEST, INC.**

**ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS**

Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590  
1001 6<sup>th</sup> Street P.O. Box 1737 Eunice, New Mexico 88231

**PARABO DISPOSAL FACILITY**

[www.sundanceervices.com](http://www.sundanceervices.com) [www.sundanceervices.net](http://www.sundanceervices.net) [www.sundanceervices.org](http://www.sundanceervices.org)

**MONITOR WELLS**

DATE: 12-19-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
P-MWS 1	3.0	65'0"	0'0"		
P-MWS 2	3.0	70'0"	0'0"		
P-MWS 3	3.0	64'3"	0'0"		
P-MWS 4	3.0	53'5"	0'0"		
P-MWS 5	3.0	48'4"	0'0"		



# SUNDANCE SERVICES WEST, INC.

**ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS**

Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590

1001 6<sup>th</sup> Street P.O. Box 1737 Eunice, New Mexico 88231

**PARABO DISPOSAL FACILITY**

[www.sundanceservices.com](http://www.sundanceservices.com) [www.sundanceservices.net](http://www.sundanceservices.net) [www.sundanceservices.org](http://www.sundanceservices.org)

MONITOR WELLS

DATE: 12-20-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
P-MWS 1	3.0	65'0"	0'0"		
P-MWS 2	3.0	70'0"	0'0"		
P-MWS 3	3.0	64'3"	0'0"		
P-MWS 4	3.0	53'5"	0'0"		
P-MWS 5	3.0	48'4"	0'0"		









## SUNDANCE SERVICES WEST, INC.

**ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS**

Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590

1001 6th Street P.O. Box 1737 Eunice, New Mexico 88231

**PARABO DISPOSAL FACILITY**

www.sundanceservices.com

www.sundanceservices.net

www.sundanceservices.org

### MONITOR WELLS

DATE: 12-23-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
P-MWS 1	3.0	65'0"	0'0"		
P-MWS 2	3.0	70'0"	0'0"		
P-MWS 3	3.0	64'3"	0'0"		
P-MWS 4	3.0	53'5"	0'0"		
P-MWS 5	3.0	48'4"	0'0"		



### SUNDANCE SERVICES WEST, INC.

**ROLL-OFF BOXES   ROLL-OFF TRUCKS   DUMP TRUCKS   VACUUM TRUCKS**

Main Office: 575-394-2511

Plant Office: 575-394-3212

Fax: 575-394-2590

1001 6th Street

P.O. Box 1737

Eunice, New Mexico 88231

**PARABO DISPOSAL FACILITY**

www.sundanceservices.com

www.sundanceservices.net

www.sundanceservices.org

**MONITOR WELLS**

DATE: 12-24-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
P-MWS 1	3.0	65'0"	0'0"		
P-MWS 2	3.0	70'0"	0'0"		
P-MWS 3	3.0	64'3"	0'0"		
P-MWS 4	3.0	53'5"	0'0"		
P-MWS 5	3.0	48'4"	0'0"		



# SUNDANCE SERVICES WEST, INC.

**ROLL-OFF BOXES   ROLL-OFF TRUCKS   DUMP TRUCKS   VACUUM TRUCKS**  
Main Office: 575-394-2511   Plant Office: 575-394-3212   Fax: 575-394-2590  
1001 6<sup>th</sup> Street   P.O. Box 1737   Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
www.sundanceservices.com   www.sundanceservices.net   www.sundanceservices.org

MONITOR WELLS

DATE: 12-25-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
P-MWS 1	3.0	65'0"	0'0"		
P-MWS 2	3.0	70'0"	0'0"		
P-MWS 3	3.0	64'3"	0'0"		
P-MWS 4	3.0	53'5"	0'0"		
P-MWS 5	3.0	48'4"	0'0"		



**SUNDANCE SERVICES WEST, INC.**

**ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS**

Main Office: 575-394-2511      Plant Office: 575-394-3212      Fax: 575-394-2590  
 1001 6<sup>th</sup> Street      P.O. Box 1737      Eunice, New Mexico 88231

**PARABO DISPOSAL FACILITY**

www.sundanceservices.com      www.sundanceservices.net      www.sundanceservices.org

MONITOR WELLS

DATE: 12-26-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
P-MWS 1	3.0	65'0"	0'0"		
P-MWS 2	3.0	70'0"	0'0"		
P-MWS 3	3.0	64'3"	0'0"		
P-MWS 4	3.0	53'5"	0'0"		
P-MWS 5	3.0	48'4"	0'0"		





# SUNDANCE SERVICES WEST, INC.

**ROLL-OFF BOXES    ROLL-OFF TRUCKS    DUMP TRUCKS    VACUUM TRUCKS**  
Main Office: 575-394-2511    Plant Office: 575-394-3212    Fax: 575-394-2590  
1001 6<sup>th</sup> Street    P.O. Box 1737    Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
www.sundanceservices.com    www.sundanceservices.net    www.sundanceservices.org

**MONITOR WELLS**

DATE: 12-27-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
P-MWS 1	3.0	65'0"	0'0"		
P-MWS 2	3.0	70'0"	0'0"		
P-MWS 3	3.0	64'3"	0'0"		
P-MWS 4	3.0	53'5"	0'0"		
P-MWS 5	3.0	48'4"	0'0"		





**SUNDANCE SERVICES WEST, INC.**

**ROLL-OFF BOXES    ROLL-OFF TRUCKS    DUMP TRUCKS    VACUUM TRUCKS**

Main Office: 575-394-2511    Plant Office: 575-394-3212    Fax: 575-394-2590  
1001 6<sup>th</sup> Street    P.O. Box 1737    Eunice, New Mexico 88231

**PARABO DISPOSAL FACILITY**

www.sundanceservices.com    www.sundanceservices.net    www.sundanceservices.org

**MONITOR WELLS**

DATE: 12-28-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
P-MWS 1	3.0	65'0"	0'0"		
P-MWS 2	3.0	70'0"	0'0"		
P-MWS 3	3.0	64'3"	0'0"		
P-MWS 4	3.0	53'5"	0'0"		
P-MWS 5	3.0	48'4"	0'0"		



# SUNDANCE SERVICES WEST, INC.

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS

Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590

1001 6<sup>th</sup> Street P.O. Box 1737 Eunice, New Mexico 88231

PARABO DISPOSAL FACILITY

[www.sundanceservices.com](http://www.sundanceservices.com)

[www.sundanceservices.net](http://www.sundanceservices.net)

[www.sundanceservices.org](http://www.sundanceservices.org)


## MONITOR WELLS

DATE: 12-29-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
P-MWS 1	3.0	65'0"	0'0"		
P-MWS 2	3.0	70'0"	0'0"		
P-MWS 3	3.0	64'3"	0'0"		
P-MWS 4	3.0	53'5"	0'0"		
P-MWS 5	3.0	48'4"	0'0"		








**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

MONITOR WELLS WASH OUT

DATE: 12-1-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	POW	14'7"	0'7"		
WS-2	11	14'7"	0'8"		
WS-3	11	14'7"	0'6"		
WS-4	11	14'7"	2'7"		
WS-5	4	23'6"	14'7"		
WS-6	11	8'0"	0'1"		



**SUNDANCE SERVICES WEST, INC.**


ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS WASH OUT**

DATE: 12-2-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	Poly	14'7"	0'7"		
WS-2	"	14'7"	0'9"		
WS-3	"	14'7"	0'7"		
WS-4	"	14'7"	2'8"		
WS-5	"	23'6"	14'9"		
WS-6	"	8'0"	0'1"		






**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS WASH OUT**

DATE: 12-3-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	Poly	14'7"	0'8"		
WS-2	"	14'7"	0'7"		
WS-3	"	14'7"	0'9"		
WS-4	"	14'7"	2'9"		
WS-5	"	23'6"	14'8"		
WS-6	"	8'0"	0'1"		




**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS WASH OUT**

DATE: 12-3-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	Poly	14'7"	0'9"		
WS-2	"	14'7"	0'7"		
WS-3	"	14'7"	0'8"		
WS-4	"	14'7"	2'8"		
WS-5	"	23'6"	14'7"		
WS-6	"	8'0"	0'1"		




**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS WASH OUT**

DATE: 12-4-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	10 1/2"	14'7"	0'8"		
WS-2	11"	14'7"	0'7"		
WS-3	11"	14'7"	0'9"		
WS-4	11"	14'7"	2'9"		
WS-5	11"	23'6"	14'9"		
WS-6	11"	8'0"	0'1"		




**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS WASH OUT**

DATE: 12-5-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	Poly	14'7"	0.8"		
WS-2	)	14'7"	0.7"		
WS-3	)	14'7"	0.9		
WS-4	)	14'7"	2.8"		
WS-5	√	23'6"	14.7"		
WS-6	)	8'0"	0.1"		




**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS WASH OUT**

DATE: 12-6-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	Poly	14'7"	0.9"		
WS-2	"	14'7"	0.7"		
WS-3	"	14'7"	0.8"		
WS-4	"	14'7"	2.9"		
WS-5	"	23'6"	14.8"		
WS-6	"	8'0"	0.1"		



**SUNDANCE SERVICES WEST, INC.**


ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS WASH OUT**

DATE: 12-7-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	POU	14'7"	0'8"		
WS-2	"	14'7"	0'7"		
WS-3	"	14'7"	0'6"		
WS-4	"	14'7"	2'8"		
WS-5	"	23'6"	14'7"		
WS-6	"	8'0"	0'1"		






### SUNDANCE SERVICES WEST, INC.

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

#### MONITOR WELLS WASH OUT

DATE: 12-8-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	Poly	14'7"	0'7"		
WS-2	"	14'7"	0'6"		
WS-3	"	14'7"	0'9"		
WS-4	"	14'7"	2'7"		
WS-5	"	23'6"	14'8"		
WS-6	"	8'0"	0'1"		




**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS WASH OUT**

DATE: 12-9-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	Poly	14'7"	0'9"		
WS-2	"	14'7"	0'7"		
WS-3	"	14'7"	0'8"		
WS-4	"	14'7"	2'8"		
WS-5	"	23'6"	14'7"		
WS-6	"	8'0"	0'1"		




**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

MONITOR WELLS WASH OUT

DATE: 12-10-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	Poly	14'7"	0.8"		
WS-2	"	14'7"	0.6"		
WS-3	"	14'7"	0.9"		
WS-4	"	14'7"	2.9"		
WS-5	"	23'6"	14.8"		
WS-6	"	8'0"	0.1"		




**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS WASH OUT**

DATE: 12 - 11 - 22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	Poly	14'7"	0'8"		
WS-2	"	14'7"	0'7"		
WS-3	"	14'7"	0'6"		
WS-4	"	14'7"	2'8"		
WS-5	"	23'6"	14'9"		
WS-6	"	8'0"	0'1"		




**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS WASH OUT**

DATE: 12-12-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	Poly	14'7"	0'8"		
WS-2	"	14'7"	0'7"		
WS-3	"	14'7"	0'5"		
WS-4	"	14'7"	2'9"		
WS-5	"	23'6"	14'7"		
WS-6	"	8'0"	0'1"		



**SUNDANCE SERVICES WEST, INC.**


ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS WASH OUT**

DATE: 12-13-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	POU	14'7"	0.8"		
WS-2	4	14'7"	0.7"		
WS-3	4	14'7"	0.6"		
WS-4	4	14'7"	2.8"		
WS-5	4	23'6"	14.9"		
WS-6	4	8'0"	0.1"		






**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS WASH OUT**

DATE: 12-14-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	10 1/2"	14'7"	0'7"		
WS-2	11"	14'7"	0'8"		
WS-3	11"	14'7"	0'6"		
WS-4	11"	14'7"	2'9"		
WS-5	11"	23'6"	14'7"		
WS-6	11"	8'0"	0'1"		




**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS WASH OUT**

DATE: 12-15-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	10 1/4	14'7"	0'7"		
WS-2	11	14'7"	0'8"		
WS-3	11	14'7"	0'7"		
WS-4	11	14'7"	2'8"		
WS-5	11	23'6"	14'6"		
WS-6	11	8'0"	0'1"		




**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

MONITOR WELLS WASH OUT

DATE: 12-16-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	Poly	14'7"	0'7"		
WS-2	"	14'7"	0'9"		
WS-3	"	14'7"	0'8"		
WS-4	"	14'7"	2'9"		
WS-5	"	23'6"	14'8"		
WS-6	"	8'0"	0'1"		




### SUNDANCE SERVICES WEST, INC.

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

#### MONITOR WELLS WASH OUT

DATE: 12-17-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	Poly	14'7"	0'9"		
WS-2	"	14'7"	0'8"		
WS-3	"	14'7"	0'7"		
WS-4	"	14'7"	2'8"		
WS-5	"	23'6"	14'6"		
WS-6	"	8'0"	0'1"		




**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS WASH OUT**

DATE: 12-18-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	10 1/4"	14'7"	1'0"		
WS-2	"	14'7"	0'9"		
WS-3	"	14'7"	0'8"		
WS-4	"	14'7"	2'9"		
WS-5	"	23'6"	14'4"		
WS-6	"	8'0"	0'0"		



**SUNDANCE SERVICES WEST, INC.**


ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS WASH OUT**

DATE: 12-14-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	16 1/4"	14'7"	1'1"		
WS-2	"	14'7"	0'9"		
WS-3	"	14'7"	0'7"		
WS-4	"	14'7"	2'7"		
WS-5	"	23'6"	14'6"		
WS-6	"	8'0"	0'0"		






**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS WASH OUT**

DATE: 12-20-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	10 1/4"	14'7"	1'2"		
WS-2	4"	14'7"	0'9"		
WS-3	4"	14'7"	0'6"		
WS-4	4"	14'7"	2'6"		
WS-5	4"	23'6"	14'7"		
WS-6	4"	8'0"	0'1"		



### SUNDANCE SERVICES WEST, INC.

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

#### MONITOR WELLS WASH OUT

DATE: 12-21-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	Poly	14'7"	1'3"		
WS-2	11	14'7"	0'9"		
WS-3	11	14'7"	0'7"		
WS-4	11	14'7"	2'8"		
WS-5	11	23'6"	14'8"		
WS-6	11	8'0"	6'1"		




**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS WASH OUT**

DATE: 12-22-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	Poly	14'7"	1'2"		
WS-2	"	14'7"	0'9"		
WS-3	"	14'7"	0'8"		
WS-4	"	14'7"	2'8"		
WS-5	"	23'6"	14'6"		
WS-6	"	8'0"	0'1"		




**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS WASH OUT**

DATE: 12-23-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	Poly	14'7"	1'2"		
WS-2	"	14'7"	0'8"		
WS-3	"	14'7"	0'7"		
WS-4	"	14'7"	2'6"		
WS-5	"	23'6"	14'4"		
WS-6	"	8'0"	0'0"		




**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS WASH OUT**

DATE: 12-24-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	P04	14'7"	1.3"		
WS-2	"	14'7"	0.9"		
WS-3	"	14'7"	0.6"		
WS-4	"	14'7"	2.7"		
WS-5	"	23'6"	14.5"		
WS-6	"	8'0"	0.0"		



**SUNDANCE SERVICES WEST, INC.**


ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS WASH OUT**

DATE: 12-25-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	POU	14'7"	1.4"		
WS-2	"	14'7"	0.9"		
WS-3	"	14'7"	0.7"		
WS-4	"	14'7"	2.8"		
WS-5	"	23'6"	14.6"		
WS-6	"	8'0"	0.1"		






**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceervices.com www.sundanceervices.net www.sundanceervices.org

**MONITOR WELLS WASH OUT**

DATE: 12-26-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	Poly	14'7"	1'3"		
WS-2	4"	14'7"	0'9"		
WS-3	4"	14'7"	0'8"		
WS-4	4"	14'7"	2'9"		
WS-5	11"	23'6"	14'7"		
WS-6	4"	8'0"	0'2"		




### SUNDANCE SERVICES WEST, INC.

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

#### MONITOR WELLS WASH OUT

DATE: 12-27-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	Poly	14'7"	1'2"		
WS-2	1)	14'7"	0'8"		
WS-3	1)	14'7"	0'9"		
WS-4	1)	14'7"	2'7"		
WS-5	1)	23'6"	14'6"		
WS-6	1)	8'0"	0'1"		




### SUNDANCE SERVICES WEST, INC.

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

#### MONITOR WELLS WASH OUT

DATE: 12-28-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	POLY	14'7"	1'2"		
WS-2	"	14'7"	0'9"		
WS-3	"	14'7"	0'8"		
WS-4	"	14'7"	2'8"		
WS-5	"	23'6"	14'8"		
WS-6	"	8'0"	0'11"		




### SUNDANCE SERVICES WEST, INC.

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

#### MONITOR WELLS WASH OUT

DATE: 12-29-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	Poly	14'7"	1.1"		
WS-2	4	14'7"	0.8"		
WS-3	4	14'7"	0.7"		
WS-4	4	14'7"	2.9"		
WS-5	4	23'6"	14.9"		
WS-6	4	8'0"	0.1"		




**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS WASH OUT**

DATE: 12-30-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	Poly	14'7"	1'0"		
WS-2	1)	14'7"	0'9"		
WS-3	1)	14'7"	0'7"		
WS-4	1)	14'7"	2'8"		
WS-5	1)	23'6"	14'6"		
WS-6	1)	8'0"	0'0"		



**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS WASH OUT**

DATE: 12-31-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	Poly	14'7"	1'1"		
WS-2	4"	14'7"	0'9"		
WS-3	4"	14'7"	0'6"		
WS-4	4"	14'7"	2'9"		
WS-5	4"	23'6"	14'8"		
WS-6	4"	8'0"	0'1"		



**Daily Inspection Form  
Sundance West**

Date: 1-1-23

Print Name: Deysi Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

**TYPE OF INSPECTION**

Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual		Satisfactory	Action Required
<b>Item</b>							
Vehicle Screening (H2S) (Vol. II - Sec.4:2 - Pg.19)					D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)					D	✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)					D	✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)					D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)					D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)					D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)					D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)					D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)					D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)					D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)					D	✓	
Evaopraton Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)					D	✓	
Pond levels three-foot free board					D	✓	

Daily Inspection Form  
Sundance West

Date: 1-2-2023  
Others: \_\_\_\_\_

Print Name: Deysi Romero  
Signature: \_\_\_\_\_

TYPE OF INSPECTION

Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual		Satisfactory	Action Required
Item							
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)					D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)					D	✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)					D	✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)					D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)					D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)					D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)					D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)					D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)					D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)					D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)					D	✓	
Evaopraption Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)					D	✓	
Pond levels three-foot free board					D	✓	

### Daily Inspection Form Sundance West

Date: 1-3-2023

Print Name: Deysi Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

#### TYPE OF INSPECTION

Daily <input checked="" type="checkbox"/>	Weekly <input type="checkbox"/>	Monthly <input type="checkbox"/>	Quarterly <input type="checkbox"/>	Annual <input type="checkbox"/>		Satisfactory	Action Required
Item							
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)					D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)					D	✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)					D	✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)					D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)					D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)					D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)					D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)					D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)					D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)					D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)					D	✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)					D	✓	
Pond levels three-foot free board					D	✓	



Daily Inspection Form  
Sundance West

Date: 1-4-2023  
Others: \_\_\_\_\_

Print Name: Deusi Romero  
Signature: \_\_\_\_\_

TYPE OF INSPECTION

Daily	Weekly	Monthly	Quarterly	Annual		Satisfactory	Action Required
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Item		
					Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)	D ✓	
					Dust Control (Vol. II - Sec.4.3 - Pg.19)	D ✓	
					Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)	D ✓	
					Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)	D ✓	
					Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)	D ✓	
					Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)	D ✓	
					Waste Screening and Forms (Vol. II - Sec 2- Pg.94)	D ✓	
					Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)	D ✓	
					Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)	D ✓	
					Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)	D ✓	
					Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)	D ✓	
					Evaporation Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)	D ✓	
					Pond levels three-foot free board	D ✓	

Daily Inspection Form  
Sundance West

Date: 1-5-2023

Print Name: Daisy Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

TYPE OF INSPECTION

Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual		Satisfactory	Action Required
Item							
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)					D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)					D	✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)					D	✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)					D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)					D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)					D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)					D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)					D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)					D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)					D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)					D	✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)					D	✓	
Pond levels three-foot free board					D	✓	

**Daily Inspection Form  
Sundance West**

Date: 1-6-2023  
 Others: \_\_\_\_\_

Print Name: Deysi Romero  
 Signature: \_\_\_\_\_

**TYPE OF INSPECTION**

Daily <input checked="" type="checkbox"/>	Weekly <input type="checkbox"/>	Monthly <input type="checkbox"/>	Quarterly <input type="checkbox"/>	Annual <input type="checkbox"/>		Satisfactory	Action Required
<b>Item</b>							
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)					D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)					D	✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)					D	✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)					D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)					D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)					D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)					D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)					D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)					D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)					D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)					D	✓	
Evaopraton Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)					D	✓	
Pond levels three-foot free board					D	✓	



### Daily Inspection Form Sundance West

Date: 1-7-23  
Others: \_\_\_\_\_

Print Name: Deysi Romero  
Signature: \_\_\_\_\_

TYPE OF INSPECTION

Daily <input checked="" type="checkbox"/>	Weekly <input type="checkbox"/>	Monthly <input type="checkbox"/>	Quarterly <input type="checkbox"/>	Annual <input type="checkbox"/>		Satisfactory	Action Required
Item							
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)					D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)					D	✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)					D	✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)					D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)					D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)					D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)					D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)					D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)					D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)					D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)					D	✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)					D	✓	
Pond levels three-foot free board					D	✓	

**Daily Inspection Form  
Sundance West**

Date: 1-8-23  
Others: \_\_\_\_\_

Print Name: Deasi Romero  
Signature: \_\_\_\_\_

TYPE OF INSPECTION

Daily <input checked="" type="checkbox"/>	Weekly <input type="checkbox"/>	Monthly <input type="checkbox"/>	Quarterly <input type="checkbox"/>	Annual <input type="checkbox"/>		Satisfactory	Action Required
<b>Item</b>							
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)					D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)					D	✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)					D	✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)					D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)					D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)					D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)					D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)					D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)					D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)					D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)					D	✓	
Evaopracion Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)					D	✓	
Pond levels three-foot free board					D	✓	

Daily Inspection Form  
Sundance West

Date: 1-9-23

Print Name: Drew Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

TYPE OF INSPECTION

Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual		Satisfactory	Action Required
Item							
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)					D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)					D	✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)					D	✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)					D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)					D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)					D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)					D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)					D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)					D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)					D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)					D	✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)					D	✓	
Pond levels three-foot free board					D	✓	



Daily Inspection Form  
Sundance West

Date: 1-10-23

Print Name: Deyan Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

TYPE OF INSPECTION

Daily <input checked="" type="checkbox"/>	Weekly <input type="checkbox"/>	Monthly <input type="checkbox"/>	Quarterly <input type="checkbox"/>	Annual <input type="checkbox"/>		Satisfactory	Action Required
<b>Item</b>							
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)					D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)					D	✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)					D	✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)					D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)					D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)					D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)					D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)					D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)					D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)					D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)					D	✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)					D	✓	
Pond levels three-foot free board					D	✓	

**Daily Inspection Form  
Sundance West**

Date: 1-11-23

Print Name: Douglas Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

TYPE OF INSPECTION

Daily <input checked="" type="checkbox"/>	Weekly <input type="checkbox"/>	Monthly <input type="checkbox"/>	Quarterly <input type="checkbox"/>	Annual <input type="checkbox"/>		Satisfactory	Action Required
<b>Item</b>							
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)					D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)					D	✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)					D	✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)					D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)					D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)					D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)					D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)					D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)					D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)					D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)					D	✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)					D	✓	
Pond levels three-foot free board					D	✓	

Daily Inspection Form  
Sundance West

Date: 1-12-23  
Others: \_\_\_\_\_

Print Name: Dcyan Romero  
Signature: \_\_\_\_\_

TYPE OF INSPECTION

Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual		Satisfactory	Action Required
<b>Item</b>							
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)					D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)					D	✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)					D	✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)					D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)					D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)					D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)					D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)					D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)					D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)					D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)					D	✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)					D	✓	
Pond levels three-foot free board					D	✓	



Daily Inspection Form  
Sundance West

Date: 1-13-23  
Others: \_\_\_\_\_

Print Name: Dewi Romero  
Signature: \_\_\_\_\_

TYPE OF INSPECTION

Daily	Weekly	Monthly	Quarterly	Annual		Satisfactory	Action Required
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Item		
					Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)	D ✓	
					Dust Control (Vol. II - Sec.4.3 - Pg.19)	D ✓	
					Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)	D ✓	
					Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)	D ✓	
					Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)	D ✓	
					Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)	D ✓	
					Waste Screening and Forms (Vol. II - Sec 2- Pg.94)	D ✓	
					Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)	D ✓	
					Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)	D ✓	
					Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)	D ✓	
					Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)	D ✓	
					Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)	D ✓	
					Pond levels three-foot free board	D ✓	

**Daily Inspection Form  
Sundance West**

Date: 1-14-23  
Others: \_\_\_\_\_

Print Name: Deys Romero  
Signature: \_\_\_\_\_

TYPE OF INSPECTION

Daily	Weekly	Monthly	Quarterly	Annual		Satisfactory	Action Required
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Item		
					Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)	D ✓	
					Dust Control (Vol. II - Sec.4.3 - Pg.19)	D ✓	
					Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)	D ✓	
					Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)	D ✓	
					Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)	D ✓	
					Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)	D ✓	
					Waste Screening and Forms (Vol. II - Sec 2- Pg.94)	D ✓	
					Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)	D ✓	
					Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)	D ✓	
					Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)	D ✓	
					Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)	D ✓	
					Evaopraton Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)	D ✓	
					Pond levels three-foot free board	D ✓	

### Daily Inspection Form Sundance West

Date: 1-15-23

Print Name: Deusi Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

#### TYPE OF INSPECTION

Daily	Weekly	Monthly	Quarterly	Annual		Satisfactory	Action Required
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Item		
					Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)	D ✓	
					Dust Control (Vol. II - Sec.4.3 - Pg.19)	D ✓	
					Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)	D ✓	
					Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)	D ✓	
					Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)	D ✓	
					Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)	D ✓	
					Waste Screening and Forms (Vol. II - Sec 2- Pg.94)	D ✓	
					Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)	D ✓	
					Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)	D ✓	
					Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)	D ✓	
					Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)	D ✓	
					Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)	D ✓	
					Pond levels three-foot free board	D ✓	



**Daily Inspection Form  
Sundance West**

Date: 1-16-23

Print Name: Daisy Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

TYPE OF INSPECTION

Item	Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual	Satisfactory	Action Required
Vehicle Screening (H2S) (Vol. II - Sec.4:2 - Pg.19)						D ✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)						D ✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)						D ✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)						D ✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)						D ✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)						D ✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)						D ✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)						D ✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)						D ✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)						D ✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)						D ✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)						D ✓	
Pond levels three-foot free board						D ✓	

**Daily Inspection Form  
Sundance West**

Date: 1-17-23

Print Name: Dryden Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

TYPE OF INSPECTION

Item	Daily *	Weekly	Monthly	Quarterly	Annual	Satisfactory	Action Required
Vehicle Screening (H2S) (Vol. II - Sec.4:2 - Pg.19)						D ✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)						D ✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)						D ✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)						D ✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)						D ✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)						D ✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)						D ✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)						D ✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)						D ✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)						D ✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)						D ✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)						D ✓	
Pond levels three-foot free board						D ✓	

**Daily Inspection Form  
Sundance West**

Date: 1-18-23

Print Name: Deyan Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

**TYPE OF INSPECTION**

Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual		Satisfactory	Action Required
<b>Item</b>							
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)					D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)					D	✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)					D	✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)					D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)					D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)					D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)					D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)					D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)					D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)					D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)					D	✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)					D	✓	
Pond levels three-foot free board					D	✓	



Daily Inspection Form  
Sundance West

Date: 1-19-23

Print Name: Deyvi Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

TYPE OF INSPECTION

Item	Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual	Satisfactory	Action Required
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)						D ✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)						D ✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)						D ✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)						D ✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)						D ✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)						D ✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)						D ✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)						D ✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)						D ✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)						D ✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)						D ✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)						D ✓	
Pond levels three-foot free board						D ✓	

**Daily Inspection Form  
Sundance West**

Date: 1-20-23  
 Others: \_\_\_\_\_

Print Name: Deysi Romero  
 Signature: \_\_\_\_\_

**TYPE OF INSPECTION**

Daily	Weekly	Monthly	Quarterly	Annual		Satisfactory	Action Required
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Item		
					Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)	D ✓	
					Dust Control (Vol. II - Sec.4.3 - Pg.19)	D ✓	
					Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)	D ✓	
					Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)	D ✓	
					Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)	D ✓	
					Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)	D ✓	
					Waste Screening and Forms (Vol. II - Sec 2- Pg.94)	D ✓	
					Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)	D ✓	
					Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)	D ✓	
					Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)	D ✓	
					Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)	D ✓	
					Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)	D ✓	
					Pond levels three-foot free board	D ✓	

**Daily Inspection Form  
Sundance West**

Date: 1-21-23

Print Name: Dewsi Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

**TYPE OF INSPECTION**

Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual		Satisfactory	Action Required
<b>Item</b>							
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)					D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)					D	✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)					D	✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)					D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)					D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)					D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)					D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)					D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)					D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)					D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)					D	✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)					D	✓	
Pond levels three-foot free board					D	✓	



### Daily Inspection Form Sundance West

Date: 1-22-23

Print Name: Dewi Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

#### TYPE OF INSPECTION

Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual		Satisfactory	Action Required
					Item		
					Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)	D ✓	
					Dust Control (Vol. II - Sec.4.3 - Pg.19)	D ✓	
					Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)	D ✓	
					Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)	D ✓	
					Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)	D ✓	
					Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)	D ✓	
					Waste Screening and Forms (Vol. II - Sec 2- Pg.94)	D ✓	
					Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)	D ✓	
					Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)	D ✓	
					Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)	D ✓	
					Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)	D ✓	
					Evaporation Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)	D ✓	
					Pond levels three-foot free board	D ✓	

Daily Inspection Form  
Sundance West

Date: 1-23-23

Print Name: Deysi Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

TYPE OF INSPECTION

Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual		Satisfactory	Action Required
Item							
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)					D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)					D	✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)					D	✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)					D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)					D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)					D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)					D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)					D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)					D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)					D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)					D	✓	
Evaopraton Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)					D	✓	
Pond levels three-foot free board					D	✓	

**Daily Inspection Form  
Sundance West**

Date: 1-24-23  
 Others: \_\_\_\_\_

Print Name: Deusi Romero  
 Signature: \_\_\_\_\_

TYPE OF INSPECTION

Item	Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual	Satisfactory	Action Required
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)						D ✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)						D ✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)						D ✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)						D ✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)						D ✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)						D ✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)						D ✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)						D ✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)						D ✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)						D ✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)						D ✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)						D ✓	
Pond levels three-foot free board						D	



**Daily Inspection Form  
Sundance West**

Date: 1-25-23

Print Name: Deyvi Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

TYPE OF INSPECTION

Item	Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual	Satisfactory	Action Required
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)						D ✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)						D ✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)						D ✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)						D ✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)						D ✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)						D ✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)						D ✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)						D ✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)						D ✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)						D ✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)						D ✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)						D ✓	
Pond levels three-foot free board						D ✓	

**Daily Inspection Form  
Sundance West**

Date: 1-26-23

Print Name: Deys Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

TYPE OF INSPECTION

TYPE OF INSPECTION					Satisfactory	Action Required
Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual		
Item						
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)					D	✓
Dust Control (Vol. II - Sec.4.3 - Pg.19)					D	✓
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)					D	✓
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)					D	✓
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)					D	✓
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)					D	✓
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)					D	✓
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)					D	✓
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)					D	✓
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)					D	✓
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)					D	✓
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)					D	✓
Pond levels three-foot free board					D	✓

**Daily Inspection Form  
Sundance West**

Date: 1-27-23

Print Name: Deyssi Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

**TYPE OF INSPECTION**

Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual		Satisfactory	Action Required
<b>Item</b>							
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)					D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)					D	✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)					D	✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)					D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)					D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)					D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)					D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)					D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)					D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)					D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)					D	✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)					D	✓	
Pond levels three-foot free board					D	✓	



**Daily Inspection Form  
Sundance West**

Date: 1-28-23  
 Others: \_\_\_\_\_

Print Name: Deysi Romero  
 Signature: \_\_\_\_\_

**TYPE OF INSPECTION**

Daily <input checked="" type="checkbox"/>	Weekly <input type="checkbox"/>	Monthly <input type="checkbox"/>	Quarterly <input type="checkbox"/>	Annual <input type="checkbox"/>		Satisfactory	Action Required
Item							
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)					D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)					D	✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)					D	✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)					D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)					D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)					D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)					D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)					D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)					D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)					D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)					D	✓	
Evaporation Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)					D	✓	
Pond levels three-foot free board					D	✓	

**Daily Inspection Form  
Sundance West**

Date: 1-29-23

Print Name: Devin Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

TYPE OF INSPECTION

Item	Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual	Satisfactory	Action Required
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)						D ✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)						D ✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)						D ✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)						D ✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)						D ✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)						D ✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)						D ✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)						D ✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)						D ✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)						D ✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)						D ✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)						D ✓	
Pond levels three-foot free board						D ✓	

**Daily Inspection Form  
Sundance West**

Date: 1-30-23  
 Others: \_\_\_\_\_

Print Name: Deysi Romero  
 Signature: \_\_\_\_\_

TYPE OF INSPECTION

Daily <input checked="" type="checkbox"/>	Weekly <input type="checkbox"/>	Monthly <input type="checkbox"/>	Quarterly <input type="checkbox"/>	Annual <input type="checkbox"/>		Satisfactory	Action Required
Item							
Vehicle Screening (H2S) (Vol. II - Sec.4:2 - Pg.19)					D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)					D	✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)					D	✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)					D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)					D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)					D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)					D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)					D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)					D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)					D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)					D	✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)					D	✓	
Pond levels three-foot free board					D	✓	



**Daily Inspection Form  
Sundance West**

Date: 1-31-23  
 Others: \_\_\_\_\_

Print Name: Daisy Romero  
 Signature: \_\_\_\_\_

TYPE OF INSPECTION

TYPE OF INSPECTION					Satisfactory	Action Required
Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual		
<b>Item</b>						
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)					D	✓
Dust Control (Vol. II - Sec.4.3 - Pg.19)					D	✓
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)					D	✓
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)					D	✓
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)					D	✓
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)					D	✓
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)					D	✓
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)					D	✓
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)					D	✓
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)					D	✓
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)					D	✓
Evaopraton Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)					D	✓
Pond levels three-foot free board					D	✓

**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 1-1-2023

**Inspector(s):**

**Time:** 7:50 AM

Deysi Romero

**Weather:**

Temperature 45 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies Fair

Wind Speed 12 mph

Wind Direction NW (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**

**ATTACHMENT II.1.D  
Evaporation Pond Integrity/Leak Detection Inspection Checklist  
Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 1-2-23

**Inspector(s):**

**Time:** 8:50 am

Deysi Romero

**Weather:**

Temperature 52 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies Fair

Wind Speed 7 mph

Wind Direction SSW (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**



**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 1-3-22

**Inspector(s):**

**Time:** 10:50 am

Deysi Romero

**Weather:**

Temperature 43 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies Fair

Wind Speed 8 mph

Wind Direction SW (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

NOTES:

**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_ of \_\_\_

**Date:** 1-4-23

**Inspector(s):**

**Time:** 9:50am

Deysi Romero

**Weather:**

Temperature 48 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies Few

Wind Speed 10 mph

Wind Direction WNW (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**

**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 1-5-23

**Inspector(s):**

**Time:** 12:50 pm

Deusi Romero

**Weather:**

Temperature 57 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies Fair

Wind Speed 12 mph

Wind Direction S (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**



**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 1-6-23

**Inspector(s):**

**Time:** 8:50am

Deysi Pomen

**Weather:**

Temperature 43 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies Fair

Wind Speed 8 mph

Wind Direction S (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**

**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 1-7-23

**Inspector(s):**

**Time:** 11:50am

Deusi Romero

**Weather:**

Temperature 52 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies Fair

Wind Speed 12 mph

Wind Direction N (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**

**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 1-8-23

**Inspector(s):**

**Time:** 6:50am

Deysi Romero

**Weather:**

Temperature 23 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies Fair

Wind Speed 7 mph

Wind Direction WNW (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

NOTES:



**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 1-9-2023

**Inspector(s):**  
Deysi Romero

**Time:** 7:50 am

**Weather:**

Temperature 34 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies Fair

Wind Speed 7 mph

Wind Direction SW (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**

**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 1-10-23

**Inspector(s):**

**Time:** 8:50am

Deyoi Romero

**Weather:**

Temperature 54 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies Fair

Wind Speed 10 mph

Wind Direction SW (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

NOTES:

**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 1-11-23

**Inspector(s):**

**Time:** 8:50 am

Deyan Romero

**Weather:**

Temperature 43 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies FAW

Wind Speed 6 mph

Wind Direction W (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**



**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 1-12-23

**Inspector(s):**

**Time:** 10:50am

Deyvi Romero

**Weather:**

Temperature 46 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies Fair

Wind Speed 17 mph

Wind Direction N (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

NOTES:

**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

Date: 1-13-23

Inspector(s):

Time: 11:50 am

Deyssi Romero

**Weather:**

Temperature 57 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies Fair

Wind Speed 16 mph

Wind Direction S (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**

**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 1-14-23

**Inspector(s):**

**Time:** 7:50am

Deysi Romero

**Weather:**

Temperature 32 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies Fair

Wind Speed 7 mph

Wind Direction SSW (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**



**ATTACHMENT II.I.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 1-15-23

**Inspector(s):**

**Time:** 9:50am

Douglas Romero

**Weather:**

Temperature 45 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies Fair

Wind Speed 7 mph

Wind Direction S (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**

**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 1-16-23

**Inspector(s):**

**Time:** 8:50 am

Devs. Romero

**Weather:**

Temperature 48 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies Fair

Wind Speed 12 mph

Wind Direction SSW (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**

**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

Date: 1-17-28

Inspector(s):

Time: 11:50am

Deysi Romero

**Weather:**

Temperature 59 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies Fair

Wind Speed 12 mph

Wind Direction S (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**



**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

Date: 1-18-23

Inspector(s):

Time: 8:50 am

Daisy Romero

**Weather:**

Temperature 37 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies Fair

Wind Speed 13 mph

Wind Direction WSW (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**

**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 1-19-23

**Inspector(s):**

**Time:** 7:50am

Deusi Romero

**Weather:**

Temperature 27 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies Fair

Wind Speed 9 mph

Wind Direction WNW (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**

**ATTACHMENT II.1.D  
Evaporation Pond Integrity/Leak Detection Inspection Checklist  
Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 1-20-23

**Inspector(s):**

**Time:** 7:50 am

Deysi Romero

**Weather:**

Temperature 30 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies Fair

Wind Speed 6 mph

Wind Direction NE (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**



**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

Date: 1-21-23

Inspector(s):

Time: 9:50 am

Daisy Romero

**Weather:**

Temperature 43 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies Fair/Windy

Wind Speed 21 mph

Wind Direction WNW (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

NOTES:

**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 1-22-23

**Inspector(s):**

**Time:** 11:50am

Deysi Romero

**Weather:**

Temperature 46 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies Few

Wind Speed 10 mph

Wind Direction WSW (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**

**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 1-23-23

**Inspector(s):**

**Time:** 12:50 pm

Daisy Romero

**Weather:**

Temperature 48 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies Fair / Windy

Wind Speed 29 mph

Wind Direction ESE (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**



**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 1-24-23

**Inspector(s):**

**Time:** 8:20am

Daisy Romero

**Weather:**

Temperature 30 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies cloudy

Wind Speed 12 mph

Wind Direction NNE (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**

**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

Date: 1-25-23

Inspector(s):

Time: 8:50 am

Deusi Romero

**Weather:**

Temperature 30 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies Mostly Cloudy

Wind Speed 8 mph

Wind Direction W (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**

**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 1-26-23

**Inspector(s):**

**Time:** 9:50am

Deusi Romero

**Weather:**

Temperature 32 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies Fair

Wind Speed 6 mph

Wind Direction N (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**



**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 1-27-23

**Inspector(s):**

**Time:** 7:50am

Deyssi Romero

**Weather:**

Temperature 21 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies Fair

Wind Speed 5 mph

Wind Direction WSW (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

NOTES:

**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

Date: 1-28-23

Inspector(s):

Time: 9:50am

Deysi Romero

**Weather:**

Temperature 43 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies Fair

Wind Speed 12 mph

Wind Direction SSW (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

NOTES:

**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

Date: 1-29-23

Inspector(s):

Time: 8:50am

Deusi Romero

**Weather:**

Temperature 34 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies Fair

Wind Speed 14 mph

Wind Direction NNE (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

NOTES:



**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 1-30-23

**Inspector(s):**

**Time:** 7:50am

Deusi Romero

**Weather:**

Temperature 21 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies cloudy

Wind Speed 9 mph

Wind Direction NNE (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**

**ATTACHMENT II.1.D  
Evaporation Pond Integrity/Leak Detection Inspection Checklist  
Sundance West**

Page \_\_\_\_ of \_\_\_\_

Date: 1-31-23

Inspector(s):

Time: 8:50am

Deysi Romero

**Weather:**

Temperature 21 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies cloudy

Wind Speed 9 mph

Wind Direction NE (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample


**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**


# Office Pits

Date: 1-1-23



9  
Before:  
After:


efore:  
After:



7  
Before:  
After:


efore:  
After:

SOUTH




5  
Before:  
After:

efore:  
After:



3  
Before:  
After:

efore:  
After:




1  
Before:  
After:

efore:  
After:

EAST

WEST


10



Before:  
After:

Before:  
After:

8




Before:  
After:

Before:  
After:

NORTH


6



Before:  
After:

Before:  
After:


4



Before:  
After:

Before:  
After:

2



Before:  
After:

Before:  
After:




# Office Pits

Date: 1-2-23

WEST


10



Before:  
After:

Before:  
After:

8




Before:  
After:

Before:  
After:

NORTH


6



Before:  
After:

Before:  
After:


4



Before:  
After:

Before:  
After:

2




Before:  
After:

Before:  
After:


EAST

1  
Before:  
After:




Before:  
After:

9  
Before:  
After:



Before:  
After:


7  
Before:  
After:



Before:  
After:


SOUTH

5  
Before:  
After:



Before:  
After:

3  
Before:  
After:




Before:  
After:

# Office Pits

Date: 1-3-23

WEST


10



Before:  
After:

Before:  
After:

8




Before:  
After:

Before:  
After:

NORTH


6



Before:  
After:

Before:  
After:


4



Before:  
After:

Before:  
After:


2




Before:  
After:

Before:  
After:


EAST




9  
Before:  
After:




7  
Before:  
After:



5  
Before:  
After:



3  
Before:  
After:



1  
Before:  
After:


SOUTH

# Office Pits

Date: 1-4-23

WEST


10



Before:  
After:

Before:  
After:

8




Before:  
After:

Before:  
After:

NORTH


6



Before:  
After:

Before:  
After:


4



Before:  
After:

Before:  
After:

2




Before:  
After:

Before:  
After:


EAST

9




Before:  
After:

7




Before:  
After:

5




Before:  
After:

3



Before:  
After:

1



Before:  
After:

Before:  
After:

Before:  
After:

SOUTH

Before:  
After:

Before:  
After:


Before:  
After:



# Office Pits

Date: 1-5-23

Before:  
After:




9  
Before:  
After:

WEST


Before:  
After:

10



Before:  
After:


Before:  
After:



7  
Before:  
After:

Before:  
After:


8



Before:  
After:

SOUTH


Before:  
After:



5  
Before:  
After:

Before:  
After:


6



Before:  
After:

NORTH


Before:  
After:



3  
Before:  
After:


Before:  
After:

4



Before:  
After:


Before:  
After:



1  
Before:  
After:

Before:  
After:

2



Before:  
After:

EAST




# Office Pits

Date: 1-6-23

WEST


10



Before:  
After:

Before:  
After:

8




Before:  
After:

Before:  
After:

NORTH


6



Before:  
After:

Before:  
After:


4



Before:  
After:

Before:  
After:

2




Before:  
After:

Before:  
After:


EAST

9




Before:  
After:

7




Before:  
After:

5




Before:  
After:

3



Before:  
After:

1



Before:  
After:

Before:  
After:

Before:  
After:

Before:  
After:

Before:  
After:


Before:  
After:

# Office Pits

Date: 1-7-23

WEST


10



Before:  
After:

Before:  
After:

8




Before:  
After:

Before:  
After:

NORTH


6



Before:  
After:

Before:  
After:


4



Before:  
After:

Before:  
After:


2



Before:  
After:


Before:  
After:

EAST



9  
Before:  
After:


Before:  
After:



7  
Before:  
After:


Before:  
After:

SOUTH




5  
Before:  
After:

Before:  
After:



3  
Before:  
After:

Before:  
After:



1  
Before:  
After:


Before:  
After:

# Office Pits

Date: 1-8-2023

WEST


10



Before:  
After:

Before:  
After:

8




Before:  
After:

Before:  
After:

NORTH


6



Before:  
After:

Before:  
After:


4



Before:  
After:

Before:  
After:


2



Before:  
After:


Before:  
After:

EAST



9  
Before:  
After:


Before:  
After:



7  
Before:  
After:


Before:  
After:

SOUTH




5  
Before:  
After:

Before:  
After:



3  
Before:  
After:

Before:  
After:



1  
Before:  
After:

Before:  
After:




# Office Pits

Date: 1-9-23

WEST


10



Before:  
After:

Before:  
After:

8




Before:  
After:

Before:  
After:

NORTH


6



Before:  
After:

Before:  
After:


4



Before:  
After:

Before:  
After:

2




Before:  
After:

Before:  
After:


EAST

9




Before:  
After:

7




Before:  
After:

5




Before:  
After:

3



Before:  
After:

1



Before:  
After:

Before:  
After:

Before:  
After:

SOUTH

Before:  
After:

Before:  
After:


Before:  
After:

# Office Pits

Date: 1-10-23

WEST


10



Before:  
After:

Before:  
After:

8




Before:  
After:

Before:  
After:

NORTH


6



Before:  
After:

Before:  
After:


4



Before:  
After:

Before:  
After:

2




Before:  
After:

Before:  
After:


EAST

9




Before:  
After:

7




Before:  
After:

5




Before:  
After:

3



Before:  
After:

1



Before:  
After:

SOUTH

Before:  
After:

Before:  
After:

Before:  
After:

Before:  
After:

Before:  
After:




# Office Pits

Date: 1-11-23

WEST


10



Before:  
After:

Before:  
After:

8




Before:  
After:

Before:  
After:

NORTH


6



Before:  
After:

Before:  
After:


4



Before:  
After:

Before:  
After:

2




Before:  
After:

Before:  
After:


EAST

9




Before:  
After:

7




Before:  
After:

5




Before:  
After:

3



Before:  
After:

1



Before:  
After:

Before:  
After:

Before:  
After:

SOUTH

Before:  
After:

Before:  
After:


Before:  
After:

# Office Pits

Date: 1-12-23

WEST


10



Before:  
After:

Before:  
After:

108




Before:  
After:

Before:  
After:

NORTH


6



Before:  
After:

Before:  
After:


4



Before:  
After:

Before:  
After:

2




Before:  
After:

Before:  
After:

EAST


1



Before:  
After:

Before:  
After:


9



Before:  
After:

Before:  
After:

7




Before:  
After:

Before:  
After:

SOUTH


5



Before:  
After:

Before:  
After:

3



Before:  
After:


Before:  
After:

# Office Pits

Date: 1-13-23

WEST


10



Before:  
After:

Before:  
After:

8




Before:  
After:

Before:  
After:

NORTH


6



Before:  
After:

Before:  
After:


4



Before:  
After:

Before:  
After:

2




Before:  
After:

Before:  
After:


EAST

9




Before:  
After:

7




Before:  
After:

5




Before:  
After:

3



Before:  
After:

1




Before:  
After:

SOUTH

# Office Pits


Date: 1-14-23



9  
Before:  
After:


WEST

10




Before:  
After:

Before:  
After:



7  
Before:  
After:

8




Before:  
After:

Before:  
After:


SOUTH

NORTH




5  
Before:  
After:

6




Before:  
After:

Before:  
After:




3  
Before:  
After:

4



Before:  
After:


Before:  
After:



1  
Before:  
After:

EAST

2



Before:  
After:

Before:  
After:




# Office Pits

Date: 1-15-23

WEST


10



Before:  
After:

Before:  
After:

8




Before:  
After:

Before:  
After:

NORTH


6



Before:  
After:

Before:  
After:


4



Before:  
After:

Before:  
After:

2




Before:  
After:

Before:  
After:


EAST

9




Before:  
After:

7




Before:  
After:

5




Before:  
After:

3



Before:  
After:

1



Before:  
After:


SOUTH

# Office Pits

Date: 1-16-23

WEST


10



Before:  
After:

Before:  
After:

8




Before:  
After:

Before:  
After:

NORTH


6



Before:  
After:

Before:  
After:


4



Before:  
After:

Before:  
After:


2



Before:  
After:


Before:  
After:

EAST



9  
Before:  
After:


Before:  
After:



7  
Before:  
After:


Before:  
After:

SOUTH




5  
Before:  
After:

Before:  
After:



3  
Before:  
After:

Before:  
After:



1  
Before:  
After:

Before:  
After:




# Office Pits

Date: 1-17-23

WEST


10



Before:  
After:

Before:  
After:

8




Before:  
After:

Before:  
After:

NORTH


6



Before:  
After:

Before:  
After:


4



Before:  
After:

Before:  
After:


2



Before:  
After:


Before:  
After:

EAST



9  
Before:  
After:


Before:  
After:



7  
Before:  
After:


Before:  
After:

SOUTH




5  
Before:  
After:

Before:  
After:



3  
Before:  
After:

Before:  
After:



1  
Before:  
After:


Before:  
After:

# Office Pits

Date: 1-18-23

WEST


10



Before:  
After:

Before:  
After:

8




Before:  
After:

Before:  
After:

NORTH


6



Before:  
After:

Before:  
After:


4



Before:  
After:

Before:  
After:

2




Before:  
After:

Before:  
After:


EAST

9




Before:  
After:

7




Before:  
After:

5




Before:  
After:

3



Before:  
After:

1



Before:  
After:

Before:  
After:

Before:  
After:

SOUTH

Before:  
After:


Before:  
After:

Before:  
After:

# Office Pits

Date: 1-19-23


Before:  
After:



9  
Before:  
After:


WEST

10



Before:  
After:


Before:  
After:



7  
Before:  
After:

Before:  
After:


8



Before:  
After:

SOUTH


Before:  
After:



5  
Before:  
After:

Before:  
After:


6



Before:  
After:

NORTH


Before:  
After:



3  
Before:  
After:


Before:  
After:

4



Before:  
After:

Before:  
After:




1  
Before:  
After:

EAST

Before:  
After:

2



Before:  
After:




# Office Pits

Date: 1-20-23

WEST


10



Before:  
After:

Before:  
After:

8




Before:  
After:

Before:  
After:

NORTH


6



Before:  
After:

Before:  
After:


4



Before:  
After:

Before:  
After:


2



Before:  
After:


Before:  
After:

EAST



9  
Before:  
After:


Before:  
After:



7  
Before:  
After:


Before:  
After:

SOUTH




5  
Before:  
After:

Before:  
After:



3  
Before:  
After:

Before:  
After:



1  
Before:  
After:

Before:  
After:




# Office Pits

Date: 1-21-22

WEST


10



Before:  
After:

Before:  
After:

8




Before:  
After:

Before:  
After:

NORTH


6



Before:  
After:

Before:  
After:


4



Before:  
After:

Before:  
After:


2



Before:  
After:


Before:  
After:

EAST



9  
Before:  
After:


Before:  
After:



7  
Before:  
After:


Before:  
After:

SOUTH




5  
Before:  
After:

Before:  
After:



3  
Before:  
After:

Before:  
After:



1  
Before:  
After:


Before:  
After:

# Office Pits

Date: 1-22-23

WEST


10



Before:  
After:

Before:  
After:

8




Before:  
After:

Before:  
After:

NORTH


6



Before:  
After:

Before:  
After:


4



Before:  
After:

Before:  
After:


2



Before:  
After:


Before:  
After:

EAST



9  
Before:  
After:


Before:  
After:



7  
Before:  
After:


Before:  
After:

SOUTH




5  
Before:  
After:

Before:  
After:



3  
Before:  
After:

Before:  
After:



1  
Before:  
After:

Before:  
After:




# Office Pits

Date: 1-23-22

WEST


10



Before:  
After:

Before:  
After:

8




Before:  
After:

Before:  
After:

NORTH


6



Before:  
After:

Before:  
After:


4



Before:  
After:

Before:  
After:


2



Before:  
After:


Before:  
After:

EAST



9  
Before:  
After:


Before:  
After:



7  
Before:  
After:


Before:  
After:

SOUTH




5  
Before:  
After:

Before:  
After:



3  
Before:  
After:

Before:  
After:



1  
Before:  
After:


Before:  
After:

# Office Pits

Date: 1-24-23

WEST


10



Before:  
After:

Before:  
After:

18




Before:  
After:

Before:  
After:

NORTH


6



Before:  
After:

Before:  
After:


4



Before:  
After:

Before:  
After:

2




Before:  
After:

Before:  
After:


EAST

9




Before:  
After:

7




Before:  
After:

5




Before:  
After:

3



Before:  
After:

1



Before:  
After:


SOUTH

# Office Pits

Date: 1-25-23

WEST


10



Before:  
After:

Before:  
After:

8




Before:  
After:

Before:  
After:

NORTH


6



Before:  
After:

Before:  
After:


4



Before:  
After:

Before:  
After:


2



Before:  
After:


Before:  
After:

EAST



9  
Before:  
After:


Before:  
After:



7  
Before:  
After:


Before:  
After:

SOUTH




5  
Before:  
After:

Before:  
After:



3  
Before:  
After:

Before:  
After:



1  
Before:  
After:


Before:  
After:

# Office Pits

Date: 1-26-23

WEST


10



Before:  
After:

Before:  
After:


8



Before:  
After:

Before:  
After:


6



Before:  
After:

Before:  
After:


4



Before:  
After:

Before:  
After:

2




Before:  
After:

Before:  
After:


EAST

9




Before:  
After:

7




Before:  
After:

5




Before:  
After:

3



Before:  
After:

1



Before:  
After:

Before:  
After:

Before:  
After:

SOUTH

Before:  
After:

Before:  
After:

Before:  
After:

NORTH




# Office Pits

Date: 1-27-23

WEST


10



Before:  
After:

Before:  
After:

8




Before:  
After:

Before:  
After:

NORTH


6



Before:  
After:

Before:  
After:


4



Before:  
After:

Before:  
After:

2




Before:  
After:

Before:  
After:


EAST

9



Before:  
After:


7



Before:  
After:


SOUTH

5




Before:  
After:

3



Before:  
After:

1




Before:  
After:

# Office Pits

Date: 1-28-23

WEST


10



Before:  
After:

Before:  
After:


8



Before:  
After:

Before:  
After:


6



Before:  
After:

Before:  
After:


4



Before:  
After:

Before:  
After:

2




Before:  
After:

Before:  
After:


EAST

9




Before:  
After:

7




Before:  
After:

5




Before:  
After:

3



Before:  
After:

1



Before:  
After:

SOUTH

NORTH




# Office Pits

Date: 1-29-23

WEST


10



Before:  
After:

Before:  
After:

8




Before:  
After:

Before:  
After:

NORTH


6



Before:  
After:

Before:  
After:


4



Before:  
After:

Before:  
After:

2




Before:  
After:

Before:  
After:


EAST

9




Before:  
After:

7




Before:  
After:

5




Before:  
After:

3



Before:  
After:

1




Before:  
After:

# Office Pits

Date: 1-30-23

WEST


10



Before:  
After:

Before:  
After:

8




Before:  
After:

Before:  
After:

NORTH


6



Before:  
After:

Before:  
After:


4



Before:  
After:

Before:  
After:

2




Before:  
After:

Before:  
After:

EAST

1




Before:  
After:

Before:

After:


9



Before:  
After:

Before:  
After:

7




Before:  
After:

Before:  
After:

SOUTH


5



Before:  
After:

Before:  
After:

3




Before:  
After:

Before:  
After:

# Office Pits


Date: 1-31-23



9  
Before:  
After:

WEST


10



Before:  
After:


efore:  
After:

Before:  
After:



7  
Before:  
After:

8




Before:  
After:

efore:  
After:

Before:  
After:


SOUTH

NORTH



5  
Before:  
After:


6



Before:  
After:


efore:  
After:

Before:  
After:



3  
Before:  
After:


4



Before:  
After:

efore:  
After:


Before:  
After:



1  
Before:  
After:

EAST

2



Before:  
After:

efore:  
After:

Before:  
After:















# SUNDANCE SERVICES WEST, INC.

**ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS**

Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590

1001 6<sup>th</sup> Street P.O. Box 1737 Eunice, New Mexico 88231

**PARABO DISPOSAL FACILITY**

www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

## MONITOR WELLS

DATE: 1-5-23

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
P-MWS 1	3.0	65'0"	0.0"		
P-MWS 2	3.0	70'0"	0.0"		
P-MWS 3	3.0	64'3"	0.0"		
P-MWS 4	3.0	53'5"	0.0"		
P-MWS 5	3.0	48'4"	0.0"		

























# SUNDANCE SERVICES WEST, INC.

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS

Main Office: 575-394-2511

Plant Office: 575-394-3212

Fax: 575-394-2590

1001 6<sup>th</sup> Street

P.O. Box 1737

Eunice, New Mexico 88231

PARABO DISPOSAL FACILITY

www.sundanceservices.com

www.sundanceservices.net

www.sundanceservices.org

### MONITOR WELLS

DATE: 1-13-23

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
P-MWS 1	3.0	65'0"	0.0"		
P-MWS 2	3.0	70'0"	0.0"		
P-MWS 3	3.0	64'3"	0.0"		
P-MWS 4	3.0	53'5"	0.0"		
P-MWS 5	3.0	48'4"	0.0"		





















































**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS**

DATE: 1-1-2023

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'7"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'8"		
MW-36	3.0	42'	21'3"		
MW-37	3.0	39'3"	19'2"		
MW-40	3.0	29'7"	15'7"		
MW-41	3.0	77'	53'9"		
MW-51	3.0	65'5"	52'2"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	51'8"		
MW-73	2.0	28'	16'7"		VZ-4
MW-74	3.0	33'	27'9"		
VZ-1	2.0	27'	5'8"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'7"		MW-73
VZ-5	2.0	32'6"	16'9"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	22'3"		
MH-69	2.0	28'1"	0'0"		





**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

MONITOR WELLS

DATE: 1-2-2023

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'8"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'9"		
MW-36	3.0	42'	21'4"		
MW-37	3.0	39'3"	19'1"		
MW-40	3.0	29'7"	15'8"		
MW-41	3.0	77'	53'7'		
MW-51	3.0	65'5"	52'1"		
MW-69	3.0	50'4"	0'0'		
MW-71	6.0	61'9"	51'9"		
MW-73	2.0	28'	16'8"		VZ-4
MW-74	3.0	33'	28'1"	25'2"	
VZ-1	2.0	27'	5'9"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'8"		MW-73
VZ-5	2.0	32'6"	16'9"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	22'2"		
MH-69	2.0	28'1"	0'1"		



**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

MONITOR WELLS

DATE: 1-3-2023

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'9"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'8"		
MW-36	3.0	42'	21'3"		
MW-37	3.0	39'3"	19'3"		
MW-40	3.0	29'7"	15'9"		
MW-41	3.0	77'	53'9"		
MW-51	3.0	65'5"	52'2"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	51'9"		
MW-73	2.0	28'	16'7"		VZ-4
MW-74	3.0	33'	25'7"		
VZ-1	2.0	27'	6'0"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'7"		MW-73
VZ-5	2.0	32'6"	16'8"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	22'1"		
MH-69	2.0	28'1"	0'1"		



**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

MONITOR WELLS

DATE: 1-4-2023

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'8"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'9"		
MW-36	3.0	42'	21'4"		
MW-37	3.0	39'3"	14'2"		
MW-40	3.0	29'7"	15'8"		
MW-41	3.0	77'	53'8"		
MW-51	3.0	65'5"	52'1"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	51'8"		
MW-73	2.0	28'	16'7"		VZ-4
MW-74	3.0	33'	25'8"		
VZ-1	2.0	27'	5'9"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'7"		MW-73
VZ-5	2.0	32'6"	16'9"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	22'2"		
MH-69	2.0	28'1"	0'1"		





**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

MONITOR WELLS

DATE: 1-5-23

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'9"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'8"		
MW-36	3.0	42'	21'5"		
MW-37	3.0	39'3"	19'1"		
MW-40	3.0	29'7"	15'9"		
MW-41	3.0	77'	53'9"		
MW-51	3.0	65'5"	52'1"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	51'8"		
MW-73	2.0	28'	16'8"		VZ-4
MW-74	3.0	33'	26'2"		
VZ-1	2.0	27'	6'0"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'8"		MW-73
VZ-5	2.0	32'6"	16'7"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	22'1"		
MH-69	2.0	28'1"	0'1"		



**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS**

DATE: 1-6-2023

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'8"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'9"		
MW-36	3.0	42'	21'6"		
MW-37	3.0	39'3"	19'2"		
MW-40	3.0	29'7"	15'8"		
MW-41	3.0	77'	54'1"		
MW-51	3.0	65'5"	52'2"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	51'9"		
MW-73	2.0	28'	16'7"		VZ-4
MW-74	3.0	33'	26'8"		
VZ-1	2.0	27'	6'1"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'7"		MW-73
VZ-5	2.0	32'6"	16'6"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	22'1"		
MH-69	2.0	28'1"	0'1"		





**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

MONITOR WELLS

DATE: 1-7-2023

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'9"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'8"		
MW-36	3.0	42'	21'7"		
MW-37	3.0	39'3"	19'1"		
MW-40	3.0	29'7"	15'9"		
MW-41	3.0	77'	54'2"		
MW-51	3.0	65'5"	52'1"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	51'8"		
MW-73	2.0	28'	16'8"		VZ-4
MW-74	3.0	33'	26'9"		
VZ-1	2.0	27'	6'0"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'8"		MW-73
VZ-5	2.0	32'6"	16'7"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	22'1"		
MH-69	2.0	28'1"	0'1"		



**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

MONITOR WELLS

DATE: 1-8-2023

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'8"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'9"		
MW-36	3.0	42'	21'6"		
MW-37	3.0	39'3"	19'2"		
MW-40	3.0	29'7"	15'8"		
MW-41	3.0	77'	54'3"		
MW-51	3.0	65'5"	52'2"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	51'7"		
MW-73	2.0	28'	16'7"		VZ-4
MW-74	3.0	33'	27'3"		
VZ-1	2.0	27'	5'9"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'7"		MW-73
VZ-5	2.0	32'6"	16'6"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	22'2"		
MH-69	2.0	28'1"	0'1"		



**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

MONITOR WELLS

DATE: 1-9-2023

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'9"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'9"		
MW-36	3.0	42'	21'7"		
MW-37	3.0	39'3"	19'1"		
MW-40	3.0	29'7"	15'8"		
MW-41	3.0	77'	54'1"		
MW-51	3.0	65'5"	52'1"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	51'8"		
MW-73	2.0	28'	16'8"		VZ-4
MW-74	3.0	33'	27'6"		
VZ-1	2.0	27'	5'8"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'8"		MW-73
VZ-5	2.0	32'6"	16'7"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	22'1"		
MH-69	2.0	28'1"	0'1"		





**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

MONITOR WELLS

DATE: 1-10-2023

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'8"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'8"		
MW-36	3.0	42'	21'6"		
MW-37	3.0	39'3"	19'2"		
MW-40	3.0	29'7"	15'9"		
MW-41	3.0	77'	54'2"		
MW-51	3.0	65'5"	52'2"		
MW-69	3.0	50'4"	0'0'		
MW-71	6.0	61'9"	51'9"		
MW-73	2.0	28'	16'7"		VZ-4
MW-74	3.0	33'	27'9"		
VZ-1	2.0	27'	5'9"		PGI-8
VZ-2	2.0	38'8"	0'0'		
VZ-3	2.0	28'	0'0'		
VZ-4	2.0	28'	16'7"		MW-73
VZ-5	2.0	32'6"	16'8"		
VZ-6	2.0	26'3"	0'0'		
VZ-7	2.0	49'8"	22'1"		
MH-69	2.0	28'1"	0'1"		



**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

MONITOR WELLS

DATE: 1-11-23.

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'9"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'9"		
MW-36	3.0	42'	21'5"		
MW-37	3.0	39'3"	19'1"		
MW-40	3.0	29'7"	16'1"		
MW-41	3.0	77'	54'1"		
MW-51	3.0	65'5"	52'1"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	51'8"		
MW-73	2.0	28'	16'7"		VZ-4
MW-74	3.0	33'	27'8"		
VZ-1	2.0	27'	5'9"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'7"		MW-73
VZ-5	2.0	32'6"	16'6"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	22'1"		
MH-69	2.0	28'1"	0'1"		





**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

MONITOR WELLS

DATE: 1-12-23

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'8"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'8"		
MW-36	3.0	42'	21'4"		
MW-37	3.0	39'3"	19'2"		
MW-40	3.0	29'7"	16'2"		
MW-41	3.0	77'	54'1"		
MW-51	3.0	65'5"	52'1"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	51'7"		
MW-73	2.0	28'	16'8"		VZ-4
MW-74	3.0	33'	28'1"		
VZ-1	2.0	27'	5'8"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'8"		MW-73
VZ-5	2.0	32'6"	16'7"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	22'3"		
MH-69	2.0	28'1"	0'1"		



**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS

Main Office: 575-394-2511

Plant Office: 575-394-3212

Fax: 575-394-2590

1001 6<sup>th</sup> Street

P.O.

Box 1737

Eunice, New Mexico 88231

PARABO DISPOSAL FACILITY

www.sundanceservices.com

www.sundanceservices.net

www.sundanceservices.org

**MONITOR WELLS**

DATE:

1-13-23

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'7"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'8"		
MW-36	3.0	42'	21'5"		
MW-37	3.0	39'3"	19'1"		
MW-40	3.0	29'7"	16'3"		
MW-41	3.0	77'	54'2"		
MW-51	3.0	65'5"	52'1"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	51'6"		
MW-73	2.0	28'	16'7"		VZ-4
MW-74	3.0	33'	28'3"		
VZ-1	2.0	27'	5'9"		PGI-8
VZ-2	2.0	38'8"	0'6"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'7"		MW-73
VZ-5	2.0	32'6"	16'6"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	22'2"		
MH-69	2.0	28'1"	0'1"		



**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

MONITOR WELLS

DATE: 1-14-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'8"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'9"		
MW-36	3.0	42'	21'6"		
MW-37	3.0	39'3"	19'2"		
MW-40	3.0	29'7"	16'4"		
MW-41	3.0	77'	54'1"		
MW-51	3.0	65'5"	52'1"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	51'4"		
MW-73	2.0	28'	16'8"		VZ-4
MW-74	3.0	33'	28'6"		
VZ-1	2.0	27'	5'9"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'8"		MW-73
VZ-5	2.0	32'6"	16'5"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	22'1"		
MH-69	2.0	28'1"	0'0"		





**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

MONITOR WELLS

DATE: 1-15-2023

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'9"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'9"		
MW-36	3.0	42'	21'7"		
MW-37	3.0	39'3"	14'3"		
MW-40	3.0	29'7"	16'3"		
MW-41	3.0	77'	54'2"		
MW-51	3.0	65'5"	52'1"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	51'3"		
MW-73	2.0	28'	16'7"		VZ-4
MW-74	3.0	33'	28'7"	24'1"	
VZ-1	2.0	27'	5'8"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'7"		MW-73
VZ-5	2.0	32'6"	16'6"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	22'1"		
MH-69	2.0	28'1"	0'1"		



**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

MONITOR WELLS

DATE: 1-16-2023

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'8"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'9"		
MW-36	3.0	42'	21'8"		
MW-37	3.0	39'3"	19'2"		
MW-40	3.0	29'7"	16'5"		
MW-41	3.0	77'	54'1"		
MW-51	3.0	65'5"	52'1"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	51'4"		
MW-73	2.0	28'	16'8"		VZ-4
MW-74	3.0	33'	24'6"		
VZ-1	2.0	27'	5'9"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'8"		MW-73
VZ-5	2.0	32'6"	16'6"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	22'1"		
MH-69	2.0	28'1"	0'1"		





**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

MONITOR WELLS

DATE: 1-17-2023

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'9"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'9"		
MW-36	3.0	42'	21'7"		
MW-37	3.0	39'3"	19'3"		
MW-40	3.0	29'7"	16'4"		
MW-41	3.0	77'	54'1"		
MW-51	3.0	65'5"	52'1"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	51'4"		
MW-73	2.0	28'	16'9"		VZ-4
MW-74	3.0	33'	25'1"		
VZ-1	2.0	27'	5'9"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'9"		MW-73
VZ-5	2.0	32'6"	16'7"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	22'1"		
MH-69	2.0	28'1"	0'1"		



**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS**

DATE: 1-18-2023

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'8"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'8"		
MW-36	3.0	42'	21'6"		
MW-37	3.0	39'3"	19'2"		
MW-40	3.0	29'7"	16'3"		
MW-41	3.0	77'	54'1"		
MW-51	3.0	65'5"	52'2"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	51'3"		
MW-73	2.0	28'	16'8"		VZ-4
MW-74	3.0	33'	25'4"		
VZ-1	2.0	27'	5'8"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'8"		MW-73
VZ-5	2.0	32'6"	16'6"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	22'1"		
MH-69	2.0	28'1"	0'1"		



**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS**

DATE: 1-19-2023

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'9"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'8'		
MW-36	3.0	42'	21'7"		
MW-37	3.0	39'3"	19'1"		
MW-40	3.0	29'7"	16'4"		
MW-41	3.0	77'	54'9"		
MW-51	3.0	65'5"	52'1"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	51'3"		
MW-73	2.0	28'	16'7"		VZ-4
MW-74	3.0	33'	25'6"		
VZ-1	2.0	27'	5'9"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'7"		MW-73
VZ-5	2.0	32'6"	16'6"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	22'1"		
MH-69	2.0	28'1"	0'1"		





**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

MONITOR WELLS

DATE: 1-20-23

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'8"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'9"		
MW-36	3.0	42'	21'6"		
MW-37	3.0	39'3"	19'6"		
MW-40	3.0	29'7"	16'3"		
MW-41	3.0	77'	54'1"		
MW-51	3.0	65'5"	52'1"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	51'2"		
MW-73	2.0	28'	16'7"		VZ-4
MW-74	3.0	33'	25'8"		
VZ-1	2.0	27'	5'8"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'7"		MW-73
VZ-5	2.0	32'6"	16'5"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	22'1"		
MH-69	2.0	28'1"	0'1"		



**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

MONITOR WELLS

DATE:

1-21-23

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'8"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'9"		
MW-36	3.0	42'	21'7"		
MW-37	3.0	39'3"	19'6"		
MW-40	3.0	29'7"	16'4"		
MW-41	3.0	77'	54'3"		
MW-51	3.0	65'5"	52'1"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	51'3"		
MW-73	2.0	28'	16'6"		VZ-4
MW-74	3.0	33'	25'8"		
VZ-1	2.0	27'	5'9"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'6"		MW-73
VZ-5	2.0	32'6"	16'5"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	22'1"		
MH-69	2.0	28'1"	0'1"		





**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

MONITOR WELLS

DATE: 1-22-23

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'9"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'8"		
MW-36	3.0	42'	21'6"		
MW-37	3.0	39'3"	19'5"		
MW-40	3.0	29'7"	16'3"		
MW-41	3.0	77'	54'2"		
MW-51	3.0	65'5"	52'2"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	51'2"		
MW-73	2.0	28'	16'7"		VZ-4
MW-74	3.0	33'	26'7"		
VZ-1	2.0	27'	5'8"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'7"		MW-73
VZ-5	2.0	32'6"	16'6"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	22'1"		
MH-69	2.0	28'1"	0'0"		



**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

MONITOR WELLS

DATE: 1-23-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'8"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'9"		
MW-36	3.0	42'	21'7"		
MW-37	3.0	39'3"	19'6"		
MW-40	3.0	29'7"	16'2"		
MW-41	3.0	77'	54'1"		
MW-51	3.0	65'5"	52'1"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	51'1"		
MW-73	2.0	28'	16'6"		VZ-4
MW-74	3.0	33'	27'1"		
VZ-1	2.0	27'	5'9"		PGI-8
VZ-2	2.0	38'8"	0'0'		
VZ-3	2.0	28'	0'0'		
VZ-4	2.0	28'	16'6"		MW-73
VZ-5	2.0	32'6"	16'7"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	22'1"		
MH-69	2.0	28'1"	0'1"		



**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS**

DATE: 1-24-22

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'9"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'8"		
MW-36	3.0	42'	21'6"		
MW-37	3.0	39'3"	19'6"		
MW-40	3.0	29'7"	16'1"		
MW-41	3.0	77'	54'2"		
MW-51	3.0	65'5"	52'1"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	51'2"		
MW-73	2.0	28'	16'7"		VZ-4
MW-74	3.0	33'	27'6"		
VZ-1	2.0	27'	5'9"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'7"		MW-73
VZ-5	2.0	32'6"	16'5"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	22'1"		
MH-69	2.0	28'1"	0'1"		





**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS**

DATE: 1-25-23

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'8"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'9"		
MW-36	3.0	42'	21'7"		
MW-37	3.0	39'3"	19'7"		
MW-40	3.0	29'7"	16'3"		
MW-41	3.0	77'	54'1"		
MW-51	3.0	65'5"	52'1"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	51'1"		
MW-73	2.0	28'	16'8"		VZ-4
MW-74	3.0	33'	27'9"		
VZ-1	2.0	27'	5'9"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'8"		MW-73
VZ-5	2.0	32'6"	16'6"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	22'1"		
MH-69	2.0	28'1"	0'1"		



**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS**

DATE: 1-26-23

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'9"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'9"		
MW-36	3.0	42'	21'6"		
MW-37	3.0	39'3"	19'8"		
MW-40	3.0	29'7"	16'4"		
MW-41	3.0	77'	54'1"		
MW-51	3.0	65'5"	52'3"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	51'2"		
MW-73	2.0	28'	16'8"		VZ-4
MW-74	3.0	33'	28'2"		
VZ-1	2.0	27'	5'9"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'8"		MW-73
VZ-5	2.0	32'6"	16'6"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	22'1"		
MH-69	2.0	28'1"	0'11"		





**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS**

DATE: 1-27-23

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'8"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'8"		
MW-36	3.0	42'	21'7"		
MW-37	3.0	39'3"	19'7"		
MW-40	3.0	29'7"	16'3"		
MW-41	3.0	77'	54'1"		
MW-51	3.0	65'5"	52'1"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	51'3"		
MW-73	2.0	28'	16'7"		VZ-4
MW-74	3.0	33'	28'4"		
VZ-1	2.0	27'	5'8"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'7"		MW-73
VZ-5	2.0	32'6"	16'7"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	22'1"		
MH-69	2.0	28'1"	0'1"		



**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS**

DATE:

1-28-23

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'9"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'9"		
MW-36	3.0	42'	21'6"		
MW-37	3.0	39'3"	19'8"		
MW-40	3.0	29'7"	16'4"		
MW-41	3.0	77'	54'2"		
MW-51	3.0	65'5"	52'1"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	51'2"		
MW-73	2.0	28'	16'8"		VZ-4
MW-74	3.0	33'	28'6"		
VZ-1	2.0	27'	5'9"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'8"		MW-73
VZ-5	2.0	32'6"	16'6"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	22'1"		
MH-69	2.0	28'1"	0'1"		



**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS**

DATE: 1-29-23

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'8"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'9"		
MW-36	3.0	42'	21'7"		
MW-37	3.0	39'3"	19'7"		
MW-40	3.0	29'7"	16'3"		
MW-41	3.0	77'	54'3"		
MW-51	3.0	65'5"	52'7"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	51'3"		
MW-73	2.0	28'	16'7"		VZ-4
MW-74	3.0	33'	28'9"	25'3"	
VZ-1	2.0	27'	5'9"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'7"		MW-73
VZ-5	2.0	32'6"	16'6"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	22'1"		
MH-69	2.0	28'1"	0'1"		





**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS**

DATE: 1-30-23

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'9"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'9"		
MW-36	3.0	42'	21'6"		
MW-37	3.0	39'3"	19'6"		
MW-40	3.0	29'7"	16'4"		
MW-41	3.0	77'	54'1"		
MW-51	3.0	65'5"	52'1"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	51'2"		
MW-73	2.0	28'	16'8"		VZ-4
MW-74	3.0	33'	25'6"		
VZ-1	2.0	27'	5'9"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'6"		
VZ-4	2.0	28'	16'8"		MW-73
VZ-5	2.0	32'6"	16'7"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	22'1"		
MH-69	2.0	28'1"	0'1"		



**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS**

DATE: 1-31-2023

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'8"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'9"		
MW-36	3.0	42'	21'4"		
MW-37	3.0	39'3"	19'7"		
MW-40	3.0	29'7"	17'1"		
MW-41	3.0	77'	54'2"		
MW-51	3.0	65'5"	52'1"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	51'2"		
MW-73	2.0	28'	16'7"		VZ-4
MW-74	3.0	33'	25'9"		
VZ-1	2.0	27'	5'8"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'7"		MW-73
VZ-5	2.0	32'6"	16'6"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	22'2"		
MH-69	2.0	28'1"	0'1"		





**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS WASH OUT**

DATE: 1-1-23

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	POLY	14'7"	0'8'		
WS-2	POLY	14'7"	0'7'		
WS-3	POLY	14'7"	0'6"		
WS-4	POLY	14'7"	1'6"		
WS-5	POLY	23'6"	14'8"		
WS-6	POLY	8'0"	0'1'		



### SUNDANCE SERVICES WEST, INC.

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590

Box 1737 Eunice, New Mexico 88231

1001 6<sup>th</sup> Street P.O.

PARABO DISPOSAL FACILITY

www.sundanceservices.com

www.sundanceservices.net

www.sundanceservices.org

#### MONITOR WELLS WASH OUT

DATE: 1-2-23

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	POLY	14'7"	0'8"		
WS-2	POLY	14'7"	0'6"		
WS-3	POLY	14'7"	0'8"		
WS-4	POLY	14'7"	1'8"		
WS-5	POLY	23'6"	14'7"		
WS-6	POLY	8'0"	0'1"		



### SUNDANCE SERVICES WEST, INC.

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

#### MONITOR WELLS WASH OUT

DATE: 1-3-23

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	POLY	14'7"	0'9"		
WS-2	POLY	14'7"	0'7"		
WS-3	POLY	14'7"	0'8"		
WS-4	POLY	14'7"	1'9"		
WS-5	POLY	23'6"	14'7"		
WS-6	POLY	8'0"	0'0"		



### SUNDANCE SERVICES WEST, INC.

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

#### MONITOR WELLS WASH OUT

DATE: 1-4-23

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	Poly	14'7"	0'9"		
WS-2	Poly	14'7"	0'8"		
WS-3	Poly	14'7"	0'8"		
WS-4	Poly	14'7"	1'9"		
WS-5	Poly	23'6"	14'9"		
WS-6	Poly	8'0"	0'0"		



### SUNDANCE SERVICES WEST, INC.

ROLL-OFF BOXES    ROLL-OFF TRUCKS    DUMP TRUCKS    VACUUM TRUCKS

Main Office: 575-394-2511    Plant Office: 575-394-3212    Fax: 575-394-2590    1001 6<sup>th</sup> Street    P.O.  
 Box 1737    Eunice, New Mexico 88231

PARABO DISPOSAL FACILITY

www.sundanceservices.com    www.sundanceservices.net    www.sundanceservices.org

#### MONITOR WELLS WASH OUT

DATE: 1-5-23

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	POLY	14'7"	0'8"		
WS-2	POLY	14'7"	0'9"		
WS-3	POLY	14'7"	0'7"		
WS-4	POLY	14'7"	1'8"		
WS-5	POLY	23'6"	14'7"		
WS-6	POLY	8'0"	0'0"		





### SUNDANCE SERVICES WEST, INC.

ROLL-OFF BOXES    ROLL-OFF TRUCKS    DUMP TRUCKS    VACUUM TRUCKS

Main Office: 575-394-2511    Plant Office: 575-394-3212    Fax: 575-394-2590    1001 6<sup>th</sup> Street    P.O.  
 Box 1737    Eunice, New Mexico 88231

**PARABO DISPOSAL FACILITY**

www.sundanceservices.com    www.sundanceservices.net    www.sundanceservices.org

#### MONITOR WELLS WASH OUT

DATE: 1-6-23

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	POLY	14'7"	0'9"		
WS-2	POLY	14'7"	0'7"		
WS-3	POLY	14'7"	0'8"		
WS-4	POLY	14'7"	1'9"		
WS-5	POLY	23'6"	14'7"		
WS-6	POLY	8'0"	0'0"		



### SUNDANCE SERVICES WEST, INC.

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

#### MONITOR WELLS WASH OUT

DATE: 1-7-23

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	Poly	14'7"	0'8"		
WS-2	Poly	14'7"	0'7"		
WS-3	Poly	14'7"	0'9"		
WS-4	Poly	14'7"	1'8"		
WS-5	Poly	23'6"	14'5"		
WS-6	Poly	8'0"	0'1"		



### SUNDANCE SERVICES WEST, INC.

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

#### MONITOR WELLS WASH OUT

DATE: 1-8-23

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	POLY	14'7"	0'7"		
WS-2	POLY	14'7"	0'8"		
WS-3	POLY	14'7"	0'9"		
WS-4	POLY	14'7"	1'7"		
WS-5	POLY	23'6"	14'6"		
WS-6	POLY	8'0"	0'1"		



**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS WASH OUT**

DATE: 1-9-23

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	POLY	14'7"	0'8"		
WS-2	POLY	14'7"	0'7"		
WS-3	POLY	14'7"	0'8"		
WS-4	POLY	14'7"	1'9"		
WS-5	POLY	23'6"	14'7"		
WS-6	POLY	8'0"	0'1"		



### SUNDANCE SERVICES WEST, INC.

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS

Main Office: 575-394-2511

Plant Office: 575-394-3212

Fax: 575-394-2590

Box 1737 Eunice, New Mexico 88231

1001 6<sup>th</sup> Street

P.O.

PARABO DISPOSAL FACILITY

[www.sundanceservices.com](http://www.sundanceservices.com)

[www.sundanceservices.net](http://www.sundanceservices.net)

[www.sundanceservices.org](http://www.sundanceservices.org)

#### MONITOR WELLS WASH OUT

DATE: 1-10-23

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	POLY	14'7"	0'9"		
WS-2	POLY	14'7"	0'7"		
WS-3	POLY	14'7"	0'8"		
WS-4	POLY	14'7"	1'8"		
WS-5	POLY	23'6"	14'6"		
WS-6	POLY	8'0"	0'1"		





### SUNDANCE SERVICES WEST, INC.

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS

Main Office: 575-394-2511

Plant Office: 575-394-3212

Fax: 575-394-2590

Box 1737

Eunice, New Mexico 88231

1001 6<sup>th</sup> Street

P.O.

PARABO DISPOSAL FACILITY

[www.sundanceservices.com](http://www.sundanceservices.com)

[www.sundanceservices.net](http://www.sundanceservices.net)

[www.sundanceservices.org](http://www.sundanceservices.org)

#### MONITOR WELLS WASH OUT

DATE: 1-11-23

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	POLY	14'7"	0'9"		
WS-2	POLY	14'7"	0'7"		
WS-3	POLY	14'7"	0'8"		
WS-4	POLY	14'7"	1'9"		
WS-5	POLY	23'6"	14'7"		
WS-6	POLY	8'0"	0'1"		



**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceervices.com www.sundanceervices.net www.sundanceervices.org

**MONITOR WELLS WASH OUT**

DATE: 1-12-23

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	POLY	14'7"	0'8"		
WS-2	POLY	14'7"	0'6"		
WS-3	POLY	14'7"	0'7"		
WS-4	POLY	14'7"	1'8"		
WS-5	POLY	23'6"	14'6"		
WS-6	POLY	8'0"	0'1"		



### SUNDANCE SERVICES WEST, INC.

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

#### MONITOR WELLS WASH OUT

DATE: 1-13-23

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	POLY	14'7"	0'8"		
WS-2	POLY	14'7"	0'6"		
WS-3	POLY	14'7"	0'7"		
WS-4	POLY	14'7"	1'9"		
WS-5	POLY	23'6"	14'7"		
WS-6	POLY	8'0"	0'1"		



### SUNDANCE SERVICES WEST, INC.

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

#### MONITOR WELLS WASH OUT

DATE: 1-14-23

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	POLY	14'7"	0'8"		
WS-2	POLY	14'7"	0'6"		
WS-3	POLY	14'7"	0'7"		
WS-4	POLY	14'7"	1'8"		
WS-5	POLY	23'6"	14'7"		
WS-6	POLY	8'0"	0'1"		



### SUNDANCE SERVICES WEST, INC.

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590  
Box 1737 Eunice, New Mexico 88231

1001 6<sup>th</sup> Street P.O.

PARABO DISPOSAL FACILITY

www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

#### MONITOR WELLS WASH OUT

DATE: 1-15-23

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	POLY	14'7"	0'8"		
WS-2	POLY	14'7"	0'6"		
WS-3	POLY	14'7"	0'7"		
WS-4	POLY	14'7"	1'9"		
WS-5	POLY	23'6"	14'7"		
WS-6	POLY	8'0"	0'1"		





### SUNDANCE SERVICES WEST, INC.

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

#### MONITOR WELLS WASH OUT

DATE: 1-16-23

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	POLY	14'7"	0'8"		
WS-2	POLY	14'7"	0'7"		
WS-3	POLY	14'7"	0'6"		
WS-4	POLY	14'7"	1'9"		
WS-5	POLY	23'6"	14'6"		
WS-6	POLY	8'0"	0'0"		



**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS

Main Office: 575-394-2511

Plant Office: 575-394-3212

Fax: 575-394-2590

1001 6<sup>th</sup> Street

P.O.

Box 1737 Eunice, New Mexico 88231

**PARABO DISPOSAL FACILITY**

www.sundanceservices.com

www.sundanceservices.net

www.sundanceservices.org

**MONITOR WELLS WASH OUT**

DATE: 1-17-23

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	POLY	14'7"	0'8"		
WS-2	POLY	14'7"	0'7"		
WS-3	POLY	14'7"	0'6"		
WS-4	POLY	14'7"	1'9"		
WS-5	POLY	23'6"	14'7"		
WS-6	POLY	8'0"	0'0"		



### SUNDANCE SERVICES WEST, INC.

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

#### MONITOR WELLS WASH OUT

DATE: 1-18-23

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	POLY	14'7"	0'8"		
WS-2	POLY	14'7"	0'7"		
WS-3	POLY	14'7"	0'8"		
WS-4	POLY	14'7"	1'9"		
WS-5	POLY	23'6"	14'6"		
WS-6	POLY	8'0"	0'1"		



**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590

Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**

1001 6<sup>th</sup> Street P.O.

www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS WASH OUT**

DATE: 1-19-23

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	Poly	14'7"	0'9"		
WS-2	Poly	14'7"	0'8"		
WS-3	Poly	14'7"	0'7"		
WS-4	Poly	14'7"	1'9"		
WS-5	Poly	23'6"	14'7"		
WS-6	Poly	8'0"	0'1"		



### SUNDANCE SERVICES WEST, INC.

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS

Main Office: 575-394-2511

Plant Office: 575-394-3212

Fax: 575-394-2590

1001 6<sup>th</sup> Street

P.O.

Box 1737

Eunice, New Mexico 88231

PARABO DISPOSAL FACILITY

www.sundanceservices.com

www.sundanceservices.net

www.sundanceservices.org

#### MONITOR WELLS WASH OUT

DATE: 1-20-23

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	POLY	14'7"	0'9"		
WS-2	POLY	14'7"	0'7"		
WS-3	POLY	14'7"	0'8"		
WS-4	POLY	14'7"	1'7"		
WS-5	POLY	23'6"	14'8"		
WS-6	POLY	8'0"	0'1"		





### SUNDANCE SERVICES WEST, INC.

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

#### MONITOR WELLS WASH OUT

DATE: 1-21-23

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	POLY	14'7"	0'8"		
WS-2	POLY	14'7"	0'6"		
WS-3	POLY	14'7"	0'9"		
WS-4	POLY	14'7"	1'8"		
WS-5	POLY	23'6"	14'6"		
WS-6	POLY	8'0"	0'0"		



### SUNDANCE SERVICES WEST, INC.

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

#### MONITOR WELLS WASH OUT

DATE: 1-22-23

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	POLY	14'7"	0'8"		
WS-2	POLY	14'7"	0'7"		
WS-3	POLY	14'7"	0'9"		
WS-4	POLY	14'7"	1'9"		
WS-5	POLY	23'6"	14'7"		
WS-6	POLY	8'0"	0'0"		



**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS

Main Office: 575-394-2511

Plant Office: 575-394-3212

Fax: 575-394-2590

1001 6<sup>th</sup> Street

P.O.

Box 1737 Eunice, New Mexico 88231

PARABO DISPOSAL FACILITY

www.sundanceservices.com

www.sundanceservices.net

www.sundanceservices.org

**MONITOR WELLS WASH OUT**

DATE: 1-23-23

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	POLY	14'7"	0'8"		
WS-2	POLY	14'7"	0'7"		
WS-3	POLY	14'7"	0'9"		
WS-4	POLY	14'7"	1'9"		
WS-5	POLY	23'6"	14'9"		
WS-6	POLY	8'0"	0'1"		



**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS

Main Office: 575-394-2511

Plant Office: 575-394-3212

Fax: 575-394-2590

Box 1737

Eunice, New Mexico 88231

1001 6<sup>th</sup> Street

P.O.

**PARABO DISPOSAL FACILITY**

www.sundanceservices.com

www.sundanceservices.net

www.sundanceservices.org

**MONITOR WELLS WASH OUT**

DATE: 1-24-23

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	POLY	14'7"	0'9"		
WS-2	POLY	14'7"	0'7"		
WS-3	POLY	14'7"	0'9"		
WS-4	POLY	14'7"	1'8"		
WS-5	POLY	23'6"	14'7"		
WS-6	POLY	8'0"	0'1"		



### SUNDANCE SERVICES WEST, INC.

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590  
Box 1737 Eunice, New Mexico 88231

1001 6<sup>th</sup> Street P.O.

PARABO DISPOSAL FACILITY

www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

#### MONITOR WELLS WASH OUT

DATE: 1-25-23

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	POLY	14'7"	0'9"		
WS-2	POLY	14'7"	0'7"		
WS-3	POLY	14'7"	0'8"		
WS-4	POLY	14'7"	1'9"		
WS-5	POLY	23'6"	14'5"		
WS-6	POLY	8'0"	0'1"		





### SUNDANCE SERVICES WEST, INC.

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590  
Box 1737 Eunice, New Mexico 88231

1001 6<sup>th</sup> Street P.O.

PARABO DISPOSAL FACILITY

www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

#### MONITOR WELLS WASH OUT

DATE: 1-26-23

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	POLY	14'7"	0'9"		
WS-2	POLY	14'7"	0'7"		
WS-3	POLY	14'7"	0'8"		
WS-4	POLY	14'7"	1'7"		
WS-5	POLY	23'6"	14'7"		
WS-6	POLY	8'0"	0'1"		



### SUNDANCE SERVICES WEST, INC.

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590

Box 1737 Eunice, New Mexico 88231

1001 6<sup>th</sup> Street P.O.

PARABO DISPOSAL FACILITY

www.sundanceservices.com

www.sundanceservices.net

www.sundanceservices.org

#### MONITOR WELLS WASH OUT

DATE: 1-27-23

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	POLY	14'7"	0'9"		
WS-2	POLY	14'7"	0'7"		
WS-3	POLY	14'7"	0'8"		
WS-4	POLY	14'7"	1'8"		
WS-5	POLY	23'6"	14'7"		
WS-6	POLY	8'0"	0'1"		



### SUNDANCE SERVICES WEST, INC.

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590

Box 1737 Eunice, New Mexico 88231

1001 6<sup>th</sup> Street P.O.

PARABO DISPOSAL FACILITY

[www.sundanceservices.com](http://www.sundanceservices.com)

[www.sundanceservices.net](http://www.sundanceservices.net)

[www.sundanceservices.org](http://www.sundanceservices.org)

#### MONITOR WELLS WASH OUT

DATE: 1-28-23

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	POLY	14'7"	0'9"		
WS-2	POLY	14'7"	0'6"		
WS-3	POLY	14'7"	0'7"		
WS-4	POLY	14'7"	1'9"		
WS-5	POLY	23'6"	14'7"		
WS-6	POLY	8'0"	0'1"		



### SUNDANCE SERVICES WEST, INC.

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590

Box 1737 Eunice, New Mexico 88231

1001 6<sup>th</sup> Street P.O.

PARABO DISPOSAL FACILITY

www.sundanceservices.com

www.sundanceservices.net

www.sundanceservices.org

#### MONITOR WELLS WASH OUT

DATE: 1-29-23

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	POLY	14'7"	0'9"		
WS-2	POLY	14'7"	0'7"		
WS-3	POLY	14'7"	0'6"		
WS-4	POLY	14'7"	1'6"		
WS-5	POLY	23'6"	14'6"		
WS-6	POLY	8'0"	0'0"		



### SUNDANCE SERVICES WEST, INC.

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceervices.com www.sundanceervices.net www.sundanceervices.org

#### MONITOR WELLS WASH OUT

DATE: 1-30-23

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	POLY	14'7"	0'7"		
WS-2	POLY	14'7"	0'8"		
WS-3	POLY	14'7"	0'6"		
WS-4	POLY	14'7"	1'7"		
WS-5	POLY	23'6"	14'5"		
WS-6	POLY	8'0"	0'0"		





### SUNDANCE SERVICES WEST, INC.

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

#### MONITOR WELLS WASH OUT

DATE: 1-31-23

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	POLY	14'7"	0'7"		
WS-2	POLY	14'7"	0'9"		
WS-3	POLY	14'7"	0'6"		
WS-4	POLY	14'7"	1'8"		
WS-5	POLY	23'6"	14'6"		
WS-6	POLY	8'0"	0'1"		

Monthly Inspection Form  
Sundance West

Date: 1- / 1-31 / 2023  
Others: \_\_\_\_\_

Print Name: Deja Roman  
Signature: \_\_\_\_\_

Item		Satisfactory	Action Required
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)	D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)	D	✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)	D	✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)	D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)	D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)	D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)	D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)	D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)	D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)	D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)	D	✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)	D	✓	
Pond levels three-foot free board	D	✓	
Landfill Inspection (Vol. II - Sec.7.1 - Pg.40)	W	✓	
Leak Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)	W	✓	
Current Disposal Location (Vol. II - Sec.7.2 - Pg.40)	W	✓	
Prsence of Free Liquids (Vol. II - Sec.7.3 - Pg.34)	W	✓	
Intermediate Cover Condition (Vol. II - Sec.7.3 - Pg.41)	W	✓	
Process Area Inspection (Vol. II - Sec.7.1 - Pg.40)	W	✓	
Jet-Out Leak Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)	W	✓	
Process Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)	W	✓	
Evaporation Pond Sumps (Vol. II - Sec.7.3.2 - Pg.42)	W	✓	
Treatment Plant Inspection (Vol. II - Sec.7.3.4 - Pg.44)	W	✓	
Vadose Zone Water Level Monitoring (Vol. II - Sec.6.8 - Pg.39)	M	✓	
Intermediate Landfill Cover (Vol. II -ATT II.1.G - - Sec 2.1- Pg.86)	M	✓	
Landfill Leachate Sump Measured (Vol. II Section 9-Subsect 3.0- Pg.336)	M	✓	

Monthly Inspection Form  
Sundance West

Date: 2/1-28/23

Print Name: Deysi Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

Item		Satisfactory	Action Required
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)	D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)	D	✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)	D	✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)	D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)	D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)	D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)	D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)	D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)	D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)	D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)	D	✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)	D	✓	
Pond levels three-foot free board	D	✓	
Landfill Inspection (Vol. II - Sec.7.1 - Pg.40)	W	✓	
Leak Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)	W	✓	
Current Disposal Location (Vol. II - Sec.7.2 - Pg.40)	W	✓	
Prsence of Free Liquids (Vol. II - Sec.7.3 - Pg.34)	W	✓	
Intermediate Cover Condition (Vol. II - Sec.7.3 - Pg.41)	W	✓	
Process Area Inspection (Vol. II - Sec.7.1 - Pg.40)	W	✓	
Jet-Out Leak Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)	W	✓	
Process Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)	W	✓	
Evaporation Pond Sumps (Vol. II - Sec.7.3.2 - Pg.42)	W	✓	
Treatment Plant Inspection (Vol. II - Sec.7.3.4 - Pg.44)	W	✓	
Vadose Zone Water Level Monitoring (Vol. II - Sec.6.8 - Pg.39)	M	✓	
Intermediate Landfill Cover (Vol. II -ATT II.1.G - - Sec 2.1- Pg.86)	M	✓	
Landfill Leachate Sump Measured (Vol. II Section 9-Subsect 3.0- Pg.336)	M	✓	



Monthly Inspection Form  
Sundance West

Date: 3/1-31/23  
Others: \_\_\_\_\_

Print Name: Deysi Romero  
Signature: \_\_\_\_\_

Item		Satisfactory	Action Required
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)	D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)	D	✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)	D	✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)	D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)	D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)	D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)	D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)	D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)	D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)	D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)	D	✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)	D	✓	
Pond levels three-foot free board	D	✓	
Landfill Inspection (Vol. II - Sec.7.1 - Pg.40)	W	✓	
Leak Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)	W	✓	
Current Disposal Location (Vol. II - Sec.7.2 - Pg.40)	W	✓	
Prsence of Free Liquids (Vol. II - Sec.7.3 - Pg.34)	W	✓	
Intermediate Cover Condition (Vol. II - Sec.7.3 - Pg.41)	W	✓	
Process Area Inspection (Vol. II - Sec.7.1 - Pg.40)	W	✓	
Jet-Out Leak Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)	W	✓	
Process Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)	W	✓	
Evaporation Pond Sumps (Vol. II - Sec.7.3.2 - Pg.42)	W	✓	
Treatment Plant Inspection (Vol. II - Sec.7.3.4 - Pg.44)	W	✓	
Vadose Zone Water Level Monitoring (Vol. II - Sec.6.8 - Pg.39)	M	✓	
Intermediate Landfill Cover (Vol. II -ATT II.1.G - - Sec 2.1- Pg.86)	M	✓	
Landfill Leachate Sump Measured (Vol. II Section 9-Subsect 3.0- Pg.336)	M	✓	

Monthly Inspection Form  
Sundance West

Date: 4-1/4-30/23

Print Name:

Others: \_\_\_\_\_

Signature:

David Romero

Item		Satisfactory	Action Required
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)	D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)	D	✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)	D	✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)	D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)	D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)	D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)	D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)	D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)	D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)	D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)	D	✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)	D	✓	
Pond levels three-foot free board	D	✓	
Landfill Inspection (Vol. II - Sec.7.1 - Pg.40)	W	✓	
Leak Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)	W	✓	
Current Disposal Location (Vol. II - Sec.7.2 - Pg.40)	W	✓	
Prsence of Free Liquids (Vol. II - Sec.7.3 - Pg.34)	W	✓	
Intermediate Cover Condition (Vol. II - Sec.7.3 - Pg.41)	W	✓	
Process Area Inspection (Vol. II - Sec.7.1 - Pg.40)	W	✓	
Jet-Out Leak Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)	W	✓	
Process Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)	W	✓	
Evaporation Pond Sumps (Vol. II - Sec.7.3.2 - Pg.42)	W	✓	
Treatment Plant Inspection (Vol. II - Sec.7.3.4 - Pg.44)	W	✓	
Vadose Zone Water Level Monitoring (Vol. II - Sec.6.8 - Pg.39)	M	✓	
Intermediate Landfill Cover (Vol. II -ATT II.1.G - - Sec 2.1- Pg.86)	M	✓	
Landfill Leachate Sump Measured (Vol. II Section 9-Subsect 3.0- Pg.336)	M	✓	



Monthly Inspection Form  
Sundance West

Date: 5 / 1-31 / 23  
Others: \_\_\_\_\_

Print Name: Deysi Romero  
Signature: \_\_\_\_\_

Item		Satisfactory	Action Required
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)	D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)	D	✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)	D	✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)	D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)	D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)	D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)	D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)	D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)	D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)	D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)	D	✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)	D	✓	
Pond levels three-foot free board	D	✓	
Landfill Inspection (Vol. II - Sec.7.1 - Pg.40)	W	✓	
Leak Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)	W	✓	
Current Disposal Location (Vol. II - Sec.7.2 - Pg.40)	W	✓	
Prsence of Free Liquids (Vol. II - Sec.7.3 - Pg.34)	W	✓	
Intermediate Cover Condition (Vol. II - Sec.7.3 - Pg.41)	W	✓	
Process Area Inspection (Vol. II - Sec.7.1 - Pg.40)	W	✓	
Jet-Out Leak Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)	W	✓	
Process Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)	W	✓	
Evaporation Pond Sumps (Vol. II - Sec.7.3.2 - Pg.42)	W	✓	
Treatment Plant Inspection (Vol. II - Sec.7.3.4 - Pg.44)	W	✓	
Vadose Zone Water Level Monitoring (Vol. II - Sec.6.8 - Pg.39)	M	✓	
Intermediate Landfill Cover (Vol. II -ATT II.1.G - - Sec 2.1- Pg.86)	M	✓	
Landfill Leachate Sump Measured (Vol. II Section 9-Subsect 3.0- Pg.336)	M	✓	

Monthly Inspection Form  
Sundance West

Date: JUN 1-30-23  
Others: \_\_\_\_\_

Print Name: Deysi Romero  
Signature: \_\_\_\_\_

Item		Satisfactory	Action Required
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)	D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)	D	✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)	D	✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)	D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)	D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)	D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)	D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)	D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)	D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)	D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)	D	✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)	D	✓	
Pond levels three-foot free board	D	✓	
Landfill Inspection (Vol. II - Sec.7.1 - Pg.40)	W	✓	
Leak Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)	W	✓	
Current Disposal Location (Vol. II - Sec.7.2 - Pg.40)	W	✓	
Prsence of Free Liquids (Vol. II - Sec.7.3 - Pg.34)	W	✓	
Intermediate Cover Condition (Vol. II - Sec.7.3 - Pg.41)	W	✓	
Process Area Inspection (Vol. II - Sec.7.1 - Pg.40)	W	✓	
Jet-Out Leak Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)	W	✓	
Process Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)	W	✓	
Evaporation Pond Sumps (Vol. II - Sec.7.3.2 - Pg.42)	W	✓	
Treatment Plant Inspection (Vol. II - Sec.7.3.4 - Pg.44)	W	✓	
Vadose Zone Water Level Monitoring (Vol. II - Sec.6.8 - Pg.39)	M	✓	
Intermediate Landfill Cover (Vol. II -ATT II.1.G - - Sec 2.1- Pg.86)	M	✓	
Landfill Leachate Sump Measured (Vol. II Section 9-Subsect 3.0- Pg.336)	M	✓	



Monthly Inspection Form  
Sundance West

Date: July - 1 - 31 - 23

Print Name: Daisy Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

Item		Satisfactory	Action Required
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)	D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)	D	✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)	D	✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)	D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)	D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)	D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)	D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)	D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)	D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)	D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)	D	✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)	D	✓	
Pond levels three-foot free board	D	✓	
Landfill Inspection (Vol. II - Sec.7.1 - Pg.40)	W	✓	
Leak Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)	W	✓	
Current Disposal Location (Vol. II - Sec.7.2 - Pg.40)	W	✓	
Prsence of Free Liquids (Vol. II - Sec.7.3 - Pg.34)	W	✓	
Intermediate Cover Condition (Vol. II - Sec.7.3 - Pg.41)	W	✓	
Process Area Inspection (Vol. II - Sec.7.1 - Pg.40)	W	✓	
Jet-Out Leak Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)	W	✓	
Process Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)	W	✓	
Evaporation Pond Sumps (Vol. II - Sec.7.3.2 - Pg.42)	W	✓	
Treatment Plant Inspection (Vol. II - Sec.7.3.4 - Pg.44)	W	✓	
Vadose Zone Water Level Monitoring (Vol. II - Sec.6.8 - Pg.39)	M	✓	
Intermediate Landfill Cover (Vol. II -ATT II.1.G - - Sec 2.1- Pg.86)	M	✓	
Landfill Leachate Sump Measured (Vol. II Section 9-Subsect 3.0- Pg.336)	M	✓	

**Monthly Inspection Form  
Sundance West**

Date: AUG 1-31-23

Print Name: Deysi Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

Item		Satisfactory	Action Required
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)	D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)	D	✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)	D	✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)	D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)	D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)	D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)	D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)	D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)	D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)	D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)	D	✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)	D	✓	
Pond levels three-foot free board	D	✓	
Landfill Inspection (Vol. II - Sec.7.1 - Pg.40)	W	✓	
Leak Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)	W	✓	
Current Disposal Location (Vol. II - Sec.7.2 - Pg.40)	W	✓	
Prsence of Free Liquids (Vol. II - Sec.7.3 - Pg.34)	W	✓	
Intermediate Cover Condition (Vol. II - Sec.7.3 - Pg.41)	W	✓	
Process Area Inspection (Vol. II - Sec.7.1 - Pg.40)	W	✓	
Jet-Out Leak Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)	W	✓	
Process Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)	W	✓	
Evaporation Pond Sumps (Vol. II - Sec.7.3.2 - Pg.42)	W	✓	
Treatment Plant Inspection (Vol. II - Sec.7.3.4 - Pg.44)	W	✓	
Vadose Zone Water Level Monitoring (Vol. II - Sec.6.8 - Pg.39)	M	✓	
Intermediate Landfill Cover (Vol. II -ATT II.1.G - - Sec 2.1- Pg.86)	M	✓	
Landfill Leachate Sump Measured (Vol. II Section 9-Subsect 3.0- Pg.336)	M	✓	



**Monthly Inspection Form  
Sundance West**

Date:

SEP 1-30-23

Print Name:

Daisy Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

Item		Satisfactory	Action Required
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)	D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)	D	✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)	D	✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)	D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)	D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)	D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)	D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)	D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)	D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)	D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)	D	✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)	D	✓	
Pond levels three-foot free board	D	✓	
Landfill Inspection (Vol. II - Sec.7.1 - Pg.40)	W	✓	
Leak Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)	W	✓	
Current Disposal Location (Vol. II - Sec.7.2 - Pg.40)	W	✓	
Prsence of Free Liquids (Vol. II - Sec.7.3 - Pg.34)	W	✓	
Intermediate Cover Condition (Vol. II - Sec.7.3 - Pg.41)	W	✓	
Process Area Inspection (Vol. II - Sec.7.1 - Pg.40)	W	✓	
Jet-Out Leak Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)	W	✓	
Process Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)	W	✓	
Evaporation Pond Sumps (Vol. II - Sec.7.3.2 - Pg.42)	W	✓	
Treatment Plant Inspection (Vol. II - Sec.7.3.4 - Pg.44)	W	✓	
Vadose Zone Water Level Monitoring (Vol. II - Sec.6.8 - Pg.39)	M	✓	
Intermediate Landfill Cover (Vol. II -ATT II.1.G - - Sec 2.1- Pg.86)	M	✓	
Landfill Leachate Sump Measured (Vol. II Section 9-Subsect 3.0- Pg.336)	M	✓	



**Monthly Inspection Form  
Sundance West**

Date: OCTOBER 2023Print Name: Daisy Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

Item		Satisfactory	Action Required
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)	D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)	D	✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)	D	✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)	D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)	D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)	D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)	D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)	D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)	D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)	D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)	D	✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)	D	✓	
Pond levels three-foot free board	D	✓	
Landfill Inspection (Vol. II - Sec.7.1 - Pg.40)	W	✓	
Leak Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)	W	✓	
Current Disposal Location (Vol. II - Sec.7.2 - Pg.40)	W	✓	
Prsence of Free Liquids (Vol. II - Sec.7.3 - Pg.34)	W	✓	
Intermediate Cover Condition (Vol. II - Sec.7.3 - Pg.41)	W	✓	
Process Area Inspection (Vol. II - Sec.7.1 - Pg.40)	W	✓	
Jet-Out Leak Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)	W	✓	
Process Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)	W	✓	
Evaporation Pond Sumps (Vol. II - Sec.7.3.2 - Pg.42)	W	✓	
Treatment Plant Inspection (Vol. II - Sec.7.3.4 - Pg.44)	W	✓	
Vadose Zone Water Level Monitoring (Vol. II - Sec.6.8 - Pg.39)	M	✓	
Intermediate Landfill Cover (Vol. II -ATT II.1.G - - Sec 2.1- Pg.86)	M	✓	
Landfill Leachate Sump Measured (Vol. II Section 9-Subsect 3.0- Pg.336)	M	✓	

**Monthly Inspection Form**  
**Sundance West**

Date: Nov 1-30-23

Print Name: David Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

Item		Satisfactory	Action Required
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)	D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)	D	✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)	D	✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)	D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)	D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)	D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)	D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)	D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)	D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)	D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)	D	✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)	D	✓	
Pond levels three-foot free board	D	✓	
Landfill Inspection (Vol. II - Sec.7.1 - Pg.40)	W	✓	
Leak Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)	W	✓	
Current Disposal Location (Vol. II - Sec.7.2 - Pg.40)	W	✓	
Prsence of Free Liquids (Vol. II - Sec.7.3 - Pg.34)	W	✓	
Intermediate Cover Condition (Vol. II - Sec.7.3 - Pg.41)	W	✓	
Process Area Inspection (Vol. II - Sec.7.1 - Pg.40)	W	✓	
Jet-Out Leak Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)	W	✓	
Process Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)	W	✓	
Evaporation Pond Sumps (Vol. II - Sec.7.3.2 - Pg.42)	W	✓	
Treatment Plant Inspection (Vol. II - Sec.7.3.4 - Pg.44)	W	✓	
Vadose Zone Water Level Monitoring (Vol. II - Sec.6.8 - Pg.39)	M	✓	
Intermediate Landfill Cover (Vol. II -ATT II.1.G -- Sec 2.1- Pg.86)	M	✓	
Landfill Leachate Sump Measured (Vol. II Section 9-Subsect 3.0- Pg.336)	M	✓	



Monthly Inspection Form  
Sundance West

Date: Dec 1-31-2023  
Others: \_\_\_\_\_

Print Name: Deysi Romero  
Signature: \_\_\_\_\_

Item		Satisfactory	Action Required
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)	D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)	D	✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)	D	✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)	D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)	D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)	D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)	D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)	D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)	D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)	D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)	D	✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)	D	✓	
Pond levels three-foot free board	D	✓	
Landfill Inspection (Vol. II - Sec.7.1 - Pg.40)	W	✓	
Leak Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)	W	✓	
Current Disposal Location (Vol. II - Sec.7.2 - Pg.40)	W	✓	
Prsence of Free Liquids (Vol. II - Sec.7.3 - Pg.34)	W	✓	
Intermediate Cover Condition (Vol. II - Sec.7.3 - Pg.41)	W	✓	
Process Area Inspection (Vol. II - Sec.7.1 - Pg.40)	W	✓	
Jet-Out Leak Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)	W	✓	
Process Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)	W	✓	
Evaporation Pond Sumps (Vol. II - Sec.7.3.2 - Pg.42)	W	✓	
Treatment Plant Inspection (Vol. II - Sec.7.3.4 - Pg.44)	W	✓	
Vadose Zone Water Level Monitoring (Vol. II - Sec.6.8 - Pg.39)	M	✓	
Intermediate Landfill Cover (Vol. II -ATT II.1.G - - Sec 2.1- Pg.86)	M	✓	
Landfill Leachate Sump Measured (Vol. II Section 9-Subsect 3.0- Pg.336)	M	✓	

Weekly Inspection Form  
Sundance West

Date: 1/7 - 2023

Print Name: Deusi Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

TYPE OF INSPECTION

Daily	Weekly	Monthly	Quarterly	Annual		Satisfactory	Action Required
	<input checked="" type="checkbox"/>						
Item							
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)					D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)					D	✓	
Land fill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)					D	✓	
Land fill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)					D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)					D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)					D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)					D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)					D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)					D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)					D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)					D	✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)					D	✓	
Pond levels three-foot free board					D	✓	
Landfill Inspection (Vol. II - Sec.7.1 - Pg.40)					W	✓	
Leak Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)					W	✓	
Current Disposal Location (Vol. II - Sec.7.2 - Pg.40)					W	✓	
Prsence of Free Liquids (Vol. II - Sec.7.3 - Pg.34)					W	✓	
Intermediate Cover Condition (Vol. II - Sec.7.3 - Pg.41)					W	✓	
Process Area Inspection (Vol. II - Sec.7.1 - Pg.40)					W	✓	
Jet-Out Leak Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)					W	✓	
Process Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)					W	✓	
Evaporation Pond Sumps (Vol. II - Sec.7.3.2 - Pg.42)					W	✓	
Treatment Plant Inspection (Vol. II - Sec.7.3.4 - Pg.44)					W	✓	







Weekly Inspection Form  
Sundance West

Date: 1-15-21-2023

Print Name: Deysi Romo

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

TYPE OF INSPECTION

Daily <input checked="" type="checkbox"/>	Weekly <input type="checkbox"/>	Monthly <input type="checkbox"/>	Quarterly <input type="checkbox"/>	Annual <input type="checkbox"/>		Satisfactory	Action Required
Item							
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)					D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)					D	✓	
Land fill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)					D	✓	
Land fill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)					D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)					D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)					D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)					D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)					D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)					D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)					D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)					D	✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)					D	✓	
Pond levels three-foot free board					D	✓	
Landfill Inspection (Vol. II - Sec.7.1 - Pg.40)					W	✓	
Leak Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)					W	✓	
Current Disposal Location (Vol. II - Sec.7.2 - Pg.40)					W	✓	
Prsence of Free Liquids (Vol. II - Sec.7.3 - Pg.34)					W	✓	
Intermediate Cover Condition (Vol. II - Sec.7.3 - Pg.41)					W	✓	
Process Area Inspection (Vol. II - Sec.7.1 - Pg.40)					W	✓	
Jet-Out Leak Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)					W	✓	
Process Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)					W	✓	
Evaporation Pond Sumps (Vol. II - Sec.7.3.2 - Pg.42)					W	✓	
Treatment Plant Inspection (Vol. II - Sec.7.3.4 - Pg.44)					W	✓	

Weekly Inspection Form  
Sundance West

Date: 1/22-28/2023

Print Name: Deysi Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

TYPE OF INSPECTION

Item	Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual		Satisfactory	Action Required
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)						D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)						D	✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)						D	✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)						D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)						D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)						D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)						D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)						D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)						D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)						D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)						D	✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)						D	✓	
Pond levels three-foot free board						D	✓	
Landfill Inspection (Vol. II - Sec.7.1 - Pg.40)						W	✓	
Leak Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)						W	✓	
Current Disposal Location (Vol. II - Sec.7.2 - Pg.40)						W	✓	
Prsence of Free Liquids (Vol. II - Sec.7.3 - Pg.34)						W	✓	
Intermediate Cover Condition (Vol. II - Sec.7.3 - Pg.41)						W	✓	
Process Area Inspection (Vol. II - Sec.7.1 - Pg.40)						W	✓	
Jet-Out Leak Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)						W	✓	
Process Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)						W	✓	
Evaporation Pond Sumps (Vol. II - Sec.7.3.2 - Pg.42)						W	✓	
Treatment Plant Inspection (Vol. II - Sec.7.3.4 - Pg.44)						W	✓	



Weekly Inspection Form  
Sundance West

Date: 1/29-31/2023

Print Name: Deysi Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

TYPE OF INSPECTION

Daily <input checked="" type="checkbox"/>	Weekly <input type="checkbox"/>	Monthly <input type="checkbox"/>	Quarterly <input type="checkbox"/>	Annual <input type="checkbox"/>		Satisfactory	Action Required
					D	✓	
					D	✓	
					D	✓	
					D	✓	
					D	✓	
					D	✓	
					D	✓	
					D	✓	
					D	✓	
					D	✓	
					D	✓	
					D	✓	
					D	✓	
					D	✓	
					W	✓	
					W	✓	
					W	✓	
					W	✓	
					W	✓	
					W	✓	
					W	✓	
					W	✓	
					W	✓	
					W	✓	
					W	✓	





Weekly Inspection Form  
Sundance West

Date: 2/15-11/23

Print Name: Deysi Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

TYPE OF INSPECTION

Daily	Weekly	Monthly	Quarterly	Annual		Satisfactory	Action Required
	<input checked="" type="checkbox"/>						
<b>Item</b>							
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)					D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)					D	✓	
Land fill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)					D	✓	
Land fill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)					D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)					D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)					D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)					D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)					D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)					D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)					D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)					D	✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)					D	✓	
Pond levels three-foot free board					D	✓	
Landfill Inspection (Vol. II - Sec.7.1 - Pg.40)					W	✓	
Leak Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)					W	✓	
Current Disposal Location (Vol. II - Sec.7.2 - Pg.40)					W	✓	
Prsence of Free Liquids (Vol. II - Sec.7.3 - Pg.34)					W	✓	
Intermediate Cover Condition (Vol. II - Sec.7.3 - Pg.41)					W	✓	
Process Area Inspection (Vol. II - Sec.7.1 - Pg.40)					W	✓	
Jet-Out Leak Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)					W	✓	
Process Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)					W	✓	
Evaporation Pond Sumps (Vol. II - Sec.7.3.2 - Pg.42)					W	✓	
Treatment Plant Inspection (Vol. II - Sec.7.3.4 - Pg.44)					W	✓	



Weekly Inspection Form  
Sundance West

Date: 2/12-18/23

Print Name: Deysi Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

TYPE OF INSPECTION

Daily	Weekly <input checked="" type="checkbox"/>	Monthly	Quarterly	Annual		Satisfactory	Action Required
Item							
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)					D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)					D	✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)					D	✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)					D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)					D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)					D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)					D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)					D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)					D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)					D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)					D	✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)					D	✓	
Pond levels three-foot free board					D	✓	
Landfill Inspection (Vol. II - Sec.7.1 - Pg.40)					W	✓	
Leak Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)					W	✓	
Current Disposal Location (Vol. II - Sec.7.2 - Pg.40)					W	✓	
Prsence of Free Liquids (Vol. II - Sec.7.3 - Pg.34)					W	✓	
Intermediate Cover Condition (Vol. II - Sec.7.3 - Pg.41)					W	✓	
Process Area Inspection (Vol. II - Sec.7.1 - Pg.40)					W	✓	
Jet-Out Leak Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)					W	✓	
Process Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)					W	✓	
Evaporation Pond Sumps (Vol. II - Sec.7.3.2 - Pg.42)					W	✓	
Treatment Plant Inspection (Vol. II - Sec.7.3.4 - Pg.44)					W	✓	

Weekly Inspection Form  
Sundance West

Date: 2/19-25/23  
Others: \_\_\_\_\_

Print Name: Daisy Romero  
Signature: \_\_\_\_\_

TYPE OF INSPECTION

Item	Daily	Weekly	Monthly	Quarterly	Annual		Satisfactory	Action Required
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)		<input checked="" type="checkbox"/>				D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)		<input checked="" type="checkbox"/>				D	✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)		<input checked="" type="checkbox"/>				D	✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)		<input checked="" type="checkbox"/>				D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)		<input checked="" type="checkbox"/>				D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)		<input checked="" type="checkbox"/>				D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)		<input checked="" type="checkbox"/>				D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)		<input checked="" type="checkbox"/>				D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)		<input checked="" type="checkbox"/>				D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)		<input checked="" type="checkbox"/>				D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)		<input checked="" type="checkbox"/>				D	✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)		<input checked="" type="checkbox"/>				D	✓	
Pond levels three-foot free board		<input checked="" type="checkbox"/>				D	✓	
Landfill Inspection (Vol. II - Sec.7.1 - Pg.40)		<input checked="" type="checkbox"/>				W	✓	
Leak Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)		<input checked="" type="checkbox"/>				W	✓	
Current Disposal Location (Vol. II - Sec.7.2 - Pg.40)		<input checked="" type="checkbox"/>				W	✓	
Prsence of Free Liquids (Vol. II - Sec.7.3 - Pg.34)		<input checked="" type="checkbox"/>				W	✓	
Intermediate Cover Condition (Vol. II - Sec.7.3 - Pg.41)		<input checked="" type="checkbox"/>				W	✓	
Process Area Inspection (Vol. II - Sec.7.1 - Pg.40)		<input checked="" type="checkbox"/>				W	✓	
Jet-Out Leak Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)		<input checked="" type="checkbox"/>				W	✓	
Process Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)		<input checked="" type="checkbox"/>				W	✓	
Evaporation Pond Sumps (Vol. II - Sec.7.3.2 - Pg.42)		<input checked="" type="checkbox"/>				W	✓	
Treatment Plant Inspection (Vol. II - Sec.7.3.4 - Pg.44)		<input checked="" type="checkbox"/>				W	✓	



Weekly Inspection Form  
Sundance West

Date: 2/26-28/23  
Others: \_\_\_\_\_

Print Name: Daisy Romero  
Signature: \_\_\_\_\_

TYPE OF INSPECTION

Daily	Weekly <input checked="" type="checkbox"/>	Monthly	Quarterly	Annual		Satisfactory	Action Required
Item							
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)					D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)					D	✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)					D	✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)					D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)					D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)					D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)					D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)					D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)					D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)					D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)					D	✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)					D	✓	
Pond levels three-foot free board					D	✓	
Landfill Inspection (Vol. II - Sec.7.1 - Pg.40)					W	✓	
Leak Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)					W	✓	
Current Disposal Location (Vol. II - Sec.7.2 - Pg.40)					W	✓	
Prsence of Free Liquids (Vol. II - Sec.7.3 - Pg.34)					W	✓	
Intermediate Cover Condition (Vol. II - Sec.7.3 - Pg.41)					W	✓	
Process Area Inspection (Vol. II - Sec.7.1 - Pg.40)					W	✓	
Jet-Out Leak Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)					W	✓	
Process Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)					W	✓	
Evaporation Pond Sumps (Vol. II - Sec.7.3.2 - Pg.42)					W	✓	
Treatment Plant Inspection (Vol. II - Sec.7.3.4 - Pg.44)					W	✓	

Weekly Inspection Form  
Sundance West

Date: 3/1-3/1/2023  
Others: \_\_\_\_\_

Print Name: Daisy Romero  
Signature: \_\_\_\_\_

TYPE OF INSPECTION

Daily	Weekly <input checked="" type="checkbox"/>	Monthly	Quarterly	Annual		Satisfactory	Action Required
Item							
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)					D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)					D	✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)					D	✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)					D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)					D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)					D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)					D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)					D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)					D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)					D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)					D	✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)					D	✓	
Pond levels three-foot free board					D	✓	
Landfill Inspection (Vol. II - Sec.7.1 - Pg.40)					W	✓	
Leak Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)					W	✓	
Current Disposal Location (Vol. II - Sec.7.2 - Pg.40)					W	✓	
Prsence of Free Liquids (Vol. II - Sec.7.3 - Pg.34)					W	✓	
Intermediate Cover Condition (Vol. II - Sec.7.3 - Pg.41)					W	✓	
Process Area Inspection (Vol. II - Sec.7.1 - Pg.40)					W	✓	
Jet-Out Leak Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)					W	✓	
Process Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)					W	✓	
Evaporation Pond Sumps (Vol. II - Sec.7.3.2 - Pg.42)					W	✓	
Treatment Plant Inspection (Vol. II - Sec.7.3.4 - Pg.44)					W	✓	



Weekly Inspection Form  
Sundance West

Date: 3 / 5 - 11 / 23

Print Name: Daysi Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

TYPE OF INSPECTION

Item	Daily	Weekly <input checked="" type="checkbox"/>	Monthly	Quarterly	Annual	Satisfactory	Action Required
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)						D ✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)						D ✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)						D ✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)						D ✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)						D ✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)						D ✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)						D ✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)						D ✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)						D ✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)						D ✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)						D ✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)						D ✓	
Pond levels three-foot free board						D ✓	
Landfill Inspection (Vol. II - Sec.7.1 - Pg.40)						W ✓	
Leak Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)						W ✓	
Current Disposal Location (Vol. II - Sec.7.2 - Pg.40)						W ✓	
Prsence of Free Liquids (Vol. II - Sec.7.3 - Pg.34)						W ✓	
Intermediate Cover Condition (Vol. II - Sec.7.3 - Pg.41)						W ✓	
Process Area Inspection (Vol. II - Sec.7.1 - Pg.40)						W ✓	
Jet-Out Leak Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)						W ✓	
Process Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)						W ✓	
Evaporation Pond Sumps (Vol. II - Sec.7.3.2 - Pg.42)						W ✓	
Treatment Plant Inspection (Vol. II - Sec.7.3.4 - Pg.44)						W ✓	



Weekly Inspection Form  
Sundance West

Date: 3/12-18/23  
Others: \_\_\_\_\_

Print Name: Daisy Romero  
Signature: \_\_\_\_\_

TYPE OF INSPECTION

Daily	Weekly <input checked="" type="checkbox"/>	Monthly	Quarterly	Annual		Satisfactory	Action Required
Item							
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)					D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)					D	✓	
Land fill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)					D	✓	
Land fill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)					D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)					D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)					D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)					D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)					D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)					D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)					D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)					D	✓	
Evaporation Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)					D	✓	
Pond levels three-foot free board					D	✓	
Landfill Inspection (Vol. II - Sec.7.1 - Pg.40)					W	✓	
Leak Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)					W	✓	
Current Disposal Location (Vol. II - Sec.7.2 - Pg.40)					W	✓	
Prsence of Free Liquids (Vol. II - Sec.7.3 - Pg.34)					W	✓	
Intermediate Cover Condition (Vol. II - Sec.7.3 - Pg.41)					W	✓	
Process Area Inspection (Vol. II - Sec.7.1 - Pg.40)					W	✓	
Jet-Out Leak Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)					W	✓	
Process Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)					W	✓	
Evaporation Pond Sumps (Vol. II - Sec.7.3.2 - Pg.42)					W	✓	
Treatment Plant Inspection (Vol. II - Sec.7.3.4 - Pg.44)					W	✓	

Weekly Inspection Form  
Sundance West

Date: 3/19-25/23

Print Name: Deusi Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

TYPE OF INSPECTION

Daily	Weekly <input checked="" type="checkbox"/>	Monthly	Quarterly	Annual		Satisfactory	Action Required
Item							
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)					D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)					D	✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)					D	✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)					D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)					D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)					D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)					D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)					D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)					D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)					D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)					D	✓	
Evaporation Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)					D	✓	
Pond levels three-foot free board					D	✓	
Landfill Inspection (Vol. II - Sec.7.1 - Pg.40)					W	✓	
Leak Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)					W	✓	
Current Disposal Location (Vol. II - Sec.7.2 - Pg.40)					W	✓	
Presence of Free Liquids (Vol. II - Sec.7.3 - Pg.34)					W	✓	
Intermediate Cover Condition (Vol. II - Sec.7.3 - Pg.41)					W	✓	
Process Area Inspection (Vol. II - Sec.7.1 - Pg.40)					W	✓	
Jet-Out Leak Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)					W	✓	
Process Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)					W	✓	
Evaporation Pond Sumps (Vol. II - Sec.7.3.2 - Pg.42)					W	✓	
Treatment Plant Inspection (Vol. II - Sec.7.3.4 - Pg.44)					W	✓	





Weekly Inspection Form  
Sundance West

Date: 4/1-8/23  
Others: \_\_\_\_\_

Print Name: Deysi Romero  
Signature: \_\_\_\_\_

TYPE OF INSPECTION

Daily	Weekly <input checked="" type="checkbox"/>	Monthly	Quarterly	Annual		Satisfactory	Action Required
Item							
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)					D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)					D	✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)					D	✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)					D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)					D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)					D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)					D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)					D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)					D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)					D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)					D	✓	
Evaporation Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)					D	✓	
Pond levels three-foot free board					D	✓	
Landfill Inspection (Vol. II - Sec.7.1 - Pg.40)					W	✓	
Leak Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)					W	✓	
Current Disposal Location (Vol. II - Sec.7.2 - Pg.40)					W	✓	
Presence of Free Liquids (Vol. II - Sec.7.3 - Pg.34)					W	✓	
Intermediate Cover Condition (Vol. II - Sec.7.3 - Pg.41)					W	✓	
Process Area Inspection (Vol. II - Sec.7.1 - Pg.40)					W	✓	
Jet-Out Leak Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)					W	✓	
Process Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)					W	✓	
Evaporation Pond Sumps (Vol. II - Sec.7.3.2 - Pg.42)					W	✓	
Treatment Plant Inspection (Vol. II - Sec.7.3.4 - Pg.44)					W	✓	



Weekly Inspection Form  
Sundance West

Date: 4/9-15/23  
Others: \_\_\_\_\_

Print Name: Deyvi Romero  
Signature: \_\_\_\_\_

TYPE OF INSPECTION

Daily	Weekly <input checked="" type="checkbox"/>	Monthly	Quarterly	Annual		Satisfactory	Action Required
Item							
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)					D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)					D	✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)					D	✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)					D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)					D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)					D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)					D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)					D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)					D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)					D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)					D	✓	
Evaopraton Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)					D	✓	
Pond levels three-foot free board					D	✓	
Landfill Inspection (Vol. II - Sec.7.1 - Pg.40)					W	✓	
Leak Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)					W	✓	
Current Disposal Location (Vol. II - Sec.7.2 - Pg.40)					W	✓	
Prsence of Free Liquids (Vol. II - Sec.7.3 - Pg.34)					W	✓	
Intermediate Cover Condition (Vol. II - Sec.7.3 - Pg.41)					W	✓	
Process Area Inspection (Vol. II - Sec.7.1 - Pg.40)					W	✓	
Jet-Out Leak Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)					W	✓	
Process Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)					W	✓	
Evaporation Pond Sumps (Vol. II - Sec.7.3.2 - Pg.42)					W	✓	
Treatment Plant Inspection (Vol. II - Sec.7.3.4 - Pg.44)					W	✓	









Weekly Inspection Form  
Sundance West

Date: 5/1-6/23

Print Name: Deusi Pomro

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

TYPE OF INSPECTION

Daily	Weekly <input checked="" type="checkbox"/>	Monthly	Quarterly	Annual		Satisfactory	Action Required
Item							
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)					D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)					D	✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)					D	✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)					D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)					D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)					D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)					D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)					D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)					D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)					D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)					D	✓	
Evaporation Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)					D	✓	
Pond levels three-foot free board					D	✓	
Landfill Inspection (Vol. II - Sec.7.1 - Pg.40)					W	✓	
Leak Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)					W	✓	
Current Disposal Location (Vol. II - Sec.7.2 - Pg.40)					W	✓	
Presence of Free Liquids (Vol. II - Sec.7.3 - Pg.34)					W	✓	
Intermediate Cover Condition (Vol. II - Sec.7.3 - Pg.41)					W	✓	
Process Area Inspection (Vol. II - Sec.7.1 - Pg.40)					W	✓	
Jet-Out Leak Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)					W	✓	
Process Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)					W	✓	
Evaporation Pond Sumps (Vol. II - Sec.7.3.2 - Pg.42)					W	✓	
Treatment Plant Inspection (Vol. II - Sec.7.3.4 - Pg.44)					W	✓	

Weekly Inspection Form  
Sundance West

Date: 5/7-13/23  
Others: \_\_\_\_\_

Print Name: Drewl Romero  
Signature: \_\_\_\_\_

TYPE OF INSPECTION

Daily	Weekly <input checked="" type="checkbox"/>	Monthly	Quarterly	Annual		Satisfactory	Action Required
Item							
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)					D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)					D	✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)					D	✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)					D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)					D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)					D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)					D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)					D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)					D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)					D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)					D	✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)					D	✓	
Pond levels three-foot free board					D	✓	
Landfill Inspection (Vol. II - Sec.7.1 - Pg.40)					W	✓	
Leak Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)					W	✓	
Current Disposal Location (Vol. II - Sec.7.2 - Pg.40)					W	✓	
Prsence of Free Liquids (Vol. II - Sec.7.3 - Pg.34)					W	✓	
Intermediate Cover Condition (Vol. II - Sec.7.3 - Pg.41)					W	✓	
Process Area Inspection (Vol. II - Sec.7.1 - Pg.40)					W	✓	
Jet-Out Leak Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)					W	✓	
Process Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)					W	✓	
Evaporation Pond Sumps (Vol. II - Sec.7.3.2 - Pg.42)					W	✓	
Treatment Plant Inspection (Vol. II - Sec.7.3.4 - Pg.44)					W	✓	



Weekly Inspection Form  
Sundance West

Date: 5/14-20/23  
Others: \_\_\_\_\_

Print Name: Daisy Romero  
Signature: \_\_\_\_\_

TYPE OF INSPECTION

Daily	Weekly <input checked="" type="checkbox"/>	Monthly	Quarterly	Annual		Satisfactory	Action Required
Item							
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)					D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)					D	✓	
Land fill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)					D	✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)					D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)					D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)					D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)					D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)					D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)					D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)					D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)					D	✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)					D	✓	
Pond levels three-foot free board					D	✓	
Landfill Inspection (Vol. II - Sec.7.1 - Pg.40)					W	✓	
Leak Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)					W	✓	
Current Disposal Location (Vol. II - Sec.7.2 - Pg.40)					W	✓	
Prsence of Free Liquids (Vol. II - Sec.7.3 - Pg.34)					W	✓	
Intermediate Cover Condition (Vol. II - Sec.7.3 - Pg.41)					W	✓	
Process Area Inspection (Vol. II - Sec.7.1 - Pg.40)					W	✓	
Jet-Out Leak Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)					W	✓	
Process Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)					W	✓	
Evaporation Pond Sumps (Vol. II - Sec.7.3.2 - Pg.42)					W	✓	
Treatment Plant Inspection (Vol. II - Sec.7.3.4 - Pg.44)					W	✓	



Weekly Inspection Form  
Sundance West

Date: 5/21-<sup>31</sup>27/23  
Others: \_\_\_\_\_

Print Name: Deysi Romero  
Signature: \_\_\_\_\_

TYPE OF INSPECTION

Daily	Weekly <input checked="" type="checkbox"/>	Monthly	Quarterly	Annual		Satisfactory	Action Required
					D	✓	
					D	✓	
					D	✓	
					D	✓	
					D	✓	
					D	✓	
					D	✓	
					D	✓	
					D	✓	
					D	✓	
					D	✓	
					D	✓	
					D	✓	
					D	✓	
					D	✓	
					W	✓	
					W	✓	
					W	✓	
					W	✓	
					W	✓	
					W	✓	
					W	✓	
					W	✓	
					W	✓	
					W	✓	
					W	✓	
					W	✓	
					W	✓	







Weekly Inspection Form  
Sundance West

Date: JUN 4-10-23  
Others: \_\_\_\_\_

Print Name: Dawn Romero  
Signature: \_\_\_\_\_

TYPE OF INSPECTION

Daily	Weekly	Monthly	Quarterly	Annual		Satisfactory	Action Required
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
					Item		
					Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)	D ✓	
					Dust Control (Vol. II - Sec.4.3 - Pg.19)	D ✓	
					Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)	D ✓	
					Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)	D ✓	
					Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)	D ✓	
					Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)	D ✓	
					Waste Screening and Forms (Vol. II - Sec 2- Pg.94)	D ✓	
					Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)	D ✓	
					Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)	D ✓	
					Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)	D ✓	
					Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)	D ✓	
					Evaporation Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)	D ✓	
					Pond levels three-foot free board	D ✓	
					Landfill Inspection (Vol. II - Sec.7.1 - Pg.40)	W ✓	
					Leak Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)	W ✓	
					Current Disposal Location (Vol. II - Sec.7.2 - Pg.40)	W ✓	
					Presence of Free Liquids (Vol. II - Sec.7.3 - Pg.34)	W ✓	
					Intermediate Cover Condition (Vol. II - Sec.7.3 - Pg.41)	W ✓	
					Process Area Inspection (Vol. II - Sec.7.1 - Pg.40)	W ✓	
					Jet-Out Leak Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)	W ✓	
					Process Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)	W ✓	
					Evaporation Pond Sumps (Vol. II - Sec.7.3.2 - Pg.42)	W ✓	
					Treatment Plant Inspection (Vol. II - Sec.7.3.4 - Pg.44)	W ✓	



Weekly Inspection Form  
Sundance West

Date: JUN 25 - 30 - 23  
Others: \_\_\_\_\_

Print Name: Dayni Romero  
Signature: \_\_\_\_\_

TYPE OF INSPECTION

Daily	Weekly <input checked="" type="checkbox"/>	Monthly	Quarterly	Annual		Satisfactory	Action Required
Item							
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)					D	/	
Dust Control (Vol. II - Sec.4.3 - Pg.19)					D	/	
Land fill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)					D	/	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)					D	/	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)					D	/	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)					D	/	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)					D	/	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)					D	/	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)					D	/	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)					D	/	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)					D	/	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)					D	/	
Pond levels three-foot free board					D	/	
Landfill Inspection (Vol. II - Sec.7.1 - Pg.40)					W	/	
Leak Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)					W	/	
Current Disposal Location (Vol. II - Sec.7.2 - Pg.40)					W	/	
Prsence of Free Liquids (Vol. II - Sec.7.3 - Pg.34)					W	/	
Intermediate Cover Condition (Vol. II - Sec.7.3 - Pg.41)					W	/	
Process Area Inspection (Vol. II - Sec.7.1 - Pg.40)					W	/	
Jet-Out Leak Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)					W	/	
Process Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)					W	/	
Evaporation Pond Sumps (Vol. II - Sec.7.3.2 - Pg.42)					W	/	
Treatment Plant Inspection (Vol. II - Sec.7.3.4 - Pg.44)					W	/	



Weekly Inspection Form  
Sundance West

Date: Jun 11-17-23  
Others: \_\_\_\_\_

Print Name: Drewl Romero  
Signature: \_\_\_\_\_

TYPE OF INSPECTION

Item	Daily	Weekly <input checked="" type="checkbox"/>	Monthly	Quarterly	Annual	Satisfactory	Action Required
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)						D ✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)						D ✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)						D ✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)						D ✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)						D ✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)						D ✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)						D ✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)						D ✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)						D ✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)						D ✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)						D ✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)						D ✓	
Pond levels three-foot free board						D ✓	
Landfill Inspection (Vol. II - Sec.7.1 - Pg.40)						W ✓	
Leak Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)						W ✓	
Current Disposal Location (Vol. II - Sec.7.2 - Pg.40)						W ✓	
Prsence of Free Liquids (Vol. II - Sec.7.3 - Pg.34)						W ✓	
Intermediate Cover Condition (Vol. II - Sec.7.3 - Pg.41)						W ✓	
Process Area Inspection (Vol. II - Sec.7.1 - Pg.40)						W ✓	
Jet-Out Leak Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)						W ✓	
Process Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)						W ✓	
Evaporation Pond Sumps (Vol. II - Sec.7.3.2 - Pg.42)						W ✓	
Treatment Plant Inspection (Vol. II - Sec.7.3.4 - Pg.44)						W ✓	





Weekly Inspection Form  
Sundance West

Date: Jul 19-15/23  
Others: \_\_\_\_\_

Print Name: Deysi Romero  
Signature: \_\_\_\_\_

TYPE OF INSPECTION

Item	Daily	Weekly	Monthly	Quarterly	Annual		Satisfactory	Action Required
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)		<input checked="" type="checkbox"/>				D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)		<input checked="" type="checkbox"/>				D	✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)		<input checked="" type="checkbox"/>				D	✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)		<input checked="" type="checkbox"/>				D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)		<input checked="" type="checkbox"/>				D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)		<input checked="" type="checkbox"/>				D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)		<input checked="" type="checkbox"/>				D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)		<input checked="" type="checkbox"/>				D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)		<input checked="" type="checkbox"/>				D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)		<input checked="" type="checkbox"/>				D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)		<input checked="" type="checkbox"/>				D	✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)		<input checked="" type="checkbox"/>				D	✓	
Pond levels three-foot free board		<input checked="" type="checkbox"/>				D	✓	
Landfill Inspection (Vol. II - Sec.7.1 - Pg.40)						W	✓	
Leak Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)						W	✓	
Current Disposal Location (Vol. II - Sec.7.2 - Pg.40)						W	✓	
Prsence of Free Liquids (Vol. II - Sec.7.3 - Pg.34)						W	✓	
Intermediate Cover Condition (Vol. II - Sec.7.3 - Pg.41)						W	✓	
Process Area Inspection (Vol. II - Sec.7.1 - Pg.40)						W	✓	
Jet-Out Leak Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)						W	✓	
Process Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)						W	✓	
Evaporation Pond Sumps (Vol. II - Sec.7.3.2 - Pg.42)						W	✓	
Treatment Plant Inspection (Vol. II - Sec.7.3.4 - Pg.44)						W	✓	





Weekly Inspection Form  
Sundance West

Date: Jul 123-29/23

Print Name: Douisi Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

TYPE OF INSPECTION

Daily	Weekly <input checked="" type="checkbox"/>	Monthly	Quarterly	Annual		Satisfactory	Action Required
Item							
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)					D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)					D	✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)					D	✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)					D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)					D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)					D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)					D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)					D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)					D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)					D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)					D	✓	
Evaporation Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)					D	✓	
Pond levels three-foot free board					D	✓	
Landfill Inspection (Vol. II - Sec.7.1 - Pg.40)					W	✓	
Leak Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)					W	✓	
Current Disposal Location (Vol. II - Sec.7.2 - Pg.40)					W	✓	
Prsence of Free Liquids (Vol. II - Sec.7.3 - Pg.34)					W	✓	
Intermediate Cover Condition (Vol. II - Sec.7.3 - Pg.41)					W	✓	
Process Area Inspection (Vol. II - Sec.7.1 - Pg.40)					W	✓	
Jet-Out Leak Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)					W	✓	
Process Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)					W	✓	
Evaporation Pond Sumps (Vol. II - Sec.7.3.2 - Pg.42)					W	✓	
Treatment Plant Inspection (Vol. II - Sec.7.3.4 - Pg.44)					W	✓	



Weekly Inspection Form  
Sundance West

Date: Jul 30 - 31 - 23

Print Name: Deysi Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

TYPE OF INSPECTION

Item	Daily	Weekly <input checked="" type="checkbox"/>	Monthly	Quarterly	Annual	Satisfactory	Action Required
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)						D ✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)						D ✓	
Land fill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)						D ✓	
Land fill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)						D ✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)						D ✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)						D ✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)						D ✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)						D ✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)						D ✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)						D ✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)						D ✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)						D ✓	
Pond levels three-foot free board						D ✓	
Landfill Inspection (Vol. II - Sec.7.1 - Pg.40)						W ✓	
Leak Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)						W ✓	
Current Disposal Location (Vol. II - Sec.7.2 - Pg.40)						W ✓	
Prsence of Free Liquids (Vol. II - Sec.7.3 - Pg.34)						W ✓	
Intermediate Cover Condition (Vol. II - Sec.7.3 - Pg.41)						W ✓	
Process Area Inspection (Vol. II - Sec.7.1 - Pg.40)						W ✓	
Jet-Out Leak Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)						W ✓	
Process Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)						W ✓	
Evaporation Pond Sumps (Vol. II - Sec.7.3.2 - Pg.42)						W ✓	
Treatment Plant Inspection (Vol. II - Sec.7.3.4 - Pg.44)						W ✓	

Weekly Inspection Form  
Sundance West

Date: AUG - 1 - 5 - 23

Print Name: Daisy Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

TYPE OF INSPECTION

Daily	Weekly	Monthly	Quarterly	Annual		Satisfactory	Action Required
	<input checked="" type="checkbox"/>						
Item							
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)					D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)					D	✓	
Land fill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)					D	✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)					D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)					D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)					D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)					D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)					D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)					D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)					D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)					D	✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)					D	✓	
Pond levels three-foot free board					D	✓	
Landfill Inspection (Vol. II - Sec.7.1 - Pg.40)					W	✓	
Leak Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)					W	✓	
Current Disposal Location (Vol. II - Sec.7.2 - Pg.40)					W	✓	
Prsence of Free Liquids (Vol. II - Sec.7.3 - Pg.34)					W	✓	
Intermediate Cover Condition (Vol. II - Sec.7.3 - Pg.41)					W	✓	
Process Area Inspection (Vol. II - Sec.7.1 - Pg.40)					W	✓	
Jet-Out Leak Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)					W	✓	
Process Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)					W	✓	
Evaporation Pond Sumps (Vol. II - Sec.7.3.2 - Pg.42)					W	✓	
Treatment Plant Inspection (Vol. II - Sec.7.3.4 - Pg.44)					W	✓	





Weekly Inspection Form  
Sundance West

Date: Aug - 13 - 19 - 23  
Others: \_\_\_\_\_

Print Name: Devin Romero  
Signature: \_\_\_\_\_

TYPE OF INSPECTION

Daily	Weekly <input checked="" type="checkbox"/>	Monthly	Quarterly	Annual		Satisfactory	Action Required
					Item		
					Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)	D ✓	
					Dust Control (Vol. II - Sec.4.3 - Pg.19)	D ✓	
					Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)	D ✓	
					Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)	D ✓	
					Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)	D ✓	
					Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)	D ✓	
					Waste Screening and Forms (Vol. II - Sec 2- Pg.94)	D ✓	
					Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)	D ✓	
					Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)	D ✓	
					Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)	D ✓	
					Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)	D ✓	
					Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)	D ✓	
					Pond levels three-foot free board	D ✓	
					Landfill Inspection (Vol. II - Sec.7.1 - Pg.40)	W ✓	
					Leak Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)	W ✓	
					Current Disposal Location (Vol. II - Sec.7.2 - Pg.40)	W ✓	
					Prsence of Free Liquids (Vol. II - Sec.7.3 - Pg.34)	W ✓	
					Intermediate Cover Condition (Vol. II - Sec.7.3 - Pg.41)	W ✓	
					Process Area Inspection (Vol. II - Sec.7.1 - Pg.40)	W ✓	
					Jet-Out Leak Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)	W ✓	
					Process Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)	W ✓	
					Evaporation Pond Sumps (Vol. II - Sec.7.3.2 - Pg.42)	W ✓	
					Treatment Plant Inspection (Vol. II - Sec.7.3.4 - Pg.44)	W ✓	



**Weekly Inspection Form  
Sundance West**

Date:     AUG 20 - 26    

Print Name:     Deysi Romero    

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

**TYPE OF INSPECTION**

Daily	Weekly <input checked="" type="checkbox"/>	Monthly	Quarterly	Annual		Satisfactory	Action Required
<b>Item</b>							
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)					D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)					D	✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)					D	✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)					D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)					D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)					D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)					D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)					D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)					D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)					D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)					D	✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)					D	✓	
Pond levels three-foot free board					D	✓	
Landfill Inspection (Vol. II - Sec.7.1 - Pg.40)					W	✓	
Leak Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)					W	✓	
Current Disposal Location (Vol. II - Sec.7.2 - Pg.40)					W	✓	
Prsence of Free Liquids (Vol. II - Sec.7.3 - Pg.34)					W	✓	
Intermediate Cover Condition (Vol. II - Sec.7.3 - Pg.41)					W	✓	
Process Area Inspection (Vol. II - Sec.7.1 - Pg.40)					W	✓	
Jet-Out Leak Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)					W	✓	
Process Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)					W	✓	
Evaporation Pond Sumps (Vol. II - Sec.7.3.2 - Pg.42)					W	✓	
Treatment Plant Inspection (Vol. II - Sec.7.3.4 - Pg.44)					W	✓	



Weekly Inspection Form  
Sundance West

Date: AUG- 27 - 31 - 23

Print Name: Daisy Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

TYPE OF INSPECTION

Daily	Weekly <input checked="" type="checkbox"/>	Monthly	Quarterly	Annual		Satisfactory	Action Required
<b>Item</b>							
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)					D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)					D	✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)					D	✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)					D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)					D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)					D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)					D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)					D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)					D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)					D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)					D	✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)					D	✓	
Pond levels three-foot free board					D	✓	
Landfill Inspection (Vol. II - Sec.7.1 - Pg.40)					W	✓	
Leak Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)					W	✓	
Current Disposal Location (Vol. II - Sec.7.2 - Pg.40)					W	✓	
Prsence of Free Liquids (Vol. II - Sec.7.3 - Pg.34)					W	✓	
Intermediate Cover Condition (Vol. II - Sec.7.3 - Pg.41)					W	✓	
Process Area Inspection (Vol. II - Sec.7.1 - Pg.40)					W	✓	
Jet-Out Leak Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)					W	✓	
Process Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)					W	✓	
Evaporation Pond Sumps (Vol. II - Sec.7.3.2 - Pg.42)					W	✓	
Treatment Plant Inspection (Vol. II - Sec.7.3.4 - Pg.44)					W	✓	

Weekly Inspection Form  
Sundance West

Date: SEP 1-9-23  
Others: \_\_\_\_\_

Print Name: Dasi Romero  
Signature: \_\_\_\_\_

TYPE OF INSPECTION

Item	Daily	Weekly	Monthly	Quarterly	Annual		Satisfactory	Action Required
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)	<input checked="" type="checkbox"/>					D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)						D	✓	
Land fill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)						D	✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)						D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)						D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)						D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)						D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)						D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)						D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)						D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)						D	✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)						D	✓	
Pond levels three-foot free board						D	✓	
Landfill Inspection (Vol. II - Sec.7.1 - Pg.40)						W	✓	
Leak Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)						W	✓	
Current Disposal Location (Vol. II - Sec.7.2 - Pg.40)						W	✓	
Prsence of Free Liquids (Vol. II - Sec.7.3 - Pg.34)						W	✓	
Intermediate Cover Condition (Vol. II - Sec.7.3 - Pg.41)						W	✓	
Process Area Inspection (Vol. II - Sec.7.1 - Pg.40)						W	✓	
Jet-Out Leak Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)						W	✓	
Process Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)						W	✓	
Evaporation Pond Sumps (Vol. II - Sec.7.3.2 - Pg.42)						W	✓	
Treatment Plant Inspection (Vol. II - Sec.7.3.4 - Pg.44)						W	✓	



Weekly Inspection Form  
Sundance West

Date: SEP 10-16-23  
Others: \_\_\_\_\_

Print Name: Davis Romero  
Signature: \_\_\_\_\_

TYPE OF INSPECTION

Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual -		- Satisfactory -	- Action Required -
Item							
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)					D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)					D	✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)					D	✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)					D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)					D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)					D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)					D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)					D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)					D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)					D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)					D	✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)					D	✓	
Pond levels three-foot free board					D	✓	
Landfill Inspection (Vol. II - Sec.7.1 - Pg.40)					W	✓	
Leak Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)					W	✓	
Current Disposal Location (Vol. II - Sec.7.2 - Pg.40)					W	✓	
Prsence of Free Liquids (Vol. II - Sec.7.3 - Pg.34)					W	✓	
Intermediate Cover Condition (Vol. II - Sec.7.3 - Pg.41)					W	✓	
Process Area Inspection (Vol. II - Sec.7.1 - Pg.40)					W	✓	
Jet-Out Leak Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)					W	✓	
Process Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)					W	✓	
Evaporation Pond Sumps (Vol. II - Sec.7.3.2 - Pg.42)					W	✓	
Treatment Plant Inspection (Vol. II - Sec.7.3.4 - Pg.44)					W	✓	





Weekly Inspection Form  
Sundance West

Date: SEP 24-30-23

Print Name: Douglas Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

TYPE OF INSPECTION

Daily	Weekly <input checked="" type="checkbox"/>	Monthly	Quarterly	Annual		Satisfactory	Action Required
Item							
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)					D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)					D	✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)					D	✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)					D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)					D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)					D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)					D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)					D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)					D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)					D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)					D	✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)					D	✓	
Pond levels three-foot free board					D	✓	
Landfill Inspection (Vol. II - Sec.7.1 - Pg.40)					W	✓	
Leak Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)					W	✓	
Current Disposal Location (Vol. II - Sec.7.2 - Pg.40)					W	✓	
Prsence of Free Liquids (Vol. II - Sec.7.3 - Pg.34)					W	✓	
Intermediate Cover Condition (Vol. II - Sec.7.3 - Pg.41)					W	✓	
Process Area Inspection (Vol. II - Sec.7.1 - Pg.40)					W	✓	
Jet-Out Leak Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)					W	✓	
Process Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)					W	✓	
Evaporation Pond Sumps (Vol. II - Sec.7.3.2 - Pg.42)					W	✓	
Treatment Plant Inspection (Vol. II - Sec.7.3.4 - Pg.44)					W	✓	



Weekly Inspection Form  
Sundance West

Date: Oct 1-7-23  
Others: \_\_\_\_\_

Print Name: Dawid Romero  
Signature: \_\_\_\_\_

TYPE OF INSPECTION

Daily	Weekly <input checked="" type="checkbox"/>	Monthly	Quarterly	Annual		Satisfactory	Action Required
<b>Item</b>							
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)					D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)					D	✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)					D	✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)					D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)					D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)					D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)					D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)					D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)					D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)					D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)					D	✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)					D	✓	
Pond levels three-foot free board					D	✓	
Landfill Inspection (Vol. II - Sec.7.1 - Pg.40)					W	✓	
Leak Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)					W	✓	
Current Disposal Location (Vol. II - Sec.7.2 - Pg.40)					W	✓	
Prsence of Free Liquids (Vol. II - Sec.7.3 - Pg.34)					W	✓	
Intermediate Cover Condition (Vol. II - Sec.7.3 - Pg.41)					W	✓	
Process Area Inspection (Vol. II - Sec.7.1 - Pg.40)					W	✓	
Jet-Out Leak Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)					W	✓	
Process Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)					W	✓	
Evaporation Pond Sumps (Vol. II - Sec.7.3.2 - Pg.42)					W	✓	
Treatment Plant Inspection (Vol. II - Sec.7.3.4 - Pg.44)					W	✓	

Weekly Inspection Form  
Sundance West

Date: Oct 8-14-23

Print Name: Daisy Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

TYPE OF INSPECTION

Daily	Weekly	Monthly	Quarterly	Annual		Satisfactory	Action Required
	<input checked="" type="checkbox"/>				Item		
					Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)	D ✓	
					Dust Control (Vol. II - Sec.4.3 - Pg.19)	D ✓	
					Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)	D ✓	
					Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)	D ✓	
					Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)	D ✓	
					Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)	D ✓	
					Waste Screening and Forms (Vol. II - Sec 2- Pg.94)	D ✓	
					Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)	D ✓	
					Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)	D ✓	
					Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)	D ✓	
					Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)	D ✓	
					Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)	D ✓	
					Pond levels three-foot free board	D ✓	
					Landfill Inspection (Vol. II - Sec.7.1 - Pg.40)	W ✓	
					Leak Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)	W ✓	
					Current Disposal Location (Vol. II - Sec.7.2 - Pg.40)	W ✓	
					Prsence of Free Liquids (Vol. II - Sec.7.3 - Pg.34)	W ✓	
					Intermediate Cover Condition (Vol. II - Sec.7.3 - Pg.41)	W ✓	
					Process Area Inspection (Vol. II - Sec.7.1 - Pg.40)	W ✓	
					Jet-Out Leak Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)	W ✓	
					Process Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)	W ✓	
					Evaporation Pond Sumps (Vol. II - Sec.7.3.2 - Pg.42)	W ✓	
					Treatment Plant Inspection (Vol. II - Sec.7.3.4 - Pg.44)	W ✓	



Weekly Inspection Form  
Sundance West

Date: Oct-15-21-23  
Others: \_\_\_\_\_

Print Name: Deysi Romero  
Signature: \_\_\_\_\_

TYPE OF INSPECTION

Daily	Weekly <input checked="" type="checkbox"/>	Monthly	Quarterly	Annual		Satisfactory	Action Required
Item							
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)					D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)					D	✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)					D	✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)					D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)					D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)					D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)					D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)					D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)					D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)					D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)					D	✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)					D	✓	
Pond levels three-foot free board					D	✓	
Landfill Inspection (Vol. II - Sec.7.1 - Pg.40)					W	✓	
Leak Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)					W	✓	
Current Disposal Location (Vol. II - Sec.7.2 - Pg.40)					W	✓	
Prsence of Free Liquids (Vol. II - Sec.7.3 - Pg.34)					W	✓	
Intermediate Cover Condition (Vol. II - Sec.7.3 - Pg.41)					W	✓	
Process Area Inspection (Vol. II - Sec.7.1 - Pg.40)					W	✓	
Jet-Out Leak Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)					W	✓	
Process Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)					W	✓	
Evaporation Pond Sumps (Vol. II - Sec.7.3.2 - Pg.42)					W	✓	
Treatment Plant Inspection (Vol. II - Sec.7.3.4 - Pg.44)					W	✓	

Weekly Inspection Form  
Sundance West

Date: OCT- 22- 28- 23

Print Name: Douglas Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

TYPE OF INSPECTION

Daily	Weekly <input checked="" type="checkbox"/>	Monthly	Quarterly	Annual		Satisfactory	Action Required
Item							
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)					D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)					D	✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)					D	✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)					D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)					D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)					D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)					D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)					D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)					D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)					D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)					D	✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)					D	✓	
Pond levels three-foot free board					D	✓	
Landfill Inspection (Vol. II - Sec.7.1 - Pg.40)					W	✓	
Leak Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)					W	✓	
Current Disposal Location (Vol. II - Sec.7.2 - Pg.40)					W	✓	
Prsence of Free Liquids (Vol. II - Sec.7.3 - Pg.34)					W	✓	
Intermediate Cover Condition (Vol. II - Sec.7.3 - Pg.41)					W	✓	
Process Area Inspection (Vol. II - Sec.7.1 - Pg.40)					W	✓	
Jet-Out Leak Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)					W	✓	
Process Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)					W	✓	
Evaporation Pond Sumps (Vol. II - Sec.7.3.2 - Pg.42)					W	✓	
Treatment Plant Inspection (Vol. II - Sec.7.3.4 - Pg.44)					W	✓	



Weekly Inspection Form  
Sundance West

Date: Oct - 29 - 31 - 23

Print Name: David Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

TYPE OF INSPECTION

Item	Daily	Weekly	Monthly	Quarterly	Annual		Satisfactory	Action Required
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)		<input checked="" type="checkbox"/>				D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)		<input checked="" type="checkbox"/>				D	✓	
Land fill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)		<input checked="" type="checkbox"/>				D	✓	
Land fill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)		<input checked="" type="checkbox"/>				D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)		<input checked="" type="checkbox"/>				D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)		<input checked="" type="checkbox"/>				D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)		<input checked="" type="checkbox"/>				D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)		<input checked="" type="checkbox"/>				D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)		<input checked="" type="checkbox"/>				D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)		<input checked="" type="checkbox"/>				D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)		<input checked="" type="checkbox"/>				D	✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)		<input checked="" type="checkbox"/>				D	✓	
Pond levels three-foot free board		<input checked="" type="checkbox"/>				D	✓	
Landfill Inspection (Vol. II - Sec.7.1 - Pg.40)		<input checked="" type="checkbox"/>				W	✓	
Leak Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)		<input checked="" type="checkbox"/>				W	✓	
Current Disposal Location (Vol. II - Sec.7.2 - Pg.40)		<input checked="" type="checkbox"/>				W	✓	
Prsence of Free Liquids (Vol. II - Sec.7.3 - Pg.34)		<input checked="" type="checkbox"/>				W	✓	
Intermediate Cover Condition (Vol. II - Sec.7.3 - Pg.41)		<input checked="" type="checkbox"/>				W	✓	
Process Area Inspection (Vol. II - Sec.7.1 - Pg.40)		<input checked="" type="checkbox"/>				W	✓	
Jet-Out Leak Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)		<input checked="" type="checkbox"/>				W	✓	
Process Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)		<input checked="" type="checkbox"/>				W	✓	
Evaporation Pond Sumps (Vol. II - Sec.7.3.2 - Pg.42)		<input checked="" type="checkbox"/>				W	✓	
Treatment Plant Inspection (Vol. II - Sec.7.3.4 - Pg.44)		<input checked="" type="checkbox"/>				W	✓	



Weekly Inspection Form  
Sundance West

Date: Nov 1 - 4 - 23  
Others: \_\_\_\_\_

Print Name: Doussi Romero  
Signature: \_\_\_\_\_

TYPE OF INSPECTION

Daily	Weekly <input checked="" type="checkbox"/>	Monthly	Quarterly	Annual		Satisfactory	Action Required
Item							
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)					D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)					D	✓	
Land fill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)					D	✓	
Land fill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)					D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)					D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)					D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)					D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)					D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)					D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)					D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)					D	✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)					D	✓	
Pond levels three-foot free board					D	✓	
Landfill Inspection (Vol. II - Sec.7.1 - Pg.40)					W	✓	
Leak Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)					W	✓	
Current Disposal Location (Vol. II - Sec.7.2 - Pg.40)					W	✓	
Prsence of Free Liquids (Vol. II - Sec.7.3 - Pg.34)					W	✓	
Intermediate Cover Condition (Vol. II - Sec.7.3 - Pg.41)					W	✓	
Process Area Inspection (Vol. II - Sec.7.1 - Pg.40)					W	✓	
Jet-Out Leak Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)					W	✓	
Process Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)					W	✓	
Evaporation Pond Sumps (Vol. II - Sec.7.3.2 - Pg.42)					W	✓	
Treatment Plant Inspection (Vol. II - Sec.7.3.4 - Pg.44)					W	✓	

Weekly Inspection Form  
Sundance West

Date: Nov 5-11-23

Print Name: Daisy Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

TYPE OF INSPECTION

Daily	Weekly <input checked="" type="checkbox"/>	Monthly	Quarterly	Annual		Satisfactory	Action Required
Item							
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)					D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)					D	✓	
Land fill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)					D	✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)					D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)					D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)					D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)					D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)					D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)					D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)					D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)					D	✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)					D	✓	
Pond levels three-foot free board					D	✓	
Landfill Inspection (Vol. II - Sec.7.1 - Pg.40)					W	✓	
Leak Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)					W	✓	
Current Disposal Location (Vol. II - Sec.7.2 - Pg.40)					W	✓	
Prsence of Free Liquids (Vol. II - Sec.7.3 - Pg.34)					W	✓	
Intermediate Cover Condition (Vol. II - Sec.7.3 - Pg.41)					W	✓	
Process Area Inspection (Vol. II - Sec.7.1 - Pg.40)					W	✓	
Jet-Out Leak Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)					W	✓	
Process Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)					W	✓	
Evaporation Pond Sumps (Vol. II - Sec.7.3.2 - Pg.42)					W	✓	
Treatment Plant Inspection (Vol. II - Sec.7.3.4 - Pg.44)					W	✓	



Weekly Inspection Form  
Sundance West

Date: Nov -12- 18- 23

Print Name: Dustin Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

TYPE OF INSPECTION

Daily	Weekly <input checked="" type="checkbox"/>	Monthly	Quarterly	Annual		Satisfactory	Action Required
<b>Item</b>							
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)					D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)					D	✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)					D	✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)					D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)					D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)					D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)					D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)					D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)					D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)					D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)					D	✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)					D	✓	
Pond levels three-foot free board					D	✓	
Landfill Inspection (Vol. II - Sec.7.1 - Pg.40)					W	✓	
Leak Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)					W	✓	
Current Disposal Location (Vol. II - Sec.7.2 - Pg.40)					W	✓	
Prsence of Free Liquids (Vol. II - Sec.7.3 - Pg.34)					W	✓	
Intermediate Cover Condition (Vol. II - Sec.7.3 - Pg.41)					W	✓	
Process Area Inspection (Vol. II - Sec.7.1 - Pg.40)					W	✓	
Jet-Out Leak Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)					W	✓	
Process Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)					W	✓	
Evaporation Pond Sumps (Vol. II - Sec.7.3.2 - Pg.42)					W	✓	
Treatment Plant Inspection (Vol. II - Sec.7.3.4 - Pg.44)					W	✓	

Weekly Inspection Form  
Sundance West

Date: Nov 19-25 23  
Others: \_\_\_\_\_

Print Name: Daryl Romero  
Signature: \_\_\_\_\_

TYPE OF INSPECTION

Item	Daily	Weekly <input checked="" type="checkbox"/>	Monthly	Quarterly	Annual		Satisfactory	Action Required
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)						D	<input checked="" type="checkbox"/>	
Dust Control (Vol. II - Sec.4.3 - Pg.19)						D	<input checked="" type="checkbox"/>	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)						D	<input type="checkbox"/>	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)						D	<input type="checkbox"/>	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)						D	<input checked="" type="checkbox"/>	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)						D	<input checked="" type="checkbox"/>	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)						D	<input checked="" type="checkbox"/>	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)						D	<input checked="" type="checkbox"/>	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)						D	<input checked="" type="checkbox"/>	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)						D	<input checked="" type="checkbox"/>	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)						D	<input checked="" type="checkbox"/>	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)						D	<input checked="" type="checkbox"/>	
Pond levels three-foot free board						D	<input checked="" type="checkbox"/>	
Landfill Inspection (Vol. II - Sec.7.1 - Pg.40)						W	<input type="checkbox"/>	
Leak Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)						W	<input type="checkbox"/>	
Current Disposal Location (Vol. II - Sec.7.2 - Pg.40)						W	<input type="checkbox"/>	
Prsence of Free Liquids (Vol. II - Sec.7.3 - Pg.34)						W	<input type="checkbox"/>	
Intermediate Cover Condition (Vol. II - Sec.7.3 - Pg.41)						W	<input checked="" type="checkbox"/>	
Process Area Inspection (Vol. II - Sec.7.1 - Pg.40)						W	<input checked="" type="checkbox"/>	
Jet-Out Leak Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)						W	<input checked="" type="checkbox"/>	
Process Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)						W	<input checked="" type="checkbox"/>	
Evaporation Pond Sumps (Vol. II - Sec.7.3.2 - Pg.42)						W	<input checked="" type="checkbox"/>	
Treatment Plant Inspection (Vol. II - Sec.7.3.4 - Pg.44)						W	<input checked="" type="checkbox"/>	



Weekly Inspection Form  
Sundance West

Date: Nov-26-30-23

Print Name: Daisy Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

TYPE OF INSPECTION

Daily	Weekly <input checked="" type="checkbox"/>	Monthly	Quarterly	Annual		Satisfactory	Action Required
<b>Item</b>							
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)					D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)					D	✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)					D	✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)					D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)					D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)					D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)					D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)					D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)					D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)					D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)					D	✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)					D	✓	
Pond levels three-foot free board					D	✓	
Landfill Inspection (Vol. II - Sec.7.1 - Pg.40)					W	✓	
Leak Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)					W	✓	
Current Disposal Location (Vol. II - Sec.7.2 - Pg.40)					W	✓	
Prsence of Free Liquids (Vol. II - Sec.7.3 - Pg.34)					W	✓	
Intermediate Cover Condition (Vol. II - Sec.7.3 - Pg.41)					W	✓	
Process Area Inspection (Vol. II - Sec.7.1 - Pg.40)					W	✓	
Jet-Out Leak Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)					W	✓	
Process Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)					W	✓	
Evaporation Pond Sumps (Vol. II - Sec.7.3.2 - Pg.42)					W	✓	
Treatment Plant Inspection (Vol. II - Sec.7.3.4 - Pg.44)					W	✓	



Weekly Inspection Form  
Sundance West

Date: Dec 11 9 123

Print Name: Dani Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

TYPE OF INSPECTION

Item	Daily	Weekly <input checked="" type="checkbox"/>	Monthly	Quarterly	Annual		Satisfactory	Action Required
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)						D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)						D	✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)						D	✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)						D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)						D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)						D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)						D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)						D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)						D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)						D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)						D	✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)						D	✓	
Pond levels three-foot free board						D	✓	
Landfill Inspection (Vol. II - Sec.7.1 - Pg.40)						W	✓	
Leak Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)						W	✓	
Current Disposal Location (Vol. II - Sec.7.2 - Pg.40)						W	✓	
Prsence of Free Liquids (Vol. II - Sec.7.3 - Pg.34)						W	✓	
Intermediate Cover Condition (Vol. II - Sec.7.3 - Pg.41)						W	✓	
Process Area Inspection (Vol. II - Sec.7.1 - Pg.40)						W	✓	
Jet-Out Leak Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)						W	✓	
Process Detection Sumps (Vol. II - Sec.7.3.2 - Pg.42)						W	✓	
Evaporation Pond Sumps (Vol. II - Sec.7.3.2 - Pg.42)						W	✓	
Treatment Plant Inspection (Vol. II - Sec.7.3.4 - Pg.44)						W	✓	







Weekly Inspection Form  
Sundance West

Date: DEC 24-31/23  
Others: \_\_\_\_\_

Print Name: Dawn Renow  
Signature: \_\_\_\_\_

TYPE OF INSPECTION

Daily	Weekly	Monthly	Quarterly	Annual		Satisfactory	Action Required
					D	✓	
					D	✓	
					D	✓	
					D	✓	
					D	✓	
					D	✓	
					D	✓	
					D	✓	
					D	✓	
					D	✓	
					D	✓	
					D	✓	
					D	✓	
					D	✓	
					W	✓	
					W	✓	
					W	✓	
					W	✓	
					W	✓	
					W	✓	
					W	✓	
					W	✓	
					W	✓	
					W	✓	
					W	✓	



**Daily Inspection Form  
Sundance West**

Date: 2-1-23

Print Name: Deysi Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

**TYPE OF INSPECTION**

Item	Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual	Satisfactory	Action Required
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)						D ✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)						D ✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)						D ✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)						D ✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)						D ✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)						D ✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)						D ✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)						D ✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)						D ✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)						D ✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)						D ✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)						D ✓	
Pond levels three-foot free board						D ✓	



Daily Inspection Form  
Sundance West

Date: 2-2-23  
Others: \_\_\_\_\_

Print Name: Devin Romero  
Signature: \_\_\_\_\_

TYPE OF INSPECTION

Item	Daily	Weekly	Monthly	Quarterly	Annual	Satisfactory	Action Required
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)	<input checked="" type="checkbox"/>					D ✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)						D ✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)						D ✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)						D ✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)						D ✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)						D ✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)						D ✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)						D ✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)						D ✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)						D ✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)						D ✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)						D ✓	
Pond levels three-foot free board						D ✓	

**Daily Inspection Form  
Sundance West**

Date: 2-3-23  
 Others: \_\_\_\_\_

Print Name: Drew Romero  
 Signature: \_\_\_\_\_

**TYPE OF INSPECTION**

	Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual		Satisfactory	Action Required
<b>Item</b>								
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)					D		✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)					D		✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)					D		✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)					D		✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)					D		✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)					D		✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)					D		✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)					D		✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)					D		✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)					D		✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)					D		✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)					D		✓	
Pond levels three-foot free board					D		✓	

**Daily Inspection Form  
Sundance West**

Date: 2-4-23  
 Others: \_\_\_\_\_

Print Name: Deusi Romero  
 Signature: \_\_\_\_\_

**TYPE OF INSPECTION**

Item	Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual		Satisfactory	Action Required
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)						D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)						D	✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)						D	✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)						D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)						D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)						D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)						D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)						D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)						D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)						D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)						D	✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)						D	✓	
Pond levels three-foot free board						D	✓	



**Daily Inspection Form  
Sundance West**

Date: 2-5-23

Print Name: Davis Pomen

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

**TYPE OF INSPECTION**

	Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual		Satisfactory	Action Required
Item								
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)						D	/	
Dust Control (Vol. II - Sec.4.3 - Pg.19)						D	/	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)						D	/	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)						D	/	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)						D	/	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)						D	/	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)						D	/	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)						D	/	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)						D	/	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)						D	/	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)						D	/	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)						D	/	
Pond levels three-foot free board						D	/	

**Daily Inspection Form  
Sundance West**

Date: 2-6-23  
 Others: \_\_\_\_\_

Print Name: Deysi Romero  
 Signature: \_\_\_\_\_

**TYPE OF INSPECTION**

Item	Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual	Satisfactory	Action Required
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)						D ✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)						D ✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)						D ✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)						D ✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)						D ✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)						D ✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)						D ✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)						D ✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)						D ✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)						D ✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)						D ✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)						D ✓	
Pond levels three-foot free board						D ✓	



Daily Inspection Form  
Sundance West

Date: 2-7-23

Print Name:

Deusi Romero

Others: \_\_\_\_\_

Signature:

\_\_\_\_\_

TYPE OF INSPECTION

Item	Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual	Satisfactory	Action Required
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)						D ✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)						D ✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)						D ✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)						D ✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)						D ✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)						D ✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)						D ✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)						D ✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)						D ✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)						D ✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)						D ✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)						D ✓	
Pond levels three-foot free board						D ✓	

**Daily Inspection Form  
Sundance West**

Date: 2-8-23

Print Name: Days Roman

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

**TYPE OF INSPECTION**

Item	Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual	Satisfactory	Action Required
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)						D ✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)						D ✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)						D ✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)						D ✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)						D ✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)						D ✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)						D ✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)						D ✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)						D ✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)						D ✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)						D ✓	
Evaopraton Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)						D ✓	
Pond levels three-foot free board						D	

Daily Inspection Form  
Sundance West

Date: 2-9-23  
Others: \_\_\_\_\_

Print Name: Daisy Romero  
Signature: \_\_\_\_\_

TYPE OF INSPECTION

Item	Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual	D	Satisfactory	Action Required
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)						D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)						D	✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)						D	✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)						D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)						D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)						D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)						D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)						D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)						D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)						D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)						D	✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)						D	✓	
Pond levels three-foot free board						D	✓	



**Daily Inspection Form  
Sundance West**

Date: 2-10-23  
 Others: \_\_\_\_\_

Print Name: Deyon Romero  
 Signature: \_\_\_\_\_

**TYPE OF INSPECTION**

Item	Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual	Satisfactory	Action Required
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)						D	✓
Dust Control (Vol. II - Sec.4.3 - Pg.19)						D	✓
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)						D	✓
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)						D	✓
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)						D	✓
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)						D	✓
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)						D	✓
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)						D	✓
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)						D	✓
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)						D	✓
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)						D	✓
Evaopraton Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)						D	✓
Pond levels three-foot free board						D	✓

Daily Inspection Form  
Sundance West

Date: 2-11-23  
Others: \_\_\_\_\_

Print Name: Deysi Romero  
Signature: \_\_\_\_\_

TYPE OF INSPECTION

Item	Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual	Satisfactory	Action Required
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)						D ✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)						D ✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)						D ✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)						D ✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)						D ✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)						D ✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)						D ✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)						D ✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)						D ✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)						D ✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)						D ✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)						D ✓	
Pond levels three-foot free board						D ✓	



Daily Inspection Form  
Sundance West

Date: 2-12-23

Print Name: Drew Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

TYPE OF INSPECTION

Daily	Weekly	Monthly	Quarterly	Annual		Satisfactory	Action Required
<input checked="" type="checkbox"/>					Item		
					Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)	D ✓	
					Dust Control (Vol. II - Sec.4.3 - Pg.19)	D ✓	
					Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)	D ✓	
					Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)	D ✓	
					Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)	D ✓	
					Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)	D ✓	
					Waste Screening and Forms (Vol. II - Sec 2- Pg.94)	D ✓	
					Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)	D ✓	
					Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)	D ✓	
					Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)	D ✓	
					Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)	D ✓	
					Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)	D ✓	
					Pond levels three-foot free board	D ✓	

Daily Inspection Form  
Sundance West

Date: 2-13-23

Print Name: Deusi Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

TYPE OF INSPECTION

Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual		Satisfactory	Action Required
<b>Item</b>							
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)					D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)					D	✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)					D	✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)					D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)					D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)					D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)					D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)					D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)					D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)					D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)					D	✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)					D	✓	
Pond levels three-foot free board					D	✓	

Daily Inspection Form  
Sundance West

Date: 2-14-23

Print Name:

Devin Romero

Others: \_\_\_\_\_

Signature:

TYPE OF INSPECTION

Item	Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual	Satisfactory	Action Required
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)						D ✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)						D ✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)						D ✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)						D ✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)						D ✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)						D ✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)						D ✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)						D ✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)						D ✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)						D ✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)						D ✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)						D ✓	
Pond levels three-foot free board						D ✓	



Daily Inspection Form  
Sundance West

Date: 2-15-23

Print Name: Drew Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

TYPE OF INSPECTION

Item	Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual	Satisfactory	Action Required
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)						D ✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)						D ✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)						D ✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)						D ✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)						D ✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)						D ✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)						D ✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)						D ✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)						D ✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)						D ✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)						D ✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)						D ✓	
Pond levels three-foot free board						D ✓	

Daily Inspection Form  
Sundance West

Date: 2-16-23  
Others: \_\_\_\_\_

Print Name: Dawn Romero  
Signature: \_\_\_\_\_

TYPE OF INSPECTION

Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual		Satisfactory	Action Required
Item							
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)					D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)					D	✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)					D	✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)					D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)					D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)					D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)					D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)					D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)					D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)					D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)					D	✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)					D	✓	
Pond levels three-foot free board					D	✓	



Daily Inspection Form  
Sundance West

Date: 2-17-23

Print Name:

Deysi Romero

Others: \_\_\_\_\_

Signature:

TYPE OF INSPECTION

Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual		Satisfactory	Action Required
<b>Item</b>							
Vehicle Screening (H2S) (Vol. II - Sec.4:2 - Pg.19)					D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)					D	✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)					D	✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)					D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)					D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)					D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)					D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)					D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)					D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)					D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)					D	✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)					D	✓	
Pond levels three-foot free board					D	✓	

Daily Inspection Form  
Sundance West

Date: 2-18-23  
Others: \_\_\_\_\_

Print Name: Daryl Romero  
Signature: \_\_\_\_\_

TYPE OF INSPECTION

Item	Daily	Weekly	Monthly	Quarterly	Annual	Satisfactory	Action Required
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)	<input checked="" type="checkbox"/>					D ✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)						D ✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)						D ✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)						D ✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)						D ✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)						D ✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)						D ✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)						D ✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)						D ✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)						D ✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)						D ✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)						D ✓	
Pond levels three-foot free board						D ✓	

**Daily Inspection Form  
Sundance West**

Date: 2-19-23  
 Others: \_\_\_\_\_

Print Name: Douglas Romero  
 Signature: \_\_\_\_\_

**TYPE OF INSPECTION**

Item	Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual	Satisfactory	Action Required
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)						D ✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)						D ✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)						D ✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)						D ✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)						D ✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)						D ✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)						D ✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)						D ✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)						D ✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)						D ✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)						D ✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)						D ✓	
Pond levels three-foot free board							



**Daily Inspection Form  
Sundance West**

Date: 2-20-23  
 Others: \_\_\_\_\_

Print Name: Devin Romero  
 Signature: \_\_\_\_\_

**TYPE OF INSPECTION**

Item	Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual	Satisfactory	Action Required
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)						D ✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)						D ✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)						D ✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)						D ✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)						D ✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)						D ✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)						D ✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)						D ✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)						D ✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)						D ✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)						D ✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)						D ✓	
Pond levels three-foot free board						D ✓	

**Daily Inspection Form  
Sundance West**

Date: 2-21-23  
Others: \_\_\_\_\_

Print Name: Dora Romero  
Signature: \_\_\_\_\_

**TYPE OF INSPECTION**

Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual		Satisfactory	Action Required
<b>Item</b>							
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)					D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)					D	✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)					D	✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)					D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)					D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)					D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)					D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)					D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)					D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)					D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)					D	✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)					D	✓	
Pond levels three-foot free board					D	✓	



Daily Inspection Form  
Sundance West

Date: 2-22-23

Print Name:

Dawn Romero

Others: \_\_\_\_\_

Signature:

TYPE OF INSPECTION

Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual		Satisfactory	Action Required
<b>Item</b>							
Vehicle Screening (H2S) (Vol. II - Sec.4:2 - Pg.19)					D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)					D	✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)					D	✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)					D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)					D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)					D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)					D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)					D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)					D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)					D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)					D	✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)					D	✓	
Pond levels three-foot free board					D	✓	

**Daily Inspection Form  
Sundance West**

Date: 2-23-23

Print Name: Deyssi Roman

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

**TYPE OF INSPECTION**

TYPE OF INSPECTION					Satisfactory	Action Required
Daily	Weekly	Monthly	Quarterly	Annual		
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
<b>Item</b>						
Vehicle Screening (H2S) (Vol. II - Sec.4:2 - Pg.19)					D	✓
Dust Control (Vol. II - Sec.4.3 - Pg.19)					D	✓
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)					D	✓
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)					D	✓
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)					D	✓
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)					D	✓
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)					D	✓
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)					D	✓
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)					D	✓
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)					D	✓
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)					D	✓
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)					D	✓
Pond levels three-foot free board					D	✓

Daily Inspection Form  
Sundance West

Date: 2-24-23  
Others: \_\_\_\_\_

Print Name: Daisy Romero  
Signature: \_\_\_\_\_

TYPE OF INSPECTION

	Daily	Weekly	Monthly	Quarterly	Annual		Satisfactory	Action Required
Item								
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)	<input checked="" type="checkbox"/>					D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)						D	✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)						D	✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)						D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)						D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)						D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)						D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)						D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)						D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)						D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)						D	✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)						D	✓	
Pond levels three-foot free board						D	✓	



Daily Inspection Form  
Sundance West

Date: 2-25-23  
Others: \_\_\_\_\_

Print Name: Devon Romero  
Signature: \_\_\_\_\_

TYPE OF INSPECTION

Item	Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual	Satisfactory	Action Required
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)						D ✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)						D ✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)						D ✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)						D ✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)						D ✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)						D ✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)						D ✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)						D ✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)						D ✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)						D ✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)						D ✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)						D ✓	
Pond levels three-foot free board						D ✓	

**Daily Inspection Form  
Sundance West**

Date: 2-26-23

Print Name: Daisy Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

**TYPE OF INSPECTION**

Item	Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual	Satisfactory	Action Required
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)						D ✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)						D ✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)						D ✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)						D ✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)						D ✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)						D ✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)						D ✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)						D ✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)						D ✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)						D ✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)						D ✓	
Evaopraton Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)						D ✓	
Pond levels three-foot free board						D ✓	



Daily Inspection Form  
Sundance West

Date: 2-27-23  
Others: \_\_\_\_\_

Print Name: Deusi Romero  
Signature: \_\_\_\_\_

TYPE OF INSPECTION

Item	Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual	D	Satisfactory	Action Required
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)						D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)						D	✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)						D	✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)						D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)						D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)						D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)						D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)						D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)						D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)						D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)						D	✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)						D	✓	
Pond levels three-foot free board						D	✓	

Daily Inspection Form  
Sundance West

Date: 2-28-23

Print Name:

Deysi Romero

Others: \_\_\_\_\_

Signature:

TYPE OF INSPECTION

Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual		Satisfactory	Action Required
<b>Item</b>							
Vehicle Screening (H2S) (Vol. II - Sec.4:2 - Pg.19)					D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)					D	✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)					D	✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)					D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)					D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)					D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)					D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)					D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)					D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)					D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)					D	✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)					D	✓	
Pond levels three-foot free board					D	✓	

**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 2-1-23

**Inspector(s):**

**Time:** 8:50am

Deysi Romero

**Weather:**

Temperature 25 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies Mostly cloudy

Wind Speed 6 mph

Wind Direction VAR (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

NOTES:



**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 2-2-23

**Inspector(s):**

**Time:** 6:50am

Deysi Romero

**Weather:**

Temperature 37 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies Cloudy

Wind Speed 7 mph

Wind Direction WNW (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**

**ATTACHMENT II.1.D  
Evaporation Pond Integrity/Leak Detection Inspection Checklist  
Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 2-3-23

**Inspector(s):**

**Time:** 6:50am

Deysi Romero

**Weather:**

Temperature 21 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies Fair

Wind Speed 7 mph

Wind Direction NW (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

NOTES:



**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 2-4-23

**Inspector(s):**

**Time:** 8:50 am

Deysi Romero

**Weather:**

Temperature 36 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies Fair

Wind Speed 8 mph

Wind Direction S (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**

**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 2-5-23

**Inspector(s):**

**Time:** 10:50am

Deja Romero

**Weather:**

Temperature 64 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies Fair

Wind Speed 8 mph

Wind Direction S (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**

**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 2-6-23

**Inspector(s):**

**Time:** 7:50 am

Deysi Romero

**Weather:**

Temperature 34 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies Fair

Wind Speed 8 mph

Wind Direction SW (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

NOTES:



**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 2-7-23

**Inspector(s):**

**Time:** 11:50 am

Deyssi Romero

**Weather:**

Temperature 43 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies cloudy

Wind Speed 18 mph

Wind Direction NE (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**

**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 2-8-23

**Inspector(s):**

**Time:** 1:50 pm

Deysi Romero

**Weather:**

Temperature 52 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies Fair

Wind Speed 15 mph

Wind Direction W (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**



**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 2-9-23

**Inspector(s):**

**Time:** 7:30am

Deysi Romero

**Weather:**

Temperature 36 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies Foiv

Wind Speed 14 mph

Wind Direction NW (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**

**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 2-10-23  
**Time:** 8:50am

**Inspector(s):**  
Deysi Romero

**Weather:**

Temperature 27 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies Fair

Wind Speed 13 mph

Wind Direction N (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**

**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 2-11-23

**Inspector(s):**

**Time:** 9:50 am

Deusi Romero

**Weather:**

Temperature 39 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies Fair

Wind Speed 8 mph

Wind Direction S (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**



**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 2-12-23

**Inspector(s):**

**Time:** 10:50am

Deyan Romero

**Weather:**

Temperature 50 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies Fair

Wind Speed 6 mph

Wind Direction S (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**

**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 2-13-23

**Inspector(s):**

**Time:** 9:50 am

Deysi Romero

**Weather:**

Temperature 45 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies Fair

Wind Speed 14 mph

Wind Direction E (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**



**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 2-14-23

**Inspector(s):**

**Time:** 7:50am

Deysi Romero

**Weather:**

Temperature 39 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies Fair / Windy

Wind Speed 32 mph

Wind Direction WSW (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**

**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 2-15-23

**Inspector(s):**

**Time:** 6:50 am

Deusi Romero

**Weather:**

Temperature 25 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies Fair

Wind Speed 5 mph

Wind Direction VAR (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

NOTES:

**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

Date: 2-16-23

Inspector(s):

Time: 11:50 am

Deysi Romero

**Weather:**

Temperature 36 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies Fair

Wind Speed 14 mph

Wind Direction N (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**



**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 2-17-23

**Inspector(s):**

**Time:** 9:30am

Daisy Romero

**Weather:**

Temperature 34 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies Fair

Wind Speed 8 mph

Wind Direction SSW (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

NOTES:

**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 2-18-23

**Inspector(s):**

**Time:** 7:15 am

Daisy Romero

**Weather:**

Temperature 36 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies Light Snow

Wind Speed 12 mph

Wind Direction SSW (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**



**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 2-19-23

**Inspector(s):**

**Time:** 7:50am

Douglas Romero

**Weather:**

Temperature 46 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies Mostly cloudy

Wind Speed 12 mph

Wind Direction WSW (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**

**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 2-20-23

**Inspector(s):**

**Time:** 8:50am

Deusi Romero

**Weather:**

Temperature 55 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies Fair

Wind Speed 17 mph

Wind Direction WSW (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**

**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 2-21-23

**Inspector(s):**

**Time:** 8:50am

Deysi Romero

**Weather:**

Temperature 55 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies Fair

Wind Speed 9 mph

Wind Direction S (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**



**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

Date: 2-22-23

Inspector(s):  
Daisy Romero

Time: 11:50am

**Weather:**

Temperature 59 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies Fair/Windy

Wind Speed 23 mph

Wind Direction SW (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**

**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 2-23-23

**Inspector(s):**

**Time:** 8:50 am

Deysi Romero

**Weather:**

Temperature 50 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies FAIR

Wind Speed 7 mph

Wind Direction WSW (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**



**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

Date: 2-24-23

Inspector(s):

Time: 2:30 pm

Deysi Romero

**Weather:**

Temperature 50 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies FAIR

Wind Speed 7 mph

Wind Direction NE (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**

**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

Date: 2-25-23

Inspector(s):

Time: 7:50am

Deysi Romero

**Weather:**

Temperature 34 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies FOUW

Wind Speed 0 mph

Wind Direction CALM (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**

**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

Date: 2-26-23

Time: 1:50pm

Inspector(s):

Deysi Romero

**Weather:**

Temperature 75 deg. F

Skies Four / Windy

Wind Speed 26 mph

Wind Direction S (direction blowing from)

Precipitation (last 24 hours) \_\_\_\_\_ inches

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**



**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 2-27-23

**Inspector(s):**

**Time:** 8:50am

Devin Romero

**Weather:**

Temperature 32 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies Fair

Wind Speed 7 mph

Wind Direction WNW (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

NOTES:

**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

Date: 2-28-23

Inspector(s):

Time: 11:50am

Drew Romero

**Weather:**

Temperature 68 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies Fair/Windy

Wind Speed 22 mph

Wind Direction: WSW (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		


NOTES:



# Office Pits

Date: 2-1-2023

Before:  
After:




9  
Before:  
After:

WEST


Before:  
After:

10



Before:  
After:


Before:  
After:



7  
Before:  
After:

Before:  
After:

100




Before:  
After:

SOUTH

NORTH


Before:  
After:



5  
Before:  
After:


Before:  
After:

6



Before:  
After:


Before:  
After:



3  
Before:  
After:


Before:  
After:

4



Before:  
After:

Before:  
After:




1  
Before:  
After:

EAST

Before:  
After:

2




Before:  
After:

# Office Pits

Date: 2-2-23

Before:  
After:




9  
Before:  
After:

WEST


Before:  
After:

10



Before:  
After:


Before:  
After:



7  
Before:  
After:

Before:  
After:

8




Before:  
After:

SOUTH

NORTH


Before:  
After:



5  
Before:  
After:


Before:  
After:

6



Before:  
After:


Before:  
After:



3  
Before:  
After:


Before:  
After:

4



Before:  
After:

Before:  
After:




1  
Before:  
After:

EAST

Before:  
After:

2




Before:  
After:

# Office Pits

Date: 2-3-23

WEST


10



Before:  
After:

Before:  
After:

8




Before:  
After:

Before:  
After:

NORTH


6



Before:  
After:

Before:  
After:


4



Before:  
After:

Before:  
After:


2



Before:  
After:


Before:  
After:

EAST



9  
Before:  
After:


Before:  
After:



7  
Before:  
After:


Before:  
After:

SOUTH




5  
Before:  
After:

Before:  
After:



3  
Before:  
After:

Before:  
After:




1  
Before:  
After:

Before:  
After:

# Office Pits

Date: 2-4-23


Before:  
After:



9  
Before:  
After:

WEST


10



Before:  
After:


Before:  
After:

Before:  
After:



7  
Before:  
After:

8




Before:  
After:

Before:  
After:

SOUTH


NORTH

Before:  
After:



5  
Before:  
After:


6



Before:  
After:


Before:  
After:

Before:  
After:



3  
Before:  
After:


4



Before:  
After:

Before:  
After:


Before:  
After:



1  
Before:  
After:

EAST

2



Before:  
After:

Before:  
After:




# Office Pits

Date: 2-5-23

WEST


10



Before:  
After:

Before:  
After:

8




Before:  
After:

Before:  
After:

NORTH


6



Before:  
After:

Before:  
After:


4



Before:  
After:

Before:  
After:

2




Before:  
After:

Before:  
After:


EAST

9




Before:  
After:

7




Before:  
After:

5




Before:  
After:

3



Before:  
After:

1



Before:  
After:

SOUTH

Before:  
After:

Before:  
After:

Before:  
After:


Before:  
After:

Before:  
After:




# Office Pits

Date: 2-6-23



9  
Before:  
After:


efore:  
After:



7  
Before:  
After:


efore:  
After:

SOUTH




5  
Before:  
After:

efore:  
After:



3  
Before:  
After:

efore:  
After:




1  
Before:  
After:

efore:  
After:

EAST

WEST


10



Before:  
After:

Before:  
After:

8




Before:  
After:

Before:  
After:

NORTH


6



Before:  
After:

Before:  
After:


4



Before:  
After:

Before:  
After:

2



Before:  
After:


Before:  
After:

# Office Pits

Date: 2-7-23

WEST


10



Before:  
After:

Before:  
After:

8




Before:  
After:

Before:  
After:

NORTH


6



Before:  
After:

Before:  
After:


4



Before:  
After:

Before:  
After:


2



Before:  
After:


Before:  
After:

EAST



9  
Before:  
After:


Before:  
After:



7  
Before:  
After:


Before:  
After:

SOUTH




5  
Before:  
After:

Before:  
After:



3  
Before:  
After:

Before:  
After:



1  
Before:  
After:


Before:  
After:

# Office Pits

Date: 2-8-23

WEST


10



Before:  
After:

Before:  
After:

8




Before:  
After:

Before:  
After:

NORTH


6



Before:  
After:

Before:  
After:


4



Before:  
After:

Before:  
After:


2



Before:  
After:


Before:  
After:

EAST



9  
Before:  
After:


Before:  
After:



7  
Before:  
After:


Before:  
After:

SOUTH




5  
Before:  
After:

Before:  
After:



3  
Before:  
After:

Before:  
After:



1  
Before:  
After:


Before:  
After:

# Office Pits

Date: 2-9-23

WEST


10



Before:  
After:

Before:  
After:

8




Before:  
After:

Before:  
After:

NORTH


6



Before:  
After:

Before:  
After:


4



Before:  
After:

Before:  
After:


2



Before:  
After:


Before:  
After:

EAST



9  
Before:  
After:


Before:  
After:



7  
Before:  
After:


Before:  
After:

SOUTH




5  
Before:  
After:

Before:  
After:



3  
Before:  
After:

Before:  
After:



1  
Before:  
After:

Before:  
After:




# Office Pits

Date: 2-10-23

WEST


10



Before:  
After:

Before:  
After:

8




Before:  
After:

Before:  
After:

NORTH


6



Before:  
After:

Before:  
After:


4



Before:  
After:

Before:  
After:

2




Before:  
After:

Before:  
After:

EAST

1



Before:  
After:

Before:  
After:

Before:  
After:


Before:  
After:

Before:  
After:

Before:  
After:


SOUTH

9




Before:  
After:

7




Before:  
After:

5



Before:  
After:

3




Before:  
After:



# Office Pits


Date: 2-11-23



9  
Before:  
After:


WEST

10




Before:  
After:

Before:  
After:



7  
Before:  
After:

8




Before:  
After:

Before:  
After:


SOUTH

NORTH




5  
Before:  
After:

6




Before:  
After:

Before:  
After:




3  
Before:  
After:

4



Before:  
After:


Before:  
After:



1  
Before:  
After:

EAST

2



Before:  
After:


Before:  
After:

# Office Pits

Date: 2-12-23

WEST


10



Before:  
After:

Before:  
After:

8




Before:  
After:

Before:  
After:

NORTH


6



Before:  
After:

Before:  
After:


4



Before:  
After:

Before:  
After:

2




Before:  
After:

Before:  
After:


EAST

1




Before:  
After:

3  
Before:  
After:



Before:  
After:


5  
Before:  
After:



Before:  
After:

SOUTH


7



Before:  
After:

Before:  
After:

9




Before:  
After:

Before:  
After:

# Office Pits

Date: 2-13-23




9  
Before:  
After:

Before:  
After:


WEST

10



Before:  
After:


Before:  
After:



7  
Before:  
After:

Before:  
After:

8




Before:  
After:

Before:  
After:

SOUTH


NORTH



5  
Before:  
After:


Before:  
After:

6



Before:  
After:


Before:  
After:



3  
Before:  
After:


Before:  
After:

4



Before:  
After:

Before:  
After:




1  
Before:  
After:

Before:  
After:

EAST

2




Before:  
After:

Before:  
After:


# Office Pits

Date: 2-14-23



9  
Before:  
After:


efore:  
After:



7  
Before:  
After:


efore:  
After:

SOUTH




5  
Before:  
After:

efore:  
After:



3  
Before:  
After:

efore:  
After:




1  
Before:  
After:

efore:  
After:

EAST

WEST


10



Before:  
After:

Before:  
After:

8




Before:  
After:

Before:  
After:

NORTH


6



Before:  
After:

Before:  
After:


4



Before:  
After:

Before:  
After:

2



Before:  
After:

Before:  
After:




# Office Pits

Date: 2-15-23

WEST


10



Before:  
After:

Before:  
After:

8




Before:  
After:

Before:  
After:

NORTH


6



Before:  
After:

Before:  
After:


4



Before:  
After:

Before:  
After:


2



Before:  
After:


Before:  
After:

EAST



9  
Before:  
After:


Before:  
After:



7  
Before:  
After:


Before:  
After:

SOUTH




5  
Before:  
After:

Before:  
After:



3  
Before:  
After:

Before:  
After:



1  
Before:  
After:


Before:  
After:



# Office Pits

Date: 2-16-23


Before:  
After:



9  
Before:  
After:

WEST


10



Before:  
After:


Before:  
After:

Before:  
After:



7  
Before:  
After:

8




Before:  
After:

Before:  
After:

SOUTH


NORTH

Before:  
After:



5  
Before:  
After:


6



Before:  
After:


Before:  
After:

Before:  
After:



3  
Before:  
After:


4



Before:  
After:

Before:  
After:


Before:  
After:



1  
Before:  
After:

EAST

2




Before:  
After:

Before:  
After:

# Office Pits

Date: 2-17-23




9  
Before:  
After:

Before:  
After:


WEST

10



Before:  
After:


Before:  
After:



7  
Before:  
After:

Before:  
After:

8




Before:  
After:

Before:  
After:

SOUTH


NORTH



5  
Before:  
After:


Before:  
After:

6



Before:  
After:


Before:  
After:



3  
Before:  
After:


Before:  
After:

4



Before:  
After:

Before:  
After:




1  
Before:  
After:

Before:  
After:

Before:  
After:

EAST


2



Before:  
After:


# Office Pits

Date: 2-18-23



9  
Before:  
After:


Before:  
After:



7  
Before:  
After:


Before:  
After:

SOUTH




5  
Before:  
After:

Before:  
After:



3  
Before:  
After:

Before:  
After:




1  
Before:  
After:

Before:  
After:

EAST

WEST


10



Before:  
After:

Before:  
After:

8




Before:  
After:

Before:  
After:

NORTH


6



Before:  
After:

Before:  
After:


4



Before:  
After:

Before:  
After:

2



Before:  
After:


Before:  
After:

# Office Pits

Date: 2-19-23

WEST


10



Before:  
After:

Before:  
After:


8



Before:  
After:

Before:  
After:


6



Before:  
After:

Before:  
After:


4



Before:  
After:

Before:  
After:


2



Before:  
After:


Before:  
After:

EAST



9  
Before:  
After:


Before:  
After:



7  
Before:  
After:


Before:  
After:

SOUTH




5  
Before:  
After:

Before:  
After:



3  
Before:  
After:

Before:  
After:



1  
Before:  
After:

Before:  
After:




# Office Pits

Date: 2-20-23

WEST


10



Before:  
After:

Before:  
After:

8




Before:  
After:

Before:  
After:

NORTH


6



Before:  
After:

Before:  
After:


4



Before:  
After:

Before:  
After:

2




Before:  
After:

Before:  
After:


EAST

1  
Before:  
After:




Before:  
After:

3  
Before:  
After:




Before:  
After:

5  
Before:  
After:




Before:  
After:

7  
Before:  
After:



Before:  
After:

9  
Before:  
After:



Before:  
After:

SOUTH




# Office Pits

Date: 2-21-23

WEST


10



Before:  
After:

Before:  
After:

8




Before:  
After:

Before:  
After:

NORTH


6



Before:  
After:

Before:  
After:


4



Before:  
After:

Before:  
After:

2




Before:  
After:

Before:  
After:


EAST

9




Before:  
After:

7




Before:  
After:

5




Before:  
After:

3



Before:  
After:

1



Before:  
After:

Before:  
After:

Before:  
After:

SOUTH


Before:  
After:

Before:  
After:

Before:  
After:

# Office Pits


Date: 2-22-23



9  
Before:  
After:


WEST

10




Before:  
After:

Before:  
After:



7  
Before:  
After:

8




Before:  
After:

Before:  
After:


SOUTH

NORTH




5  
Before:  
After:

6




Before:  
After:

Before:  
After:




3  
Before:  
After:

4




Before:  
After:

Before:  
After:



1  
Before:  
After:

2



Before:  
After:

Before:  
After:


EAST

# Office Pits

Date: 2-23-23

WEST


10



Before:  
After:

Before:  
After:

8




Before:  
After:

Before:  
After:

NORTH


6



Before:  
After:

Before:  
After:


4



Before:  
After:

Before:  
After:

2




Before:  
After:

Before:  
After:


EAST

9




Before:  
After:

7




Before:  
After:

5




Before:  
After:

3



Before:  
After:

1



Before:  
After:

Before:  
After:

Before:  
After:

SOUTH

Before:  
After:

Before:  
After:


Before:  
After:

# Office Pits

Date: 2-24-23

WEST


10



Before:  
After:

Before:  
After:

8




Before:  
After:

Before:  
After:

NORTH


6



Before:  
After:

Before:  
After:


4



Before:  
After:

Before:  
After:

2




Before:  
After:

Before:  
After:


EAST

9




Before:  
After:

7




Before:  
After:

5




Before:  
After:

3



Before:  
After:

1



Before:  
After:

SOUTH

Before:  
After:

Before:  
After:

Before:  
After:

Before:  
After:

Before:  
After:




# Office Pits

Date: 2-25-23

WEST


10



Before:  
After:

Before:  
After:


8



Before:  
After:

Before:  
After:


6



Before:  
After:

Before:  
After:


4



Before:  
After:

Before:  
After:

2




Before:  
After:

Before:  
After:

EAST


9



Before:  
After:

Before:  
After:

7




Before:  
After:

Before:  
After:

SOUTH


5



Before:  
After:

Before:  
After:


3



Before:  
After:

Before:  
After:

1



Before:  
After:

Before:  
After:




# Office Pits

Date: 2-26-23

WEST


10



Before:  
After:

Before:  
After:

8




Before:  
After:

Before:  
After:

NORTH


6



Before:  
After:

Before:  
After:


4



Before:  
After:

Before:  
After:

2




Before:  
After:

Before:  
After:


EAST

9




Before:  
After:

7




Before:  
After:

5




Before:  
After:

3



Before:  
After:

1



Before:  
After:

Before:  
After:

Before:  
After:

SOUTH

Before:  
After:

Before:  
After:


Before:  
After:

# Office Pits

Date: 2-27-23

WEST


10



Before:  
After:

Before:  
After:

8




Before:  
After:

Before:  
After:

NORTH


6



Before:  
After:

Before:  
After:


4



Before:  
After:

Before:  
After:

2




Before:  
After:

Before:  
After:

EAST

1




Before:  
After:

Before:

After:


9



Before:  
After:

Before:  
After:

7




Before:  
After:

Before:  
After:

SOUTH


5



Before:  
After:

Before:  
After:

3




Before:  
After:

Before:  
After:

# Office Pits

Date: 2-28-23

Before:  
After:




9  
Before:  
After:

WEST


Before:  
After:

10



Before:  
After:


Before:  
After:



7  
Before:  
After:

Before:  
After:

8




Before:  
After:

SOUTH

NORTH


Before:  
After:



5  
Before:  
After:


Before:  
After:

6



Before:  
After:


Before:  
After:



3  
Before:  
After:


Before:  
After:

4



Before:  
After:

Before:  
After:




1  
Before:  
After:

EAST

Before:  
After:

2



Before:  
After:



# SUNDANCE SERVICES WEST, INC.

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS

Main Office: 575-394-2511

Plant Office: 575-394-3212

Fax: 575-394-2590

1001 6<sup>th</sup> Street

P.O. Box 1737

Eunice, New Mexico 88231

**PARABO DISPOSAL FACILITY**

[www.sundanceservices.com](http://www.sundanceservices.com)

[www.sundanceservices.net](http://www.sundanceservices.net)

[www.sundanceservices.org](http://www.sundanceservices.org)

## MONITOR WELLS

DATE: 2-1-23

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
P-MWS 1	3.0	65'0"	0'0"		
P-MWS 2	3.0	70'0"	0'0"		
P-MWS 3	3.0	64'3"	0'0"		
P-MWS 4	3.0	53'5"	0'0"		
P-MWS 5	3.0	48'4"	0'0"		





# SUNDANCE SERVICES WEST, INC.

ROLL-OFF BOXES    ROLL-OFF TRUCKS    DUMP TRUCKS    VACUUM TRUCKS

Main Office: 575-394-2511      Plant Office: 575-394-3212      Fax: 575-394-2590  
 1001 6<sup>th</sup> Street      P.O. Box 1737      Eunice, New Mexico 88231

## PARABO DISPOSAL FACILITY

www.sundanceservices.com      www.sundanceservices.net      www.sundanceservices.org

**MONITOR WELLS**

DATE: 2-2-23

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
P-MWS 1	3.0	65'0"			
P-MWS 2	3.0	70'0"			
P-MWS 3	3.0	64'3"			
P-MWS 4	3.0	53'5"			
P-MWS 5	3.0	48'4"			





# SUNDANCE SERVICES WEST, INC.

**ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS**

Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590

1001 6<sup>th</sup> Street P.O. Box 1737 Eunice, New Mexico 88231

**PARABO DISPOSAL FACILITY**

www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

## MONITOR WELLS

DATE: 2-3-23

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
P-MWS 1	3.0	65'0"			
P-MWS 2	3.0	70'0"			
P-MWS 3	3.0	64'3"			
P-MWS 4	3.0	53'5"			
P-MWS 5	3.0	48'4"			



### SUNDANCE SERVICES WEST, INC.

ROLL-OFF BOXES    ROLL-OFF TRUCKS    DUMP TRUCKS    VACUUM TRUCKS

Main Office: 575-394-2511    Plant Office: 575-394-3212    Fax: 575-394-2590

1001 6<sup>th</sup> Street    P.O. Box 1737    Eunice, New Mexico 88231

**PARABO DISPOSAL FACILITY**

www.sundanceservices.com    www.sundanceservices.net    www.sundanceservices.org

MONITOR WELLS

DATE: 2-4-23

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
P-MWS 1	3.0	65'0"			
P-MWS 2	3.0	70'0"			
P-MWS 3	3.0	64'3"			
P-MWS 4	3.0	53'5"			
P-MWS 5	3.0	48'4"			



# SUNDANCE SERVICES WEST, INC.

**ROLL-OFF BOXES    ROLL-OFF TRUCKS    DUMP TRUCKS    VACUUM TRUCKS**

Main Office: 575-394-2511

Plant Office: 575-394-3212

Fax: 575-394-2590

1001 6<sup>th</sup> Street

P.O. Box 1737

Eunice, New Mexico 88231

**PARABO DISPOSAL FACILITY**

www.sundanceservices.com

www.sundanceservices.net

www.sundanceservices.org

## MONITOR WELLS

DATE: 2-5-23

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
P-MWS 1	3.0	65'0"			
P-MWS 2	3.0	70'0"			
P-MWS 3	3.0	64'3"			
P-MWS 4	3.0	53'5"			
P-MWS 5	3.0	48'4"			



### SUNDANCE SERVICES WEST, INC.

**ROLL-OFF BOXES    ROLL-OFF TRUCKS    DUMP TRUCKS    VACUUM TRUCKS**  
 Main Office: 575-394-2511    Plant Office: 575-394-3212    Fax: 575-394-2590  
 1001 6<sup>th</sup> Street    P.O. Box 1737    Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
[www.sundanceervices.com](http://www.sundanceervices.com)    [www.sundanceervices.net](http://www.sundanceervices.net)    [www.sundanceervices.org](http://www.sundanceervices.org)

MONITOR WELLS

DATE: 2-6-23

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
P-MWS 1	3.0	65'0"	⊙ ⊙ <sup>u</sup>		
P-MWS 2	3.0	70'0"	⊙ ⊙ <sup>u</sup>		
P-MWS 3	3.0	64'3"	⊙ ⊙ <sup>u</sup>		
P-MWS 4	3.0	53'5"	⊙ ⊙ <sup>u</sup>		
P-MWS 5	3.0	48'4"	⊙ ⊙ <sup>u</sup>		





# SUNDANCE SERVICES WEST, INC.

**ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS**

Main Office: 575-394-2511

Plant Office: 575-394-3212

Fax: 575-394-2590

1001 6<sup>th</sup> Street

P.O. Box 1737

Eunice, New Mexico 88231

**PARABO DISPOSAL FACILITY**

[www.sundanceservices.com](http://www.sundanceservices.com)

[www.sundanceservices.net](http://www.sundanceservices.net)

[www.sundanceservices.org](http://www.sundanceservices.org)

## MONITOR WELLS

DATE: 2-7-23

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
P-MWS 1	3.0	65'0"	0'0"		
P-MWS 2	3.0	70'0"	0'0"		
P-MWS 3	3.0	64'3"	0'0"		
P-MWS 4	3.0	53'5"	0'0"		
P-MWS 5	3.0	48'4"	0'0"		





**SUNDANCE SERVICES WEST, INC.**

**ROLL-OFF BOXES    ROLL-OFF TRUCKS    DUMP TRUCKS    VACUUM TRUCKS**

Main Office: 575-394-2511    Plant Office: 575-394-3212    Fax: 575-394-2590

1001 6<sup>th</sup> Street    P.O. Box 1737    Eunice, New Mexico 88231

**PARABO DISPOSAL FACILITY**

[www.sundanceservices.com](http://www.sundanceservices.com)

[www.sundanceservices.net](http://www.sundanceservices.net)

[www.sundanceservices.org](http://www.sundanceservices.org)

MONITOR WELLS

DATE: 2-8-23

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
P-MWS 1	3.0	65'0"	0'0"		
P-MWS 2	3.0	70'0"	0'0"		
P-MWS 3	3.0	64'3"	0'6"		
P-MWS 4	3.0	53'5"	0'6"		
P-MWS 5	3.0	48'4"	0'0"		



# SUNDANCE SERVICES WEST, INC.

**ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS**

Main Office: 575-394-2511

Plant Office: 575-394-3212

Fax: 575-394-2590

1001 6<sup>th</sup> Street

P.O. Box 1737

Eunice, New Mexico 88231

**PARABO DISPOSAL FACILITY**

[www.sundanceservices.com](http://www.sundanceservices.com)

[www.sundanceservices.net](http://www.sundanceservices.net)

[www.sundanceservices.org](http://www.sundanceservices.org)

## MONITOR WELLS

DATE: 2-9-23

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
P-MWS 1	3.0	65'0"	① ① ①		
P-MWS 2	3.0	70'0"	① ① ①		
P-MWS 3	3.0	64'3"	① ① ①		
P-MWS 4	3.0	53'5"	① ① ①		
P-MWS 5	3.0	48'4"	① ① ①		



**SUNDANCE SERVICES WEST, INC.**

**ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS**

Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590

1001 6<sup>th</sup> Street P.O. Box 1737 Eunice, New Mexico 88231

**PARABO DISPOSAL FACILITY**

www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

MONITOR WELLS

DATE: 2-10-23

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
P-MWS 1	3.0	65'0"			
P-MWS 2	3.0	70'0"			
P-MWS 3	3.0	64'3"			
P-MWS 4	3.0	53'5"			
P-MWS 5	3.0	48'4"			



# SUNDANCE SERVICES WEST, INC.

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS

Main Office: 575-394-2511

Plant Office: 575-394-3212

Fax: 575-394-2590

1001 6<sup>th</sup> Street

P.O. Box 1737

Eunice, New Mexico 88231

PARABO DISPOSAL FACILITY

www.sundanceservices.com

www.sundanceservices.net

www.sundanceservices.org

## MONITOR WELLS

DATE: 2-11-23

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
P-MWS 1	3.0	65'0"	0'0"		
P-MWS 2	3.0	70'0"	0'0"		
P-MWS 3	3.0	64'3"	0'0"		
P-MWS 4	3.0	53'5"	0'0"		
P-MWS 5	3.0	48'4"	0'0"		





## SUNDANCE SERVICES WEST, INC.

**ROLL-OFF BOXES    ROLL-OFF TRUCKS    DUMP TRUCKS    VACUUM TRUCKS**

Main Office: 575-394-2511

Plant Office: 575-394-3212

Fax: 575-394-2590

1001 6<sup>th</sup> Street

P.O. Box 1737

Eunice, New Mexico 88231

**PARABO DISPOSAL FACILITY**

[www.sundanceservices.com](http://www.sundanceservices.com)

[www.sundanceservices.net](http://www.sundanceservices.net)

[www.sundanceservices.org](http://www.sundanceservices.org)

### MONITOR WELLS

DATE: 2-12-23

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
P-MWS 1	3.0	65'0"	6'0"		
P-MWS 2	3.0	70'0"	6'0"		
P-MWS 3	3.0	64'3"	6'0"		
P-MWS 4	3.0	53'5"	6'0"		
P-MWS 5	3.0	48'4"	6'0"		





# SUNDANCE SERVICES WEST, INC.

**ROLL-OFF BOXES   ROLL-OFF TRUCKS   DUMP TRUCKS   VACUUM TRUCKS**

Main Office: 575-394-2511

Plant Office: 575-394-3212

Fax: 575-394-2590

1001 6<sup>th</sup> Street

P.O. Box 1737

Eunice, New Mexico 88231

**PARABO DISPOSAL FACILITY**

[www.sundanceservices.com](http://www.sundanceservices.com)

[www.sundanceservices.net](http://www.sundanceservices.net)

[www.sundanceservices.org](http://www.sundanceservices.org)

## MONITOR WELLS

DATE: 2-13-23

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
P-MWS 1	3.0	65'0"	0'0"		
P-MWS 2	3.0	70'0"	0'0"		
P-MWS 3	3.0	64'3"	0'0"		
P-MWS 4	3.0	53'5"	0'0"		
P-MWS 5	3.0	48'4"	0'0"		



# SUNDANCE SERVICES WEST, INC.

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS

Main Office: 575-394-2511

Plant Office: 575-394-3212

Fax: 575-394-2590

1001 6<sup>th</sup> Street

P.O. Box 1737

Eunice, New Mexico 88231

PARABO DISPOSAL FACILITY

www.sundanceservices.com

www.sundanceservices.net

www.sundanceservices.org

## MONITOR WELLS

DATE: 2-14-23

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
P-MWS 1	3.0	65'0"	0'0"		
P-MWS 2	3.0	70'0"	0'0"		
P-MWS 3	3.0	64'3"	0'0"		
P-MWS 4	3.0	53'5"	0'0"		
P-MWS 5	3.0	48'4"	0'0"		



## SUNDANCE SERVICES WEST, INC.

ROLL-OFF BOXES   ROLL-OFF TRUCKS   DUMP TRUCKS   VACUUM TRUCKS

Main Office: 575-394-2511   Plant Office: 575-394-3212   Fax: 575-394-2590

1001 6<sup>th</sup> Street   P.O. Box 1737   Eunice, New Mexico 88231

**PARABO DISPOSAL FACILITY**

[www.sundanceservices.com](http://www.sundanceservices.com)

[www.sundanceservices.net](http://www.sundanceservices.net)

[www.sundanceservices.org](http://www.sundanceservices.org)

MONITOR WELLS

DATE: 2-15-23

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
P-MWS 1	3.0	65'0"	0'0"		
P-MWS 2	3.0	70'0"	0'0"		
P-MWS 3	3.0	64'3"	0'0"		
P-MWS 4	3.0	53'5"	0'0"		
P-MWS 5	3.0	48'4"	0'0"		



# SUNDANCE SERVICES WEST, INC.

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS

Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590

1001 6th Street P.O. Box 1737 Eunice, New Mexico 88231

**PARABO DISPOSAL FACILITY**

[www.sundanceservices.com](http://www.sundanceservices.com)

[www.sundanceservices.net](http://www.sundanceservices.net)

[www.sundanceservices.org](http://www.sundanceservices.org)

## MONITOR WELLS

DATE: 2-16-23

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
P-MWS 1	3.0	65'0"	0'0"		
P-MWS 2	3.0	70'0"	0'0"		
P-MWS 3	3.0	64'3"	0'0"		
P-MWS 4	3.0	53'5"	0'0"		
P-MWS 5	3.0	48'4"	0'0"		





**SUNDANCE SERVICES WEST, INC.**

**ROLL-OFF BOXES    ROLL-OFF TRUCKS    DUMP TRUCKS    VACUUM TRUCKS**  
 Main Office: 575-394-2511    Plant Office: 575-394-3212    Fax: 575-394-2590  
 1001 6<sup>th</sup> Street    P.O. Box 1737    Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
[www.sundanceservices.com](http://www.sundanceservices.com)    [www.sundanceservices.net](http://www.sundanceservices.net)    [www.sundanceservices.org](http://www.sundanceservices.org)

**MONITOR WELLS**

DATE: 2-17-23

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
P-MWS 1	3.0	65'0"	0'0"		
P-MWS 2	3.0	70'0"	0'0"		
P-MWS 3	3.0	64'3"	0'0"		
P-MWS 4	3.0	53'5"	0'0"		
P-MWS 5	3.0	48'4"	0'0"		





# SUNDANCE SERVICES WEST, INC.

ROLL-OFF BOXES    ROLL-OFF TRUCKS    DUMP TRUCKS    VACUUM TRUCKS

Main Office: 575-394-2511    Plant Office: 575-394-3212    Fax: 575-394-2590

1001 6<sup>th</sup> Street    P.O. Box 1737    Eunice, New Mexico 88231

**PARABO DISPOSAL FACILITY**

[www.sundanceservices.com](http://www.sundanceservices.com)    [www.sundanceservices.net](http://www.sundanceservices.net)    [www.sundanceservices.org](http://www.sundanceservices.org)

**MONITOR WELLS**

DATE: 2-18-23

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
P-MWS 1	3.0	65'0"	0'0"		
P-MWS 2	3.0	70'0"	0'0"		
P-MWS 3	3.0	64'3"	0'0"		
P-MWS 4	3.0	53'5"	0'0"		
P-MWS 5	3.0	48'4"	0'0"		



# SUNDANCE SERVICES WEST, INC.

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS

Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590  
1001 6<sup>th</sup> Street P.O. Box 1737 Eunice, New Mexico 88231

PARABO DISPOSAL FACILITY

www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

## MONITOR WELLS

DATE: 2-19-23

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
P-MWS 1	3.0	65'0"	0'0"		
P-MWS 2	3.0	70'0"	0'0"		
P-MWS 3	3.0	64'3"	0'0"		
P-MWS 4	3.0	53'5"	0'0"		
P-MWS 5	3.0	48'4"	0'0"		



# SUNDANCE SERVICES WEST, INC.

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS

Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590

1001 6<sup>th</sup> Street P.O. Box 1737 Eunice, New Mexico 88231

**PARABO DISPOSAL FACILITY**

www.sundanceservices.com

www.sundanceservices.net

www.sundanceservices.org

MONITOR WELLS

DATE: 2-20-23

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
P-MWS 1	3.0	65'0"	0'0"		
P-MWS 2	3.0	70'0"	0'0"		
P-MWS 3	3.0	64'3"	0'0"		
P-MWS 4	3.0	53'5"	0'0"		
P-MWS 5	3.0	48'4"	0'0"		



# SUNDANCE SERVICES WEST, INC.

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS

Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590

1001 6<sup>th</sup> Street P.O. Box 1737 Eunice, New Mexico 88231

**PARABO DISPOSAL FACILITY**

www.sundanceservices.com

www.sundanceservices.net

www.sundanceservices.org

**MONITOR WELLS**

DATE: 2-21-23

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
P-MWS 1	3.0	65'0"	0' 0"		
P-MWS 2	3.0	70'0"	0' 0"		
P-MWS 3	3.0	64'3"	0' 0"		
P-MWS 4	3.0	53'5"	0' 0"		
P-MWS 5	3.0	48'4"	0' 0"		





**SUNDANCE SERVICES WEST, INC.**

**ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS**

Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590

1001 6<sup>th</sup> Street P.O. Box 1737 Eunice, New Mexico 88231

**PARABO DISPOSAL FACILITY**

[www.sundanceservices.com](http://www.sundanceservices.com)

[www.sundanceservices.net](http://www.sundanceservices.net)

[www.sundanceservices.org](http://www.sundanceservices.org)

**MONITOR WELLS**

DATE: 2-22-23

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
P-MWS 1	3.0	65'0"	0'0"		
P-MWS 2	3.0	70'0"	0'0"		
P-MWS 3	3.0	64'3"	0'0"		
P-MWS 4	3.0	53'5"	0'0"		
P-MWS 5	3.0	48'4"	0'0"		





# SUNDANCE SERVICES WEST, INC.

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS

Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590

1001 6<sup>th</sup> Street P.O. Box 1737 Eunice, New Mexico 88231

**PARABO DISPOSAL FACILITY**

[www.sundanceservices.com](http://www.sundanceservices.com) [www.sundanceservices.net](http://www.sundanceservices.net) [www.sundanceservices.org](http://www.sundanceservices.org)

## MONITOR WELLS

DATE: 2-23-23

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
P-MWS 1	3.0	65'0"	0'0"		
P-MWS 2	3.0	70'0"	0'0"		
P-MWS 3	3.0	64'3"	0'0"		
P-MWS 4	3.0	53'5"	0'0"		
P-MWS 5	3.0	48'4"	0'0"		



SUNDANCE SERVICES WEST, INC.

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS

Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590

1001 6th Street P.O. Box 1737 Eunice, New Mexico 88231

PARABO DISPOSAL FACILITY

www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

MONITOR WELLS

DATE: 2-24-23

Table with 6 columns: WELL #, WELL DIAMETER, PRE-PURGING, BEFORE PURGING, AFTER PURGING, COMMENTS. Includes handwritten data for wells P-MWS 1 through P-MWS 5.



# SUNDANCE SERVICES WEST, INC.

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS

Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590

1001 6<sup>th</sup> Street P.O. Box 1737 Eunice, New Mexico 88231

PARABO DISPOSAL FACILITY

www.sundanceservices.com

www.sundanceservices.net

www.sundanceservices.org

## MONITOR WELLS

DATE: 2-25-23

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
P-MWS 1	3.0	65'0"	0'0"		
P-MWS 2	3.0	70'0"	0'0"		
P-MWS 3	3.0	64'3"	0'0"		
P-MWS 4	3.0	53'5"	0'0"		
P-MWS 5	3.0	48'4"	0'0"		



**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS

Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590

1001 6<sup>th</sup> Street P.O. Box 1737 Eunice, New Mexico 88231

**PARABO DISPOSAL FACILITY**

[www.sundanceservices.com](http://www.sundanceservices.com)

[www.sundanceservices.net](http://www.sundanceservices.net)

[www.sundanceservices.org](http://www.sundanceservices.org)

MONITOR WELLS

DATE: 2-26-23

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
P-MWS 1	3.0	65'0"	0'0"		
P-MWS 2	3.0	70'0"	0'0"		
P-MWS 3	3.0	64'3"	0'0"		
P-MWS 4	3.0	53'5"	0'0"		
P-MWS 5	3.0	48'4"	0'0"		





### SUNDANCE SERVICES WEST, INC.

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS

Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590

1001 6<sup>th</sup> Street P.O. Box 1737 Eunice, New Mexico 88231

**PARABO DISPOSAL FACILITY**

www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

MONITOR WELLS

DATE: 2-27-23

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
P-MWS 1	3.0	65'0"	0'0"		
P-MWS 2	3.0	70'0"	0'0"		
P-MWS 3	3.0	64'3"	0'0"		
P-MWS 4	3.0	53'5"	0'0"		
P-MWS 5	3.0	48'4"	0'0"		





# SUNDANCE SERVICES WEST, INC.

**ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS**

Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590

1001 6<sup>th</sup> Street P.O. Box 1737 Eunice, New Mexico 88231

**PARABO DISPOSAL FACILITY**

www.sundanceservices.com

www.sundanceservices.net

www.sundanceservices.org

## MONITOR WELLS

DATE: 2-28-23

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
P-MWS 1	3.0	65'0"	0.0 <sup>v</sup>		
P-MWS 2	3.0	70'0"	0.0 <sup>v</sup>		
P-MWS 3	3.0	64'3"	0.0 <sup>v</sup>		
P-MWS 4	3.0	53'5"	0.0 <sup>v</sup>		
P-MWS 5	3.0	48'4"	0.0 <sup>v</sup>		
			0		



**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

MONITOR WELLS

DATE: 2-1-2023

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'8"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'9"		
MW-36	3.0	42'	21'5"		
MW-37	3.0	39'3"	19'8"		
MW-40	3.0	29'7"	17'2"		
MW-41	3.0	77'	54'1"		
MW-51	3.0	65'5"	52'1"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	51'3"		
MW-73	2.0	28'	16'8"		VZ-4
MW-74	3.0	33'	26'1"		
VZ-1	2.0	27'	5'9"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'8"		MW-73
VZ-5	2.0	32'6"	16'7"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	22'1"		
MH-69	2.0	28'1"	0'0"		



**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

MONITOR WELLS

DATE: 2-2-2023

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'9"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'8"		
MW-36	3.0	42'	21'6"		
MW-37	3.0	39'3"	19'7"		
MW-40	3.0	29'7"	17'6"		
MW-41	3.0	77'	54'2"		
MW-51	3.0	65'5"	52'1"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	51'2"		
MW-73	2.0	28'	16'7"		VZ-4
MW-74	3.0	33'	26'3"		
VZ-1	2.0	27'	5'8"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'7"		MW-73
VZ-5	2.0	32'6"	16'7"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	22'1"		
MH-69	2.0	28'1"	0'0"		





**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS**

DATE: 2-3-2023

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'8"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'9"		
MW-36	3.0	42'	21'7"		
MW-37	3.0	39'3"	19'6"		
MW-40	3.0	29'7"	17'8"		
MW-41	3.0	77'	54'1"		
MW-51	3.0	65'5"	52'2"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	51'2"		
MW-73	2.0	28'	16'8"		VZ-4
MW-74	3.0	33'	26'6"		
VZ-1	2.0	27'	5'9"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'8"		MW-73
VZ-5	2.0	32'6"	16'6"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	22'1"		
MH-69	2.0	28'1"	0'0"		



**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

MONITOR WELLS

DATE:

2-4-2023

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'9"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'8"		
MW-36	3.0	42'	21'6"		
MW-37	3.0	39'3"	19'7"		
MW-40	3.0	29'7"	17'9"		
MW-41	3.0	77'	54'1"		
MW-51	3.0	65'5"	52'1"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	51'2"		
MW-73	2.0	28'	16'7"		VZ-4
MW-74	3.0	33'	26'9"		
VZ-1	2.0	27'	5'8"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0'		
VZ-4	2.0	28'	16'7"		MW-73
VZ-5	2.0	32'6"	16'6"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	22'1"		
MH-69	2.0	28'1"	0'1"		





**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

MONITOR WELLS

DATE: 2-5-2023

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'8"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'8"		
MW-36	3.0	42'	21'7"		
MW-37	3.0	39'3"	19'7"		
MW-40	3.0	29'7"	17'9"		
MW-41	3.0	77'	54'1"		
MW-51	3.0	65'5"	52'1"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	51'3"		
MW-73	2.0	28'	16'8"		VZ-4
MW-74	3.0	33'	27'1"		
VZ-1	2.0	27'	5'9"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'8"		MW-73
VZ-5	2.0	32'6"	16'7"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	22'1"		
MH-69	2.0	28'1"	0'1"		



**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

MONITOR WELLS

DATE: 2-6-23

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'9"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'9"		
MW-36	3.0	42'	21'6"		
MW-37	3.0	39'3"	19'7"		
MW-40	3.0	29'7"	17'8"		
MW-41	3.0	77'	54'2"		
MW-51	3.0	65'5"	52'1"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	51'2"		
MW-73	2.0	28'	16'7"		VZ-4
MW-74	3.0	33'	27'4"		
VZ-1	2.0	27'	5'9"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'7"		MW-73
VZ-5	2.0	32'6"	16'5"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	22'1"		
MH-69	2.0	28'1"	0'1"		



**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

MONITOR WELLS

DATE: 2-7-23

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'9"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'8"		
MW-36	3.0	42'	21'7"		
MW-37	3.0	39'3"	19'6"		
MW-40	3.0	29'7"	17'7"		
MW-41	3.0	77'	54'3"		
MW-51	3.0	65'5"	52'2"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	51'3"		
MW-73	2.0	28'	16'6"		VZ-4
MW-74	3.0	33'	27'6"		
VZ-1	2.0	27'	5'8"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'6"		MW-73
VZ-5	2.0	32'6"	16'4"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	22'1"		
MH-69	2.0	28'1"	0'1"		





**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

MONITOR WELLS

DATE: 2-8-23

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'8"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'9'		
MW-36	3.0	42'	21'6'		
MW-37	3.0	39'3"	19'7"		
MW-40	3.0	29'7"	17'8"		
MW-41	3.0	77'	54'2"		
MW-51	3.0	65'5"	52'11"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	51'3"		
MW-73	2.0	28'	16'7"		VZ-4
MW-74	3.0	33'	28'11"		
VZ-1	2.0	27'	5'9"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'7"		MW-73
VZ-5	2.0	32'6"	16'5"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	22'1"		
MH-69	2.0	28'1"	0'1"		



**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

MONITOR WELLS

DATE: 2-9-23

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'8"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'8"		
MW-36	3.0	42'	21'7"		
MW-37	3.0	39'3"	19'6"		
MW-40	3.0	29'7"	17'7"		
MW-41	3.0	77'	54'1"		
MW-51	3.0	65'5"	52'1"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	51'2"		
MW-73	2.0	28'	16'7"		VZ-4
MW-74	3.0	33'	28'2"		
VZ-1	2.0	27'	5'8"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'7"		MW-73
VZ-5	2.0	32'6"	16'6"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	22'2"		
MH-69	2.0	28'1"	0'1"		





**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

MONITOR WELLS

DATE: 2-10-23

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'9"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'7"		
MW-36	3.0	42'	21'6"		
MW-37	3.0	39'3"	19'5"		
MW-40	3.0	29'7"	17'6"		
MW-41	3.0	77'	54'2"		
MW-51	3.0	65'5"	52'2"		
MW-69	3.0	50'4"	0'0'		
MW-71	6.0	61'9"	51'1"		
MW-73	2.0	28'	16'8"		VZ-4
MW-74	3.0	33'	28'4"		
VZ-1	2.0	27'	5'9"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'8"		MW-73
VZ-5	2.0	32'6"	16'7"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	22'1"		
MH-69	2.0	28'1"	0'0"		



**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

MONITOR WELLS

DATE: 2-11-23

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'9"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'8"		
MW-36	3.0	42'	21'6"		
MW-37	3.0	39'3"	19'6"		
MW-40	3.0	29'7"	17'7"		
MW-41	3.0	77'	54'1"		
MW-51	3.0	65'5"	52'2"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	51'2"		
MW-73	2.0	28'	16'7"		VZ-4
MW-74	3.0	33'	28'6"		
VZ-1	2.0	27'	5'9"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'7"		MW-73
VZ-5	2.0	32'6"	16'5"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	22'1"		
MH-69	2.0	28'1"	0'0"		



**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

MONITOR WELLS

DATE: 2-12-23

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'8"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'9"		
MW-36	3.0	42'	21'7"		
MW-37	3.0	39'3"	19'4"		
MW-40	3.0	29'7"	17'7"		
MW-41	3.0	77'	54'2"		
MW-51	3.0	65'5"	52'1"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	51'2"		
MW-73	2.0	28'	16'7"		VZ-4
MW-74	3.0	33'	28'8"	24'6"	
VZ-1	2.0	27'	6'0"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'7"		MW-73
VZ-5	2.0	32'6"	16'6"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	22'1"		
MH-69	2.0	28'1"	0'1"		





**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS**

DATE: 2-13-23

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'9"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'9"		
MW-36	3.0	42'	21'6"		
MW-37	3.0	39'3"	19'3"		
MW-40	3.0	29'7"	17'9"		
MW-41	3.0	77'	54'3"		
MW-51	3.0	65'5"	52'2"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	51'3"		
MW-73	2.0	28'	16'9"		VZ-4
MW-74	3.0	33'	25'1"		
VZ-1	2.0	27'	6'1"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'9"		MW-73
VZ-5	2.0	32'6"	16'7"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	22'1"		
MH-69	2.0	28'1"	0'1"		



**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

MONITOR WELLS

DATE: 2-14-23

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'8"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'8"		
MW-36	3.0	42'	21'6"		
MW-37	3.0	39'3"	19'3"		
MW-40	3.0	29'7"	17'8"		
MW-41	3.0	77'	54'3"		
MW-51	3.0	65'5"	52'1"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	51'2"		
MW-73	2.0	28'	16'7"		VZ-4
MW-74	3.0	33'	25'6"		
VZ-1	2.0	27'	6'0"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'7"		MW-73
VZ-5	2.0	32'6"	16'8"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	22'3"		
MH-69	2.0	28'1"	0'0"		





**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS**

DATE: 2-15-23

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'9"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'9"		
MW-36	3.0	42'	21'7"		
MW-37	3.0	39'3"	19'4"		
MW-40	3.0	29'7"	17'9"		
MW-41	3.0	77'	54'2"		
MW-51	3.0	65'5"	52'3"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	51'3"		
MW-73	2.0	28'	16'8"		VZ-4
MW-74	3.0	33'	25'9"		
VZ-1	2.0	27'	5'9"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'8"		MW-73
VZ-5	2.0	32'6"	16'7"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	22'1"		
MH-69	2.0	28'1"	0'0"		



**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS**

DATE: 2-16-23

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'7"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'9"		
MW-36	3.0	42'	21'6"		
MW-37	3.0	39'3"	19'3"		
MW-40	3.0	29'7"	17'8"		
MW-41	3.0	77'	54'1"		
MW-51	3.0	65'5"	52'2"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	51'2"		
MW-73	2.0	28'	16'7"		VZ-4
MW-74	3.0	33'	26'3"		
VZ-1	2.0	27'	5'9"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'7"		MW-73
VZ-5	2.0	32'6"	16'8"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	22'2"		
MH-69	2.0	28'1"	0'0"		



**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

MONITOR WELLS

DATE: 2-17-23

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'8"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'8"		
MW-36	3.0	42'	21'7"		
MW-37	3.0	39'3"	19'2"		
MW-40	3.0	29'7"	17'9"		
MW-41	3.0	77'	54'2"		
MW-51	3.0	65'5"	52'3"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	51'3"		
MW-73	2.0	28'	16'8"		VZ-4
MW-74	3.0	33'	26'6"		
VZ-1	2.0	27'	5'8"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'8"		MW-73
VZ-5	2.0	32'6"	16'6"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	22'1"		
MH-69	2.0	28'1"	0'1"		





**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

MONITOR WELLS

DATE: 2-18-23

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'9"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'9"		
MW-36	3.0	42'	21'6"		
MW-37	3.0	39'3"	19'3"		
MW-40	3.0	29'7"	17'8"		
MW-41	3.0	77'	54'3"		
MW-51	3.0	65'5"	52'1"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	51'2"		
MW-73	2.0	28'	16'7"		VZ-4
MW-74	3.0	33'	26'9"		
VZ-1	2.0	27'	5'9"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'7"		MW-73
VZ-5	2.0	32'6"	16'6"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	27'2"		
MH-69	2.0	28'1"	0'1"		



**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

MONITOR WELLS

DATE: 2-14-23

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'8"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'9"		
MW-36	3.0	42'	21'7"		
MW-37	3.0	39'3"	19'4"		
MW-40	3.0	29'7"	17'8"		
MW-41	3.0	77'	54'2"		
MW-51	3.0	65'5"	52'1"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	51'3"		
MW-73	2.0	28'	16'8"		VZ-4
MW-74	3.0	33'	27'2"		
VZ-1	2.0	27'	5'8"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'8"		MW-73
VZ-5	2.0	32'6"	16'7"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	22'1"		
MH-69	2.0	28'1"	0'1"		





**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS

Main Office: 575-394-2511

Plant Office: 575-394-3212

Fax: 575-394-2590

1001 6<sup>th</sup> Street

P.O.

Box 1737

Eunice, New Mexico 88231

PARABO DISPOSAL FACILITY

www.sundanceservices.com

www.sundanceservices.net

www.sundanceservices.org

**MONITOR WELLS**

DATE:

2-20-23

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'9"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'9"		
MW-36	3.0	42'	21'8"		
MW-37	3.0	39'3"	19'3"		
MW-40	3.0	29'7"	17'9"		
MW-41	3.0	77'	54'3"		
MW-51	3.0	65'5"	52'1"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	51'2"		
MW-73	2.0	28'	16'7"		VZ-4
MW-74	3.0	33'	27'8"		
VZ-1	2.0	27'	5'9"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'7"		MW-73
VZ-5	2.0	32'6"	16'8"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	22'2"		
MH-69	2.0	28'1"	0'1"		



**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

MONITOR WELLS

DATE:

2-21-23

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'8"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'8"		
MW-36	3.0	42'	21'7"		
MW-37	3.0	39'3"	19'3"		
MW-40	3.0	29'7"	17'8"		
MW-41	3.0	77'	54'2"		
MW-51	3.0	65'5"	52'1"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	51'3"		
MW-73	2.0	28'	16'8"		VZ-4
MW-74	3.0	33'	27'9"		
VZ-1	2.0	27'	5'9"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'8"		MW-73
VZ-5	2.0	32'6"	16'7"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	22'1"		
MH-69	2.0	28'1"	0'1"		



**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

MONITOR WELLS

DATE: 2-22-23

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4' 9"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0' 9"		
MW-36	3.0	42'	21'6"		
MW-37	3.0	39'3"	19'2"		
MW-40	3.0	29'7"	17' 9"		
MW-41	3.0	77'	54' 1"		
MW-51	3.0	65'5"	52'2"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	51'2"		
MW-73	2.0	28'	16'7"		VZ-4
MW-74	3.0	33'	28'2"		
VZ-1	2.0	27'	5'8"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'7"		MW-73
VZ-5	2.0	32'6"	16'8"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	22'0"		
MH-69	2.0	28'1"	0' 1"		





**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

MONITOR WELLS

DATE: 2-24-23

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'8"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'9"		
MW-36	3.0	42'	21'7"		
MW-37	3.0	39'3"	19'3"		
MW-40	3.0	29'7"	17'8"		
MW-41	3.0	77'	54'2"		
MW-51	3.0	65'5"	52'3"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	51'3"		
MW-73	2.0	28'	16'8"		VZ-4
MW-74	3.0	33'	28'9"		
VZ-1	2.0	27'	5'9"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'8"		MW-73
VZ-5	2.0	32'6"	16'7"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	22'1"		
MH-69	2.0	28'1"	0'1"		



**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

MONITOR WELLS

DATE:

2-25-23

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'9"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'8"		
MW-36	3.0	42'	21'6"		
MW-37	3.0	39'3"	19'4"		
MW-40	3.0	29'7"	17'9"		
MW-41	3.0	77'	54'1"		
MW-51	3.0	65'5"	52'2"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	51'2'		
MW-73	2.0	28'	16'7"		VZ-4
MW-74	3.0	33'	28'9"	23'7"	
VZ-1	2.0	27'	5'8"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'7"		MW-73
VZ-5	2.0	32'6"	16'6"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	22'3"		
MH-69	2.0	28'1"	0'1"		





**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

MONITOR WELLS

DATE: 2-26-23

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'8"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'9"		
MW-36	3.0	42'	21'7"		
MW-37	3.0	39'3"	19'3"		
MW-40	3.0	29'7"	17'8"		
MW-41	3.0	77'	54'2"		
MW-51	3.0	65'5"	52'1"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	51'3"		
MW-73	2.0	28'	16'8"		VZ-4
MW-74	3.0	33'	24'1"		
VZ-1	2.0	27'	5'9"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'8"		MW-73
VZ-5	2.0	32'6"	16'6"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	22'2"		
MH-69	2.0	28'1"	0'1"		



**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

MONITOR WELLS

DATE: 2-27-23

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'9"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'8"		
MW-36	3.0	42'	21'6"		
MW-37	3.0	39'3"	14'3"		
MW-40	3.0	29'7"	17'9"		
MW-41	3.0	77'	54'1"		
MW-51	3.0	65'5"	52'2"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	51'2"		
MW-73	2.0	28'	16'7"		VZ-4
MW-74	3.0	33'	24'3"		
VZ-1	2.0	27'	5'8"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'7"		MW-73
VZ-5	2.0	32'6"	16'8"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	22'1"		
MH-69	2.0	28'1"	0'1"		



**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

MONITOR WELLS

DATE: 2-28-23

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
MW-7	3.0	27'	4'8"		PGI-7
MW-13	3.0	COVER UP	COVER UP	COVER UP	COVER UP
MW-35	3.0	16'5"	0'84		
MW-36	3.0	42'	21'7"		
MW-37	3.0	39'3"	14'2"		
MW-40	3.0	29'7"	17'8"		
MW-41	3.0	77'	54'2"		
MW-51	3.0	65'5"	52'3"		
MW-69	3.0	50'4"	0'0"		
MW-71	6.0	61'9"	51'2"		
MW-73	2.0	28'	16'8"		VZ-4
MW-74	3.0	33'	24'6"		
VZ-1	2.0	27'	5'9"		PGI-8
VZ-2	2.0	38'8"	0'0"		
VZ-3	2.0	28'	0'0"		
VZ-4	2.0	28'	16'8"		MW-73
VZ-5	2.0	32'6"	16'7"		
VZ-6	2.0	26'3"	0'0"		
VZ-7	2.0	49'8"	22'2"		
MH-69	2.0	28'1"	0'1"		





### SUNDANCE SERVICES WEST, INC.

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

#### MONITOR WELLS WASH OUT

DATE: 2-1-23

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	POLY	14'7"	0'8"		
WS-2	POLY	14'7"	0'9"		
WS-3	POLY	14'7"	0'7"		
WS-4	POLY	14'7"	1'9"		
WS-5	POLY	23'6"	14'6"		
WS-6	POLY	8'0"	0'1"		



### SUNDANCE SERVICES WEST, INC.

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590  
 Box 1737 Eunice, New Mexico 88231 1001 6<sup>th</sup> Street P.O.  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

#### MONITOR WELLS WASH OUT

DATE: 2-2-23

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	POLY	14'7"	0'9"		
WS-2	POLY	14'7"	0'8"		
WS-3	POLY	14'7"	0'7"		
WS-4	POLY	14'7"	1'8"		
WS-5	POLY	23'6"	14'7"		
WS-6	POLY	8'0"	0'1"		





### SUNDANCE SERVICES WEST, INC.

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS

Main Office: 575-394-2511

Plant Office: 575-394-3212

Fax: 575-394-2590

Box 1737 Eunice, New Mexico 88231

1001 6<sup>th</sup> Street

P.O.

PARABO DISPOSAL FACILITY

www.sundanceservices.com

www.sundanceservices.net

www.sundanceservices.org

#### MONITOR WELLS WASH OUT

DATE: 2-3-23

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	POLY	14'7"	0'8"		
WS-2	POLY	14'7"	0'9"		
WS-3	POLY	14'7"	0'7"		
WS-4	POLY	14'7"	1'6"		
WS-5	POLY	23'6"	14'7"		
WS-6	POLY	8'0"	0'1"		



### SUNDANCE SERVICES WEST, INC.

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

#### MONITOR WELLS WASH OUT

DATE: 2-4-23

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	Poly	14'7"	0'9"		
WS-2	Poly	14'7"	0'9"		
WS-3	Poly	14'7"	0'7"		
WS-4	Poly	14'7"	1'7"		
WS-5	Poly	23'6"	14'8"		
WS-6	Poly	8'0"	0'1"		



### SUNDANCE SERVICES WEST, INC.

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

#### MONITOR WELLS WASH OUT

DATE: 2-5-23

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	POLY	14'7"	0'9"		
WS-2	POLY	14'7"	0'8"		
WS-3	POLY	14'7"	0'7"		
WS-4	POLY	14'7"	1'8"		
WS-5	POLY	23'6"	14'7"		
WS-6	POLY	8'0"	0'1"		



### SUNDANCE SERVICES WEST, INC.

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS

Main Office: 575-394-2511

Plant Office: 575-394-3212

Fax: 575-394-2590

1001 6<sup>th</sup> Street

P.O.

Box 1737 Eunice, New Mexico 88231

PARABO DISPOSAL FACILITY

www.sundanceservices.com

www.sundanceservices.net

www.sundanceservices.org

#### MONITOR WELLS WASH OUT

DATE: 2-6-23

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	POLY	14'7"	0'8"		
WS-2	POLY	14'7"	0'7"		
WS-3	POLY	14'7"	0'8"		
WS-4	POLY	14'7"	1'7"		
WS-5	POLY	23'6"	14'6"		
WS-6	POLY	8'0"	0'1"		





### SUNDANCE SERVICES WEST, INC.

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590  
Box 1737 Eunice, New Mexico 88231

1001 6<sup>th</sup> Street P.O.

PARABO DISPOSAL FACILITY

www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

#### MONITOR WELLS WASH OUT

DATE: 2-7-23

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	POLY	14'7"	0'8"		
WS-2	POLY	14'7"	0'6"		
WS-3	POLY	14'7"	0'9"		
WS-4	POLY	14'7"	1'9"		
WS-5	POLY	23'6"	14'4"		
WS-6	POLY	8'0"	0'0"		





### SUNDANCE SERVICES WEST, INC.

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

#### MONITOR WELLS WASH OUT

DATE: 2-8-23

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	POLY	14'7"	0'9"		
WS-2	POLY	14'7"	0'7"		
WS-3	POLY	14'7"	0'8"		
WS-4	POLY	14'7"	1'8"		
WS-5	POLY	23'6"	14'6"		
WS-6	POLY	8'0"	0'0"		



### SUNDANCE SERVICES WEST, INC.

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590  
Box 1737 Eunice, New Mexico 88231

1001 6<sup>th</sup> Street P.O.

PARABO DISPOSAL FACILITY

www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

#### MONITOR WELLS WASH OUT

DATE: 2-9-23

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	POLY	14'7"	0'8"		
WS-2	POLY	14'7"	0'7"		
WS-3	POLY	14'7"	0'7"		
WS-4	POLY	14'7"	1'9"		
WS-5	POLY	23'6"	14'4"		
WS-6	POLY	8'0"	0'0"		



### SUNDANCE SERVICES WEST, INC.

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590  
Box 1737 Eunice, New Mexico 88231

1001 6<sup>th</sup> Street P.O.

PARABO DISPOSAL FACILITY

www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

#### MONITOR WELLS WASH OUT

DATE: 2-10-23

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	Poly	14'7"	0'8"		
WS-2	Poly	14'7"	0'7"		
WS-3	Poly	14'7"	0'9"		
WS-4	Poly	14'7"	2'1"		
WS-5	Poly	23'6"	14'5"		
WS-6	Poly	8'0"	0'0"		



### SUNDANCE SERVICES WEST, INC.

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS

Main Office: 575-394-2511

Plant Office: 575-394-3212

Fax: 575-394-2590

Box 1737

Eunice, New Mexico 88231

1001 6<sup>th</sup> Street

P.O.

PARABO DISPOSAL FACILITY

[www.sundanceservices.com](http://www.sundanceservices.com)

[www.sundanceservices.net](http://www.sundanceservices.net)

[www.sundanceservices.org](http://www.sundanceservices.org)

#### MONITOR WELLS WASH OUT

DATE: 2-11-23

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	POLY	14'7"	0'9"		
WS-2	POLY	14'7"	0'6"		
WS-3	POLY	14'7"	0'8"		
WS-4	POLY	14'7"	2'1"		
WS-5	POLY	23'6"	14'6"		
WS-6	POLY	8'0"	0'1"		



### SUNDANCE SERVICES WEST, INC.

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

#### MONITOR WELLS WASH OUT

DATE: 2-12-23

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	POLY	14'7"	0'8"		
WS-2	POLY	14'7"	0'7"		
WS-3	POLY	14'7"	0'9"		
WS-4	POLY	14'7"	2'1"		
WS-5	POLY	23'6"	14'7"		
WS-6	POLY	8'0"	0'1"		





### SUNDANCE SERVICES WEST, INC.

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS

Main Office: 575-394-2511

Plant Office: 575-394-3212

Fax: 575-394-2590

Box 1737

Eunice, New Mexico 88231

1001 6<sup>th</sup> Street

P.O.

PARABO DISPOSAL FACILITY

[www.sundanceservices.com](http://www.sundanceservices.com)

[www.sundanceservices.net](http://www.sundanceservices.net)

[www.sundanceservices.org](http://www.sundanceservices.org)

#### MONITOR WELLS WASH OUT

DATE: 2-13-23

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	POLY	14'7"	0'9"		
WS-2	POLY	14'7"	0'8"		
WS-3	POLY	14'7"	1'1"		
WS-4	POLY	14'7"	2'3"		
WS-5	POLY	23'6"	14'8"		
WS-6	POLY	8'0"	0'1"		



### SUNDANCE SERVICES WEST, INC.

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

#### MONITOR WELLS WASH OUT

DATE: 2-14-23

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	POLY	14'7"	0'8"		
WS-2	POLY	14'7"	0'9"		
WS-3	POLY	14'7"	1'2"		
WS-4	POLY	14'7"	2'4"		
WS-5	POLY	23'6"	14'7"		
WS-6	POLY	8'0"	0'1"		



### SUNDANCE SERVICES WEST, INC.

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

#### MONITOR WELLS WASH OUT

DATE: 2-15-23

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	POLY	14'7"	0'8"		
WS-2	POLY	14'7"	0'10"		
WS-3	POLY	14'7"	1'3"		
WS-4	POLY	14'7"	2'5"		
WS-5	POLY	23'6"	14'7"		
WS-6	POLY	8'0"	0'2"		



### SUNDANCE SERVICES WEST, INC.

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

#### MONITOR WELLS WASH OUT

DATE: 2-16-23

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	POLY	14'7"	0'8"		
WS-2	POLY	14'7"	0'9"		
WS-3	POLY	14'7"	1'2"		
WS-4	POLY	14'7"	2'3"		
WS-5	POLY	23'6"	14'6"		
WS-6	POLY	8'0"	0'1"		



### SUNDANCE SERVICES WEST, INC.

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS

Main Office: 575-394-2511

Plant Office: 575-394-3212

Fax: 575-394-2590

Box 1737

Eunice, New Mexico 88231

1001 6<sup>th</sup> Street

P.O.

PARABO DISPOSAL FACILITY

[www.sundanceservices.com](http://www.sundanceservices.com)

[www.sundanceservices.net](http://www.sundanceservices.net)

[www.sundanceservices.org](http://www.sundanceservices.org)

#### MONITOR WELLS WASH OUT

DATE: 2-17-23

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	POLY	14'7"	0'8"		
WS-2	POLY	14'7"	0'7"		
WS-3	POLY	14'7"	1'3"		
WS-4	POLY	14'7"	2'1"		
WS-5	POLY	23'6"	14'6"		
WS-6	POLY	8'0"	0'1"		





**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS WASH OUT**

DATE: 2-18-23

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	POLY	14'7"	0'8"		
WS-2	POLY	14'7"	0'9"		
WS-3	POLY	14'7"	1'2"		
WS-4	POLY	14'7"	2'2"		
WS-5	POLY	23'6"	14'7"		
WS-6	POLY	8'0"	0'1"		



### SUNDANCE SERVICES WEST, INC.

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

#### MONITOR WELLS WASH OUT

DATE: 2-19-23

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	POLY	14'7"	0'8"		
WS-2	POLY	14'7"	0'7"		
WS-3	POLY	14'7"	1'3"		
WS-4	POLY	14'7"	2'3"		
WS-5	POLY	23'6"	14'8"		
WS-6	POLY	8'0"	0'1"		



### SUNDANCE SERVICES WEST, INC.

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

#### MONITOR WELLS WASH OUT

DATE: 2-20-23

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	POLY	14'7"	0'9"		
WS-2	POLY	14'7"	0'8"		
WS-3	POLY	14'7"	1'2"		
WS-4	POLY	14'7"	2'4"		
WS-5	POLY	23'6"	14'7"		
WS-6	POLY	8'0"	0'2"		



**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceervices.com www.sundanceervices.net www.sundanceervices.org

**MONITOR WELLS WASH OUT**

DATE: 2-21-23

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	POLY	14'7"	0'8"		
WS-2	POLY	14'7"	0'9"		
WS-3	POLY	14'7"	1'3"		
WS-4	POLY	14'7"	2'5"		
WS-5	POLY	23'6"	14'8"		
WS-6	POLY	8'0"	0'1"		



**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS WASH OUT**

DATE: 2-22-23

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	POLY	14'7"	0'8"		
WS-2	POLY	14'7"	0'9"		
WS-3	POLY	14'7"	1'3"		
WS-4	POLY	14'7"	2'6"		
WS-5	POLY	23'6"	14'7"		
WS-6	POLY	8'0"	0'1"		





### SUNDANCE SERVICES WEST, INC.

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

#### MONITOR WELLS WASH OUT

DATE: 2-23-23

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	POLY	14'7"	0.8"		
WS-2	POLY	14'7"	0.9"		
WS-3	POLY	14'7"	1.2"		
WS-4	POLY	14'7"	2.5"		
WS-5	POLY	23'6"	14'6"		
WS-6	POLY	8'0"	0.1"		



### SUNDANCE SERVICES WEST, INC.

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS

Main Office: 575-394-2511

Plant Office: 575-394-3212

Fax: 575-394-2590

Box 1737

Eunice, New Mexico 88231

1001 6<sup>th</sup> Street

P.O.

PARABO DISPOSAL FACILITY

www.sundanceservices.com

www.sundanceservices.net

www.sundanceservices.org

#### MONITOR WELLS WASH OUT

DATE: 2-24-23

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	Poly	14'7"	0'9"		
WS-2	Poly	14'7"	0'8"		
WS-3	Poly	14'7"	1'3"		
WS-4	Poly	14'7"	2'4"		
WS-5	Poly	23'6"	14'5"		
WS-6	Poly	8'0"	0'14"		



### SUNDANCE SERVICES WEST, INC.

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundancecservices.com www.sundancecservices.net www.sundancecservices.org

#### MONITOR WELLS WASH OUT

DATE: 2-25-23

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	POLY	14'7"	0'9"		
WS-2	POLY	14'7"	0'8"		
WS-3	POLY	14'7"	1'2"		
WS-4	POLY	14'7"	2'3"		
WS-5	POLY	23'6"	14'6"		
WS-6	POLY	8'0"	0'1"		



### SUNDANCE SERVICES WEST, INC.

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

#### MONITOR WELLS WASH OUT

DATE: 2-26-23

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	POLY	14'7"	0'8"		
WS-2	POLY	14'7"	0'7"		
WS-3	POLY	14'7"	1'2"		
WS-4	POLY	14'7"	2'3"		
WS-5	POLY	23'6"	14'7"		
WS-6	POLY	8'0"	0'1"		



### SUNDANCE SERVICES WEST, INC.

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

#### MONITOR WELLS WASH OUT

DATE: 2-27-23

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	POLY	14'7"	0'8"		
WS-2	POLY	14'7"	0'9"		
WS-3	POLY	14'7"	1'3"		
WS-4	POLY	14'7"	2'2"		
WS-5	POLY	23'6"	14'6"		
WS-6	POLY	8'0"	0'1"		





**SUNDANCE SERVICES WEST, INC.**

ROLL-OFF BOXES ROLL-OFF TRUCKS DUMP TRUCKS VACUUM TRUCKS  
 Main Office: 575-394-2511 Plant Office: 575-394-3212 Fax: 575-394-2590 1001 6<sup>th</sup> Street P.O.  
 Box 1737 Eunice, New Mexico 88231  
**PARABO DISPOSAL FACILITY**  
 www.sundanceservices.com www.sundanceservices.net www.sundanceservices.org

**MONITOR WELLS WASH OUT**

DATE: 2-28-23

WELL #	WELL DIAMETER	PRE-PURGING	BEFORE PURGING	AFTER PURGING	COMMENTS
WS-1	POLY	14'7"	0'8"		
WS-2	POLY	14'7"	0'9"		
WS-3	POLY	14'7"	1'2"		
WS-4	POLY	14'7"	2'3"		
WS-5	POLY	23'6"	14'7"		
WS-6	POLY	8'0"	0'1"		

**Daily Inspection Form  
Sundance West**

Date: 3-1-23

Print Name: Deysi Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

TYPE OF INSPECTION

Item	Daily <input checked="" type="checkbox"/>	Weekly <input type="checkbox"/>	Monthly <input type="checkbox"/>	Quarterly <input type="checkbox"/>	Annual <input type="checkbox"/>	D	Satisfactory	Action Required
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)						D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)						D	✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)						D	✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)						D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)						D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)						D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)						D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)						D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)						D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)						D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)						D	✓	
Evaopracion Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)						D	✓	
Pond levels three-foot free board						D	✓	

Daily Inspection Form  
Sundance West

Date: 3-2-23  
Others: \_\_\_\_\_

Print Name: Daisy Romero  
Signature: \_\_\_\_\_

TYPE OF INSPECTION

Item	Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual	D	Satisfactory	Action Required
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)						D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)						D	✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)						D	✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)						D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)						D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)						D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)						D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)						D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)						D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)						D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)						D	✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)						D	✓	
Pond levels three-foot free board						D	✓	



**Daily Inspection Form  
Sundance West**

Date: 3-3-23  
 Others: \_\_\_\_\_

Print Name: Deysi Romero  
 Signature: \_\_\_\_\_

**TYPE OF INSPECTION**

Item	Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual	Satisfactory	Action Required
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)						D ✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)						D ✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)						D ✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)						D ✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)						D ✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)						D ✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)						D ✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)						D ✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)						D ✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)						D ✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)						D ✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)						D ✓	
Pond levels three-foot free board						D ✓	

**Daily Inspection Form  
Sundance West**

Date: 3-4-23

Print Name: Deysi Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

TYPE OF INSPECTION

Item	Daily	Weekly	Monthly	Quarterly	Annual	Satisfactory	Action Required
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)	<input checked="" type="checkbox"/>					D ✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)						D ✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)						D ✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)						D ✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)						D ✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)						D ✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)						D ✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)						D ✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)						D ✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)						D ✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)						D ✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)						D ✓	
Pond levels three-foot free board						D ✓	



**Daily Inspection Form  
Sundance West**

Date: 3-5-23  
 Others: \_\_\_\_\_

Print Name: Debi Pomeroy  
 Signature: \_\_\_\_\_

TYPE OF INSPECTION

TYPE OF INSPECTION					Satisfactory	Action Required
Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual		
Item						
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)					D	✓
Dust Control (Vol. II - Sec.4.3 - Pg.19)					D	✓
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)					D	✓
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)					D	✓
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)					D	✓
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)					D	✓
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)					D	✓
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)					D	✓
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)					D	✓
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)					D	✓
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)					D	✓
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)					D	✓
Pond levels three-foot free board					D	✓

Daily Inspection Form  
Sundance West

Date: 3-6-23  
Others: \_\_\_\_\_

Print Name: Deysi Romero  
Signature: \_\_\_\_\_

TYPE OF INSPECTION

Daily  Weekly  Monthly  Quarterly  Annual

Item		Satisfactory	Action Required
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)	D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)	D	✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)	D	✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)	D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)	D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)	D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)	D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)	D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)	D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)	D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)	D	✓	
Evaopracion Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)	D	✓	
Pond levels three-foot free board	D	✓	

Daily Inspection Form  
Sundance West

Date: 3-7-23  
Others: \_\_\_\_\_

Print Name: Dewi Romero  
Signature: \_\_\_\_\_

TYPE OF INSPECTION

Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual		Satisfactory	Action Required
Item							
Vehicle Screening (H2S) (Vol. II - Sec.4:2 - Pg.19)					D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)					D	✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)					D	✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)					D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)					D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)					D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)					D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)					D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)					D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)					D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)					D	✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)					D	✓	
Pond levels three-foot free board					D	✓	



Daily Inspection Form  
Sundance West

Date: 3-8-23

Print Name: Deusi Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

TYPE OF INSPECTION

Daily <input checked="" type="checkbox"/>	Weekly <input type="checkbox"/>	Monthly <input type="checkbox"/>	Quarterly <input type="checkbox"/>	Annual <input type="checkbox"/>		Satisfactory	Action Required
<b>Item</b>							
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)					D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)					D	✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)					D	✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)					D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)					D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)					D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)					D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)					D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)					D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)					D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)					D	✓	
Evaopraton Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)					D	✓	
Pond levels three-foot free board					D	✓	

Daily Inspection Form  
Sundance West

Date: 3-9-23

Print Name: Daisy Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

TYPE OF INSPECTION

Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual		Satisfactory	Action Required
<b>Item</b>							
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)					D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)					D	✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)					D	✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)					D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)					D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)					D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)					D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)					D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)					D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)					D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)					D	✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)					D	✓	
Pond levels three-foot free board					D	✓	



Daily Inspection Form  
Sundance West

Date: 3-10-23

Print Name: Daisy Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

TYPE OF INSPECTION

Daily	Weekly	Monthly	Quarterly	Annual		Satisfactory	Action Required
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Item		
					Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)	D ✓	
					Dust Control (Vol. II - Sec.4.3 - Pg.19)	D ✓	
					Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)	D ✓	
					Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)	D ✓	
					Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)	D ✓	
					Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)	D ✓	
					Waste Screening and Forms (Vol. II - Sec 2- Pg.94)	D ✓	
					Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)	D ✓	
					Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)	D ✓	
					Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)	D ✓	
					Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)	D ✓	
					Evaporation Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)	D ✓	
					Pond levels three-foot free board	D ✓	

**Daily Inspection Form  
Sundance West**

Date: 3-11-23  
 Others: \_\_\_\_\_

Print Name: Devin Romero  
 Signature: \_\_\_\_\_

TYPE OF INSPECTION

Daily <input checked="" type="checkbox"/>	Weekly <input type="checkbox"/>	Monthly <input type="checkbox"/>	Quarterly <input type="checkbox"/>	Annual <input type="checkbox"/>		Satisfactory	Action Required
<b>Item</b>							
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)					D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)					D	✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)					D	✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)					D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)					D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)					D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)					D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)					D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)					D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)					D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)					D	✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)					D	✓	
Pond levels three-foot free board					D	✓	

Daily Inspection Form  
Sundance West

Date: 3-12-23

Print Name: Dexsi Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

TYPE OF INSPECTION

Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual		Satisfactory	Action Required
<b>Item</b>							
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)					D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)					D	✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)					D	✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)					D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)					D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)					D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)					D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)					D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)					D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)					D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)					D	✓	
Evaopracion Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)					D	✓	
Pond levels three-foot free board					D	✓	



Daily Inspection Form  
Sundance West

Date: 3-13-23

Print Name: Deysi Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

TYPE OF INSPECTION

Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual		Satisfactory	Action Required
Item							
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)					D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)					D	✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)					D	✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)					D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)					D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)					D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)					D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)					D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)					D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)					D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)					D	✓	
Evaopraton Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)					D	✓	
Pond levels three-foot free board					D	✓	

**Daily Inspection Form  
Sundance West**

Date: 3-14-23  
 Others: \_\_\_\_\_

Print Name: Daisy Romero  
 Signature: \_\_\_\_\_

**TYPE OF INSPECTION**

Daily <input checked="" type="checkbox"/>	Weekly <input type="checkbox"/>	Monthly <input type="checkbox"/>	Quarterly <input type="checkbox"/>	Annual <input type="checkbox"/>		Satisfactory	Action Required
<b>Item</b>							
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)					D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)					D	✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)					D	✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)					D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)					D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)					D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)					D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)					D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)					D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)					D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)					D	✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)					D	✓	
Pond levels three-foot free board					D	✓	



**Daily Inspection Form  
Sundance West**

Date: 3-15-23

Print Name:

Deysl Romero

Others: \_\_\_\_\_

Signature:

TYPE OF INSPECTION

Daily <input checked="" type="checkbox"/>	Weekly <input type="checkbox"/>	Monthly <input type="checkbox"/>	Quarterly <input type="checkbox"/>	Annual <input type="checkbox"/>
---	---------------------------------	----------------------------------	------------------------------------	---------------------------------

Item		Satisfactory	Action Required
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)	D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)	D	✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)	D	✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)	D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)	D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)	D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)	D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)	D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)	D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)	D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)	D	✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)	D	✓	
Pond levels three-foot free board	D	✓	

Daily Inspection Form  
Sundance West

Date: 3-16-23

Print Name: Deysi Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

TYPE OF INSPECTION

Daily <input checked="" type="checkbox"/>	Weekly <input type="checkbox"/>	Monthly <input type="checkbox"/>	Quarterly <input type="checkbox"/>	Annual <input type="checkbox"/>		Satisfactory	Action Required
Item							
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)					D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)					D	✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)					D	✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)					D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)					D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)					D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)					D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)					D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)					D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)					D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)					D	✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)					D	✓	
Pond levels three-foot free board					D	✓	

Daily Inspection Form  
Sundance West

Date: 3-17-23

Print Name: Devo Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

TYPE OF INSPECTION

TYPE OF INSPECTION					Satisfactory	Action Required
Daily	Weekly	Monthly	Quarterly	Annual		
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
Item						
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)					D	✓
Dust Control (Vol. II - Sec.4.3 - Pg.19)					D	✓
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)					D	✓
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)					D	✓
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)					D	✓
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)					D	✓
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)					D	✓
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)					D	✓
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)					D	✓
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)					D	✓
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)					D	✓
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)					D	✓
Pond levels three-foot free board					D	✓



**Daily Inspection Form  
Sundance West**

Date: 3-18-23  
 Others: \_\_\_\_\_

Print Name: Deysi Romero  
 Signature: \_\_\_\_\_

TYPE OF INSPECTION

Item	Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual	Satisfactory	Action Required
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)						D ✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)						D ✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)						D ✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)						D ✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)						D ✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)						D ✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)						D ✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)						D ✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)						D ✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)						D ✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)						D ✓	
Evaopraton Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)						D ✓	
Pond levels three-foot free board						D ✓	

**Daily Inspection Form  
Sundance West**

Date: 3-19-23

Print Name: Deysi Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

**TYPE OF INSPECTION**

Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual		Satisfactory	Action Required
<b>Item</b>							
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)					D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)					D	✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)					D	✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)					D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)					D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)					D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)					D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)					D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)					D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)					D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)					D	✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)					D	✓	
Pond levels three-foot free board					D	✓	



Daily Inspection Form  
Sundance West

Date: 3-20-23

Print Name: Deysi Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

TYPE OF INSPECTION

Item	Daily	Weekly	Monthly	Quarterly	Annual	Satisfactory	Action Required
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)	<input checked="" type="checkbox"/>					D ✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)						D ✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)						D ✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)						D ✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)						D ✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)						D ✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)						D ✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)						D ✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)						D ✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)						D ✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)						D ✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)						D ✓	
Pond levels three-foot free board						D ✓	

Daily Inspection Form  
Sundance West

Date: 3-21-23

Print Name: Deysi Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

TYPE OF INSPECTION

Daily <input checked="" type="checkbox"/>	Weekly <input type="checkbox"/>	Monthly <input type="checkbox"/>	Quarterly <input type="checkbox"/>	Annual <input type="checkbox"/>		Satisfactory	Action Required
Item							
Vehicle Screening (H2S) (Vol. II - Sec.4:2 - Pg.19)					D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)					D	✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)					D	✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)					D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)					D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)					D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)					D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)					D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)					D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)					D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)					D	✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)					D	✓	
Pond levels three-foot free board					D	✓	

Daily Inspection Form  
Sundance West

Date: 3-22-23  
Others: \_\_\_\_\_

Print Name: Deysi Romero  
Signature: \_\_\_\_\_

TYPE OF INSPECTION

Daily <input checked="" type="checkbox"/>	Weekly <input type="checkbox"/>	Monthly <input type="checkbox"/>	Quarterly <input type="checkbox"/>	Annual <input type="checkbox"/>		Satisfactory	Action Required
Item							
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)					D	/	
Dust Control (Vol. II - Sec.4.3 - Pg.19)					D	/	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)					D	/	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)					D	/	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)					D	/	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)					D	/	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)					D	/	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)					D	/	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)					D	/	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)					D	/	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)					D	/	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)					D	/	
Pond levels three-foot free board					D	/	



Daily Inspection Form  
Sundance West

Date: 3-23-23

Print Name: Douglas Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

TYPE OF INSPECTION

Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual		Satisfactory	Action Required
					D	✓	
					D	✓	
					D	✓	
					D	✓	
					D	✓	
					D	✓	
					D	✓	
					D	✓	
					D	✓	
					D	✓	
					D	✓	
					D	✓	
					D	✓	
					D	✓	

**Daily Inspection Form  
Sundance West**

Date: 3-24-23

Print Name: Dennis Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

TYPE OF INSPECTION

Daily <input checked="" type="checkbox"/>	Weekly <input type="checkbox"/>	Monthly <input type="checkbox"/>	Quarterly <input type="checkbox"/>	Annual <input type="checkbox"/>		Satisfactory	Action Required
<b>Item</b>							
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)					D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)					D	✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)					D	✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)					D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)					D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)					D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)					D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)					D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)					D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)					D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)					D	✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)					D	✓	
Pond levels three-foot free board					D	✓	



Daily Inspection Form  
Sundance West

Date: 3-25-23

Print Name: Daisy Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

TYPE OF INSPECTION

Daily	Weekly	Monthly	Quarterly	Annual		Satisfactory	Action Required
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Item		
					Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)	D ✓	
					Dust Control (Vol. II - Sec.4.3 - Pg.19)	D ✓	
					Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)	D ✓	
					Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)	D ✓	
					Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)	D ✓	
					Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)	D ✓	
					Waste Screening and Forms (Vol. II - Sec 2- Pg.94)	D ✓	
					Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)	D ✓	
					Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)	D ✓	
					Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)	D ✓	
					Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)	D ✓	
					Evaopraton Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)	D ✓	
					Pond levels three-foot free board	D ✓	

Daily Inspection Form  
Sundance West

Date: 3-26-23

Print Name: Douglas Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

TYPE OF INSPECTION

Daily <input checked="" type="checkbox"/>	Weekly <input type="checkbox"/>	Monthly <input type="checkbox"/>	Quarterly <input type="checkbox"/>	Annual <input type="checkbox"/>		Satisfactory	Action Required
Item							
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)					D	✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)					D	✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)					D	✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)					D	✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)					D	✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)					D	✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)					D	✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)					D	✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)					D	✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)					D	✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)					D	✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)					D	✓	
Pond levels three-foot free board					D	✓	

Daily Inspection Form  
Sundance West

Date: 3-27-23  
Others: \_\_\_\_\_

Print Name: Deysi Romero  
Signature: \_\_\_\_\_

TYPE OF INSPECTION

Item	Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual	Satisfactory	Action Required
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)						D ✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)						D ✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)						D ✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)						D ✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)						D ✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)						D ✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)						D ✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)						D ✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)						D ✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)						D ✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)						D ✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)						D ✓	
Pond levels three-foot free board						D ✓	



Daily Inspection Form  
Sundance West

Date: 3-28-23

Print Name: Douglas Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

TYPE OF INSPECTION

Daily <input checked="" type="checkbox"/>	Weekly <input type="checkbox"/>	Monthly <input type="checkbox"/>	Quarterly <input type="checkbox"/>	Annual <input type="checkbox"/>		Satisfactory	Action Required
					Item		
					Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)	D ✓	
					Dust Control (Vol. II - Sec.4.3 - Pg.19)	D ✓	
					Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)	D ✓	
					Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)	D ✓	
					Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)	D ✓	
					Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)	D ✓	
					Waste Screening and Forms (Vol. II - Sec 2- Pg.94)	D ✓	
					Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)	D ✓	
					Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)	D ✓	
					Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)	D ✓	
					Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)	D ✓	
					Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)	D ✓	
					Pond levels three-foot free board	D ✓	

**Daily Inspection Form  
Sundance West**

Date: 3-29-23

Print Name: Dawn Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

**TYPE OF INSPECTION**

Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual		Satisfactory	Action Required
					D	✓	
					D	✓	
					D	✓	
					D	✓	
					D	✓	
					D	✓	
					D	✓	
					D	✓	
					D	✓	
					D	✓	
					D	✓	
					D	✓	
					D	✓	
					D	✓	



Daily Inspection Form  
Sundance West

Date: 3-30-23

Print Name: Deysi Romero

Others: \_\_\_\_\_

Signature: \_\_\_\_\_

TYPE OF INSPECTION

Item	Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual	Satisfactory	Action Required
Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)						D ✓	
Dust Control (Vol. II - Sec.4.3 - Pg.19)						D ✓	
Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)						D ✓	
Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)						D ✓	
Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)						D ✓	
Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)						D ✓	
Waste Screening and Forms (Vol. II - Sec 2- Pg.94)						D ✓	
Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)						D ✓	
Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)						D ✓	
Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)						D ✓	
Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)						D ✓	
Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)						D ✓	
Pond levels three-foot free board						D ✓	

**Daily Inspection Form  
Sundance West**

Date: 3-31-23  
 Others: \_\_\_\_\_

Print Name: Deyse Romero  
 Signature: \_\_\_\_\_

TYPE OF INSPECTION

TYPE OF INSPECTION					Item	Satisfactory	Action Required
Daily <input checked="" type="checkbox"/>	Weekly	Monthly	Quarterly	Annual			
					Vehicle Screening (H2S) (Vol. II - Sec.4.2 - Pg.19)	D ✓	
					Dust Control (Vol. II - Sec.4.3 - Pg.19)	D ✓	
					Landfill Unloading Area (50-100-FT Wide) (Vol. II - Sec.5.4 - Pg.24)	D ✓	
					Landfill Waste Lifts (2-3-FT) (Vol. II - Sec.5 - Pg.27)	D ✓	
					Daily Cover Required (Vol. II - Sec.5.4 - Pg.27)	D ✓	
					Vehicle Monitoring (H2S) (Vol. II - Sec 2- Pg.94)	D ✓	
					Waste Screening and Forms (Vol. II - Sec 2- Pg.94)	D ✓	
					Mechanical Evaporation System (Vol. II - Sec.7.3.3 - Pg.44)	D ✓	
					Temporary Parking Inspection for Leaks (Vol. II - Sec 2- Pg.92)	D ✓	
					Facility H2S Monitoring (Vol. II - Sec 3- Pg.127)	D ✓	
					Evaporation Pond Tests-pH (Vol. II- Sec 3- Pg.130)-O2 (Vol. II- Sec 3- Pg.131)	D ✓	
					Evaopration Pond Oil Inspection (Vol. Section 6-Subsect 2.2- Pg.223)	D ✓	
					Pond levels three-foot free board	D ✓	

**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 3-1-23  
**Time:** 7:50am

**Inspector(s):**  
Deusi Romero

**Weather:**  
 Temperature 46 deg. F      Precipitation (last 24 hours) \_\_\_\_\_ inches  
 Skies FOIV  
 Wind Speed 6 mph  
 Wind Direction N (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**



**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 3-2-23

**Inspector(s):**

**Time:** 8:50am

Deysi Romero

**Weather:**

Temperature 52 deg. F

Precipitation (last 24 hours) \_\_\_\_\_ inches

Skies Fair

Wind Speed 0 mph

Wind Direction CALM (direction blowing from)

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**

**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 3-3-23  
**Time:** 9:50am

**Inspector(s):**  
Douglas Romero

**Weather:**  
 Temperature 52 deg. F      Precipitation (last 24 hours) \_\_\_\_\_ inches  
 Skies FAIR  
 Wind Speed 13 mph  
 Wind Direction W (direction blowing from)

**NOTES:**  
 "X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_



**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 3-4-23  
**Time:** 8:50am

**Inspector(s):**  
Deysi Romero

**Weather:**  
 Temperature 52 deg. F  
 Skies Four / Windy  
 Wind Speed 21 mph  
 Wind Direction NNW (direction blowing from)

Precipitation (last 24 hours) \_\_\_\_\_ inches

**NOTES:**

"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**

**ATTACHMENT II.1.D  
Evaporation Pond Integrity/Leak Detection Inspection Checklist  
Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 3-5-23  
**Time:** 10:50am

**Inspector(s):**  
Deysi Romero

**Weather:**  
Temperature 72 deg. F      Precipitation (last 24 hours) \_\_\_\_\_ inches  
Skies FAIR  
Wind Speed 18 mph  
Wind Direction SW (direction blowing from)

**NOTES:**  
"X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**ATTACHMENT II.1.D**  
**Evaporation Pond Integrity/Leak Detection Inspection Checklist**  
**Sundance West**

Page \_\_\_\_ of \_\_\_\_

**Date:** 3-6-23  
**Time:** 12:50 pm

**Inspector(s):**  
Danya Romero

**Weather:**  
 Temperature 77 deg. F  
 Skies FOW  
 Wind Speed 20 mph  
 Wind Direction WSW (direction blowing from)

Precipitation (last 24 hours) \_\_\_\_\_ inches

**NOTES:**  
 "X" indicates that a Deficiency has been noted. "P" indicates that a Photograph has been taken. "S" indicates that a Sample has been collected. Complete descriptions of Deficiencies, Photographs, and Samples are provided on attached pages. Items are referenced by Location.

**EVAPORATION POND CONTAINMENT CONDITION**

Location	Item			
	Erosion	Vegetation Established	Vectors	Sample

**EVAPORATION POND LEAK DETECTION SYSTEM**

Riser #	Total Length	Deficiency	
		Depth of H <sub>2</sub> O	Structural Defect
Pond A-1	60-FT		
Pond A-2	60-FT		
Pond A-3	60-FT		
Pond A-4	60-FT		
Pond A-5	60-FT		
Pond B-1	60-FT		
Pond B-2	60-FT		
Pond B-3	60-FT		
Pond B-4	60-FT		
Pond B-5	60-FT		

**NOTES:**  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

C:\Users\jcarri\AppData\Local\Microsoft\Windows\INetCache\Content.Outlook\AC8MOJVB\Sundance West-II.1-Att II.1.D-Evap Pond Leak Inspect

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

CONDITIONS

Action 442703

**CONDITIONS**

Operator: Sundance Services West, Inc. PO Box 1737 Eunice, NM 88231	OGRID: 371811
	Action Number: 442703
	Action Type: [C-137] Non-Fee SWMF Submittal (SWMF NON-FEE SUBMITTAL)

**CONDITIONS**

Created By	Condition	Condition Date
joseph.kennedy	None	3/14/2025