State of New Mexico
Energy Minerals and Natural Resources
Department Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-147 Revised October 11, 2022

https://www.emnrd.nm.gov/ocd/ocd-e-permitting/

Recycling Facility and/or Recycling Containment
Type of Facility: Recycling Facility Recycling Containment*
Type of action: Permit Registration Modification Extension
☐ Closure ☐ Other (explain) Annual Extension
* At the time C-147 is submitted to the division for a Recycling Containment, a copy shall be provided to the surface owner.
Be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.
Operator: Mewbourne Oil Company (For multiple operators attach page with information) OGRID #: 14744 Address: 4801 Business Park, Hobbs, NM, 88241
Facility or well name (include API# if associated with a well): Bebop Containment West & Recycling Facility
OCD Permit Number: 2RF-112 (For new facilities the permit number will be assigned by the district office)
U/L or Qtr/Qtr NWNW Section 36 Township 25S Range 31E County: Eddy
Surface Owner: ☐ Federal ☒ State ☐ Private ☐ Tribal Trust or Indian Allotment
2.
Location of recycling facility (if applicable): Latitude 32.093366 Longitude -103.736939 NAD83
Proposed Use: ☑ Drilling* ☑ Completion* ☐ Production* ☐ Plugging *
*The re-use of produced water may NOT be used until fresh water zones are cased and cemented
Other, requires permit for other uses. Describe use, process, testing, volume of produced water and ensure there will be no adverse impact on
groundwater or surface water.
□ Fluid Storage
Above ground tanks
Activity permitted under 19.15.36 NMAC explain type:
For multiple or additional recycling containments, attach design and location information of each containment
Closure Report (required within 60 days of closure completion): Recycling Facility Closure Completion Date:
3.
Recycling Containment:
Annual Extension after initial 5 years (attach summary of monthly leak detection inspections for previous year)
Center of Recycling Containment (if applicable): Latitude 32.092112 Longitude -103.737639 NAD83
For multiple or additional recycling containments, attach design and location information of each containment
☐ Lined ☐ Liner type: Thickness ☐ mil ☐ LLDPE ☐ HDPE ☐ PVC ☐ Other ☐ 40-mil HDPE Secondary Liner
String-Reinforced
Liner Seams: Welded Factory Other Volume: 410,242 bbl Dimensions: L 408' x W 268' x D 19'
Recycling Containment Closure Completion Date:

Fendig: Four foot height, four strands of barbed wire evenly spaced between one and four feet	Bonding: Covered under bonding pursuant to 19.15.8 NMAC per 19.15.34.15(A)(2) NMAC (These containments are limited to only the wells owned or operated by the owners of the containment.) Bonding in accordance with 19.15.34.15(A)(1). Amount of bond \$					
Four foot height, four strands of barbed wire evenly spaced between one and four feet Alternate. Please specify. Eight foot game fence with chain link Signs:	5.					
Signs: 21°x 24°, 2° lettering, providing Operator's name, site location, and emergency telephone numbers 12°x 24°, 2° lettering, providing Operator's name, site location, and emergency telephone numbers 12°x 24°, 2° lettering, providing Operator's name, site location, and emergency telephone numbers 12°x 24°, 2° lettering, providing Operator's name, site location, and emergency telephone numbers 12°x 24°, 2° lettering, providing Operator's name, site location, and emergency telephone numbers 12°x 24°, 2° lettering, providing Operator's name, site location, and emergency telephone numbers 12°x 24°, 2° lettering of the substance is requested. 12°x 24°, 20°, 20°, 20°, 20°, 20°, 20°, 20°, 20	Four foot height, four strands of barbed wire evenly spaced between one and four feet					
Justifications and/or demonstrations that the proposed variance will afford reasonable protection against contamination of fresh water, human health, and the environment. Check the below box only if a variance is requested: Variance(s): Requests must be submitted to the appropriate division district for consideration of approval. If a Variance is requested, include the variance information on a separate page and attach it to the C-147 as part of the application. If a Variance is requested, it must be approved prior to implementation. If a Variance is requested, it must be approved prior to implementation. If a Variance is requested, it must be approved prior to implementation. If a Variance is requested, it must be approved prior to implementation. If a Variance is requested, it must be approved prior to implementation. If a Variance is requested, it must be approved prior to implementation. If a Variance is requested, it must be approved prior to implementation. If a Variance is requested, include the variance is requested, include the variance information on a separate page and attach it to the C-147 as part of the application. If a Variance is requested, include the variance is requested, include the variance information on the approval attachments start demonstrate compliance for each siting criteria below as part of the application. Potential examples of the siting attachment source material are provided below under each criteria. General siting Yes No NA	Signs: ☑ 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers					
Siting Criteria for Recycling Containment Instructions: The applicant must provide attachments that demonstrate compliance for each siting criteria below as part of the application. Potential examples of the siting attachment source material are provided below under each criteria. General siting Ground water is less than 50 feet below the bottom of the Recycling Containment. NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. Within confirmation or verification from the municipality; written approval obtained from the municipality Within the area overlying a subsurface mine. Within a unstable area. Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; topographic map Within a 100-year floodplain. FEMA map Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).	Variances: Justifications and/or demonstrations that the proposed variance will afford reasonable protection against contamination of fresh water, human health, and the environment. Check the below box only if a variance is requested: Variance(s): Requests must be submitted to the appropriate division district for consideration of approval. If a Variance is requested, include the variance information on a separate page and attach it to the C-147 as part of the application.					
Ground water is less than 50 feet below the bottom of the Recycling Containment. NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. Written confirmation or verification from the municipality; written approval obtained from the municipality Within the area overlying a subsurface mine. Written confirmation or verification or map from the NM EMNRD-Mining and Minerals Division Within an unstable area. Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; topographic map Within a 100-year floodplain. FEMA map Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).	Siting Criteria for Recycling Containment Instructions: The applicant must provide attachments that demonstrate compliance for each siting criteria below as part of the application. Potential					
NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. Written confirmation or verification from the municipality; written approval obtained from the municipality Within the area overlying a subsurface mine. Written confirmation or verification or map from the NM EMNRD-Mining and Minerals Division Within an unstable area. Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; topographic map Within a 100-year floodplain. FEMA map Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).						
adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; written approval obtained from the municipality Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Minerals Division Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; topographic map Within a 100-year floodplain. FEMA map Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). NA NA NA NA NA Yes ☒ No		= -				
- Written confirmation or verification or map from the NM EMNRD-Mining and Minerals Division Within an unstable area Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; topographic map Within a 100-year floodplain. FEMA map Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). Yes ☒ No ☐ Yes ☒ No ☐ Yes ☒ No	adopted pursuant to NMSA 1978, Section 3-27-3, as amended.					
- Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; topographic map Within a 100-year floodplain. FEMA map Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). □ Yes ☑ No □ Yes ☑ No		☐ Yes 🏿 No				
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).	- Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological	☐ Yes 🏿 No				
lake (measured from the ordinary high-water mark).	Within a 100-year floodplain. FEMA map	☐ Yes 🏿 No				
- Topographic map; visual inspection (certification) of the proposed site	lake (measured from the ordinary high-water mark).	☐ Yes ☑ No				
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; aerial photo; satellite image □ Yes ☑ No		☐ Yes ☑ No				
Within 500 horizontal feet of a spring or a fresh water well used for domestic or stock watering purposes, in existence at the time of initial application. NM Office of the State Engineer - iWATERS database search; visual inspection (certification) of the proposed site	initial application.	☐ Yes ☑ No				
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; topographic map; visual inspection (certification) of the proposed site □ Yes ☑ No	Within 500 feet of a wetland.	☐ Yes ☑ No				

Recycling Facility and/or Containment Checklist: Instructions: Each of the following items must be attached to the application. Indicate, by a cl	heck mark in the box, that the	documents are attached.
Design Plan - based upon the appropriate requirements. Operating and Maintenance Plan - based upon the appropriate requirements.		
☐ Closure Plan - based upon the appropriate requirements. ☐ Site Specific Groundwater Data -		
☐ Siting Criteria Compliance Demonstrations — ☐ Certify that notice of the C-147 (only) has been sent to the surface owner(s)		
10.		
Operator Application Certification		
Operator Application Certification: I hereby certify that the information and attachments submitted with this application are true, acc	urate and complete to the best	of my knowledge and belief.
I hereby certify that the information and attachments submitted with this application are true, acc	urate and complete to the best	of my knowledge and belief.
I hereby certify that the information and attachments submitted with this application are true, acc Name (Print): Jake Henkes Title: E	ngineer 6/27/2025	of my knowledge and belief.
I hereby certify that the information and attachments submitted with this application are true, acc Name (Print): Jake Henkes Title: E	ngineer	of my knowledge and belief.
I hereby certify that the information and attachments submitted with this application are true, acc Name (Print): Jake Henkes Title: E Signature: Date: e-mail address: henkes@mewbourne.com Telephore	ngineer 6/27/2025 _{e:} 575-263-6030	
I hereby certify that the information and attachments submitted with this application are true, acc Name (Print): Jake Henkes Title: E	ngineer 6/27/2025	
I hereby certify that the information and attachments submitted with this application are true, acc Name (Print): Jake Henkes Title: E Signature: Date: e-mail address: henkes@mewbourne.com Telephore	ngineer 6/27/2025 ne: 575-263-6030 Approval Date:2RF-112	
I hereby certify that the information and attachments submitted with this application are true, acc Name (Print): Jake Henkes Title: E Signature: Date: e-mail address: henkes@mewbourne.com Telephor 11. OCD Representative Signature: Victoria Venegas	ngineer 6/27/2025 ne: 575-263-6030 Approval Date:2RF-112	

June 27, 2025

State of New Mexico

Energy, Minerals, and Natural Resources Department

Oil Conservation Division

1220 South St. Francis Dr.

Santa Fe, NM 87505

RE: 2RF-112 Mewbourne Oil Company Bebop Containment West & Recycling Facility C-147 Annual Extension

To Whom it May Concern,

Mewbourne Oil Company submits the enclosed C-147 form and summary of leak detection and site inspection for Bebop Containment West & Recycling Facility. The site plans remain the same as originally approved on October 3rd, 2017. Mewbourne Oil Company would like to seek a one-year extension to the facility. The extension request will be for 1 year from 7/31/25-7/31/26.

Thank you,

Jake Henkes

Engineer Mewbourne Oil Company

Venegas, Victoria, EMNRD

From: Venegas, Victoria, EMNRD **Sent:** Tuesday, July 8, 2025 2:45 PM

To: Jake Henkes

Subject: 2RF-112 - Bebop Containment West &Recycling Facility ID [fAB1727552074] **Attachments:** C-147 2RF-112 - Bebop Containment West &Recycling Facility 07.08.2025.pdf

2RF-112 - Bebop Containment West & Recycling Facility ID [fAB1727552074]

Good afternoon, Mr. Henkes.

NMOCD has reviewed the determination of registration/permit annual extension request for 2RF-112 - BEBOP CONTAINMENT WEST & RECYCLING FACILITY ID [FAB1727552074] received from [14744] MEWBOURNE OIL CO on 06/27/2025, Application ID **479640**. The registration/permit extension request is approved with the following conditions of approval:

- 2RF-112 BEBOP CONTAINMENT WEST & RECYCLING FACILITY ID [FAB1727552074] is approved for one (1) year of operation from the date of the previous registration/permit expiration date of July 31, 2025. The new registration/permit expiration date is July 31, 2026.
- [14744] MEWBOURNE OIL CO will continue to operate, maintain, and close the 2RF-112 BEBOP CONTAINMENT WEST & RECYCLING FACILITY ID [FAB1727552074] in compliance with 19.15.34 NMAC, to include but not limited to the performance of weekly inspections regardless of fluid levels in the containment; recording of detailed inspection reports; removal of debris, foreign objects and oil from the containment; and monthly reporting of recycling and reuse of produced water, drilling fluids, and liquid oil field waste via from C-148.
- [14744] MEWBOURNE OIL CO will maintain a liquid level in the containment that is at least equal to the weight of the liner plus 20%. [14744] MEWBOURNE OIL CO may maintain a higher liquid level if they choose.
- If less than 20% of the total fluid capacity is utilized every consecutive six months, operation of the facility is considered ceased and notification of cessation of operations should be sent electronically to OCD Permitting. An extension to extend the cessation of operations, not to exceed six months, may be submitted using a C-147 Long form through OCD Permitting.
- The recycling containment is bonded pursuant to 19.15.8 NMAC per 19.15.34.15(A)(2) NMAC. Water reuse and recycling from 2RF-112 BEBOP CONTAINMENT WEST &RECYCLING FACILITY ID [FAB1727552074] is limited to wells owned or operated by [14744] MEWBOURNE OIL CO.
- A minimum of 3-feet freeboard must be maintained in the recycling containment at all times.
- [14744] MEWBOURNE OIL CO will comply with 19.15.29 NMAC Releases in the event of any release of produced water or produced water or other oil field wastes at 2RF-112 BEBOP CONTAINMENT WEST & RECYCLING FACILITY ID [FAB1727552074]. [14744] MEWBOURNE OIL CO will comply with all other OCD rules.
- [14744] MEWBOURNE OIL CO must perform weekly inspections of the containment and leak detection system.
- If [14744] MEWBOURNE OIL CO wishes to extend the registration/permit past July 31, 2026, a registration/permit extension request must be submitted to OCD. Extension requests are reviewed on a case-by-case basis and evaluated on their merit. Extensions are considered for a maximum length of one year. Additional requests must be submitted to OCD through OCD Permitting on a Form C-147 (long form) as an Extension request and should include a formal extension request letter, a summary of the prior registration/permit period inspection reports, and the copies of the detailed inspection records for the prior permit period. The extension request should be submitted no later than June 30, 2026.

Please let me know if you have any further questions or concerns. Regards,

Victoria Venegas ● Environmental Specialist Advanced EMNRD - Oil Conservation Division 506 W. Texas Ave. Artesia, NM 88210 575.909.0269 | Victoria.Venegas@emnrd.nm.gov

Bebop Containment West & Recycling Facility

OCD Permit Number: 2RF-112		Facility					
ID: fAB1727552074							
Date Pond	Inspector	Pond Level, ft Freeboard Level, ft		Tear in Liner?	Berm damage? Oil skim?	Leak detection working?	Dead Wildlife?
6/25/2024 Bebop West	Daniel Carrillo	0	20 No	No	No	Yes	No
7/3/2024 Bebop West	Daniel Carrillo	0	20 No	No	No	Yes	No
7/9/2024 Bebop West	Daniel Carrillo	0	20 No	No	No	Yes	No
7/16/2024 Bebop West	Daniel Carrillo	0	20 No	No	No	Yes	No
7/23/2024 Bebop West	Daniel Carrillo	0	20 No	No	No	Yes	No
7/30/2024 Bebop West	Daniel Carrillo	0	20 No	No	No	Yes	No
8/6/2024 Bebop West	Daniel Carrillo	0	20 No	No	No	Yes	No
8/13/2024 Bebop West	Daniel Carrillo	0	20 No	No	No	Yes	No
8/20/2024 Bebop West	Nathan Cox	0	20 No	No	No	Yes	No
8/27/2024 Bebop West	Thomas Powell	3	17 No	No	No	Yes	No
9/2/2024 Bebop West	Nathan Cox	9	11 No	No	No	Yes	No
9/9/2024 Bebop West	Thomas Powell	16.5	3.5 No	No	No	Yes	No
9/15/2024 Bebop West	Nathan Cox	17	3 No	No	No	Yes	No
9/22/2024 Bebop West	Thomas Powell	17	3 No	No	No	Yes	No
10/1/2024 Bebop West	Thomas Powell	16	4 No	No	No	Yes	No
10/6/2024 Bebop West	Thomas Powell	13	7 No	No	No	Yes	No
10/13/2024 Bebop West	Corey Lewis	15	5 No	No	No	Yes	No
10/20/2024 Bebop West	Thomas Powell	9	11 No	No	No	Yes	No
10/27/2024 Bebop West	Corey Lewis	9	11 No	No	No	Yes	No
11/4/2024 Bebop West	Thomas Powell	0.5	19.5 No	No	No	Yes	No
11/10/2024 Bebop West	Corey Lewis	0.5	19.5 No	No	No	Yes	No
11/18/2024 Bebop West	Thomas Powell	0.5	19.5 No	No	No	Yes	No
11/24/2024 Bebop West	Corey Lewis	0.5	19.5 No	No	No	Yes	No
12/1/2024 Bebop West	Thomas Powell	1.5	18.5 No	No	No	Yes	No
12/8/2024 Bebop West	Corey Lewis	0.5	19.5 No	No	No	Yes	No
12/17/2024 Bebop West	Corey Lewis	0.5	19.5 No	No	No	Yes	No
12/22/2024 Bebop West	Thomas Powell	0.5	19.5 No	No	No	Yes	No
12/28/2024 Bebop West	Thomas Powell	0.5	19.5 No	No	No	Yes	No
1/4/2025 Bebop West	Corey Lewis	0.5	19.5 No	No	No	Yes	No
1/11/2025 Bebop West	Corey Lewis	0.5	19.5 No	No	No	Yes	No
1/19/2025 Bebop West	Corey Lewis	0.5	19.5 No	No	No	Yes	No
1/25/2025 Bebop West	Thomas Powell	0.5	19.5 No	No	No	Yes	No
2/2/2025 Bebop West	Corey Lewis	0.5	19.5 No	No	No	Yes	No
2/11/2025 Bebop West	Corey Lewis	0.5	19.5 No	No	No	Yes	No
2/15/2025 Bebop West	Corey Lewis	0.5	19.5 No	No	No	Yes	No
2/25/2025 Bebop West	Corey Lewis	0.5	19.5 No	No	No	Yes	No
3/5/2025 Bebop West	Thomas Powell	0.5	19.5 No	No	No	Yes	No
3/11/2025 Bebop West	Corey Lewis	1.5	18.5 No	No	No	Yes	No
3/18/2025 Bebop West	Corey Lewis	1.5	18.5 No	No	No	Yes	No
3/24/2025 Bebop West	Thomas Powell	0.5	19.5 No	No	No	Yes	No
3/30/2025 Bebop West	Thomas Powell	0.5	19.5 No	No	No	Yes	No
4/6/2025 Bebop West	Corey Lewis	2.5	17.5 No	No	No	Yes	No
4/14/2025 Bebop West	Corey Lewis	2.5	17.5 No	No	No	Yes	No
4/21/2025 Bebop West	Corey Lewis	2.5	17.5 No	No	No	Yes	No
4/29/2025 Bebop West	Corey Lewis	2.5	17.5 No	No	No	Yes	No

5/5/2025 Bebop West	Thomas Powell	3	17 No	No	No	Yes	No
5/12/2025 Bebop West	Corey Lewis	3.5	16.5 No	No	No	Yes	No
5/18/2025 Bebop West	Thomas Powell	4	16 No	No	No	Yes	No
5/25/2025 Bebop West	Corey Lewis	5	15 No	No	No	Yes	No
6/2/2025 Bebop West	Thomas Powell	6	14 No	No	No	Yes	No
6/7/2025 Bebop West	Thomas Powell	8	12 No	No	No	Yes	No
6/14/2025 Bebop West	Thomas Powell	9	11 No	No	No	Yes	No
6/21/2025 Bebop West	Thomas Powell	10	10 No	No	No	Yes	No

Sante Fe Main Office Phone: (505) 476-3441

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Action 479640

CONDITIONS

Operator:	OGRID:
MEWBOURNE OIL CO	14744
P.O. Box 5270	Action Number:
Hobbs, NM 88241	479640
	Action Type:
	[C-147] Water Recycle Long (C-147L)

CONDITIONS

Created By	Condition	Condition Date
vvenegas	• 2RF-112 - BEBOP CONTAINMENT WEST & RECYCLING FACILITY ID [FAB1727552074] is approved for one (1) year of operation from the date of the previous registration/permit expiration date of July 31, 2025. The new registration/permit expiration date is July 31, 2026. • If [14744] MEWBOURNE OIL CO wishes to extend the registration/permit past July 31, 2026, a registration/permit extension request must be submitted to OCD no later than June 30, 2026.	7/8/2025