Revised October 11, 2022

# State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

https://www.emnrd.nm.gov/ocd/ocd-e-permitting/

| Recycling Facility Only   |  |  |  |  |
|---|--|--|--|--|
| Type of action: Permit Registration Modification Closure Other (explain)  |  |  |  |  |
| Be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.  |  |  |  |  |
| Operator: Permian Oilfield Partners, LLC (For multiple operators attach page with information) OGRID #: 328259  Address: PO Box 3329, Hobbs, NM 88241   |  |  |  |  |
| Facility or well name (include API# if associated with a well): CR1 Station Recycling Facility  |  |  |  |  |
| OCD Permit Number:1RF-543(For new facilities the permit number will be assigned by the district office)  U/L or Qtr/Qtr SWSW Section 3 Township 25S Range 32E County: Lea  Surface Owner: V Federal State Private Tribal Trust or Indian Allotment  |  |  |  |  |
| Surface Owner. W Federal State   Titvate   Titoat Flast of Industry Modifient   |  |  |  |  |
| Recycling Facility:  Location of recycling facility (if applicable): Latitude 32.153723  Longitude -103.669482  NAD83  Proposed Use: Drilling* Completion* Production* Plugging *  *The re-use of produced water may NOT be used until fresh water zones are cased and cemented  Other, requires permit for other uses. Describe use, process, testing, volume of produced water and ensure there will be no adverse impact on  |  |  |  |  |
| groundwater or surface water.   |  |  |  |  |
| ☐ Fluid Storage  ☐ About around tonks. ☐ Activity pormitted under 10.15.17 NMAC explain type.   |  |  |  |  |
| ✓ Above ground tanks ☐ Activity permitted under 19.15.17 NMAC explain type ☐ Other explain  |  |  |  |  |
| Closure Report (required within 60 days of closure completion): Recycling Facility Closure Completion Date:   |  |  |  |  |
|   |  |  |  |  |
| <ul> <li>Variances:</li> <li>Justifications and/or demonstrations that the proposed variance will afford reasonable protection against contamination of fresh water, human health, and the environment.</li> <li>Check the below box only if a variance is requested:         <ul> <li>Variance(s): Requests must be submitted to the appropriate division district for consideration of approval. If a Variance is requested, include the variance information on a separate page and attach it to the C-147 as part of the application.</li></ul></li></ul> |  |  |  |  |
| 4. Operator Application Certification:  |  |  |  |  |
| I hereby certify that the information and attachments submitted with this application are true, accurate and complete to the best of my knowledge and belief.   |  |  |  |  |
| Name (Print): Gary Fisher   |  |  |  |  |
| Signature: They a fulling Date: 9/2/2025  |  |  |  |  |
| e-mail address: gfisher@popmidstream.com  Telephone: 817-606-7630   |  |  |  |  |
|   |  |  |  |  |
| OCD Representative Signature: Victoria Venegas Approval/Registration Date: 10/28/2025   |  |  |  |  |
| Title: Environmental Specialist OCD Permit Number: 1RF-543  |  |  |  |  |
| X OCD Conditions  |  |  |  |  |

Additional OCD Conditions on Attachment

See below for C-147S information regarding the CR1 Station Recycling Facility:

# Coordinates of CR1 Station Recycling Facility

• Lat: 32.153723, -103.669482 (NAD83)


### Number and size of tanks

- (1) 10,000 bbl above ground brine tank
- (1) 10,000 bbl above ground treated produced water tank
- (1) 5,000 bbl above ground produced water tank
- (1) 750 bbl above ground oil tank
- (1) 750 bbl above ground gunbarrel
  - o Tanks have steel walls and steel bottoms
  - Containment will be placed under all tanks (3' tall steel wall and bottom w/ liner)

# Fluid Storage


• Fluids stored in this facility will be treated produced water, brine, and untreated produced water.

# CR1 Station RF - Topographic Map




9/2/2025, 3:20:51 PM


Override 1 **PLSS Second Division PLSS First Division PLSS Townships** 




Bureau of Land Management, Texas Parks & Wildlife, Esri, HERE, Garmin, INCREMENT P, USGS, METI/NASA, EPA, USDA, BLM



**SECTION 3, T25S, R32E** N. M. P. M., LEA COUNTY, NEW MEXICO 300' X 600' CR1 STATION #1 OFFLOAD FACILITY AND 30' WIDE ACCESS ROADS





#### NOTE:

BEARINGS SHOWN HEREON ARE GRID BEARINGS OF THE NEW MEXICO STATE PLANE COORDINATES SYSTEM, EAST ZONE, NAD 83, US SURVEY FEET. DISTANCES SHOWN HERE ON ARE GROUND.

I, PEDRO GONZALEZ-OCASIO, A N. M. PROFESSIONAL SURVEYOR, HEREBY CERTIFY THAT THIS PLAT AND DESCRIPTION WAS PREPARED FROM AN ACTUAL SURVEY MADE ON THE GROUND UNDER MY DIRECT SUPERVISION, AND THAT THE INFORMATION HEREON PRESENT THE FINDINGS OF THIS SURVEY TO THE BEST OF MY KNOWLEDGE AND BELIEF.

PEDRO GONZALEZ OCASIO NM PS 24165

1/28/2020 DATE



REVISION DATE NO. JOB NO.: LS20010011 DWG NO.: LS20010011-1




3601 GATTIS SCHOOL, ROUND ROCK, TX 78664 (512) 992-2087

FIRM REGISTRATION NUMBER: TEXAS-10194422, NEW MEXICO-4655451

SCALE: 1" = 600' DATE: 1/28/2020 SURVEYED BY: DRAWN BY: D.T. APPROVED BY: P.G.O.

**SECTION 3, T25S, R32E** N. M. P. M., LEA COUNTY, NEW MEXICO 300' X 600' CR1 STATION #1 OFFLOAD FACILITY AND 30' WIDE ACCESS ROADS



**DETAIL "A"** 

NTS

O

XX°XX'XX" XX.XX'

# PERMIAN OILFIELD PARTNERS, LLC.

300' X 600' CR1 STATION #1 TOTAL 180,000 SQ. FT. TOTAL 4.132 ACRES OUT OF THE SW 1/4 OF SW 1/4

# PERMIAN OILFIELD PARTNERS, LLC. PERMIAN OILFIELD PARTNERS, LLC.

30' WIDE ACCESS ROAD 1 **TOTAL 270.24 FEET** TOTAL 16.38 RODS TOTAL 0.211 ACRES OUT OF THE SW 1/4 OF SW 1/4

30' WIDE ACCESS ROAD 2 TOTAL 267.56 FEET TOTAL 16.22 RODS TOTAL 0.209 ACRES OUT OF THE SW 1/4 OF SW 1/4 LEGEND

POINT OF INTERSECTION CALCULATED

**CORNER** FOUND MONUMENT

**MEASURED** 

DATA

AS NOTED

PROPOSED OFFLOAD FACILITY & ACCESS ROAD **&** COUNTY ROAD

SECTION LINE FORTIES SECTION

AND LOT LINE TOWNSHIP & RANGE LINE

**COUNTY LINE** 

# NOTE:

BEARINGS SHOWN HEREON ARE GRID BEARINGS OF THE NEW MEXICO STATE PLANE COORDINATES SYSTEM, EAST ZONE, NAD 83, US SURVEY FEET. DISTANCES SHOWN HERE ON ARE GROUND.

I, PEDRO GONZALEZ-OCASIO, A N. M. PROFESSIONAL SURVEYOR, HEREBY CERTIFY THAT THIS PLAT AND DESCRIPTION WAS PREPARED FROM AN ACTUAL SURVEY MADE ON THE GROUND UNDER MY DIRECT SUPERVISION, AND THAT THE INFORMATION HEREON PRESENT THE FINDINGS THIS SURVEY TO THE BEST OF MY KNOWLEDGE AND BELIEF

PEDRO GONZALEZ OCASIO NM PS 24165 1/28/2020 DATE



REVISION NO. DATE JOB NO.: LS20010011 DWG NO.: LS20010011-2



3601 GATTIS SCHOOL, ROUND ROCK, TX 78664 (512) 992-2087 FIRM REGISTRATION NUMBER: TEXAS-10194422, NEW MEXICO-4655451

SCALE: 1" = 600' DATE: 1/28/2020 SURVEYED BY: DRAWN BY: D.T. APPROVED BY: P.G.O

2

OF 4

PYRIGHT 2019 - ALL RIGHTS RESERVED

SECTION 3, T25S, R32E
N. M. P. M., LEA COUNTY, NEW MEXICO
300' X 600' CR1 STATION #1 OFFLOAD FACILITY
AND 30' WIDE ACCESS ROADS

# **OFFLOAD FACILITY DESCRIPTION**

DESCRIPTION FOR A PROPOSED 300 FOOT BY 600 FOOT CR1 STATION #1 OFFLOAD FACILITY, BEING A TRACT OF LAND CONTAINING 4.132 ACRES (180,000 SQUARE FEET) OUT OF THE SOUTHWEST QUARTER OF THE SOUTHWEST QUARTER OF SECTION 3, TOWNSHIP 25 SOUTH, RANGE 32 EAST, N.M.P.M., LEA COUNTY, NEW MEXICO, BEING IN THE LAND OF THE B.L.M. AND SAID OFFLOAD FACILITY BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

**BEGINNING** at a calculated point on the Southwest corner of CR1 station #1 Offload Facility, also being the **POINT OF BEGINNING** 1, which bears South 63°58'00" West, 511.66 feet to a brass cap, stamped "1916", found for the Southwest corner of Section 3;

THENCE North 00°25'51" West, 600.00 feet to a calculated point set for the Northwest corner of this tract;

**THENCE** North  $89^{\circ}57'45''$  East, 300.00 feet to a calculated point set for the Northeast corner of this tract, which bears South  $80^{\circ}22'36''$  East, a distance of 4,639.81 feet to a brass cap, stamped "1916", found for the Southeast corner of Section 3;

**THENCE** South 00°25'51" East, 600.00 feet to a calculated point set for the Southeast corner of this tract;

**THENCE** South 89°57'45" West, 300.00 feet to **POINT OF BEGINNING 1**, containing 4.132 acres (180,000 square feet) of land out of the Southwest quarter of the Southwest quarter of said Section 3, more or less.

#### **ACCESS ROAD 1 DESCRIPTION**

DESCRIPTION FOR A PROPOSED PERMANENT ACCESS EASEMENT, FOR AN ACCESS ROAD OVER A PORTION OF SECTION 3, TOWNSHIP 25 SOUTH, RANGE 32 EAST, N.M.P. M., LEA COUNTY, NEW MEXICO, BEING ACROSS THE LAND OF B.L.M., AND BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

**BEGINNING** at a calculated point on the West Line of CR1 station #1 Offload Facility, also being the **POINT OF BEGINNING 2**, which bears South  $81^{\circ}28'05''$  East, 4,875.12 feet to a brass cap, stamped "1939", found for the Southeast corner of Section 3;

**THENCE** South 00°25'51" East, 30.00 feet to a calculated point;

**THENCE** South 89°57'45" West, 219.58 feet to a calculated point for the PC of a curve;

**THENCE** 79.14 feet with the arc of a 50.00 foot radius curve to the left, a delta angle of 90°40'25" and a chord bearing South 44°37'33" West 71.14 feet, to a calculated point for the PT of the curve;

**THENCE** North 00°42'40" West, 65.49 feet to a calculated point;

**THENCE** North 00°39'47" East, 51.59 feet to a calculated point;

THENCE North 00°09'41" West, 13.43 feet to a calculated point for the PC of a curve;

**THENCE** 78.45 feet with the arc of a 50.00 foot radius curve to the left, a delta angle of 89°52'34" and a chord bearing South 45°05'58" East 70.65 feet, to a calculated point for the PT of a curve;

**THENCE** North 89°57'45" East, 219.54 feet to **POINT OF BEGINNING 2**, containing 0.211 acres more or less, total length of 270.24 feet (16.38 Rods), of land out of the Southwest quarter of the Southwest quarter of said Section 3.



NO. REVISION DATE

JOB NO.: LS20010011

DWG NO.: LS20010011-3



3601 GATTIS SCHOOL, ROUND ROCK, TX 78664 (512) 992-2087 FIRM REGISTRATION NUMBER: TEXAS-10194422, NEW MEXICO-4655451

SCALE: NTS

DATE: 1/28/2020

SURVEYED BY: K.T.

DRAWN BY: D.T.

APPROVED BY: P.G.O.

SHEET: 3 OF 4

COPYRIGHT 2019 - ALL RIGHTS RESERVEL

SECTION 3, T25S, R32E

N. M. P. M., LEA COUNTY, NEW MEXICO
300' X 600' CR1 STATION #1 OFFLOAD FACILITY

AND 30' WIDE ACCESS ROADS

### **ACCESS ROAD 2 DESCRIPTION**

DESCRIPTION FOR A PROPOSED PERMANENT ACCESS EASEMENT, FOR AN ACCESS ROAD OVER A PORTION OF SECTION 3, TOWNSHIP 25 SOUTH, RANGE 32 EAST, N.M.P. M., LEA COUNTY, NEW MEXICO, BEING ACROSS THE LAND OF B.L.M., AND BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

**BEGINNING** at a calculated point on the West Line of CR1 station #1 Offload Facility, also being the **POINT OF BEGINNING 3**, which bears South 81°25'11" East, 4,929.44 feet to a brass cap, stamped "1939", found for the Southeast corner of Section 3;

**THENCE** South 00°25'51" East, 30.00 feet to a calculated point;

**THENCE** South 89°57'45" West, 217.10 feet to a calculated point for the PC of a curve;

**THENCE** 78.98 feet with the arc of a 50.00 foot radius curve to the left, a delta angle of  $90^{\circ}29'34''$  and a chord bearing South  $44^{\circ}42'58''$  West 71.03 feet, to a calculated point for the PT of the curve;

**THENCE** North 00°31'15" West, 65.42 feet to a calculated point;

THENCE North 00°32'08" West, 49.54 feet to a calculated point;

**THENCE** North 00°00'00" East, 15.54 feet to a calculated point for the PC of a curve;

**THENCE** 78.59 feet with the arc of a 50.00 foot radius curve to the left, a delta angle of  $90^{\circ}02'15''$  and a chord bearing South  $45^{\circ}01'07''$  East 70.75 feet, to a calculated point for the PT of a curve;

**THENCE** North 89°57'45" East, 217.87 feet to **POINT OF BEGINNING 3**, containing 0.209 acres more or less, total length of 267.56 feet (16.22 Rods), of land out of the Southwest quarter of the Southwest quarter of said Section 3.



NO. REVISION DATE

JOB NO.: LS20010011

DWG NO.: LS20010011-4



3601 GATTIS SCHOOL, ROUND ROCK, TX 78664 (512) 992-2087 FIRM REGISTRATION NUMBER: TEXAS-10194422, NEW MEXICO-4655451

SCALE: NTS

DATE: 1/28/2020

SURVEYED BY: K.T.

DRAWN BY: D.T.

APPROVED BY: P.G.O.

SHEET: 4 OF 4

COPYRIGHT 2019 - ALL RIGHTS RESERVED

# Venegas, Victoria, EMNRD

From: Venegas, Victoria, EMNRD

**Sent:** Tuesday, October 28, 2025 10:11 AM

**To:** gfisher@popmidstream.com

**Subject:** •1RF-543 - CR1 STATION RECYCLING FACILITY [FVV2530128966]

Attachments: C-147 1RF-543 - CR1 STATION RECYCLING FACILITY [FVV2530128966] 10.28.2025.pdf

#### 1RF-543 - CR1 STATION RECYCLING FACILITY [FVV2530128966]

Good morning Mr. Fisher,

The NMOCD has reviewed the facility registration submitted by [328259] Permian Oilfield Partners, LLC on 09/02/2025, Action ID **501125**, for 1RF-543 - CR1 STATION RECYCLING FACILITY [FVV2530128966] in M-03-25S-32E, Lea County, New Mexico. The registration is approved with the following conditions of approval:

- The purpose of this permit is for oil and gas activities regulated under the NMAC 19.15.34.3 STATUTORY AUTHORITY: 19.15.34 NMAC is adopted pursuant to the Oil and Gas Act, Paragraph (15) of Section 70-2-12(B) NMSA 1978, which authorizes the division to regulate the disposition of water produced or used in connection with the drilling for or producing of oil and gas or both and Paragraph (21) of Section 70-2-12(B) NMSA 1978 which authorizes the regulation of the disposition of nondomestic wastes from the exploration, development, production or storage of crude oil or natural gas.
- 1RF-543 CR1 STATION RECYCLING FACILITY [FVV2530128966] registration expires on 09/02/2030.
- Water reused and recycled from 1RF-543 CR1 STATION RECYCLING FACILITY [FVV2530128966] is limited to wells owned and operated by [328259] Permian Oilfield Partners, LLC.
- 1RF-543 CR1 STATION RECYCLING FACILITY [FVV2530128966] consists of five (5) –above ground closed frac tanks that have steel walls and steel bottoms. There will be NO tanks that incorporate a synthetic liner.
- [328259] Permian Oilfield Partners, LLC agrees to construct, operate, maintain, and close 1RF-543 CR1 STATION RECYCLING FACILITY [FVV2530128966] in compliance with 19.15.34 NMAC.
- [328259] Permian Oilfield Partners, LLC shall submit monthly reports of recycling and reuse of produced water, drilling fluids, and liquid oil field waste on NMOCD form C-148 through OCD Permitting even if there is zero activity.

Please let me know if you have any additional questions. Regards,

Victoria Venegas • Senior Environmental Scientist EMNRD - Oil Conservation Division 506 W. Texas Ave. Artesia, NM 88210 575.909.0269 | Victoria.Venegas@emnrd.nm.gov Sante Fe Main Office Phone: (505) 476-3441

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

# State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Action 501125

#### **CONDITIONS**

| Operator:                      | OGRID:                               |
|--------------------------------|--------------------------------------|
| Permian Oilfield Partners, LLC | 328259                               |
| PO Box 3329                    | Action Number:                       |
| Hobbs, NM 88241                | 501125                               |
|                                | Action Type:                         |
|                                | [C-147] Water Recycle Short (C-147S) |

#### CONDITIONS

| Created By | Condition  | Condition Date |
|------------|--|----------------|
| vvenegas   | • 1RF-543 - CR1 STATION RECYCLING FACILITY [FVV2530128966] registration expires on 09/02/2030. • Water reused and recycled from 1RF-543 - CR1 STATION RECYCLING FACILITY [FVV2530128966] is limited to wells owned and operated by [328259] Permian Oilfield Partners, LLC. • 1RF-543 - CR1 STATION RECYCLING FACILITY [FVV2530128966] consists of five (5) –above ground closed frac tanks that have steel walls and steel bottoms. There will be NO tanks that incorporate a synthetic liner. • [328259] Permian Oilfield Partners, LLC agrees to construct, operate, maintain, and close 1RF-543 - CR1 STATION RECYCLING FACILITY [FVV2530128966] in compliance with 19.15.34 NMAC. | 10/28/2025     |