Atchafalaya Measurement Inc 416 East Main Street, Artesia NM 88210 575-746-3481

Sample Information

	Sample Information
Sample Name	OXY_Cedar Canyon CDP Check 4GC1-102119-23
Station Number	14970C
Lease Name	Cedar Canyon CDP Check 4
Analysis For	OXY USA
Producer	OXY USA
Field Name	Cedar Canyon
County/State	Eddy,NM
Frequency/Spot Sample	Monthly
Sampling Method	Fill EMpty
Sample Deg F	107
Atmos Deg F	68
Flow Rate	6084.144
Line PSIG	828
Date Sampled/Time Sampled	10-15-19
Cylinder Number	N/A
Cylinder Clean Date	N/A
Sampled By	Cameron Rivera
Analysis By	Pat Silvas
Verified/Calibrated Date	10-21-19
Report Date	2019-10-21 13:24:07

Component Results

Component Name	Ret. Time	Peak Area	Norm%	GPM (Dry) (Gal. / 1000 cu.ft.)
Nitrogen	22.920	12008.6	2.3046	0.000
H2S	46.000	0.0	0.0000	0.000
Methane	23.720	314345.6	77.4265	0.000
Carbon Dioxide	28.000	6671.3	1.0746	0.000
Ethane	37.440	78209.3	11.5237	3.075
Propane	78.980	47907.2	5.2440	1.441
i-Butane	29.940	42089.3	0.6030	0.197
n-Butane	32.320	96517.2	1.3238	0.416
i-Pentane	39.000	0.0	0.0000	0.000
n-Pentane	43.200	21055.0	0.2394	0.087
C6's	52.000	5380.0	0.0549	0.023
C7's	67.000	8272.0	0.1264	0.058
C8's	84.000	4555.0	0.0594	0.030
C9's	102.000	1495.0	0.0151	0.008
C10 Plus	146.000	1187.0	0.0046	0.003
Total:			100.0000	5.338

Results Summary

Result	Dry	Sat. (Base)
Total Raw Mole% (Dry)	102.5235	
Pressure Base (psia)	14.650	
Temperature Base	60.00	
Gross Heating Value (BTU / Ideal cu.ft.)	1201.2	1180.2
Gross Heating Value (BTU / Real cu.ft.)	1205.2	1184.6
Relative Density (G), Ideal	0.7208	0.7191
Relative Density (G), Real	0.7230	0.7215
Compressibility (Z) Factor	0.9966	0.9962

EVENT SPECIFIC JUSTIFICATIONS FORM

Facility: Cedar Canyon CPD Battery

Cause: Downstream Activity > Enterprise>Station Shutdown

Duration of event: 30 minutes **MCF Volume Flared:** 86

Method of Flared Gas Measurement: Flare Meter

1. Reason why this event was beyond Operator's control:

The emissions event was caused by the unforeseen, unexpected, sudden, and unavoidable interruption, restriction or complete shut-in of a gas pipeline by a third-party pipeline operator, which impacted Oxy's ability to send gas to a third-party gas pipeline. This interruption, restriction or complete shut-in of the gas pipeline by a third-party pipeline operator is downstream of Oxy's custody transfer point and out of Oxy's control to avoid or prevent from happening and did not stem from any of Oxy's upstream facility activity that could have been foreseen and avoided, and could not have been avoided by good design, operation, and preventative maintenance practices. It is Oxy's policy to route all stranded sales gas to a flare during an unforeseen and unavoidable emergency or malfunction, in order to minimize emissions as much as possible. The flare at this facility has a 98% combustion efficiency in order to lessen emissions as much as possible. The flare is regularly monitored to the ensure flame is lit and meeting opacity requirements.

In this case, this sudden and unexpected flaring event occurred due to third party pipeline operator, Enterprise, whose facility was having downstream facility issues that greatly impacted the gas flow from Oxy's upstream facility to them. As a result of Enterprise's downstream facility incapability of handling the volume of gas being sent to them, a spike in their line pressure occurred. The high line pressure spike in Enterprise's pipeline impacted Oxy's ability to send gas to their facility, as their downstream facility compression equipment was unable to handle the gas loads sent to them as their facility had a shutdown. Until Enterprise's facility and its equipment were able to handle the volume of gas sent to them, the spike in line pressure forced Oxy's upstream facility to route all its stranded gas to a flare, as it was not able to push all its gas into Enterprise's gas pipeline. The flare at this facility has a 98% combustion efficiency in order to lessen emissions as much as possible. Oxy personnel are in the field 24/7 and can physically see when its facility is flaring, and its production techs also get high pressure alarms notifying them of an issue with the sales gas system. Prior to the spike in Enterprise's pipeline pressure, which impacted Oxy's ability to send all its gas to them, Oxy's compression equipment was running and operating at maximized optimization. Flaring did not occur until Enterprise's downstream facility was unable to handle the volume of gas loads sent to them due to an issue with their facility. This incident was completely out of Oxy's control to prevent from happening. OXY made every effort to control and minimize emissions as much as possible during this event.

2. Steps Taken to limit duration and magnitude of venting or flaring:

The emissions event was caused by the unforeseen, unexpected, sudden, and unavoidable interruption, restriction or complete shut-in of a gas pipeline by a third-party pipeline operator, which impacted Oxy's ability to send gas to a third-party gas pipeline. This interruption, restriction or complete shut-in of the gas pipeline by a third-party pipeline operator is downstream of Oxy's custody transfer point and out of Oxy's control to avoid or prevent from happening and did not stem from any of Oxy's upstream facility activity that could have been foreseen and avoided, and could not have been avoided by good design, operation, and preventative maintenance practices. Oxy personnel are in the field 24/7 and can physically see when its facility is flaring, and its production techs also get high pressure alarms notifying them of an issue with the sales gas system. It is Oxy's policy to route all stranded sales gas to a flare during an unforeseen and unavoidable emergency or malfunction, in order to minimize emissions as much as possible. The flare at this facility has a 98% combustion efficiency in order to lessen emissions as much as possible. The flare is regularly monitored to the ensure flame is lit and meeting opacity requirements.

In this case, an on-call Oxy production tech received the high-pressure alarm and was able to contact Enterprise personnel to determine cause of flaring and system pressure alarm. It was communicated to the on-call Oxy technician that Enterprise's compression equipment suffered from high suctions issue which caused a shutdown of their facility's ability to take gas from Oxy's upstream facility. Once the Enterprise gas line pressure was back to normal and Enterprise was taking all the gas Oxy sent them, on-call production techs ensured flaring had ceased.

3. Corrective Actions taken to eliminate the cause and reoccurrence of venting or flaring:

Oxy cannot take any corrective actions to eliminate the cause and potential reoccurrence of an third party pipeline operator's downstream activity issues causing Oxy's upstream facility to route its stranded gas to flare as circumstances and/or situations causes are downstream of Oxy's custody transfer point and out of Oxy's control to avoid or prevent from happening or reoccurring. Enterprise's downstream facility issues will re-occur from time to time and may trigger a spike in their gas line pressure, which in turn, directly impacts Oxy's ability to send gas to them and/or cause Oxy to route its stranded gas to flare. When Enterprise's downstream facility equipment has issues or greatly struggles to handle the volume of gas being sent to them by Oxy, Enterprise then restricts Oxy's ability to send gas, which then initiates Oxy to route all its stranded gas not pushed into the Enterprise gas pipeline, to flare. OXY makes every effort to control and minimize emissions as much as possible. The only actions that Oxy can take and handle that is within its control, is to keep continually communicate with Enterprise personnel during these types of circumstances.

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

QUESTIONS

Action 41836

QUESTIONS

Operator:	OGRID:
OXY USA INC	16696
P.O. Box 4294	Action Number:
Houston, TX 772104294	41836
	Action Type:
	[C-129] Venting and/or Flaring (C-129)

QUESTIONS

Determination of Reporting Requirements			
Answer all questions that apply. The Reason(s) statements are calculated based on your answers and may provide addional guidance.			
Was or is this venting or flaring caused by an emergency or malfunction	Yes		
Did or will this venting or flaring last eight hours or more cumulatively within any 24-hour period from a single event	No		
Is this considered a submission for a notification of a major venting or flaring	Yes, minor venting or flaring of natural gas.		
The operator shall file a form C-141 instead of a form C-129 for a release that includes liquid during venting or flaring that is or may be a major or minor release under			
Was there or will there be at least 50 MCF of natural gas vented or flared during this event	Yes		
Did this venting or flaring result in the release of ANY liquids (not fully and/or completely flared) that reached (or has a chance of reaching) the ground, a surface, a watercourse, or otherwise, with reasonable probability, endanger public health, the environment or fresh water	No		

Unregistered Facility Site		
Please provide the facility details, if the venting or flaring occurred or is occuring at a facility that does not have an Facility ID (f#) yet.		
Facility or Site Name	Cedar Canyon CPD Battery	
Facility Type	Compressor Station - (CS)	

Equipment Involved	
Primary Equipment Involved	Other (Specify)
Additional details for Equipment Involved. Please specify	Emergency Flare>Downstream Activity > Enterprise>Station Shutdown

Representative Compositional Analysis of Vented or Flared Natural Gas			
Please provide the mole percent for the percentage questions in this group.			
Methane (CH4) percentage	77		
Nitrogen (N2) percentage, if greater than one percent	2		
Hydrogen Sulfide (H2S) PPM, rounded up	0		
Carbon Dioxide (C02) percentage, if greater than one percent	1		
Oxygen (02) percentage, if greater than one percent	0		
If you are venting and/or flaring because of Pipeline Specification, please provide the required specifications for each gas.			
Methane (CH4) percentage quality requirement	Not answered.		
Nitrogen (N2) percentage quality requirement	Not answered.		
Hydrogen Sufide (H2S) PPM quality requirement	Not answered.		
Carbon Dioxide (C02) percentage quality requirement	Not answered.		
Oxygen (02) percentage quality requirement	Not answered.		

Date(s) and Time(s)	
Date venting or flaring was discovered or commenced	08/03/2021
Time venting or flaring was discovered or commenced	01:00 AM
Is the venting or flaring event complete	Yes
Date venting or flaring was terminated	08/03/2021
Time venting or flaring was terminated	01:30 AM
Total duration of venting or flaring in hours, if venting or flaring has terminated	0
Longest duration of cumulative hours within any 24-hour period during this event	0

Measured or Estimated Volume of Vented or Flared Natural Gas		
Natural Gas Vented (Mcf) Details	Not answered.	
Natural Gas Flared (Mcf) Details	Cause: Other Other (Specify) Natural Gas Flared Spilled: 86 Mcf Recovered: 0 Mcf Lost: 86 Mcf	
Other Released Details	Not answered.	
Additional details for Measured or Estimated Volume(s). Please specify	Flare Meter	
Is this a gas only submission (i.e. only Mcf values reported)	Yes, according to supplied volumes this appears to be a "gas only" report.	

Venting or Flaring Resulting from Downstream Activity		
Was or is this venting or flaring a result of downstream activity	Yes	
Date notified of downstream activity requiring this venting or flaring	Not answered.	
Time notified of downstream activity requiring this venting or flaring	Not answered.	

Steps and Actions to Prevent Waste

For this event, the operator could not have reasonably anticipated the current event and it was beyond the operator's control.	True
Please explain reason for why this event was beyond your operator's control	See Justification Form >The emissions event was caused by the unforeseen, unexpected, sudden, and unavoidable interruption, restriction or complete shut-in of a gas pipeline by a third-party pipeline operator, which impacted Oxy's ability to send gas to a third-party gas pipeline. This interruption, restriction or complete shut-in of the gas pipeline by a third-party pipeline operator is downstream of Oxy's custody transfer point and out of Oxy's control to avoid or prevent from happening and did not stem from any of Oxy's upstream facility activity that could have been foreseen and avoided, and could not have been avoided by good design, operation, and preventative maintenance practices. It is Oxy's policy to route all stranded sales gas to a flare during an unforeseen and unavoidable emergency or malfunction, in order to minimize emissions as much as possible. The flare at this facility has a 98% combustion efficiency in order to lessen emissions as much as possible. The flare is regularly monitored to the ensure flame is lit and meeting opacity requirements.
Steps taken to limit the duration and magnitude of venting or flaring	See Justification Form >The emissions event was caused by the unforeseen, unexpected, sudden, and unavoidable interruption, restriction or complete shut-in of a gas pipeline by a third-party pipeline operator, which impacted Oxy's ability to send gas to a third-party gas pipeline. This interruption, restriction or complete shut-in of the gas pipeline by a third-party pipeline operator is downstream of Oxy's custody transfer point and out of Oxy's control to avoid or prevent from happening and did not stem from any of Oxy's upstream facility activity that could have been foreseen and avoided, and could not have been avoided by good design, operation, and preventative maintenance practices. Oxy personnel are in the field 24/7 and can physically see when its facility is flaring, and its production techs also get high pressure alarms notifying them of an issue with the sales gas system. It is Oxy's policy to route all stranded sales gas to a flare during an unforeseen and unavoidable emergency or malfunction, in order to minimize emissions as much as possible. The flare at this facility has a 98% combustion efficiency in order to lessen emissions as much as possible. The flare is regularly monitored to the ensure flame is lit and meeting opacity requirements.
Corrective actions taken to eliminate the cause and reoccurrence of venting or flaring	See Justification Form >Oxy cannot take any corrective actions to eliminate the cause and potential reoccurrence of an third party pipeline operator's downstream activity issues causing Oxy's upstream facility to route its stranded gas to flare as circumstances and/or situations causes are downstream of Oxy's custody transfer point and out of Oxy's control to avoid or prevent from happening or reoccurring. Enterprise's downstream facility issues will re-occur from time to time and may trigger a spike in their gas line pressure, which in turn, directly impacts Oxy's ability to send gas to them and/or cause Oxy to route its stranded gas to flare. When Enterprise's downstream facility equipment has issues or greatly struggles to handle the volume of gas being sent to them by Oxy, Enterprise then restricts Oxy's ability to send gas, which then initiates Oxy to route all its stranded gas not pushed into the Enterprise gas pipeline, to flare. OXY makes every effort to control and minimize emissions as much as possible. The only actions that Oxy can take and handle that is within its control, is to keep continually communicate with Enterprise personnel during these types of circumstances.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 41836

CONDITIONS

Operator:	OGRID:
OXY USA INC	16696
P.O. Box 4294	Action Number:
Houston, TX 772104294	41836
	Action Type:
	[C-129] Venting and/or Flaring (C-129)

CONDITIONS

Created By	Condition	Condition Date
system	If the information provided in this report requires an amendment, submit a [C-129] Request to Amend Venting and/or Flaring Incident, utilizing your incident number from this event.	8/12/2021