www.permianls.com 575.397.3713 2609 W Marland Hobbs NM 88240



| 10657G | 10657G 72270-000 | | | Normandy 31/32 WOLI FED #1H | | | |
|-------------------|-------------------|--------------------|-------------|-----------------------------|---|--------------------------|--|
| Sample Point Code | Sample Point Name | | | Sample Point Location | | | |
| | | | | | | | |
| Laboratory Se | rvices | 2020034 | 794 | 2130 | | K Moore - Spot | |
| Source Labora | | | | Container Ider | ntity | Sampler | |
| USA | • | USA | USA | | • | New Mexico | |
| District | | Area Name | | Field Name | | Facility Name | |
| Sep 2, 2020 10 | :00 | Sep 2, | 2020 10:00 | | Sep 2, 2020 15 | :18 Sep 3, 2020 | |
| Date Sampled | | - | e Effective | | Date Received | Date Reported | |
| 80.00 | 780.00 | Torrand | ce | 93 @ | 108 | | |
| Ambient Temp (°F) | Flow Rate (Mcf) | Analyst | : | | Press PSI @ Temp °F Source Conditions | | |
| | | | | Source C | onditions | | |
| Mewbourne Oil Co | mpany | | | | | NG | |
| Operator | | | | | | Lab Source Description | |
| Component | Normalized | Un-Normalized | GPM | 7 | Gross Heatin | g Values (Real, BTU/ft³) | |
| Сотроненс | Mol % | Mol % | OITI | 」 │ | 14.696 PSI @ 60.00 °F | 14.73 PSI @ 60.00 °F | |
| H2S (H2S) | 0.0000 | 0 | | 1 1 | ry Saturate 90.4 1,367. | • | |
| Nitrogen (N2) | 1.0260 | 1.026 | | | | Total Sample Properties | |
| CO2 (CO2) | 0.1030 | 0.103 | | 7 | GPA2145-16 *Calculated at Contract Conditions Relative Density Real Relative Density Ideal 0.8112 0.8078 Molecular Weight | | |
| Methane (C1) | 71.6240 | 71.623 | | 7 | | | |
| Ethane (C2) | 13.9010 | 13.901 | 3.7170 | 1 | | | |
| Propane (C3) | 7.2530 | 7.253 | 1.9980 | 1 | 23.4002 | | |
| I-Butane (IC4) | 0.9620 | 0.962 | 0.3150 | 7 | | Group Properties | |
| N-Butane (NC4) | 2.404.0 | 2.481 | 0.7820 | | | sumed Composition | |
| IN-Butaile (INC4) | 2.4810 | 2. 4 81 | 0.7820 | C6 · | - 60.000% C | 7 - 30.000% | |

0.2180

0.2520

0.5900

7.8720

Method(s): Gas C6+ - GPA 2261, Extended Gas - GPA 2286, Calculations - GPA 2172

I-Pentane (IC5)

N-Pentane (NC5)

Hexanes Plus (C6+) TOTAL

| Analyzer Information | | | | |
|----------------------|-------------------|----------------|-------------|--|
| Device Type: | Gas Chromatograph | Device Make: | Shimadzu | |
| Device Model: | GC-2014 | Last Cal Date: | Sep 1, 2020 | |

0.5950

0.6960

1.3590

100.0000

0.595

0.696

1.359

99.9990

| PROTREND STATUS: DATA SOURCE: | | | | |
|------------------------------------|----------|--|--|--|
| Passed By Validator on Sep 4, 2020 | Imported | | | |

Field H2S

0 PPM

PASSED BY VALIDATOR REASON:

Close enough to be considered reasonable.

VALIDATOR:

Dustin Armstrong

VALIDATOR COMMENTS:

OK

Mewbourne Oil Company

Natural Gas Flared Calculation Methodology

Metering low-pressure gas diverted from the Vapor Recovery Unit ("VRU") to backup flare is not technologically feasible. Gas volumes for VRU downtime events will be calculated using an average metered VRU gas to oil production ratio. This GOR is derived from available relevant data.

Average Metered VRU Gas to Oil Production GOR = 0.18 Mcf/BBL

Flared gas volume = GOR * Oil Production Volume (BBL)

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

QUESTIONS

Action 44430

| Q | UESTIONS | |
|--|--|--|
| Operator: MEWBOURNE OIL CO P.O. Box 5270 | | OGRID: 14744 Action Number: |
| Hobbs, NM 88241 | | Action Type: [C 120] Venting and/or Floring (C 120) |
| QUESTIONS | | [C-129] Venting and/or Flaring (C-129) |
| | | |
| Prerequisites Any messages presented in this section, will prevent submission of this application. Please resolve to | these issues before continuina wit | th the rest of the questions. |
| Incident Well | | Y 31 32 WOLI FEDERAL COM #001H |
| Incident Facility | Not answered. | |
| | | |
| Determination of Reporting Requirements | nd may provide addianal avidance | |
| Answer all questions that apply. The Reason(s) statements are calculated based on your answers ar | | |
| Was or is this venting and/or flaring caused by an emergency or malfunction Did or will this venting and/or flaring last eight hours or more cumulatively within | Yes | |
| any 24-hour period from a single event | Yes | |
| Is this considered a submission for a notification of a major venting and/or flaring | Yes, minor venting and/or | flaring of natural gas. |
| An operator shall file a form C-141 instead of a form C-129 for a release that, includes liquid during v | enting and/or flaring that is or may | be a major or minor release under 19.15.29.7 NMAC. |
| Was there or will there be at least 50 MCF of natural gas vented and/or flared during this event | Yes | |
| Did this venting and/or flaring result in the release of ANY liquids (not fully and/or completely flared) that reached (or has a chance of reaching) the ground, a surface, a watercourse, or otherwise, with reasonable probability, endanger public health, the environment or fresh water | No | |
| Was the venting and/or flaring within an incorporated municipal boundary or withing 300 feet from an occupied permanent residence, school, hospital, institution or church in existence | No | |
| Equipment Involved | | |
| Primary Equipment Involved | Other (Specify) | |
| Additional details for Equipment Involved. Please specify | VRU | |
| | | |
| Representative Compositional Analysis of Vented or Flared Natural Gas | | |
| Please provide the mole percent for the percentage questions in this group. Methane (CH4) percentage | 72 | |
| Nitrogen (N2) percentage if greater than one percent | 1 | |
| Hydrogen Sulfide (H2S) PPM, rounded up | 0 | |
| Carbon Dioxide (C02) percentage, if greater than one percent | 0 | |
| Oxygen (02) percentage, if greater than one percent | 0 | |
| If you are venting and/or flaring because of Pipeline Specification, please provide the required spec | | |
| Methane (CH4) percentage quality requirement | Not answered. | |
| Nitrogen (N2) percentage quality requirement | Not answered. | |
| Hydrogen Sufide (H2S) PPM quality requirement | Not answered. | |
| Carbon Dioxide (C02) percentage quality requirement | Not answered. | |
| Oxygen (02) percentage quality requirement | Not answered. | |
| Date(s) and Time(s) | | |
| Date venting and/or flaring was discovered or commenced | 08/17/2021 | |
| Time venting and/or flaring was discovered or commenced | 01:15 AM | |
| Time venting and/or flaring was discovered or commenced Time venting and/or flaring was terminated | 09:30 AM | |
| Cumulative hours during this event | 8 | |
| | <u>. </u> | |
| Measured or Estimated Volume of Vented or Flared Natural Gas | | · |

Not answered.

Natural Gas Vented (Mcf) Details

| Natural Gas Flared (Mcf) Details | Cause: Equipment Failure Other (Specify) Natural Gas Flared Released: 101 Mcf Recovered: 0 Mcf Lost: 101 Mcf] |
|---|--|
| Other Released Details | Not answered. |
| Additional details for Measured or Estimated Volume(s). Please specify | Volume calculated |
| Is this a gas only submission (i.e. only significant Mcf values reported) | Yes, according to supplied volumes this appears to be a "gas only" report. |

| Venting or Flaring Resulting from Downstream Activity | |
|--|---------------|
| Was or is this venting and/or flaring a result of downstream activity | Not answered. |
| Date notified of downstream activity requiring this venting and/or flaring | Not answered. |
| Time notified of downstream activity requiring this venting and/or flaring | Not answered. |

| Steps and Actions to Prevent Waste | |
|--|--|
| For this event, the operator could not have reasonably anticipated the current event and it was beyond the operator's control. | True |
| Please explain reason for why this event was beyond your operator's control | VRU malfunctioned |
| Steps taken to limit the duration and magnitude of venting and/or flaring | Repaired VRU |
| Corrective actions taken to eliminate the cause and reoccurrence of venting and/or flaring | Continued routine preventive maintenance and daily operational inspections |

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 44430

CONDITIONS

| Operator: | OGRID: |
|------------------|--|
| MEWBOURNE OIL CO | 14744 |
| P.O. Box 5270 | Action Number: |
| Hobbs, NM 88241 | 44430 |
| | Action Type: |
| | [C-129] Venting and/or Flaring (C-129) |

CONDITIONS

| Created By | Condition | Condition Date |
|------------|--|----------------|
| zlacount | If the information provided in this report requires an amendment, submit a [C-129] Amend Venting and/or Flaring Incident (C-129A), utilizing your incident number from this event. | 9/1/2021 |