



11890G	72427-000	Gobbler 5/6 B3IL St Com #2H	
Sample Point Code	Sample Point Name	Sample Point Location	
Laboratory Services	2021042312	2040	R Vega - Spot
Source Laboratory	Lab File No	Container Identity	Sampler
USA	USA	USA	New Mexico
District	Area Name	Field Name	Facility Name
Jun 7, 2021 10:50	Jun 7, 2021 10:50	Jun 8, 2021 07:16	Jun 8, 2021
Date Sampled	Date Effective	Date Received	Date Reported
88.00	Torrance	196 @ 110	
Ambient Temp (°F)	Flow Rate (Mcf)	Analyst	Press PSI @ Temp °F Source Conditions
Mewbourne Oil Company			NG
Operator			Lab Source Description

Component	Normalized Mol %	Un-Normalized Mol %	GPM
H2S (H2S)	0.0000	0	
Nitrogen (N2)	1.4210	1.42089	
CO2 (CO2)	0.0500	0.04968	
Methane (C1)	71.4460	71.44488	
Ethane (C2)	15.1440	15.14445	4.0490
Propane (C3)	7.3410	7.34134	2.0220
I-Butane (IC4)	0.8110	0.81122	0.2650
N-Butane (NC4)	2.0980	2.09799	0.6610
I-Pentane (IC5)	0.4230	0.42308	0.1550
N-Pentane (NC5)	0.4680	0.46818	0.1700
Hexanes Plus (C6+)	0.7980	0.7983	0.3460
TOTAL	100.0000	100.0000	7.6680

Method(s): Gas C6+ - GPA 2261, Extended Gas - GPA 2286, Calculations - GPA 2172

Analyzer Information

Device Type: Gas Chromatograph Device Make: Shimadzu
 Device Model: GC-2014 Last Cal Date: Jun 7, 2021

Gross Heating Values (Real, BTU/ft³)

14.696 PSI @ 60.00 Å°F		14.73 PSI @ 60.00 Å°F	
Dry	Saturated	Dry	Saturated
1,350.4	1,328.4	1,353.5	1,331.5

Calculated Total Sample Properties

GPA2145-16 *Calculated at Contract Conditions

Relative Density Real	Relative Density Ideal
0.7886	0.7855
Molecular Weight	
22.7498	

C6+ Group Properties

Assumed Composition

C6 - 60.000%	C7 - 30.000%	C8 - 10.000%
--------------	--------------	--------------

Field H2S
0 PPM

PROTREND STATUS:

Passed By Validator on Jun 9, 2021

DATA SOURCE:

Imported

PASSED BY VALIDATOR REASON:

First sample taken @ this point, composition looks reasonable

VALIDATOR:

Dustin Armstrong

VALIDATOR COMMENTS:

OK

Mewbourne Oil Company

Natural Gas Flared Calculation Methodology

Metering low-pressure gas diverted from the Vapor Recovery Unit ("VRU") to backup flare is not technologically feasible. Gas volumes for VRU downtime events will be calculated using an average metered VRU gas to oil production ratio. This GOR is derived from available relevant data.

Average Metered VRU Gas to Oil Production GOR = 0.18 Mcf/BBL

Flared gas volume = GOR * Oil Production Volume (BBL)

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS

Action 44502

QUESTIONS

Operator: MEWBOURNE OIL CO P.O. Box 5270 Hobbs, NM 88241	OGRID: 14744
	Action Number: 44502
	Action Type: [C-129] Venting and/or Flaring (C-129)

QUESTIONS

Prerequisites	
Any messages presented in this section, will prevent submission of this application. Please resolve these issues before continuing with the rest of the questions.	
Incident Well	[30-015-46726] GOBBLER 5 6 B3IL STATE COM #002H
Incident Facility	Not answered.

Determination of Reporting Requirements	
Answer all questions that apply. The Reason(s) statements are calculated based on your answers and may provide additional guidance.	
Was or is this venting and/or flaring caused by an emergency or malfunction	Yes
Did or will this venting and/or flaring last eight hours or more cumulatively within any 24-hour period from a single event	Yes
Is this considered a submission for a notification of a major venting and/or flaring	Yes, minor venting and/or flaring of natural gas.
An operator shall file a form C-141 instead of a form C-129 for a release that, includes liquid during venting and/or flaring that is or may be a major or minor release under 19.15.29.7 NMAC.	
Was there or will there be at least 50 MCF of natural gas vented and/or flared during this event	Yes
Did this venting and/or flaring result in the release of ANY liquids (not fully and/or completely flared) that reached (or has a chance of reaching) the ground, a surface, a watercourse, or otherwise, with reasonable probability, endanger public health, the environment or fresh water	No
Was the venting and/or flaring within an incorporated municipal boundary or withing 300 feet from an occupied permanent residence, school, hospital, institution or church in existence	No

Equipment Involved	
Primary Equipment Involved	Other (Specify)
Additional details for Equipment Involved. Please specify	VRU and Booster Compressor

Representative Compositional Analysis of Vented or Flared Natural Gas	
Please provide the mole percent for the percentage questions in this group.	
Methane (CH4) percentage	71
Nitrogen (N2) percentage, if greater than one percent	1
Hydrogen Sulfide (H2S) PPM, rounded up	0
Carbon Dioxide (CO2) percentage, if greater than one percent	0
Oxygen (O2) percentage, if greater than one percent	0
If you are venting and/or flaring because of Pipeline Specification, please provide the required specifications for each gas.	
Methane (CH4) percentage quality requirement	Not answered.
Nitrogen (N2) percentage quality requirement	Not answered.
Hydrogen Sulfide (H2S) PPM quality requirement	Not answered.
Carbon Dioxide (CO2) percentage quality requirement	Not answered.
Oxygen (O2) percentage quality requirement	Not answered.

Date(s) and Time(s)	
Date venting and/or flaring was discovered or commenced	08/19/2021
Time venting and/or flaring was discovered or commenced	12:00 AM
Time venting and/or flaring was terminated	11:59 PM
Cumulative hours during this event	24

Measured or Estimated Volume of Vented or Flared Natural Gas	
Natural Gas Vented (Mcf) Details	Not answered.

Natural Gas Flared (Mcf) Details	Cause: Equipment Failure Other (Specify) Natural Gas Flared Released: 297 Mcf Recovered: 0 Mcf Lost: 297 Mcf
Other Released Details	Not answered.
Additional details for Measured or Estimated Volume(s). Please specify	Volume calculated
Is this a gas only submission (i.e. only significant Mcf values reported)	Yes, according to supplied volumes this appears to be a "gas only" report.

Venting or Flaring Resulting from Downstream Activity

Was or is this venting and/or flaring a result of downstream activity	Not answered.
Date notified of downstream activity requiring this venting and/or flaring	Not answered.
Time notified of downstream activity requiring this venting and/or flaring	Not answered.

Steps and Actions to Prevent Waste

For this event, the operator could not have reasonably anticipated the current event and it was beyond the operator's control.	True
Please explain reason for why this event was beyond your operator's control	Booster compressor malfunctioned causing VRU to go down
Steps taken to limit the duration and magnitude of venting and/or flaring	Repaired compressor
Corrective actions taken to eliminate the cause and reoccurrence of venting and/or flaring	Continued routine preventive maintenance and daily operational inspections

District I

1625 N. French Dr., Hobbs, NM 88240
 Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
 Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 44502

CONDITIONS

Operator: MEWBOURNE OIL CO P.O. Box 5270 Hobbs, NM 88241	OGRID: 14744
	Action Number: 44502
	Action Type: [C-129] Venting and/or Flaring (C-129)

CONDITIONS

Created By	Condition	Condition Date
zlacount	If the information provided in this report requires an amendment, submit a [C-129] Amend Venting and/or Flaring Incident (C-129A), utilizing your incident number from this event.	9/1/2021