



Certificate of Analysis

Number: 6030-21060266-003A

Artesia Laboratory
 200 E Main St.
 Artesia, NM 88210
 Phone 575-746-3481

Chandler Montgomery
 Occidental Petroleum
 1502 W Commerce Dr.
 Carlsbad, NM 88220

June 28, 2021

Field:	Sand Dunes	Sampled By:	Javier Lazo
Station Name:	Sand Dunes CTB Train 3 Production	Sample Of:	Gas Spot
Station Number:	17009P	Sample Date:	06/24/2021 12:27
Station Location:	CTB	Sample Conditions:	90 psia, @ 105 °F Ambient: 100 °F
Sample Point:	Meter	Effective Date:	06/24/2021 12:27
Formation:	Monthly	Method:	GPA-2261M
County:	Eddy	Cylinder No.:	1111-002295
Type of Sample:	Spot-Cylinder	Instrument:	70104124 (Inficon GC-MicroFusion)
Heat Trace Used:	N/A	Last Inst. Cal.:	05/18/2021 0:00 AM
Sampling Method:	Fill and Purge	Analyzed:	06/25/2021 13:45:45 by KNF
Sampling Company:	SPL		

Analytical Data

Components	Un-normalized Mol %	Mol. %	Wt. %	GPM at 14.65 psia
Hydrogen Sulfide	NIL	NIL	NIL	
Nitrogen	1.770	1.78383	2.131	
Carbon Dioxide	1.321	1.33170	2.500	
Methane	72.953	73.52731	50.313	
Ethane	11.168	11.25608	14.436	3.007
Propane	6.184	6.23236	11.722	1.715
Iso-Butane	0.769	0.77545	1.922	0.253
n-Butane	1.954	1.96948	4.882	0.620
Iso-Pentane	0.551	0.55564	1.710	0.203
n-Pentane	0.641	0.64574	1.987	0.234
Hexanes	0.546	0.55030	2.023	0.226
Heptanes	0.675	0.68001	2.906	0.313
Octanes	0.527	0.53084	2.586	0.272
Nonanes Plus	0.160	0.16126	0.882	0.091
	<u>99.219</u>	<u>100.00000</u>	<u>100.000</u>	<u>6.934</u>

Calculated Physical Properties	Total	C9+
Calculated Molecular Weight	23.45	128.26
Compressibility Factor	0.9955	
Relative Density Real Gas	0.8129	4.4283

GPA 2172 Calculation:

Calculated Gross BTU per ft³ @ 14.65 psia & 60°F

Real Gas Dry BTU	1346.1	6974.4
Water Sat. Gas Base BTU	1323.2	6852.4
Ideal, Gross HV - Dry at 14.65 psia	1340.1	6974.4
Ideal, Gross HV - Wet	1316.6	6852.4

Comments: H2S Field Content 0 ppm
 Mcf/day 3116

Data reviewed by: Eric Ramirez, Analyst

Quality Assurance: The above analyses are performed in accordance with ASTM, UOP, GPA guidelines for quality assurance, unless otherwise stated.

UPSET FLARING EVENT SPECIFIC JUSTIFICATIONS FORM

Facility: Sand Dunes South Corridor CTB

Flare Date: 10/20/2021

Duration of event: 45 Minutes

MCF Flared: 365

Start Time: 10:00 AM

End Time: 10:45 AM

Cause: Downstream Activity Issue > Enterprise > Facility Emergency Shutdown

Method of Flared Gas Measurement: Gas Flare Meter

Well API Associated with Facility: 30-015-44526 Nimitz MDP1 12 Federal Com #001H

Comments: This upset event was not caused by any wells associated with the facility. The emissions event was caused by the unforeseen, unexpected, sudden, and unavoidable interruption, restriction or complete shut-in of a gas pipeline by a third-party pipeline operator, which impacted Oxy's ability to send gas to a third-party gas pipeline.

1. Reason why this event was beyond Operator's control:

The emissions event was caused by the unforeseen, unexpected, sudden, and unavoidable interruption, restriction or complete shut-in of a gas pipeline by a third-party pipeline operator, which impacted Oxy's ability to send gas to a third-party gas pipeline. This interruption, restriction or complete shut-in of the gas pipeline by a third-party pipeline operator is downstream of Oxy's custody transfer point and out of Oxy's control to avoid or prevent from happening and did not stem from any of Oxy's upstream facility activity that could have been foreseen and avoided, and could not have been avoided by good design, operation, and preventative maintenance practices.

In this case, third-party pipeline operator, Enterprise, had an emergency shutdown of their downstream Sand Dunes South Corridor station facility, which was caused by one of their vacuum trucks backing up to do a filter separator flush job and the truck accidentally backed into a power transformer, which resulted, in Enterprise losing power to their facility. This sudden and unexpected Enterprise downstream facility shutdown greatly impacted the gas flow from Oxy's upstream facility by causing an immediate spike in high line pressure, and eventual shutdown of their gas service system pipeline, which in turn, triggered a flaring event at Oxy's upstream facility. Once flaring began at our facility, Oxy production techs began inspecting equipment to determine cause, and shortly thereafter, communicated with Enterprise personnel to inform them that their gas service system pipeline was shut down Oxy and triggered a flaring event. It was communicated to Oxy personnel that Sand Dunes South Corridor station facility lost power resulted from a truck accident hitting a power transformer.

2. Steps Taken to limit duration and magnitude of venting or flaring:

It is OXY's policy to route all stranded gas to a flare during an unforeseen and unavoidable emergency or malfunction, that is beyond Oxy's control to avoid, prevent or foresee, in order to minimize emissions as much as possible as part of the overall steps taken to limit duration and magnitude of flaring. The flare at this facility has a 98% combustion efficiency in order to lessen emissions as much as possible. In this case, third-party pipeline operator, Enterprise, had an emergency shutdown of their downstream Sand Dunes South Corridor station facility, which was caused by one of their vacuum trucks backing up to do a filter separator flush job and the

truck accidentally backed into a power transformer, which resulted, in Enterprise losing power to their facility. This sudden and unexpected Enterprise downstream facility shutdown greatly impacted the gas flow from Oxy's upstream facility by causing an immediate spike in high line pressure, and eventual shutdown of their gas service system pipeline, which in turn, triggered a flaring event at Oxy's upstream facility. To significantly minimize emissions during this flaring event, Oxy production techs engaged in the alternative offloading procedures to route as much gas as possible to a secondary pipeline operator, LUCID Energy Group, until Enterprise could resolve their facility power and operations issue. In addition to alternative offloading procedures, Oxy production techs began to shut-in multiple high GOR wells to minimize gas throughput at the Sand Dunes South Corridor CTB in order to reduce flaring volumes. No advance warning of any kind was provided to Oxy personnel from Enterprise personnel regarding line pressure issues with their gas service system pipeline or issues with their downstream facility.

3. Corrective Actions taken to eliminate the cause and reoccurrence of venting or flaring:

Oxy is limited in its corrective actions to eliminate the cause and potential reoccurrence of an Enterprise gas flow pipeline restriction or shut in, as this control issue is downstream of Oxy's custody transfer point and out of Oxy's control to avoid or prevent from happening or reoccurring. Enterprise 's downstream facility issues will re-occur from time to time and may trigger a spike in their gas line pressure, which in turn, directly impacts Oxy's ability to send gas to them. When Enterprise downstream facility and/or its facility equipment has issues or greatly struggles to handle the volume of gas being sent to them by Oxy, Enterprise then restricts Oxy's ability to send gas, which then prompts Oxy to route all of its stranded gas not pushed into the Enterprise gas pipeline, to flare. OXY makes every effort to control and minimize emissions as much as possible. The limited actions that Oxy can do in this circumstance is to shut in multiple high GOR wells to minimize flaring volumes during this third-party pipeline operator downstream activity restriction and/or shut in.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS

Action 59590

QUESTIONS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 59590
	Action Type: [C-129] Venting and/or Flaring (C-129)

QUESTIONS

Prerequisites	
<i>Any messages presented in this section, will prevent submission of this application. Please resolve these issues before continuing with the rest of the questions.</i>	
Incident Well	Not answered.
Incident Facility	[fAPP2127048458] Sand Dunes South Corridor CTB

Determination of Reporting Requirements	
<i>Answer all questions that apply. The Reason(s) statements are calculated based on your answers and may provide additional guidance.</i>	
Was or is this venting and/or flaring caused by an emergency or malfunction	Yes
Did or will this venting and/or flaring last eight hours or more cumulatively within any 24-hour period from a single event	No
Is this considered a submission for a venting and/or flaring event	Yes, minor venting and/or flaring of natural gas.
<i>An operator shall file a form C-141 instead of a form C-129 for a release that, includes liquid during venting and/or flaring that is or may be a major or minor release under 19.15.29.7 NMAC.</i>	
Was there or will there be at least 50 MCF of natural gas vented and/or flared during this event	Yes
Did this venting and/or flaring result in the release of ANY liquids (not fully and/or completely flared) that reached (or has a chance of reaching) the ground, a surface, a watercourse, or otherwise, with reasonable probability, endanger public health, the environment or fresh water	No
Was the venting and/or flaring within an incorporated municipal boundary or withing 300 feet from an occupied permanent residence, school, hospital, institution or church in existence	No

Equipment Involved	
Primary Equipment Involved	Other (Specify)
Additional details for Equipment Involved. Please specify	Emergency Flare > Downstream Activity Issue > Enterprise > Facility Emergency Shutdown

Representative Compositional Analysis of Vented or Flared Natural Gas	
<i>Please provide the mole percent for the percentage questions in this group.</i>	
Methane (CH4) percentage	74
Nitrogen (N2) percentage, if greater than one percent	2
Hydrogen Sulfide (H2S) PPM, rounded up	0
Carbon Dioxide (CO2) percentage, if greater than one percent	1
Oxygen (O2) percentage, if greater than one percent	0
<i>If you are venting and/or flaring because of Pipeline Specification, please provide the required specifications for each gas.</i>	
Methane (CH4) percentage quality requirement	Not answered.
Nitrogen (N2) percentage quality requirement	Not answered.
Hydrogen Sulfide (H2S) PPM quality requirement	Not answered.
Carbon Dioxide (CO2) percentage quality requirement	Not answered.
Oxygen (O2) percentage quality requirement	Not answered.

Date(s) and Time(s)	
Date venting and/or flaring was discovered or commenced	10/20/2021
Time venting and/or flaring was discovered or commenced	10:00 AM
Time venting and/or flaring was terminated	10:45 AM
Cumulative hours during this event	1

Measured or Estimated Volume of Vented or Flared Natural Gas	
Natural Gas Vented (Mcf) Details	Not answered.

Natural Gas Flared (Mcf) Details	Cause: Other Other (Specify) Natural Gas Flared Released: 365 Mcf Recovered: 0 Mcf Lost: 365 Mcf]
Other Released Details	Not answered.
Additional details for Measured or Estimated Volume(s). Please specify	Gas Flare Meter
Is this a gas only submission (i.e. only significant Mcf values reported)	Yes, according to supplied volumes this appears to be a "gas only" report.

Venting or Flaring Resulting from Downstream Activity	
Was or is this venting and/or flaring a result of downstream activity	Yes
Was notification of downstream activity received by you or your operator	No
Downstream OGRID that should have notified you or your operator	[713731] Enterprise Crude Pipeline LLC
Date notified of downstream activity requiring this venting and/or flaring	Not answered.
Time notified of downstream activity requiring this venting and/or flaring	Not answered.

Steps and Actions to Prevent Waste	
For this event, the operator could not have reasonably anticipated the current event and it was beyond the operator's control.	True
Please explain reason for why this event was beyond your operator's control	In this case, third-party pipeline operator, Enterprise, had an emergency shutdown of their downstream Sand Dunes South Corridor station facility, which was caused by one of their vacuum trucks backing up to do a filter separator flush job and the truck accidentally backed into a power transformer, which resulted, in Enterprise losing power to their facility. This sudden and unexpected Enterprise downstream facility shutdown greatly impacted the gas flow from Oxy's upstream facility by causing an immediate spike in high line pressure, and eventual shutdown of their gas service system pipeline, which in turn, triggered a flaring event at Oxy's upstream facility. Once flaring began at our facility, Oxy production techs began inspecting equipment to determine cause, and shortly thereafter, communicated with Enterprise personnel to inform them that their gas service system pipeline was shut down Oxy and triggered a flaring event. It was communicated to Oxy personnel that Sand Dunes South Corridor station facility lost power resulted from a truck accident hitting a power transformer.
Steps taken to limit the duration and magnitude of venting and/or flaring	It is OXY's policy to route all stranded gas to a flare during an unforeseen and unavoidable emergency or malfunction, that is beyond Oxy's control to avoid, prevent or foresee, in order to minimize emissions as much as possible as part of the overall steps taken to limit duration and magnitude of flaring. The flare at this facility has a 98% combustion efficiency in order to lessen emissions as much as possible. In this case, third-party pipeline operator, Enterprise, had an emergency shutdown of their downstream Sand Dunes South Corridor station facility, which was caused by one of their vacuum trucks backing up to do a filter separator flush job and the truck accidentally backed into a power transformer, which resulted, in Enterprise losing power to their facility. This sudden and unexpected Enterprise downstream facility shutdown greatly impacted the gas flow from Oxy's upstream facility by causing an immediate spike in high line pressure, and eventual shutdown of their gas service system pipeline, which in turn, triggered a flaring event at Oxy's upstream facility. To significantly minimize emissions during this flaring event, Oxy production techs engaged in the alternative offloading procedures to route as much gas as possible to a secondary pipeline operator, LUCID Energy Group, until Enterprise could resolve their facility power and operations issue. In addition to alternative offloading procedures, Oxy production techs began to shut-in multiple high GOR wells to minimize gas throughput at the Sand Dunes South Corridor CTB in order to reduce flaring volumes. No advance warning of any kind was provided to Oxy personnel from Enterprise personnel regarding line pressure issues with their gas service system pipeline or issues with their downstream facility.
Corrective actions taken to eliminate the cause and reoccurrence of venting and/or flaring	Oxy is limited in its corrective actions to eliminate the cause and potential reoccurrence of an Enterprise gas flow pipeline restriction or shut in, as this control issue is downstream of Oxy's custody transfer point and out of Oxy's control to avoid or prevent from happening or reoccurring. Enterprise 's downstream facility issues will re-occur from time to time and may trigger a spike in their gas line pressure, which in turn, directly impacts Oxy's ability to send gas to them. When Enterprise downstream facility and/or its facility equipment has issues or greatly struggles to handle the volume of gas being sent to them by Oxy, Enterprise then restricts Oxy's ability to send gas, which then prompts Oxy to route all of its stranded gas not pushed into the Enterprise gas pipeline, to flare. OXY makes every effort to control and minimize emissions as much as possible. The limited actions that Oxy can do in this circumstance is to shut in multiple high GOR wells to minimize flaring volumes during this third-party pipeline operator downstream activity restriction and/or shut in.

District I
 1625 N. French Dr., Hobbs, NM 88240
 Phone:(575) 393-6161 Fax:(575) 393-0720

District II
 811 S. First St., Artesia, NM 88210
 Phone:(575) 748-1283 Fax:(575) 748-9720

District III
 1000 Rio Brazos Rd., Aztec, NM 87410
 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
 1220 S. St Francis Dr., Santa Fe, NM 87505
 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS
 Action 59590

CONDITIONS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 59590
	Action Type: [C-129] Venting and/or Flaring (C-129)

CONDITIONS

Created By	Condition	Condition Date
marialuna	If the information provided in this report requires an amendment, submit a [C-129] Amend Venting and/or Flaring Incident (C-129A), utilizing your incident number from this event.	11/4/2021