

**GAS VOLUME STATEMENT****May 2021**

Meter #: 726945-00

Name: Pere Marquette 18 Fed. #1

Closed Data

Standard Conditions

<b>Pressure Base:</b>	14.730 psia	<b>Meter Status:</b>	Active	<b>CO2</b>	<b>N2</b>	<b>C1</b>	<b>C2</b>	<b>C3</b>	<b>IC4</b>	<b>NC4</b>	<b>IC5</b>
<b>Temperature Base:</b>	60.00 °F	<b>Contract Hr.:</b>	Midnight	1.260	1.879	70.806	12.718	6.186	0.737	1.912	0.490
<b>Atmos Pressure:</b>	12.870 psi	<b>Full Wellstream:</b>	No	<b>NC5</b>	<b>neo</b>	<b>C6</b>	<b>C7</b>	<b>C8</b>	<b>C9</b>	<b>C10</b>	
<b>Calc Method:</b>	AGA3-1992	<b>WV Technique:</b>		0.562		0.523	0.483	0.215	0.057		
<b>Z Method:</b>	AGA-8 Detail (1992)	<b>WV Method:</b>		<b>Ar</b>	<b>CO</b>	<b>H2</b>	<b>O2</b>	<b>He</b>	<b>H2O</b>	<b>H2S</b>	<b>H2S ppm</b>
<b>Tube I.D.:</b>	3.0700 in	<b>HV Cond:</b>	Dry								
<b>Tap Location:</b>	Upstream	<b>Meter Type:</b>	EFM						1.776	0.398	4048.000
<b>Tap Type:</b>	Flange	<b>Interval:</b>	1 Hour								

Day	Differential (In. H2O)	Pressure (psia)	Temp. (°F)	Flow Time (hrs)	Relative Density	Plate (inches)	Volume (Mcf)	Heating Value (Btu/scf)	Energy (MMBtu)
1	71.39	32.31	72.19	24.00	0.7969	1.2500	401	1301.13	521
2	63.19	34.81	77.06	24.00	0.7969	1.2500	390	1301.13	509
3	58.79	35.06	74.91	24.00	0.7969	1.2500	378	1301.13	491
4	59.09	34.87	69.96	24.00	0.7969	1.2500	377	1301.13	490
5	60.78	32.16	76.34	24.00	0.7969	1.2500	369	1301.13	480
6	59.36	32.23	81.36	24.00	0.7969	1.2500	362	1301.13	472
7	61.69	31.68	83.46	24.00	0.7969	1.2500	367	1301.13	477
8	62.20	31.31	81.64	24.00	0.7969	1.2500	366	1301.13	476
9	56.23	32.92	81.16	24.00	0.7969	1.2500	357	1301.13	466
10	59.28	32.31	73.80	24.00	0.7969	1.2500	366	1301.13	475
11	51.27	31.50	69.68	24.00	0.7969	1.2500	337	1301.13	439
12	48.50	30.58	67.98	24.00	0.7969	1.2500	325	1301.13	422
13	40.05	34.41	72.03	24.00	0.7969	1.2500	312	1301.13	407
14	36.14	36.31	76.04	24.00	0.7969	1.2500	303	1301.13	393
15	61.64	33.89	76.24	24.00	0.7969	1.2500	375	1301.13	489
16	67.95	33.31	80.70	24.00	0.7969	1.2500	393	1301.13	511
17	115.61	38.85	85.09	24.00	0.7969	1.2500	495	1301.13	644
18	95.71	36.08	78.77	24.00	0.7969	1.2500	484	1301.13	630
19	92.76	34.60	83.81	24.00	0.7969	1.2500	464	1301.13	604
20	75.70	34.44	84.11	24.00	0.7969	1.2500	422	1301.13	548
21	75.62	33.80	84.05	23.90	0.7969	1.2500	400	1301.13	522
22	68.69	32.91	74.81	24.00	0.7969	1.2500	396	1301.13	515
23	60.81	34.46	84.07	24.00	0.7969	1.2500	380	1301.13	494
24	66.66	34.37	86.94	24.00	0.7969	1.2500	394	1301.13	513
25	69.07	34.65	88.83	24.00	0.7969	1.2500	403	1301.13	524
26	61.33	34.45	84.13	24.00	0.7969	1.2500	380	1301.13	495
27	59.67	36.27	86.61	24.00	0.7969	1.2500	379	1301.13	492
28	71.91	35.98	81.10	24.00	0.7969	1.2500	422	1301.13	549
29	58.97	34.94	78.07	24.00	0.7969	1.2500	377	1301.13	490
30	66.10	35.77	75.95	24.00	0.7969	1.2500	406	1301.13	529
31	61.42	35.90	66.94	24.00	0.7969	1.2500	393	1301.13	512
<b>Total</b>	<b>66.64</b>	<b>34.20</b>	<b>78.90</b>	<b>743.90</b>	<b>0.7969</b>		<b>11,973</b>		<b>15,579</b>

Volume at 15.025 = 11,738 Energy = 15,579

Name of well or facility	Lat	Long	Daily Volume of Flared Natural Gas (MCF/D)	Commencement	Duration	Proposed Remedy
SHELBY 23 TANK BATTERY	32.636495	-104.449015	1775 MCF/D	11/13/2021	Continuous	ACO Requested
ROSS RANCH 09.13.14 BATTERY	32.636187	-104.47781	771 MCF/D	11/13/2021	Continuous	ACO Requested
OSAGE BOYD 15 FED 09.12.13.14 TANK BATTERY	32.652839	-104.478905	1243 MCF/D	11/13/2021	Continuous	ACO Requested
LAKEWOOD FEDERAL COM NORTH BATTERY	32.625808	-104.469155	2699 MCF/D	11/13/2021	Continuous	ACO Requested
LAKEWOOD FEDERAL COM SOUTH BATTERY	32.608649	-104.479201	1411 MCF/D	11/13/2021	Continuous	ACO Requested
DORAMI 33 FEDERAL COM 2H.4H.9H TANK BATTERY	32.614416	-104.478493	948 MCF/D	11/13/2021	Continuous	ACO Requested
HUBER 10, 11, 12 FEDERAL OIL TANK BATTERY	32.610648	-104.472851	649 MCF/D	11/13/2021	Continuous	ACO Requested
LIVE OAK TANK BATTERY	32.63657	-104.46929	2418 MCF/D	11/13/2021	Continuous	ACO Requested
ROSE SOUTH TANK BATTERY	32.67021	-104.42768	111 MCF/D	11/13/2021	Continuous	Pipeline Specs
PERE MARQUETTE 18 FEDERAL 1 TANK BATTERY	32.84101	-104.12032	232 MCF/D	11/13/2021	Continuous	Gas Rerouted

**District I**

1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720

**District II**

811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720

**District III**

1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170

**District IV**

1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

QUESTIONS

Action 63252

**QUESTIONS**

Operator: Spur Energy Partners LLC 9655 Katy Freeway Houston, TX 77024	OGRID: 328947
	Action Number: 63252
	Action Type: [C-129] Venting and/or Flaring (C-129)

**QUESTIONS****Prerequisites**

Any messages presented in this section, will prevent submission of this application. Please resolve these issues before continuing with the rest of the questions.

Incident Well	Not answered.
Incident Facility	[fAPP2132741848] Pere Marquette 18 Federal Tank Battery

**Determination of Reporting Requirements**

Answer all questions that apply. The Reason(s) statements are calculated based on your answers and may provide additional guidance.

Was or is this venting and/or flaring caused by an emergency or malfunction	Yes
Did or will this venting and/or flaring last eight hours or more cumulatively within any 24-hour period from a single event	Yes
Is this considered a submission for a venting and/or flaring event	Yes, minor venting and/or flaring of natural gas.
An operator shall file a form C-141 instead of a form C-129 for a release that, includes liquid during venting and/or flaring that is or may be a major or minor release under 19.15.29.7 NMAC.	
Was there or will there be at least 50 MCF of natural gas vented and/or flared during this event	Yes
Did this venting and/or flaring result in the release of ANY liquids (not fully and/or completely flared) that reached (or has a chance of reaching) the ground, a surface, a watercourse, or otherwise, with reasonable probability, endanger public health, the environment or fresh water	No
Was the venting and/or flaring within an incorporated municipal boundary or withing 300 feet from an occupied permanent residence, school, hospital, institution or church in existence	No

**Equipment Involved**

Primary Equipment Involved	Not answered.
Additional details for Equipment Involved. Please specify	Not answered.

**Representative Compositional Analysis of Vented or Flared Natural Gas**

Please provide the mole percent for the percentage questions in this group.

Methane (CH4) percentage	71
Nitrogen (N2) percentage, if greater than one percent	2
Hydrogen Sulfide (H2S) PPM, rounded up	4,048
Carbon Dioxide (CO2) percentage, if greater than one percent	1
Oxygen (O2) percentage, if greater than one percent	0

If you are venting and/or flaring because of Pipeline Specification, please provide the required specifications for each gas.

Methane (CH4) percentage quality requirement	Not answered.
Nitrogen (N2) percentage quality requirement	Not answered.
Hydrogen Sulfide (H2S) PPM quality requirement	Not answered.
Carbon Dioxide (CO2) percentage quality requirement	Not answered.
Oxygen (O2) percentage quality requirement	Not answered.

**Date(s) and Time(s)**

Date venting and/or flaring was discovered or commenced	11/13/2021
Time venting and/or flaring was discovered or commenced	12:00 AM
Time venting and/or flaring was terminated	12:00 AM
Cumulative hours during this event	24

**Measured or Estimated Volume of Vented or Flared Natural Gas**

Natural Gas Vented (Mcf) Details	Not answered.
----------------------------------	---------------

Natural Gas Flared (Mcf) Details	Cause: High Line Pressure   Other (Specify)   Natural Gas Flared   Released: 232 Mcf   Recovered: 0 Mcf   Lost: 232 Mcf
Other Released Details	Not answered.
Additional details for Measured or Estimated Volume(s). Please specify	Not answered.
Is this a gas only submission (i.e. only significant Mcf values reported)	Yes, according to supplied volumes this appears to be a "gas only" report.

**Venting or Flaring Resulting from Downstream Activity**

Was or is this venting and/or flaring a result of downstream activity	Not answered.
Was notification of downstream activity received by you or your operator	Not answered.
Downstream OGRID that should have notified you or your operator	Not answered.
Date notified of downstream activity requiring this venting and/or flaring	Not answered.
Time notified of downstream activity requiring this venting and/or flaring	Not answered.

**Steps and Actions to Prevent Waste**

For this event, the operator could not have reasonably anticipated the current event and it was beyond the operator's control.	True
Please explain reason for why this event was beyond your operator's control	Sold to another 3rd party where possible.
Steps taken to limit the duration and magnitude of venting and/or flaring	Rerouted gas to other midstream companies as capacity allowed.
Corrective actions taken to eliminate the cause and reoccurrence of venting and/or flaring	Rerouted gas to other midstream companies as capacity allowed.

**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

CONDITIONS  
  
Action 63252

CONDITIONS

Operator: Spur Energy Partners LLC 9655 Katy Freeway Houston, TX 77024	OGRID: 328947
	Action Number: 63252
	Action Type: [C-129] Venting and/or Flaring (C-129)

CONDITIONS

Created By	Condition	Condition Date
schapman01	If the information provided in this report requires an amendment, submit a [C-129] Amend Venting and/or Flaring Incident (C-129A), utilizing your incident number from this event.	11/23/2021