Page 1 of 27

Incident ID NRM2013953582
District RP
Facility ID
Application ID

Closure

The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (electronic submittals in .pdf format are preferred) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.

Closure Report Attachment Checklist: Each of the following items must be included in the closure report.					
A scaled site and sampling diagram as described in 19.15.29.11	A scaled site and sampling diagram as described in 19.15.29.11 NMAC				
Photographs of the remediated site prior to backfill or photos or must be notified 2 days prior to liner inspection)	f the liner integrity if applicable (Note: appropriate OCD District office				
Laboratory analyses of final sampling (Note: appropriate ODC)	District office must be notified 2 days prior to final sampling)				
☐ Description of remediation activities					
	ediate contamination that pose a threat to groundwater, surface water, C-141 report does not relieve the operator of responsibility for ons. The responsible party acknowledges they must substantially ditions that existed prior to the release or their final land use in				
Signature:	Date:				
email: chensley@spurenergy.com	Telephone: 346-339-1494				
OCD Only					
Received by: Jocelyn Harimon	Date:09/13/2022				
	f liability should their operations have failed to adequately investigate and ater, human health, or the environment nor does not relieve the responsible regulations.				
Closure Approved by: <u>Robert Hamlet</u>	Date: 9/22/2022				
Printed Name: Robert Hamlet	Title: Environmental Specialist - Advanced				

LINER INSPECTION AND CLOSURE REPORT REPORTABLE RELEASE

Spur Energy Partners

Bradley 8 Fee #2H Incident ID: nRM2013953582 API #30-015-39811 Eddy County, NM

Prepared by:



Paragon Environmental LLC 1601 N. TURNER ST. STE.500 Hobbs, NM 88240 575-964-7814

GENERAL DETAILS

This report was prepared by Paragon Environmental LLC (Paragon) in response to the release for Spur Energy Partners (Spur) at the **Bradley 8 Fee #2H (Bradley)**.

Site Coordinates: Latitude: 32.6684264 Longitude: -104.4068375


Unit UL N, Section 08, Township 19S, Range 26E

Incident ID: NRM2013953582

REGULATORY FRAMEWORK

<u>Depth to Groundwater</u>: According to the New Mexico State of Engineers Office, the nearest water data is less than 1/2 mile away and is greater than 100 feet below the ground surface (BGS). See Appendix A for details.

<u>Soil Survey:</u> Per the New Mexico Bureau of Geology and Mineral Resources, the geology is in the Piedmont alluvial deposits (Holocene to lower Pleistocene)-Including deposits of higher gradient tributaries bordering major stream valleys, alluvial veneers of the piedmont slope, and alluvial fans. May locally include uppermost Pliocene deposits (QP). According to the United States Department of Agriculture Natural Resources Conservation Service soil survey, the soil in this area comprises the Reagan-Upton complex, with 0 to 9 percent slopes. The drainage courses in this area are well-drained. The karst geology in the area of the Bradley is not in High Karst. See the map below.



RELEASE DETAILS

This release was due to the failure of a 4" valve on the suction line attached to the transfer pump. 40 bbls of produced water released were contained in the Falcon Lined containment. A vacuum truck was dispatched and recovered the 40 bbls of the fluids.

Date of Spill: 05/13/2020

Type of Spill: □ Crude Oil □ Produced Water □ Condensate □ Other (Specify):

<u>Comments:</u> Reportable release. Released: 42 bbls of Produced Water Recovered: 40 bbls of Produced Water

INITIAL SITE ASSESSMENT

On May 23, 2022, Paragon went to the Bradley and conducted an initial assessment. There were noticeable oil stains on the liner from the spill. There were no signs outside the containment that the liner had been breached. Therefore, no samples were taken. See the site map below showing the affected area.



REMEDIATION ACTIVITIES

On June 9, 2022, Paragon returned to the site with equipment and personnel to conduct cleanup activities. We initially sprayed the affected area with surface cleaner. We then power washed and squeegeed the runoff to where the vacuum truck could capture the fluids.

On July 20, 2022, Paragon returned to the site to conduct a liner inspection. A 48-hour notification was sent to the NMOCD on July 18, 2022. The liner inspection concluded that the liner was all intact and in good condition. The integrity of the liner appears to have the ability to contain spills. See Appendix D for the email notification and liner report.

CLOSURE REQUEST

After careful review, Paragon requests that the incident, NRM2013953582, be closed. Spur has complied with the applicable closure requirements. If you have any questions or need additional information, please contact Chris Jones at 575-964-7814 or chris@paragonenvironmental.net.

Respectfully,

Chris Jones

Environmental Professional Paragon Environmental LLC

Attachments

Figures:

- 1- Topo Map
- 2- Aerial Map


Appendices:


- Appendix A- Referenced Water Data
- Appendix B- Soil Survey & FEMA Flood Map
- Appendix C- C-141
- Appendix D- Email Correspondence, Liner Inspection, & Photographic Documentation



Figures:

- 1- Topo Map
- 2- Aerial Map







Appendix A Referenced Water Data:

New Mexico State of Engineers Office



New Mexico Office of the State Engineer

Water Column/Average Depth to Water

(A CLW#### in the POD suffix indicates the POD has been replaced & no longer serves a water right file.)

(R=POD has been replaced,

O=orphaned,

C=the file is

closed)

(quarters are 1=NW 2=NE 3=SW 4=SE)

(quarters are smallest to largest)

(NAD83 UTM in meters)

(In feet)

		POD												
		Sub-		Q	Q Q	<u>)</u>							•	Water
POD Number	Code	basin	County	64 1	6 4	Sec	Tws	Rng	X	Y	DistanceDep	othWellDep	thWater C	olumn
<u>RA 05037</u>		RA	ED		1 2	17	19S	26E	556091	3614436*	265	475	132	343
RA 11018 POD1		RA	ED	3	4 2	17	19S	26E	556396	3613928*	855	260	100	160

Average Depth to Water:

116 feet

Minimum Depth:

100 feet

Maximum Depth:

132 feet

Record Count: 2

<u>UTMNAD83</u> Radius Search (in meters):

Easting (X): 555992.569

Northing (Y): 3614682.759

Radius: 1500

*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

12/17/21 10:05 AM

WATER COLUMN/ AVERAGE DEPTH TO WATER



New Mexico Office of the State Engineer

Point of Diversion Summary

(quarters are 1=NW 2=NE 3=SW 4=SE)

(NAD83 UTM in meters) (quarters are smallest to largest) Q64 Q16 Q4 Sec Tws Rng \mathbf{X} Y Well Tag **POD Number** RA 11018 POD1 3 4 2 17 19S 26E 556396 3613928*

Driller License: 1632 **Driller Company:** HOPPER PUMP & DRILLING, INC.

CURRY, CALEB **Driller Name:**

Drill Start Date: 08/08/2006 **Drill Finish Date:** 08/10/2006 **Plug Date:**

Log File Date: 08/17/2006 **PCW Rcv Date:** Shallow Source: **Pump Type: Pipe Discharge Size: Estimated Yield:** 4 GPM **Casing Size:** 5.00 **Depth Well:** 260 feet **Depth Water:** 100 feet

Water Bearing Stratifications: Top Bottom Description 130 Sandstone/Gravel/Conglomerate

> **Casing Perforations: Bottom** Top 260 100

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

12/17/21 10:06 AM POINT OF DIVERSION SUMMARY

Released to Imaging: 9/22/2022 2:30:26 PM

ŗе	11	of 2	

^{*}UTM location was derived from PLSS - see Help



Appendix B Soil Survey:

U.S.D.A.

FEMA Flood Map

Eddy Area, New Mexico

RE—Reagan-Upton association, 0 to 9 percent slopes

Map Unit Setting

National map unit symbol: 1w5d Elevation: 1,100 to 5,400 feet

Mean annual precipitation: 6 to 14 inches
Mean annual air temperature: 60 to 64 degrees F

Frost-free period: 180 to 240 days

Farmland classification: Farmland of statewide importance

Map Unit Composition

Reagan and similar soils: 70 percent Upton and similar soils: 25 percent Minor components: 5 percent

Estimates are based on observations, descriptions, and transects of

the mapunit.

Description of Reagan

Setting

Landform: Fan remnants, alluvial fans Landform position (three-dimensional): Rise

Down-slope shape: Convex, linear

Across-slope shape: Linear

Parent material: Alluvium and/or eolian deposits

Typical profile

H1 - 0 to 8 inches: loam H2 - 8 to 60 inches: loam

Properties and qualities

Slope: 0 to 3 percent

Depth to restrictive feature: More than 80 inches

Drainage class: Well drained

Runoff class: Low

Capacity of the most limiting layer to transmit water (Ksat): Moderately high to high (0.60 to 2.00 in/hr)

Depth to water table: More than 80 inches

Frequency of flooding: None Frequency of ponding: None

Calcium carbonate, maximum content: 40 percent

Maximum salinity: Very slightly saline to moderately saline (2.0 to

8.0 mmhos/cm)


Sodium adsorption ratio, maximum: 1.0

Available water supply, 0 to 60 inches: Moderate (about 8.2

inches)

Interpretive groups

Land capability classification (irrigated): 2e Land capability classification (nonirrigated): 6e



Hydrologic Soil Group: B

Ecological site: R070DY153NM - Loamy

Hydric soil rating: No

Description of Upton

Setting

Landform: Ridges, fans

Landform position (three-dimensional): Side slope, rise

Down-slope shape: Convex Across-slope shape: Convex

Parent material: Residuum weathered from limestone

Typical profile

H1 - 0 to 9 inches: gravelly loam H2 - 9 to 13 inches: gravelly loam H3 - 13 to 21 inches: cemented

H4 - 21 to 60 inches: very gravelly loam

Properties and qualities

Slope: 0 to 9 percent

Depth to restrictive feature: 7 to 20 inches to petrocalcic

Drainage class: Well drained

Runoff class: High

Capacity of the most limiting layer to transmit water (Ksat): Low to

moderately high (0.01 to 0.60 in/hr)

Depth to water table: More than 80 inches

Frequency of flooding: None Frequency of ponding: None

Calcium carbonate, maximum content: 75 percent

Maximum salinity: Nonsaline to very slightly saline (0.0 to 2.0

mmhos/cm)

Sodium adsorption ratio, maximum: 1.0

Available water supply, 0 to 60 inches: Very low (about 1.4 inches)

Interpretive groups

Land capability classification (irrigated): None specified

Land capability classification (nonirrigated): 7s

Hydrologic Soil Group: D

Ecological site: R070DY159NM - Shallow Loamy

Hydric soil rating: No

Minor Components

Atoka

Percent of map unit: 3 percent


Ecological site: R042XC007NM - Loamy

Hydric soil rating: No

Pima

Percent of map unit: 2 percent

Ecological site: R042XC017NM - Bottomland



Map Unit Description: Reagan-Upton association, 0 to 9 percent slopes---Eddy Area, New Mexico

Hydric soil rating: No

Data Source Information

Soil Survey Area: Eddy Area, New Mexico Survey Area Data: Version 17, Sep 12, 2021

ORelease To Imaging: 9/22/2022 200:26 PM

Received by OCD: 9/13/2022 7:35:49 AM National Flood Hazard Layer FIRMette





SEE FIS REPORT FOR DETAILED LEGEND AND INDEX MAP FOR FIRM PANEL LAYOUT Without Base Flood Elevation (BFE) With BFE or Depth Zone AE, AO, AH, VE, AR

SPECIAL FLOOD HAZARD AREAS Regulatory Floodway

0.2% Annual Chance Flood Hazard, Areas of 1% annual chance flood with average depth less than one foot or with drainage areas of less than one square mile Zone X

Area with Flood Risk due to Levee Zone D

Future Conditions 1% Annual Chance Flood Hazard Zone X Area with Reduced Flood Risk due to Levee. See Notes. Zone X

OTHER AREAS OF FLOOD HAZARD

NO SCREEN Area of Minimal Flood Hazard Zone X

Effective LOMRs

OTHER AREAS

Area of Undetermined Flood Hazard Zone D

GENERAL

- - - Channel, Culvert, or Storm Sewer STRUCTURES | LILLIL Levee, Dike, or Floodwall

> 20.2 Cross Sections with 1% Annual Chance Water Surface Elevation

Coastal Transect Base Flood Elevation Line (BFE)

Limit of Study Jurisdiction Boundary **Coastal Transect Baseline**

OTHER **FEATURES**

Profile Baseline Hydrographic Feature

Digital Data Available

No Digital Data Available

Unmapped


MAP PANELS

The pin displayed on the map is an approximate point selected by the user and does not represent an authoritative property location.

This map complies with FEMA's standards for the use of digital flood maps if it is not void as described below. The basemap shown complies with FEMA's basemap accuracy standards

The flood hazard information is derived directly from the authoritative NFHL web services provided by FEMA. This map was exported on 2/14/2022 at 6:05 PM and does not reflect changes or amendments subsequent to this date and time. The NFHL and effective information may change or become superseded by new data over time.

This map image is void if the one or more of the following map elements do not appear: basemap imagery, flood zone labels, legend, scale bar, map creation date, community identifiers, FIRM panel number, and FIRM effective date. Map images for unmapped and unmodernized areas cannot be used for regulatory purposes.



2.000



Appendix C:

C-141

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources Department

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Form C-141 Revised August 24, 2018 Submit to appropriate OCD District office

Incident ID	
District RP	
Facility ID	
Application ID	

Release Notification

Responsible Party

Responsible Party: Spur Energy Partners LLC				OGRID: 328947				
Contact Name: Kenny Kidd				Contact Telephone: 575-616-5400				
Contact email: kkidd@spurepllc.com				Incident # (assigned by OCD):				
Contact mail Houston, TX		920 Memorial Ci	ty Way Suite 100	00	1			
			Location	ı of R	elease So	ource		
Latitude 32.6	6684265	_Longitude <u>-104.</u>	4068375 (locat (NAD 83 in d		ource) grees to 5 decim	mal places)		
Site Name: B	radley 8 Fee	#002H			Site Type: 0	Oil Production		
Date Release	Discovered	05/13/2020			API# (if app	plicable) 30-015-39811		
Unit Letter	Section	Township	Range		Coun	ntv		
N	08	19S	26E	Eddy				
Surface Owne		Federal T	Nature an	d Vol	lume of F	Release c justification for the volumes provided below)		
Crude Oi	1	Volume Release	ed (bbls)			Volume Recovered (bbls)		
No Produced	Water	Volume Release	ed (bbls) 42 bbls			Volume Recovered (bbls) 40bbls		
		Is the concentra produced water	tion of dissolved >10,000 mg/l?	chloride	e in the	ne		
Condensa	ite	Volume Release	ed (bbls)			Volume Recovered (bbls)		
Natural C	Natural Gas Volume Released (Mcf)					Volume Recovered (Mcf)		
Other (de	Other (describe) Volume/Weight Released (provide units)			de units))	Volume/Weight Recovered (provide units)		
Cause of Rel		1						
A leak was d	iscovered or	a 4" valve, at the	suction line befo	ore the tr	ransfer pump	p.		

Received by OCD: 9/13/2022 7:35&49 AM Form C-14-1 State of New Mexico Page 2 Oil Conservation Division

P	ağ	e	19	201	52	12
	8		*-	\sim_J	-	-

Incident ID	
District RP	
Facility ID	
Application ID	

Was this a major release as defined by 19.15.29.7(A) NMAC?	If YES, for what reason(s) does the respon This release was greater than 5 bbl.	sible party consider	this a major release?			
⊠ Yes □ No						
Immediate notice was pro	otice given to the OCD? By whom? To who wided via email on 5/13/2020 at 3:40 PM. N Mike Bratcher and Jim Griswold of the NM	lotice was provided				
	Initial Re	sponse				
The responsible p	party must undertake the following actions immediately	unless they could create	a safety hazard that would result in injury			
☐ The source of the rele	ase has been stopped.					
☐ The impacted area has	s been secured to protect human health and t	he environment.				
Released materials ha	ve been contained via the use of berms or di	kes, absorbent pads,	or other containment devices.			
All free liquids and re	ecoverable materials have been removed and	managed appropriat	tely.			
D. 10.15.20.0 D. (UNIM						
Per 19.15.29.8 B. (4) NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please attach a narrative of actions to date. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see 19.15.29.11(A)(5)(a) NMAC), please attach all information needed for closure evaluation.						
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.						
Printed Name: Rebec	cca Pons Title: <u>Project Manager</u>					
Signature:		Date: <u>5/14/20</u>				
email: Rpon:	s@talonlpe.com	Telephone:	575-441-0980			
OCD Only						
Received by:		Date:				

State of New Mexico Oil Conservation Division

Form C-141

Incident ID	NRM2013953582
District RP	
Facility ID	
Application ID	

Site Assessment/Characterization

This information must be provided to the appropriate district office no later than 90 days after the release discovery date.				
What is the shallowest depth to groundwater beneath the area affected by the release?	(ft bgs)			
Did this release impact groundwater or surface water?	☐ Yes ⊠ No			
Are the lateral extents of the release within 300 feet of a continuously flowing watercourse or any other significant watercourse?	☐ Yes ⊠ No			
Are the lateral extents of the release within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)?	☐ Yes ⊠ No			
Are the lateral extents of the release within 300 feet of an occupied permanent residence, school, hospital, institution, or church?	☐ Yes ⊠ No			
Are the lateral extents of the release within 500 horizontal feet of a spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes?	☐ Yes ⊠ No			
Are the lateral extents of the release within 1000 feet of any other fresh water well or spring?	☐ Yes ⊠ No			
Are the lateral extents of the release within incorporated municipal boundaries or within a defined municipal fresh water well field?	☐ Yes ⊠ No			
Are the lateral extents of the release within 300 feet of a wetland?	☐ Yes ⊠ No			
Are the lateral extents of the release overlying a subsurface mine?	☐ Yes ⊠ No			
Are the lateral extents of the release overlying an unstable area such as karst geology?	☐ Yes ⊠ No			
Are the lateral extents of the release within a 100-year floodplain?	☐ Yes ⊠ No			
Did the release impact areas not on an exploration, development, production, or storage site?	☐ Yes ⊠ No			
Attach a comprehensive report (electronic submittals in .pdf format are preferred) demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined. Refer to 19.15.29.11 NMAC for specifics.				
Characterization Report Checklist: Each of the following items must be included in the report.				
 Scaled site map showing impacted area, surface features, subsurface features, delineation points, and monitoring wel Field data Data table of soil contaminant concentration data Depth to water determination 	ls.			

If the site characterization report does not include completed efforts at remediation of the release, the report must include a proposed remediation plan. That plan must include the estimated volume of material to be remediated, the proposed remediation technique, proposed sampling plan

Determination of water sources and significant watercourses within ½-mile of the lateral extents of the release

Boring or excavation logs

Topographic/Aerial maps

Photographs including date and GIS information

Laboratory data including chain of custody

Received by OCD: 9/13/2022 7:35:49 AM Form C-141 State of New Mexico Page 2 Oil Conservation Division

	Fuge 21 0j 2
Incident ID	NRM2013953582
District RP	
Facility ID	
Application ID	

and methods, anticipated timelines for beginning and completing the remediation. The closure criteria for a release are contained in Table 1 of 19.15.29.12 NMAC, however, use of the table is modified by site- and release-specific parameters.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and

regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.				
Printed Name: Chad Hensley.	Title: HSE Coordinator			
Signature: And Hend	Date: 09/12/2022			
email: <u>chensley@spurenergy.com</u>	Telephone: 346-339-1494			
OCD Only				
Received by: Jocelyn Harimon	Date:09/13/2022			

Page 22 of 27

Incident ID	NRM2013953582
District RP	
Facility ID	
Application ID	

Closure

The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (electronic submittals in .pdf format are preferred) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.

Closure Report Attachment Checklist: Each of the following item	ms must be included in the closure report.
☐ A scaled site and sampling diagram as described in 19.15.29.11	NMAC
□ Photographs of the remediated site prior to backfill or photos of must be notified 2 days prior to liner inspection)	f the liner integrity if applicable (Note: appropriate OCD District office
☐ Laboratory analyses of final sampling (Note: appropriate ODC I	District office must be notified 2 days prior to final sampling)
□ Description of remediation activities	
and regulations all operators are required to report and/or file certain remay endanger public health or the environment. The acceptance of a should their operations have failed to adequately investigate and reme human health or the environment. In addition, OCD acceptance of a compliance with any other federal, state, or local laws and/or regulation restore, reclaim, and re-vegetate the impacted surface area to the conductor accordance with 19.15.29.13 NMAC including notification to the OC Printed Name: Chad Hensley.	ediate contamination that pose a threat to groundwater, surface water, C-141 report does not relieve the operator of responsibility for ons. The responsible party acknowledges they must substantially litions that existed prior to the release or their final land use in
Signature:	Date:
email: chensley@spurenergy.com	Telephone: 346-339-1494
OCD Only	
Received by: Jocelyn Harimon	Date:09/13/2022
	fliability should their operations have failed to adequately investigate and ater, human health, or the environment nor does not relieve the responsible regulations.
Closure Approved by:	Date:
Printed Name:	Title:



Appendix D:

Email Notification

Liner Inspection

Photographic Documentation

Subject: Liner Inspections

Date: Monday, July 18, 2022 at 7:04:13 PM Mountain Daylight Time

From: Chris Jones

To: OCDOnline@state.nm.us, Bratcher, Mike, EMNRD, Hamlet, Robert, EMNRD, Nobui, Jennifer,

EMNRD

CC: Chad Hensley, Braidy Moulder

Attachments: image001.jpg

Mike,

This is to inform you all that Paragon will be conducting Liner Inspections on behalf of Spur Energy on 7-20-22 beginning at 800 am MST at the following locations going in this order.

HEARSE 36 STATE COM BATTERY- nAPP2113945611- 32.61025,-104.43676

Shelby 23 Tank Battery- nAPP2202848888- 32.636495,-104.449015

Bradley 8 Fee #2- nRM2013953582- 32.6684265,-104.4068375

SECREST ET AL #001- nAPP2118846106- 32.6808357,-104.41922

Clydesdale 1 Fee #6H Battery- nAPP2130547657- 32.68579,-104.4303

These are all in a general location from each other and should be an easy day of it. If you have any questions or show up at a site we are not at feel free to give me a call and verify.

Thank You,

Chris Jones Environmental Professional 1601 N. Turner Ste. 500 Hobbs, NM 88240 chris@paragonenvironmental.net 575-631-6977 cell



"We do not inherit the Earth from our ancestors; we borrow it from our children." Chief Seattle



Paragon Environmental LLC

Liner Inspection Form

Company Name: SPUR ENI	ERGY PARTNERS
------------------------	---------------

Site: Bradley 8 Fee #2H Battery

Lat/Long: 32.6684265, -104.4068375

NMOCD Incident ID: nRM2013953582

Incident Date: 05/13/20

2-Day Notification

Sent: 07/18/2022

Inspection Date: 07/21/2022

Liner Type: Earthen w/liner Earthen no liner Polystar

Steel w/poly liner

Steel w/spray epoxy

No Liner

Other:

Visualization	Yes	No	Comments
Is there a tear in the liner?		X	
Are there holes in the liner?		X	
Is the liner retaining any fluids?		X	
Does the liner have integrity to contain a leak?	X		

Comments:	

Inspector Name: Tristan Jones



Photographic Documentation

Liner Inspection









District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 142632

CONDITIONS

Operator:	OGRID:
Spur Energy Partners LLC	328947
9655 Katy Freeway	Action Number:
Houston, TX 77024	142632
	Action Type:
	[C-141] Release Corrective Action (C-141)

CONDITIONS

Created		Condition Date
rhaml	We have received your closure report and final C-141 for Incident #NRM2013953582 BRADLEY 8 FEE #002H, thank you. This closure is approved.	9/22/2022