



**MORNINGSTAR**  
PARTNERS

November 10, 2022

New Mexico Oil Conservation Division  
Attn: Mr. Bradford Billings  
5200 Oakland Avenue, N.E., Suite 100  
Albuquerque, New Mexico 87113

RE: Incident Deferral Request  
NJXK1530333917  
CENTRAL VACUUM UNIT #266  
IRP-3948 - Lea County, New Mexico

Dear Mr. Billings:

This letter is to request an approved deferral of the Central Vacuum Unit #266 Incident NJXK 1530333917. A complete 2017 soil assessment report requesting deferral along with letter from the previous operator are included with this submission. The only additional records available were email correspondence with the New Mexico State Land Office, with an inquiry about some 2016 correspondence and an inquiry about two particular sample locations from the unavailable initial report submitted in 2011. The email correspondence notes the significant amount of time since the incident and is mainly concerned with revisitation for cattle grazing use. However, the noted "New Well Pad" identified withing the 2016 work plan as **Figure 1** has since been cleared and the "Approximate Proposed Surface Liner/Cap Boundary" area appears to be used as a wide turning lane.

Please provide formal confirmation that this facility has been granted deferral status as requested, with the understanding that this facility requires not further assessments or additional clean up actions until after the abandonment of the facility. If additional information is required at this time to make this determination, please provide a list of any outstanding required items.

If you have any questions regarding this request, please contact Alan Kane with Kane Environmental Engineering Inc. at (281) 370-6580 or email: [alanjkane@comcast.net](mailto:alanjkane@comcast.net) or Russell Hamm at (918) 693-4833 or email: [rhammenviro@gmail.com](mailto:rhammenviro@gmail.com).

Respectfully,

Dan Guillotte

Mr. Bradford Billings  
November 10, 2022  
Page 2

Manager Environmental Health and Safety

CC: File, Kane Environmental Engineering Inc.

Attachments: 7/2018 Chevron Letter & 2017 GHD Soil Assessment Report



**Jason Michelson**  
Project Manager

**Chevron Environmental  
Management Company**  
1400 Smith Street, #07084  
Houston, Texas 77002  
Work: 713-372-0289  
Cell: 281-660-8564  
jmichelson@chevron.com

July 25, 2018

Olivia Yu  
Environmental Specialist  
New Mexico Oil Conservation Division, District 1  
1625 N. French Drive  
Hobbs, NM 88240

**Re: Chevron Central Vacuum Unit No. 266  
2017 Soil Assessment Report  
Case No. RP-3948  
Lea County, New Mexico**

Dear Ms. Yu,

Please find enclosed for your files copies of the following report:

- Central Vacuum Unit No. 266 – 2017 Soil Assessment Report, Unit G, Section 36, Township 17 South, Range 34 East; Lea County New Mexico.

The report was prepared by GHD Services (GHD) on behalf of Chevron Environmental Management Company (CEMC) to document on-going assessment activities throughout 2017 at the Site.

Please do not hesitate to call Scott Foord with GHD at 713-734-3090 or myself at 713-372-0289, should you have any questions.

Sincerely,

A handwritten signature in black ink, appearing to read "Jason Michelson".

Jason Michelson

Encl. Central Vacuum Unit No. 266 – 2017 Soil Assessment Report

C.C. Amy Barnhill, Chevron/MCBU



# 2017 Soil Assessment Report

Central Vacuum Unit No. 266

Buckeye, New Mexico

RP-3948

Chevron Environmental  
Management Company





## Table of Contents

1.	Introduction.....	1
2.	Background .....	1
3.	Regulatory Framework .....	2
4.	Geophysical Survey of Subsurface Soil .....	2
4.1	Geophysical Survey Coverage .....	3
4.2	Geophysical Survey Methods .....	3
4.3	EM31 Conductivity Survey Results .....	3
4.4	Geophysical Survey Results .....	4
5.	Soil Boring Advancement Activities.....	4
5.1	Soil Analytical Results.....	5
5.2	Investigation Derived Waste .....	5
6.	Conclusions and Recommendations.....	5

## Figure Index

Figure 1	Site Location Map
Figure 2	Site Details and Utility Map
Figure 3	Geophysical Survey EM31 Conductivity Results and Soil Analytical

## Table Index

Table 1	Soil Analytical Summary
---------	-------------------------

## Appendix Index

Appendix A	C-141 Form and 2011 Site Sketch
Appendix B	NMOSE POD Information
Appendix C	Boring Logs
Appendix D	Soil Analytical Report



## 1. Introduction

The Site is located in Unit G, Section 36, Township 17 South, Range 34 East, approximately 0.65-miles southwest of Buckeye, New Mexico, in eastern Lea County (Figure 1).

Chevron submitted an initial C-141 form (Appendix A) to the New Mexico Oil Conservation Division (NMOCD) dated January 10, 2011, describing a release of 75 barrels (bbls) of produced water with zero (0) volume being recovered. The source of the release was recorded to have been a ruptured injection line.

## 2. Background

Crain Environmental (Crain) conducted the initial field assessment activities at the Site in January 2011. Crain's assessment included a Site visit, shallow soil sample collection, analytical laboratory analyses and preliminary determinations of impacts to environmental media. Crain prepared a site sketch that indicated the general area of the release that is dated January 11, 2011 (see Appendix A). The field sketch indicates that produced water pooled up on the pad adjacent west of the well. Additional pooled water also ran off of the pad towards the southwest. Crain collected soil samples to assess chloride concentrations following the release. A soil analytical summary including Crain's initial sample collection is presented as Table 1.

In 2014, Chevron contracted GHD to perform a comprehensive soil assessment at the Site by implementing a soil boring program. A Site visit was performed on April 8, 2014 by GHD. During the Site visit, boring locations were flagged for utility locating purposes. In addition, the Site was walked to observe Site features; which included oversight of a geophysical Site survey by way of ground penetrating radar (GPR) to assess the presence of subsurface utility hazards. Multiple surface and subsurface hazards were identified at the Site. A Site details and utility map is presented as Figure 2.

On April 14, 2014, GHD advanced eleven soil borings to depths ranging from approximately 35-feet to 60-feet below ground surface (bgs). Results of the 2014 soil boring and sampling program indicated the presence of chloride concentrations in soil (Table 1).

In October 2014, GHD prepared and submitted a soil assessment and delineation activities report to CEMC detailing recommendations to further investigate and determine the vertical and horizontal extent of chloride impacts at the Site. CEMC concurred with the recommendations outlined in GHD's 2014 report, thus GHD returned to the Site in 2015 to execute the planned field activities.

On August 20, 2015 GHD advanced four soil borings (SB-12, SB-13, SB-14, and SB-15) to approximately 35-feet bgs and one boring (SB-16) was advanced to 90-feet bgs. Soil samples were collected for laboratory analysis from each boring (SB-12 through SB-16) at varying intervals beginning at the surface (0-feet bgs).

Samples collected from the four soil borings (SB-12, SB-14, SB-15 and SB-16) were below the Site Recommended Remedial Action Level (RRAL) for chloride concentrations (600 milligrams per kilogram (mg/kg)). Soil boring SB-13 exceeded the Site RRAL for chloride at the surface and in the





10-foot to 25-foot interval. This data from the soil boring program demonstrated that the nature and extent of chloride impacts from the release incident were minimal and the potential risk to impact groundwater is low.

All analytical data from previous soil assessment activities can be seen in Table 1 and on Figure 3. Additional assessment activities were performed during 2017 and is discussed further in this report.

### 3. Regulatory Framework

The NMOCD guidelines require groundwater to be analyzed for constituents of concern (COC) as defined by the New Mexico Water Quality Control Commission (NMWQCC) regulations. The NMWQCC regulations provide Human Health Standards for Groundwater. Information available on the Petroleum Recovery Research Center (PRRC) Mapping Portal and the United States Geological Survey (USGS) Current Water Database for the Nation; indicates the depth to groundwater at the Site is greater than 100-feet bgs; the nearest private domestic water source is greater than 200-feet from the release Site; the nearest public/municipal water source is greater than 1,000-feet from the release Site; and the release Site lies more than 1,000 horizontal feet from the nearest surface water body. A monitoring well has not been advanced onsite to determine Site specific depth to groundwater, but two monitoring wells (L-14180-POD1 and POD2) were installed at a nearby location approximately 0.30 miles northeast in 2016 according to the New Mexico Office of the State Engineer (NMOSE) Points of Diversion (POD) Locations mapping database. The depth to water was reported at 126 feet bgs. Supporting documentation is included in Appendix B.

Consequently, the NMOCD total ranking criteria score is zero (0) for the Site. The anticipated Site-specific Recommended Remediation Action Levels (RRALs) to be applied to this location by the NMOCD are 10 mg/kg for benzene; 50 mg/kg for total benzene, toluene, ethylbenzene, and xylenes (BTEX); 5,000 mg/kg for TPH; and an NMOCD accepted 600 mg/kg for chlorides.

Table 3.1 New Mexico Oil Conservation Division Site Assessment

Ranking Criteria	Score
Depth to Ground Water (> 100 feet)	0
Wellhead Protection Area (< 1000 feet from water source, < 200 feet from domestic source)	0
Distance to Surface Body Water (> 1000 feet)	0
<b>Ranking Criteria Total Score</b>	<b>0</b>
*Because the ranking criteria total score is 0, NMOCD established RRALs are 10 mg/kg for benzene, 50 mg/kg for benzene, toluene, ethylbenzene, and xylene (BTEX), 5,000 mg/kg for total petroleum hydrocarbons (TPH), and 600 mg/kg for chlorides <sup>1</sup> .	

1. NMOCD Guidance for Release Reporting and Corrective Action, August 13, 1993

### 4. Geophysical Survey of Subsurface Soil

GHD completed a geophysical survey at the Site in June 2017. The purpose of the survey was to further assess the extent of suspected chloride impacts at the Site which had been indicated during previous assessments, and to assess potential sources of these impacts. Another objective was to



assess for additional conductive anomalies (i.e., underground utilities) within the proposed survey coverage area.

#### 4.1 Geophysical Survey Coverage

The survey coverage is presented on Figure 3. Ground cover for most of the survey area consisted of grasses and mesquite trees and shrubs. Exceptions included access roads and crushed aggregate caliche pad(s). Survey lines were spaced approximately 30 feet apart.

#### 4.2 Geophysical Survey Methods

The EM survey was completed with an EM31 terrain conductivity meter. Prior to conducting the EM31 survey, a grid consisting of parallel lines was established over the proposed area of assessment. Readings of EM31 data were collected along 30-foot spaced grid lines over the area of assessment, with station spacings of approximately 4 feet on all grid lines. The EM31 consists of transmitter and receiver coils located at opposite ends of a rigid boom. The coil separation for the EM31 is approximately 13 feet, which yields an approximate depth of penetration of 18 feet bgs in vertical dipole mode.

During the course of the survey, data were automatically stored in an Archer 2 data logger equipped with a differential global positioning system (DGPS) receiver for position control. Both the EM31 survey data and DGPS points were collected at 1 second intervals. The DGPS locations are reported as New Mexico State Plane coordinates, North American Datum of 1983 (NAD83) Geodetic System.

Upon return from the Site, the EM31 data were downloaded to a computer and compiled for data processing and plotting. The data for the EM31 survey were then processed as a colored contour plot. The plot was superimposed on an aerial image of the Site plan, and was used to locate elevated conductivity responses indicative of chloride-impacted areas relative to the Site features. Figure 3 depicts the EM31 survey results.

#### 4.3 EM31 Conductivity Survey Results

The colored contour conductivity plot presented on Figure 3 reveals that the highest intensity conductivity responses are colored red to purple, while areas of low response are colored blue. All remaining intermediate responses correspond to the color scale presented on the figure. Results from non-impacted areas within the survey coverage indicate that background conductivity responses were approximately 20 milliSiemens/meter (mS/m). Anomalous responses relative to background were generally 1.5 to 10 times higher, and ranged from approximately 30 to 200 mS/m.

As seen on Figure 3, the survey was completed southwest of the new well pad. Naturally vegetated areas generally yielded background responses of 20 mS/m. Several linear features were evident on the well pad, detected to the west of the new well pad, and detected along the lease road that dissects what appears to be former pits (see Figure 3). These linear features were shown as either negative or moderately elevated responses. As previously indicated, these responses indicate the location of metal pipes on or beneath the ground surface, which typically extended from pump jacks in the oil field as flow lines.





Two areas observed to be lacking natural vegetation both in the field and on aerial photography (Figure 2 and Figure 3) exhibited elevated and peak responses ranging from approximately 40 to 200 mS/m. Due to the lack of natural vegetation, the elevated EM responses, and previously collected analytical soil data from near or within the areas, it is assumed that these areas are likely former pits associated with oil and gas production.

#### 4.4 Geophysical Survey Results

Based on the results of the geophysical assessment presented herein, the following conclusions are presented:

- The EM31 conductivity survey provided a response that indicates the horizontal extent of suspected brine impacted areas in the shallow subsurface on-Site and off-Site.
- Naturally vegetated areas within the survey grids were generally characterized by background responses of 5 to 10 mS/m.
- Several linear features consisting of negative to moderately elevated responses were measured over metal pipes on the ground surface, which typically extended from the pump jacks as flow lines.
- Peak conductivity responses in areas with little to no natural vegetation are likely former pits associated with oil and gas production.

## 5. Soil Boring Advancement Activities

Four soil borings were advanced at the Site to further assess the release area. Prior to mobilizing drilling equipment to the Site, the soil boring locations were pre marked and a New Mexico 811 One Call utility locate was completed at least 48 hours prior to start of work.

A secondary utility check was completed that included GPR and air knifing. High Mesa of Albuquerque, New Mexico, provided GPR services. Harrison Cooper Inc. Drilling (HCI) of Lubbock, Texas, the New Mexico licensed drilling subcontractor, provided air knife services prior to boring advancement. Each boring location was pre cleared to a depth of 5 feet bgs or until refusal by air knife prior to drilling. These activities were observed by GHD.

On October 25, 2017 a total of four soil borings (B-1, B-2, B-3, and B-4) were drilled and completed by HCI using an air rotary rig. A total depth of 50 feet bgs was reached in B-1, and a total depth of 30 feet bgs was reached in B-2, B-3, and B-4. The soil cuttings were spread on-Site and soil borings were plugged following completion with hydrated 3/8 inch bentonite hole plug.

Drill cuttings were used for logging the soil type in each of the locations. Boring locations are shown on Figure 3. Soil observed during drilling activities consisted primarily of silty sands with secondary cementation (caliche). Boring logs are included as Appendix C.

Soil samples were collected in 5 foot intervals from each of the soil borings for laboratory analysis. Soil samples for laboratory analysis were collected in laboratory prepared containers, packed on ice, and sent under chain of custody documentation to Xenco Laboratories (Xenco) of Midland, Texas. Soil samples were analyzed for chloride by Environmental Protection Agency (EPA) Method 300.



## 5.1 Soil Analytical Results

In general, soil borings B-1, B-2, and B-3 did not indicate the presence of chloride above the RRAL below a depth of 5 feet bgs. Chloride concentrations above the RRAL in B-3 were not observed until a depth of 25 feet bgs. However, the last soil boring collected at 30 feet bgs was also above the RRAL (741 mg/kg). A summary of soil analytical data has been included as Table 1 and is presented on Figure 3. The corresponding laboratory analytical report for soil analysis is included in Appendix D.

## 5.2 Investigation Derived Waste

Soil cuttings generated during October 2017 drilling activities were thin spread on-Site.

# 6. Conclusions and Recommendations

- The data obtained from the geophysical survey indicated the following: the EM-31 indicated the presence of two drilling pits within the area of assessment. The northern-most drilling pit is likely associated with CVU-266. However, the southern-most drilling pit is likely associated with a well located to the south of the site (Vacuum Glorieta West Unit No. 075).
- Laboratory analytical data from soil borings advanced at the Site indicates the following:
  - Chloride concentrations in the soil that are associated with the release that occurred on the pad to the west of the well have been assessed to the north, east, and south.
  - Assessment to the west is risky due to the significant number of pipelines in this area and is not recommended at this time.
  - The vertical extent of chloride concentrations in this area does not appear to extend greater than 35 feet bgs (SB-1).
  - The majority of elevated chloride concentrations are surficial and appear to be associated with the former pits.
  - Soil concentrations from the southern release appear to be minor based on laboratory data from SB-3 and SB-5.
- Based on the site sketch and site data, it does not appear that the release has affected the former pits.

Based on this information, GHD recommends the following:

- The former pits should be closed out in accordance with the Pit Rule (19.15.29 NMAC).
- Given the significant amount of buried and surface lines on and surrounding the Site, any excavation activities in these areas will be extremely dangerous and are not advisable. GHD recommends that any future remediation at the Site be deferred until the lines are no longer in service and have been plugged and abandoned.



GHD appreciates the opportunity to provide these services. Should you have any questions, please feel free to contact the undersigned.

**Submitted by:**

**GHD**

A handwritten signature in blue ink, appearing to read "Christine Mathews".

Christine Mathews  
Project Scientist/Coordinator

A handwritten signature in black ink, appearing to read "Scott Foord".


Scott Foord, P.G.  
Project Manager

## Figures





Source: USGS 7.5 Minute Quad "Buckeye and Lovington SW, Texas" Lat/Long: 32.7933° North, 103.5097° West




CHEVRON ENVIRONMENTAL MANAGEMENT COMPANY  
LEA COUNTY, NEW MEXICO  
CENTRAL VACUUM UNIT #266

074635-00  
May 4, 2018

# SITE LOCATION MAP


FIGURE 1





Source: UDSA FSA Imagery, May 10, 2014

Lat/Long: 32.7933° North, 103.5097° West



Coordinate System:  
NAD 1983 StatePlane-  
New Mexico East (US Feet)




CHEVRON ENVIRONMENTAL MANAGEMENT COMPANY  
LEA COUNTY, NEW MEXICO  
CENTRAL VACUUM UNIT #266

074635-00  
May 7, 2018

SITE DETAILS AND UTILITIES MAP

FIGURE 2





# Tables

**Table 1**  
**Soil Analytical Summary**  
**Central Vacuum Unit No. 266**  
**Lea County, New Mexico**

Sample ID	Sample Date	Depth (bgs)	Chlorides (mg/kg)
<b>NMOCD Recommended Remediation Action Levels</b>			<b>600 (mg/kg)</b>
SS-1	1/19/11	6"	70,400
SS-1	1/18/11	1'	3,160
SS-1	1/18/11	2'	912
SS-2	1/19/11	6"	19,200
SS-2	1/18/11	1'	2,400
SS-2	1/18/11	2'	1,810
SS-2	1/18/11	3'	1,520
SS-3	1/19/11	6"	46,400
SS-3	1/18/11	1'	1,730
SS-3	1/18/11	2'	2,400
SS-3	1/18/11	3'	1,410
SS-4	1/19/11	6"	57,600
SS-4	1/18/11	1'	8,000
SS-4	1/18/11	2'	4,880
SS-5	1/19/11	6"	51,200
SS-5	1/18/11	1'	11,400
SS-5	1/18/11	2'	5,440
SS-5	1/18/11	3'	5,360
SS-6	1/19/11	6"	42,400
SS-6	1/18/11	1'	2,200
SS-6	1/18/11	2'	6,160
SS-6	1/18/11	3'	3,200
SB-1	4/15/14	0'	7,600
SB-1	4/15/14	5'	1,310
SB-1	4/15/14	15'	976
SB-1	4/15/14	35'	2,760
SB-1	4/15/14	50'	143
SB-1	4/15/14	60'	95.7
SB-2	4/15/14	0'	18,300
SB-2	4/15/14	5'	3,250
SB-2	4/15/14	10'	3,080
SB-2	4/15/14	15'	685
SB-2	4/15/14	25'	34.9
SB-2	4/15/14	35'	16.2
SB-3	4/15/14	0'	6,390
SB-3	4/15/14	5'	433
SB-3	4/15/14	15'	16.3
SB-3	4/15/14	35'	6.73
SB-4	4/15/14	0'	393
SB-4	4/15/14	5'	159
SB-4	4/15/14	15'	17.4
SB-4	4/15/14	35'	12.2

GHD 074635 (4)

**Table 1**  
**Soil Analytical Summary**  
**Central Vacuum Unit No. 266**  
**Lea County, New Mexico**

Sample ID	Sample Date	Depth (bgs)	Chlorides (mg/kg)
<b>NMOCD Recommended Remediation Action Levels</b>			<b>600 (mg/kg)</b>
SB-5	4/15/14	0'	<b>760</b>
SB-5	4/15/14	5'	173
SB-5	4/15/14	10'	<b>913</b>
SB-5	4/15/14	15'	185
SB-5	4/15/14	25'	32.7
SB-5	4/15/14	35'	22.0
SB-6	4/14/14	0'	<b>15,500</b>
SB-6	4/14/14	5'	<b>1,630</b>
SB-6	4/14/14	10'	<b>1,070</b>
SB-6	4/14/14	15'	<b>2,330</b>
SB-6	4/14/14	25'	269
SB-6	4/14/14	35'	<b>1,410</b>
SB-7	4/15/14	0'	<b>9,000</b>
SB-7	4/15/14	5'	<b>3,430</b>
SB-7	4/15/14	10'	<b>3,950</b>
SB-7	4/15/14	15'	<b>715</b>
SB-7	4/15/14	25'	386
SB-7	4/15/14	35'	388
SB-8	4/14/14	0'	<b>29,600</b>
SB-8	4/14/14	5'	<b>3,220</b>
SB-8	4/14/14	10'	<b>2,220</b>
SB-8	4/14/14	15'	<b>1,430</b>
SB-8	4/14/14	25'	133
SB-8	4/14/14	35'	32.2
SB-9	4/14/14	0'	17.8
SB-9	4/14/14	5'	38.1
SB-9	4/14/14	10'	526
SB-9	4/14/14	15'	183
SB-9	4/14/14	25'	17.8
SB-9	4/14/14	35'	18.3
SB-10	4/14/14	0'	<b>4,610</b>
SB-10	4/14/14	5'	<b>851</b>
SB-10	4/14/14	15'	135
SB-10	4/14/14	25'	<b>746</b>
SB-10	4/14/14	35'	<b>1,580</b>
SB-10	4/14/14	60'	<b>631</b>
SB-11	4/14/14	0'	<b>7,360</b>
SB-11	4/14/14	5'	<b>1,150</b>
SB-11	4/14/14	10'	169
SB-11	4/14/14	20'	183
SB-11	4/14/14	40'	7.57
SB-11	4/14/14	60'	7.72

GHD 074635 (4)



**Table 1**  
**Soil Analytical Summary**  
**Central Vacuum Unit No. 266**  
**Lea County, New Mexico**

Sample ID	Sample Date	Depth (bgs)	Chlorides (mg/kg)
<b>NMOCD Recommended Remediation Action Levels</b>			<b>600 (mg/kg)</b>
SB-12	8/20/15	0'	3.03
SB-12	8/20/15	5'	5.02
SB-12	8/20/15	10'	6.76
SB-12	8/20/15	15'	4.19
SB-12	8/20/15	20'	<2.15
SB-12	8/20/15	25'	<2.09
SB-12	8/20/15	35'	3.49
SB-13	8/20/15	0'	<b>28,300</b>
SB-13	8/20/15	5'	260
SB-13	8/20/15	10'	527
SB-13	8/20/15	15'	599
SB-13	8/20/15	20'	<b>613</b>
SB-13	8/20/15	25'	<b>1,180</b>
SB-13	8/20/15	35'	385
SB-14	8/20/15	0'	79.5
SB-14	8/20/15	5'	342
SB-14	8/20/15	10'	186
SB-14	8/20/15	15'	593
SB-14	8/20/15	20'	235
SB-14	8/20/15	25'	51.6
SB-14	8/20/15	35'	13.0
SB-15	8/20/15	0'	45.9
SB-15	8/20/15	5'	99.1
SB-15	8/20/15	10'	27.1
SB-15	8/20/15	15'	17.1
SB-15	8/20/15	20'	17.9
SB-15	8/20/15	25'	13.8
SB-15	8/20/15	35'	12.1
SB-16	8/20/15	0'	10.7
SB-16	8/20/15	5'	248
SB-16	8/20/15	10'	10.9
SB-16	8/20/15	15'	9.07
SB-16	8/20/15	20'	3.24
SB-16	8/20/15	30'	5.04
SB-16	8/20/15	50'	2.19
SB-16	8/20/15	70'	<2.12
SB-16	8/20/15	90'	2.13

**Table 1**  
**Soil Analytical Summary**  
**Central Vacuum Unit No. 266**  
**Lea County, New Mexico**

Sample ID	Sample Date	Depth (bgs)	Chlorides (mg/kg)
<b>NMOCD Recommended Remediation Action Levels</b>			<b>600 (mg/kg)</b>
B-1	10/25/17	4-5'	<b>963</b>
B-1	10/25/17	9-10'	44.2
B-1	10/25/17	14-15'	28.3
B-1	10/25/17	19-20'	28.7
B-1	10/25/17	24-25'	26.5
B-1	10/25/17	29-30'	32.5
B-1	10/25/17	34-35'	26.3
B-1	10/25/17	39-40'	24.6
B-1	10/25/17	44-45'	24.9
B-1	10/25/17	49-50'	23.9
B-2	10/25/17	4-5'	179
B-2	10/25/17	9-10'	53.2
B-2	10/25/17	14-15'	33.9
B-2	10/25/17	19-20'	25.6
B-2	10/25/17	24-25'	32.4
B-2	10/25/17	29-30'	24.7
B-3	10/25/17	4-5'	52.5
B-3	10/25/17	9-10'	84.4
B-3	10/25/17	14-15'	145
B-3	10/25/17	19-20'	49.9
B-3	10/25/17	24-25'	<b>1,070</b>
B-3	10/25/17	29-30'	<b>714</b>
B-4	10/25/17	4-5'	341
B-4	10/25/17	9-10'	154
B-4	10/25/17	14-15'	80.8
B-4	10/25/17	19-20'	60.5
B-4	10/25/17	24-25'	38.4
B-4	10/25/17	29-30'	40.2

**Notes:**

1. All analytical results reported in (mg/kg) milligrams per kilogram
2. Chloride analyses by EPA Method E300.0
3. Bolded values indicate concentrations exceeding guidance RRALs
4. bgs - below ground surface
5. Depth of samples reported in feet



## Appendices

## Appendix A

### C-141 Form and 2011 Site Sketch

**RECEIVED****By JKeyes at 9:46 am, Oct 30, 2015**

District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
811 S. First St., Artesia, NM 88210  
District III  
1000 Rio Brazos Road, Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy Minerals and Natural Resources

Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

Submit 1 Copy to appropriate District Office in  
accordance with 19.15.29 NMAC.

### Release Notification and Corrective Action

#### OPERATOR

☐ Initial Report ☒ ~~Final Report~~

Name of Company: Chevron (CEMC)	Contact: Rob Speer
Address: 1400 Smith Street, Houston, Texas 77002	Telephone No. (713) 372-6117
Facility Name: Central Vacuum Unit No. 266	Facility Type: Injection Well
Surface Owner: State of New Mexico	Mineral Owner: State of New Mexico
API No. 30-025-30022	

#### LOCATION OF RELEASE

Unit Letter	Section 36	Township 17S	Range 34 E	Feet from the	North/South Line	Feet from the	East/West Line	County Lea
-------------	---------------	-----------------	---------------	---------------	------------------	---------------	----------------	---------------

Latitude: 32.793447° Longitude: -103.509700°


#### NATURE OF RELEASE

Type of Release: Produced Water/Release to Land	Volume of Release: 75 bbls water	Volume Recovered: Zero (0)
Source of Release: Injection Well	Date and Hour of Occurrence: 01/06/11 and 12:00 Noon	Date and Hour of Discovery: 01/06/11 and 12:00 PM
Was Immediate Notice Given? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Required	If YES, To Whom? Larry Johnson	
By Whom? Kim Klahsen	Date and Hour: 03/06/09 and 11:58 AM	
Was a Watercourse Reached? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	If YES, Volume Impacting the Watercourse.	
If a Watercourse was Impacted, Describe Fully.*		
Describe Cause of Problem and Remedial Action Taken.* Visible water on location due to a rupture in the injection line. After excavation completed the investigation as to why line ruptured.		
Describe Area Affected and Cleanup Action Taken.*  Area affected included well pad and down slope lease road to the southeast. The injection line was shut-in and emergency one-call was initiated for excavation and repair of ruptured line.  Initial sampling activities commenced. Results of soil sampling indicated the presence of chloride concentrations in shallow soils. In response, a comprehensive soil assessment was performed to confirm the extents of the soil impacts.  Results of the additional assessment activities are provided in the attached report.		
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.		
Signature: 	<b>OIL CONSERVATION DIVISION</b>	
Printed Name: Rob Speer	Approved by Environmental Specialist:	
Title: Project Manager	Approval Date: 10/30/2015	Expiration Date: 12/30/2015
E-mail Address: rspeer@chevron.com	Conditions of Approval: Discrete site samples. Delineate and remediate per NMOCD guidelines.	Attached <input type="checkbox"/> 1RP 3948
Date: 10-29-15 Phone: (713) 372-6117		

\* Attach Additional Sheets If Necessary

nJXK1530333917  
pJXK1530334030

CVA # 226  
Unit H<sub>2</sub>Sec. 36-T126-R34  
A.P.I # 30-025-30022



Field  
Teg

Alt @ 50 spacing File  
T534

9:30 55-1 @ 1' N 32.79320° -- 775  
 W 103.50962° PP  
 9:55 55-1 @ 2' N ~~32.79355°~~ -- 775  
 W ~~103.50952°~~ PP  
 10:15 55-2 @ 1' N 32.79305° -- 775  
 W 103.50952° PP  
 10:25 55-2 @ 2' - - - - - 775  
 10:40 55-2 @ 3' - - - - - 775  
 11:05 55-3 @ 1' N 32.79290° -- 775  
 W 103.50935° PP  
 11:15 55-3 @ 2' - - - - - 775  
 11:25 55-3 @ 3' - - - - - 775  
 11:40 55-4 @ 1' N 32.79289° -- 775  
 W 103.50843° PP  
 12:15 55-4 @ 2' - - - - - 775  
 12:40 55-5 @ 1' N 32.79338° -- 775  
 W 103.51001° PP  
 12:55 55-5 @ 2' - - - - - 775  
 12:40 55-5 @ 3' - - - - - 775  
 12:50 55-6 @ 1' N 32.79338° -- 775  
 W 103.51001° PP  
 13:00 55-6 @ 2' - - - - - 775  
 13:10 55-6 @ 3' - - - - - 775

Hit Solvol rock @ 3' on all



## Appendix B

### NMOSE POD Information



# WELL RECORD & LOG

OFFICE OF THE STATE ENGINEER

[www.ose.state.nm.us](http://www.ose.state.nm.us)

2016 OCT 17 PM 1:59  
STATE ENGINEER'S OFFICE  
ROSWELL, NEW MEXICO

1. GENERAL AND WELL LOCATION	OSE POD NUMBER (WELL NUMBER) L-14180-POD 1 (VGWU 61-MW1)				OSE FILE NUMBER(S) L-14180			
	WELL OWNER NAME(S) ARCADIS on behalf of Chevron EMC				PHONE (OPTIONAL)			
	WELL OWNER MAILING ADDRESS 2929 Briarpark Drive, Suite 300				CITY Houston		STATE TX	
	WELL LOCATION (FROM GPS)				DEGREES 32		MINUTES 47	
	LATITUDE		32		47		47.48 N	
	LONGITUDE		103		30		26.73 W	
* ACCURACY REQUIRED: ONE TENTH OF A SECOND								
* DATUM REQUIRED: WGS 84								
DESCRIPTION RELATING WELL LOCATION TO STREET ADDRESS AND COMMON LANDMARKS - PLSS (SECTION, TOWNSHIP, RANGE) WHERE AVAILABLE								
2. DRILLING & CASING INFORMATION	LICENSE NUMBER 1731		NAME OF LICENSED DRILLER Kenny Cooper				NAME OF WELL DRILLING COMPANY Harrison & Cooper, Inc (DBA HCI Drilling)	
	DRILLING STARTED 09/20/16		DRILLING ENDED 09/20/16		DEPTH OF COMPLETED WELL (FT) 231'		BORE HOLE DEPTH (FT) 234'	
	COMPLETED WELL IS: <input type="checkbox"/> ARTESIAN <input type="checkbox"/> DRY HOLE <input checked="" type="checkbox"/> SHALLOW (UNCONFINED)						DEPTH WATER FIRST ENCOUNTERED (FT) 126.15'	
	DRILLING FLUID: <input type="checkbox"/> AIR <input checked="" type="checkbox"/> MUD ADDITIVES - SPECIFY:							
	DRILLING METHOD: <input checked="" type="checkbox"/> ROTARY <input type="checkbox"/> HAMMER <input type="checkbox"/> CABLE TOOL <input type="checkbox"/> OTHER - SPECIFY:							
	DEPTH (feet bgl)		BORE HOLE DIAM (inches)		CASING MATERIAL AND/OR GRADE (include each casing string, and note sections of screen)		CASING CONNECTION TYPE	
	FROM	TO						
	0	92	7.875		Riser-PVC		FlushJoint	
	92	231	7.875		Screen-PVC		FlushJoint	
3. ANNULAR MATERIAL	DEPTH (feet bgl)		BORE HOLE DIAM. (inches)		LIST ANNULAR SEAL MATERIAL AND GRAVEL PACK SIZE-RANGE BY INTERVAL		AMOUNT (cubic feet)	
	FROM	TO						
	0	85	7.875		Neat Cement Grout		~16	
	85	89	7.875		Bentonite Chips		~1.5	
	89	234	7.875		Sand-8/16		~36	

FOR OSE INTERNAL USE: 1308107				WR-20 WELL RECORD & LOG (Version 10/29/15)			
FILE NUMBER		L-14180		POD NUMBER		1	
LOCATION		15.34E.36.2.2.4		TRN NUMBER		591768	
STATE ENGINEER'S OFFICE						PAGE 1 OF 2	






# New Mexico Office of the State Engineer

## Point of Diversion Summary

(quarters are 1=NW 2=NE 3=SW 4=SE)  
 (quarters are smallest to largest) (NAD83 UTM in meters)

Well Tag	POD Number	Q64	Q16	Q4	Sec	Tws	Rng	X	Y
L 14180	POD1	4	2	2	36	17S	34E	639756	3629715 

<b>Driller License:</b> 1731	<b>Driller Company:</b> HARRISON & COOPER, INC (WD-1731)
<b>Driller Name:</b> COOPER, KENNY	
<b>Drill Start Date:</b> 09/20/2016	<b>Drill Finish Date:</b> 09/20/2016
<b>Log File Date:</b> 10/17/2016	<b>PCW Rcv Date:</b>
<b>Pump Type:</b>	<b>Estimated Yield:</b> 55 GPM
<b>Casing Size:</b> 4.00	<b>Depth Well:</b> 231 feet
	<b>Depth Water:</b> 126 feet


Casing Perforations:	Top	Bottom
	92	231

4. HYDROGEOLOGIC LOG OF WELL	DEPTH (feet bgl)		THICKNESS (feet)	COLOR AND TYPE OF MATERIAL ENCOUNTERED - INCLUDE WATER-BEARING CAVITIES OR FRACTURE ZONES (attach supplemental sheets to fully describe all units)	WATER BEARING? (YES / NO)	ESTIMATED YIELD FOR WATER- BEARING ZONES (gpm)
	FROM	TO				
	0	15	15	Caliche	Y N	
	15	25	10	Caliche with Tan Sand	Y N	
	25	54	29	White Sandy Caliche	Y N	
	54	54.5	.5	Sandstone	Y N	
	54.5	62	7.5	Sandy Caliche	Y N	
	62	90	28	Red Brown Sand	Y N	
	90	110	20	Pale Brown Cemented Sand	Y N	
	110	122	12	Light Brown Sand	Y N	
	122	138	16	Sandy Brown Clay	Y N	
	138	141	3	Red Brown Sandy Clay	Y N	
	141	143	3	Tan Sand and Caliche	Y N	
	143	160	17	Brown Sand	Y N	
	160	180	20	Sand with Small Gravels	Y N	
	180	200	20	Brown Sand	Y N	
	200	210	10	Light Brown Sand	Y N	
	210	218	8	Light Brown Sandy Clay	Y N	
	218	230	9	Large Gravels with Light Brown Sand	Y N	
	230	234	4	Red Bed	Y N	
					Y N	
					Y N	
					Y N	
METHOD USED TO ESTIMATE YIELD OF WATER-BEARING STRATA: <input checked="" type="checkbox"/> PUMP <input type="checkbox"/> AIR LIFT <input type="checkbox"/> BAILER <input type="checkbox"/> OTHER - SPECIFY:					TOTAL ESTIMATED WELL YIELD (gpm): 55	

5. TEST; RIG SUPERVISION	WELL TEST	TEST RESULTS - ATTACH A COPY OF DATA COLLECTED DURING WELL TESTING, INCLUDING DISCHARGE METHOD, START TIME, END TIME, AND A TABLE SHOWING DISCHARGE AND DRAWDOWN OVER THE TESTING PERIOD.
	MISCELLANEOUS INFORMATION: Pumping water level 132.90'	
	PRINT NAME(S) OF DRILL RIG SUPERVISOR(S) THAT PROVIDED ONSITE SUPERVISION OF WELL CONSTRUCTION OTHER THAN LICENSEE: Jarod Michalsky	

6. SIGNATURE	THE UNDERSIGNED HEREBY CERTIFIES THAT, TO THE BEST OF HIS OR HER KNOWLEDGE AND BELIEF, THE FOREGOING IS A TRUE AND CORRECT RECORD OF THE ABOVE DESCRIBED HOLE AND THAT HE OR SHE WILL FILE THIS WELL RECORD WITH THE STATE ENGINEER AND THE PERMIT HOLDER WITHIN 20 DAYS AFTER COMPLETION OF WELL DRILLING:	
	 SIGNATURE OF DRILLER / PRINT SIGNED NAME	Kenny Cooper DATE

STATE ENGINEER'S OFFICE  
 ROSWELL, NEW MEXICO  
 2016 OCT 17 PM 1:59

FOR OSE INTERNAL USE: 114180 211009102

WR-20 WELL RECORD &amp; LOG (Version 10/29/2015)

FILE NUMBER	114180	POD NUMBER	1	TRN NUMBER	591768
LOCATION	17S.034E.36.2N.2.4				MONITOR

PAGE 2 OF 2



# WELL RECORD & LOG


OFFICE OF THE STATE ENGINEER

[www.ose.state.nm.us](http://www.ose.state.nm.us)

2016 OCT 17 PM 1:59  
STATE ENGINEER OFFICE  
ROSSELL, NEW MEXICO

1. GENERAL AND WELL LOCATION	OSE POD NUMBER (WELL NUMBER) L-14180-POD 2 (VGWU 61-MW2)				OSE FILE NUMBER(S) L-14180					
	WELL OWNER NAME(S) ARCADIS on behalf of Chevron EMC				PHONE (OPTIONAL)					
	WELL OWNER MAILING ADDRESS 2929 Briarpark Drive, Suite 300				CITY Houston		STATE TX	ZIP 77042		
	WELL LOCATION (FROM GPS)	DEGREES LATITUDE 32	MINUTES 47	SECONDS 48.10 N	* ACCURACY REQUIRED: ONE TENTH OF A SECOND					
	LONGITUDE 103	30	25.76 W	* DATUM REQUIRED: WGS 84						
DESCRIPTION RELATING WELL LOCATION TO STREET ADDRESS AND COMMON LANDMARKS - PLSS (SECTION, TOWNSHIP, RANGE) WHERE AVAILABLE										
2. DRILLING & CASING INFORMATION	LICENSE NUMBER 1731		NAME OF LICENSED DRILLER Kenny Cooper			NAME OF WELL DRILLING COMPANY Harrison & Cooper, Inc (DBA HCI Drilling)				
	DRILLING STARTED 09/19/16		DRILLING ENDED 09/20/16		DEPTH OF COMPLETED WELL (FT) 233'		BORE HOLE DEPTH (FT) 235'			
	COMPLETED WELL IS:		<input type="checkbox"/> ARTESIAN <input type="checkbox"/> DRY HOLE <input checked="" type="checkbox"/> SHALLOW (UNCONFINED)				DEPTH WATER FIRST ENCOUNTERED (FT) 125.95'			
	DRILLING FLUID:		<input type="checkbox"/> AIR <input checked="" type="checkbox"/> MUD ADDITIVES - SPECIFY:							
	DRILLING METHOD:		<input checked="" type="checkbox"/> ROTARY <input type="checkbox"/> HAMMER <input type="checkbox"/> CABLE TOOL <input type="checkbox"/> OTHER - SPECIFY:							
	DEPTH (feet bgl)		BORE HOLE DIAM. (inches)		CASING MATERIAL AND/OR GRADE (include each casing string, and note sections of screen)		CASING CONNECTION TYPE			
	FROM	TO								
	0	73	7.875		Riser-PVC		FlushJoint			
	73	233	7.875		Screen-PVC		FlushJoint			
3. ANNULAR MATERIAL	DEPTH (feet bgl)		BORE HOLE DIAM. (inches)		LIST ANNULAR SEAL MATERIAL AND GRAVEL PACK SIZE-RANGE BY INTERVAL		AMOUNT (cubic feet)		METHOD OF PLACEMENT	
	FROM	TO								
	0	65	7.875		Neat Cement Grout		~11		Mixed/Poured	
	65	70	7.875		Bentonite Chips		~1.5		Poured	
	70	235	7.875		Sand-8/16		~37		Poured	

FOR OSE INTERNAL USE ONLY				WR-20 WELL RECORD & LOG (Version 10/29/15)			
FILE NUMBER L-14180		POD NUMBER 2		TRN NUMBER 591768		PAGE 1 OF 2	
LOCATION 1775 34th St. 2.2.4				monitor			

4. HYDROGEOLOGIC LOG OF WELL	DEPTH (feet bgl)		THICKNESS (feet)	COLOR AND TYPE OF MATERIAL ENCOUNTERED - INCLUDE WATER-BEARING CAVITIES OR FRACTURE ZONES (attach supplemental sheets to fully describe all units)	WATER BEARING? (YES / NO)	ESTIMATED YIELD FOR WATER- BEARING ZONES (gpm)
	FROM	TO				
	0	15	15	Caliche	Y N	
	15	25	10	Caliche with Tan Sand	Y N	
	25	54	29	White Sandy Caliche	Y N	
	54	54.5	.5	Sandstone	Y N	
	54.5	62	7.5	Sandy Caliche	Y N	
	62	90	28	Red Brown Sand	Y N	
	90	110	20	Pale Brown Cemented Sand	Y N	
	110	122	12	Light Brown Sand	Y N	
	122	138	16	Sandy Brown Clay	Y N	
	138	141	3	Red Brown Sandy Clay	Y N	
	141	143	3	Tan Sand and Caliche	Y N	
	143	160	17	Brown Sand	Y N	
	160	180	20	Sand with Small Gravels	Y N	
	180	200	20	Brown Sand	Y N	
	200	210	10	Light Brown Sand	Y N	
	210	218	8	Light Brown Sandy Clay	Y N	
	218	234	9	Large Gravels with Light Brown Sand	Y N	
	234	235	1	Red Bed	Y N	
					Y N	
					Y N	
					Y N	
METHOD USED TO ESTIMATE YIELD OF WATER-BEARING STRATA:					TOTAL ESTIMATED WELL YIELD (gpm): 55	
<input checked="" type="checkbox"/> PUMP <input type="checkbox"/> AIR LIFT <input type="checkbox"/> BAILER <input type="checkbox"/> OTHER - SPECIFY:						
5. TEST; RIG SUPERVISION	WELL TEST	TEST RESULTS - ATTACH A COPY OF DATA COLLECTED DURING WELL TESTING, INCLUDING DISCHARGE METHOD, START TIME, END TIME, AND A TABLE SHOWING DISCHARGE AND DRAWDOWN OVER THE TESTING PERIOD.				
	MISCELLANEOUS INFORMATION: Pumping water level 133.17'					
	PRINT NAME(S) OF DRILL RIG SUPERVISOR(S) THAT PROVIDED ONSITE SUPERVISION OF WELL CONSTRUCTION OTHER THAN LICENSEE: Jarod Michalsky					
6. SIGNATURE	THE UNDERSIGNED HEREBY CERTIFIES THAT, TO THE BEST OF HIS OR HER KNOWLEDGE AND BELIEF, THE FOREGOING IS A TRUE AND CORRECT RECORD OF THE ABOVE DESCRIBED HOLE AND THAT HE OR SHE WILL FILE THIS WELL RECORD WITH THE STATE ENGINEER AND THE PERMIT HOLDER WITHIN 20 DAYS AFTER COMPLETION OF WELL DRILLING:   <div style="display: flex; justify-content: space-between;"> <div>SIGNATURE OF DRILLER / PRINT SIGNED NAME Kenny Cooper</div> <div>DATE 10/06/16</div> </div>					


FOR USE INTERESTED PARTIES		WR-20 WELL RECORD & LOG (Version 10/29/2015)	
FILE NUMBER	66-1-Hd 21 130 9107	POD NUMBER	2
LOCATION	ITS-34E-316.2.2.4	TRN NUMBER	591768
			PAGE 2 OF 2



# New Mexico Office of the State Engineer

## Point of Diversion Summary

(quarters are 1=NW 2=NE 3=SW 4=SE)  
 (quarters are smallest to largest) (NAD83 UTM in meters)

Well Tag	POD Number	Q64	Q16	Q4	Sec	Tws	Rng	X	Y
L 14180	POD2	4	2	2	36	17S	34E	639781	3629735 

<b>Driller License:</b> 1731	<b>Driller Company:</b> HARRISON & COOPER, INC (WD-1731)	
<b>Driller Name:</b> COOPER, KENNY		
<b>Drill Start Date:</b> 09/19/2016	<b>Drill Finish Date:</b> 09/20/2016	<b>Plug Date:</b>
<b>Log File Date:</b> 10/17/2016	<b>PCW Rcv Date:</b>	<b>Source:</b> Shallow
<b>Pump Type:</b>	<b>Pipe Discharge Size:</b>	<b>Estimated Yield:</b> 55 GPM
<b>Casing Size:</b> 4.00	<b>Depth Well:</b> 233 feet	<b>Depth Water:</b> 126 feet

Casing Perforations:	Top	Bottom
	73	233


The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

7/10/18 12:48 PM

Page 1 of 1

POD SUMMARY - L 14180 POD2



**Coordinates**

UTM - NAD 83 (m) - Zone 13

Easting 639537.581

Northing 3629371.848

State Plane - NAD 83 (ft) - Zone E

Easting 794401.458

Northing 653373.639

Degrees Minutes Seconds

Latitude 32 : 47 : 36.430917

Longitude -103 : 30 : 35.340179

Location pulled from New Map Point

**Spatial Information**

County: Lea

Groundwater Basin: Lea County

Sub-Basin: Landreth-Monumnet Draws

Land Grant: Not in Land Grant

Restrictions:

NA

PLSS Description

SENE SWNE Qtr of Sec 36 of 017S 034E

Derived from CADNSDI- Qtr Sec. locations  
are calculated and are only approximations

File Number: L-14043-POD1

Owner: RICE OPERATING COMPANY

Purpose: MON

Author:

**NEW MEXICO OFFICE OF THE  
STATE ENGINEER**

1:9,028

ft  
0 185 370 740

7/10/2018




















Source: DigitalGlobe

Date: 9/6/2017

Resolution (m): 0.5

Accuracy (m): 10.16

Recreation efforts have been made by the New Mexico Office of the State Engineer (OSE) to verify that this map accurately represents the source data to be used in the project. However, a degree of error is inherent in all maps, and these maps may contain omissions and errors in scale, resolution, modification, positional accuracy, development methodology, interpretation of source data, and other of course items. These maps are distributed "as is" without warranty of any kind.

	0.3 Miles Buffer	<b>GIS WATERS PODs</b>		<b>OSE Conveyances</b>			Connector		Drain		Wash
	User Defined Point		Other		Acequia		Creek		Lateral		Other
	Selected POD		Active		Arroyo		Culvert		Pipe		
	OSE District Boundary		Pending		Canal		Ditch		River		



## Appendix C Boring Logs



# STRATIGRAPHIC LOG (OVERBURDEN)

Page 1 of 2

PROJECT NAME: CVU 266

HOLE DESIGNATION: B-1

PROJECT NUMBER: 074635

DATE COMPLETED: 25 October 2017

CLIENT: CHEVRON

DRILLING METHOD: AIR ROTARY

LOCATION: BUCKEYE, NEW MEXICO

FIELD PERSONNEL: R. JONES

DEPTH ft BGS	STRATIGRAPHIC DESCRIPTION & REMARKS	DEPTH ft	SAMPLE				
			NUMBER	INTERVAL	REC (%)	N' VALUE	CHLORIDE (mg/kg/RL)
2	CALICHE, light brown, dry						
4				X			963 / 4.94
6							
8							
10	SM-SILTY SAND/CALICHE, light brown, dry	9.00		X			44.2 / 5.00
12							
14				X			28.3 / 5.00
16							
18							
20	SM-SILTY SAND, some caliche, light brown, dry	19.00		X			28.7 / 4.90
22							
24	SM-SILTY SAND/CALICHE, light brown, dry	24.00		X			26.5 / 4.98
26							
28							
30	CALICHE, dry	29.00		X			32.5 / 4.99
32							
34	SM-SILTY SAND, some caliche, light brown, dry	34.00		X			26.3 / 4.91

NOTES: MEASURING POINT ELEVATIONS MAY CHANGE; REFER TO CURRENT ELEVATION TABLE

OVERBURDEN LOG 074635-WI.GPJ GHD Corp 8/5/18



# STRATIGRAPHIC LOG (OVERBURDEN)

Page 2 of 2

PROJECT NAME: CVU 266

HOLE DESIGNATION: B-1

PROJECT NUMBER: 074635

DATE COMPLETED: 25 October 2017

CLIENT: CHEVRON

DRILLING METHOD: AIR ROTARY

LOCATION: BUCKEYE, NEW MEXICO

FIELD PERSONNEL: R. JONES

DEPTH ft BGS	STRATIGRAPHIC DESCRIPTION & REMARKS	DEPTH ft	SAMPLE				
			NUMBER	INTERVAL	REC (%)	N' VALUE	CHLORIDE (mg/kg/RL)
36							
38							
40				X			24.6 / 4.94
42							
44				X			24.9 / 4.99
46							
48							
49	SM-SILTY SAND, light brown, dry	49.00		X			23.9 / 4.99
50	END OF BOREHOLE @ 50.0ft BGS	50.00		X			
52							
54							
56							
58							
60							
62							
64							
66							
68							

NOTES: MEASURING POINT ELEVATIONS MAY CHANGE; REFER TO CURRENT ELEVATION TABLE

OVERBURDEN LOG 074635-WI.GPJ GHD Corp 8/5/18



# STRATIGRAPHIC LOG (OVERBURDEN)

Page 1 of 1

PROJECT NAME: CVU 266

HOLE DESIGNATION: B-2

PROJECT NUMBER: 074635

DATE COMPLETED: 25 October 2017

CLIENT: CHEVRON

DRILLING METHOD: AIR ROTARY

LOCATION: BUCKEYE, NEW MEXICO

FIELD PERSONNEL: R. JONES

DEPTH ft BGS	STRATIGRAPHIC DESCRIPTION & REMARKS	DEPTH ft	SAMPLE				
			NUMBER	INTERVAL	REC (%)	N' VALUE	CHLORIDE (mg/kg/RL)
2	CALICHE, light brown, dry						
4				X			179 / 4.94
6							
8							
10	SM-SILTY SAND/CALICHE, light brown, dry	9.00		X			53.2 / 4.94
12							
14				X			33.9 / 4.97
16							
18							
20	SM-SILTY SAND, some caliche, light brown, dry	19.00		X			25.6 / 4.95
22							
24				X			32.4 / 4.99
26							
28							
30	END OF BOREHOLE @ 30.0ft BGS	30.00		X			24.7 / 4.90
32							
34							

NOTES: MEASURING POINT ELEVATIONS MAY CHANGE; REFER TO CURRENT ELEVATION TABLE

OVERBURDEN LOG 074635-WI.GPJ GHD Corp 8/5/18



# STRATIGRAPHIC LOG (OVERBURDEN)

Page 1 of 1

PROJECT NAME: CVU 266

HOLE DESIGNATION: B-3

PROJECT NUMBER: 074635

DATE COMPLETED: 25 October 2017

CLIENT: CHEVRON

DRILLING METHOD: AIR ROTARY

LOCATION: BUCKEYE, NEW MEXICO

FIELD PERSONNEL: R. JONES

DEPTH ft BGS	STRATIGRAPHIC DESCRIPTION & REMARKS	DEPTH ft	SAMPLE				
			NUMBER	INTERVAL	REC (%)	N' VALUE	CHLORIDE (mg/kg/RL)
2	CALICHE, light brown, dry						
4				X			52.5 / 4.94
6							
8							
10	SM-SILTY SAND/CALICHE, light brown, dry	9.00		X			84.4 / 4.90
12							
14				X			145 / 4.96
16							
18							
20	SM-SILTY SAND, some caliche, light brown, slightly damp	19.00		X			49.9 / 4.99
22							
24				X			1070 / 5.00
26							
28							
30	END OF BOREHOLE @ 30.0ft BGS	30.00		X			714 / 4.98
32							
34							

NOTES: MEASURING POINT ELEVATIONS MAY CHANGE; REFER TO CURRENT ELEVATION TABLE

OVERBURDEN LOG 074635-WI.GPJ GHD Corp 8/5/18





# STRATIGRAPHIC LOG (OVERBURDEN)

Page 1 of 1

PROJECT NAME: CVU 266

HOLE DESIGNATION: B-4

PROJECT NUMBER: 074635

DATE COMPLETED: 25 October 2017

CLIENT: CHEVRON

DRILLING METHOD: AIR ROTARY

LOCATION: BUCKEYE, NEW MEXICO

FIELD PERSONNEL: R. JONES

DEPTH ft BGS	STRATIGRAPHIC DESCRIPTION & REMARKS	DEPTH ft	SAMPLE				
			NUMBER	INTERVAL	REC (%)	N' VALUE	CHLORIDE (mg/kg/RL)
2	CALICHE, light brown, dry						
4				X			341 / 24.7
6							
8							
10	SM-SILTY SAND/CALICHE, light brown, dry	9.00		X			154 / 4.93
12							
14	CALICHE, light brown, dry	14.00		X			80.8 / 4.97
16							
18							
20	SM-SILTY SAND, some caliche, light brown, dry	19.00		X			60.5 / 5.00
22							
24				X			38.4 / 4.98
26							
28							
30	END OF BOREHOLE @ 30.0ft BGS	30.00		X			40.2 / 4.99
32							
34							

NOTES: MEASURING POINT ELEVATIONS MAY CHANGE; REFER TO CURRENT ELEVATION TABLE

OVERBURDEN LOG 074635-WI.GPJ GHD Corp 8/5/18

## Appendix D

# Soil Analytical Report



# Certificate of Analysis Summary 566619

GHD Services, INC- Midland, Midland, TX

Project Name: CVU 266



**Project Id:** 074635  
**Contact:** Bernie Bockisch  
**Project Location:** Lea Co, NM

**Date Received in Lab:** Wed Oct-25-17 02:10 pm  
**Report Date:** 07-NOV-17  
**Project Manager:** Kelsey Brooks

<i>Analysis Requested</i>	<i>Lab Id:</i>	566619-001	566619-002	566619-003	566619-004	566619-005	566619-006
	<i>Field Id:</i>	B-1-S-4-5-171025	B-1-S-9-10-171025	B-1-S-14-15-171025	B-1-S-19-20-171025	B-1-S-24-25-171025	B-1-S-29-30-171025
	<i>Depth:</i>	4-5	9-10	14-15	19-20	24-25	29-30
	<i>Matrix:</i>	SOIL	SOIL	SOIL	SOIL	SOIL	SOIL
	<i>Sampled:</i>	Oct-25-17 10:55	Oct-25-17 10:58	Oct-25-17 11:01	Oct-25-17 11:04	Oct-25-17 11:07	Oct-25-17 11:10
<b>Chloride by EPA 300</b>	<i>Extracted:</i>	Nov-03-17 12:00	Nov-03-17 12:00	Nov-03-17 12:00	Nov-03-17 12:00	Nov-03-17 12:00	Nov-03-17 12:00
	<i>Analyzed:</i>	Nov-03-17 19:26	Nov-03-17 19:53	Nov-03-17 20:02	Nov-03-17 20:10	Nov-03-17 20:19	Nov-03-17 20:46
	<i>Units/RL:</i>	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL
Chloride		963 4.94	44.2 5.00	28.3 5.00	28.7 4.90	26.5 4.98	32.5 4.99
<b>Percent Moisture</b>	<i>Extracted:</i>	Oct-27-17 10:00	Oct-27-17 10:00	Oct-27-17 10:00	Oct-27-17 10:00	Oct-27-17 10:00	Oct-27-17 10:00
	<i>Analyzed:</i>	Oct-27-17 10:00	Oct-27-17 10:00	Oct-27-17 10:00	Oct-27-17 10:00	Oct-27-17 10:00	Oct-27-17 10:00
	<i>Units/RL:</i>	% RL	% RL	% RL	% RL	% RL	% RL
Percent Moisture		5.31 1.00	9.85 1.00	16.2 1.00	8.52 1.00	4.79 1.00	2.74 1.00

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use.  
 The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories.  
 XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented.  
 Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - San Antonio - Atlanta - Tampa - Boca Raton - Latin America - Odessa - Corpus Christi

Version: 1.9%

Mike Kimmel  
Client Services Manager



# Certificate of Analysis Summary 566619

GHD Services, INC- Midland, Midland, TX

Project Name: CVU 266



**Project Id:** 074635  
**Contact:** Bernie Bockisch  
**Project Location:** Lea Co, NM

**Date Received in Lab:** Wed Oct-25-17 02:10 pm  
**Report Date:** 07-NOV-17  
**Project Manager:** Kelsey Brooks

<i>Analysis Requested</i>	<i>Lab Id:</i>	566619-007	566619-008	566619-009	566619-010	566619-011	566619-012
	<i>Field Id:</i>	B-1-S-34-35-171025	B-1-S-39-40-171025	B-1-S-44-45-171025	B-1-S-49-50-171025	B-4-S-4-5-171025	B-4-S-9-10-171025
	<i>Depth:</i>	34-35	39-40	44-45	49-50	4-5	9-10
	<i>Matrix:</i>	SOIL	SOIL	SOIL	SOIL	SOIL	SOIL
	<i>Sampled:</i>	Oct-25-17 11:13	Oct-25-17 11:16	Oct-25-17 11:19	Oct-25-17 11:22	Oct-25-17 11:45	Oct-25-17 11:48
<b>Chloride by EPA 300</b>	<i>Extracted:</i>	Nov-03-17 12:00	Nov-03-17 12:00	Nov-03-17 12:00	Nov-03-17 12:00	Nov-03-17 12:00	Nov-03-17 12:00
	<i>Analyzed:</i>	Nov-03-17 21:30	Nov-03-17 20:55	Nov-03-17 21:03	Nov-03-17 21:12	Nov-03-17 21:21	Nov-03-17 21:56
	<i>Units/RL:</i>	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL
Chloride		26.3 4.91	24.6 4.94	24.9 4.99	23.9 4.99	341 24.7	154 4.93
<b>Percent Moisture</b>	<i>Extracted:</i>	Oct-27-17 10:00	Oct-27-17 10:00	Oct-27-17 10:00	Oct-27-17 10:00	Oct-27-17 10:00	Oct-27-17 10:00
	<i>Analyzed:</i>	Oct-27-17 10:00	Oct-27-17 10:00	Oct-27-17 10:00	Oct-27-17 10:00	Oct-27-17 10:00	Oct-27-17 10:00
	<i>Units/RL:</i>	% RL	% RL	% RL	% RL	% RL	% RL
Percent Moisture		5.25 1.00	5.39 1.00	4.84 1.00	3.67 1.00	7.02 1.00	5.14 1.00

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - San Antonio - Atlanta - Tampa - Boca Raton - Latin America - Odessa - Corpus Christi

Version: 1.9%

Mike Kimmel  
Client Services Manager



# Certificate of Analysis Summary 566619

GHD Services, INC- Midland, Midland, TX

Project Name: CVU 266



**Project Id:** 074635  
**Contact:** Bernie Bockisch  
**Project Location:** Lea Co, NM

**Date Received in Lab:** Wed Oct-25-17 02:10 pm  
**Report Date:** 07-NOV-17  
**Project Manager:** Kelsey Brooks

<i>Analysis Requested</i>	<i>Lab Id:</i>	566619-013	566619-014	566619-015	566619-016	566619-017	566619-018
	<i>Field Id:</i>	B-4-S-14-15-171025	B-4-S-19-20-171025	B-4-S-24-25-171025	B-4-S-29-30-171025	B-2-S-4-5-171025	B-2-S-9-10-171025
	<i>Depth:</i>	14-15	19-20	24-25	29-30	4-5	9-10
	<i>Matrix:</i>	SOIL	SOIL	SOIL	SOIL	SOIL	SOIL
	<i>Sampled:</i>	Oct-25-17 11:51	Oct-25-17 11:54	Oct-25-17 11:57	Oct-25-17 12:00	Oct-25-17 12:20	Oct-25-17 12:23
<b>Chloride by EPA 300</b>	<i>Extracted:</i>	Nov-03-17 12:00	Nov-03-17 12:00	Nov-03-17 12:00	Nov-03-17 12:00	Nov-03-17 09:00	Nov-03-17 09:00
	<i>Analyzed:</i>	Nov-03-17 22:05	Nov-03-17 22:32	Nov-03-17 22:41	Nov-03-17 22:49	Nov-03-17 13:50	Nov-03-17 14:17
	<i>Units/RL:</i>	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL
Chloride		80.8 4.97	60.5 5.00	38.4 4.98	40.2 4.99	179 4.94	53.2 4.94
<b>Percent Moisture</b>	<i>Extracted:</i>	Oct-27-17 10:00	Oct-27-17 10:00	Oct-27-17 10:00	Oct-27-17 10:00	Oct-27-17 10:00	Oct-27-17 10:00
	<i>Analyzed:</i>	Oct-27-17 10:00	Oct-27-17 10:00	Oct-27-17 10:00	Oct-27-17 10:00	Oct-27-17 10:00	Oct-27-17 10:00
	<i>Units/RL:</i>	% RL	% RL	% RL	% RL	% RL	% RL
Percent Moisture		2.38 1.00	4.10 1.00	2.99 1.00	3.86 1.00	4.99 1.00	2.22 1.00

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use.  
 The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories.  
 XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented.  
 Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - San Antonio - Atlanta - Tampa - Boca Raton - Latin America - Odessa - Corpus Christi

Version: 1.9%

Mike Kimmel  
Client Services Manager





# Certificate of Analysis Summary 566619

GHD Services, INC- Midland, Midland, TX

Project Name: CVU 266



**Project Id:** 074635  
**Contact:** Bernie Bockisch  
**Project Location:** Lea Co, NM

**Date Received in Lab:** Wed Oct-25-17 02:10 pm  
**Report Date:** 07-NOV-17  
**Project Manager:** Kelsey Brooks

<i>Analysis Requested</i>	<i>Lab Id:</i>	566619-019	566619-020	566619-021	566619-022	566619-023	566619-024
	<i>Field Id:</i>	B-2-S-14-15-171025	B-2-S-19-20-171025	B-2-S-24-25-171025	B-2-S-29-30-171025	B-3-S-4-5-171025	B-3-S-9-10-171025
	<i>Depth:</i>	14-15	19-20	24-25	29-30	4-5	9-10
	<i>Matrix:</i>	SOIL	SOIL	SOIL	SOIL	SOIL	SOIL
	<i>Sampled:</i>	Oct-25-17 12:26	Oct-25-17 12:29	Oct-25-17 12:32	Oct-25-17 12:35	Oct-25-17 12:50	Oct-25-17 12:53
Chloride by EPA 300	<i>Extracted:</i>	Nov-03-17 09:00	Nov-03-17 09:00	Nov-03-17 09:00	Nov-03-17 09:00	Nov-03-17 09:00	Nov-03-17 09:00
	<i>Analyzed:</i>	Nov-03-17 14:25	Nov-03-17 14:52	Nov-03-17 15:01	Nov-03-17 15:10	Nov-03-17 15:18	Nov-03-17 15:27
	<i>Units/RL:</i>	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL
Chloride		33.9 4.97	25.6 4.95	32.4 4.99	24.7 4.90	52.5 4.94	84.4 4.90
Percent Moisture	<i>Extracted:</i>						
	<i>Analyzed:</i>	Oct-27-17 10:00	Oct-27-17 10:00	Oct-27-17 10:00	Oct-27-17 10:00	Oct-27-17 10:00	Oct-30-17 11:00
	<i>Units/RL:</i>	% RL	% RL	% RL	% RL	% RL	% RL
Percent Moisture		3.64 1.00	5.32 1.00	6.25 1.00	4.43 1.00	29.8 1.00	12.6 1.00

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - San Antonio - Atlanta - Tampa - Boca Raton - Latin America - Odessa - Corpus Christi

Version: 1.9%

Mike Kimmel  
Client Services Manager



# Certificate of Analysis Summary 566619

GHD Services, INC- Midland, Midland, TX

Project Name: CVU 266



**Project Id:** 074635  
**Contact:** Bernie Bockisch  
**Project Location:** Lea Co, NM

**Date Received in Lab:** Wed Oct-25-17 02:10 pm  
**Report Date:** 07-NOV-17  
**Project Manager:** Kelsey Brooks

<i>Analysis Requested</i>	<i>Lab Id:</i>	566619-025	566619-026	566619-027	566619-028	566619-029	
	<i>Field Id:</i>	B-3-S-14-15-171025	B-3-S-19-20-171025	B-3-S-24-25-171025	B-3-S-29-30-171025	DUP-1--171025	
	<i>Depth:</i>	14-15	19-20	24-25	29-30	0-0	
	<i>Matrix:</i>	SOIL	SOIL	SOIL	SOIL	SOIL	
	<i>Sampled:</i>	Oct-25-17 12:56	Oct-25-17 12:59	Oct-25-17 13:02	Oct-25-17 13:05	Oct-25-17 00:00	
<b>Chloride by EPA 300</b>	<i>Extracted:</i>	Nov-03-17 09:00	Nov-03-17 09:00	Nov-03-17 12:00	Nov-03-17 12:00	Nov-03-17 12:00	
	<i>Analyzed:</i>	Nov-03-17 15:36	Nov-03-17 15:45	Nov-03-17 22:58	Nov-03-17 23:07	Nov-03-17 23:16	
	<i>Units/RL:</i>	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	
Chloride		145 4.96	49.9 4.99	1070 5.00	714 4.98	90.3 4.92	
<b>Percent Moisture</b>	<i>Extracted:</i>	Oct-30-17 11:00	Oct-30-17 11:00	Oct-30-17 11:00	Oct-30-17 11:00	Oct-30-17 11:00	
	<i>Analyzed:</i>	Oct-30-17 11:00	Oct-30-17 11:00	Oct-30-17 11:00	Oct-30-17 11:00	Oct-30-17 11:00	
	<i>Units/RL:</i>	% RL	% RL	% RL	% RL	% RL	
Percent Moisture		7.77 1.00	13.1 1.00	38.4 1.00	38.2 1.00	4.44 1.00	

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use.  
 The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories.  
 XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented.  
 Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - San Antonio - Atlanta - Tampa - Boca Raton - Latin America - Odessa - Corpus Christi

Version: 1.9%

Mike Kimmel  
Client Services Manager

# Analytical Report 566619

for  
GHD Services, INC- Midland

Project Manager: Bernie Bockisch

CVU 266

074635

07-NOV-17

Collected By: Client



1211 W. Florida Ave, Midland TX 79701

Xenco-Houston (EPA Lab code: TX00122):

Texas (T104704215-17-23), Arizona (AZ0765), Florida (E871002-24), Louisiana (03054)  
Oklahoma (2017-142)

Xenco-Dallas (EPA Lab code: TX01468):

Texas (T104704295-17-15), Arizona (AZ0809), Arkansas (17-063-0)

Xenco-El Paso (EPA Lab code: TX00127): Texas (T104704221-17-12)

Xenco-Lubbock (EPA Lab code: TX00139): Texas (T104704219-17-16)

Xenco-Odessa (EPA Lab code: TX00158): Texas (T104704400-17-13)

Xenco-San Antonio (EPA Lab Code: TNI02385): Texas (T104704534-17-3)

Xenco Phoenix (EPA Lab Code: AZ00901): Arizona (AZ0757)

Xenco-Phoenix Mobile (EPA Lab code: AZ00901): Arizona (AZM757)



07-NOV-17

Project Manager: **Bernie Bockisch**  
**GHD Services, INC- Midland**  
2135 S Loop 250 W  
Midland, TX 79703

Reference: XENCO Report No(s): **566619**  
**CVU 266**  
Project Address: Lea Co, NM

**Bernie Bockisch:**

We are reporting to you the results of the analyses performed on the samples received under the project name referenced above and identified with the XENCO Report Number(s) 566619. All results being reported under this Report Number apply to the samples analyzed and properly identified with a Laboratory ID number. Subcontracted analyses are identified in this report with either the NELAC certification number of the subcontract lab in the analyst ID field, or the complete subcontracted report attached to this report.

Unless otherwise noted in a Case Narrative, all data reported in this Analytical Report are in compliance with NELAC standards. The uncertainty of measurement associated with the results of analysis reported is available upon request. Should insufficient sample be provided to the laboratory to meet the method and NELAC Matrix Duplicate and Matrix Spike requirements, then the data will be analyzed, evaluated and reported using all other available quality control measures.

The validity and integrity of this report will remain intact as long as it is accompanied by this letter and reproduced in full, unless written approval is granted by XENCO Laboratories. This report will be filed for at least 5 years in our archives after which time it will be destroyed without further notice, unless otherwise arranged with you. The samples received, and described as recorded in Report No. 566619 will be filed for 45 days, and after that time they will be properly disposed without further notice, unless otherwise arranged with you. We reserve the right to return to you any unused samples, extracts or solutions related to them if we consider so necessary (e.g., samples identified as hazardous waste, sample sizes exceeding analytical standard practices, controlled substances under regulated protocols, etc).

We thank you for selecting XENCO Laboratories to serve your analytical needs. If you have any questions concerning this report, please feel free to contact us at any time.

Respectfully,

A handwritten signature in black ink, appearing to read 'Mike Kimmel', written over a light blue horizontal line.

**Mike Kimmel**  
Client Services Manager

***Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.***

*Certified and approved by numerous States and Agencies.*

*A Small Business and Minority Status Company that delivers SERVICE and QUALITY*

Houston - Dallas - Midland - San Antonio - Phoenix - Oklahoma - Latin America



## Sample Cross Reference 566619

GHD Services, INC- Midland, Midland, TX

CVU 266

Sample Id	Matrix	Date Collected	Sample Depth	Lab Sample Id
B-1-S-4-5-171025	S	10-25-17 10:55	4 - 5	566619-001
B-1-S-9-10-171025	S	10-25-17 10:58	9 - 10	566619-002
B-1-S-14-15-171025	S	10-25-17 11:01	14 - 15	566619-003
B-1-S-19-20-171025	S	10-25-17 11:04	19 - 20	566619-004
B-1-S-24-25-171025	S	10-25-17 11:07	24 - 25	566619-005
B-1-S-29-30-171025	S	10-25-17 11:10	29 - 30	566619-006
B-1-S-34-35-171025	S	10-25-17 11:13	34 - 35	566619-007
B-1-S-39-40-171025	S	10-25-17 11:16	39 - 40	566619-008
B-1-S-44-45-171025	S	10-25-17 11:19	44 - 45	566619-009
B-1-S-49-50-171025	S	10-25-17 11:22	49 - 50	566619-010
B-4-S-4-5-171025	S	10-25-17 11:45	4 - 5	566619-011
B-4-S-9-10-171025	S	10-25-17 11:48	9 - 10	566619-012
B-4-S-14-15-171025	S	10-25-17 11:51	14 - 15	566619-013
B-4-S-19-20-171025	S	10-25-17 11:54	19 - 20	566619-014
B-4-S-24-25-171025	S	10-25-17 11:57	24 - 25	566619-015
B-4-S-29-30-171025	S	10-25-17 12:00	29 - 30	566619-016
B-2-S-4-5-171025	S	10-25-17 12:20	4 - 5	566619-017
B-2-S-9-10-171025	S	10-25-17 12:23	9 - 10	566619-018
B-2-S-14-15-171025	S	10-25-17 12:26	14 - 15	566619-019
B-2-S-19-20-171025	S	10-25-17 12:29	19 - 20	566619-020
B-2-S-24-25-171025	S	10-25-17 12:32	24 - 25	566619-021
B-2-S-29-30-171025	S	10-25-17 12:35	29 - 30	566619-022
B-3-S-4-5-171025	S	10-25-17 12:50	4 - 5	566619-023
B-3-S-9-10-171025	S	10-25-17 12:53	9 - 10	566619-024
B-3-S-14-15-171025	S	10-25-17 12:56	14 - 15	566619-025
B-3-S-19-20-171025	S	10-25-17 12:59	19 - 20	566619-026
B-3-S-24-25-171025	S	10-25-17 13:02	24 - 25	566619-027
B-3-S-29-30-171025	S	10-25-17 13:05	29 - 30	566619-028
DUP-1--171025	S	10-25-17 00:00	0 - 0	566619-029



**CASE NARRATIVE***Client Name: GHD Services, INC- Midland**Project Name: CVU 266*

Project ID: 074635  
Work Order Number(s): 566619

Report Date: 07-NOV-17  
Date Received: 10/25/2017

---

**Sample receipt non conformances and comments:**

---

**Sample receipt non conformances and comments per sample:**

None

**Analytical non conformances and comments:**

Batch: LBA-3032435 Chloride by EPA 300

Lab Sample ID 566619-007 was randomly selected for Matrix Spike/Matrix Spike Duplicate (MS/MSD). Chloride recovered below QC limits in the Matrix Spike and Matrix Spike Duplicate. Outlier/s are due to possible matrix interference. Samples in the analytical batch are: 566619-001, -002, -003, -004, -005, -006, -007, -008, -009, -010, -011, -012, -013, -014, -015, -016, -027, -028, -029.

The Laboratory Control Sample for Chloride is within laboratory Control Limits, therefore the data was accepted.



## Certificate of Analytical Results 566619

## GHD Services, INC- Midland, Midland, TX

CVU 266

Sample Id: **B-1-S-4-5-171025**

Matrix: Soil

Date Received: 10.25.17 14.10

Lab Sample Id: 566619-001

Date Collected: 10.25.17 10.55

Sample Depth: 4 - 5

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: MNV

% Moisture:

Analyst: MNV

Date Prep: 11.03.17 12.00

Basis: Wet Weight

Seq Number: 3032435

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	963	4.94	mg/kg	11.03.17 19.26		1



## Certificate of Analytical Results 566619

## GHD Services, INC- Midland, Midland, TX

CVU 266

Sample Id: **B-1-S-9-10-171025**

Matrix: Soil

Date Received: 10.25.17 14.10

Lab Sample Id: 566619-002

Date Collected: 10.25.17 10.58

Sample Depth: 9 - 10

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: MNV

% Moisture:

Analyst: MNV

Date Prep: 11.03.17 12.00

Basis: Wet Weight

Seq Number: 3032435

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	44.2	5.00	mg/kg	11.03.17 19.53		1



## Certificate of Analytical Results 566619

## GHD Services, INC- Midland, Midland, TX

CVU 266

Sample Id: **B-1-S-14-15-171025**

Matrix: Soil

Date Received: 10.25.17 14.10

Lab Sample Id: 566619-003

Date Collected: 10.25.17 11.01

Sample Depth: 14 - 15

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: MNV

% Moisture:

Analyst: MNV

Date Prep: 11.03.17 12.00

Basis: Wet Weight

Seq Number: 3032435

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	28.3	5.00	mg/kg	11.03.17 20.02		1



## Certificate of Analytical Results 566619



## GHD Services, INC- Midland, Midland, TX

CVU 266

Sample Id: B-1-S-19-20-171025

Matrix: Soil

Date Received: 10.25.17 14.10

Lab Sample Id: 566619-004

Date Collected: 10.25.17 11.04

Sample Depth: 19 - 20

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: MNV

% Moisture:

Analyst: MNV

Date Prep: 11.03.17 12.00

Basis: Wet Weight

Seq Number: 3032435

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	28.7	4.90	mg/kg	11.03.17 20.10		1





## Certificate of Analytical Results 566619

## GHD Services, INC- Midland, Midland, TX

CVU 266

Sample Id: **B-1-S-24-25-171025**

Matrix: Soil

Date Received: 10.25.17 14.10

Lab Sample Id: 566619-005

Date Collected: 10.25.17 11.07

Sample Depth: 24 - 25

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: MNV

% Moisture:

Analyst: MNV

Date Prep: 11.03.17 12.00

Basis: Wet Weight

Seq Number: 3032435

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	26.5	4.98	mg/kg	11.03.17 20.19		1



## Certificate of Analytical Results 566619

## GHD Services, INC- Midland, Midland, TX

CVU 266

Sample Id: **B-1-S-29-30-171025**

Matrix: Soil

Date Received: 10.25.17 14.10

Lab Sample Id: 566619-006

Date Collected: 10.25.17 11.10

Sample Depth: 29 - 30

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: MNV

% Moisture:

Analyst: MNV

Date Prep: 11.03.17 12.00

Basis: Wet Weight

Seq Number: 3032435

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	32.5	4.99	mg/kg	11.03.17 20.46		1



## Certificate of Analytical Results 566619

## GHD Services, INC- Midland, Midland, TX

CVU 266

Sample Id: B-1-S-34-35-171025

Matrix: Soil

Date Received: 10.25.17 14.10

Lab Sample Id: 566619-007

Date Collected: 10.25.17 11.13

Sample Depth: 34 - 35

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: MNV

% Moisture:

Analyst: MNV

Date Prep: 11.03.17 12.00

Basis: Wet Weight

Seq Number: 3032435

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	26.3	4.91	mg/kg	11.03.17 21.30		1



## Certificate of Analytical Results 566619

## GHD Services, INC- Midland, Midland, TX

CVU 266

Sample Id: **B-1-S-39-40-171025**

Matrix: Soil

Date Received: 10.25.17 14.10

Lab Sample Id: 566619-008

Date Collected: 10.25.17 11.16

Sample Depth: 39 - 40

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: MNV

% Moisture:

Analyst: MNV

Date Prep: 11.03.17 12.00

Basis: Wet Weight

Seq Number: 3032435

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	24.6	4.94	mg/kg	11.03.17 20.55		1



## Certificate of Analytical Results 566619

## GHD Services, INC- Midland, Midland, TX

CVU 266

Sample Id: **B-1-S-44-45-171025**

Matrix: Soil

Date Received: 10.25.17 14.10

Lab Sample Id: 566619-009

Date Collected: 10.25.17 11.19

Sample Depth: 44 - 45

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: MNV

% Moisture:

Analyst: MNV

Date Prep: 11.03.17 12.00

Basis: Wet Weight

Seq Number: 3032435

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	24.9	4.99	mg/kg	11.03.17 21.03		1





## Certificate of Analytical Results 566619

## GHD Services, INC- Midland, Midland, TX

CVU 266

Sample Id: **B-1-S-49-50-171025**

Matrix: Soil

Date Received: 10.25.17 14.10

Lab Sample Id: 566619-010

Date Collected: 10.25.17 11.22

Sample Depth: 49 - 50

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: MNV

% Moisture:

Analyst: MNV

Date Prep: 11.03.17 12.00

Basis: Wet Weight

Seq Number: 3032435

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	23.9	4.99	mg/kg	11.03.17 21.12		1



## Certificate of Analytical Results 566619

## GHD Services, INC- Midland, Midland, TX

CVU 266

Sample Id: **B-4-S-4-5-171025**

Matrix: Soil

Date Received: 10.25.17 14.10

Lab Sample Id: 566619-011

Date Collected: 10.25.17 11.45

Sample Depth: 4 - 5

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: MNV

% Moisture:

Analyst: MNV

Date Prep: 11.03.17 12.00

Basis: Wet Weight

Seq Number: 3032435

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	341	24.7	mg/kg	11.03.17 21.21		5



## Certificate of Analytical Results 566619

## GHD Services, INC- Midland, Midland, TX

CVU 266

Sample Id: **B-4-S-9-10-171025**

Matrix: Soil

Date Received: 10.25.17 14.10

Lab Sample Id: 566619-012

Date Collected: 10.25.17 11.48

Sample Depth: 9 - 10

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: MNV

% Moisture:

Analyst: MNV

Date Prep: 11.03.17 12.00

Basis: Wet Weight

Seq Number: 3032435

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	154	4.93	mg/kg	11.03.17 21.56		1



## Certificate of Analytical Results 566619

## GHD Services, INC- Midland, Midland, TX

CVU 266

Sample Id: **B-4-S-14-15-171025**

Matrix: Soil

Date Received: 10.25.17 14.10

Lab Sample Id: 566619-013

Date Collected: 10.25.17 11.51

Sample Depth: 14 - 15

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: MNV

% Moisture:

Analyst: MNV

Date Prep: 11.03.17 12.00

Basis: Wet Weight

Seq Number: 3032435

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	80.8	4.97	mg/kg	11.03.17 22.05		1



## Certificate of Analytical Results 566619

## GHD Services, INC- Midland, Midland, TX

CVU 266

Sample Id: **B-4-S-19-20-171025**

Matrix: Soil

Date Received: 10.25.17 14.10

Lab Sample Id: 566619-014

Date Collected: 10.25.17 11.54

Sample Depth: 19 - 20

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: MNV

% Moisture:

Analyst: MNV

Date Prep: 11.03.17 12.00

Basis: Wet Weight

Seq Number: 3032435

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	60.5	5.00	mg/kg	11.03.17 22.32		1





## Certificate of Analytical Results 566619

## GHD Services, INC- Midland, Midland, TX

CVU 266

Sample Id: **B-4-S-24-25-171025**

Matrix: Soil

Date Received: 10.25.17 14.10

Lab Sample Id: 566619-015

Date Collected: 10.25.17 11.57

Sample Depth: 24 - 25

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: MNV

% Moisture:

Analyst: MNV

Date Prep: 11.03.17 12.00

Basis: Wet Weight

Seq Number: 3032435

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	38.4	4.98	mg/kg	11.03.17 22.41		1



## Certificate of Analytical Results 566619

## GHD Services, INC- Midland, Midland, TX

CVU 266

Sample Id: **B-4-S-29-30-171025**

Matrix: Soil

Date Received: 10.25.17 14.10

Lab Sample Id: 566619-016

Date Collected: 10.25.17 12.00

Sample Depth: 29 - 30

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: MNV

% Moisture:

Analyst: MNV

Date Prep: 11.03.17 12.00

Basis: Wet Weight

Seq Number: 3032435

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	40.2	4.99	mg/kg	11.03.17 22.49		1



## Certificate of Analytical Results 566619

## GHD Services, INC- Midland, Midland, TX

CVU 266

Sample Id: B-2-S-4-5-171025

Matrix: Soil

Date Received: 10.25.17 14.10

Lab Sample Id: 566619-017

Date Collected: 10.25.17 12.20

Sample Depth: 4 - 5

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: MNV

% Moisture:

Analyst: MNV

Date Prep: 11.03.17 09.00

Basis: Wet Weight

Seq Number: 3032358

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	179	4.94	mg/kg	11.03.17 13.50		1



## Certificate of Analytical Results 566619

## GHD Services, INC- Midland, Midland, TX

CVU 266

Sample Id: B-2-S-9-10-171025

Matrix: Soil

Date Received: 10.25.17 14.10

Lab Sample Id: 566619-018

Date Collected: 10.25.17 12.23

Sample Depth: 9 - 10

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: MNV

% Moisture:

Analyst: MNV

Date Prep: 11.03.17 09.00

Basis: Wet Weight

Seq Number: 3032358

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	53.2	4.94	mg/kg	11.03.17 14.17		1



## Certificate of Analytical Results 566619

## GHD Services, INC- Midland, Midland, TX

CVU 266

Sample Id: **B-2-S-14-15-171025**

Matrix: Soil

Date Received: 10.25.17 14.10

Lab Sample Id: 566619-019

Date Collected: 10.25.17 12.26

Sample Depth: 14 - 15

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: MNV

% Moisture:

Analyst: MNV

Date Prep: 11.03.17 09.00

Basis: Wet Weight

Seq Number: 3032358

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	33.9	4.97	mg/kg	11.03.17 14.25		1



## Certificate of Analytical Results 566619

## GHD Services, INC- Midland, Midland, TX

CVU 266

Sample Id: B-2-S-19-20-171025

Matrix: Soil

Date Received: 10.25.17 14.10

Lab Sample Id: 566619-020

Date Collected: 10.25.17 12.29

Sample Depth: 19 - 20

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: MNV

% Moisture:

Analyst: MNV

Date Prep: 11.03.17 09.00

Basis: Wet Weight

Seq Number: 3032358

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	25.6	4.95	mg/kg	11.03.17 14.52		1





## Certificate of Analytical Results 566619

## GHD Services, INC- Midland, Midland, TX

CVU 266

Sample Id: **B-2-S-24-25-171025**

Matrix: Soil

Date Received: 10.25.17 14.10

Lab Sample Id: 566619-021

Date Collected: 10.25.17 12.32

Sample Depth: 24 - 25

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: MNV

% Moisture:

Analyst: MNV

Date Prep: 11.03.17 09.00

Basis: Wet Weight

Seq Number: 3032358

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	32.4	4.99	mg/kg	11.03.17 15.01		1



## Certificate of Analytical Results 566619

## GHD Services, INC- Midland, Midland, TX

CVU 266

Sample Id: B-2-S-29-30-171025

Matrix: Soil

Date Received: 10.25.17 14.10

Lab Sample Id: 566619-022

Date Collected: 10.25.17 12.35

Sample Depth: 29 - 30

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: MNV

% Moisture:

Analyst: MNV

Date Prep: 11.03.17 09.00

Basis: Wet Weight

Seq Number: 3032358

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	24.7	4.90	mg/kg	11.03.17 15.10		1



## Certificate of Analytical Results 566619

## GHD Services, INC- Midland, Midland, TX

CVU 266

Sample Id: B-3-S-4-5-171025

Matrix: Soil

Date Received: 10.25.17 14.10

Lab Sample Id: 566619-023

Date Collected: 10.25.17 12.50

Sample Depth: 4 - 5

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: MNV

% Moisture:

Analyst: MNV

Date Prep: 11.03.17 09.00

Basis: Wet Weight

Seq Number: 3032358

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	52.5	4.94	mg/kg	11.03.17 15.18		1



## Certificate of Analytical Results 566619

## GHD Services, INC- Midland, Midland, TX

CVU 266

Sample Id: B-3-S-9-10-171025

Matrix: Soil

Date Received: 10.25.17 14.10

Lab Sample Id: 566619-024

Date Collected: 10.25.17 12.53

Sample Depth: 9 - 10

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: MNV

% Moisture:

Analyst: MNV

Date Prep: 11.03.17 09.00

Basis: Wet Weight

Seq Number: 3032358

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	84.4	4.90	mg/kg	11.03.17 15.27		1



## Certificate of Analytical Results 566619

## GHD Services, INC- Midland, Midland, TX

CVU 266

Sample Id: **B-3-S-14-15-171025**

Matrix: Soil

Date Received: 10.25.17 14.10

Lab Sample Id: 566619-025

Date Collected: 10.25.17 12.56

Sample Depth: 14 - 15

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: MNV

% Moisture:

Analyst: MNV

Date Prep: 11.03.17 09.00

Basis: Wet Weight

Seq Number: 3032358

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	145	4.96	mg/kg	11.03.17 15.36		1



## Certificate of Analytical Results 566619

## GHD Services, INC- Midland, Midland, TX

CVU 266

Sample Id: **B-3-S-19-20-171025**

Matrix: Soil

Date Received: 10.25.17 14.10

Lab Sample Id: 566619-026

Date Collected: 10.25.17 12.59

Sample Depth: 19 - 20

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: MNV

% Moisture:

Analyst: MNV

Date Prep: 11.03.17 09.00

Basis: Wet Weight

Seq Number: 3032358

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	49.9	4.99	mg/kg	11.03.17 15.45		1





## Certificate of Analytical Results 566619

## GHD Services, INC- Midland, Midland, TX

CVU 266

Sample Id: **B-3-S-24-25-171025**

Matrix: Soil

Date Received: 10.25.17 14.10

Lab Sample Id: 566619-027

Date Collected: 10.25.17 13.02

Sample Depth: 24 - 25

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: MNV

% Moisture:

Analyst: MNV

Date Prep: 11.03.17 12.00

Basis: Wet Weight

Seq Number: 3032435

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	1070	5.00	mg/kg	11.03.17 22.58		1



## Certificate of Analytical Results 566619

## GHD Services, INC- Midland, Midland, TX

CVU 266

Sample Id: **B-3-S-29-30-171025**

Matrix: Soil

Date Received: 10.25.17 14.10

Lab Sample Id: 566619-028

Date Collected: 10.25.17 13.05

Sample Depth: 29 - 30

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: MNV

% Moisture:

Analyst: MNV

Date Prep: 11.03.17 12.00

Basis: Wet Weight

Seq Number: 3032435

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	714	4.98	mg/kg	11.03.17 23.07		1



## Certificate of Analytical Results 566619

## GHD Services, INC- Midland, Midland, TX

CVU 266

Sample Id: **DUP-1--171025**

Matrix: Soil

Date Received: 10.25.17 14.10

Lab Sample Id: 566619-029

Date Collected: 10.25.17 00.00

Sample Depth: 0 - 0

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: MNV

% Moisture:

Analyst: MNV

Date Prep: 11.03.17 12.00

Basis: Wet Weight

Seq Number: 3032435

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	90.3	4.92	mg/kg	11.03.17 23.16		1



## Flagging Criteria



- X** In our quality control review of the data a QC deficiency was observed and flagged as noted. MS/MSD recoveries were found to be outside of the laboratory control limits due to possible matrix /chemical interference, or a concentration of target analyte high enough to affect the recovery of the spike concentration. This condition could also affect the relative percent difference in the MS/MSD.
- B** A target analyte or common laboratory contaminant was identified in the method blank. Its presence indicates possible field or laboratory contamination.
- D** The sample(s) were diluted due to targets detected over the highest point of the calibration curve, or due to matrix interference. Dilution factors are included in the final results. The result is from a diluted sample.
- E** The data exceeds the upper calibration limit; therefore, the concentration is reported as estimated.
- F** RPD exceeded lab control limits.
- J** The target analyte was positively identified below the quantitation limit and above the detection limit.
- U** Analyte was not detected.
- L** The LCS data for this analytical batch was reported below the laboratory control limits for this analyte. The department supervisor and QA Director reviewed data. The samples were either reanalyzed or flagged as estimated concentrations.
- H** The LCS data for this analytical batch was reported above the laboratory control limits. Supporting QC Data were reviewed by the Department Supervisor and QA Director. Data were determined to be valid for reporting.
- K** Sample analyzed outside of recommended hold time.
- JN** A combination of the "N" and the "J" qualifier. The analysis indicates that the analyte is "tentatively identified" and the associated numerical value may not be consistent with the amount actually present in the environmental sample.

\*\* Surrogate recovered outside laboratory control limit.

**BRL** Below Reporting Limit.

**RL** Reporting Limit

**MDL** Method Detection Limit      **SDL** Sample Detection Limit      **LOD** Limit of Detection

**PQL** Practical Quantitation Limit      **MQL** Method Quantitation Limit      **LOQ** Limit of Quantitation

**DL** Method Detection Limit

**NC** Non-Calculable

+ NELAC certification not offered for this compound.

\* (Next to analyte name or method description) = Outside XENCO's scope of NELAC accreditation

***Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.***

*Certified and approved by numerous States and Agencies.*

***A Small Business and Minority Status Company that delivers SERVICE and QUALITY***

Houston - Dallas - San Antonio - Atlanta - Midland/Odessa - Tampa/Lakeland - Phoenix - Latin America

4147 Greenbriar Dr, Stafford, TX 77477  
 9701 Harry Hines Blvd, Dallas, TX 75220  
 5332 Blackberry Drive, San Antonio TX 78238  
 1211 W Florida Ave, Midland, TX 79701  
 2525 W. Huntington Dr. - Suite 102, Tempe AZ 85282

Phone	Fax
(281) 240-4200	(281) 240-4280
(214) 902 0300	(214) 351-9139
(210) 509-3334	(210) 509-3335
(432) 563-1800	(432) 563-1713
(602) 437-0330	



### GHD Services, INC- Midland CVU 266

**Analytical Method: Chloride by EPA 300**

Seq Number: 3032358

MB Sample Id: 7633753-1-BLK

Matrix: Solid

LCS Sample Id: 7633753-1-BKS

Prep Method: E300P

Date Prep: 11.03.17

LCSD Sample Id: 7633753-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	<5.00	250	251	100	251	100	90-110	0	20	mg/kg	11.03.17 11:28	

**Analytical Method: Chloride by EPA 300**

Seq Number: 3032358

MB Sample Id: 7633758-1-BLK

Matrix: Solid

LCS Sample Id: 7633758-1-BKS

Prep Method: E300P

Date Prep: 11.03.17

LCSD Sample Id: 7633758-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	<5.00	250	239	96	242	97	90-110	1	20	mg/kg	11.03.17 19:08	

**Analytical Method: Chloride by EPA 300**

Seq Number: 3032358

Parent Sample Id: 566619-017

Matrix: Soil

MS Sample Id: 566619-017 S

Prep Method: E300P

Date Prep: 11.03.17

MSD Sample Id: 566619-017 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	179	247	427	100	427	100	90-110	0	20	mg/kg	11.03.17 13:59	

**Analytical Method: Chloride by EPA 300**

Seq Number: 3032358

Parent Sample Id: 567279-007

Matrix: Soil

MS Sample Id: 567279-007 S

Prep Method: E300P

Date Prep: 11.03.17

MSD Sample Id: 567279-007 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	136	250	387	100	387	100	90-110	0	20	mg/kg	11.03.17 11:55	

**Analytical Method: Chloride by EPA 300**

Seq Number: 3032435

Parent Sample Id: 566619-001

Matrix: Soil

MS Sample Id: 566619-001 S

Prep Method: E300P

Date Prep: 11.03.17

MSD Sample Id: 566619-001 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	963	247	1200	96	1200	96	90-110	0	20	mg/kg	11.03.17 19:35	

**Analytical Method: Chloride by EPA 300**

Seq Number: 3032435

Parent Sample Id: 566619-007

Matrix: Soil

MS Sample Id: 566619-007 S

Prep Method: E300P

Date Prep: 11.03.17

MSD Sample Id: 566619-007 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	26.3	246	244	88	245	89	90-110	0	20	mg/kg	11.03.17 21:39	X



## GHD Services, INC- Midland CVU 266

**Analytical Method: Percent Moisture**

Seq Number: 3031772

Matrix: Solid

MB Sample Id: 3031772-1-BLK

Parameter	MB Result	Units	Analysis Date	Flag
Percent Moisture	<1.00	%	10.27.17 10:00	

**Analytical Method: Percent Moisture**

Seq Number: 3031775

Matrix: Solid

MB Sample Id: 3031775-1-BLK

Parameter	MB Result	Units	Analysis Date	Flag
Percent Moisture	<1.00	%	10.27.17 10:00	

**Analytical Method: Percent Moisture**

Seq Number: 3031777

Matrix: Solid

MB Sample Id: 3031777-1-BLK

Parameter	MB Result	Units	Analysis Date	Flag
Percent Moisture	<1.00	%	10.30.17 11:00	

**Analytical Method: Percent Moisture**

Seq Number: 3031772

Matrix: Soil

Parent Sample Id: 566503-051

MD Sample Id: 566503-051 D

Parameter	Parent Result	MD Result	%RPD	RPD Limit	Units	Analysis Date	Flag
Percent Moisture	12.9	11.5	11	20	%	10.27.17 10:00	

**Analytical Method: Percent Moisture**

Seq Number: 3031772

Matrix: Soil

Parent Sample Id: 566619-005

MD Sample Id: 566619-005 D

Parameter	Parent Result	MD Result	%RPD	RPD Limit	Units	Analysis Date	Flag
Percent Moisture	4.79	4.90	2	20	%	10.27.17 10:00	

**Analytical Method: Percent Moisture**

Seq Number: 3031775

Matrix: Soil

Parent Sample Id: 566619-015

MD Sample Id: 566619-015 D

Parameter	Parent Result	MD Result	%RPD	RPD Limit	Units	Analysis Date	Flag
Percent Moisture	2.99	3.21	7	20	%	10.27.17 10:00	





**GHD Services, INC- Midland**  
CVU 266

**Analytical Method: Percent Moisture**

Seq Number: 3031775

Parent Sample Id: 566619-023

Matrix: Soil

MD Sample Id: 566619-023 D

Parameter	Parent Result	MD Result	%RPD	RPD Limit	Units	Analysis Date	Flag
Percent Moisture	29.8	32.9	10	20	%	10.27.17 10:00	

**Analytical Method: Percent Moisture**

Seq Number: 3031777

Parent Sample Id: 566619-024

Matrix: Soil

MD Sample Id: 566619-024 D

Parameter	Parent Result	MD Result	%RPD	RPD Limit	Units	Analysis Date	Flag
Percent Moisture	12.6	10.8	15	20	%	10.30.17 11:00	

**Analytical Method: Percent Moisture**

Seq Number: 3031777

Parent Sample Id: 566621-016

Matrix: Soil

MD Sample Id: 566621-016 D

Parameter	Parent Result	MD Result	%RPD	RPD Limit	Units	Analysis Date	Flag
Percent Moisture	5.33	5.22	2	20	%	10.30.17 11:00	

## Page / of 3

Phoenix, Arizona (480-355-0900)

[www.xenico.com](http://www.xenico.com)

Client / Reporting Information				Project Information				Analytical Information				Matrix Codes							
Company Name / Branch: GHD / Albuquerque				Project Name/Number: CVD 266 / 074635															
Company Address: 6121 Indian School Road NE #200, Albuquerque, NM 87110				Project Location: Lea County, NM															
Email: Chris.Knight@ghd.com				Phone No: 512-506-8803				Invoice To:											
Project Contact: Bernard.Bockisch@ghd.com				PO Number:															
Sampler's Name: Rebecca Jones																			
No.	Field ID / Point of Collection	Collection	Sample Depth	Date	Time	Matrix	# of bottles	ICI	NaOH/Zn Acetate	HNO3	H2SO4	NaOH	NaHSO4	MEOH	NONE	Chloride	Moisture	Field Comments	
1	B-1-S-4-5-171025		4-5	10/25	1055	S	1												
2	B-1-S-9-10-171025		9-10	1	1058	S	1												
3	B-1-S-14-15-171025		14-15		1101	S	1												
4	B-1-S-19-20-171025		19-20		1104	S	1												
5	B-1-S-24-25-171025		24-25		1107	S	1												
6	B-1-S-29-30-171025		29-30		1110	S	1												
7	B-1-S-31-35-171025		31-35		1113	S	1												
8	B-1-S-39-40-171025		39-40		1116	S	1												
9	B-1-S-44-45-171025		44-45		1119	S	1												
10	B-1-S-49-50-171025		49-50		1122	S	1												
Turnaround Time (Business days)																			
Same Day TAT				<input type="checkbox"/> 5 Day TAT															
Next Day EMERGENCY				<input type="checkbox"/> 7 Day TAT															
2 Day EMERGENCY				<input type="checkbox"/> Contract TAT															
3 Day EMERGENCY				<input type="checkbox"/> TRRP Checklist															
TAT Starts Day received by Lab, if received by 5:00 pm																			
SAMPLE CUSTODY MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGE POSSESSION, INCLUDING COURIER DELIVERY																			
Relinquished by: <i>Rebecca Jones</i>				Date Time: 10/25-1410				Received By: <i>Rebecca Jones</i>				Relinquished By: 2				Date Time: 10/25-1410			
Relinquished by: 3				Date Time:				Received By: 3				Relinquished By:				Date Time:			
Relinquished by:				Date Time:				Received By:				Relinquished By:				Date Time:			
5								5											
On Ice				Cooler Temp: 3.2				Thermo: 3.2				Corr. Factor							







*Setting the Standard since 1990*  
Stafford, Texas (281-240-4200)  
Dallas Texas (214-902-0300)

San Antonio, Texas (210-509-3334)  
Midland, Texas (432-704-5251)

[www.xenoco.com](http://www.xenoco.com)

Phoenix, Arizona (480-355-0900)

## CHAIN OF CUSTODY

Page 5 of 5

[illegible]





# XENCO Laboratories

## Prelogin/Nonconformance Report- Sample Log-In

Client: GHD Services, INC- Midland

Date/ Time Received: 10/25/2017 02:10:00 PM

Work Order #: 566619

Acceptable Temperature Range: 0 - 6 degC

Air and Metal samples Acceptable Range: Ambient

Temperature Measuring device used : R8

**Sample Receipt Checklist****Comments**

#1 *Temperature of cooler(s)?	3.2
#2 *Shipping container in good condition?	Yes
#3 *Samples received on ice?	Yes
#4 *Custody Seals intact on shipping container/ cooler?	N/A
#5 Custody Seals intact on sample bottles?	N/A
#6* Custody Seals Signed and dated?	N/A
#7 *Chain of Custody present?	Yes
#8 Any missing/extra samples?	No
#9 Chain of Custody signed when relinquished/ received?	Yes
#10 Chain of Custody agrees with sample labels/matrix?	Yes
#11 Container label(s) legible and intact?	Yes
#12 Samples in proper container/ bottle?	Yes
#13 Samples properly preserved?	Yes
#14 Sample container(s) intact?	Yes
#15 Sufficient sample amount for indicated test(s)?	Yes
#16 All samples received within hold time?	Yes
#17 Subcontract of sample(s)?	No
#18 Water VOC samples have zero headspace?	N/A

\* Must be completed for after-hours delivery of samples prior to placing in the refrigerator

Analyst:

PH Device/Lot#:

Checklist completed by:

Connie Hernandez

Date: 10/26/2017

Checklist reviewed by:

Kelsey Brooks

Date: 10/26/2017

**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

CONDITIONS  
  
Action 166080

CONDITIONS

Operator:  MorningStar Operating LLC 400 W 7th St Fort Worth, TX 76102	OGRID:  330132
	Action Number:  166080
	Action Type:  [IM-SD] Incident File Support Doc (ENV) (IM-BNF)

CONDITIONS

Created By	Condition	Condition Date
jnobui	upload deferral request per Morning Star	12/12/2022