



Certificate of Analysis

Number: 6030-22110246-004A

Artesia Laboratory

200 E Main St.
Artesia, NM 88210
Phone 575-746-3481Lee Weatherford
Steward Energy
2600 Dallas Pkwy Suite 400
Frisco, TX 75034

Nov. 21, 2022

Station Name: Slippin Jimmy Battery Sales

Station Number: 40419

Station Location: Steward

Sample Point: Meter Run

Instrument: 6030_GC2 (Agilent GC-7890B)

Last Inst. Cal.: 11/10/2022 7:46 AM

Analyzed: 11/18/2022 12:03:50 by EBH

Sampled By: Hill

Sample Of: Gas Spot

Sample Date: 11/14/2022

Sample Conditions: 40.1 psig, @ 72.8 °F Ambient: 41 °F

Effective Date: 11/14/2022

Method: GPA 2286

Cylinder No: 1111-005456

Analytical Data

Components	Un-normalized Mol %	Mol. %	Wt. %	GPM at 14.73 psia		
Hydrogen Sulfide	0.000	0.81000	1.093		GPM TOTAL C2+	7.048
Nitrogen	4.966	4.95000	5.488		GPM TOTAL C3+	3.893
Methane	64.680	64.47000	40.935		GPM TOTAL iC5+	1.253
Carbon Dioxide	5.803	5.78400	10.075			
Ethane	11.787	11.74900	13.983	3.155		
Propane	6.193	6.17300	10.774	1.708		
Iso-butane	0.870	0.86700	1.994	0.285		
n-Butane	2.052	2.04500	4.704	0.647		
Iso-pentane	0.604	0.60200	1.719	0.222		
n-Pentane	0.610	0.60800	1.736	0.222		
Hexanes Plus	1.948	1.94200	7.499	0.809		
	99.513	100.00000	100.000	7.048		

Calculated Physical Properties

Relative Density Real Gas

Total

0.8759

C6+

3.3598

Calculated Molecular Weight

25.27

97.31

Compressibility Factor

0.9954

GPA 2172 Calculation:

Calculated Gross BTU per ft³ @ 14.73 psia & 60°F

Real Gas Dry BTU

1272

5178

Water Sat. Gas Base BTU

1250

5088

Ideal, Gross HV - Dry at 14.73 psia

1266.2

5177.7

Ideal, Gross HV - Wet

1244.1

0.000

Comments: H2S Field Content 8099 ppm

Hydrocarbon Laboratory Manager

Quality Assurance:

The above analyses are performed in accordance with ASTM, UOP, GPA guidelines for quality assurance, unless otherwise stated.



Certificate of Analysis

Number: 6030-22110246-004A

Artesia Laboratory

200 E Main St.
Artesia, NM 88210
Phone 575-746-3481Lee Weatherford
Steward Energy
2600 Dallas Pkwy Suite 400
Frisco, TX 75034

Nov. 21, 2022

Station Name: Slippin Jimmy Battery Sales
Station Number: 40419
Station Location: Steward
Sample Point: Meter Run
Analyzed: 11/18/2022 11:59:35 by EBHSampled By: Hill
Sample Of: Gas Spot
Sample Date: 11/14/2022
Sample Conditions: 40.1 psig, @ 72.8 °F
Method: GPA 2286
Cylinder No: 1111-005456

Analytical Data

Components	Mol. %	Wt. %	GPM at 14.73 psia
Hydrogen Sulfide	0.810	1.093	
Nitrogen	4.950	5.488	
Methane	64.470	40.935	
Carbon Dioxide	5.784	10.075	
Ethane	11.749	13.983	3.155
Propane	6.173	10.774	1.708
Iso-Butane	0.867	1.994	0.285
n-Butane	2.045	4.704	0.647
Iso-Pentane	0.602	1.719	0.222
n-Pentane	0.608	1.736	0.222
i-Hexanes	0.325	1.083	0.130
n-Hexane	0.199	0.692	0.084
Benzene	0.163	0.506	0.046
Cyclohexane	0.091	0.301	0.031
i-Heptanes	0.298	1.093	0.122
n-Heptane	0.100	0.398	0.046
Toluene	0.123	0.452	0.041
i-Octanes	0.254	1.104	0.117
n-Octane	0.055	0.253	0.028
Ethylbenzene	0.064	0.271	0.025
Xylenes	0.057	0.236	0.022
i-Nonanes	0.107	0.507	0.054
n-Nonane	0.034	0.173	0.019
Decanes Plus	0.072	0.430	0.044
	100.000	100.000	7.048



Certificate of Analysis

Number: 6030-22110246-004A

Artesia Laboratory

200 E Main St.
Artesia, NM 88210
Phone 575-746-3481Lee Weatherford
Steward Energy
2600 Dallas Pkwy Suite 400
Frisco, TX 75034

Nov. 21, 2022

Station Name: Slippin Jimmy Battery Sales
Station Number: 40419
Station Location: Steward
Sample Point: Meter Run
Analyzed: 11/18/2022 11:59:35 by EBHSampled By: Hill
Sample Of: Gas Spot
Sample Date: 11/14/2022
Sample Conditions: 40.1 psig, @ 72.8 °F
Method: GPA 2286
Cylinder No: 1111-005456

Calculated Physical Properties	Total	C10+
Calculated Molecular Weight	25.27	152.87
GPA 2172 Calculation:		
Calculated Gross BTU per ft³ @ 14.73 psia & 60°F		
Real Gas Dry BTU	1272.0	8232.9
Water Sat. Gas Base BTU	1249.8	8052.6
Relative Density Real Gas	0.8759	5.2782
Compressibility Factor	0.9954	
Ideal, Gross HV - Wet	1244.1	
Ideal, Gross HV - Dry at 14.73 psia	1266.2	
Net BTU Dry Gas - real gas	1158	
Net BTU Wet Gas - real gas	1138	

Comments: H2S Field Content 8099 ppm

A handwritten signature in blue ink, likely belonging to the Hydrocarbon Laboratory Manager.

Hydrocarbon Laboratory Manager

Quality Assurance: The above analyses are performed in accordance with ASTM, UOP, GPA guidelines for quality assurance, unless otherwise stated.

Calculations for the total Mcf flared

End Meter Volume – the Begin Meter Volume.

***Composition for the gas has been entered into the question portion of the C-129.

If further back up is needed please let us know and will provide requested data.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

DEFINITIONS

Action 194588

DEFINITIONS

Operator: STEWARD ENERGY II, LLC 2600 Dallas Parkway Frisco, TX 75034	OGRID: 371682
	Action Number: 194588
	Action Type: [C-129] Amend Venting and/or Flaring (C-129A)

DEFINITIONS

For the sake of brevity and completeness, please allow for the following in all groups of questions and for the rest of this application: • this application's operator, hereinafter "this operator"; • venting and/or flaring, hereinafter "vent or flare"; • any notification or report(s) of the C-129 form family, hereinafter "any C-129 forms"; • the statements in (and/or attached to) this, hereinafter "the statements in this"; • and the past tense will be used in lieu of mixed past/present tense questions and statements.
--

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS

Action 194588

QUESTIONS

Operator: STEWARD ENERGY II, LLC 2600 Dallas Parkway Frisco, TX 75034	OGRID: 371682
	Action Number: 194588
	Action Type: [C-129] Amend Venting and/or Flaring (C-129A)

QUESTIONS

Prerequisites <i>Any messages presented in this section, will prevent submission of this application. Please resolve these issues before continuing with the rest of the questions.</i>	
Incident Operator	[371682] STEWARD ENERGY II, LLC
Incident Type	Vent
Incident Status	Closure Approved
Incident Well	Unavailable.
Incident Facility	[fAPP2305751333] Slippin Jimmy Tank Battery
<i>Only valid Vent, Flare or Vent with Flaring incidents (selected above in the Application Details section) that are assigned to your current operator can be amended with this C-129A application.</i>	

Determination of Reporting Requirements <i>Answer all questions that apply. The Reason(s) statements are calculated based on your answers and may provide additional guidance.</i>	
Was this vent or flare caused by an emergency or malfunction	No
Did this vent or flare last eight hours or more cumulatively within any 24-hour period from a single event	Yes
Is this considered a submission for a vent or flare event	Yes, major venting and/or flaring of natural gas.
<i>An operator shall file a form C-141 instead of a form C-129 for a release that, includes liquid during venting and/or flaring that is or may be a major or minor release under 19.15.29.7 NMAC.</i>	
Was there at least 50 MCF of natural gas vented and/or flared during this event	Yes
Did this vent or flare result in the release of ANY liquids (not fully and/or completely flared) that reached (or has a chance of reaching) the ground, a surface, a watercourse, or otherwise, with reasonable probability, endanger public health, the environment or fresh water	No
Was the vent or flare within an incorporated municipal boundary or withing 300 feet from an occupied permanent residence, school, hospital, institution or church in existence	No

Equipment Involved	
Primary Equipment Involved	Separator
Additional details for Equipment Involved. Please specify	All gas is connected to Stakeholder Midstream Gas Pipeline. Any flaring is from gas off the separator and sent to flare and is due to an upset at their plant or within their gathering system.

Representative Compositional Analysis of Vented or Flared Natural Gas <i>Please provide the mole percent for the percentage questions in this group.</i>	
Methane (CH4) percentage	64
Nitrogen (N2) percentage, if greater than one percent	5
Hydrogen Sulfide (H2S) PPM, rounded up	8,099
Carbon Dioxide (CO2) percentage, if greater than one percent	6
Oxygen (O2) percentage, if greater than one percent	0
<i>If you are venting and/or flaring because of Pipeline Specification, please provide the required specifications for each gas.</i>	
Methane (CH4) percentage quality requirement	0
Nitrogen (N2) percentage quality requirement	0
Hydrogen Sufide (H2S) PPM quality requirement	0
Carbon Dioxide (CO2) percentage quality requirement	0
Oxygen (O2) percentage quality requirement	0

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 2

Action 194588

QUESTIONS (continued)

Operator: STEWARD ENERGY II, LLC 2600 Dallas Parkway Frisco, TX 75034	OGRID: 371682
	Action Number: 194588
	Action Type: [C-129] Amend Venting and/or Flaring (C-129A)

QUESTIONS

Date(s) and Time(s)	
Date vent or flare was discovered or commenced	03/07/2023
Time vent or flare was discovered or commenced	07:00 AM
Time vent or flare was terminated	04:57 PM
Cumulative hours during this event	10

Measured or Estimated Volume of Vented or Flared Natural Gas	
Natural Gas Vented (Mcf) Details	Cause: Midstream Emergency Maintenance Separator Natural Gas Vented Released: 712 MCF Recovered: 0 MCF Lost: 712 MCF.
Natural Gas Flared (Mcf) Details	Not answered.
Other Released Details	Not answered.
Additional details for Measured or Estimated Volume(s). Please specify	Not answered.
Is this a gas only submission (i.e. only significant Mcf values reported)	Yes, according to supplied volumes this appears to be a "gas only" report.

Venting or Flaring Resulting from Downstream Activity	
Was this vent or flare a result of downstream activity	Yes
Was notification of downstream activity received by this operator	No
Downstream OGRID that should have notified this operator	[371874] STAKEHOLDER GAS SERVICES, LLC
Date notified of downstream activity requiring this vent or flare	
Time notified of downstream activity requiring this vent or flare	Not answered.

Steps and Actions to Prevent Waste	
For this event, this operator could not have reasonably anticipated the current event and it was beyond this operator's control	True
Please explain reason for why this event was beyond this operator's control	All gas is connected to Stakeholder Midstream Gas Pipeline. Any flaring is due to an upset at their plant or within their gathering system.
Steps taken to limit the duration and magnitude of vent or flare	This is out of our control. Stakeholder attempts to rectify every situation as quickly as possible.
Corrective actions taken to eliminate the cause and reoccurrence of vent or flare	Stakeholder is proceeding with the addition of a second gas processing train for capacity expansion of the Campo Viejo Gas Processing Plant. Steward Energy II has agreed to certain producer commitments in order to support this expansion expected to be completed January 2024.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 194588

ACKNOWLEDGMENTS

Operator: STEWARD ENERGY II, LLC 2600 Dallas Parkway Frisco, TX 75034	OGRID: 371682
	Action Number: 194588
	Action Type: [C-129] Amend Venting and/or Flaring (C-129A)

ACKNOWLEDGMENTS

☒	I acknowledge that with this application I will be amending an existing incident file (assigned to this operator) for a vent or flare event, pursuant to 19.15.27 and 19.15.28 NMAC.
☒	I acknowledge that amending an incident file does not replace original submitted application(s) or information and understand that any C-129 forms submitted to the OCD will be logged and stored as public record.
☒	I hereby certify the statements in this amending report are true and correct to the best of my knowledge and acknowledge that any false statement may be subject to civil and criminal penalties under the Oil and Gas Act.
☒	I acknowledge that the acceptance of any C-129 forms by the OCD does not relieve this operator of liability should their operations have failed to adequately investigate, report, and remediate contamination that poses a threat to groundwater, surface water, human health, or the environment.
☒	I acknowledge that OCD acceptance of any C-129 forms does not relieve this operator of responsibility for compliance with any other applicable federal, state, or local laws and/or regulations.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 194588

CONDITIONS

Operator: STEWARD ENERGY II, LLC 2600 Dallas Parkway Frisco, TX 75034	OGRID: 371682
	Action Number: 194588
	Action Type: [C-129] Amend Venting and/or Flaring (C-129A)

CONDITIONS

Created By	Condition	Condition Date
gkirkland	If the information provided in this report requires further amendment(s), submit a [C-129] Amend Venting and/or Flaring Incident (C-129A), utilizing your incident number from this event.	3/8/2023