

REVIEWED

By Nelson Velez at 10:40 am, Mar 27, 2023

Review of 4Q 2022 Groundwater Monitoring Summary Report: **Content satisfactory**

1. Continue with the recommendations presented in this report.
2. Reporting frequency changed from quarterly to annually. Submit next report to OCD no later than April 1, 2024.

Fourth Quarter 2022 Groundwater Monitoring Summary Report

Hobbs Booster Station
Lea County, New Mexico
AP-114
Incident No. nAPP2301325760

Prepared for:



6900 E. Layton Ave., Suite 900
Denver, CO 80237-3658

Prepared by:



6855 W. 119th Avenue
Broomfield, Colorado 80020

March 20, 2023



Table of Contents

1. Introduction	1
2. Site Location and Background.....	1
3. Groundwater Monitoring.....	1
3.1 Groundwater and LNAPL Elevation Monitoring.....	1
3.2 Groundwater Quality Monitoring.....	2
3.3 Data Quality Assurance/ Quality Control.....	3
4. Remediation System Performance	3
4.1 Remediation System Layout	3
4.2 LNAPL Recovery System Performance Evaluation	4
4.4 Air Sparge Performance Evaluation	4
5. Conclusions	5
6. Recommendations	5

Tables

1	Fourth Quarter 2022 Summary of Groundwater Elevation Data
2	Fourth Quarter 2022 Summary of BTEX Concentrations in Groundwater

Figures

1	Site Location Map
2	Site Map with Monitoring Well Locations
3	Groundwater Elevation Contour Map – December 6, 2022
4	Analytical Results Map – December 6, 2022

Appendices

A	Historical Analytical Results – BTEX Concentrations in Groundwater
B	Laboratory Analytical Results - Pace Analytical Report #: L1565621



1. Introduction

This report summarizes the remediation system activities, results of groundwater monitoring activities at the Hobbs Booster Station (Site) in Lea County, New Mexico (Figure 1). Tasman Geosciences (Tasman) performed these activities on behalf of DCP Midstream, LP (DCP). The groundwater monitoring activities described herein were conducted to monitor the presence of light non-aqueous phase liquid (LNAPL) hydrocarbons, measure groundwater levels, obtain groundwater samples for laboratory analysis, and evaluate groundwater flow and quality conditions. Field data and laboratory analytical results from field efforts, conducted on December 6, 2022, were used to develop a groundwater elevation contour map and an analytical results map to evaluate current conditions at the Site.

2. Site Location and Background

The Site is located in New Mexico Oil Conservation Division (OCD) designated Unit Letter F, Section 4, Township 19 South, Range 38 East (Figure 1). The facility coordinates are approximately 32.694875 degrees north and 103.156252 degrees west. This facility is no longer used as an active gas compression facility; currently, the Site is primarily used as a DCP field office. All ancillary equipment and buildings associated with the former Booster Station have been decommissioned and/or demolished.

The Site groundwater monitoring wells are illustrated on Figure 2. Twenty-eight of the existing monitoring wells are located on the Site property while three wells (MW-23, MW-24, and MW-25) are located to the southeast of the property boundary on land currently owned by Occidental Permian.

An LNAPL recovery system is present at the Site. There are 28 extraction wells (Figure 2) located on-Site including MW-4, MW-8, MW-11, and MW-13 which were previously converted from monitoring wells due to historically high levels of LNAPL. Additionally, the Site operates a groundwater air sparge (AS) curtain that was installed along the south-central Site boundary and includes 21 AS injection wells connected in series (Figure 2). LNAPL and AS system operation and performance are further described in Section 4.

3. Groundwater Monitoring

This section describes the field groundwater monitoring activities performed during the fourth quarter 2022 monitoring event on December 5 and 6, 2022. Monitoring activities included Site-wide groundwater gauging, LNAPL measurements, groundwater purging and sampling, and subsequent packaging and shipping of the samples for laboratory analysis. Figure 2 illustrates the groundwater monitoring network utilized to perform these activities at the Site.

3.1 Groundwater and LNAPL Elevation Monitoring

Groundwater and LNAPL levels were measured to evaluate hydraulic characteristics and provide information regarding fluctuations in groundwater and LNAPL elevations at the Site. During the fourth quarter 2022 monitoring event, groundwater and LNAPL levels, where present, were measured at 33 monitoring well locations. The spill buster that was previously installed at MW-12 was moved to MW-10 replacing the passive bailer on October 14, 2022. The passive LNAPL bailers were temporarily removed at monitoring wells MW-12 and MW-17 for gauging.



Monitoring wells were gauged on the north side of the well casing to the nearest 0.01-foot using an oil-water interface probe (IP). Groundwater levels were subsequently converted to elevations (feet above mean sea level [AMSL]).

Groundwater and LNAPL elevations collected during the reporting period as well as historical elevations are presented in Table 1. A fourth quarter 2022 groundwater elevation map, included as Figure 3, indicates that groundwater flow at the Site generally trends to the east. Groundwater elevation ranges, the average elevation change from the previous monitoring event, and the calculated hydraulic gradient at the Site are summarized in the table below.

Summary of Measured Hydraulic Parameters

	Fourth quarter 2022 (12/5/2022)
Maximum Elevation (Well ID)	3,571.87' (MW-6)
Minimum Elevation (Well ID)	3,561.97' (MW-19D & MW-29)
Average Change from Previous Monitoring Event – All Wells	-0.08 feet
Hydraulic Gradient (ft/ft) / (Well IDs)	0.0051 (MW-6 to MW-29)

LNAPL was detected in five of the monitoring wells that were gauged during the fourth quarter 2022 with thicknesses ranging between 1.56 feet in monitor well TW-H, to 4.60 feet in monitor well MW-9. Groundwater was not detected in monitor wells MW-7, TW-K, TW-N, TW-U and TW-V. The calculated groundwater elevation data from monitoring wells that contained both product and groundwater were corrected to account for the LNAPL thickness.

3.2 Groundwater Quality Monitoring

Subsequent to recording groundwater level measurements, groundwater samples were collected from select monitoring wells that did not contain measurable LNAPL. A minimum of three well casing volumes of groundwater (calculated from total depth of the well and groundwater level measurements) were purged from each well prior to the collection of groundwater samples. Groundwater samples were collected using disposable polyethylene bailers, placed in clean laboratory supplied containers, packed in an ice-filled cooler and maintained at approximately four (4) degrees Celsius (°C) for transportation to the laboratory. Groundwater samples were shipped under chain-of-custody procedures to Pace Analytical laboratory (Pace) in Mount Juliet, Tennessee for analysis. Water quality samples were submitted to Pace for benzene, toluene, ethylbenzene, and total xylenes (BTEX) analyses by United States Environmental Protection Agency (USEPA) Method 8260B.

Fourth quarter 2022 water quality samples were collected from 16 monitoring wells on December 5 and 6, 2022. Two duplicates and a trip blank were also analyzed.

Table 2 summarizes BTEX concentrations in groundwater samples collected during the fourth quarter 2022. Analytical results are also displayed on Figure 4. Historical analytical results, up to and including the



fourth quarter 2022 event, are included in Appendix A, and the laboratory analytical report is included in Appendix B.

Analytical results indicate that BTEX concentrations were below the New Mexico Water Quality Control Commission (NMWQCC) standard in 13 of the 16 sampled wells. Benzene concentrations in monitor wells MW-19D (0.0808 milligrams per liter [mg/L] in parent and 0.0952 mg/L in Duplicate A), MW-23 (0.00723 mg/L), and MW-26 (0.0660 mg/L) were above the NMWQCC groundwater standard of 0.005 mg/L.

3.3 Data Quality Assurance/ Quality Control

A trip blank and two field duplicate samples (MW-14 and MW-19D) were collected during the sampling event. The data were reviewed for compliance with the analytical method and the associated quality assurance/quality control (QA/QC) procedures. All samples were analyzed using the correct analytical methods and within the correct holding times. Chain of custody forms were in order and properly executed and indicate that samples were received at the proper temperature with no headspace. All data were reported using the correct method number and reporting units. QA/QC items of note for the fourth quarter 2022 include the following:

- MW-14 and the associated Duplicate A sample exhibited benzene concentrations of 0.00238 mg/L and 0.00233 J mg/L respectively. The calculated relative percent difference (RPD) is 2.12%, which is within the target range of 20%.
- MW-19D and the associated Duplicate B sample exhibited benzene concentrations of 0.0761 mg/L and 0.0779 mg/L respectively. The calculated RPD is 2.34%, which is within the target range of 20%.

The overall QA/QC assessment indicates that overall data precision and accuracy are acceptable.

4. Remediation System Performance

This section includes a description of the active remediation system at the Site along with observations and modifications to the system components during the fourth quarter 2022. An evaluation of system performance is also provided based on collected information.

4.1 Remediation System Layout

The array of remediation wells and other infrastructure at the Site is referred to herein as the System. The System consists of 28 extraction wells, 22 Air Sparge (AS) wells, an AS blower, and ancillary piping and conveyance lines, as displayed on Figure 2.

The extraction wells, which are currently used for LNAPL recovery, are aligned along several north-south “legs.” The AS wells are aligned east-west along the southern portion of the property to create an approximately 870-foot long “sparge curtain” intended to volatilize dissolved-phase constituents that enter the AS treatment zone.

Overall, the System covers an approximate 1,000-foot (east-west) by 800-foot (north-south) area, or approximately 18-acres.



4.2 LNAPL Recovery System Performance Evaluation

The LNAPL Recovery portion of the System includes 28 Magnum Spill Buster units (manufactured by Clean Earth Technology) which are installed at wells within the extraction well network. The full-scale system has been operational since May 1, 2013. The recovery units were integrated into the existing LNAPL infrastructure which includes conveyance lines and a 100-barrel (4,200 gallon) steel holding tank where recovered LNAPL is accumulated.

Specific measurements and observations associated with the LNAPL Recovery System include:

- Readings were taken at the gauge on the 100-barrel steel holding tank on September 14, 2022, but the readings show that there has been no accumulation of LNAPL since December 2021. In October 2022 utilization of the 100-barrel tank was suspended and 55-gallon drums were installed at each well utilizing an active Spill Buster unit with the exception of monitor well MW-12, which is discussed below.
- After Spill Buster installation, approximately 32,308 gallons (as of December 2022) of LNAPL have been removed since May 2013. Incidental groundwater recovery, inherent with previous recovery methods, has also been eliminated through operation of the Spill Buster system.

In addition to the above remediation efforts, a single solar-powered Spill Buster unit (and adjacent 1,000-gallon steel holding tank) was installed at monitoring well MW-10. On October 14, 2022, the solar-powered Spill Buster unit was moved from monitor well MW-12 to monitor well MW-10 and approximately 84 gallons were recovered through January 9, 2023. Since installation, the solar powered Spill Buster has removed approximately 2,518 gallons of LNAPL at monitor well MW-12.

Passive bailers were installed on March 14, 2019, in wells MW-10 and MW-17. On October 14, 2022 the passive bailer located at monitor well MW-10 was relocated to monitor well MW-12. Approximately 0.35 gallons of LNAPL were removed on during the fourth quarter monitoring event, and a total of approximately 5.15 gallons of LNAPL have been removed since installation in early 2019. Measurements will continue to be collected during quarterly monitoring events.

4.4 Air Sparge Performance Evaluation

The AS system has continued to operate on a 24-hour per day basis with minor down time due to routine scheduled equipment maintenance. The primary evaluation criteria for AS performance are tied to the dissolved phase hydrocarbon concentrations present in groundwater downgradient of the AS well alignment. Monitoring wells MW-14, MW-15, MW-23, MW-24, and MW-25, located downgradient from the sparge curtain, provide ideal monitoring locations for observing the effects of the AS system on impacted groundwater as it passes through the treatment zone. On the east end of the AS system, monitoring well MW-14 (0.00238 mg/L in parent and 0.00233 mg/L in the duplicate) has continued to exhibit concentrations below the NMWQCC standards since the second quarter 2021. The benzene concentration at MW-23 continues to fluctuate compared to historic levels and was below the NMWQCC standard during the first three quarterly 2022 monitoring events. Monitoring wells MW-24 and MW-25, which are located cross-gradient to MW-14 and MW-23, continue to exhibit concentrations of benzene and other dissolved petroleum hydrocarbons below laboratory detection limits. On the west end of the



AS system (MW-15 and MW-16), dissolved phase hydrocarbon impacts are consistently reported below the laboratory detection limits.

As stated in the *Third Quarter 2022 Groundwater Monitoring Summary Report* AS was previously applied to monitor well MW-22 but has been dry since March of 2022. During the December 2022 monitoring event a sufficient water column was present to collect a water quality sample. At monitor well MW-22 it exhibited benzene concentrations below laboratory detection levels and/or NMWQCC standards at 0.00130 mg/L. Water levels and dissolved petroleum hydrocarbon concentrations will be monitored to assess whether reinstating AS activities at monitor well MW-22 are warranted.

5. Conclusions

This section of the report presents conclusions from the findings of fourth quarter 2022 groundwater monitoring and remediation system O&M activities.

- The AS portion of the System appears to continue to prevent the migration of LNAPL and dissolved-phase impacts across the treatment zone.
- At MW-17, MW-18, and MW-19D, benzene concentrations were reported above the NMWQCC groundwater standards during the fourth quarter 2022. However, data from adjacent monitoring wells suggest the dissolved-phase petroleum hydrocarbon plume is relatively stable in this area of the Site. MW-17 has not been sampled during previous events because of the presence of LNAPL. However, it was sampled in the fourth quarter 2022 and exhibited a benzene concentration of 0.00562 mg/L, less than 0.001 mg/L above the NMWQCC standard.
- Monitoring points along the eastern Site boundary, MW-20, MW-27, MW-28, and MW-29 exhibited benzene concentrations below laboratory detection levels and/or NMWQCC standards.

6. Recommendations

Based on evaluation of current and historical data, the following recommendations for ongoing Site monitoring and remediation efforts have been developed:

- Continue quarterly and annual groundwater monitoring and sampling activities to monitor dissolved phase BTEX concentrations and LNAPL trends.
- Continue operation, monitoring, and maintenance of the south Air Sparge system.
- Continue operation, monitoring, and maintenance of the Spill Buster LNAPL extraction system that was moved from monitor well MW-12 to monitor well MW-10 during the fourth quarter 2022.
- Regularly inspect and replace passive LNAPL bailers in monitor wells MW-12 and MW-17 to increase recovery of LNAPL.

Tables

TABLE 1
FOURTH QUARTER 2022
SUMMARY OF GROUNDWATER ELEVATION DATA
HOBBS BOOSTER STATION
LEA COUNTY, NEW MEXICO

Location Identification	Date	Depth to Groundwater (feet)	Depth to Product (feet)	Free Phase Hydrocarbon Thickness (feet)	Total Depth (feet)	TOC Elevation (feet amsl)	Groundwater Elevation (*) (feet amsl)	Change in Groundwater Elevation Since Previous Event(1) (feet)
MW-1	03/21/2022	58.83	56.07	2.76	NM	3626.06	3569.30	-0.16
MW-1	06/20/2022	58.80	56.24	2.56	NM	3626.06	3569.18	-0.12
MW-1	09/14/2022	58.84	56.43	2.41	NM	3626.06	3569.03	-0.15
MW-1	12/05/2022	58.82	56.50	2.32	58.97	3626.06	3568.98	-0.05
MW-2	03/21/2022	53.14	51.18	1.96	NM	3623.14	3571.47	-0.39
MW-2	06/20/2022	53.23	51.27	1.96	NM	3623.14	3571.38	-0.09
MW-2	09/14/2022	53.29	51.37	1.92	NM	3623.14	3571.29	-0.09
MW-2	12/05/2023	53.31	51.42	1.89	NM	3623.14	3571.25	-0.04
MW-3	03/21/2022	51.90			56.89	3623.01	3571.11	-0.42
MW-3	06/20/2022	52.04			56.89	3623.01	3570.97	-0.14
MW-3	09/14/2022	52.08			56.89	3623.01	3570.93	-0.04
MW-3	12/05/2022	52.12			55.68	3623.01	3570.89	-0.04
MW-5	03/21/2022	58.95			60.35	3629.16	3570.21	-0.27
MW-5	06/20/2022	59.11			60.35	3629.16	3570.05	-0.16
MW-5	09/14/2022	59.29			60.35	3629.16	3569.87	-0.18
MW-5	12/05/2022	59.32			59.96	3629.16	3569.84	-0.03
MW-6	03/21/2022	54.77			56.75	3626.93	3572.16	-0.29
MW-6	06/20/2022	54.92			56.75	3626.93	3572.01	-0.15
MW-6	09/14/2022	55.05			56.75	3626.93	3571.88	-0.13
MW-6	12/05/2022	55.06			56.37	3626.93	3571.87	-0.01
MW-7	03/21/2022	DRY			42.25	3621.40	DRY	NA
MW-7	06/20/2022	DRY			42.25	3621.40	DRY	NA
MW-7	09/14/2022	DRY			42.25	3621.40	DRY	NA
MW-7	12/05/2022	DRY			42.25	3621.40	DRY	NA
MW-9	03/21/2022	62.60	57.93	4.67	NM	3625.21	3566.11	-0.24
MW-9	06/20/2022	62.85	58.10	4.75	NM	3625.21	3565.92	-0.19
MW-9	09/14/2022	62.82	58.32	4.50	NM	3625.21	3565.77	-0.16
MW-9	12/05/2022	62.98	58.38	4.60	67.64	3625.21	3565.68	-0.09
MW-10	03/22/2022	55.54	52.47	3.07	NM	3621.07	3567.83	-0.31
MW-10	06/20/2022	55.90	52.74	3.16	NM	3621.07	3567.54	-0.29
MW-10	09/14/2022	56.05	52.77	3.28	NM	3621.07	3567.48	-0.06
MW-10	12/05/2022	NM - Active Spill Buster			NM	3621.07	NA	NA
MW-12**	03/21/2022	-	59.72		NM	3626.60	NA	NA
MW-12**	06/20/2022	60.14	59.97	0.17	NM	3626.60	3566.59	NA
MW-12**	09/14/2022	NM - Active Spill Buster			NM	3626.60	NA	NA
MW-12**	12/05/2022	61.21	59.38	1.83	NM	3626.60	3566.76	NA
MW-14	03/21/2022	55.40			63.40	3621.42	3566.02	-0.30
MW-14	06/20/2022	55.62			63.40	3621.42	3565.80	-0.22
MW-14	09/14/2022	55.78			63.40	3621.42	3565.64	-0.16
MW-14	12/05/2022	55.89			62.75	3621.42	3565.53	-0.11
MW-15	03/21/2022	51.07			59.00	3619.39	3568.32	-0.32
MW-15	06/20/2022	51.29			59.00	3619.39	3568.10	-0.22
MW-15	09/14/2022	51.42			59.00	3619.39	3567.97	-0.13
MW-15	12/05/2022	51.45			58.37	3619.39	3567.94	-0.03
MW-16	03/21/2022	50.97			56.40	3621.87	3570.90	-0.42
MW-16	06/20/2022	51.10			56.40	3621.87	3570.77	-0.13
MW-16	09/14/2022	51.16			56.40	3621.87	3570.71	-0.06
MW-16	12/05/2022	51.20			56.39	3621.87	3570.67	-0.04
MW-17	03/22/2022	59.77			57.52	3623.94	3564.17	-0.18
MW-17	06/20/2022	59.98			57.52	3623.94	3563.96	-0.21
MW-17	09/14/2022	60.15			57.52	3623.94	3563.79	-0.17

TABLE 1
FOURTH QUARTER 2022
SUMMARY OF GROUNDWATER ELEVATION DATA
HOBBS BOOSTER STATION
LEA COUNTY, NEW MEXICO

Location Identification	Date	Depth to Groundwater (feet)	Depth to Product (feet)	Free Phase Hydrocarbon Thickness (feet)	Total Depth (feet)	TOC Elevation (feet amsl)	Groundwater Elevation (*) (feet amsl)	Change in Groundwater Elevation Since Previous Event(1) (feet)
MW-17	12/05/2022	60.34			64.32	3623.94	3563.60	-0.19
MW-18	03/21/2022	60.83			67.32	3624.30	3563.47	-0.23
MW-18	06/20/2022	61.06			67.32	3624.30	3563.24	-0.23
MW-18	09/14/2022	61.25			67.32	3624.30	3563.05	-0.19
MW-18	12/05/2022	61.36			65.67	3624.30	3562.94	-0.11
MW-19	03/21/2022	61.34			66.40	3624.12	3562.78	-0.25
MW-19	06/20/2022	61.57			66.40	3624.12	3562.55	-0.23
MW-19	09/14/2022	61.75			66.40	3624.12	3562.37	-0.18
MW-19	12/05/2022	61.83			65.07	3624.12	3562.29	-0.08
MW-19D	03/21/2022	61.30			78.45	3623.79	3562.49	-0.24
MW-19D	06/20/2022	61.54			78.45	3623.79	3562.25	-0.24
MW-19D	09/14/2022	61.72			78.45	3623.79	3562.07	-0.18
MW-19D	12/05/2022	61.82			78.55	3623.79	3561.97	-0.10
MW-20	03/21/2022	58.96			60.89	3621.49	3562.53	-0.25
MW-20	06/20/2022	59.17			60.89	3621.49	3562.32	-0.21
MW-20	09/14/2022	59.36			60.89	3621.49	3562.13	-0.19
MW-20	12/05/2022	59.46			61.19	3621.49	3562.03	-0.10
MW-21	03/21/2022	60.79			62.65	3624.25	3563.46	-0.29
MW-21	06/20/2022	61.01			62.65	3624.25	3563.24	-0.22
MW-21	09/14/2022	61.22			62.65	3624.25	3563.03	-0.21
MW-21	12/05/2022	61.28			63.56	3624.25	3562.97	-0.06
MW-22	03/21/2022	DRY			63.10	3625.16	DRY	NA
MW-22	06/20/2022	DRY			63.10	3625.16	DRY	NA
MW-22	09/14/2022	DRY			63.10	3625.16	DRY	NA
MW-22	12/05/2022	62.38			63.28	3625.16	3562.78	NA
MW-23	03/21/2022	54.98			57.31	3622.58	3567.60	-0.28
MW-23	06/20/2022	55.20			57.31	3622.58	3567.38	-0.22
MW-23	09/14/2022	55.41			57.31	3622.58	3567.17	-0.21
MW-23	12/05/2022	55.48			57.38	3622.58	3567.10	-0.07
MW-24	03/21/2022	53.15			56.70	3619.27	3566.12	-0.30
MW-24	06/20/2022	53.38			56.70	3619.27	3565.89	-0.23
MW-24	09/14/2022	53.57			56.70	3619.27	3565.70	-0.19
MW-24	12/05/2022	53.62			56.80	3619.27	3565.65	-0.05
MW-25	03/21/2022	54.18			56.70	3619.73	3565.55	-0.31
MW-25	06/20/2022	54.37			56.70	3619.73	3565.36	-0.19
MW-25	09/14/2022	54.55			56.70	3619.73	3565.18	-0.18
MW-25	12/05/2022	54.60			57.59	3619.73	3565.13	-0.05
MW-26	03/21/2022	61.90			76.10	3625.59	3563.69	-0.27
MW-26	06/20/2022	62.08			76.10	3625.59	3563.51	-0.18
MW-26	09/14/2022	62.17			76.10	3625.59	3563.42	-0.09
MW-26	12/05/2022	62.31			76.28	3625.59	3563.28	-0.14
MW-27	03/21/2022	63.13			71.90	3626.44	3563.31	-0.23
MW-27	06/20/2022	63.32			71.90	3626.44	3563.12	-0.19
MW-27	09/14/2022	63.32			71.90	3626.44	3563.12	0.00
MW-27	12/05/2022	63.39			68.97	3626.44	3563.05	-0.07
MW-28	03/21/2022	63.13			74.82	3625.41	3562.28	-0.32
MW-28	06/20/2022	63.32			74.82	3625.41	3562.09	-0.19
MW-28	09/14/2022	63.24			74.82	3625.41	3562.17	0.08
MW-28	12/05/2022	63.28			71.54	3625.41	3562.13	-0.04
MW-29	03/21/2022	62.30			76.59	3624.59	3562.29	-0.28
MW-29	06/20/2022	62.50			76.59	3624.59	3562.09	-0.20

TABLE 1
FOURTH QUARTER 2022
SUMMARY OF GROUNDWATER ELEVATION DATA
HOBBS BOOSTER STATION
LEA COUNTY, NEW MEXICO

Location Identification	Date	Depth to Groundwater (feet)	Depth to Product (feet)	Free Phase Hydrocarbon Thickness (feet)	Total Depth (feet)	TOC Elevation (feet amsl)	Groundwater Elevation (*) (feet amsl)	Change in Groundwater Elevation Since Previous Event(1) (feet)
MW-29	09/14/2022	62.59			76.59	3624.59	3562.00	-0.09
MW-29	12/05/2022	62.62			73.84	3624.59	3561.97	-0.32
MW-30	12/05/2022	61.38			81.50	3623.7	3562.32	NA
TW-H	03/21/2022	51.98	51.29	0.69	NM	3622.30	3570.84	0.29
TW-H	06/20/2022	53.70	52.09	1.61	NM	3622.30	3569.81	-1.03
TW-H	09/14/2022	53.82	52.20	1.62	NM	3622.30	3569.70	-0.11
TW-H	12/05/2022	53.82	52.26	1.56	53.99	3622.30	3569.65	-0.05
TW-K	03/21/2022	62.09			62.12	3628.95	3566.86	0.01
TW-K	06/20/2022	DRY			63.00	3628.95	DRY	NA
TW-K	09/14/2022	DRY			63.00	3628.95	DRY	NA
TW-K	12/05/2022	DRY			62.13	3628.95	DRY	NA
TW-N	03/21/2022	59.32	59.29	0.03	NA	3631.98	3572.68	NA
TW-N	06/20/2022	DRY			59.70	3631.98	DRY	NA
TW-N	09/14/2022	DRY			59.70	3631.98	DRY	NA
TW-N	12/05/2022	DRY			59.30	3631.98	DRY	NA
TW-U	03/21/2022	64.04	63.93	0.11	62.12	3628.67	3564.71	-0.17
TW-U	06/20/2022	DRY			64.80	3628.67	DRY	NA
TW-U	09/14/2022	DRY			64.80	3628.67	DRY	NA
TW-U	12/05/2022	DRY			61.14	3628.67	DRY	NA
TW-T-R	03/21/2022	62.22	61.44	0.78	76.55	3625.90	3564.27	-0.21
TW-T-R	06/20/2022	62.43	61.60	0.83	76.55	3625.90	3564.09	-0.17
TW-T-R	09/14/2022	62.50	61.70	0.80	76.55	3625.90	3564.00	-0.09
TW-T-R	12/05/2022	61.88			76.58	3625.90	3564.02	0.02
TW-V	03/21/2022	DRY			NM	3628.54	DRY	NA
TW-V	06/20/2022	DRY			63.65	3628.54	DRY	NA
TW-V	09/14/2022	DRY			63.65	3628.54	DRY	NA
TW-V	12/05/2022	DRY			63.05	3628.54	DRY	NA
TW-W	03/21/2022	61.85	61.25	0.60	62.12	3626.88	3565.48	-0.15
TW-W	06/20/2022	61.83	61.46	0.37	NM	3626.88	3565.33	-0.15
TW-W	09/14/2022	61.79	61.49	0.30	NM	3626.88	3565.32	-0.01
TW-W	12/05/2022	61.68			62.18	3626.88	3565.20	-0.11
Average change in groundwater elevation (6/20/2022 to 9/14/2022)								-0.08

Notes:

1- Changes in groundwater elevation calculated by subtracting the measurement collected during the previous monitoring event from the measurement collected during the most recent monitoring event.

amsl = feet above mean sea level

TOC = top of casing

Groundwater elevation = (TOC Elevation - Measured Depth to Water)

Groundwater elevation = (TOC Elevation - Measured Depth to Water) + (LNAPL Thickness in Well * LNAPL Relative Density)

LNAPL relative density is assumed to be approximately 0.75

NM = Not Measured

NA = Not Applicable

TD = Total Depth

** The depth to water reading collected from these wells are anomalous and assumed to be an error during field collection. Therefore, the change in groundwater elevation from the previous monitoring event was not calculated and/or used for the average change in groundwater elevation across the Site.

* Groundwater elevation was corrected for product thickness using the following calculation, when applicable:

** Monitoring well MW-12 had an active Spill Buster automatic LNAPL recovery pump installed. As such, the calculated groundwater elevations may not be representative of actual groundwater elevations within the well. Moved to MW-10 in 4Q22.

***No groundwater was present in well, Free Phase Hydrocarbon Thickness was measured in feet from Depth to Product (DTP) to TD.

TABLE 2
FOURTH QUARTER 2022
SUMMARY OF BTEX CONCENTRATIONS IN GROUNDWATER
HOBBS BOOSTER STATION
LEA COUNTY, NEW MEXICO

Location Identification	Sample Date	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Total Xylenes (mg/L)	Comments
NMWQCC Groundwater Standards (mg/L)		0.005	1.00	0.70	0.62	
MW-1	12/06/2022	0.0024	<0.00100	<0.00100	<0.00300	
MW-2	12/05/2022	Sampled Annually - Historical LNAPL Present				LNAPL - 1.89'
MW-3	12/05/2022	Sampled Annually During Third Quarter				
MW-5	12/05/2022	Sampled Annually During Third Quarter				
MW-6	12/05/2022	Sampled Annually During Third Quarter				
MW-7	12/05/2022	Sampled Annually - Historically Dry				
MW-9	12/05/2022	Sampled Annually - Historical LNAPL Present				LNAPL - 4.60'
MW-10	12/05/2022	Sampled Annually - Historical LNAPL Present				Active Spill Buster
MW-12	12/05/2022	NS - LNAPL				LNAPL - 1.83'
MW-14	12/06/2022	0.00238	<0.00100	<0.00100	<0.00300	Duplicate A Sample Collected
MW-14 (Duplicate A)	12/06/2022	0.00233	<0.00100	<0.00100	<0.00300	
MW-15	12/06/2022	<0.00100	<0.00100	<0.00100	<0.00300	
MW-16	12/06/2022	<0.00100	<0.00100	<0.00100	<0.00300	
MW-17	12/05/2022	Sampled Annually During Third Quarter				
MW-18	12/05/2022	Sampled Annually During Third Quarter				
MW-19	12/06/2022	0.00145	<0.00100	<0.00100	<0.00300	
MW-19D	12/06/2022	0.0761	<0.00100	0.0242	0.00380	Duplicate B Sample Collected
MW-19D Duplicate B)	12/06/2022	0.0779	<0.00100	0.0255	0.00399	
MW-20	12/06/2022	0.000108 J	<0.00100	<0.00100	<0.00300	
MW-21	12/06/2022	<0.00100	<0.00100	<0.00100	<0.00300	
MW-22	12/06/2022	0.00130	<0.00100	<0.00100	<0.00300	
MW-23	12/06/2022	0.00723	<0.00100	0.00103	0.00214 J	
MW-24	12/06/2022	<0.00100	<0.00100	<0.00100	<0.00300	
MW-25	12/06/2022	0.000132 J	<0.00100	0.000271 J	0.000675 J	
MW-26	12/06/2022	0.0660	<0.00500	0.0211	0.00630 J	
MW-27	12/06/2022	<0.00100	<0.00100	<0.00100	<0.00300	
MW-28	12/06/2022	0.00301	<0.00100	0.000531 J	0.000366 J	
MW-29	12/06/2022	0.000747 J	<0.00100	<0.00100	<0.00300	
MW-30	12/06/2022	0.00317	<0.00100	0.000583 J	<0.00300	
Trip Blank	12/06/2022	<0.00100	<0.00100	<0.00100	<0.00300	

Notes:

Bold red values indicate an exceedance of the NMWQCC groundwater standards for the Site.

NMWQCC = New Mexico Water Quality Control Commission

LNAPL = Light Non-Aqueous Phase Liquid


J = A qualifier indicating an estimated value of a concentration above the laboratory's Method Detection Limit (MDL) but below the Reported Detection Limit (RDL).

NS = Not Sampled


NM - Not Measured

mg/L = milligrams per liter

Figures



DATE: April 2015	 Tasman Geosciences, Inc. 6855 W. 119th Ave Broomfield, CO 80020	DCP Midstream Hobbs Booster Station Units C and D, Section 4, Township 19 South, Range 38 East Lea County, New Mexico	Site Location Map	Figure 1
DESIGNED BY: T. Johansen				
DRAWN BY: D. Arnold				



DATE:	December 2022
DESIGNED BY:	J. Watts
DRAWN BY:	J. Clonts




Tasman Geosciences, Inc.
6855 W. 119th Ave
Broomfield, CO 80020

DCP Midstream
Hobbs Booster Station
Groundwater Monitoring Summary
Report

Site Map with
Monitoring Well Locations

Figure
2




DATE:	February 2023
DESIGNED BY:	J. Watts
DRAWN BY:	J. Clonts

 **TASMAN**
Tasman, Inc.
6855 W. 119th Ave
Broomfield, CO 80020

**DCP Midstream
Hobbs Booster Station**
Fourth Quarter 2022 Groundwater Monitoring
Summary Report

Groundwater Elevation
Contour Map
(December 6, 2022)

**Figure
3**



DATE: March 2023

DESIGNED BY: J. Watts

DRAWN BY: L. Reed



**DCP Midstream
Hobbs Booster Station**
Fourth Quarter 2022 Groundwater Monitoring
Summary Report

Analytical Results Map
(December 6, 2022)

Figure
4

Appendix A
Historical Analytical Results

APPENDIX A
HISTORICAL ANALYTICAL RESULTS
BTEX CONCENTRATIONS IN GROUNDWATER
HOBBS BOOSTER STATION
LEA COUNTY, NEW MEXICO

Location Identification	Sample Date	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Total Xylenes (mg/L)	Comments
NMWQCC Groundwater Standards (mg/L)		0.005	1.00	0.75	0.62	
MW-1	09/15/2005	0.017	<0.002	0.047	0.066	
MW-1	02/27/2014	LNAPL				Sampled Annually
MW-1	06/03/2014	LNAPL				Sampled Annually
MW-1	09/24/2014	LNAPL				Annual Event
MW-1	12/03/2014	LNAPL				Sampled Annually
MW-1	02/25/2015	LNAPL				Sampled Annually
MW-1	06/03/2015	LNAPL				Sampled Annually
MW-1	09/01/2015	LNAPL				Annual Event
MW-1	12/16/2015	LNAPL				Sampled Annually
MW-1	03/24/2016	LNAPL				Sampled Annually
MW-1	06/23/2016	LNAPL				Sampled Annually
MW-1	09/28/2016	LNAPL				Annual Event
MW-1	12/21/2016	LNAPL				Sampled Annually
MW-1	03/09/2017	LNAPL				Sampled Annually
MW-1	06/21/2017	LNAPL				Sampled Annually
MW-1	09/26/2017	LNAPL				Annual Event
MW-1	12/20/2017	LNAPL				Sampled Annually
MW-1	03/13/2018	LNAPL				Sampled Annually
MW-1	06/26/2018	LNAPL				Sampled Annually
MW-1	09/11/2018	LNAPL				Annual Event
MW-1	12/27/2018	LNAPL				Annual Event
MW-1	09/24/2019	LNAPL				Annual Event
MW-1	09/23/2020	LNAPL				Annual Event
MW-1	12/15/2020	Sampled Annually - Historical LNAPL Present				
MW-1	03/23/2021	Sampled Annually - Historical LNAPL Present				
MW-1	06/29/2021	Sampled Annually - Historical LNAPL Present				
MW-1	09/20/2021	Sampled Annually - Historical LNAPL Present				Annual Event; LNAPL
MW-1	12/13/2021	Sampled Annually - Historical LNAPL Present				LNAPL - 2.99'
MW-1	03/22/2022	Sampled Annually - Historical LNAPL Present				LNAPL - 2.76'
MW-1	06/21/2022	Sampled Annually - Historical LNAPL Present				LNAPL - 2.56'
MW-1	09/15/2022	Sampled Annually - Historical LNAPL Present				Annual Event; LNAPL - 1.97'
MW-1	12/06/2022	0.0024	<0.00100	<0.00100	<0.00300	
MW-2	02/27/2014	LNAPL				Sampled Annually
MW-2	06/03/2014	LNAPL				Sampled Annually
MW-2	09/24/2014	LNAPL				Annual Event
MW-2	12/03/2014	LNAPL				Sampled Annually
MW-2	02/25/2015	LNAPL				Sampled Annually
MW-2	06/03/2015	LNAPL				Sampled Annually
MW-2	09/01/2015	LNAPL				Annual Event
MW-2	12/16/2015	LNAPL				Sampled Annually
MW-2	03/24/2016	DRY				Sampled Annually
MW-2	06/23/2016	LNAPL				Sampled Annually
MW-2	09/29/2016	LNAPL				Annual Event
MW-2	12/21/2016	LNAPL				Sampled Annually
MW-2	03/09/2017	LNAPL				Sampled Annually
MW-2	06/21/2017	LNAPL				Sampled Annually
MW-2	09/26/2017	LNAPL				Annual Event
MW-2	12/20/2017	LNAPL				Sampled Annually
MW-2	03/13/2018	LNAPL				Sampled Annually
MW-2	06/26/2018	LNAPL				Sampled Annually
MW-2	09/11/2018	LNAPL				Annual Event
MW-2	09/24/2019	LNAPL				Annual Event
MW-2	09/23/2020	LNAPL				Annual Event
MW-2	12/15/2020	Sampled Annually - Historical LNAPL Present				
MW-2	03/23/2021	Sampled Annually - Historical LNAPL Present				
MW-2	06/29/2021	Sampled Annually - Historical LNAPL Present				
MW-2	09/20/2021	Sampled Annually - Historical LNAPL Present				Annual Event; LNAPL
MW-2	12/13/2021	Sampled Annually - Historical LNAPL Present				LNAPL - 2.00'
MW-2	03/22/2022	Sampled Annually - Historical LNAPL Present				LNAPL - 1.96'
MW-2	06/21/2022	Sampled Annually - Historical LNAPL Present				LNAPL - 1.96'
MW-2	09/15/2022	Sampled Annually - Historical LNAPL Present				Annual Event; LNAPL - 1.92'

APPENDIX A
HISTORICAL ANALYTICAL RESULTS
BTEX CONCENTRATIONS IN GROUNDWATER
HOBBS BOOSTER STATION
LEA COUNTY, NEW MEXICO

Location Identification	Sample Date	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Total Xylenes (mg/L)	Comments
NMQCC Groundwater Standards (mg/L)		0.005	1.00	0.75	0.62	
MW-2	12/05/2022	Sampled Annually - Historical LNAPL Present				LNAPL - 1.89'
MW-3	09/14/2005	0.0025	<0.002	0.24	0.17	
MW-3	06/21/2006	0.0018	<0.002	0.14	0.089	
MW-3	06/27/2007	0.0012	<0.002	0.207	0.0977	
MW-3	09/21/2009	<0.002	<0.002	0.0123	0.0031	
MW-3	09/14/2010	<0.001	<0.002	0.0134	-	
MW-3	03/29/2011	NS	NS	NS	NS	
MW-3	09/16/2011	<0.001	<0.002	0.0246	0.0135	
MW-3	12/06/2011	NS	NS	NS	NS	
MW-3	03/09/2012	<0.001	<0.002	0.0019	<0.004	
MW-3	06/06/2012	NS	NS	NS	NS	
MW-3	09/06/2012	<0.001	<0.002	0.0022	0.0023	
MW-3	12/05/2012	NS	NS	NS	NS	
MW-3	02/19/2013	<0.001	<0.002	<0.002	<0.003	
MW-3	06/03/2013	NS	NS	NS	NS	
MW-3	09/10/2013	<0.001	<0.002	0.0023	<0.003	
MW-3	12/02/2013	NS	NS	NS	NS	
MW-3	02/27/2014	NS	NS	NS	NS	Sampled Annually
MW-3	06/03/2014	NS	NS	NS	NS	Sampled Annually
MW-3	09/22/2014	<0.001	<0.001	<0.001	<0.001	Annual Event
MW-3	12/03/2014	NS	NS	NS	NS	Sampled Annually
MW-3	02/25/2015	NS	NS	NS	NS	Sampled Annually
MW-3	06/03/2015	NS	NS	NS	NS	Sampled Annually
MW-3	09/01/2015	<.0010	<.0010	<.0010	<.0030	Annual Event
MW-3	12/16/2015	NS	NS	NS	NS	Sampled Annually
MW-3	03/24/2016	NS	NS	NS	NS	Sampled Annually
MW-3	06/23/2016	NS	NS	NS	NS	Sampled Annually
MW-3	09/29/2016	<.0010	<.0010	<.0010	<.0030	Annual Event
MW-3	12/21/2016	NS	NS	NS	NS	Sampled Annually
MW-3	03/09/2017	NS	NS	NS	NS	Sampled Annually
MW-3	06/21/2017	NS	NS	NS	NS	Sampled Annually
MW-3	09/26/2017	<0.0010	<0.0010	<0.0010	<0.0030	Annual Event
MW-3	12/20/2017	NS	NS	NS	NS	Sampled Annually
MW-3	03/13/2018	NS	NS	NS	NS	Sampled Annually
MW-3	06/26/2018	NS	NS	NS	NS	Sampled Annually
MW-3	09/11/2018	<0.0010	<0.0010	<0.0010	<0.0030	Annual Event
MW-3	09/24/2019	<0.0010	<0.0010	<0.0010	<0.0030	Annual Event
MW-3	09/23/2020	<0.00100	<0.00100	<0.00100	<0.00300	Annual Event
MW-3	12/15/2020	Sampled Annually During Third Quarter				
MW-3	03/23/2021	Sampled Annually During Third Quarter				
MW-3	06/29/2021	Sampled Annually During Third Quarter				
MW-3	09/21/2021	<0.00100	<0.00100	<0.00100	<0.00300	Annual Event
MW-3	12/13/2021	Sampled Annually During Third Quarter				
MW-3	03/22/2022	Sampled Annually During Third Quarter				
MW-3	06/21/2022	Sampled Annually During Third Quarter				
MW-3	09/15/2022	<0.00100	<0.00100	<0.00100	<0.00300	Annual Event
MW-3	12/05/2022	Sampled Annually During Third Quarter				
MW-5	09/14/2005	<0.002	<0.002	<0.002	<0.006	
MW-5	06/21/2006	<0.002	<0.002	<0.002	<0.006	
MW-5	06/27/2007	<0.002	<0.002	<0.002	<0.006	
MW-5	09/21/2009	<0.002	<0.002	<0.002	<0.006	
MW-5	09/14/2010	<0.001	<0.002	<0.002	-	
MW-5	03/29/2011	NS	NS	NS	NS	
MW-5	09/15/2011	<0.001	<0.002	<0.002	<0.004	
MW-5	12/06/2011	NS	NS	NS	NS	
MW-5	03/09/2012	<0.001	<0.002	<0.002	<0.004	
MW-5	06/06/2012	NS	NS	NS	NS	
MW-5	09/06/2012	<0.001	<0.002	<0.002	<0.003	
MW-5	12/05/2012	NS	NS	NS	NS	

APPENDIX A
HISTORICAL ANALYTICAL RESULTS
BTEX CONCENTRATIONS IN GROUNDWATER
HOBBS BOOSTER STATION
LEA COUNTY, NEW MEXICO

Location Identification	Sample Date	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Total Xylenes (mg/L)	Comments
NMWQCC Groundwater Standards (mg/L)		0.005	1.00	0.75	0.62	
MW-5	02/19/2013	<0.001	<0.002	<0.002	<0.003	
MW-5	06/03/2013	NS	NS	NS	NS	
MW-5	09/10/2013	<0.001	<0.002	<0.002	<0.003	
MW-5	12/02/2013	NS	NS	NS	NS	
MW-5	02/27/2014	NS	NS	NS	NS	Sampled Annually
MW-5	06/03/2014	NS	NS	NS	NS	Sampled Annually
MW-5	09/22/2014	<0.001	<0.001	<0.001	<0.001	Annual Event
MW-5	12/03/2014	NS	NS	NS	NS	Sampled Annually
MW-5	02/25/2015	NS	NS	NS	NS	Sampled Annually
MW-5	06/03/2015	NS	NS	NS	NS	Sampled Annually
MW-5	09/01/2015	<0.0010	<0.0010	<0.0010	<0.0030	Annual Event
MW-5	12/16/2015	NS	NS	NS	NS	Sampled Annually
MW-5	03/24/2016	NS	NS	NS	NS	Sampled Annually
MW-5	06/23/2016	NS	NS	NS	NS	Sampled Annually
MW-5	09/29/2016	<0.0010	<0.0010	<0.0010	<0.0030	Annual Event
MW-5	12/21/2016	NS	NS	NS	NS	Sampled Annually
MW-5	03/09/2017	NS	NS	NS	NS	Sampled Annually
MW-5	06/21/2017	NS	NS	NS	NS	Sampled Annually
MW-5	09/26/2017	<0.0010	<0.0010	<0.0010	<0.0030	Annual Event
MW-5	12/20/2017	NS	NS	NS	NS	Sampled Annually
MW-5	03/13/2018	NS	NS	NS	NS	Sampled Annually
MW-5	06/26/2018	NS	NS	NS	NS	Sampled Annually
MW-5	09/11/2018	<0.0010	<0.0010	<0.0010	<0.0030	Annual Event
MW-5	09/24/2019	<0.0010	<0.0010	<0.0010	<0.0030	Annual Event
MW-5	09/23/2020	<0.00100	<0.00100	<0.00100	<0.00300	Annual Event
MW-5	12/15/2020	NS	NS	NS	NS	
MW-5	03/23/2021	NS	NS	NS	NS	
MW-5	06/29/2021	NS	NS	NS	NS	
MW-5	09/21/2021	<0.00100	<0.00100	<0.00100	<0.00300	Annual Event
MW-5	12/13/2021	Sampled Annually During Third Quarter				
MW-5	03/22/2022	Sampled Annually During Third Quarter				
MW-5	06/21/2022	Sampled Annually During Third Quarter				
MW-5	09/15/2022	<0.00100	<0.00100	<0.00100	<0.00300	Annual Event
MW-5	12/05/2022	Sampled Annually During Third Quarter				
MW-6	09/14/2005	<0.002	<0.002	<0.002	<0.006	
MW-6	06/21/2006	<0.002	<0.002	<0.002	<0.006	
MW-6	06/27/2007	<0.002	<0.002	<0.002	<0.006	
MW-6	09/21/2009	<0.002	<0.002	<0.002	<0.006	
MW-6	09/14/2010	<0.001	<0.002	<0.002	-	
MW-6	03/29/2011	NS	NS	NS	NS	
MW-6	09/16/2011	<0.001	<0.002	<0.002	<0.004	
MW-6	12/06/2011	NS	NS	NS	NS	
MW-6	03/09/2012	<0.001	<0.002	<0.002	<0.004	
MW-6	06/06/2012	NS	NS	NS	NS	
MW-6	09/06/2012	<0.001	<0.002	<0.002	<0.003	
MW-6	12/05/2012	NS	NS	NS	NS	
MW-6	02/19/2013	<0.001	<0.002	<0.002	<0.003	
MW-6	06/03/2013	NS	NS	NS	NS	
MW-6	09/10/2013	<0.001	<0.002	<0.002	<0.003	
MW-6	12/02/2013	NS	NS	NS	NS	
MW-6	02/27/2014	NS	NS	NS	NS	Sampled Annually
MW-6	06/03/2014	NS	NS	NS	NS	Sampled Annually
MW-6	09/22/2014	<0.001	<0.001	<0.001	<0.001	Annual Event
MW-6	12/03/2014	NS	NS	NS	NS	Sampled Annually
MW-6	02/25/2015	NS	NS	NS	NS	Sampled Annually
MW-6	06/03/2015	NS	NS	NS	NS	Sampled Annually
MW-6	09/01/2015	<.0010	<.0010	<.0010	<.0030	Annual Event
MW-6	12/16/2015	NS	NS	NS	NS	Sampled Annually
MW-6	03/24/2016	NS	NS	NS	NS	Sampled Annually
MW-6	06/23/2016	NS	NS	NS	NS	Sampled Annually

APPENDIX A
HISTORICAL ANALYTICAL RESULTS
BTEX CONCENTRATIONS IN GROUNDWATER
HOBBS BOOSTER STATION
LEA COUNTY, NEW MEXICO

Location Identification	Sample Date	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Total Xylenes (mg/L)	Comments
NMWQCC Groundwater Standards (mg/L)		0.005	1.00	0.75	0.62	
MW-6	09/29/2016	<0.0010	<0.0010	<0.0010	<0.0030	Annual Event
MW-6	12/21/2016	NS	NS	NS	NS	Sampled Annually
MW-6	03/09/2017	NS	NS	NS	NS	Sampled Annually
MW-6	06/21/2017	NS	NS	NS	NS	Sampled Annually
MW-6	09/26/2017	<0.0010	<0.0010	<0.0010	<0.0030	Annual Event
MW-6	03/13/2018	NS	NS	NS	NS	Sampled Annually
MW-6	06/26/2018	NS	NS	NS	NS	Sampled Annually
MW-6	09/11/2018	<0.0010	<0.0010	<0.0010	<0.0030	Annual Event
MW-6	09/24/2019	<0.0010	<0.0010	<0.0010	<0.0030	Annual Event
MW-6	09/23/2020	<0.00100	<0.00100	<0.00100	<0.00300	Annual Event
MW-6	12/15/2020	NS	NS	NS	NS	
MW-6	03/23/2021	NS	NS	NS	NS	
MW-6	06/29/2021	NS	NS	NS	NS	
MW-6	09/21/2021	<0.00100	<0.00100	<0.00100	<0.00300	Annual Event
MW-6	12/13/2021	Sampled Annually During Third Quarter				
MW-6	03/22/2022	Sampled Annually During Third Quarter				
MW-6	06/21/2022	Sampled Annually During Third Quarter				
MW-6	09/15/2022	<0.00100	<0.00100	<0.00100	<0.00300	Annual Event
MW-6	12/05/2022	Sampled Annually During Third Quarter				
MW-7	06/21/2006	<0.002	<0.002	<0.002	<0.006	
MW-7	06/27/2007	<0.002	<0.002	<0.002	<0.006	
MW-7	03/09/2009	<0.002	<0.002	<0.002	<0.006	
MW-7	09/21/2009	<0.002	<0.002	<0.002	<0.006	
MW-7	09/29/2010	<0.001	<0.002	<0.002	-	
MW-7	03/29/2011	NS	NS	NS	NS	
MW-7	09/16/2011	NS	NS	NS	NS	
MW-7	12/06/2011	NS	NS	NS	NS	
MW-7	03/09/2012	<0.001	<0.002	<0.002	<0.004	
MW-7	06/06/2012	NS	NS	NS	NS	Sampled Annually
MW-7	09/06/2012	DRY				Annual Event
MW-7	12/05/2012	NS	NS	NS	NS	Sampled Annually
MW-7	02/19/2013	NS	NS	NS	NS	Sampled Annually
MW-7	06/03/2013	NS	NS	NS	NS	Sampled Annually
MW-7	09/10/2013	DRY				Annual Event
MW-7	12/02/2013	NS	NS	NS	NS	Sampled Annually
MW-7	02/27/2014	NS	NS	NS	NS	Sampled Annually
MW-7	06/03/2014	NS	NS	NS	NS	Sampled Annually
MW-7	09/22/2014	DRY				Annual Event
MW-7	12/03/2014	DRY				Sampled Annually
MW-7	02/25/2015	DRY				Sampled Annually
MW-7	06/03/2015	DRY				Sampled Annually
MW-7	09/01/2015	DRY				Annual Event
MW-7	12/16/2015	DRY				Sampled Annually
MW-7	03/24/2016	DRY				Sampled Annually
MW-7	06/23/2016	DRY				Sampled Annually
MW-7	09/28/2016	DRY				Annual Event
MW-7	12/21/2016	DRY				Sampled Annually
MW-7	03/09/2017	DRY				Sampled Annually
MW-7	06/21/2017	DRY				Sampled Annually
MW-7	09/26/2017	DRY				Annual Event
MW-7	12/20/2017	DRY				Sampled Annually
MW-7	03/13/2018	DRY				Sampled Annually
MW-7	06/26/2018	DRY				Sampled Annually
MW-7	09/11/2018	DRY				Annual Event
MW-7	09/24/2019	DRY				Annual Event
MW-7	09/23/2020	DRY				Annual Event
MW-7	12/15/2020	DRY				
MW-7	03/23/2021	DRY				
MW-7	06/29/2021	DRY				
MW-7	09/20/2021	DRY				Annual Event
MW-7	12/13/2021	Sampled Annually - Historically Dry				

APPENDIX A
HISTORICAL ANALYTICAL RESULTS
BTEX CONCENTRATIONS IN GROUNDWATER
HOBBS BOOSTER STATION
LEA COUNTY, NEW MEXICO

Location Identification	Sample Date	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Total Xylenes (mg/L)	Comments
NMQCC Groundwater Standards (mg/L)		0.005	1.00	0.75	0.62	
MW-7	03/22/2022	Sampled Annually - Historically Dry				
MW-7	06/21/2022	Sampled Annually - Historically Dry				
MW-7	09/15/2022	Sampled Annually - Historically Dry				Annual Event
MW-7	12/05/2022	Sampled Annually - Historically Dry				
MW-9	02/27/2014	LNAPL				Sampled Annually
MW-9	06/03/2014	LNAPL				Sampled Annually
MW-9	09/24/2014	LNAPL				Annual Event
MW-9	12/03/2014	LNAPL				Sampled Annually
MW-9	02/25/2015	LNAPL				Sampled Annually
MW-9	06/03/2015	LNAPL				Sampled Annually
MW-9	09/01/2015	LNAPL				Annual Event
MW-9	12/16/2015	LNAPL				Sampled Annually
MW-9	03/24/2016	LNAPL				Sampled Annually
MW-9	06/23/2016	LNAPL				Sampled Annually
MW-9	09/28/2016	LNAPL				Annual Event
MW-9	12/21/2016	LNAPL				Sampled Annually
MW-9	03/09/2017	LNAPL				Sampled Annually
MW-9	06/21/2017	LNAPL				Sampled Annually
MW-9	09/26/2017	LNAPL				Annual Event
MW-9	12/20/2017	LNAPL				Sampled Annually
MW-9	03/13/2018	LNAPL				Sampled Annually
MW-9	06/26/2018	LNAPL				Sampled Annually
MW-9	09/11/2018	LNAPL				Annual Event
MW-9	09/24/2019	LNAPL				Annual Event
MW-9	09/22/2020	LNAPL				Annual Event
MW-9	12/15/2020	Sampled Annually - Historical LNAPL Present				
MW-9	03/23/2021	Sampled Annually - Historical LNAPL Present				
MW-9	06/29/2021	Sampled Annually - Historical LNAPL Present				
MW-9	09/20/2021	LNAPL				Annual Event - LNAPL
MW-9	12/13/2021	Sampled Annually - Historical LNAPL Present				LNAPL - 4.82'
MW-9	03/22/2022	Sampled Annually - Historical LNAPL Present				LNAPL - 4.67'
MW-9	06/21/2022	Sampled Annually - Historical LNAPL Present				LNAPL - 4.75'
MW-9	09/15/2022	LNAPL				Annual Event; LNAPL- 4.50'
MW-9	12/05/2022	Sampled Annually - Historical LNAPL Present				LNAPL - 4.60'
MW-10	06/21/2006	0.62	0.0195	0.19	0.26	
MW-10	06/27/2007	0.42	0.0037	0.221	0.31	
MW-10	09/21/2009	0.0813	<0.002	0.343	0.0115	
MW-10	09/14/2010	0.123	<0.002	0.274	-	
MW-10	03/29/2011	NS	NS	NS	NS	
MW-10	09/16/2011	0.213	<0.002	0.135	<0.02	Duplicate sample collected
MW-10	12/06/2011	NS	NS	NS	NS	
MW-10	03/09/2012	NS	NS	NS	NS	
MW-10	06/06/2012	NS	NS	NS	NS	
MW-10	09/06/2012	NS	NS	NS	NS	
MW-10	12/05/2012	NS	NS	NS	NS	
MW-10	02/19/2013	LNAPL				
MW-10	06/03/2013	LNAPL				
MW-10	09/10/2013	LNAPL				
MW-10	12/02/2013	LNAPL				
MW-10	02/27/2014	LNAPL				Sampled Annually
MW-10	06/03/2014	LNAPL				Sampled Annually
MW-10	09/24/2014	LNAPL				Annual Event
MW-10	12/03/2014	LNAPL				Sampled Annually
MW-10	02/25/2015	LNAPL				Sampled Annually
MW-10	06/03/2015	LNAPL				Sampled Annually
MW-10	09/01/2015	LNAPL				Annual Event
MW-10	12/16/2015	LNAPL				Sampled Annually
MW-10	03/24/2016	LNAPL				Sampled Annually

APPENDIX A
HISTORICAL ANALYTICAL RESULTS
BTEX CONCENTRATIONS IN GROUNDWATER
HOBBS BOOSTER STATION
LEA COUNTY, NEW MEXICO

Location Identification	Sample Date	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Total Xylenes (mg/L)	Comments
NMWQCC Groundwater Standards (mg/L)		0.005	1.00	0.75	0.62	
MW-10	06/23/2016	NS	NS	NS	NS	Sampled Annually
MW-10	09/28/2016	LNAPL				Annual Event
MW-10	12/21/2016	LNAPL				Sampled Annually
MW-10	03/09/2017	LNAPL				Sampled Annually
MW-10	06/21/2017	LNAPL				Sampled Annually
MW-10	09/26/2017	LNAPL				Annual Event
MW-10	12/20/2017	LNAPL				Sampled Annually
MW-10	03/13/2018	LNAPL				Sampled Annually
MW-10	06/26/2018	LNAPL				Sampled Annually
MW-10	09/11/2018	LNAPL				Annual Event
MW-10	09/24/2019	LNAPL				Annual Event
MW-10	09/23/2020	NM				Passive Bailer in Well
MW-10	12/15/2020	NS	NS	NS	NS	Passive Bailer in Well
MW-10	03/23/2021	NS	NS	NS	NS	Passive Bailer in Well
MW-10	06/29/2021	NS	NS	NS	NS	Passive Bailer in Well
MW-10	09/20/2021	NS	NS	NS	NS	Passive Bailer in Well
MW-10	12/13/2021	Sampled Annually During Third Quarter				Passive Bailer in Well; LNAPL - 2.74'
MW-10	03/22/2022	Sampled Annually During Third Quarter				Passive Bailer in Well; LNAPL - 3.07'
MW-10	06/21/2022	Sampled Annually During Third Quarter				Passive Bailer in Well; LNAPL - 3.16'
MW-10	09/15/2022	LNAPL				Passive Bailer in Well; LNAPL - 3.28'
MW-10	12/05/2022	Sampled Annually - Historical LNAPL Present				Active Spill Buster
MW-12	02/27/2014	LNAPL				Sampled Annually
MW-12	06/03/2014	LNAPL				Sampled Annually
MW-12	09/22/2014	LNAPL				Annual Event
MW-12	12/03/2014	LNAPL				Sampled Annually
MW-12	02/25/2015	LNAPL				Sampled Annually
MW-12	06/03/2015	LNAPL				Sampled Annually
MW-12	09/01/2015	LNAPL				Annual Event
MW-12	12/16/2015	LNAPL				Sampled Annually
MW-12	03/24/2016	LNAPL				Sampled Annually
MW-12	06/23/2016	NS	NS	NS	NS	Sampled Annually
MW-12	12/21/2016	NS	NS	NS	NS	Sampled Annually
MW-12	03/09/2017	NS	NS	NS	NS	Sampled Annually
MW-12	06/21/2017	NS	NS	NS	NS	Sampled Annually
MW-12	09/26/2017	NS	NS	NS	NS	Spill Buster in Well
MW-12	09/11/2018	NS	NS	NS	NS	Spill Buster in Well
MW-12	09/24/2019	NS	NS	NS	NS	Spill Buster in Well
MW-12	09/23/2020	NS	NS	NS	NS	Spill Buster in Well
MW-12	12/15/2020	NS	NS	NS	NS	Spill Buster in Well
MW-12	03/23/2021	NS	NS	NS	NS	Spill Buster in Well
MW-12	06/29/2021	NS	NS	NS	NS	Spill Buster in Well
MW-12	09/20/2021	NS	NS	NS	NS	Spill Buster in Well
MW-12	12/13/2021	NS	NS	NS	NS	Spill Buster in Well
MW-12	03/22/2022	NS	NS	NS	NS	Spill Buster in Well
MW-12	06/21/2022	NS	NS	NS	NS	Spill Buster in Well
MW-12	09/15/2022	NS	NS	NS	NS	Spill buster in well; removed in 4Q22
MW-12	10/24/2022	NS	NS	NS	NS	Passive bailer; LNAPL - 0.65'
MW-12	12/05/2022	NS - LNAPL				LNAPL - 1.83'
MW-14	03/23/2005	0.085	<0.001	0.024	0.0043	
MW-14	06/08/2005	0.48	0.0041	0.073	0.013	
MW-14	09/14/2005	0.077	<0.002	0.0088	<2.0	
MW-14	12/13/2005	0.045	<0.002	0.0099	0.003	
MW-14	03/28/2006	0.022	<0.002	0.0068	0.0026	
MW-14	06/21/2006	0.014	0.00095	0.005	0.0042	
MW-14	09/27/2006	0.18	0.014	0.015	0.026	
MW-14	12/20/2006	0.5	0.0204	0.029	0.059	
MW-14	03/29/2007	0.881	0.0115	0.0368	0.0809	
MW-14	06/27/2007	1.11	0.01	0.0421	0.104	
MW-14	09/06/2007	0.603	0.00088	0.0194	0.0243	
MW-14	11/28/2007	0.431	<0.0027	0.0155	0.0075	

APPENDIX A
HISTORICAL ANALYTICAL RESULTS
BTEX CONCENTRATIONS IN GROUNDWATER
HOBBS BOOSTER STATION
LEA COUNTY, NEW MEXICO

Location Identification	Sample Date	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Total Xylenes (mg/L)	Comments
NMWQCC Groundwater Standards (mg/L)		0.005	1.00	0.75	0.62	
MW-14	03/06/2008	0.627	0.0445	0.0372	0.0228	
MW-14	12/02/2008	0.38	<0.002	0.0172	<0.0014	
MW-14	03/09/2009	0.341	<0.002	0.017	<0.0014	
MW-14	05/26/2009	0.285	<0.01	0.0104	<0.0068	
MW-14	09/21/2009	0.205	<0.002	0.008	<0.0017	
MW-14	12/20/2009	0.165	<0.002	0.0037	<0.0017	
MW-14	03/09/2010	<0.40	<0.002	<1.0	-	
MW-14	06/14/2010	0.081	<0.002	0.0017	-	
MW-14	09/14/2010	0.11	<0.002	0.0024	-	
MW-14	12/07/2010	0.118	<0.002	0.002	-	
MW-14	03/29/2011	0.0901	0.0041	<0.002	<0.002	
MW-14	06/21/2011	0.187	<0.0010	0.0043	<0.0020	
MW-14	09/15/2011	0.15	<0.002	0.0024	<0.004	
MW-14	12/06/2011	0.0787	<0.002	0.0017	<0.004	Duplicate sample collected
MW-14	03/09/2012	0.0523	<0.002	0.00066	<0.004	
MW-14	06/06/2012	0.0335	<0.002	0.00064	<0.003	
MW-14	09/06/2012	0.105	<0.002	0.0012	<0.003	
MW-14	12/05/2012	0.129	<0.002	0.00081	<0.003	
MW-14	02/19/2013	0.0603	<0.002	0.00084	<0.003	
MW-14	06/03/2013	0.0461	<0.002	0.0012	<0.003	Duplicate sample collected
MW-14	09/10/2013	0.0959	<0.002	0.0016	<0.003	Duplicate A sample collected
MW-14	12/02/2013	0.0636	<0.002	0.0011	<0.003	Duplicate A sample collected
MW-14	02/27/2014	0.105	<0.002	0.0012 J	0.0021 J	Duplicate sample collected
MW-14 - Duplicate	02/27/2014	0.117	<0.002	0.0012 J	0.0022 J	
MW-14	06/03/2014	0.0265	<0.002	0.00084 J	<0.003	Duplicate sample collected
MW-14 - Duplicate	06/03/2014	0.0209	<0.002	0.00058 J	<0.003	
MW-14	09/23/2014	0.1	<0.001	0.00066 J	0.0026	Duplicate A Sample Collected
MW-14 (Duplicate)	09/23/2014	0.0673	<0.001	0.00064 J	0.0017	
MW-14	12/03/2014	0.0186	<0.001	<0.001	<0.003	Duplicate Sample Collected
MW-14 (Duplicate)	12/03/2014	0.0216	<0.001	0.00034 J	0.00081 J	
MW-14	02/25/2015	0.046	<0.005	<0.005	<0.015	Duplicate Sample Collected
MW-14 (Duplicate)	02/25/2015	0.046	<0.005	<0.005	<0.015	
MW-14	06/03/2015	0.0077	<0.001	<0.001	<0.003	Duplicate Sample Collected
MW-14 (Duplicate)	06/03/2015	0.061	<0.001	<0.001	0.0047	
MW-14	09/01/2015	0.031	<0.001	<0.001	<0.003	Duplicate Sample Collected
MW-14 (Duplicate)	09/01/2015	0.062	<0.001	<0.001	<0.003	
MW-14	12/16/2015	0.12	<0.001	<0.001	<0.003	Duplicate Sample Collected
MW-14 (Duplicate)	12/16/2015	0.056	<0.001	<0.001	<0.003	
MW-14	03/23/2016	0.01	<0.0010	<0.0010	<0.0030	Duplicate sample collected
MW-14 (Duplicate)	03/23/2016	0.06	<0.0010	<0.0010	<0.0030	
MW-14	06/23/2016	0.01	<0.0010	<0.0010	<0.0030	Duplicate Sample Collected
MW-14 (Duplicate)	06/23/2016	0.017	<0.0010	<0.0010	<0.0030	
MW-14	09/29/2016	0.031	<0.0010	<0.0010	<0.0030	Duplicate Sample Collected
MW-14 (Duplicate)	09/29/2016	0.037	<0.0010	<0.0010	<0.0030	
MW-14	12/21/2016	0.047	<0.0010	<0.0010	<0.0030	Duplicate Sample Collected
MW-14 (Duplicate)	12/21/2016	0.015	<0.0010	<0.0010	<0.0010	
MW-14	03/09/2017	0.013	<0.0010	<0.0010	<0.0010	Duplicate Sample Collected
MW-14 (Duplicate)	03/09/2017	0.027	<0.0010	<0.0010	<0.0010	
MW-14	06/21/2017	0.11	<0.0010	0.0023	0.0016	Duplicate Sample Collected
MW-14 (Duplicate)	06/21/2017	0.14	<0.0010	0.0018	0.0018	
MW-14	09/26/2017	0.35	<0.0010	0.00237	0.00418	Duplicate sample collected
MW-14 (Duplicate)	09/26/2017	0.339	<0.0010	0.00265	0.00448	
MW-14	12/20/2017	0.127	<0.005	<0.005	<0.015	Duplicate sample collected
MW-14 (Duplicate)	12/20/2017	0.138	<0.001	0.000411 J	<0.0030	
MW-14	03/13/2018	0.0413	<0.0010	<0.0010	<0.0030	Duplicate sample collected
MW-14 (Duplicate)	03/13/2018	0.0396	<0.0010	<0.0010	<0.0030	
MW-14	06/27/2018	0.0506	<0.0010	<0.0010	<0.0030	Duplicate sample collected
MW-14 (Duplicate)	06/27/2018	0.0356	<0.0010	<0.0010	<0.0030	
MW-14	09/11/2018	0.0543	<0.0010	0.000764 J	0.00204 J	Duplicate sample collected
MW-14 (Duplicate)	09/11/2018	0.0593	<0.0010	0.000654 J	0.00182 J	

APPENDIX A
HISTORICAL ANALYTICAL RESULTS
BTEX CONCENTRATIONS IN GROUNDWATER
HOBBS BOOSTER STATION
LEA COUNTY, NEW MEXICO

Location Identification	Sample Date	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Total Xylenes (mg/L)	Comments
NMWQCC Groundwater Standards (mg/L)		0.005	1.00	0.75	0.62	
MW-14	12/27/2018	0.115	<0.0010	0.00142	0.00730	Duplicate sample collected
MW-14 (Duplicate)	12/27/2018	0.120	<0.0010	0.00150	0.00785	
MW-14	03/15/2019	0.148	<0.0010	0.00039 J	0.00174 J	Duplicate sample collected
MW-14 (Duplicate)	03/15/2019	0.119	<0.0010	<0.0010	0.00159 J	
MW-14	06/06/2019	0.142	0.000465 J	<0.0010	0.00197 J	Duplicate sample collected
MW-14 (Duplicate)	06/06/2019	0.138	<0.0010	<0.0010	0.00158 J	
MW-14	09/25/2019	0.173	<0.0010	<0.0010	<0.0030	Duplicate A sample collected
MW-14 (Duplicate)	09/25/2019	0.170	<0.0010	0.000401 J	<0.0030	
MW-14	12/16/2019	0.0851	<0.0010	<0.0010	<0.0030	Duplicate sample collected
MW-14 (Duplicate)	12/16/2019	0.170	<0.0010	0.000401 J	<0.0030	
MW-14	06/16/2020	0.0398	<0.0010	<0.0010	0.000367 J	Duplicate sample collected
MW-14 (Duplicate)	06/16/2020	0.0395	<0.0010	<0.0010	0.000351 J	
MW-14	09/23/2020	0.00803	<0.00100	<0.00100	0.000205 J	Duplicate A sample collected
MW-14 (Duplicate)	09/23/2020	0.0075	<0.00100	<0.00100	<0.00300	
MW-14	12/15/2020	0.0120	<0.00100	<0.00100	0.000458 J	Duplicate A sample collected
MW-14 (Duplicate)	12/15/2020	0.0128	<0.00100	<0.00100	0.000470 J	
MW-14	03/23/2021	0.0111	<0.00100	<0.00100	0.000379 J	Duplicate A sample collected
MW-14 (Duplicate)	03/23/2021	0.0117	<0.00100	<0.00100	0.000328 J	
MW-14	06/30/2021	0.00109	<0.00100	<0.00100	<0.00300	Duplicate A sample collected
MW-14 (Duplicate)	06/30/2021	0.000929 J	<0.00100	<0.00100	0.000328 J	
MW-14	09/21/2021	<0.00100	<0.00100	<0.00100	<0.00300	Duplicate A sample collected
MW-14 (Duplicate)	09/21/2021	<0.00100	<0.00100	<0.00100	<0.00300	
MW-14	12/14/2021	<0.00100	<0.00100	<0.00100	<0.00300	Duplicate B sample collected
MW-14 (Duplicate)	12/14/2021	<0.00100	<0.00100	<0.00100	<0.00300	
MW-14	03/22/2022	<0.00100	<0.00100	<0.00100	<0.00300	Duplicate A sample collected
MW-14 (Duplicate)	03/22/2022	<0.00100	<0.00100	<0.00100	<0.00300	
MW-14	06/21/2022	0.000541 J	<0.00100	<0.00100	<0.00300	Duplicate A sample collected
MW-14 (Duplicate)	06/21/2022	0.000464 J	<0.00100	<0.00100	<0.00300	
MW-14	09/15/2022	0.00214	<0.00100	<0.00100	<0.00300	Duplicate A sample collected
MW-14 (Duplicate)	09/15/2022	0.000270 J	<0.00100	<0.00100	<0.00300	
MW-14	12/06/2022	0.00238	<0.00100	<0.00100	<0.00300	Duplicate A Sample Collected
MW-14 (Duplicate A)	12/06/2022	0.00233	<0.00100	<0.00100	<0.00300	
MW-15	03/23/2005	<0.001	<0.002	<0.002	<0.006	
MW-15	06/08/2005	<0.001	<0.002	0.0034	<0.006	
MW-15	09/14/2005	<0.002	<0.002	0.0022	<0.006	
MW-15	12/13/2005	<0.002	<0.002	<0.002	<0.006	
MW-15	03/28/2006	<0.002	<0.002	0.0049	<0.006	
MW-15	06/21/2006	<0.002	<0.002	0.02	<0.006	
MW-15	09/27/2006	0.002	<0.002	<0.002	<0.006	
MW-15	12/20/2006	<0.002	<0.002	<0.002	<0.006	
MW-15	03/29/2007	0.0012	<0.002	0.0045	<0.006	
MW-15	06/27/2007	0.00042	<0.002	0.0014	<0.006	
MW-15	09/06/2007	<0.002	<0.002	<0.002	<0.006	
MW-15	11/28/2007	<0.0012	<0.002	<0.002	<0.006	
MW-15	03/06/2008	<0.002	<0.002	<0.002	<0.006	
MW-15	12/02/2008	<0.002	<0.002	<0.002	<0.006	
MW-15	03/09/2009	<0.002	<0.002	<0.002	<0.006	
MW-15	05/26/2009	0.0024	<0.002	0.0413	<0.006	
MW-15	09/21/2009	0.0033	<0.002	0.0501	<0.006	
MW-15	12/20/2009	0.00093	<0.002	0.0137	<0.006	
MW-15	03/09/2010	0.0041	<0.002	0.099	-	
MW-15	06/14/2010	0.0055	<0.002	0.16	-	
MW-15	09/14/2010	0.00075	<0.002	0.0015	-	
MW-15	12/07/2010	<0.001	<0.002	0.0011	-	
MW-15	03/29/2011	<0.001	<0.002	0.0039	<0.002	
MW-15	06/21/2011	0.0048	<0.002	0.0124	<0.004	
MW-15	09/15/2011	0.0054	<0.002	0.0124	<0.004	
MW-15	12/06/2011	0.0053	<0.002	0.0106	<0.004	
MW-15	03/09/2012	0.0059	<0.002	0.0097	<0.004	Duplicate-1 sample collected
MW-15	06/06/2012	0.0041	<0.002	<0.002	<0.003	Duplicate sample collected

APPENDIX A
HISTORICAL ANALYTICAL RESULTS
BTEX CONCENTRATIONS IN GROUNDWATER
HOBBS BOOSTER STATION
LEA COUNTY, NEW MEXICO

Location Identification	Sample Date	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Total Xylenes (mg/L)	Comments
NMWQCC Groundwater Standards (mg/L)		0.005	1.00	0.75	0.62	
MW-15	09/06/2012	0.0033	<0.002	<0.002	<0.003	Duplicate-1 sample collected
MW-15	12/05/2012	0.0027	<0.002	<0.002	<0.003	Duplicate sample collected
MW-15	02/19/2013	0.002	<0.002	<0.002	<0.003	Duplicate A sample collected
MW-15	06/03/2013	0.0019	<0.002	<0.002	<0.003	
MW-15	09/10/2013	0.0022	<0.002	<0.002	<0.003	
MW-15	12/02/2013	0.0017	<0.002	<0.002	<0.003	
MW-15	02/27/2014	0.0021	<0.002	<0.002	<0.003	
MW-15	06/03/2014	0.0019	<0.002	<0.002	<0.003	
MW-15	09/22/2014	0.0027	<0.001	<0.001	<0.001	
MW-15	12/03/2014	0.0018	0.00031J	<0.001	<0.003	
MW-15	02/25/2015	0.0015	<0.001	0.0021	<0.003	
MW-15	06/03/2015	<0.001	<0.001	<0.001	<0.003	
MW-15	09/01/2015	<0.001	<0.001	<0.001	<0.003	
MW-15	12/16/2015	<0.001	<0.001	<0.001	<0.003	
MW-15	03/23/2016	0.001	<0.0010	<0.0010	<0.0030	
MW-15	06/23/2016	0.0011	<0.0010	<0.0010	<0.0030	
MW-15	09/29/2016	<0.0010	<0.0010	<0.0010	<0.0030	
MW-15 (Duplicate)	09/29/2016	<0.0010	<0.0010	<0.0010	<0.0030	Duplicate sample collected
MW-15	12/21/2016	<0.0010	<0.0010	<0.0010	<0.0010	
MW-15	03/09/2017	<0.0010	<0.0010	0.0018	<0.0010	
MW-15	06/21/2017	<0.0010	<0.0010	<0.0010	<0.0010	
MW-15	09/26/2017	<0.0010	<0.0010	<0.0010	<0.0030	
MW-15	12/20/2017	0.000362 J	<0.0010	<0.0010	<0.0030	
MW-15	03/13/2018	<0.0010	<0.0010	<0.0010	<0.0030	
MW-15	06/27/2018	<0.0010	<0.0010	<0.0010	<0.0030	
MW-15	09/11/2018	<0.0010	<0.0010	<0.0010	<0.0030	
MW-15	12/27/2018	<0.0010	<0.0010	<0.0010	<0.0030	
MW-15	03/14/2019	<0.0010	<0.0010	<0.0010	<0.0030	
MW-15	06/06/2019	<0.0010	<0.0010	<0.0010	<0.0030	
MW-15	09/24/2019	<0.0010	<0.0010	<0.0010	<0.0030	
MW-15	12/16/2019	<0.0010	<0.0010	<0.0010	<0.0030	
MW-15	06/16/2020	<0.0010	<0.0010	<0.0010	<0.0030	
MW-15	09/23/2020	<0.00100	<0.00100	<0.00100	<0.00300	
MW-15	12/15/2020	<0.00100	<0.00100	<0.00100	<0.00300	
MW-15	03/23/2021	<0.00100	<0.00100	<0.00100	<0.00300	
MW-15	06/29/2021	<0.00100	<0.00100	<0.00100	<0.00300	
MW-15	09/21/2021	<0.00100	<0.00100	<0.00100	<0.00300	
MW-15	12/14/2021	<0.00100	<0.00100	<0.00100	<0.00300	
MW-15	03/22/2022	<0.00100	<0.00100	<0.00100	<0.00300	
MW-15	06/21/2022	<0.00100	<0.00100	<0.00100	<0.00300	
MW-15	09/15/2022	<0.00100	<0.00100	<0.00100	<0.00300	
MW-15	12/06/2022	<0.00100	<0.00100	<0.00100	<0.00300	
MW-16	03/23/2005	<0.001	<0.002	<0.002	<0.006	
MW-16	06/08/2005	<0.001	<0.002	<0.002	<0.006	
MW-16	09/14/2005	<0.002	<0.002	<0.002	<0.006	
MW-16	12/13/2005	<0.002	<0.002	<0.002	<0.006	
MW-16	03/28/2006	<0.002	<0.002	<0.002	<0.006	
MW-16	06/21/2006	<0.002	<0.002	<0.002	<0.006	
MW-16	09/27/2006	<0.002	<0.002	<0.002	<0.006	
MW-16	12/20/2006	<0.002	<0.002	<0.002	<0.006	
MW-16	03/29/2007	0.00043	<0.002	<0.002	<0.006	
MW-16	06/27/2007	<0.002	<0.002	<0.002	<0.006	
MW-16	09/06/2007	<0.002	<0.002	<0.002	<0.006	
MW-16	11/28/2007	<0.0012	<0.002	<0.002	<0.006	
MW-16	03/06/2008	<0.002	<0.002	<0.002	<0.006	
MW-16	12/02/2008	<0.002	<0.002	<0.002	<0.006	
MW-16	03/09/2009	<0.002	<0.002	<0.002	<0.006	
MW-16	05/26/2009	<0.002	<0.002	<0.002	<0.006	
MW-16	09/21/2009	<0.002	<0.002	<0.002	<0.006	
MW-16	12/20/2009	<0.002	<0.002	<0.002	<0.006	

APPENDIX A
HISTORICAL ANALYTICAL RESULTS
BTEX CONCENTRATIONS IN GROUNDWATER
HOBBS BOOSTER STATION
LEA COUNTY, NEW MEXICO

Location Identification	Sample Date	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Total Xylenes (mg/L)	Comments
NMWQCC Groundwater Standards (mg/L)		0.005	1.00	0.75	0.62	
MW-16	03/09/2010	<0.001	<0.002	0.0028	-	
MW-16	06/14/2010	<0.001	<0.002	<0.30	-	
MW-16	09/14/2010	<0.001	<0.002	<0.00030	-	
MW-16	12/07/2010	<0.001	<0.002	<0.00030	-	
MW-16	03/29/2011	<0.001	<0.002	<0.002	<0.002	
MW-16	06/21/2011	<0.001	<0.002	<0.002	<0.004	
MW-16	09/15/2011	<0.001	<0.002	<0.002	<0.004	
MW-16	12/06/2011	<0.001	<0.002	<0.002	<0.004	
MW-16	03/09/2012	<0.001	<0.002	<0.002	<0.004	
MW-16	06/06/2012	<0.001	<0.002	<0.002	<0.003	
MW-16	09/06/2012	<0.001	<0.002	<0.002	<0.003	
MW-16	12/05/2012	<0.001	<0.002	<0.002	<0.003	
MW-16	02/19/2013	<0.001	<0.002	<0.002	<0.003	
MW-16	06/03/2013	<0.001	<0.002	<0.002	<0.003	
MW-16	09/10/2013	<0.001	<0.002	<0.002	<0.003	
MW-16	12/02/2013	<0.001	<0.002	<0.002	<0.003	
MW-16	02/27/2014	<0.001	<0.002	<0.002	<0.003	
MW-16	06/03/2014	<0.001	<0.002	<0.002	<0.003	
MW-16	09/23/2014	<0.001	<0.001	<0.001	<0.001	MS/MSD Collected
MW-16	12/03/2014	<0.001	<0.001	<0.001	<0.003	MS/MSD Collected
MW-16	02/25/2015	<0.001	<0.001	<0.001	<0.003	
MW-16	06/03/2015	<0.001	<0.001	<0.001	<0.003	
MW-16	09/01/2015	<0.001	<0.001	<0.001	<0.003	
MW-16	12/16/2015	<0.001	<0.001	<0.001	<0.003	
MW-16	03/23/2016	<0.0010	<0.0010	<0.0010	<0.0030	
MW-16	06/23/2016	<0.0010	<0.0010	<0.0010	<0.0030	
MW-16	09/29/2016	<0.0010	<0.0010	<0.0010	<0.0030	
MW-16	12/21/2016	<0.0010	<0.0010	<0.0010	<0.0010	
MW-16	03/09/2017	<0.0010	<0.0010	<0.0010	<0.0010	
MW-16	06/21/2017	<0.0010	<0.0010	<0.0010	<0.0010	
MW-16	09/26/2017	<0.0010	<0.0010	<0.0010	<0.0030	
MW-16	12/20/2017	<0.0010	<0.0010	<0.0010	<0.0030	
MW-16	03/13/2018	<0.0010	<0.0010	<0.0010	<0.0030	
MW-16	06/27/2018	<0.0010	<0.0010	<0.0010	<0.0030	
MW-16	09/11/2018	<0.0010	<0.0010	<0.0010	<0.0030	
MW-16	12/27/2018	<0.0010	<0.0010	<0.0010	<0.0030	
MW-16	03/15/2019	<0.0010	<0.0010	<0.0010	<0.0030	
MW-16	06/06/2019	<0.0010	<0.0010	<0.0010	<0.0030	
MW-16	09/24/2019	<0.0010	<0.0010	<0.0010	<0.0030	
MW-16	12/16/2019	<0.0010	<0.0010	<0.0010	<0.0030	
MW-16	06/16/2020	<0.0010	<0.0010	<0.0010	<0.0030	
MW-16	09/23/2020	<0.00100	<0.00100	<0.00100	<0.00300	
MW-16	12/15/2020	<0.00100	<0.00100	<0.00100	<0.00300	
MW-16	03/23/2021	<0.00100	<0.00100	<0.00100	<0.00300	
MW-16	06/29/2021	<0.00100	<0.00100	<0.00100	<0.00300	
MW-16	09/21/2021	<0.00100	<0.00100	<0.00100	<0.00300	
MW-16	12/14/2021	<0.00100	<0.00100	<0.00100	<0.00300	
MW-16	03/22/2022	<0.00100	<0.00100	<0.00100	<0.00300	
MW-16	06/21/2022	<0.00100	<0.00100	<0.00100	<0.00300	
MW-16	09/15/2022	<0.00100	<0.00100	<0.00100	<0.00300	
MW-16	12/06/2022	<0.00100	<0.00100	<0.00100	<0.00300	
MW-17	02/27/2014	LNAPL				Sampled Annually
MW-17	06/03/2014	LNAPL				Sampled Annually
MW-17	09/24/2014	LNAPL				Annual Event
MW-17	12/03/2014	LNAPL				Sampled Annually
MW-17	06/03/2015	LNAPL				Sampled Annually
MW-17	09/01/2015	LNAPL				Annual Event
MW-17	12/16/2015	LNAPL				Sampled Annually
MW-17	03/24/2016	LNAPL				Sampled Annually
MW-17	06/23/2016	LNAPL				Sampled Annually

APPENDIX A
HISTORICAL ANALYTICAL RESULTS
BTEX CONCENTRATIONS IN GROUNDWATER
HOBBS BOOSTER STATION
LEA COUNTY, NEW MEXICO

Location Identification	Sample Date	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Total Xylenes (mg/L)	Comments
NMWQCC Groundwater Standards (mg/L)		0.005	1.00	0.75	0.62	
MW-17	09/28/2016	LNAPL				Annual Event
MW-17	12/21/2016	LNAPL				Sampled Annually
MW-17	03/09/2017	LNAPL				Sampled Annually
MW-17	06/21/2017	LNAPL				Sampled Annually
MW-17	09/26/2017	LNAPL				Annual Event
MW-17	12/20/2017	LNAPL				Sampled Annually
MW-17	03/13/2018	LNAPL				Sampled Annually
MW-17	06/26/2018	LNAPL				Sampled Annually
MW-17	09/11/2018	LNAPL				Annual Event
MW-17	09/24/2019	LNAPL				Annual Event
MW-17	09/23/2020	Not Measured				Passive Bailer in Well
MW-17	12/15/2020	Not Measured				Passive Bailer in Well
MW-17	03/23/2021	Sampled Annually During Third Quarter				Passive Bailer in Well
MW-17	06/29/2021	Sampled Annually During Third Quarter				Passive Bailer in Well
MW-17	09/20/2021	Not Sampled - LNAPL				Passive Bailer in Well
MW-17	12/14/2021	Sampled Annually During Third Quarter				Passive Bailer in Well; LNAPL - 0.15'
MW-17	03/22/2022	Sampled Annually During Third Quarter				Passive Bailer in Well; No LNAPL
MW-17	06/21/2022	Sampled Annually During Third Quarter				Passive Bailer in Well; No LNAPL
MW-17	09/15/2022	0.00562	<0.00100	0.00881	0.00184 J	Annual Event; Passive Bailer in Well
MW-17	12/05/2022	Sampled Annually During Third Quarter				Passive Bailer in Well
MW-18	06/21/2006	0.013	0.0017	0.031	0.023	
MW-18	06/27/2007	0.0214	0.0016	0.0475	0.0178	
MW-18	12/02/2008	0.0216	<0.002	0.0221	0.0183	
MW-18	09/21/2009	0.0445	<0.002	0.0297	0.0264	
MW-18	02/27/2014	LNAPL				Sampled Annually
MW-18	06/03/2014	LNAPL				Sampled Annually
MW-18	09/24/2014	LNAPL				Annual Event
MW-18	12/03/2014	LNAPL				Sampled Annually
MW-18	06/03/2015	LNAPL				Sampled Annually
MW-18	09/01/2015	LNAPL				Annual Event
MW-18	12/16/2015	LNAPL				Sampled Annually
MW-18	03/24/2016	NS	NS	NS	NS	Sampled Annually
MW-18	06/23/2016	NS	NS	NS	NS	Sampled Annually
MW-18	09/28/2016	LNAPL				Annual Event
MW-18	12/21/2016	LNAPL				Sampled Annually
MW-18	03/09/2017	LNAPL				Sampled Annually
MW-18	06/21/2017	LNAPL				Sampled Annually
MW-18	09/26/2017	LNAPL				Annual Event
MW-18	12/20/2017	NS	NS	NS	NS	Sampled Annually
MW-18	03/13/2018	NS	NS	NS	NS	Sampled Annually
MW-18	06/26/2018	NS	NS	NS	NS	Sampled Annually
MW-18	09/11/2018	0.0110	<0.0010	0.000602 J	<0.0030	Annual Event
MW-18	09/25/2019	0.0217	<0.0010	<0.0010	<0.0030	Annual Event
MW-18	09/23/2020	0.0196	<0.00100	<0.00100	<0.00300	Annual Event
MW-18	12/15/2020	Sampled Annually During Third Quarter				
MW-18	03/23/2021	Sampled Annually During Third Quarter				
MW-18	06/29/2021	Sampled Annually During Third Quarter				
MW-18	09/21/2021	0.00294	<0.00100	<0.00100	<0.00300	Annual Event
MW-18	12/14/2021	Sampled Annually During Third Quarter				
MW-18	03/22/2022	Sampled Annually During Third Quarter				
MW-18	06/21/2022	Sampled Annually During Third Quarter				
MW-18	09/15/2022	0.0159	<0.00100	0.00341	0.000181 J	Annual Event
MW-18	12/05/2022	Sampled Annually During Third Quarter				
MW-19	03/23/2005	0.0019	<0.002	<0.002	<0.006	
MW-19	06/08/2005	0.0012	0.072	<0.002	<0.006	
MW-19	09/14/2005	<0.002	<0.002	<0.002	<0.006	
MW-19	12/13/2005	<0.002	<0.002	<0.002	<0.006	
MW-19	03/28/2006	<0.002	<0.002	<0.002	<0.006	
MW-19	06/21/2006	<0.002	<0.002	<0.002	<0.006	
MW-19	12/20/2006	0.0007	<0.002	<0.002	<0.006	

APPENDIX A
HISTORICAL ANALYTICAL RESULTS
BTEX CONCENTRATIONS IN GROUNDWATER
HOBBS BOOSTER STATION
LEA COUNTY, NEW MEXICO

Location Identification	Sample Date	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Total Xylenes (mg/L)	Comments
NMWQCC Groundwater Standards (mg/L)		0.005	1.00	0.75	0.62	
MW-19	03/29/2007	0.00075	<0.002	<0.002	<0.006	
MW-19	06/27/2007	0.00071	<0.002	<0.002	<0.006	
MW-19	09/06/2007	0.00053	<0.002	<0.002	<0.006	
MW-19	11/28/2007	0.00054	<0.002	<0.002	<0.006	
MW-19	03/06/2008	0.00054	<0.002	<0.002	<0.006	
MW-19	12/02/2008	<0.002	<0.002	<0.002	<0.006	
MW-19	03/09/2009	<0.002	<0.002	<0.002	<0.006	
MW-19	05/26/2009	<0.002	<0.002	<0.002	<0.006	
MW-19	09/21/2009	<0.002	<0.002	<0.002	<0.006	
MW-19	12/20/2009	<0.002	<0.002	<0.002	<0.006	
MW-19	03/09/2010	0.0009	<0.002	<1.0	-	
MW-19	06/14/2010	0.00051	<0.002	<0.30	-	
MW-19	09/14/2010	0.00036	<0.002	<0.002	-	
MW-19	12/07/2010	<0.001	<0.002	0.00068	-	
MW-19	03/29/2011	<0.001	<0.002	<0.002	<0.002	
MW-19	06/21/2011	<0.001	<0.002	<0.002	<0.004	
MW-19	09/15/2011	<0.001	<0.002	<0.002	<0.004	
MW-19	12/06/2011	<0.001	<0.002	<0.002	<0.004	
MW-19	03/09/2012	<0.001	<0.002	<0.002	<0.004	
MW-19	06/06/2012	<0.001	<0.002	<0.002	<0.003	
MW-19	09/06/2012	<0.001	<0.002	<0.002	<0.003	
MW-19	12/05/2012	<0.001	<0.002	<0.002	<0.003	
MW-19	02/19/2013	<0.001	<0.002	<0.002	<0.003	
MW-19	06/03/2013	<0.001	<0.002	<0.002	<0.003	
MW-19	09/10/2013	<0.001	<0.002	<0.002	<0.003	
MW-19	12/02/2013	<0.001	<0.002	<0.002	<0.003	
MW-19	02/27/2014	<0.001	<0.002	<0.002	<0.003	
MW-19	06/03/2014	<0.001	<0.002	<0.002	<0.003	
MW-19	09/23/2014	<0.001	<0.001	<0.001	<0.001	
MW-19	12/03/2014	<0.001	<0.001	<0.001	<0.003	
MW-19	02/25/2015	<0.001	<0.001	<0.001	<0.003	
MW-19	06/03/2015	<0.001	<0.001	<0.001	<0.003	
MW-19	09/01/2015	<0.001	<0.001	<0.001	<0.003	
MW-19	12/16/2015	<0.001	<0.001	<0.001	<0.003	
MW-19	03/23/2016	<0.0010	<0.0010	<0.0010	<0.0030	
MW-19	06/23/2016	<0.0010	<0.0010	<0.0010	<0.0030	
MW-19	09/29/2016	<0.0010	<0.0010	<0.0010	<0.0030	
MW-19	12/21/2016	<0.0010	<0.0010	<0.0010	<0.0010	
MW-19	03/09/2017	<0.0010	<0.0010	<0.0010	<0.0010	
MW-19	06/21/2017	<0.0010	<0.0010	<0.0010	<0.0010	
MW-19	09/26/2017	<0.0010	<0.0010	<0.0010	<0.0030	
MW-19	12/20/2017	<0.0010	<0.0010	<0.0010	<0.0030	
MW-19	03/13/2018	<0.0010	<0.0010	<0.0010	<0.0030	
MW-19	06/27/2018	<0.0010	<0.0010	<0.0010	<0.0030	
MW-19	09/11/2018	<0.0010	<0.0010	<0.0010	<0.0030	
MW-19	12/27/2018	<0.0010	<0.0010	<0.0010	<0.0030	
MW-19	03/15/2019	<0.0010	<0.0010	<0.0010	<0.0030	
MW-19	06/05/2019	<0.0010	<0.0010	<0.0010	<0.0030	
MW-19	09/25/2019	<0.0010	<0.0010	<0.0010	<0.0030	
MW-19	12/16/2019	<0.0010	<0.0010	<0.0010	<0.0030	
MW-19	06/17/2020	<0.0010	<0.0010	<0.0010	<0.0030	
MW-19	09/23/2020	<0.00100	<0.00100	<0.00100	<0.00300	
MW-19	12/15/2020	<0.00100	<0.00100	<0.00100	<0.00300	
MW-19	03/23/2021	<0.00100	<0.00100	<0.00100	<0.00300	
MW-19	06/29/2021	<0.00100	<0.00100	<0.00100	<0.00300	
MW-19	09/20/2021	<0.00100	<0.00100	<0.00100	<0.00300	
MW-19	12/14/2021	<0.00100	<0.00100	0.000207 J	<0.00300	
MW-19	03/22/2022	<0.00100	<0.00100	0.000372 J	<0.00300	
MW-19	06/21/2022	<0.00100	<0.00100	0.000173 J	<0.00300	
MW-19	09/15/2022	<0.00100	<0.00100	<0.00100	<0.00300	

APPENDIX A
HISTORICAL ANALYTICAL RESULTS
BTEX CONCENTRATIONS IN GROUNDWATER
HOBBS BOOSTER STATION
LEA COUNTY, NEW MEXICO

Location Identification	Sample Date	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Total Xylenes (mg/L)	Comments
NMWQCC Groundwater Standards (mg/L)		0.005	1.00	0.75	0.62	
MW-19	12/06/2022	0.00145	<0.00100	<0.00100	<0.00300	
MW-19S	09/27/2006	<0.23	<0.54	<0.48	<1.1	
MW-19S	Well Removed From Sampling Plan					
MW-19S	Well Removed From Sampling Plan					
MW-19D	03/23/2005	0.00073	<0.002	<0.002	<0.006	
MW-19D	06/08/2005	0.0011	0.0012	<0.002	<0.006	
MW-19D	09/14/2005	<0.002	<0.002	<0.002	<0.006	
MW-19D	12/13/2005	<0.002	<0.002	<0.002	<0.006	
MW-19D	03/28/2006	<0.002	<0.002	<0.002	<0.006	
MW-19D	06/21/2006	0.0011	<0.002	<0.002	<0.006	
MW-19D	09/27/2006	<0.002	<0.002	<0.002	<0.006	
MW-19D	12/20/2006	0.0018	<0.002	0.00074	<0.006	
MW-19D	03/29/2007	0.0007	<0.002	<0.002	<0.006	
MW-19D	06/27/2007	0.00074	<0.002	<0.002	<0.006	
MW-19D	09/06/2007	0.00072	<0.002	<0.002	<0.006	
MW-19D	11/28/2007	0.00093	<0.002	<0.002	<0.006	
MW-19D	03/06/2008	0.001	<0.002	<0.002	<0.006	
MW-19D	12/02/2008	0.0016	<0.002	<0.002	<0.006	
MW-19D	03/09/2009	<0.002	<0.002	<0.002	<0.006	
MW-19D	05/26/2009	0.00074	<0.002	<0.002	<0.006	
MW-19D	09/21/2009	0.0011	<0.002	<0.002	<0.006	
MW-19D	12/20/2009	0.0009	<0.002	<0.002	<0.006	
MW-19D	03/09/2010	0.0009	<0.002	<0.002	-	
MW-19D	06/14/2010	0.00037	<0.002	<0.002	-	
MW-19D	09/14/2010	0.00086	<0.002	<0.002	-	
MW-19D	12/07/2010	0.00085	<0.002	<0.002	-	
MW-19D	03/29/2011	<0.001	<0.002	<0.002	<0.002	
MW-19D	06/21/2011	.0006 J	<0.002	<0.002	<0.004	
MW-19D	09/15/2011	0.0014	<0.002	<0.002	<0.004	
MW-19D	12/06/2011	0.0015	<0.002	<0.002	<0.004	
MW-19D	03/09/2012	0.0015	<0.002	<0.002	<0.004	Duplicate-2 sample collected
MW-19D	06/06/2012	0.00079	<0.002	<0.002	<0.003	
MW-19D	09/06/2012	0.00072	<0.002	<0.002	<0.003	Duplicate-2 sample collected
MW-19D	12/05/2012	0.003	<0.002	0.00069	<0.003	
MW-19D	02/19/2013	0.0086	<0.002	0.0045	<0.003	Duplicate B sample collected
MW-19D	06/03/2013	0.00073	<0.002	0.0064	<0.003	
MW-19D	09/10/2013	0.00054	<0.002	0.00087	<0.003	Duplicate B sample collected
MW-19D	12/02/2013	0.00057	<0.002	<0.002	<0.003	
MW-19D	02/27/2014	0.00059 J	<0.002	<0.002	<0.003	
MW-19D	06/03/2014	0.0022	<0.002	<0.002	<0.003	
MW-19D	09/23/2014	0.0076	<0.001	0.0022	<0.001	
MW-19D	12/03/2014	0.0054	<0.001	0.0042	<0.003	
MW-19D	02/25/2015	<0.001	<0.001	0.0031	<0.003	
MW-19D	06/03/2015	<0.001	<0.001	<0.001	<0.003	
MW-19D	09/01/2015	<0.001	<0.001	<0.001	<0.003	
MW-19D	12/16/2015	0.0065	<0.001	<0.001	<0.003	
MW-19D	03/23/2016	0.013	<0.0010	0.0057	<0.0030	
MW-19D	06/23/2016	0.048	<0.0010	0.0096	<0.0030	
MW-19D	09/29/2016	0.046	<0.0050	0.016	<0.015	
MW-19D	12/21/2016	0.11	<0.0010	0.0036	<0.0010	
MW-19D	03/09/2017	0.09	<0.0010	0.0036	<0.0010	
MW-19D	06/21/2017	0.19	<0.0010	0.024	0.0013	
MW-19D	09/26/2017	0.23	<0.0010	0.0619	<0.0030	
MW-19D	12/20/2017	0.309	<0.0050	0.0981	<0.0150	
MW-19D	03/13/2018	0.445	<0.0050	0.0712	<0.0150	
MW-19D	06/27/2018	0.318	<0.0050	0.0623	<0.0150	
MW-19D	09/11/2018	0.299	<0.0050	0.0582	<0.0150	
MW-19D	12/27/2018	0.167	<0.0010	0.0436	<0.0030	
MW-19D	03/15/2019	0.0788	<0.0010	0.0254	<0.0030	

APPENDIX A
HISTORICAL ANALYTICAL RESULTS
BTEX CONCENTRATIONS IN GROUNDWATER
HOBBS BOOSTER STATION
LEA COUNTY, NEW MEXICO

Location Identification	Sample Date	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Total Xylenes (mg/L)	Comments
NMWQCC Groundwater Standards (mg/L)		0.005	1.00	0.75	0.62	
MW-19D	06/05/2019	0.0792	<0.0010	0.0198	<0.0030	
MW-19D	09/25/2019	0.732	0.00623	0.105	0.00659 J	
MW-19D (Duplicate)	09/25/2019	0.156	<0.0010	0.0239	<0.0030	Duplicate B sample collected
MW-19D	12/16/2019	0.0129	<0.0010	0.00759	<0.0030	
MW-19D	06/17/2020	0.00318	<0.0010	0.00169	0.000256 J	
MW-19D	09/23/2020	0.302	<0.00100	0.0441	0.000924 J	Duplicate B sample collected
MW-19D (Duplicate)	09/23/2020	0.282	<0.00100	0.0442	0.000849 J	
MW-19D	12/15/2020	0.316	<0.00100	0.0466	0.000605 J	
MW-19D	03/23/2021	0.539	<0.0100	0.112	0.00237 J	
MW-19D (Duplicate)	03/23/2021	0.542	<0.0100	0.112	<0.0300	Duplicate B sample collected
MW-19D	06/30/2021	0.514	<0.0100	0.123	0.00237 J	
MW-19D (Duplicate)	06/30/2021	0.609	<0.0100	0.0970 J	<0.0300	Duplicate B sample collected
MW-19D	09/21/2021	0.673	<0.00500	0.133	0.00221 J	Duplicate B sample collected
MW-19D (Duplicate)	09/21/2021	0.673	<0.00500	0.151	0.00251 J	
MW-19D	12/14/2021	0.545	<0.0250	0.140	<0.0750	Duplicate A sample collected
MW-19D (Duplicate)	12/14/2021	0.442	<0.001	0.143	0.00474	
MW-19D	03/22/2022	0.386	<0.0250	0.0964	0.00676 J	Duplicate B sample collected
MW-19D (Duplicate)	03/22/2022	0.455	0.000282 J	0.125	0.00904	
MW-19D	06/21/2022	0.201	<0.0250	0.0513	<0.0750	Duplicate B sample collected
MW-19D (Duplicate)	06/21/2022	0.222	<0.00100	0.0593	0.00167 J	
MW-19D	09/15/2022	0.0808	<0.00100	0.0314	0.0036	Duplicate B sample collected
MW-19D (Duplicate)	09/15/2022	0.0952	<0.00100	0.0429	0.00443	
MW-19D	12/06/2022	0.0761	<0.00100	0.0242	0.00380	Duplicate B Sample Collected
MW-19D Duplicate B)	12/06/2022	0.0779	<0.00100	0.0255	0.00399	
MW-20	03/23/2005	<0.001	<0.002	<0.002	<0.006	
MW-20	06/08/2005	<0.001	<0.002	<0.002	<0.006	
MW-20	09/14/2005	<0.002	<0.002	<0.002	<0.006	
MW-20	12/13/2005	<0.002	<0.002	<0.002	<0.006	
MW-20	03/28/2006	<0.002	<0.002	<0.002	<0.006	
MW-20	06/21/2006	<0.002	<0.002	<0.002	<0.006	
MW-20	09/27/2006	<0.002	<0.002	<0.002	<0.006	
MW-20	12/20/2006	0.00028	<0.002	<0.002	<0.006	
MW-20	03/29/2007	<0.002	<0.002	<0.002	<0.006	
MW-20	06/27/2007	<0.002	<0.002	<0.002	<0.006	
MW-20	09/06/2007	<0.002	<0.002	<0.002	<0.006	
MW-20	11/28/2007	<0.002	<0.002	<0.002	<0.006	
MW-20	03/06/2008	<0.002	<0.002	<0.002	<0.006	
MW-20	12/02/2008	<0.002	<0.002	<0.002	<0.006	
MW-20	03/09/2009	<0.002	<0.002	<0.002	<0.006	
MW-20	05/26/2009	<0.002	<0.002	<0.002	<0.006	
MW-20	09/21/2009	<0.002	<0.002	<0.002	<0.006	
MW-20	12/20/2009	<0.002	<0.002	<0.002	<0.006	
MW-20	03/09/2010	<0.001	<0.002	<0.002	-	
MW-20	06/14/2010	<0.001	<0.002	<0.002	-	
MW-20	09/14/2010	<0.001	<0.002	<0.002	-	
MW-20	12/07/2010	<0.001	<0.002	<0.002	-	
MW-20	03/29/2011	<0.001	<0.002	<0.002	<0.002	
MW-20	06/21/2011	<0.001	<0.002	<0.002	<0.004	
MW-20	09/15/2011	<0.001	<0.002	<0.002	<0.004	
MW-20	12/06/2011	<0.001	<0.002	<0.002	<0.004	
MW-20	03/09/2012	0.00033	<0.002	<0.002	<0.004	
MW-20	06/06/2012	<0.001	<0.002	<0.002	<0.003	
MW-20	09/06/2012	<0.001	<0.002	<0.002	<0.003	
MW-20	12/05/2012	<0.001	<0.002	<0.002	<0.003	
MW-20	02/19/2013	<0.001	<0.002	<0.002	<0.003	
MW-20	06/03/2013	<0.001	<0.002	<0.002	<0.003	
MW-20	09/10/2013	<0.001	<0.002	<0.002	<0.003	
MW-20	12/02/2013	<0.001	<0.002	<0.002	<0.003	
MW-20	02/27/2014	<0.001	<0.002	<0.002	<0.003	
MW-20	06/03/2014	<0.001	<0.002	<0.002	<0.003	

APPENDIX A
HISTORICAL ANALYTICAL RESULTS
BTEX CONCENTRATIONS IN GROUNDWATER
HOBBS BOOSTER STATION
LEA COUNTY, NEW MEXICO

Location Identification	Sample Date	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Total Xylenes (mg/L)	Comments
NMQCC Groundwater Standards (mg/L)		0.005	1.00	0.75	0.62	
MW-20	09/23/2014	<0.001	<0.001	<0.001	<0.001	
MW-20	12/03/2014	<0.001	<0.001	<0.001	<0.003	
MW-20	02/25/2015	<0.001	<0.001	<0.001	<0.003	
MW-20	06/03/2015	<0.001	<0.001	<0.001	<0.003	
MW-20	09/01/2015	<0.001	<0.001	<0.001	<0.003	
MW-20	12/16/2015	<0.001	<0.001	<0.001	<0.003	
MW-20	03/23/2016	<0.0010	<0.0010	<0.0010	<0.0030	
MW-20	06/23/2016	<0.0010	<0.0010	<0.0010	<0.0030	
MW-20	09/29/2016	0.0013	<0.0010	<0.0010	<0.0030	
MW-20	12/21/2016	<0.0010	<0.0010	<0.0010	<0.0010	
MW-20	03/09/2017	<0.0010	<0.0010	<0.0010	<0.0010	
MW-20	06/21/2017	<0.0010	<0.0010	<0.0010	<0.0010	
MW-20	09/26/2017	<0.0010	<0.0010	<0.0010	<0.0030	
MW-20	12/20/2017	<0.0010	<0.0010	<0.0010	<0.0030	
MW-20	03/13/2018	<0.0010	<0.0010	<0.0010	<0.0030	
MW-20	06/27/2018	<0.0010	<0.0010	<0.0010	<0.0030	
MW-20	09/11/2018	<0.0010	<0.0010	<0.0010	<0.0030	
MW-20	12/27/2018	<0.0010	<0.0010	<0.0010	<0.0030	
MW-20	03/15/2019	<0.0010	<0.0010	<0.0010	<0.0030	
MW-20	06/06/2019	<0.0010	<0.0010	<0.0010	<0.0030	
MW-20	09/25/2019	<0.0010	<0.0010	<0.0010	<0.0030	
MW-20	12/16/2019	<0.0010	<0.0010	<0.0010	<0.0030	
MW-20	06/18/2020	<0.0010	<0.0010	<0.0010	<0.0030	
MW-20	09/23/2020	0.000116 J	<0.00100	<0.00100	<0.00300	
MW-20	12/15/2020	<0.00100	<0.00100	<0.00100	<0.00300	
MW-20	03/23/2021	<0.00100	<0.00100	<0.00100	<0.00300	
MW-20	06/29/2021	<0.00100	<0.00100	<0.00100	<0.00300	
MW-20	09/20/2021	0.0000970 J	<0.00100	<0.00100	<0.00300	
MW-20	12/14/2021	0.000229 J	<0.00100	<0.00100	<0.00300	
MW-20	03/22/2022	0.000212 J	<0.00100	<0.00100	<0.00300	
MW-20	06/21/2022	<0.00100	<0.00100	<0.00100	<0.00300	
MW-20	09/14/2022	<0.00100	<0.00100	<0.00100	<0.00300	
MW-20	12/06/2022	0.000108 J	<0.00100	<0.00100	<0.00300	
MW-21	03/23/2005	<0.001	<0.002	<0.002	<0.006	
MW-21	06/08/2005	<0.001	<0.002	<0.002	<0.006	
MW-21	09/14/2005	<0.002	<0.002	<0.002	<0.006	
MW-21	12/13/2005	<0.002	<0.002	<0.002	<0.006	
MW-21	03/28/2006	<0.002	<0.002	<0.002	<0.006	
MW-21	06/21/2006	<0.002	<0.002	<0.002	<0.006	
MW-21	09/27/2006	<0.002	<0.002	<0.002	<0.006	
MW-21	12/20/2006	<0.002	<0.002	<0.002	<0.006	
MW-21	03/29/2007	<0.002	<0.002	<0.002	<0.006	
MW-21	06/27/2007	<0.002	<0.002	<0.002	<0.006	
MW-21	09/06/2007	<0.002	<0.002	<0.002	<0.006	
MW-21	11/28/2007	<0.00023	<0.002	<0.002	<0.006	
MW-21	03/06/2008	<0.002	<0.002	<0.002	<0.006	
MW-21	12/02/2008	<0.002	<0.002	<0.002	<0.006	
MW-21	03/09/2009	<0.002	<0.002	<0.002	<0.006	
MW-21	05/26/2009	<0.002	<0.002	<0.002	<0.006	
MW-21	09/21/2009	<0.002	<0.002	<0.002	<0.006	
MW-21	12/20/2009	<0.002	<0.002	<0.002	<0.006	
MW-21	03/09/2010	<0.001	<0.002	<0.002	-	
MW-21	06/14/2010	<0.001	<0.002	<0.002	-	
MW-21	09/14/2010	<0.001	<0.002	<0.002	-	
MW-21	12/07/2010	<0.001	<0.002	<0.002	-	
MW-21	03/29/2011	<0.001	<0.002	<0.002	<0.002	
MW-21	06/21/2011	<0.001	<0.002	<0.002	<0.004	
MW-21	09/15/2011	<0.001	<0.002	<0.002	<0.004	
MW-21	12/06/2011	<0.001	<0.002	<0.002	<0.004	
MW-21	03/09/2012	<0.001	<0.002	<0.002	<0.004	

APPENDIX A
HISTORICAL ANALYTICAL RESULTS
BTEX CONCENTRATIONS IN GROUNDWATER
HOBBS BOOSTER STATION
LEA COUNTY, NEW MEXICO

Location Identification	Sample Date	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Total Xylenes (mg/L)	Comments
NMWQCC Groundwater Standards (mg/L)		0.005	1.00	0.75	0.62	
MW-21	06/06/2012	<0.001	<0.002	<0.002	<0.003	
MW-21	09/06/2012	<0.001	<0.002	<0.002	<0.003	
MW-21	12/05/2012	<0.001	<0.002	<0.002	<0.003	
MW-21	02/19/2013	<0.001	<0.002	<0.002	<0.003	
MW-21	06/03/2013	<0.001	<0.002	<0.002	<0.003	
MW-21	09/10/2013	<0.001	<0.002	<0.002	<0.003	
MW-21	12/02/2013	<0.001	<0.002	<0.002	<0.003	
MW-21	02/27/2014	<0.001	<0.002	<0.002	<0.003	
MW-21	06/03/2014	<0.001	<0.002	<0.002	<0.003	
MW-21	09/22/2014	<0.001	<0.001	<0.001	<0.001	
MW-21	12/03/2014	<0.001	<0.001	<0.001	<0.003	
MW-21	02/25/2015	<0.001	<0.001	<0.001	<0.003	
MW-21	06/03/2015	<0.001	<0.001	<0.001	<0.003	
MW-21	09/01/2015	<0.001	<0.001	<0.001	<0.003	
MW-21	12/16/2015	<0.001	<0.001	<0.001	<0.003	
MW-21	03/23/2016	<0.0010	<0.0010	<0.0010	<0.0030	
MW-21	06/23/2016	<0.0010	<0.0010	<0.0010	<0.0030	
MW-21	09/29/2016	<0.0010	<0.0010	<0.0010	<0.0030	
MW-21	12/21/2016	<0.0010	<0.0010	<0.0010	<0.0010	
MW-21	03/09/2017	<0.0010	<0.0010	<0.0010	<0.0010	
MW-21	06/21/2017	<0.0010	<0.0010	<0.0010	<0.0010	
MW-21	09/26/2017	<0.0010	<0.0010	0.00101	0.00743	
MW-21	12/20/2017	<0.0010	<0.0010	<0.0010	<0.0030	
MW-21	03/13/2018	<0.0010	<0.0010	<0.0010	<0.0030	
MW-21	06/27/2018	<0.0010	<0.0010	<0.0010	<0.0030	
MW-21	09/11/2018	<0.0010	<0.0010	<0.0010	<0.0030	
MW-21	12/27/2018	<0.0010	<0.0010	<0.0010	<0.0030	
MW-21	03/15/2019	<0.0010	<0.0010	<0.0010	<0.0030	
MW-21	06/06/2019	<0.0010	<0.0010	<0.0010	<0.0030	
MW-21	09/25/2019	<0.0010	<0.0010	<0.0010	<0.0030	
MW-21	12/16/2019	<0.0010	<0.0010	<0.0010	<0.0030	
MW-21	06/17/2020	<0.0010	<0.0010	<0.0010	<0.0030	
MW-21	09/23/2020	<0.00100	<0.00100	<0.00100	<0.00300	
MW-21	12/15/2020	<0.00100	<0.00100	<0.00100	<0.00300	
MW-21	03/23/2021	<0.00100	<0.00100	<0.00100	0.000230 J	
MW-21	06/29/2021	<0.00100	<0.00100	<0.00100	<0.00300	
MW-21	09/20/2021	<0.00100	<0.00100	<0.00100	<0.00300	
MW-21	12/14/2021	<0.00100	<0.00100	<0.00100	<0.00300	
MW-21	03/22/2022	<0.00100	<0.00100	<0.00100	<0.00300	
MW-21	06/21/2022	<0.00100	<0.00100	<0.00100	<0.00300	
MW-21	09/15/2022	<0.00100	<0.00100	<0.00100	<0.00300	
MW-21	12/06/2022	<0.00100	<0.00100	<0.00100	<0.00300	
MW-22	03/23/2005	0.0013	<0.002	<0.001	<0.006	
MW-22	06/08/2005	<0.001	0.0025	0.0073	<0.006	
MW-22	09/14/2005	0.0066	<0.002	<0.002	<0.006	
MW-22	12/13/2005	0.0059	<0.002	<0.002	<0.006	
MW-22	03/28/2006	0.006	<0.002	<0.002	<0.006	
MW-22	06/21/2006	0.0034	<0.002	<0.002	<0.006	
MW-22	09/27/2006	<0.002	<0.002	<0.002	<0.006	
MW-22	12/20/2006	0.00089	<0.002	<0.002	<0.006	
MW-22	03/29/2007	0.00067	<0.002	<0.002	<0.006	
MW-22	06/27/2007	0.00076	<0.002	<0.002	<0.006	
MW-22	09/06/2007	<0.002	<0.002	<0.002	<0.006	
MW-22	11/28/2007	0.001	<0.002	<0.002	<0.006	
MW-22	03/06/2008	0.0015	<0.002	<0.002	<0.006	
MW-22	12/02/2008	0.0064	<0.002	<0.002	<0.006	
MW-22	03/09/2009	0.0048	<0.002	<0.002	<0.006	
MW-22	05/26/2009	0.0046	<0.002	<0.002	<0.006	
MW-22	09/21/2009	0.0026	<0.002	<0.002	<0.006	
MW-22	12/20/2009	0.0028	<0.002	<0.002	<0.006	

APPENDIX A
HISTORICAL ANALYTICAL RESULTS
BTEX CONCENTRATIONS IN GROUNDWATER
HOBBS BOOSTER STATION
LEA COUNTY, NEW MEXICO

Location Identification	Sample Date	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Total Xylenes (mg/L)	Comments
NMWQCC Groundwater Standards (mg/L)		0.005	1.00	0.75	0.62	
MW-22	03/29/2011	0.0034	<0.002	<0.002	0.0022	
MW-22	06/21/2011	0.0041	<0.002	.0005 J	<0.004	
MW-22	09/15/2011	0.0037	<0.002	<0.002	<0.004	
MW-22	12/06/2011	0.0028	<0.002	<0.002	<0.004	
MW-22	03/09/2012	0.0034	<0.002	0.00046	<0.004	
MW-22	06/06/2012	0.0031	<0.002	0.00045	<0.003	
MW-22	09/06/2012	0.0021	<0.002	<0.002	<0.003	
MW-22	12/05/2012	0.0033	<0.002	0.00055	0.0031	
MW-22	02/19/2013	0.0046	<0.002	0.0011	0.0043	
MW-22	06/03/2013	0.0054	<0.002	0.001	0.0046	
MW-22	09/10/2013	0.0097	<0.002	0.0029	0.0058	
MW-22	12/02/2013	0.0087	<0.002	0.00084	0.0054	
MW-22	02/27/2014	0.0122	<0.002	0.00088 J	0.0061	
MW-22	06/03/2014	0.0245	<0.002	0.0010 J	0.0055	
MW-22	09/23/2014	0.0626	<0.001	0.0019	0.0092	Duplicate B Sample Collected
MW-22 (Duplicate)	09/23/2014	0.062	<0.001	0.0029	0.0086	
MW-22	12/03/2014	0.0764	<0.001	0.0015	0.0089	
MW-22	02/25/2015	0.092	<0.001	<0.001	0.0084	
MW-22	06/03/2015	0.11	<0.001	<0.001	0.0067	
MW-22	09/01/2015	0.13	<0.001	<0.001	0.0063	
MW-22	12/17/2015	0.13	<0.001	0.0015	0.0063	
MW-22	03/23/2016	<0.0010	<0.0010	<0.0010	<0.0030	
MW-22	06/23/2016	<0.0010	<0.0010	<0.0010	<0.0030	
MW-22	09/29/2016	0.0015	<0.0010	<0.0010	<0.0030	
MW-22	12/21/2016	<0.0010	<0.0010	<0.0010	<0.0010	
MW-22	03/09/2017	0.25	<0.0010	0.01	0.0048	
MW-22	06/21/2017	0.14	<0.0010	0.0064	0.0038	
MW-22	09/26/2017	<0.0050	<0.0050	<0.0050	<0.0150	
MW-22	12/20/2017	0.000987 J	<0.0010	<0.0010	<0.0030	
MW-22	03/13/2018	0.109	<0.0010	0.013	0.00168 J	
MW-22	06/27/2018	<0.0010	<0.0010	<0.0010	<0.0030	
MW-22	09/11/2018	<0.0010	<0.0010	0.000433 J	<0.0030	
MW-22	12/27/2018	0.0248	<0.0010	0.00642	<0.0030	
MW-22	03/15/2019	<0.0010	<0.0010	<0.0010	<0.0030	
MW-22	06/05/2019	0.0228	<0.0010	0.00968	0.00125 J	
MW-22	09/25/2019	0.00971	<0.0010	0.0875	0.00678	
MW-22	12/16/2019	<0.0010	<0.0010	<0.0010	<0.0030	
MW-22	06/17/2020	<0.0010	<0.0010	<0.0010	<0.0030	
MW-22	09/23/2020	<0.00100	<0.00100	<0.00100	<0.00300	
MW-22	12/15/2020	Not Sampled - Insufficient Volume				
MW-22	03/23/2021	Not Sampled - Insufficient Volume				
MW-22	06/30/2021	0.000515 J	<0.00100	0.00180	0.00164 J	
MW-22	09/20/2021	Not Sampled - Insufficient Volume				
MW-22	12/13/2021	Not Sampled - Insufficient Volume				
MW-22	03/22/2022	Not Sampled - Insufficient Volume				
MW-22	06/21/2022	Not Sampled - Insufficient Volume				
MW-22	09/15/2022	Not Sampled - Insufficient Volume				
MW-22	12/06/2022	0.00130	<0.00100	<0.00100	<0.00300	
MW-23	12/02/2008	<0.002	<0.002	<0.002	<0.006	
MW-23	03/09/2009	0.00049	<0.002	<0.002	<0.006	
MW-23	05/26/2009	<0.002	<0.002	<0.002	<0.006	
MW-23	09/21/2009	<0.002	<0.002	<0.002	<0.006	
MW-23	12/20/2009	<0.002	<0.002	<0.002	<0.006	
MW-23	03/09/2010	<0.001	<0.002	<0.002	-	
MW-23	06/14/2010	<0.001	<0.002	<0.002	-	
MW-23	09/14/2010	<0.001	<0.002	<0.002	-	
MW-23	12/07/2010	<0.001	<0.002	<0.002	-	
MW-23	03/29/2011	<0.001	<0.002	<0.002	<0.002	
MW-23	06/21/2011	<0.001	<0.002	<0.002	<0.004	
MW-23	09/15/2011	<0.001	<0.002	<0.002	<0.004	

APPENDIX A
HISTORICAL ANALYTICAL RESULTS
BTEX CONCENTRATIONS IN GROUNDWATER
HOBBS BOOSTER STATION
LEA COUNTY, NEW MEXICO

Location Identification	Sample Date	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Total Xylenes (mg/L)	Comments
NMWQCC Groundwater Standards (mg/L)		0.005	1.00	0.75	0.62	
MW-23	12/06/2011	<0.001	<0.002	<0.002	<0.004	
MW-23	03/09/2012	<0.001	<0.002	<0.002	<0.004	
MW-23	06/06/2012	<0.001	<0.002	<0.002	<0.003	
MW-23	09/06/2012	<0.001	<0.002	<0.002	<0.003	
MW-23	12/05/2012	<0.001	<0.002	<0.002	<0.003	
MW-23	02/19/2013	<0.001	<0.002	<0.002	<0.003	
MW-23	06/03/2013	<0.001	<0.002	<0.002	<0.003	
MW-23	09/10/2013	<0.001	<0.002	<0.002	<0.003	
MW-23	12/02/2013	<0.001	<0.002	<0.002	<0.003	
MW-23	02/27/2014	<0.001	<0.002	<0.002	<0.003	
MW-23	06/03/2014	<0.001	<0.002	<0.002	<0.003	
MW-23	09/22/2014	<0.001	<0.001	<0.001	<0.001	
MW-23	12/03/2014	0.0016	<0.001	0.00086 J	<0.003	
MW-23	02/25/2015	0.0084	<0.005	<0.005	<0.015	
MW-23	06/03/2015	0.0011	<0.001	<0.001	<0.003	
MW-23	09/01/2015	0.0015	<0.001	<0.001	<0.003	
MW-23	12/16/2015	0.0015	<0.001	<0.001	<0.003	
MW-23	03/23/2016	0.0014	<0.0010	0.0054	<0.0030	
MW-23	06/23/2016	0.013	<0.0010	0.012	0.0062	
MW-23	09/29/2016	0.039	<0.0050	0.02	<0.015	
MW-23	12/21/2016	0.0011	<0.0010	0.0015	0.0014	
MW-23	03/09/2017	<0.0010	<0.0010	0.0015	0.001	
MW-23	06/21/2017	0.0063	<0.0010	0.015	0.0082	
MW-23	09/26/2017	0.005	<0.0010	0.0111	0.00587	
MW-23	12/20/2017	0.00164	<0.0010	0.00827	0.00275 J	
MW-23	03/13/2018	0.00348	<0.0010	0.0097	0.0024 J	
MW-23	06/27/2018	0.00644	<0.0010	0.0125	0.00198 J	
MW-23	09/11/2018	0.00447	<0.0010	0.00597	0.00131 J	
MW-23	12/27/2018	0.0352	0.00414 J	0.0287	0.00282 J	
MW-23	03/15/2019	0.0223	<0.0010	0.0109	<0.0030	
MW-23	06/06/2019	0.00502	<0.0010	0.0062	<0.0030	
MW-23	09/25/2019	0.00233	<0.0010	0.00378	<0.0030	
MW-23	12/16/2019	0.00164	<0.0010	0.00289	<0.0030	
MW-23	06/16/2020	0.00889	<0.0010	0.00513	0.00218 J	
MW-23	09/23/2020	0.0352	0.000416 J	0.0234	0.00535	
MW-23	12/15/2020	0.0487	0.000309 J	0.0201	0.00652	
MW-23	03/23/2021	0.0185	<0.00100	0.0205	0.00294 J	
MW-23	06/29/2021	0.0490	0.000303 J	0.0248	0.00631	
MW-23	09/21/2021	0.0947	0.000403 J	0.0383	0.0109	
MW-23	12/14/2021	0.0256	<0.00100	0.0114	0.00340	
MW-23	03/22/2022	<0.00100	<0.00100	<0.00100	<0.00300	
MW-23	06/21/2022	<0.00100	<0.00100	<0.00100	<0.00300	
MW-23	09/15/2022	0.00248	<0.00100	0.000577 J	0.000192 J	
MW-23	12/06/2022	0.00723	<0.00100	0.00103	0.00214 J	
MW-24	12/02/2008	<0.002	<0.002	<0.002	<0.006	
MW-24	03/09/2009	<0.002	<0.002	<0.002	<0.006	
MW-24	05/26/2009	<0.002	<0.002	<0.002	<0.006	
MW-24	09/21/2009	<0.002	<0.002	<0.002	<0.006	
MW-24	12/20/2009	<0.002	<0.002	<0.002	<0.006	
MW-24	03/09/2010	<0.001	<0.002	<0.002	-	
MW-24	06/14/2010	<0.001	<0.002	<0.002	-	
MW-24	09/14/2010	<0.001	<0.002	<0.002	-	
MW-24	12/07/2010	<0.001	<0.002	<0.002	-	
MW-24	03/29/2011	<0.001	<0.002	<0.002	<0.002	
MW-24	06/21/2011	<0.001	<0.002	<0.002	<0.004	
MW-24	09/15/2011	<0.001	<0.002	<0.002	<0.004	
MW-24	12/06/2011	<0.001	<0.002	<0.002	<0.004	
MW-24	03/09/2012	<0.001	<0.002	<0.002	<0.004	
MW-24	06/06/2012	<0.001	<0.002	<0.002	<0.003	
MW-24	09/06/2012	<0.001	<0.002	<0.002	<0.003	

APPENDIX A
HISTORICAL ANALYTICAL RESULTS
BTEX CONCENTRATIONS IN GROUNDWATER
HOBBS BOOSTER STATION
LEA COUNTY, NEW MEXICO

Location Identification	Sample Date	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Total Xylenes (mg/L)	Comments
NMWQCC Groundwater Standards (mg/L)		0.005	1.00	0.75	0.62	
MW-24	12/05/2012	<0.001	<0.002	<0.002	<0.003	
MW-24	02/19/2013	<0.001	<0.002	<0.002	<0.003	
MW-24	06/03/2013	<0.001	<0.002	<0.002	<0.003	
MW-24	09/10/2013	<0.001	<0.002	<0.002	<0.003	
MW-24	12/02/2013	<0.001	<0.002	<0.002	<0.003	
MW-24	02/27/2014	<0.001	<0.002	<0.002	<0.003	
MW-24	06/03/2014	<0.001	<0.002	<0.002	<0.003	
MW-24	09/22/2014	<0.001	<0.001	<0.001	<0.001	
MW-24	12/03/2014	<0.001	<0.001	<0.001	<0.003	
MW-24	02/25/2015	<0.001	<0.001	<0.001	<0.003	
MW-24	06/03/2015	<0.001	<0.001	<0.001	<0.003	
MW-24	09/01/2015	<0.001	<0.001	<0.001	<0.003	
MW-24	12/16/2015	<0.001	<0.001	<0.001	<0.003	
MW-24	03/23/2016	<0.0010	<0.0010	<0.0010	<0.0030	
MW-24	06/23/2016	<0.0010	<0.0010	<0.0010	<0.0030	
MW-24	09/29/2016	<0.0010	<0.0010	<0.0010	<0.0030	
MW-24	12/21/2016	<0.0010	<0.0010	<0.0010	<0.0010	
MW-24	03/09/2017	<0.0010	<0.0010	<0.0010	<0.0010	
MW-24	06/21/2017	<0.0010	<0.0010	<0.0010	<0.0010	
MW-24	09/26/2017	<0.0010	<0.0010	<0.0010	<0.0030	
MW-24	12/20/2017	<0.0010	<0.0010	<0.0010	<0.0030	
MW-24	03/13/2018	<0.0010	<0.0010	<0.0010	<0.0030	
MW-24	06/27/2018	0.000463 J	<0.0010	<0.0010	<0.0030	
MW-24	09/11/2018	<0.0010	<0.0010	<0.0010	<0.0030	
MW-24	12/27/2018	<0.0010	<0.0010	<0.0010	<0.0030	
MW-24	03/15/2019	<0.0010	<0.0010	<0.0010	<0.0030	
MW-24	06/06/2019	<0.0010	<0.0010	<0.0010	<0.0030	
MW-24	09/24/2019	<0.0010	<0.0010	<0.0010	<0.0030	
MW-24	12/16/2019	<0.0010	<0.0010	<0.0010	<0.0030	
MW-24	06/16/2020	<0.0010	<0.0010	<0.0010	<0.0030	
MW-24	09/23/2020	<0.00100	<0.00100	<0.00100	<0.00300	
MW-24	12/15/2020	<0.00100	<0.00100	<0.00100	<0.00300	
MW-24	03/23/2021	<0.00100	<0.00100	<0.00100	<0.00300	
MW-24	06/29/2021	<0.00100	<0.00100	<0.00100	<0.00300	
MW-24	09/21/2021	<0.00100	<0.00100	<0.00100	<0.00300	
MW-24	12/14/2021	<0.00100	<0.00100	<0.00100	<0.00300	
MW-24	03/22/2022	<0.00100	<0.00100	<0.00100	<0.00300	
MW-24	06/21/2022	<0.00100	<0.00100	<0.00100	<0.00300	
MW-24	09/15/2022	<0.00100	<0.00100	<0.00100	<0.00300	
MW-24	12/06/2022	<0.00100	<0.00100	<0.00100	<0.00300	
MW-25	12/02/2008	<0.002	<0.002	<0.002	<0.006	
MW-25	03/09/2009	<0.002	<0.002	<0.002	<0.006	
MW-25	05/26/2009	<0.002	<0.002	<0.002	<0.006	
MW-25	09/21/2009	<0.002	<0.002	<0.002	<0.006	
MW-25	12/20/2009	<0.002	<0.002	<0.002	<0.006	
MW-25	03/09/2010	<0.001	<0.002	<0.002	-	
MW-25	06/14/2010	<0.001	<0.002	<0.002	-	
MW-25	09/14/2010	<0.001	<0.002	<0.002	-	
MW-25	12/07/2010	<0.001	<0.002	<0.002	-	
MW-25	03/29/2011	<0.001	<0.002	<0.002	<0.002	
MW-25	06/21/2011	<0.001	<0.002	<0.002	<0.004	
MW-25	09/15/2011	<0.001	<0.002	<0.002	<0.004	
MW-25	12/06/2011	<0.001	<0.002	<0.002	<0.004	
MW-25	03/09/2012	<0.001	<0.002	<0.002	<0.004	
MW-25	06/06/2012	<0.001	<0.002	<0.002	<0.003	
MW-25	09/06/2012	<0.001	<0.002	<0.002	<0.003	
MW-25	12/05/2012	<0.001	<0.002	<0.002	<0.003	
MW-25	02/19/2013	<0.001	<0.002	<0.002	<0.003	
MW-25	06/03/2013	<0.001	<0.002	<0.002	<0.003	
MW-25	09/10/2013	<0.001	<0.002	<0.002	<0.003	

APPENDIX A
HISTORICAL ANALYTICAL RESULTS
BTEX CONCENTRATIONS IN GROUNDWATER
HOBBS BOOSTER STATION
LEA COUNTY, NEW MEXICO

Location Identification	Sample Date	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Total Xylenes (mg/L)	Comments
NMWQCC Groundwater Standards (mg/L)		0.005	1.00	0.75	0.62	
MW-25	12/02/2013	<0.001	<0.002	<0.002	<0.003	
MW-25	02/27/2014	<0.001	<0.002	<0.002	<0.003	
MW-25	06/03/2014	<0.001	<0.002	<0.002	<0.003	
MW-25	09/22/2014	<0.001	<0.001	<0.001	<0.001	
MW-25	12/03/2014	<0.001	<0.001	<0.001	<0.003	
MW-25	02/25/2015	<0.001	<0.001	<0.001	<0.003	
MW-25	06/03/2015	<0.001	<0.001	<0.001	<0.003	
MW-25	09/01/2015	<0.001	<0.001	<0.001	<0.003	
MW-25	12/16/2015	<0.001	<0.001	<0.001	<0.003	
MW-25	03/23/2016	<0.0010	<0.0010	<0.0010	<0.0030	
MW-25	06/23/2016	<0.0010	<0.0010	<0.0010	<0.0030	
MW-25	09/29/2016	<0.0010	<0.0010	<0.0010	<0.0030	
MW-25	12/21/2016	<0.0010	<0.0010	<0.0010	<0.0010	
MW-25	03/09/2017	<0.0010	<0.0010	<0.0010	<0.0010	
MW-25	06/21/2017	<0.0010	<0.0010	<0.0010	<0.0010	
MW-25	09/26/2017	<0.0010	<0.0010	<0.0010	<0.0030	
MW-25	12/20/2017	<0.0010	<0.0010	<0.0010	<0.0030	
MW-25	03/13/2018	<0.0010	<0.0010	<0.0010	<0.0030	
MW-25	06/27/2018	<0.0010	<0.0010	<0.0010	<0.0030	
MW-25	09/11/2018	<0.0010	<0.0010	<0.0010	<0.0030	
MW-25	12/27/2018	<0.0010	<0.0010	<0.0010	<0.0030	
MW-25	03/15/2019	<0.0010	<0.0010	<0.0010	<0.0030	
MW-25	06/06/2019	<0.0010	<0.0010	<0.0010	<0.0030	
MW-25	09/24/2019	<0.0010	<0.0010	<0.0010	<0.0030	
MW-25	12/16/2019	<0.0010	<0.0010	<0.0010	<0.0030	
MW-25	06/16/2020	<0.0010	<0.0010	<0.0010	<0.0030	
MW-25	09/23/2020	<0.00100	<0.00100	<0.00100	<0.00300	
MW-25	12/15/2020	<0.00100	<0.00100	<0.00100	<0.00300	
MW-25	03/23/2021	<0.00100	<0.00100	<0.00100	<0.00300	
MW-25	06/29/2021	<0.00100	<0.00100	<0.00100	<0.00300	
MW-25	09/21/2021	<0.00100	<0.00100	<0.00100	<0.00300	
MW-25	12/14/2021	<0.00100	<0.00100	<0.00100	<0.00300	
MW-25	03/22/2022	<0.00100	<0.00100	<0.00100	<0.00300	
MW-25	06/21/2022	<0.00100	<0.00100	<0.00100	<0.00300	
MW-25	09/15/2022	<0.00100	<0.00100	<0.00100	<0.00300	
MW-25	12/06/2022	0.000132 J	<0.00100	0.000271 J	0.000675 J	
MW-26	12/16/2019	0.00845	<0.0010	0.00135	0.00126 J	
MW-26	06/17/2020	0.0313	<0.0010	0.00873	0.00904	
MW-26	09/23/2020	NS	NS	NS	NS	
MW-26	12/15/2020	0.0776	<0.00100	0.0148	0.0214	
MW-26	03/23/2021	0.186	<0.00500	0.039	0.0527	
MW-26	06/29/2021	0.225	<0.00500	0.0367	0.0458	
MW-26	09/20/2021	NS	NS	NS	NS	
MW-26	12/14/2021	0.141	<0.00100	0.0284	0.0324	
MW-26	03/22/2022	0.173	<0.00100	0.0540	0.0665	
MW-26	06/21/2022	0.194	<0.00100	0.0601	0.0577	
MW-26	09/15/2022	NS	NS	NS	NS	
MW-26	12/06/2022	0.0660	<0.00500	0.0211	0.00630 J	
MW-27	06/06/2019	<0.0010	<0.0010	<0.0010	<0.0030	
MW-27	09/25/2019	<0.0010	<0.0010	<0.0010	<0.0030	
MW-27	12/16/2019	<0.0010	<0.0010	<0.0010	<0.0030	
MW-27	06/16/2020	<0.0010	<0.0010	<0.0010	<0.0030	
MW-27	09/23/2020	0.0000997 J	<0.00100	<0.00100	<0.00300	
MW-27	12/15/2020	0.000109 J	<0.00100	<0.00100	<0.00300	
MW-27	03/23/2021	<0.00100	<0.00100	<0.00100	<0.00300	
MW-27	06/29/2021	<0.00100	<0.00100	<0.00100	<0.00300	
MW-27	09/20/2021	0.0000970 J	<0.00100	<0.00100	<0.00300	
MW-27	12/14/2021	<0.00100	<0.00100	<0.00100	<0.00300	
MW-27	03/22/2022	0.000137 J	<0.00100	<0.00100	<0.00300	
MW-27	06/21/2022	<0.00100	<0.00100	<0.00100	<0.00300	
MW-27	09/15/2022	<0.00100	<0.00100	<0.00100	<0.00300	

APPENDIX A
HISTORICAL ANALYTICAL RESULTS
BTEX CONCENTRATIONS IN GROUNDWATER
HOBBS BOOSTER STATION
LEA COUNTY, NEW MEXICO

Location Identification	Sample Date	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Total Xylenes (mg/L)	Comments
NMWQCC Groundwater Standards (mg/L)		0.005	1.00	0.75	0.62	
MW-27	12/06/2022	<0.00100	<0.00100	<0.00100	<0.00300	
MW-28	06/06/2019	0.0022	<0.0010	0.000416 J	<0.0030	
MW-28	09/25/2019	0.00298	<0.0010	0.000902 J	<0.0030	
MW-28	12/16/2019	0.00263	<0.0010	0.000819 J	<0.0030	
MW-28	06/16/2020	0.003	<0.0010	0.00185	0.00261 J	
MW-28	09/23/2020	0.00444	<0.00100	0.00115	0.000675 J	
MW-28	12/15/2020	0.00428	<0.00100	0.000946 J	0.000429 J	
MW-28	03/23/2021	0.00484	<0.00100	0.00194	0.000607 J	
MW-28	06/29/2021	0.00409	<0.00100	0.00186	0.000344 J	
MW-28	09/20/2021	0.00412	<0.00100	0.00189	0.000549 J	
MW-28	12/14/2021	0.00441	<0.00100	0.00269	0.000631 J	
MW-28	03/22/2022	0.00315	<0.00100	0.00217	0.000527 J	
MW-28	06/21/2022	0.00324	<0.00100	0.00170	0.000388 J	
MW-28	09/15/2022	0.00342	<0.00100	0.00102	0.000359 J	
MW-29	06/06/2019	0.00902	<0.0010	0.000403 J	<0.0030	
MW-29	09/25/2019	0.0253	<0.0010	<0.0010	<0.0030	
MW-29	12/16/2019	0.0507	<0.0010	0.00180	<0.0030	
MW-29	06/18/2020	0.00168	<0.0010	<0.0010	<0.0030	
MW-29	09/23/2020	0.103	<0.00100	0.00732	0.00514	
MW-29	12/15/2020	0.144	<0.00100	0.00193	0.00264 J	
MW-29	03/23/2021	0.282	0.000392 J	0.0193	0.0233	
MW-29	06/29/2021	0.0735	0.000392 J	0.00176	0.00250 J	
MW-29	09/20/2021	<0.00100	<0.00100	<0.00100	<0.00300	
MW-29	12/14/2021	0.000123 J	<0.00100	<0.00100	<0.00300	
MW-29	03/22/2022	0.000161 J	<0.00100	<0.00100	<0.00300	
MW-29	06/21/2022	0.000424 J	<0.00100	<0.00100	0.000194 J	
MW-29	09/14/2022	0.000707 J	<0.00100	<0.00100	<0.00300	
MW-28	12/06/2022	0.00301	<0.00100	0.000531 J	0.000366 J	
MW-30	12/06/2022	0.00317	<0.00100	0.000583 J	<0.00300	
Trip Blank	06/03/2014	<0.001	<0.002	<0.002	<0.003	
Trip Blank	09/22/2014	<0.001	<0.001	<0.001	<0.001	
Trip Blank	12/03/2014	<0.001	<0.001	<0.001	<0.003	
Trip Blank	02/25/2015	<0.001	<0.001	<0.001	<0.003	
Trip Blank	06/03/2015	<0.001	<0.001	<0.001	<0.003	
Trip Blank	09/01/2015	<0.001	<0.001	<0.001	<0.003	
Trip Blank	12/16/2015	<0.001	<0.001	<0.001	<0.003	
Trip Blank	03/23/2016	<0.0010	<0.0010	<0.0010	<0.0030	
Trip Blank	06/23/2016	<0.0010	<0.0010	<0.0010	<0.0030	
Trip Blank	09/29/2016	<0.0010	<0.0010	<0.0010	<0.0030	
Trip Blank	12/21/2016	<0.0010	<0.0010	<0.0010	<0.0010	
Trip Blank	03/09/2017	<0.0010	<0.0010	<0.0010	<0.0010	
Trip Blank	06/21/2017	<0.0010	<0.0010	<0.0010	<0.0010	
Trip Blank	09/26/2017	<0.0010	<0.0010	<0.0010	<0.0030	
Trip Blank	12/20/2017	<0.0010	<0.0010	<0.0010	<0.0030	
Trip Blank	03/13/2018	<0.0010	<0.0010	<0.0010	<0.0030	
Trip Blank	06/27/2018	<0.0010	<0.0010	<0.0010	<0.0030	
Trip Blank	09/11/2018	<0.0010	<0.0010	<0.0010	<0.0030	
Trip Blank	12/27/2018	<0.0010	<0.0010	<0.0010	<0.0030	
Trip Blank	03/15/2019	<0.0010	<0.0010	<0.0010	<0.0030	
Trip Blank	06/06/2019	<0.0010	<0.0010	<0.0010	<0.0030	
Trip Blank	09/25/2019	NM	NM	NM	NM	
Trip Blank	12/17/2019	<0.0010	<0.0010	<0.0010	<0.0030	
Trip Blank	06/16/2020	<0.0010	<0.0010	<0.0010	<0.0030	
Trip Blank	09/22/2020	<0.0010	<0.0010	<0.0010	<0.0030	
Trip Blank	12/15/2020	<0.0010	<0.0010	<0.0010	<0.0030	
Trip Blank	03/23/2021	<0.0010	<0.0010	<0.0010	<0.0030	
Trip Blank	06/30/2021	0.00203	<0.0010	<0.0010	<0.0030	

APPENDIX A
HISTORICAL ANALYTICAL RESULTS
BTEX CONCENTRATIONS IN GROUNDWATER
HOBBS BOOSTER STATION
LEA COUNTY, NEW MEXICO

Location Identification	Sample Date	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Total Xylenes (mg/L)	Comments
NMWQCC Groundwater Standards (mg/L)		0.005	1.00	0.75	0.62	
Trip Blank	09/21/2021	0.000228 J	<0.00100	<0.00100	<0.00300	
Trip Blank	12/14/2021	<0.00100	<0.00100	<0.00100	<0.00300	
Trip Blank	06/21/2022	<0.00100	<0.00100	<0.00100	<0.00300	
Trip Blank	09/15/2022	<0.00100	<0.00100	<0.00100	<0.00300	
Trip Blank	12/06/2022	<0.00100	<0.00100	<0.00100	<0.00300	

Notes:

Bold red values indicate an exceedance of the NMWQCC groundwater standards for the Site.

NMWQCC = New Mexico Water Quality Control Commission

LNAPL = Light Non-Aqueous Phase Liquid

J = A qualifier indicating an estimated value of a concentration above the laboratory's Method Detection Limit (MDL) but below the Reported Detection Limit (RDL).

NS = Not Sampled

NM - Not Measured

mg/L = milligrams per liter

Appendix B

Laboratory Analytical Report

- Pace Job #: L1565621



ANALYTICAL REPORT

December 13, 2022

DCP Midstream - Tasman

Sample Delivery Group: L1565621
Samples Received: 12/08/2022
Project Number:
Description: Former Hobbs Booster Station

Report To: Kyle Norman
2620 W. Marland Blvd
Hobbs, NM 88240

¹ Cp² Tc³ Ss⁴ Cn⁵ Sr⁶ Qc⁷ Gl⁸ Al⁹ Sc

Entire Report Reviewed By:

Chris Ward

Chris Ward
Project Manager

Results relate only to the items tested or calibrated and are reported as rounded values. This test report shall not be reproduced, except in full, without written approval of the laboratory. Where applicable, sampling conducted by Pace Analytical National is performed per guidance provided in laboratory standard operating procedures ENV-SOP-MTJL-0067 and ENV-SOP-MTJL-0068. Where sampling conducted by the customer, results relate to the accuracy of the information provided, and as the samples are received.

Pace Analytical National12065 Lebanon Rd Mount Juliet, TN 37122 615-758-5858 800-767-5859 www.pacenational.com

Cp: Cover Page	1
Tc: Table of Contents	2
Ss: Sample Summary	3
Cn: Case Narrative	6
Sr: Sample Results	7
MW-14 L1565621-01	7
MW-15 L1565621-02	8
MW-16 L1565621-03	9
MW-19 L1565621-04	10
MW-19D L1565621-05	11
MW-20 L1565621-06	12
MW-21 L1565621-07	13
MW-22 L1565621-08	14
MW-23 L1565621-09	15
MW-24 L1565621-10	16
MW-25 L1565621-11	17
MW-27 L1565621-12	18
MW-28 L1565621-13	19
MW-29 L1565621-14	20
MW-14 DUPLICATE A L1565621-15	21
MW-19D DUPLICATE B L1565621-16	22
TRIP BLANK L1565621-17	23
MW-26 L1565621-18	24
MW-30 L1565621-19	25
Qc: Quality Control Summary	26
Volatile Organic Compounds (GC/MS) by Method 8260B	26
Gl: Glossary of Terms	27
Al: Accreditations & Locations	28
Sc: Sample Chain of Custody	29

¹ Cp² Tc³ Ss⁴ Cn⁵ Sr⁶ Qc⁷ Gl⁸ Al⁹ Sc

MW-14 L1565621-01 GW

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1972687	1	12/11/22 23:15	12/11/22 23:15	JCP	Mt. Juliet, TN

Collected by
Chris Flores

Collected date/time
12/06/22 16:18

Received date/time
12/08/22 09:00

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

⁷Gl

⁸Al

⁹Sc

MW-15 L1565621-02 GW

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1972687	1	12/11/22 23:37	12/11/22 23:37	JCP	Mt. Juliet, TN

Collected by
Chris Flores

Collected date/time
12/06/22 15:08

Received date/time
12/08/22 09:00

MW-16 L1565621-03 GW

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1972687	1	12/11/22 23:59	12/11/22 23:59	JCP	Mt. Juliet, TN

Collected by
Chris Flores

Collected date/time
12/06/22 14:53

Received date/time
12/08/22 09:00

MW-19 L1565621-04 GW

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1972687	1	12/12/22 00:21	12/12/22 00:21	JCP	Mt. Juliet, TN

Collected by
Chris Flores

Collected date/time
12/06/22 12:30

Received date/time
12/08/22 09:00

MW-19D L1565621-05 GW

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1972687	1	12/12/22 00:43	12/12/22 00:43	JCP	Mt. Juliet, TN

Collected by
Chris Flores

Collected date/time
12/06/22 13:37

Received date/time
12/08/22 09:00

MW-20 L1565621-06 GW

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1972687	1	12/12/22 01:05	12/12/22 01:05	JCP	Mt. Juliet, TN

Collected by
Chris Flores

Collected date/time
12/06/22 10:43

Received date/time
12/08/22 09:00

MW-21 L1565621-07 GW

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1972687	1	12/12/22 01:27	12/12/22 01:27	JCP	Mt. Juliet, TN

Collected by
Chris Flores

Collected date/time
12/06/22 11:06

Received date/time
12/08/22 09:00

MW-22 L1565621-08 GW

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1972687	1	12/12/22 01:49	12/12/22 01:49	JCP	Mt. Juliet, TN

Collected by
Chris Flores

Collected date/time
12/06/22 11:37

Received date/time
12/08/22 09:00

MW-23 L1565621-09 GW

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1972687	1	12/12/22 02:11	12/12/22 02:11	JCP	Mt. Juliet, TN

Collected by
Chris Flores

Collected date/time
12/06/22 15:43

Received date/time
12/08/22 09:00

1
Cp

2
Tc

3
Ss

4
Cn

5
Sr

6
Qc

7
Gl

8
Al

9
Sc

MW-24 L1565621-10 GW

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1972687	1	12/12/22 02:33	12/12/22 02:33	JCP	Mt. Juliet, TN

Collected by
Chris Flores

Collected date/time
12/06/22 15:20

Received date/time
12/08/22 09:00

MW-25 L1565621-11 GW

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1972687	1	12/12/22 02:55	12/12/22 02:55	JCP	Mt. Juliet, TN

Collected by
Chris Flores

Collected date/time
12/06/22 15:35

Received date/time
12/08/22 09:00

MW-27 L1565621-12 GW

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1972687	1	12/12/22 03:17	12/12/22 03:17	JCP	Mt. Juliet, TN

Collected by
Chris Flores

Collected date/time
12/06/22 09:07

Received date/time
12/08/22 09:00

MW-28 L1565621-13 GW

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1972687	1	12/12/22 03:39	12/12/22 03:39	JCP	Mt. Juliet, TN

Collected by
Chris Flores

Collected date/time
12/06/22 09:35

Received date/time
12/08/22 09:00

MW-29 L1565621-14 GW

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1972687	1	12/12/22 04:00	12/12/22 04:00	JCP	Mt. Juliet, TN

Collected by
Chris Flores

Collected date/time
12/06/22 09:58

Received date/time
12/08/22 09:00

MW-14 DUPLICATE A L1565621-15 GW

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1972687	1	12/12/22 04:22	12/12/22 04:22	JCP	Mt. Juliet, TN

Collected by
Chris Flores

Collected date/time
12/06/22 00:00

Received date/time
12/08/22 09:00

MW-19D DUPLICATE B L1565621-16 GW

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1972687	1	12/12/22 04:44	12/12/22 04:44	JCP	Mt. Juliet, TN

Collected by
Chris Flores

Collected date/time
12/06/22 00:00

Received date/time
12/08/22 09:00

TRIP BLANK L1565621-17 GW

Collected by
Chris Flores

Collected date/time
12/06/22 00:00

Received date/time
12/08/22 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1972687	1	12/11/22 22:53	12/11/22 22:53	JCP	Mt. Juliet, TN

MW-26 L1565621-18 GW

Collected by
Chris Flores

Collected date/time
12/06/22 08:14

Received date/time
12/08/22 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1972687	5	12/12/22 05:50	12/12/22 05:50	JCP	Mt. Juliet, TN

MW-30 L1565621-19 GW

Collected by
Chris Flores

Collected date/time
12/06/22 14:30

Received date/time
12/08/22 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1972687	1	12/12/22 05:06	12/12/22 05:06	JCP	Mt. Juliet, TN

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc

All sample aliquots were received at the correct temperature, in the proper containers, with the appropriate preservatives, and within method specified holding times, unless qualified or notated within the report. Where applicable, all MDL (LOD) and RDL (LOQ) values reported for environmental samples have been corrected for the dilution factor used in the analysis. All Method and Batch Quality Control are within established criteria except where addressed in this case narrative, a non-conformance form or properly qualified within the sample results. By my digital signature below, I affirm to the best of my knowledge, all problems/anomalies observed by the laboratory as having the potential to affect the quality of the data have been identified by the laboratory, and no information or data have been knowingly withheld that would affect the quality of the data.



Chris Ward
Project Manager

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc

Collected date/time: 12/06/22 16:18

L1565621

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result mg/l	Qualifier	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	Batch
Benzene	0.00238		0.0000941	0.00100	1	12/11/2022 23:15	WG1972687
Toluene	U		0.000278	0.00100	1	12/11/2022 23:15	WG1972687
Ethylbenzene	U		0.000137	0.00100	1	12/11/2022 23:15	WG1972687
Total Xylenes	U		0.000174	0.00300	1	12/11/2022 23:15	WG1972687
(S) Toluene-d8	107			80.0-120		12/11/2022 23:15	WG1972687
(S) 4-Bromofluorobenzene	89.5			77.0-126		12/11/2022 23:15	WG1972687
(S) 1,2-Dichloroethane-d4	109			70.0-130		12/11/2022 23:15	WG1972687

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Collected date/time: 12/06/22 15:08

L1565621

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result mg/l	Qualifier	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	Batch
Benzene	U		0.0000941	0.00100	1	12/11/2022 23:37	WG1972687
Toluene	U		0.000278	0.00100	1	12/11/2022 23:37	WG1972687
Ethylbenzene	U		0.000137	0.00100	1	12/11/2022 23:37	WG1972687
Total Xylenes	U		0.000174	0.00300	1	12/11/2022 23:37	WG1972687
(S) Toluene-d8	102			80.0-120		12/11/2022 23:37	WG1972687
(S) 4-Bromofluorobenzene	85.0			77.0-126		12/11/2022 23:37	WG1972687
(S) 1,2-Dichloroethane-d4	109			70.0-130		12/11/2022 23:37	WG1972687

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Collected date/time: 12/06/22 14:53

L1565621

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result mg/l	Qualifier	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	Batch
Benzene	U		0.0000941	0.00100	1	12/11/2022 23:59	WG1972687
Toluene	U		0.000278	0.00100	1	12/11/2022 23:59	WG1972687
Ethylbenzene	U		0.000137	0.00100	1	12/11/2022 23:59	WG1972687
Total Xylenes	U		0.000174	0.00300	1	12/11/2022 23:59	WG1972687
(S) Toluene-d8	105			80.0-120		12/11/2022 23:59	WG1972687
(S) 4-Bromofluorobenzene	94.2			77.0-126		12/11/2022 23:59	WG1972687
(S) 1,2-Dichloroethane-d4	115			70.0-130		12/11/2022 23:59	WG1972687

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Collected date/time: 12/06/22 12:30

L1565621

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result mg/l	Qualifier	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	Batch
Benzene	0.00145		0.0000941	0.00100	1	12/12/2022 00:21	WG1972687
Toluene	U		0.000278	0.00100	1	12/12/2022 00:21	WG1972687
Ethylbenzene	U		0.000137	0.00100	1	12/12/2022 00:21	WG1972687
Total Xylenes	U		0.000174	0.00300	1	12/12/2022 00:21	WG1972687
(S) Toluene-d8	109			80.0-120		12/12/2022 00:21	WG1972687
(S) 4-Bromofluorobenzene	97.6			77.0-126		12/12/2022 00:21	WG1972687
(S) 1,2-Dichloroethane-d4	117			70.0-130		12/12/2022 00:21	WG1972687

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Collected date/time: 12/06/22 13:37

L1565621

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result mg/l	Qualifier	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	Batch
Benzene	0.0761		0.0000941	0.00100	1	12/12/2022 00:43	WG1972687
Toluene	U		0.000278	0.00100	1	12/12/2022 00:43	WG1972687
Ethylbenzene	0.0242		0.000137	0.00100	1	12/12/2022 00:43	WG1972687
Total Xylenes	0.00380		0.000174	0.00300	1	12/12/2022 00:43	WG1972687
(S) Toluene-d8	107			80.0-120		12/12/2022 00:43	WG1972687
(S) 4-Bromofluorobenzene	101			77.0-126		12/12/2022 00:43	WG1972687
(S) 1,2-Dichloroethane-d4	107			70.0-130		12/12/2022 00:43	WG1972687

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Collected date/time: 12/06/22 10:43

L1565621

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result mg/l	Qualifier	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	Batch
Benzene	0.000108	J	0.0000941	0.00100	1	12/12/2022 01:05	WG1972687
Toluene	U		0.000278	0.00100	1	12/12/2022 01:05	WG1972687
Ethylbenzene	U		0.000137	0.00100	1	12/12/2022 01:05	WG1972687
Total Xylenes	U		0.000174	0.00300	1	12/12/2022 01:05	WG1972687
(S) Toluene-d8	103			80.0-120		12/12/2022 01:05	WG1972687
(S) 4-Bromofluorobenzene	89.0			77.0-126		12/12/2022 01:05	WG1972687
(S) 1,2-Dichloroethane-d4	113			70.0-130		12/12/2022 01:05	WG1972687

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Collected date/time: 12/06/22 11:06

L1565621

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result mg/l	Qualifier	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	Batch
Benzene	U		0.0000941	0.00100	1	12/12/2022 01:27	WG1972687
Toluene	U		0.000278	0.00100	1	12/12/2022 01:27	WG1972687
Ethylbenzene	U		0.000137	0.00100	1	12/12/2022 01:27	WG1972687
Total Xylenes	U		0.000174	0.00300	1	12/12/2022 01:27	WG1972687
(S) Toluene-d8	105			80.0-120		12/12/2022 01:27	WG1972687
(S) 4-Bromofluorobenzene	90.3			77.0-126		12/12/2022 01:27	WG1972687
(S) 1,2-Dichloroethane-d4	110			70.0-130		12/12/2022 01:27	WG1972687

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Collected date/time: 12/06/22 11:37

L1565621

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result mg/l	Qualifier	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	Batch
Benzene	0.00130		0.0000941	0.00100	1	12/12/2022 01:49	WG1972687
Toluene	U		0.000278	0.00100	1	12/12/2022 01:49	WG1972687
Ethylbenzene	U		0.000137	0.00100	1	12/12/2022 01:49	WG1972687
Total Xylenes	U		0.000174	0.00300	1	12/12/2022 01:49	WG1972687
(S) Toluene-d8	104			80.0-120		12/12/2022 01:49	WG1972687
(S) 4-Bromofluorobenzene	90.8			77.0-126		12/12/2022 01:49	WG1972687
(S) 1,2-Dichloroethane-d4	113			70.0-130		12/12/2022 01:49	WG1972687

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Collected date/time: 12/06/22 15:43

L1565621

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result mg/l	Qualifier	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	Batch
Benzene	0.00723		0.0000941	0.00100	1	12/12/2022 02:11	WG1972687
Toluene	U		0.000278	0.00100	1	12/12/2022 02:11	WG1972687
Ethylbenzene	0.00103		0.000137	0.00100	1	12/12/2022 02:11	WG1972687
Total Xylenes	0.00214	J	0.000174	0.00300	1	12/12/2022 02:11	WG1972687
(S) Toluene-d8	114			80.0-120		12/12/2022 02:11	WG1972687
(S) 4-Bromofluorobenzene	105			77.0-126		12/12/2022 02:11	WG1972687
(S) 1,2-Dichloroethane-d4	108			70.0-130		12/12/2022 02:11	WG1972687

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Collected date/time: 12/06/22 15:20

L1565621

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result mg/l	Qualifier	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	Batch
Benzene	U		0.0000941	0.00100	1	12/12/2022 02:33	WG1972687
Toluene	U		0.000278	0.00100	1	12/12/2022 02:33	WG1972687
Ethylbenzene	U		0.000137	0.00100	1	12/12/2022 02:33	WG1972687
Total Xylenes	U		0.000174	0.00300	1	12/12/2022 02:33	WG1972687
(S) Toluene-d8	102			80.0-120		12/12/2022 02:33	WG1972687
(S) 4-Bromofluorobenzene	88.6			77.0-126		12/12/2022 02:33	WG1972687
(S) 1,2-Dichloroethane-d4	112			70.0-130		12/12/2022 02:33	WG1972687

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Collected date/time: 12/06/22 15:35

L1565621

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result mg/l	Qualifier	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	Batch
Benzene	0.000132	J	0.0000941	0.00100	1	12/12/2022 02:55	WG1972687
Toluene	U		0.000278	0.00100	1	12/12/2022 02:55	WG1972687
Ethylbenzene	0.000271	J	0.000137	0.00100	1	12/12/2022 02:55	WG1972687
Total Xylenes	0.000675	J	0.000174	0.00300	1	12/12/2022 02:55	WG1972687
(S) Toluene-d8	104			80.0-120		12/12/2022 02:55	WG1972687
(S) 4-Bromofluorobenzene	88.3			77.0-126		12/12/2022 02:55	WG1972687
(S) 1,2-Dichloroethane-d4	114			70.0-130		12/12/2022 02:55	WG1972687

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Collected date/time: 12/06/22 09:07

L1565621

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result mg/l	Qualifier	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	Batch
Benzene	U		0.0000941	0.00100	1	12/12/2022 03:17	WG1972687
Toluene	U		0.000278	0.00100	1	12/12/2022 03:17	WG1972687
Ethylbenzene	U		0.000137	0.00100	1	12/12/2022 03:17	WG1972687
Total Xylenes	U		0.000174	0.00300	1	12/12/2022 03:17	WG1972687
(S) Toluene-d8	105			80.0-120		12/12/2022 03:17	WG1972687
(S) 4-Bromofluorobenzene	88.1			77.0-126		12/12/2022 03:17	WG1972687
(S) 1,2-Dichloroethane-d4	116			70.0-130		12/12/2022 03:17	WG1972687

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Collected date/time: 12/06/22 09:35

L1565621

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result mg/l	Qualifier	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	Batch
Benzene	0.00301		0.0000941	0.00100	1	12/12/2022 03:39	WG1972687
Toluene	U		0.000278	0.00100	1	12/12/2022 03:39	WG1972687
Ethylbenzene	0.000531	J	0.000137	0.00100	1	12/12/2022 03:39	WG1972687
Total Xylenes	0.000366	J	0.000174	0.00300	1	12/12/2022 03:39	WG1972687
(S) Toluene-d8	118			80.0-120		12/12/2022 03:39	WG1972687
(S) 4-Bromofluorobenzene	99.9			77.0-126		12/12/2022 03:39	WG1972687
(S) 1,2-Dichloroethane-d4	110			70.0-130		12/12/2022 03:39	WG1972687

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Collected date/time: 12/06/22 09:58

L1565621

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result mg/l	Qualifier	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	Batch
Benzene	0.000747	J	0.0000941	0.00100	1	12/12/2022 04:00	WG1972687
Toluene	U		0.000278	0.00100	1	12/12/2022 04:00	WG1972687
Ethylbenzene	U		0.000137	0.00100	1	12/12/2022 04:00	WG1972687
Total Xylenes	U		0.000174	0.00300	1	12/12/2022 04:00	WG1972687
(S) Toluene-d8	106			80.0-120		12/12/2022 04:00	WG1972687
(S) 4-Bromofluorobenzene	95.9			77.0-126		12/12/2022 04:00	WG1972687
(S) 1,2-Dichloroethane-d4	114			70.0-130		12/12/2022 04:00	WG1972687

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Collected date/time: 12/06/22 00:00

L1565621

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result mg/l	Qualifier	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	Batch
Benzene	0.00233		0.0000941	0.00100	1	12/12/2022 04:22	WG1972687
Toluene	U		0.000278	0.00100	1	12/12/2022 04:22	WG1972687
Ethylbenzene	U		0.000137	0.00100	1	12/12/2022 04:22	WG1972687
Total Xylenes	U		0.000174	0.00300	1	12/12/2022 04:22	WG1972687
(S) Toluene-d8	111			80.0-120		12/12/2022 04:22	WG1972687
(S) 4-Bromofluorobenzene	95.1			77.0-126		12/12/2022 04:22	WG1972687
(S) 1,2-Dichloroethane-d4	109			70.0-130		12/12/2022 04:22	WG1972687

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Collected date/time: 12/06/22 00:00

L1565621

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result mg/l	Qualifier	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	Batch
Benzene	0.0779		0.0000941	0.00100	1	12/12/2022 04:44	WG1972687
Toluene	U		0.000278	0.00100	1	12/12/2022 04:44	WG1972687
Ethylbenzene	0.0255		0.000137	0.00100	1	12/12/2022 04:44	WG1972687
Total Xylenes	0.00399		0.000174	0.00300	1	12/12/2022 04:44	WG1972687
(S) Toluene-d8	108			80.0-120		12/12/2022 04:44	WG1972687
(S) 4-Bromofluorobenzene	93.8			77.0-126		12/12/2022 04:44	WG1972687
(S) 1,2-Dichloroethane-d4	104			70.0-130		12/12/2022 04:44	WG1972687

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Collected date/time: 12/06/22 00:00

L1565621

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result mg/l	Qualifier	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	Batch
Benzene	U		0.0000941	0.00100	1	12/11/2022 22:53	WG1972687
Toluene	U		0.000278	0.00100	1	12/11/2022 22:53	WG1972687
Ethylbenzene	U		0.000137	0.00100	1	12/11/2022 22:53	WG1972687
Total Xylenes	U		0.000174	0.00300	1	12/11/2022 22:53	WG1972687
(S) Toluene-d8	102			80.0-120		12/11/2022 22:53	WG1972687
(S) 4-Bromofluorobenzene	87.2			77.0-126		12/11/2022 22:53	WG1972687
(S) 1,2-Dichloroethane-d4	118			70.0-130		12/11/2022 22:53	WG1972687

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Collected date/time: 12/06/22 08:14

L1565621

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result mg/l	Qualifier	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	Batch
Benzene	0.0660		0.000471	0.00500	5	12/12/2022 05:50	WG1972687
Toluene	U		0.00139	0.00500	5	12/12/2022 05:50	WG1972687
Ethylbenzene	0.0211		0.000685	0.00500	5	12/12/2022 05:50	WG1972687
Total Xylenes	0.00630	J	0.000870	0.0150	5	12/12/2022 05:50	WG1972687
(S) Toluene-d8	111			80.0-120		12/12/2022 05:50	WG1972687
(S) 4-Bromofluorobenzene	104			77.0-126		12/12/2022 05:50	WG1972687
(S) 1,2-Dichloroethane-d4	106			70.0-130		12/12/2022 05:50	WG1972687

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Collected date/time: 12/06/22 14:30

L1565621

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result mg/l	Qualifier	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	Batch
Benzene	0.00317		0.0000941	0.00100	1	12/12/2022 05:06	WG1972687
Toluene	U		0.000278	0.00100	1	12/12/2022 05:06	WG1972687
Ethylbenzene	0.000583	J	0.000137	0.00100	1	12/12/2022 05:06	WG1972687
Total Xylenes	U		0.000174	0.00300	1	12/12/2022 05:06	WG1972687
(S) Toluene-d8	105			80.0-120		12/12/2022 05:06	WG1972687
(S) 4-Bromofluorobenzene	94.8			77.0-126		12/12/2022 05:06	WG1972687
(S) 1,2-Dichloroethane-d4	108			70.0-130		12/12/2022 05:06	WG1972687

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Volatile Organic Compounds (GC/MS) by Method 8260B [L1565621-01,02,03,04,05,06,07,08,09,10,11,12,13,14,15,16,17,18,19](#)

Method Blank (MB)

(MB) R3870880-2 12/11/22 22:31

Analyte	MB Result mg/l	MB Qualifier	MB MDL mg/l	MB RDL mg/l
Benzene	U		0.0000941	0.00100
Toluene	U		0.000278	0.00100
Ethylbenzene	U		0.000137	0.00100
Xylenes, Total	U		0.000174	0.00300
(S) Toluene-d8	105			80.0-120
(S) 4-Bromofluorobenzene	89.7			77.0-126
(S) 1,2-Dichloroethane-d4	115			70.0-130

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

⁷Gl

⁸Al

⁹Sc

Laboratory Control Sample (LCS)

(LCS) R3870880-1 12/11/22 21:25

Analyte	Spike Amount mg/l	LCS Result mg/l	LCS Rec. %	Rec. Limits %	LCS Qualifier
Benzene	0.00500	0.00441	88.2	70.0-123	
Toluene	0.00500	0.00439	87.8	79.0-120	
Ethylbenzene	0.00500	0.00462	92.4	79.0-123	
Xylenes, Total	0.0150	0.0136	90.7	79.0-123	
(S) Toluene-d8			103	80.0-120	
(S) 4-Bromofluorobenzene			92.3	77.0-126	
(S) 1,2-Dichloroethane-d4			112	70.0-130	

Guide to Reading and Understanding Your Laboratory Report

The information below is designed to better explain the various terms used in your report of analytical results from the Laboratory. This is not intended as a comprehensive explanation, and if you have additional questions please contact your project representative.

Results Disclaimer - Information that may be provided by the customer, and contained within this report, include Permit Limits, Project Name, Sample ID, Sample Matrix, Sample Preservation, Field Blanks, Field Spikes, Field Duplicates, On-Site Data, Sampling Collection Dates/Times, and Sampling Location. Results relate to the accuracy of this information provided, and as the samples are received.

Abbreviations and Definitions

MDL	Method Detection Limit.
RDL	Reported Detection Limit.
Rec.	Recovery.
RPD	Relative Percent Difference.
SDG	Sample Delivery Group.
(S)	Surrogate (Surrogate Standard) - Analytes added to every blank, sample, Laboratory Control Sample/Duplicate and Matrix Spike/Duplicate; used to evaluate analytical efficiency by measuring recovery. Surrogates are not expected to be detected in all environmental media.
U	Not detected at the Reporting Limit (or MDL where applicable).
Analyte	The name of the particular compound or analysis performed. Some Analyses and Methods will have multiple analytes reported.
Dilution	If the sample matrix contains an interfering material, the sample preparation volume or weight values differ from the standard, or if concentrations of analytes in the sample are higher than the highest limit of concentration that the laboratory can accurately report, the sample may be diluted for analysis. If a value different than 1 is used in this field, the result reported has already been corrected for this factor.
Limits	These are the target % recovery ranges or % difference value that the laboratory has historically determined as normal for the method and analyte being reported. Successful QC Sample analysis will target all analytes recovered or duplicated within these ranges.
Qualifier	This column provides a letter and/or number designation that corresponds to additional information concerning the result reported. If a Qualifier is present, a definition per Qualifier is provided within the Glossary and Definitions page and potentially a discussion of possible implications of the Qualifier in the Case Narrative if applicable.
Result	The actual analytical final result (corrected for any sample specific characteristics) reported for your sample. If there was no measurable result returned for a specific analyte, the result in this column may state "ND" (Not Detected) or "BDL" (Below Detectable Levels). The information in the results column should always be accompanied by either an MDL (Method Detection Limit) or RDL (Reporting Detection Limit) that defines the lowest value that the laboratory could detect or report for this analyte.
Uncertainty (Radiochemistry)	Confidence level of 2 sigma.
Case Narrative (Cn)	A brief discussion about the included sample results, including a discussion of any non-conformances to protocol observed either at sample receipt by the laboratory from the field or during the analytical process. If present, there will be a section in the Case Narrative to discuss the meaning of any data qualifiers used in the report.
Quality Control Summary (Qc)	This section of the report includes the results of the laboratory quality control analyses required by procedure or analytical methods to assist in evaluating the validity of the results reported for your samples. These analyses are not being performed on your samples typically, but on laboratory generated material.
Sample Chain of Custody (Sc)	This is the document created in the field when your samples were initially collected. This is used to verify the time and date of collection, the person collecting the samples, and the analyses that the laboratory is requested to perform. This chain of custody also documents all persons (excluding commercial shippers) that have had control or possession of the samples from the time of collection until delivery to the laboratory for analysis.
Sample Results (Sr)	This section of your report will provide the results of all testing performed on your samples. These results are provided by sample ID and are separated by the analyses performed on each sample. The header line of each analysis section for each sample will provide the name and method number for the analysis reported.
Sample Summary (Ss)	This section of the Analytical Report defines the specific analyses performed for each sample ID, including the dates and times of preparation and/or analysis.

Qualifier Description

J	The identification of the analyte is acceptable; the reported value is an estimate.
---	---

¹ Cp
² Tc
³ Ss
⁴ Cn
⁵ Sr
⁶ Qc
⁷ Gl
⁸ Al
⁹ Sc

Pace Analytical National 12065 Lebanon Rd Mount Juliet, TN 37122

Alabama	40660	Nebraska	NE-OS-15-05
Alaska	17-026	Nevada	TN000032021-1
Arizona	AZ0612	New Hampshire	2975
Arkansas	88-0469	New Jersey--NELAP	TN002
California	2932	New Mexico ¹	TN00003
Colorado	TN00003	New York	11742
Connecticut	PH-0197	North Carolina	Env375
Florida	E87487	North Carolina ¹	DW21704
Georgia	NELAP	North Carolina ³	41
Georgia ¹	923	North Dakota	R-140
Idaho	TN00003	Ohio--VAP	CL0069
Illinois	200008	Oklahoma	9915
Indiana	C-TN-01	Oregon	TN200002
Iowa	364	Pennsylvania	68-02979
Kansas	E-10277	Rhode Island	LA000356
Kentucky ^{1 6}	KY90010	South Carolina	84004002
Kentucky ²	16	South Dakota	n/a
Louisiana	AI30792	Tennessee ^{1 4}	2006
Louisiana	LA018	Texas	T104704245-20-18
Maine	TN00003	Texas ⁵	LAB0152
Maryland	324	Utah	TN000032021-11
Massachusetts	M-TN003	Vermont	VT2006
Michigan	9958	Virginia	110033
Minnesota	047-999-395	Washington	C847
Mississippi	TN00003	West Virginia	233
Missouri	340	Wisconsin	998093910
Montana	CERT0086	Wyoming	A2LA
A2LA -- ISO 17025	1461.01	AIHA-LAP,LLC EMLAP	100789
A2LA -- ISO 17025 ⁵	1461.02	DOD	1461.01
Canada	1461.01	USDA	P330-15-00234
EPA--Crypto	TN00003		

¹ Drinking Water ² Underground Storage Tanks ³ Aquatic Toxicity ⁴ Chemical/Microbiological ⁵ Mold ⁶ Wastewater n/a Accreditation not applicable




* Not all certifications held by the laboratory are applicable to the results reported in the attached report.

* Accreditation is only applicable to the test methods specified on each scope of accreditation held by Pace Analytical.

¹ Cp² Tc³ Ss⁴ Cn⁵ Sr⁶ Qc⁷ Gl⁸ Al⁹ Sc

Released to Imaging: 3/27/2023 11:08:00 AM

Released to Imaging: 3/27/2023 11:08:00 AM

Company Name/Address: DCP Midstream - Tasman 2620 W. Marland Blvd Hobbs, NM 88240			Billing Information: Steve Weathers 370 17th St, Ste 2500 Denver, CO 80202			Pres Chk			Analysis / Container / Preservative								Chain of Custody Page <u>72</u> of <u>74</u>						
Report to: Kyle Norman			Email To: knorman@tasman-geo.com;jwatts@tasman-														 MT JULIET, TN 12065 Lebanon Rd Mount Juliet, TN 37122 Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace Terms and Conditions found at: https://info.pacelabs.com/hubfs/pas-standard-terms.pdf						
Project Description: Former Hobbs Booster Station			City/State Collected:			Please Circle: PT MT CT ET											SDG # <u>1565621</u>						
Phone: 575-318-5017			Client Project #			Lab Project # DCPTASMAN-HOBBSBOOST			V8260BTEX 40mIAmb-HCl								Table #						
Collected by (print): CHRIS FLORES			Site/Facility ID #			P.O. # 0000662016											Acctnum: DCPTASMAN						
Collected by (signature):			Rush? (Lab MUST Be Notified) ☐ Same Day ☐ Five Day ☐ Next Day ☐ 5 Day (Rad Only) ☐ Two Day ☐ 10 Day (Rad Only) ☐ Three Day			Quote #											Template: T155790						
Immediately Packed on Ice N ☐ Y ☒			Date Results Needed			No. of Cntrs											Prelogin: P966732 PM: 824 - Chris Ward PB:						
Sample ID			Comp/Grab	Matrix *	Depth	Date	Time	No. of Cntrs									Shipped Via: FedEX Ground						
MW-25			GW	12/6/22	15:35	3	X	X									Remarks Sample # (lab only)						
MW-27			GW	12/6/22	08:04	3	X	X									-11						
MW-28			GW	12/6/22	09:35	3	X	X									-12						
MW-29			GW	12/6/22	09:58	3	X	X									-13						
MW-14 DUPLICATE A			GW	12/6/22	3	X	X	X									-14						
MW-19D DUPLICATE B			GW	12/6/22	3	X	X	X									-15						
TRIP BLANK			GW	12/6/22	-	1	X	X									-16						
MW-26			GW	12/6/22	08:14	3	X	X									-17						
MW-30			GW	12/6/22	14:30	3	X	X									-18						
* Matrix: SS - Soil AIR - Air F - Filter GW - Groundwater B - Bioassay WW - WasteWater DW - Drinking Water OT - Other			Remarks:			pH _____ Temp _____ Flow _____ Other _____			Sample Receipt Checklist COC Seal Present/Intact: ☒ Y ☐ N COC Signed/Accurate: ☒ Y ☐ N Bottles arrive intact: ☒ Y ☐ N Correct bottles used: ☒ Y ☐ N Sufficient volume sent: ☒ Y ☐ N If Applicable VOA Zero Headspace: ☒ Y ☐ N Preservation Correct/Checked: ☒ Y ☐ N RAD Screen <0.5 mR/hr: ☒ Y ☐ N														
Samples returned via: ☐ UPS ☒ FedEx ☐ Courier			Tracking # 6094 5463 8185			Relinquished by: (Signature) 			Date: 12/8/22 Time: 14:56			Received by: (Signature) 			Trip Blank Received: ☒ Yes ☐ No ☒ HCl / MeOH TBR			Temperature: 20.42 °C Bottles Received: 54			If preservation required by Login: Date/Time		
Relinquished by: (Signature) 			Date: Time:			Received by: (Signature)			Date: Time:			Hold:			Condition: NCF / OK								
Relinquished by: (Signature)			Date: Time:			Received for lab by: (Signature)			Date: Time:			Hold:			Condition:								

WPA-11 DUBOIS 6

77512-1-3-52

Released to Imaging: 3/27/2023 11:08:00 AM

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 198906

CONDITIONS

Operator: DCP OPERATING COMPANY, LP 6900 E. Layton Ave Denver, CO 80237	OGRID: 36785
	Action Number: 198906
	Action Type: [UF-GWA] Ground Water Abatement (GROUND WATER ABATEMENT)

CONDITIONS

Created By	Condition	Condition Date
nvelez	Review of 4Q 2022 Groundwater Monitoring Summary Report: Content satisfactory 1. Continue with the recommendations presented in this report. 2. Reporting frequency changed from quarterly to annually. Submit next report to OCD no later than April 1, 2024.	3/27/2023