Gas Analysis Report

Eunice

Plant 161 Lab

Producer CHETEX Analysis Date 3/31/2023 9:56:00 AM

Meter : Lease 161802 : R.R. BELL NCT A #3 Analyzed By

Effective Date 3/1/2023 12:00:00 AM Report No

Field Gravity 0.0000 Sampled By

Line Pressure 22 Sample Taken 3/31/23
Line Flow Rate Sample Type Spot
Line Temperature 68 Cylinder No

Analysis Results Calculated at 14.65 psia and 60 degrees F

	<u>Mol %</u>	<u>GPM</u>
Nitrogen	0.968	
Carbon Dioxide	5.957	
Oxygen	0.000	
Water	0.000	
Hydrogen Sulfide	1.004	
Helium	0.000	
Methane	72.818	
Ethane	8.397	2.242
Propane	5.892	1.620
Isobutane	0.926	0.302
Normal Butane	2.137	0.673
IsoPentane	0.611	0.223
Normal Pentane	0.578	0.209
Hexane	0.714	0.318
Heptane	0.000	0.000
Octane	0.000	0.000
Total	100.000	5.587

<u>Condition</u>	Real BTU/scf	Ideal BTU/scf	Relative Density	Compressibility (Z)
Water Saturated	1,203.33	0.00	0.810	0.000
Dry	1,224.76	0.00		0.000
As Delivered	0.00	0.00	0.000	0.000
Water Content (lb/mmscfd)	0.00			
Calculated 26/70 Gasoline gpm	1.104			

Remarks:

Printed from Measurement Repository 10/13/23 12:38:22 PM GMT-05:0

Public Folders\Measurement Repository\MR000 Standard Reports

ReportID: 596071

Enter data in shaded fields to calculate	e gas volumes released	d due to leak and blowdown of system.
Hours of leak =	3	Example:
Diameter of hole (inches) =	0.5	Leak for 4 (est) hours out of a 1/4 inch hole with line presure of 750 psig
Upstream Pressure =	30	
open cum 110ssure		loss is equal to the hole diameter squared times the upstream pressure absolute. *
Volume of Gas Leaked =	33.53 Mcf	
Footage of Pipe blowndown =	5808	
Initial line pressure =	24	Calculated factor for line pack = 0.517
Diameter of Pipe (inches) =	6	
_ , , ,		Example:
Volume of Gas BlownDown =	3.00 Mcf	Loss of gas due to blowdown of 7 miles of 12 inch at initial pressure 51 psig
Footage of Pipe blowndown =	4224	
Initial line pressure =	24	Calculated factor for line pack = 0.517
Diameter of Pipe (inches) =	6	
		Example:
Volume of Gas BlownDown =	2.18 Mcf	Loss of gas due to blowdown of 7 miles of 12 inch at initial pressure 51 psig
Footage of Pipe blowndown =	1584	
Initial line pressure =	28	Calculated factor for line pack = 0.570
Diameter of Pipe (inches) =	6	
		Example:
Volume of Gas BlownDown =	0.90 Mcf	Loss of gas due to blowdown of 7 miles of 12 inch at initial pressure 51 psig
Factors of Dine blown down	1056	
Footage of Pipe blowndown =	1056	Colorlated forter for line modes 0.570
Initial line pressure =	28	Calculated factor for line pack = 0.570
Diameter of Pipe (inches) =	6	Example:
Volume of Gas BlownDown =	0.60 Mcf	Loss of gas due to blowdown of 7 miles of 12 inch at initial pressure 51 psig
Footage of Pipe blowndown =	4752	
Initial line pressure =	4752 30	Calculated factor for line pack = 0.265
Diameter of Pipe (inches) =	4	Calculated factor for line pack = 0.205
Diameter of ripe (inches) –	4	Example:
ı		Lampie.

Volume of Gas BlownDown =	1.26 Mcf	Loss of gas due to blowdown of 7 miles of 12 inch at initial pressure 51 psig
E4	5200	
Footage of Pipe blowndown =	5280	
Initial line pressure =	28	Calculated factor for line pack = 0.570
Diameter of Pipe (inches) =	6	
		Example:
Volume of Gas BlownDown =	3.01 Mcf	Loss of gas due to blowdown of 7 miles of 12 inch at initial pressure 51 psig
Footage of Pipe blowndown =	12144	
Initial line pressure =	28	Calculated factor for line pack = 2.281
Diameter of Pipe (inches) =	12	
		Example:
Volume of Gas BlownDown =	27.71 Mcf	Loss of gas due to blowdown of 7 miles of 12 inch at initial pressure 51 psig
		Reportable 50 Mcf
		Immediate Notification 500 Mcf
Total Volume of Gas Loss =	72.19 Mcf	
Comments:		
Comments.		
	1	
Name : Amber Groves	Title:	Sr. Environmental Specialist
* Pipeline Rules of Thumb Handbook /2nd Edition		

District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

DEFINITIONS

Action 275434

DEFINITIONS

Operator:	OGRID:
TARGA MIDSTREAM SERVICES LLC	24650
811 Louisiana Street	Action Number:
Houston, TX 77002	275434
	Action Type:
	[C-129] Venting and/or Flaring (C-129)

DEFINITIONS

For the sake of brevity and completeness, please allow for the following in all groups of questions and for the rest of this application:

- this application's operator, hereinafter "this operator";
- · venting and/or flaring, hereinafter "vent or flare";
- any notification or report(s) of the C-129 form family, hereinafter "any C-129 forms";
- the statements in (and/or attached to) this, hereinafter "the statements in this";
- and the past tense will be used in lieu of mixed past/present tense questions and statements.

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

QUESTIONS

Action 275434

Ω	UESTIONS	
Operator:	0	OGRID:
TARGA MIDSTREAM SERVICES LLC		24650
811 Louisiana Street Houston, TX 77002		Action Number: 275434
		Action Type: [C-129] Venting and/or Flaring (C-129)
QUESTIONS		
Prerequisites		
Any messages presented in this section, will prevent submission of this application. Please resolve t	these issues before continuing wit	h the rest of the questions.
Incident Well	Unavailable.	
Incident Facility	[fAPP2123021777] Targa N	IM Gathering System
Determination of Reporting Requirements		
Answer all questions that apply. The Reason(s) statements are calculated based on your answers ar	nd may provide addional guidance.	
Was this vent or flare caused by an emergency or malfunction	Yes	
Did this vent or flare last eight hours or more cumulatively within any 24-hour period from a single event	No	
Is this considered a submission for a vent or flare event	Yes, minor venting and/or	flaring of natural gas.
An operator shall file a form C-141 instead of a form C-129 for a release that, includes liquid during v	enting and/or flaring that is or may	be a major or minor release under 19.15.29.7 NMAC.
Was there at least 50 MCF of natural gas vented and/or flared during this event	Yes	•
Did this vent or flare result in the release of ANY liquids (not fully and/or completely flared) that reached (or has a chance of reaching) the ground, a surface, a watercourse, or otherwise, with reasonable probability, endanger public health, the environment or fresh water	No	
Was the vent or flare within an incorporated municipal boundary or withing 300 feet from an occupied permanent residence, school, hospital, institution or church in existence	No	
Equipment Involved		
Primary Equipment Involved	Not answered.	
Additional details for Equipment Involved. Please specify	Not answered.	
Representative Compositional Analysis of Vented or Flared Natural Gas		
Please provide the mole percent for the percentage questions in this group. Methane (CH4) percentage	73	
Nitrogen (N2) percentage, if greater than one percent	1	
Hydrogen Sulfide (H2S) PPM, rounded up	1	
Carbon Dioxide (C02) percentage, if greater than one percent	6	
Oxygen (02) percentage, if greater than one percent	0	
If you are venting and/or flaring because of Pipeline Specification, please provide the required spec	ifications for each gas.	
Methane (CH4) percentage quality requirement	Not answered.	
Nitrogen (N2) percentage quality requirement	Not answered.	
Hydrogen Sufide (H2S) PPM quality requirement	Not answered.	
Carbon Dioxide (C02) percentage quality requirement	Not answered.	
Oxygen (02) percentage quality requirement	Not answered.	

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720 District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

QUESTIONS, Page 2

Action 275434

Prione:(505) 476-3470 Fax:(505) 476-3462	ONIC (a parting of)
Operator:	ONS (continued)
TARGA MIDSTREAM SERVICES LLC	24650
811 Louisiana Street	Action Number:
Houston, TX 77002	275434 Action Type:
	[C-129] Venting and/or Flaring (C-129)
QUESTIONS	
Date(s) and Time(s)	
Date vent or flare was discovered or commenced	10/12/2023
Time vent or flare was discovered or commenced	01:55 PM
Time vent or flare was terminated	04:42 PM
Cumulative hours during this event	3
<u> </u>	
Measured or Estimated Volume of Vented or Flared Natural Gas	
Natural Gas Vented (Mcf) Details	Cause: Corrosion Pipeline (Any) Natural Gas Vented Released: 72 Mcf Recovered: 0 Mcf Lost: 72 Mcf.
Natural Gas Flared (Mcf) Details	Not answered.
Other Released Details	Not answered.
Additional details for Measured or Estimated Volume(s). Please specify	Not answered.
Is this a gas only submission (i.e. only significant Mcf values reported)	Yes, according to supplied volumes this appears to be a "gas only" report.
Venting or Flaring Resulting from Downstream Activity	
Was this vent or flare a result of downstream activity	Mo
Was notification of downstream activity received by this operator	No
	Not answered.
Downstream OGRID that should have notified this operator	Not answered.
Date notified of downstream activity requiring this vent or flare	Not answered.
Time notified of downstream activity requiring this vent or flare	Not answered.
Steps and Actions to Prevent Waste	
For this event, this operator could not have reasonably anticipated the current event and it was beyond this operator's control.	True
Please explain reason for why this event was beyond this operator's control	Gas was vented to atmosphere when a leak was discovered on Targa's 12-inch gathering pipeline. The leak was due to corrosion on the pipeline. The pipeline is underground, and the corrosion was not visible. The first sign of corrosion on an underground pipeline is a leak. Furthermore, the only way to make repairs is to depressurize the corroded section of pipeline to atmosphere. This event was beyond Targa's control.
Steps taken to limit the duration and magnitude of vent or flare	The corroded section of pipeline was isolated and depressurized to atmosphere. Once the section of pipeline was fully depressurized, the emission event ended.
Corrective actions taken to eliminate the cause and reoccurrence of vent or flare	The corroded section of pipeline will be replaced. Once the new section of pipeline is verified to be safe to operate, the pipeline will be returned to normal service.

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

ACKNOWLEDGMENTS

Action 275434

ACKNOWLEDGMENTS

Operator:	OGRID:
TARGA MIDSTREAM SERVICES LLC	24650
811 Louisiana Street	Action Number:
Houston, TX 77002	275434
	Action Type:
	[C-129] Venting and/or Flaring (C-129)

ACKNOWLEDGMENTS

✓	I acknowledge that I am authorized to submit a <i>Venting and/or Flaring</i> (C-129) report on behalf of this operator and understand that this report can be a complete C-129 submission per 19.15.27.8 and 19.15.28.8 NMAC.
V	I acknowledge that upon submitting this application, I will be creating a new incident file (assigned to this operator) to track any C-129 forms, pursuant to 19.15.27.7 and 19.15.28.8 NMAC and understand that this submission meets the notification requirements of Paragraph (1) of Subsection G and F respectively.
V	I hereby certify the statements in this report are true and correct to the best of my knowledge and acknowledge that any false statement may be subject to civil and criminal penalties under the Oil and Gas Act.
V	I acknowledge that the acceptance of any C-129 forms by the OCD does not relieve this operator of liability should their operations have failed to adequately investigate, report, and remediate contamination that poses a threat to groundwater, surface water, human health, or the environment.
V	I acknowledge that OCD acceptance of any C-129 forms does not relieve this operator of responsibility for compliance with any other applicable federal, state, or local laws and/or regulations.

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 275434

CONDITIONS

Operator:	OGRID:
TARGA MIDSTREAM SERVICES LLC	24650
811 Louisiana Street	Action Number:
Houston, TX 77002	275434
	Action Type:
	[C-129] Venting and/or Flaring (C-129)

CONDITIONS

Create	By Condition	Condition Date
amb	If the information provided in this report requires an amendment, submit a [C-129] Amend Venting and/or Flaring Incident (C-129A), utilizing your incident number from this event.	10/13/2023