

Certificate of Analysis

Number: 6030-24010171-001A

Sampled By:

Sample Date:

Effective Date:

Sample Of:

Flow Rate:

Method:

Artesia Laboratory 200 E Main St. Artesia, NM 88210 Phone 575-746-3481

Chandler Montgomery Occidental Petroleum 1502 W Commerce Dr. Carlsbad, NM 88220

Mike Armijo

01/15/2024 10:15

Sample Conditions: 677 psig, @ 58 °F Ambient: 14 °F 01/15/2024 10:15

Gas

N/A

Jan. 17, 2024

Composite

Field: PERMIAN RESOURCES Station Name: Falcon Ridge CGL(BTEX)

Station Number: N/A Station Location: Dehy

Sample Point: Inlet Dehy **NEW_MEXICO** Formation:

County: Lea Well Name: N/A

Type of Sample: : Spot-Cylinder

N/A

Sampling Method: : Fill and Purge Sampling Company: : SPL

Heat Trace Used:

Cylinder No: 5030-04006 Instrument: 70104251 (Inficon GC-MicroFusion) Last Inst. Cal.: 01/15/2024 0:00 AM

GPA-2261M

Analyzed: 01/16/2024 13:42:44 by EBH

Analytical Data

Components	Un-normalized Mol %	Mol. %	Wt. %	GPM at 14.65 psia	
Hydrogen Sulfide	0.0000	0.0000	0.0000		
Nitrogen	1.2966	1.3215	1.6634		
Carbon Dioxide	1.0738	1.0944	2.1642		
Methane	71.6817	73.0563	52.6616		
Ethane	12.7892	13.0345	17.6108	3.480	
Propane	7.5875	7.7330	15.3218	2.127	
Iso-Butane	0.8655	0.8821	2.3037	0.288	
n-Butane	1.9446	1.9819	5.1759	0.624	
Iso-Pentane	0.3698	0.3769	1.2219	0.138	
n-Pentane	0.3077	0.3136	1.0166	0.113	
Hexanes	0.1225	0.1248	0.4832	0.051	
Heptanes	0.0624	0.0636	0.2864	0.029	
Octanes	0.0153	0.0156	0.0801	0.008	
Nonanes Plus	0.0018	0.0018	0.0104	0.001	
	98.1184	100.0000	100.0000	6.859	
Calculated Physical	Properties	Tot	al	C9+	
Calculated Molecular	Weight	22.2	26	128.26	
Compressibility Factor		0.996	60		
Relative Density Real Gas		0.771	12	4.4283	
GPA 2172 Calculatio	n:				
Calculated Gross BT	'U per ft ³ @ 14.65 ps	sia & 60°F			
Real Gas Dry BTU		1295	.7	6974.4	
Water Sat. Gas Base	BTU	1273	.6	6852.4	
Ideal, Gross HV - Dry	at 14.65 psia	1290	.6	6974.4	
Ideal, Gross HV - Wet		1268	.0	6852.4	
Comments: H2S Field Content N/A ppm					

FMP/LSE N/A,

Hydrocarbon Laboratory Manager

Quality Assurance: The above analyses are performed in accordance with ASTM, UOP, GPA guidelines for quality

assurance, unless otherwise stated.

UPSET FLARING EVENT SPECIFIC JUSTIFICATIONS FORM

Facility: Falcon Ridge CGL Flare Date: 04/28/2024

Duration of Event: 3 Hours 59 Minutes **MCF Flared:** 250

Start Time: 08:00 PM End Time: 11:59 PM

Cause: Emergency Flare > Third Party Vendor Activity > Solaris > Power Outage

Method of Flared Gas Measurement: Gas Flare Meter

1. Reason why this event was beyond Operator's control:

In this case, Solaris water disposal company had an unexpected power outage which caused our facility to shut in. As a result, control valves had to be opened and the facility depressurized, which then triggered a flaring event to occur. Throughout the actions to restart the facility, there were several compression equipment start-up failures, which then prompted field personnel to blowdown the equipment several times, until the compression equipment was loaded back up and returned to normal operations, which took some time to do. Due to the design of the facility, during an emergency shutdown, as in this case, all gas from the compression equipment is tied to the flare, which is why the emergency flare was triggered. This event is out of OXY's control, yet OXY made every effort to control and minimize emissions as much as possible.

2. Steps Taken to limit duration and magnitude of venting or flaring:

It is OXY's policy to route its stranded gas to a flare during an unforeseen and unavoidable emergency or malfunction, that is beyond Oxy's control to avoid, prevent or foresee, to minimize emissions as much as possible as part of the overall steps taken to limit duration and magnitude of flaring. In this case, Solaris water disposal company had an unexpected power outage which caused our facility to shut in. As a result, control valves had to be opened, wells shut in and the facility depressurized, which then triggered a flaring event to occur. Throughout the actions to restart the facility, there were several compression equipment start-up failures, which then prompted field personnel to blowdown the equipment several times, until the compression equipment was loaded back up and returned to normal operations, which took some time to do. Due to the design of the facility, during an emergency shutdown, as in this case, all compression equipment is tied to the flare, which is why the emergency flare was triggered. Once Solaris was able to open and get their power outage taken care of, Oxy field personnel were able to slowly open the wells back up, restart the compression equipment and slowly cease the flaring. This event is out of OXY's control, yet OXY made every effort to control and minimize emissions as much as possible.

3. Corrective Actions taken to eliminate the cause and reoccurrence of venting or flaring:

Oxy is unable to take any corrective actions to eliminate the cause and potential reoccurrence of a third-party owned and operated vendor issue, as this is out of Oxy's control to foresee, avoid, prevent from happening or reoccur. OXY makes every effort to control and minimize emissions as much as possible. The only actions that Oxy can take and handle that is within its control, is to continually communicate with Solaris personnel, during these types of circumstances.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

DEFINITIONS

Action 343951

DEFINITIONS

Operator:	OGRID:
OXY USA INC	16696
P.O. Box 4294	Action Number:
Houston, TX 772104294	343951
	Action Type:
	[C-129] Venting and/or Flaring (C-129)

DEFINITIONS

For the sake of brevity and completeness, please allow for the following in all groups of questions and for the rest of this application:

- this application's operator, hereinafter "this operator";
- · venting and/or flaring, hereinafter "vent or flare";
- any notification or report(s) of the C-129 form family, hereinafter "any C-129 forms";
- the statements in (and/or attached to) this, hereinafter "the statements in this";
- and the past tense will be used in lieu of mixed past/present tense questions and statements.

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 1220 S. St Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

QUESTIONS

Action 343951

Phone:(505) 476-3470 Fax:(505) 476-3462		
Q	UESTIONS	
Operator: OXY USA INC		OGRID: 16696
P.O. Box 4294 Houston, TX 772104294		Action Number: 343951
Houston, TX 772104254		Action Type: [C-129] Venting and/or Flaring (C-129)
QUESTIONS		
Prerequisites		
Any messages presented in this section, will prevent submission of this application. Please resolve	these issues before continuing wi	th the rest of the questions.
Incident Well	Unavailable.	
Incident Facility	[fAPP2333082512] Falcon	Ridge CGL CS
Determination of Reporting Requirements		
Answer all questions that apply. The Reason(s) statements are calculated based on your answers a	nd may provide addional quidance	<u>.</u>
Was this vent or flare caused by an emergency or malfunction	Yes	
Did this vent or flare last eight hours or more cumulatively within any 24-hour period from a single event	No	
Is this considered a submission for a vent or flare event	Yes, minor venting and/or	flaring of natural gas.
An operator shall file a form C-141 instead of a form C-129 for a release that, includes liquid during v	venting and/or flaring that is or may	y be a major or minor release under 19.15.29.7 NMAC.
Was there at least 50 MCF of natural gas vented and/or flared during this event	Yes	y as a major of million foliation and a formation to the control of the control o
Did this vent or flare result in the release of ANY liquids (not fully and/or completely flared) that reached (or has a chance of reaching) the ground, a surface, a watercourse, or otherwise, with reasonable probability, endanger public health, the environment or fresh water	No	
Was the vent or flare within an incorporated municipal boundary or withing 300 feet from an occupied permanent residence, school, hospital, institution or church in existence	No	
Equipment Involved		
Primary Equipment Involved	Other (Specify)	
Additional details for Equipment Involved. Please specify	Emergency Flare > Third P.	arty Vendor Activity > Solaris > Power Outage
Payacantative Compositional Analysis of Ventad as Flored Natural Cos		
Representative Compositional Analysis of Vented or Flared Natural Gas Please provide the mole percent for the percentage questions in this group.		
Methane (CH4) percentage	73	
Nitrogen (N2) percentage, if greater than one percent	1	
Hydrogen Sulfide (H2S) PPM, rounded up	0	
Carbon Dioxide (C02) percentage, if greater than one percent	1	
Oxygen (02) percentage, if greater than one percent	0	
If you are venting and/or flaring because of Pipeline Specification, please provide the required spec		
Methane (CH4) percentage quality requirement	Not answered.	
Nitrogen (N2) percentage quality requirement	Not answered.	
Hydrogen Sufide (H2S) PPM quality requirement	Not answered.	
Carbon Dioxide (C02) percentage quality requirement	Not answered	

Not answered.

Oxygen (02) percentage quality requirement

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410

Phone:(505) 334-6178 Fax:(505) 334-6170 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

QUESTIONS, Page 2

Action 343951

QUESTIONS (continued)	QL	JEST	IONS	(continued)
-----------------------	----	-------------	------	-------------

Operator:	OGRID:
OXY USA INC	16696
P.O. Box 4294	Action Number:
Houston, TX 772104294	343951
	Action Type:
	[C-129] Venting and/or Flaring (C-129)

QUESTIONS

Date(s) and Time(s)	
Date vent or flare was discovered or commenced	04/28/2024
Time vent or flare was discovered or commenced	08:00 PM
Time vent or flare was terminated	11:59 PM
Cumulative hours during this event	4

Measured or Estimated Volume of Vented or Flared Natural Gas	
Natural Gas Vented (Mcf) Details	Not answered.
Natural Gas Flared (Mcf) Details	Cause: Other Other (Specify) Natural Gas Flared Released: 250 Mcf Recovered: 0 Mcf Lost: 250 Mcf.
Other Released Details	Not answered.
Additional details for Measured or Estimated Volume(s). Please specify	Gas Flare Meter
Is this a gas only submission (i.e. only significant Mcf values reported)	Yes, according to supplied volumes this appears to be a "gas only" report.

Venting or Flaring Resulting from Downstream Activity	
Was this vent or flare a result of downstream activity	Yes
Was notification of downstream activity received by this operator	No
Downstream OGRID that should have notified this operator	[371643] SOLARIS WATER MIDSTREAM, LLC
Date notified of downstream activity requiring this vent or flare	Not answered.
Time notified of downstream activity requiring this vent or flare	Not answered.

Steps and Actions to Prevent Waste	
For this event, this operator could not have reasonably anticipated the current event and it was beyond this operator's control.	True
Please explain reason for why this event was beyond this operator's control	In this case, Solaris water disposal company had an unexpected power outage which caused our facility to shut in. As a result, control valves had to be opened and the facility depressurized, which then triggered a flaring event to occur. Throughout the actions to restart the facility, there were several compression equipment startup failures, which then prompted field personnel to blowdown the equipment several times, until the compression equipment was loaded back up and returned to normal operations, which took some time to do. Due to the design of the facility, during an emergency shutdown, as in this case, all gas from the compression equipment is tied to the flare, which is why the emergency flare was triggered. This event is out of OXY's control, yet OXY made every effort to control and minimize emissions as much as possible.
Steps taken to limit the duration and magnitude of vent or flare	It is OXY's policy to route its stranded gas to a flare during an unforeseen and unavoidable emergency or malfunction, that is beyond Oxy's control to avoid, prevent or foresee, to minimize emissions as much as possible as part of the overall steps taken to limit duration and magnitude of flaring. In this case, Solaris water disposal company had an unexpected power outage which caused our facility to shut in. As a result, control valves had to be opened, wells shut in and the facility depressurized, which then triggered a flaring event to occur. Throughout the actions to restart the facility, there were several compression equipment start-up failures, which then prompted field personnel to blowdown the equipment several times, until the compression equipment was loaded back up and returned to normal operations, which took some time to do. Due to the design of the facility,

	during an emergency shutdown, as in this case, all compression equipment is tied to the flare, which is why the emergency flare was triggered. Once Solaris was able to open and get their power outage taken care of, Oxy field personnel were able to slowly open the wells back up, restart the compression equipment and slowly cease the flaring. This event is out of OXY's control, yet OXY made every effort to control and minimize emissions as much as
Corrective actions taken to eliminate the cause and reoccurrence of vent or flare	Dossible. Oxy is unable to take any corrective actions to eliminate the cause and potential reoccurrence of a third-party owned and operated vendor issue, as this is out of Oxy's control to foresee, avoid, prevent from happening or reoccur. OXY makes every effort to control and minimize emissions as much as possible. The only actions that Oxy can take and handle that is within its control, is to continually communicate with Solaris personnel, during these types of circumstances.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

ACKNOWLEDGMENTS

Action 343951

ACKNOWLEDGMENTS

Operator:	OGRID:
OXY USA INC	16696
P.O. Box 4294	Action Number:
Houston, TX 772104294	343951
	Action Type:
	[C-129] Venting and/or Flaring (C-129)

ACKNOWLEDGMENTS

V	I acknowledge that I am authorized to submit a <i>Venting and/or Flaring</i> (C-129) report on behalf of this operator and understand that this report can be a complete C-129 submission per 19.15.27.8 and 19.15.28.8 NMAC.
V	I acknowledge that upon submitting this application, I will be creating a new incident file (assigned to this operator) to track any C-129 forms, pursuant to 19.15.27.7 and 19.15.28.8 NMAC and understand that this submission meets the notification requirements of Paragraph (1) of Subsection G and F respectively.
V	I hereby certify the statements in this report are true and correct to the best of my knowledge and acknowledge that any false statement may be subject to civil and criminal penalties under the Oil and Gas Act.
V	I acknowledge that the acceptance of any C-129 forms by the OCD does not relieve this operator of liability should their operations have failed to adequately investigate, report, and remediate contamination that poses a threat to groundwater, surface water, human health, or the environment.
V	I acknowledge that OCD acceptance of any C-129 forms does not relieve this operator of responsibility for compliance with any other applicable federal, state, or local laws and/or regulations.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 343951

CONDITIONS

Operator:	OGRID:
OXY USA INC	16696
P.O. Box 4294	Action Number:
Houston, TX 772104294	343951
	Action Type:
	[C-129] Venting and/or Flaring (C-129)

CONDITIONS

Created By		Condition Date
shelbyschoepf	If the information provided in this report requires an amendment, submit a [C-129] Amend Venting and/or Flaring Incident (C-129A), utilizing your incident number from this event.	5/13/2024