

Accepted - 02/24/2025



ENSOLUM

April 22, 2024

**New Mexico Oil Conservation Division**

New Mexico Energy, Minerals, and Natural Resources Department  
1220 South St. Francis Drive  
Santa Fe, New Mexico 87505

**Re: First Quarter 2024 – Solar SVE System Update**

James Ranch Unit #10 Battery  
Eddy County, New Mexico  
XTO Energy, Inc.  
NMOCD Incident Numbers NAB1535754357, NAB1521257588, and NAB1904653072

To Whom it May Concern:

Ensolum, LLC (Ensolum), on behalf of XTO Energy, Inc. (XTO), presents this *First Quarter 2024 - Solar SVE System Update* report summarizing the solar soil vapor extraction (SVE) system performance at the James Ranch Unit #10 Battery (Site), located in Unit H, Section 1, Township 23 South, Range 30 East in Eddy County, New Mexico (Figure 1). The SVE system has operated since May 27, 2022, to remediate residual subsurface soil impacts at the Site. This report summarizes Site activities performed in January, February, and March of 2024 for the New Mexico Oil Conservation Division (NMOCD).

**SVE SYSTEM SPECIFICATIONS**

Currently, a VariSun Direct Solar SVE system is installed at the Site. This system consists of a 6.2 horsepower (HP) Pentair SST65 high efficiency regenerative blower capable of producing 250 cubic feet per minute (cfm) flow and a vacuum of 110 inches of water column (IWC). The system is powered by 12, 415-watt solar modules capable of producing 5 kilowatts (KW) of electricity. A motor controller automatically starts the system as soon as sunlight is available and increases the electrical output to the blower as solar power increases throughout the day.

Ten SVE wells (SVE01 through SVE06 and SVE-PT-01 through SVE-PT-04) are currently installed at the Site, as depicted on Figure 2. In order to target total petroleum hydrocarbons (TPH) and benzene, toluene, ethylbenzene, and total xylenes (BTEX) soil impacts at different depth intervals, the screened intervals of the SVE wells were installed in shallow, medium, and deep zones. Specifically, SVE wells SVE01, SVE02, SVE03, and SVE04 target shallow zone impacts and are screened at depths between 5 feet and 20 feet below ground surface (bgs). SVE wells SVE-PT-02, SVE-PT-03, and SVE-PT-04 target medium zone impacts and are screened between 15 feet and 30 feet bgs. SVE wells SVE05, SVE06, and SVE-PT-01 target deep zone impacts and are screened at depths between 25 feet and 65 feet bgs.

**SUMMARY OF SVE OPERATIONS**

During the first quarter of 2024, Ensolum personnel performed routine operation and maintenance (O&M) visits to verify that the system was operating as designed and to perform any required

maintenance. In accordance with the approved *Revised Remediation Work Plan – SVE System* prepared by LT Environmental, Inc. (LTE, dated October 30, 2019), O&M inspections were performed at least monthly during this time period. Field notes taken during O&M visits are included as Appendix A.

During the first quarter of 2024, vapor extraction was applied to all SVE wells except for SVE03 and SVE06 (as recommended in the *Second Quarter 2023 - Solar SVE System Update*) to remove hydrocarbon impacts from the impacted zones at the Site. Between December 14, 2023, and March 13, 2024, approximately 865 total hours of nominal daylight were available for the solar SVE system to operate. Available nominal daylight hours are based on estimates by the National Oceanic and Atmospheric Administration's (NOAA's) National Weather Service (NWS) for the Site location. Between these dates, the actual runtime for the system was 698.4 hours, equating to a runtime efficiency of 80.7 percent (%). System downtime is due to a leak in the knockout tank being observed in January 2024. Following the observed leak, the system was intentionally shutdown between January 22 and January 31, 2024, when a knockout tank was repaired and put back into service at the Site. After removing the intentional, aforementioned downtime from the available runtime hours for first quarter of 2024, the system runtime efficiency increases to 89.1%; however, no alarms or performance issues were noted during the first quarter O&M visits. Run time for solar SVE systems can be less than the nominal hours due to cloud cover or other adverse weather preventing sufficient sunlight to generate electrical energy through solar conversion. Table 1 presents the SVE system runtime compared to nominal available daylight hours per month.

## VAPOR SAMPLING RESULTS

A first quarter 2024 vapor sample was collected on March 13, 2024, from a sample port located between the SVE piping manifold and the SVE blower using a high vacuum air sampler. Prior to collection, the vapor sample was field screened with a photoionization detector (PID) for organic vapor monitoring (OVM). The vapor sample was collected directly into two 1-Liter Tedlar® bags and submitted to Eurofins Laboratories (Eurofins) in Carlsbad, New Mexico for analysis of total volatile petroleum hydrocarbons (TVPH – also known as TPH – gasoline range organics (GRO)) and BTEX following Environmental Protection Agency (EPA) Method 8260C.

TVPH concentrations account for the majority contaminant mass and system emissions, with a result of 2,900 micrograms per liter (µg/L). In comparison, individual BTEX constituent concentrations range from below the laboratory reporting limits up to 80.8 µg/L in the first quarter of 2024. Table 2 presents a summary of TVPH and BTEX analytical data collected during the sampling events, with the full laboratory analytical reports included in Appendix B.

Vapor sample data and measured stack flow rates are used to estimate total mass recovered and total emissions generated by the SVE system (Table 2). Based on these estimates, approximately 16,958 pounds (8.48 tons) of TVPH have been removed by the system to date.

## SYSTEM ADJUSTMENTS AND RECOMMENDATIONS

Monthly O&M visits will continue to be performed by Ensolum personnel to verify the SVE system is operating within normal working ranges (i.e., temperature, pressure, and vacuum). Deviations from regular operations will be noted on field logs and included in the following update report. XTO will continue operating the SVE system until TVPH concentrations decrease to below 1,000 µg/L and/or asymptotic conditions are observed. At that time, an evaluation of residual petroleum hydrocarbons will be assessed and further recommendations for remedial actions, if any, will be provided to the NMOCD.

XTO Energy, Inc.  
First Quarter 2024 - Solar SVE System Update  
James Ranch Unit #10 Battery

Page 3


As noted above, system flow/vacuum levels fluctuate with the intensity of the sun. Because of this, field readings can vary significantly depending on weather conditions at the time of O&M visits. To mitigate this variability when calculating the mass removal and total emissions calculations presented in Table 2, flow measurements recorded by the system's telemetry at 10-minute intervals have been used to calculate an average flow for January and February of 2024. Telemetry flow readings could not be used to calculate average flow for March of 2024 as data logging has not been functioning properly since March 2, 2024. Troubleshooting efforts are underway to identify and repair the issue. Once repaired, averaging telemetry flow rates will continue to be used moving forward as it provides more accurate data as compared to using instantaneous measurements collected during a single Site visit.

We appreciate the opportunity to provide this report to the NMOCD. If you should have any questions or comments regarding this report, please contact the undersigned.

Sincerely,  
**Ensolum, LLC**



Stuart Hyde  
Senior Managing Geologist  
(970) 903-1607  
shyde@ensolum.com



Daniel R. Moir  
Senior Managing Geologist  
(303) 887-2946  
dmoir@ensolum.com


**Attachments:**

Figure 1	Site Location Map
Figure 2	SVE System Configuration
Table 1	Soil Vapor Extraction System Runtime Calculations
Table 2	Soil Vapor Extraction System Mass Removal and Emissions
Appendix A	Field Notes
Appendix B	Laboratory Analytical Reports & Chain-of-Custody Documentation



FIGURES




**SITE LOCATION MAP**

XTO ENERGY, INC  
JAMES RANCH UNIT #10 BATTERY  
Unit H, Sec 1, T23S, R30E  
Eddy County, New Mexico

**FIGURE****1**





**SVE SYSTEM CONFIGURATION**

XTO ENERGY, INC  
JAMES RANCH UNIT #10 BATTERY  
Unit H, Sec 1, T23S, R30E  
Eddy County, New Mexico



TABLES



**TABLE 1**  
**SOIL VAPOR EXTRACTION SYSTEM RUNTIME CALCULATIONS**  
James Ranch Unit #10 Battery  
XTO Energy  
Eddy County, New Mexico

Date	Runtime Meter Hours	Delta Hours
12/14/2023	5,784.7	--
3/13/2024	6,483.1	698.4

Time Period	December 14 to December 31, 2023	January 1 to January 31, 2024	February 1 to February 29, 2024	March 1 to March 13, 2024
Days	17	31	29	13
Avg. Nominal Daylight Hours	9	9	10	11
Available Runtime Hours	153	279	290	143

**Quarterly Available Daylight Runtime Hours      865**  
**Quarterly Runtime Hours      698.4**  
**Quarterly % Runtime      80.7%**

Month	Days	Nominal Daylight Hours	Total Month Hours
January	31	9	279
February	28	10	280
March	31	11	341
April	30	12	360
May	31	13	403
June	30	14	420
July	31	14	434
August	31	13	403
September	30	12	360
October	31	11	341
November	30	10	300
December	31	9	279





**TABLE 2**  
**SOIL VAPOR EXTRACTION SYSTEM MASS REMOVAL AND EMISSIONS**

James Ranch Unit #10 Battery  
XTO Energy  
Eddy County, New Mexico

**Laboratory Analytical Results**

Date	PID (ppm)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	TVPH (µg/L)
5/27/2022*	679	12.6	40.5	10.0	34.6	12,500
6/8/2022*	901	21.0	210	9.90	434	35,000
6/20/2022*	960	21.2	199	10	225	20,200
7/18/2022*	535	17.1	138	11.1	252	14,400
8/15/2022*	987	50.0	135	50.0	227	12,300
9/19/2022	380	10.0	54.9	10.0	110	4,830
12/19/2022	337	10.0	27.7	10.0	47.1	3,030
3/15/2023	245	10.0	25.2	10.0	29.4	1,630
6/14/2023	323	10.0	29.2	10.0	54.9	2,180
9/20/2023	611	10.0	43.4	10.0	106	5,210
12/14/2023	278	10.0	30.3	10.0	78.4	3,820
3/13/2024	358	10.0	29.0	10.0	80.8	2,900
<b>Average</b>	550	16.0	80	13.4	140	9,833

**Flow and Vapor Extraction Summary**

Date	Flow Rate (cfm) <sup>(1)</sup>	Total System Flow (cf)	Delta Flow (cf)	Benzene (lb/hr)	Toluene (lb/hr)	Ethylbenzene (lb/hr)	Total Xylenes (lb/hr)	TVPH (lb/hr)
5/27/2022	140	0	--	--	--	--	--	--
6/8/2022	113	1,046,154	1,046,154	0.00710	0.0529	0.00421	0.0990	10.0
6/20/2022	105	2,047,854	1,001,700	0.00829	0.0803	0.00391	0.129	10.8
7/18/2022	70	3,572,454	1,524,600	0.00501	0.0441	0.00276	0.0624	4.53
8/15/2022	98	5,656,098	2,083,644	0.0123	0.0501	0.0112	0.0879	4.90
9/19/2022	138	8,742,054	3,085,956	0.0155	0.0490	0.0155	0.0870	4.42
12/19/2022	150	15,449,754	6,707,700	0.00561	0.0232	0.00561	0.0441	2.20
3/15/2023	141	21,230,472	5,780,718	0.00527	0.0139	0.00527	0.0202	1.23
6/14/2023	132	29,220,168	7,989,696	0.00494	0.0134	0.00494	0.0208	0.940
9/20/2023	132	38,728,920	9,508,752	0.00494	0.0179	0.00494	0.0397	1.82
12/14/2023	149	45,377,598	6,648,678	0.00557	0.0205	0.00557	0.0514	2.52
3/13/2024 <sup>(2)</sup>	133	50,950,830	5,573,232	0.00497	0.0147	0.00497	0.0396	1.67
<b>Average</b>				0.00723	0.0346	0.00626	0.0619	4.10

**Mass Removal and Emissions Summary**

Date	Total SVE System Hours	Delta Hours	Benzene (pounds)	Toluene (pounds)	Ethylbenzene (pounds)	Total Xylenes (pounds)	TVPH (pounds)	TVPH (tons)
5/27/2022	0	0	--	--	--	--	--	--
6/8/2022	154	154	1.10	8.17	0.649	15.3	1,549	0.774
6/20/2022	313	159	1.32	12.8	0.621	20.6	1,723	0.862
7/18/2022	676	363	1.82	16.0	1.00	22.7	1,644	0.822
8/15/2022	1,030	354	4.36	17.7	3.97	31.1	1,734	0.867
9/19/2022	1,403	373	5.77	18.3	5.77	32.4	1,648	0.824
12/19/2022	2,148	745	4.18	17.3	4.18	32.8	1,643	0.822
3/15/2023	2,832	683	3.60	9.5	3.60	13.8	840	0.420
6/14/2023	3,840	1,009	4.98	13.5	4.98	21.0	949	0.474
9/20/2023	5,041	1,201	5.93	21.5	5.93	47.7	2,190	1.10
12/14/2023	5,785	744	4.14	15.3	4.14	38.2	1,871	0.936
3/13/2024	6,483	698	3.47	10.3	3.47	27.7	1,167	0.584
<b>Total Mass Recovery to Date</b>			40.7	160.4	38.3	303	16,958	8.48

**Notes:**

(1): average flow calculated from telemetry data beginning 9/21/2023

(2): flow rate for 3/13/2024 calcs based on January and February telemetry plus March site visit due to telemetry issues

cf: cubic feet

cfm: cubic feet per minute

µg/L: micrograms per liter

lb/hr: pounds per hour

--: not sampled

PID: photoionization detector

ppm: parts per million

SVE: soil vapor extraction

TVPH: total volatile petroleum hydrocarbons

gray: laboratory reporting limit used for calculating emissions

\*: analytical results differ from those reported in the August 23, 2022 "Solar SVE System Update" due to unit conversion errors



# APPENDIX A

## Field Notes

---

42

Location \_\_\_\_\_

Date

1/22/24

Project / Client XTO JRU

9:30 on site

Sunny, system running

No water in KO tank

some leaks (minor staining)

Runtime 6050.4 hrs.

Flow 139 CFM

Main Vac 42 in. H<sub>2</sub>O

SVE02 30

water in tubing

SVEPT04 33

SVEPT01 32

Gauge broken water  
in tubing  
off at valve

SVE03 N/A

SVE05 32

SVEPT03 32

SVE01 32

SVE04 32

water in tubing

SVE06 N/A

off at valve

SVEPT02 34

Valve on KO tank appears broken

drained ~ 1.5 gal of water from lines.

System off until repairs can  
be made.

GWW

Location \_\_\_\_\_

Date 2-19-24

Project / Client JRV 10 SVE

1000m on site

Sunny, System running.

2 1/4 full RO tank, no leaks visible

Runtime: 6235.4 hrs

Flow : 142 cfm

Main Vac: 40 in. H<sub>2</sub>Ovac (in. H<sub>2</sub>O)

SVE02: 30

SVEPT04 32

SVEPT01 31

SVE03 N/A valve closed

SVE05 30

SVEPT03 30

SVE01 30

SVE04 30

SVE06 N/A valve closed

SVEPT02 32

Gith



44

Location \_\_\_\_\_

Date

3/13/24

Project / Client

XTO JRV 10 SVE

CW

8:45 on site

Sunny, System running, RO tank &lt; 1/4

Runtime: 6483.1 (hrs.)

Flow: ~130cfm

Main Vac: 33 in H<sub>2</sub>O

Wells	(in H <sub>2</sub> O)	(PID <sub>ppm</sub> )
02	26	67
PT04	28	328
PT01	27	2633
03	N/A	Valve off.
05	27	773
PT03	26	547
01	26	169
04	26	97
06	N/A	valve off.
PT02	28	106

Influent all wells 358 ppm

Effluent all wells 121 ppm

2 samples collected from Influent @ 9:25am

miss offsite turn in samples to Lab

CWH



## APPENDIX B

### Laboratory Analytical Reports & Chain-of-Custody Documentation

---



Environment Testing

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

# ANALYTICAL REPORT

## PREPARED FOR

Attn: Tacoma Morrissey  
Ensolum  
601 N. Marienfeld St.  
Suite 400  
Midland, Texas 79701

Generated 3/15/2024 11:04:08 AM

## JOB DESCRIPTION

JAMES RANCH UNIT #10  
03E1558041

## JOB NUMBER

890-6351-1

Eurofins Carlsbad  
1089 N Canal St.  
Carlsbad NM 88220

# Eurofins Carlsbad

## Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

Analytical test results meet all requirements of the associated regulatory program (i.e., NELAC (TNI), DoD, and ISO 17025) unless otherwise noted under the individual analysis.

## Authorization



Generated  
3/15/2024 11:04:08 AM

Authorized for release by  
Jessica Kramer, Project Manager  
[Jessica.Kramer@et.eurofinsus.com](mailto:Jessica.Kramer@et.eurofinsus.com)  
(432)704-5440



Client: Ensolum  
Project/Site: JAMES RANCH UNIT #10

Laboratory Job ID: 890-6351-1  
SDG: 03E1558041

# Table of Contents

Cover Page . . . . .	1
Table of Contents . . . . .	3
Definitions/Glossary . . . . .	4
Case Narrative . . . . .	5
Client Sample Results . . . . .	6
Surrogate Summary . . . . .	7
QC Sample Results . . . . .	8
QC Association Summary . . . . .	10
Lab Chronicle . . . . .	11
Certification Summary . . . . .	12
Method Summary . . . . .	13
Sample Summary . . . . .	14
Chain of Custody . . . . .	15
Receipt Checklists . . . . .	16

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Definitions/Glossary

Client: Ensolum  
Project/Site: JAMES RANCH UNIT #10

Job ID: 890-6351-1  
SDG: 03E1558041

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: Ensolum  
Project: JAMES RANCH UNIT #10

Job ID: 890-6351-1

Job ID: 890-6351-1Eurofins Carlsbad

Job Narrative  
890-6351-1

Analytical test results meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page unless otherwise noted under the individual analysis. Data qualifiers are applied to indicate exceptions. Noncompliant quality control (QC) is further explained in narrative comments.

- Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD may be performed, unless otherwise specified in the method.
- Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

Receipt

The sample was received on 3/13/2024 10:41 AM. Unless otherwise noted below, the sample arrived in good condition, and, where required, properly preserved and on ice.

GC/MS VOA

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Carlsbad

## Client Sample Results

Client: Ensolum  
Project/Site: JAMES RANCH UNIT #10

Job ID: 890-6351-1  
SDG: 03E1558041

## Client Sample ID: INFLUENT ALL WELLS

Lab Sample ID: 890-6351-1

Date Collected: 03/13/24 09:25

Matrix: Air

Date Received: 03/13/24 10:41

Sample Container: Tedlar Bag 1L

## Method: SW846 8260C GRO - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics	2900000		50000	ug/m3			03/14/24 17:26	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	106		60 - 140				03/14/24 17:26	1

## Method: SW846 8260C - Volatile Organic Compounds (GCMS)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<10000	U	10000	ug/m3			03/14/24 17:26	1
Toluene	29000		10000	ug/m3			03/14/24 17:26	1
Ethylbenzene	<10000	U	10000	ug/m3			03/14/24 17:26	1
m,p-Xylenes	67400		20000	ug/m3			03/14/24 17:26	1
o-Xylene	13400		10000	ug/m3			03/14/24 17:26	1
Xylenes, Total	80800		20000	ug/m3			03/14/24 17:26	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	93		70 - 135				03/14/24 17:26	1



Surrogate Summary

Client: Ensolum  
Project/Site: JAMES RANCH UNIT #10

Job ID: 890-6351-1  
SDG: 03E1558041

Method: 8260C - Volatile Organic Compounds (GCMS)  
Matrix: Air

Prep Type: Total/NA

			Percent Surrogate Recovery (Acceptance Limits)					
		BFB						
Lab Sample ID	Client Sample ID	(70-135)						
890-6351-1	INFLUENT ALL WELLS	93						
LCS 860-149752/3	Lab Control Sample	101						
LCSD 860-149752/4	Lab Control Sample Dup	101						
MB 860-149752/6	Method Blank	92						
Surrogate Legend								
BFB = 4-Bromofluorobenzene (Surr)								

Method: 8260C GRO - Volatile Organic Compounds (GC/MS)  
Matrix: Air

Prep Type: Total/NA

			Percent Surrogate Recovery (Acceptance Limits)					
		BFB						
Lab Sample ID	Client Sample ID	(60-140)						
890-6351-1	INFLUENT ALL WELLS	106						
LCS 860-149754/4	Lab Control Sample	97						
LCSD 860-149754/5	Lab Control Sample Dup	102						
MB 860-149754/7	Method Blank	104						
Surrogate Legend								
BFB = 4-Bromofluorobenzene (Surr)								

## QC Sample Results

Client: Ensolum  
Project/Site: JAMES RANCH UNIT #10

Job ID: 890-6351-1  
SDG: 03E1558041

## Method: 8260C - Volatile Organic Compounds (GCMS)

Lab Sample ID: MB 860-149752/6

Matrix: Air

Analysis Batch: 149752

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<10000	U	10000	ug/m3			03/14/24 16:04	1
Toluene	<10000	U	10000	ug/m3			03/14/24 16:04	1
Ethylbenzene	<10000	U	10000	ug/m3			03/14/24 16:04	1
m,p-Xylenes	<20000	U	20000	ug/m3			03/14/24 16:04	1
o-Xylene	<10000	U	10000	ug/m3			03/14/24 16:04	1
Xylenes, Total	<20000	U	20000	ug/m3			03/14/24 16:04	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	92		70 - 135		03/14/24 16:04	1

Lab Sample ID: LCS 860-149752/3

Matrix: Air

Analysis Batch: 149752

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	50000	42370		ug/m3		85	70 - 125
Toluene	50000	50080		ug/m3		100	70 - 125
Ethylbenzene	50000	47990		ug/m3		96	70 - 125
m,p-Xylenes	50000	48510		ug/m3		97	70 - 125
o-Xylene	50000	49240		ug/m3		98	70 - 125

Surrogate	LCS %Recovery	LCS Qualifier	Limits
4-Bromofluorobenzene (Surr)	101		70 - 135

Lab Sample ID: LCSD 860-149752/4

Matrix: Air

Analysis Batch: 149752

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Benzene	50000	43750		ug/m3		87	70 - 125	3	35
Toluene	50000	49060		ug/m3		98	70 - 125	2	35
Ethylbenzene	50000	49190		ug/m3		98	70 - 125	2	35
m,p-Xylenes	50000	50060		ug/m3		100	70 - 125	3	35
o-Xylene	50000	49730		ug/m3		99	70 - 125	1	35

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
4-Bromofluorobenzene (Surr)	101		70 - 135

## Method: 8260C GRO - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 860-149754/7

Matrix: Air

Analysis Batch: 149754

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics	<50000	U	50000	ug/m3			03/14/24 16:04	1

Eurofins Carlsbad

QC Sample Results

Client: Ensolum  
Project/Site: JAMES RANCH UNIT #10

Job ID: 890-6351-1  
SDG: 03E1558041

Method: 8260C GRO - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 860-149754/7  
Matrix: Air  
Analysis Batch: 149754

Client Sample ID: Method Blank  
Prep Type: Total/NA

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	104		60 - 140		03/14/24 16:04	1

Lab Sample ID: LCS 860-149754/4  
Matrix: Air  
Analysis Batch: 149754

Client Sample ID: Lab Control Sample  
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Gasoline Range Organics	500000	396000		ug/m3		79	60 - 140
Surrogate	LCS %Recovery	LCS Qualifier	Limits				
4-Bromofluorobenzene (Surr)	97		60 - 140				

Lab Sample ID: LCSD 860-149754/5  
Matrix: Air  
Analysis Batch: 149754

Client Sample ID: Lab Control Sample Dup  
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Gasoline Range Organics	500000	443900		ug/m3		89	60 - 140	11	35
Surrogate	LCSD %Recovery	LCSD Qualifier	Limits						
4-Bromofluorobenzene (Surr)	102		60 - 140						

QC Association Summary

Client: Ensolum  
Project/Site: JAMES RANCH UNIT #10

Job ID: 890-6351-1  
SDG: 03E1558041

GC/MS VOA

Analysis Batch: 149752

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-6351-1	INFLUENT ALL WELLS	Total/NA	Air	8260C	
MB 860-149752/6	Method Blank	Total/NA	Air	8260C	
LCS 860-149752/3	Lab Control Sample	Total/NA	Air	8260C	
LCSD 860-149752/4	Lab Control Sample Dup	Total/NA	Air	8260C	

Analysis Batch: 149754

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-6351-1	INFLUENT ALL WELLS	Total/NA	Air	8260C GRO	
MB 860-149754/7	Method Blank	Total/NA	Air	8260C GRO	
LCS 860-149754/4	Lab Control Sample	Total/NA	Air	8260C GRO	
LCSD 860-149754/5	Lab Control Sample Dup	Total/NA	Air	8260C GRO	



Lab Chronicle

Client: Ensolum  
Project/Site: JAMES RANCH UNIT #10

Job ID: 890-6351-1  
SDG: 03E1558041

Client Sample ID: INFLUENT ALL WELLS  
Date Collected: 03/13/24 09:25  
Date Received: 03/13/24 10:41

Lab Sample ID: 890-6351-1  
Matrix: Air

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		1	5 mL	5 mL	149752	03/14/24 17:26	AN	EET HOU
Total/NA	Analysis	8260C GRO		1	5 mL	5 mL	149754	03/14/24 17:26	AN	EET HOU

Laboratory References:  
EET HOU = Eurofins Houston, 4145 Greenbriar Dr, Stafford, TX 77477, TEL (281)240-4200

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Accreditation/Certification Summary

Client: Ensolum  
Project/Site: JAMES RANCH UNIT #10

Job ID: 890-6351-1  
SDG: 03E1558041

Laboratory: Eurofins Houston

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
Texas	NELAP	T104704215	06-30-24
The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.			
Analysis Method	Prep Method	Matrix	Analyte
8260C		Air	Benzene
8260C		Air	Ethylbenzene
8260C		Air	m,p-Xylenes
8260C		Air	o-Xylene
8260C		Air	Toluene
8260C		Air	Xylenes, Total
8260C GRO		Air	Gasoline Range Organics

Method Summary

Client: Ensolum  
Project/Site: JAMES RANCH UNIT #10

Job ID: 890-6351-1  
SDG: 03E1558041

Method	Method Description	Protocol	Laboratory
8260C	Volatile Organic Compounds (GCMS)	SW846	EET HOU
8260C GRO	Volatile Organic Compounds (GC/MS)	SW846	EET HOU
5030C	Collection/Prep Tedlar Bag (P&T)	SW846	EET HOU

**Protocol References:**  
SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

**Laboratory References:**  
EET HOU = Eurofins Houston, 4145 Greenbriar Dr, Stafford, TX 77477, TEL (281)240-4200

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Sample Summary

Client: Ensolum  
Project/Site: JAMES RANCH UNIT #10

Job ID: 890-6351-1  
SDG: 03E1558041

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
890-6351-1	INFLUENT ALL WELLS	Air	03/13/24 09:25	03/13/24 10:41

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14



Setting the Standard since 1990


AIR SAMPLING CHAIN OF CUSTODY

Stafford, Texas (281-240-4200) San Antonio, Texas (210-509-3334) Phoenix, Arizona (480-355-0900)  
Dallas, Texas (214-902-0300) Lubbock, TX (806-794-1296) Midland, TX (432-704-5251) El Paso, TX (915-585-3443)

Xenco Job #:

3/15/2024

Page 1 of 1

Client/Project Information				AIR TYPE	Sampling Equipment Information				Analysis Requested		Remarks														
Company Name: Ensolum					Canister ID	Flow Regulator ID	Canister Pressure in field ("Hg) Start	Canister Pressure in field ("Hg) Stop	Incoming Canister Pressure ("Hg) Lab	TVPH(8015)		BTEX(8021)													
Project Contact: Stuart Hyde																									
Email: shyde@ensolum.com																									
Project Name & No.: James Ranch Unit #10, 03E1558041																									
Site Location: Rural Eddy, NM																									
Cost Center: 1135831001 AFE: EW2019.03368.EXP.01																									
Sampler(s): Corner bottom																									
Lab #	Field ID/Point of Collection	Start Date	Start Time	Stop Date	Stop Time																				
	Influent All Wells	3/13/24	9:23	3/13/24	9:25	SV				X	X		2 Bags (4L)												
<div>890-6351 Chain of Custody</div> 																									
														(1) Relinquished By:				(1) Received By:							
														(2) Relinquished By:				(2) Received By:							
														(3) Relinquished By:				(3) Received By:							
														(4) Relinquished By:				(4) Received By:							
														Date/Time				Date/Time							
														Date/Time				Date/Time							
														Date/Time				Date/Time							
														Date/Time				Date/Time							
														Date/Time				Date/Time							
Requested TAT																									
Shipping Information																									
Contract TAT <input type="checkbox"/> 3 Day <input checked="" type="checkbox"/> Same Day <input type="checkbox"/> FedEx <input type="checkbox"/> Other: <input type="checkbox"/> UPS <input type="checkbox"/> LSO <input type="checkbox"/> Tracking No.:																									
Special Requests/Instructions: Collected 2-1 Liter Tedlar bags. Bill to: Garret Green, XTO Energy, Inc., Address: 3104 E. Green St. Carlsbad, NM																									



## Login Sample Receipt Checklist

Client: Ensolum

Job Number: 890-6351-1

SDG Number: 03E1558041

Login Number: 6351

List Number: 1

Creator: Bruns, Shannon

List Source: Eurofins Carlsbad

Question	Answer	Comment
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	N/A	Refer to Job Narrative for details.
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	

Login Sample Receipt Checklist

Client: Ensolum

Job Number: 890-6351-1

SDG Number: 03E1558041

Login Number: 6351

List Source: Eurofins Houston

List Number: 2

List Creation: 03/14/24 11:03 AM

Creator: Baker, Jeremiah

Question	Answer	Comment
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	False	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

CONDITIONS  
  
Action 338424

CONDITIONS

Operator:  XTO ENERGY, INC 6401 Holiday Hill Road Midland, TX 79707	OGRID:  5380
	Action Number:  338424
	Action Type:  [REPORT] Alternative Remediation Report (C-141AR)

CONDITIONS

Created By	Condition	Condition Date
nvez	Accepted for the record. See App ID 425793 for most updated status.	2/24/2025