



Land Reclamation Report

Zeus SWD Line

Incident Number: NRM2026231125

Vertex File Number: 24E-00851

NMSLO Lease Number: L051670002

Prepared for:

Tap Rock Resources

Prepared by:

Vertex Resource Services Inc.

Date:

November 2024

Tap Rock Resources
Zeus SWD Line


Land Reclamation Report
November 2024

Land Reclamation Report
Zeus SWD Line
Incident Number: NRM2026231125

Prepared for:
Tap Rock Resources
523 Park Point Drive, Suite 200
Golden, Colorado 80401

New Mexico Oil Conservation Division – District 1 – Hobbs
1625 N. French Drive
Hobbs, New Mexico 88240


Prepared by:
Vertex Resource Services Inc.
3101 Boyd Drive
Carlsbad, New Mexico 88220



Meghan Veliz, B.Sc.
ENVIRONMENTAL TECHNICIAN, REPORTING

11/13/2024

Date



Chance Dixon, B.Sc.
PROJECT MANAGER, REPORT REVIEW

11/13/2024

Date

Tap Rock Resources
Zeus SWD Line

Land Reclamation Report
November 2024

Executive Summary

Tap Rock Resources retained Vertex Resource Services Inc. to complete seeding and Land Reclamation procedures for Zeus SWD Line (Incident ID: NRM2026231125) located on state land in Unit O, Section 9, Township 24 South, Range 33 at the Zeus SWD Line (hereafter referred to as "site") immediately after remedial/backfill activities were completed. Seeding was completed on June 18, 2024. This document provides a description of the site, summary of the previous environmental work and details of the Land Reclamation. The site is located on state land at 32.222170, -103.574483. The site is surrounded by native range that is used for grazing on all sides. The area is largely dominated by grasses, mesquite, and snakeweed. The area surrounding the site contains similar oil and gas pads or facilities that are common in the Permian Basin.

Table of Contents

1.0 Introduction 1

2.0 Background 1

 2.1 Site Description..... 1

 2.2 Ecological Setting 1

3.0 Land Reclamation 1

 3.1 Site evaluation 1

 3.1.1 Release Area and Reclamation 2

 3.2 Erosion Control 2

 3.3 Revegetation..... 2

 3.3.1 Seeding..... 2

 3.3.2 Reclamation Standards..... 2

 3.4 Weed Management 2

4.0 Monitoring Program 2

 4.1 Final Assessment and Closure Request 3

5.0 References..... 4

6.0 Limitations 5

Tap Rock Resources
Zeus SWD Line

Land Reclamation Report
November 2024

List of Appendices

- Appendix A. Reclamation Site Schematic
- Appendix B. Backfill Sample Results
- Appendix C. Seeding Field Report with Photographs
- Appendix D. NMSLO Seed Mixture Application
- Appendix E. Custom Soil Resource Report
- Appendix F. Laboratory Data Reports and Chain of Custody Forms

1.0 Introduction

It is the intent of this reclamation report is to provide documentation for the reclaimed release area that met New Mexico Oil Conservation Division (NMOCD) and New Mexico State Land Office (NMSLO) standards. This report fulfills the requirements listed under sections of *Surface Operating Standards and Guidelines for Oil and Gas Exploration and Development: The Gold Book* (U.S. Department of the Interior and U.S. Department of Agriculture, 2007). The site visit was conducted on June 17 and 18, 2024. This document provides a description of the site, summary of the previous environmental reclamation/restoration work, and the details of the Land Reclamation.

2.0 Background

2.1 Site Description

The site is located approximately 40 miles southeast of Carlsbad, New Mexico, located on New Mexico state land. The site is surrounded by native rangeland on all sides. The site is situated on mostly level land slightly sloping down gradient to the west. An aerial photograph of the site is included in Appendix A.

2.2 Ecological Setting

The site is situated in the Chihuahuan Desert Grasslands. This ecoregion is characterized as including the following natural vegetation: black grama (*Bouteloua eriopoda* Torr.), dropseeds (*Sporobolus flexuosus*, *S. contractus*, *S. cryptandrus*), bluestems (*Schizachyrium scoparium* and *Andropogon hallii*). The mean annual air temperature is between 60 and 60 °F. Mean annual precipitation is between 10 to 13 inches and the frost-free period is between 190 and 205 days. The site is within the 1w43 National Map Unit and the soil type at the site (Berino-Cacique) is classified as "Not prime farmland". Major soils at the site are "Berino and similar soils" (50%), "Cacique and similar soils" (40%) and "Minor components" (10%). The full Soil Resource Report is included in Appendix E. Land use in the area is predominantly rangeland.

3.0 Land Reclamation

The Land Reclamation for the site (surface reclamation) is detailed below. This section outlines the principles that were used during the surface reclamation phase for the site. A site schematic that outlines the reclamation areas is included in Appendix A. Daily Site Visit Reports detailing seeding are provided in Appendix C and the NMSLO Seed Mixture Application is included in Appendix D.

3.1 Site evaluation

The land use surrounding the site is defined as natural; therefore, the end land use would be natural land. A natural area is described as: away from human habitation and activities, where the primary concern is the protection of ecological receptors. The site will be reclaimed so that the capability of the land will match that of the areas immediately surrounding the site, which consists of rangeland. The area around the release is undisturbed pastureland native to sandy loamy areas. Currently, the site consists of a level area. No site contouring was necessary.

3.1.1 Release Area and Reclamation

Remediation of the reportable release was completed between April and May 2024. The Remediation Closure Report was approved by NMOCD on July 11, 2024. Surface reclamation included determination of background topsoil depth as the site conditions are required to meet pre-existing conditions. Reclamation of the location was completed after backfilling operations. A clean, locally sourced topsoil was imported to the site to backfill the excavation. Analytical results of the samples collected from the backfill source are included in Appendix B. Laboratory Data Reports and Chain of Custody Forms are included in Appendix F.

3.2 Erosion Control

There are currently no erosion concerns on-site, and the use of erosion control devices at this location is not anticipated; however, erosion control devices will be installed at the discretion of the on-site environmental inspector.

3.3 Revegetation

3.3.1 Seeding

A seed mix suitable for loamy soils chosen by NMSLO was applied at appropriate rates at the site and surrounding areas. Seeding was conducted via hand broadcasting, and hand-raking seeds to be embedded into the soil at double the application rate. The seeding was completed on June 18, 2024. A Revegetation report will be submitted after regrowth has exceeded 70%. A copy of the SLO seed mixture is included in Appendix D.

3.3.2 Reclamation Standards

Reclamation success will meet requirements outlined in Chapter 6 of The Gold Book (U.S. Department of the Interior and U.S. Department of Agriculture, 2007) which states that “a self-sustaining, vigorous, diverse, native (or otherwise approved) plant community is established on site, with a density sufficient to control erosion and non-native plant invasion and to re-establish wildlife habitat or forage production”.

3.4 Weed Management

The site will be monitored for vegetative growth throughout all phases of the project. Should noxious or troublesome weeds be identified on-site, a weed management program will be implemented. The weed management program will identify weed species of concern and utilize active and effective control methods. These methods include but are not limited to chemical (herbicide) control, mechanical (mowing) control, or biological control as approved by governing regulatory agencies.

4.0 Monitoring Program

Inspections will be conducted every 90 days, during the growing season, to monitor site progression and assess the need for additional best management practices (BMPs) until the site reaches the desired 70% coverage as per 19.15.29.13 *New Mexico Administrative Code* (NMAC). Inspections will include photographs of the site and BMPs implemented.

4.1 Final Assessment and Closure Request

Vertex recommends no additional action to address the now reclaimed area. Laboratory analyses of backfill samples collected demonstrate values below NMOCD reclamation closure criteria. There are no anticipated risks to human, ecological, or hydrological receptors at the site. The site has been reclaimed, contoured, and seeded with the appropriate NMSLO seed mix for loamy soils.

Vertex respectfully requests that this reclamation report for the approved remedial area be approved as all closure requirements outlined in 19.15.29.13 NMAC have been met. Tap Rock Resources certifies that all information in this report and the appendices are correct and that they have complied with all applicable closure requirements and conditions specified in Division rules and directives to meet NMOCD and NMSLO requirements.

Inspections are conducted every 90 days. If site conditions are at or nearing background conditions, a final report will be completed. The report will provide a summary of reclamation work performed, a summary and interpretation of monitoring data collected, interpretation of historical monitoring data, and suggested corrective actions if applicable.

Should you have any questions or concerns, please do not hesitate to contact Chance Dixon at 575.988.1472 or cdixon@vertexresource.com.

5.0 References

- Griffith, G.E., Omernik, J.M., McGraw, M.M., Jacobi, G.Z., Canavan, C.M., Schrader, T.S., Mercer, D., Hill, R., and Moran, B.C. (2006). *Ecoregions of New Mexico*. Available at: <https://www.epa.gov/eco-research/ecoregion-download-files-state-region-6#pane-29>
- United States Department of Agriculture, Natural Resources Conservation Service. (2024). *Web Soil Survey*. Retrieved from <https://websoilsurvey.nrcs.usda.gov/app/WebSoilSurvey.aspx>
- U.S. Department of the Interior and U.S. Department of Agriculture. (2007). *Surface Operating Standards and Guidelines for Oil and Gas Exploration and Development: The Gold Book*. Fourth edition. Available at: <https://www.blm.gov/sites/blm.gov/files/Gold%20Book%202007%20Revised.pdf>


6.0 Limitations

This report has been prepared for the sole benefit of Tap Rock Resources (Tap Rock). This document may not be used by any other person or entity, with the exception of the New Mexico Oil Conservation Division, Bureau of Land Management and New Mexico State Land Office, without the express written consent of Vertex Resource Services Inc. (Vertex) and Tap Rock. Any use of this report by a third party, or any reliance on decisions made based on it, or damage suffered as a result of the use of this report are the sole responsibility of the user.

The information and conclusions contained in this report are based upon work undertaken by trained professional and technical staff in accordance with generally accepted scientific practices current at the time the work was performed. The conclusions and recommendations presented represent the best judgement of Vertex based on the data collected during the assessment. Due to the nature of the assessment and the data available, Vertex cannot warrant against undiscovered environmental liabilities. Conclusions and recommendations presented in this report should not be considered legal advice.

APPENDIX A – Scaled Site Schematic of Reclamation/Seeded Area



 Reclamation Area (~10,488 sq.ft.)



0 10 20 40 ft

Map Center:
Lat: 32.222042°N,
NAD 1983 UTM Zone 13N Long: 103.574494°W
Date: Nov 04/24



**Reclamation Area
Zeus Saltwater Disposal Line**

FIGURE:
1



Geospatial data presented in this figure may be derived from external sources and Vertex does not assume any liability for inaccuracies. This figure is intended for reference use only and is not certified for legal, survey, or engineering purposes.

Note: Georeferenced image from Esri, 2023. Reclamation area from GPS by Vertex Professional Services Ltd., 2024.

VERSATILITY. EXPERTISE.

APPENDIX B – Backfill Sample Results

Client Name: Tap Rock
 Site Name: Zeus SWD Line
 NMOCD Tracking #: NRM2026231125
 Project #: 24E-00851
 Lab Report(sX): E405358, E404283, E405024

Table 1. Backfill Sample Field Screen and Laboratory Results

Table 1. Backfill Sample Field Screen and Laboratory Results													
Sample Description			Field Screening			Petroleum Hydrocarbons							Inorganic
Sample ID	Depth (ft)	Sample Date	Volatile Organic Compounds (PID)	Extractable Organic Compounds (PetroFlag)	Chloride Concentration	Volatile		Extractable					
						Benzene	BTEX (Total)	Gasoline Range Organics (GRO)	Diesel Range Organics (DRO)	Motor Oil Range Organics (MRO)	(GRO + DRO)	Total Petroleum Hydrocarbons (TPH)	
			(ppm)	(ppm)	(ppm)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	
Stock Pile 1	2	04.25.24	0	23	462	ND	ND	ND	ND	ND	ND	ND	279
Stock Pile 2	2	04.25.24	0	-	250	ND	ND	ND	ND	ND	ND	ND	69
Stock Pile 3	2	04.25.24	0	-	290	ND	ND	ND	ND	ND	ND	ND	ND
Stock Pile 4	2	05.01.24	0	-	-	ND	ND	ND	ND	ND	ND	ND	27
Stock Pile 5	2	05.01.24	0	-	345	ND	ND	ND	ND	ND	ND	ND	ND
Stock Pile 6	2	05.01.24	0	43	250	ND	ND	ND	ND	ND	ND	ND	40
Stock Pile 7	2	05.01.24	-	-	-	ND	ND	ND	ND	ND	ND	ND	79
Stock Pile 8	2	05.01.24	-	-	-	ND	ND	ND	ND	ND	ND	ND	50
Backfill24-01	0	05.23.24	-	33	105	ND	ND	ND	ND	ND	ND	ND	ND
Backfill24-02	0	05.23.24	-	35	110	ND	ND	ND	ND	ND	ND	ND	ND
Backfill24-03	0	05.23.24	-	36	103	ND	ND	ND	ND	ND	ND	ND	ND
Backfill24-04	0	05.23.24	-	34	145	ND	ND	ND	ND	ND	ND	ND	ND
Backfill24-05	0	05.23.24	-	29	88	ND	ND	ND	ND	ND	ND	ND	ND
Backfill24-06	0	05.23.24	-	33	108	ND	ND	ND	ND	ND	ND	ND	ND
Backfill24-07	0	05.23.24	-	37	115	ND	ND	ND	ND	ND	ND	ND	ND
Backfill24-08	0	05.23.24	-	75	107	ND	ND	ND	ND	ND	ND	ND	ND
Backfill24-09	0	05.23.24	-	42	127	ND	ND	ND	ND	ND	ND	ND	ND

"ND" Not Detected at the Reporting Limit

"-" indicates not analyzed/assessed

APPENDIX C – Seeding Field Report with Photographs



Daily Site Visit Report

Client:	Tap Rock	Inspection Date:	
Site Location Name:	Zeus SWD Line	Report Run Date:	6/17/2024 10:18 PM
Client Contact Name:	Bill Ramsey	API #:	
Client Contact Phone #:	720-238-2787		
Unique Project ID		Project Owner:	
Project Reference #		Project Manager:	

Summary of Times

Arrived at Site	
Departed Site	

Field Notes

12:57 On site inspected backfill pot holes remained open
12:58 Began reseeding excavation on the western corridor

Next Steps & Recommendations

1

Daily Site Visit Report



Site Photos

Viewing Direction: East



Descriptive Photo - 1
Viewing Direction: East
Desc: Backfill west corridor facing east
Created: 9/17/2024 12:55:32 PM
Lat:32.321486, Long:-103.575272

Backfill west corridor facing east

Viewing Direction: South



Descriptive Photo - 2
Viewing Direction: East
Desc: 3 opened pot holes westernmost part of exaction
Created: 9/17/2024 3:45:20 PM
Lat:32.321486, Long:-103.575272

3 opened pot holes westernmost part of exaction

Viewing Direction: North



Descriptive Photo - 3
Viewing Direction: North
Desc: Another pothole
Created: 9/17/2024 3:45:50 PM
Lat:32.321486, Long:-103.575272

Another pothole

Viewing Direction: North






Descriptive Photo - 4
Viewing Direction: North
Desc: Pot holes
Created: 9/17/2024 3:47:21 PM
Lat:32.321486, Long:-103.575272

Pot holes



Daily Site Visit Report



Daily Site Visit Report



Client	Tap Rock	Inspection Date	6/18/2024
Site Location Name	Zeus SWD Line	API #	
Client Contact Name	Bill Ramsey	Project Owner	
Client Contact Phone #	720-238-2787	Project Manager	
Project Reference #			
Unique Project ID			

Summary of Times

Arrived at Site 6/18/2024 8:30 AM

Departed Site

Field Notes

8:43 On site continue reseeding of excavation area

14:04 Reseeding of excavation area is complete.

14:04 Photos below document reseeding and current completion of backfill pot holes south of excavation remain open

Next Steps & Recommendations

1

Daily Site Visit Report



Site Photos

Viewing Direction: West



Western corridor facing west

Viewing Direction: North



Northern excavation from the south facing north

Viewing Direction: North



East and north excavation areas



Viewing Direction: West



East and west excavation areas

Daily Site Visit Report



Viewing Direction: South	Viewing Direction: East
 <p>Descriptive Photo - 5 Viewing Direction: South Desc: Center of excavation facing south from north side Created: 6/18/2024 2:07:56 PM Lat:32.222586, Long:-103.574275</p>	 <p>Descriptive Photo - 6 Viewing Direction: East Desc: Western excavation facing east from the far western side Created: 6/18/2024 2:14:52 PM Lat:32.221475, Long:-103.576336</p>
Center of excavation facing south from north side	Western excavation facing east from the far western side

APPENDIX D – NMSLO Seed Mixture Application

4.4 SEEDING

Drill seeding is the SLO preferred method for applying and incorporating the seed into the soil surface. Other methods of seeding shall only be used when drill seeding is not possible or practical (see Table 3).

Table 3. Recommended seeding methods

Preference	Seeding Method	Situation Best Suited for Seeding Method
1 st	Drill Seeding	All applications
2 nd	Hydroseeding	Steep slopes – greater than 3 horizontal to 1 vertical*
3 rd	Broadcast Seeding - Mechanical	Small areas – less than ¼ acres

*Hydroseeding may occur when more economical for smaller sites.

Seed Mixtures

The seed mixtures developed by the SLO are designed to address the soil types and post-reclamation land use, soil stabilization, erosion control issues, seed availability and seed costs. Expensive seed was only specified when absolutely required.

Seeding rates shall be doubled when hydroseeding or broadcast seeding.

The Operator should request the seed supplier to divide the specified seed mixtures into submixtures of: small seed (S), standard sized seed (D), and fluffy and thrashy seed (F).

No substitution of species, variety, or collection for non-varietal species will be allowed unless evidence is submitted in writing by the Operator to the SLO showing that the specified materials are not reasonably available during the seeding period. The substitution of a species, variety, or collection shall be made only with the written approval of the SLO, prior to making a substitution.

"Pure Live Seed" (PLS) is a means of expressing seed quality. Drills need to be calibrated on the basis of PLS/acre. The amount of PLS required for a planting is based on the quality of a given seed lot. Therefore, prior to calibrating a drill, seed lot quality must be known. PLS and bulk seed required are determined by using the seed analysis information on the seed tag in the following formula.

$$\% \text{ PLS} = [(\% \text{ germination} + \% \text{ hard or dormant}) \times \% \text{ purity}] / 100$$

$$\text{Bulk Seed (lbs/ac)} = \text{PLS seeding rate recommendation (lbs/ac)} / (\% \text{ PLS} / 100)$$

Recommended seeding rates provide an adequate amount of PLS seed per acre even though seed lots differ in seed size, shape, weight, viability, etc. The variation in individual seed lots causes the amount of bulk seed planted per acre to vary considerably while the actual PLS seeding rates remain constant.

Best Times to Seed

Seeding just prior to the summer monsoon season is recommended. The arrival of the summer monsoon season typically occurs somewhere between the middle of June through the end of August. If seeding immediately prior to the summer monsoons is not practical, the SLO recommends seeding during the monsoons, or after the monsoons and before the first frost. Seeding following the summer monsoons may be successful if rain initiates sufficient growth to allow the plants to go through cool, dry, windy, and hot weather prior to the next summer precipitation events.

Seeding during other times of the year is allowed, however, the risk of failure increases due to spring winds and early germination followed by a dry period. Seeding should not be done when the ground is frozen. Seeding may



proceed when there is evidence of frost, providing the seedbed can be kept in a workable condition so that the seed is planted at the correct depth.

Table 4. Recommended Seeding Times

Preference	Seeding Times
1 st	Prior to summer monsoon <i>June - August</i>
2 nd	During summer monsoon
3 rd	After summer monsoon <i>Before first frost</i>

Seed Certification

All seed utilized must be purchased through a licensed dealer and meet standards established by the New Mexico Department of Agriculture (NMDA). All seed shall be furnished in sealed, undamaged containers and shall be plainly labeled on tags in accordance with NMDA standards. Following seeding operations, the Operator shall furnish to the SLO the seed tags and one copy of a materials certification signed by the vendor. One or more random samples may be taken by the SLO or his representative prior to, or during drill seeding operations for testing and analysis by an independent seed laboratory.

Drill Seeding

Drill seeding is the most effective seeding method for revegetation of disturbed sites.

Equipment:

Only rangeland drills are recommended. Drills shall be capable of applying the seed in uniform rows spaced at a maximum of 12 inches; 6 to 8 inch spacing between drill rows is most common. Rangeland drills including Truax Flex II drills, Laird rangeland drills, Great Plains rangeland drills, and equivalent are recommended for use.

Light duty drills (drills incapable of withstanding site and soil conditions on sites to be revegetated), standard farm drills, and drills in poor working condition are not acceptable. Use of these drills will result in less than satisfactory revegetation success due to poor seed application and placement. Turf grass type seeders can be utilized, but may have difficulty seeding in rough and rocky terrain and may be subject to considerable damage.

Rangeland drills capable of seeding a variety of seed types are best. Rangeland drills generally have three seed boxes, which can be used for the 3 seed submixtures.

1. Small seed box for small seed.
2. Standard box for average, non fluffy, non trashy seed
3. Fluffy box for fluffy, trashy, or similar seed

All three boxes shall have their own flow metering system. The drill manufacturer will provide operator's instructions for setting flow rates for the drill boxes. Seed mixes should be provided in bags separating seed types into the three categories: small (S), standard (D) and fluffy (F).

Application Rates:

The seed mixture shall be applied at the drill seed application rate indicated in the seed mixture tables of the Revegetation Plan with adjustments for hydroseeding or broadcast seeding if needed. Variations from the specified seed mixtures must be approved in writing by the SLO.

Application rates identified in the Revegetation Plan seed mixtures are designed to address more factors than the soil type and the standard recommended seeds per acre. The application rates also address practical issues such as



equipment efficiency, operator error, wind, wildlife impact, seed survivability, seed planting depth, and related factors that negatively impact seed placement and survival.

Seeding Depth:

The SLO recommends seed be drilled to a depth of $\frac{1}{4}$ to $\frac{1}{2}$ inch regardless of the size or type.

Drill Calibration:

Calibrating the drill at the beginning of drill seeding operations is required for each seed mixture. Continual checking and adjusting the drill settings is necessary. Frequency of checking and adjustments depends on the uniformity of the mixed seed, humidity, dust and trash accumulation in the drill metering system, and variability in the roughness of the soil surface.

Drills can be calibrated by a number of different techniques. Utilize drill manufacturers calibration procedures if available; otherwise, the NMSLO recommends the following drill seeding calibration methods described by the NRCS (USDA, 1985. www.mt.nrcs.usda.gov/technical/ecs/plants/technotes/pmtechnotesMT30.html).

Hydraulic Seeding

Hydraulic seeding, or hydroseeding, is the process of broadcast seed using water and a small amount of wood fiber mulch to carry the seed via a hydroseeder. Hydroseeding is typically best suited for steep slope areas where drill seeding is not practical. While the SLO recommends drill seeding as the method of choice for all sites, economics of smaller sites may make hydroseeding more practical. Hydraulic mulching (hydromulching) shall follow hydroseeding on all sites (see section 4.5 Mulching).

Procedures

Following are the three steps for hydroseeding and hydromulching:

1. Preparing the area for seeding;
2. Hydraulic seeding; and,
3. Hydraulic mulching.

1. Preparing the Area for Seeding:

The Operator should first prepare the seedbed (see section 4.3 Seedbed Preparation).

2. Hydraulic Seeding:

Mix seed, water, and hydraulic mulch fiber into a homogenous slurry and uniformly apply to the areas to be seeded. The slurry must be constantly agitated during application to assure even application and distribution of seed and hydromulch.

Seed should be applied at double the drill seed application rate. At least 1,000 gallons of water should be used per acre for applying the seed and hydraulic mulch. 400 pounds of hydraulic mulch fiber per acre should be included in the mixture to assist the hydroseeder applicator in visually determining the evenness of the seed application and the accuracy of the application rate.

Seed should not be left in the tank with water for more than 2 hours. If this occurs due to equipment failure, or for any other reason, then the mixed material may need to be disposed of either off-site, or applied to the slopes at the Operator's expense. If applied to the slopes, it should not be counted as applied seed and new seed will need to be applied.

3. Hydraulic Mulching (Hydromulching):

Hydromulching is a technique to provide short term soil stabilization and erosion protection while seedlings germinate and begin to establish. Hydromulching differs from hydroseeding in that only hydraulic mulch fiber and tackifier are applied during hydromulching operations. It serves the same purpose as hay mulching and crimping.



Combining seed with all the hydromulch woodfiber and applying everything in a one step operation is highly discouraged and success will be unlikely.

For best results, measure the area(s) to be seeded, divide the disturbed area into small components, depending on the capacity of the hydroseeder, and prepare a chart or plan for determining the number of seed loads and the location(s) for each load. The hydraulic mulch and tackifier should be mixed with water and uniformly applied after seeding, preferably during the same day or within 36 hours. See section 4.5 Mulching for more details on Hydromulching.

Application Rates

Seed mixtures should be applied at double the drill seed application rates in the Revegetation Plans.

Equipment

The hydroseeder shall be equipped with a mechanical power-driven agitator capable of keeping all solids in suspension in a homogeneous slurry until distributed. The pump pressure must maintain a continuous non-fluctuating spray capable of reaching the extremities of the seeding area.

Broadcast Seeding

Broadcast seeding is recommended only for areas inaccessible to a rangeland drill, or too small to warrant the use of a rangeland drill (less than ¼ acres), the SLO recommends drill seeding in all accessible locations. Because the seed is not carefully placed in the soil profile to a controlled depth when broadcast seeding, seed is lost to environmental impacts including wind, rain, wildlife (birds and rodents), sunlight (UV light, heat) and other factors.

Application Rates:

When broadcasting, seed mixtures shall be applied at double the drill seed application rates in the Revegetation Plan.

Procedures:

Areas to be broadcast seeded should receive the same topsoil placement and seedbed preparation as drill seeded areas. If equipment access limitations exist, then some type of soil surface loosening is still necessary such that the topsoil is in a mellow, loosened condition. If slopes are too steep to apply on the contour by drill seeding, broadcast up and down the slope or at a diagonal. Broadcast seeding should not be done during windy conditions.

Do not broadcast an area larger than can be quickly raked, dragged, or chained to cover the seed (within approximately 30 minutes after broadcasting). The seed should be covered approximately ¼ to ½ inches by raking, dragging, chaining, or chain harrowing, unless prevented by equipment access limitations. Care should be taken by the operators and laborers to minimize dragging seed down slope or dragging seed off high spots and concentrating that seed in the low spots. Failure to cover the seed soon after broadcasting, or at all, may result in revegetation failure.

Equipment:

Mechanical broadcast seeding is always recommended over hand broadcast seeding. Mechanical broadcast seeding can be accomplished with any equipment that will evenly spread the seed on the soil surface. A broad range of hand held, ATV mounted, 3-point, and pull type broadcast spreaders are available on the market.

Mechanical broadcasting units must be capable of distributing fluffy and thrashy seed. Most residential type units are not capable. One example of a mechanical broadcasting unit capable of handling fluffy/thrashy seed is distributed by Truax (<http://www.truaxcomp.com/seed-slinger.html>), other types are available.



NMSLO Seed Mix**Shallow (SH)****SHALLOW (SH) SITES SEED MIXTURE:**

COMMON NAME	VARIETY	APPLICATION RATE (PLS/Acre)	DRILL BOX
Grasses:			
Sideoats grama	Vaughn, El Reno	4.0	F
Blue grama	Lovington, Hachita	3.0	D
Little bluestem	Pastura, Cimmaron	1.5	F
Green sprangletop	VNS, Southern	1.0	D
Plains bristlegrass	VNS, Southern	1.0	D
Forbs:			
Firewheel (<i>Gaillardia</i>)	VNS, Southern	1.0	D
Shrubs:			
Fourwing saltbush	Marana, Santa Rita	1.0	D
Common winterfat	VNS, Southern	0.5	F
Total PLS/acre		13.0	

S = Small seed drill box, D = Standard seed drill box, F = Fluffy seed drill box
VNS = Variety Not Stated, PLS = Pure Live Seed

- Seed mixes should be provided in bags separating seed types into the three categories: small (S), standard (D) and fluffy (F).
- VNS, Southern – Seed should be from a southern latitude collection of this species.
- Double seed application rate for broadcast or hydroseeding.
- If one species is not available, contact the SLO for an approved substitute; alternatively the SLO may require other species proportionately increased.
- Additional information on these seed species can be found on the USDA Plants Database website at <http://plants.usda.gov>.



NMSLO Seed Mix**Lime – Gypsum (LG)****LIME – GYPSUM (LG) SITES SEED MIXTURE:**

COMMON NAME	VARIETY	APPLICATION RATE (PLS/Acre)	DRILL BOX
Black grama	VNS, Southern	1.0	D
Blue grama	Lovington	1.0	D
Sideoats grama	Vaughn, El Reno	4.0	F
Plains brome	VNS, Southern	2.0	D
Sand dropseed	VNS, Southern	2.0	S
Forbs:			
Firewheel (<i>Gaillardia</i>)	VNS, Southern	1.0	D
Annual Sunflower	VNS, Southern	1.0	D
Shrubs:			
Fourwing saltbush	VNS, Southern	1.0	F
Total PLS/acre		13.0	

S = Small seed drill box, D = Standard seed drill box, F = Fluffy seed drill box

VNS = Variety Not Stated, PLS = Pure Live Seed

- Seed mixes should be provided in bags separating seed types into the three categories: small (S), standard (D) and fluffy (F).
- VNS, Southern – Seed should be from a southern latitude collection of this species.
- Double seed application rate for broadcast or hydroseeding.
- If one species is not available, contact the SLO for an approved substitute; alternatively the SLO may require other species proportionately increased.
- Additional information on these seed species can be found on the USDA Plants Database website at <http://plants.usda.gov>.



NMSLO Seed Mix**Loamy (L)****LOAMY (L) SITES SEED MIXTURE:**

COMMON NAME	VARIETY	APPLICATION RATE (PLS/Acre)	DRILL BOX
Grasses:			
Black grama	VNS, Southern	1.0	D
Blue grama	Lovington	1.0	D
Sideoats grama	Vaughn, El Reno	4.0	F
Sand dropseed	VNS, Southern	2.0	S
Alkali sacaton	VNS, Southern	1.0	
Little bluestem	Cimarron, Pastura	1.5	F
Forbs:			
Firewheel (<i>Gaillardia</i>)	VNS, Southern	1.0	D
Shrubs:			
Fourwing saltbush	Marana, Santa Rita	1.0	D
Common winterfat	VNS, Southern	0.5	F
Total PLS/acre		18.0	

S = Small seed drill box, D = Standard seed drill box, F = Fluffy seed drill box

VNS = Variety Not Stated, PLS = Pure Live Seed

- Seed mixes should be provided in bags separating seed types into the three categories: small (S), standard (D) and fluffy (F).
- VNS, Southern – Seed should be from a southern latitude collection of this species.
- Double seed application rate for broadcast or hydroseeding.
- If one species is not available, contact the SLO for an approved substitute; alternatively the SLO may require other species proportionately increased.
- Additional information on these seed species can be found on the USDA Plants Database website at <http://plants.usda.gov>.



APPENDIX E – Custom Soil Resource Report



United States
Department of
Agriculture

NRCS

Natural
Resources
Conservation
Service

A product of the National
Cooperative Soil Survey,
a joint effort of the United
States Department of
Agriculture and other
Federal agencies, State
agencies including the
Agricultural Experiment
Stations, and local
participants

Custom Soil Resource Report for **Lea County, New Mexico**

Tap Rock: Zeus SWD Line



March 15, 2024

Preface

Soil surveys contain information that affects land use planning in survey areas. They highlight soil limitations that affect various land uses and provide information about the properties of the soils in the survey areas. Soil surveys are designed for many different users, including farmers, ranchers, foresters, agronomists, urban planners, community officials, engineers, developers, builders, and home buyers. Also, conservationists, teachers, students, and specialists in recreation, waste disposal, and pollution control can use the surveys to help them understand, protect, or enhance the environment.

Various land use regulations of Federal, State, and local governments may impose special restrictions on land use or land treatment. Soil surveys identify soil properties that are used in making various land use or land treatment decisions. The information is intended to help the land users identify and reduce the effects of soil limitations on various land uses. The landowner or user is responsible for identifying and complying with existing laws and regulations.

Although soil survey information can be used for general farm, local, and wider area planning, onsite investigation is needed to supplement this information in some cases. Examples include soil quality assessments (<http://www.nrcs.usda.gov/wps/portal/nrcs/main/soils/health/>) and certain conservation and engineering applications. For more detailed information, contact your local USDA Service Center (<https://offices.sc.egov.usda.gov/locator/app?agency=nrcs>) or your NRCS State Soil Scientist (http://www.nrcs.usda.gov/wps/portal/nrcs/detail/soils/contactus/?cid=nrcs142p2_053951).

Great differences in soil properties can occur within short distances. Some soils are seasonally wet or subject to flooding. Some are too unstable to be used as a foundation for buildings or roads. Clayey or wet soils are poorly suited to use as septic tank absorption fields. A high water table makes a soil poorly suited to basements or underground installations.

The National Cooperative Soil Survey is a joint effort of the United States Department of Agriculture and other Federal agencies, State agencies including the Agricultural Experiment Stations, and local agencies. The Natural Resources Conservation Service (NRCS) has leadership for the Federal part of the National Cooperative Soil Survey.

Information about soils is updated periodically. Updated information is available through the NRCS Web Soil Survey, the site for official soil survey information.

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, age, disability, and where applicable, sex, marital status, familial status, parental status, religion, sexual orientation, genetic information, political beliefs, reprisal, or because all or a part of an individual's income is derived from any public assistance program. (Not all prohibited bases apply to all programs.) Persons with disabilities who require

alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at (202) 720-2600 (voice and TDD). To file a complaint of discrimination, write to USDA, Director, Office of Civil Rights, 1400 Independence Avenue, S.W., Washington, D.C. 20250-9410 or call (800) 795-3272 (voice) or (202) 720-6382 (TDD). USDA is an equal opportunity provider and employer.

Contents

Preface	2
How Soil Surveys Are Made	5
Soil Map	8
Soil Map (Tap Rock Zeus SWD Line).....	9
Legend.....	10
Map Unit Legend (Tap Rock Zeus SWD Line).....	11
Map Unit Descriptions (Tap Rock Zeus SWD Line).....	11
Lea County, New Mexico.....	14
BE—Berino-Cacique loamy fine sands association.....	14
BH—Berino-Cacique association, hummocky.....	16
JA—Jal association.....	18
LP—Largo-Pajarito complex, rarely flooded.....	20
MN—Ratliff-Wink fine sandy loams.....	22
PU—Pyote and Maljamar fine sands.....	24
RT—Reeves-Cottonwood association.....	26
SE—Simona fine sandy loam, 0 to 3 percent slopes.....	28
SR—Simona-Upton association.....	29
TF—Tonuco loamy fine sand, 0 to 3 percent slopes.....	31
WK—Wink loamy fine sand.....	33
Soil Information for All Uses	35
Ecological Sites.....	35
All Ecological Sites — (Tap Rock Zeus SWD Line).....	35
Map—Dominant Ecological Site (Tap Rock Zeus SWD Line).....	36
Legend—Dominant Ecological Site (Tap Rock Zeus SWD Line).....	37
Table—Ecological Sites by Map Unit Component (Tap Rock Zeus SWD Line).....	38
References	41

How Soil Surveys Are Made

Soil surveys are made to provide information about the soils and miscellaneous areas in a specific area. They include a description of the soils and miscellaneous areas and their location on the landscape and tables that show soil properties and limitations affecting various uses. Soil scientists observed the steepness, length, and shape of the slopes; the general pattern of drainage; the kinds of crops and native plants; and the kinds of bedrock. They observed and described many soil profiles. A soil profile is the sequence of natural layers, or horizons, in a soil. The profile extends from the surface down into the unconsolidated material in which the soil formed or from the surface down to bedrock. The unconsolidated material is devoid of roots and other living organisms and has not been changed by other biological activity.

Currently, soils are mapped according to the boundaries of major land resource areas (MLRAs). MLRAs are geographically associated land resource units that share common characteristics related to physiography, geology, climate, water resources, soils, biological resources, and land uses (USDA, 2006). Soil survey areas typically consist of parts of one or more MLRA.

The soils and miscellaneous areas in a survey area occur in an orderly pattern that is related to the geology, landforms, relief, climate, and natural vegetation of the area. Each kind of soil and miscellaneous area is associated with a particular kind of landform or with a segment of the landform. By observing the soils and miscellaneous areas in the survey area and relating their position to specific segments of the landform, a soil scientist develops a concept, or model, of how they were formed. Thus, during mapping, this model enables the soil scientist to predict with a considerable degree of accuracy the kind of soil or miscellaneous area at a specific location on the landscape.

Commonly, individual soils on the landscape merge into one another as their characteristics gradually change. To construct an accurate soil map, however, soil scientists must determine the boundaries between the soils. They can observe only a limited number of soil profiles. Nevertheless, these observations, supplemented by an understanding of the soil-vegetation-landscape relationship, are sufficient to verify predictions of the kinds of soil in an area and to determine the boundaries.

Soil scientists recorded the characteristics of the soil profiles that they studied. They noted soil color, texture, size and shape of soil aggregates, kind and amount of rock fragments, distribution of plant roots, reaction, and other features that enable them to identify soils. After describing the soils in the survey area and determining their properties, the soil scientists assigned the soils to taxonomic classes (units). Taxonomic classes are concepts. Each taxonomic class has a set of soil characteristics with precisely defined limits. The classes are used as a basis for comparison to classify soils systematically. Soil taxonomy, the system of taxonomic classification used in the United States, is based mainly on the kind and character of soil properties and the arrangement of horizons within the profile. After the soil

Custom Soil Resource Report

scientists classified and named the soils in the survey area, they compared the individual soils with similar soils in the same taxonomic class in other areas so that they could confirm data and assemble additional data based on experience and research.

The objective of soil mapping is not to delineate pure map unit components; the objective is to separate the landscape into landforms or landform segments that have similar use and management requirements. Each map unit is defined by a unique combination of soil components and/or miscellaneous areas in predictable proportions. Some components may be highly contrasting to the other components of the map unit. The presence of minor components in a map unit in no way diminishes the usefulness or accuracy of the data. The delineation of such landforms and landform segments on the map provides sufficient information for the development of resource plans. If intensive use of small areas is planned, onsite investigation is needed to define and locate the soils and miscellaneous areas.

Soil scientists make many field observations in the process of producing a soil map. The frequency of observation is dependent upon several factors, including scale of mapping, intensity of mapping, design of map units, complexity of the landscape, and experience of the soil scientist. Observations are made to test and refine the soil-landscape model and predictions and to verify the classification of the soils at specific locations. Once the soil-landscape model is refined, a significantly smaller number of measurements of individual soil properties are made and recorded. These measurements may include field measurements, such as those for color, depth to bedrock, and texture, and laboratory measurements, such as those for content of sand, silt, clay, salt, and other components. Properties of each soil typically vary from one point to another across the landscape.

Observations for map unit components are aggregated to develop ranges of characteristics for the components. The aggregated values are presented. Direct measurements do not exist for every property presented for every map unit component. Values for some properties are estimated from combinations of other properties.

While a soil survey is in progress, samples of some of the soils in the area generally are collected for laboratory analyses and for engineering tests. Soil scientists interpret the data from these analyses and tests as well as the field-observed characteristics and the soil properties to determine the expected behavior of the soils under different uses. Interpretations for all of the soils are field tested through observation of the soils in different uses and under different levels of management. Some interpretations are modified to fit local conditions, and some new interpretations are developed to meet local needs. Data are assembled from other sources, such as research information, production records, and field experience of specialists. For example, data on crop yields under defined levels of management are assembled from farm records and from field or plot experiments on the same kinds of soil.

Predictions about soil behavior are based not only on soil properties but also on such variables as climate and biological activity. Soil conditions are predictable over long periods of time, but they are not predictable from year to year. For example, soil scientists can predict with a fairly high degree of accuracy that a given soil will have a high water table within certain depths in most years, but they cannot predict that a high water table will always be at a specific level in the soil on a specific date.

After soil scientists located and identified the significant natural bodies of soil in the survey area, they drew the boundaries of these bodies on aerial photographs and


Custom Soil Resource Report

identified each as a specific map unit. Aerial photographs show trees, buildings, fields, roads, and rivers, all of which help in locating boundaries accurately.

Soil Map

The soil map section includes the soil map for the defined area of interest, a list of soil map units on the map and extent of each map unit, and cartographic symbols displayed on the map. Also presented are various metadata about data used to produce the map, and a description of each soil map unit.


Custom Soil Resource Report
Soil Map (Tap Rock Zeus SWD Line)



Custom Soil Resource Report

MAP LEGEND

Area of Interest (AOI)

 Area of Interest (AOI)


Soils


 Soil Map Unit Polygons


 Soil Map Unit Lines


 Soil Map Unit Points

Special Point Features

 Blowout

 Borrow Pit


 Clay Spot

 Closed Depression

 Gravel Pit

 Gravelly Spot

 Landfill

 Lava Flow

 Marsh or swamp

 Mine or Quarry

 Miscellaneous Water


 Perennial Water

 Rock Outcrop


 Saline Spot

 Sandy Spot

 Severely Eroded Spot


 Sinkhole

 Slide or Slip


 Sodic Spot

 Spoil Area

 Stony Spot


 Very Stony Spot

 Wet Spot

 Other

 Special Line Features

Water Features

 Streams and Canals


Transportation

 Rails


 Interstate Highways

 US Routes

 Major Roads

 Local Roads

Background

 Aerial Photography

MAP INFORMATION

The soil surveys that comprise your AOI were mapped at 1:20,000.

Please rely on the bar scale on each map sheet for map measurements.

Source of Map: Natural Resources Conservation Service

Web Soil Survey URL:

Coordinate System: Web Mercator (EPSG:3857)

Maps from the Web Soil Survey are based on the Web Mercator projection, which preserves direction and shape but distorts distance and area. A projection that preserves area, such as the Albers equal-area conic projection, should be used if more accurate calculations of distance or area are required.

This product is generated from the USDA-NRCS certified data as of the version date(s) listed below.

Soil Survey Area: Lea County, New Mexico

Survey Area Data: Version 20, Sep 6, 2023

Soil map units are labeled (as space allows) for map scales 1:50,000 or larger.

Date(s) aerial images were photographed: Feb 7, 2020—May 12, 2020

The orthophoto or other base map on which the soil lines were compiled and digitized probably differs from the background imagery displayed on these maps. As a result, some minor shifting of map unit boundaries may be evident.

Custom Soil Resource Report

Map Unit Legend (Tap Rock Zeus SWD Line)

Map Unit Symbol	Map Unit Name	Acres in AOI	Percent of AOI
BE	Berino-Cacique loamy fine sands association	363.2	38.1%
BH	Berino-Cacique association, hummocky	37.9	4.0%
JA	Jal association	18.8	2.0%
LP	Largo-Pajarito complex, rarely flooded	0.6	0.1%
MN	Ratliff-Wink fine sandy loams	120.1	12.6%
PU	Pyote and Maljamar fine sands	197.4	20.7%
RT	Reeves-Cottonwood association	0.3	0.0%
SE	Simona fine sandy loam, 0 to 3 percent slopes	69.4	7.3%
SR	Simona-Upton association	0.7	0.1%
TF	Tonuco loamy fine sand, 0 to 3 percent slopes	91.1	9.6%
WK	Wink loamy fine sand	53.0	5.6%
Totals for Area of Interest		952.8	100.0%

Map Unit Descriptions (Tap Rock Zeus SWD Line)

The map units delineated on the detailed soil maps in a soil survey represent the soils or miscellaneous areas in the survey area. The map unit descriptions, along with the maps, can be used to determine the composition and properties of a unit.

A map unit delineation on a soil map represents an area dominated by one or more major kinds of soil or miscellaneous areas. A map unit is identified and named according to the taxonomic classification of the dominant soils. Within a taxonomic class there are precisely defined limits for the properties of the soils. On the landscape, however, the soils are natural phenomena, and they have the characteristic variability of all natural phenomena. Thus, the range of some observed properties may extend beyond the limits defined for a taxonomic class. Areas of soils of a single taxonomic class rarely, if ever, can be mapped without including areas of other taxonomic classes. Consequently, every map unit is made up of the soils or miscellaneous areas for which it is named and some minor components that belong to taxonomic classes other than those of the major soils.

Most minor soils have properties similar to those of the dominant soil or soils in the map unit, and thus they do not affect use and management. These are called

Custom Soil Resource Report

noncontrasting, or similar, components. They may or may not be mentioned in a particular map unit description. Other minor components, however, have properties and behavioral characteristics divergent enough to affect use or to require different management. These are called contrasting, or dissimilar, components. They generally are in small areas and could not be mapped separately because of the scale used. Some small areas of strongly contrasting soils or miscellaneous areas are identified by a special symbol on the maps. If included in the database for a given area, the contrasting minor components are identified in the map unit descriptions along with some characteristics of each. A few areas of minor components may not have been observed, and consequently they are not mentioned in the descriptions, especially where the pattern was so complex that it was impractical to make enough observations to identify all the soils and miscellaneous areas on the landscape.

The presence of minor components in a map unit in no way diminishes the usefulness or accuracy of the data. The objective of mapping is not to delineate pure taxonomic classes but rather to separate the landscape into landforms or landform segments that have similar use and management requirements. The delineation of such segments on the map provides sufficient information for the development of resource plans. If intensive use of small areas is planned, however, onsite investigation is needed to define and locate the soils and miscellaneous areas.

An identifying symbol precedes the map unit name in the map unit descriptions. Each description includes general facts about the unit and gives important soil properties and qualities.

Soils that have profiles that are almost alike make up a *soil series*. Except for differences in texture of the surface layer, all the soils of a series have major horizons that are similar in composition, thickness, and arrangement.

Soils of one series can differ in texture of the surface layer, slope, stoniness, salinity, degree of erosion, and other characteristics that affect their use. On the basis of such differences, a soil series is divided into *soil phases*. Most of the areas shown on the detailed soil maps are phases of soil series. The name of a soil phase commonly indicates a feature that affects use or management. For example, Alpha silt loam, 0 to 2 percent slopes, is a phase of the Alpha series.

Some map units are made up of two or more major soils or miscellaneous areas. These map units are complexes, associations, or undifferentiated groups.

A *complex* consists of two or more soils or miscellaneous areas in such an intricate pattern or in such small areas that they cannot be shown separately on the maps. The pattern and proportion of the soils or miscellaneous areas are somewhat similar in all areas. Alpha-Beta complex, 0 to 6 percent slopes, is an example.

An *association* is made up of two or more geographically associated soils or miscellaneous areas that are shown as one unit on the maps. Because of present or anticipated uses of the map units in the survey area, it was not considered practical or necessary to map the soils or miscellaneous areas separately. The pattern and relative proportion of the soils or miscellaneous areas are somewhat similar. Alpha-Beta association, 0 to 2 percent slopes, is an example.

An *undifferentiated group* is made up of two or more soils or miscellaneous areas that could be mapped individually but are mapped as one unit because similar interpretations can be made for use and management. The pattern and proportion of the soils or miscellaneous areas in a mapped area are not uniform. An area can

Custom Soil Resource Report

be made up of only one of the major soils or miscellaneous areas, or it can be made up of all of them. Alpha and Beta soils, 0 to 2 percent slopes, is an example.

Some surveys include *miscellaneous areas*. Such areas have little or no soil material and support little or no vegetation. Rock outcrop is an example.

Custom Soil Resource Report

Lea County, New Mexico

BE—Berino-Cacique loamy fine sands association**Map Unit Setting**

National map unit symbol: dmpd
Elevation: 3,000 to 3,900 feet
Mean annual precipitation: 10 to 13 inches
Mean annual air temperature: 60 to 62 degrees F
Frost-free period: 190 to 205 days
Farmland classification: Not prime farmland

Map Unit Composition

Berino and similar soils: 50 percent
Cacique and similar soils: 40 percent
Minor components: 10 percent
Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Berino**Setting**

Landform: Plains
Landform position (three-dimensional): Rise
Down-slope shape: Linear
Across-slope shape: Linear
Parent material: Sandy eolian deposits derived from sedimentary rock over calcareous sandy alluvium derived from sedimentary rock

Typical profile

A - 0 to 6 inches: loamy fine sand
Btk - 6 to 60 inches: sandy clay loam

Properties and qualities

Slope: 0 to 3 percent
Depth to restrictive feature: More than 80 inches
Drainage class: Well drained
Runoff class: Low
Capacity of the most limiting layer to transmit water (Ksat): Moderately high to high (0.60 to 2.00 in/hr)
Depth to water table: More than 80 inches
Frequency of flooding: None
Frequency of ponding: None
Calcium carbonate, maximum content: 40 percent
Gypsum, maximum content: 1 percent
Maximum salinity: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)
Sodium adsorption ratio, maximum: 2.0
Available water supply, 0 to 60 inches: Moderate (about 8.7 inches)

Interpretive groups

Land capability classification (irrigated): None specified
Land capability classification (nonirrigated): 7c
Hydrologic Soil Group: B
Ecological site: R070BD003NM - Loamy Sand
Hydric soil rating: No

Custom Soil Resource Report

Description of Cacique**Setting**

Landform: Plains

Landform position (three-dimensional): Rise

Down-slope shape: Linear

Across-slope shape: Linear

Parent material: Calcareous eolian deposits derived from sedimentary rock

Typical profile

A - 0 to 12 inches: loamy fine sand

Bt - 12 to 28 inches: sandy clay loam

Bkm - 28 to 38 inches: cemented material

Properties and qualities

Slope: 0 to 3 percent

Depth to restrictive feature: 20 to 40 inches to petrocalcic

Drainage class: Well drained

Runoff class: High

Capacity of the most limiting layer to transmit water (Ksat): Very low to moderately low (0.00 to 0.06 in/hr)

Depth to water table: More than 80 inches

Frequency of flooding: None

Frequency of ponding: None

Calcium carbonate, maximum content: 5 percent

Gypsum, maximum content: 1 percent

Maximum salinity: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)

Sodium adsorption ratio, maximum: 2.0

Available water supply, 0 to 60 inches: Low (about 3.6 inches)

Interpretive groups

Land capability classification (irrigated): None specified

Land capability classification (nonirrigated): 7c

Hydrologic Soil Group: C

Ecological site: R070BD004NM - Sandy

Hydric soil rating: No

Minor Components**Maljamar**

Percent of map unit: 6 percent

Ecological site: R077CY028TX - Limy Upland 16-21" PZ

Hydric soil rating: No

Palomas

Percent of map unit: 4 percent

Ecological site: R070BD003NM - Loamy Sand

Hydric soil rating: No

Custom Soil Resource Report

BH—Berino-Cacique association, hummocky**Map Unit Setting**

National map unit symbol: dmpg
Elevation: 3,000 to 4,400 feet
Mean annual precipitation: 10 to 13 inches
Mean annual air temperature: 60 to 62 degrees F
Frost-free period: 190 to 205 days
Farmland classification: Not prime farmland

Map Unit Composition

Berino and similar soils: 50 percent
Cacique and similar soils: 40 percent
Minor components: 10 percent
Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Berino**Setting**

Landform: Plains
Landform position (three-dimensional): Rise
Down-slope shape: Linear
Across-slope shape: Linear
Parent material: Sandy eolian deposits derived from sedimentary rock over calcareous sandy alluvium derived from sedimentary rock

Typical profile

A - 0 to 10 inches: fine sand
Btk - 10 to 60 inches: sandy clay loam

Properties and qualities

Slope: 0 to 3 percent
Depth to restrictive feature: More than 80 inches
Drainage class: Well drained
Runoff class: Low
Capacity of the most limiting layer to transmit water (Ksat): Moderately high to high (0.60 to 2.00 in/hr)
Depth to water table: More than 80 inches
Frequency of flooding: None
Frequency of ponding: None
Calcium carbonate, maximum content: 40 percent
Gypsum, maximum content: 1 percent
Maximum salinity: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)
Sodium adsorption ratio, maximum: 2.0
Available water supply, 0 to 60 inches: Moderate (about 8.5 inches)

Interpretive groups

Land capability classification (irrigated): None specified
Land capability classification (nonirrigated): 7c

Custom Soil Resource Report

Hydrologic Soil Group: B
Ecological site: R070BD003NM - Loamy Sand
Hydric soil rating: No

Description of Cacique**Setting**

Landform: Plains
Landform position (three-dimensional): Rise
Down-slope shape: Linear
Across-slope shape: Linear
Parent material: Calcareous eolian deposits derived from sedimentary rock

Typical profile

A - 0 to 7 inches: fine sand
Bt - 7 to 28 inches: sandy clay loam
Bkm - 28 to 38 inches: cemented material

Properties and qualities

Slope: 0 to 3 percent
Depth to restrictive feature: 20 to 40 inches to petrocalcic
Drainage class: Well drained
Runoff class: High
Capacity of the most limiting layer to transmit water (Ksat): Very low to moderately low (0.00 to 0.06 in/hr)
Depth to water table: More than 80 inches
Frequency of flooding: None
Frequency of ponding: None
Calcium carbonate, maximum content: 40 percent
Maximum salinity: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)
Sodium adsorption ratio, maximum: 2.0
Available water supply, 0 to 60 inches: Low (about 3.6 inches)

Interpretive groups

Land capability classification (irrigated): None specified
Land capability classification (nonirrigated): 7c
Hydrologic Soil Group: C
Ecological site: R070BD004NM - Sandy
Hydric soil rating: No

Minor Components**Kermit**

Percent of map unit: 4 percent
Ecological site: R070BD005NM - Deep Sand
Hydric soil rating: No

Maljamar

Percent of map unit: 3 percent
Ecological site: R077CY028TX - Limy Upland 16-21" PZ
Hydric soil rating: No

Palomas

Percent of map unit: 2 percent
Ecological site: R070BD003NM - Loamy Sand
Hydric soil rating: No

Custom Soil Resource Report

Dune land*Percent of map unit: 1 percent**Hydric soil rating: No***JA—Jal association****Map Unit Setting***National map unit symbol: dmpt**Elevation: 3,000 to 4,000 feet**Mean annual precipitation: 10 to 16 inches**Mean annual air temperature: 58 to 62 degrees F**Frost-free period: 190 to 205 days**Farmland classification: Farmland of statewide importance***Map Unit Composition***Jal and similar soils: 55 percent**Drake and similar soils: 30 percent**Minor components: 15 percent**Estimates are based on observations, descriptions, and transects of the mapunit.***Description of Jal****Setting***Landform: Playa rims**Landform position (two-dimensional): Shoulder**Landform position (three-dimensional): Dip**Down-slope shape: Convex**Across-slope shape: Concave**Parent material: Calcareous alluvium and/or calcareous lacustrine deposits
derived from sedimentary rock***Typical profile***A - 0 to 12 inches: sandy loam**Bk - 12 to 60 inches: loam***Properties and qualities***Slope: 0 to 3 percent**Depth to restrictive feature: More than 80 inches**Drainage class: Well drained**Runoff class: Low**Capacity of the most limiting layer to transmit water (Ksat): Moderately high to high
(0.60 to 2.00 in/hr)**Depth to water table: More than 80 inches**Frequency of flooding: None**Frequency of ponding: None**Calcium carbonate, maximum content: 50 percent**Gypsum, maximum content: 1 percent**Maximum salinity: Very slightly saline to slightly saline (2.0 to 4.0 mmhos/cm)**Sodium adsorption ratio, maximum: 2.0*

Custom Soil Resource Report

Available water supply, 0 to 60 inches: Moderate (about 7.2 inches)

Interpretive groups

Land capability classification (irrigated): 4e

Land capability classification (nonirrigated): 7c

Hydrologic Soil Group: B

Ecological site: R070BC030NM - Limy

Hydric soil rating: No

Description of Drake**Setting**

Landform: Playa dunes

Landform position (two-dimensional): Backslope, footslope

Landform position (three-dimensional): Side slope

Down-slope shape: Concave, linear

Across-slope shape: Linear

Parent material: Calcareous eolian deposits derived from sedimentary rock

Typical profile

A - 0 to 9 inches: loamy fine sand

AC - 9 to 30 inches: fine sandy loam

C - 30 to 60 inches: sandy clay loam

Properties and qualities

Slope: 0 to 3 percent

Depth to restrictive feature: More than 80 inches

Drainage class: Well drained

Runoff class: Very low

Capacity of the most limiting layer to transmit water (Ksat): High (2.00 to 6.00 in/hr)

Depth to water table: More than 80 inches

Frequency of flooding: None

Frequency of ponding: None

Calcium carbonate, maximum content: 50 percent

Maximum salinity: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)

Sodium adsorption ratio, maximum: 2.0

Available water supply, 0 to 60 inches: Moderate (about 6.1 inches)

Interpretive groups

Land capability classification (irrigated): 4e

Land capability classification (nonirrigated): 7c

Hydrologic Soil Group: A

Ecological site: R070BD004NM - Sandy

Hydric soil rating: No

Minor Components**Midessa**

Percent of map unit: 5 percent

Ecological site: R070BC007NM - Loamy

Hydric soil rating: No

Wink

Percent of map unit: 5 percent

Ecological site: R070BD003NM - Loamy Sand

Hydric soil rating: No

Custom Soil Resource Report

Simona

Percent of map unit: 5 percent

Ecological site: R070BD002NM - Shallow Sandy

Hydric soil rating: No

LP—Largo-Pajarito complex, rarely flooded**Map Unit Setting**

National map unit symbol: dmq7

Elevation: 3,000 to 3,900 feet

Mean annual precipitation: 10 to 12 inches

Mean annual air temperature: 60 to 62 degrees F

Frost-free period: 190 to 200 days

Farmland classification: Farmland of statewide importance

Map Unit Composition

Largo and similar soils: 45 percent

Pajarito and similar soils: 40 percent

Minor components: 15 percent

Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Largo**Setting**

Landform: Alluvial fans, plains

Landform position (two-dimensional): Backslope

Landform position (three-dimensional): Rise

Down-slope shape: Linear

Across-slope shape: Linear

Parent material: Calcareous loamy alluvium derived from sedimentary rock

Typical profile

A - 0 to 13 inches: loam

AC - 13 to 30 inches: silty clay loam

C - 30 to 60 inches: silty clay loam

Properties and qualities

Slope: 0 to 3 percent

Depth to restrictive feature: More than 80 inches

Drainage class: Well drained

Runoff class: Low

Capacity of the most limiting layer to transmit water (Ksat): Moderately high (0.20 to 0.60 in/hr)

Depth to water table: More than 80 inches

Frequency of flooding: Rare

Frequency of ponding: None

Calcium carbonate, maximum content: 50 percent

Maximum salinity: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)

Sodium adsorption ratio, maximum: 2.0

Custom Soil Resource Report

Available water supply, 0 to 60 inches: High (about 10.6 inches)

Interpretive groups

Land capability classification (irrigated): None specified

Land capability classification (nonirrigated): 7c

Hydrologic Soil Group: C

Ecological site: R070BC007NM - Loamy

Hydric soil rating: No

Description of Pajarito**Setting**

Landform: Plains, alluvial fans

Landform position (two-dimensional): Backslope

Landform position (three-dimensional): Rise

Down-slope shape: Linear

Across-slope shape: Linear

Parent material: Calcareous sandy alluvium and/or mixed sandy eolian deposits derived from sedimentary rock

Typical profile

A - 0 to 16 inches: loamy fine sand

Bw - 16 to 48 inches: fine sandy loam

Bk - 48 to 60 inches: fine sandy loam

Properties and qualities

Slope: 0 to 3 percent

Depth to restrictive feature: More than 80 inches

Drainage class: Well drained

Runoff class: Very low

Capacity of the most limiting layer to transmit water (Ksat): High (2.00 to 6.00 in/hr)

Depth to water table: More than 80 inches

Frequency of flooding: None

Frequency of ponding: None

Calcium carbonate, maximum content: 45 percent

Maximum salinity: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)

Sodium adsorption ratio, maximum: 2.0

Available water supply, 0 to 60 inches: Moderate (about 7.7 inches)

Interpretive groups

Land capability classification (irrigated): 2e

Land capability classification (nonirrigated): 7c

Hydrologic Soil Group: A

Ecological site: R070BD003NM - Loamy Sand

Hydric soil rating: No

Minor Components**Maljamar**

Percent of map unit: 8 percent

Ecological site: R070BD003NM - Loamy Sand

Hydric soil rating: No

Palomas

Percent of map unit: 7 percent

Ecological site: R070BD003NM - Loamy Sand

Hydric soil rating: No

Custom Soil Resource Report

MN—Ratliff-Wink fine sandy loams**Map Unit Setting***National map unit symbol: dmqf**Elevation: 3,000 to 3,900 feet**Mean annual precipitation: 10 to 15 inches**Mean annual air temperature: 60 to 62 degrees F**Frost-free period: 190 to 205 days**Farmland classification: Farmland of statewide importance***Map Unit Composition***Ratliff and similar soils: 45 percent**Wink and similar soils: 40 percent**Minor components: 15 percent**Estimates are based on observations, descriptions, and transects of the mapunit.***Description of Ratliff****Setting***Landform: Plains**Landform position (three-dimensional): Dip**Down-slope shape: Convex**Across-slope shape: Convex**Parent material: Calcareous alluvium and/or calcareous eolian deposits derived from sedimentary rock***Typical profile***A - 0 to 4 inches: fine sandy loam**Bw - 4 to 22 inches: clay loam**Bk - 22 to 60 inches: clay loam***Properties and qualities***Slope: 0 to 3 percent**Depth to restrictive feature: More than 80 inches**Drainage class: Well drained**Runoff class: Low**Capacity of the most limiting layer to transmit water (Ksat): Moderately high to high (0.60 to 2.00 in/hr)**Depth to water table: More than 80 inches**Frequency of flooding: None**Frequency of ponding: None**Calcium carbonate, maximum content: 50 percent**Gypsum, maximum content: 1 percent**Maximum salinity: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)**Sodium adsorption ratio, maximum: 2.0**Available water supply, 0 to 60 inches: Moderate (about 8.1 inches)***Interpretive groups***Land capability classification (irrigated): 4e*

Custom Soil Resource Report

Land capability classification (nonirrigated): 6c

Hydrologic Soil Group: B

Ecological site: R070BC007NM - Loamy

Hydric soil rating: No

Description of Wink**Setting**

Landform: Plains

Landform position (three-dimensional): Dip

Down-slope shape: Convex

Across-slope shape: Convex

Parent material: Calcareous sandy alluvium and/or calcareous sandy eolian deposits derived from sedimentary rock

Typical profile

A - 0 to 12 inches: fine sandy loam

Bk - 12 to 23 inches: sandy loam

BCK - 23 to 60 inches: sandy loam

Properties and qualities

Slope: 0 to 3 percent

Depth to restrictive feature: More than 80 inches

Drainage class: Well drained

Runoff class: Very low

Capacity of the most limiting layer to transmit water (Ksat): High (2.00 to 6.00 in/hr)

Depth to water table: More than 80 inches

Frequency of flooding: None

Frequency of ponding: None

Calcium carbonate, maximum content: 30 percent

Gypsum, maximum content: 1 percent

Maximum salinity: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)

Sodium adsorption ratio, maximum: 2.0

Available water supply, 0 to 60 inches: Low (about 4.7 inches)

Interpretive groups

Land capability classification (irrigated): None specified

Land capability classification (nonirrigated): 7e

Hydrologic Soil Group: A

Ecological site: R070BD004NM - Sandy

Hydric soil rating: No

Minor Components**Kermit**

Percent of map unit: 6 percent

Ecological site: R070BC022NM - Sandhills

Hydric soil rating: No

Maljamar

Percent of map unit: 5 percent

Ecological site: R070BD003NM - Loamy Sand

Hydric soil rating: No

Palomas

Percent of map unit: 4 percent

Ecological site: R070BD003NM - Loamy Sand

Custom Soil Resource Report

Hydric soil rating: No

PU—Pyote and Maljamar fine sands**Map Unit Setting**

National map unit symbol: dmqq
Elevation: 3,000 to 3,900 feet
Mean annual precipitation: 10 to 12 inches
Mean annual air temperature: 60 to 62 degrees F
Frost-free period: 190 to 205 days
Farmland classification: Not prime farmland

Map Unit Composition

Pyote and similar soils: 46 percent
Maljamar and similar soils: 44 percent
Minor components: 10 percent
Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Pyote**Setting**

Landform: Plains
Landform position (three-dimensional): Rise
Down-slope shape: Linear
Across-slope shape: Linear
Parent material: Sandy eolian deposits derived from sedimentary rock

Typical profile

A - 0 to 30 inches: fine sand
Bt - 30 to 60 inches: fine sandy loam

Properties and qualities

Slope: 0 to 3 percent
Depth to restrictive feature: More than 80 inches
Drainage class: Well drained
Runoff class: Negligible
Capacity of the most limiting layer to transmit water (Ksat): High (2.00 to 6.00 in/hr)
Depth to water table: More than 80 inches
Frequency of flooding: None
Frequency of ponding: None
Calcium carbonate, maximum content: 5 percent
Gypsum, maximum content: 1 percent
Maximum salinity: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)
Sodium adsorption ratio, maximum: 2.0
Available water supply, 0 to 60 inches: Low (about 5.1 inches)

Interpretive groups

Land capability classification (irrigated): 6e
Land capability classification (nonirrigated): 7s

Custom Soil Resource Report

Hydrologic Soil Group: A
Ecological site: R070BD003NM - Loamy Sand
Hydric soil rating: No

Description of Maljamar**Setting**

Landform: Plains
Landform position (three-dimensional): Rise
Down-slope shape: Linear
Across-slope shape: Linear
Parent material: Sandy eolian deposits derived from sedimentary rock

Typical profile

A - 0 to 24 inches: fine sand
Bt - 24 to 50 inches: sandy clay loam
Bkm - 50 to 60 inches: cemented material

Properties and qualities

Slope: 0 to 3 percent
Depth to restrictive feature: 40 to 60 inches to petrocalcic
Drainage class: Well drained
Runoff class: Very low
Capacity of the most limiting layer to transmit water (Ksat): Very low to moderately low (0.00 to 0.06 in/hr)
Depth to water table: More than 80 inches
Frequency of flooding: None
Frequency of ponding: None
Calcium carbonate, maximum content: 5 percent
Gypsum, maximum content: 1 percent
Maximum salinity: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)
Sodium adsorption ratio, maximum: 2.0
Available water supply, 0 to 60 inches: Low (about 5.6 inches)

Interpretive groups

Land capability classification (irrigated): 6e
Land capability classification (nonirrigated): 7e
Hydrologic Soil Group: B
Ecological site: R070BD003NM - Loamy Sand
Hydric soil rating: No

Minor Components**Kermit**

Percent of map unit: 10 percent
Ecological site: R070BC022NM - Sandhills
Hydric soil rating: No

Custom Soil Resource Report

RT—Reeves-Cottonwood association**Map Unit Setting**

National map unit symbol: dmqz

Elevation: 3,500 to 4,100 feet

Mean annual precipitation: 12 to 16 inches

Mean annual air temperature: 58 to 60 degrees F

Frost-free period: 190 to 205 days

Farmland classification: Farmland of statewide importance

Map Unit Composition

Reeves and similar soils: 70 percent

Cottonwood and similar soils: 20 percent

Minor components: 10 percent

Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Reeves**Setting**

Landform: Playa rims, playa slopes

Landform position (two-dimensional): Backslope

Landform position (three-dimensional): Side slope

Down-slope shape: Linear

Across-slope shape: Linear

Parent material: Alluvium derived from gypsum

Typical profile

A - 0 to 12 inches: loam

Bk - 12 to 16 inches: clay loam

Bky - 16 to 60 inches: gypsiferous material

Properties and qualities

Slope: 0 to 3 percent

Depth to restrictive feature: More than 80 inches

Drainage class: Well drained

Runoff class: Low

Capacity of the most limiting layer to transmit water (Ksat): Moderately high to high
(0.20 to 1.98 in/hr)

Depth to water table: More than 80 inches

Frequency of flooding: None

Frequency of ponding: None

Calcium carbonate, maximum content: 25 percent

Gypsum, maximum content: 80 percent

Maximum salinity: Very slightly saline to strongly saline (2.0 to 16.0 mmhos/cm)

Sodium adsorption ratio, maximum: 2.0

Available water supply, 0 to 60 inches: Moderate (about 8.5 inches)

Interpretive groups

Land capability classification (irrigated): 4e

Custom Soil Resource Report

Land capability classification (nonirrigated): 7c

Hydrologic Soil Group: B

Ecological site: R070BC007NM - Loamy

Hydric soil rating: No

Description of Cottonwood**Setting**

Landform: Playa rims, playa slopes

Landform position (two-dimensional): Backslope

Landform position (three-dimensional): Side slope

Down-slope shape: Linear

Across-slope shape: Linear

Parent material: Mixed residuum weathered from gypsum

Typical profile

A - 0 to 8 inches: loam

Cr - 8 to 60 inches: bedrock

Properties and qualities

Slope: 0 to 3 percent

Depth to restrictive feature: 3 to 12 inches to paralithic bedrock

Drainage class: Well drained

Runoff class: Low

*Capacity of the most limiting layer to transmit water (Ksat): Moderately high to high
(0.20 to 2.00 in/hr)*

Depth to water table: More than 80 inches

Frequency of flooding: None

Frequency of ponding: None

Calcium carbonate, maximum content: 30 percent

Gypsum, maximum content: 80 percent

Maximum salinity: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)

Sodium adsorption ratio, maximum: 2.0

Available water supply, 0 to 60 inches: Very low (about 1.2 inches)

Interpretive groups

Land capability classification (irrigated): None specified

Land capability classification (nonirrigated): 7s

Hydrologic Soil Group: D

Ecological site: R070BB006NM - Gyp Upland

Hydric soil rating: No

Minor Components**Arch**

Percent of map unit: 5 percent

Ecological site: R077CY035TX - Sandy 16-21" PZ

Hydric soil rating: No

Portales

Percent of map unit: 3 percent

Ecological site: R077CY028TX - Limy Upland 16-21" PZ

Hydric soil rating: No

Mansker

Percent of map unit: 2 percent

Ecological site: R077CY028TX - Limy Upland 16-21" PZ

Hydric soil rating: No

Custom Soil Resource Report

SE—Simona fine sandy loam, 0 to 3 percent slopes**Map Unit Setting**

National map unit symbol: dmr2
Elevation: 3,000 to 4,200 feet
Mean annual precipitation: 10 to 15 inches
Mean annual air temperature: 58 to 62 degrees F
Frost-free period: 190 to 205 days
Farmland classification: Not prime farmland

Map Unit Composition

Simona and similar soils: 85 percent
Minor components: 15 percent
Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Simona**Setting**

Landform: Plains
Landform position (three-dimensional): Rise
Down-slope shape: Linear
Across-slope shape: Linear
Parent material: Calcareous eolian deposits derived from sedimentary rock

Typical profile

A - 0 to 8 inches: fine sandy loam
Bk - 8 to 16 inches: gravelly fine sandy loam
Bkm - 16 to 26 inches: cemented material

Properties and qualities

Slope: 0 to 3 percent
Depth to restrictive feature: 7 to 20 inches to petrocalcic
Drainage class: Well drained
Runoff class: Very high
Capacity of the most limiting layer to transmit water (Ksat): Very low to moderately low (0.00 to 0.06 in/hr)
Depth to water table: More than 80 inches
Frequency of flooding: None
Frequency of ponding: None
Calcium carbonate, maximum content: 35 percent
Gypsum, maximum content: 1 percent
Maximum salinity: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)
Sodium adsorption ratio, maximum: 2.0
Available water supply, 0 to 60 inches: Very low (about 2.0 inches)

Interpretive groups

Land capability classification (irrigated): 6s
Land capability classification (nonirrigated): 7s
Hydrologic Soil Group: D

Custom Soil Resource Report

Ecological site: R070BD002NM - Shallow Sandy

Hydric soil rating: No

Minor Components**Kimbrough**

Percent of map unit: 8 percent

Ecological site: R077CY037TX - Very Shallow 16-21" PZ

Hydric soil rating: No

Lea

Percent of map unit: 7 percent

Ecological site: R077CY028TX - Limy Upland 16-21" PZ

Hydric soil rating: No

SR—Simona-Upton association**Map Unit Setting**

National map unit symbol: dmr3

Elevation: 3,000 to 4,400 feet

Mean annual precipitation: 10 to 16 inches

Mean annual air temperature: 58 to 62 degrees F

Frost-free period: 190 to 205 days

Farmland classification: Not prime farmland

Map Unit Composition

Simona and similar soils: 50 percent

Upton and similar soils: 35 percent

Minor components: 15 percent

Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Simona**Setting**

Landform: Ridges

Landform position (two-dimensional): Shoulder

Landform position (three-dimensional): Rise

Down-slope shape: Convex

Across-slope shape: Linear

Parent material: Calcareous eolian deposits derived from sedimentary rock

Typical profile

A - 0 to 8 inches: gravelly fine sandy loam

Bk - 8 to 16 inches: fine sandy loam

Bkm - 16 to 26 inches: cemented material

Properties and qualities

Slope: 0 to 3 percent

Depth to restrictive feature: 7 to 20 inches to petrocalcic

Drainage class: Well drained

Runoff class: Very high

Custom Soil Resource Report

Capacity of the most limiting layer to transmit water (Ksat): Very low to moderately low (0.00 to 0.06 in/hr)
Depth to water table: More than 80 inches
Frequency of flooding: None
Frequency of ponding: None
Calcium carbonate, maximum content: 50 percent
Gypsum, maximum content: 1 percent
Maximum salinity: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)
Sodium adsorption ratio, maximum: 2.0
Available water supply, 0 to 60 inches: Very low (about 1.9 inches)

Interpretive groups

Land capability classification (irrigated): None specified
Land capability classification (nonirrigated): 7s
Hydrologic Soil Group: D
Ecological site: R070BD002NM - Shallow Sandy
Hydric soil rating: No

Description of Upton**Setting**

Landform: Ridges
Landform position (two-dimensional): Shoulder
Landform position (three-dimensional): Rise
Down-slope shape: Convex
Across-slope shape: Linear
Parent material: Calcareous eolian deposits derived from sedimentary rock

Typical profile

A - 0 to 8 inches: gravelly loam
Bkm - 8 to 18 inches: cemented material
BCK - 18 to 60 inches: very gravelly loam

Properties and qualities

Slope: 0 to 3 percent
Depth to restrictive feature: 7 to 20 inches to petrocalcic
Drainage class: Well drained
Runoff class: Medium
Capacity of the most limiting layer to transmit water (Ksat): Low to moderately high (0.01 to 0.60 in/hr)
Depth to water table: More than 80 inches
Frequency of flooding: None
Frequency of ponding: None
Calcium carbonate, maximum content: 75 percent
Gypsum, maximum content: 1 percent
Maximum salinity: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)
Sodium adsorption ratio, maximum: 2.0
Available water supply, 0 to 60 inches: Very low (about 0.9 inches)

Interpretive groups

Land capability classification (irrigated): 6e
Land capability classification (nonirrigated): 7s
Hydrologic Soil Group: D
Ecological site: R070BC025NM - Shallow
Hydric soil rating: No

Custom Soil Resource Report

Minor Components**Kimbrough**

Percent of map unit: 6 percent

Ecological site: R077CY037TX - Very Shallow 16-21" PZ

Hydric soil rating: No

Stegall

Percent of map unit: 5 percent

Ecological site: R077CY028TX - Limy Upland 16-21" PZ

Hydric soil rating: No

Slaughter

Percent of map unit: 4 percent

Ecological site: R077CY028TX - Limy Upland 16-21" PZ

Hydric soil rating: No

TF—Tonuco loamy fine sand, 0 to 3 percent slopes**Map Unit Setting**

National map unit symbol: 2tw3c

Elevation: 3,280 to 4,460 feet

Mean annual precipitation: 10 to 16 inches

Mean annual air temperature: 59 to 64 degrees F

Frost-free period: 180 to 220 days

Farmland classification: Not prime farmland

Map Unit Composition

Tonuco and similar soils: 70 percent

Minor components: 30 percent

Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Tonuco**Setting**

Landform: Ridges, plains

Landform position (two-dimensional): Shoulder

Landform position (three-dimensional): Rise

Down-slope shape: Convex, linear

Across-slope shape: Linear

Parent material: Sandy eolian deposits

Typical profile

A - 0 to 12 inches: loamy fine sand

Bw - 12 to 17 inches: loamy sand

Bkkm - 17 to 39 inches: cemented material

Properties and qualities

Slope: 0 to 3 percent

Depth to restrictive feature: 12 to 20 inches to petrocalcic

Custom Soil Resource Report

Drainage class: Excessively drained
Runoff class: Very high
Capacity of the most limiting layer to transmit water (Ksat): Very low to moderately low (0.00 to 0.06 in/hr)
Depth to water table: More than 80 inches
Frequency of flooding: None
Frequency of ponding: None
Calcium carbonate, maximum content: 2 percent
Gypsum, maximum content: 1 percent
Maximum salinity: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)
Sodium adsorption ratio, maximum: 2.0
Available water supply, 0 to 60 inches: Very low (about 1.4 inches)

Interpretive groups

Land capability classification (irrigated): None specified
Land capability classification (nonirrigated): 7e
Hydrologic Soil Group: D
Ecological site: R077DY048TX - Shallow 12-17" PZ
Hydric soil rating: No

Minor Components**Simona**

Percent of map unit: 15 percent
Landform: Ridges, plains
Landform position (two-dimensional): Shoulder
Landform position (three-dimensional): Rise
Down-slope shape: Convex, linear
Across-slope shape: Linear
Ecological site: R070BD002NM - Shallow Sandy
Hydric soil rating: No

Berino

Percent of map unit: 10 percent
Landform: Ridges, plains
Landform position (two-dimensional): Shoulder
Landform position (three-dimensional): Rise
Down-slope shape: Convex, linear
Across-slope shape: Linear
Ecological site: R070BD003NM - Loamy Sand
Hydric soil rating: No

Cacique

Percent of map unit: 5 percent
Landform: Ridges, plains
Landform position (two-dimensional): Shoulder
Landform position (three-dimensional): Rise
Down-slope shape: Convex, linear
Across-slope shape: Linear
Ecological site: R070BD004NM - Sandy
Hydric soil rating: No

Custom Soil Resource Report

WK—Wink loamy fine sand**Map Unit Setting**

National map unit symbol: dmmr
Elevation: 3,000 to 3,400 feet
Mean annual precipitation: 10 to 15 inches
Mean annual air temperature: 60 to 62 degrees F
Frost-free period: 190 to 205 days
Farmland classification: Not prime farmland

Map Unit Composition

Wink and similar soils: 85 percent
Minor components: 15 percent
Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Wink**Setting**

Landform: Depressions
Landform position (two-dimensional): Toeslope
Landform position (three-dimensional): Dip
Down-slope shape: Concave
Across-slope shape: Concave
Parent material: Calcareous sandy alluvium and/or calcareous sandy eolian deposits derived from sedimentary rock

Typical profile

A - 0 to 12 inches: loamy fine sand
Bk - 12 to 23 inches: sandy loam
BCK - 23 to 60 inches: sandy loam

Properties and qualities

Slope: 0 to 3 percent
Depth to restrictive feature: More than 80 inches
Drainage class: Well drained
Runoff class: Negligible
Capacity of the most limiting layer to transmit water (Ksat): High (2.00 to 6.00 in/hr)
Depth to water table: More than 80 inches
Frequency of flooding: None
Frequency of ponding: None
Calcium carbonate, maximum content: 30 percent
Gypsum, maximum content: 1 percent
Maximum salinity: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)
Sodium adsorption ratio, maximum: 2.0
Available water supply, 0 to 60 inches: Low (about 4.2 inches)

Interpretive groups

Land capability classification (irrigated): None specified
Land capability classification (nonirrigated): 7e

Custom Soil Resource Report

Hydrologic Soil Group: A
Ecological site: R070BD003NM - Loamy Sand
Hydric soil rating: No

Minor Components

Berino

Percent of map unit: 5 percent
Ecological site: R070BD003NM - Loamy Sand
Hydric soil rating: No

Midessa

Percent of map unit: 4 percent
Ecological site: R070BC007NM - Loamy
Hydric soil rating: No

Jal

Percent of map unit: 4 percent
Ecological site: R070BC030NM - Limy
Hydric soil rating: No

Cacique

Percent of map unit: 2 percent
Ecological site: R070BD004NM - Sandy
Hydric soil rating: No

Soil Information for All Uses

Ecological Sites

Individual soil map unit components can be correlated to a particular ecological site. The Ecological Site Assessment section includes ecological site descriptions, plant growth curves, state and transition models, and selected National Plants database information.


All Ecological Sites — (Tap Rock Zeus SWD Line)

An "ecological site" is the product of all the environmental factors responsible for its development. It has characteristic soils that have developed over time; a characteristic hydrology, particularly infiltration and runoff, that has developed over time; and a characteristic plant community (kind and amount of vegetation). The vegetation, soils, and hydrology are all interrelated. Each is influenced by the others and influences the development of the others. For example, the hydrology of the site is influenced by development of the soil and plant community. The plant community on an ecological site is typified by an association of species that differs from that of other ecological sites in the kind and/or proportion of species or in total production.


An ecological site name provides a general description of a particular ecological site. For example, "Loamy Upland" is the name of a rangeland ecological site. An "ecological site ID" is the symbol assigned to a particular ecological site.





The map identifies the dominant ecological site for each map unit, aggregated by dominant condition. Other ecological sites may occur within each map unit. Each map unit typically consists of one or more components (soils and/or miscellaneous areas). Each soil component is associated with an ecological site. Miscellaneous areas, such as rock outcrop, sand dunes, and badlands, have little or no soil material and support little or no vegetation and therefore are not linked to an ecological site. The table below the map lists all of the ecological sites for each map unit component in your area of interest.

Custom Soil Resource Report
Map—Dominant Ecological Site (Tap Rock Zeus SWD Line)









Custom Soil Resource Report







MAP LEGEND**Area of Interest (AOI)**
 Area of Interest (AOI)
Soils**Soil Rating Polygons**


 R070BC007NM
 R070BC030NM
 R070BD002NM
 R070BD003NM
 R077DY048TX
 Not rated or not available






Soil Rating Lines


 R070BC007NM
 R070BC030NM
 R070BD002NM
 R070BD003NM
 R077DY048TX
 Not rated or not available

Soil Rating Points

 R070BC007NM
 R070BC030NM
 R070BD002NM
 R070BD003NM
 R077DY048TX
 Not rated or not available

Water Features
 Streams and Canals
Transportation

 Rails
 Interstate Highways
 US Routes
 Major Roads
 Local Roads

Background
 Aerial Photography
MAP INFORMATION

The soil surveys that comprise your AOI were mapped at 1:20,000.

Please rely on the bar scale on each map sheet for map measurements.

Source of Map: Natural Resources Conservation Service
 Web Soil Survey URL:
 Coordinate System: Web Mercator (EPSG:3857)

Maps from the Web Soil Survey are based on the Web Mercator projection, which preserves direction and shape but distorts distance and area. A projection that preserves area, such as the Albers equal-area conic projection, should be used if more accurate calculations of distance or area are required.

This product is generated from the USDA-NRCS certified data as of the version date(s) listed below.

Soil Survey Area: Lea County, New Mexico
 Survey Area Data: Version 20, Sep 6, 2023

Soil map units are labeled (as space allows) for map scales 1:50,000 or larger.

Date(s) aerial images were photographed: Feb 7, 2020—May 12, 2020

The orthophoto or other base map on which the soil lines were compiled and digitized probably differs from the background imagery displayed on these maps. As a result, some minor shifting of map unit boundaries may be evident.

Custom Soil Resource Report

Table—Ecological Sites by Map Unit Component (Tap Rock Zeus SWD Line)

Map unit symbol	Map unit name	Component name (percent)	Ecological site	Acres in AOI	Percent of AOI
BE	Berino-Cacique loamy fine sands association	Berino (50%)	R070BD003NM — Loamy Sand	363.2	38.1%
		Cacique (40%)	R070BD004NM — Sandy		
		Maljamar (6%)	R077CY028TX — Limy Upland 16-21" PZ		
		Palomas (4%)	R070BD003NM — Loamy Sand		
BH	Berino-Cacique association, hummocky	Berino (50%)	R070BD003NM — Loamy Sand	37.9	4.0%
		Cacique (40%)	R070BD004NM — Sandy		
		Kermit (4%)	R070BD005NM — Deep Sand		
		Maljamar (3%)	R077CY028TX — Limy Upland 16-21" PZ		
		Palomas (2%)	R070BD003NM — Loamy Sand		
		Dune land (1%)			
JA	Jal association	Jal (55%)	R070BC030NM — Limy	18.8	2.0%
		Drake (30%)	R070BD004NM — Sandy		
		Midessa (5%)	R070BC007NM — Loamy		
		Simona (5%)	R070BD002NM — Shallow Sandy		
		Wink (5%)	R070BD003NM — Loamy Sand		
LP	Largo-Pajarito complex, rarely flooded	Largo (45%)	R070BC007NM — Loamy	0.6	0.1%
		Pajarito (40%)	R070BD003NM — Loamy Sand		
		Maljamar (8%)	R070BD003NM — Loamy Sand		
		Palomas (7%)	R070BD003NM — Loamy Sand		
MN	Ratliff-Wink fine sandy loams	Ratliff (45%)	R070BC007NM — Loamy	120.1	12.6%
		Wink (40%)	R070BD004NM — Sandy		

Custom Soil Resource Report

Map unit symbol	Map unit name	Component name (percent)	Ecological site	Acres in AOI	Percent of AOI
		Kermit (6%)	R070BC022NM — Sandhills		
		Maljamar (5%)	R070BD003NM — Loamy Sand		
		Palomas (4%)	R070BD003NM — Loamy Sand		
PU	Pyote and Maljamar fine sands	Pyote (46%)	R070BD003NM — Loamy Sand	197.4	20.7%
		Maljamar (44%)	R070BD003NM — Loamy Sand		
		Kermit (10%)	R070BC022NM — Sandhills		
RT	Reeves-Cottonwood association	Reeves (70%)	R070BC007NM — Loamy	0.3	0.0%
		Cottonwood (20%)	R070BB006NM — Gyp Upland		
		Arch (5%)	R077CY035TX — Sandy 16-21" PZ		
		Portales (3%)	R077CY028TX — Limy Upland 16-21" PZ		
		Mansker (2%)	R077CY028TX — Limy Upland 16-21" PZ		
SE	Simona fine sandy loam, 0 to 3 percent slopes	Simona (85%)	R070BD002NM — Shallow Sandy	69.4	7.3%
		Kimbrough (8%)	R077CY037TX — Very Shallow 16-21" PZ		
		Lea (7%)	R077CY028TX — Limy Upland 16-21" PZ		
SR	Simona-Upton association	Simona (50%)	R070BD002NM — Shallow Sandy	0.7	0.1%
		Upton (35%)	R070BC025NM — Shallow		
		Kimbrough (6%)	R077CY037TX — Very Shallow 16-21" PZ		
		Stegall (5%)	R077CY028TX — Limy Upland 16-21" PZ		
		Slaughter (4%)	R077CY028TX — Limy Upland 16-21" PZ		
TF	Tonuco loamy fine sand, 0 to 3 percent slopes	Tonuco (70%)	R077DY048TX — Shallow 12-17" PZ	91.1	9.6%
		Simona (15%)	R070BD002NM — Shallow Sandy		

Custom Soil Resource Report

Map unit symbol	Map unit name	Component name (percent)	Ecological site	Acres in AOI	Percent of AOI
		Berino (10%)	R070BD003NM — Loamy Sand		
		Cacique (5%)	R070BD004NM — Sandy		
WK	Wink loamy fine sand	Wink (85%)	R070BD003NM — Loamy Sand	53.0	5.6%
		Berino (5%)	R070BD003NM — Loamy Sand		
		Jal (4%)	R070BC030NM — Limy		
		Midessa (4%)	R070BC007NM — Loamy		
		Cacique (2%)	R070BD004NM — Sandy		
Totals for Area of Interest				952.8	100.0%

References

- American Association of State Highway and Transportation Officials (AASHTO). 2004. Standard specifications for transportation materials and methods of sampling and testing. 24th edition.
- American Society for Testing and Materials (ASTM). 2005. Standard classification of soils for engineering purposes. ASTM Standard D2487-00.
- Cowardin, L.M., V. Carter, F.C. Golet, and E.T. LaRoe. 1979. Classification of wetlands and deep-water habitats of the United States. U.S. Fish and Wildlife Service FWS/OBS-79/31.
- Federal Register. July 13, 1994. Changes in hydric soils of the United States.
- Federal Register. September 18, 2002. Hydric soils of the United States.
- Hurt, G.W., and L.M. Vasilas, editors. Version 6.0, 2006. Field indicators of hydric soils in the United States.
- National Research Council. 1995. Wetlands: Characteristics and boundaries.
- Soil Survey Division Staff. 1993. Soil survey manual. Soil Conservation Service. U.S. Department of Agriculture Handbook 18. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/soils/?cid=nrcs142p2_054262
- Soil Survey Staff. 1999. Soil taxonomy: A basic system of soil classification for making and interpreting soil surveys. 2nd edition. Natural Resources Conservation Service, U.S. Department of Agriculture Handbook 436. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/soils/?cid=nrcs142p2_053577
- Soil Survey Staff. 2010. Keys to soil taxonomy. 11th edition. U.S. Department of Agriculture, Natural Resources Conservation Service. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/soils/?cid=nrcs142p2_053580
- Tiner, R.W., Jr. 1985. Wetlands of Delaware. U.S. Fish and Wildlife Service and Delaware Department of Natural Resources and Environmental Control, Wetlands Section.
- United States Army Corps of Engineers, Environmental Laboratory. 1987. Corps of Engineers wetlands delineation manual. Waterways Experiment Station Technical Report Y-87-1.
- United States Department of Agriculture, Natural Resources Conservation Service. National forestry manual. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/soils/home/?cid=nrcs142p2_053374
- United States Department of Agriculture, Natural Resources Conservation Service. National range and pasture handbook. <http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/landuse/rangepasture/?cid=stelprdb1043084>

Custom Soil Resource Report

United States Department of Agriculture, Natural Resources Conservation Service. National soil survey handbook, title 430-VI. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/soils/scientists/?cid=nrcs142p2_054242

United States Department of Agriculture, Natural Resources Conservation Service. 2006. Land resource regions and major land resource areas of the United States, the Caribbean, and the Pacific Basin. U.S. Department of Agriculture Handbook 296. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/soils/?cid=nrcs142p2_053624

United States Department of Agriculture, Soil Conservation Service. 1961. Land capability classification. U.S. Department of Agriculture Handbook 210. http://www.nrcs.usda.gov/Internet/FSE_DOCUMENTS/nrcs142p2_052290.pdf

APPENDIX F – Laboratory Data Reports and Chain of Custody Forms

Report to:
Chance Dixon



envirotech

Practical Solutions for a Better Tomorrow

Analytical Report

Vertex Resource Services Inc.

Project Name: Zeus SWD Line

Work Order: E404283

Job Number: 24015-0001

Received: 4/29/2024

Revision: 1

Report Reviewed By:

Walter Hinchman
Laboratory Director
5/2/24

5796 U.S. Hwy 64
Farmington, NM 87401

Phone: (505) 632-1881
Envirotech-inc.com



Envirotech Inc. certifies the test results meet all requirements of TNI unless noted otherwise.
Statement of Data Authenticity: Envirotech Inc. attests the data reported has not been altered in any way.
Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech Inc.
Envirotech Inc. holds the Utah TNI certification NM00979 for data reported.
Envirotech Inc. holds the Texas TNI certification T104704557 for data reported.

Date Reported: 5/2/24

Chance Dixon
3101 Boyd Drive
Carlsbad, NM 88220



Project Name: Zeus SWD Line
Workorder: E404283
Date Received: 4/29/2024 10:30:00AM

Chance Dixon,

Thank you for choosing Envirotech, Inc. as your analytical testing laboratory for the sample(s) received on, 4/29/2024 10:30:00AM, under the Project Name: Zeus SWD Line.

The analytical test results summarized in this report with the Project Name: Zeus SWD Line apply to the individual samples collected, identified and submitted bearing the project name on the enclosed chain-of-custody. Subcontracted sample analyses not conducted by Envirotech, Inc., are attached in full as issued by the subcontract laboratory.

Please review the Chain-of-Custody (COC) and Sample Receipt Checklist (SRC) for any issues regarding sample receipt temperature, containers, preservation etc. To best understand your test results, review the entire report summarizing your sample data and the associated quality control batch data.

All reported data in this analytical report were analyzed according to the referenced method(s) and are in compliance with the latest NELAC/TNI standards, unless otherwise noted. Samples or analytical quality control parameters not meeting specific QC criteria are qualified with a data flag. Data flag definitions are located in the Notes and Definitions section of this analytical report.

If you have any questions concerning this report, please feel free to contact Envirotech, Inc.

Respectfully,

Walter Hinchman
Laboratory Director
Office: 505-632-1881
Cell: 775-287-1762
whinchman@envirotech-inc.com

Raina Schwanz
Laboratory Administrator
Office: 505-632-1881
rainaschwanz@envirotech-inc.com

Alexa Michaels
Sample Custody Officer
Office: 505-632-1881
labadmin@envirotech-inc.com

Field Offices:

Southern New Mexico Area

Lynn Jarboe
Laboratory Technical Representative
Office: 505-421-LABS(5227)
Cell: 505-320-4759
ljjarboe@envirotech-inc.com

Michelle Golzales
Client Representative
Office: 505-421-LABS(5227)
Cell: 505-947-8222
mgonzales@envirotech-inc.com

Envirotech Web Address: www.envirotech-inc.com

Table of Contents

Title Page	1
Cover Page	2
Table of Contents	3
Sample Summary	4
Sample Data	5
Stockpile #1 2.0'	5
Stockpile #2 2.0'	6
Stockpile #3 2.0'	7
QC Summary Data	8
QC - Volatile Organics by EPA 8021B	8
QC - Nonhalogenated Organics by EPA 8015D - GRO	9
QC - Nonhalogenated Organics by EPA 8015D - DRO/ORO	10
QC - Anions by EPA 300.0/9056A	11
Definitions and Notes	12
Chain of Custody etc.	13

Sample Summary

Vertex Resource Services Inc. 3101 Boyd Drive Carlsbad NM, 88220	Project Name: Zeus SWD Line Project Number: 24015-0001 Project Manager: Chance Dixon	Reported: 05/02/24 15:12
--	--	-----------------------------

Client Sample ID	Lab Sample ID	Matrix	Sampled	Received	Container
Stockpile #1 2.0'	E404283-01A	Soil	04/24/24	04/29/24	Glass Jar, 2 oz.
Stockpile #2 2.0'	E404283-02A	Soil	04/25/24	04/29/24	Glass Jar, 2 oz.
Stockpile #3 2.0'	E404283-03A	Soil	04/25/24	04/29/24	Glass Jar, 2 oz.



Sample Data

Vertex Resource Services Inc. 3101 Boyd Drive Carlsbad NM, 88220	Project Name: Zeus SWD Line Project Number: 24015-0001 Project Manager: Chance Dixon	Reported: 5/2/2024 3:12:31PM
--	--	---------------------------------

Stockpile #1 2.0'
E404283-01

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B	mg/kg	mg/kg	Analyst: BA		Batch: 2418020	
Benzene	ND	0.0250	1	04/30/24	05/01/24	
Ethylbenzene	ND	0.0250	1	04/30/24	05/01/24	
Toluene	ND	0.0250	1	04/30/24	05/01/24	
o-Xylene	ND	0.0250	1	04/30/24	05/01/24	
p,m-Xylene	ND	0.0500	1	04/30/24	05/01/24	
Total Xylenes	ND	0.0250	1	04/30/24	05/01/24	
Surrogate: 4-Bromochlorobenzene-PID	96.3 %	70-130		04/30/24	05/01/24	
Nonhalogenated Organics by EPA 8015D - GRO	mg/kg	mg/kg	Analyst: BA		Batch: 2418020	
Gasoline Range Organics (C6-C10)	ND	20.0	1	04/30/24	05/01/24	
Surrogate: 1-Chloro-4-fluorobenzene-FID	99.2 %	70-130		04/30/24	05/01/24	
Nonhalogenated Organics by EPA 8015D - DRO/ORO	mg/kg	mg/kg	Analyst: KM		Batch: 2418017	
Diesel Range Organics (C10-C28)	ND	25.0	1	04/29/24	04/29/24	
Oil Range Organics (C28-C36)	ND	50.0	1	04/29/24	04/29/24	
Surrogate: n-Nonane	114 %	50-200		04/29/24	04/29/24	
Anions by EPA 300.0/9056A	mg/kg	mg/kg	Analyst: IY		Batch: 2418038	
Chloride	279	20.0	1	04/30/24	04/30/24	

Sample Data

Vertex Resource Services Inc. 3101 Boyd Drive Carlsbad NM, 88220	Project Name: Zeus SWD Line Project Number: 24015-0001 Project Manager: Chance Dixon	Reported: 5/2/2024 3:12:31PM
--	--	---------------------------------

Stockpile #2 2.0'
E404283-02

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B	mg/kg	mg/kg	Analyst: BA		Batch: 2418020	
Benzene	ND	0.0250	1	04/30/24	05/01/24	
Ethylbenzene	ND	0.0250	1	04/30/24	05/01/24	
Toluene	ND	0.0250	1	04/30/24	05/01/24	
o-Xylene	ND	0.0250	1	04/30/24	05/01/24	
p,m-Xylene	ND	0.0500	1	04/30/24	05/01/24	
Total Xylenes	ND	0.0250	1	04/30/24	05/01/24	
Surrogate: 4-Bromochlorobenzene-PID	95.7 %	70-130		04/30/24	05/01/24	
Nonhalogenated Organics by EPA 8015D - GRO	mg/kg	mg/kg	Analyst: BA		Batch: 2418020	
Gasoline Range Organics (C6-C10)	ND	20.0	1	04/30/24	05/01/24	
Surrogate: 1-Chloro-4-fluorobenzene-FID	100 %	70-130		04/30/24	05/01/24	
Nonhalogenated Organics by EPA 8015D - DRO/ORO	mg/kg	mg/kg	Analyst: KM		Batch: 2418017	
Diesel Range Organics (C10-C28)	ND	25.0	1	04/29/24	04/29/24	
Oil Range Organics (C28-C36)	ND	50.0	1	04/29/24	04/29/24	
Surrogate: n-Nonane	114 %	50-200		04/29/24	04/29/24	
Anions by EPA 300.0/9056A	mg/kg	mg/kg	Analyst: IY		Batch: 2418038	
Chloride	69.0	20.0	1	04/30/24	04/30/24	



Sample Data

Vertex Resource Services Inc. 3101 Boyd Drive Carlsbad NM, 88220	Project Name: Zeus SWD Line Project Number: 24015-0001 Project Manager: Chance Dixon	Reported: 5/2/2024 3:12:31PM
--	--	---------------------------------

Stockpile #3 2.0'

E404283-03

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B	mg/kg	mg/kg	Analyst: BA		Batch: 2418020	
Benzene	ND	0.0250	1	04/30/24	05/01/24	
Ethylbenzene	ND	0.0250	1	04/30/24	05/01/24	
Toluene	ND	0.0250	1	04/30/24	05/01/24	
o-Xylene	ND	0.0250	1	04/30/24	05/01/24	
p,m-Xylene	ND	0.0500	1	04/30/24	05/01/24	
Total Xylenes	ND	0.0250	1	04/30/24	05/01/24	
Surrogate: 4-Bromochlorobenzene-PID	92.6 %	70-130		04/30/24	05/01/24	
Nonhalogenated Organics by EPA 8015D - GRO	mg/kg	mg/kg	Analyst: BA		Batch: 2418020	
Gasoline Range Organics (C6-C10)	ND	20.0	1	04/30/24	05/01/24	
Surrogate: 1-Chloro-4-fluorobenzene-FID	97.1 %	70-130		04/30/24	05/01/24	
Nonhalogenated Organics by EPA 8015D - DRO/ORO	mg/kg	mg/kg	Analyst: KM		Batch: 2418017	
Diesel Range Organics (C10-C28)	ND	25.0	1	04/29/24	04/29/24	
Oil Range Organics (C28-C36)	ND	50.0	1	04/29/24	04/29/24	
Surrogate: n-Nonane	114 %	50-200		04/29/24	04/29/24	
Anions by EPA 300.0/9056A	mg/kg	mg/kg	Analyst: IY		Batch: 2418038	
Chloride	ND	20.0	1	04/30/24	04/30/24	



QC Summary Data

Vertex Resource Services Inc. 3101 Boyd Drive Carlsbad NM, 88220	Project Name: Zeus SWD Line Project Number: 24015-0001 Project Manager: Chance Dixon	Reported: 5/2/2024 3:12:31PM
--	--	-------------------------------------

Volatile Organics by EPA 8021B

Analyst: BA

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

Blank (2418020-BLK1) Prepared: 04/30/24 Analyzed: 05/01/24

Benzene	ND	0.0250							
Ethylbenzene	ND	0.0250							
Toluene	ND	0.0250							
o-Xylene	ND	0.0250							
p,m-Xylene	ND	0.0500							
Total Xylenes	ND	0.0250							
Surrogate: 4-Bromochlorobenzene-PID	7.57		8.00		94.6	70-130			

LCS (2418020-BS1) Prepared: 04/30/24 Analyzed: 05/01/24

Benzene	4.81	0.0250	5.00		96.2	70-130			
Ethylbenzene	4.70	0.0250	5.00		94.0	70-130			
Toluene	4.82	0.0250	5.00		96.4	70-130			
o-Xylene	4.79	0.0250	5.00		95.7	70-130			
p,m-Xylene	9.60	0.0500	10.0		96.0	70-130			
Total Xylenes	14.4	0.0250	15.0		95.9	70-130			
Surrogate: 4-Bromochlorobenzene-PID	7.60		8.00		95.0	70-130			

Matrix Spike (2418020-MS1) Source: E404283-03 Prepared: 04/30/24 Analyzed: 05/01/24

Benzene	4.41	0.0250	5.00	ND	88.3	54-133			
Ethylbenzene	4.31	0.0250	5.00	ND	86.3	61-133			
Toluene	4.42	0.0250	5.00	ND	88.4	61-130			
o-Xylene	4.38	0.0250	5.00	ND	87.5	63-131			
p,m-Xylene	8.83	0.0500	10.0	ND	88.3	63-131			
Total Xylenes	13.2	0.0250	15.0	ND	88.0	63-131			
Surrogate: 4-Bromochlorobenzene-PID	7.60		8.00		95.0	70-130			

Matrix Spike Dup (2418020-MSD1) Source: E404283-03 Prepared: 04/30/24 Analyzed: 05/01/24

Benzene	4.91	0.0250	5.00	ND	98.2	54-133	10.7	20	
Ethylbenzene	4.79	0.0250	5.00	ND	95.8	61-133	10.5	20	
Toluene	4.91	0.0250	5.00	ND	98.2	61-130	10.5	20	
o-Xylene	4.88	0.0250	5.00	ND	97.5	63-131	10.8	20	
p,m-Xylene	9.79	0.0500	10.0	ND	97.9	63-131	10.3	20	
Total Xylenes	14.7	0.0250	15.0	ND	97.8	63-131	10.5	20	
Surrogate: 4-Bromochlorobenzene-PID	7.63		8.00		95.4	70-130			



QC Summary Data

Vertex Resource Services Inc. 3101 Boyd Drive Carlsbad NM, 88220	Project Name: Zeus SWD Line Project Number: 24015-0001 Project Manager: Chance Dixon	Reported: 5/2/2024 3:12:31PM
--	--	-------------------------------------

Nonhalogenated Organics by EPA 8015D - GRO

Analyst: BA

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

Blank (2418020-BLK1) Prepared: 04/30/24 Analyzed: 05/01/24

Gasoline Range Organics (C6-C10)	ND	20.0							
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.84		8.00		98.0	70-130			

LCS (2418020-BS2) Prepared: 04/30/24 Analyzed: 05/01/24

Gasoline Range Organics (C6-C10)	48.4	20.0	50.0		96.9	70-130			
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.97		8.00		99.6	70-130			

Matrix Spike (2418020-MS2) Source: E404283-03 Prepared: 04/30/24 Analyzed: 05/01/24

Gasoline Range Organics (C6-C10)	51.8	20.0	50.0	ND	104	70-130			
Surrogate: 1-Chloro-4-fluorobenzene-FID	8.01		8.00		100	70-130			

Matrix Spike Dup (2418020-MSD2) Source: E404283-03 Prepared: 04/30/24 Analyzed: 05/01/24

Gasoline Range Organics (C6-C10)	46.5	20.0	50.0	ND	93.1	70-130	10.6	20	
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.98		8.00		99.8	70-130			



QC Summary Data

Vertex Resource Services Inc. 3101 Boyd Drive Carlsbad NM, 88220	Project Name: Zeus SWD Line Project Number: 24015-0001 Project Manager: Chance Dixon	Reported: 5/2/2024 3:12:31PM
--	--	-------------------------------------

Nonhalogenated Organics by EPA 8015D - DRO/ORO

Analyst: KM

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

Blank (2418017-BLK1) Prepared: 04/29/24 Analyzed: 04/29/24

Diesel Range Organics (C10-C28)	ND	25.0							
Oil Range Organics (C28-C36)	ND	50.0							
Surrogate: n-Nonane	52.1		50.0		104	50-200			

LCS (2418017-BS1) Prepared: 04/29/24 Analyzed: 04/29/24

Diesel Range Organics (C10-C28)	292	25.0	250		117	38-132			
Surrogate: n-Nonane	55.0		50.0		110	50-200			

Matrix Spike (2418017-MS1) Source: E404266-02 Prepared: 04/29/24 Analyzed: 04/29/24

Diesel Range Organics (C10-C28)	272	25.0	250	ND	109	38-132			
Surrogate: n-Nonane	51.8		50.0		104	50-200			

Matrix Spike Dup (2418017-MSD1) Source: E404266-02 Prepared: 04/29/24 Analyzed: 04/29/24

Diesel Range Organics (C10-C28)	271	25.0	250	ND	108	38-132	0.169	20	
Surrogate: n-Nonane	51.9		50.0		104	50-200			



QC Summary Data

Vertex Resource Services Inc. 3101 Boyd Drive Carlsbad NM, 88220	Project Name: Zeus SWD Line Project Number: 24015-0001 Project Manager: Chance Dixon	Reported: 5/2/2024 3:12:31PM
--	--	-------------------------------------

Anions by EPA 300.0/9056A

Analyst: IY

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

Blank (2418038-BLK1)					Prepared: 04/30/24 Analyzed: 04/30/24				
Chloride	ND	20.0							
LCS (2418038-BS1)					Prepared: 04/30/24 Analyzed: 04/30/24				
Chloride	249	20.0	250		99.5	90-110			
Matrix Spike (2418038-MS1)					Source: E404287-01		Prepared: 04/30/24 Analyzed: 04/30/24		
Chloride	690	20.0	250	442	99.2	80-120			
Matrix Spike Dup (2418038-MSD1)					Source: E404287-01		Prepared: 04/30/24 Analyzed: 04/30/24		
Chloride	713	20.0	250	442	108	80-120	3.25	20	

QC Summary Report Comment:
Calculations are based off of the raw (non-rounded) data. However, for reporting purposes all QC data is rounded to three significant figures.
Therefore, hand calculated values may differ slightly.



Definitions and Notes

Vertex Resource Services Inc.	Project Name:	Zeus SWD Line	
3101 Boyd Drive	Project Number:	24015-0001	Reported:
Carlsbad NM, 88220	Project Manager:	Chance Dixon	05/02/24 15:12

- ND Analyte NOT DETECTED at or above the reporting limit
- NR Not Reported
- RPD Relative Percent Difference
- DNI Did Not Ignite
- DNR Did not react with the addition of acid or base.

Note (1): Methods marked with ** are non-accredited methods.

Note (2): Soil data is reported on an "as received" weight basis, unless reported otherwise.



Chain of Custody

Client Information			Invoice Information			Lab Use Only			TAT			State						
Client: <u>Vertex (Bill to Tap Rock)</u>			Company: <u>Tap Rock</u>			Lab WO# <u>E404283</u>			Job Number <u>2405-0001</u>			1D 2D 3D <u>Std</u> <u>NM</u> CO UT TX						
Project Name: <u>Zeus SWD Line</u>			Address:															
Project Manager:			City, State, Zip:															
Address:			Phone:															
City, State, Zip:			Email:															
Phone:			Miscellaneous:															
Email:																		
Sample Information						Analysis and Method										EPA Program		
Time Sampled	Date Sampled	Matrix	No. of Containers	Sample ID	Field Filter	Lab Number	DRO/DRO by 8015	GRO/DRO by 8015	BTEX by 8021	Chloride 300.0	BGDOC - NM	TCEQ 1005 - TX	RCRA 8 Metals	SDWA	CWA	RCRA		
14:00	4-24-24	So. l	1	Stockpile #1 2.0'		1	X	X	X	X								
14:10	4-25-24	↓	1	Stockpile #2 2.0'		2	↓	↓	↓	↓								
14:00	4-25-24	↓	1	Stockpile #3 2.0'		3	↓	↓	↓	↓								
Additional Instructions: <u>CC: cdixon@vertex.ca on results</u>																		
I, (field sampler), attest to the validity and authenticity of this sample. I am aware that tampering with or intentionally mislabeling the sample location, date or time of collection is considered fraud and may be grounds for legal action.																		
Sampled by: <u>[Signature]</u>																		
Relinquished by: (Signature)		Date	Time	Received by: (Signature)		Date	Time	Samples requiring thermal preservation must be received on ice the day they are sampled or received packed in ice at an avg temp above 0 but less than 6C on subsequent days. Lab Use Only Received on ice: <u>(Y)</u> N T1 _____ T2 _____ T3 _____ AVG Temp °C <u>4</u>										
<u>[Signature]</u>		<u>4/26/24</u>	<u>10:27</u>	<u>Michelle Gonzales</u>		<u>4-26-24</u>	<u>10:27</u>											
<u>Michelle Gonzales</u>		<u>4-26-24</u>	<u>1700</u>	<u>[Signature]</u>		<u>4-26-24</u>	<u>1700</u>											
<u>[Signature]</u>		<u>4-26-24</u>	<u>2300</u>	<u>[Signature]</u>		<u>4/29/24</u>	<u>10:30</u>											
Relinquished by: (Signature)		Date	Time	Received by: (Signature)		Date	Time											
Sample Matrix: <u>S - Soil, Sd - Solid, Sg - Sludge, A - Aqueous, O - Other</u>																		
Container Type: <u>g - glass, p - poly/plastic, ag - amber glass, v - VOA</u>																		
Note: Samples are discarded 14 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at the client expense. The report for the analysis of the above samples is applicable only to those samples received by the laboratory with this COC. The liability of the laboratory is limited to the amount paid for on the report.																		



envirotech

Envirotech Analytical Laboratory

Printed: 4/30/2024 11:55:51AM

Sample Receipt Checklist (SRC)

Instructions: Please take note of any NO checkmarks.

If we receive no response concerning these items within 24 hours of the date of this notice, all the samples will be analyzed as requested.

Client:	Vertex Resource Services Inc.	Date Received:	04/29/24 10:30	Work Order ID:	E404283
Phone:	(575) 748-0176	Date Logged In:	04/29/24 10:52	Logged In By:	Alexa Michaels
Email:	cdixon@vertex.ca	Due Date:	05/03/24 17:00 (4 day TAT)		

Chain of Custody (COC)

1. Does the sample ID match the COC? Yes
2. Does the number of samples per sampling site location match the COC? Yes
3. Were samples dropped off by client or carrier? Yes
4. Was the COC complete, i.e., signatures, dates/times, requested analyses? Yes
5. Were all samples received within holding time? Yes

Note: Analysis, such as pH which should be conducted in the field, i.e., 15 minute hold time, are not included in this discussion.

Carrier: CourierComments/Resolution

Project manager was not listed on the COC by client.

Sample Turn Around Time (TAT)

6. Did the COC indicate standard TAT, or Expedited TAT? Yes

Sample Cooler

7. Was a sample cooler received? Yes
8. If yes, was cooler received in good condition? Yes
9. Was the sample(s) received intact, i.e., not broken? Yes
10. Were custody/security seals present? No
11. If yes, were custody/security seals intact? NA
12. Was the sample received on ice? If yes, the recorded temp is 4°C, i.e., 6°±2°C? Yes

Note: Thermal preservation is not required, if samples are received w/i 15 minutes of sampling

13. If no visible ice, record the temperature. Actual sample temperature: 4°C

Sample Container

14. Are aqueous VOC samples present? No
15. Are VOC samples collected in VOA Vials? NA
16. Is the head space less than 6-8 mm (pea sized or less)? NA
17. Was a trip blank (TB) included for VOC analyses? NA
18. Are non-VOC samples collected in the correct containers? Yes
19. Is the appropriate volume/weight or number of sample containers collected? Yes

Field Label

20. Were field sample labels filled out with the minimum information:
 - Sample ID? Yes
 - Date/Time Collected? Yes
 - Collectors name? No

Sample Preservation

21. Does the COC or field labels indicate the samples were preserved? No
22. Are sample(s) correctly preserved? NA
24. Is lab filtration required and/or requested for dissolved metals? No

Multiphase Sample Matrix

26. Does the sample have more than one phase, i.e., multiphase? No
27. If yes, does the COC specify which phase(s) is to be analyzed? NA

Subcontract Laboratory

28. Are samples required to get sent to a subcontract laboratory? No
29. Was a subcontract laboratory specified by the client and if so who? NA Subcontract Lab: NA

Client Instruction


Signature of client authorizing changes to the COC or sample disposition.

Date



envirotech Inc.

Report to:
Chance Dixon



envirotech

Practical Solutions for a Better Tomorrow

Analytical Report

Vertex Resource Services Inc.

Project Name: Zeus SWD Line

Work Order: E405024

Job Number: 24015-0001

Received: 5/3/2024

Revision: 1

Report Reviewed By:

Walter Hinchman
Laboratory Director
5/8/24

5796 U.S. Hwy 64
Farmington, NM 87401

Phone: (505) 632-1881
Envirotech-inc.com



Envirotech Inc. certifies the test results meet all requirements of TNI unless noted otherwise.
Statement of Data Authenticity: Envirotech Inc. attests the data reported has not been altered in any way.
Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech Inc.
Envirotech Inc. holds the Utah TNI certification NM00979 for data reported.
Envirotech Inc. holds the Texas TNI certification T104704557 for data reported.

Date Reported: 5/8/24

Chance Dixon
3101 Boyd Drive
Carlsbad, NM 88220



Project Name: Zeus SWD Line
Workorder: E405024
Date Received: 5/3/2024 5:00:00AM

Chance Dixon,

Thank you for choosing Envirotech, Inc. as your analytical testing laboratory for the sample(s) received on, 5/3/2024 5:00:00AM, under the Project Name: Zeus SWD Line.

The analytical test results summarized in this report with the Project Name: Zeus SWD Line apply to the individual samples collected, identified and submitted bearing the project name on the enclosed chain-of-custody. Subcontracted sample analyses not conducted by Envirotech, Inc., are attached in full as issued by the subcontract laboratory.

Please review the Chain-of-Custody (COC) and Sample Receipt Checklist (SRC) for any issues regarding sample receipt temperature, containers, preservation etc. To best understand your test results, review the entire report summarizing your sample data and the associated quality control batch data.

All reported data in this analytical report were analyzed according to the referenced method(s) and are in compliance with the latest NELAC/TNI standards, unless otherwise noted. Samples or analytical quality control parameters not meeting specific QC criteria are qualified with a data flag. Data flag definitions are located in the Notes and Definitions section of this analytical report.

If you have any questions concerning this report, please feel free to contact Envirotech, Inc.

Respectfully,

Walter Hinchman
Laboratory Director
Office: 505-632-1881
Cell: 775-287-1762
whinchman@envirotech-inc.com

Raina Schwanz
Laboratory Administrator
Office: 505-632-1881
rainaschwanz@envirotech-inc.com

Alexa Michaels
Sample Custody Officer
Office: 505-632-1881
labadmin@envirotech-inc.com

Field Offices:

Southern New Mexico Area

Lynn Jarboe
Laboratory Technical Representative
Office: 505-421-LABS(5227)
Cell: 505-320-4759
ljjarboe@envirotech-inc.com

Michelle Golzaes
Client Representative
Office: 505-421-LABS(5227)
Cell: 505-947-8222
mgonzales@envirotech-inc.com

Envirotech Web Address: www.envirotech-inc.com

Table of Contents

Title Page	1
Cover Page	2
Table of Contents	3
Sample Summary	4
Sample Data	5
Stockpile #4 2.0'	5
Stockpile #5 2.0'	6
Stockpile #6 2.0'	7
Stockpile #7 2.0'	8
Stockpile #8 2.0'	9
WS24 07 4.0'	10
QC Summary Data	11
QC - Volatile Organics by EPA 8021B	11
QC - Nonhalogenated Organics by EPA 8015D - GRO	12
QC - Nonhalogenated Organics by EPA 8015D - DRO/ORO	13
QC - Anions by EPA 300.0/9056A	14
Definitions and Notes	15
Chain of Custody etc.	16

Sample Summary

Vertex Resource Services Inc. 3101 Boyd Drive Carlsbad NM, 88220	Project Name: Zeus SWD Line Project Number: 24015-0001 Project Manager: Chance Dixon	Reported: 05/08/24 10:32
--	--	-----------------------------

Client Sample ID	Lab Sample ID	Matrix	Sampled	Received	Container
Stockpile #4 2.0'	E405024-01A	Soil	05/01/24	05/03/24	Glass Jar, 2 oz.
Stockpile #5 2.0'	E405024-02A	Soil	05/01/24	05/03/24	Glass Jar, 2 oz.
Stockpile #6 2.0'	E405024-03A	Soil	05/01/24	05/03/24	Glass Jar, 2 oz.
Stockpile #7 2.0'	E405024-04A	Soil	05/01/24	05/03/24	Glass Jar, 2 oz.
Stockpile #8 2.0'	E405024-05A	Soil	05/01/24	05/03/24	Glass Jar, 2 oz.
WS24 01 4.0'	E405024-06A	Soil	05/01/24	05/03/24	Glass Jar, 2 oz.
WS24 02 4.0'	E405024-07A	Soil	05/01/24	05/03/24	Glass Jar, 2 oz.
WS24 03 4.0'	E405024-08A	Soil	05/01/24	05/03/24	Glass Jar, 2 oz.
WS24 04 4.0'	E405024-09A	Soil	05/01/24	05/03/24	Glass Jar, 2 oz.
WS24 05 4.0'	E405024-10A	Soil	05/01/24	05/03/24	Glass Jar, 2 oz.
WS24 06 4.0'	E405024-11A	Soil	05/01/24	05/03/24	Glass Jar, 2 oz.
WS24 07 4.0'	E405024-12A	Soil	05/01/24	05/03/24	Glass Jar, 2 oz.
WS24 08 4.0'	E405024-13A	Soil	05/01/24	05/03/24	Glass Jar, 2 oz.



Sample Data

Vertex Resource Services Inc. 3101 Boyd Drive Carlsbad NM, 88220	Project Name: Zeus SWD Line Project Number: 24015-0001 Project Manager: Chance Dixon	Reported: 5/8/2024 10:32:56AM
--	--	----------------------------------

Stockpile #4 2.0'
E405024-01

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B	mg/kg	mg/kg	Analyst: BA		Batch: 2418117	
Benzene	ND	0.0250	1	05/03/24	05/03/24	
Ethylbenzene	ND	0.0250	1	05/03/24	05/03/24	
Toluene	ND	0.0250	1	05/03/24	05/03/24	
o-Xylene	ND	0.0250	1	05/03/24	05/03/24	
p,m-Xylene	ND	0.0500	1	05/03/24	05/03/24	
Total Xylenes	ND	0.0250	1	05/03/24	05/03/24	
Surrogate: 4-Bromochlorobenzene-PID	91.6 %	70-130		05/03/24	05/03/24	
Nonhalogenated Organics by EPA 8015D - GRO	mg/kg	mg/kg	Analyst: BA		Batch: 2418117	
Gasoline Range Organics (C6-C10)	ND	20.0	1	05/03/24	05/03/24	
Surrogate: 1-Chloro-4-fluorobenzene-FID	99.7 %	70-130		05/03/24	05/03/24	
Nonhalogenated Organics by EPA 8015D - DRO/ORO	mg/kg	mg/kg	Analyst: KM		Batch: 2418122	
Diesel Range Organics (C10-C28)	ND	25.0	1	05/03/24	05/03/24	
Oil Range Organics (C28-C36)	ND	50.0	1	05/03/24	05/03/24	
Surrogate: n-Nonane	104 %	50-200		05/03/24	05/03/24	
Anions by EPA 300.0/9056A	mg/kg	mg/kg	Analyst: IY		Batch: 2418129	
Chloride	27.1	20.0	1	05/03/24	05/05/24	



Report to:
Chance Dixon



envirotech

Practical Solutions for a Better Tomorrow

Analytical Report

Vertex Resource Services Inc.

Project Name: Zeus SWD Line

Work Order: E405358

Job Number: 24015-0001

Received: 5/28/2024

Revision: 1

Report Reviewed By:

Walter Hinchman
Laboratory Director
5/31/24

5796 U.S. Hwy 64
Farmington, NM 87401

Phone: (505) 632-1881
Envirotech-inc.com



Envirotech Inc. certifies the test results meet all requirements of TNI unless noted otherwise.
Statement of Data Authenticity: Envirotech Inc. attests the data reported has not been altered in any way.
Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech Inc.
Envirotech Inc. holds the Utah TNI certification NM00979 for data reported.
Envirotech Inc. holds the Texas TNI certification T104704557 for data reported.

Date Reported: 5/31/24

Chance Dixon
3101 Boyd Drive
Carlsbad, NM 88220



Project Name: Zeus SWD Line
Workorder: E405358
Date Received: 5/28/2024 10:00:41AM

Chance Dixon,

Thank you for choosing Envirotech, Inc. as your analytical testing laboratory for the sample(s) received on, 5/28/2024 10:00:41AM, under the Project Name: Zeus SWD Line.

The analytical test results summarized in this report with the Project Name: Zeus SWD Line apply to the individual samples collected, identified and submitted bearing the project name on the enclosed chain-of-custody. Subcontracted sample analyses not conducted by Envirotech, Inc., are attached in full as issued by the subcontract laboratory.

Please review the Chain-of-Custody (COC) and Sample Receipt Checklist (SRC) for any issues regarding sample receipt temperature, containers, preservation etc. To best understand your test results, review the entire report summarizing your sample data and the associated quality control batch data.

All reported data in this analytical report were analyzed according to the referenced method(s) and are in compliance with the latest NELAC/TNI standards, unless otherwise noted. Samples or analytical quality control parameters not meeting specific QC criteria are qualified with a data flag. Data flag definitions are located in the Notes and Definitions section of this analytical report.

If you have any questions concerning this report, please feel free to contact Envirotech, Inc.

Respectfully,

Walter Hinchman
Laboratory Director
Office: 505-632-1881
Cell: 775-287-1762
whinchman@envirotech-inc.com

Raina Schwanz
Laboratory Administrator
Office: 505-632-1881
rainaschwanz@envirotech-inc.com

Alexa Michaels
Sample Custody Officer
Office: 505-632-1881
labadmin@envirotech-inc.com

Field Offices:

Southern New Mexico Area

Lynn Jarboe
Laboratory Technical Representative
Office: 505-421-LABS(5227)
Cell: 505-320-4759
ljjarboe@envirotech-inc.com

Michelle Golzales
Client Representative
Office: 505-421-LABS(5227)
Cell: 505-947-8222
mgonzales@envirotech-inc.com

Envirotech Web Address: www.envirotech-inc.com

Table of Contents

Title Page	1
Cover Page	2
Table of Contents	3
Sample Summary	4
Sample Data	5
Back Fill-01	5
Back Fill-02	6
Back Fill-03	7
Back Fill-04	8
Back Fill-05	9
Back Fill-06	10
Back Fill-07	11
Back Fill-08	12
Back Fill-09	13
QC Summary Data	14
QC - Volatile Organic Compounds by EPA 8260B	14
QC - Nonhalogenated Organics by EPA 8015D - GRO	15
QC - Nonhalogenated Organics by EPA 8015D - DRO/ORO	16
QC - Anions by EPA 300.0/9056A	17
Definitions and Notes	18
Chain of Custody etc.	19

Sample Summary

Vertex Resource Services Inc. 3101 Boyd Drive Carlsbad NM, 88220	Project Name: Zeus SWD Line Project Number: 24015-0001 Project Manager: Chance Dixon	Reported: 05/31/24 16:05
--	--	-----------------------------

Client Sample ID	Lab Sample ID	Matrix	Sampled	Received	Container
Back Fill-01	E405358-01A	Soil	05/23/24	05/28/24	Glass Jar, 2 oz.
Back Fill-02	E405358-02A	Solid	05/23/24	05/28/24	Glass Jar, 2 oz.
Back Fill-03	E405358-03A	Solid	05/23/24	05/28/24	Glass Jar, 2 oz.
Back Fill-04	E405358-04A	Soil	05/23/24	05/28/24	Glass Jar, 2 oz.
Back Fill-05	E405358-05A	Soil	05/23/24	05/28/24	Glass Jar, 2 oz.
Back Fill-06	E405358-06A	Soil	05/23/24	05/28/24	Glass Jar, 2 oz.
Back Fill-07	E405358-07A	Soil	05/23/24	05/28/24	Glass Jar, 2 oz.
Back Fill-08	E405358-08A	Soil	05/23/24	05/28/24	Glass Jar, 2 oz.
Back Fill-09	E405358-09A	Soil	05/23/24	05/28/24	Glass Jar, 2 oz.

Sample Data

Vertex Resource Services Inc. 3101 Boyd Drive Carlsbad NM, 88220	Project Name: Zeus SWD Line Project Number: 24015-0001 Project Manager: Chance Dixon	Reported: 5/31/2024 4:05:30PM
--	--	----------------------------------

Back Fill-01
E405358-01

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organic Compounds by EPA 8260B	mg/kg	mg/kg	Analyst: IY		Batch: 2422015	
Benzene	ND	0.0250	1	05/28/24	05/30/24	
Ethylbenzene	ND	0.0250	1	05/28/24	05/30/24	
Toluene	ND	0.0250	1	05/28/24	05/30/24	
o-Xylene	ND	0.0250	1	05/28/24	05/30/24	
p,m-Xylene	ND	0.0500	1	05/28/24	05/30/24	
Total Xylenes	ND	0.0250	1	05/28/24	05/30/24	
Surrogate: Bromofluorobenzene		99.8 %	70-130	05/28/24	05/30/24	
Surrogate: 1,2-Dichloroethane-d4		98.8 %	70-130	05/28/24	05/30/24	
Surrogate: Toluene-d8		100 %	70-130	05/28/24	05/30/24	
Nonhalogenated Organics by EPA 8015D - GRO	mg/kg	mg/kg	Analyst: IY		Batch: 2422015	
Gasoline Range Organics (C6-C10)	ND	20.0	1	05/28/24	05/30/24	
Surrogate: Bromofluorobenzene		99.8 %	70-130	05/28/24	05/30/24	
Surrogate: 1,2-Dichloroethane-d4		98.8 %	70-130	05/28/24	05/30/24	
Surrogate: Toluene-d8		100 %	70-130	05/28/24	05/30/24	
Nonhalogenated Organics by EPA 8015D - DRO/ORO	mg/kg	mg/kg	Analyst: NV		Batch: 2422062	
Diesel Range Organics (C10-C28)	ND	25.0	1	05/29/24	05/31/24	
Oil Range Organics (C28-C36)	ND	50.0	1	05/29/24	05/31/24	
Surrogate: n-Nonane		109 %	50-200	05/29/24	05/31/24	
Anions by EPA 300.0/9056A	mg/kg	mg/kg	Analyst: JM		Batch: 2422078	
Chloride	ND	20.0	1	05/30/24	05/30/24	



Sample Data

Vertex Resource Services Inc. 3101 Boyd Drive Carlsbad NM, 88220	Project Name: Zeus SWD Line Project Number: 24015-0001 Project Manager: Chance Dixon	Reported: 5/31/2024 4:05:30PM
--	--	----------------------------------

Back Fill-02
E405358-02

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organic Compounds by EPA 8260B						
	mg/kg	mg/kg		Analyst: IY		Batch: 2422015
Benzene	ND	0.0250	1	05/28/24	05/30/24	
Ethylbenzene	ND	0.0250	1	05/28/24	05/30/24	
Toluene	ND	0.0250	1	05/28/24	05/30/24	
o-Xylene	ND	0.0250	1	05/28/24	05/30/24	
p,m-Xylene	ND	0.0500	1	05/28/24	05/30/24	
Total Xylenes	ND	0.0250	1	05/28/24	05/30/24	
Surrogate: Bromofluorobenzene	98.6 %	70-130		05/28/24	05/30/24	
Surrogate: 1,2-Dichloroethane-d4	102 %	70-130		05/28/24	05/30/24	
Surrogate: Toluene-d8	100 %	70-130		05/28/24	05/30/24	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: IY		Batch: 2422015
Gasoline Range Organics (C6-C10)	ND	20.0	1	05/28/24	05/30/24	
Surrogate: Bromofluorobenzene	98.6 %	70-130		05/28/24	05/30/24	
Surrogate: 1,2-Dichloroethane-d4	102 %	70-130		05/28/24	05/30/24	
Surrogate: Toluene-d8	100 %	70-130		05/28/24	05/30/24	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: NV		Batch: 2422062
Diesel Range Organics (C10-C28)	ND	25.0	1	05/29/24	05/31/24	
Oil Range Organics (C28-C36)	ND	50.0	1	05/29/24	05/31/24	
Surrogate: n-Nonane	110 %	50-200		05/29/24	05/31/24	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: JM		Batch: 2422078
Chloride	ND	20.0	1	05/30/24	05/30/24	



Sample Data

Vertex Resource Services Inc.
3101 Boyd Drive
Carlsbad NM, 88220

Project Name: Zeus SWD Line
Project Number: 24015-0001
Project Manager: Chance Dixon

Reported:
5/31/2024 4:05:30PM

Back Fill-03

E405358-03

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organic Compounds by EPA 8260B						
	mg/kg	mg/kg		Analyst: IY		Batch: 2422015
Benzene	ND	0.0250	1	05/28/24	05/30/24	
Ethylbenzene	ND	0.0250	1	05/28/24	05/30/24	
Toluene	ND	0.0250	1	05/28/24	05/30/24	
o-Xylene	ND	0.0250	1	05/28/24	05/30/24	
p,m-Xylene	ND	0.0500	1	05/28/24	05/30/24	
Total Xylenes	ND	0.0250	1	05/28/24	05/30/24	
Surrogate: Bromofluorobenzene		100 %	70-130	05/28/24	05/30/24	
Surrogate: 1,2-Dichloroethane-d4		101 %	70-130	05/28/24	05/30/24	
Surrogate: Toluene-d8		100 %	70-130	05/28/24	05/30/24	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: IY		Batch: 2422015
Gasoline Range Organics (C6-C10)	ND	20.0	1	05/28/24	05/30/24	
Surrogate: Bromofluorobenzene		100 %	70-130	05/28/24	05/30/24	
Surrogate: 1,2-Dichloroethane-d4		101 %	70-130	05/28/24	05/30/24	
Surrogate: Toluene-d8		100 %	70-130	05/28/24	05/30/24	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: NV		Batch: 2422062
Diesel Range Organics (C10-C28)	ND	25.0	1	05/29/24	05/31/24	
Oil Range Organics (C28-C36)	ND	50.0	1	05/29/24	05/31/24	
Surrogate: n-Nonane		113 %	50-200	05/29/24	05/31/24	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: JM		Batch: 2422078
Chloride	ND	20.0	1	05/30/24	05/30/24	



Sample Data

Vertex Resource Services Inc.
3101 Boyd Drive
Carlsbad NM, 88220

Project Name: Zeus SWD Line
Project Number: 24015-0001
Project Manager: Chance Dixon

Reported:
5/31/2024 4:05:30PM

Back Fill-04

E405358-04

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organic Compounds by EPA 8260B						
	mg/kg	mg/kg		Analyst: IY		Batch: 2422015
Benzene	ND	0.0250	1	05/28/24	05/30/24	
Ethylbenzene	ND	0.0250	1	05/28/24	05/30/24	
Toluene	ND	0.0250	1	05/28/24	05/30/24	
o-Xylene	ND	0.0250	1	05/28/24	05/30/24	
p,m-Xylene	ND	0.0500	1	05/28/24	05/30/24	
Total Xylenes	ND	0.0250	1	05/28/24	05/30/24	
Surrogate: Bromofluorobenzene		101 %	70-130	05/28/24	05/30/24	
Surrogate: 1,2-Dichloroethane-d4		98.9 %	70-130	05/28/24	05/30/24	
Surrogate: Toluene-d8		99.9 %	70-130	05/28/24	05/30/24	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: IY		Batch: 2422015
Gasoline Range Organics (C6-C10)	ND	20.0	1	05/28/24	05/30/24	
Surrogate: Bromofluorobenzene		101 %	70-130	05/28/24	05/30/24	
Surrogate: 1,2-Dichloroethane-d4		98.9 %	70-130	05/28/24	05/30/24	
Surrogate: Toluene-d8		99.9 %	70-130	05/28/24	05/30/24	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: NV		Batch: 2422062
Diesel Range Organics (C10-C28)	ND	25.0	1	05/29/24	05/31/24	
Oil Range Organics (C28-C36)	ND	50.0	1	05/29/24	05/31/24	
Surrogate: n-Nonane		112 %	50-200	05/29/24	05/31/24	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: JM		Batch: 2422078
Chloride	ND	20.0	1	05/30/24	05/30/24	



Sample Data

Vertex Resource Services Inc. 3101 Boyd Drive Carlsbad NM, 88220	Project Name: Zeus SWD Line Project Number: 24015-0001 Project Manager: Chance Dixon	Reported: 5/31/2024 4:05:30PM
--	--	----------------------------------

Back Fill-05
E405358-05

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organic Compounds by EPA 8260B						
	mg/kg	mg/kg		Analyst: IY		Batch: 2422015
Benzene	ND	0.0250	1	05/28/24	05/30/24	
Ethylbenzene	ND	0.0250	1	05/28/24	05/30/24	
Toluene	ND	0.0250	1	05/28/24	05/30/24	
o-Xylene	ND	0.0250	1	05/28/24	05/30/24	
p,m-Xylene	ND	0.0500	1	05/28/24	05/30/24	
Total Xylenes	ND	0.0250	1	05/28/24	05/30/24	
Surrogate: Bromofluorobenzene	99.6 %	70-130		05/28/24	05/30/24	
Surrogate: 1,2-Dichloroethane-d4	100 %	70-130		05/28/24	05/30/24	
Surrogate: Toluene-d8	99.2 %	70-130		05/28/24	05/30/24	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: IY		Batch: 2422015
Gasoline Range Organics (C6-C10)	ND	20.0	1	05/28/24	05/30/24	
Surrogate: Bromofluorobenzene	99.6 %	70-130		05/28/24	05/30/24	
Surrogate: 1,2-Dichloroethane-d4	100 %	70-130		05/28/24	05/30/24	
Surrogate: Toluene-d8	99.2 %	70-130		05/28/24	05/30/24	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: NV		Batch: 2422062
Diesel Range Organics (C10-C28)	ND	25.0	1	05/29/24	05/31/24	
Oil Range Organics (C28-C36)	ND	50.0	1	05/29/24	05/31/24	
Surrogate: n-Nonane	112 %	50-200		05/29/24	05/31/24	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: JM		Batch: 2422078
Chloride	ND	20.0	1	05/30/24	05/30/24	



Sample Data

Vertex Resource Services Inc. 3101 Boyd Drive Carlsbad NM, 88220	Project Name: Zeus SWD Line Project Number: 24015-0001 Project Manager: Chance Dixon	Reported: 5/31/2024 4:05:30PM
--	--	----------------------------------

Back Fill-06
E405358-06

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organic Compounds by EPA 8260B						
	mg/kg	mg/kg		Analyst: IY		Batch: 2422015
Benzene	ND	0.0250	1	05/28/24	05/30/24	
Ethylbenzene	ND	0.0250	1	05/28/24	05/30/24	
Toluene	ND	0.0250	1	05/28/24	05/30/24	
o-Xylene	ND	0.0250	1	05/28/24	05/30/24	
p,m-Xylene	ND	0.0500	1	05/28/24	05/30/24	
Total Xylenes	ND	0.0250	1	05/28/24	05/30/24	
Surrogate: Bromofluorobenzene	98.7 %	70-130		05/28/24	05/30/24	
Surrogate: 1,2-Dichloroethane-d4	101 %	70-130		05/28/24	05/30/24	
Surrogate: Toluene-d8	98.5 %	70-130		05/28/24	05/30/24	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: IY		Batch: 2422015
Gasoline Range Organics (C6-C10)	ND	20.0	1	05/28/24	05/30/24	
Surrogate: Bromofluorobenzene	98.7 %	70-130		05/28/24	05/30/24	
Surrogate: 1,2-Dichloroethane-d4	101 %	70-130		05/28/24	05/30/24	
Surrogate: Toluene-d8	98.5 %	70-130		05/28/24	05/30/24	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: NV		Batch: 2422062
Diesel Range Organics (C10-C28)	ND	25.0	1	05/29/24	05/31/24	
Oil Range Organics (C28-C36)	ND	50.0	1	05/29/24	05/31/24	
Surrogate: n-Nonane	114 %	50-200		05/29/24	05/31/24	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: JM		Batch: 2422078
Chloride	ND	20.0	1	05/30/24	05/30/24	



Sample Data

Vertex Resource Services Inc. 3101 Boyd Drive Carlsbad NM, 88220	Project Name: Zeus SWD Line Project Number: 24015-0001 Project Manager: Chance Dixon	Reported: 5/31/2024 4:05:30PM
--	--	----------------------------------

Back Fill-07
E405358-07

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organic Compounds by EPA 8260B						
	mg/kg	mg/kg		Analyst: IY		Batch: 2422015
Benzene	ND	0.0250	1	05/28/24	05/30/24	
Ethylbenzene	ND	0.0250	1	05/28/24	05/30/24	
Toluene	ND	0.0250	1	05/28/24	05/30/24	
o-Xylene	ND	0.0250	1	05/28/24	05/30/24	
p,m-Xylene	ND	0.0500	1	05/28/24	05/30/24	
Total Xylenes	ND	0.0250	1	05/28/24	05/30/24	
Surrogate: Bromofluorobenzene	99.7 %	70-130		05/28/24	05/30/24	
Surrogate: 1,2-Dichloroethane-d4	101 %	70-130		05/28/24	05/30/24	
Surrogate: Toluene-d8	98.9 %	70-130		05/28/24	05/30/24	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: IY		Batch: 2422015
Gasoline Range Organics (C6-C10)	ND	20.0	1	05/28/24	05/30/24	
Surrogate: Bromofluorobenzene	99.7 %	70-130		05/28/24	05/30/24	
Surrogate: 1,2-Dichloroethane-d4	101 %	70-130		05/28/24	05/30/24	
Surrogate: Toluene-d8	98.9 %	70-130		05/28/24	05/30/24	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: NV		Batch: 2422062
Diesel Range Organics (C10-C28)	ND	25.0	1	05/29/24	05/31/24	
Oil Range Organics (C28-C36)	ND	50.0	1	05/29/24	05/31/24	
Surrogate: n-Nonane	112 %	50-200		05/29/24	05/31/24	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: JM		Batch: 2422078
Chloride	ND	20.0	1	05/30/24	05/30/24	



Sample Data

Vertex Resource Services Inc. 3101 Boyd Drive Carlsbad NM, 88220	Project Name: Zeus SWD Line Project Number: 24015-0001 Project Manager: Chance Dixon	Reported: 5/31/2024 4:05:30PM
--	--	----------------------------------

Back Fill-08
E405358-08

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organic Compounds by EPA 8260B						
	mg/kg	mg/kg		Analyst: IY		Batch: 2422015
Benzene	ND	0.0250	1	05/28/24	05/30/24	
Ethylbenzene	ND	0.0250	1	05/28/24	05/30/24	
Toluene	ND	0.0250	1	05/28/24	05/30/24	
o-Xylene	ND	0.0250	1	05/28/24	05/30/24	
p,m-Xylene	ND	0.0500	1	05/28/24	05/30/24	
Total Xylenes	ND	0.0250	1	05/28/24	05/30/24	
Surrogate: Bromofluorobenzene	98.9 %	70-130		05/28/24	05/30/24	
Surrogate: 1,2-Dichloroethane-d4	98.8 %	70-130		05/28/24	05/30/24	
Surrogate: Toluene-d8	99.1 %	70-130		05/28/24	05/30/24	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: IY		Batch: 2422015
Gasoline Range Organics (C6-C10)	ND	20.0	1	05/28/24	05/30/24	
Surrogate: Bromofluorobenzene	98.9 %	70-130		05/28/24	05/30/24	
Surrogate: 1,2-Dichloroethane-d4	98.8 %	70-130		05/28/24	05/30/24	
Surrogate: Toluene-d8	99.1 %	70-130		05/28/24	05/30/24	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: NV		Batch: 2422062
Diesel Range Organics (C10-C28)	ND	25.0	1	05/29/24	05/31/24	
Oil Range Organics (C28-C36)	ND	50.0	1	05/29/24	05/31/24	
Surrogate: n-Nonane	114 %	50-200		05/29/24	05/31/24	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: JM		Batch: 2422078
Chloride	ND	20.0	1	05/30/24	05/30/24	



Sample Data

Vertex Resource Services Inc.
3101 Boyd Drive
Carlsbad NM, 88220

Project Name: Zeus SWD Line
Project Number: 24015-0001
Project Manager: Chance Dixon

Reported:
5/31/2024 4:05:30PM

Back Fill-09

E405358-09

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organic Compounds by EPA 8260B						
	mg/kg	mg/kg		Analyst: IY		Batch: 2422015
Benzene	ND	0.0250	1	05/28/24	05/31/24	
Ethylbenzene	ND	0.0250	1	05/28/24	05/31/24	
Toluene	ND	0.0250	1	05/28/24	05/31/24	
o-Xylene	ND	0.0250	1	05/28/24	05/31/24	
p,m-Xylene	ND	0.0500	1	05/28/24	05/31/24	
Total Xylenes	ND	0.0250	1	05/28/24	05/31/24	
Surrogate: Bromofluorobenzene	97.8 %	70-130		05/28/24	05/31/24	
Surrogate: 1,2-Dichloroethane-d4	99.9 %	70-130		05/28/24	05/31/24	
Surrogate: Toluene-d8	98.1 %	70-130		05/28/24	05/31/24	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: IY		Batch: 2422015
Gasoline Range Organics (C6-C10)	ND	20.0	1	05/28/24	05/31/24	
Surrogate: Bromofluorobenzene	97.8 %	70-130		05/28/24	05/31/24	
Surrogate: 1,2-Dichloroethane-d4	99.9 %	70-130		05/28/24	05/31/24	
Surrogate: Toluene-d8	98.1 %	70-130		05/28/24	05/31/24	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: NV		Batch: 2422062
Diesel Range Organics (C10-C28)	ND	25.0	1	05/29/24	05/31/24	
Oil Range Organics (C28-C36)	ND	50.0	1	05/29/24	05/31/24	
Surrogate: n-Nonane	115 %	50-200		05/29/24	05/31/24	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: JM		Batch: 2422078
Chloride	ND	20.0	1	05/30/24	05/30/24	



QC Summary Data

Vertex Resource Services Inc. 3101 Boyd Drive Carlsbad NM, 88220	Project Name: Zeus SWD Line Project Number: 24015-0001 Project Manager: Chance Dixon	Reported: 5/31/2024 4:05:30PM
--	--	--------------------------------------

Volatile Organic Compounds by EPA 8260B

Analyst: IY

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

Blank (2422015-BLK1) Prepared: 05/28/24 Analyzed: 05/31/24

Benzene	ND	0.0250							
Ethylbenzene	ND	0.0250							
Toluene	ND	0.0250							
o-Xylene	ND	0.0250							
p,m-Xylene	ND	0.0500							
Total Xylenes	ND	0.0250							
Surrogate: Bromofluorobenzene	0.494		0.500		98.8	70-130			
Surrogate: 1,2-Dichloroethane-d4	0.501		0.500		100	70-130			
Surrogate: Toluene-d8	0.486		0.500		97.2	70-130			

LCS (2422015-BS1) Prepared: 05/28/24 Analyzed: 05/30/24

Benzene	2.45	0.0250	2.50		97.8	70-130			
Ethylbenzene	2.62	0.0250	2.50		105	70-130			
Toluene	2.49	0.0250	2.50		99.5	70-130			
o-Xylene	2.40	0.0250	2.50		96.2	70-130			
p,m-Xylene	4.98	0.0500	5.00		99.6	70-130			
Total Xylenes	7.39	0.0250	7.50		98.5	70-130			
Surrogate: Bromofluorobenzene	0.490		0.500		97.9	70-130			
Surrogate: 1,2-Dichloroethane-d4	0.486		0.500		97.1	70-130			
Surrogate: Toluene-d8	0.504		0.500		101	70-130			

LCS Dup (2422015-BSD1) Prepared: 05/28/24 Analyzed: 05/30/24

Benzene	2.36	0.0250	2.50		94.3	70-130	3.64	23	
Ethylbenzene	2.54	0.0250	2.50		102	70-130	2.83	27	
Toluene	2.40	0.0250	2.50		96.0	70-130	3.54	24	
o-Xylene	2.39	0.0250	2.50		95.5	70-130	0.731	27	
p,m-Xylene	4.95	0.0500	5.00		98.9	70-130	0.715	27	
Total Xylenes	7.33	0.0250	7.50		97.8	70-130	0.720	27	
Surrogate: Bromofluorobenzene	0.499		0.500		99.8	70-130			
Surrogate: 1,2-Dichloroethane-d4	0.477		0.500		95.4	70-130			
Surrogate: Toluene-d8	0.511		0.500		102	70-130			



QC Summary Data

Vertex Resource Services Inc. 3101 Boyd Drive Carlsbad NM, 88220	Project Name: Zeus SWD Line Project Number: 24015-0001 Project Manager: Chance Dixon	Reported: 5/31/2024 4:05:30PM
--	--	--------------------------------------

Nonhalogenated Organics by EPA 8015D - GRO

Analyst: IY

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

Blank (2422015-BLK1) Prepared: 05/28/24 Analyzed: 05/31/24

Gasoline Range Organics (C6-C10)	ND	20.0							
Surrogate: Bromofluorobenzene	0.494		0.500		98.8	70-130			
Surrogate: 1,2-Dichloroethane-d4	0.501		0.500		100	70-130			
Surrogate: Toluene-d8	0.486		0.500		97.2	70-130			

LCS (2422015-BS2) Prepared: 05/28/24 Analyzed: 05/30/24

Gasoline Range Organics (C6-C10)	51.2	20.0	50.0		102	70-130			
Surrogate: Bromofluorobenzene	0.505		0.500		101	70-130			
Surrogate: 1,2-Dichloroethane-d4	0.490		0.500		97.9	70-130			
Surrogate: Toluene-d8	0.507		0.500		101	70-130			

LCS Dup (2422015-BSD2) Prepared: 05/28/24 Analyzed: 05/30/24

Gasoline Range Organics (C6-C10)	51.2	20.0	50.0		102	70-130	0.0186	20	
Surrogate: Bromofluorobenzene	0.509		0.500		102	70-130			
Surrogate: 1,2-Dichloroethane-d4	0.488		0.500		97.6	70-130			
Surrogate: Toluene-d8	0.511		0.500		102	70-130			



QC Summary Data

Vertex Resource Services Inc. 3101 Boyd Drive Carlsbad NM, 88220	Project Name: Zeus SWD Line Project Number: 24015-0001 Project Manager: Chance Dixon	Reported: 5/31/2024 4:05:30PM
--	--	--------------------------------------

Nonhalogenated Organics by EPA 8015D - DRO/ORO

Analyst: NV

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

Blank (2422062-BLK1)					Prepared: 05/29/24 Analyzed: 05/31/24				
Diesel Range Organics (C10-C28)	ND	25.0							
Oil Range Organics (C28-C36)	ND	50.0							
Surrogate: n-Nonane	53.2		50.0		106	50-200			

LCS (2422062-BS1)					Prepared: 05/29/24 Analyzed: 05/31/24				
Diesel Range Organics (C10-C28)	307	25.0	250		123	38-132			
Surrogate: n-Nonane	53.0		50.0		106	50-200			

LCS Dup (2422062-BSD1)					Prepared: 05/29/24 Analyzed: 05/31/24				
Diesel Range Organics (C10-C28)	306	25.0	250		122	38-132	0.419	20	
Surrogate: n-Nonane	53.9		50.0		108	50-200			



QC Summary Data

Vertex Resource Services Inc. 3101 Boyd Drive Carlsbad NM, 88220	Project Name: Zeus SWD Line Project Number: 24015-0001 Project Manager: Chance Dixon	Reported: 5/31/2024 4:05:30PM
--	--	--------------------------------------

Anions by EPA 300.0/9056A

Analyst: JM

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

Blank (2422078-BLK1)					Prepared: 05/30/24 Analyzed: 05/30/24				
Chloride	ND	20.0							
LCS (2422078-BS1)					Prepared: 05/30/24 Analyzed: 05/30/24				
Chloride	249	20.0	250		99.6	90-110			
LCS Dup (2422078-BSD1)					Prepared: 05/30/24 Analyzed: 05/30/24				
Chloride	250	20.0	250		99.9	90-110	0.273	20	

QC Summary Report Comment:
Calculations are based off of the raw (non-rounded) data. However, for reporting purposes all QC data is rounded to three significant figures.
Therefore, hand calculated values may differ slightly.



Definitions and Notes

Vertex Resource Services Inc.	Project Name:	Zeus SWD Line	
3101 Boyd Drive	Project Number:	24015-0001	Reported:
Carlsbad NM, 88220	Project Manager:	Chance Dixon	05/31/24 16:05

- ND Analyte NOT DETECTED at or above the reporting limit
- NR Not Reported
- RPD Relative Percent Difference
- DNI Did Not Ignite
- DNR Did not react with the addition of acid or base.

Note (1): Methods marked with ** are non-accredited methods.

Note (2): Soil data is reported on an "as received" weight basis, unless reported otherwise.



Chain of Custody

Page 1 of 1

Client Information				Invoice Information		Lab Use Only		TAT				State								
Client: <u>Vertex (TAPRock)</u>				Company: <u>TAPRock</u>		Lab WO# <u>E 405358</u>		Job Number <u>2405-0001</u>		1D	2D	3D	Std	NM	CO	UT	TX			
Project Name: <u>2nd SWDILE</u>				Address: <u>on file</u>								<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>						
Project Manager: <u>Charles Dixon</u>				City, State, Zip: <u>↓</u>																
Address: <u>on file</u>				Phone: <u>↓</u>																
City, State, Zip: <u>↓</u>				Email: <u>↓</u>																
Phone: <u>↓</u>				Miscellaneous: <u>↓</u>																
Email: <u>CDixon@Vertex.ca</u>																				
Sample Information										Analysis and Method								EPA Program		
Time Sampled	Date Sampled	Matrix	No. of Containers	Sample ID	Field Filter	Lab Number	DRO/DRO by 8015	GRO/DRO by 8015	BTEX by 8021	VOC by 8260	Chloride 300.0	BGDOC - NM	TCEQ 1005 - TX	RCRA 8 Metals	SDWA	CWA	RCRA			
10:00	05/23/24	S	1	BackFill-01		1	✓	✓	✓		✓									
10:05				BackFill-02		2														
10:10				BackFill-03		3														
10:15				BackFill-04		4														
10:20				BackFill-05		5														
10:25				BackFill-06		6														
10:30				BackFill-07		7														
10:35				BackFill-08		8														
10:40				BackFill-09		9														
Additional Instructions: <u>CC: WWadlecgh@vertex.ca</u>																				
I, (field sampler), attest to the validity and authenticity of this sample. I am aware that tampering with or intentionally mislabeling the sample location, date or time of collection is considered fraud and may be grounds for legal action.																				
Sampled by: <u>Wendy Wadlecgh</u>																				
Relinquished by: (Signature)		Date	Time	Received by: (Signature)		Date	Time	Samples requiring thermal preservation must be received on ice the day they are sampled or received packed in ice at an avg temp above 0 but less than 6C on subsequent days. Lab Use Only Received on ice: <u>Y</u> N T1 _____ T2 _____ T3 _____ AVG Temp °C <u>4</u>												
<u>Wendy Wadlecgh</u>		05/24/24	9:48	<u>Michelle Gonzales</u>		5/24/24	0948													
<u>Michelle Gonzales</u>		5/24/24	1620	<u>Michelle Gonzales</u>		5/24/24	1800													
<u>Michelle Gonzales</u>		5/24/24	2400	<u>Michelle Gonzales</u>		5/28/24	1000													
Sample Matrix: S - Soil, Sd - Solid, Sg - Sludge, A - Aqueous, O - Other <u>S</u>																				
Container Type: g - glass, p - poly/plastic, ag - amber glass, v - VOA <u>g</u>																				
Note: Samples are discarded 14 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at the client expense. The report for the analysis of the above samples is applicable only to those samples received by the laboratory with this COC. The liability of the laboratory is limited to the amount paid for on the report.																				


envirotech

Envirotech Analytical Laboratory

Printed: 5/28/2024 3:48:16PM

Sample Receipt Checklist (SRC)

Instructions: Please take note of any NO checkmarks.

If we receive no response concerning these items within 24 hours of the date of this notice, all the samples will be analyzed as requested.

Client:	Vertex Resource Services Inc.	Date Received:	05/28/24 10:00	Work Order ID:	E405358
Phone:	(575) 748-0176	Date Logged In:	05/25/24 19:03	Logged In By:	Alexa Michaels
Email:	cdixon@vertex.ca	Due Date:	05/30/24 17:00 (2 day TAT)		

Chain of Custody (COC)

1. Does the sample ID match the COC? Yes
2. Does the number of samples per sampling site location match the COC? Yes
3. Were samples dropped off by client or carrier? Yes
4. Was the COC complete, i.e., signatures, dates/times, requested analyses? Yes
5. Were all samples received within holding time? Yes

Note: Analysis, such as pH which should be conducted in the field, i.e., 15 minute hold time, are not included in this discussion.

Carrier: CourierComments/ResolutionSample Turn Around Time (TAT)

6. Did the COC indicate standard TAT, or Expedited TAT? Yes

Sample Cooler

7. Was a sample cooler received? Yes
8. If yes, was cooler received in good condition? Yes
9. Was the sample(s) received intact, i.e., not broken? Yes
10. Were custody/security seals present? No
11. If yes, were custody/security seals intact? NA
12. Was the sample received on ice? If yes, the recorded temp is 4°C, i.e., 6°±2°C? Yes

Note: Thermal preservation is not required, if samples are received w/i 15 minutes of sampling

13. If no visible ice, record the temperature. Actual sample temperature: 4°C

Sample Container

14. Are aqueous VOC samples present? No
15. Are VOC samples collected in VOA Vials? NA
16. Is the head space less than 6-8 mm (pea sized or less)? NA
17. Was a trip blank (TB) included for VOC analyses? NA
18. Are non-VOC samples collected in the correct containers? Yes
19. Is the appropriate volume/weight or number of sample containers collected? Yes

Field Label

20. Were field sample labels filled out with the minimum information:
Sample ID? Yes
Date/Time Collected? Yes
Collectors name? Yes

Sample Preservation

21. Does the COC or field labels indicate the samples were preserved? No
22. Are sample(s) correctly preserved? NA
24. Is lab filtration required and/or requested for dissolved metals? No

Multiphase Sample Matrix

26. Does the sample have more than one phase, i.e., multiphase? No
27. If yes, does the COC specify which phase(s) is to be analyzed? NA

Subcontract Laboratory

28. Are samples required to get sent to a subcontract laboratory? No
29. Was a subcontract laboratory specified by the client and if so who? NA Subcontract Lab: NA

Client Instruction

Signature of client authorizing changes to the COC or sample disposition.

Date



envirotech Inc.

Sample Data

Vertex Resource Services Inc. 3101 Boyd Drive Carlsbad NM, 88220	Project Name: Zeus SWD Line Project Number: 24015-0001 Project Manager: Chance Dixon	Reported: 5/8/2024 10:32:56AM
--	--	----------------------------------

Stockpile #5 2.0'
E405024-02

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg	Analyst: BA		Batch: 2418117	
Benzene	ND	0.0250	1	05/03/24	05/03/24	
Ethylbenzene	ND	0.0250	1	05/03/24	05/03/24	
Toluene	ND	0.0250	1	05/03/24	05/03/24	
o-Xylene	ND	0.0250	1	05/03/24	05/03/24	
p,m-Xylene	ND	0.0500	1	05/03/24	05/03/24	
Total Xylenes	ND	0.0250	1	05/03/24	05/03/24	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	92.0 %	70-130		05/03/24	05/03/24	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg	Analyst: BA		Batch: 2418117	
Gasoline Range Organics (C6-C10)	ND	20.0	1	05/03/24	05/03/24	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	100 %	70-130		05/03/24	05/03/24	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg	Analyst: KM		Batch: 2418122	
Diesel Range Organics (C10-C28)	ND	25.0	1	05/03/24	05/03/24	
Oil Range Organics (C28-C36)	ND	50.0	1	05/03/24	05/03/24	
<i>Surrogate: n-Nonane</i>						
	108 %	50-200		05/03/24	05/03/24	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg	Analyst: IY		Batch: 2418129	
Chloride	ND	20.0	1	05/03/24	05/05/24	



Sample Data

Vertex Resource Services Inc. 3101 Boyd Drive Carlsbad NM, 88220	Project Name: Zeus SWD Line Project Number: 24015-0001 Project Manager: Chance Dixon	Reported: 5/8/2024 10:32:56AM
--	--	----------------------------------

Stockpile #6 2.0'
E405024-03

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B	mg/kg	mg/kg	Analyst: BA		Batch: 2418117	
Benzene	ND	0.0250	1	05/03/24	05/03/24	
Ethylbenzene	ND	0.0250	1	05/03/24	05/03/24	
Toluene	ND	0.0250	1	05/03/24	05/03/24	
o-Xylene	ND	0.0250	1	05/03/24	05/03/24	
p,m-Xylene	ND	0.0500	1	05/03/24	05/03/24	
Total Xylenes	ND	0.0250	1	05/03/24	05/03/24	
Surrogate: 4-Bromochlorobenzene-PID	91.6 %	70-130		05/03/24	05/03/24	
Nonhalogenated Organics by EPA 8015D - GRO	mg/kg	mg/kg	Analyst: BA		Batch: 2418117	
Gasoline Range Organics (C6-C10)	ND	20.0	1	05/03/24	05/03/24	
Surrogate: 1-Chloro-4-fluorobenzene-FID	101 %	70-130		05/03/24	05/03/24	
Nonhalogenated Organics by EPA 8015D - DRO/ORO	mg/kg	mg/kg	Analyst: KM		Batch: 2418122	
Diesel Range Organics (C10-C28)	ND	25.0	1	05/03/24	05/03/24	
Oil Range Organics (C28-C36)	ND	50.0	1	05/03/24	05/03/24	
Surrogate: n-Nonane	106 %	50-200		05/03/24	05/03/24	
Anions by EPA 300.0/9056A	mg/kg	mg/kg	Analyst: IY		Batch: 2418129	
Chloride	40.0	20.0	1	05/03/24	05/04/24	



Sample Data

Vertex Resource Services Inc. 3101 Boyd Drive Carlsbad NM, 88220	Project Name: Zeus SWD Line Project Number: 24015-0001 Project Manager: Chance Dixon	Reported: 5/8/2024 10:32:56AM
--	--	----------------------------------

Stockpile #7 2.0'
E405024-04

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B	mg/kg	mg/kg	Analyst: BA		Batch: 2418117	
Benzene	ND	0.0250	1	05/03/24	05/03/24	
Ethylbenzene	ND	0.0250	1	05/03/24	05/03/24	
Toluene	ND	0.0250	1	05/03/24	05/03/24	
o-Xylene	ND	0.0250	1	05/03/24	05/03/24	
p,m-Xylene	ND	0.0500	1	05/03/24	05/03/24	
Total Xylenes	ND	0.0250	1	05/03/24	05/03/24	
Surrogate: 4-Bromochlorobenzene-PID	92.7 %	70-130		05/03/24	05/03/24	
Nonhalogenated Organics by EPA 8015D - GRO	mg/kg	mg/kg	Analyst: BA		Batch: 2418117	
Gasoline Range Organics (C6-C10)	ND	20.0	1	05/03/24	05/03/24	
Surrogate: 1-Chloro-4-fluorobenzene-FID	99.3 %	70-130		05/03/24	05/03/24	
Nonhalogenated Organics by EPA 8015D - DRO/ORO	mg/kg	mg/kg	Analyst: KM		Batch: 2418122	
Diesel Range Organics (C10-C28)	ND	25.0	1	05/03/24	05/03/24	
Oil Range Organics (C28-C36)	ND	50.0	1	05/03/24	05/03/24	
Surrogate: n-Nonane	109 %	50-200		05/03/24	05/03/24	
Anions by EPA 300.0/9056A	mg/kg	mg/kg	Analyst: IY		Batch: 2418129	
Chloride	78.6	20.0	1	05/03/24	05/05/24	



Sample Data

Vertex Resource Services Inc. 3101 Boyd Drive Carlsbad NM, 88220	Project Name: Zeus SWD Line Project Number: 24015-0001 Project Manager: Chance Dixon	Reported: 5/8/2024 10:32:56AM
--	--	----------------------------------

Stockpile #8 2.0'
E405024-05

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B	mg/kg	mg/kg	Analyst: BA		Batch: 2418117	
Benzene	ND	0.0250	1	05/03/24	05/03/24	
Ethylbenzene	ND	0.0250	1	05/03/24	05/03/24	
Toluene	ND	0.0250	1	05/03/24	05/03/24	
o-Xylene	ND	0.0250	1	05/03/24	05/03/24	
p,m-Xylene	ND	0.0500	1	05/03/24	05/03/24	
Total Xylenes	ND	0.0250	1	05/03/24	05/03/24	
Surrogate: 4-Bromochlorobenzene-PID	93.5 %	70-130		05/03/24	05/03/24	
Nonhalogenated Organics by EPA 8015D - GRO	mg/kg	mg/kg	Analyst: BA		Batch: 2418117	
Gasoline Range Organics (C6-C10)	ND	20.0	1	05/03/24	05/03/24	
Surrogate: 1-Chloro-4-fluorobenzene-FID	99.6 %	70-130		05/03/24	05/03/24	
Nonhalogenated Organics by EPA 8015D - DRO/ORO	mg/kg	mg/kg	Analyst: KM		Batch: 2418122	
Diesel Range Organics (C10-C28)	ND	25.0	1	05/03/24	05/03/24	
Oil Range Organics (C28-C36)	ND	50.0	1	05/03/24	05/03/24	
Surrogate: n-Nonane	108 %	50-200		05/03/24	05/03/24	
Anions by EPA 300.0/9056A	mg/kg	mg/kg	Analyst: IY		Batch: 2418129	
Chloride	50.1	20.0	1	05/03/24	05/05/24	



Sample Data

Vertex Resource Services Inc. 3101 Boyd Drive Carlsbad NM, 88220	Project Name: Zeus SWD Line Project Number: 24015-0001 Project Manager: Chance Dixon	Reported: 5/8/2024 10:32:56AM
--	--	----------------------------------

WS24 07 4.0'
E405024-12

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg	Analyst: BA		Batch: 2418117	
Benzene	ND	0.0250	1	05/03/24	05/04/24	
Ethylbenzene	ND	0.0250	1	05/03/24	05/04/24	
Toluene	ND	0.0250	1	05/03/24	05/04/24	
o-Xylene	ND	0.0250	1	05/03/24	05/04/24	
p,m-Xylene	ND	0.0500	1	05/03/24	05/04/24	
Total Xylenes	ND	0.0250	1	05/03/24	05/04/24	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	94.7 %	70-130		05/03/24	05/04/24	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg	Analyst: BA		Batch: 2418117	
Gasoline Range Organics (C6-C10)	ND	20.0	1	05/03/24	05/04/24	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	100 %	70-130		05/03/24	05/04/24	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg	Analyst: KM		Batch: 2418122	
Diesel Range Organics (C10-C28)	ND	25.0	1	05/03/24	05/04/24	
Oil Range Organics (C28-C36)	ND	50.0	1	05/03/24	05/04/24	
<i>Surrogate: n-Nonane</i>						
	119 %	50-200		05/03/24	05/04/24	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg	Analyst: IY		Batch: 2418129	
Chloride	83.1	20.0	1	05/03/24	05/05/24	



QC Summary Data

Vertex Resource Services Inc. 3101 Boyd Drive Carlsbad NM, 88220	Project Name: Zeus SWD Line Project Number: 24015-0001 Project Manager: Chance Dixon	Reported: 5/8/2024 10:32:56AM
--	--	--------------------------------------

Volatile Organics by EPA 8021B

Analyst: BA

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

Blank (2418117-BLK1) Prepared: 05/03/24 Analyzed: 05/03/24

Benzene	ND	0.0250							
Ethylbenzene	ND	0.0250							
Toluene	ND	0.0250							
o-Xylene	ND	0.0250							
p,m-Xylene	ND	0.0500							
Total Xylenes	ND	0.0250							
Surrogate: 4-Bromochlorobenzene-PID	7.34		8.00		91.8	70-130			

LCS (2418117-BS1) Prepared: 05/03/24 Analyzed: 05/03/24

Benzene	4.44	0.0250	5.00		88.8	70-130			
Ethylbenzene	4.81	0.0250	5.00		96.2	70-130			
Toluene	4.79	0.0250	5.00		95.8	70-130			
o-Xylene	4.89	0.0250	5.00		97.9	70-130			
p,m-Xylene	9.83	0.0500	10.0		98.3	70-130			
Total Xylenes	14.7	0.0250	15.0		98.2	70-130			
Surrogate: 4-Bromochlorobenzene-PID	7.39		8.00		92.3	70-130			

Matrix Spike (2418117-MS1) Source: E405024-03 Prepared: 05/03/24 Analyzed: 05/03/24

Benzene	4.47	0.0250	5.00	ND	89.4	54-133			
Ethylbenzene	4.87	0.0250	5.00	ND	97.4	61-133			
Toluene	4.84	0.0250	5.00	ND	96.7	61-130			
o-Xylene	4.95	0.0250	5.00	ND	99.0	63-131			
p,m-Xylene	9.95	0.0500	10.0	ND	99.5	63-131			
Total Xylenes	14.9	0.0250	15.0	ND	99.4	63-131			
Surrogate: 4-Bromochlorobenzene-PID	7.42		8.00		92.8	70-130			

Matrix Spike Dup (2418117-MSD1) Source: E405024-03 Prepared: 05/03/24 Analyzed: 05/03/24

Benzene	4.46	0.0250	5.00	ND	89.1	54-133	0.356	20	
Ethylbenzene	4.88	0.0250	5.00	ND	97.6	61-133	0.219	20	
Toluene	4.83	0.0250	5.00	ND	96.7	61-130	0.0217	20	
o-Xylene	4.96	0.0250	5.00	ND	99.1	63-131	0.111	20	
p,m-Xylene	9.96	0.0500	10.0	ND	99.6	63-131	0.0894	20	
Total Xylenes	14.9	0.0250	15.0	ND	99.5	63-131	0.0966	20	
Surrogate: 4-Bromochlorobenzene-PID	7.39		8.00		92.4	70-130			



QC Summary Data

Vertex Resource Services Inc. 3101 Boyd Drive Carlsbad NM, 88220	Project Name: Zeus SWD Line Project Number: 24015-0001 Project Manager: Chance Dixon	Reported: 5/8/2024 10:32:56AM
--	--	--------------------------------------

Nonhalogenated Organics by EPA 8015D - GRO

Analyst: BA

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

Blank (2418117-BLK1) Prepared: 05/03/24 Analyzed: 05/03/24

Gasoline Range Organics (C6-C10)	ND	20.0							
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.98		8.00		99.8	70-130			

LCS (2418117-BS2) Prepared: 05/03/24 Analyzed: 05/03/24

Gasoline Range Organics (C6-C10)	50.9	20.0	50.0		102	70-130			
Surrogate: 1-Chloro-4-fluorobenzene-FID	8.29		8.00		104	70-130			

Matrix Spike (2418117-MS2) Source: E405024-03 Prepared: 05/03/24 Analyzed: 05/03/24

Gasoline Range Organics (C6-C10)	49.1	20.0	50.0	ND	98.2	70-130			
Surrogate: 1-Chloro-4-fluorobenzene-FID	8.04		8.00		101	70-130			

Matrix Spike Dup (2418117-MSD2) Source: E405024-03 Prepared: 05/03/24 Analyzed: 05/03/24

Gasoline Range Organics (C6-C10)	49.8	20.0	50.0	ND	99.7	70-130	1.47	20	
Surrogate: 1-Chloro-4-fluorobenzene-FID	8.15		8.00		102	70-130			



QC Summary Data

Vertex Resource Services Inc. 3101 Boyd Drive Carlsbad NM, 88220	Project Name: Zeus SWD Line Project Number: 24015-0001 Project Manager: Chance Dixon	Reported: 5/8/2024 10:32:56AM
--	--	--------------------------------------

Nonhalogenated Organics by EPA 8015D - DRO/ORO

Analyst: KM

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

Blank (2418122-BLK1)					Prepared: 05/03/24 Analyzed: 05/03/24				
Diesel Range Organics (C10-C28)	ND	25.0							
Oil Range Organics (C28-C36)	ND	50.0							
Surrogate: n-Nonane	58.1		50.0		116	50-200			

LCS (2418122-BS1)					Prepared: 05/03/24 Analyzed: 05/03/24				
Diesel Range Organics (C10-C28)	299	25.0	250		119	38-132			
Surrogate: n-Nonane	55.2		50.0		110	50-200			

Matrix Spike (2418122-MS1)					Source: E405024-06		Prepared: 05/03/24 Analyzed: 05/03/24		
Diesel Range Organics (C10-C28)	304	25.0	250	ND	122	38-132			
Surrogate: n-Nonane	55.5		50.0		111	50-200			

Matrix Spike Dup (2418122-MSD1)					Source: E405024-06		Prepared: 05/03/24 Analyzed: 05/03/24		
Diesel Range Organics (C10-C28)	302	25.0	250	ND	121	38-132	0.749	20	
Surrogate: n-Nonane	55.3		50.0		111	50-200			



QC Summary Data

Vertex Resource Services Inc. 3101 Boyd Drive Carlsbad NM, 88220	Project Name: Zeus SWD Line Project Number: 24015-0001 Project Manager: Chance Dixon	Reported: 5/8/2024 10:32:56AM
--	--	--------------------------------------

Anions by EPA 300.0/9056A

Analyst: IY

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

Blank (2418129-BLK1)					Prepared: 05/03/24 Analyzed: 05/04/24				
Chloride	ND	20.0							
LCS (2418129-BS1)					Prepared: 05/03/24 Analyzed: 05/04/24				
Chloride	256	20.0	250		103	90-110			
Matrix Spike (2418129-MS1)					Source: E405024-03		Prepared: 05/03/24 Analyzed: 05/04/24		
Chloride	301	20.0	250	40.0	104	80-120			
Matrix Spike Dup (2418129-MSD1)					Source: E405024-03		Prepared: 05/03/24 Analyzed: 05/04/24		
Chloride	300	20.0	250	40.0	104	80-120	0.247	20	

QC Summary Report Comment:
Calculations are based off of the raw (non-rounded) data. However, for reporting purposes all QC data is rounded to three significant figures.
Therefore, hand calculated values may differ slightly.



Definitions and Notes

Vertex Resource Services Inc.	Project Name:	Zeus SWD Line	
3101 Boyd Drive	Project Number:	24015-0001	Reported:
Carlsbad NM, 88220	Project Manager:	Chance Dixon	05/08/24 10:32

- ND Analyte NOT DETECTED at or above the reporting limit
 - NR Not Reported
 - RPD Relative Percent Difference
 - DNI Did Not Ignite
 - DNR Did not react with the addition of acid or base.
- Note (1): Methods marked with ** are non-accredited methods.
- Note (2): Soil data is reported on an "as received" weight basis, unless reported otherwise.



Chain of Custody

Page 1 of 2

Client Information				Invoice Information				Lab Use Only				TAT				State			
Client: <u>Vertex</u>				Company: <u>Tap Rock Resources</u>				Lab WO# <u>E 405024</u>				Job Number <u>24015-0001</u>				<div style="display: flex; justify-content: space-between;"> <div>1D <input checked="" type="checkbox"/></div> <div>2D <input checked="" type="checkbox"/></div> <div>3D <input checked="" type="checkbox"/></div> <div>Std <input checked="" type="checkbox"/></div> </div>			
Project Name: <u>Zeus SHD Line</u>				Address:								<div style="display: flex; justify-content: space-between;"> <div>NM <input type="checkbox"/></div> <div>CO <input type="checkbox"/></div> <div>UT <input type="checkbox"/></div> <div>TX <input type="checkbox"/></div> </div>							
Project Manager: <u>Chance Dixon</u>				City, State, Zip:															
Address:				Phone:															
City, State, Zip:				Email:															
Phone:				Miscellaneous:															
Email:																			

Sample Information								Analysis and Method										EPA Program		
Time Sampled	Date Sampled	Matrix	No. of Containers	Sample ID		Field	Filter	Lab Number	DRO/DRO by 8015	GRO/DRO by 8015	BTEX by 8021	VOC by 8260	Chloride 300.0	BGDOC - NM	TCEQ 1005 - TX	RCRA 8 Metals	SDWA	CWA	RCRA	
0900	5-1-24	Soil	1	Stockpile #4	2.0'			1	X	X	X	X								
0910				Stockpile #5	2.0'			2												
0920				Stockpile #6	2.0'			3												
0930				Stockpile #7	2.0'			4												
0940				Stockpile #8	2.0'			5												
0950				WS24-01	4.0'			6												
1000				WS24-02	4.0'			7												
1010				WS24-03	4.0'			8												
1020				WS24-04	4.0'			9												
1030				WS24-05	4.0'			10												

Additional Instructions: NRM2026231125

I, (field sampler), attest to the validity and authenticity of this sample. I am aware that tampering with or intentionally mislabeling the sample location, date or time of collection is considered fraud and may be grounds for legal action.

Sampled by: [Signature]

Relinquished by: (Signature) <u>[Signature]</u>	Date <u>5/2/24</u>	Time <u>10:32</u>	Received by: (Signature) <u>Michelle Gonzales</u>	Date <u>5-2-24</u>	Time <u>1032</u>
Relinquished by: (Signature) <u>Michelle Gonzales</u>	Date <u>5-2-24</u>	Time <u>1600</u>	Received by: (Signature) <u>[Signature]</u>	Date <u>5-2-24</u>	Time <u>1730</u>
Relinquished by: (Signature) <u>[Signature]</u>	Date <u>5-2-24</u>	Time <u>2400</u>	Received by: (Signature) <u>Kayleigh R Heller</u>	Date <u>5-3-24</u>	Time <u>0500</u>
Relinquished by: (Signature)	Date	Time	Received by: (Signature)	Date	Time

Samples requiring thermal preservation must be received on ice the day they are sampled or received packed in ice at an avg temp above 0 but less than 6C on subsequent days.

Lab Use Only
Received on ice: ☒ Y / ☐ N

T1 _____ T2 _____ T3 _____

AVG Temp °C 4

Sample Matrix: S - Soil, Sd - Solid, Sg - Sludge, A - Aqueous, O - Other _____

Container Type: g - glass, p - poly/plastic, ag - amber glass, v - VOA _____

Note: Samples are discarded 14 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at the client expense. The report for the analysis of the above samples is applicable only to those samples received by the laboratory with this COC. The liability of the laboratory is limited to the amount paid for on the report.


envirotech

Chain of Custody

Client Information				Invoice Information				Lab Use Only				TAT				State							
Client: Vertex				Company: Top Rock Resources				Lab WO# E 405024				Job Number 24015-0001				NM CO UT TX							
Project Name: 2215 SWD Line				Address:								1D 2D 3D Std											
Project Manager: Chance Dixon				City, State, Zip:																			
Address:				Phone:																			
City, State, Zip:				Email:																			
Phone:				Miscellaneous:																			
Email:																							
Sample Information												Analysis and Method								EPA Program			
Time Sampled	Date Sampled	Matrix	No. of Containers	Sample ID		Field	Filter	Lab Number	DRO/DRO by 8015	GRO/DRO by 8015	BTEX by 8021	VOC by 8260	Chloride 300.0	BDOC - NM	TCEQ 1005 - TX	RCRA 8 Metals	SDWA	CWA	RCRA				
1040	5-1-24	Soil	1	WS24-06	4.0'			11	X	X	X		X										
1050	↓	↓	↓	WS24-07	4.0'			12	↓	↓	↓		↓										
1100	↓	↓	↓	WS24-08	4.0'			13	↓	↓	↓		↓										
Additional Instructions: NRM2026231125																							
I, (field sampler), attest to the validity and authenticity of this sample. I am aware that tampering with or intentionally mislabeling the sample location, date or time of collection is considered fraud and may be grounds for legal action.																							
Sampled by: [Signature]																							
Relinquished by: (Signature)		Date	Time	Received by: (Signature)		Date	Time	Samples requiring thermal preservation must be received on ice the day they are sampled or received packed in ice at an avg temp above 0 but less than 6C on subsequent day. Lab Use Only Received on ice: [Y] N T1 T2 T3 AVG Temp °C 4															
Relinquished by: (Signature)		Date	Time	Received by: (Signature)		Date	Time																
Relinquished by: (Signature)		Date	Time	Received by: (Signature)		Date	Time																
Relinquished by: (Signature)		Date	Time	Received by: (Signature)		Date	Time																
Sample Matrix: S - Soil, Sd - Solid, Sg - Sludge, A - Aqueous, O - Other																							
Container Type: g - glass, p - poly/plastic, ag - amber glass, v - VOA																							
Note: Samples are discarded 14 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at the client expense. The report for the analysis of the above samples is applicable only to those samples received by the laboratory with this COC. The liability of the laboratory is limited to the amount paid for on the report.																							



Chain of Custody

Page 1 of 2

Client Information

Client: Vertex
 Project Name: Zeus SMD Line
 Project Manager: Chance Dixon
 Address: _____
 City, State, Zip: _____
 Phone: _____
 Email: _____

Invoice Information

Company: Top Rock Resources
 Address: _____
 City, State, Zip: _____
 Phone: _____
 Email: _____
 Miscellaneous: _____

Lab Use Only

Lab WO# E 405024 Job Number 24015-0001
 1D ☒ 2D ☒ 3D ☒ Std ☒

TAT

State

NM CO UT TX
☐ ☐ ☐ ☐

Analysis and Method

EPA Program

SDWA CWA RCRA
 Compliance Y or N
 PWSID # _____

Sample Information

Time Sampled	Date Sampled	Matrix	No. of Containers	Sample ID	Field Filter	Lab Number	DRO/DRO by 8015	GRO/DRO by 8015	BTEX by 8021	VOC by 8260	Chloride 300.0	BGDOC - NM	TCEQ 1005 - TX	RCRA 8 Metals	Remarks
0900	5-1-24	Soil	1	Stockpile #4 2.0'		1	X	X	X		X				Standard TAT *
0910				Stockpile #5 2.0'		2									
0920				Stockpile #6 2.0'		3									
0930				Stockpile #7 2.0'		4									
0940				Stockpile #8 2.0'		5									
0950				WS24-01 4.0'		6									2 D TAT *
1000				WS24-02 4.0'		7									
1010				WS24-03 4.0'		8									
1020				WS24-04 4.0'		9									
1030				WS24-05 4.0'		10									

Additional Instructions:

NRM2026231125

Samples 6-11 + 13 have been cancelled per client per text message

I, (field sampler), attest to the validity and authenticity of this sample. I am aware that tampering with or intentionally mislabeling the sample location, date or time of collection is considered fraud and may be grounds for legal action.

Sampled by: [Signature]

Relinquished by: (Signature) <u>[Signature]</u>	Date <u>5/2/24</u>	Time <u>10:32</u>	Received by: (Signature) <u>Michelle Gonzalez</u>	Date <u>5-2-24</u>	Time <u>1032</u>	Samples requiring thermal preservation must be received on ice the day they are sampled or received packed in ice at an avg temp above 0 but less than 6C on subsequent days. Lab Use Only Received on ice: <input checked="" type="checkbox"/> Y / N T1 _____ T2 _____ T3 _____ AVG Temp °C <u>4</u>
Relinquished by: (Signature) <u>Michelle Gonzalez</u>	Date <u>5-2-24</u>	Time <u>1600</u>	Received by: (Signature) <u>C.H.</u>	Date <u>5-2-24</u>	Time <u>1730</u>	
Relinquished by: (Signature) <u>C.H.</u>	Date <u>5-2-24</u>	Time <u>2400</u>	Received by: (Signature) <u>Michelle R. Hill</u>	Date <u>5-3-24</u>	Time <u>0500</u>	
Relinquished by: (Signature) _____	Date _____	Time _____	Received by: (Signature) _____	Date _____	Time _____	

Sample Matrix: S - Soil, Sd - Solid, Sg - Sludge, A - Aqueous, O - Other

Container Type: g - glass, p - poly/plastic, ag - amber glass, v - VOA

Note: Samples are discarded 14 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at the client expense. The report for the analysis of the above samples is applicable only to those samples received by the laboratory with this COC. The liability of the laboratory is limited to the amount paid for on the report.



envirotech

[illegible]

IS: NRM202623/125

Samples 6-11 + 13 have been cancelled per client per text message

I, (field sampler), attest to the validity and authenticity of this sample. I am aware that tampering with or intentionally mislabeling the sample location, date or time of collection is considered fraud and may be grounds for legal action.

Sampled by:

Sample Matrix: S - Soil, Sd - Solid, Sg - Sludge, A - Aqueous, O - Other	Container Type: g - glass, p - poly/plastic, ag - amber glass, v - VOA
--	--

Note: Samples are discarded 14 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at the client expense. The report for the analysis of the above samples is applicable only to those samples received by the laboratory with this COC. The liability of the laboratory is limited to the amount paid for on the report.

Envirotech Analytical Laboratory

Printed: 5/3/2024 11:52:56AM

Sample Receipt Checklist (SRC)

Instructions: Please take note of any NO checkmarks.

If we receive no response concerning these items within 24 hours of the date of this notice, all the samples will be analyzed as requested.

Client: Vertex Resource Services Inc.
 Phone: (575) 748-0176
 Email: cdixon@vertex.ca

Date Received: 05/03/24 05:00
 Date Logged In: 05/02/24 16:06
 Due Date: 05/09/24 17:00 (4 day TAT)

Work Order ID: E405024
 Logged In By: Angelina Pineda

Chain of Custody (COC)

1. Does the sample ID match the COC? Yes
2. Does the number of samples per sampling site location match the COC? Yes
3. Were samples dropped off by client or carrier? Yes
4. Was the COC complete, i.e., signatures, dates/times, requested analyses? Yes
5. Were all samples received within holding time? Yes

Note: Analysis, such as pH which should be conducted in the field, i.e., 15 minute hold time, are not included in this discussion.

Carrier: CourierSample Turn Around Time (TAT)

6. Did the COC indicate standard TAT, or Expedited TAT? Yes

Sample Cooler

7. Was a sample cooler received? Yes
8. If yes, was cooler received in good condition? Yes
9. Was the sample(s) received intact, i.e., not broken? Yes
10. Were custody/security seals present? No
11. If yes, were custody/security seals intact? NA
12. Was the sample received on ice? If yes, the recorded temp is 4°C, i.e., 6°±2°C Yes

Note: Thermal preservation is not required, if samples are received w/i 15 minutes of sampling

13. If no visible ice, record the temperature. Actual sample temperature: 4°C

Sample Container

14. Are aqueous VOC samples present? No
15. Are VOC samples collected in VOA Vials? NA
16. Is the head space less than 6-8 mm (pea sized or less)? NA
17. Was a trip blank (TB) included for VOC analyses? NA
18. Are non-VOC samples collected in the correct containers? Yes
19. Is the appropriate volume/weight or number of sample containers collected? Yes

Field Label

20. Were field sample labels filled out with the minimum information:
 - Sample ID? Yes
 - Date/Time Collected? Yes
 - Collectors name? Yes

Sample Preservation

21. Does the COC or field labels indicate the samples were preserved? No
22. Are sample(s) correctly preserved? NA
24. Is lab filtration required and/or requested for dissolved metals? No

Multiphase Sample Matrix

26. Does the sample have more than one phase, i.e., multiphase? No
27. If yes, does the COC specify which phase(s) is to be analyzed? NA

Subcontract Laboratory

28. Are samples required to get sent to a subcontract laboratory? No
29. Was a subcontract laboratory specified by the client and if so who? NA Subcontract Lab: NA

Client InstructionComments/Resolution

Samples: 6-11 and 13 have been cancelled per client request per text message. Green copies made with corrections

Signature of client authorizing changes to the COC or sample disposition.

Date



envirotech Inc.

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS

Action 403685

QUESTIONS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 403685
	Action Type: [C-141] Reclamation Report C-141 (C-141-v-Reclamation)

QUESTIONS

Prerequisites	
Incident ID (n#)	nRM2026231125
Incident Name	NRM2026231125 ZEUS SWD LINE @ 0
Incident Type	Produced Water Release
Incident Status	Reclamation Report Received

Location of Release Source*Please answer all the questions in this group.*

Site Name	ZEUS SWD LINE
Date Release Discovered	09/03/2020
Surface Owner	State

Incident Details*Please answer all the questions in this group.*

Incident Type	Produced Water Release
Did this release result in a fire or is the result of a fire	No
Did this release result in any injuries	No
Has this release reached or does it have a reasonable probability of reaching a watercourse	No
Has this release endangered or does it have a reasonable probability of endangering public health	No
Has this release substantially damaged or will it substantially damage property or the environment	No
Is this release of a volume that is or may with reasonable probability be detrimental to fresh water	No

Nature and Volume of Release*Material(s) released, please answer all that apply below. Any calculations or specific justifications for the volumes provided should be attached to the follow-up C-141 submission.*

Crude Oil Released (bbls) Details	Not answered.
Produced Water Released (bbls) Details	Cause: Equipment Failure Other (Specify) Produced Water Released: 20 BBL Recovered: 5 BBL Lost: 15 BBL.
Is the concentration of chloride in the produced water >10,000 mg/l	Yes
Condensate Released (bbls) Details	Not answered.
Natural Gas Vented (Mcf) Details	Not answered.
Natural Gas Flared (Mcf) Details	Not answered.
Other Released Details	Not answered.
Are there additional details for the questions above (i.e. any answer containing Other, Specify, Unknown, and/or Fire, or any negative lost amounts)	Not answered.

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 2

Action 403685

QUESTIONS (continued)

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 403685
	Action Type: [C-141] Reclamation Report C-141 (C-141-v-Reclamation)

QUESTIONS

Nature and Volume of Release (continued)	
Is this a gas only submission (i.e. only significant Mcf values reported)	No, according to supplied volumes this does not appear to be a "gas only" report.
Was this a major release as defined by Subsection A of 19.15.29.7 NMAC	No
Reasons why this would be considered a submission for a notification of a major release	Unavailable.
With the implementation of the 19.15.27 NMAC (05/25/2021), venting and/or flaring of natural gas (i.e. gas only) are to be submitted on the C-129 form.	

Initial Response

The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury.

The source of the release has been stopped	True
The impacted area has been secured to protect human health and the environment	True
Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices	False
All free liquids and recoverable materials have been removed and managed appropriately	True
If all the actions described above have not been undertaken, explain why	Release materials are not longer on site.

Per Paragraph (4) of Subsection B of 19.15.29.8 NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please prepare and attach a narrative of actions to date in the follow-up C-141 submission. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see Subparagraph (a) of Paragraph (5) of Subsection A of 19.15.29.11 NMAC), please prepare and attach all information needed for closure evaluation in the follow-up C-141 submission.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

I hereby agree and sign off to the above statement	Name: Chance Dixon Title: Project Manager Email: cdixon@vertex.ca Date: 06/04/2024
--	---

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 3

Action 403685

QUESTIONS (continued)

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 403685
	Action Type: [C-141] Reclamation Report C-141 (C-141-v-Reclamation)

QUESTIONS**Site Characterization**

Please answer all the questions in this group (only required when seeking remediation plan approval and beyond). This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

What is the shallowest depth to groundwater beneath the area affected by the release in feet below ground surface (ft bgs)	Less than or equal 25 (ft.)
What method was used to determine the depth to ground water	NM OSE iWaters Database Search
Did this release impact groundwater or surface water	No
What is the minimum distance, between the closest lateral extents of the release and the following surface areas:	
A continuously flowing watercourse or any other significant watercourse	Between 1 and 5 (mi.)
Any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)	Between ½ and 1 (mi.)
An occupied permanent residence, school, hospital, institution, or church	Greater than 5 (mi.)
A spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes	Between ½ and 1 (mi.)
Any other fresh water well or spring	Between 1 and 5 (mi.)
Incorporated municipal boundaries or a defined municipal fresh water well field	Between 1 and 5 (mi.)
A wetland	Between ½ and 1 (mi.)
A subsurface mine	Greater than 5 (mi.)
An (non-karst) unstable area	Greater than 5 (mi.)
Categorize the risk of this well / site being in a karst geology	Low
A 100-year floodplain	Greater than 5 (mi.)
Did the release impact areas not on an exploration, development, production, or storage site	Yes

Remediation Plan

Please answer all the questions that apply or are indicated. This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

Requesting a remediation plan approval with this submission	Yes
<i>Attach a comprehensive report demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined, pursuant to 19.15.29.11 NMAC and 19.15.29.13 NMAC.</i>	
Have the lateral and vertical extents of contamination been fully delineated	Yes
Was this release entirely contained within a lined containment area	No

Soil Contamination Sampling: (Provide the highest observable value for each, in milligrams per kilograms.)

Chloride (EPA 300.0 or SM4500 Cl B)	18600
TPH (GRO+DRO+MRO) (EPA SW-846 Method 8015M)	0
GRO+DRO (EPA SW-846 Method 8015M)	0
BTEX (EPA SW-846 Method 8021B or 8260B)	0
Benzene (EPA SW-846 Method 8021B or 8260B)	0

Per Subsection B of 19.15.29.11 NMAC unless the site characterization report includes completed efforts at remediation, the report must include a proposed remediation plan in accordance with 19.15.29.12 NMAC, which includes the anticipated timelines for beginning and completing the remediation.

On what estimated date will the remediation commence	04/15/2024
On what date will (or did) the final sampling or liner inspection occur	04/15/2024
On what date will (or was) the remediation complete(d)	07/01/2024
What is the estimated surface area (in square feet) that will be reclaimed	28000
What is the estimated volume (in cubic yards) that will be reclaimed	5000
What is the estimated surface area (in square feet) that will be remediated	28000
What is the estimated volume (in cubic yards) that will be remediated	5000

These estimated dates and measurements are recognized to be the best guess or calculation at the time of submission and may (be) change(d) over time as more remediation efforts are completed.

The OCD recognizes that proposed remediation measures may have to be minimally adjusted in accordance with the physical realities encountered during remediation. If the responsible party has any need to significantly deviate from the remediation plan proposed, then it should consult with the division to determine if another remediation plan submission is required.

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 4

Action 403685

QUESTIONS (continued)

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 403685
	Action Type: [C-141] Reclamation Report C-141 (C-141-v-Reclamation)

QUESTIONS

Remediation Plan (continued)	
<i>Please answer all the questions that apply or are indicated. This information must be provided to the appropriate district office no later than 90 days after the release discovery date.</i>	
This remediation will (or is expected to) utilize the following processes to remediate / reduce contaminants:	
<i>(Select all answers below that apply.)</i>	
(Ex Situ) Excavation and off-site disposal (i.e. dig and haul, hydrovac, etc.)	Yes
Which OCD approved facility will be used for off-site disposal	Not answered.
OR which OCD approved well (API) will be used for off-site disposal	30-025-41122 JACKSON UNIT #011H
OR is the off-site disposal site, to be used, out-of-state	No
OR is the off-site disposal site, to be used, an NMED facility	No
(Ex Situ) Excavation and on-site remediation (i.e. On-Site Land Farms)	No
(In Situ) Soil Vapor Extraction	No
(In Situ) Chemical processing (i.e. Soil Shredding, Potassium Permanganate, etc.)	No
(In Situ) Biological processing (i.e. Microbes / Fertilizer, etc.)	No
(In Situ) Physical processing (i.e. Soil Washing, Gypsum, Disking, etc.)	No
Ground Water Abatement pursuant to 19.15.30 NMAC	No
OTHER (Non-listed remedial process)	No
<i>Per Subsection B of 19.15.29.11 NMAC unless the site characterization report includes completed efforts at remediation, the report must include a proposed remediation plan in accordance with 19.15.29.12 NMAC, which includes the anticipated timelines for beginning and completing the remediation.</i>	
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.	
I hereby agree and sign off to the above statement	Name: Chance Dixon Title: Project Manager Email: cdixon@vertex.ca Date: 06/04/2024
<i>The OCD recognizes that proposed remediation measures may have to be minimally adjusted in accordance with the physical realities encountered during remediation. If the responsible party has any need to significantly deviate from the remediation plan proposed, then it should consult with the division to determine if another remediation plan submission is required.</i>	

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 5

Action 403685

QUESTIONS (continued)

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 403685
	Action Type: [C-141] Reclamation Report C-141 (C-141-v-Reclamation)

QUESTIONS

Deferral Requests Only	
Only answer the questions in this group if seeking a deferral upon approval this submission. Each of the following items must be confirmed as part of any request for deferral of remediation.	
Requesting a deferral of the remediation closure due date with the approval of this submission	No

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 6

Action 403685

QUESTIONS (continued)

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 403685
	Action Type: [C-141] Reclamation Report C-141 (C-141-v-Reclamation)

QUESTIONS

Sampling Event Information	
Last sampling notification (C-141N) recorded	344982
Sampling date pursuant to Subparagraph (a) of Paragraph (1) of Subsection D of 19.15.29.12 NMAC	05/24/2024
What was the (estimated) number of samples that were to be gathered	10
What was the sampling surface area in square feet	2000

Remediation Closure Request	
<i>Only answer the questions in this group if seeking remediation closure for this release because all remediation steps have been completed.</i>	
Requesting a remediation closure approval with this submission	Yes
Have the lateral and vertical extents of contamination been fully delineated	Yes
Was this release entirely contained within a lined containment area	No
All areas reasonably needed for production or subsequent drilling operations have been stabilized, returned to the sites existing grade, and have a soil cover that prevents ponding of water, minimizing dust and erosion	Yes
What was the total surface area (in square feet) remediated	10488
What was the total volume (cubic yards) remediated	1900
All areas not reasonably needed for production or subsequent drilling operations have been reclaimed to contain a minimum of four feet of non-waste contain earthen material with concentrations less than 600 mg/kg chlorides, 100 mg/kg TPH, 50 mg/kg BTEX, and 10 mg/kg Benzene	Yes
What was the total surface area (in square feet) reclaimed	10488
What was the total volume (in cubic yards) reclaimed	1900
Summarize any additional remediation activities not included by answers (above)	The site was remediated and reclaimed with the top four feet meeting strictest closure criteria.
<i>The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (in .pdf format) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.</i>	
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. The responsible party acknowledges they must substantially restore, reclaim, and re-vegetate the impacted surface area to the conditions that existed prior to the release or their final land use in accordance with 19.15.29.13 NMAC including notification to the OCD when reclamation and re-vegetation are complete.	
I hereby agree and sign off to the above statement	Name: Chance Dixon Title: Project Manager Email: cdixon@vertex.ca Date: 06/04/2024

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 7

Action 403685

QUESTIONS (continued)

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 403685
	Action Type: [C-141] Reclamation Report C-141 (C-141-v-Reclamation)

QUESTIONS

Reclamation Report	
<i>Only answer the questions in this group if all reclamation steps have been completed.</i>	
Requesting a reclamation approval with this submission	Yes
What was the total reclamation surface area (in square feet) for this site	10488
What was the total volume of replacement material (in cubic yards) for this site	1900
<i>Per Paragraph (1) of Subsection D of 19.15.29.13 NMAC the reclamation must contain a minimum of four feet of non-waste containing, uncontaminated, earthen material with chloride concentrations less than 600 mg/kg as analyzed by EPA Method 300.0, or other test methods approved by the division. The soil cover must include a top layer, which is either the background thickness of topsoil or one foot of suitable material to establish vegetation at the site, whichever is greater.</i>	
Is the soil top layer complete and is it suitable material to establish vegetation	Yes
On what (estimated) date will (or was) the reseeded commence(d)	06/18/2024
Summarize any additional reclamation activities not included by answers (above)	Site was immediately backfilled, contoured, and reseeded after remediation.
<i>The responsible party must attach information demonstrating they have complied with all applicable reclamation requirements and any conditions or directives of the OCD. This demonstration should be in the form of attachments (in .pdf format) including a scaled site map, any proposed reseeded plans or relevant field notes, photographs of reclaimed area, and a narrative of the reclamation activities. Refer to 19.15.29.13 NMAC.</i>	
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. The responsible party acknowledges they must substantially restore, reclaim, and re-vegetate the impacted surface area to the conditions that existed prior to the release or their final land use in accordance with 19.15.29.13 NMAC including notification to the OCD when reclamation and re-vegetation are complete.	
I hereby agree and sign off to the above statement	Name: Chance Dixon Title: Project Manager Email: cdixon@vertex.ca Date: 11/15/2024

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 8

Action 403685

QUESTIONS (continued)

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 403685
	Action Type: [C-141] Reclamation Report C-141 (C-141-v-Reclamation)

QUESTIONS

Revegetation Report	
<i>Only answer the questions in this group if all surface restoration, reclamation and re-vegetation obligations have been satisfied.</i>	
Requesting a restoration complete approval with this submission	No
<i>Per Paragraph (4) of Subsection (D) of 19.15.29.13 NMAC for any major or minor release containing liquids, the responsible party must notify the division when reclamation and re-vegetation are complete.</i>	

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 403685

CONDITIONS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 403685
	Action Type: [C-141] Reclamation Report C-141 (C-141-v-Reclamation)

CONDITIONS

Created By	Condition	Condition Date
nvez	None	3/4/2025