



CLOSURE REPORT

Property:

Lateral 2C-55 (07/25/24)
Unit Letter N, S17 T25N R07W
Rio Arriba County, New Mexico

New Mexico EMNRD OCD Incident ID No. NAPP242246227

November 14, 2024

Ensolum Project No. 05A1226329


Prepared for:

Enterprise Field Services, LLC
614 Reilly Avenue
Farmington, NM 87401
Attn: Mr. Thomas Long

Prepared by:



Chad D'Aponi
Project Scientist



Kyle Summers
Senior Managing Geologist

TABLE OF CONTENTS

1.0	INTRODUCTION.....	1
1.1	Site Description & Background.....	1
1.2	Project Objective.....	1
2.0	CLOSURE CRITERIA.....	1
3.0	SOIL REMEDIATION ACTIVITIES.....	2
4.0	SOIL SAMPLING PROGRAM.....	3
5.0	SOIL LABORATORY ANALYTICAL METHODS.....	4
6.0	SOIL DATA EVALUATION.....	4
7.0	RECLAMATION.....	4
8.0	FINDINGS AND RECOMMENDATION.....	4
9.0	STANDARDS OF CARE, LIMITATIONS, AND RELIANCE.....	5
9.1	Standard of Care.....	5
9.2	Limitations.....	5
9.3	Reliance.....	5

LIST OF APPENDICES

Appendix A – Figures

- Figure 1: Topographic Map
- Figure 2: Site Vicinity Map
- Figure 3: Site Map with Soil Analytical Results

Appendix B – Siting Figures and Documentation

- Figure A: 1.0 Mile Radius Water Well/POD Location Map
- Figure B: Cathodic Protection Well Recorded Depth to Water
- Figure C: 300 Foot Radius Watercourse and Drainage Identification
- Figure D: 300 Foot Radius Occupied Structure Identification
- Figure E: Water Well and Natural Spring Location
- Figure F: Wetlands
- Figure G: Mines, Mills, and Quarries
- Figure H: 100-Year Flood Plain Map

Appendix C – Executed C-138 Solid Waste Acceptance Form

Appendix D – Photographic Documentation

Appendix E – Regulatory Correspondence

Appendix F – Table 1 - Soil Analytical Summary

Appendix G – Laboratory Data Sheets & Chain of Custody Documentation

1.0 INTRODUCTION

1.1 Site Description & Background

Operator:	Enterprise Field Services, LLC / Enterprise Products Operating LLC (Enterprise)
Site Name:	Lateral 2C-55 (08/05/24) (Site)
NM EMNRD OCD Incident ID No.	NAPP2422462227
Location:	36.396466° North, -107.598774 ° West Unit Letter N, Section 17, Township 25 North, Range 07 West Rio Arriba County, New Mexico
Property:	Bureau of Land Management (BLM)
Regulatory:	New Mexico (NM) Energy, Minerals and Natural Resources Department (EMNRD) Oil Conservation Division (OCD)

On August 5, 2024, a release of natural gas and associated pipeline liquids from the Lateral 2C-55 pipeline was identified. Enterprise subsequently isolated and locked the pipeline out of service. On August 9, 2024, Enterprise initiated activities to repair the pipeline and initiated activities to remediate petroleum hydrocarbon impact. On August 11, 2024, Enterprise determined the release was “reportable” due to the potential volume of impacted soil. The NM EMNRD OCD was subsequently notified.

A **Topographic Map** depicting the location of the Site is included as **Figure 1**, and a **Site Vicinity Map** is included as **Figure 2** in **Appendix A**.

1.2 Project Objective

The primary objective of the closure activities was to reduce constituent of concern (COC) concentrations in the on-site soils to below the applicable NM EMNRD OCD closure criteria.

2.0 CLOSURE CRITERIA

The Site is subject to regulatory oversight by the NNEPA and NM EMNRD OCD. During the evaluation and remediation of the Site, Ensolum, LLC (Ensolum) referenced New Mexico Administrative Code (NMAC) 19.15.29 *Releases*, which establishes investigation and abatement action requirements for oil and gas release sites that are subject to reporting and/or corrective action. The appropriate closure criteria for sites are determined using the siting requirements outlined in Paragraph (4) of Subsection C of 19.15.29.12 NMAC. Ensolum utilized the general site characteristics and information available from NM state agency databases and federal agency geospatial databases to determine the appropriate closure criteria for the Site. Supporting figures and documentation associated with the following Siting bullets are provided in **Appendix B**.

- The NM Office of the State Engineer (OSE) tracks the usage and assignment of water rights and water well installations and records this information in the Water Rights Reporting System (WRRS) database. Water wells and other points of diversion (PODs) are each assigned POD numbers in the database (which is searchable and includes an interactive map). No PODs with recorded depths to water were identified in the same Public Land Survey System (PLSS) section or adjacent PLSS sections (**Figure A, Appendix B**).
- No cathodic protection wells (CPW) were identified in the NM EMNRD OCD imaging database in the same or adjacent PLSS sections (**Figure B (Appendix B)**).

- The Site is not located within 300 feet of a NM EMNRD OCD-defined continuously flowing watercourse or significant watercourse (**Figure C, Appendix B**).
- The Site is not located within 200 feet of a lakebed, sinkhole, or playa lake.
- The Site is not located within 300 feet of a permanent residence, school, hospital, institution, or church (**Figure D, Appendix B**).
- No springs, or private domestic freshwater wells used by less than five households for domestic or stock watering purposes were identified within 500 feet of the Site (**Figure E, Appendix B**).
- No freshwater wells or springs were identified within 1,000 feet of the Site (**Figure E, Appendix B**).
- The Site is not located within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to New Mexico Statutes Annotated (NMSA) 1978, Section 3-27-3.
- Based on information identified in the U.S. Fish & Wildlife Service National Wetlands Inventory Wetlands Mapper, the Site is not within 300 feet of a wetland (**Figure F, Appendix B**).
- Based on information identified in the NM Mining and Minerals Division's Geographic Information System (GIS) Maps and Mine Data database, the Site is not within an area overlying a subsurface mine (**Figure G, Appendix B**).
- The Site is not located within an unstable area per Paragraph (6) of Subsection U of 19.15.2.7 NMAC.
- Based on information provided by the Federal Emergency Management Agency (FEMA) National Flood Hazard Layer (NFHL) geospatial database, the Site is not within a 100-year floodplain (**Figure H, Appendix B**).

Based on available information Enterprise estimates the depth to subsurface water at the Site to potentially be less than 50 feet bgs due to the proximity of Palluche Canyon Wash, resulting in a Tier I ranking. The closure criteria for soils remaining in place at the Site include:

Tier I Closure Criteria for Soils Impacted by a Release		
Constituent ¹	Method	Limit
Chloride	EPA 300.0 or SM4500 CI B	600 mg/kg
TPH (GRO+DRO+MRO) ²	EPA SW-846 Method 8015	100 mg/kg
BTEX ³	EPA SW-846 Method 8021 or 8260	50 mg/kg
Benzene	EPA SW-846 Method 8021 or 8260	10 mg/kg

¹ – Constituent concentrations are in milligrams per kilogram (mg/kg).

² – Total Petroleum Hydrocarbons (TPH). Gasoline Range Organics (GRO). Diesel Range Organics (DRO). Motor Oil/Lube Oil Range Organics (MRO).

³ – Benzene, Toluene, Ethylbenzene, and Total Xylenes (BTEX).

3.0 SOIL REMEDIATION ACTIVITIES

On August 9, 2024, Enterprise initiated activities to repair the pipeline. On August 11, 2024, Enterprise initiated activities to remediate petroleum hydrocarbon impact resulting from the

release. During the remediation and corrective action activities, Sierra Oilfield Services, Inc. provided heavy equipment and labor support, while Ensolum provided environmental consulting support.

The main excavation (not including the flow path) measured approximately 21 feet long and 18 feet wide at the maximum extents. The maximum depth of the main excavation measured approximately 8 feet bgs. The flow path excavation measured approximately 67 feet long and 23 feet wide at the maximum extents. The maximum depth of the flow path excavation measured approximately 18 inches bgs. The lithology encountered during the completion of remediation activities consisted primarily of unconsolidated silty sandy clay.

Approximately 270 cubic yards (yd³) of petroleum hydrocarbon-affected soils and 4 barrels (bbls) of hydro-excavation soil cuttings and water were transported to the Envirotech, Inc., (Envirotech) landfarm in San Juan County, NM for disposal/remediation. The executed C-138 solid waste acceptance form is provided in **Appendix C**. The excavation was backfilled with imported fill and then contoured to the surrounding grade.

Figure 3 is a map that identifies approximate soil sample locations and depicts the approximate dimensions of the excavation with respect to the pipeline (**Appendix A**). Photographic documentation of the field activities is included in **Appendix D**.

4.0 SOIL SAMPLING PROGRAM

Ensolum field screened the soil samples from the excavation utilizing a calibrated Dexsil PetroFLAG[®] hydrocarbon analyzer system and a photoionization detector (PID) fitted with a 10.6 eV lamp to guide excavation extents.

Ensolum's soil sampling program included the collection of sixteen composite soil samples (S-1 through S-6, and FP-1 through FP10) from the main and flow path excavations for laboratory analysis. The composite samples were comprised of five aliquots each and represent an estimated 200 square foot (ft²) or less sample area per guidelines outlined in Section D of 19.15.29.12 NMAC. A clean shovel was utilized to obtain fresh aliquots from each area of the excavation. Regulatory correspondence is provided in **Appendix E**.

Sampling Event

On August 15, 2024, sampling was performed at the Site. The OCD was notified of the sampling event although no representative was present during sampling activities. Composite soil samples S-1 (6' to 8') and S-2 (6' to 8') were collected from the floor of the main excavation. Composite soil samples S-3 (0' to 8'), S-4 (0' to 8'), S-5 (0' to 8'), and S-6 (1.5' to 6'), were collected from the walls of the main excavation. Composite soil samples FP-1 (0' to 1.5') through FP-6 (0' to 1.5') and FP-7 (0' to 0.5') through FP-10 (0' to 0.5') were collected from the flow path excavation's floor and sidewalls.

All soil samples were collected and placed in laboratory-prepared glassware. The containers were labeled and sealed using the laboratory-supplied labels and custody seals and were stored on ice in a cooler. The samples were relinquished to the courier for Eurofins Environment Testing South Central, LLC (Eurofins) of Albuquerque, NM, under proper chain-of-custody procedures.

5.0 SOIL LABORATORY ANALYTICAL METHODS

The composite soil samples were analyzed for BTEX using Environmental Protection Agency (EPA) SW-846 Method 8021; TPH GRO/DRO/MRO using EPA SW-846 Method 8015; and chlorides using EPA Method 300.0.

The laboratory analytical results are summarized in **Table 1 (Appendix F)**. The laboratory data sheets and executed chain-of-custody forms are provided in **Appendix G**.

6.0 SOIL DATA EVALUATION

Ensolum compared the benzene, BTEX, TPH, and chloride laboratory analytical results or laboratory practical quantitation limits (PQLs) / reporting limits (RLs) associated with the composite soil samples (S-1 through S-6 and FP-1 through FP-10)) to the applicable NM EMNRD OCD closure criteria. The laboratory analytical results are summarized in **Table 1 (Appendix F)**.

- The laboratory analytical results for the composite soil samples indicate that benzene is not present in soils remaining at the Site at concentrations greater than the laboratory PQLs/RLs, which are less than the NM EMNRD OCD closure criteria of 10 mg/kg.
- The laboratory analytical results for the composite soil samples indicate that total BTEX is not present in soils remaining at the Site at concentrations greater than the laboratory PQLs/RLs, which are less than the NM EMNRD OCD closure criteria of 50 mg/kg.
- The laboratory analytical results for the composite soil samples indicate that total combined TPH GRO/DRO/MRO is not present in soils remaining at the Site at concentrations greater than the laboratory PQLs/RLs, which are less than the NM EMNRD OCD closure criteria of 100 mg/kg.
- The laboratory analytical results for composite soil samples FP-1, FP-2, FP-3, FP-4, FP-5, and FP-7 indicate chloride concentrations ranging from 280 mg/kg (FP-2) to 420 mg/kg (FP-3), which are less than the NM EMNRD OCD closure criteria of 600 mg/kg. The laboratory analytical results for the other composite soil samples collected from soils remaining at the Site indicate that chloride is not present at concentrations greater than the laboratory PQLs/RLs, which are less than the NM EMNRD OCD closure criteria of 600 mg/kg.

7.0 RECLAMATION

The excavation was backfilled with imported fill and then contoured to the surrounding grade. Once the Site is no longer being used for oil and gas production, final reclamation and revegetation will be addressed in accordance with 19.15.29.13 NMAC.

8.0 FINDINGS AND RECOMMENDATION

- Sixteen composite soil samples were collected from the Site. Based on laboratory analytical results, no benzene, total BTEX, chloride, or total combined TPH GRO/DRO/MRO exceedances were identified in the soils remaining at the Site.
- Approximately 270 yd³ of petroleum hydrocarbon-affected soils and 4 bbls of hydro-excavation soil cuttings and water were transported to the Envirotech landfarm for disposal/remediation.

Based on field observations and laboratory analytical results, no additional investigation or corrective action appears warranted at this time.

9.0 STANDARDS OF CARE, LIMITATIONS, AND RELIANCE

9.1 Standard of Care

Ensolum's services were performed in accordance with standards customarily provided by a firm rendering the same or similar services in the area during the same time period. Ensolum makes no warranties, express or implied, as to the services performed hereunder. Additionally, Ensolum does not warrant the work of third parties supplying information used in the report (e.g., laboratories, regulatory agencies, or other third parties).

9.2 Limitations

Findings, conclusions, and recommendations resulting from these services are based upon information derived from the on-Site activities and other services performed under this scope of work, and it should be noted that this information is subject to change over time. Certain indicators of the presence of hazardous substances, petroleum products, or other constituents may have been latent, inaccessible, unobservable, or not present during these services, and Ensolum cannot represent that the Site contains no hazardous substances, toxic materials, petroleum products, or other latent conditions beyond those identified during the investigation. Environmental conditions at other areas or portions of the Site may vary from those encountered at actual sample locations. Ensolum's findings and recommendation are based solely upon data available to Ensolum at the time of these services.


9.3 Reliance

This report has been prepared for the exclusive use of Enterprise, and any authorization for use or reliance by any other party (except a governmental entity having jurisdiction over the Site) is prohibited without the express written authorization of Enterprise and Ensolum. Any unauthorized distribution or reuse is at the client's sole risk. Notwithstanding the foregoing, reliance by authorized parties will be subject to the terms, conditions, and limitations stated in the report and Ensolum's Master Services Agreement. The limitation of liability defined in the agreement is the aggregate limit of Ensolum's liability to the client.



APPENDIX A

Figures




Document Path: C:\Users\Paolo.Rodriguez\OneDrive - ENSOLUM, LLC\Desktop\PAR_GIS\File Path Structure - A\Arc\Enterprise Field Services, LLC\05A1221329 - Lateral 2C-55\ProjectFig_1_Template\Lateral 2C-55.aprx

ENSOLUM
Environmental, Engineering and Hydrogeologic Consultants

Topographic Map
Enterprise Field Services, LLC
Lateral 2C-55 (08/05/2024)
Project Number: 05A1221329
Unit Letter N, S17 T25N R7W, Rio Arriba County, New Mexico
36.396466, -107.598774

FIGURE
1




Document Path: C:\Users\Paier.Rodriguez\OneDrive - ENSOLUM, LLC\Desktop\PAR_GIS\File Path Structure6 - Aztec\Enterprise Field Services, LLC\05A1221329 - Lateral 2C-55\1 - Project\Fig_1_Template\Lateral 2C-55.aprx

ENSOLUM
Environmental, Engineering and Hydrogeologic Consultants

Site Vicinity Map
Enterprise Field Services, LLC
Lateral 2C-55 (08/05/2024)
Project Number: 05A1221329
Unit Letter N, S17 T25N R7W, Rio Arriba County, New Mexico
36.396466, -107.598774

FIGURE
2



ENSOLUM
 Environmental, Engineering and Hydrogeologic Consultants

Site Map with Soil Analytical Results
 Enterprise Field Services, LLC
 Lateral 2C-55 (08/05/2024)
 Unit Letter N, S17 T25N R7W,
 Rio Arriba County, New Mexico
 36.396466, -107.598774

Figure 3


Project Number: 05A1221329



APPENDIX B

Siting Figures and Documentation

Document Path: C:\Users\Peter.Rodriguez\OneDrive - ENSOLUM, LLC\Desktop\PAR_GIS\File Path Structure6 - Aztec\Enterprise Field Services, LLC\05A1221329 - Lateral 2C-55\1 - Project\Fig_1_Template\Lateral 2C-55.aprx




ENSOLUM
Environmental, Engineering and
Hydrogeologic Consultants

**1.0 Mile Radius Water Well /
POD Location Map**
Enterprise Field Services, LLC
Lateral 2C-55 (08/05/2024)
Project Number: 05A1221329
Unit Letter N, S17 T25N R7W, Rio Arriba County, New Mexico
36.396466, -107.598774

**FIGURE
A**


Document Path: C:\Users\Peter.Rodriguez\OneDrive - ENSOLUM, LLC\Desktop\PAR_GIS\File Path Structure6 - Aztec\Enterprise Field Services, LLC\05A1221329 - Lateral 2C-55\Project\Fig_1_Template\Lateral 2C-55.aprx



ENSOLUM
Environmental, Engineering and Hydrogeologic Consultants

**Cathodic Protection Well
Recorded Depth to Water**
Enterprise Field Services, LLC
Lateral 2C-55 (08/05/2024)
Project Number: 05A1221329
Unit Letter N, S17 T25N R7W, Rio Arriba County, New Mexico
36.396466, -107.598774


**FIGURE
B**



ENSOLUM
Environmental, Engineering and
Hydrogeologic Consultants

**300 Foot Radius Watercourse
and Drainage Identification**
Enterprise Field Services, LLC
Lateral 2C-55 (08/05/2024)
Project Number: 05A1221329
Unit Letter N, S17 T25N R7W, Rio Arriba County, New Mexico
36.396466, -107.598774

**FIGURE
C**



300 Foot Radius Occupied Structure Identification
 Enterprise Field Services, LLC
 Lateral 2C-55 (08/05/2024)
 Project Number: 05A1221329
 Unit Letter N, S17 T25N R7W, Rio Arriba County, New Mexico
 36.396466, -107.598774

FIGURE D




Document Path: C:\Users\Peter.Rodriguez\OneDrive - ENSOLUM, LLC\Desktop\PAR_GIS\File Path Structure6 - Aztec\Enterprise Field Services, LLC\05A1221329 - Lateral 2C-55\1 - Project\Fig_1_Template\Lateral 2C-55.aprx



**Water Well and
Natural Spring Location**
 Enterprise Field Services, LLC
 Lateral 2C-55 (08/05/2024)
 Project Number: 05A1221329
 Unit Letter N, S17 T25N R7W, Rio Arriba County, New Mexico
 36.396466, -107.598774

**FIGURE
E**



ENSOLUM
Environmental, Engineering and
Hydrogeologic Consultants


Wetlands

Enterprise Field Services, LLC
Lateral 2C-55 (08/05/2024)
Project Number: 05A1221329
Unit Letter N, S17 T25N R7W, Rio Arriba County, New Mexico
36.396466, -107.598774

FIGURE

F

Document Path: C:\Users\pater.rodriguez\OneDrive - ENSOLUM, LLC\Desktop\PAR_GIS\File Path Structure6 - Aztec\Enterprise Field Services, LLC\05A1221329 - Lateral 2C-55\1 - Project\Fig_1_Template\Lateral 2C-55.aprx




ENSOLUM
 Environmental, Engineering and
 Hydrogeologic Consultants

Mines, Mills, and Quarries

Enterprise Field Services, LLC
 Lateral 2C-55 (08/05/2024)
 Project Number: 05A1221329
 Unit Letter N, S17 T25N R7W, Rio Arriba County, New Mexico
 36.396466, -107.598774

FIGURE

G



Document Path: C:\Users\Peier Rodriguez\OneDrive - ENSOLUM, LLC\Desktop\PAR_GIS\File Path Structure6 - Aztec\Enterprise Field Services, LLC\05A1221329 - Lateral 2C-55\1 - Project\Fig_1_Template\Lateral 2C-55.aprx

ENSOLUM
Environmental, Engineering and
Hydrogeologic Consultants

100-Year Flood Plain Map

Enterprise Field Services, LLC
Lateral 2C-55 (08/05/2024)
Project Number: 05A1221329
Unit Letter N, S17 T25N R7W, Rio Arriba County, New Mexico
36.396466, -107.598774

FIGURE

H



New Mexico Office of the State Engineer

Water Column/Average Depth to Water

No report data available.

Basin/County Search:

County: SJ

PLSS Search:

Range: 07W

Township: 25N

Section: 7,8,9,16,17,18,19,20,21

* UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.



APPENDIX C

Executed C-138 Solid Waste Acceptance Form

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-138
Revised 08/01/11

*Surface Waste Management Facility Operator
and Generator shall maintain and make this
documentation available for Division inspection.

REQUEST FOR APPROVAL TO ACCEPT SOLID WASTE

1. Generator Name and Address:
Enterprise Field Services, LLC, 614 Reilly Ave, Farmington NM 87401
PayKey: AM14058
PM: Dwayne Dixon
AFE: N74331

2. Originating Site:
Lateral 2C-55

3. Location of Material (Street Address, City, State or ULSTR):
UL N Section 17 T25N R7W; 36.396466, -107.598774

4. Source and Description of Waste:
Source: Remediation activities associated with a natural gas pipeline leak.
Description: Hydrocarbon/Condensate impacted soil associated natural gas pipeline release.
Estimated Volume 50 yd³ / bbls Known Volume (to be entered by the operator at the end of the haul) 270/4 yd³ / bbls

5. GENERATOR CERTIFICATION STATEMENT OF WASTE STATUS

I, Thomas Long *Thomas Long*, representative or authorized agent for Enterprise Products Operating do hereby
Generator Signature
certify that according to the Resource Conservation and Recovery Act (RCRA) and the US Environmental Protection Agency's July 1988
regulatory determination, the above described waste is: (Check the appropriate classification)

RCRA Exempt: Oil field wastes generated from oil and gas exploration and production operations and are not mixed with non-exempt waste. Operator Use Only: Waste Acceptance Frequency Monthly Weekly Per Load

RCRA Non-Exempt: Oil field waste which is non-hazardous that does not exceed the minimum standards for waste hazardous by characteristics established in RCRA regulations, 40 CFR 261.21-261.24, or listed hazardous waste as defined in 40 CFR, part 261, subpart D, as amended. The following documentation is attached to demonstrate the above-described waste is non-hazardous. (Check the appropriate items)

MSDS Information RCRA Hazardous Waste Analysis Process Knowledge Other (Provide description in Box 4)

GENERATOR 19.15.36.15 WASTE TESTING CERTIFICATION STATEMENT FOR LANDFARMS

I, Thomas Long *Thomas Long* 8-8-2024, representative for Enterprise Products Operating authorizes Envirotech, Inc. to complete
Generator Signature
the required testing/sign the Generator Waste Testing Certification.

I, Greg Crabtree, representative for Envirotech, Inc. do hereby certify that representative samples of the oil field waste have been subjected to the paint filter test and tested for chloride content and that the samples have been found to conform to the specific requirements applicable to landfarms pursuant to Section 15 of 19.15.36 NMAC. The results of the representative samples are attached to demonstrate the above-described waste conform to the requirements of Section 15 of 19.15.36 NMAC.

5. Transporter: Sierra Oil Field Services

OCD Permitted Surface Waste Management Facility

Name and Facility Permit #: **Envirotech Inc. Soil Remediation Facility * Permit #: NM 01-0011**
Address of Facility: **Hilltop, NM**
Method of Treatment and/or Disposal:
 Evaporation Injection Treating Plant Landfarm Landfill Other

Waste Acceptance Status:
 APPROVED DENIED (Must Be Maintained As Permanent Record)

PRINT NAME: Greg Crabtree TITLE: Enviro Manager DATE: 8/9/24
SIGNATURE: *Greg Crabtree* TELEPHONE NO.: 505-632-0615
Surface Waste Management Facility Authorized Agent



APPENDIX D

Photographic Documentation

SITE PHOTOGRAPHS

Closure Report
Enterprise Field Services, LLC
Lateral 2C-55 (08/05/24)
Ensolum Project No. 05A1226329



<p>Photograph 1</p> <p>Photograph Description: View of the release area.</p>	A photograph showing a person from behind, wearing a grey long-sleeved shirt and blue jeans, standing in a muddy, vegetated area. Red caution tape is strung across the ground. The vegetation consists of various shrubs and grasses.
<p>Photograph 2</p> <p>Photograph Description: View of the release area.</p>	A wide-angle photograph of a muddy path or streambed winding through a field of green and brown shrubs. The background shows a flat landscape under a clear sky.
<p>Photograph 3</p> <p>Photograph Description: View of the in-process excavation activities.</p>	A photograph of a deep, narrow excavation pit in the ground. The soil is light brown and appears to be composed of sand and silt. There are some rocks and debris at the bottom of the pit.

SITE PHOTOGRAPHS

Closure Report
Enterprise Field Services, LLC
Lateral 2C-55 (08/05/24)
Ensolum Project No. 05A1226329



<p>Photograph 4</p> <p>Photograph Description: View of the in-process excavation activities.</p>	
<p>Photograph 5</p> <p>Photograph Description: View of the in-process excavation activities.</p>	
<p>Photograph 6</p> <p>Photograph Description: View of final excavation.</p>	

SITE PHOTOGRAPHS

Closure Report
Enterprise Field Services, LLC
Lateral 2C-55 (08/05/24)
Ensolum Project No. 05A1226329



Photograph 6

Photograph Description: View of final excavation.



Photograph 8

Photograph Description: View of the site after initial restoration.





APPENDIX E

Regulatory Correspondence



FW: [EXTERNAL] Lateral 2C-55 - UL N Section 17 T25N R7W; 36.396466, -107.598774; NMOCD Incident # nAPP2422462227

From Kyle Summers <ksummers@ensolum.com>
Date Thu 8/15/2024 7:24 AM
To Chad D'Aponti <cdaponti@ensolum.com>
Cc Landon Daniell <ldaniell@ensolum.com>



Kyle Summers

Principal
903-821-5603
Ensolum, LLC
in f

From: Long, Thomas <tjlong@eprod.com>
Sent: Thursday, August 15, 2024 7:23 AM
To: Kyle Summers <ksummers@ensolum.com>
Subject: FW: [EXTERNAL] Lateral 2C-55 - UL N Section 17 T25N R7W; 36.396466, -107.598774; NMOCD Incident # nAPP2422462227

[**EXTERNAL EMAIL**]

Thomas J. Long
Senior Environmental Scientist
Enterprise Products Company
614 Reilly Ave.
Farmington, New Mexico 87401
505-599-2286 (office)
505-215-4727 (Cell)
tjlong@eprod.com



From: Velez, Nelson, EMNRD <Nelson.Velez@emnrd.nm.gov>
Sent: Wednesday, August 14, 2024 3:27 PM
To: Long, Thomas <tjlong@eprod.com>
Cc: Stone, Brian <bmstone@eprod.com>

Subject: Re: [EXTERNAL] Lateral 2C-55 - UL N Section 17 T25N R7W; 36.396466, -107.598774; NMOCD Incident # nAPP2422462227

[Use caution with links/attachments]

Good day Tom,

Thank you for the notice. Your variance request specifically addressing 19.15.29.12D (1a) NMAC is approved.

If an OCD representative is not on-site on the date &/or time given, please sample per 19.15.29 NMAC or from an OCD pre-approved sampling plan. For whatever reason, if the sampling timeframe is altered, please notify the OCD as soon as possible so we may adjust our schedule(s). Failure to notify the OCD of this change may result in the closure sample(s) not being accepted.

Please keep a copy of this communication for inclusion within the appropriate report submittal.

Regards,

Nelson Velez • Environmental Specialist - Adv

Environmental Bureau | EMNRD - Oil Conservation Division

1000 Rio Brazos Road | Aztec, NM 87410

(505) 469-6146 | nelson.velez@emnrd.nm.gov

<http://www.emnrd.nm.gov/ocd>



From: Long, Thomas <tjlong@eprod.com>
Sent: Wednesday, August 14, 2024 12:13 PM
To: Velez, Nelson, EMNRD <Nelson.Velez@emnrd.nm.gov>
Cc: Stone, Brian <bmstone@eprod.com>
Subject: [EXTERNAL] Lateral 2C-55 - UL N Section 17 T25N R7W; 36.396466, -107.598774; NMOCD Incident # nAPP2422462227

CAUTION: This email originated outside of our organization. Exercise caution prior to clicking on links or opening attachments.

Nelson,

This email is a notification and a variance request. Enterprise is requesting a variance for required 48 hour notification per 19.15.29.12D (1a) NMAC. Enterprise would like to collect soil samples for laboratory analysis on

August 15, 2024 at 9:00 a.m. at the Lateral 2C-55 excavation. Please acknowledge acceptance of this variance request. If you have any questions, please call or email.

Thomas J. Long
Senior Environmental Scientist
Enterprise Products Company
614 Reilly Ave.
Farmington, New Mexico 87401
505-599-2286 (office)
505-215-4727 (Cell)
tjlong@eprod.com



This message (including any attachments) is confidential and intended for a specific individual and purpose. If you are not the intended recipient, please notify the sender immediately and delete this message.



APPENDIX F

Table 1 – Soil Analytical Summary



TABLE 1
Lateral 2C-55 (08/05/24)
SOIL ANALYTICAL SUMMARY

Sample I.D.	Date	Sample Type	Sample Depth (feet)	Benzene (mg/kg)	Toluene (mg/kg)	Ethylbenzene (mg/kg)	Xylenes (mg/kg)	Total BTEX ¹ (mg/kg)	TPH GRO (mg/kg)	TPH DRO (mg/kg)	TPH MRO (mg/kg)	Total Combined TPH (GRO/DRO/MRO) ¹ (mg/kg)	Chloride (mg/kg)
New Mexico Energy, Mineral & Natural Resources Department Oil Conservation Division Closure Criteria (Tier I)				10	NE	NE	NE	50	NE	NE	NE	100	600
Composite Soil Samples Removed by Excavation													
S-1	8.15.24	C	6 to 8	<0.020	<0.040	<0.040	<0.081	ND	<4.0	<9.7	<49	ND	<60
S-2	8.15.24	C	6 to 8	<0.021	<0.043	<0.043	<0.086	ND	<4.3	<9.8	<49	ND	<60
S-3	8.15.24	C	0 to 8	<0.021	<0.042	<0.042	<0.085	ND	<4.2	<9.4	<47	ND	<60
S-4	8.15.24	C	0 to 8	<0.021	<0.043	<0.043	<0.086	ND	<4.3	<9.8	<49	ND	<60
S-5	8.15.24	C	0 to 8	<0.019	<0.039	<0.039	<0.077	ND	<3.9	<9.5	<48	ND	<60
S-6	8.15.24	C	1.5 to 6	<0.020	<0.039	<0.039	<0.079	ND	<3.9	<9.7	<48	ND	<60
FlowPath Composite Soil Samples													
FP-1	8.15.24	C	0 to 1.5	<0.022	<0.045	<0.045	<0.090	ND	<4.5	<9.5	<47	ND	300
FP-2	8.15.24	C	0 to 1.5	<0.023	<0.046	<0.046	<0.092	ND	<4.6	<9.9	<49	ND	280
FP-3	8.15.24	C	0 to 1.5	<0.025	<0.050	<0.050	<0.10	ND	<5.0	<9.5	<47	ND	420
FP-4	8.15.24	C	0 to 1.5	<0.020	<0.040	<0.040	<0.079	ND	<4.0	<9.7	<48	ND	410
FP-5	8.15.24	C	0 to 1.5	<0.022	<0.045	<0.045	<0.089	ND	<4.5	<9.3	<47	ND	370
FP-6	8.15.24	C	0 to 1.5	<0.019	<0.039	<0.039	<0.077	ND	<3.9	<9.2	<46	ND	<60
FP-7	8.15.24	C	0 to 0.5	<0.022	<0.044	<0.044	<0.088	ND	<4.4	<9.2	<46	ND	380
FP-8	8.15.24	C	0 to 0.5	<0.018	<0.037	<0.037	<0.073	ND	<3.7	<9.3	<47	ND	<60
FP-9	8.15.24	C	0 to 0.5	<0.019	<0.039	<0.039	<0.078	ND	<3.9	<9.2	<46	ND	<60
FP-10	8.15.24	C	0 to 0.5	<0.021	<0.042	<0.042	<0.085	ND	<4.2	<9.2	<46	ND	<60

Note: Concentrations in **bold** and yellow exceed the applicable NM EMNRD Closure Criteria

¹ = Total combined concentrations are rounded to two (2) significant figures to match the laboratory resolution of the individual constituents.

ND = Not Detected above the Practical Quantitation Limits (PQLs) or Reporting Limits (RLs)

NE = Not established

NS = Not sampled

mg/kg = milligrams per kilogram

BTEX = Benzene, Toluene, Ethylbenzene, and Xylenes

TPH = Total Petroleum Hydrocarbons

GRO = Gasoline Range Organics

DRO = Diesel Range Organics

MRO = Motor Oil/Lube Oil Range Organics



APPENDIX G

Laboratory Data Sheets & Chain of Custody Documentation



Environment Testing

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11

ANALYTICAL REPORT

PREPARED FOR

Attn: Kyle Summers
Ensolum
606 S Rio Grande
Suite A
Aztec, New Mexico 87410
Generated 8/27/2024 12:14:57 PM

JOB DESCRIPTION

Lateral 2C-55

JOB NUMBER

885-10034-1

Eurofins Albuquerque
4901 Hawkins NE
Albuquerque NM 87109



Eurofins Albuquerque

Job Notes

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing South Central, LLC Project Manager.

Authorization



Generated
8/27/2024 12:14:57 PM

Authorized for release by
John Caldwell, Project Manager
john.caldwell@et.eurofinsus.com
(505)345-3975

Client: Ensolum
Project/Site: Lateral 2C-55

Laboratory Job ID: 885-10034-1



Table of Contents

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	5
Client Sample Results	6
QC Sample Results	22
QC Association Summary	27
Lab Chronicle	31
Certification Summary	36
Chain of Custody	37
Receipt Checklists	39

Definitions/Glossary

Client: Ensolum

Job ID: 885-10034-1

Project/Site: Lateral 2C-55

Qualifiers

HPLC/IC

Qualifier	Qualifier Description
4	MS, MSD: The analyte present in the original sample is greater than 4 times the matrix spike concentration; therefore, control limits are not applicable.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: Ensolum
Project: Lateral 2C-55

Job ID: 885-10034-1

Job ID: 885-10034-1

Eurofins Albuquerque

Job Narrative 885-10034-1

Analytical test results meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page unless otherwise noted under the individual analysis. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable.

- Matrix QC may not be reported if insufficient sample is provided or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD may be performed, unless otherwise specified in the method.
- Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

Receipt

The samples were received on 8/16/2024 6:10 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperatures of the 2 coolers at receipt time were 1.9°C and 5.6°C.

Gasoline Range Organics

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

GC VOA

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Diesel Range Organics

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

HPLC/IC

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Albuquerque



Client Sample Results

Client: Ensolum
 Project/Site: Lateral 2C-55

Job ID: 885-10034-1

Client Sample ID: S-1

Lab Sample ID: 885-10034-1

Date Collected: 08/15/24 09:00

Matrix: Solid

Date Received: 08/16/24 06:10

Method: SW846 8015M/D - Gasoline Range Organics (GRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics [C6 - C10]	ND		4.0	mg/Kg		08/16/24 08:20	08/16/24 14:03	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	111		35 - 166			08/16/24 08:20	08/16/24 14:03	1

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.020	mg/Kg		08/16/24 08:20	08/16/24 14:03	1
Ethylbenzene	ND		0.040	mg/Kg		08/16/24 08:20	08/16/24 14:03	1
Toluene	ND		0.040	mg/Kg		08/16/24 08:20	08/16/24 14:03	1
Xylenes, Total	ND		0.081	mg/Kg		08/16/24 08:20	08/16/24 14:03	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	105		48 - 145			08/16/24 08:20	08/16/24 14:03	1

Method: SW846 8015M/D - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		9.7	mg/Kg		08/16/24 08:35	08/16/24 12:07	1
Motor Oil Range Organics [C28-C40]	ND		49	mg/Kg		08/16/24 08:35	08/16/24 12:07	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
Di-n-octyl phthalate (Surr)	108		62 - 134			08/16/24 08:35	08/16/24 12:07	1

Method: EPA 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		60	mg/Kg		08/16/24 09:57	08/16/24 14:31	20

Client Sample Results

Client: Ensolum
Project/Site: Lateral 2C-55

Job ID: 885-10034-1

Client Sample ID: S-2

Lab Sample ID: 885-10034-2

Date Collected: 08/15/24 09:05

Matrix: Solid

Date Received: 08/16/24 06:10

Method: SW846 8015M/D - Gasoline Range Organics (GRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics [C6 - C10]	ND		4.3	mg/Kg		08/16/24 08:20	08/16/24 14:47	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	122		35 - 166			08/16/24 08:20	08/16/24 14:47	1

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.021	mg/Kg		08/16/24 08:20	08/16/24 14:47	1
Ethylbenzene	ND		0.043	mg/Kg		08/16/24 08:20	08/16/24 14:47	1
Toluene	ND		0.043	mg/Kg		08/16/24 08:20	08/16/24 14:47	1
Xylenes, Total	ND		0.086	mg/Kg		08/16/24 08:20	08/16/24 14:47	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	106		48 - 145			08/16/24 08:20	08/16/24 14:47	1

Method: SW846 8015M/D - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		9.8	mg/Kg		08/16/24 08:35	08/16/24 12:18	1
Motor Oil Range Organics [C28-C40]	ND		49	mg/Kg		08/16/24 08:35	08/16/24 12:18	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
Di-n-octyl phthalate (Surr)	99		62 - 134			08/16/24 08:35	08/16/24 12:18	1

Method: EPA 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		60	mg/Kg		08/16/24 09:57	08/16/24 14:44	20

Client Sample Results

Client: Ensolum
 Project/Site: Lateral 2C-55

Job ID: 885-10034-1

Client Sample ID: S-3

Lab Sample ID: 885-10034-3

Date Collected: 08/15/24 09:10

Matrix: Solid

Date Received: 08/16/24 06:10

Method: SW846 8015M/D - Gasoline Range Organics (GRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics [C6 - C10]	ND		4.2	mg/Kg		08/16/24 08:20	08/16/24 15:09	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	115		35 - 166			08/16/24 08:20	08/16/24 15:09	1

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.021	mg/Kg		08/16/24 08:20	08/16/24 15:09	1
Ethylbenzene	ND		0.042	mg/Kg		08/16/24 08:20	08/16/24 15:09	1
Toluene	ND		0.042	mg/Kg		08/16/24 08:20	08/16/24 15:09	1
Xylenes, Total	ND		0.085	mg/Kg		08/16/24 08:20	08/16/24 15:09	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	104		48 - 145			08/16/24 08:20	08/16/24 15:09	1

Method: SW846 8015M/D - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		9.4	mg/Kg		08/16/24 08:35	08/16/24 12:28	1
Motor Oil Range Organics [C28-C40]	ND		47	mg/Kg		08/16/24 08:35	08/16/24 12:28	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
Di-n-octyl phthalate (Surr)	99		62 - 134			08/16/24 08:35	08/16/24 12:28	1

Method: EPA 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		60	mg/Kg		08/16/24 09:57	08/16/24 19:21	20

Client Sample Results

Client: Ensolum
Project/Site: Lateral 2C-55

Job ID: 885-10034-1

Client Sample ID: S-4

Lab Sample ID: 885-10034-4

Date Collected: 08/15/24 09:15

Matrix: Solid

Date Received: 08/16/24 06:10

Method: SW846 8015M/D - Gasoline Range Organics (GRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics [C6 - C10]	ND		4.3	mg/Kg		08/16/24 08:20	08/16/24 15:31	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	109		35 - 166			08/16/24 08:20	08/16/24 15:31	1

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.021	mg/Kg		08/16/24 08:20	08/16/24 15:31	1
Ethylbenzene	ND		0.043	mg/Kg		08/16/24 08:20	08/16/24 15:31	1
Toluene	ND		0.043	mg/Kg		08/16/24 08:20	08/16/24 15:31	1
Xylenes, Total	ND		0.086	mg/Kg		08/16/24 08:20	08/16/24 15:31	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	108		48 - 145			08/16/24 08:20	08/16/24 15:31	1

Method: SW846 8015M/D - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		9.8	mg/Kg		08/16/24 08:35	08/16/24 12:39	1
Motor Oil Range Organics [C28-C40]	ND		49	mg/Kg		08/16/24 08:35	08/16/24 12:39	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
Di-n-octyl phthalate (Surr)	96		62 - 134			08/16/24 08:35	08/16/24 12:39	1

Method: EPA 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		60	mg/Kg		08/16/24 09:57	08/16/24 19:36	20

Eurofins Albuquerque

Client Sample Results

Client: Ensolum
Project/Site: Lateral 2C-55

Job ID: 885-10034-1

Client Sample ID: S-5

Lab Sample ID: 885-10034-5

Date Collected: 08/15/24 09:20

Matrix: Solid

Date Received: 08/16/24 06:10

Method: SW846 8015M/D - Gasoline Range Organics (GRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics [C6 - C10]	ND		3.9	mg/Kg		08/16/24 08:34	08/19/24 12:17	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	92		35 - 166			08/16/24 08:34	08/19/24 12:17	1

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.019	mg/Kg		08/16/24 08:34	08/16/24 10:57	1
Ethylbenzene	ND		0.039	mg/Kg		08/16/24 08:34	08/16/24 10:57	1
Toluene	ND		0.039	mg/Kg		08/16/24 08:34	08/16/24 10:57	1
Xylenes, Total	ND		0.077	mg/Kg		08/16/24 08:34	08/16/24 10:57	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	86		48 - 145			08/16/24 08:34	08/16/24 10:57	1

Method: SW846 8015M/D - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		9.5	mg/Kg		08/16/24 08:35	08/16/24 12:50	1
Motor Oil Range Organics [C28-C40]	ND		48	mg/Kg		08/16/24 08:35	08/16/24 12:50	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
Di-n-octyl phthalate (Surr)	97		62 - 134			08/16/24 08:35	08/16/24 12:50	1

Method: EPA 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		60	mg/Kg		08/16/24 09:57	08/16/24 20:21	20

Client Sample Results

Client: Ensolum
Project/Site: Lateral 2C-55

Job ID: 885-10034-1

Client Sample ID: S-6

Lab Sample ID: 885-10034-6

Date Collected: 08/15/24 09:25

Matrix: Solid

Date Received: 08/16/24 06:10

Method: SW846 8015M/D - Gasoline Range Organics (GRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics [C6 - C10]	ND		3.9	mg/Kg		08/16/24 08:34	08/19/24 13:27	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	97		35 - 166			08/16/24 08:34	08/19/24 13:27	1

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.020	mg/Kg		08/16/24 08:34	08/16/24 11:20	1
Ethylbenzene	ND		0.039	mg/Kg		08/16/24 08:34	08/16/24 11:20	1
Toluene	ND		0.039	mg/Kg		08/16/24 08:34	08/16/24 11:20	1
Xylenes, Total	ND		0.079	mg/Kg		08/16/24 08:34	08/16/24 11:20	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	85		48 - 145			08/16/24 08:34	08/16/24 11:20	1

Method: SW846 8015M/D - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		9.7	mg/Kg		08/16/24 08:35	08/16/24 13:01	1
Motor Oil Range Organics [C28-C40]	ND		48	mg/Kg		08/16/24 08:35	08/16/24 13:01	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
Di-n-octyl phthalate (Surr)	98		62 - 134			08/16/24 08:35	08/16/24 13:01	1

Method: EPA 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		60	mg/Kg		08/16/24 09:57	08/16/24 20:36	20

Client Sample Results

Client: Ensolum
Project/Site: Lateral 2C-55

Job ID: 885-10034-1

Client Sample ID: FP-1

Lab Sample ID: 885-10034-7

Date Collected: 08/15/24 09:30

Matrix: Solid

Date Received: 08/16/24 06:10

Method: SW846 8015M/D - Gasoline Range Organics (GRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics [C6 - C10]	ND		4.5	mg/Kg		08/16/24 08:34	08/19/24 14:38	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	102		35 - 166			08/16/24 08:34	08/19/24 14:38	1

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.022	mg/Kg		08/16/24 08:34	08/16/24 11:44	1
Ethylbenzene	ND		0.045	mg/Kg		08/16/24 08:34	08/16/24 11:44	1
Toluene	ND		0.045	mg/Kg		08/16/24 08:34	08/16/24 11:44	1
Xylenes, Total	ND		0.090	mg/Kg		08/16/24 08:34	08/16/24 11:44	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	88		48 - 145			08/16/24 08:34	08/16/24 11:44	1

Method: SW846 8015M/D - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		9.5	mg/Kg		08/16/24 08:35	08/16/24 13:11	1
Motor Oil Range Organics [C28-C40]	ND		47	mg/Kg		08/16/24 08:35	08/16/24 13:11	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
Di-n-octyl phthalate (Surr)	98		62 - 134			08/16/24 08:35	08/16/24 13:11	1

Method: EPA 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	300		60	mg/Kg		08/16/24 09:57	08/16/24 20:52	20

Client Sample Results

Client: Ensolum
 Project/Site: Lateral 2C-55

Job ID: 885-10034-1

Client Sample ID: FP-2

Lab Sample ID: 885-10034-8

Date Collected: 08/15/24 09:35

Matrix: Solid

Date Received: 08/16/24 06:10

Method: SW846 8015M/D - Gasoline Range Organics (GRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics [C6 - C10]	ND		4.6	mg/Kg		08/16/24 08:34	08/19/24 15:02	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	102		35 - 166			08/16/24 08:34	08/19/24 15:02	1

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.023	mg/Kg		08/16/24 08:34	08/16/24 12:08	1
Ethylbenzene	ND		0.046	mg/Kg		08/16/24 08:34	08/16/24 12:08	1
Toluene	ND		0.046	mg/Kg		08/16/24 08:34	08/16/24 12:08	1
Xylenes, Total	ND		0.092	mg/Kg		08/16/24 08:34	08/16/24 12:08	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	89		48 - 145			08/16/24 08:34	08/16/24 12:08	1

Method: SW846 8015M/D - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		9.9	mg/Kg		08/16/24 08:35	08/16/24 15:06	1
Motor Oil Range Organics [C28-C40]	ND		49	mg/Kg		08/16/24 08:35	08/16/24 15:06	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
Di-n-octyl phthalate (Surr)	100		62 - 134			08/16/24 08:35	08/16/24 15:06	1

Method: EPA 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	280		60	mg/Kg		08/16/24 09:57	08/16/24 21:07	20

Client Sample Results

Client: Ensolum
 Project/Site: Lateral 2C-55

Job ID: 885-10034-1

Client Sample ID: FP-3

Lab Sample ID: 885-10034-9

Date Collected: 08/15/24 09:40

Matrix: Solid

Date Received: 08/16/24 06:10

Method: SW846 8015M/D - Gasoline Range Organics (GRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics [C6 - C10]	ND		5.0	mg/Kg		08/16/24 08:34	08/19/24 15:26	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	102		35 - 166			08/16/24 08:34	08/19/24 15:26	1

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.025	mg/Kg		08/16/24 08:34	08/16/24 12:31	1
Ethylbenzene	ND		0.050	mg/Kg		08/16/24 08:34	08/16/24 12:31	1
Toluene	ND		0.050	mg/Kg		08/16/24 08:34	08/16/24 12:31	1
Xylenes, Total	ND		0.10	mg/Kg		08/16/24 08:34	08/16/24 12:31	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	87		48 - 145			08/16/24 08:34	08/16/24 12:31	1

Method: SW846 8015M/D - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		9.5	mg/Kg		08/16/24 08:35	08/16/24 15:16	1
Motor Oil Range Organics [C28-C40]	ND		47	mg/Kg		08/16/24 08:35	08/16/24 15:16	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
Di-n-octyl phthalate (Surr)	103		62 - 134			08/16/24 08:35	08/16/24 15:16	1

Method: EPA 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	420		60	mg/Kg		08/16/24 11:18	08/16/24 14:16	20

Client Sample Results

Client: Ensolum
 Project/Site: Lateral 2C-55

Job ID: 885-10034-1

Client Sample ID: FP-4

Lab Sample ID: 885-10034-10

Date Collected: 08/15/24 09:45

Matrix: Solid

Date Received: 08/16/24 06:10

Method: SW846 8015M/D - Gasoline Range Organics (GRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics [C6 - C10]	ND		4.0	mg/Kg		08/16/24 08:34	08/19/24 15:49	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	100		35 - 166			08/16/24 08:34	08/19/24 15:49	1

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.020	mg/Kg		08/16/24 08:34	08/16/24 12:55	1
Ethylbenzene	ND		0.040	mg/Kg		08/16/24 08:34	08/16/24 12:55	1
Toluene	ND		0.040	mg/Kg		08/16/24 08:34	08/16/24 12:55	1
Xylenes, Total	ND		0.079	mg/Kg		08/16/24 08:34	08/16/24 12:55	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	88		48 - 145			08/16/24 08:34	08/16/24 12:55	1

Method: SW846 8015M/D - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		9.7	mg/Kg		08/16/24 08:35	08/16/24 15:27	1
Motor Oil Range Organics [C28-C40]	ND		48	mg/Kg		08/16/24 08:35	08/16/24 15:27	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
Di-n-octyl phthalate (Surr)	103		62 - 134			08/16/24 08:35	08/16/24 15:27	1

Method: EPA 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	410		59	mg/Kg		08/16/24 11:18	08/16/24 14:28	20

Client Sample Results

Client: Ensolum
 Project/Site: Lateral 2C-55

Job ID: 885-10034-1

Client Sample ID: FP-5

Lab Sample ID: 885-10034-11

Date Collected: 08/15/24 09:50

Matrix: Solid

Date Received: 08/16/24 06:10

Method: SW846 8015M/D - Gasoline Range Organics (GRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics [C6 - C10]	ND		4.5	mg/Kg		08/16/24 08:34	08/19/24 16:13	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	105		35 - 166			08/16/24 08:34	08/19/24 16:13	1

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.022	mg/Kg		08/16/24 08:34	08/16/24 13:19	1
Ethylbenzene	ND		0.045	mg/Kg		08/16/24 08:34	08/16/24 13:19	1
Toluene	ND		0.045	mg/Kg		08/16/24 08:34	08/16/24 13:19	1
Xylenes, Total	ND		0.089	mg/Kg		08/16/24 08:34	08/16/24 13:19	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	88		48 - 145			08/16/24 08:34	08/16/24 13:19	1

Method: SW846 8015M/D - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		9.3	mg/Kg		08/16/24 08:35	08/16/24 15:38	1
Motor Oil Range Organics [C28-C40]	ND		47	mg/Kg		08/16/24 08:35	08/16/24 15:38	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
Di-n-octyl phthalate (Surr)	105		62 - 134			08/16/24 08:35	08/16/24 15:38	1

Method: EPA 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	370		59	mg/Kg		08/16/24 11:18	08/16/24 14:40	20

Client Sample Results

Client: Ensolum
 Project/Site: Lateral 2C-55

Job ID: 885-10034-1

Client Sample ID: FP-6

Lab Sample ID: 885-10034-12

Date Collected: 08/15/24 09:55

Matrix: Solid

Date Received: 08/16/24 06:10

Method: SW846 8015M/D - Gasoline Range Organics (GRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics [C6 - C10]	ND		3.9	mg/Kg		08/16/24 08:34	08/19/24 16:37	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	104		35 - 166			08/16/24 08:34	08/19/24 16:37	1

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.019	mg/Kg		08/16/24 08:34	08/16/24 13:42	1
Ethylbenzene	ND		0.039	mg/Kg		08/16/24 08:34	08/16/24 13:42	1
Toluene	ND		0.039	mg/Kg		08/16/24 08:34	08/16/24 13:42	1
Xylenes, Total	ND		0.077	mg/Kg		08/16/24 08:34	08/16/24 13:42	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	91		48 - 145			08/16/24 08:34	08/16/24 13:42	1

Method: SW846 8015M/D - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		9.2	mg/Kg		08/16/24 08:35	08/16/24 15:49	1
Motor Oil Range Organics [C28-C40]	ND		46	mg/Kg		08/16/24 08:35	08/16/24 15:49	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
Di-n-octyl phthalate (Surr)	103		62 - 134			08/16/24 08:35	08/16/24 15:49	1

Method: EPA 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		60	mg/Kg		08/16/24 11:18	08/16/24 14:53	20

Client Sample Results

Client: Ensolum
 Project/Site: Lateral 2C-55

Job ID: 885-10034-1

Client Sample ID: FP-7

Lab Sample ID: 885-10034-13

Date Collected: 08/15/24 10:00

Matrix: Solid

Date Received: 08/16/24 06:10

Method: SW846 8015M/D - Gasoline Range Organics (GRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics [C6 - C10]	ND		4.4	mg/Kg		08/16/24 08:34	08/19/24 17:01	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	104		35 - 166			08/16/24 08:34	08/19/24 17:01	1

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.022	mg/Kg		08/16/24 08:34	08/16/24 14:06	1
Ethylbenzene	ND		0.044	mg/Kg		08/16/24 08:34	08/16/24 14:06	1
Toluene	ND		0.044	mg/Kg		08/16/24 08:34	08/16/24 14:06	1
Xylenes, Total	ND		0.088	mg/Kg		08/16/24 08:34	08/16/24 14:06	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	91		48 - 145			08/16/24 08:34	08/16/24 14:06	1

Method: SW846 8015M/D - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		9.2	mg/Kg		08/16/24 08:35	08/16/24 16:00	1
Motor Oil Range Organics [C28-C40]	ND		46	mg/Kg		08/16/24 08:35	08/16/24 16:00	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
Di-n-octyl phthalate (Surr)	106		62 - 134			08/16/24 08:35	08/16/24 16:00	1

Method: EPA 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	380		60	mg/Kg		08/16/24 11:18	08/16/24 15:05	20

Client Sample Results

Client: Ensolum
Project/Site: Lateral 2C-55

Job ID: 885-10034-1

Client Sample ID: FP-8

Lab Sample ID: 885-10034-14

Date Collected: 08/15/24 10:05

Matrix: Solid

Date Received: 08/16/24 06:10

Method: SW846 8015M/D - Gasoline Range Organics (GRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics [C6 - C10]	ND		3.7	mg/Kg		08/16/24 08:34	08/19/24 17:25	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	105		35 - 166			08/16/24 08:34	08/19/24 17:25	1

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.018	mg/Kg		08/16/24 08:34	08/16/24 14:30	1
Ethylbenzene	ND		0.037	mg/Kg		08/16/24 08:34	08/16/24 14:30	1
Toluene	ND		0.037	mg/Kg		08/16/24 08:34	08/16/24 14:30	1
Xylenes, Total	ND		0.073	mg/Kg		08/16/24 08:34	08/16/24 14:30	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	90		48 - 145			08/16/24 08:34	08/16/24 14:30	1

Method: SW846 8015M/D - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		9.3	mg/Kg		08/16/24 08:35	08/16/24 16:11	1
Motor Oil Range Organics [C28-C40]	ND		47	mg/Kg		08/16/24 08:35	08/16/24 16:11	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
Di-n-octyl phthalate (Surr)	108		62 - 134			08/16/24 08:35	08/16/24 16:11	1

Method: EPA 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		60	mg/Kg		08/16/24 11:18	08/16/24 15:17	20

Client Sample Results

Client: Ensolum
Project/Site: Lateral 2C-55

Job ID: 885-10034-1

Client Sample ID: FP-9

Lab Sample ID: 885-10034-15

Date Collected: 08/15/24 10:10

Matrix: Solid

Date Received: 08/16/24 06:10

Method: SW846 8015M/D - Gasoline Range Organics (GRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics [C6 - C10]	ND		3.9	mg/Kg		08/16/24 08:34	08/19/24 17:48	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	105		35 - 166			08/16/24 08:34	08/19/24 17:48	1

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.019	mg/Kg		08/16/24 08:34	08/19/24 17:48	1
Ethylbenzene	ND		0.039	mg/Kg		08/16/24 08:34	08/19/24 17:48	1
Toluene	ND		0.039	mg/Kg		08/16/24 08:34	08/19/24 17:48	1
Xylenes, Total	ND		0.078	mg/Kg		08/16/24 08:34	08/19/24 17:48	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	89		48 - 145			08/16/24 08:34	08/19/24 17:48	1
4-Bromofluorobenzene (Surr)	89		48 - 145			08/16/24 08:34	08/19/24 17:48	1

Method: SW846 8015M/D - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		9.2	mg/Kg		08/16/24 08:35	08/16/24 14:57	1
Motor Oil Range Organics [C28-C40]	ND		46	mg/Kg		08/16/24 08:35	08/16/24 14:57	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
Di-n-octyl phthalate (Surr)	114		62 - 134			08/16/24 08:35	08/16/24 14:57	1

Method: EPA 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		60	mg/Kg		08/16/24 11:18	08/16/24 15:30	20

Eurofins Albuquerque

Client Sample Results

Client: Ensolum
 Project/Site: Lateral 2C-55

Job ID: 885-10034-1

Client Sample ID: FP-10

Lab Sample ID: 885-10034-16

Date Collected: 08/15/24 10:15

Matrix: Solid

Date Received: 08/16/24 06:10

Method: SW846 8015M/D - Gasoline Range Organics (GRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics [C6 - C10]	ND		4.2	mg/Kg		08/16/24 08:34	08/19/24 18:12	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	103		35 - 166			08/16/24 08:34	08/19/24 18:12	1

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.021	mg/Kg		08/16/24 08:34	08/19/24 18:12	1
Ethylbenzene	ND		0.042	mg/Kg		08/16/24 08:34	08/19/24 18:12	1
Toluene	ND		0.042	mg/Kg		08/16/24 08:34	08/19/24 18:12	1
Xylenes, Total	ND		0.085	mg/Kg		08/16/24 08:34	08/19/24 18:12	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	90		48 - 145			08/16/24 08:34	08/19/24 18:12	1

Method: SW846 8015M/D - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		9.2	mg/Kg		08/16/24 08:35	08/16/24 15:20	1
Motor Oil Range Organics [C28-C40]	ND		46	mg/Kg		08/16/24 08:35	08/16/24 15:20	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
Di-n-octyl phthalate (Surr)	114		62 - 134			08/16/24 08:35	08/16/24 15:20	1

Method: EPA 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		60	mg/Kg		08/16/24 11:18	08/16/24 15:42	20

QC Sample Results

Client: Ensolum
Project/Site: Lateral 2C-55

Job ID: 885-10034-1

Method: 8015M/D - Gasoline Range Organics (GRO) (GC)

Lab Sample ID: MB 885-10386/1-A
Matrix: Solid
Analysis Batch: 10520

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 10386

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics [C6 - C10]	ND		5.0	mg/Kg		08/16/24 08:20	08/16/24 10:25	1
Surrogate	MB %Recovery	MB Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	116		35 - 166			08/16/24 08:20	08/16/24 10:25	1

Lab Sample ID: LCS 885-10386/2-A
Matrix: Solid
Analysis Batch: 10520

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 10386

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Gasoline Range Organics [C6 - C10]	25.0	25.4		mg/Kg		101	70 - 130
Surrogate	LCS %Recovery	LCS Qualifier	Limits				
4-Bromofluorobenzene (Surr)	234		35 - 166				

Lab Sample ID: MB 885-10387/1-A
Matrix: Solid
Analysis Batch: 10627

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 10387

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics [C6 - C10]	ND		5.0	mg/Kg		08/16/24 08:34	08/19/24 11:54	1
Surrogate	MB %Recovery	MB Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	92		35 - 166			08/16/24 08:34	08/19/24 11:54	1

Lab Sample ID: LCS 885-10387/2-A
Matrix: Solid
Analysis Batch: 10627

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 10387

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Gasoline Range Organics [C6 - C10]	25.0	24.0		mg/Kg		96	70 - 130
Surrogate	LCS %Recovery	LCS Qualifier	Limits				
4-Bromofluorobenzene (Surr)	197		35 - 166				

Lab Sample ID: 885-10034-5 MS
Matrix: Solid
Analysis Batch: 10627

Client Sample ID: S-5
Prep Type: Total/NA
Prep Batch: 10387

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Gasoline Range Organics [C6 - C10]	ND		19.3	19.2		mg/Kg		100	70 - 130
Surrogate	MS %Recovery	MS Qualifier	Limits						
4-Bromofluorobenzene (Surr)	198		35 - 166						

Eurofins Albuquerque

QC Sample Results

Client: Ensolum
Project/Site: Lateral 2C-55

Job ID: 885-10034-1

Method: 8015M/D - Gasoline Range Organics (GRO) (GC) (Continued)

Lab Sample ID: 885-10034-5 MSD
Matrix: Solid
Analysis Batch: 10627

Client Sample ID: S-5
Prep Type: Total/NA
Prep Batch: 10387

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Gasoline Range Organics [C6 - C10]	ND		19.3	19.0		mg/Kg		98	70 - 130	1	20
Surrogate	%Recovery	Qualifier	Limits								
4-Bromofluorobenzene (Surr)	203		35 - 166								

Method: 8021B - Volatile Organic Compounds (GC)

Lab Sample ID: MB 885-10386/1-A
Matrix: Solid
Analysis Batch: 10523

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 10386

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.025	mg/Kg		08/16/24 08:20	08/16/24 10:25	1
Ethylbenzene	ND		0.050	mg/Kg		08/16/24 08:20	08/16/24 10:25	1
Toluene	ND		0.050	mg/Kg		08/16/24 08:20	08/16/24 10:25	1
Xylenes, Total	ND		0.10	mg/Kg		08/16/24 08:20	08/16/24 10:25	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	106		48 - 145			08/16/24 08:20	08/16/24 10:25	1

Lab Sample ID: LCS 885-10386/3-A
Matrix: Solid
Analysis Batch: 10523

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 10386

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	1.00	1.02		mg/Kg		102	70 - 130
Ethylbenzene	1.00	1.03		mg/Kg		103	70 - 130
Toluene	1.00	1.02		mg/Kg		102	70 - 130
Xylenes, Total	3.00	3.07		mg/Kg		102	70 - 130
Surrogate	%Recovery	Qualifier	Limits				
4-Bromofluorobenzene (Surr)	108		48 - 145				

Lab Sample ID: MB 885-10387/1-A
Matrix: Solid
Analysis Batch: 10447

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 10387

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.025	mg/Kg		08/16/24 08:34	08/16/24 10:34	1
Ethylbenzene	ND		0.050	mg/Kg		08/16/24 08:34	08/16/24 10:34	1
Toluene	ND		0.050	mg/Kg		08/16/24 08:34	08/16/24 10:34	1
Xylenes, Total	ND		0.10	mg/Kg		08/16/24 08:34	08/16/24 10:34	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	87		48 - 145			08/16/24 08:34	08/16/24 10:34	1

Eurofins Albuquerque

QC Sample Results

Client: Ensolum
Project/Site: Lateral 2C-55

Job ID: 885-10034-1

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: MB 885-10387/1-A
Matrix: Solid
Analysis Batch: 10628

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 10387

Analyte	MB MB		RL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier						
Benzene	ND		0.025	mg/Kg		08/16/24 08:34	08/19/24 11:54	1
Ethylbenzene	ND		0.050	mg/Kg		08/16/24 08:34	08/19/24 11:54	1
Toluene	ND		0.050	mg/Kg		08/16/24 08:34	08/19/24 11:54	1
Xylenes, Total	ND		0.10	mg/Kg		08/16/24 08:34	08/19/24 11:54	1
<hr/>								
Surrogate	MB MB		Limits			Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier						
4-Bromofluorobenzene (Surr)	84		48 - 145			08/16/24 08:34	08/19/24 11:54	1

Lab Sample ID: LCS 885-10387/3-A
Matrix: Solid
Analysis Batch: 10447

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 10387

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Ethylbenzene	1.00	0.824		mg/Kg		82	70 - 130
Toluene	1.00	0.848		mg/Kg		85	70 - 130
Xylenes, Total	3.00	2.47		mg/Kg		82	70 - 130
<hr/>							
Surrogate	LCS LCS		Limits				
	%Recovery	Qualifier					
4-Bromofluorobenzene (Surr)	86		48 - 145				

Lab Sample ID: LCS 885-10387/3-A
Matrix: Solid
Analysis Batch: 10628

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 10387

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Ethylbenzene	1.00	0.863		mg/Kg		86	70 - 130
Toluene	1.00	0.884		mg/Kg		88	70 - 130
Xylenes, Total	3.00	2.57		mg/Kg		86	70 - 130
<hr/>							
Surrogate	LCS LCS		Limits				
	%Recovery	Qualifier					
4-Bromofluorobenzene (Surr)	87		48 - 145				

Lab Sample ID: 885-10034-6 MS
Matrix: Solid
Analysis Batch: 10628

Client Sample ID: S-6
Prep Type: Total/NA
Prep Batch: 10387

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Ethylbenzene	ND		0.787	0.694		mg/Kg		88	70 - 130
Toluene	ND		0.787	0.703		mg/Kg		88	70 - 130
Xylenes, Total	ND		2.36	2.05		mg/Kg		86	70 - 130
<hr/>									
Surrogate	MS MS		Limits						
	%Recovery	Qualifier							
4-Bromofluorobenzene (Surr)	90		48 - 145						

Eurofins Albuquerque

QC Sample Results

Client: Ensolum
Project/Site: Lateral 2C-55

Job ID: 885-10034-1

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: 885-10034-6 MSD
Matrix: Solid
Analysis Batch: 10628

Client Sample ID: S-6
Prep Type: Total/NA
Prep Batch: 10387

Analyte	Sample	Sample	Spike	MSD	MSD	Unit	D	%Rec	%Rec	RPD	Limit
	Result	Qualifier	Added	Result	Qualifier				Limits		
Benzene	ND		0.787	0.724		mg/Kg		92	70 - 130	2	20
Ethylbenzene	ND		0.787	0.679		mg/Kg		86	70 - 130	2	20
Toluene	ND		0.787	0.689		mg/Kg		86	70 - 130	2	20
Xylenes, Total	ND		2.36	2.05		mg/Kg		86	70 - 130	0	20
MSD MSD											
Surrogate	%Recovery	Qualifier	Limits								
4-Bromofluorobenzene (Surr)	90		48 - 145								

Method: 8015M/D - Diesel Range Organics (DRO) (GC)

Lab Sample ID: MB 885-10388/1-A
Matrix: Solid
Analysis Batch: 10409

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 10388

Analyte	MB	MB	RL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier						
Diesel Range Organics [C10-C28]	ND		10	mg/Kg		08/16/24 08:35	08/16/24 11:45	1
Motor Oil Range Organics [C28-C40]	ND		50	mg/Kg		08/16/24 08:35	08/16/24 11:45	1
MB MB								
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
Di-n-octyl phthalate (Surr)	102		62 - 134			08/16/24 08:35	08/16/24 11:45	1

Lab Sample ID: LCS 885-10388/2-A
Matrix: Solid
Analysis Batch: 10409

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 10388

Analyte	Spike Added	LCS	LCS	Unit	D	%Rec	%Rec
		Result	Qualifier				Limits
Diesel Range Organics [C10-C28]	50.0	45.0		mg/Kg		90	60 - 135
LCS LCS							
Surrogate	%Recovery	Qualifier	Limits				
Di-n-octyl phthalate (Surr)	96		62 - 134				

Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: MB 885-10384/4
Matrix: Solid
Analysis Batch: 10384

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB	MB	RL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier						
Chloride	ND		0.50	mg/Kg			08/16/24 13:54	1

Lab Sample ID: MRL 885-10384/3
Matrix: Solid
Analysis Batch: 10384

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	MRL	MRL	Unit	D	%Rec	%Rec
		Result	Qualifier				Limits
Chloride	0.500	0.509		mg/L		102	50 - 150

Eurofins Albuquerque

QC Sample Results

Client: Ensolum
Project/Site: Lateral 2C-55

Job ID: 885-10034-1

Method: 300.0 - Anions, Ion Chromatography (Continued)

Lab Sample ID: MB 885-10395/1-A
Matrix: Solid
Analysis Batch: 10452

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 10395

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		3.0	mg/Kg		08/16/24 09:57	08/16/24 11:35	1

Lab Sample ID: LCS 885-10395/2-A
Matrix: Solid
Analysis Batch: 10452

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 10395

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	30.0	28.3		mg/Kg		94	90 - 110

Lab Sample ID: MB 885-10412/1-A
Matrix: Solid
Analysis Batch: 10452

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 10412

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		3.0	mg/Kg		08/16/24 11:18	08/16/24 13:51	1

Lab Sample ID: LCS 885-10412/2-A
Matrix: Solid
Analysis Batch: 10452

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 10412

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	30.0	28.5		mg/Kg		95	90 - 110

Lab Sample ID: 885-10034-9 MS
Matrix: Solid
Analysis Batch: 10452

Client Sample ID: FP-3
Prep Type: Total/NA
Prep Batch: 10412

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	420		30.1	433	4	mg/Kg		54	50 - 150

Lab Sample ID: 885-10034-9 MSD
Matrix: Solid
Analysis Batch: 10452

Client Sample ID: FP-3
Prep Type: Total/NA
Prep Batch: 10412

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	420		30.1	435	4	mg/Kg		61	50 - 150	1	20

Lab Sample ID: MB 885-10451/20
Matrix: Solid
Analysis Batch: 10451

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		0.50	mg/Kg			08/16/24 18:10	1

Lab Sample ID: MRL 885-10451/19
Matrix: Solid
Analysis Batch: 10451

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	0.500	0.523		mg/L		105	50 - 150

Eurofins Albuquerque

QC Association Summary

Client: Ensolum
 Project/Site: Lateral 2C-55

Job ID: 885-10034-1

GC VOA

Prep Batch: 10386

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-10034-1	S-1	Total/NA	Solid	5035	
885-10034-2	S-2	Total/NA	Solid	5035	
885-10034-3	S-3	Total/NA	Solid	5035	
885-10034-4	S-4	Total/NA	Solid	5035	
MB 885-10386/1-A	Method Blank	Total/NA	Solid	5035	
LCS 885-10386/2-A	Lab Control Sample	Total/NA	Solid	5035	
LCS 885-10386/3-A	Lab Control Sample	Total/NA	Solid	5035	

Prep Batch: 10387

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-10034-5	S-5	Total/NA	Solid	5035	
885-10034-6	S-6	Total/NA	Solid	5035	
885-10034-7	FP-1	Total/NA	Solid	5035	
885-10034-8	FP-2	Total/NA	Solid	5035	
885-10034-9	FP-3	Total/NA	Solid	5035	
885-10034-10	FP-4	Total/NA	Solid	5035	
885-10034-11	FP-5	Total/NA	Solid	5035	
885-10034-12	FP-6	Total/NA	Solid	5035	
885-10034-13	FP-7	Total/NA	Solid	5035	
885-10034-14	FP-8	Total/NA	Solid	5035	
885-10034-15	FP-9	Total/NA	Solid	5035	
885-10034-16	FP-10	Total/NA	Solid	5035	
MB 885-10387/1-A	Method Blank	Total/NA	Solid	5035	
LCS 885-10387/2-A	Lab Control Sample	Total/NA	Solid	5035	
LCS 885-10387/3-A	Lab Control Sample	Total/NA	Solid	5035	
885-10034-5 MS	S-5	Total/NA	Solid	5035	
885-10034-5 MSD	S-5	Total/NA	Solid	5035	
885-10034-6 MS	S-6	Total/NA	Solid	5035	
885-10034-6 MSD	S-6	Total/NA	Solid	5035	

Analysis Batch: 10447

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-10034-5	S-5	Total/NA	Solid	8021B	10387
885-10034-6	S-6	Total/NA	Solid	8021B	10387
885-10034-7	FP-1	Total/NA	Solid	8021B	10387
885-10034-8	FP-2	Total/NA	Solid	8021B	10387
885-10034-9	FP-3	Total/NA	Solid	8021B	10387
885-10034-10	FP-4	Total/NA	Solid	8021B	10387
885-10034-11	FP-5	Total/NA	Solid	8021B	10387
885-10034-12	FP-6	Total/NA	Solid	8021B	10387
885-10034-13	FP-7	Total/NA	Solid	8021B	10387
885-10034-14	FP-8	Total/NA	Solid	8021B	10387
MB 885-10387/1-A	Method Blank	Total/NA	Solid	8021B	10387
LCS 885-10387/3-A	Lab Control Sample	Total/NA	Solid	8021B	10387

Analysis Batch: 10520

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-10034-1	S-1	Total/NA	Solid	8015M/D	10386
885-10034-2	S-2	Total/NA	Solid	8015M/D	10386
885-10034-3	S-3	Total/NA	Solid	8015M/D	10386
885-10034-4	S-4	Total/NA	Solid	8015M/D	10386

Eurofins Albuquerque

QC Association Summary

Client: Ensolum
 Project/Site: Lateral 2C-55

Job ID: 885-10034-1

GC VOA (Continued)

Analysis Batch: 10520 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MB 885-10386/1-A	Method Blank	Total/NA	Solid	8015M/D	10386
LCS 885-10386/2-A	Lab Control Sample	Total/NA	Solid	8015M/D	10386

Analysis Batch: 10523

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-10034-1	S-1	Total/NA	Solid	8021B	10386
885-10034-2	S-2	Total/NA	Solid	8021B	10386
885-10034-3	S-3	Total/NA	Solid	8021B	10386
885-10034-4	S-4	Total/NA	Solid	8021B	10386
MB 885-10386/1-A	Method Blank	Total/NA	Solid	8021B	10386
LCS 885-10386/3-A	Lab Control Sample	Total/NA	Solid	8021B	10386

Analysis Batch: 10627

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-10034-5	S-5	Total/NA	Solid	8015M/D	10387
885-10034-6	S-6	Total/NA	Solid	8015M/D	10387
885-10034-7	FP-1	Total/NA	Solid	8015M/D	10387
885-10034-8	FP-2	Total/NA	Solid	8015M/D	10387
885-10034-9	FP-3	Total/NA	Solid	8015M/D	10387
885-10034-10	FP-4	Total/NA	Solid	8015M/D	10387
885-10034-11	FP-5	Total/NA	Solid	8015M/D	10387
885-10034-12	FP-6	Total/NA	Solid	8015M/D	10387
885-10034-13	FP-7	Total/NA	Solid	8015M/D	10387
885-10034-14	FP-8	Total/NA	Solid	8015M/D	10387
885-10034-15	FP-9	Total/NA	Solid	8015M/D	10387
885-10034-16	FP-10	Total/NA	Solid	8015M/D	10387
MB 885-10387/1-A	Method Blank	Total/NA	Solid	8015M/D	10387
LCS 885-10387/2-A	Lab Control Sample	Total/NA	Solid	8015M/D	10387
885-10034-5 MS	S-5	Total/NA	Solid	8015M/D	10387
885-10034-5 MSD	S-5	Total/NA	Solid	8015M/D	10387

Analysis Batch: 10628

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-10034-15	FP-9	Total/NA	Solid	8021B	10387
885-10034-16	FP-10	Total/NA	Solid	8021B	10387
MB 885-10387/1-A	Method Blank	Total/NA	Solid	8021B	10387
LCS 885-10387/3-A	Lab Control Sample	Total/NA	Solid	8021B	10387
885-10034-6 MS	S-6	Total/NA	Solid	8021B	10387
885-10034-6 MSD	S-6	Total/NA	Solid	8021B	10387

GC Semi VOA

Prep Batch: 10388

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-10034-1	S-1	Total/NA	Solid	SHAKE	
885-10034-2	S-2	Total/NA	Solid	SHAKE	
885-10034-3	S-3	Total/NA	Solid	SHAKE	
885-10034-4	S-4	Total/NA	Solid	SHAKE	
885-10034-5	S-5	Total/NA	Solid	SHAKE	
885-10034-6	S-6	Total/NA	Solid	SHAKE	
885-10034-7	FP-1	Total/NA	Solid	SHAKE	

Eurofins Albuquerque

QC Association Summary

Client: Ensolium
 Project/Site: Lateral 2C-55

Job ID: 885-10034-1

GC Semi VOA (Continued)

Prep Batch: 10388 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-10034-8	FP-2	Total/NA	Solid	SHAKE	
885-10034-9	FP-3	Total/NA	Solid	SHAKE	
885-10034-10	FP-4	Total/NA	Solid	SHAKE	
885-10034-11	FP-5	Total/NA	Solid	SHAKE	
885-10034-12	FP-6	Total/NA	Solid	SHAKE	
885-10034-13	FP-7	Total/NA	Solid	SHAKE	
885-10034-14	FP-8	Total/NA	Solid	SHAKE	
885-10034-15	FP-9	Total/NA	Solid	SHAKE	
885-10034-16	FP-10	Total/NA	Solid	SHAKE	
MB 885-10388/1-A	Method Blank	Total/NA	Solid	SHAKE	
LCS 885-10388/2-A	Lab Control Sample	Total/NA	Solid	SHAKE	

Analysis Batch: 10405

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-10034-15	FP-9	Total/NA	Solid	8015M/D	10388
885-10034-16	FP-10	Total/NA	Solid	8015M/D	10388

Analysis Batch: 10409

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-10034-1	S-1	Total/NA	Solid	8015M/D	10388
885-10034-2	S-2	Total/NA	Solid	8015M/D	10388
885-10034-3	S-3	Total/NA	Solid	8015M/D	10388
885-10034-4	S-4	Total/NA	Solid	8015M/D	10388
885-10034-5	S-5	Total/NA	Solid	8015M/D	10388
885-10034-6	S-6	Total/NA	Solid	8015M/D	10388
885-10034-7	FP-1	Total/NA	Solid	8015M/D	10388
885-10034-8	FP-2	Total/NA	Solid	8015M/D	10388
885-10034-9	FP-3	Total/NA	Solid	8015M/D	10388
885-10034-10	FP-4	Total/NA	Solid	8015M/D	10388
885-10034-11	FP-5	Total/NA	Solid	8015M/D	10388
885-10034-12	FP-6	Total/NA	Solid	8015M/D	10388
885-10034-13	FP-7	Total/NA	Solid	8015M/D	10388
885-10034-14	FP-8	Total/NA	Solid	8015M/D	10388
MB 885-10388/1-A	Method Blank	Total/NA	Solid	8015M/D	10388
LCS 885-10388/2-A	Lab Control Sample	Total/NA	Solid	8015M/D	10388

HPLC/IC

Analysis Batch: 10384

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-10034-3	S-3	Total/NA	Solid	300.0	10395
885-10034-4	S-4	Total/NA	Solid	300.0	10395
885-10034-5	S-5	Total/NA	Solid	300.0	10395
885-10034-6	S-6	Total/NA	Solid	300.0	10395
885-10034-7	FP-1	Total/NA	Solid	300.0	10395
885-10034-8	FP-2	Total/NA	Solid	300.0	10395
MB 885-10384/4	Method Blank	Total/NA	Solid	300.0	
MRL 885-10384/3	Lab Control Sample	Total/NA	Solid	300.0	

Eurofins Albuquerque

QC Association Summary

Client: Ensolum
 Project/Site: Lateral 2C-55

Job ID: 885-10034-1

HPLC/IC

Prep Batch: 10395

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-10034-1	S-1	Total/NA	Solid	300_Prep	
885-10034-2	S-2	Total/NA	Solid	300_Prep	
885-10034-3	S-3	Total/NA	Solid	300_Prep	
885-10034-4	S-4	Total/NA	Solid	300_Prep	
885-10034-5	S-5	Total/NA	Solid	300_Prep	
885-10034-6	S-6	Total/NA	Solid	300_Prep	
885-10034-7	FP-1	Total/NA	Solid	300_Prep	
885-10034-8	FP-2	Total/NA	Solid	300_Prep	
MB 885-10395/1-A	Method Blank	Total/NA	Solid	300_Prep	
LCS 885-10395/2-A	Lab Control Sample	Total/NA	Solid	300_Prep	

Prep Batch: 10412

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-10034-9	FP-3	Total/NA	Solid	300_Prep	
885-10034-10	FP-4	Total/NA	Solid	300_Prep	
885-10034-11	FP-5	Total/NA	Solid	300_Prep	
885-10034-12	FP-6	Total/NA	Solid	300_Prep	
885-10034-13	FP-7	Total/NA	Solid	300_Prep	
885-10034-14	FP-8	Total/NA	Solid	300_Prep	
885-10034-15	FP-9	Total/NA	Solid	300_Prep	
885-10034-16	FP-10	Total/NA	Solid	300_Prep	
MB 885-10412/1-A	Method Blank	Total/NA	Solid	300_Prep	
LCS 885-10412/2-A	Lab Control Sample	Total/NA	Solid	300_Prep	
885-10034-9 MS	FP-3	Total/NA	Solid	300_Prep	
885-10034-9 MSD	FP-3	Total/NA	Solid	300_Prep	

Analysis Batch: 10451

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-10034-1	S-1	Total/NA	Solid	300.0	10395
885-10034-2	S-2	Total/NA	Solid	300.0	10395
MB 885-10451/20	Method Blank	Total/NA	Solid	300.0	
MRL 885-10451/19	Lab Control Sample	Total/NA	Solid	300.0	

Analysis Batch: 10452

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-10034-9	FP-3	Total/NA	Solid	300.0	10412
885-10034-10	FP-4	Total/NA	Solid	300.0	10412
885-10034-11	FP-5	Total/NA	Solid	300.0	10412
885-10034-12	FP-6	Total/NA	Solid	300.0	10412
885-10034-13	FP-7	Total/NA	Solid	300.0	10412
885-10034-14	FP-8	Total/NA	Solid	300.0	10412
885-10034-15	FP-9	Total/NA	Solid	300.0	10412
885-10034-16	FP-10	Total/NA	Solid	300.0	10412
MB 885-10395/1-A	Method Blank	Total/NA	Solid	300.0	10395
MB 885-10412/1-A	Method Blank	Total/NA	Solid	300.0	10412
LCS 885-10395/2-A	Lab Control Sample	Total/NA	Solid	300.0	10395
LCS 885-10412/2-A	Lab Control Sample	Total/NA	Solid	300.0	10412
885-10034-9 MS	FP-3	Total/NA	Solid	300.0	10412
885-10034-9 MSD	FP-3	Total/NA	Solid	300.0	10412

Eurofins Albuquerque

Lab Chronicle

Client: Ensolum
 Project/Site: Lateral 2C-55

Job ID: 885-10034-1

Client Sample ID: S-1

Lab Sample ID: 885-10034-1

Date Collected: 08/15/24 09:00

Matrix: Solid

Date Received: 08/16/24 06:10

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5035			10386	JR	EET ALB	08/16/24 08:20
Total/NA	Analysis	8015M/D		1	10520	AT	EET ALB	08/16/24 14:03
Total/NA	Prep	5035			10386	JR	EET ALB	08/16/24 08:20
Total/NA	Analysis	8021B		1	10523	AT	EET ALB	08/16/24 14:03
Total/NA	Prep	SHAKE			10388	EM	EET ALB	08/16/24 08:35
Total/NA	Analysis	8015M/D		1	10409	DH	EET ALB	08/16/24 12:07
Total/NA	Prep	300_Prep			10395	EH	EET ALB	08/16/24 09:57
Total/NA	Analysis	300.0		20	10451	RC	EET ALB	08/16/24 14:31

Client Sample ID: S-2

Lab Sample ID: 885-10034-2

Date Collected: 08/15/24 09:05

Matrix: Solid

Date Received: 08/16/24 06:10

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5035			10386	JR	EET ALB	08/16/24 08:20
Total/NA	Analysis	8015M/D		1	10520	AT	EET ALB	08/16/24 14:47
Total/NA	Prep	5035			10386	JR	EET ALB	08/16/24 08:20
Total/NA	Analysis	8021B		1	10523	AT	EET ALB	08/16/24 14:47
Total/NA	Prep	SHAKE			10388	EM	EET ALB	08/16/24 08:35
Total/NA	Analysis	8015M/D		1	10409	DH	EET ALB	08/16/24 12:18
Total/NA	Prep	300_Prep			10395	EH	EET ALB	08/16/24 09:57
Total/NA	Analysis	300.0		20	10451	RC	EET ALB	08/16/24 14:44

Client Sample ID: S-3

Lab Sample ID: 885-10034-3

Date Collected: 08/15/24 09:10

Matrix: Solid

Date Received: 08/16/24 06:10

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5035			10386	JR	EET ALB	08/16/24 08:20
Total/NA	Analysis	8015M/D		1	10520	AT	EET ALB	08/16/24 15:09
Total/NA	Prep	5035			10386	JR	EET ALB	08/16/24 08:20
Total/NA	Analysis	8021B		1	10523	AT	EET ALB	08/16/24 15:09
Total/NA	Prep	SHAKE			10388	EM	EET ALB	08/16/24 08:35
Total/NA	Analysis	8015M/D		1	10409	DH	EET ALB	08/16/24 12:28
Total/NA	Prep	300_Prep			10395	EH	EET ALB	08/16/24 09:57
Total/NA	Analysis	300.0		20	10384	RC	EET ALB	08/16/24 19:21

Client Sample ID: S-4

Lab Sample ID: 885-10034-4

Date Collected: 08/15/24 09:15

Matrix: Solid

Date Received: 08/16/24 06:10

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5035			10386	JR	EET ALB	08/16/24 08:20
Total/NA	Analysis	8015M/D		1	10520	AT	EET ALB	08/16/24 15:31

Eurofins Albuquerque

Lab Chronicle

Client: Ensolum
Project/Site: Lateral 2C-55

Job ID: 885-10034-1

Client Sample ID: S-4

Lab Sample ID: 885-10034-4

Date Collected: 08/15/24 09:15

Matrix: Solid

Date Received: 08/16/24 06:10

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5035			10386	JR	EET ALB	08/16/24 08:20
Total/NA	Analysis	8021B		1	10523	AT	EET ALB	08/16/24 15:31
Total/NA	Prep	SHAKE			10388	EM	EET ALB	08/16/24 08:35
Total/NA	Analysis	8015M/D		1	10409	DH	EET ALB	08/16/24 12:39
Total/NA	Prep	300_Prep			10395	EH	EET ALB	08/16/24 09:57
Total/NA	Analysis	300.0		20	10384	RC	EET ALB	08/16/24 19:36

Client Sample ID: S-5

Lab Sample ID: 885-10034-5

Date Collected: 08/15/24 09:20

Matrix: Solid

Date Received: 08/16/24 06:10

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5035			10387	JR	EET ALB	08/16/24 08:34
Total/NA	Analysis	8015M/D		1	10627	RA	EET ALB	08/19/24 12:17
Total/NA	Prep	5035			10387	JR	EET ALB	08/16/24 08:34
Total/NA	Analysis	8021B		1	10447	JR	EET ALB	08/16/24 10:57
Total/NA	Prep	SHAKE			10388	EM	EET ALB	08/16/24 08:35
Total/NA	Analysis	8015M/D		1	10409	DH	EET ALB	08/16/24 12:50
Total/NA	Prep	300_Prep			10395	EH	EET ALB	08/16/24 09:57
Total/NA	Analysis	300.0		20	10384	RC	EET ALB	08/16/24 20:21

Client Sample ID: S-6

Lab Sample ID: 885-10034-6

Date Collected: 08/15/24 09:25

Matrix: Solid

Date Received: 08/16/24 06:10

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5035			10387	JR	EET ALB	08/16/24 08:34
Total/NA	Analysis	8015M/D		1	10627	RA	EET ALB	08/19/24 13:27
Total/NA	Prep	5035			10387	JR	EET ALB	08/16/24 08:34
Total/NA	Analysis	8021B		1	10447	JR	EET ALB	08/16/24 11:20
Total/NA	Prep	SHAKE			10388	EM	EET ALB	08/16/24 08:35
Total/NA	Analysis	8015M/D		1	10409	DH	EET ALB	08/16/24 13:01
Total/NA	Prep	300_Prep			10395	EH	EET ALB	08/16/24 09:57
Total/NA	Analysis	300.0		20	10384	RC	EET ALB	08/16/24 20:36

Client Sample ID: FP-1

Lab Sample ID: 885-10034-7

Date Collected: 08/15/24 09:30

Matrix: Solid

Date Received: 08/16/24 06:10

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5035			10387	JR	EET ALB	08/16/24 08:34
Total/NA	Analysis	8015M/D		1	10627	RA	EET ALB	08/19/24 14:38
Total/NA	Prep	5035			10387	JR	EET ALB	08/16/24 08:34
Total/NA	Analysis	8021B		1	10447	JR	EET ALB	08/16/24 11:44

Eurofins Albuquerque

Lab Chronicle

Client: Ensolum
Project/Site: Lateral 2C-55

Job ID: 885-10034-1

Client Sample ID: FP-1

Lab Sample ID: 885-10034-7

Date Collected: 08/15/24 09:30

Matrix: Solid

Date Received: 08/16/24 06:10

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	SHAKE			10388	EM	EET ALB	08/16/24 08:35
Total/NA	Analysis	8015M/D		1	10409	DH	EET ALB	08/16/24 13:11
Total/NA	Prep	300_Prep			10395	EH	EET ALB	08/16/24 09:57
Total/NA	Analysis	300.0		20	10384	RC	EET ALB	08/16/24 20:52

Client Sample ID: FP-2

Lab Sample ID: 885-10034-8

Date Collected: 08/15/24 09:35

Matrix: Solid

Date Received: 08/16/24 06:10

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5035			10387	JR	EET ALB	08/16/24 08:34
Total/NA	Analysis	8015M/D		1	10627	RA	EET ALB	08/19/24 15:02
Total/NA	Prep	5035			10387	JR	EET ALB	08/16/24 08:34
Total/NA	Analysis	8021B		1	10447	JR	EET ALB	08/16/24 12:08
Total/NA	Prep	SHAKE			10388	EM	EET ALB	08/16/24 08:35
Total/NA	Analysis	8015M/D		1	10409	DH	EET ALB	08/16/24 15:06
Total/NA	Prep	300_Prep			10395	EH	EET ALB	08/16/24 09:57
Total/NA	Analysis	300.0		20	10384	RC	EET ALB	08/16/24 21:07

Client Sample ID: FP-3

Lab Sample ID: 885-10034-9

Date Collected: 08/15/24 09:40

Matrix: Solid

Date Received: 08/16/24 06:10

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5035			10387	JR	EET ALB	08/16/24 08:34
Total/NA	Analysis	8015M/D		1	10627	RA	EET ALB	08/19/24 15:26
Total/NA	Prep	5035			10387	JR	EET ALB	08/16/24 08:34
Total/NA	Analysis	8021B		1	10447	JR	EET ALB	08/16/24 12:31
Total/NA	Prep	SHAKE			10388	EM	EET ALB	08/16/24 08:35
Total/NA	Analysis	8015M/D		1	10409	DH	EET ALB	08/16/24 15:16
Total/NA	Prep	300_Prep			10412	EH	EET ALB	08/16/24 11:18
Total/NA	Analysis	300.0		20	10452	RC	EET ALB	08/16/24 14:16

Client Sample ID: FP-4

Lab Sample ID: 885-10034-10

Date Collected: 08/15/24 09:45

Matrix: Solid

Date Received: 08/16/24 06:10

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5035			10387	JR	EET ALB	08/16/24 08:34
Total/NA	Analysis	8015M/D		1	10627	RA	EET ALB	08/19/24 15:49
Total/NA	Prep	5035			10387	JR	EET ALB	08/16/24 08:34
Total/NA	Analysis	8021B		1	10447	JR	EET ALB	08/16/24 12:55
Total/NA	Prep	SHAKE			10388	EM	EET ALB	08/16/24 08:35
Total/NA	Analysis	8015M/D		1	10409	DH	EET ALB	08/16/24 15:27

Eurofins Albuquerque

Lab Chronicle

Client: Ensolum
Project/Site: Lateral 2C-55

Job ID: 885-10034-1

Client Sample ID: FP-4

Lab Sample ID: 885-10034-10

Date Collected: 08/15/24 09:45

Matrix: Solid

Date Received: 08/16/24 06:10

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	300_Prep			10412	EH	EET ALB	08/16/24 11:18
Total/NA	Analysis	300.0		20	10452	RC	EET ALB	08/16/24 14:28

Client Sample ID: FP-5

Lab Sample ID: 885-10034-11

Date Collected: 08/15/24 09:50

Matrix: Solid

Date Received: 08/16/24 06:10

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5035			10387	JR	EET ALB	08/16/24 08:34
Total/NA	Analysis	8015M/D		1	10627	RA	EET ALB	08/19/24 16:13
Total/NA	Prep	5035			10387	JR	EET ALB	08/16/24 08:34
Total/NA	Analysis	8021B		1	10447	JR	EET ALB	08/16/24 13:19
Total/NA	Prep	SHAKE			10388	EM	EET ALB	08/16/24 08:35
Total/NA	Analysis	8015M/D		1	10409	DH	EET ALB	08/16/24 15:38
Total/NA	Prep	300_Prep			10412	EH	EET ALB	08/16/24 11:18
Total/NA	Analysis	300.0		20	10452	RC	EET ALB	08/16/24 14:40

Client Sample ID: FP-6

Lab Sample ID: 885-10034-12

Date Collected: 08/15/24 09:55

Matrix: Solid

Date Received: 08/16/24 06:10

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5035			10387	JR	EET ALB	08/16/24 08:34
Total/NA	Analysis	8015M/D		1	10627	RA	EET ALB	08/19/24 16:37
Total/NA	Prep	5035			10387	JR	EET ALB	08/16/24 08:34
Total/NA	Analysis	8021B		1	10447	JR	EET ALB	08/16/24 13:42
Total/NA	Prep	SHAKE			10388	EM	EET ALB	08/16/24 08:35
Total/NA	Analysis	8015M/D		1	10409	DH	EET ALB	08/16/24 15:49
Total/NA	Prep	300_Prep			10412	EH	EET ALB	08/16/24 11:18
Total/NA	Analysis	300.0		20	10452	RC	EET ALB	08/16/24 14:53

Client Sample ID: FP-7

Lab Sample ID: 885-10034-13

Date Collected: 08/15/24 10:00

Matrix: Solid

Date Received: 08/16/24 06:10

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5035			10387	JR	EET ALB	08/16/24 08:34
Total/NA	Analysis	8015M/D		1	10627	RA	EET ALB	08/19/24 17:01
Total/NA	Prep	5035			10387	JR	EET ALB	08/16/24 08:34
Total/NA	Analysis	8021B		1	10447	JR	EET ALB	08/16/24 14:06
Total/NA	Prep	SHAKE			10388	EM	EET ALB	08/16/24 08:35
Total/NA	Analysis	8015M/D		1	10409	DH	EET ALB	08/16/24 16:00
Total/NA	Prep	300_Prep			10412	EH	EET ALB	08/16/24 11:18
Total/NA	Analysis	300.0		20	10452	RC	EET ALB	08/16/24 15:05

Eurofins Albuquerque

Lab Chronicle

Client: Ensolum
Project/Site: Lateral 2C-55

Job ID: 885-10034-1

Client Sample ID: FP-8

Lab Sample ID: 885-10034-14

Date Collected: 08/15/24 10:05

Matrix: Solid

Date Received: 08/16/24 06:10

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5035			10387	JR	EET ALB	08/16/24 08:34
Total/NA	Analysis	8015M/D		1	10627	RA	EET ALB	08/19/24 17:25
Total/NA	Prep	5035			10387	JR	EET ALB	08/16/24 08:34
Total/NA	Analysis	8021B		1	10447	JR	EET ALB	08/16/24 14:30
Total/NA	Prep	SHAKE			10388	EM	EET ALB	08/16/24 08:35
Total/NA	Analysis	8015M/D		1	10409	DH	EET ALB	08/16/24 16:11
Total/NA	Prep	300_Prep			10412	EH	EET ALB	08/16/24 11:18
Total/NA	Analysis	300.0		20	10452	RC	EET ALB	08/16/24 15:17

Client Sample ID: FP-9

Lab Sample ID: 885-10034-15

Date Collected: 08/15/24 10:10

Matrix: Solid

Date Received: 08/16/24 06:10

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5035			10387	JR	EET ALB	08/16/24 08:34
Total/NA	Analysis	8015M/D		1	10627	RA	EET ALB	08/19/24 17:48
Total/NA	Prep	5035			10387	JR	EET ALB	08/16/24 08:34
Total/NA	Analysis	8021B		1	10628	RA	EET ALB	08/19/24 17:48
Total/NA	Prep	SHAKE			10388	EM	EET ALB	08/16/24 08:35
Total/NA	Analysis	8015M/D		1	10405	DH	EET ALB	08/16/24 14:57
Total/NA	Prep	300_Prep			10412	EH	EET ALB	08/16/24 11:18
Total/NA	Analysis	300.0		20	10452	RC	EET ALB	08/16/24 15:30

Client Sample ID: FP-10

Lab Sample ID: 885-10034-16

Date Collected: 08/15/24 10:15

Matrix: Solid

Date Received: 08/16/24 06:10

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5035			10387	JR	EET ALB	08/16/24 08:34
Total/NA	Analysis	8015M/D		1	10627	RA	EET ALB	08/19/24 18:12
Total/NA	Prep	5035			10387	JR	EET ALB	08/16/24 08:34
Total/NA	Analysis	8021B		1	10628	RA	EET ALB	08/19/24 18:12
Total/NA	Prep	SHAKE			10388	EM	EET ALB	08/16/24 08:35
Total/NA	Analysis	8015M/D		1	10405	DH	EET ALB	08/16/24 15:20
Total/NA	Prep	300_Prep			10412	EH	EET ALB	08/16/24 11:18
Total/NA	Analysis	300.0		20	10452	RC	EET ALB	08/16/24 15:42

Laboratory References:

EET ALB = Eurofins Albuquerque, 4901 Hawkins NE, Albuquerque, NM 87109, TEL (505)345-3975

Accreditation/Certification Summary

Client: Ensolum
Project/Site: Lateral 2C-55

Job ID: 885-10034-1

Laboratory: Eurofins Albuquerque

The accreditations/certifications listed below are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Oregon	NELAP	NM100001	02-26-25

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11

Chain-of-Custody Record

Client: Ensolum, LLC

Mailing Address: 606 S Rio Grande
Suit A 87410

Phone #:

email or Fax#:

QA/QC Package:
 Standard Level 4 (Full Validation)

Accreditation: Az Compliance
 NELAC Other
 EDD (Type)

Turn-Around Time: 100^{hrs}
 Standard Rush 8-17-24


Project Name: Lateral 2C-55

Project #:

Project Manager: K Summers

Sampler: D Aponti
On Ice: Yes No chucky
of Coolers: 2

Cooler Temp (including CF): 6.0-0.4=5.6 (°C)
2.3-0.4=1.9 °C
Container Type and # Preservative Type HEAL No.



HALL ENVIRONMENTAL ANALYSIS LABORATORY

www.hallenvironmental.com

4901 Hawkins NE - Albuquerque, NM 87109 885-10034 COC

Tel. 505-345-3975 Fax 505-345-4107



Analysis Request

Date	Time	Matrix	Sample Name	Container Type and #	Preservative Type	HEAL No.	BTEX / TMBE / TMB's (8021)	TPH:8015D(GRO / DRO / MRO)	8081 Pesticides/8082 PCB's	EDB (Method 504.1)	PAHs by 8310 or 8270SIMS	RCRA 8 Metals	8260 (VOA)	8270 (Semi-VOA)	Total Coliform (Present/Absent)
8/16/24	900	S	S-1	1	Cool	1	✓	✓				✓			
8/16/24	905	S	S-2		Cool	2	✓	✓				✓			
8/16/24	910	S	S-3		Cool	3	✓	✓				✓			
8/16/24	915	S	S-4		Cool	4	✓	✓				✓			
8/16/24	920	S	S-5		Cool	5	✓	✓				✓			
8/16/24	925	S	S-6		Cool	6	✓	✓				✓			
8/16/24	930	S	FP-1		Cool	7	✓	✓				✓			
8/16/24	935	S	FP-2		Cool	8	✓	✓				✓			
8/16/24	940	S	FP-3		Cool	9	✓	✓				✓			
8/16/24	945	S	FP-4		Cool	10	✓	✓				✓			
8/16/24	950	S	FP-5		Cool	11	✓	✓				✓			
8/16/24	955	S	FP-6		Cool	12	✓	✓				✓			

Date: ~~8/16/24~~ Time: ~~1424~~ Relinquished by: ~~[Signature]~~

Received by: ~~[Signature]~~ Via: ~~[Signature]~~ Date: ~~8/15/24~~ Time: ~~1424~~

Remarks: Tom Long 162

Date: ~~8/16/24~~ Time: ~~1424~~ Relinquished by: ~~[Signature]~~

Received by: ~~[Signature]~~ Via: CAJMER Date: 8/16/24 Time: 6:10

Remarks: PK - Am 14058 Same Day

If necessary, samples submitted to Hall Environmental may be subcontracted to other accredited laboratories This serves as notice of this possibility Any sub-contracted data will be clearly notated on the analytical report.

Chain-of-Custody Record

Turn-Around Time: 100%

Standard Rush 8-17-24

Project Name: Lateral 20-55

Project #:

Client: E. P. Schum

Mailing Address:


Phone #:

email or Fax#:

QA/QC Package:
 Standard Level 4 (Full Validation)

Accreditation: Az Compliance
 NELAC Other _____

EDD (Type)



HALL ENVIRONMENTAL ANALYSIS LABORATORY

www.hallenvironmental.com

4901 Hawkins NE - Albuquerque, NM 87109

Tel. 505-345-3975 Fax 505-345-4107

Analysis Request

Project Manager: KS

Sampler: CD

On Ice: Yes No chucky

of Coolers: 2

Cooler Temp (Including CF): 6.0 - 0.4 = 5.6 (°C)

2.3 - 0.4 = 1.9

HEAL No.

Date	Time	Matrix	Sample Name	Container Type and #	Preservative Type	HEAL No.	BTEX / MTBE / TMBs (8021)	TPH:8015D(GRO / DRO / MRO)	8081 Pesticides/8082 PCB's	EDB (Method 504.1)	PAHs by 8310 or 8270SIMS	RCRA 8 Metals	Cd, Cr, Pb, Ni, NO ₃ , NO ₂ , Fe ₄ , SO ₄	8260 (VOA)	8270 (Semi-VOA)	Total Coliform (Present/Absent)
8/16	1000	S	FP-7	100 ser	Cool	13 13	✓	✓					✓			
8/16	1005	S	FP-8	1	Cool	13 14	✓	✓					✓			
8/16	1010	S	FP-9	1	Cool	14 15	✓	✓					✓			
8/16	1015	S	FP-10	1	Cool	15 16	✓	✓					✓			

Page 38 of 39

Date: 8/16/24 Time: 1424 Relinquished by: [Signature]

Received by: [Signature] Via: Hand Date: 8/16/24 Time: 1424

Remarks: T Long Job 2

Date: 8/16/24 Time: 1424 Relinquished by: [Signature]

Received by: [Signature] Via: Carrier Date: 8/16/24 Time: 16:10

Remarks: AM14058 Same Day

If necessary, samples submitted to Hall Environmental may be subcontracted to other accredited laboratories. This serves as notice of this possibility. Any sub-contracted data will be clearly notated on the analytical report.

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS

Action 404570

QUESTIONS

Operator: Enterprise Field Services, LLC PO Box 4324 Houston, TX 77210	OGRID: 241602
	Action Number: 404570
	Action Type: [C-141] Reclamation Report C-141 (C-141-v-Reclamation)

QUESTIONS

Prerequisites	
Incident ID (n#)	nAPP2422462227
Incident Name	NAPP2422462227 LATERAL 2C-55 @ 0
Incident Type	Natural Gas Release
Incident Status	Reclamation Report Received

Location of Release Source	
<i>Please answer all the questions in this group.</i>	
Site Name	LATERAL 2C-55
Date Release Discovered	08/11/2024
Surface Owner	Federal

Incident Details	
<i>Please answer all the questions in this group.</i>	
Incident Type	Natural Gas Release
Did this release result in a fire or is the result of a fire	No
Did this release result in any injuries	No
Has this release reached or does it have a reasonable probability of reaching a watercourse	No
Has this release endangered or does it have a reasonable probability of endangering public health	No
Has this release substantially damaged or will it substantially damage property or the environment	No
Is this release of a volume that is or may with reasonable probability be detrimental to fresh water	No

Nature and Volume of Release	
<i>Material(s) released, please answer all that apply below. Any calculations or specific justifications for the volumes provided should be attached to the follow-up C-141 submission.</i>	
Crude Oil Released (bbls) Details	Not answered.
Produced Water Released (bbls) Details	Not answered.
Is the concentration of chloride in the produced water >10,000 mg/l	No
Condensate Released (bbls) Details	Cause: Corrosion Pipeline (Any) Condensate Released: 5 BBL Recovered: 0 BBL Lost: 5 BBL.
Natural Gas Vented (Mcf) Details	Cause: Corrosion Pipeline (Any) Natural Gas Vented Released: 250 MCF Recovered: 0 MCF Lost: 250 MCF.
Natural Gas Flared (Mcf) Details	Not answered.
Other Released Details	Not answered.
Are there additional details for the questions above (i.e. any answer containing Other, Specify, Unknown, and/or Fire, or any negative lost amounts)	Not answered.

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 2

Action 404570

QUESTIONS (continued)

Operator: Enterprise Field Services, LLC PO Box 4324 Houston, TX 77210	OGRID: 241602
	Action Number: 404570
	Action Type: [C-141] Reclamation Report C-141 (C-141-v-Reclamation)

QUESTIONS

Nature and Volume of Release (continued)	
Is this a gas only submission (i.e. only significant Mcf values reported)	Yes, according to supplied volumes this will be treated as a "gas only" report.
Was this a major release as defined by Subsection A of 19.15.29.7 NMAC	No
Reasons why this would be considered a submission for a notification of a major release	<i>Unavailable.</i>
<i>With the implementation of the 19.15.27 NMAC (05/25/2021), venting and/or flaring of natural gas (i.e. gas only) are to be submitted on the C-129 form.</i>	

Initial Response

The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury.

The source of the release has been stopped	True
The impacted area has been secured to protect human health and the environment	True
Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices	True
All free liquids and recoverable materials have been removed and managed appropriately	True
If all the actions described above have not been undertaken, explain why	<i>Not answered.</i>

Per Paragraph (4) of Subsection B of 19.15.29.8 NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please prepare and attach a narrative of actions to date in the follow-up C-141 submission. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see Subparagraph (a) of Paragraph (5) of Subsection A of 19.15.29.11 NMAC), please prepare and attach all information needed for closure evaluation in the follow-up C-141 submission.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

I hereby agree and sign off to the above statement	Name: Thomas Long Title: Sr Field Environmental Scientist Email: tjlong@eprod.com Date: 08/13/2024
--	---

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 3

Action 404570

QUESTIONS (continued)

Operator: Enterprise Field Services, LLC PO Box 4324 Houston, TX 77210	OGRID: 241602
	Action Number: 404570
	Action Type: [C-141] Reclamation Report C-141 (C-141-v-Reclamation)

QUESTIONS

Site Characterization

Please answer all the questions in this group (only required when seeking remediation plan approval and beyond). This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

What is the shallowest depth to groundwater beneath the area affected by the release in feet below ground surface (ft bgs)	Between 26 and 50 (ft.)
What method was used to determine the depth to ground water	NM OSE iWaters Database Search
Did this release impact groundwater or surface water	No
What is the minimum distance, between the closest lateral extents of the release and the following surface areas:	
A continuously flowing watercourse or any other significant watercourse	Between 500 and 1000 (ft.)
Any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)	Greater than 5 (mi.)
An occupied permanent residence, school, hospital, institution, or church	Greater than 5 (mi.)
A spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes	Greater than 5 (mi.)
Any other fresh water well or spring	Between 1 and 5 (mi.)
Incorporated municipal boundaries or a defined municipal fresh water well field	Greater than 5 (mi.)
A wetland	Between 1/2 and 1 (mi.)
A subsurface mine	Greater than 5 (mi.)
An (non-karst) unstable area	Greater than 5 (mi.)
Categorize the risk of this well / site being in a karst geology	Low
A 100-year floodplain	Between 100 and 200 (ft.)
Did the release impact areas not on an exploration, development, production, or storage site	No

Remediation Plan

Please answer all the questions that apply or are indicated. This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

Requesting a remediation plan approval with this submission	Yes
<i>Attach a comprehensive report demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined, pursuant to 19.15.29.11 NMAC and 19.15.29.13 NMAC.</i>	
Have the lateral and vertical extents of contamination been fully delineated	Yes
Was this release entirely contained within a lined containment area	No

Soil Contamination Sampling: (Provide the highest observable value for each, in milligrams per kilograms.)

Chloride (EPA 300.0 or SM4500 Cl B)	420
TPH (GRO+DRO+MRO) (EPA SW-846 Method 8015M)	0.1
GRO+DRO (EPA SW-846 Method 8015M)	0.1
BTEX (EPA SW-846 Method 8021B or 8260B)	0.1
Benzene (EPA SW-846 Method 8021B or 8260B)	0.1

Per Subsection B of 19.15.29.11 NMAC unless the site characterization report includes completed efforts at remediation, the report must include a proposed remediation plan in accordance with 19.15.29.12 NMAC, which includes the anticipated timelines for beginning and completing the remediation.

On what estimated date will the remediation commence	08/11/2024
On what date will (or did) the final sampling or liner inspection occur	08/15/2024
On what date will (or was) the remediation complete(d)	08/15/2024
What is the estimated surface area (in square feet) that will be reclaimed	378
What is the estimated volume (in cubic yards) that will be reclaimed	270
What is the estimated surface area (in square feet) that will be remediated	378
What is the estimated volume (in cubic yards) that will be remediated	270

These estimated dates and measurements are recognized to be the best guess or calculation at the time of submission and may (be) change(d) over time as more remediation efforts are completed.

The OCD recognizes that proposed remediation measures may have to be minimally adjusted in accordance with the physical realities encountered during remediation. If the responsible party has any need to significantly deviate from the remediation plan proposed, then it should consult with the division to determine if another remediation plan submission is required.

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 4

Action 404570

QUESTIONS (continued)

Operator: Enterprise Field Services, LLC PO Box 4324 Houston, TX 77210	OGRID: 241602
	Action Number: 404570
	Action Type: [C-141] Reclamation Report C-141 (C-141-v-Reclamation)

QUESTIONS

Remediation Plan (continued)

Please answer all the questions that apply or are indicated. This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

This remediation will (or is expected to) utilize the following processes to remediate / reduce contaminants:

(Select all answers below that apply.)

(Ex Situ) Excavation and off-site disposal (i.e. dig and haul, hydrovac, etc.)	Yes
Which OCD approved facility will be used for off-site disposal	ENVIROTECH LANDFARM #1 [FEEM0112334691]
OR which OCD approved well (API) will be used for off-site disposal	Not answered.
OR is the off-site disposal site, to be used, out-of-state	Not answered.
OR is the off-site disposal site, to be used, an NMED facility	Not answered.
(Ex Situ) Excavation and on-site remediation (i.e. On-Site Land Farms)	Not answered.
(In Situ) Soil Vapor Extraction	Not answered.
(In Situ) Chemical processing (i.e. Soil Shredding, Potassium Permanganate, etc.)	Not answered.
(In Situ) Biological processing (i.e. Microbes / Fertilizer, etc.)	Not answered.
(In Situ) Physical processing (i.e. Soil Washing, Gypsum, Disking, etc.)	Not answered.
Ground Water Abatement pursuant to 19.15.30 NMAC	Not answered.
OTHER (Non-listed remedial process)	Not answered.

Per Subsection B of 19.15.29.11 NMAC unless the site characterization report includes completed efforts at remediation, the report must include a proposed remediation plan in accordance with 19.15.29.12 NMAC, which includes the anticipated timelines for beginning and completing the remediation.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

I hereby agree and sign off to the above statement	Name: Thomas Long Title: Sr Field Environmental Scientist Email: tjlong@eprod.com Date: 11/19/2024
--	---

The OCD recognizes that proposed remediation measures may have to be minimally adjusted in accordance with the physical realities encountered during remediation. If the responsible party has any need to significantly deviate from the remediation plan proposed, then it should consult with the division to determine if another remediation plan submission is required.

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 5

Action 404570

QUESTIONS (continued)

Operator: Enterprise Field Services, LLC PO Box 4324 Houston, TX 77210	OGRID: 241602
	Action Number: 404570
	Action Type: [C-141] Reclamation Report C-141 (C-141-v-Reclamation)

QUESTIONS

Deferral Requests Only	
<i>Only answer the questions in this group if seeking a deferral upon approval this submission. Each of the following items must be confirmed as part of any request for deferral of remediation.</i>	
Requesting a deferral of the remediation closure due date with the approval of this submission	No

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 6

Action 404570

QUESTIONS (continued)

Operator: Enterprise Field Services, LLC PO Box 4324 Houston, TX 77210	OGRID: 241602
	Action Number: 404570
	Action Type: [C-141] Reclamation Report C-141 (C-141-v-Reclamation)

QUESTIONS

Sampling Event Information	
Last sampling notification (C-141N) recorded	373832
Sampling date pursuant to Subparagraph (a) of Paragraph (1) of Subsection D of 19.15.29.12 NMAC	08/15/2024
What was the (estimated) number of samples that were to be gathered	10
What was the sampling surface area in square feet	200

Remediation Closure Request	
<i>Only answer the questions in this group if seeking remediation closure for this release because all remediation steps have been completed.</i>	
Requesting a remediation closure approval with this submission	Yes
Have the lateral and vertical extents of contamination been fully delineated	Yes
Was this release entirely contained within a lined containment area	No
All areas reasonably needed for production or subsequent drilling operations have been stabilized, returned to the sites existing grade, and have a soil cover that prevents ponding of water, minimizing dust and erosion	Yes
What was the total surface area (in square feet) remediated	378
What was the total volume (cubic yards) remediated	270
All areas not reasonably needed for production or subsequent drilling operations have been reclaimed to contain a minimum of four feet of non-waste contain earthen material with concentrations less than 600 mg/kg chlorides, 100 mg/kg TPH, 50 mg/kg BTEX, and 10 mg/kg Benzene	Yes
What was the total surface area (in square feet) reclaimed	378
What was the total volume (in cubic yards) reclaimed	270
Summarize any additional remediation activities not included by answers (above)	None

The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (in .pdf format) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. The responsible party acknowledges they must substantially restore, reclaim, and re-vegetate the impacted surface area to the conditions that existed prior to the release or their final land use in accordance with 19.15.29.13 NMAC including notification to the OCD when reclamation and re-vegetation are complete.

I hereby agree and sign off to the above statement	Name: Thomas Long Title: Sr Field Environmental Scientist Email: tjlong@eprod.com Date: 11/19/2024
--	---

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 7

Action 404570

QUESTIONS (continued)

Operator: Enterprise Field Services, LLC PO Box 4324 Houston, TX 77210	OGRID: 241602
	Action Number: 404570
	Action Type: [C-141] Reclamation Report C-141 (C-141-v-Reclamation)

QUESTIONS

Reclamation Report	
<i>Only answer the questions in this group if all reclamation steps have been completed.</i>	
Requesting a reclamation approval with this submission	Yes
What was the total reclamation surface area (in square feet) for this site	378
What was the total volume of replacement material (in cubic yards) for this site	270
<i>Per Paragraph (1) of Subsection D of 19.15.29.13 NMAC the reclamation must contain a minimum of four feet of non-waste containing, uncontaminated, earthen material with chloride concentrations less than 600 mg/kg as analyzed by EPA Method 300.0, or other test methods approved by the division. The soil cover must include a top layer, which is either the background thickness of topsoil or one foot of suitable material to establish vegetation at the site, whichever is greater.</i>	
Is the soil top layer complete and is it suitable material to establish vegetation	Yes
On what (estimated) date will (or was) the reseeded commence(d)	07/01/2025
Summarize any additional reclamation activities not included by answers (above)	None
<i>The responsible party must attach information demonstrating they have complied with all applicable reclamation requirements and any conditions or directives of the OCD. This demonstration should be in the form of attachments (in .pdf format) including a scaled site map, any proposed reseeded plans or relevant field notes, photographs of reclaimed area, and a narrative of the reclamation activities. Refer to 19.15.29.13 NMAC.</i>	
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. The responsible party acknowledges they must substantially restore, reclaim, and re-vegetate the impacted surface area to the conditions that existed prior to the release or their final land use in accordance with 19.15.29.13 NMAC including notification to the OCD when reclamation and re-vegetation are complete.	
I hereby agree and sign off to the above statement	Name: Thomas Long Title: Sr Field Environmental Scientist Email: tjlong@eprod.com Date: 11/19/2024

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 8

Action 404570

QUESTIONS (continued)

Operator: Enterprise Field Services, LLC PO Box 4324 Houston, TX 77210	OGRID: 241602
	Action Number: 404570
	Action Type: [C-141] Reclamation Report C-141 (C-141-v-Reclamation)

QUESTIONS

Revegetation Report	
<i>Only answer the questions in this group if all surface restoration, reclamation and re-vegetation obligations have been satisfied.</i>	
Requesting a restoration complete approval with this submission	No
<i>Per Paragraph (4) of Subsection (D) of 19.15.29.13 NMAC for any major or minor release containing liquids, the responsible party must notify the division when reclamation and re-vegetation are complete.</i>	

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 404570

CONDITIONS

Operator: Enterprise Field Services, LLC PO Box 4324 Houston, TX 77210	OGRID: 241602
	Action Number: 404570
	Action Type: [C-141] Reclamation Report C-141 (C-141-v-Reclamation)

CONDITIONS

Created By	Condition	Condition Date
nvez	None	3/7/2025