



Incident Number: nAPP2424955027

Release Deferral Request

Rattlesnake 13-12 Federal Com #001H

Section 13, Township 26 South, Range 34 East

API: 30-025-40912

County: Lea

Vertex File Number: 23E-02849

Prepared for:

Devon Energy Production Company, LP

Prepared by:

Vertex Resource Services Inc.

Date:

March 2025

Release Deferral Request
Rattlesnake 13-12 Federal Com #001H
Section 13, Township 26 South, Range 34 East
API: 30-025-40912
County: Lea

Prepared for:
Devon Energy Production Company, LP
6488 Seven Rivers Highway
Artesia, New Mexico 88210

New Mexico Oil Conservation Division – District 1
508 West Texas Avenue
Artesia, New Mexico 88210

Prepared by:
Vertex Resource Services Inc.
3101 Boyd Drive
Carlsbad, New Mexico 88220

Sally Carttar

Sally Carttar, BA
PROJECT MANAGER, REPORT REVIEW

March 5, 2025

Date

Kent Stallings

Kent Stallings, P.G.
SENIOR GEOLOGIST, REPORT REVIEW

March 5, 2025

Date

Table of Contents

1.0 Introduction 1

2.0 Incident Description1

3.0 Site Characteristics.....1

4.0 Closure Criteria Determination.....2

5.0 Remedial Actions Taken4

6.0 Deferral Request.....5

7.0 References.....7

8.0 Limitations8

In-text Tables

Table 1. Closure Criteria Determination

Table 2. Closure Criteria for Soils Impacted by a Release

List of Figures

Figure 1. Characterization Sampling Site Schematic

Figure 2. Confirmation Sampling Site Schematic

List of Tables

Table 3. Initial Characterization Sample Laboratory Results – Depth to Groundwater 51-100 feet bgs

Table 4. Confirmation Sample Laboratory Results– Depth to Groundwater 51-100 feet bgs

List of Appendices

Appendix A. Closure Criteria Research Documentation

Appendix B. Daily Field Reports

Appendix C. Laboratory Data Reports and Chain of Custody Forms

1.0 Introduction

Devon Energy Production Company, LP (Devon) retained Vertex Resource Services Inc. (Vertex) to conduct a Release Assessment for a crude oil release that occurred on September 5, 2024, at Rattlesnake 13–12 Federal Com #001H API 30-025-40912 (hereafter referred to as the “site”). Devon submitted an initial C-141 Release Notification to New Mexico Oil Conservation Division (NMOCD) District 1 on September 16, 2024. Incident ID number nAPP2424955027, 401086 was assigned to this incident.

This report provides a description of the release assessment and remediation activities associated with the site. The information presented demonstrates that closure criteria established in Table I of 19.15.29.12 of the *New Mexico Administrative Code* (NMAC; New Mexico Oil Conservation Division, 2018) related to NMOCD has been met and all applicable regulations are being followed. This document is intended to serve as a final report to obtain approval from NMOCD for Deferral of this release, with the understanding that restoration of the release site will be deferred until such time as all oil and gas activities are terminated and the site is reclaimed as per NMAC 19.15.29.13.

2.0 Incident Description

The release occurred on September 5, 2024, due to a pin hole leak on a water dump line. The incident was reported on September 5, 2024, and involved the release of approximately 5.4 barrels (bbl) of crude oil on the pad site. Approximately 1 bbl of free fluid was removed during the initial clean-up. Additional details relevant to the release are presented in the C-141 Report.

3.0 Site Characteristics

The site is located approximately 13.2 miles southwest of Jal, New Mexico (Google Inc., 2024). The legal location for the site is Section 13, Township 26 South and Range 34 East in Lea County, New Mexico. The release area is located on federal property. An aerial photograph and site schematic are presented on Figure 1.

The Geological Map of New Mexico (New Mexico Bureau of Geology and Mineral Resources, 2024) indicates the site’s surface geology primarily comprises Qep – Eolian and piedmont deposits (Holocene to middle Pleistocene) and is characterized as Interlayered eolian sands and piedmont-slope deposits. Predominant soil texture on the site is Pyote and Maljamar fine sand (United States Department of Agriculture, Natural Resources Conservation Service, 2024). Additional soil characteristics include a drainage class of well drained with negligible runoff. The karst geology potential for the site is low (United States Department of the Interior, Bureau of Land Management, 2018).

The location is typical of oil and gas exploration and production sites in the Permian Basin and is currently used for oil and gas production. The following sections specifically describe the release area at the site on or in proximity to the constructed pad (Figure 1). The surrounding landscape is associated with fan piedmonts, alluvial fans, and dunes with elevations ranging between 2,800 and 5,000 feet. The climate is semiarid with average annual precipitation ranging between 8 and 13 inches. Using information from the United States Department of Agriculture, the dominant vegetation was determined to be grasses and shrubs. Black grama (*Bouteloua eriopoda*), dropseeds (*Sporobolus flexuosus*, *S. contractus*, *S. cryptandrus*), and bluestems (*Schizachyrium scoparium* and *Andropogon hallii*), dominate the historical

plant community (United States Department of Agriculture, Natural Resources Conservation Service, 2024). Limited to no vegetation is allowed to grow on the compacted production pad, right-of-way and access road.

4.0 Closure Criteria Determination

The depth to groundwater was determined by drilling a borehole permitted by the New Mexico Office of the State Engineer (NMOSE) within a 0.5-mile radius of the site. The borehole was advanced to a depth of 60 feet. The borehole was left to recharge as per the requirements on the WR-07 Application for Permit to Drill a Well with No Water Rights, and an interface probe was utilized to determine whether groundwater was present at the conclusion of the 72-hour recharge period. No water was found to be present at that time. The borehole was plugged and abandoned according to the WR-08 permit, Well Plugging Plan of Operations, filed with NMOSE. Documentation related to the exploratory borehole is included in Appendix A.

There is no surface water present at the site. The nearest significant watercourse, as defined in Subsection P of 19.15.17.7 NMAC, is an intermittent stream located approximately 1.35 miles east-northeast of the site (United States Fish and Wildlife Service, 2024).

At the site, there are no continuously flowing watercourses or significant watercourses, lakebeds, sinkholes, playa lakes or other critical water or community features as outlined in Paragraph (4) of Subsection C of 19.15.29.12 NMAC. Information pertaining to the closure criteria determination is summarized in Table 1 and references are included in Appendix A.

Table 1. Closure Criteria Determination			
Site Name: Rattlesnake 13-12 Federal Com #001H			
Spill Coordinates: 32.03733, -103.41576		X: 649588	Y: 3545671
Site Specific Conditions		Value	Unit
1	Depth to Groundwater (nearest reference)	>60	feet
	Distance between release and nearest DTGW reference	75	feet
		0.01	miles
	Date of nearest DTGW reference measurement	February 8, 2024	
2	Within 300 feet of any continuously flowing watercourse or any other significant watercourse	7,173	feet
3	Within 200 feet of any lakebed, sinkhole or playa lake (measured from the ordinary high-water mark)	11,458	feet
4	Within 300 feet from an occupied residence, school, hospital, institution or church	37,752	feet
5	i) Within 500 feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, or	27,984	feet
	ii) Within 1000 feet of any fresh water well or spring	3,376	feet
6	Within incorporated municipal boundaries or within a defined municipal fresh water field covered under a municipal ordinance adopted pursuant to Section 3-27-3 NMSA 1978 as amended, unless the municipality specifically approves	No	(Y/N)
7	Within 300 feet of a wetland	14,810	feet
8	Within the area overlying a subsurface mine	No	(Y/N)
	Distance between release and nearest registered mine	184,744	feet
9	Within an unstable area (Karst Map)	Low	Critical High Medium Low
	Distance between release and nearest unstable area	73,147	feet
10	Within a 100-year Floodplain	500	year
	Distance between release and nearest FEMA Zone A (100-year Floodplain)	125,331	feet
11	Soil Type	Pyote and Maljamar Fine Sands	
12	Ecological Classification	Sandy	
13	Geology	Qep	
	NMAC 19.15.29.12 E (Table 1) Closure Criteria	51-100'	<50' 51-100' >100'

The closure criteria determined for the site are associated with the following constituent concentration limits as presented in Table 2.

Table 2. Closure Criteria for Soils Impacted by a Release		
Minimum depth below any point within the horizontal boundary of the release to groundwater less than 10,000 mg/l TDS	Constituent	Limit
51 feet - 100 feet	Chloride	10,000 mg/kg
	TPH (GRO+DRO+MRO)	2,500 mg/kg
	GRO+DRO	1,000 mg/kg
	BTEX	50 mg/kg
	Benzene	10 mg/kg

TDS – total dissolved solids

TPH – total petroleum hydrocarbons, GRO – gas range organics, DRO – diesel range organics, MRO – motor oil range organics

BTEX – benzene, toluene, ethylbenzene and xylenes

5.0 Remedial Actions Taken

An initial site inspection of the release area was completed by Vertex on October 3, 2024, which identified the area of the release specified in the initial C-141 Report, estimated the approximate volume of the release and white lined the area required for the One Call request. The impacted area was determined to be approximately 55 feet long and 8 to 16 feet wide; the total affected area was 489 square feet. The Daily Field Report (DFR) associated with the site inspection is included in Appendix B.

Field screening was completed on all samples and consisted of analysis using a Photo Ionization Detector (volatile hydrocarbons), Dextsil Petroflag using EPA SW-846 Method 9074 (extractable hydrocarbons) and electroconductivity meter (chlorides). Field screening results were used to identify the impacted area. Samples were submitted to Eurofins in Albuquerque, New Mexico, under chain of-custody protocols and analyzed for BTEX (EPA Method 8021B), total petroleum hydrocarbons (GRO, DRO, MRO – EPA Method 8015D) and total chlorides (EPA Method 300.0). Laboratory results are presented in Table 3, and the laboratory data reports are included in Appendix C. Constituent concentrations were determined to be above applicable closure criteria. Remedial actions selected were to excavate the impacted area and dispose of the affected soil.

Remedial efforts began November 11, 2024. The Vertex personnel on-site outlined the proposed excavation with white flagging and paint, and swept the area with a magnetic locator before any digging took place. Once the excavation was completed, Vertex personnel collected samples BES24-01 to BES24-03 at a depth of 4.1 ft, and WES24-01 to WES-03 at a depth of 0 to 4 ft. All samples passed field screening for chloride and total petroleum hydrocarbons. Field screening results and DFRs documenting various phases of the remediation are presented in Appendix B. These samples were submitted to Eurofins in Albuquerque, New Mexico, under chain of-custody protocols and analyzed for BTEX (EPA Method 8021B), total petroleum hydrocarbons (GRO, DRO, MRO – EPA Method 8015D) and total chlorides (EPA Method 300.0). Confirmatory sampling laboratory results are presented in Table 4, and the laboratory data reports are included in Appendix C.

A closure report was submitted to OCD on December 3, 2024, and closure was denied on December 6. The reason for denial was listed as:

Remediation closure denied. Area of BH 24-07 has not been remediated. This area will need to be addressed. Every effort should be made to remove as much as the contaminants by hand prior to requesting deferral. Pursuant to 19.15.29.12(C)2 NMAC, a “deferral may be granted so long as the contamination is fully delineated and does not cause an imminent risk to human health, the environment, or ground water.” The deferral request must specify which sample points are being requested for deferral including an explanation as to why the contaminants can’t be removed. Also under the Site Characterization section update the distance to significant watercourse (there is one 1.3 miles away).

Vertex returned to site on January 16, 2025 to complete excavation and delineation of the release. In attempting to excavate the additional impacted material in proximity to the flare, Devon construction determined that no further excavation could be completed without creating hazardous safety conditions for workers on-site and by destabilizing the on-site infrastructure and operations.

To reconcile the decision to leave material in situ, additional test pit samples were collected to characterize the remaining impacts. Test pit TP25-03 could not be advanced beyond 9 feet due to proximity to production equipment, so additional test pits were collected at TP25-01 and TP25-02. The locations of these test pits are presented on Figure 1 and data from the laboratory analysis of the samples are shown in Table 3.

6.0 Deferral Request

The release area was fully delineated to the extent possible without removing equipment. Confirmatory samples were analyzed by the laboratory and found to be below allowable concentrations as per the NMAC Closure Criteria for Soils Impacted by a release location where depth to ground water is 51 - 100 feet below ground surface. Based on these findings, Devon requests that this release be deferred until decommissioning.

Vertex recommends no additional reclamation or remediation actions to address the release at Rattlesnake 13 12 Federal Com #001H until the flare has been decommissioned. Laboratory analyses of the confirmation samples collected showed constituent of concern concentration levels below NMOCD closure criteria for areas where depth to groundwater is “between 51 and 100 feet to groundwater” as shown in Table. 2. There are no anticipated or imminent risks to human, ecological, or hydrological receptors associated with the release site.

On behalf of Devon Energy Production Company, LP., Vertex requests that the incident (nAPP2424955027) be deferred until the site is plugged and abandoned and requirements set forth in Subsection E of 19.15.29.12 NMAC have been met. Devon certifies that all information in this report and the attachments is correct.

Should you have any questions or concerns, please do not hesitate to contact Sally Carttar at 575.361.3561 or scarttar@vertexresource.com.

7.0 References


- Google Inc. (2024). *Google Earth Pro (Version 7.3.3)* [Software]. Retrieved from <https://earth.google.com>
- New Mexico Bureau of Geology and Mineral Resources. (2024). *Interactive Geologic Map*. Retrieved from <https://maps.nmt.edu/>
- New Mexico Department of Surface Water Quality Bureau. (2024). *Assessed and Impaired Waters of New Mexico*. Retrieved from <https://gis.web.env.nm.gov/oem/?map=swqb>
- New Mexico Energy, Minerals and Natural Resources Department. (2024). *OCD Permitting - Spill Search*. Retrieved from <https://wwwapps.emnrd.nm.gov/ocd/ocdpermitting/Data/Spills/Spills.aspx>
- New Mexico Mining and Minerals Division. (2024). *Registered Mines in New Mexico*. Retrieved from <https://nm-emnrd.maps.arcgis.com/apps/webappviewer/index.html?id=6d4b64a5752f4b4bb53000e999ff6a24>
- New Mexico Office of the State Engineer. (2024a). *Point of Diversion Location Report - New Mexico Water Rights Reporting System*. Retrieved from <http://nmwrrs.ose.state.nm.us/nmwrrs/wellSurfaceDiversion.html>
- New Mexico Office of the State Engineer. (2024b). *Water Column/Average Depth to Water Report - New Mexico Water Rights Reporting System*. Retrieved from <http://nmwrrs.ose.state.nm.us/nmwrrs/waterColumn.html>
- New Mexico Office of the State Engineer. (2024c). *Well Log/Meter Information Report - New Mexico Water Rights Reporting System*. Retrieved from <http://nmwrrs.ose.state.nm.us/nmwrrs/meterReport.html>
- New Mexico Oil Conservation Division. (2018). *New Mexico Administrative Code – Natural Resources and Wildlife Oil and Gas Releases*. Santa Fe, New Mexico.
- United States Department of Agriculture, Natural Resources Conservation Service. (2024). *Web Soil Survey*. Retrieved from <https://websoilsurvey.nrcs.usda.gov/app/WebSoilSurvey.aspx>
- United States Department of Homeland Security, Federal Emergency Management Agency. (2024). *FEMA Flood Map Service: Search by Address*. Retrieved from <https://msc.fema.gov/portal/search?AddressQuery=malaga%20new%20mexico#searchresultsanchor>
- United States Department of the Interior, Bureau of Land Management. (2018). *New Mexico Cave/Karst*. Retrieved from https://www.nm.blm.gov/shapeFiles/cfo/carlsbad_spatial_data.html
- United States Fish and Wildlife Service. (2024). *National Wetland Inventory - Surface Waters and Wetlands*. Retrieved from <https://fwsprimary.wim.usgs.gov/wetlands/apps/wetlands-mapper/>
- United States Geological Survey. (2024). *National Water Information System: Web Interface*. Retrieved from <https://waterdata.usgs.gov/nwis>

8.0 Limitations

This report has been prepared for the sole benefit of Devon Energy Production Company, LP. This document may not be used by any other person or entity, with the exception of the New Mexico Oil Conservation Division and Bureau of Land Management, without the express written consent of Vertex Resource Services Inc. (Vertex) and Devon Energy Production Company, LP. Any use of this report by a third party, or any reliance on decisions made based on it, or damages suffered as a result of the use of this report are the sole responsibility of the user.

The information and conclusions contained in this report are based upon work undertaken by trained professional and technical staff in accordance with generally accepted scientific practices current at the time the work was performed. The conclusions and recommendations presented represent the best judgement of Vertex based on the data collected during the assessment. Due to the nature of the assessment and the data available, Vertex cannot warrant against undiscovered environmental liabilities. The conclusions and recommendations presented in this report should not be considered legal advice.

FIGURES



- | | | | |
|----------------------------------|----------------------------|-----------------------------|---|
| ◆ Borehole (Prefixed by "BH24-") | — Powerline | — Approximate Site Boundary | — Approximate Release Area (~440 sq. ft.) |
| ■ Test Pit (Prefixed by "TP25-") | - - Pipeline (Aboveground) | □ Infrastructure | |



0 5 10 ft
NAD 1983 UTM Zone 13N
Date: Mar 04/25

Map Center:
Lat/Long
32.036778°N, 103.415577°W



Characterization Sampling Site Schematic Rattlesnake 13-12 Federal Com #001H


FIGURE:
1



Geospatial data presented in this figure may be derived from external sources and Vertex does not assume any liability for inaccuracies. This figure is intended for reference use only and is not certified for legal, survey, or engineering purposes.

Note: Background image from Google Earth, 2024; georeferenced by Vertex Professional Services Ltd. (VPS), 2024. Approximate site boundary from imagery by VPS, 2024. Site features from GPS, VPS, 2024 and 2025.

VERSATILITY. EXPERTISE.



- Base Sample (Prefixed by "BES24-")
- ▲ Wall Sample (Prefixed by "WES24-")
- Powerline
- - Pipeline (Aboveground)
- Approximate Site Boundary
- Excavation to 4' bgs (~ 598 sq. ft. | 145 ft.)
- Deferral Area (~139 sq.ft.)
- Infrastructure



0 5 10 ft
NAD 1983 UTM Zone 13N
Date: Mar 04/25

Map Center:
Lat/Long
32.036782°N, 103.415561°W



Confirmation Site Sampling Schematic
Rattlesnake 13-12 Federal Com #001H

FIGURE:
2



Geospatial data presented in this figure may be derived from external sources and Vertex does not assume any liability for inaccuracies. This figure is intended for reference use only and is not certified for legal, survey, or engineering purposes.

Note: Background image from Google Earth, 2024; georeferenced by Vertex Professional Services Ltd. (VPS), 2024. Approximate site boundary from imagery by VPS, 2024. Site features from GPS, VPS, 2024.

VERSATILITY. EXPERTISE.

TABLES

Table 3. Initial Characterization Sample Laboratory Results - Depth to Groundwater 51-100'										
Sample Description			Petroleum Hydrocarbons							Inorganic
Sample ID	Depth (ft)	Sample Date	Volatile		Extractable					
			Benzene	BTEX (Total)	Gasoline Range Organics (GRO)	Diesel Range Organics (DRO)	Motor Oil Range Organics (MRO)	(GRO + DRO)	Total Petroleum Hydrocarbons (TPH)	
										(mg/kg)
BH24--01	0	October 3, 2024	ND	8.5	140	15,000	7,200	22,200	22,340	240
	2	October 3, 2024	-	-	-	-	-	-	-	-
	4	October 3, 2024	ND	28.4	590	7,200	3,100	10,300	10,890	82
	6	October 3, 2024	ND	11.2	610	6,800	3,300	10,100	10,710	180
	8	October 3, 2024	ND	14.1	300	5,600	2,400	8,000	8,300	67
	10	October 3, 2024	ND	ND	ND	420	180	600	600	ND
BH24-02	0	October 3, 2024	ND	13.7	150	27,000	18,000	45,000	45,150	170
	2	October 3, 2024	ND	ND	ND	66	ND	66	ND	200
	4	October 3, 2024	ND	ND	ND	ND	ND	ND	ND	71
BH24-03	0	October 3, 2024	ND	1.0	22	9,400	6,500	15,900	15,922	93
	2	October 3, 2024	ND	ND	ND	ND	ND	ND	ND	130
	4	October 3, 2024	ND	ND	ND	ND	ND	ND	ND	80
BH24-04	0	October 3, 2024	ND	ND	ND	34	76	110	110	94
	2	October 3, 2024	ND	ND	ND	ND	ND	ND	ND	ND
	4	October 3, 2024	ND	ND	ND	ND	ND	ND	ND	ND
BH24-05	0	October 3, 2024	ND	ND	ND	ND	ND	ND	ND	ND
	2	October 3, 2024	ND	ND	ND	ND	ND	ND	ND	92
	4	October 3, 2024	ND	ND	ND	ND	ND	ND	ND	ND
BH24-06	0	October 3, 2024	ND	ND	ND	ND	ND	ND	ND	ND
	2	October 3, 2024	ND	ND	ND	ND	ND	ND	ND	ND
	4	October 3, 2024	ND	ND	ND	ND	ND	ND	ND	84
BH24-07	0	October 3, 2024	ND	6.1	130	43,000	19,000	62,000	62,130	140
	2	October 3, 2024	-	-	-	-	-	-	-	-
	4	October 3, 2024	0.13	23.4	380	6,800	3,500	10,300	10,680	130
	6	October 3, 2024	-	-	-	-	-	-	-	-
	8	October 3, 2024	0.026	5.8	130	3,500	1,600	5,100	5,230	950
BH24-08	0	November 14, 2024	ND	ND	ND	68.8	ND	68.8	68.8	34
BH24-09	0	November 14, 2024	ND	ND	ND	ND	ND	ND	ND	2110
BH24-10	0	November 14, 2024	ND	ND	ND	ND	ND	ND	ND	55
BH24-11	0	November 14, 2024	ND	ND	ND	ND	ND	ND	ND	ND
TP25-01	0	January 16, 2025	ND	ND	ND	ND	ND	ND	ND	88
	2	January 16, 2025	ND	ND	ND	ND	ND	ND	ND	96
	4	January 16, 2025	ND	ND	ND	ND	ND	ND	ND	60
	6	January 16, 2025	ND	ND	ND	ND	ND	ND	ND	85
	9	January 16, 2025	ND	ND	ND	ND	ND	ND	ND	ND
TP25-02	0	January 16, 2025	ND	ND	ND	ND	ND	ND	ND	98
	2	January 16, 2025	ND	ND	ND	ND	ND	ND	ND	88
	4	January 16, 2025	ND	ND	ND	ND	ND	ND	ND	ND
	6	January 16, 2025	ND	ND	ND	ND	ND	ND	ND	120
	9	January 16, 2025	ND	ND	ND	ND	ND	ND	ND	ND
TP25-03	0	January 16, 2025	ND	0.324	20	890	620	910	1,530	ND

"ND" Not Detected at the Reporting Limit "-" indicates not analyzed/assessed

Bold and grey shaded indicates exceedance outside of NMOCD Closure Criteria (on-pad)

Bold and green shaded indicates exceedance outside of NMOCD Reclamation Criteria (off-pad)

Table 4. Confirmation Sample Laboratory Results - Depth to Groundwater 51-100'											
Sample Description			Petroleum Hydrocarbons								Inorganic
Sample ID	Depth (ft)	Sample Date	Volatile		Extractable						
			Benzene	BTEX (Total)	Gasoline Range Organics (GRO)	Diesel Range Organics (DRO)	Motor Oil Range Organics (MRO)	(GRO + DRO)	Total Petroleum Hydrocarbons (TPH)	Chloride Concentration	
			(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	
BES24-01	4.1	November 14, 2024	ND	ND	ND	27.7	ND	27.7	27.7	125	
BES24-02	4.1	November 14, 2024	ND	ND	ND	57.2	ND	57.2	57.2	94.3	
BES24-03	4.1	November 14, 2024	ND	ND	ND	ND	ND	ND	ND	237	
WES24-01	0 - 4	November 14, 2024	ND	ND	ND	35.5	ND	35.5	35.5	518	
WES24-02	0 - 4	November 14, 2024	ND	ND	ND	ND	ND	ND	ND	128	
WES24-03	0 - 4	November 14, 2024	ND	ND	ND	ND	ND	ND	ND	60.6	
Backfill 01	0	January 16, 2025	ND	ND	ND	ND	ND	ND	ND	ND	

"ND" Not Detected at the Reporting Limit "-" indicates not analyzed/assessed

Bold and grey shaded indicates exceedance outside of NMOCD Closure Criteria (on-pad)

Bold and green shaded indicates exceedance outside of NMOCD Reclamation Criteria (off-pad)

APPENDIX A – Closure Criteria Research Documentation

Closure Criteria Determination				
Site Name: Rattlesnake 13-12 Federal Com #001H				
Spill Coordinates: 32.03733, -103.41576		X: 649,587	Y: 3,545,670	
Site Specific Conditions		Value	Unit	Reference
1	Depth to Groundwater (nearest reference)	>60	feet	1
	Distance between release and nearest DTGW reference	75	feet	
		0.01	miles	
	Date of nearest DTGW reference measurement	February 26, 2024		
2	Within 300 feet of any continuously flowing watercourse or any other significant watercourse	7,173	feet	2
3	Within 200 feet of any lakebed, sinkhole or playa lake (measured from the ordinary high-water mark)	11,458	feet	3
4	Within 300 feet from an occupied residence, school, hospital, institution or church	37,752	feet	4
5	i) Within 500 feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, or	27,984	feet	5
	ii) Within 1000 feet of any fresh water well or spring	29,230	feet	5
6	Within incorporated municipal boundaries or within a defined municipal fresh water field covered under a municipal ordinance adopted pursuant to Section 3-27-3 NMSA 1978 as amended, unless the municipality specifically approves	No	(Y/N)	6
7	Within 300 feet of a wetland	14,810	feet	7
8	Within the area overlying a subsurface mine	No	(Y/N)	8
	Distance between release and nearest registered mine	184,744	feet	
9	Within an unstable area (Karst Map)	Low	Critical High Medium Low	9
	Distance between release and nearest unstable area	81,710	feet	
10	Within a 100-year Floodplain	500	year	10
	Distance between release and nearest FEMA Zone A (100-year Floodplain)	125,331	feet	
11	Soil Type	Pyote and Maljamar Fine Sands		11
12	Ecological Classification	Loamy Sand		12
13	Geology	Qep		13
	NMAC 19.15.29.12 E (Table 1) Closure Criteria	51-100'	<50' 51-100' >100'	



WELL RECORD & LOG

OFFICE OF THE STATE ENGINEER

www.ose.state.nm.us

1. GENERAL AND WELL LOCATION	OSE POD NO. (WELL NO.) C04791POD1		WELL TAG ID NO. C-4791		OSE FILE NO(S). C04791			
	WELL OWNER NAME(S) Devon Energy Resources				PHONE (OPTIONAL)			
	WELL OWNER MAILING ADDRESS 205 E Bender Road#150				CITY Hobbs	STATE NM	ZIP 88240	
	WELL LOCATION (FROM GPS)	DEGREES LATITUDE 32	MINUTES 2	SECONDS 11.0508 N	* ACCURACY REQUIRED: ONE TENTH OF A SECOND			
		LONGITUDE -103	24	56.3724 W	* DATUM REQUIRED: WGS 84			
DESCRIPTION RELATING WELL LOCATION TO STREET ADDRESS AND COMMON LANDMARKS - PLSS (SECTION, TOWNSHIP, RANGE) WHERE AVAILABLE								
2. DRILLING & CASING INFORMATION	LICENSE NO. 1833		NAME OF LICENSED DRILLER Jason Maley			NAME OF WELL DRILLING COMPANY Vision Resources		
	DRILLING STARTED 2-8-24	DRILLING ENDED 2-8-24	DEPTH OF COMPLETED WELL (FT) 60		BORE HOLE DEPTH (FT) 60	DEPTH WATER FIRST ENCOUNTERED (FT) Dry		
	COMPLETED WELL IS: <input type="checkbox"/> ARTESIAN *add Centralizer info below <input checked="" type="checkbox"/> DRY HOLE <input type="checkbox"/> SHALLOW (UNCONFINED)				STATIC WATER LEVEL IN COMPLETED WELL (FT) 0'	DATE STATIC MEASURED 2-11-24		
	DRILLING FLUID: <input checked="" type="checkbox"/> AIR <input type="checkbox"/> MUD ADDITIVES - SPECIFY:							
	DRILLING METHOD: <input checked="" type="checkbox"/> ROTARY <input type="checkbox"/> HAMMER <input type="checkbox"/> CABLE TOOL <input type="checkbox"/> OTHER - SPECIFY:					CHECK HERE IF PITLESS ADAPTER IS INSTALLED <input type="checkbox"/>		
	DEPTH (feet bgl)		BORE HOLE DIAM (inches)	CASING MATERIAL AND/OR GRADE (include each casing string, and note sections of screen)	CASING CONNECTION TYPE (add coupling diameter)	CASING INSIDE DIAM. (inches)	CASING WALL THICKNESS (inches)	SLOT SIZE (inches)
	FROM	TO						
	0	20	6"	PVC 2"SCH40	Thread	2"	SCH40	N/A
	20	30	6"	PVC 2"SCH40	Thread	2"	SCH40	.02
3. ANNULAR MATERIAL	DEPTH (feet bgl)		BORE HOLE DIAM. (inches)	LIST ANNULAR SEAL MATERIAL AND GRAVEL PACK SIZE-RANGE BY INTERVAL <i>*(if using Centralizers for Artesian wells- indicate the spacing below)</i>	AMOUNT (cubic feet)	METHOD OF PLACEMENT		
	FROM	TO						
				None pulled and plugged				

FOR OSE INTERNAL USE

WR-20 WELL RECORD & LOG (Version 09/22/2022)

FILE NO.

POD NO.

TRN NO.

LOCATION

WELL TAG ID NO.

PAGE 1 OF 2



PLUGGING RECORD



NOTE: A Well Plugging Plan of Operations shall be approved by the State Engineer prior to plugging - 19.27.4 NMAC

I. GENERAL / WELL OWNERSHIP:

State Engineer Well Number: C04791
 Well owner: Devon Energy Resources Phone No.: _____
 Mailing address: 205 E Bender Road#150
 City: Hobbs State: NM Zip code: 88240

II. WELL PLUGGING INFORMATION:

- 1) Name of well drilling company that plugged well: Vision Resources
- 2) New Mexico Well Driller License No.: 1833 Expiration Date: 10-7-25
- 3) Well plugging activities were supervised by the following well driller(s)/rig supervisor(s):
Jason Maley
- 4) Date well plugging began: 2-12-24 Date well plugging concluded: 2-12-24
- 5) GPS Well Location: Latitude: 32 deg, 2 min, 11.0508 sec
 Longitude: -103 deg, 24 min, 56.3724 sec, WGS 84
- 6) Depth of well confirmed at initiation of plugging as: 55 ft below ground level (bgl),
 by the following manner: Tape
- 7) Static water level measured at initiation of plugging: Dry ft bgl
- 8) Date well plugging plan of operations was approved by the State Engineer: 12-8-23
- 9) Were all plugging activities consistent with an approved plugging plan? Yes If not, please describe differences between the approved plugging plan and the well as it was plugged (attach additional pages as needed):

- For each interval plugged, describe within the following columns:**

[illegible]

MULTIPLY		BY	AND OBTAIN
cubic feet	x	7.4805	= gallons
cubic yards	x	201.97	= gallons

I, Jason Maley, say that I am familiar with the rules of the Office of the State Engineer pertaining to the plugging of wells and that each and all of the statements in this Plugging Record and attachments are true to the best of my knowledge and belief.

Signature of Well Driller

2/21/24
Date



New Mexico Office of the State Engineer

Water Column/Average Depth to Water

(A CLW##### in the POD suffix indicates the POD has been replaced & no longer serves a water right file.)

(R=POD has been replaced,
O=orphaned,
C=the file is closed)

(quarters are 1=NW 2=NE 3=SW 4=SE)

(quarters are smallest to largest)

(NAD83 UTM in meters)

(In feet)

POD Number	POD Sub-Code	basin	County	Q 64	Q 16	Q 4	Sec	Tws	Rng	X	Y	Distance	Depth Well	Depth Water	Water Column
C 04791 POD1	CUB	LE		4	4	4	13	26S	34E	649599	3545568	75	60		
C 04710 POD1	CUB	LE		4	4	4	22	26S	34E	646400	3543956	3588			
C 04601 POD1	CUB	LE		3	4	3	05	26S	35E	651710	3548919	3917			
C 04583 POD1	CUB	LE		3	3	3	15	26S	34E	644920	3545643	4650	55		

Average Depth to Water: --

Minimum Depth: --

Maximum Depth: --

Record Count: 4

UTMNAD83 Radius Search (in meters):

Easting (X): 649570

Northing (Y): 3545638

Radius: 5000

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

3/14/24 9:17 AM

Page 1 of 1

WATER COLUMN/ AVERAGE
DEPTH TO WATER

Released to Imaging: 3/26/2025 1:37:51 PM




New Mexico Office of the State Engineer

Water Right Summary

WR File Number: C 04021 **Subbasin:** C **Cross Reference:** -
Primary Purpose: DOM 72-12-1 DOMESTIC ONE HOUSEHOLD
Primary Status: PMT PERMIT
Total Acres: **Subfile:** - **Header:** -
Total Diversion: 1 **Cause/Case:** -
Owner: MARCOS YANEZ


Current Points of Diversion

POD Number	Well Tag	Source	Q	(NAD83 UTM in meters)				X	Y	Other Location Desc
			64Q16Q4Sec TwS Rng							
C 04021 POD1			2 4 4 26 26S 35E				657602	3542791		91 E LEMAN RD, LOVINGTON, NM

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

10/16/23 3:38 PM

WATER RIGHT
SUMMARY



New Mexico Office of the State Engineer

Active & Inactive Points of Diversion

(with Ownership Information)

(acre ft per annum)

(R=POD has been replaced and no longer serves this file, C=the file is closed)

(quarters are 1=NW 2=NE 3=SW 4=SE)

(quarters are smallest to largest)

(NAD83 UTM in me

WR File Nbr	Sub				County	POD Number	Well Tag	Code	Grant	Source	q q q				X	Y
	basin	Use	Diversion	Owner							64164	Sec	Tw	Rng		
C 04710	CUB	MON	0	DEVON ENERGY	LE	C 04710 POD1	NA				4 4 4	22	26S	34E	646399	3543956
C 04601	CUB	MON	0	MARATHON OIL	LE	C 04601 POD1	NA				3 4 3	05	26S	35E	651709	3548919
C 04583	CUB	MON	0	LUCID ENERGY GROUP	LE	C 04583 POD1	NA				3 3 3	15	26S	34E	644919	3545643

Record Count:

3

UTMNAD83 Radius Search (in meters):

Easting (X): 649587

Northing (Y): 3545670

Radius: 5000

Sorted by: Distance

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for purpose of the data.



[USGS Home](#)
[Contact USGS](#)
[Search USGS](#)

National Water Information System: Web Interface

USGS Water Resources

Data Category:


Groundwater

Geographic Area:

United States

GO

Click to hide News Bulletins

- Explore the *NEW* [USGS National Water Dashboard](#) interactive map to access real-time water data from over 13,500 stations nationwide.
- [Full News](#) 

Groundwater levels for the Nation

 Important: [Next Generation Monitoring Location Page](#)

Search Results -- 1 sites found

site_no list =

- 320150103235501

Minimum number of levels = 1

[Save file of selected sites](#) to local disk for future upload

USGS 320150103235501 26S.35E.19.142

Available data for this site

Groundwater: Field measurements

GO

Lea County, New Mexico

Hydrologic Unit Code 13070007

Latitude 32°01'53", Longitude 103°24'25" NAD27

Land-surface elevation 3,190 feet above NGVD29

This well is completed in the Other aquifers (N9999OTHER) national aquifer.


Output formats

[Table of data](#)

[Tab-separated data](#)

[Graph of data](#)

[Reselect period](#)



Breaks in the plot represent a gap of at least one year between field measurements.

[Download a presentation-quality graph](#)

[Questions about sites/data?](#)

[Feedback on this web site](#)

[Automated retrievals](#)

[Help](#)

[Data Tips](#)

[Explanation of terms](#)

[Subscribe for system changes](#)

[News](#)

[Accessibility](#)

[FOIA](#)

[Privacy](#)

[Policies and Notices](#)

[U.S. Department of the Interior](#) | [U.S. Geological Survey](#)

Title: Groundwater for USA: Water Levels

URL: <https://nwis.waterdata.usgs.gov/nwis/gwlevels?>

Page Contact Information: [USGS Water Data Support Team](#)

Page Last Modified: 2023-05-19 14:52:08 EDT

0.56 0.47 nadww02




OSE POD Location Map




3/14/2024, 9:11:04 AM


GIS WATERS PODs

● Pending





Rattlesnake 13-12 Federal Com #001H Watercourse 7,173ft



March 18, 2024


Wetlands

- Estuarine and Marine Deepwater
- Estuarine and Marine Wetland

- Freshwater Emergent Wetland
- Freshwater Forested/Shrub Wetland
- Freshwater Pond

- Lake
- Other
- Riverine

This map is for general reference only. The US Fish and Wildlife Service is not responsible for the accuracy or currentness of the base data shown on this map. All wetlands related data should be used in accordance with the layer metadata found on the Wetlands Mapper web site.



Rattlesnake 13-12 Federal Com #001H Lake 11,458ft



May 19, 2023

Wetlands

- Estuarine and Marine Deepwater
- Estuarine and Marine Wetland

- Freshwater Emergent Wetland
- Freshwater Forested/Shrub Wetland
- Freshwater Pond



- Lake
- Other
- Riverine


This map is for general reference only. The US Fish and Wildlife Service is not responsible for the accuracy or currentness of the base data shown on this map. All wetlands related data should be used in accordance with the layer metadata found on the Wetlands Mapper web site.

Rattlesnake 13-12 Federal Com #001H

Distance to nearest residence: 7.15 Miles (37,752 feet)

Legend



-  Rattlesnake 13 12 Federal Com 1
-  Residence





Rattlesnake 13-12 Federal Com #001H

Distance to nearest city: 13.2mi west of Jal, NM

Legend


-  City of Jal
-  Rattlesnake 13 12 Federal Com 1





Rattlesnake 13-12 Federal Com #001H

Wetlands 14,810ft



March 18, 2024

Wetlands

- Estuarine and Marine Deepwater
- Estuarine and Marine Wetland

- Freshwater Emergent Wetland
- Freshwater Forested/Shrub Wetland
- Freshwater Pond

- Lake
- Other
- Riverine

This map is for general reference only. The US Fish and Wildlife Service is not responsible for the accuracy or currentness of the base data shown on this map. All wetlands related data should be used in accordance with the layer metadata found on the Wetlands Mapper web site.

Rattlesnake 13 12 Federal Com #001H Mine 184,744ft



3/18/2024, 8:44:03 AM

Registered Mines

- Aggregate, Stone etc.
- Aggregate, Stone etc.
- Aggregate, Stone etc.



Industrial Minerals (Other)




Potash




Salt

1:577,791



Earthstar Geographics



Karst Potential

- Critical
- High
- Medium
- Low

- Site Location
- Site Buffer (1,000 ft.)

Overview Map

0 0.25 0.5 1 mi



Detail Map

0 150 300 600 ft.



Map Center:
Lat/Long: 32.037330, -103.415760

NAD 1983 UTM Zone 13N
Date: May 31/23



**Karst Potential Schematic
Rattlesnake 13-12 Federal Com #001H**

FIGURE:

X



Geospatial data presented in this figure may be derived from external sources and Vertex does not assume any liability for inaccuracies. This figure is intended for reference use only and is not certified for legal, survey, or engineering purposes.




Note: Inset Map, ESRI 2022; Overview Map: ESRI World Topographic. Karst potential data sourced from Roswell Field Office, Bureau of Land Management, 2020 or United States Department of the Interior, Bureau of Land Management. (2018). Karst Potential.


VERSATILITY. EXPERTISE.

Rattlesnake 13-12 Federal Com #001H

Distance to Nearest Unstable Area - 81,710ft

Legend

-  Line Measure
-  Rattlesnake 13-12 Federal Com #001H
-  Zone A



Google Earth




10 mi



Rattlesnake 13-12 Federal Com #001H

Distance to FEMA Flood Zone A- 125,331ft

Legend

-  Line Measure
-  Rattlesnake 13-12 Federal Com #001H
-  Zone A

Rattlesnake 13-12 Federal Com #001H




9 mi

Google Earth

National Flood Hazard Layer FIRMMette



103°25'15"W 32°2'30"N



Legend

SEE FIS REPORT FOR DETAILED LEGEND AND INDEX MAP FOR FIRM PANEL LAYOUT

SPECIAL FLOOD HAZARD AREAS		Without Base Flood Elevation (BFE) Zone A, V, A99
		With BFE or Depth Zone AE, AO, AH, VE, AR
		Regulatory Floodway
OTHER AREAS OF FLOOD HAZARD		0.2% Annual Chance Flood Hazard, Areas of 1% annual chance flood with average depth less than one foot or with drainage areas of less than one square mile Zone X
		Future Conditions 1% Annual Chance Flood Hazard Zone X
		Area with Reduced Flood Risk due to Levee. See Notes. Zone X
		Area with Flood Risk due to Levee Zone D
OTHER AREAS		NO SCREEN Area of Minimal Flood Hazard Zone X
		Effective LOMRs
		Area of Undetermined Flood Hazard Zone D
GENERAL STRUCTURES		Channel, Culvert, or Storm Sewer
		Levee, Dike, or Floodwall
OTHER FEATURES		20.2 Cross Sections with 1% Annual Chance Water Surface Elevation
		17.5 Cross Sections with 1% Annual Chance Water Surface Elevation
		Coastal Transect
		Base Flood Elevation Line (BFE)
		Limit of Study
		Jurisdiction Boundary
		Coastal Transect Baseline
MAP PANELS		Digital Data Available
		No Digital Data Available
		Unmapped



The pin displayed on the map is an approximate point selected by the user and does not represent an authoritative property location.

This map complies with FEMA's standards for the use of digital flood maps if it is not void as described below. The basemap shown complies with FEMA's basemap accuracy standards

The flood hazard information is derived directly from the authoritative NFHL web services provided by FEMA. This map was exported on 5/19/2023 at 4:30 PM and does not reflect changes or amendments subsequent to this date and time. The NFHL and effective information may change or become superseded by new data over time.

This map image is void if the one or more of the following map elements do not appear: basemap imagery, flood zone labels, legend, scale bar, map creation date, community identifiers, FIRM panel number, and FIRM effective date. Map images for unmapped and unmodernized areas cannot be used for regulatory purposes.



United States
Department of
Agriculture

NRCS

Natural
Resources
Conservation
Service

A product of the National
Cooperative Soil Survey,
a joint effort of the United
States Department of
Agriculture and other
Federal agencies, State
agencies including the
Agricultural Experiment
Stations, and local
participants

Custom Soil Resource Report for **Lea County, New Mexico**



May 19, 2023

Preface

Soil surveys contain information that affects land use planning in survey areas. They highlight soil limitations that affect various land uses and provide information about the properties of the soils in the survey areas. Soil surveys are designed for many different users, including farmers, ranchers, foresters, agronomists, urban planners, community officials, engineers, developers, builders, and home buyers. Also, conservationists, teachers, students, and specialists in recreation, waste disposal, and pollution control can use the surveys to help them understand, protect, or enhance the environment.

Various land use regulations of Federal, State, and local governments may impose special restrictions on land use or land treatment. Soil surveys identify soil properties that are used in making various land use or land treatment decisions. The information is intended to help the land users identify and reduce the effects of soil limitations on various land uses. The landowner or user is responsible for identifying and complying with existing laws and regulations.

Although soil survey information can be used for general farm, local, and wider area planning, onsite investigation is needed to supplement this information in some cases. Examples include soil quality assessments (<http://www.nrcs.usda.gov/wps/portal/nrcs/main/soils/health/>) and certain conservation and engineering applications. For more detailed information, contact your local USDA Service Center (<https://offices.sc.egov.usda.gov/locator/app?agency=nrcs>) or your NRCS State Soil Scientist (http://www.nrcs.usda.gov/wps/portal/nrcs/detail/soils/contactus/?cid=nrcs142p2_053951).

Great differences in soil properties can occur within short distances. Some soils are seasonally wet or subject to flooding. Some are too unstable to be used as a foundation for buildings or roads. Clayey or wet soils are poorly suited to use as septic tank absorption fields. A high water table makes a soil poorly suited to basements or underground installations.

The National Cooperative Soil Survey is a joint effort of the United States Department of Agriculture and other Federal agencies, State agencies including the Agricultural Experiment Stations, and local agencies. The Natural Resources Conservation Service (NRCS) has leadership for the Federal part of the National Cooperative Soil Survey.

Information about soils is updated periodically. Updated information is available through the NRCS Web Soil Survey, the site for official soil survey information.

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, age, disability, and where applicable, sex, marital status, familial status, parental status, religion, sexual orientation, genetic information, political beliefs, reprisal, or because all or a part of an individual's income is derived from any public assistance program. (Not all prohibited bases apply to all programs.) Persons with disabilities who require

alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at (202) 720-2600 (voice and TDD). To file a complaint of discrimination, write to USDA, Director, Office of Civil Rights, 1400 Independence Avenue, S.W., Washington, D.C. 20250-9410 or call (800) 795-3272 (voice) or (202) 720-6382 (TDD). USDA is an equal opportunity provider and employer.

Contents

Preface..... 2

How Soil Surveys Are Made.....5

Soil Map..... 8

 Soil Map.....9

 Legend.....10

 Map Unit Legend..... 11

 Map Unit Descriptions.....11

 Lea County, New Mexico..... 13

 PU—Pyote and Maljamar fine sands..... 13

References..... 15

How Soil Surveys Are Made

Soil surveys are made to provide information about the soils and miscellaneous areas in a specific area. They include a description of the soils and miscellaneous areas and their location on the landscape and tables that show soil properties and limitations affecting various uses. Soil scientists observed the steepness, length, and shape of the slopes; the general pattern of drainage; the kinds of crops and native plants; and the kinds of bedrock. They observed and described many soil profiles. A soil profile is the sequence of natural layers, or horizons, in a soil. The profile extends from the surface down into the unconsolidated material in which the soil formed or from the surface down to bedrock. The unconsolidated material is devoid of roots and other living organisms and has not been changed by other biological activity.

Currently, soils are mapped according to the boundaries of major land resource areas (MLRAs). MLRAs are geographically associated land resource units that share common characteristics related to physiography, geology, climate, water resources, soils, biological resources, and land uses (USDA, 2006). Soil survey areas typically consist of parts of one or more MLRA.

The soils and miscellaneous areas in a survey area occur in an orderly pattern that is related to the geology, landforms, relief, climate, and natural vegetation of the area. Each kind of soil and miscellaneous area is associated with a particular kind of landform or with a segment of the landform. By observing the soils and miscellaneous areas in the survey area and relating their position to specific segments of the landform, a soil scientist develops a concept, or model, of how they were formed. Thus, during mapping, this model enables the soil scientist to predict with a considerable degree of accuracy the kind of soil or miscellaneous area at a specific location on the landscape.

Commonly, individual soils on the landscape merge into one another as their characteristics gradually change. To construct an accurate soil map, however, soil scientists must determine the boundaries between the soils. They can observe only a limited number of soil profiles. Nevertheless, these observations, supplemented by an understanding of the soil-vegetation-landscape relationship, are sufficient to verify predictions of the kinds of soil in an area and to determine the boundaries.

Soil scientists recorded the characteristics of the soil profiles that they studied. They noted soil color, texture, size and shape of soil aggregates, kind and amount of rock fragments, distribution of plant roots, reaction, and other features that enable them to identify soils. After describing the soils in the survey area and determining their properties, the soil scientists assigned the soils to taxonomic classes (units). Taxonomic classes are concepts. Each taxonomic class has a set of soil characteristics with precisely defined limits. The classes are used as a basis for comparison to classify soils systematically. Soil taxonomy, the system of taxonomic classification used in the United States, is based mainly on the kind and character of soil properties and the arrangement of horizons within the profile. After the soil

Custom Soil Resource Report

scientists classified and named the soils in the survey area, they compared the individual soils with similar soils in the same taxonomic class in other areas so that they could confirm data and assemble additional data based on experience and research.

The objective of soil mapping is not to delineate pure map unit components; the objective is to separate the landscape into landforms or landform segments that have similar use and management requirements. Each map unit is defined by a unique combination of soil components and/or miscellaneous areas in predictable proportions. Some components may be highly contrasting to the other components of the map unit. The presence of minor components in a map unit in no way diminishes the usefulness or accuracy of the data. The delineation of such landforms and landform segments on the map provides sufficient information for the development of resource plans. If intensive use of small areas is planned, onsite investigation is needed to define and locate the soils and miscellaneous areas.

Soil scientists make many field observations in the process of producing a soil map. The frequency of observation is dependent upon several factors, including scale of mapping, intensity of mapping, design of map units, complexity of the landscape, and experience of the soil scientist. Observations are made to test and refine the soil-landscape model and predictions and to verify the classification of the soils at specific locations. Once the soil-landscape model is refined, a significantly smaller number of measurements of individual soil properties are made and recorded. These measurements may include field measurements, such as those for color, depth to bedrock, and texture, and laboratory measurements, such as those for content of sand, silt, clay, salt, and other components. Properties of each soil typically vary from one point to another across the landscape.

Observations for map unit components are aggregated to develop ranges of characteristics for the components. The aggregated values are presented. Direct measurements do not exist for every property presented for every map unit component. Values for some properties are estimated from combinations of other properties.

While a soil survey is in progress, samples of some of the soils in the area generally are collected for laboratory analyses and for engineering tests. Soil scientists interpret the data from these analyses and tests as well as the field-observed characteristics and the soil properties to determine the expected behavior of the soils under different uses. Interpretations for all of the soils are field tested through observation of the soils in different uses and under different levels of management. Some interpretations are modified to fit local conditions, and some new interpretations are developed to meet local needs. Data are assembled from other sources, such as research information, production records, and field experience of specialists. For example, data on crop yields under defined levels of management are assembled from farm records and from field or plot experiments on the same kinds of soil.

Predictions about soil behavior are based not only on soil properties but also on such variables as climate and biological activity. Soil conditions are predictable over long periods of time, but they are not predictable from year to year. For example, soil scientists can predict with a fairly high degree of accuracy that a given soil will have a high water table within certain depths in most years, but they cannot predict that a high water table will always be at a specific level in the soil on a specific date.

After soil scientists located and identified the significant natural bodies of soil in the survey area, they drew the boundaries of these bodies on aerial photographs and


Custom Soil Resource Report

identified each as a specific map unit. Aerial photographs show trees, buildings, fields, roads, and rivers, all of which help in locating boundaries accurately.

Soil Map

The soil map section includes the soil map for the defined area of interest, a list of soil map units on the map and extent of each map unit, and cartographic symbols displayed on the map. Also presented are various metadata about data used to produce the map, and a description of each soil map unit.


Custom Soil Resource Report Soil Map




Custom Soil Resource Report

MAP LEGEND

Area of Interest (AOI)

 Area of Interest (AOI)


Soils


 Soil Map Unit Polygons


 Soil Map Unit Lines


 Soil Map Unit Points

Special Point Features

 Blowout

 Borrow Pit


 Clay Spot

 Closed Depression

 Gravel Pit

 Gravelly Spot

 Landfill

 Lava Flow

 Marsh or swamp

 Mine or Quarry

 Miscellaneous Water


 Perennial Water

 Rock Outcrop

 Saline Spot

 Sandy Spot

 Severely Eroded Spot


 Sinkhole


 Slide or Slip


 Sodic Spot


 Spoil Area

 Stony Spot


 Very Stony Spot

 Wet Spot

 Other

 Special Line Features

Water Features

 Streams and Canals


Transportation

 Rails


 Interstate Highways

 US Routes

 Major Roads

 Local Roads

Background

 Aerial Photography

MAP INFORMATION

The soil surveys that comprise your AOI were mapped at 1:20,000.

Warning: Soil Map may not be valid at this scale.

Enlargement of maps beyond the scale of mapping can cause misunderstanding of the detail of mapping and accuracy of soil line placement. The maps do not show the small areas of contrasting soils that could have been shown at a more detailed scale.

Please rely on the bar scale on each map sheet for map measurements.

Source of Map: Natural Resources Conservation Service
Web Soil Survey URL:
Coordinate System: Web Mercator (EPSG:3857)

Maps from the Web Soil Survey are based on the Web Mercator projection, which preserves direction and shape but distorts distance and area. A projection that preserves area, such as the Albers equal-area conic projection, should be used if more accurate calculations of distance or area are required.

This product is generated from the USDA-NRCS certified data as of the version date(s) listed below.

Soil Survey Area: Lea County, New Mexico
Survey Area Data: Version 19, Sep 8, 2022

Soil map units are labeled (as space allows) for map scales 1:50,000 or larger.

Date(s) aerial images were photographed: Feb 7, 2020—May 12, 2020

The orthophoto or other base map on which the soil lines were compiled and digitized probably differs from the background imagery displayed on these maps. As a result, some minor shifting of map unit boundaries may be evident.

Custom Soil Resource Report

Map Unit Legend

Map Unit Symbol	Map Unit Name	Acres in AOI	Percent of AOI
PU	Pyote and Maljamar fine sands	10.5	100.0%
Totals for Area of Interest		10.5	100.0%

Map Unit Descriptions

The map units delineated on the detailed soil maps in a soil survey represent the soils or miscellaneous areas in the survey area. The map unit descriptions, along with the maps, can be used to determine the composition and properties of a unit.

A map unit delineation on a soil map represents an area dominated by one or more major kinds of soil or miscellaneous areas. A map unit is identified and named according to the taxonomic classification of the dominant soils. Within a taxonomic class there are precisely defined limits for the properties of the soils. On the landscape, however, the soils are natural phenomena, and they have the characteristic variability of all natural phenomena. Thus, the range of some observed properties may extend beyond the limits defined for a taxonomic class. Areas of soils of a single taxonomic class rarely, if ever, can be mapped without including areas of other taxonomic classes. Consequently, every map unit is made up of the soils or miscellaneous areas for which it is named and some minor components that belong to taxonomic classes other than those of the major soils.

Most minor soils have properties similar to those of the dominant soil or soils in the map unit, and thus they do not affect use and management. These are called noncontrasting, or similar, components. They may or may not be mentioned in a particular map unit description. Other minor components, however, have properties and behavioral characteristics divergent enough to affect use or to require different management. These are called contrasting, or dissimilar, components. They generally are in small areas and could not be mapped separately because of the scale used. Some small areas of strongly contrasting soils or miscellaneous areas are identified by a special symbol on the maps. If included in the database for a given area, the contrasting minor components are identified in the map unit descriptions along with some characteristics of each. A few areas of minor components may not have been observed, and consequently they are not mentioned in the descriptions, especially where the pattern was so complex that it was impractical to make enough observations to identify all the soils and miscellaneous areas on the landscape.

The presence of minor components in a map unit in no way diminishes the usefulness or accuracy of the data. The objective of mapping is not to delineate pure taxonomic classes but rather to separate the landscape into landforms or landform segments that have similar use and management requirements. The delineation of such segments on the map provides sufficient information for the development of resource plans. If intensive use of small areas is planned, however, onsite investigation is needed to define and locate the soils and miscellaneous areas.

Custom Soil Resource Report

An identifying symbol precedes the map unit name in the map unit descriptions. Each description includes general facts about the unit and gives important soil properties and qualities.

Soils that have profiles that are almost alike make up a *soil series*. Except for differences in texture of the surface layer, all the soils of a series have major horizons that are similar in composition, thickness, and arrangement.

Soils of one series can differ in texture of the surface layer, slope, stoniness, salinity, degree of erosion, and other characteristics that affect their use. On the basis of such differences, a soil series is divided into *soil phases*. Most of the areas shown on the detailed soil maps are phases of soil series. The name of a soil phase commonly indicates a feature that affects use or management. For example, Alpha silt loam, 0 to 2 percent slopes, is a phase of the Alpha series.

Some map units are made up of two or more major soils or miscellaneous areas. These map units are complexes, associations, or undifferentiated groups.

A *complex* consists of two or more soils or miscellaneous areas in such an intricate pattern or in such small areas that they cannot be shown separately on the maps. The pattern and proportion of the soils or miscellaneous areas are somewhat similar in all areas. Alpha-Beta complex, 0 to 6 percent slopes, is an example.

An *association* is made up of two or more geographically associated soils or miscellaneous areas that are shown as one unit on the maps. Because of present or anticipated uses of the map units in the survey area, it was not considered practical or necessary to map the soils or miscellaneous areas separately. The pattern and relative proportion of the soils or miscellaneous areas are somewhat similar. Alpha-Beta association, 0 to 2 percent slopes, is an example.

An *undifferentiated group* is made up of two or more soils or miscellaneous areas that could be mapped individually but are mapped as one unit because similar interpretations can be made for use and management. The pattern and proportion of the soils or miscellaneous areas in a mapped area are not uniform. An area can be made up of only one of the major soils or miscellaneous areas, or it can be made up of all of them. Alpha and Beta soils, 0 to 2 percent slopes, is an example.

Some surveys include *miscellaneous areas*. Such areas have little or no soil material and support little or no vegetation. Rock outcrop is an example.

Custom Soil Resource Report

Lea County, New Mexico

PU—Pyote and Maljamar fine sands

Map Unit Setting

National map unit symbol: dmqq
Elevation: 3,000 to 3,900 feet
Mean annual precipitation: 10 to 12 inches
Mean annual air temperature: 60 to 62 degrees F
Frost-free period: 190 to 205 days
Farmland classification: Not prime farmland

Map Unit Composition

Pyote and similar soils: 46 percent
Maljamar and similar soils: 44 percent
Minor components: 10 percent
Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Pyote

Setting

Landform: Plains
Landform position (three-dimensional): Rise
Down-slope shape: Linear
Across-slope shape: Linear
Parent material: Sandy eolian deposits derived from sedimentary rock

Typical profile

A - 0 to 30 inches: fine sand
Bt - 30 to 60 inches: fine sandy loam

Properties and qualities

Slope: 0 to 3 percent
Depth to restrictive feature: More than 80 inches
Drainage class: Well drained
Runoff class: Negligible
Capacity of the most limiting layer to transmit water (Ksat): High (2.00 to 6.00 in/hr)
Depth to water table: More than 80 inches
Frequency of flooding: None
Frequency of ponding: None
Calcium carbonate, maximum content: 5 percent
Gypsum, maximum content: 1 percent
Maximum salinity: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)
Sodium adsorption ratio, maximum: 2.0
Available water supply, 0 to 60 inches: Low (about 5.1 inches)

Interpretive groups

Land capability classification (irrigated): 6e
Land capability classification (nonirrigated): 7s
Hydrologic Soil Group: A
Ecological site: R070BD003NM - Loamy Sand
Hydric soil rating: No

Custom Soil Resource Report

Description of Maljamar**Setting**

Landform: Plains

Landform position (three-dimensional): Rise

Down-slope shape: Linear

Across-slope shape: Linear

Parent material: Sandy eolian deposits derived from sedimentary rock

Typical profile

A - 0 to 24 inches: fine sand

Bt - 24 to 50 inches: sandy clay loam

Bkm - 50 to 60 inches: cemented material

Properties and qualities

Slope: 0 to 3 percent

Depth to restrictive feature: 40 to 60 inches to petrocalcic

Drainage class: Well drained

Runoff class: Very low

Capacity of the most limiting layer to transmit water (Ksat): Very low to moderately low (0.00 to 0.06 in/hr)

Depth to water table: More than 80 inches

Frequency of flooding: None

Frequency of ponding: None

Calcium carbonate, maximum content: 5 percent

Gypsum, maximum content: 1 percent

Maximum salinity: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)

Sodium adsorption ratio, maximum: 2.0

Available water supply, 0 to 60 inches: Low (about 5.6 inches)

Interpretive groups

Land capability classification (irrigated): 6e

Land capability classification (nonirrigated): 7e

Hydrologic Soil Group: B

Ecological site: R070BD003NM - Loamy Sand

Hydric soil rating: No

Minor Components**Kermit**

Percent of map unit: 10 percent

Ecological site: R070BC022NM - Sandhills

Hydric soil rating: No

References

- American Association of State Highway and Transportation Officials (AASHTO). 2004. Standard specifications for transportation materials and methods of sampling and testing. 24th edition.
- American Society for Testing and Materials (ASTM). 2005. Standard classification of soils for engineering purposes. ASTM Standard D2487-00.
- Cowardin, L.M., V. Carter, F.C. Golet, and E.T. LaRoe. 1979. Classification of wetlands and deep-water habitats of the United States. U.S. Fish and Wildlife Service FWS/OBS-79/31.
- Federal Register. July 13, 1994. Changes in hydric soils of the United States.
- Federal Register. September 18, 2002. Hydric soils of the United States.
- Hurt, G.W., and L.M. Vasilas, editors. Version 6.0, 2006. Field indicators of hydric soils in the United States.
- National Research Council. 1995. Wetlands: Characteristics and boundaries.
- Soil Survey Division Staff. 1993. Soil survey manual. Soil Conservation Service. U.S. Department of Agriculture Handbook 18. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/soils/?cid=nrcs142p2_054262
- Soil Survey Staff. 1999. Soil taxonomy: A basic system of soil classification for making and interpreting soil surveys. 2nd edition. Natural Resources Conservation Service, U.S. Department of Agriculture Handbook 436. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/soils/?cid=nrcs142p2_053577
- Soil Survey Staff. 2010. Keys to soil taxonomy. 11th edition. U.S. Department of Agriculture, Natural Resources Conservation Service. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/soils/?cid=nrcs142p2_053580
- Tiner, R.W., Jr. 1985. Wetlands of Delaware. U.S. Fish and Wildlife Service and Delaware Department of Natural Resources and Environmental Control, Wetlands Section.
- United States Army Corps of Engineers, Environmental Laboratory. 1987. Corps of Engineers wetlands delineation manual. Waterways Experiment Station Technical Report Y-87-1.
- United States Department of Agriculture, Natural Resources Conservation Service. National forestry manual. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/soils/home/?cid=nrcs142p2_053374
- United States Department of Agriculture, Natural Resources Conservation Service. National range and pasture handbook. <http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/landuse/rangepasture/?cid=stelprdb1043084>

Custom Soil Resource Report

United States Department of Agriculture, Natural Resources Conservation Service. National soil survey handbook, title 430-VI. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/soils/scientists/?cid=nrcs142p2_054242

United States Department of Agriculture, Natural Resources Conservation Service. 2006. Land resource regions and major land resource areas of the United States, the Caribbean, and the Pacific Basin. U.S. Department of Agriculture Handbook 296. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/soils/?cid=nrcs142p2_053624

United States Department of Agriculture, Soil Conservation Service. 1961. Land capability classification. U.S. Department of Agriculture Handbook 210. http://www.nrcs.usda.gov/Internet/FSE_DOCUMENTS/nrcs142p2_052290.pdf



Ecological site R070BD003NM

Loamy Sand

Accessed: 05/19/2023

General information

Provisional. A provisional ecological site description has undergone quality control and quality assurance review. It contains a working state and transition model and enough information to identify the ecological site.

Figure 1. Mapped extent

Areas shown in blue indicate the maximum mapped extent of this ecological site. Other ecological sites likely occur within the highlighted areas. It is also possible for this ecological site to occur outside of highlighted areas if detailed soil survey has not been completed or recently updated.

Associated sites

R070BD004NM	Sandy Sandy
R070BD005NM	Deep Sand Deep Sand

Table 1. Dominant plant species

Tree	Not specified
Shrub	Not specified
Herbaceous	Not specified

Physiographic features

This site is on uplands, plains, dunes, fan piedmonts and in inter dunal areas. The parent material consists of mixed alluvium and or eolian sands derived from sedimentary rock. Slope range on this site range from 0 to 9 percent with the average of 5 percent.

Low stabilized dunes may occur occasionally on this site. Elevations range from 2,800 to 5,000 feet.

Table 2. Representative physiographic features

Landforms	(1) Fan piedmont (2) Alluvial fan (3) Dune
Elevation	2,800–5,000 ft
Slope	0–9%
Aspect	Aspect is not a significant factor

Climatic features

The average annual precipitation ranges from 8 to 13 inches. Variations of 5 inches, more or less, are common. Over 80 percent of the precipitation falls from April through October. Most of the summer precipitation comes in the form of high intensity-short duration thunderstorms. Temperatures are characterized by distinct seasonal changes and large annual and diurnal temperature changes.

The average annual temperature is 61 degrees with extremes of 25 degrees below zero in the winter to 112 degrees in the summer.

The average frost-free season is 207 to 220 days. The last killing frost being late March or early April and the first killing frost being in later October or early November.

Temperature and rainfall both favor warm season perennial plant growth. In years of abundant spring moisture, annual forbs and cool season grasses can make up an important component of this site. Strong winds blow from the southwest from January through June, which accelerates soil drying during a critical period for cool season plant growth.

Climate data was obtained from <http://www.wrcc.sage.dri.edu/summary/climsmnm.html> web site using 50% probability for freeze-free and frost-free seasons using 28.5 degrees F and 32.5 degrees F respectively.

Table 3. Representative climatic features

Frost-free period (average)	221 days
Freeze-free period (average)	240 days
Precipitation total (average)	13 in

Influencing water features

This site is not influenced from water from wetlands or streams.

Soil features

Soils are moderately deep or very deep. Surface textures are loamy fine sand, fine sandy loam, loamy very fine sand or gravelly sandy loam.

Subsurface is a loamy fine sand, coarse sandy loam, fine sandy loam or loam that averages less than 18 percent clay and less than 15 percent carbonates.

Substratum is a fine sandy loam or gravelly fine sandy loam with less than 15 percent gravel and with less than 40 percent calcium carbonate. Some layers high in lime or with caliche fragments may occur at depths of 20 to 30 inches.

These soils, if unprotected by plant cover and organic residue, become wind blown and low hummocks are formed.

Minimum and maximum values listed below represent the characteristic soils for this site.

Characteristic soils are:

Maljamar
Berino
Parjarito
Palomas
Wink
Pyote

Table 4. Representative soil features

Surface texture	(1) Fine sand (2) Fine sandy loam (3) Loamy fine sand
Family particle size	(1) Sandy
Drainage class	Well drained to somewhat excessively drained
Permeability class	Moderate to moderately rapid

Soil depth	40–72 in
Surface fragment cover ≤3"	0–10%
Surface fragment cover >3"	0%
Available water capacity (0–40in)	5–7 in
Calcium carbonate equivalent (0–40in)	3–40%
Electrical conductivity (0–40in)	2–4 mmhos/cm
Sodium adsorption ratio (0–40in)	0–2
Soil reaction (1:1 water) (0–40in)	6.6–8.4
Subsurface fragment volume ≤3" (Depth not specified)	4–12%
Subsurface fragment volume >3" (Depth not specified)	0%

Ecological dynamics

Overview


The Loamy Sand site intergrades with the Deep Sand and Sandy sites (SD-3). These sites can be differentiated by surface soil texture and depth to a textural change. Loamy Sand and Deep Sand sites have coarse textured (sands and loamy sand) surface soils while Sandy sites have moderately coarse textured (sandy loam and fine sandy loam) surfaces. Although Loamy Sand and Deep Sand sites have similar surface textures, the depth to a textural change is different—Loamy Sand sub-surface textures typically increase in clay at approximately 20 to 30 inches, and Deep Sand sites not until around 40 inches.

The historic plant community of Loamy Sand sites is dominated by black grama (*Bouteloua eriopoda*), dropseeds (*Sporobolus flexuosus*, *S. contractus*, *S. cryptandrus*), and bluestems (*Schizachyrium scoparium* and *Andropogon hallii*), with scattered shinnery oak (*Quercus havardii*) and sand sage (*Artemisia filifolia*). Perennial and annual forb abundance and distribution are dependent on precipitation. Litter and to a lesser extent, bare ground, are a significant proportion of ground cover while grasses compose the remainder. Decreases in black grama indicate a transition to either a grass/shrub or shrub-dominated state. The grass/shrub state is composed of grasses/honey mesquite (*Prosopis glandulosa*), grasses/broom snakeweed (*Gutierrezia sarothrae*), or grasses/sand sage. The shrub-dominated state occurs after a severe loss of grass cover and a prevalence of sand sage with secondary shinnery oak and mesquite. Heavy grazing intensity and/or drought are influential drivers in decreasing black grama and bluestems and subsequently increasing shrub cover, erosion, and bare patches. Historical fire suppression also encourages shrub pervasiveness and a competitive advantage over grass species (McPherson 1995). Brush and grazing management, however, may reverse grass/shrub and shrub-dominated states toward the grassland-dominated historic plant community.

State and transition model

Plant Communities and Transitional Pathways (diagram):

MLRA-42, SD-3, Loamy Sand



1a. Drought, over grazing, fire suppression.

1b. Brush control, prescribed grazing

2.a Severe loss of grass cover, fire suppression, erosion.

2b. Brush control, seeding, prescribed grazing.

3. Continued loss of grass cover, erosion.

State 1

Historic Climax Plant Community

Community 1.1

Historic Climax Plant Community

Grassland: The historic plant community is a uniformly distributed grassland dominated by black grama, dropseeds, and bluestems. Sand sage and shinnery oak are evenly dispersed throughout the grassland due to the coarse soil

surface texture. Perennial and annual forbs are common but their abundance and distribution are reflective of precipitation. Bluestems initially, followed by black grama, decrease with drought and heavy grazing intensity. Historical fire frequency is unknown but likely occurred enough to remove small shrubs to the competitive advantage of grass species. Fire suppression, drought conditions, and excessive grazing drive most grass species out of competition with shrub species. Diagnosis: Grassland dominated by black grama, dropseeds, and bluestems. Shrubs, such as sand sage, shinnery oak, and mesquite are dispersed throughout the grassland. Forbs are present and populations fluctuate with precipitation variability.

Table 5. Annual production by plant type

Plant Type	Low (Lb/Acre)	Representative Value (Lb/Acre)	High (Lb/Acre)
Grass/Grasslike	442	833	1224
Forb	110	208	306
Shrub/Vine	98	184	270
Total	650	1225	1800

Table 6. Ground cover

Tree foliar cover	0%
Shrub/vine/liana foliar cover	0%
Grass/grasslike foliar cover	28%
Forb foliar cover	0%
Non-vascular plants	0%
Biological crusts	0%
Litter	50%
Surface fragments >0.25" and <=3"	0%
Surface fragments >3"	0%
Bedrock	0%
Water	0%
Bare ground	22%

Figure 5. Plant community growth curve (percent production by month). NM2803, R042XC003NM-Loamy Sand-HCPC. SD-3 Loamy Sand - Warm season plant community .

Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
0	0	3	5	10	10	25	30	12	5	0	0

State 2
Grass/Shrub

Community 2.1
Grass/Shrub



Grass/Shrub State: The grass/shrub state is dominated by communities of grasses/mesquite, grasses/snakeweed, or grasses/sand sage. Decreases in black grama and bluestem species lead to an increase in bare patches and mesquite which further competes with grass species. An increase of dropseeds and threeawns occurs. Grass distribution becomes more patchy with an absence or severe decrease in black grama and bluestems. Mesquite provides nitrogen and soil organic matter to co-dominant grasses (Ansley and Jacoby 1998, Ansley et al. 1998). Mesquite mortality when exposed to fire is low due to aggressive resprouting abilities. Herbicide application combined with subsequent prescribed fire may be more effective in mesquite reduction (Britton and Wright 1971). **Diagnosis:** This state is dominated by an increased abundance of communities including grass/mesquite, grass/snakeweed, or grass/sand sage. Dropseeds and threeawns have a patchy distribution. **Transition to Grass/Shrub State (1a):** The historic plant community begins to shift toward the grass/shrub state as drivers such as drought, fire suppression, interspecific competition, and excessive grazing contribute to alterations in soil properties and herbaceous cover. Cover loss and surface soil erosion are initial indicators of transition followed by a decrease in black grama with a subsequent increase of dropseeds, threeawns, mesquite, and snakeweed. Snakeweed has been documented to outcompete black grama especially under conditions of fire suppression and drought (McDaniel et al. 1984). **Key indicators of approach to transition:** • Loss of black grama cover • Surface soil erosion • Bare patch expansion • Increased dropseed/threeawn and mesquite, snakeweed, or sand sage abundances **Transition to Historic Plant Community (1b):** Brush and grazing management may restore the grassland component and reverse shrub or grass/shrub dominated states back toward the historic plant community.

State 3 Shrub Dominated

Community 3.1 Shrub Dominated

Shrub-Dominated State: The shrub-dominated state results from a severe loss of grass cover. This state's primary species is sand sage. Shinnery oak and mesquite also occur; however, grass cover is limited to intershrub distribution. Sand sage stabilizes light sandy soils from wind erosion, which enhances protected grass/forb cover (Davis and Bonham 1979). However, shinnery oak also responds to the sandy soils with dense stands due to an

aggressive rhizome system. Shinnery oak's extensive root system promotes competitive exclusion of grasses and forbs. Sand sage, shinnery oak, and mesquite can be controlled with herbicide (Herbel et al. 1979, Pettit 1986). Transition to Shrub-Dominated (2a): Severe loss of grass species with increased erosion and fire suppression will result in a transition to a shrub-dominated state with sand sage, Shin oak, and honey mesquite directly from the grassland-dominated state. Key indicators of approach to transition: • Severe loss of grass species cover • Surface soil erosion • Bare patch expansion • Increased sand sage, shinnery oak, and mesquite abundance Transition to Historic Plant Community (2b): Brush and grazing management may restore the grassland component and reverse shrub or grass/shrub dominated states back toward the historic plant community. In addition, seeding with native grass species will augment the transition to a grassland-dominated state. Transition to Shrub-Dominated (3): If the grass/shrub site continues to lose grass cover with soil erosion, the site will transition to a shrub-dominated state with sand sage, shinnery oak, and honey mesquite. Key indicators of approach to transition: • Continual loss of dropseeds/threawns cover • Surface soil erosion • Bare patch expansion • Increased sand sage, shinnery oak, and mesquite/dropseed/threawn and mesquite/snakeweed abundance

Additional community tables

Table 7. Community 1.1 plant community composition

Group	Common Name	Symbol	Scientific Name	Annual Production (Lb/Acre)	Foliar Cover (%)
Grass/Grasslike					
1	Warm Season			61–123	
	little bluestem	SCSC	<i>Schizachyrium scoparium</i>	61–123	–
2	Warm Season			37–61	
	sand bluestem	ANHA	<i>Andropogon hallii</i>	37–61	–
3	Warm Season			37–61	
	cane bluestem	BOBA3	<i>Bothriochloa barbinodis</i>	37–61	–
	silver bluestem	BOSA	<i>Bothriochloa saccharoides</i>	37–61	–
4	Warm Season			123–184	
	black grama	BOER4	<i>Bouteloua eriopoda</i>	123–184	–
	bush muhly	MUPO2	<i>Muhlenbergia porteri</i>	123–184	–
5	Warm Season			123–184	
	thin paspalum	PASE5	<i>Paspalum setaceum</i>	123–184	–
	plains bristlegrass	SEVU2	<i>Setaria vulpiseta</i>	123–184	–
	fringed signalgrass	URCI	<i>Urochloa ciliatissima</i>	123–184	–
6	Warm Season			123–184	
	spike dropseed	SPCO4	<i>Sporobolus contractus</i>	123–184	–
	sand dropseed	SPCR	<i>Sporobolus cryptandrus</i>	123–184	–
	mesa dropseed	SPFL2	<i>Sporobolus flexuosus</i>	123–184	–
7	Warm Season			61–123	
	hooded windmill grass	CHCU2	<i>Chloris cucullata</i>	61–123	–
	Arizona cottontop	DICA8	<i>Digitaria californica</i>	61–123	–
9	Other Perennial Grasses			37–61	
	Grass, perennial	2GP	<i>Grass, perennial</i>	37–61	–
Shrub/Vine					
8	Warm Season			37–61	
	New Mexico feathergrass	HENE5	<i>Hesperostipa neomexicana</i>	37–61	–
	giant dropseed	SPGI	<i>Sporobolus giganteus</i>	37–61	–
10	Shrub			61–123	

	sand sagebrush	ARFI2	<i>Artemisia filifolia</i>	61–123	–
	Havard oak	QUHA3	<i>Quercus havardii</i>	61–123	–
11	Shrub			34–61	
	fourwing saltbush	ATCA2	<i>Atriplex canescens</i>	37–61	–
	featherplume	DAFO	<i>Dalea formosa</i>	37–61	–
12	Shrub			37–61	
	jointfir	EPHED	<i>Ephedra</i>	37–61	–
	littleleaf ratany	KRER	<i>Krameria erecta</i>	37–61	–
13	Other Shrubs			37–61	
	Shrub (>.5m)	2SHRUB	<i>Shrub (>.5m)</i>	37–61	–
Forb					
14	Forb			61–123	
	leatherweed	CRPOP	<i>Croton pottsii</i> var. <i>pottsii</i>	61–123	–
	Indian blanket	GAPU	<i>Gaillardia pulchella</i>	61–123	–
	globemallow	SPHAE	<i>Sphaeralcea</i>	61–123	–
15	Forb			12–37	
	woolly groundsel	PACA15	<i>Packera cana</i>	12–37	–
16	Forb			61–123	
	touristplant	DIWI2	<i>Dimorphocarpa wislizeni</i>	61–123	–
	woolly plantain	PLPA2	<i>Plantago patagonica</i>	61–123	–
17	Other Forbs			37–61	
	Forb (herbaceous, not grass nor grass-like)	2FORB	<i>Forb (herbaceous, not grass nor grass-like)</i>	37–61	–

Animal community

This Ecological Site provides habitat which supports a resident animal community that is characterized by pronghorn antelope, desert cottontail, spotted ground squirrel, black-tailed prairie dog, yellow faced pocket gopher, Ord's kangaroo rat, northern grasshopper mouse, southern plains woodrat, badger, roadrunner, meadowlark, burrowing owl, white necked raven, lesser prairie chicken, morning dove, scaled quail, Harris hawk, side blotched lizard, marbled whiptail, Texas horned lizard, western diamondback rattlesnake, dusty hognose snake and ornate box turtle.

Where mesquite has invaded, most resident birds and scissor-tailed flycatcher, morning dove and Swainson's hawk, nest. Vesper and grasshopper sparrows utilize the site during migration.

Hydrological functions

The runoff curve numbers are determined by field investigations using hydraulic cover conditions and hydrologic soil groups.

Hydrologic Interpretations

Soil Series Hydrologic Group

Berino B

Kinco A

Maljamar B

Pajarito B

Palomas B

Wink B

Pyote A

Recreational uses

This site offers recreation potential for hiking, borseback riding, nature observation, photography and hunting. During years of abundant spring moisture, this site displays a colorful array of wildflowers during May and June.

Wood products

This site has no potential for wood products.

Other products

This site is suitable for grazing by all kinds and classes of livestock at any time of year. In cases where this site has been invaded by brush species it is especially suited for goats. Mismanagement of this site will cause a decrease in species such as the bluestems, black grama, bush muhly, plains bristlegrass, New Mexico feathergrass, Arizona cottontop and fourwing saltbush. A corresponding increase in the dropseeds, windmill grass, fall witchgrass, silver bluestem, sand sagebrush, shinery oak and ephedra will occur. This will also cause an increase in bare ground which will increase soil erodibility. This site will respond well to a system of management that rotates the season of use.

Other information

Guide to Suggested Initial Stocking Rate Acres per Animal Unit Month

Similarity Index Ac/AUM

100 - 76 2.3 – 3.5

75 – 51 3.0 – 4.5

50 – 26 4.6 – 9.0

25 – 0 9.1 +

Inventory data references

Data collection for this site was done in conjunction with the progressive soil surveys within the Southern Desertic Basins, Plains and Mountains, Major Land Resource Areas of New Mexico. This site has been mapped and correlated with soils in the following soil surveys. Eddy County, Lea County, and Chaves County.

Other references

Literature Cited:

Ansley, R. J.; Jacoby, P. W. 1998. Manipulation of fire intensity to achieve mesquite management goals in north Texas. In: Pruden, Teresa L.; Brennan, Leonard A., eds. Fire in ecosystem management: shifting the paradigm from suppression to prescription: Proceedings, Tall Timbers fire ecology conference; 1996 May 7-10; Boise, ID. No. 20. Tallahassee, FL: Tall Timbers Research Station: 195-204.

Ansley, R. J.; Jones, D. L.; Tunnell, T. R.; [and others]. 1998. Honey mesquite canopy responses to single winter fires: relation to herbaceous fuel, weather and fire temperature. International Journal of Wildland Fire 8(4):241-252.

Britton, Carlton M.; Wright, Henry A. 1971. Correlation of weather and fuel variables to mesquite damage by fire. Journal of Range Management 24:136-141.

Davis, Joseph H., III and Bonham, Charles D. 1979. Interference of sand sagebrush canopy with needleandthread. Journal of Range Management 32(5):384-386.

Herbel, C. H, Steger, R, Gould, W. L. 1974. Managing semidesert ranges of the Southwest Circular 456. Las Cruces, NM: New Mexico State University, Cooperative Extension Service. 48 p.

McDaniel, Kirk C.; Pieper, Rex D.; Loomis, Lyn E.; Osman, Abdelgader A. 1984. Taxonomy and ecology of perennial snakeweeds in New Mexico. Bulletin 711. Las Cruces, NM: New Mexico State University, Agricultural Experiment Station. 34 p.

McPherson, Guy R. 1995. The role of fire in the desert grasslands. In: McClaran, Mitchel P.; Van Devender, Thomas R., eds. The desert grassland. Tucson, AZ: The University of Arizona Press: 130-151.

Pettit, Russell D. 1986. Sand shinnery oak: control and management. Management Note 8. Lubbock, TX: Texas Tech University, College of Agricultural Sciences, Department of Range and Wildlife Management. 5 p.

Contributors

Don Sylvester
Quinn Hodgson

Rangeland health reference sheet

Interpreting Indicators of Rangeland Health is a qualitative assessment protocol used to determine ecosystem condition based on benchmark characteristics described in the Reference Sheet. A suite of 17 (or more) indicators are typically considered in an assessment. The ecological site(s) representative of an assessment location must be known prior to applying the protocol and must be verified based on soils and climate. Current plant community cannot be used to identify the ecological site.

Author(s)/participant(s)	
Contact for lead author	
Date	
Approved by	
Approval date	
Composition (Indicators 10 and 12) based on	Annual Production

Indicators

1. Number and extent of rills:

2. Presence of water flow patterns:

3. Number and height of erosional pedestals or terracettes:

4. Bare ground from Ecological Site Description or other studies (rock, litter, lichen, moss, plant canopy are not bare ground):


5. Number of gullies and erosion associated with gullies:

6. Extent of wind scoured, blowouts and/or depositional areas:

7. **Amount of litter movement (describe size and distance expected to travel):**
-
8. **Soil surface (top few mm) resistance to erosion (stability values are averages - most sites will show a range of values):**
-
9. **Soil surface structure and SOM content (include type of structure and A-horizon color and thickness):**
-
10. **Effect of community phase composition (relative proportion of different functional groups) and spatial distribution on infiltration and runoff:**
-
11. **Presence and thickness of compaction layer (usually none; describe soil profile features which may be mistaken for compaction on this site):**
-
12. **Functional/Structural Groups (list in order of descending dominance by above-ground annual-production or live foliar cover using symbols: >>, >, = to indicate much greater than, greater than, and equal to):**
- Dominant:
- Sub-dominant:
- Other:
- Additional:
-
13. **Amount of plant mortality and decadence (include which functional groups are expected to show mortality or decadence):**
-
14. **Average percent litter cover (%) and depth (in):**
-
15. **Expected annual annual-production (this is TOTAL above-ground annual-production, not just forage annual-production):**
-
16. **Potential invasive (including noxious) species (native and non-native). List species which BOTH characterize degraded states and have the potential to become a dominant or co-dominant species on the ecological site if their future establishment and growth is not actively controlled by management interventions. Species that become dominant for only one to several years (e.g., short-term response to drought or wildfire) are not invasive plants. Note that unlike other indicators, we are describing what is NOT expected in the reference state for the ecological site:**
-

17. Perennial plant reproductive capability:

Rattlesnake 13 12 Federal Com 1 Geology




5/19/2023, 3:41:12 PM

1:144,448

Lithologic Units

- Playa—Alluvium and evaporite deposits (Holocene)
- Water—Perennial standing water
- Qa—Alluvium (Holocene to upper Pleistocene)



Esri, NASA, NGA, USGS, NMBGMR, USGS The National Map: National Boundaries Dataset, 3DEP Elevation Program, Geographic Names Information System, National Hydrography Dataset, National Land Cover Database, National Structures Dataset, and National Transportation Dataset; USGS Global Ecosystems; U.S. Census Bureau TIGER/Line data; USFS

ArcGIS Web AppBuilder

APPENDIX B – Daily Field Reports

Daily Site Visit Report

Client:	Devon Energy Corporation	Inspection Date:	10/3/2024
Site Location Name:	Rattlesnake 13-12 Fed Com 1H	Report Run Date:	10/7/2024 12:32 AM
Client Contact Name:	Dale Woodall	API #:	30-025-40912
Client Contact Phone #:	405-318-4697		
Unique Project ID		Project Owner:	
Project Reference #		Project Manager:	

Summary of Times

Arrived at Site	10/3/2024 8:05 AM
Departed Site	10/3/2024 3:15 PM

Field Notes

- 17:52** Arrived on site at approximately 8:05am, completed safety paperwork and held safety brief with the crew from Devon Representative, Rodney. The magnetic line locator was used during the initial site walkthrough in area of disturbance.
- 17:59** Collected BH24-01 through BH24-07 via mechanical excavation with a backhoe and a hand auger in areas with no disturbance. Samples were collected at various depth intervals , BH24-01 was collected at 0 to 10ft bgs at 2ft intervals. BH24-02 through BH24-06 were collected at 0, 2, and 4ft bgs. BH24-07 was collected at 0, 2, 4, 6, 8ft bgs.
- 18:01** 26 samples were collected in total. Samples were field screened for chlorides using silver nitrate titration and Petroflag.
- 18:01** 24 samples were jarred and sent to the lab for further analysis.
- 18:10** All mechanical excavated boreholes and test trench were backfilled with local soils on site for safety and structural integrity. The area will be remediated and reclaimed at a future date.

Next Steps & Recommendations

1

Run on 10/7/2024 12:32 AM UTC

Powered by www.krinkleldar.com

Daily Site Visit Report

Run on 10/7/2024 12:32 AM UTC

Powered by www.krinkleldar.com

Daily Site Visit Report

Site Photos

Viewing Direction: West




Photo & Time: Thu Oct 3 11:13:47 AM 2024
Position: +032.03722° / -103.61488°
Altitude: 985m
Datum: WGS-84
Datum Bearing: 119° 54' 58" (Magnetic North)
Elev: 14

Description: BH24-01 was dug to a depth of 10ft bgs. Sample point is located in a test trench that was dug to a depth of 3ft bgs.

Viewing Direction: East




Photo & Time: Thu Oct 3 11:13:47 AM 2024
Position: +032.03722° / -103.61488°
Altitude: 985m
Datum: WGS-84
Datum Bearing: 119° 54' 58" (Magnetic North)
Elev: 14

Description: BH24-02 at 4ft bgs. Samples taken 0, 2, and 4ft bgs.

Daily Site Visit Report

Viewing Direction: West



BH24-03 at 4ft bgs. Samples taken at 0, 2, and 4ft bgs. Sample point is located at the end of the suspected release area.

Viewing Direction: West



Sample point BH24-05 at 4ft bgs. Samples taken at 0, 2, and 4ft bgs.

Run on 10/7/2024 12:32 AM UTC

Powered by www.krinkleldar.com

Daily Site Visit Report

Viewing Direction: West



BH24-06 at 4ft bgs. Samples taken at 0, 2, and 4ft bgs.

Viewing Direction: South



BH24-07 was collected at 0, 2, 4, 6, and 8ft bgs. Field screens exceeded NMOCD criteria for DTGW 51-100ft bgs. Sample was taken in area that will require a deferral due to active production equipment.

Viewing Direction: West



Deferral area.

Viewing Direction: East



BH23-09 taken at 9ft bgs. Sample met NMOCD strictest criteria for chlorides.

Daily Site Visit Report

Run on 10/7/2024 12:32 AM UTC

Powered by www.krinkleldar.com

Daily Site Visit Report

Daily Site Visit Signature

Inspector: John Rewis

Signature:

Signature

A handwritten signature in black ink, appearing to be 'John Rewis', written over a horizontal line.

Run on 10/7/2024 12:32 AM UTC

Powered by www.krinkleldar.com

Daily Site Visit Report

Client:	Devon Energy Corporation	Inspection Date:	11/11/2024
Site Location Name:	Rattlesnake 13-12 Fed Com 1H	Report Run Date:	11/12/2024 1:57 AM
Client Contact Name:	Jim Raley	API #:	30-025-40912
Client Contact Phone #:	575-748-0176		
Unique Project ID		Project Owner:	
Project Reference #		Project Manager:	

Summary of Times

Arrived at Site	11/11/2024 8:10 AM
Departed Site	11/11/2024 4:40 PM

Field Notes

- 8:25** On site to begin excavation and collect/field screen samples of time permits.
- 9:12** I flagged the perimeter of the proposed excavation area and swept the area with a magnetic locator.
- 9:13** Kelley Oilfield Services arrived at approximately 9 am. They are waiting on the Devon PIC to arrive to site before beginning excavation.
- 10:42** Rod Carlin from Devon arrived on site at approximately 9:15 am. We conducted a walkthrough of the proposed excavation area, detailing where and what depths need to be excavated.
- 18:50** Kelley Oilfield Services Inc finished excavation approximately at 3:40 pm.
- 18:52** I collected BS24-01 to -03 at 4 ft bgs and WS24-01 to -03 at 0-4 ft bgs.
- 18:53** All samples field screened for chlorides. All samples past field screening criteria.
- All samples field screened for TPH. All samples passed field screening criteria except WS24-03.
- 18:54** WS24-03 is against equipment and cannot be pushed out any further. This sample point will be part of the decontamination process.

Next Steps & Recommendations

Run on 11/12/2024 1:57 AM UTC

Powered by www.krinkleldar.com

Daily Site Visit Report

1

Run on 11/12/2024 1:57 AM UTC

Powered by www.krinkleldar.com

Daily Site Visit Report

Site Photos

Viewing Direction: West



Placard

Viewing Direction: North



Swiped proposed excavation area with magnetic locator.

Viewing Direction: North



West end of 4 ft excavation. Area where BS24-01 and WS24-03 were collected.

Viewing Direction: Southeast



Eastern portion of 4 ft excavation. Area where BS24-02 & -03; WS24-02 were collected.

Daily Site Visit Report

Viewing Direction: Northwest



Eastern portion of 4 ft excavation. Area where BS24-03 & -02 WS24-01 were collected.

Viewing Direction: West



East end of 4 ft excavation facing west.

Viewing Direction: North



Southwest corner of 4 ft excavation facing north.

Viewing Direction: Southwest



Removed soil placed on liner.

Run on 11/12/2024 1:57 AM UTC

Powered by www.krinkeldar.com

Daily Site Visit Report

Daily Site Visit Signature

Inspector: Andrew Ludvik

Signature:


Signature

Run on 11/12/2024 1:57 AM UTC

Powered by www.krinkleldar.com

Daily Site Visit Report

Client:	Devon Energy Corporation	Inspection Date:	11/14/2024
Site Location Name:	Rattlesnake 13-12 Fed Com 1H	Report Run Date:	11/14/2024 11:43 PM
Client Contact Name:	Dale Woodall	API #:	30-025-40912
Client Contact Phone #:	405-318-4697		
Unique Project ID		Project Owner:	
Project Reference #		Project Manager:	

Summary of Times

Arrived at Site	11/14/2024 9:45 AM
Departed Site	11/14/2024 2:15 PM

Field Notes


- 10:34 Composite confirmation samples were collected
- 10:35 Measurements of the excavated are were taken to ensure accurate excavation map and sample points
- 10:36 Delineations were taken outside excavation area to ensure the excavation encompassed the entire spill
- 13:59 Field screening and all results were within criteria

Next Steps & Recommendations


- 1 Coc samples to send to lab for further analysis

Daily Site Visit Report


Site Photos



Composite sample point 1 for WES24-01



Composite sample point 2 for WES24-01



Composite sample point 3 for WES24-01




Composite sample point 4 for WES24-01

Run on 11/14/2024 11:43 PM UTC

Powered by www.krinkleldar.com

Daily Site Visit Report


Viewing Direction: North



Descriptive Photo:
Viewing Direction: North
Date: Composite sample point 5 for WES24-01
Created: 11/14/2024 11:43:04 AM
Lat: 32.536773, Long: -102.415525

Composite sample point 5 for WES24-01


Viewing Direction: North



Descriptive Photo:
Viewing Direction: North
Date: Composite sample point 1 for WES24-02
Created: 11/14/2024 11:43:04 AM
Lat: 32.536773, Long: -102.415525

Composite sample point 1 for WES24-02


Viewing Direction: Northeast



Descriptive Photo:
Viewing Direction: Northeast
Date: Composite sample point 2 for WES24-02
Created: 11/14/2024 11:43:04 AM
Lat: 32.536773, Long: -102.415525

Composite sample point 2 for WES24-02





Viewing Direction: East



Descriptive Photo:
Viewing Direction: East
Date: Composite sample point 3 for WES24-02
Created: 11/14/2024 11:43:04 AM
Lat: 32.536773, Long: -102.415525

Composite sample point 3 for WES24-02

Daily Site Visit Report




Run on 11/14/2024 11:43 PM UTC

Powered by www.krinkleldar.com

Daily Site Visit Report


Viewing Direction: Northwest



Description: Photo 14
Viewing Direction: Northwest
Desc: Composite sample point 3 for WES24-03
Created: 11/14/2024 10:48:08 AM
Lat:32.036798, Long:-103.415526

Composite sample point 3 for WES24-03


Viewing Direction: West



Description: Photo 15
Viewing Direction: West
Desc: Composite sample point 4 for WES24-03
Created: 11/14/2024 10:48:08 AM
Lat:32.036798, Long:-103.415526

Composite sample point 4 for WES24-03


Viewing Direction: Southwest



Description: Photo 16
Viewing Direction: Southwest
Desc: Composite sample point 5 for WES24-03
Created: 11/14/2024 10:49:54 AM
Lat:32.036798, Long:-103.415526

Composite sample point 5 for WES24-03



Viewing Direction: West



Description: Photo 17
Viewing Direction: West
Desc: BES24-01
Created: 11/14/2024 10:50:38 AM
Lat:32.036798, Long:-103.415526

BES24-01

Daily Site Visit Report

<div>Viewing Direction: West</div> <div><p>Descriptive Photo - 02 Viewing Direction: West Date: 11/14/2024 1:22:27 PM Lat: 32.058822, Long: 100.415716</p></div> <div>BES24-02</div>	<div>Viewing Direction: East</div> <div><p>Descriptive Photo - 03 Viewing Direction: East Date: 11/14/2024 1:22:28 PM Lat: 32.058822, Long: 100.415716</p></div> <div>BES24-03</div>
<div>Viewing Direction: North</div> <div><p>Descriptive Photo - 18 Viewing Direction: North Date: 11/14/2024 1:22:27 PM Lat: 32.058822, Long: 100.415716</p></div> <div>BH24-08 @ 0'</div>	<div>Viewing Direction: East</div> <div><p>Descriptive Photo - 09 Viewing Direction: East Date: 11/14/2024 1:27:16 PM Lat: 32.058822, Long: 100.415716</p></div> <div>BH24-09 @ 0'</div>

Run on 11/14/2024 11:43 PM UTC

Powered by www.krinkleldar.com

Daily Site Visit Report

Viewing Direction: Southeast



Downloaded Photo 12
Viewing Direction: South
Date: 2024-11-14
Created: 11/14/2024 1:38:04 PM
Lat: 33.5555, Long: -112.1155

BH24-10 @ 0'

Viewing Direction: South



Downloaded Photo 12
Viewing Direction: South
Date: 2024-11-14
Created: 11/14/2024 1:38:04 PM
Lat: 33.5555, Long: -112.1155

BH24-11 @ 0'

Daily Site Visit Report

Daily Site Visit Signature

Inspector: Riley Arnold

Signature:


Signature

Run on 11/14/2024 11:43 PM UTC

Powered by www.krinkleldar.com



Daily Site Visit Report

Client:	Devon Energy Corporation	Inspection Date:	1/16/2025
Site Location Name:	Rattlesnake 13-12 Fed Com 1H	Report Run Date:	1/17/2025 12:46 AM
Client Contact Name:	Dale Woodall	API #:	30-025-40912
Client Contact Phone #:	405-318-4697		
Unique Project ID		Project Owner:	
Project Reference #		Project Manager:	

Summary of Times

Arrived at Site 1/16/2025 9:10 AM

Departed Site

Field Notes

- 17:21** Arrived on site at approximately 09:10 and completed safety paperwork upon arrival. A safety brief was held with the crew from Tri-State and Devon representative Rodney.
- 17:21** TP25-03 was originally supposed to be a 100sq ft excavation at a depth of 9ft bgs but after digging a trench to 9ft bgs the walls were unstable and collapsing due to the loose sandy soil. Due to the infrastructure that was immediately adjacent to the planned excavation the Devon representative on site called Devon safety and called off excavating the 100sq ft area to minimize risk to the safety of the crew and surrounding infrastructure. A sample was collected at the bottom of the 9ft bgs trench using the backhoe.
- 17:21** Three test pits were mechanically excavated to 9ft bgs. Collected TP25-01 and TP25-02 at 0,2,4,6, and 9ft bgs. TP25-03 was collected at 9ft bgs only. A 5-point composite backfill sample was also collected. All samples were screened for chlorides using silver nitrate titration and TPH using a Dexsil Petroflag system.
- 17:21** In total 12 samples were collected and jarred to be sent to the lab for further analysis.
- 17:21** The test pits were backfilled and compacted.

Next Steps & Recommendations

1

Daily Site Visit Report





Daily Site Visit Report

Site Photos

Viewing Direction: South



TP25-01 at 9ft bgs. Samples taken at 0, 2, 4, 6, and 9ft bgs.

Viewing Direction: North



TP25-02 at 9ft bgs. Samples collected 0, 2, 4, 6, and 9ft bgs.

Viewing Direction: West



TP25-03 at 9ft bgs. Sample collected at 9ft bgs.

Viewing Direction: Northwest



Western portion of the backfilled area adjacent to the infrastructure.



Daily Site Visit Report

Viewing Direction: South



Infrastructure adjacent to the backfilled excavation.

Viewing Direction: South



Infrastructure adjacent to the backfilled excavation.

Viewing Direction: Northeast



Infrastructure adjacent to the backfilled excavation.

Viewing Direction: North



Backfilled TP25-01



Daily Site Visit Report

Viewing Direction: East



East portion of the backfilled excavation.

Viewing Direction: South



North portion of the backfilled excavation.

Viewing Direction: South



Backfilled TP24-02

Viewing Direction: North



Backfilled TP24-03

Daily Site Visit Report



Daily Site Visit Signature

Inspector: John Rewis

Signature:

APPENDIX C – Laboratory Data Reports and Chain of Custody Forms



Environment Testing

1

2

3

4

5

6

7

8

9

10

11

ANALYTICAL REPORT

PREPARED FOR

Attn: Ms. Sally Carttar
Vertex
3101 Boyd Dr
Carlsbad, New Mexico 88220

Generated 1/28/2025 4:48:36 PM

JOB DESCRIPTION

Rattlesnake 13-12 Federal Com #001H

JOB NUMBER

885-18707-1

Eurofins Albuquerque
4901 Hawkins NE
Albuquerque NM 87109

Eurofins Albuquerque

Job Notes

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing South Central, LLC Project Manager.

Authorization



Authorized for release by
Andy Freeman, Business Unit Manager
andy.freeman@et.eurofinsus.com
(505)345-3975

Generated
1/28/2025 4:48:36 PM

Client: Vertex
Project/Site: Rattlesnake 13-12 Federal Com #001H

Laboratory Job ID: 885-18707-1



Table of Contents

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	5
Client Sample Results	6
QC Sample Results	18
QC Association Summary	23
Lab Chronicle	27
Certification Summary	31
Chain of Custody	32
Receipt Checklists	33

Definitions/Glossary

Client: Vertex
Project/Site: Rattlesnake 13-12 Federal Com #001H

Job ID: 885-18707-1

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: Vertex
Project: Rattlesnake 13-12 Federal Com #001H

Job ID: 885-18707-1

Job ID: 885-18707-1

Eurofins Albuquerque

Job Narrative 885-18707-1

Analytical test results meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page unless otherwise noted under the individual analysis. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable.

- Matrix QC may not be reported if insufficient sample is provided or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD may be performed, unless otherwise specified in the method.
- Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

Receipt

The samples were received on 1/22/2025 8:00 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 2.8°C.

Gasoline Range Organics

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

GC VOA

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Diesel Range Organics

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

HPLC/IC

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Albuquerque

Client Sample Results

Client: Vertex

Job ID: 885-18707-1

Project/Site: Rattlesnake 13-12 Federal Com #001H

Client Sample ID: TP25-01 0'

Lab Sample ID: 885-18707-1

Date Collected: 01/16/25 08:55

Matrix: Solid

Date Received: 01/22/25 08:00

Method: SW846 8015M/D - Gasoline Range Organics (GRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	ND		5.0	mg/Kg		01/22/25 11:05	01/25/25 03:05	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	99		35 - 166			01/22/25 11:05	01/25/25 03:05	1

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.025	mg/Kg		01/22/25 11:05	01/25/25 03:05	1
Ethylbenzene	ND		0.050	mg/Kg		01/22/25 11:05	01/25/25 03:05	1
Toluene	ND		0.050	mg/Kg		01/22/25 11:05	01/25/25 03:05	1
Xylenes, Total	ND		0.10	mg/Kg		01/22/25 11:05	01/25/25 03:05	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	103		48 - 145			01/22/25 11:05	01/25/25 03:05	1

Method: SW846 8015M/D - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		9.3	mg/Kg		01/23/25 11:11	01/23/25 18:49	1
Motor Oil Range Organics [C28-C40]	ND		46	mg/Kg		01/23/25 11:11	01/23/25 18:49	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
Di-n-octyl phthalate (Surr)	98		62 - 134			01/23/25 11:11	01/23/25 18:49	1

Method: EPA 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	88		60	mg/Kg		01/22/25 11:57	01/22/25 18:12	20

Eurofins Albuquerque

Client Sample Results

Client: Vertex

Job ID: 885-18707-1

Project/Site: Rattlesnake 13-12 Federal Com #001H

Client Sample ID: TP25-01 2'

Lab Sample ID: 885-18707-2

Date Collected: 01/16/25 09:00

Matrix: Solid

Date Received: 01/22/25 08:00

Method: SW846 8015M/D - Gasoline Range Organics (GRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	ND		4.7	mg/Kg		01/22/25 11:05	01/25/25 03:28	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	100		35 - 166			01/22/25 11:05	01/25/25 03:28	1

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.023	mg/Kg		01/22/25 11:05	01/25/25 03:28	1
Ethylbenzene	ND		0.047	mg/Kg		01/22/25 11:05	01/25/25 03:28	1
Toluene	ND		0.047	mg/Kg		01/22/25 11:05	01/25/25 03:28	1
Xylenes, Total	ND		0.094	mg/Kg		01/22/25 11:05	01/25/25 03:28	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	105		48 - 145			01/22/25 11:05	01/25/25 03:28	1

Method: SW846 8015M/D - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		9.8	mg/Kg		01/23/25 11:11	01/23/25 18:59	1
Motor Oil Range Organics [C28-C40]	ND		49	mg/Kg		01/23/25 11:11	01/23/25 18:59	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
Di-n-octyl phthalate (Surr)	99		62 - 134			01/23/25 11:11	01/23/25 18:59	1

Method: EPA 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	96		60	mg/Kg		01/22/25 11:57	01/22/25 18:43	20

Eurofins Albuquerque

Client Sample Results

Client: Vertex

Job ID: 885-18707-1

Project/Site: Rattlesnake 13-12 Federal Com #001H

Client Sample ID: TP25-01 4'

Lab Sample ID: 885-18707-3

Date Collected: 01/16/25 09:05

Matrix: Solid

Date Received: 01/22/25 08:00

Method: SW846 8015M/D - Gasoline Range Organics (GRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	ND		4.6	mg/Kg		01/22/25 11:05	01/25/25 03:52	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	101		35 - 166			01/22/25 11:05	01/25/25 03:52	1

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.023	mg/Kg		01/22/25 11:05	01/25/25 03:52	1
Ethylbenzene	ND		0.046	mg/Kg		01/22/25 11:05	01/25/25 03:52	1
Toluene	ND		0.046	mg/Kg		01/22/25 11:05	01/25/25 03:52	1
Xylenes, Total	ND		0.093	mg/Kg		01/22/25 11:05	01/25/25 03:52	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	104		48 - 145			01/22/25 11:05	01/25/25 03:52	1

Method: SW846 8015M/D - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		9.1	mg/Kg		01/23/25 11:11	01/23/25 19:09	1
Motor Oil Range Organics [C28-C40]	ND		46	mg/Kg		01/23/25 11:11	01/23/25 19:09	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
Di-n-octyl phthalate (Surr)	106		62 - 134			01/23/25 11:11	01/23/25 19:09	1

Method: EPA 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	60		60	mg/Kg		01/22/25 11:57	01/22/25 18:54	20

Eurofins Albuquerque

Client Sample Results

Client: Vertex

Job ID: 885-18707-1

Project/Site: Rattlesnake 13-12 Federal Com #001H

Client Sample ID: TP25-01 6'

Lab Sample ID: 885-18707-4

Date Collected: 01/16/25 09:10

Matrix: Solid

Date Received: 01/22/25 08:00

Method: SW846 8015M/D - Gasoline Range Organics (GRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	ND		5.0	mg/Kg		01/22/25 11:05	01/25/25 04:15	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	102		35 - 166			01/22/25 11:05	01/25/25 04:15	1

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.025	mg/Kg		01/22/25 11:05	01/25/25 04:15	1
Ethylbenzene	ND		0.050	mg/Kg		01/22/25 11:05	01/25/25 04:15	1
Toluene	ND		0.050	mg/Kg		01/22/25 11:05	01/25/25 04:15	1
Xylenes, Total	ND		0.10	mg/Kg		01/22/25 11:05	01/25/25 04:15	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	103		48 - 145			01/22/25 11:05	01/25/25 04:15	1

Method: SW846 8015M/D - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		9.6	mg/Kg		01/23/25 11:11	01/23/25 19:20	1
Motor Oil Range Organics [C28-C40]	ND		48	mg/Kg		01/23/25 11:11	01/23/25 19:20	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
Di-n-octyl phthalate (Surr)	91		62 - 134			01/23/25 11:11	01/23/25 19:20	1

Method: EPA 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	85		60	mg/Kg		01/22/25 11:57	01/22/25 19:04	20

Eurofins Albuquerque

Client Sample Results

Client: Vertex

Job ID: 885-18707-1

Project/Site: Rattlesnake 13-12 Federal Com #001H

Client Sample ID: TP25-01 9'

Lab Sample ID: 885-18707-5

Date Collected: 01/16/25 09:15

Matrix: Solid

Date Received: 01/22/25 08:00

Method: SW846 8015M/D - Gasoline Range Organics (GRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	ND		4.8	mg/Kg		01/22/25 11:05	01/25/25 04:39	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	99		35 - 166			01/22/25 11:05	01/25/25 04:39	1

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.024	mg/Kg		01/22/25 11:05	01/25/25 04:39	1
Ethylbenzene	ND		0.048	mg/Kg		01/22/25 11:05	01/25/25 04:39	1
Toluene	ND		0.048	mg/Kg		01/22/25 11:05	01/25/25 04:39	1
Xylenes, Total	ND		0.097	mg/Kg		01/22/25 11:05	01/25/25 04:39	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	102		48 - 145			01/22/25 11:05	01/25/25 04:39	1

Method: SW846 8015M/D - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		9.7	mg/Kg		01/23/25 11:11	01/23/25 19:30	1
Motor Oil Range Organics [C28-C40]	ND		48	mg/Kg		01/23/25 11:11	01/23/25 19:30	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
Di-n-octyl phthalate (Surr)	94		62 - 134			01/23/25 11:11	01/23/25 19:30	1

Method: EPA 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		60	mg/Kg		01/22/25 11:57	01/22/25 19:14	20

Eurofins Albuquerque

Client Sample Results

Client: Vertex

Job ID: 885-18707-1

Project/Site: Rattlesnake 13-12 Federal Com #001H

Client Sample ID: TP25-02 0'

Lab Sample ID: 885-18707-6

Date Collected: 01/16/25 09:20

Matrix: Solid

Date Received: 01/22/25 08:00

Method: SW846 8015M/D - Gasoline Range Organics (GRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	ND		4.7	mg/Kg		01/22/25 11:05	01/25/25 05:02	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	98		35 - 166			01/22/25 11:05	01/25/25 05:02	1

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.024	mg/Kg		01/22/25 11:05	01/25/25 05:02	1
Ethylbenzene	ND		0.047	mg/Kg		01/22/25 11:05	01/25/25 05:02	1
Toluene	ND		0.047	mg/Kg		01/22/25 11:05	01/25/25 05:02	1
Xylenes, Total	ND		0.094	mg/Kg		01/22/25 11:05	01/25/25 05:02	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	101		48 - 145			01/22/25 11:05	01/25/25 05:02	1

Method: SW846 8015M/D - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		9.8	mg/Kg		01/23/25 11:11	01/23/25 19:51	1
Motor Oil Range Organics [C28-C40]	ND		49	mg/Kg		01/23/25 11:11	01/23/25 19:51	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
Di-n-octyl phthalate (Surr)	93		62 - 134			01/23/25 11:11	01/23/25 19:51	1

Method: EPA 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	98		60	mg/Kg		01/22/25 11:57	01/22/25 19:25	20

Eurofins Albuquerque

Client Sample Results

Client: Vertex

Job ID: 885-18707-1

Project/Site: Rattlesnake 13-12 Federal Com #001H

Client Sample ID: TP25-02 2'

Lab Sample ID: 885-18707-7

Date Collected: 01/16/25 09:25

Matrix: Solid

Date Received: 01/22/25 08:00

Method: SW846 8015M/D - Gasoline Range Organics (GRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	ND		4.9	mg/Kg		01/22/25 11:05	01/25/25 05:26	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	100		35 - 166			01/22/25 11:05	01/25/25 05:26	1

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.024	mg/Kg		01/22/25 11:05	01/25/25 05:26	1
Ethylbenzene	ND		0.049	mg/Kg		01/22/25 11:05	01/25/25 05:26	1
Toluene	ND		0.049	mg/Kg		01/22/25 11:05	01/25/25 05:26	1
Xylenes, Total	ND		0.098	mg/Kg		01/22/25 11:05	01/25/25 05:26	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	104		48 - 145			01/22/25 11:05	01/25/25 05:26	1

Method: SW846 8015M/D - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		9.7	mg/Kg		01/23/25 11:11	01/23/25 20:01	1
Motor Oil Range Organics [C28-C40]	ND		49	mg/Kg		01/23/25 11:11	01/23/25 20:01	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
Di-n-octyl phthalate (Surr)	97		62 - 134			01/23/25 11:11	01/23/25 20:01	1

Method: EPA 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	88		60	mg/Kg		01/22/25 11:57	01/22/25 19:35	20

Eurofins Albuquerque

Client Sample Results

Client: Vertex

Job ID: 885-18707-1

Project/Site: Rattlesnake 13-12 Federal Com #001H

Client Sample ID: TP25-02 4'

Lab Sample ID: 885-18707-8

Date Collected: 01/16/25 09:30

Matrix: Solid

Date Received: 01/22/25 08:00

Method: SW846 8015M/D - Gasoline Range Organics (GRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	ND		5.0	mg/Kg		01/22/25 14:16	01/23/25 12:54	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	105		35 - 166			01/22/25 14:16	01/23/25 12:54	1

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.025	mg/Kg		01/22/25 14:16	01/23/25 12:54	1
Ethylbenzene	ND		0.050	mg/Kg		01/22/25 14:16	01/23/25 12:54	1
Toluene	ND		0.050	mg/Kg		01/22/25 14:16	01/23/25 12:54	1
Xylenes, Total	ND		0.099	mg/Kg		01/22/25 14:16	01/23/25 12:54	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	110		48 - 145			01/22/25 14:16	01/23/25 12:54	1

Method: SW846 8015M/D - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		9.1	mg/Kg		01/23/25 11:15	01/23/25 22:38	1
Motor Oil Range Organics [C28-C40]	ND		46	mg/Kg		01/23/25 11:15	01/23/25 22:38	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
Di-n-octyl phthalate (Surr)	110		62 - 134			01/23/25 11:15	01/23/25 22:38	1

Method: EPA 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		60	mg/Kg		01/23/25 08:40	01/23/25 11:23	20

Eurofins Albuquerque

Client Sample Results

Client: Vertex

Job ID: 885-18707-1

Project/Site: Rattlesnake 13-12 Federal Com #001H

Client Sample ID: TP25-02 6'

Lab Sample ID: 885-18707-9

Date Collected: 01/16/25 09:35

Matrix: Solid

Date Received: 01/22/25 08:00

Method: SW846 8015M/D - Gasoline Range Organics (GRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	ND		4.8	mg/Kg		01/22/25 14:16	01/23/25 14:05	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	107		35 - 166			01/22/25 14:16	01/23/25 14:05	1

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.024	mg/Kg		01/22/25 14:16	01/23/25 14:05	1
Ethylbenzene	ND		0.048	mg/Kg		01/22/25 14:16	01/23/25 14:05	1
Toluene	ND		0.048	mg/Kg		01/22/25 14:16	01/23/25 14:05	1
Xylenes, Total	ND		0.095	mg/Kg		01/22/25 14:16	01/23/25 14:05	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	114		48 - 145			01/22/25 14:16	01/23/25 14:05	1

Method: SW846 8015M/D - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		9.4	mg/Kg		01/23/25 11:15	01/23/25 22:49	1
Motor Oil Range Organics [C28-C40]	ND		47	mg/Kg		01/23/25 11:15	01/23/25 22:49	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
Di-n-octyl phthalate (Surr)	114		62 - 134			01/23/25 11:15	01/23/25 22:49	1

Method: EPA 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	120		60	mg/Kg		01/23/25 08:40	01/23/25 12:17	20

Eurofins Albuquerque

Client Sample Results

Client: Vertex

Job ID: 885-18707-1

Project/Site: Rattlesnake 13-12 Federal Com #001H

Client Sample ID: TP25-02 9'

Lab Sample ID: 885-18707-10

Date Collected: 01/16/25 09:40

Matrix: Solid

Date Received: 01/22/25 08:00

Method: SW846 8015M/D - Gasoline Range Organics (GRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	ND		4.9	mg/Kg		01/22/25 14:16	01/23/25 15:16	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	106		35 - 166			01/22/25 14:16	01/23/25 15:16	1

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.024	mg/Kg		01/22/25 14:16	01/23/25 15:16	1
Ethylbenzene	ND		0.049	mg/Kg		01/22/25 14:16	01/23/25 15:16	1
Toluene	ND		0.049	mg/Kg		01/22/25 14:16	01/23/25 15:16	1
Xylenes, Total	ND		0.098	mg/Kg		01/22/25 14:16	01/23/25 15:16	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	114		48 - 145			01/22/25 14:16	01/23/25 15:16	1

Method: SW846 8015M/D - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		9.8	mg/Kg		01/23/25 11:15	01/23/25 22:59	1
Motor Oil Range Organics [C28-C40]	ND		49	mg/Kg		01/23/25 11:15	01/23/25 22:59	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
Di-n-octyl phthalate (Surr)	98		62 - 134			01/23/25 11:15	01/23/25 22:59	1

Method: EPA 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		60	mg/Kg		01/23/25 08:40	01/23/25 12:28	20

Eurofins Albuquerque

Client Sample Results

Client: Vertex

Job ID: 885-18707-1

Project/Site: Rattlesnake 13-12 Federal Com #001H

Client Sample ID: TP25-03 9'

Lab Sample ID: 885-18707-11

Date Collected: 01/16/25 09:45

Matrix: Solid

Date Received: 01/22/25 08:00

Method: SW846 8015M/D - Gasoline Range Organics (GRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	20		5.0	mg/Kg		01/22/25 14:16	01/23/25 15:39	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	164		35 - 166			01/22/25 14:16	01/23/25 15:39	1

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.025	mg/Kg		01/22/25 14:16	01/23/25 15:39	1
Ethylbenzene	0.054		0.050	mg/Kg		01/22/25 14:16	01/23/25 15:39	1
Toluene	ND		0.050	mg/Kg		01/22/25 14:16	01/23/25 15:39	1
Xylenes, Total	0.28		0.10	mg/Kg		01/22/25 14:16	01/23/25 15:39	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	117		48 - 145			01/22/25 14:16	01/23/25 15:39	1

Method: SW846 8015M/D - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	890		9.6	mg/Kg		01/23/25 11:15	01/23/25 23:10	1
Motor Oil Range Organics [C28-C40]	620		48	mg/Kg		01/23/25 11:15	01/23/25 23:10	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
Di-n-octyl phthalate (Surr)	106		62 - 134			01/23/25 11:15	01/23/25 23:10	1

Method: EPA 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		60	mg/Kg		01/23/25 08:40	01/23/25 12:38	20

Eurofins Albuquerque

Client Sample Results

Client: Vertex

Job ID: 885-18707-1

Project/Site: Rattlesnake 13-12 Federal Com #001H

Client Sample ID: Backfill-01

Lab Sample ID: 885-18707-12

Date Collected: 01/16/25 09:50

Matrix: Solid

Date Received: 01/22/25 08:00

Method: SW846 8015M/D - Gasoline Range Organics (GRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	ND		4.8	mg/Kg		01/22/25 14:16	01/23/25 16:03	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	107		35 - 166			01/22/25 14:16	01/23/25 16:03	1

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.024	mg/Kg		01/22/25 14:16	01/23/25 16:03	1
Ethylbenzene	ND		0.048	mg/Kg		01/22/25 14:16	01/23/25 16:03	1
Toluene	ND		0.048	mg/Kg		01/22/25 14:16	01/23/25 16:03	1
Xylenes, Total	ND		0.097	mg/Kg		01/22/25 14:16	01/23/25 16:03	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	116		48 - 145			01/22/25 14:16	01/23/25 16:03	1

Method: SW846 8015M/D - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		9.7	mg/Kg		01/23/25 11:15	01/23/25 23:52	1
Motor Oil Range Organics [C28-C40]	ND		49	mg/Kg		01/23/25 11:15	01/23/25 23:52	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
Di-n-octyl phthalate (Surr)	108		62 - 134			01/23/25 11:15	01/23/25 23:52	1

Method: EPA 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		61	mg/Kg		01/23/25 08:40	01/23/25 12:48	20

Eurofins Albuquerque

QC Sample Results

Client: Vertex

Job ID: 885-18707-1

Project/Site: Rattlesnake 13-12 Federal Com #001H

Method: 8015M/D - Gasoline Range Organics (GRO) (GC)

Lab Sample ID: MB 885-19674/1-A

Matrix: Solid

Analysis Batch: 19844

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 19674

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	ND		5.0	mg/Kg		01/22/25 11:05	01/24/25 19:34	1
Surrogate	MB %Recovery	MB Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	100		35 - 166			01/22/25 11:05	01/24/25 19:34	1

Lab Sample ID: LCS 885-19674/2-A

Matrix: Solid

Analysis Batch: 19844

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 19674

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Gasoline Range Organics (GRO)-C6-C10	25.0	23.7		mg/Kg		95	70 - 130
Surrogate	LCS %Recovery	LCS Qualifier	Limits				
4-Bromofluorobenzene (Surr)	197		35 - 166				

Lab Sample ID: MB 885-19692/1-A

Matrix: Solid

Analysis Batch: 19723

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 19692

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	ND		5.0	mg/Kg		01/22/25 14:16	01/23/25 11:19	1
Surrogate	MB %Recovery	MB Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	104		35 - 166			01/22/25 14:16	01/23/25 11:19	1

Lab Sample ID: LCS 885-19692/2-A

Matrix: Solid

Analysis Batch: 19723

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 19692

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Gasoline Range Organics (GRO)-C6-C10	25.0	25.5		mg/Kg		102	70 - 130
Surrogate	LCS %Recovery	LCS Qualifier	Limits				
4-Bromofluorobenzene (Surr)	208		35 - 166				

Lab Sample ID: 885-18707-8 MS

Matrix: Solid

Analysis Batch: 19723

Client Sample ID: TP25-02 4'

Prep Type: Total/NA

Prep Batch: 19692

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Gasoline Range Organics (GRO)-C6-C10	ND		24.6	26.7		mg/Kg		108	70 - 130

Eurofins Albuquerque

QC Sample Results

Client: Vertex

Job ID: 885-18707-1

Project/Site: Rattlesnake 13-12 Federal Com #001H

Method: 8015M/D - Gasoline Range Organics (GRO) (GC) (Continued)

Lab Sample ID: 885-18707-8 MS

Matrix: Solid

Analysis Batch: 19723

Client Sample ID: TP25-02 4'

Prep Type: Total/NA

Prep Batch: 19692

	MS	MS	
Surrogate	%Recovery	Qualifier	Limits
4-Bromofluorobenzene (Surr)	218		35 - 166

Lab Sample ID: 885-18707-8 MSD

Matrix: Solid

Analysis Batch: 19723

Client Sample ID: TP25-02 4'

Prep Type: Total/NA

Prep Batch: 19692

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Gasoline Range Organics (GRO)-C6-C10	ND		24.7	24.6		mg/Kg		100	70 - 130	8	20
Surrogate	MSD	MSD									
	%Recovery	Qualifier	Limits								
4-Bromofluorobenzene (Surr)	212		35 - 166								

Method: 8021B - Volatile Organic Compounds (GC)

Lab Sample ID: MB 885-19674/1-A

Matrix: Solid

Analysis Batch: 19845

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 19674

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.025	mg/Kg		01/22/25 11:05	01/24/25 19:34	1
Ethylbenzene	ND		0.050	mg/Kg		01/22/25 11:05	01/24/25 19:34	1
Toluene	ND		0.050	mg/Kg		01/22/25 11:05	01/24/25 19:34	1
Xylenes, Total	ND		0.10	mg/Kg		01/22/25 11:05	01/24/25 19:34	1
Surrogate	MB	MB	Limits			Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier						
4-Bromofluorobenzene (Surr)	104		48 - 145			01/22/25 11:05	01/24/25 19:34	1

Lab Sample ID: LCS 885-19674/3-A

Matrix: Solid

Analysis Batch: 19845

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 19674

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	1.00	1.14		mg/Kg		114	70 - 130
Ethylbenzene	1.00	1.12		mg/Kg		112	70 - 130
m-Xylene & p-Xylene	2.00	2.23		mg/Kg		111	70 - 130
o-Xylene	1.00	1.09		mg/Kg		109	70 - 130
Toluene	1.00	1.14		mg/Kg		114	70 - 130
Surrogate	LCS	LCS	Limits				
	%Recovery	Qualifier					
4-Bromofluorobenzene (Surr)	107		48 - 145				

Lab Sample ID: MB 885-19692/1-A

Matrix: Solid

Analysis Batch: 19724

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 19692

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.025	mg/Kg		01/22/25 14:16	01/23/25 11:19	1

Eurofins Albuquerque

QC Sample Results

Client: Vertex

Job ID: 885-18707-1

Project/Site: Rattlesnake 13-12 Federal Com #001H

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: MB 885-19692/1-A

Matrix: Solid

Analysis Batch: 19724

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 19692

Analyte	MB MB		RL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier						
Ethylbenzene	ND		0.050	mg/Kg		01/22/25 14:16	01/23/25 11:19	1
Toluene	ND		0.050	mg/Kg		01/22/25 14:16	01/23/25 11:19	1
Xylenes, Total	ND		0.10	mg/Kg		01/22/25 14:16	01/23/25 11:19	1
Surrogate	MB MB		Limits			Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier						
4-Bromofluorobenzene (Surr)	111		48 - 145			01/22/25 14:16	01/23/25 11:19	1

Lab Sample ID: LCS 885-19692/3-A

Matrix: Solid

Analysis Batch: 19724

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 19692

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	1.00	1.21		mg/Kg		121	70 - 130
Ethylbenzene	1.00	1.23		mg/Kg		123	70 - 130
m-Xylene & p-Xylene	2.00	2.44		mg/Kg		122	70 - 130
o-Xylene	1.00	1.20		mg/Kg		120	70 - 130
Toluene	1.00	1.22		mg/Kg		122	70 - 130
	LCS	LCS					
Surrogate	%Recovery	Qualifier	Limits				
4-Bromofluorobenzene (Surr)	114		48 - 145				

Lab Sample ID: 885-18707-9 MS

Matrix: Solid

Analysis Batch: 19843

Client Sample ID: TP25-02 6'

Prep Type: Total/NA

Prep Batch: 19692

	Sample	Sample	Spike	MS	MS				%Rec		
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits		
Benzene	ND		0.956	1.09		mg/Kg		114	70 - 130		
Ethylbenzene	ND		0.956	1.08		mg/Kg		113	70 - 130		
m-Xylene & p-Xylene	ND		1.91	2.12		mg/Kg		111	70 - 130		
o-Xylene	ND		0.956	1.05		mg/Kg		110	70 - 130		
Toluene	ND		0.956	1.09		mg/Kg		114	70 - 130		

Lab Sample ID: 885-18707-9 MSD

Matrix: Solid

Analysis Batch: 19843

Client Sample ID: TP25-02 6'

Prep Type: Total/NA

Prep Batch: 19692

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	Limit
Benzene	ND		0.947	1.07		mg/Kg		112	70 - 130	2	20
Ethylbenzene	ND		0.947	1.07		mg/Kg		113	70 - 130	1	20
m-Xylene & p-Xylene	ND		1.89	2.11		mg/Kg		111	70 - 130	0	20
o-Xylene	ND		0.947	1.04		mg/Kg		110	70 - 130	1	20
Toluene	ND		0.947	1.08		mg/Kg		114	70 - 130	1	20

Eurofins Albuquerque

QC Sample Results

Client: Vertex

Job ID: 885-18707-1

Project/Site: Rattlesnake 13-12 Federal Com #001H

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: 885-18707-9 MSD

Client Sample ID: TP25-02 6'

Matrix: Solid

Prep Type: Total/NA

Analysis Batch: 19843

Prep Batch: 19692

	MSD	MSD	
Surrogate	%Recovery	Qualifier	Limits
4-Bromofluorobenzene (Surr)	109		48 - 145

Method: 8015M/D - Diesel Range Organics (DRO) (GC)

Lab Sample ID: MB 885-19748/1-A

Client Sample ID: Method Blank

Matrix: Solid

Prep Type: Total/NA

Analysis Batch: 19714

Prep Batch: 19748

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		10	mg/Kg		01/23/25 11:11	01/23/25 15:47	1
Motor Oil Range Organics [C28-C40]	ND		50	mg/Kg		01/23/25 11:11	01/23/25 15:47	1
Surrogate	MB %Recovery	MB Qualifier	Limits			Prepared	Analyzed	Dil Fac
Di-n-octyl phthalate (Surr)	100		62 - 134			01/23/25 11:11	01/23/25 15:47	1

Lab Sample ID: LCS 885-19748/2-A

Client Sample ID: Lab Control Sample

Matrix: Solid

Prep Type: Total/NA

Analysis Batch: 19714

Prep Batch: 19748

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Diesel Range Organics [C10-C28]	50.0	57.8		mg/Kg		116	60 - 135
Surrogate	LCS %Recovery	LCS Qualifier	Limits				
Di-n-octyl phthalate (Surr)	107		62 - 134				

Lab Sample ID: 885-18707-7 MS

Client Sample ID: TP25-02 2'

Matrix: Solid

Prep Type: Total/NA

Analysis Batch: 19714

Prep Batch: 19748

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Diesel Range Organics [C10-C28]	ND		46.8	52.5		mg/Kg		112	44 - 136
Surrogate	MS %Recovery	MS Qualifier	Limits						
Di-n-octyl phthalate (Surr)	102		62 - 134						

Lab Sample ID: 885-18707-7 MSD

Client Sample ID: TP25-02 2'

Matrix: Solid

Prep Type: Total/NA

Analysis Batch: 19714

Prep Batch: 19748

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Diesel Range Organics [C10-C28]	ND		48.2	47.6		mg/Kg		99	44 - 136	10	32
Surrogate	MSD %Recovery	MSD Qualifier	Limits								
Di-n-octyl phthalate (Surr)	91		62 - 134								

Eurofins Albuquerque

QC Sample Results

Client: Vertex

Job ID: 885-18707-1

Project/Site: Rattlesnake 13-12 Federal Com #001H

Method: 8015M/D - Diesel Range Organics (DRO) (GC) (Continued)

Lab Sample ID: MB 885-19749/1-A

Matrix: Solid

Analysis Batch: 19714

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 19749

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		10	mg/Kg		01/23/25 11:15	01/23/25 20:32	1
Motor Oil Range Organics [C28-C40]	ND		50	mg/Kg		01/23/25 11:15	01/23/25 20:32	1
Surrogate	MB %Recovery	MB Qualifier	Limits			Prepared	Analyzed	Dil Fac
Di-n-octyl phthalate (Surr)	99		62 - 134			01/23/25 11:15	01/23/25 20:32	1

Lab Sample ID: LCS 885-19749/2-A

Matrix: Solid

Analysis Batch: 19714

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 19749

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits	
Diesel Range Organics [C10-C28]	50.0	50.3		mg/Kg		101	60 - 135	
Surrogate	LCS %Recovery	LCS Qualifier	Limits					
Di-n-octyl phthalate (Surr)	90		62 - 134					

Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: MB 885-19679/1-A

Matrix: Solid

Analysis Batch: 19646

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 19679

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		3.0	mg/Kg		01/22/25 11:57	01/22/25 14:24	1

Lab Sample ID: LCS 885-19679/2-A

Matrix: Solid

Analysis Batch: 19646

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 19679

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits	
Chloride	30.0	30.8		mg/Kg		103	90 - 110	

Lab Sample ID: MB 885-19720/1-A

Matrix: Solid

Analysis Batch: 19721

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 19720

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		3.0	mg/Kg		01/23/25 08:40	01/23/25 10:03	1

Lab Sample ID: LCS 885-19720/2-A

Matrix: Solid

Analysis Batch: 19721

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 19720

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits	
Chloride	30.0	30.3		mg/Kg		101	90 - 110	

Eurofins Albuquerque

QC Association Summary

Client: Vertex

Job ID: 885-18707-1

Project/Site: Rattlesnake 13-12 Federal Com #001H

GC VOA

Prep Batch: 19674

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-18707-1	TP25-01 0'	Total/NA	Solid	5030C	
885-18707-2	TP25-01 2'	Total/NA	Solid	5030C	
885-18707-3	TP25-01 4'	Total/NA	Solid	5030C	
885-18707-4	TP25-01 6'	Total/NA	Solid	5030C	
885-18707-5	TP25-01 9'	Total/NA	Solid	5030C	
885-18707-6	TP25-02 0'	Total/NA	Solid	5030C	
885-18707-7	TP25-02 2'	Total/NA	Solid	5030C	
MB 885-19674/1-A	Method Blank	Total/NA	Solid	5030C	
LCS 885-19674/2-A	Lab Control Sample	Total/NA	Solid	5030C	
LCS 885-19674/3-A	Lab Control Sample	Total/NA	Solid	5030C	

Prep Batch: 19692

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-18707-8	TP25-02 4'	Total/NA	Solid	5030C	
885-18707-9	TP25-02 6'	Total/NA	Solid	5030C	
885-18707-10	TP25-02 9'	Total/NA	Solid	5030C	
885-18707-11	TP25-03 9'	Total/NA	Solid	5030C	
885-18707-12	Backfill-01	Total/NA	Solid	5030C	
MB 885-19692/1-A	Method Blank	Total/NA	Solid	5030C	
LCS 885-19692/2-A	Lab Control Sample	Total/NA	Solid	5030C	
LCS 885-19692/3-A	Lab Control Sample	Total/NA	Solid	5030C	
885-18707-8 MS	TP25-02 4'	Total/NA	Solid	5030C	
885-18707-8 MSD	TP25-02 4'	Total/NA	Solid	5030C	
885-18707-9 MS	TP25-02 6'	Total/NA	Solid	5030C	
885-18707-9 MSD	TP25-02 6'	Total/NA	Solid	5030C	

Analysis Batch: 19723

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-18707-8	TP25-02 4'	Total/NA	Solid	8015M/D	19692
885-18707-9	TP25-02 6'	Total/NA	Solid	8015M/D	19692
885-18707-10	TP25-02 9'	Total/NA	Solid	8015M/D	19692
885-18707-11	TP25-03 9'	Total/NA	Solid	8015M/D	19692
885-18707-12	Backfill-01	Total/NA	Solid	8015M/D	19692
MB 885-19692/1-A	Method Blank	Total/NA	Solid	8015M/D	19692
LCS 885-19692/2-A	Lab Control Sample	Total/NA	Solid	8015M/D	19692
885-18707-8 MS	TP25-02 4'	Total/NA	Solid	8015M/D	19692
885-18707-8 MSD	TP25-02 4'	Total/NA	Solid	8015M/D	19692

Analysis Batch: 19724

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-18707-8	TP25-02 4'	Total/NA	Solid	8021B	19692
885-18707-9	TP25-02 6'	Total/NA	Solid	8021B	19692
885-18707-10	TP25-02 9'	Total/NA	Solid	8021B	19692
885-18707-11	TP25-03 9'	Total/NA	Solid	8021B	19692
885-18707-12	Backfill-01	Total/NA	Solid	8021B	19692
MB 885-19692/1-A	Method Blank	Total/NA	Solid	8021B	19692
LCS 885-19692/3-A	Lab Control Sample	Total/NA	Solid	8021B	19692

Analysis Batch: 19843

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-18707-9 MS	TP25-02 6'	Total/NA	Solid	8021B	19692

Eurofins Albuquerque

QC Association Summary

Client: Vertex

Job ID: 885-18707-1

Project/Site: Rattlesnake 13-12 Federal Com #001H

GC VOA (Continued)

Analysis Batch: 19843 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-18707-9 MSD	TP25-02 6'	Total/NA	Solid	8021B	19692

Analysis Batch: 19844

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-18707-1	TP25-01 0'	Total/NA	Solid	8015M/D	19674
885-18707-2	TP25-01 2'	Total/NA	Solid	8015M/D	19674
885-18707-3	TP25-01 4'	Total/NA	Solid	8015M/D	19674
885-18707-4	TP25-01 6'	Total/NA	Solid	8015M/D	19674
885-18707-5	TP25-01 9'	Total/NA	Solid	8015M/D	19674
885-18707-6	TP25-02 0'	Total/NA	Solid	8015M/D	19674
885-18707-7	TP25-02 2'	Total/NA	Solid	8015M/D	19674
MB 885-19674/1-A	Method Blank	Total/NA	Solid	8015M/D	19674
LCS 885-19674/2-A	Lab Control Sample	Total/NA	Solid	8015M/D	19674

Analysis Batch: 19845

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-18707-1	TP25-01 0'	Total/NA	Solid	8021B	19674
885-18707-2	TP25-01 2'	Total/NA	Solid	8021B	19674
885-18707-3	TP25-01 4'	Total/NA	Solid	8021B	19674
885-18707-4	TP25-01 6'	Total/NA	Solid	8021B	19674
885-18707-5	TP25-01 9'	Total/NA	Solid	8021B	19674
885-18707-6	TP25-02 0'	Total/NA	Solid	8021B	19674
885-18707-7	TP25-02 2'	Total/NA	Solid	8021B	19674
MB 885-19674/1-A	Method Blank	Total/NA	Solid	8021B	19674
LCS 885-19674/3-A	Lab Control Sample	Total/NA	Solid	8021B	19674

GC Semi VOA

Analysis Batch: 19714

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-18707-1	TP25-01 0'	Total/NA	Solid	8015M/D	19748
885-18707-2	TP25-01 2'	Total/NA	Solid	8015M/D	19748
885-18707-3	TP25-01 4'	Total/NA	Solid	8015M/D	19748
885-18707-4	TP25-01 6'	Total/NA	Solid	8015M/D	19748
885-18707-5	TP25-01 9'	Total/NA	Solid	8015M/D	19748
885-18707-6	TP25-02 0'	Total/NA	Solid	8015M/D	19748
885-18707-7	TP25-02 2'	Total/NA	Solid	8015M/D	19748
885-18707-8	TP25-02 4'	Total/NA	Solid	8015M/D	19749
885-18707-9	TP25-02 6'	Total/NA	Solid	8015M/D	19749
885-18707-10	TP25-02 9'	Total/NA	Solid	8015M/D	19749
885-18707-11	TP25-03 9'	Total/NA	Solid	8015M/D	19749
885-18707-12	Backfill-01	Total/NA	Solid	8015M/D	19749
MB 885-19748/1-A	Method Blank	Total/NA	Solid	8015M/D	19748
MB 885-19749/1-A	Method Blank	Total/NA	Solid	8015M/D	19749
LCS 885-19748/2-A	Lab Control Sample	Total/NA	Solid	8015M/D	19748
LCS 885-19749/2-A	Lab Control Sample	Total/NA	Solid	8015M/D	19749
885-18707-7 MS	TP25-02 2'	Total/NA	Solid	8015M/D	19748
885-18707-7 MSD	TP25-02 2'	Total/NA	Solid	8015M/D	19748

Eurofins Albuquerque

QC Association Summary

Client: Vertex

Job ID: 885-18707-1

Project/Site: Rattlesnake 13-12 Federal Com #001H

GC Semi VOA

Prep Batch: 19748

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-18707-1	TP25-01 0'	Total/NA	Solid	SHAKE	
885-18707-2	TP25-01 2'	Total/NA	Solid	SHAKE	
885-18707-3	TP25-01 4'	Total/NA	Solid	SHAKE	
885-18707-4	TP25-01 6'	Total/NA	Solid	SHAKE	
885-18707-5	TP25-01 9'	Total/NA	Solid	SHAKE	
885-18707-6	TP25-02 0'	Total/NA	Solid	SHAKE	
885-18707-7	TP25-02 2'	Total/NA	Solid	SHAKE	
MB 885-19748/1-A	Method Blank	Total/NA	Solid	SHAKE	
LCS 885-19748/2-A	Lab Control Sample	Total/NA	Solid	SHAKE	
885-18707-7 MS	TP25-02 2'	Total/NA	Solid	SHAKE	
885-18707-7 MSD	TP25-02 2'	Total/NA	Solid	SHAKE	

Prep Batch: 19749

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-18707-8	TP25-02 4'	Total/NA	Solid	SHAKE	
885-18707-9	TP25-02 6'	Total/NA	Solid	SHAKE	
885-18707-10	TP25-02 9'	Total/NA	Solid	SHAKE	
885-18707-11	TP25-03 9'	Total/NA	Solid	SHAKE	
885-18707-12	Backfill-01	Total/NA	Solid	SHAKE	
MB 885-19749/1-A	Method Blank	Total/NA	Solid	SHAKE	
LCS 885-19749/2-A	Lab Control Sample	Total/NA	Solid	SHAKE	

HPLC/IC

Analysis Batch: 19646

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-18707-1	TP25-01 0'	Total/NA	Solid	300.0	19679
885-18707-2	TP25-01 2'	Total/NA	Solid	300.0	19679
885-18707-3	TP25-01 4'	Total/NA	Solid	300.0	19679
885-18707-4	TP25-01 6'	Total/NA	Solid	300.0	19679
885-18707-5	TP25-01 9'	Total/NA	Solid	300.0	19679
885-18707-6	TP25-02 0'	Total/NA	Solid	300.0	19679
885-18707-7	TP25-02 2'	Total/NA	Solid	300.0	19679
MB 885-19679/1-A	Method Blank	Total/NA	Solid	300.0	19679
LCS 885-19679/2-A	Lab Control Sample	Total/NA	Solid	300.0	19679

Prep Batch: 19679

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-18707-1	TP25-01 0'	Total/NA	Solid	300_Prep	
885-18707-2	TP25-01 2'	Total/NA	Solid	300_Prep	
885-18707-3	TP25-01 4'	Total/NA	Solid	300_Prep	
885-18707-4	TP25-01 6'	Total/NA	Solid	300_Prep	
885-18707-5	TP25-01 9'	Total/NA	Solid	300_Prep	
885-18707-6	TP25-02 0'	Total/NA	Solid	300_Prep	
885-18707-7	TP25-02 2'	Total/NA	Solid	300_Prep	
MB 885-19679/1-A	Method Blank	Total/NA	Solid	300_Prep	
LCS 885-19679/2-A	Lab Control Sample	Total/NA	Solid	300_Prep	

Prep Batch: 19720

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-18707-8	TP25-02 4'	Total/NA	Solid	300_Prep	

Eurofins Albuquerque

QC Association Summary

Client: Vertex
Project/Site: Rattlesnake 13-12 Federal Com #001H

Job ID: 885-18707-1

HPLC/IC (Continued)

Prep Batch: 19720 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-18707-9	TP25-02 6'	Total/NA	Solid	300_Prep	
885-18707-10	TP25-02 9'	Total/NA	Solid	300_Prep	
885-18707-11	TP25-03 9'	Total/NA	Solid	300_Prep	
885-18707-12	Backfill-01	Total/NA	Solid	300_Prep	
MB 885-19720/1-A	Method Blank	Total/NA	Solid	300_Prep	
LCS 885-19720/2-A	Lab Control Sample	Total/NA	Solid	300_Prep	

Analysis Batch: 19721

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-18707-8	TP25-02 4'	Total/NA	Solid	300.0	19720
885-18707-9	TP25-02 6'	Total/NA	Solid	300.0	19720
885-18707-10	TP25-02 9'	Total/NA	Solid	300.0	19720
885-18707-11	TP25-03 9'	Total/NA	Solid	300.0	19720
885-18707-12	Backfill-01	Total/NA	Solid	300.0	19720
MB 885-19720/1-A	Method Blank	Total/NA	Solid	300.0	19720
LCS 885-19720/2-A	Lab Control Sample	Total/NA	Solid	300.0	19720

Lab Chronicle

Client: Vertex
Project/Site: Rattlesnake 13-12 Federal Com #001H

Job ID: 885-18707-1

Client Sample ID: TP25-01 0'
Date Collected: 01/16/25 08:55
Date Received: 01/22/25 08:00

Lab Sample ID: 885-18707-1
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5030C			19674	JP	EET ALB	01/22/25 11:05
Total/NA	Analysis	8015M/D		1	19844	AT	EET ALB	01/25/25 03:05
Total/NA	Prep	5030C			19674	JP	EET ALB	01/22/25 11:05
Total/NA	Analysis	8021B		1	19845	AT	EET ALB	01/25/25 03:05
Total/NA	Prep	SHAKE			19748	MI	EET ALB	01/23/25 11:11
Total/NA	Analysis	8015M/D		1	19714	EM	EET ALB	01/23/25 18:49
Total/NA	Prep	300_Prep			19679	RC	EET ALB	01/22/25 11:57
Total/NA	Analysis	300.0		20	19646	ES	EET ALB	01/22/25 18:12

Client Sample ID: TP25-01 2'
Date Collected: 01/16/25 09:00
Date Received: 01/22/25 08:00

Lab Sample ID: 885-18707-2
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5030C			19674	JP	EET ALB	01/22/25 11:05
Total/NA	Analysis	8015M/D		1	19844	AT	EET ALB	01/25/25 03:28
Total/NA	Prep	5030C			19674	JP	EET ALB	01/22/25 11:05
Total/NA	Analysis	8021B		1	19845	AT	EET ALB	01/25/25 03:28
Total/NA	Prep	SHAKE			19748	MI	EET ALB	01/23/25 11:11
Total/NA	Analysis	8015M/D		1	19714	EM	EET ALB	01/23/25 18:59
Total/NA	Prep	300_Prep			19679	RC	EET ALB	01/22/25 11:57
Total/NA	Analysis	300.0		20	19646	ES	EET ALB	01/22/25 18:43

Client Sample ID: TP25-01 4'
Date Collected: 01/16/25 09:05
Date Received: 01/22/25 08:00

Lab Sample ID: 885-18707-3
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5030C			19674	JP	EET ALB	01/22/25 11:05
Total/NA	Analysis	8015M/D		1	19844	AT	EET ALB	01/25/25 03:52
Total/NA	Prep	5030C			19674	JP	EET ALB	01/22/25 11:05
Total/NA	Analysis	8021B		1	19845	AT	EET ALB	01/25/25 03:52
Total/NA	Prep	SHAKE			19748	MI	EET ALB	01/23/25 11:11
Total/NA	Analysis	8015M/D		1	19714	EM	EET ALB	01/23/25 19:09
Total/NA	Prep	300_Prep			19679	RC	EET ALB	01/22/25 11:57
Total/NA	Analysis	300.0		20	19646	ES	EET ALB	01/22/25 18:54

Client Sample ID: TP25-01 6'
Date Collected: 01/16/25 09:10
Date Received: 01/22/25 08:00

Lab Sample ID: 885-18707-4
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5030C			19674	JP	EET ALB	01/22/25 11:05
Total/NA	Analysis	8015M/D		1	19844	AT	EET ALB	01/25/25 04:15

Eurofins Albuquerque

Lab Chronicle

Client: Vertex

Job ID: 885-18707-1

Project/Site: Rattlesnake 13-12 Federal Com #001H

Client Sample ID: TP25-01 6'

Lab Sample ID: 885-18707-4

Date Collected: 01/16/25 09:10

Matrix: Solid

Date Received: 01/22/25 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5030C			19674	JP	EET ALB	01/22/25 11:05
Total/NA	Analysis	8021B		1	19845	AT	EET ALB	01/25/25 04:15
Total/NA	Prep	SHAKE			19748	MI	EET ALB	01/23/25 11:11
Total/NA	Analysis	8015M/D		1	19714	EM	EET ALB	01/23/25 19:20
Total/NA	Prep	300_Prep			19679	RC	EET ALB	01/22/25 11:57
Total/NA	Analysis	300.0		20	19646	ES	EET ALB	01/22/25 19:04

Client Sample ID: TP25-01 9'

Lab Sample ID: 885-18707-5

Date Collected: 01/16/25 09:15

Matrix: Solid

Date Received: 01/22/25 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5030C			19674	JP	EET ALB	01/22/25 11:05
Total/NA	Analysis	8015M/D		1	19844	AT	EET ALB	01/25/25 04:39
Total/NA	Prep	5030C			19674	JP	EET ALB	01/22/25 11:05
Total/NA	Analysis	8021B		1	19845	AT	EET ALB	01/25/25 04:39
Total/NA	Prep	SHAKE			19748	MI	EET ALB	01/23/25 11:11
Total/NA	Analysis	8015M/D		1	19714	EM	EET ALB	01/23/25 19:30
Total/NA	Prep	300_Prep			19679	RC	EET ALB	01/22/25 11:57
Total/NA	Analysis	300.0		20	19646	ES	EET ALB	01/22/25 19:14

Client Sample ID: TP25-02 0'

Lab Sample ID: 885-18707-6

Date Collected: 01/16/25 09:20

Matrix: Solid

Date Received: 01/22/25 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5030C			19674	JP	EET ALB	01/22/25 11:05
Total/NA	Analysis	8015M/D		1	19844	AT	EET ALB	01/25/25 05:02
Total/NA	Prep	5030C			19674	JP	EET ALB	01/22/25 11:05
Total/NA	Analysis	8021B		1	19845	AT	EET ALB	01/25/25 05:02
Total/NA	Prep	SHAKE			19748	MI	EET ALB	01/23/25 11:11
Total/NA	Analysis	8015M/D		1	19714	EM	EET ALB	01/23/25 19:51
Total/NA	Prep	300_Prep			19679	RC	EET ALB	01/22/25 11:57
Total/NA	Analysis	300.0		20	19646	ES	EET ALB	01/22/25 19:25

Client Sample ID: TP25-02 2'

Lab Sample ID: 885-18707-7

Date Collected: 01/16/25 09:25

Matrix: Solid

Date Received: 01/22/25 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5030C			19674	JP	EET ALB	01/22/25 11:05
Total/NA	Analysis	8015M/D		1	19844	AT	EET ALB	01/25/25 05:26
Total/NA	Prep	5030C			19674	JP	EET ALB	01/22/25 11:05
Total/NA	Analysis	8021B		1	19845	AT	EET ALB	01/25/25 05:26

Eurofins Albuquerque

Lab Chronicle

Client: Vertex
Project/Site: Rattlesnake 13-12 Federal Com #001H

Job ID: 885-18707-1

Client Sample ID: TP25-02 2'

Lab Sample ID: 885-18707-7

Date Collected: 01/16/25 09:25

Matrix: Solid

Date Received: 01/22/25 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	SHAKE			19748	MI	EET ALB	01/23/25 11:11
Total/NA	Analysis	8015M/D		1	19714	EM	EET ALB	01/23/25 20:01
Total/NA	Prep	300_Prep			19679	RC	EET ALB	01/22/25 11:57
Total/NA	Analysis	300.0		20	19646	ES	EET ALB	01/22/25 19:35

Client Sample ID: TP25-02 4'

Lab Sample ID: 885-18707-8

Date Collected: 01/16/25 09:30

Matrix: Solid

Date Received: 01/22/25 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5030C			19692	JP	EET ALB	01/22/25 14:16
Total/NA	Analysis	8015M/D		1	19723	JP	EET ALB	01/23/25 12:54
Total/NA	Prep	5030C			19692	JP	EET ALB	01/22/25 14:16
Total/NA	Analysis	8021B		1	19724	JP	EET ALB	01/23/25 12:54
Total/NA	Prep	SHAKE			19749	MI	EET ALB	01/23/25 11:15
Total/NA	Analysis	8015M/D		1	19714	EM	EET ALB	01/23/25 22:38
Total/NA	Prep	300_Prep			19720	RC	EET ALB	01/23/25 08:40
Total/NA	Analysis	300.0		20	19721	RC	EET ALB	01/23/25 11:23

Client Sample ID: TP25-02 6'

Lab Sample ID: 885-18707-9

Date Collected: 01/16/25 09:35

Matrix: Solid

Date Received: 01/22/25 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5030C			19692	JP	EET ALB	01/22/25 14:16
Total/NA	Analysis	8015M/D		1	19723	JP	EET ALB	01/23/25 14:05
Total/NA	Prep	5030C			19692	JP	EET ALB	01/22/25 14:16
Total/NA	Analysis	8021B		1	19724	JP	EET ALB	01/23/25 14:05
Total/NA	Prep	SHAKE			19749	MI	EET ALB	01/23/25 11:15
Total/NA	Analysis	8015M/D		1	19714	EM	EET ALB	01/23/25 22:49
Total/NA	Prep	300_Prep			19720	RC	EET ALB	01/23/25 08:40
Total/NA	Analysis	300.0		20	19721	RC	EET ALB	01/23/25 12:17

Client Sample ID: TP25-02 9'

Lab Sample ID: 885-18707-10

Date Collected: 01/16/25 09:40

Matrix: Solid

Date Received: 01/22/25 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5030C			19692	JP	EET ALB	01/22/25 14:16
Total/NA	Analysis	8015M/D		1	19723	JP	EET ALB	01/23/25 15:16
Total/NA	Prep	5030C			19692	JP	EET ALB	01/22/25 14:16
Total/NA	Analysis	8021B		1	19724	JP	EET ALB	01/23/25 15:16
Total/NA	Prep	SHAKE			19749	MI	EET ALB	01/23/25 11:15
Total/NA	Analysis	8015M/D		1	19714	EM	EET ALB	01/23/25 22:59

Eurofins Albuquerque

Lab Chronicle

Client: Vertex
Project/Site: Rattlesnake 13-12 Federal Com #001H

Job ID: 885-18707-1

Client Sample ID: TP25-02 9'

Lab Sample ID: 885-18707-10

Date Collected: 01/16/25 09:40

Matrix: Solid

Date Received: 01/22/25 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	300_Prep			19720	RC	EET ALB	01/23/25 08:40
Total/NA	Analysis	300.0		20	19721	RC	EET ALB	01/23/25 12:28

Client Sample ID: TP25-03 9'

Lab Sample ID: 885-18707-11

Date Collected: 01/16/25 09:45

Matrix: Solid

Date Received: 01/22/25 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5030C			19692	JP	EET ALB	01/22/25 14:16
Total/NA	Analysis	8015M/D		1	19723	JP	EET ALB	01/23/25 15:39
Total/NA	Prep	5030C			19692	JP	EET ALB	01/22/25 14:16
Total/NA	Analysis	8021B		1	19724	JP	EET ALB	01/23/25 15:39
Total/NA	Prep	SHAKE			19749	MI	EET ALB	01/23/25 11:15
Total/NA	Analysis	8015M/D		1	19714	EM	EET ALB	01/23/25 23:10
Total/NA	Prep	300_Prep			19720	RC	EET ALB	01/23/25 08:40
Total/NA	Analysis	300.0		20	19721	RC	EET ALB	01/23/25 12:38

Client Sample ID: Backfill-01

Lab Sample ID: 885-18707-12

Date Collected: 01/16/25 09:50

Matrix: Solid

Date Received: 01/22/25 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5030C			19692	JP	EET ALB	01/22/25 14:16
Total/NA	Analysis	8015M/D		1	19723	JP	EET ALB	01/23/25 16:03
Total/NA	Prep	5030C			19692	JP	EET ALB	01/22/25 14:16
Total/NA	Analysis	8021B		1	19724	JP	EET ALB	01/23/25 16:03
Total/NA	Prep	SHAKE			19749	MI	EET ALB	01/23/25 11:15
Total/NA	Analysis	8015M/D		1	19714	EM	EET ALB	01/23/25 23:52
Total/NA	Prep	300_Prep			19720	RC	EET ALB	01/23/25 08:40
Total/NA	Analysis	300.0		20	19721	RC	EET ALB	01/23/25 12:48

Laboratory References:
EET ALB = Eurofins Albuquerque, 4901 Hawkins NE, Albuquerque, NM 87109, TEL (505)345-3975

Accreditation/Certification Summary

Client: Vertex
Project/Site: Rattlesnake 13-12 Federal Com #001H

Job ID: 885-18707-1

Laboratory: Eurofins Albuquerque

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
New Mexico	State	NM9425, NM0901	02-26-25
The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.			
Analysis Method	Prep Method	Matrix	Analyte
300.0	300_Prep	Solid	Chloride
8015M/D	5030C	Solid	Gasoline Range Organics (GRO)-C6-C10
8015M/D	SHAKE	Solid	Diesel Range Organics [C10-C28]
8015M/D	SHAKE	Solid	Motor Oil Range Organics [C28-C40]
8021B	5030C	Solid	Benzene
8021B	5030C	Solid	Ethylbenzene
8021B	5030C	Solid	Toluene
8021B	5030C	Solid	Xylenes, Total
Oregon	NELAP	NM100001	02-25-25

Login Sample Receipt Checklist

Client: Vertex

Job Number: 885-18707-1

Login Number: 18707

List Source: Eurofins Albuquerque

List Number: 1

Creator: Casarrubias, Tracy

Question	Answer	Comment
Radioactivity wasn't checked or is \leq background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is $<6\text{mm}$ (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	



Environment Testing

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11



ANALYTICAL REPORT

PREPARED FOR

Attn: Chad Hensley
Vertex
3101 Boyd Dr
Carlsbad, New Mexico 88220

Generated 10/21/2024 5:33:55 PM

JOB DESCRIPTION

Rattlesnake 13-12 Federal Com #001H

JOB NUMBER

885-13236-1

Eurofins Albuquerque
4901 Hawkins NE
Albuquerque NM 87109



Eurofins Albuquerque

Job Notes

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing South Central, LLC Project Manager.

Authorization



Generated
10/21/2024 5:33:55 PM

Authorized for release by
Andy Freeman, Business Unit Manager
andy.freeman@et.eurofinsus.com
(505)345-3975

Client: Vertex
Project/Site: Rattlesnake 13-12 Federal Com #001H

Laboratory Job ID: 885-13236-1

Table of Contents

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	5
Client Sample Results	6
QC Sample Results	29
QC Association Summary	36
Lab Chronicle	42
Certification Summary	50
Chain of Custody	51
Receipt Checklists	53

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11

Definitions/Glossary

Client: Vertex
Project/Site: Rattlesnake 13-12 Federal Com #001H

Job ID: 885-13236-1

Qualifiers

GC VOA

Qualifier	Qualifier Description
S1+	Surrogate recovery exceeds control limits, high biased.

GC Semi VOA

Qualifier	Qualifier Description
D	Surrogate or matrix spike recoveries were not obtained because the extract was diluted for analysis; also compounds analyzed at a dilution may be flagged with a D.
F1	MS and/or MSD recovery exceeds control limits.
S1-	Surrogate recovery exceeds control limits, low biased.

HPLC/IC

Qualifier	Qualifier Description
4	MS, MSD: The analyte present in the original sample is greater than 4 times the matrix spike concentration; therefore, control limits are not applicable.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: Vertex
Project: Rattlesnake 13-12 Federal Com #001H

Job ID: 885-13236-1

Job ID: 885-13236-1

Eurofins Albuquerque

Job Narrative 885-13236-1

Analytical test results meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page unless otherwise noted under the individual analysis. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable.

- Matrix QC may not be reported if insufficient sample is provided or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD may be performed, unless otherwise specified in the method.
- Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

Receipt

The samples were received on 10/5/2024 9:00 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 5.4°C.

Receipt Exceptions

The container labels list a collection times that is different from the COC. Per the client use the times on the COC.

Gasoline Range Organics

Method 8015D_GRO: Surrogate recovery for the following samples were outside control limits: BH24-07 0' (885-13236-21), BH24-07 4' (885-13236-22) and BH24-07 8' (885-13236-23). Evidence of matrix interference is present; therefore, re-extraction and/or re-analysis was not performed.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

GC VOA

Method 8021B: Surrogate recovery for the following samples were outside control limits: BH24-07 4' (885-13236-22) and BH24-07 8' (885-13236-23). Evidence of matrix interference is present; therefore, re-extraction and/or re-analysis was not performed.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Diesel Range Organics

Method 8015D_DRO: The matrix spike / matrix spike duplicate (MS/MSD) recoveries for preparation batch 885-13860 and analytical batch 885-13857 were outside control limits for one or more analytes. See QC Sample Results for detail. Sample matrix interference and/or non-homogeneity are suspected because the associated laboratory control sample (LCS) recovery is within acceptance limits.

Method 8015D_DRO: The following samples required a dilution due to the nature of the sample matrix: BH24-01 0' (885-13236-1), BH24-01 4' (885-13236-2), BH24-01 6' (885-13236-3), BH24-01 8' (885-13236-4), BH24-02 0' (885-13236-6), BH24-03 0' (885-13236-9), BH24-07 0' (885-13236-21) and BH24-07 8' (885-13236-23). Because of this dilution, the surrogate spike concentration in the sample was reduced to a level where the recovery calculation does not provide useful information.

Method 8015D_DRO: The following sample required a dilution due to the nature of the sample matrix: BH24-07 4' (885-13236-22). Because of this dilution, the surrogate spike concentration in the sample was reduced to a level where the recovery calculation does not provide useful information.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

HPLC/IC

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Albuquerque

Client Sample Results

Client: Vertex

Job ID: 885-13236-1

Project/Site: Rattlesnake 13-12 Federal Com #001H

Client Sample ID: BH24-01 0'

Lab Sample ID: 885-13236-1

Date Collected: 10/03/24 08:55

Matrix: Solid

Date Received: 10/05/24 09:00

Method: SW846 8015M/D - Gasoline Range Organics (GRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics [C6 - C10]	140		24	mg/Kg		10/07/24 12:25	10/11/24 04:24	5

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	292		35 - 166	10/07/24 12:25	10/11/24 04:24	5

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.12	mg/Kg		10/07/24 12:25	10/11/24 04:24	5
Ethylbenzene	1.4		0.24	mg/Kg		10/07/24 12:25	10/11/24 04:24	5
Toluene	0.41		0.24	mg/Kg		10/07/24 12:25	10/11/24 04:24	5
Xylenes, Total	6.7		0.48	mg/Kg		10/07/24 12:25	10/11/24 04:24	5

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	150		48 - 145	10/07/24 12:25	10/11/24 04:24	5

Method: SW846 8015M/D - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	15000		470	mg/Kg		10/08/24 09:47	10/11/24 12:27	50
Motor Oil Range Organics [C28-C40]	7200		2300	mg/Kg		10/08/24 09:47	10/11/24 12:27	50

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Di-n-octyl phthalate (Surr)	0	S1- D	62 - 134	10/08/24 09:47	10/11/24 12:27	50

Method: EPA 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	240		60	mg/Kg		10/08/24 12:01	10/08/24 22:19	20

Eurofins Albuquerque

Client Sample Results

Client: Vertex

Job ID: 885-13236-1

Project/Site: Rattlesnake 13-12 Federal Com #001H

Client Sample ID: BH24-01 4'

Lab Sample ID: 885-13236-2

Date Collected: 10/03/24 09:00

Matrix: Solid

Date Received: 10/05/24 09:00

Method: SW846 8015M/D - Gasoline Range Organics (GRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics [C6 - C10]	590		47	mg/Kg		10/07/24 12:25	10/11/24 11:57	10

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	228		35 - 166	10/07/24 12:25	10/11/24 11:57	10

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.024	mg/Kg		10/07/24 12:25	10/11/24 04:46	1
Ethylbenzene	0.86		0.047	mg/Kg		10/07/24 12:25	10/11/24 04:46	1
Toluene	0.57		0.047	mg/Kg		10/07/24 12:25	10/11/24 04:46	1
Xylenes, Total	27		0.95	mg/Kg		10/07/24 12:25	10/11/24 11:57	10

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	187		48 - 145	10/07/24 12:25	10/11/24 04:46	1

Method: SW846 8015M/D - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	7200		93	mg/Kg		10/08/24 09:47	10/11/24 13:10	10
Motor Oil Range Organics [C28-C40]	3100		470	mg/Kg		10/08/24 09:47	10/11/24 13:10	10

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Di-n-octyl phthalate (Surr)	0	S1 - D	62 - 134	10/08/24 09:47	10/11/24 13:10	10

Method: EPA 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	82		60	mg/Kg		10/08/24 12:01	10/08/24 22:31	20

Eurofins Albuquerque

Client Sample Results

Client: Vertex

Job ID: 885-13236-1

Project/Site: Rattlesnake 13-12 Federal Com #001H

Client Sample ID: BH24-01 6'

Lab Sample ID: 885-13236-3

Date Collected: 10/03/24 09:05

Matrix: Solid

Date Received: 10/05/24 09:00

Method: SW846 8015M/D - Gasoline Range Organics (GRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics [C6 - C10]	610		46	mg/Kg		10/07/24 12:25	10/11/24 12:19	10

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	264		35 - 166	10/07/24 12:25	10/11/24 12:19	10

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.023	mg/Kg		10/07/24 12:25	10/11/24 05:07	1
Ethylbenzene	2.1		0.046	mg/Kg		10/07/24 12:25	10/11/24 05:07	1
Toluene	1.3		0.046	mg/Kg		10/07/24 12:25	10/11/24 05:07	1
Xylenes, Total	7.8		0.092	mg/Kg		10/07/24 12:25	10/11/24 05:07	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	283		48 - 145	10/07/24 12:25	10/11/24 05:07	1

Method: SW846 8015M/D - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	6800		98	mg/Kg		10/08/24 09:47	10/11/24 13:52	10
Motor Oil Range Organics [C28-C40]	3300		490	mg/Kg		10/08/24 09:47	10/11/24 13:52	10

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Di-n-octyl phthalate (Surr)	0	S1- D	62 - 134	10/08/24 09:47	10/11/24 13:52	10

Method: EPA 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	180		60	mg/Kg		10/08/24 12:01	10/08/24 22:43	20

Eurofins Albuquerque

Client Sample Results

Client: Vertex

Job ID: 885-13236-1

Project/Site: Rattlesnake 13-12 Federal Com #001H

Client Sample ID: BH24-01 8'

Lab Sample ID: 885-13236-4

Date Collected: 10/03/24 09:10

Matrix: Solid

Date Received: 10/05/24 09:00

Method: SW846 8015M/D - Gasoline Range Organics (GRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics [C6 - C10]	300		4.9	mg/Kg		10/07/24 12:25	10/11/24 05:29	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	775		35 - 166	10/07/24 12:25	10/11/24 05:29	1

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.025	mg/Kg		10/07/24 12:25	10/11/24 05:29	1
Ethylbenzene	2.4		0.049	mg/Kg		10/07/24 12:25	10/11/24 05:29	1
Toluene	0.73		0.049	mg/Kg		10/07/24 12:25	10/11/24 05:29	1
Xylenes, Total	11		0.099	mg/Kg		10/07/24 12:25	10/11/24 05:29	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	288		48 - 145	10/07/24 12:25	10/11/24 05:29	1

Method: SW846 8015M/D - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	5600		94	mg/Kg		10/08/24 09:47	10/11/24 14:46	10
Motor Oil Range Organics [C28-C40]	2400		470	mg/Kg		10/08/24 09:47	10/11/24 14:46	10

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Di-n-octyl phthalate (Surr)	0	S1- D	62 - 134	10/08/24 09:47	10/11/24 14:46	10

Method: EPA 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	67		59	mg/Kg		10/08/24 12:01	10/08/24 22:56	20

Eurofins Albuquerque

Client Sample Results

Client: Vertex

Job ID: 885-13236-1

Project/Site: Rattlesnake 13-12 Federal Com #001H

Client Sample ID: BH24-01 10'

Lab Sample ID: 885-13236-5

Date Collected: 10/03/24 09:15

Matrix: Solid

Date Received: 10/05/24 09:00

Method: SW846 8015M/D - Gasoline Range Organics (GRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics [C6 - C10]	ND		8.8	mg/Kg		10/07/24 12:25	10/11/24 05:51	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	198		35 - 166	10/07/24 12:25	10/11/24 05:51	1

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.024	mg/Kg		10/07/24 12:25	10/11/24 05:51	1
Ethylbenzene	ND		0.048	mg/Kg		10/07/24 12:25	10/11/24 05:51	1
Toluene	ND		0.048	mg/Kg		10/07/24 12:25	10/11/24 05:51	1
Xylenes, Total	ND		0.097	mg/Kg		10/07/24 12:25	10/11/24 05:51	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	124		48 - 145	10/07/24 12:25	10/11/24 05:51	1

Method: SW846 8015M/D - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	420		9.7	mg/Kg		10/08/24 09:47	10/11/24 21:22	1
Motor Oil Range Organics [C28-C40]	180		49	mg/Kg		10/08/24 09:47	10/11/24 21:22	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Di-n-octyl phthalate (Surr)	92		62 - 134	10/08/24 09:47	10/11/24 21:22	1

Method: EPA 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		60	mg/Kg		10/08/24 12:01	10/08/24 23:08	20

Eurofins Albuquerque

Client Sample Results

Client: Vertex

Job ID: 885-13236-1

Project/Site: Rattlesnake 13-12 Federal Com #001H

Client Sample ID: BH24-02 0'

Lab Sample ID: 885-13236-6

Date Collected: 10/03/24 09:20

Matrix: Solid

Date Received: 10/05/24 09:00

Method: SW846 8015M/D - Gasoline Range Organics (GRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics [C6 - C10]	150		9.6	mg/Kg		10/07/24 12:25	10/11/24 06:13	2

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	367		35 - 166	10/07/24 12:25	10/11/24 06:13	2

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.048	mg/Kg		10/07/24 12:25	10/11/24 06:13	2
Ethylbenzene	2.4		0.096	mg/Kg		10/07/24 12:25	10/11/24 06:13	2
Toluene	0.29		0.096	mg/Kg		10/07/24 12:25	10/11/24 06:13	2
Xylenes, Total	11		0.19	mg/Kg		10/07/24 12:25	10/11/24 06:13	2

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	234		48 - 145	10/07/24 12:25	10/11/24 06:13	2

Method: SW846 8015M/D - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	27000		450	mg/Kg		10/08/24 09:47	10/11/24 16:11	50
Motor Oil Range Organics [C28-C40]	18000		2300	mg/Kg		10/08/24 09:47	10/11/24 16:11	50

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Di-n-octyl phthalate (Surr)	0	S1- D	62 - 134	10/08/24 09:47	10/11/24 16:11	50

Method: EPA 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	170		60	mg/Kg		10/08/24 12:01	10/08/24 23:20	20

Eurofins Albuquerque

Client Sample Results

Client: Vertex

Job ID: 885-13236-1

Project/Site: Rattlesnake 13-12 Federal Com #001H

Client Sample ID: BH24-02 2'

Lab Sample ID: 885-13236-7

Date Collected: 10/03/24 09:25

Matrix: Solid

Date Received: 10/05/24 09:00

Method: SW846 8015M/D - Gasoline Range Organics (GRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics [C6 - C10]	ND		4.7	mg/Kg		10/07/24 12:25	10/11/24 06:35	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	120		35 - 166			10/07/24 12:25	10/11/24 06:35	1

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.024	mg/Kg		10/07/24 12:25	10/11/24 06:35	1
Ethylbenzene	ND		0.047	mg/Kg		10/07/24 12:25	10/11/24 06:35	1
Toluene	ND		0.047	mg/Kg		10/07/24 12:25	10/11/24 06:35	1
Xylenes, Total	ND		0.094	mg/Kg		10/07/24 12:25	10/11/24 06:35	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	103		48 - 145			10/07/24 12:25	10/11/24 06:35	1

Method: SW846 8015M/D - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	66		9.3	mg/Kg		10/08/24 09:47	10/11/24 16:53	1
Motor Oil Range Organics [C28-C40]	ND		47	mg/Kg		10/08/24 09:47	10/11/24 16:53	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
Di-n-octyl phthalate (Surr)	94		62 - 134			10/08/24 09:47	10/11/24 16:53	1

Method: EPA 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	200		60	mg/Kg		10/08/24 12:01	10/08/24 23:57	20

Eurofins Albuquerque

Client Sample Results

Client: Vertex

Job ID: 885-13236-1

Project/Site: Rattlesnake 13-12 Federal Com #001H

Client Sample ID: BH24-02 4'

Lab Sample ID: 885-13236-8

Date Collected: 10/03/24 09:30

Matrix: Solid

Date Received: 10/05/24 09:00

Method: SW846 8015M/D - Gasoline Range Organics (GRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics [C6 - C10]	ND		4.8	mg/Kg		10/07/24 12:25	10/11/24 06:57	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	116		35 - 166			10/07/24 12:25	10/11/24 06:57	1

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.024	mg/Kg		10/07/24 12:25	10/11/24 06:57	1
Ethylbenzene	ND		0.048	mg/Kg		10/07/24 12:25	10/11/24 06:57	1
Toluene	ND		0.048	mg/Kg		10/07/24 12:25	10/11/24 06:57	1
Xylenes, Total	ND		0.095	mg/Kg		10/07/24 12:25	10/11/24 06:57	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	103		48 - 145			10/07/24 12:25	10/11/24 06:57	1

Method: SW846 8015M/D - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		9.2	mg/Kg		10/08/24 09:47	10/11/24 17:09	1
Motor Oil Range Organics [C28-C40]	ND		46	mg/Kg		10/08/24 09:47	10/11/24 17:09	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
Di-n-octyl phthalate (Surr)	113		62 - 134			10/08/24 09:47	10/11/24 17:09	1

Method: EPA 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	71		60	mg/Kg		10/08/24 12:01	10/09/24 00:10	20

Eurofins Albuquerque

Client Sample Results

Client: Vertex

Job ID: 885-13236-1

Project/Site: Rattlesnake 13-12 Federal Com #001H

Client Sample ID: BH24-03 0'

Lab Sample ID: 885-13236-9

Date Collected: 10/03/24 09:35

Matrix: Solid

Date Received: 10/05/24 09:00

Method: SW846 8015M/D - Gasoline Range Organics (GRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics [C6 - C10]	22		4.7	mg/Kg		10/07/24 12:25	10/11/24 07:18	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	241		35 - 166			10/07/24 12:25	10/11/24 07:18	1

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.024	mg/Kg		10/07/24 12:25	10/11/24 07:18	1
Ethylbenzene	0.12		0.047	mg/Kg		10/07/24 12:25	10/11/24 07:18	1
Toluene	0.055		0.047	mg/Kg		10/07/24 12:25	10/11/24 07:18	1
Xylenes, Total	0.86		0.095	mg/Kg		10/07/24 12:25	10/11/24 07:18	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	133		48 - 145			10/07/24 12:25	10/11/24 07:18	1

Method: SW846 8015M/D - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	9400		480	mg/Kg		10/08/24 09:47	10/11/24 17:20	50
Motor Oil Range Organics [C28-C40]	6500		2400	mg/Kg		10/08/24 09:47	10/11/24 17:20	50
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
Di-n-octyl phthalate (Surr)	0	S1- D	62 - 134			10/08/24 09:47	10/11/24 17:20	50

Method: EPA 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	93		60	mg/Kg		10/08/24 12:01	10/09/24 00:22	20

Eurofins Albuquerque

Client Sample Results

Client: Vertex

Job ID: 885-13236-1

Project/Site: Rattlesnake 13-12 Federal Com #001H

Client Sample ID: BH24-03 2'

Lab Sample ID: 885-13236-10

Date Collected: 10/03/24 09:40

Matrix: Solid

Date Received: 10/05/24 09:00

Method: SW846 8015M/D - Gasoline Range Organics (GRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics [C6 - C10]	ND		4.7	mg/Kg		10/07/24 12:25	10/11/24 07:40	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	120		35 - 166	10/07/24 12:25	10/11/24 07:40	1

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.024	mg/Kg		10/07/24 12:25	10/11/24 07:40	1
Ethylbenzene	ND		0.047	mg/Kg		10/07/24 12:25	10/11/24 07:40	1
Toluene	ND		0.047	mg/Kg		10/07/24 12:25	10/11/24 07:40	1
Xylenes, Total	ND		0.095	mg/Kg		10/07/24 12:25	10/11/24 07:40	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	103		48 - 145	10/07/24 12:25	10/11/24 07:40	1

Method: SW846 8015M/D - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		9.5	mg/Kg		10/08/24 09:47	10/10/24 03:53	1
Motor Oil Range Organics [C28-C40]	ND		48	mg/Kg		10/08/24 09:47	10/10/24 03:53	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Di-n-octyl phthalate (Surr)	90		62 - 134	10/08/24 09:47	10/10/24 03:53	1

Method: EPA 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	130		60	mg/Kg		10/08/24 12:01	10/09/24 00:34	20

Eurofins Albuquerque

Client Sample Results

Client: Vertex

Job ID: 885-13236-1

Project/Site: Rattlesnake 13-12 Federal Com #001H

Client Sample ID: BH24-03 4'

Lab Sample ID: 885-13236-11

Date Collected: 10/03/24 09:45

Matrix: Solid

Date Received: 10/05/24 09:00

Method: SW846 8015M/D - Gasoline Range Organics (GRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics [C6 - C10]	ND		4.9	mg/Kg		10/07/24 13:36	10/08/24 18:30	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	107		35 - 166			10/07/24 13:36	10/08/24 18:30	1

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.024	mg/Kg		10/07/24 13:36	10/08/24 18:30	1
Ethylbenzene	ND		0.049	mg/Kg		10/07/24 13:36	10/08/24 18:30	1
Toluene	ND		0.049	mg/Kg		10/07/24 13:36	10/08/24 18:30	1
Xylenes, Total	ND		0.098	mg/Kg		10/07/24 13:36	10/08/24 18:30	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	107		48 - 145			10/07/24 13:36	10/08/24 18:30	1

Method: SW846 8015M/D - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		9.8	mg/Kg		10/08/24 08:58	10/08/24 15:36	1
Motor Oil Range Organics [C28-C40]	ND		49	mg/Kg		10/08/24 08:58	10/08/24 15:36	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
Di-n-octyl phthalate (Surr)	99		62 - 134			10/08/24 08:58	10/08/24 15:36	1

Method: EPA 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	80		60	mg/Kg		10/08/24 10:30	10/08/24 15:19	20

Eurofins Albuquerque

Client Sample Results

Client: Vertex

Job ID: 885-13236-1

Project/Site: Rattlesnake 13-12 Federal Com #001H

Client Sample ID: BH24-04 0'

Lab Sample ID: 885-13236-12

Date Collected: 10/03/24 09:50

Matrix: Solid

Date Received: 10/05/24 09:00

Method: SW846 8015M/D - Gasoline Range Organics (GRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics [C6 - C10]	ND		4.8	mg/Kg		10/07/24 13:36	10/08/24 18:52	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	101		35 - 166			10/07/24 13:36	10/08/24 18:52	1

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.024	mg/Kg		10/07/24 13:36	10/08/24 18:52	1
Ethylbenzene	ND		0.048	mg/Kg		10/07/24 13:36	10/08/24 18:52	1
Toluene	ND		0.048	mg/Kg		10/07/24 13:36	10/08/24 18:52	1
Xylenes, Total	ND		0.096	mg/Kg		10/07/24 13:36	10/08/24 18:52	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	104		48 - 145			10/07/24 13:36	10/08/24 18:52	1

Method: SW846 8015M/D - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	34	F1	9.4	mg/Kg		10/08/24 08:58	10/08/24 15:48	1
Motor Oil Range Organics [C28-C40]	76		47	mg/Kg		10/08/24 08:58	10/08/24 15:48	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
Di-n-octyl phthalate (Surr)	93		62 - 134			10/08/24 08:58	10/08/24 15:48	1

Method: EPA 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	94		60	mg/Kg		10/08/24 10:30	10/08/24 15:56	20

Eurofins Albuquerque

Client Sample Results

Client: Vertex
Project/Site: Rattlesnake 13-12 Federal Com #001H

Job ID: 885-13236-1

Client Sample ID: BH24-04 2'

Lab Sample ID: 885-13236-13

Date Collected: 10/03/24 08:55

Matrix: Solid

Date Received: 10/05/24 09:00

Method: SW846 8015M/D - Gasoline Range Organics (GRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics [C6 - C10]	ND		4.9	mg/Kg		10/07/24 13:36	10/08/24 19:14	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	104		35 - 166	10/07/24 13:36	10/08/24 19:14	1

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.025	mg/Kg		10/07/24 13:36	10/08/24 19:14	1
Ethylbenzene	ND		0.049	mg/Kg		10/07/24 13:36	10/08/24 19:14	1
Toluene	ND		0.049	mg/Kg		10/07/24 13:36	10/08/24 19:14	1
Xylenes, Total	ND		0.099	mg/Kg		10/07/24 13:36	10/08/24 19:14	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	106		48 - 145	10/07/24 13:36	10/08/24 19:14	1

Method: SW846 8015M/D - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		9.6	mg/Kg		10/08/24 08:58	10/08/24 16:24	1
Motor Oil Range Organics [C28-C40]	ND		48	mg/Kg		10/08/24 08:58	10/08/24 16:24	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Di-n-octyl phthalate (Surr)	92		62 - 134	10/08/24 08:58	10/08/24 16:24	1

Method: EPA 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		60	mg/Kg		10/08/24 10:30	10/08/24 16:33	20

Eurofins Albuquerque

Client Sample Results

Client: Vertex
Project/Site: Rattlesnake 13-12 Federal Com #001H

Job ID: 885-13236-1

Client Sample ID: BH24-04 4'

Lab Sample ID: 885-13236-14

Date Collected: 10/03/24 09:00

Matrix: Solid

Date Received: 10/05/24 09:00

Method: SW846 8015M/D - Gasoline Range Organics (GRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics [C6 - C10]	ND		4.6	mg/Kg		10/07/24 13:36	10/08/24 19:35	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	112		35 - 166			10/07/24 13:36	10/08/24 19:35	1

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.023	mg/Kg		10/07/24 13:36	10/08/24 19:35	1
Ethylbenzene	ND		0.046	mg/Kg		10/07/24 13:36	10/08/24 19:35	1
Toluene	ND		0.046	mg/Kg		10/07/24 13:36	10/08/24 19:35	1
Xylenes, Total	ND		0.093	mg/Kg		10/07/24 13:36	10/08/24 19:35	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	105		48 - 145			10/07/24 13:36	10/08/24 19:35	1

Method: SW846 8015M/D - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		9.8	mg/Kg		10/08/24 08:58	10/08/24 16:36	1
Motor Oil Range Organics [C28-C40]	ND		49	mg/Kg		10/08/24 08:58	10/08/24 16:36	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
Di-n-octyl phthalate (Surr)	99		62 - 134			10/08/24 08:58	10/08/24 16:36	1

Method: EPA 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		60	mg/Kg		10/08/24 10:30	10/08/24 16:45	20

Eurofins Albuquerque

Client Sample Results

Client: Vertex
Project/Site: Rattlesnake 13-12 Federal Com #001H

Job ID: 885-13236-1

Client Sample ID: BH24-05 0'

Lab Sample ID: 885-13236-15

Date Collected: 10/03/24 09:05

Matrix: Solid

Date Received: 10/05/24 09:00

Method: SW846 8015M/D - Gasoline Range Organics (GRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics [C6 - C10]	ND		4.9	mg/Kg		10/07/24 13:36	10/08/24 19:57	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	111		35 - 166			10/07/24 13:36	10/08/24 19:57	1

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.025	mg/Kg		10/07/24 13:36	10/08/24 19:57	1
Ethylbenzene	ND		0.049	mg/Kg		10/07/24 13:36	10/08/24 19:57	1
Toluene	ND		0.049	mg/Kg		10/07/24 13:36	10/08/24 19:57	1
Xylenes, Total	ND		0.098	mg/Kg		10/07/24 13:36	10/08/24 19:57	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	106		48 - 145			10/07/24 13:36	10/08/24 19:57	1

Method: SW846 8015M/D - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		9.6	mg/Kg		10/08/24 08:58	10/08/24 16:48	1
Motor Oil Range Organics [C28-C40]	ND		48	mg/Kg		10/08/24 08:58	10/08/24 16:48	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
Di-n-octyl phthalate (Surr)	95		62 - 134			10/08/24 08:58	10/08/24 16:48	1

Method: EPA 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		60	mg/Kg		10/08/24 10:30	10/08/24 16:58	20

Eurofins Albuquerque

Client Sample Results

Client: Vertex

Job ID: 885-13236-1

Project/Site: Rattlesnake 13-12 Federal Com #001H

Client Sample ID: BH24-05 2'

Lab Sample ID: 885-13236-16

Date Collected: 10/03/24 09:10

Matrix: Solid

Date Received: 10/05/24 09:00

Method: SW846 8015M/D - Gasoline Range Organics (GRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics [C6 - C10]	ND		5.0	mg/Kg		10/07/24 13:36	10/08/24 20:19	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	114		35 - 166			10/07/24 13:36	10/08/24 20:19	1

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.025	mg/Kg		10/07/24 13:36	10/08/24 20:19	1
Ethylbenzene	ND		0.050	mg/Kg		10/07/24 13:36	10/08/24 20:19	1
Toluene	ND		0.050	mg/Kg		10/07/24 13:36	10/08/24 20:19	1
Xylenes, Total	ND		0.099	mg/Kg		10/07/24 13:36	10/08/24 20:19	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	105		48 - 145			10/07/24 13:36	10/08/24 20:19	1

Method: SW846 8015M/D - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		9.7	mg/Kg		10/08/24 08:58	10/08/24 17:00	1
Motor Oil Range Organics [C28-C40]	ND		49	mg/Kg		10/08/24 08:58	10/08/24 17:00	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
Di-n-octyl phthalate (Surr)	97		62 - 134			10/08/24 08:58	10/08/24 17:00	1

Method: EPA 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	90		60	mg/Kg		10/08/24 10:30	10/08/24 17:10	20

Eurofins Albuquerque

Client Sample Results

Client: Vertex
Project/Site: Rattlesnake 13-12 Federal Com #001H

Job ID: 885-13236-1

Client Sample ID: BH24-05 4'

Lab Sample ID: 885-13236-17

Date Collected: 10/03/24 09:15

Matrix: Solid

Date Received: 10/05/24 09:00

Method: SW846 8015M/D - Gasoline Range Organics (GRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics [C6 - C10]	ND		4.9	mg/Kg		10/07/24 13:36	10/08/24 20:40	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	111		35 - 166			10/07/24 13:36	10/08/24 20:40	1

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.024	mg/Kg		10/07/24 13:36	10/08/24 20:40	1
Ethylbenzene	ND		0.049	mg/Kg		10/07/24 13:36	10/08/24 20:40	1
Toluene	ND		0.049	mg/Kg		10/07/24 13:36	10/08/24 20:40	1
Xylenes, Total	ND		0.097	mg/Kg		10/07/24 13:36	10/08/24 20:40	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	109		48 - 145			10/07/24 13:36	10/08/24 20:40	1

Method: SW846 8015M/D - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		9.3	mg/Kg		10/08/24 08:58	10/08/24 17:25	1
Motor Oil Range Organics [C28-C40]	ND		46	mg/Kg		10/08/24 08:58	10/08/24 17:25	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
Di-n-octyl phthalate (Surr)	93		62 - 134			10/08/24 08:58	10/08/24 17:25	1

Method: EPA 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		60	mg/Kg		10/08/24 10:30	10/08/24 17:22	20

Eurofins Albuquerque

Client Sample Results

Client: Vertex

Job ID: 885-13236-1

Project/Site: Rattlesnake 13-12 Federal Com #001H

Client Sample ID: BH24-06 0'

Lab Sample ID: 885-13236-18

Date Collected: 10/03/24 09:20

Matrix: Solid

Date Received: 10/05/24 09:00

Method: SW846 8015M/D - Gasoline Range Organics (GRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics [C6 - C10]	ND		4.9	mg/Kg		10/07/24 13:36	10/08/24 21:02	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	105		35 - 166			10/07/24 13:36	10/08/24 21:02	1

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.025	mg/Kg		10/07/24 13:36	10/08/24 21:02	1
Ethylbenzene	ND		0.049	mg/Kg		10/07/24 13:36	10/08/24 21:02	1
Toluene	ND		0.049	mg/Kg		10/07/24 13:36	10/08/24 21:02	1
Xylenes, Total	ND		0.098	mg/Kg		10/07/24 13:36	10/08/24 21:02	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	108		48 - 145			10/07/24 13:36	10/08/24 21:02	1

Method: SW846 8015M/D - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		9.7	mg/Kg		10/08/24 08:58	10/08/24 17:37	1
Motor Oil Range Organics [C28-C40]	ND		48	mg/Kg		10/08/24 08:58	10/08/24 17:37	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
Di-n-octyl phthalate (Surr)	91		62 - 134			10/08/24 08:58	10/08/24 17:37	1

Method: EPA 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		60	mg/Kg		10/08/24 10:30	10/08/24 17:35	20

Eurofins Albuquerque

Client Sample Results

Client: Vertex

Job ID: 885-13236-1

Project/Site: Rattlesnake 13-12 Federal Com #001H

Client Sample ID: BH24-06 2'

Lab Sample ID: 885-13236-19

Date Collected: 10/03/24 09:25

Matrix: Solid

Date Received: 10/05/24 09:00

Method: SW846 8015M/D - Gasoline Range Organics (GRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics [C6 - C10]	ND		4.7	mg/Kg		10/07/24 13:36	10/08/24 21:24	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	110		35 - 166	10/07/24 13:36	10/08/24 21:24	1

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.023	mg/Kg		10/07/24 13:36	10/08/24 21:24	1
Ethylbenzene	ND		0.047	mg/Kg		10/07/24 13:36	10/08/24 21:24	1
Toluene	ND		0.047	mg/Kg		10/07/24 13:36	10/08/24 21:24	1
Xylenes, Total	ND		0.094	mg/Kg		10/07/24 13:36	10/08/24 21:24	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	107		48 - 145	10/07/24 13:36	10/08/24 21:24	1

Method: SW846 8015M/D - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		9.4	mg/Kg		10/08/24 08:58	10/08/24 17:49	1
Motor Oil Range Organics [C28-C40]	ND		47	mg/Kg		10/08/24 08:58	10/08/24 17:49	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Di-n-octyl phthalate (Surr)	89		62 - 134	10/08/24 08:58	10/08/24 17:49	1

Method: EPA 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	89		60	mg/Kg		10/08/24 10:30	10/08/24 17:47	20

Eurofins Albuquerque

Client Sample Results

Client: Vertex
Project/Site: Rattlesnake 13-12 Federal Com #001H

Job ID: 885-13236-1

Client Sample ID: BH24-06 4'

Lab Sample ID: 885-13236-20

Date Collected: 10/03/24 09:30

Matrix: Solid

Date Received: 10/05/24 09:00

Method: SW846 8015M/D - Gasoline Range Organics (GRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics [C6 - C10]	ND		4.8	mg/Kg		10/07/24 13:36	10/08/24 21:46	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	110		35 - 166			10/07/24 13:36	10/08/24 21:46	1

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.024	mg/Kg		10/07/24 13:36	10/08/24 21:46	1
Ethylbenzene	ND		0.048	mg/Kg		10/07/24 13:36	10/08/24 21:46	1
Toluene	ND		0.048	mg/Kg		10/07/24 13:36	10/08/24 21:46	1
Xylenes, Total	ND		0.097	mg/Kg		10/07/24 13:36	10/08/24 21:46	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	105		48 - 145			10/07/24 13:36	10/08/24 21:46	1

Method: SW846 8015M/D - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		9.3	mg/Kg		10/08/24 08:58	10/08/24 18:02	1
Motor Oil Range Organics [C28-C40]	ND		47	mg/Kg		10/08/24 08:58	10/08/24 18:02	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
Di-n-octyl phthalate (Surr)	88		62 - 134			10/08/24 08:58	10/08/24 18:02	1

Method: EPA 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	84		60	mg/Kg		10/08/24 10:30	10/08/24 17:59	20

Eurofins Albuquerque

Client Sample Results

Client: Vertex

Job ID: 885-13236-1

Project/Site: Rattlesnake 13-12 Federal Com #001H

Client Sample ID: BH24-07 0'

Lab Sample ID: 885-13236-21

Date Collected: 10/03/24 09:35

Matrix: Solid

Date Received: 10/05/24 09:00

Method: SW846 8015M/D - Gasoline Range Organics (GRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics [C6 - C10]	130		4.8	mg/Kg		10/08/24 13:35	10/11/24 05:17	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	285	S1+	35 - 166			10/08/24 13:35	10/11/24 05:17	1

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.024	mg/Kg		10/08/24 13:35	10/11/24 05:17	1
Ethylbenzene	0.73		0.048	mg/Kg		10/08/24 13:35	10/11/24 05:17	1
Toluene	0.68		0.048	mg/Kg		10/08/24 13:35	10/11/24 05:17	1
Xylenes, Total	4.7		0.097	mg/Kg		10/08/24 13:35	10/11/24 05:17	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	126		48 - 145			10/08/24 13:35	10/11/24 05:17	1

Method: SW846 8015M/D - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	43000		480	mg/Kg		10/08/24 14:53	10/11/24 18:15	50
Motor Oil Range Organics [C28-C40]	19000		2400	mg/Kg		10/08/24 14:53	10/11/24 18:15	50
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
Di-n-octyl phthalate (Surr)	0	S1- D	62 - 134			10/08/24 14:53	10/11/24 18:15	50

Method: EPA 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	140		60	mg/Kg		10/08/24 16:13	10/09/24 16:47	20

Eurofins Albuquerque

Client Sample Results

Client: Vertex

Job ID: 885-13236-1

Project/Site: Rattlesnake 13-12 Federal Com #001H

Client Sample ID: BH24-07 4'

Lab Sample ID: 885-13236-22

Date Collected: 10/03/24 09:40

Matrix: Solid

Date Received: 10/05/24 09:00

Method: SW846 8015M/D - Gasoline Range Organics (GRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics [C6 - C10]	380		9.5	mg/Kg		10/08/24 13:35	10/11/24 04:53	2

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	427	S1+	35 - 166	10/08/24 13:35	10/11/24 04:53	2

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	0.13		0.047	mg/Kg		10/08/24 13:35	10/11/24 04:53	2
Ethylbenzene	4.1		0.095	mg/Kg		10/08/24 13:35	10/11/24 04:53	2
Toluene	3.2		0.095	mg/Kg		10/08/24 13:35	10/11/24 04:53	2
Xylenes, Total	16		0.19	mg/Kg		10/08/24 13:35	10/11/24 04:53	2

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	183	S1+	48 - 145	10/08/24 13:35	10/11/24 04:53	2

Method: SW846 8015M/D - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	6800		190	mg/Kg		10/08/24 14:53	10/14/24 12:36	20
Motor Oil Range Organics [C28-C40]	3500		960	mg/Kg		10/08/24 14:53	10/14/24 12:36	20

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Di-n-octyl phthalate (Surr)	0	S1- D	62 - 134	10/08/24 14:53	10/14/24 12:36	20

Method: EPA 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	130		60	mg/Kg		10/08/24 16:13	10/09/24 17:24	20

Eurofins Albuquerque

Client Sample Results

Client: Vertex

Job ID: 885-13236-1

Project/Site: Rattlesnake 13-12 Federal Com #001H

Client Sample ID: BH24-07 8'

Lab Sample ID: 885-13236-23

Date Collected: 10/03/24 09:45

Matrix: Solid

Date Received: 10/05/24 09:00

Method: SW846 8015M/D - Gasoline Range Organics (GRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics [C6 - C10]	130		4.9	mg/Kg		10/08/24 13:35	10/11/24 05:40	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	407	S1+	35 - 166	10/08/24 13:35	10/11/24 05:40	1

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	0.026		0.025	mg/Kg		10/08/24 13:35	10/11/24 05:40	1
Ethylbenzene	1.0		0.049	mg/Kg		10/08/24 13:35	10/11/24 05:40	1
Toluene	0.31		0.049	mg/Kg		10/08/24 13:35	10/11/24 05:40	1
Xylenes, Total	4.5		0.098	mg/Kg		10/08/24 13:35	10/11/24 05:40	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	162	S1+	48 - 145	10/08/24 13:35	10/11/24 05:40	1

Method: SW846 8015M/D - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	3500		95	mg/Kg		10/08/24 14:53	10/11/24 19:43	10
Motor Oil Range Organics [C28-C40]	1600		470	mg/Kg		10/08/24 14:53	10/11/24 19:43	10

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Di-n-octyl phthalate (Surr)	0	S1- D	62 - 134	10/08/24 14:53	10/11/24 19:43	10

Method: EPA 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	950		59	mg/Kg		10/08/24 16:13	10/09/24 18:01	20

Eurofins Albuquerque

QC Sample Results

Client: Vertex
Project/Site: Rattlesnake 13-12 Federal Com #001H

Job ID: 885-13236-1

Method: 8015M/D - Gasoline Range Organics (GRO) (GC)

Lab Sample ID: MB 885-13810/1-A

Matrix: Solid

Analysis Batch: 14102

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 13810

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics [C6 - C10]	ND		5.0	mg/Kg		10/07/24 12:25	10/10/24 22:36	1
Surrogate	MB %Recovery	MB Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	108		35 - 166			10/07/24 12:25	10/10/24 22:36	1

Lab Sample ID: LCS 885-13810/2-A

Matrix: Solid

Analysis Batch: 14102

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 13810

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Gasoline Range Organics [C6 - C10]	25.0	26.3		mg/Kg		105	70 - 130
Surrogate	LCS %Recovery	LCS Qualifier	Limits				
4-Bromofluorobenzene (Surr)	208		35 - 166				

Lab Sample ID: MB 885-13820/1-A

Matrix: Solid

Analysis Batch: 13926

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 13820

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics [C6 - C10]	ND		5.0	mg/Kg		10/07/24 13:36	10/08/24 11:59	1
Surrogate	MB %Recovery	MB Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	118		35 - 166			10/07/24 13:36	10/08/24 11:59	1

Lab Sample ID: LCS 885-13820/2-A

Matrix: Solid

Analysis Batch: 13926

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 13820

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Gasoline Range Organics [C6 - C10]	25.0	28.1		mg/Kg		112	70 - 130
Surrogate	LCS %Recovery	LCS Qualifier	Limits				
4-Bromofluorobenzene (Surr)	223		35 - 166				

Lab Sample ID: MB 885-13900/1-A

Matrix: Solid

Analysis Batch: 14083

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 13900

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics [C6 - C10]	ND		5.0	mg/Kg		10/08/24 13:35	10/10/24 22:37	1
Surrogate	MB %Recovery	MB Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	106		35 - 166			10/08/24 13:35	10/10/24 22:37	1

Eurofins Albuquerque

QC Sample Results

Client: Vertex
Project/Site: Rattlesnake 13-12 Federal Com #001H

Job ID: 885-13236-1

Method: 8015M/D - Gasoline Range Organics (GRO) (GC) (Continued)

Lab Sample ID: LCS 885-13900/2-A

Matrix: Solid

Analysis Batch: 14083

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 13900

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Gasoline Range Organics [C6 - C10]	25.0	26.0		mg/Kg		104	70 - 130
Surrogate	%Recovery	LCS Qualifier	LCS	Limits			
4-Bromofluorobenzene (Surr)	219			35 - 166			

Method: 8021B - Volatile Organic Compounds (GC)

Lab Sample ID: MB 885-13810/1-A

Matrix: Solid

Analysis Batch: 14103

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 13810

Analyte	MB	MB	RL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier						
Benzene	ND		0.025	mg/Kg		10/07/24 12:25	10/10/24 22:36	1
Ethylbenzene	ND		0.050	mg/Kg		10/07/24 12:25	10/10/24 22:36	1
Toluene	ND		0.050	mg/Kg		10/07/24 12:25	10/10/24 22:36	1
Xylenes, Total	ND		0.10	mg/Kg		10/07/24 12:25	10/10/24 22:36	1
Surrogate	MB	MB	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	%Recovery	Qualifier						
	102		48 - 145			10/07/24 12:25	10/10/24 22:36	

Lab Sample ID: LCS 885-13810/3-A

Matrix: Solid

Analysis Batch: 14103

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 13810

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	1.00	1.02		mg/Kg		102	70 - 130
Ethylbenzene	1.00	1.03		mg/Kg		103	70 - 130
Toluene	1.00	1.03		mg/Kg		103	70 - 130
Xylenes, Total	3.00	3.07		mg/Kg		102	70 - 130
Surrogate	%Recovery	LCS Qualifier	LCS	Limits			
4-Bromofluorobenzene (Surr)	103			48 - 145			

Lab Sample ID: MB 885-13820/1-A

Matrix: Solid

Analysis Batch: 13928

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 13820

Analyte	MB	MB	RL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier						
Benzene	ND		0.025	mg/Kg		10/07/24 13:36	10/08/24 11:59	1
Ethylbenzene	ND		0.050	mg/Kg		10/07/24 13:36	10/08/24 11:59	1
Toluene	ND		0.050	mg/Kg		10/07/24 13:36	10/08/24 11:59	1
Xylenes, Total	ND		0.10	mg/Kg		10/07/24 13:36	10/08/24 11:59	1
Surrogate	MB	MB	Limits			Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier						
4-Bromofluorobenzene (Surr)	110		48 - 145			10/07/24 13:36	10/08/24 11:59	1

Eurofins Albuquerque

QC Sample Results

Client: Vertex

Job ID: 885-13236-1

Project/Site: Rattlesnake 13-12 Federal Com #001H

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: LCS 885-13820/3-A

Matrix: Solid

Analysis Batch: 13928

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 13820

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	1.00	0.956		mg/Kg		96	70 - 130
Ethylbenzene	1.00	0.970		mg/Kg		97	70 - 130
Toluene	1.00	0.957		mg/Kg		96	70 - 130
Xylenes, Total	3.00	2.87		mg/Kg		96	70 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
4-Bromofluorobenzene (Surr)	112		48 - 145

Lab Sample ID: MB 885-13900/1-A

Matrix: Solid

Analysis Batch: 14084

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 13900

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.025	mg/Kg		10/08/24 13:35	10/10/24 22:37	1
Ethylbenzene	ND		0.050	mg/Kg		10/08/24 13:35	10/10/24 22:37	1
Toluene	ND		0.050	mg/Kg		10/08/24 13:35	10/10/24 22:37	1
Xylenes, Total	ND		0.10	mg/Kg		10/08/24 13:35	10/10/24 22:37	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	104		48 - 145	10/08/24 13:35	10/10/24 22:37	1

Lab Sample ID: LCS 885-13900/3-A

Matrix: Solid

Analysis Batch: 14084

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 13900

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	1.00	0.943		mg/Kg		94	70 - 130
Ethylbenzene	1.00	0.962		mg/Kg		96	70 - 130
Toluene	1.00	0.925		mg/Kg		92	70 - 130
Xylenes, Total	3.00	2.87		mg/Kg		96	70 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
4-Bromofluorobenzene (Surr)	108		48 - 145

Method: 8015M/D - Diesel Range Organics (DRO) (GC)

Lab Sample ID: MB 885-13860/1-A

Matrix: Solid

Analysis Batch: 13857

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 13860

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		10	mg/Kg		10/08/24 08:58	10/08/24 13:00	1
Motor Oil Range Organics [C28-C40]	ND		50	mg/Kg		10/08/24 08:58	10/08/24 13:00	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
Di-n-octyl phthalate (Surr)	91		62 - 134	10/08/24 08:58	10/08/24 13:00	1

Eurofins Albuquerque

QC Sample Results

Client: Vertex

Job ID: 885-13236-1

Project/Site: Rattlesnake 13-12 Federal Com #001H

Method: 8015M/D - Diesel Range Organics (DRO) (GC) (Continued)

Lab Sample ID: LCS 885-13860/2-A

Matrix: Solid

Analysis Batch: 13857

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 13860

Analyte			Spike	LCS	LCS	Unit	D	%Rec	%Rec		
			Added	Result	Qualifier			Limits			
Diesel Range Organics [C10-C28]			50.0	51.2		mg/Kg		102	60 - 135		
Surrogate	LCS	LCS									
	%Recovery	Qualifier	Limits								
Di-n-octyl phthalate (Surr)	105		62 - 134								

Lab Sample ID: 885-13236-12 MS

Matrix: Solid

Analysis Batch: 13857

Client Sample ID: BH24-04 0'

Prep Type: Total/NA

Prep Batch: 13860

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits		
Diesel Range Organics [C10-C28]	34	F1	46.9	60.3		mg/Kg		57	44 - 136		
Surrogate	MS %Recovery	MS Qualifier	Limits								
Di-n-octyl phthalate (Surr)	100		62 - 134								

Lab Sample ID: 885-13236-12 MSD

Matrix: Solid

Analysis Batch: 13857

Client Sample ID: BH24-04 0'

Prep Type: Total/NA

Prep Batch: 13860

Analyte	Sample	Sample	Spike	MSD	MSD	Unit	D	%Rec	%Rec	RPD	RPD
	Result	Qualifier	Added	Result	Qualifier				Limits		Limit
Diesel Range Organics [C10-C28]	34	F1	45.7	52.3	F1	mg/Kg		41	44 - 136	14	32
Surrogate	MSD %Recovery	MSD Qualifier	Limits								
Di-n-octyl phthalate (Surr)	88		62 - 134								

Lab Sample ID: MB 885-13869/1-A

Matrix: Solid

Analysis Batch: 13950

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 13869

Analyte	MB	MB	RL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier						
Diesel Range Organics [C10-C28]	ND		10	mg/Kg		10/08/24 09:47	10/09/24 20:42	1
Motor Oil Range Organics [C28-C40]	ND		50	mg/Kg		10/08/24 09:47	10/09/24 20:42	1
Surrogate	MB	MB	Limits			Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier						
Di-n-octyl phthalate (Surr)	90		62 - 134			10/08/24 09:47	10/09/24 20:42	1

Lab Sample ID: LCS 885-13869/2-A

Matrix: Solid

Analysis Batch: 13950

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 13869

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Diesel Range Organics [C10-C28]	50.0	42.8		mg/Kg		86	60 - 135

Eurofins Albuquerque

QC Sample Results

Client: Vertex

Job ID: 885-13236-1

Project/Site: Rattlesnake 13-12 Federal Com #001H

Method: 8015M/D - Diesel Range Organics (DRO) (GC) (Continued)

Lab Sample ID: LCS 885-13869/2-A

Matrix: Solid

Analysis Batch: 13950

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 13869

	LCS	LCS	
Surrogate	%Recovery	Qualifier	Limits
Di-n-octyl phthalate (Surr)	91		62 - 134

Lab Sample ID: 885-13236-10 MS

Matrix: Solid

Analysis Batch: 13950

Client Sample ID: BH24-03 2'

Prep Type: Total/NA

Prep Batch: 13869

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Diesel Range Organics [C10-C28]	ND		45.9	38.5		mg/Kg		84	44 - 136

	MS	MS	
Surrogate	%Recovery	Qualifier	Limits
Di-n-octyl phthalate (Surr)	92		62 - 134

Lab Sample ID: 885-13236-10 MSD

Matrix: Solid

Analysis Batch: 13950

Client Sample ID: BH24-03 2'

Prep Type: Total/NA

Prep Batch: 13869

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Diesel Range Organics [C10-C28]	ND		46.3	40.6		mg/Kg		88	44 - 136	5	32

	MSD	MSD	
Surrogate	%Recovery	Qualifier	Limits
Di-n-octyl phthalate (Surr)	95		62 - 134

Lab Sample ID: MB 885-13911/1-A

Matrix: Solid

Analysis Batch: 13950

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 13911

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		10	mg/Kg		10/08/24 14:53	10/10/24 04:42	1
Motor Oil Range Organics [C28-C40]	ND		50	mg/Kg		10/08/24 14:53	10/10/24 04:42	1

	MB	MB		Prepared	Analyzed	Dil Fac
Surrogate	%Recovery	Qualifier	Limits			
Di-n-octyl phthalate (Surr)	90		62 - 134	10/08/24 14:53	10/10/24 04:42	1

Lab Sample ID: LCS 885-13911/2-A

Matrix: Solid

Analysis Batch: 13950

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 13911

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Diesel Range Organics [C10-C28]	50.0	40.2		mg/Kg		80	60 - 135

	LCS	LCS	
Surrogate	%Recovery	Qualifier	Limits
Di-n-octyl phthalate (Surr)	95		62 - 134

Eurofins Albuquerque

QC Sample Results

Client: Vertex

Job ID: 885-13236-1

Project/Site: Rattlesnake 13-12 Federal Com #001H

Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: MB 885-13881/1-A

Matrix: Solid

Analysis Batch: 13951

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 13881

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		3.0	mg/Kg		10/08/24 10:30	10/08/24 12:26	1

Lab Sample ID: LCS 885-13881/2-A

Matrix: Solid

Analysis Batch: 13951

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 13881

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	30.0	28.5		mg/Kg		95	90 - 110

Lab Sample ID: 885-13236-11 MS

Matrix: Solid

Analysis Batch: 13951

Client Sample ID: BH24-03 4'

Prep Type: Total/NA

Prep Batch: 13881

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	80		30.1	104		mg/Kg		78	50 - 150

Lab Sample ID: 885-13236-11 MSD

Matrix: Solid

Analysis Batch: 13951

Client Sample ID: BH24-03 4'

Prep Type: Total/NA

Prep Batch: 13881

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	80		29.8	106		mg/Kg		87	50 - 150	3	20

Lab Sample ID: MB 885-13887/1-A

Matrix: Solid

Analysis Batch: 13951

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 13887

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		3.0	mg/Kg		10/08/24 12:01	10/08/24 18:12	1

Lab Sample ID: LCS 885-13887/2-A

Matrix: Solid

Analysis Batch: 13951

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 13887

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	30.0	28.6		mg/Kg		95	90 - 110

Lab Sample ID: MB 885-13916/1-A

Matrix: Solid

Analysis Batch: 13985

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 13916

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		3.0	mg/Kg		10/08/24 16:13	10/09/24 10:35	1

Lab Sample ID: LCS 885-13916/2-A

Matrix: Solid

Analysis Batch: 13985

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 13916

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	30.0	29.2		mg/Kg		97	90 - 110

Eurofins Albuquerque

QC Sample Results

Client: Vertex
Project/Site: Rattlesnake 13-12 Federal Com #001H

Job ID: 885-13236-1

Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: 885-13236-21 MS										Client Sample ID: BH24-07 0'				
Matrix: Solid										Prep Type: Total/NA				
Analysis Batch: 13985										Prep Batch: 13916				
Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits					
Chloride	140		29.9	160	4	mg/Kg		69	50 - 150					

Lab Sample ID: 885-13236-21 MSD										Client Sample ID: BH24-07 0'				
Matrix: Solid										Prep Type: Total/NA				
Analysis Batch: 13985										Prep Batch: 13916				
Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit			
Chloride	140		30.0	170	4	mg/Kg		103	50 - 150	6	20			

QC Association Summary

Client: Vertex
Project/Site: Rattlesnake 13-12 Federal Com #001H

Job ID: 885-13236-1

GC VOA

Prep Batch: 13810

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-13236-1	BH24-01 0'	Total/NA	Solid	5030C	
885-13236-2	BH24-01 4'	Total/NA	Solid	5030C	
885-13236-3	BH24-01 6'	Total/NA	Solid	5030C	
885-13236-4	BH24-01 8'	Total/NA	Solid	5030C	
885-13236-5	BH24-01 10'	Total/NA	Solid	5030C	
885-13236-6	BH24-02 0'	Total/NA	Solid	5030C	
885-13236-7	BH24-02 2'	Total/NA	Solid	5030C	
885-13236-8	BH24-02 4'	Total/NA	Solid	5030C	
885-13236-9	BH24-03 0'	Total/NA	Solid	5030C	
885-13236-10	BH24-03 2'	Total/NA	Solid	5030C	
MB 885-13810/1-A	Method Blank	Total/NA	Solid	5030C	
LCS 885-13810/2-A	Lab Control Sample	Total/NA	Solid	5030C	
LCS 885-13810/3-A	Lab Control Sample	Total/NA	Solid	5030C	

Prep Batch: 13820

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-13236-11	BH24-03 4'	Total/NA	Solid	5030C	
885-13236-12	BH24-04 0'	Total/NA	Solid	5030C	
885-13236-13	BH24-04 2'	Total/NA	Solid	5030C	
885-13236-14	BH24-04 4'	Total/NA	Solid	5030C	
885-13236-15	BH24-05 0'	Total/NA	Solid	5030C	
885-13236-16	BH24-05 2'	Total/NA	Solid	5030C	
885-13236-17	BH24-05 4'	Total/NA	Solid	5030C	
885-13236-18	BH24-06 0'	Total/NA	Solid	5030C	
885-13236-19	BH24-06 2'	Total/NA	Solid	5030C	
885-13236-20	BH24-06 4'	Total/NA	Solid	5030C	
MB 885-13820/1-A	Method Blank	Total/NA	Solid	5030C	
LCS 885-13820/2-A	Lab Control Sample	Total/NA	Solid	5030C	
LCS 885-13820/3-A	Lab Control Sample	Total/NA	Solid	5030C	

Prep Batch: 13900

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-13236-21	BH24-07 0'	Total/NA	Solid	5030C	
885-13236-22	BH24-07 4'	Total/NA	Solid	5030C	
885-13236-23	BH24-07 8'	Total/NA	Solid	5030C	
MB 885-13900/1-A	Method Blank	Total/NA	Solid	5030C	
LCS 885-13900/2-A	Lab Control Sample	Total/NA	Solid	5030C	
LCS 885-13900/3-A	Lab Control Sample	Total/NA	Solid	5030C	

Analysis Batch: 13926

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-13236-11	BH24-03 4'	Total/NA	Solid	8015M/D	13820
885-13236-12	BH24-04 0'	Total/NA	Solid	8015M/D	13820
885-13236-13	BH24-04 2'	Total/NA	Solid	8015M/D	13820
885-13236-14	BH24-04 4'	Total/NA	Solid	8015M/D	13820
885-13236-15	BH24-05 0'	Total/NA	Solid	8015M/D	13820
885-13236-16	BH24-05 2'	Total/NA	Solid	8015M/D	13820
885-13236-17	BH24-05 4'	Total/NA	Solid	8015M/D	13820
885-13236-18	BH24-06 0'	Total/NA	Solid	8015M/D	13820
885-13236-19	BH24-06 2'	Total/NA	Solid	8015M/D	13820
885-13236-20	BH24-06 4'	Total/NA	Solid	8015M/D	13820

Eurofins Albuquerque

QC Association Summary

Client: Vertex
Project/Site: Rattlesnake 13-12 Federal Com #001H

Job ID: 885-13236-1

GC VOA (Continued)

Analysis Batch: 13926 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MB 885-13820/1-A	Method Blank	Total/NA	Solid	8015M/D	13820
LCS 885-13820/2-A	Lab Control Sample	Total/NA	Solid	8015M/D	13820

Analysis Batch: 13928

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-13236-11	BH24-03 4'	Total/NA	Solid	8021B	13820
885-13236-12	BH24-04 0'	Total/NA	Solid	8021B	13820
885-13236-13	BH24-04 2'	Total/NA	Solid	8021B	13820
885-13236-14	BH24-04 4'	Total/NA	Solid	8021B	13820
885-13236-15	BH24-05 0'	Total/NA	Solid	8021B	13820
885-13236-16	BH24-05 2'	Total/NA	Solid	8021B	13820
885-13236-17	BH24-05 4'	Total/NA	Solid	8021B	13820
885-13236-18	BH24-06 0'	Total/NA	Solid	8021B	13820
885-13236-19	BH24-06 2'	Total/NA	Solid	8021B	13820
885-13236-20	BH24-06 4'	Total/NA	Solid	8021B	13820
MB 885-13820/1-A	Method Blank	Total/NA	Solid	8021B	13820
LCS 885-13820/3-A	Lab Control Sample	Total/NA	Solid	8021B	13820

Analysis Batch: 14083

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-13236-21	BH24-07 0'	Total/NA	Solid	8015M/D	13900
885-13236-22	BH24-07 4'	Total/NA	Solid	8015M/D	13900
885-13236-23	BH24-07 8'	Total/NA	Solid	8015M/D	13900
MB 885-13900/1-A	Method Blank	Total/NA	Solid	8015M/D	13900
LCS 885-13900/2-A	Lab Control Sample	Total/NA	Solid	8015M/D	13900

Analysis Batch: 14084

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-13236-21	BH24-07 0'	Total/NA	Solid	8021B	13900
885-13236-22	BH24-07 4'	Total/NA	Solid	8021B	13900
885-13236-23	BH24-07 8'	Total/NA	Solid	8021B	13900
MB 885-13900/1-A	Method Blank	Total/NA	Solid	8021B	13900
LCS 885-13900/3-A	Lab Control Sample	Total/NA	Solid	8021B	13900

Analysis Batch: 14102

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-13236-1	BH24-01 0'	Total/NA	Solid	8015M/D	13810
885-13236-4	BH24-01 8'	Total/NA	Solid	8015M/D	13810
885-13236-5	BH24-01 10'	Total/NA	Solid	8015M/D	13810
885-13236-6	BH24-02 0'	Total/NA	Solid	8015M/D	13810
885-13236-7	BH24-02 2'	Total/NA	Solid	8015M/D	13810
885-13236-8	BH24-02 4'	Total/NA	Solid	8015M/D	13810
885-13236-9	BH24-03 0'	Total/NA	Solid	8015M/D	13810
885-13236-10	BH24-03 2'	Total/NA	Solid	8015M/D	13810
MB 885-13810/1-A	Method Blank	Total/NA	Solid	8015M/D	13810
LCS 885-13810/2-A	Lab Control Sample	Total/NA	Solid	8015M/D	13810

Analysis Batch: 14103

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-13236-1	BH24-01 0'	Total/NA	Solid	8021B	13810
885-13236-2	BH24-01 4'	Total/NA	Solid	8021B	13810

Eurofins Albuquerque

QC Association Summary

Client: Vertex
Project/Site: Rattlesnake 13-12 Federal Com #001H

Job ID: 885-13236-1

GC VOA (Continued)

Analysis Batch: 14103 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-13236-3	BH24-01 6'	Total/NA	Solid	8021B	13810
885-13236-4	BH24-01 8'	Total/NA	Solid	8021B	13810
885-13236-5	BH24-01 10'	Total/NA	Solid	8021B	13810
885-13236-6	BH24-02 0'	Total/NA	Solid	8021B	13810
885-13236-7	BH24-02 2'	Total/NA	Solid	8021B	13810
885-13236-8	BH24-02 4'	Total/NA	Solid	8021B	13810
885-13236-9	BH24-03 0'	Total/NA	Solid	8021B	13810
885-13236-10	BH24-03 2'	Total/NA	Solid	8021B	13810
MB 885-13810/1-A	Method Blank	Total/NA	Solid	8021B	13810
LCS 885-13810/3-A	Lab Control Sample	Total/NA	Solid	8021B	13810

Analysis Batch: 14198

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-13236-2	BH24-01 4'	Total/NA	Solid	8015M/D	13810
885-13236-3	BH24-01 6'	Total/NA	Solid	8015M/D	13810

Analysis Batch: 14203

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-13236-2	BH24-01 4'	Total/NA	Solid	8021B	13810

GC Semi VOA

Analysis Batch: 13857

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-13236-11	BH24-03 4'	Total/NA	Solid	8015M/D	13860
885-13236-12	BH24-04 0'	Total/NA	Solid	8015M/D	13860
885-13236-13	BH24-04 2'	Total/NA	Solid	8015M/D	13860
885-13236-14	BH24-04 4'	Total/NA	Solid	8015M/D	13860
885-13236-15	BH24-05 0'	Total/NA	Solid	8015M/D	13860
885-13236-16	BH24-05 2'	Total/NA	Solid	8015M/D	13860
885-13236-17	BH24-05 4'	Total/NA	Solid	8015M/D	13860
885-13236-18	BH24-06 0'	Total/NA	Solid	8015M/D	13860
885-13236-19	BH24-06 2'	Total/NA	Solid	8015M/D	13860
885-13236-20	BH24-06 4'	Total/NA	Solid	8015M/D	13860
MB 885-13860/1-A	Method Blank	Total/NA	Solid	8015M/D	13860
LCS 885-13860/2-A	Lab Control Sample	Total/NA	Solid	8015M/D	13860
885-13236-12 MS	BH24-04 0'	Total/NA	Solid	8015M/D	13860
885-13236-12 MSD	BH24-04 0'	Total/NA	Solid	8015M/D	13860

Prep Batch: 13860

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-13236-11	BH24-03 4'	Total/NA	Solid	SHAKE	
885-13236-12	BH24-04 0'	Total/NA	Solid	SHAKE	
885-13236-13	BH24-04 2'	Total/NA	Solid	SHAKE	
885-13236-14	BH24-04 4'	Total/NA	Solid	SHAKE	
885-13236-15	BH24-05 0'	Total/NA	Solid	SHAKE	
885-13236-16	BH24-05 2'	Total/NA	Solid	SHAKE	
885-13236-17	BH24-05 4'	Total/NA	Solid	SHAKE	
885-13236-18	BH24-06 0'	Total/NA	Solid	SHAKE	
885-13236-19	BH24-06 2'	Total/NA	Solid	SHAKE	
885-13236-20	BH24-06 4'	Total/NA	Solid	SHAKE	

Eurofins Albuquerque

QC Association Summary

Client: Vertex
Project/Site: Rattlesnake 13-12 Federal Com #001H

Job ID: 885-13236-1

GC Semi VOA (Continued)

Prep Batch: 13860 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MB 885-13860/1-A	Method Blank	Total/NA	Solid	SHAKE	
LCS 885-13860/2-A	Lab Control Sample	Total/NA	Solid	SHAKE	
885-13236-12 MS	BH24-04 0'	Total/NA	Solid	SHAKE	
885-13236-12 MSD	BH24-04 0'	Total/NA	Solid	SHAKE	

Prep Batch: 13869

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-13236-1	BH24-01 0'	Total/NA	Solid	SHAKE	
885-13236-2	BH24-01 4'	Total/NA	Solid	SHAKE	
885-13236-3	BH24-01 6'	Total/NA	Solid	SHAKE	
885-13236-4	BH24-01 8'	Total/NA	Solid	SHAKE	
885-13236-5	BH24-01 10'	Total/NA	Solid	SHAKE	
885-13236-6	BH24-02 0'	Total/NA	Solid	SHAKE	
885-13236-7	BH24-02 2'	Total/NA	Solid	SHAKE	
885-13236-8	BH24-02 4'	Total/NA	Solid	SHAKE	
885-13236-9	BH24-03 0'	Total/NA	Solid	SHAKE	
885-13236-10	BH24-03 2'	Total/NA	Solid	SHAKE	
MB 885-13869/1-A	Method Blank	Total/NA	Solid	SHAKE	
LCS 885-13869/2-A	Lab Control Sample	Total/NA	Solid	SHAKE	
885-13236-10 MS	BH24-03 2'	Total/NA	Solid	SHAKE	
885-13236-10 MSD	BH24-03 2'	Total/NA	Solid	SHAKE	

Prep Batch: 13911

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-13236-21	BH24-07 0'	Total/NA	Solid	SHAKE	
885-13236-22	BH24-07 4'	Total/NA	Solid	SHAKE	
885-13236-23	BH24-07 8'	Total/NA	Solid	SHAKE	
MB 885-13911/1-A	Method Blank	Total/NA	Solid	SHAKE	
LCS 885-13911/2-A	Lab Control Sample	Total/NA	Solid	SHAKE	

Analysis Batch: 13950

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-13236-10	BH24-03 2'	Total/NA	Solid	8015M/D	13869
MB 885-13869/1-A	Method Blank	Total/NA	Solid	8015M/D	13869
MB 885-13911/1-A	Method Blank	Total/NA	Solid	8015M/D	13911
LCS 885-13869/2-A	Lab Control Sample	Total/NA	Solid	8015M/D	13869
LCS 885-13911/2-A	Lab Control Sample	Total/NA	Solid	8015M/D	13911
885-13236-10 MS	BH24-03 2'	Total/NA	Solid	8015M/D	13869
885-13236-10 MSD	BH24-03 2'	Total/NA	Solid	8015M/D	13869

Analysis Batch: 14108

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-13236-1	BH24-01 0'	Total/NA	Solid	8015M/D	13869
885-13236-2	BH24-01 4'	Total/NA	Solid	8015M/D	13869
885-13236-3	BH24-01 6'	Total/NA	Solid	8015M/D	13869
885-13236-4	BH24-01 8'	Total/NA	Solid	8015M/D	13869
885-13236-5	BH24-01 10'	Total/NA	Solid	8015M/D	13869
885-13236-6	BH24-02 0'	Total/NA	Solid	8015M/D	13869
885-13236-7	BH24-02 2'	Total/NA	Solid	8015M/D	13869
885-13236-8	BH24-02 4'	Total/NA	Solid	8015M/D	13869
885-13236-9	BH24-03 0'	Total/NA	Solid	8015M/D	13869

Eurofins Albuquerque

QC Association Summary

Client: Vertex
Project/Site: Rattlesnake 13-12 Federal Com #001H

Job ID: 885-13236-1

GC Semi VOA (Continued)

Analysis Batch: 14108 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-13236-21	BH24-07 0'	Total/NA	Solid	8015M/D	13911
885-13236-23	BH24-07 8'	Total/NA	Solid	8015M/D	13911

Analysis Batch: 14214

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-13236-22	BH24-07 4'	Total/NA	Solid	8015M/D	13911

HPLC/IC

Prep Batch: 13881

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-13236-11	BH24-03 4'	Total/NA	Solid	300_Prep	
885-13236-12	BH24-04 0'	Total/NA	Solid	300_Prep	
885-13236-13	BH24-04 2'	Total/NA	Solid	300_Prep	
885-13236-14	BH24-04 4'	Total/NA	Solid	300_Prep	
885-13236-15	BH24-05 0'	Total/NA	Solid	300_Prep	
885-13236-16	BH24-05 2'	Total/NA	Solid	300_Prep	
885-13236-17	BH24-05 4'	Total/NA	Solid	300_Prep	
885-13236-18	BH24-06 0'	Total/NA	Solid	300_Prep	
885-13236-19	BH24-06 2'	Total/NA	Solid	300_Prep	
885-13236-20	BH24-06 4'	Total/NA	Solid	300_Prep	
MB 885-13881/1-A	Method Blank	Total/NA	Solid	300_Prep	
LCS 885-13881/2-A	Lab Control Sample	Total/NA	Solid	300_Prep	
885-13236-11 MS	BH24-03 4'	Total/NA	Solid	300_Prep	
885-13236-11 MSD	BH24-03 4'	Total/NA	Solid	300_Prep	

Prep Batch: 13887

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-13236-1	BH24-01 0'	Total/NA	Solid	300_Prep	
885-13236-2	BH24-01 4'	Total/NA	Solid	300_Prep	
885-13236-3	BH24-01 6'	Total/NA	Solid	300_Prep	
885-13236-4	BH24-01 8'	Total/NA	Solid	300_Prep	
885-13236-5	BH24-01 10'	Total/NA	Solid	300_Prep	
885-13236-6	BH24-02 0'	Total/NA	Solid	300_Prep	
885-13236-7	BH24-02 2'	Total/NA	Solid	300_Prep	
885-13236-8	BH24-02 4'	Total/NA	Solid	300_Prep	
885-13236-9	BH24-03 0'	Total/NA	Solid	300_Prep	
885-13236-10	BH24-03 2'	Total/NA	Solid	300_Prep	
MB 885-13887/1-A	Method Blank	Total/NA	Solid	300_Prep	
LCS 885-13887/2-A	Lab Control Sample	Total/NA	Solid	300_Prep	

Prep Batch: 13916

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-13236-21	BH24-07 0'	Total/NA	Solid	300_Prep	
885-13236-22	BH24-07 4'	Total/NA	Solid	300_Prep	
885-13236-23	BH24-07 8'	Total/NA	Solid	300_Prep	
MB 885-13916/1-A	Method Blank	Total/NA	Solid	300_Prep	
LCS 885-13916/2-A	Lab Control Sample	Total/NA	Solid	300_Prep	
885-13236-21 MS	BH24-07 0'	Total/NA	Solid	300_Prep	
885-13236-21 MSD	BH24-07 0'	Total/NA	Solid	300_Prep	

Eurofins Albuquerque

QC Association Summary

Client: Vertex
Project/Site: Rattlesnake 13-12 Federal Com #001H

Job ID: 885-13236-1

HPLC/IC

Analysis Batch: 13951

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-13236-1	BH24-01 0'	Total/NA	Solid	300.0	13887
885-13236-2	BH24-01 4'	Total/NA	Solid	300.0	13887
885-13236-3	BH24-01 6'	Total/NA	Solid	300.0	13887
885-13236-4	BH24-01 8'	Total/NA	Solid	300.0	13887
885-13236-5	BH24-01 10'	Total/NA	Solid	300.0	13887
885-13236-6	BH24-02 0'	Total/NA	Solid	300.0	13887
885-13236-7	BH24-02 2'	Total/NA	Solid	300.0	13887
885-13236-8	BH24-02 4'	Total/NA	Solid	300.0	13887
885-13236-9	BH24-03 0'	Total/NA	Solid	300.0	13887
885-13236-10	BH24-03 2'	Total/NA	Solid	300.0	13887
885-13236-11	BH24-03 4'	Total/NA	Solid	300.0	13881
885-13236-12	BH24-04 0'	Total/NA	Solid	300.0	13881
885-13236-13	BH24-04 2'	Total/NA	Solid	300.0	13881
885-13236-14	BH24-04 4'	Total/NA	Solid	300.0	13881
885-13236-15	BH24-05 0'	Total/NA	Solid	300.0	13881
885-13236-16	BH24-05 2'	Total/NA	Solid	300.0	13881
885-13236-17	BH24-05 4'	Total/NA	Solid	300.0	13881
885-13236-18	BH24-06 0'	Total/NA	Solid	300.0	13881
885-13236-19	BH24-06 2'	Total/NA	Solid	300.0	13881
885-13236-20	BH24-06 4'	Total/NA	Solid	300.0	13881
MB 885-13881/1-A	Method Blank	Total/NA	Solid	300.0	13881
MB 885-13887/1-A	Method Blank	Total/NA	Solid	300.0	13887
LCS 885-13881/2-A	Lab Control Sample	Total/NA	Solid	300.0	13881
LCS 885-13887/2-A	Lab Control Sample	Total/NA	Solid	300.0	13887
885-13236-11 MS	BH24-03 4'	Total/NA	Solid	300.0	13881
885-13236-11 MSD	BH24-03 4'	Total/NA	Solid	300.0	13881

Analysis Batch: 13985

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-13236-21	BH24-07 0'	Total/NA	Solid	300.0	13916
885-13236-22	BH24-07 4'	Total/NA	Solid	300.0	13916
885-13236-23	BH24-07 8'	Total/NA	Solid	300.0	13916
MB 885-13916/1-A	Method Blank	Total/NA	Solid	300.0	13916
LCS 885-13916/2-A	Lab Control Sample	Total/NA	Solid	300.0	13916
885-13236-21 MS	BH24-07 0'	Total/NA	Solid	300.0	13916
885-13236-21 MSD	BH24-07 0'	Total/NA	Solid	300.0	13916

Eurofins Albuquerque

Lab Chronicle

Client: Vertex

Job ID: 885-13236-1

Project/Site: Rattlesnake 13-12 Federal Com #001H

Client Sample ID: BH24-01 0'

Lab Sample ID: 885-13236-1

Date Collected: 10/03/24 08:55

Matrix: Solid

Date Received: 10/05/24 09:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5030C			13810	AT	EET ALB	10/07/24 12:25
Total/NA	Analysis	8015M/D		5	14102	AT	EET ALB	10/11/24 04:24
Total/NA	Prep	5030C			13810	AT	EET ALB	10/07/24 12:25
Total/NA	Analysis	8021B		5	14103	AT	EET ALB	10/11/24 04:24
Total/NA	Prep	SHAKE			13869	EM	EET ALB	10/08/24 09:47
Total/NA	Analysis	8015M/D		50	14108	EM	EET ALB	10/11/24 12:27
Total/NA	Prep	300_Prep			13887	JT	EET ALB	10/08/24 12:01
Total/NA	Analysis	300.0		20	13951	RC	EET ALB	10/08/24 22:19

Client Sample ID: BH24-01 4'

Lab Sample ID: 885-13236-2

Date Collected: 10/03/24 09:00

Matrix: Solid

Date Received: 10/05/24 09:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5030C			13810	AT	EET ALB	10/07/24 12:25
Total/NA	Analysis	8015M/D		10	14198	AT	EET ALB	10/11/24 11:57
Total/NA	Prep	5030C			13810	AT	EET ALB	10/07/24 12:25
Total/NA	Analysis	8021B		1	14103	AT	EET ALB	10/11/24 04:46
Total/NA	Prep	5030C			13810	AT	EET ALB	10/07/24 12:25
Total/NA	Analysis	8021B		10	14203	AT	EET ALB	10/11/24 11:57
Total/NA	Prep	SHAKE			13869	EM	EET ALB	10/08/24 09:47
Total/NA	Analysis	8015M/D		10	14108	EM	EET ALB	10/11/24 13:10
Total/NA	Prep	300_Prep			13887	JT	EET ALB	10/08/24 12:01
Total/NA	Analysis	300.0		20	13951	RC	EET ALB	10/08/24 22:31

Client Sample ID: BH24-01 6'

Lab Sample ID: 885-13236-3

Date Collected: 10/03/24 09:05

Matrix: Solid

Date Received: 10/05/24 09:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5030C			13810	AT	EET ALB	10/07/24 12:25
Total/NA	Analysis	8015M/D		10	14198	AT	EET ALB	10/11/24 12:19
Total/NA	Prep	5030C			13810	AT	EET ALB	10/07/24 12:25
Total/NA	Analysis	8021B		1	14103	AT	EET ALB	10/11/24 05:07
Total/NA	Prep	SHAKE			13869	EM	EET ALB	10/08/24 09:47
Total/NA	Analysis	8015M/D		10	14108	EM	EET ALB	10/11/24 13:52
Total/NA	Prep	300_Prep			13887	JT	EET ALB	10/08/24 12:01
Total/NA	Analysis	300.0		20	13951	RC	EET ALB	10/08/24 22:43

Eurofins Albuquerque

Lab Chronicle

Client: Vertex
Project/Site: Rattlesnake 13-12 Federal Com #001H

Job ID: 885-13236-1

Client Sample ID: BH24-01 8'

Date Collected: 10/03/24 09:10

Date Received: 10/05/24 09:00

Lab Sample ID: 885-13236-4

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5030C			13810	AT	EET ALB	10/07/24 12:25
Total/NA	Analysis	8015M/D		1	14102	AT	EET ALB	10/11/24 05:29
Total/NA	Prep	5030C			13810	AT	EET ALB	10/07/24 12:25
Total/NA	Analysis	8021B		1	14103	AT	EET ALB	10/11/24 05:29
Total/NA	Prep	SHAKE			13869	EM	EET ALB	10/08/24 09:47
Total/NA	Analysis	8015M/D		10	14108	EM	EET ALB	10/11/24 14:46
Total/NA	Prep	300_Prep			13887	JT	EET ALB	10/08/24 12:01
Total/NA	Analysis	300.0		20	13951	RC	EET ALB	10/08/24 22:56

Client Sample ID: BH24-01 10'

Date Collected: 10/03/24 09:15

Date Received: 10/05/24 09:00

Lab Sample ID: 885-13236-5

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5030C			13810	AT	EET ALB	10/07/24 12:25
Total/NA	Analysis	8015M/D		1	14102	AT	EET ALB	10/11/24 05:51
Total/NA	Prep	5030C			13810	AT	EET ALB	10/07/24 12:25
Total/NA	Analysis	8021B		1	14103	AT	EET ALB	10/11/24 05:51
Total/NA	Prep	SHAKE			13869	EM	EET ALB	10/08/24 09:47
Total/NA	Analysis	8015M/D		1	14108	EM	EET ALB	10/11/24 21:22
Total/NA	Prep	300_Prep			13887	JT	EET ALB	10/08/24 12:01
Total/NA	Analysis	300.0		20	13951	RC	EET ALB	10/08/24 23:08

Client Sample ID: BH24-02 0'

Date Collected: 10/03/24 09:20

Date Received: 10/05/24 09:00

Lab Sample ID: 885-13236-6

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5030C			13810	AT	EET ALB	10/07/24 12:25
Total/NA	Analysis	8015M/D		2	14102	AT	EET ALB	10/11/24 06:13
Total/NA	Prep	5030C			13810	AT	EET ALB	10/07/24 12:25
Total/NA	Analysis	8021B		2	14103	AT	EET ALB	10/11/24 06:13
Total/NA	Prep	SHAKE			13869	EM	EET ALB	10/08/24 09:47
Total/NA	Analysis	8015M/D		50	14108	EM	EET ALB	10/11/24 16:11
Total/NA	Prep	300_Prep			13887	JT	EET ALB	10/08/24 12:01
Total/NA	Analysis	300.0		20	13951	RC	EET ALB	10/08/24 23:20

Client Sample ID: BH24-02 2'

Date Collected: 10/03/24 09:25

Date Received: 10/05/24 09:00

Lab Sample ID: 885-13236-7

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5030C			13810	AT	EET ALB	10/07/24 12:25
Total/NA	Analysis	8015M/D		1	14102	AT	EET ALB	10/11/24 06:35

Eurofins Albuquerque

Lab Chronicle

Client: Vertex

Job ID: 885-13236-1

Project/Site: Rattlesnake 13-12 Federal Com #001H

Client Sample ID: BH24-02 2'

Lab Sample ID: 885-13236-7

Date Collected: 10/03/24 09:25

Matrix: Solid

Date Received: 10/05/24 09:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5030C			13810	AT	EET ALB	10/07/24 12:25
Total/NA	Analysis	8021B		1	14103	AT	EET ALB	10/11/24 06:35
Total/NA	Prep	SHAKE			13869	EM	EET ALB	10/08/24 09:47
Total/NA	Analysis	8015M/D		1	14108	EM	EET ALB	10/11/24 16:53
Total/NA	Prep	300_Prep			13887	JT	EET ALB	10/08/24 12:01
Total/NA	Analysis	300.0		20	13951	RC	EET ALB	10/08/24 23:57

Client Sample ID: BH24-02 4'

Lab Sample ID: 885-13236-8

Date Collected: 10/03/24 09:30

Matrix: Solid

Date Received: 10/05/24 09:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5030C			13810	AT	EET ALB	10/07/24 12:25
Total/NA	Analysis	8015M/D		1	14102	AT	EET ALB	10/11/24 06:57
Total/NA	Prep	5030C			13810	AT	EET ALB	10/07/24 12:25
Total/NA	Analysis	8021B		1	14103	AT	EET ALB	10/11/24 06:57
Total/NA	Prep	SHAKE			13869	EM	EET ALB	10/08/24 09:47
Total/NA	Analysis	8015M/D		1	14108	EM	EET ALB	10/11/24 17:09
Total/NA	Prep	300_Prep			13887	JT	EET ALB	10/08/24 12:01
Total/NA	Analysis	300.0		20	13951	RC	EET ALB	10/09/24 00:10

Client Sample ID: BH24-03 0'

Lab Sample ID: 885-13236-9

Date Collected: 10/03/24 09:35

Matrix: Solid

Date Received: 10/05/24 09:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5030C			13810	AT	EET ALB	10/07/24 12:25
Total/NA	Analysis	8015M/D		1	14102	AT	EET ALB	10/11/24 07:18
Total/NA	Prep	5030C			13810	AT	EET ALB	10/07/24 12:25
Total/NA	Analysis	8021B		1	14103	AT	EET ALB	10/11/24 07:18
Total/NA	Prep	SHAKE			13869	EM	EET ALB	10/08/24 09:47
Total/NA	Analysis	8015M/D		50	14108	EM	EET ALB	10/11/24 17:20
Total/NA	Prep	300_Prep			13887	JT	EET ALB	10/08/24 12:01
Total/NA	Analysis	300.0		20	13951	RC	EET ALB	10/09/24 00:22

Client Sample ID: BH24-03 2'

Lab Sample ID: 885-13236-10

Date Collected: 10/03/24 09:40

Matrix: Solid

Date Received: 10/05/24 09:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5030C			13810	AT	EET ALB	10/07/24 12:25
Total/NA	Analysis	8015M/D		1	14102	AT	EET ALB	10/11/24 07:40
Total/NA	Prep	5030C			13810	AT	EET ALB	10/07/24 12:25
Total/NA	Analysis	8021B		1	14103	AT	EET ALB	10/11/24 07:40

Eurofins Albuquerque

Lab Chronicle

Client: Vertex
Project/Site: Rattlesnake 13-12 Federal Com #001H

Job ID: 885-13236-1

Client Sample ID: BH24-03 2'

Date Collected: 10/03/24 09:40

Date Received: 10/05/24 09:00

Lab Sample ID: 885-13236-10

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	SHAKE			13869	EM	EET ALB	10/08/24 09:47
Total/NA	Analysis	8015M/D		1	13950	EM	EET ALB	10/10/24 03:53
Total/NA	Prep	300_Prep			13887	JT	EET ALB	10/08/24 12:01
Total/NA	Analysis	300.0		20	13951	RC	EET ALB	10/09/24 00:34

Client Sample ID: BH24-03 4'

Date Collected: 10/03/24 09:45

Date Received: 10/05/24 09:00

Lab Sample ID: 885-13236-11

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5030C			13820	AT	EET ALB	10/07/24 13:36
Total/NA	Analysis	8015M/D		1	13926	AT	EET ALB	10/08/24 18:30
Total/NA	Prep	5030C			13820	AT	EET ALB	10/07/24 13:36
Total/NA	Analysis	8021B		1	13928	AT	EET ALB	10/08/24 18:30
Total/NA	Prep	SHAKE			13860	EM	EET ALB	10/08/24 08:58
Total/NA	Analysis	8015M/D		1	13857	EM	EET ALB	10/08/24 15:36
Total/NA	Prep	300_Prep			13881	EH	EET ALB	10/08/24 10:30
Total/NA	Analysis	300.0		20	13951	RC	EET ALB	10/08/24 15:19

Client Sample ID: BH24-04 0'

Date Collected: 10/03/24 09:50

Date Received: 10/05/24 09:00

Lab Sample ID: 885-13236-12

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5030C			13820	AT	EET ALB	10/07/24 13:36
Total/NA	Analysis	8015M/D		1	13926	AT	EET ALB	10/08/24 18:52
Total/NA	Prep	5030C			13820	AT	EET ALB	10/07/24 13:36
Total/NA	Analysis	8021B		1	13928	AT	EET ALB	10/08/24 18:52
Total/NA	Prep	SHAKE			13860	EM	EET ALB	10/08/24 08:58
Total/NA	Analysis	8015M/D		1	13857	EM	EET ALB	10/08/24 15:48
Total/NA	Prep	300_Prep			13881	EH	EET ALB	10/08/24 10:30
Total/NA	Analysis	300.0		20	13951	RC	EET ALB	10/08/24 15:56

Client Sample ID: BH24-04 2'

Date Collected: 10/03/24 08:55

Date Received: 10/05/24 09:00

Lab Sample ID: 885-13236-13

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5030C			13820	AT	EET ALB	10/07/24 13:36
Total/NA	Analysis	8015M/D		1	13926	AT	EET ALB	10/08/24 19:14
Total/NA	Prep	5030C			13820	AT	EET ALB	10/07/24 13:36
Total/NA	Analysis	8021B		1	13928	AT	EET ALB	10/08/24 19:14
Total/NA	Prep	SHAKE			13860	EM	EET ALB	10/08/24 08:58
Total/NA	Analysis	8015M/D		1	13857	EM	EET ALB	10/08/24 16:24

Eurofins Albuquerque

Lab Chronicle

Client: Vertex
Project/Site: Rattlesnake 13-12 Federal Com #001H

Job ID: 885-13236-1

Client Sample ID: BH24-04 2'

Date Collected: 10/03/24 08:55

Date Received: 10/05/24 09:00

Lab Sample ID: 885-13236-13

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	300_Prep			13881	EH	EET ALB	10/08/24 10:30
Total/NA	Analysis	300.0		20	13951	RC	EET ALB	10/08/24 16:33

Client Sample ID: BH24-04 4'

Date Collected: 10/03/24 09:00

Date Received: 10/05/24 09:00

Lab Sample ID: 885-13236-14

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5030C			13820	AT	EET ALB	10/07/24 13:36
Total/NA	Analysis	8015M/D		1	13926	AT	EET ALB	10/08/24 19:35
Total/NA	Prep	5030C			13820	AT	EET ALB	10/07/24 13:36
Total/NA	Analysis	8021B		1	13928	AT	EET ALB	10/08/24 19:35
Total/NA	Prep	SHAKE			13860	EM	EET ALB	10/08/24 08:58
Total/NA	Analysis	8015M/D		1	13857	EM	EET ALB	10/08/24 16:36
Total/NA	Prep	300_Prep			13881	EH	EET ALB	10/08/24 10:30
Total/NA	Analysis	300.0		20	13951	RC	EET ALB	10/08/24 16:45

Client Sample ID: BH24-05 0'

Date Collected: 10/03/24 09:05

Date Received: 10/05/24 09:00

Lab Sample ID: 885-13236-15

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5030C			13820	AT	EET ALB	10/07/24 13:36
Total/NA	Analysis	8015M/D		1	13926	AT	EET ALB	10/08/24 19:57
Total/NA	Prep	5030C			13820	AT	EET ALB	10/07/24 13:36
Total/NA	Analysis	8021B		1	13928	AT	EET ALB	10/08/24 19:57
Total/NA	Prep	SHAKE			13860	EM	EET ALB	10/08/24 08:58
Total/NA	Analysis	8015M/D		1	13857	EM	EET ALB	10/08/24 16:48
Total/NA	Prep	300_Prep			13881	EH	EET ALB	10/08/24 10:30
Total/NA	Analysis	300.0		20	13951	RC	EET ALB	10/08/24 16:58

Client Sample ID: BH24-05 2'

Date Collected: 10/03/24 09:10

Date Received: 10/05/24 09:00

Lab Sample ID: 885-13236-16

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5030C			13820	AT	EET ALB	10/07/24 13:36
Total/NA	Analysis	8015M/D		1	13926	AT	EET ALB	10/08/24 20:19
Total/NA	Prep	5030C			13820	AT	EET ALB	10/07/24 13:36
Total/NA	Analysis	8021B		1	13928	AT	EET ALB	10/08/24 20:19
Total/NA	Prep	SHAKE			13860	EM	EET ALB	10/08/24 08:58
Total/NA	Analysis	8015M/D		1	13857	EM	EET ALB	10/08/24 17:00
Total/NA	Prep	300_Prep			13881	EH	EET ALB	10/08/24 10:30
Total/NA	Analysis	300.0		20	13951	RC	EET ALB	10/08/24 17:10

Eurofins Albuquerque

Lab Chronicle

Client: Vertex
Project/Site: Rattlesnake 13-12 Federal Com #001H

Job ID: 885-13236-1

Client Sample ID: BH24-05 4'

Lab Sample ID: 885-13236-17

Date Collected: 10/03/24 09:15

Matrix: Solid

Date Received: 10/05/24 09:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5030C			13820	AT	EET ALB	10/07/24 13:36
Total/NA	Analysis	8015M/D		1	13926	AT	EET ALB	10/08/24 20:40
Total/NA	Prep	5030C			13820	AT	EET ALB	10/07/24 13:36
Total/NA	Analysis	8021B		1	13928	AT	EET ALB	10/08/24 20:40
Total/NA	Prep	SHAKE			13860	EM	EET ALB	10/08/24 08:58
Total/NA	Analysis	8015M/D		1	13857	EM	EET ALB	10/08/24 17:25
Total/NA	Prep	300_Prep			13881	EH	EET ALB	10/08/24 10:30
Total/NA	Analysis	300.0		20	13951	RC	EET ALB	10/08/24 17:22

Client Sample ID: BH24-06 0'

Lab Sample ID: 885-13236-18

Date Collected: 10/03/24 09:20

Matrix: Solid

Date Received: 10/05/24 09:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5030C			13820	AT	EET ALB	10/07/24 13:36
Total/NA	Analysis	8015M/D		1	13926	AT	EET ALB	10/08/24 21:02
Total/NA	Prep	5030C			13820	AT	EET ALB	10/07/24 13:36
Total/NA	Analysis	8021B		1	13928	AT	EET ALB	10/08/24 21:02
Total/NA	Prep	SHAKE			13860	EM	EET ALB	10/08/24 08:58
Total/NA	Analysis	8015M/D		1	13857	EM	EET ALB	10/08/24 17:37
Total/NA	Prep	300_Prep			13881	EH	EET ALB	10/08/24 10:30
Total/NA	Analysis	300.0		20	13951	RC	EET ALB	10/08/24 17:35

Client Sample ID: BH24-06 2'

Lab Sample ID: 885-13236-19

Date Collected: 10/03/24 09:25

Matrix: Solid

Date Received: 10/05/24 09:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5030C			13820	AT	EET ALB	10/07/24 13:36
Total/NA	Analysis	8015M/D		1	13926	AT	EET ALB	10/08/24 21:24
Total/NA	Prep	5030C			13820	AT	EET ALB	10/07/24 13:36
Total/NA	Analysis	8021B		1	13928	AT	EET ALB	10/08/24 21:24
Total/NA	Prep	SHAKE			13860	EM	EET ALB	10/08/24 08:58
Total/NA	Analysis	8015M/D		1	13857	EM	EET ALB	10/08/24 17:49
Total/NA	Prep	300_Prep			13881	EH	EET ALB	10/08/24 10:30
Total/NA	Analysis	300.0		20	13951	RC	EET ALB	10/08/24 17:47

Client Sample ID: BH24-06 4'

Lab Sample ID: 885-13236-20

Date Collected: 10/03/24 09:30

Matrix: Solid

Date Received: 10/05/24 09:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5030C			13820	AT	EET ALB	10/07/24 13:36
Total/NA	Analysis	8015M/D		1	13926	AT	EET ALB	10/08/24 21:46

Eurofins Albuquerque

Lab Chronicle

Client: Vertex

Job ID: 885-13236-1

Project/Site: Rattlesnake 13-12 Federal Com #001H

Client Sample ID: BH24-06 4'

Lab Sample ID: 885-13236-20

Date Collected: 10/03/24 09:30

Matrix: Solid

Date Received: 10/05/24 09:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5030C			13820	AT	EET ALB	10/07/24 13:36
Total/NA	Analysis	8021B		1	13928	AT	EET ALB	10/08/24 21:46
Total/NA	Prep	SHAKE			13860	EM	EET ALB	10/08/24 08:58
Total/NA	Analysis	8015M/D		1	13857	EM	EET ALB	10/08/24 18:02
Total/NA	Prep	300_Prep			13881	EH	EET ALB	10/08/24 10:30
Total/NA	Analysis	300.0		20	13951	RC	EET ALB	10/08/24 17:59

Client Sample ID: BH24-07 0'

Lab Sample ID: 885-13236-21

Date Collected: 10/03/24 09:35

Matrix: Solid

Date Received: 10/05/24 09:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5030C			13900	AT	EET ALB	10/08/24 13:35
Total/NA	Analysis	8015M/D		1	14083	JP	EET ALB	10/11/24 05:17
Total/NA	Prep	5030C			13900	AT	EET ALB	10/08/24 13:35
Total/NA	Analysis	8021B		1	14084	JP	EET ALB	10/11/24 05:17
Total/NA	Prep	SHAKE			13911	EM	EET ALB	10/08/24 14:53
Total/NA	Analysis	8015M/D		50	14108	EM	EET ALB	10/11/24 18:15
Total/NA	Prep	300_Prep			13916	EH	EET ALB	10/08/24 16:13
Total/NA	Analysis	300.0		20	13985	EH	EET ALB	10/09/24 16:47

Client Sample ID: BH24-07 4'

Lab Sample ID: 885-13236-22

Date Collected: 10/03/24 09:40

Matrix: Solid

Date Received: 10/05/24 09:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5030C			13900	AT	EET ALB	10/08/24 13:35
Total/NA	Analysis	8015M/D		2	14083	JP	EET ALB	10/11/24 04:53
Total/NA	Prep	5030C			13900	AT	EET ALB	10/08/24 13:35
Total/NA	Analysis	8021B		2	14084	JP	EET ALB	10/11/24 04:53
Total/NA	Prep	SHAKE			13911	EM	EET ALB	10/08/24 14:53
Total/NA	Analysis	8015M/D		20	14214	EM	EET ALB	10/14/24 12:36
Total/NA	Prep	300_Prep			13916	EH	EET ALB	10/08/24 16:13
Total/NA	Analysis	300.0		20	13985	EH	EET ALB	10/09/24 17:24

Client Sample ID: BH24-07 8'

Lab Sample ID: 885-13236-23

Date Collected: 10/03/24 09:45

Matrix: Solid

Date Received: 10/05/24 09:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5030C			13900	AT	EET ALB	10/08/24 13:35
Total/NA	Analysis	8015M/D		1	14083	JP	EET ALB	10/11/24 05:40
Total/NA	Prep	5030C			13900	AT	EET ALB	10/08/24 13:35
Total/NA	Analysis	8021B		1	14084	JP	EET ALB	10/11/24 05:40

Eurofins Albuquerque

Lab Chronicle

Client: Vertex
Project/Site: Rattlesnake 13-12 Federal Com #001H

Job ID: 885-13236-1

Client Sample ID: BH24-07 8'
Date Collected: 10/03/24 09:45
Date Received: 10/05/24 09:00

Lab Sample ID: 885-13236-23
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	SHAKE			13911	EM	EET ALB	10/08/24 14:53
Total/NA	Analysis	8015M/D		10	14108	EM	EET ALB	10/11/24 19:43
Total/NA	Prep	300_Prep			13916	EH	EET ALB	10/08/24 16:13
Total/NA	Analysis	300.0		20	13985	EH	EET ALB	10/09/24 18:01

Laboratory References:
EET ALB = Eurofins Albuquerque, 4901 Hawkins NE, Albuquerque, NM 87109, TEL (505)345-3975

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11

Accreditation/Certification Summary

Client: Vertex
Project/Site: Rattlesnake 13-12 Federal Com #001H

Job ID: 885-13236-1

Laboratory: Eurofins Albuquerque

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
New Mexico	State	NM9425, NM0901	02-26-25
The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.			
Analysis Method	Prep Method	Matrix	Analyte
300.0	300_Prep	Solid	Chloride
8015M/D	5030C	Solid	Gasoline Range Organics [C6 - C10]
8015M/D	SHAKE	Solid	Diesel Range Organics [C10-C28]
8015M/D	SHAKE	Solid	Motor Oil Range Organics [C28-C40]
8021B	5030C	Solid	Benzene
8021B	5030C	Solid	Ethylbenzene
8021B	5030C	Solid	Toluene
8021B	5030C	Solid	Xylenes, Total
Oregon	NELAP	NM100001	02-26-25

Chain-of-Custody Record

Client: Vertex (bill to Devon)

Mailing Address 3101 Boyd Dr
Carlsbad, NM 88220

Phone: 575-725-5001
email or Fax#:

QA/QC Package:
☐ Standard ☐ Level 4 (Full Validation)

Accreditation: ☐ Az Compliance
☐ NELAC ☐ Other

☐ EDD (Type)

Turn-Around Time:
☒ Standard ☒ Rush 5 Day

Project Name: Rattlesnake 13-12 Federal Com #001H

Project #: 23E-02849

Project Manager: Chad Hensley
Chensley@vertexresource.com

Sampler: J. Rewis

On Ice: ☒ Yes ☐ No Yay

of Coolers: 1

Cooler Temp (including CFI): 5.4 ± 0.5 = 5.4 °C

Date	Time	Matrix	Sample Name	Container Type and #	Preservative Type	HEAL No.
10/3/24	8:55	Soil	BH24-01 0'	4oz jar	ICE	1
10/3/24	9:00	Soil	BH24-01 4'	4oz jar	ICE	2
10/3/24	9:05	Soil	BH24-01 6'	4oz jar	ICE	3
10/3/24	9:10	Soil	BH24-01 8'	4oz jar	ICE	4
10/3/24	9:15	Soil	BH24-01 10'	4oz jar	ICE	5
10/3/24	9:20	Soil	BH24-02 0'	4oz jar	ICE	6
10/3/24	9:25	Soil	BH24-02 2'	4oz jar	ICE	7
10/3/24	9:30	Soil	BH24-02 4'	4oz jar	ICE	8
10/3/24	9:35	Soil	BH24-03 0'	4oz jar	ICE	9
10/3/24	9:40	Soil	BH24-03 2'	4oz jar	ICE	10
10/3/24	9:45	Soil	BH24-03 4'	4oz jar	ICE	11
10/3/24	9:50	Soil	BH24-04 0'	4oz jar	ICE	12
Date:	Time:	Relinquished by:	Via: Date Time			
10/4/24	0800	<i>[Signature]</i>	10/4/24 0800			
Date:	Time:	Relinquished by:	Via: Date Time			
10/4/24	1900	<i>[Signature]</i>	10/15/24 9:00			

HALL ENVIRONMENTAL
ANALYSIS LABORATORY

www.hallenvironmental.com

4901 Hawkins NE - Albuquerque, NM 87109 885-13236 COC

Tel. 505-345-3975 Fax 505-345-4107

BTEX / MTBE / TMBs (8021)

TPH:8015D(GRO / DRO / MRO)

8081 Pesticides/8082 PCBs

EDB (Method 504.1)

PAHs by 8310 or 8270SIMS

RCRA 8 Metals

CF, Br, NO₃, NO₂, PO₄, SO₄

8260 (VOA)

8270 (Semi-VOA)

Total Coliform (Present/Absent)

Remarks:

Direct Bill to Devon Enervy Production Company
Work Order# 21163257
CC.Chensley@vertexresource.com for Final Report.
Jrewis@vertex resource.com

If necessary, samples submitted to Hall Environmental may be subcontracted to other accredited laboratories. This serves as notice of this possibility. Any sub-contracted data will be clearly notated on the analytical report.

Chain-of-Custody Record

Client: Vertex (bill to Devon)

Mailing Address 3101 Boyd Dr
Carlsbad, NM 88220

Phone: 575-725-5001

email or Fax#:

QA/QC Package:
☐ Standard ☐ Level 4 (Full Validation)
 Accreditation: ☐ Az Compliance ☐ Other
☐ NELAC ☐ Other
☐ EDD (Type)

Turn-Around Time:
☒ Standard ☒ Rush 5 Day

Project Name:
 Rattlesnake 13-12 Federal Com #001H

Project #:
 23E-02849

Project Manager:
 Chad Hensley
 Chensley@vertexresource.com

Sampler: J. Rewis

On Ice: ☒ Yes ☐ No ☐ Log

of Coolers: 1

Cooler Temp (including CF): 5.4 ± 0.5 °C

Date	Time	Matrix	Sample Name	Container Type and #	Preservative Type	HEAL No.
10.3.24	8:55	Soil	BH24-04 2'	4oz jar	ICE	13
10.3.24	9:00	Soil	BH24-04 4'	4oz jar	ICE	14
10.3.24	9:05	Soil	BH24-05 0'	4oz jar	ICE	15
10.3.24	9:10	Soil	BH24-05 2'	4oz jar	ICE	16
10.3.24	9:15	Soil	BH24-05 4'	4oz jar	ICE	17
10.3.24	9:20	Soil	BH24-06 0'	4oz jar	ICE	18
10.3.24	9:25	Soil	BH24-06 2'	4oz jar	ICE	19
10.3.24	9:30	Soil	BH24-06 4'	4oz jar	ICE	20
10.3.24	9:35	Soil	BH24-07 0'	4oz jar	ICE	21
10.3.24	9:40	Soil	BH24-07 4'	4oz jar	ICE	22
10.3.24	9:45	Soil	BH24-07 8'	4oz jar	ICE	23
Date:	Time:	Relinquished by:	Via:	Date	Time	
10.4.24	0800	<i>[Signature]</i>		10/4/24	0800	
Date:	Time:	Relinquished by:	Via:	Date	Time	
10/4/24	1900	<i>[Signature]</i>		10/5/24	9:00	

Remarks:

Direct Bill to Devon Enevery Production Company
 Work Order# 21163257
 CC.Chensley@vertexresource.com for Final Report.
 Jrewis@vertex resource.com

If necessary, samples submitted to Hall Environmental may be subcontracted to other accredited laboratories. This serves as notice of this possibility. Any sub-contracted data will be clearly notated on the analytical report.



HALL ENVIRONMENTAL ANALYSIS LABORATORY

www.hallenvironmental.com

4901 Hawkins NE - Albuquerque, NM 87109

Tel. 505-345-3975 Fax 505-345-4107

Login Sample Receipt Checklist

Client: Vertex

Job Number: 885-13236-1

Login Number: 13236



List Number: 1

Creator: Casarrubias, Tracy

List Source: Eurofins Albuquerque

Question	Answer	Comment
Radioactivity wasn't checked or is \leq background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is $<6\text{mm}$ (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

Report to:
Chad Hensley



5796 U.S. Hwy 64
Farmington, NM 87401

Phone: (505) 632-1881
Envirotech-inc.com



envirotech

Practical Solutions for a Better Tomorrow

Analytical Report

Vertex Resource Services Inc.

Project Name: Rattlesnake 13-12 Federal Com
001

Work Order: E411167

Job Number: 01058-0007

Received: 11/18/2024

Revision: 1

Report Reviewed By:

Walter Hinchman
Laboratory Director
11/21/24

Envirotech Inc. certifies the test results meet all requirements of TNI unless noted otherwise.
Statement of Data Authenticity: Envirotech Inc. attests the data reported has not been altered in any way.
Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech Inc.
Envirotech Inc. holds the Utah TNI certification NM00979 for data reported.
Envirotech Inc. holds the Texas TNI certification T104704557 for data reported.

Date Reported: 11/21/24

Chad Hensley
3101 Boyd Drive
Carlsbad, NM 88220



Project Name: Rattlesnake 13-12 Federal Com 001
Workorder: E411167
Date Received: 11/18/2024 8:00:00AM

Chad Hensley,

Thank you for choosing Envirotech, Inc. as your analytical testing laboratory for the sample(s) received on, 11/18/2024 8:00:00AM, under the Project Name: Rattlesnake 13-12 Federal Com 001.

The analytical test results summarized in this report with the Project Name: Rattlesnake 13-12 Federal Com 001 apply to the individual samples collected, identified and submitted bearing the project name on the enclosed chain-of-custody. Subcontracted sample analyses not conducted by Envirotech, Inc., are attached in full as issued by the subcontract laboratory.

Please review the Chain-of-Custody (COC) and Sample Receipt Checklist (SRC) for any issues regarding sample receipt temperature, containers, preservation etc. To best understand your test results, review the entire report summarizing your sample data and the associated quality control batch data.

All reported data in this analytical report were analyzed according to the referenced method(s) and are in compliance with the latest NELAC/TNI standards, unless otherwise noted. Samples or analytical quality control parameters not meeting specific QC criteria are qualified with a data flag. Data flag definitions are located in the Notes and Definitions section of this analytical report.

If you have any questions concerning this report, please feel free to contact Envirotech, Inc.

Respectfully,

Walter Hinchman
Laboratory Director
Office: 505-632-1881
Cell: 775-287-1762
whinchman@envirotech-inc.com

Raina Schwanz
Laboratory Administrator
Office: 505-632-1881
rainaschwanz@envirotech-inc.com

Field Offices:

Southern New Mexico Area

Lynn Jarboe
Laboratory Technical Representative
Office: 505-421-LABS(5227)
Cell: 505-320-4759
ljjarboe@envirotech-inc.com

Michelle Gonzales
Client Representative
Office: 505-421-LABS(5227)
Cell: 505-947-8222
mgonzales@envirotech-inc.com

Envirotech Web Address: www.envirotech-inc.com

Table of Contents

Title Page	1
Cover Page	2
Table of Contents	3
Sample Summary	4
Sample Data	5
BES24-01 @ 4.1'	5
BES24-02 @ 4.1'	6
BES24-03 @ 4.1'	7
WES24-01 @ 0-4'	8
WES24-02 @ 0-4'	9
WES24-03 @ 0-4'	10
BH24-08 @ 0	11
BH24-09 @ 0'	12
BH24-10 @ 0'	13
BH24-11 @ 0'	14
QC Summary Data	15
QC - Volatile Organics by EPA 8021B	15
QC - Nonhalogenated Organics by EPA 8015D - GRO	16
QC - Nonhalogenated Organics by EPA 8015D - DRO/ORO	17
QC - Anions by EPA 300.0/9056A	18
Definitions and Notes	19
Chain of Custody etc.	20

Sample Summary

Vertex Resource Services Inc. 3101 Boyd Drive Carlsbad NM, 88220	Project Name: Rattlesnake 13-12 Federal Com 001 Project Number: 01058-0007 Project Manager: Chad Hensley	Reported: 11/21/24 11:48
--	--	-----------------------------

Client Sample ID	Lab Sample ID	Matrix	Sampled	Received	Container
BES24-01 @ 4.1'	E411167-01A	Soil	11/14/24	11/18/24	Glass Jar, 2 oz.
BES24-02 @ 4.1'	E411167-02A	Soil	11/14/24	11/18/24	Glass Jar, 2 oz.
BES24-03 @ 4.1'	E411167-03A	Soil	11/14/24	11/18/24	Glass Jar, 2 oz.
WES24-01 @ 0-4'	E411167-04A	Soil	11/14/24	11/18/24	Glass Jar, 2 oz.
WES24-02 @ 0-4'	E411167-05A	Soil	11/14/24	11/18/24	Glass Jar, 2 oz.
WES24-03 @ 0-4'	E411167-06A	Soil	11/14/24	11/18/24	Glass Jar, 2 oz.
BH24-08 @ 0	E411167-07A	Soil	11/14/24	11/18/24	Glass Jar, 2 oz.
BH24-09 @ 0'	E411167-08A	Soil	11/14/24	11/18/24	Glass Jar, 2 oz.
BH24-10 @ 0'	E411167-09A	Soil	11/14/24	11/18/24	Glass Jar, 2 oz.
BH24-11 @ 0'	E411167-10A	Soil	11/14/24	11/18/24	Glass Jar, 2 oz.



Sample Data

Vertex Resource Services Inc. 3101 Boyd Drive Carlsbad NM, 88220	Project Name: Rattlesnake 13-12 Federal Com 001 Project Number: 01058-0007 Project Manager: Chad Hensley	Reported: 11/21/2024 11:48:36AM
--	--	------------------------------------

BES24-01 @ 4.1'

E411167-01

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B	mg/kg	mg/kg	Analyst: SL		Batch: 2447005	
Benzene	ND	0.0250	1	11/18/24	11/20/24	
Ethylbenzene	ND	0.0250	1	11/18/24	11/20/24	
Toluene	ND	0.0250	1	11/18/24	11/20/24	
o-Xylene	ND	0.0250	1	11/18/24	11/20/24	
p,m-Xylene	ND	0.0500	1	11/18/24	11/20/24	
Total Xylenes	ND	0.0250	1	11/18/24	11/20/24	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	83.9 %	70-130		11/18/24	11/20/24	
Nonhalogenated Organics by EPA 8015D - GRO	mg/kg	mg/kg	Analyst: SL		Batch: 2447005	
Gasoline Range Organics (C6-C10)	ND	20.0	1	11/18/24	11/20/24	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	94.4 %	70-130		11/18/24	11/20/24	
Nonhalogenated Organics by EPA 8015D - DRO/ORO	mg/kg	mg/kg	Analyst: NV		Batch: 2447011	
Diesel Range Organics (C10-C28)	27.7	25.0	1	11/18/24	11/18/24	
Oil Range Organics (C28-C36)	ND	50.0	1	11/18/24	11/18/24	
<i>Surrogate: n-Nonane</i>						
	114 %	50-200		11/18/24	11/18/24	
Anions by EPA 300.0/9056A	mg/kg	mg/kg	Analyst: JM		Batch: 2447046	
Chloride	125	20.0	1	11/19/24	11/20/24	



Sample Data

Vertex Resource Services Inc. 3101 Boyd Drive Carlsbad NM, 88220	Project Name: Rattlesnake 13-12 Federal Com 001 Project Number: 01058-0007 Project Manager: Chad Hensley	Reported: 11/21/2024 11:48:36AM
--	--	------------------------------------

BES24-02 @ 4.1'
E411167-02

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg		Analyst: SL		Batch: 2447005
Benzene	ND	0.0250	1	11/18/24	11/20/24	
Ethylbenzene	ND	0.0250	1	11/18/24	11/20/24	
Toluene	ND	0.0250	1	11/18/24	11/20/24	
o-Xylene	ND	0.0250	1	11/18/24	11/20/24	
p,m-Xylene	ND	0.0500	1	11/18/24	11/20/24	
Total Xylenes	ND	0.0250	1	11/18/24	11/20/24	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	84.4 %	70-130		11/18/24	11/20/24	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: SL		Batch: 2447005
Gasoline Range Organics (C6-C10)	ND	20.0	1	11/18/24	11/20/24	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	95.8 %	70-130		11/18/24	11/20/24	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: NV		Batch: 2447011
Diesel Range Organics (C10-C28)	57.2	25.0	1	11/18/24	11/18/24	
Oil Range Organics (C28-C36)	ND	50.0	1	11/18/24	11/18/24	
<i>Surrogate: n-Nonane</i>						
	119 %	50-200		11/18/24	11/18/24	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: JM		Batch: 2447046
Chloride	94.3	20.0	1	11/19/24	11/20/24	



Sample Data

Vertex Resource Services Inc. 3101 Boyd Drive Carlsbad NM, 88220	Project Name: Rattlesnake 13-12 Federal Com 001 Project Number: 01058-0007 Project Manager: Chad Hensley	Reported: 11/21/2024 11:48:36AM
--	--	------------------------------------

BES24-03 @ 4.1'
E411167-03

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg		Analyst: SL		Batch: 2447005
Benzene	ND	0.0250	1	11/18/24	11/20/24	
Ethylbenzene	ND	0.0250	1	11/18/24	11/20/24	
Toluene	ND	0.0250	1	11/18/24	11/20/24	
o-Xylene	ND	0.0250	1	11/18/24	11/20/24	
p,m-Xylene	ND	0.0500	1	11/18/24	11/20/24	
Total Xylenes	ND	0.0250	1	11/18/24	11/20/24	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	84.2 %	70-130		11/18/24	11/20/24	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: SL		Batch: 2447005
Gasoline Range Organics (C6-C10)	ND	20.0	1	11/18/24	11/20/24	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	96.2 %	70-130		11/18/24	11/20/24	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: NV		Batch: 2447011
Diesel Range Organics (C10-C28)	ND	25.0	1	11/18/24	11/18/24	
Oil Range Organics (C28-C36)	ND	50.0	1	11/18/24	11/18/24	
<i>Surrogate: n-Nonane</i>						
	112 %	50-200		11/18/24	11/18/24	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: JM		Batch: 2447046
Chloride	237	20.0	1	11/19/24	11/20/24	



Sample Data

Vertex Resource Services Inc. 3101 Boyd Drive Carlsbad NM, 88220	Project Name: Rattlesnake 13-12 Federal Com 001 Project Number: 01058-0007 Project Manager: Chad Hensley	Reported: 11/21/2024 11:48:36AM
--	--	------------------------------------

WES24-01 @ 0-4'
E411167-04

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg		Analyst: SL		Batch: 2447005
Benzene	ND	0.0250	1	11/18/24	11/20/24	
Ethylbenzene	ND	0.0250	1	11/18/24	11/20/24	
Toluene	ND	0.0250	1	11/18/24	11/20/24	
o-Xylene	ND	0.0250	1	11/18/24	11/20/24	
p,m-Xylene	ND	0.0500	1	11/18/24	11/20/24	
Total Xylenes	ND	0.0250	1	11/18/24	11/20/24	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	83.6 %	70-130		11/18/24	11/20/24	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: SL		Batch: 2447005
Gasoline Range Organics (C6-C10)	ND	20.0	1	11/18/24	11/20/24	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	94.2 %	70-130		11/18/24	11/20/24	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: NV		Batch: 2447011
Diesel Range Organics (C10-C28)	35.5	25.0	1	11/18/24	11/18/24	
Oil Range Organics (C28-C36)	ND	50.0	1	11/18/24	11/18/24	
<i>Surrogate: n-Nonane</i>						
	111 %	50-200		11/18/24	11/18/24	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: JM		Batch: 2447046
Chloride	518	20.0	1	11/19/24	11/20/24	



Sample Data

Vertex Resource Services Inc. 3101 Boyd Drive Carlsbad NM, 88220	Project Name: Rattlesnake 13-12 Federal Com 001 Project Number: 01058-0007 Project Manager: Chad Hensley	Reported: 11/21/2024 11:48:36AM
--	--	------------------------------------

WES24-02 @ 0-4'
E411167-05

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg		Analyst: SL		Batch: 2447005
Benzene	ND	0.0250	1	11/18/24	11/20/24	
Ethylbenzene	ND	0.0250	1	11/18/24	11/20/24	
Toluene	ND	0.0250	1	11/18/24	11/20/24	
o-Xylene	ND	0.0250	1	11/18/24	11/20/24	
p,m-Xylene	ND	0.0500	1	11/18/24	11/20/24	
Total Xylenes	ND	0.0250	1	11/18/24	11/20/24	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	83.6 %	70-130		11/18/24	11/20/24	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: SL		Batch: 2447005
Gasoline Range Organics (C6-C10)	ND	20.0	1	11/18/24	11/20/24	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	95.6 %	70-130		11/18/24	11/20/24	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: NV		Batch: 2447011
Diesel Range Organics (C10-C28)	ND	25.0	1	11/18/24	11/18/24	
Oil Range Organics (C28-C36)	ND	50.0	1	11/18/24	11/18/24	
<i>Surrogate: n-Nonane</i>						
	118 %	50-200		11/18/24	11/18/24	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: JM		Batch: 2447046
Chloride	128	20.0	1	11/19/24	11/20/24	



Sample Data

Vertex Resource Services Inc. 3101 Boyd Drive Carlsbad NM, 88220	Project Name: Rattlesnake 13-12 Federal Com 001 Project Number: 01058-0007 Project Manager: Chad Hensley	Reported: 11/21/2024 11:48:36AM
--	--	------------------------------------

WES24-03 @ 0-4'
E411167-06

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg	Analyst: SL		Batch: 2447005	
Benzene	ND	0.0250	1	11/18/24	11/20/24	
Ethylbenzene	ND	0.0250	1	11/18/24	11/20/24	
Toluene	ND	0.0250	1	11/18/24	11/20/24	
o-Xylene	ND	0.0250	1	11/18/24	11/20/24	
p,m-Xylene	ND	0.0500	1	11/18/24	11/20/24	
Total Xylenes	ND	0.0250	1	11/18/24	11/20/24	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	84.4 %	70-130		11/18/24	11/20/24	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg	Analyst: SL		Batch: 2447005	
Gasoline Range Organics (C6-C10)	ND	20.0	1	11/18/24	11/20/24	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	95.7 %	70-130		11/18/24	11/20/24	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg	Analyst: NV		Batch: 2447011	
Diesel Range Organics (C10-C28)	ND	25.0	1	11/18/24	11/18/24	
Oil Range Organics (C28-C36)	ND	50.0	1	11/18/24	11/18/24	
<i>Surrogate: n-Nonane</i>						
	115 %	50-200		11/18/24	11/18/24	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg	Analyst: JM		Batch: 2447046	
Chloride	60.6	20.0	1	11/19/24	11/20/24	



Sample Data

Vertex Resource Services Inc. 3101 Boyd Drive Carlsbad NM, 88220	Project Name: Rattlesnake 13-12 Federal Com 001 Project Number: 01058-0007 Project Manager: Chad Hensley	Reported: 11/21/2024 11:48:36AM
--	--	------------------------------------

BH24-08 @ 0
E411167-07

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg		Analyst: SL		Batch: 2447005
Benzene	ND	0.0250	1	11/18/24	11/20/24	
Ethylbenzene	ND	0.0250	1	11/18/24	11/20/24	
Toluene	ND	0.0250	1	11/18/24	11/20/24	
o-Xylene	ND	0.0250	1	11/18/24	11/20/24	
p,m-Xylene	ND	0.0500	1	11/18/24	11/20/24	
Total Xylenes	ND	0.0250	1	11/18/24	11/20/24	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	84.5 %	70-130		11/18/24	11/20/24	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: SL		Batch: 2447005
Gasoline Range Organics (C6-C10)	ND	20.0	1	11/18/24	11/20/24	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	95.4 %	70-130		11/18/24	11/20/24	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: NV		Batch: 2447011
Diesel Range Organics (C10-C28)	68.8	25.0	1	11/18/24	11/19/24	
Oil Range Organics (C28-C36)	ND	50.0	1	11/18/24	11/19/24	
<i>Surrogate: n-Nonane</i>						
	121 %	50-200		11/18/24	11/19/24	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: JM		Batch: 2447046
Chloride	33.6	20.0	1	11/19/24	11/20/24	



Sample Data

Vertex Resource Services Inc. 3101 Boyd Drive Carlsbad NM, 88220	Project Name: Rattlesnake 13-12 Federal Com 001 Project Number: 01058-0007 Project Manager: Chad Hensley	Reported: 11/21/2024 11:48:36AM
--	--	------------------------------------

BH24-09 @ 0'
E411167-08

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg	Analyst: SL		Batch: 2447005	
Benzene	ND	0.0250	1	11/18/24	11/20/24	
Ethylbenzene	ND	0.0250	1	11/18/24	11/20/24	
Toluene	ND	0.0250	1	11/18/24	11/20/24	
o-Xylene	ND	0.0250	1	11/18/24	11/20/24	
p,m-Xylene	ND	0.0500	1	11/18/24	11/20/24	
Total Xylenes	ND	0.0250	1	11/18/24	11/20/24	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	83.6 %	70-130		11/18/24	11/20/24	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg	Analyst: SL		Batch: 2447005	
Gasoline Range Organics (C6-C10)	ND	20.0	1	11/18/24	11/20/24	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	93.7 %	70-130		11/18/24	11/20/24	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg	Analyst: NV		Batch: 2447011	
Diesel Range Organics (C10-C28)	ND	25.0	1	11/18/24	11/19/24	
Oil Range Organics (C28-C36)	ND	50.0	1	11/18/24	11/19/24	
<i>Surrogate: n-Nonane</i>						
	115 %	50-200		11/18/24	11/19/24	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg	Analyst: JM		Batch: 2447046	
Chloride	2110	20.0	1	11/19/24	11/20/24	



Sample Data

Vertex Resource Services Inc. 3101 Boyd Drive Carlsbad NM, 88220	Project Name: Rattlesnake 13-12 Federal Com 001 Project Number: 01058-0007 Project Manager: Chad Hensley	Reported: 11/21/2024 11:48:36AM
--	--	------------------------------------

BH24-10 @ 0'
E411167-09

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg	Analyst: SL		Batch: 2447005	
Benzene	ND	0.0250	1	11/18/24	11/20/24	
Ethylbenzene	ND	0.0250	1	11/18/24	11/20/24	
Toluene	ND	0.0250	1	11/18/24	11/20/24	
o-Xylene	ND	0.0250	1	11/18/24	11/20/24	
p,m-Xylene	ND	0.0500	1	11/18/24	11/20/24	
Total Xylenes	ND	0.0250	1	11/18/24	11/20/24	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	83.3 %	70-130		11/18/24	11/20/24	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg	Analyst: SL		Batch: 2447005	
Gasoline Range Organics (C6-C10)	ND	20.0	1	11/18/24	11/20/24	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	94.2 %	70-130		11/18/24	11/20/24	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg	Analyst: NV		Batch: 2447011	
Diesel Range Organics (C10-C28)	ND	25.0	1	11/18/24	11/19/24	
Oil Range Organics (C28-C36)	ND	50.0	1	11/18/24	11/19/24	
<i>Surrogate: n-Nonane</i>						
	115 %	50-200		11/18/24	11/19/24	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg	Analyst: JM		Batch: 2447046	
Chloride	54.9	20.0	1	11/19/24	11/20/24	



Sample Data

Vertex Resource Services Inc. 3101 Boyd Drive Carlsbad NM, 88220	Project Name: Rattlesnake 13-12 Federal Com 001 Project Number: 01058-0007 Project Manager: Chad Hensley	Reported: 11/21/2024 11:48:36AM
--	--	------------------------------------

BH24-11 @ 0'
E411167-10

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg	Analyst: SL		Batch: 2447005	
Benzene	ND	0.0250	1	11/18/24	11/20/24	
Ethylbenzene	ND	0.0250	1	11/18/24	11/20/24	
Toluene	ND	0.0250	1	11/18/24	11/20/24	
o-Xylene	ND	0.0250	1	11/18/24	11/20/24	
p,m-Xylene	ND	0.0500	1	11/18/24	11/20/24	
Total Xylenes	ND	0.0250	1	11/18/24	11/20/24	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	87.3 %	70-130		11/18/24	11/20/24	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg	Analyst: SL		Batch: 2447005	
Gasoline Range Organics (C6-C10)	ND	20.0	1	11/18/24	11/20/24	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	91.5 %	70-130		11/18/24	11/20/24	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg	Analyst: NV		Batch: 2447011	
Diesel Range Organics (C10-C28)	ND	25.0	1	11/18/24	11/19/24	
Oil Range Organics (C28-C36)	ND	50.0	1	11/18/24	11/19/24	
<i>Surrogate: n-Nonane</i>						
	116 %	50-200		11/18/24	11/19/24	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg	Analyst: JM		Batch: 2447046	
Chloride	ND	20.0	1	11/19/24	11/20/24	



QC Summary Data

Vertex Resource Services Inc.	Project Name:	Rattlesnake 13-12 Federal Com 001	Reported:
3101 Boyd Drive	Project Number:	01058-0007	
Carlsbad NM, 88220	Project Manager:	Chad Hensley	11/21/2024 11:48:36AM

Volatile Organics by EPA 8021B

Analyst: SL

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

Blank (2447005-BLK1)

Prepared: 11/18/24 Analyzed: 11/20/24

Benzene	ND	0.0250							
Ethylbenzene	ND	0.0250							
Toluene	ND	0.0250							
o-Xylene	ND	0.0250							
p,m-Xylene	ND	0.0500							
Total Xylenes	ND	0.0250							
Surrogate: 4-Bromochlorobenzene-PID	6.78		8.00		84.8	70-130			

LCS (2447005-BS1)

Prepared: 11/18/24 Analyzed: 11/20/24

Benzene	4.23	0.0250	5.00		84.5	70-130			
Ethylbenzene	3.95	0.0250	5.00		78.9	70-130			
Toluene	4.11	0.0250	5.00		82.1	70-130			
o-Xylene	3.94	0.0250	5.00		78.8	70-130			
p,m-Xylene	8.00	0.0500	10.0		80.0	70-130			
Total Xylenes	11.9	0.0250	15.0		79.6	70-130			
Surrogate: 4-Bromochlorobenzene-PID	6.80		8.00		84.9	70-130			

LCS Dup (2447005-BSD1)

Prepared: 11/18/24 Analyzed: 11/20/24

Benzene	4.14	0.0250	5.00		82.9	70-130	1.96	20	
Ethylbenzene	3.93	0.0250	5.00		78.6	70-130	0.410	20	
Toluene	4.05	0.0250	5.00		81.0	70-130	1.35	20	
o-Xylene	3.91	0.0250	5.00		78.1	70-130	0.848	20	
p,m-Xylene	7.99	0.0500	10.0		79.9	70-130	0.235	20	
Total Xylenes	11.9	0.0250	15.0		79.3	70-130	0.436	20	
Surrogate: 4-Bromochlorobenzene-PID	6.74		8.00		84.2	70-130			



QC Summary Data

Vertex Resource Services Inc. 3101 Boyd Drive Carlsbad NM, 88220	Project Name: Rattlesnake 13-12 Federal Com 001 Project Number: 01058-0007 Project Manager: Chad Hensley	Reported: 11/21/2024 11:48:36AM
--	--	--

Nonhalogenated Organics by EPA 8015D - GRO

Analyst: SL

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

Blank (2447005-BLK1) Prepared: 11/18/24 Analyzed: 11/20/24

Gasoline Range Organics (C6-C10)	ND	20.0							
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.58		8.00		94.7	70-130			

LCS (2447005-BS2) Prepared: 11/18/24 Analyzed: 11/20/24

Gasoline Range Organics (C6-C10)	37.2	20.0	50.0		74.4	70-130			
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.76		8.00		97.0	70-130			

LCS Dup (2447005-BSD2) Prepared: 11/18/24 Analyzed: 11/20/24

Gasoline Range Organics (C6-C10)	42.5	20.0	50.0		84.9	70-130	13.2	20	
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.73		8.00		96.6	70-130			



QC Summary Data

Vertex Resource Services Inc. 3101 Boyd Drive Carlsbad NM, 88220	Project Name: Rattlesnake 13-12 Federal Com 001 Project Number: 01058-0007 Project Manager: Chad Hensley	Reported: 11/21/2024 11:48:36AM
--	--	--

Nonhalogenated Organics by EPA 8015D - DRO/ORO

Analyst: NV

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

Blank (2447011-BLK1)					Prepared: 11/18/24 Analyzed: 11/18/24				
Diesel Range Organics (C10-C28)	ND	25.0							
Oil Range Organics (C28-C36)	ND	50.0							
Surrogate: n-Nonane	57.1		50.0		114	50-200			

LCS (2447011-BS1)					Prepared: 11/18/24 Analyzed: 11/18/24				
Diesel Range Organics (C10-C28)	280	25.0	250		112	38-132			
Surrogate: n-Nonane	60.6		50.0		121	50-200			

Matrix Spike (2447011-MS1)					Source: E411167-06		Prepared: 11/18/24 Analyzed: 11/18/24		
Diesel Range Organics (C10-C28)	282	25.0	250	ND	113	38-132			
Surrogate: n-Nonane	57.6		50.0		115	50-200			

Matrix Spike Dup (2447011-MSD1)					Source: E411167-06		Prepared: 11/18/24 Analyzed: 11/18/24		
Diesel Range Organics (C10-C28)	311	25.0	250	ND	125	38-132	9.83	20	
Surrogate: n-Nonane	62.3		50.0		125	50-200			



QC Summary Data

Vertex Resource Services Inc. 3101 Boyd Drive Carlsbad NM, 88220	Project Name: Rattlesnake 13-12 Federal Com 001 Project Number: 01058-0007 Project Manager: Chad Hensley	Reported: 11/21/2024 11:48:36AM
--	--	------------------------------------

Anions by EPA 300.0/9056A

Analyst: JM

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

Blank (2447046-BLK1)					Prepared: 11/19/24 Analyzed: 11/20/24				
Chloride	ND	20.0							
LCS (2447046-BS1)					Prepared: 11/19/24 Analyzed: 11/20/24				
Chloride	265	20.0	250		106	90-110			
LCS Dup (2447046-BSD1)					Prepared: 11/19/24 Analyzed: 11/20/24				
Chloride	265	20.0	250		106	90-110	0.000369	20	

QC Summary Report Comment:
Calculations are based off of the raw (non-rounded) data. However, for reporting purposes all QC data is rounded to three significant figures.
Therefore, hand calculated values may differ slightly.



Definitions and Notes

Vertex Resource Services Inc.	Project Name:	Rattlesnake 13-12 Federal Com 001	
3101 Boyd Drive	Project Number:	01058-0007	Reported:
Carlsbad NM, 88220	Project Manager:	Chad Hensley	11/21/24 11:48

- ND Analyte NOT DETECTED at or above the reporting limit
- NR Not Reported
- RPD Relative Percent Difference
- DNI Did Not Ignite
- DNR Did not react with the addition of acid or base.

Note (1): Methods marked with ** are non-accredited methods.

Note (2): Soil data is reported on an "as received" weight basis, unless reported otherwise.



Chain of Custody

Invoice Information		Lab Use Only		TAT				State															
Company: Devon Energy		Lab WO#	Job Number	1D	2D	3D	Std	NM	CO	UT	TX												
Address: 5315 Buena Vista		E411107	01058-0007				x	x															
City, State, Zip: Carlsbad, NM, 88220																							
Phone: 575-689-7597																							
Email: Jim.Raley@devn.com																							
Miscellaneous:																							
Sample Information		Analysis and Method																					
Sample ID	Field	Filter	Lab Number	DRO/ORO by 8015	GRO/ORO by 8015	BTEX by 8021	VOC by 8260	Chloride 300.0	BGDOC - NM	TCEQ 1005 - TX	RCRA 8 Metals	Cation/Anion Pkg	EPA Program	SDWA	CWA	RCRA	Compliance	Y	or	N	PWSID #	Remarks	
BES24-01 @ 4.1'			1	X	X	X		X															
BES24-02 @ 4.1'			2	X	X	X		X															
BES24-03 @ 4.1'			3	X	X	X		X															
WES24-01 @ 0-4'			4	X	X	X		X															
WES24-02 @ 0-4'			5	X	X	X		X															
WES24-03 @ 0-4'			6	X	X	X		X															
BH24-08 @ 0'			7	X	X	X		X															
BH24-09 @ 0'			8	X	X	X		X															
BH24-10 @ 0'			9	X	X	X		X															
BH24-11 @ 0'			10	X	X	X		X															
02849 Jim Raley																							
Integrity of this sample. I am aware that tampering with or intentionally mislabeling the sample location, date or time of collection is considered fraud and may be grounds for legal action.																							
Date	Time	Received by: (Signature)	Date	Time	Samples requiring thermal preservation must be received on ice the day they are sampled or received packed in ice at an avg temp above 0 but less than 6 °C on subsequent days.																		
11-15-24	11:20am	Michelle Gonzales	11-15-24	11:20	Lab Use Only Received on ice: <input checked="" type="radio"/> Y <input type="radio"/> N T1 _____ T2 _____ T3 _____ AVG Temp °C 4																		
11-15-24	1:54S	Jim Raley	11-15-24	1:00																			
11-15-24	2:33P	Keith Moran	11-15-24	8:00																			
Aqueous, O - Other _____ Container Type: g - glass, p - poly/plastic, ag - amber glass, v - VOA																							
Results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at the client expense. The report for the analysis of the above samples is by the laboratory with this COC. The liability of the laboratory is limited to the amount paid for on the report.																							

Envirotech Analytical Laboratory

Printed: 11/18/2024 10:55:10AM

Sample Receipt Checklist (SRC)

Instructions: Please take note of any NO checkmarks.

If we receive no response concerning these items within 24 hours of the date of this notice, all the samples will be analyzed as requested.

Client:	Vertex Resource Services Inc.	Date Received:	11/18/24 08:00	Work Order ID:	E411167
Phone:	(575) 748-0176	Date Logged In:	11/15/24 15:06	Logged In By:	Noe Soto
Email:	chensley@vertexresources.com	Due Date:	11/22/24 17:00 (4 day TAT)		

Chain of Custody (COC)

1. Does the sample ID match the COC? Yes
2. Does the number of samples per sampling site location match the COC? Yes
3. Were samples dropped off by client or carrier? Yes
4. Was the COC complete, i.e., signatures, dates/times, requested analyses? Yes
5. Were all samples received within holding time? Yes

Note: Analysis, such as pH which should be conducted in the field, i.e., 15 minute hold time, are not included in this discussion.

Carrier: CourierComments/ResolutionSample Turn Around Time (TAT)

6. Did the COC indicate standard TAT, or Expedited TAT? Yes

Sample Cooler

7. Was a sample cooler received? Yes
8. If yes, was cooler received in good condition? Yes
9. Was the sample(s) received intact, i.e., not broken? Yes
10. Were custody/security seals present? No
11. If yes, were custody/security seals intact? NA
12. Was the sample received on ice? If yes, the recorded temp is 4°C, i.e., 6°±2°C Yes

Note: Thermal preservation is not required, if samples are received w/i 15 minutes of sampling

13. If no visible ice, record the temperature. Actual sample temperature: 4°C

Sample Container

14. Are aqueous VOC samples present? No
15. Are VOC samples collected in VOA Vials? NA
16. Is the head space less than 6-8 mm (pea sized or less)? NA
17. Was a trip blank (TB) included for VOC analyses? NA
18. Are non-VOC samples collected in the correct containers? Yes
19. Is the appropriate volume/weight or number of sample containers collected? Yes

Field Label

20. Were field sample labels filled out with the minimum information:
 - Sample ID? Yes
 - Date/Time Collected? Yes
 - Collectors name? No

Sample Preservation

21. Does the COC or field labels indicate the samples were preserved? No
22. Are sample(s) correctly preserved? NA
24. Is lab filtration required and/or requested for dissolved metals? No

Multiphase Sample Matrix

26. Does the sample have more than one phase, i.e., multiphase? No
27. If yes, does the COC specify which phase(s) is to be analyzed? NA

Subcontract Laboratory

28. Are samples required to get sent to a subcontract laboratory? No
29. Was a subcontract laboratory specified by the client and if so who? NA Subcontract Lab: NA

Client Instruction

Signature of client authorizing changes to the COC or sample disposition.

Date



envirotech Inc.

From: [Sally Carttar](#)
To: [Wells, Shelly, EMNRD](#); [Kent Stallings](#)
Subject: [EXTERNAL] Re: NAPP2424955027 RATTLESNAKE 13 12 FEDERAL COM #001H
Date: Wednesday, March 26, 2025 10:58:23 AM

CAUTION: This email originated outside of our organization. Exercise caution prior to clicking on links or opening attachments.

Hi Shelly,

Thanks so much for reaching out.

That sample was collected at 9' bgs. The lab report was correct; the 0' on the table must have been a typo.

Please let me know if you have any other questions!

Thanks,
Sally

From: Wells, Shelly, EMNRD <Shelly.Wells@emnrd.nm.gov>
Sent: Wednesday, March 26, 2025 10:40 AM
To: Sally Carttar <SCarttar@vertexresource.com>
Subject: NAPP2424955027 RATTLESNAKE 13 12 FEDERAL COM #001H

Caution: This email is from an external sender. Please take care when clicking links or opening attachments. When in doubt, contact your IT Department

Hi Sally,

I am reviewing the deferral request for the following incident NAPP2424955027 RATTLESNAKE 13 12 FEDERAL COM #001H and have questions for you. On pg. 9 you write this: Test pit TP25-03 could not be advanced beyond 9 feet due to proximity to production equipment, so additional test pits were collected at TP25-01 and TP25-02. Referring to Table 3, the sample TP 25-03 says it was collected at surface. When I refer to laboratory results on pg. 113, it says it was collected at 9'. Which is it?

I look forward to hearing back from you,

Shelly

Shelly Wells * Environmental Specialist-Advanced
Environmental Bureau
EMNRD-Oil Conservation Division
1220 S. St. Francis Drive|Santa Fe, NM 87505
(505)469-7520 Shelly.Wells@emnrd.nm.gov
<http://www.emnrd.state.nm.us/OCD/>

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS

Action 439560

QUESTIONS

Operator: DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID: 6137
	Action Number: 439560
	Action Type: [C-141] Deferral Request C-141 (C-141-v-Deferral)

QUESTIONS

Prerequisites	
Incident ID (n#)	nAPP2424955027
Incident Name	NAPP2424955027 RATTLESNAKE 13 12 FEDERAL COM #001H @ 30-025-40912
Incident Type	Oil Release
Incident Status	Deferral Request Received
Incident Well	[30-025-40912] RATTLESNAKE 13 12 FEDERAL COM #001H
Incident Facility	[fAPP2130624218] RATTLESNAKE 13-12 FED COM 1H WELLPAD

Location of Release Source*Please answer all the questions in this group.*

Site Name	RATTLESNAKE 13 12 FEDERAL COM #001H
Date Release Discovered	09/05/2024
Surface Owner	Federal

Incident Details*Please answer all the questions in this group.*

Incident Type	Oil Release
Did this release result in a fire or is the result of a fire	No
Did this release result in any injuries	No
Has this release reached or does it have a reasonable probability of reaching a watercourse	No
Has this release endangered or does it have a reasonable probability of endangering public health	No
Has this release substantially damaged or will it substantially damage property or the environment	No
Is this release of a volume that is or may with reasonable probability be detrimental to fresh water	No

Nature and Volume of Release*Material(s) released, please answer all that apply below. Any calculations or specific justifications for the volumes provided should be attached to the follow-up C-141 submission.*

Crude Oil Released (bbls) Details	Cause: Equipment Failure Flow Line - Production Crude Oil Released: 5 BBL Recovered: 1 BBL Lost: 4 BBL.
Produced Water Released (bbls) Details	Not answered.
Is the concentration of chloride in the produced water >10,000 mg/l	Yes
Condensate Released (bbls) Details	Not answered.
Natural Gas Vented (Mcf) Details	Not answered.
Natural Gas Flared (Mcf) Details	Not answered.
Other Released Details	Not answered.
Are there additional details for the questions above (i.e. any answer containing Other, Specify, Unknown, and/or Fire, or any negative lost amounts)	3" water dump line developed a pinhole leak. 5.4 bbls spilled onto pad. 1 bbl recovered. spill did not go offsite

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 2

Action 439560

QUESTIONS (continued)

Operator: DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID: 6137
	Action Number: 439560
	Action Type: [C-141] Deferral Request C-141 (C-141-v-Deferral)

QUESTIONS

Nature and Volume of Release (continued)	
Is this a gas only submission (i.e. only significant Mcf values reported)	More info needed to determine if this will be treated as a "gas only" report.
Was this a major release as defined by Subsection A of 19.15.29.7 NMAC	No
Reasons why this would be considered a submission for a notification of a major release	<i>Unavailable.</i>
<i>With the implementation of the 19.15.27 NMAC (05/25/2021), venting and/or flaring of natural gas (i.e. gas only) are to be submitted on the C-129 form.</i>	

Initial Response

The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury.

The source of the release has been stopped	True
The impacted area has been secured to protect human health and the environment	True
Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices	True
All free liquids and recoverable materials have been removed and managed appropriately	True
If all the actions described above have not been undertaken, explain why	<i>Not answered.</i>

Per Paragraph (4) of Subsection B of 19.15.29.8 NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please prepare and attach a narrative of actions to date in the follow-up C-141 submission. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see Subparagraph (a) of Paragraph (5) of Subsection A of 19.15.29.11 NMAC), please prepare and attach all information needed for closure evaluation in the follow-up C-141 submission.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

I hereby agree and sign off to the above statement	Name: James Raley Title: EHS Professional Email: jim.raley@dvn.com Date: 03/06/2025
--	--

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 3

Action 439560

QUESTIONS (continued)

Operator: DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID:
	6137
	Action Number: 439560
	Action Type: [C-141] Deferral Request C-141 (C-141-v-Deferral)

QUESTIONS

Site Characterization	
<i>Please answer all the questions in this group (only required when seeking remediation plan approval and beyond). This information must be provided to the appropriate district office no later than 90 days after the release discovery date.</i>	
What is the shallowest depth to groundwater beneath the area affected by the release in feet below ground surface (ft bgs)	Between 51 and 75 (ft.)
What method was used to determine the depth to ground water	U.S. Geological Survey
Did this release impact groundwater or surface water	No
What is the minimum distance, between the closest lateral extents of the release and the following surface areas:	
A continuously flowing watercourse or any other significant watercourse	Greater than 5 (mi.)
Any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)	Between 1 and 5 (mi.)
An occupied permanent residence, school, hospital, institution, or church	Greater than 5 (mi.)
A spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes	Greater than 5 (mi.)
Any other fresh water well or spring	Greater than 5 (mi.)
Incorporated municipal boundaries or a defined municipal fresh water well field	Greater than 5 (mi.)
A wetland	Between 1 and 5 (mi.)
A subsurface mine	Greater than 5 (mi.)
An (non-karst) unstable area	Greater than 5 (mi.)
Categorize the risk of this well / site being in a karst geology	Low
A 100-year floodplain	Greater than 5 (mi.)
Did the release impact areas not on an exploration, development, production, or storage site	No

Remediation Plan	
<i>Please answer all the questions that apply or are indicated. This information must be provided to the appropriate district office no later than 90 days after the release discovery date.</i>	
Requesting a remediation plan approval with this submission	Yes
<i>Attach a comprehensive report demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined, pursuant to 19.15.29.11 NMAC and 19.15.29.13 NMAC.</i>	
Have the lateral and vertical extents of contamination been fully delineated	Yes
Was this release entirely contained within a lined containment area	No
Soil Contamination Sampling: (Provide the highest observable value for each, in milligrams per kilograms.)	
Chloride (EPA 300.0 or SM4500 Cl B)	2110
TPH (GRO+DRO+MRO) (EPA SW-846 Method 8015M)	45150
GRO+DRO (EPA SW-846 Method 8015M)	11000
BTEX (EPA SW-846 Method 8021B or 8260B)	0
Benzene (EPA SW-846 Method 8021B or 8260B)	28.4
<i>Per Subsection B of 19.15.29.11 NMAC unless the site characterization report includes completed efforts at remediation, the report must include a proposed remediation plan in accordance with 19.15.29.12 NMAC, which includes the anticipated timelines for beginning and completing the remediation.</i>	
On what estimated date will the remediation commence	11/11/2024
On what date will (or did) the final sampling or liner inspection occur	12/05/2024
On what date will (or was) the remediation complete(d)	12/05/2025
What is the estimated surface area (in square feet) that will be reclaimed	0
What is the estimated volume (in cubic yards) that will be reclaimed	0
What is the estimated surface area (in square feet) that will be remediated	598
What is the estimated volume (in cubic yards) that will be remediated	22
<i>These estimated dates and measurements are recognized to be the best guess or calculation at the time of submission and may (be) change(d) over time as more remediation efforts are completed.</i>	
<i>The OCD recognizes that proposed remediation measures may have to be minimally adjusted in accordance with the physical realities encountered during remediation. If the responsible party has any need to significantly deviate from the remediation plan proposed, then it should consult with the division to determine if another remediation plan submission is required.</i>	

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 4

Action 439560

QUESTIONS (continued)

Operator: DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID: 6137
	Action Number: 439560
	Action Type: [C-141] Deferral Request C-141 (C-141-v-Deferral)

QUESTIONS

Remediation Plan (continued)	
<i>Please answer all the questions that apply or are indicated. This information must be provided to the appropriate district office no later than 90 days after the release discovery date.</i>	
This remediation will (or is expected to) utilize the following processes to remediate / reduce contaminants:	
<i>(Select all answers below that apply.)</i>	
(Ex Situ) Excavation and off-site disposal (i.e. dig and haul, hydrovac, etc.)	Yes
Which OCD approved facility will be used for off-site disposal	HALFWAY DISPOSAL AND LANDFILL [FEEM0112334510]
OR which OCD approved well (API) will be used for off-site disposal	Not answered.
OR is the off-site disposal site, to be used, out-of-state	Not answered.
OR is the off-site disposal site, to be used, an NMED facility	Not answered.
(Ex Situ) Excavation and on-site remediation (i.e. On-Site Land Farms)	Not answered.
(In Situ) Soil Vapor Extraction	Not answered.
(In Situ) Chemical processing (i.e. Soil Shredding, Potassium Permanganate, etc.)	Not answered.
(In Situ) Biological processing (i.e. Microbes / Fertilizer, etc.)	Not answered.
(In Situ) Physical processing (i.e. Soil Washing, Gypsum, Disking, etc.)	Not answered.
Ground Water Abatement pursuant to 19.15.30 NMAC	Not answered.
OTHER (Non-listed remedial process)	Not answered.
<i>Per Subsection B of 19.15.29.11 NMAC unless the site characterization report includes completed efforts at remediation, the report must include a proposed remediation plan in accordance with 19.15.29.12 NMAC, which includes the anticipated timelines for beginning and completing the remediation.</i>	
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.	
I hereby agree and sign off to the above statement	Name: James Raley Title: EHS Professional Email: jim.raley@dmv.com Date: 03/06/2025
<i>The OCD recognizes that proposed remediation measures may have to be minimally adjusted in accordance with the physical realities encountered during remediation. If the responsible party has any need to significantly deviate from the remediation plan proposed, then it should consult with the division to determine if another remediation plan submission is required.</i>	

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 5

Action 439560

QUESTIONS (continued)

Operator: DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID: 6137
	Action Number: 439560
	Action Type: [C-141] Deferral Request C-141 (C-141-v-Deferral)

QUESTIONS

Deferral Requests Only	
<i>Only answer the questions in this group if seeking a deferral upon approval this submission. Each of the following items must be confirmed as part of any request for deferral of remediation.</i>	
Requesting a deferral of the remediation closure due date with the approval of this submission	Yes
Have the lateral and vertical extents of contamination been fully delineated	Yes
Is the remaining contamination in areas immediately under or around production equipment where remediation could cause a major facility deconstruction	Yes
Please list or describe the production equipment and how (re)moving the equipment would cause major facility deconstruction	Pumpjacks, separators and supporting infrastructure.
What is the remaining surface area (in square feet) that will still need to be remediated if a deferral is granted	139
What is the remaining volume (in cubic yards) that will still need to be remediated if a deferral is granted	21
<i>Per Paragraph (2) of Subsection C of 19.15.29.12 NMAC if contamination is located in areas immediately under or around production equipment such as production tanks, wellheads and pipelines where remediation could cause a major facility deconstruction, the remediation, restoration and reclamation may be deferred with division written approval until the equipment is removed during other operations, or when the well or facility is plugged or abandoned, whichever comes first.</i>	
Enter the facility ID (f#) on which this deferral should be granted	Not answered.
Enter the well API (30-) on which this deferral should be granted	30-025-40912 RATTLESNAKE 13 12 FEDERAL COM #001H
Contamination does not cause an imminent risk to human health, the environment, or groundwater	True
<i>Per Subsection B of 19.15.29.11 NMAC unless the site characterization report includes completed efforts at remediation, the report must include a proposed remediation plan in accordance with 19.15.29.12 NMAC, which includes the anticipated timelines for beginning and completing the remediation.</i>	
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.	
I hereby agree and sign off to the above statement	Name: James Raley Title: EHS Professional Email: jim.raley@dv.com Date: 03/06/2025

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 6

Action 439560

QUESTIONS (continued)

Operator: DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID: 6137
	Action Number: 439560
	Action Type: [C-141] Deferral Request C-141 (C-141-v-Deferral)

QUESTIONS

Sampling Event Information	
Last sampling notification (C-141N) recorded	407772
Sampling date pursuant to Subparagraph (a) of Paragraph (1) of Subsection D of 19.15.29.12 NMAC	12/05/2024
What was the (estimated) number of samples that were to be gathered	69
What was the sampling surface area in square feet	10445

Remediation Closure Request

Only answer the questions in this group if seeking remediation closure for this release because all remediation steps have been completed.

Requesting a remediation closure approval with this submission	No
--	----

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 439560

CONDITIONS

Operator: DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID: 6137
	Action Number: 439560
	Action Type: [C-141] Deferral Request C-141 (C-141-v-Deferral)

CONDITIONS

Created By	Condition	Condition Date
scwells	Deferral approved. Deferral of BH 24-07 is approved until plugging and abandonment or a major facility deconstruction, whichever comes first. A complete and accurate remediation report and/or reclamation report will need to be submitted at that time. For future releases at this location, on the C-141 application, the minimum distance to a significant watercourse should be listed as 1-5 miles.	3/26/2025