



Corrective Action Proposal - Remediation

Incident Information

Date of report:	March 20, 2025	Etech PM:	Blake Estep
Site Name:	Walker HP Gas Line Release	Project No.:	21348
WES Contact:	Matthew Green	County:	Eddy
Site GPS: Latitude	32.136735	WES Incident:	55151
Longitude	-103.841981		

Incident Details

Date of Release: October 17, 2024
Cause of Release: Door of pigging barrel left open.

	Released	Recovered	Net Loss
Condensate	23 bbls.	0 bbls.	23 bbls.

Dimensions: L: 386' W: 92' D: 6"
Total square feet: 35,458
Total cubic yards: NA

Agency Notification	Yes	No
Courtesy Call	☐	☒
Reportable Release	☒	☐
Internal Report Only	☐	☒
H-8 Filed	☐	☒

NMOCD # nAPP2429241405

GW Data: Depth: 325' bgs
NMOSE#: C-03832

Distance to Site: 0.88 miles S
Surface Water: Yes ☐ No ☒
Sensitive: ☐ ☒

Impacted Area: Right of Way (ROW)

Proposed Corrective Action Method

Method: ☐ Remediate in-place ☐ Excavate/remediate ☐ Dig & Haul
☒ Other (Specify): Chemical remediation using microblaze

Reagents Used: ☒ Microblaze ☐ Frelco ☐ Clean Sorb ☐ None

Equipment Used: ☐ Backhoe ☐ Skid-steer ☐ Mini-Excavator ☐ Dozer
☐ Hand Tiller ☒ Manual Means ☒ Other (List): Application trailer

Yes	No	
☐	☒	Will E&P Waste be generated?
☐	☒	Will Class I non-hazardous waste be generated?
☐	☒	Will fresh material be required to restore site?

Approx. Cu. Yds.: NA Disposal Method: NA Disposal Facility: NA

Project Notes

Based on delineation data collected by Etech, microblaze will be applied to the areas associated with Floor Samples 36, 37, 46, 53, 60, 61, 65, 66 & 69 (approximately 1,800 sq ft) in an effort to remediate the impact chemically. Following the application, nine (9) confirmation soil samples will be collected from the remediated area and submit to be analyzed for Benzene, Toluene, Ethylbenzene, and Xylenes (BTEX), Total Petroleum Hydrocarbons (TPH), and chloride concentrations. Upon receipt of passing analytical data, a closure report will be generated and submitted to complete the project

Walker HP Gas Line Release

WES Incident #55151

Project #21348

Details of Proposed Scope

- Place a One Call for the established work area.
 - Spot all marked utilities within Etech's established work area.
- Utilize an Etech application trailer to apply a Microblaze/water mix to the areas associated with Floor Samples 36, 37, 46, 53, 60, 61, 65, 66 & 69 (approximately 1,800 sq ft).
 - The microblaze will be allowed to bioremediate impacts for at least one (1) week prior to collecting confirmation soil samples.
- Follow the bioremediation effort, collect nine (9) confirmation soil samples from the subject area and submit to be analyzed for Benzene, Toluene, Ethylbenzene, and Xylenes (BTEX), Total Petroleum Hydrocarbons (TPH), and chloride concentrations.
- Upon receipt of passing confirmation analytical data, generate and submit a formal Closure Report that includes: a summary of field activities, analytical results, photographic documentation, and confirmation sampling diagrams.

Estimated Cost

Description	Quantity	Hr. per Day	No. of Days	Total Units	Rate Per Unit	Sub Total
Project Manager I	1.00	10.75	1.00	13.00	\$155.00	\$2,015.00
Project Manager	1.00	14.00	1.00	17.00	\$120.00	\$2,040.00
Project Coordinator	1.00	11.00	3.50	38.50	\$65.00	\$2,502.50
Site Manager	1.00	10.00	3.00	36.00	\$95.00	\$3,420.00
Site Supervisor	1.00	7.50	2.00	18.00	\$90.00	\$1,620.00
Microblaze	10.00	1.00	1.00	10.00	\$42.00	\$420.00
Application trailer	1.00	1.00	1.00	1.00	\$225.00	\$225.00
Environmental Technician	2.00	14.00	2.00	67.25	\$65.00	\$4,371.25
Laboratory Cost (del & conf)	1.00	1.00	1.00	1.00	\$14,801.00	\$14,801.00
Laboratory Cost (add'l confirmation)	9.00	1.00	1.00	9.00	\$150.00	\$1,350.00
Est. Operator Mileage	275.00	1.00	1.00	330.00	\$1.50	\$495.00
Est. Non-Operator Mileage	1123.00	1.00	1.00	1350.00	\$0.80	\$1,080.00
Total						\$34,339.75

The proposed Scope of Work and Cost Estimate is based on understood conditions provided by Western Midstream. Should additional activities outside of the proposed SOW be required and/or total costs exceed the determination of allowable overages an amended SOW and Cost Estimate can be submitted for approval at the request of Western Midstream. All activities are billed on a time and material basis.

Yes No

- ☒ ☐ SOW is based on supporting lab data.
☒ ☐ Preliminary delineation and/or assessment costs are included in this CE.
☒ ☐ Site requires further sampling activities.



Blake Estep - Project Manager
Etech Environmental & Safety Solutions, Inc.

The undersigned hereby authorizes the above SOW to be performed, accepts the above cost estimate and is aware and in agreement with Etech's current Excavation and Trenching Policies.

By: Matthew Green

Signature: _____

Date: _____

Company: Western Midstream

Title: Environmental Representative

Walker HP Gas Line Release
WES Incident #55151
Project #21348

Pursuant to Etech's Excavation and Trenching Policies, Etech has re-defined excavation as any activities to where soil may be disturbed in vertical depths greater than four (4) inches below ground surface (bgs). The aforementioned soil disturbance/excavation activities may include but not be limited to;

- hand digging;
- hand auger;
- hand tillers; or
- any soil disturbance resulting from the use of heavy equipment.

Minimal Requirements prior to Etech's aforementioned SOW:

- Etech will place a One-Call line locate prior to any soil disturbance activities and the One-Call will remain current for the duration of the project.
- Etech will hand spot or utilize a hydro-excavator to spot all marked lines within our established work area.
- Etech will utilize an equipment spotter during any excavation activities to where an excavation exceeds four (4) inches in vertical depth with heavy equipment.
- Etech will not conduct any type of excavation activities within the cellar of any production well.
- Areas deemed not accessible with heavy equipment as determined by the supervisor and/or field project manager and/or the project manager, will not be excavated by any type of heavy equipment. Etech will require these areas to be manually excavated.
- Etech will not utilize heavy equipment use within a six (6) foot radius from a pumping unit and/or a well head and/or tank and/or vessel and/or any other type of oil and gas equipment if deemed unsafe.
- Etech will not utilize heavy equipment if overhead utility hazards exist.
- Etech requires operator to mark their underground utilities.




FIGURE 1

Site Location Map

Delaware Basin Midstream, LLC
Walker HP Gas Pipeline
Unit D Sec 13 T25S R30E
Eddy County, New Mexico



0 2,000 4,000 Feet




FIGURE 2

Confirmation Soil Sample Locations

Delaware Basin Midstream, LLC
Walker HP Gas Pipeline
Unit D Sec 13 T25S R30E
Eddy County, New Mexico



0 30 60 Feet

eTECH

TABLE 2

CONCENTRATIONS OF BTEX, TPH AND CHLORIDE IN SOIL

WESTERN MIDSTREAM

Walker HP Gas Line (Incident #55151)

Eddy County, New Mexico

All concentrations are reported in mg/kg

SAMPLE LOCATION	DEPTH	SAMPLE DATE	METHOD: SW 846-8021B							METHOD: 8015M				E 300.0	
			BENZENE	TOLUENE	ETHYL-BENZENE	m, p -XYLENES	o - XYLENE	TOTAL XYLENES	TOTAL BTEX	TPH GRO C ₆ -C ₁₂	TPH DRO C ₁₂ -C ₂₈	TPH ORO C ₂₈ -C ₃₅	TOTAL TPH C ₆ -C ₃₅	CHLORIDE	
NMOCD Limits			10 mg/kg						50 mg/kg					100 mg/kg	600 mg/kg
Floor Sample 01	0.3"	1/30/2025	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
Floor Sample 02	0.3"	1/30/2025	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
Floor Sample 03	0.3"	1/30/2025	ND	ND	ND	ND	ND	ND	ND	ND	70.2	ND	70.2	ND	
Floor Sample 04	0.3"	1/30/2025	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
Floor Sample 05	0.3"	1/30/2025	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	10.8	
Floor Sample 06	0.3"	1/30/2025	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
Floor Sample 07	0.3"	1/30/2025	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
Floor Sample 08	0.3"	1/30/2025	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
Floor Sample 09	0.3"	1/30/2025	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
Floor Sample 10	0.3"	1/30/2025	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
Floor Sample 11	0.3"	1/30/2025	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
Floor Sample 12	0.3"	1/30/2025	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
Floor Sample 13	0.3"	1/30/2025	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
Floor Sample 14	0.3"	1/30/2025	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
Floor Sample 15	0.3"	1/30/2025	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
Floor Sample 16	0.3"	1/30/2025	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
Floor Sample 17	0.3"	1/30/2025	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
Floor Sample 18	0.3"	1/30/2025	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	53.9	
Floor Sample 19	0.3"	1/30/2025	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	12.3	
Floor Sample 20	0.3"	1/30/2025	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	22.9	
Floor Sample 21	0.3"	1/30/2025	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	22.7	
Floor Sample 22	0.3"	1/30/2025	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	17.5	
Floor Sample 23	0.3"	1/30/2025	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
Floor Sample 24	0.3"	1/30/2025	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
Floor Sample 25	0.3"	1/30/2025	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
Floor Sample 26	0.3"	1/30/2025	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
Floor Sample 27	0.3"	1/30/2025	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
Floor Sample 28	0.3"	1/30/2025	ND	ND	ND	ND	ND	ND	ND	ND	50.6	ND	50.6	ND	
Floor Sample 29	0.3"	1/30/2025	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
Floor Sample 30	0.3"	1/30/2025	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
Floor Sample 31	0.3"	1/30/2025	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	52.9	
Floor Sample 32	0.3"	1/30/2025	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
Floor Sample 33	0.3"	1/30/2025	ND	ND	ND	ND	ND	ND	ND	ND	89.9	ND	89.9	ND	
Floor Sample 34	0.3"	1/30/2025	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
Floor Sample 35	0.3"	1/30/2025	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	

TABLE 2

CONCENTRATIONS OF BTEX, TPH AND CHLORIDE IN SOIL

WESTERN MIDSTREAM

Walker HP Gas Line (Incident #55151)

Eddy County, New Mexico

All concentrations are reported in mg/kg

SAMPLE LOCATION	DEPTH	SAMPLE DATE	METHOD: SW 846-8021B							METHOD: 8015M				E 300.0
			BENZENE	TOLUENE	ETHYL-BENZENE	m, p -XYLENES	o - XYLENE	TOTAL XYLENES	TOTAL BTEX	TPH GRO C ₆ -C ₁₂	TPH DRO C ₁₂ -C ₂₈	TPH ORO C ₂₈ -C ₃₅	TOTAL TPH C ₆ -C ₃₅	CHLORIDE
NMOCD Limits			10 mg/kg						50 mg/kg				100 mg/kg	600 mg/kg
Floor Sample 36	0.3"	1/30/2025	ND	ND	ND	ND	ND	ND	ND	ND	119	ND	119	ND
Floor Sample 37	0.3"	1/30/2025	ND	ND	ND	ND	ND	ND	ND	ND	202	ND	202	ND
Floor Sample 38	0.3"	1/30/2025	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	73.7
Floor Sample 39	0.3"	1/30/2025	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Floor Sample 40	0.3"	1/30/2025	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Floor Sample 41	0.3"	1/30/2025	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Floor Sample 42	0.3"	1/30/2025	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Floor Sample 43	0.3"	1/30/2025	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Floor Sample 44	0.3"	1/30/2025	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	27.6
Floor Sample 45	0.3"	1/30/2025	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Floor Sample 46	0.3"	1/30/2025	ND	ND	ND	ND	ND	ND	ND	ND	204	ND	204	ND
Floor Sample 47	0.3"	1/30/2025	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Floor Sample 48	0.3"	1/30/2025	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Floor Sample 49	0.3"	1/30/2025	ND	ND	ND	ND	ND	ND	ND	ND	50.6	ND	50.6	189
Floor Sample 50	0.3"	1/30/2025	ND	ND	ND	ND	ND	ND	ND	ND	90.2	ND	90.2	ND
Floor Sample 51	0.3"	1/30/2025	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	12.1
Floor Sample 52	0.3"	1/30/2025	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Floor Sample 53	0.3"	1/30/2025	ND	ND	ND	ND	ND	ND	ND	ND	337	ND	337	ND
Floor Sample 54	0.3"	1/30/2025	ND	ND	ND	ND	ND	ND	ND	ND	81.8	ND	81.8	14.4
Floor Sample 55	0.3"	1/30/2025	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Floor Sample 56	0.3"	1/30/2025	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	22.6
Floor Sample 57	0.3"	1/30/2025	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	15.9
Floor Sample 58	0.3"	1/30/2025	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Floor Sample 59	0.3"	1/30/2025	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Floor Sample 60	0.3"	1/30/2025	ND	ND	ND	ND	ND	ND	ND	ND	117	ND	117	ND
Floor Sample 61	0.3"	1/30/2025	ND	ND	ND	ND	ND	ND	ND	ND	259	ND	259	ND
Floor Sample 62	0.3"	1/30/2025	ND	ND	ND	ND	ND	ND	ND	ND	86.5	ND	86.5	ND
Floor Sample 63	0.3"	1/30/2025	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	11.3
Floor Sample 64	0.3"	1/30/2025	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Floor Sample 65	0.3"	1/30/2025	ND	ND	ND	ND	ND	ND	ND	ND	131	ND	131	ND
Floor Sample 66	0.3"	1/30/2025	ND	ND	ND	0.00547	0.147	0.152	0.152	ND	237	ND	237	ND
Floor Sample 67	0.3"	1/30/2025	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Floor Sample 68	0.3"	1/30/2025	ND	ND	ND	ND	ND	ND	ND	ND	101	ND	75.4	ND
Floor Sample 69	0.3"	1/30/2025	ND	ND	ND	ND	ND	ND	ND	ND	114	ND	114	13.1
Floor Sample 70	0.3"	1/30/2025	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND

TABLE 2

CONCENTRATIONS OF BTEX, TPH AND CHLORIDE IN SOIL

WESTERN MIDSTREAM

Walker HP Gas Line (Incident #55151)

Eddy County, New Mexico

All concentrations are reported in mg/kg

SAMPLE LOCATION	DEPTH	SAMPLE DATE	METHOD: SW 846-8021B							METHOD: 8015M				E 300.0
			BENZENE	TOLUENE	ETHYL-BENZENE	m, p - XYLENES	o - XYLENE	TOTAL XYLENES	TOTAL BTEX	TPH GRO C ₆ -C ₁₂	TPH DRO C ₁₂ -C ₂₈	TPH ORO C ₂₈ -C ₃₅	TOTAL TPH C ₆ -C ₃₅	CHLORIDE
NMOCD Limits			10 mg/kg						50 mg/kg				100 mg/kg	600 mg/kg
Floor Sample 71	0.3"	1/30/2025	ND	ND	ND	ND	ND	ND	ND	ND	107	ND	95.2	ND
Sidewall 01	0-0.3"	1/30/2025	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	10.1
Sidewall 02	0-0.3"	1/30/2025	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	17.3
Sidewall 03	0-0.3"	1/30/2025	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	11.0
Sidewall 04	0-0.3"	1/30/2025	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Sidewall 05	0-0.3"	1/30/2025	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Sidewall 06	0-0.3"	1/30/2025	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	123.0
Sidewall 07	0-0.3"	1/30/2025	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND

Bold and Yellow Highlighted indicates Analyte Above NMOCD Regulatory Limit

ND - Analyte Not Detected at or above the laboratory reporting limit

Walker HP Gas Line
WES Incident # 55151
Project # 21348

Photographic Documentation



North view of the site during the initial site assessment.



Southwest view of the site during the initial site assessment.

Walker HP Gas Line
WES Incident # 55151
Project # 21348



Northeast view of the site during delineation activities.



West view of the site during delineation activities.

Walker HP Gas Line
WES Incident # 55151
Project # 21348



Northeast view of the site during confirmation sampling.



Southwest view of the site during confirmation sampling.



Environment Testing

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

ANALYTICAL REPORT

PREPARED FOR

Attn: Blake Estep
Etech Environmental & Safety Solutions
PO BOX 62228
Midland, Texas 79711
Generated 11/18/2024 2:09:04 PM

JOB DESCRIPTION

Walker HP Gasline Rel
21348

JOB NUMBER

880-51112-1

Eurofins Midland
1211 W. Florida Ave
Midland TX 79701


Eurofins Midland

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

Analytical test results meet all requirements of the associated regulatory program (i.e., NELAC (TNI), DoD, and ISO 17025) unless otherwise noted under the individual analysis.

Authorization



Generated
11/18/2024 2:09:04 PM

Authorized for release by
Jessica Kramer, Project Manager
Jessica.Kramer@et.eurofinsus.com
(432)704-5440

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gasline Rel

Laboratory Job ID: 880-51112-1
SDG: 21348

Table of Contents

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	5
Client Sample Results	6
Surrogate Summary	32
QC Sample Results	34
QC Association Summary	42
Lab Chronicle	50
Certification Summary	60
Method Summary	61
Sample Summary	62
Chain of Custody	63
Receipt Checklists	67

1

2

3

4

5

6

7

8

9

10

11

12

13

14

Definitions/Glossary

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gasline Rel

Job ID: 880-51112-1
SDG: 21348

Qualifiers

GC VOA

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

GC Semi VOA

Qualifier	Qualifier Description
F1	MS and/or MSD recovery exceeds control limits.
S1-	Surrogate recovery exceeds control limits, low biased.
S1+	Surrogate recovery exceeds control limits, high biased.
U	Indicates the analyte was analyzed for but not detected.

HPLC/IC

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: Etech Environmental & Safety Solutions
Project: Walker HP Gasline Rel

Job ID: 880-51112-1

Job ID: 880-51112-1

Eurofins Midland

Job Narrative 880-51112-1

Analytical test results meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page unless otherwise noted under the individual analysis. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable.

- Matrix QC may not be reported if insufficient sample is provided or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD may be performed, unless otherwise specified in the method.
- Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

Receipt

The samples were received on 11/14/2024 3:29 PM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 4.5°C.

GC VOA

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Diesel Range Organics

Method 8015MOD_NM: An incorrect volume of surrogate spiking solution was inadvertently added the following samples: (LCS 880-95777/2-A) and (LCSD 880-95777/3-A). Percent recoveries are based on the amount spiked.

Method 8015MOD_NM: The surrogate recovery for the blank associated with preparation batch 880-95777 and analytical batch 880-95805 was outside the upper control limits.

Method 8015MOD_NM: The surrogate recovery for the blank associated with preparation batch 880-95776 and analytical batch 880-95803 was outside the upper control limits.

Method 8015MOD_NM: Surrogate recovery for the following sample was outside control limits: (LCSD 880-95776/3-A). Evidence of matrix interferences is not obvious.

Method 8015MOD_NM: The matrix spike / matrix spike duplicate (MS/MSD) recoveries for preparation batch 880-95776 and analytical batch 880-95803 were outside control limits for one or more analytes. See QC Sample Results for detail. Sample matrix interference and/or non-homogeneity are suspected because the associated laboratory control sample (LCS) recovery is within acceptance limits.

Method 8015MOD_NM: Surrogate recovery for the following samples were outside control limits: Augr Hole 1 (880-51112-1), Augr Hole 2 (880-51112-3), Augr Hole 2 (880-51112-4), Augr Hole 3 (880-51112-5), Augr Hole 4 (880-51112-7), Augr Hole 4 (880-51112-8), Augr Hole 5 (880-51112-9), Augr Hole 5 (880-51112-10), Augr Hole 6 (880-51112-11), Augr Hole 6 (880-51112-12), Augr Hole 7 (880-51112-13), Augr Hole 7 (880-51112-14), Augr Hole 8 (880-51112-15), Augr Hole 8 (880-51112-16), Augr Hole 9 (880-51112-17), Augr Hole 9 (880-51112-18), Augr Hole 10 (880-51112-19), (880-51112-A-1-F MS) and (880-51112-A-1-G MSD). Evidence of matrix interferences is not obvious.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

HPLC/IC

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Midland

Client Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gasline Rel

Job ID: 880-51112-1
SDG: 21348

Client Sample ID: Augr Hole 1

Lab Sample ID: 880-51112-1

Date Collected: 11/12/24 12:00

Matrix: Solid

Date Received: 11/14/24 15:29

Sample Depth: 0-5"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		11/15/24 08:17	11/15/24 11:30	1
Toluene	<0.00200	U	0.00200		mg/Kg		11/15/24 08:17	11/15/24 11:30	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		11/15/24 08:17	11/15/24 11:30	1
m-Xylene & p-Xylene	<0.00399	U	0.00399		mg/Kg		11/15/24 08:17	11/15/24 11:30	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		11/15/24 08:17	11/15/24 11:30	1
Xylenes, Total	<0.00399	U	0.00399		mg/Kg		11/15/24 08:17	11/15/24 11:30	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	111		70 - 130	11/15/24 08:17	11/15/24 11:30	1
1,4-Difluorobenzene (Surr)	102		70 - 130	11/15/24 08:17	11/15/24 11:30	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00399	U	0.00399		mg/Kg			11/15/24 11:30	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			11/15/24 12:45	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		11/15/24 08:23	11/15/24 12:45	1
Diesel Range Organics (Over C10-C28)	<50.0	U F1	50.0		mg/Kg		11/15/24 08:23	11/15/24 12:45	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		11/15/24 08:23	11/15/24 12:45	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	89		70 - 130	11/15/24 08:23	11/15/24 12:45	1
o-Terphenyl	69	S1-	70 - 130	11/15/24 08:23	11/15/24 12:45	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	30.0		9.96		mg/Kg			11/15/24 16:41	1

Client Sample ID: Augr Hole 1

Lab Sample ID: 880-51112-2

Date Collected: 11/12/24 12:05

Matrix: Solid

Date Received: 11/14/24 15:29

Sample Depth: 4'

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00201	U	0.00201		mg/Kg		11/15/24 08:17	11/15/24 11:50	1
Toluene	<0.00201	U	0.00201		mg/Kg		11/15/24 08:17	11/15/24 11:50	1
Ethylbenzene	<0.00201	U	0.00201		mg/Kg		11/15/24 08:17	11/15/24 11:50	1
m-Xylene & p-Xylene	<0.00402	U	0.00402		mg/Kg		11/15/24 08:17	11/15/24 11:50	1
o-Xylene	<0.00201	U	0.00201		mg/Kg		11/15/24 08:17	11/15/24 11:50	1
Xylenes, Total	<0.00402	U	0.00402		mg/Kg		11/15/24 08:17	11/15/24 11:50	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	113		70 - 130	11/15/24 08:17	11/15/24 11:50	1

Eurofins Midland

Client Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gasline Rel

Job ID: 880-51112-1
SDG: 21348

Client Sample ID: Augr Hole 1

Lab Sample ID: 880-51112-2

Date Collected: 11/12/24 12:05

Matrix: Solid

Date Received: 11/14/24 15:29

Sample Depth: 4'

Method: SW846 8021B - Volatile Organic Compounds (GC) (Continued)

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,4-Difluorobenzene (Surr)	103		70 - 130	11/15/24 08:17	11/15/24 11:50	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00402	U	0.00402		mg/Kg			11/15/24 11:50	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			11/15/24 13:34	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		11/15/24 08:23	11/15/24 13:34	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		11/15/24 08:23	11/15/24 13:34	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		11/15/24 08:23	11/15/24 13:34	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	94		70 - 130				11/15/24 08:23	11/15/24 13:34	1
o-Terphenyl	70		70 - 130				11/15/24 08:23	11/15/24 13:34	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	33.4		10.0		mg/Kg			11/15/24 16:48	1

Client Sample ID: Augr Hole 2

Lab Sample ID: 880-51112-3

Date Collected: 11/12/24 12:10

Matrix: Solid

Date Received: 11/14/24 15:29

Sample Depth: 0-5"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		11/15/24 08:17	11/15/24 12:10	1
Toluene	<0.00199	U	0.00199		mg/Kg		11/15/24 08:17	11/15/24 12:10	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		11/15/24 08:17	11/15/24 12:10	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		11/15/24 08:17	11/15/24 12:10	1
o-Xylene	<0.00199	U	0.00199		mg/Kg		11/15/24 08:17	11/15/24 12:10	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		11/15/24 08:17	11/15/24 12:10	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	113		70 - 130	11/15/24 08:17	11/15/24 12:10	1
1,4-Difluorobenzene (Surr)	102		70 - 130	11/15/24 08:17	11/15/24 12:10	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			11/15/24 12:10	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.8	U	49.8		mg/Kg			11/15/24 13:50	1

Eurofins Midland

Client Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gasline Rel

Job ID: 880-51112-1
SDG: 21348

Client Sample ID: Augr Hole 2

Lab Sample ID: 880-51112-3

Date Collected: 11/12/24 12:10

Matrix: Solid

Date Received: 11/14/24 15:29

Sample Depth: 0-5"

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.8	U	49.8		mg/Kg		11/15/24 08:23	11/15/24 13:50	1
Diesel Range Organics (Over C10-C28)	<49.8	U	49.8		mg/Kg		11/15/24 08:23	11/15/24 13:50	1
Oil Range Organics (Over C28-C36)	<49.8	U	49.8		mg/Kg		11/15/24 08:23	11/15/24 13:50	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	88		70 - 130				11/15/24 08:23	11/15/24 13:50	1
o-Terphenyl	67	S1-	70 - 130				11/15/24 08:23	11/15/24 13:50	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	23.6		9.90		mg/Kg			11/15/24 16:55	1

Client Sample ID: Augr Hole 2

Lab Sample ID: 880-51112-4

Date Collected: 11/12/24 12:15

Matrix: Solid

Date Received: 11/14/24 15:29

Sample Depth: 4'

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00198	U	0.00198		mg/Kg		11/15/24 08:17	11/15/24 12:31	1
Toluene	<0.00198	U	0.00198		mg/Kg		11/15/24 08:17	11/15/24 12:31	1
Ethylbenzene	<0.00198	U	0.00198		mg/Kg		11/15/24 08:17	11/15/24 12:31	1
m-Xylene & p-Xylene	<0.00396	U	0.00396		mg/Kg		11/15/24 08:17	11/15/24 12:31	1
o-Xylene	<0.00198	U	0.00198		mg/Kg		11/15/24 08:17	11/15/24 12:31	1
Xylenes, Total	<0.00396	U	0.00396		mg/Kg		11/15/24 08:17	11/15/24 12:31	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	113		70 - 130				11/15/24 08:17	11/15/24 12:31	1
1,4-Difluorobenzene (Surr)	102		70 - 130				11/15/24 08:17	11/15/24 12:31	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00396	U	0.00396		mg/Kg			11/15/24 12:31	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			11/15/24 14:06	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	49.9		mg/Kg		11/15/24 08:23	11/15/24 14:06	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		11/15/24 08:23	11/15/24 14:06	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		11/15/24 08:23	11/15/24 14:06	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	82		70 - 130				11/15/24 08:23	11/15/24 14:06	1
o-Terphenyl	63	S1-	70 - 130				11/15/24 08:23	11/15/24 14:06	1

Eurofins Midland

Client Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gasline Rel

Job ID: 880-51112-1
SDG: 21348

Client Sample ID: Augr Hole 2

Lab Sample ID: 880-51112-4

Date Collected: 11/12/24 12:15

Matrix: Solid

Date Received: 11/14/24 15:29

Sample Depth: 4'

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	31.4		10.1		mg/Kg			11/15/24 17:01	1

Client Sample ID: Augr Hole 3

Lab Sample ID: 880-51112-5

Date Collected: 11/12/24 12:20

Matrix: Solid

Date Received: 11/14/24 15:29

Sample Depth: 0-5"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		11/15/24 08:17	11/15/24 12:51	1
Toluene	<0.00200	U	0.00200		mg/Kg		11/15/24 08:17	11/15/24 12:51	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		11/15/24 08:17	11/15/24 12:51	1
m-Xylene & p-Xylene	<0.00399	U	0.00399		mg/Kg		11/15/24 08:17	11/15/24 12:51	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		11/15/24 08:17	11/15/24 12:51	1
Xylenes, Total	<0.00399	U	0.00399		mg/Kg		11/15/24 08:17	11/15/24 12:51	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	114		70 - 130				11/15/24 08:17	11/15/24 12:51	1
1,4-Difluorobenzene (Surr)	103		70 - 130				11/15/24 08:17	11/15/24 12:51	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00399	U	0.00399		mg/Kg			11/15/24 12:51	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			11/15/24 14:23	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		11/15/24 08:23	11/15/24 14:23	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		11/15/24 08:23	11/15/24 14:23	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		11/15/24 08:23	11/15/24 14:23	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	82		70 - 130				11/15/24 08:23	11/15/24 14:23	1
o-Terphenyl	61	S1-	70 - 130				11/15/24 08:23	11/15/24 14:23	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	28.6		10.1		mg/Kg			11/15/24 17:08	1

Eurofins Midland

Client Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gasline Rel

Job ID: 880-51112-1
SDG: 21348

Client Sample ID: Augr Hole 3

Lab Sample ID: 880-51112-6

Date Collected: 11/12/24 12:25

Matrix: Solid

Date Received: 11/14/24 15:29

Sample Depth: 4'

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00201	U	0.00201		mg/Kg		11/15/24 08:17	11/15/24 13:12	1
Toluene	<0.00201	U	0.00201		mg/Kg		11/15/24 08:17	11/15/24 13:12	1
Ethylbenzene	<0.00201	U	0.00201		mg/Kg		11/15/24 08:17	11/15/24 13:12	1
m-Xylene & p-Xylene	<0.00402	U	0.00402		mg/Kg		11/15/24 08:17	11/15/24 13:12	1
o-Xylene	<0.00201	U	0.00201		mg/Kg		11/15/24 08:17	11/15/24 13:12	1
Xylenes, Total	<0.00402	U	0.00402		mg/Kg		11/15/24 08:17	11/15/24 13:12	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	115		70 - 130	11/15/24 08:17	11/15/24 13:12	1
1,4-Difluorobenzene (Surr)	103		70 - 130	11/15/24 08:17	11/15/24 13:12	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00402	U	0.00402		mg/Kg			11/15/24 13:12	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			11/15/24 14:39	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	49.9		mg/Kg		11/15/24 08:23	11/15/24 14:39	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		11/15/24 08:23	11/15/24 14:39	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		11/15/24 08:23	11/15/24 14:39	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	101		70 - 130	11/15/24 08:23	11/15/24 14:39	1
o-Terphenyl	74		70 - 130	11/15/24 08:23	11/15/24 14:39	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	144		10.0		mg/Kg			11/15/24 17:28	1

Client Sample ID: Augr Hole 4

Lab Sample ID: 880-51112-7

Date Collected: 11/12/24 12:30

Matrix: Solid

Date Received: 11/14/24 15:29

Sample Depth: 0-5"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		11/15/24 08:17	11/15/24 13:32	1
Toluene	<0.00199	U	0.00199		mg/Kg		11/15/24 08:17	11/15/24 13:32	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		11/15/24 08:17	11/15/24 13:32	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		11/15/24 08:17	11/15/24 13:32	1
o-Xylene	<0.00199	U	0.00199		mg/Kg		11/15/24 08:17	11/15/24 13:32	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		11/15/24 08:17	11/15/24 13:32	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	114		70 - 130	11/15/24 08:17	11/15/24 13:32	1

Eurofins Midland

Client Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gasline Rel

Job ID: 880-51112-1
SDG: 21348

Client Sample ID: Augr Hole 4

Lab Sample ID: 880-51112-7

Date Collected: 11/12/24 12:30

Matrix: Solid

Date Received: 11/14/24 15:29

Sample Depth: 0-5"

Method: SW846 8021B - Volatile Organic Compounds (GC) (Continued)

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,4-Difluorobenzene (Surr)	103		70 - 130	11/15/24 08:17	11/15/24 13:32	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			11/15/24 13:32	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.7	U	49.7		mg/Kg			11/15/24 14:55	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.7	U	49.7		mg/Kg		11/15/24 08:23	11/15/24 14:55	1
Diesel Range Organics (Over C10-C28)	<49.7	U	49.7		mg/Kg		11/15/24 08:23	11/15/24 14:55	1
Oil Range Organics (Over C28-C36)	<49.7	U	49.7		mg/Kg		11/15/24 08:23	11/15/24 14:55	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	78		70 - 130				11/15/24 08:23	11/15/24 14:55	1
o-Terphenyl	57	S1-	70 - 130				11/15/24 08:23	11/15/24 14:55	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	30.5		10.0		mg/Kg			11/15/24 17:35	1

Client Sample ID: Augr Hole 4

Lab Sample ID: 880-51112-8

Date Collected: 11/12/24 12:35

Matrix: Solid

Date Received: 11/14/24 15:29

Sample Depth: 4'

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		11/15/24 08:17	11/15/24 13:53	1
Toluene	<0.00199	U	0.00199		mg/Kg		11/15/24 08:17	11/15/24 13:53	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		11/15/24 08:17	11/15/24 13:53	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		11/15/24 08:17	11/15/24 13:53	1
o-Xylene	<0.00199	U	0.00199		mg/Kg		11/15/24 08:17	11/15/24 13:53	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		11/15/24 08:17	11/15/24 13:53	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	116		70 - 130	11/15/24 08:17	11/15/24 13:53	1
1,4-Difluorobenzene (Surr)	102		70 - 130	11/15/24 08:17	11/15/24 13:53	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			11/15/24 13:53	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			11/15/24 15:12	1

Eurofins Midland

Client Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gasline Rel

Job ID: 880-51112-1
SDG: 21348

Client Sample ID: Augr Hole 4

Lab Sample ID: 880-51112-8

Date Collected: 11/12/24 12:35

Matrix: Solid

Date Received: 11/14/24 15:29

Sample Depth: 4'

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		11/15/24 08:23	11/15/24 15:12	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		11/15/24 08:23	11/15/24 15:12	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		11/15/24 08:23	11/15/24 15:12	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	91		70 - 130				11/15/24 08:23	11/15/24 15:12	1
o-Terphenyl	68	S1-	70 - 130				11/15/24 08:23	11/15/24 15:12	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<10.0	U	10.0		mg/Kg			11/15/24 17:55	1

Client Sample ID: Augr Hole 5

Lab Sample ID: 880-51112-9

Date Collected: 11/12/24 12:40

Matrix: Solid

Date Received: 11/14/24 15:29

Sample Depth: 0-5"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		11/15/24 08:17	11/15/24 14:13	1
Toluene	<0.00200	U	0.00200		mg/Kg		11/15/24 08:17	11/15/24 14:13	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		11/15/24 08:17	11/15/24 14:13	1
m-Xylene & p-Xylene	<0.00399	U	0.00399		mg/Kg		11/15/24 08:17	11/15/24 14:13	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		11/15/24 08:17	11/15/24 14:13	1
Xylenes, Total	<0.00399	U	0.00399		mg/Kg		11/15/24 08:17	11/15/24 14:13	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	116		70 - 130				11/15/24 08:17	11/15/24 14:13	1
1,4-Difluorobenzene (Surr)	102		70 - 130				11/15/24 08:17	11/15/24 14:13	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00399	U	0.00399		mg/Kg			11/15/24 14:13	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			11/15/24 15:28	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	49.9		mg/Kg		11/15/24 08:23	11/15/24 15:28	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		11/15/24 08:23	11/15/24 15:28	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		11/15/24 08:23	11/15/24 15:28	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	78		70 - 130				11/15/24 08:23	11/15/24 15:28	1
o-Terphenyl	58	S1-	70 - 130				11/15/24 08:23	11/15/24 15:28	1

Eurofins Midland

Client Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gasline Rel

Job ID: 880-51112-1
SDG: 21348

Client Sample ID: Augr Hole 5

Lab Sample ID: 880-51112-9

Date Collected: 11/12/24 12:40

Matrix: Solid

Date Received: 11/14/24 15:29

Sample Depth: 0-5"

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<9.90	U	9.90		mg/Kg			11/15/24 18:01	1

Client Sample ID: Augr Hole 5

Lab Sample ID: 880-51112-10

Date Collected: 11/12/24 12:45

Matrix: Solid

Date Received: 11/14/24 15:29

Sample Depth: 4'

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00202	U	0.00202		mg/Kg		11/15/24 08:17	11/15/24 14:34	1
Toluene	<0.00202	U	0.00202		mg/Kg		11/15/24 08:17	11/15/24 14:34	1
Ethylbenzene	<0.00202	U	0.00202		mg/Kg		11/15/24 08:17	11/15/24 14:34	1
m-Xylene & p-Xylene	<0.00403	U	0.00403		mg/Kg		11/15/24 08:17	11/15/24 14:34	1
o-Xylene	<0.00202	U	0.00202		mg/Kg		11/15/24 08:17	11/15/24 14:34	1
Xylenes, Total	<0.00403	U	0.00403		mg/Kg		11/15/24 08:17	11/15/24 14:34	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	113		70 - 130				11/15/24 08:17	11/15/24 14:34	1
1,4-Difluorobenzene (Surr)	101		70 - 130				11/15/24 08:17	11/15/24 14:34	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00403	U	0.00403		mg/Kg			11/15/24 14:34	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.8	U	49.8		mg/Kg			11/15/24 15:44	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.8	U	49.8		mg/Kg		11/15/24 08:23	11/15/24 15:44	1
Diesel Range Organics (Over C10-C28)	<49.8	U	49.8		mg/Kg		11/15/24 08:23	11/15/24 15:44	1
Oil Range Organics (Over C28-C36)	<49.8	U	49.8		mg/Kg		11/15/24 08:23	11/15/24 15:44	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	86		70 - 130				11/15/24 08:23	11/15/24 15:44	1
o-Terphenyl	63	S1-	70 - 130				11/15/24 08:23	11/15/24 15:44	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<9.90	U	9.90		mg/Kg			11/15/24 18:08	1

Eurofins Midland

Client Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gasline Rel

Job ID: 880-51112-1
SDG: 21348

Client Sample ID: Augr Hole 6

Lab Sample ID: 880-51112-11

Date Collected: 11/12/24 12:50

Matrix: Solid

Date Received: 11/14/24 15:29

Sample Depth: 0-5"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		11/15/24 08:17	11/15/24 16:08	1
Toluene	<0.00200	U	0.00200		mg/Kg		11/15/24 08:17	11/15/24 16:08	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		11/15/24 08:17	11/15/24 16:08	1
m-Xylene & p-Xylene	<0.00401	U	0.00401		mg/Kg		11/15/24 08:17	11/15/24 16:08	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		11/15/24 08:17	11/15/24 16:08	1
Xylenes, Total	<0.00401	U	0.00401		mg/Kg		11/15/24 08:17	11/15/24 16:08	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	116		70 - 130	11/15/24 08:17	11/15/24 16:08	1
1,4-Difluorobenzene (Surr)	100		70 - 130	11/15/24 08:17	11/15/24 16:08	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00401	U	0.00401		mg/Kg			11/15/24 16:08	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			11/15/24 16:16	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	49.9		mg/Kg		11/15/24 08:23	11/15/24 16:16	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		11/15/24 08:23	11/15/24 16:16	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		11/15/24 08:23	11/15/24 16:16	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	88		70 - 130	11/15/24 08:23	11/15/24 16:16	1
o-Terphenyl	63	S1-	70 - 130	11/15/24 08:23	11/15/24 16:16	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	23.8		10.1		mg/Kg			11/15/24 18:15	1

Client Sample ID: Augr Hole 6

Lab Sample ID: 880-51112-12

Date Collected: 11/12/24 12:55

Matrix: Solid

Date Received: 11/14/24 15:29

Sample Depth: 4'

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00202	U	0.00202		mg/Kg		11/15/24 08:17	11/15/24 16:28	1
Toluene	<0.00202	U	0.00202		mg/Kg		11/15/24 08:17	11/15/24 16:28	1
Ethylbenzene	<0.00202	U	0.00202		mg/Kg		11/15/24 08:17	11/15/24 16:28	1
m-Xylene & p-Xylene	<0.00404	U	0.00404		mg/Kg		11/15/24 08:17	11/15/24 16:28	1
o-Xylene	<0.00202	U	0.00202		mg/Kg		11/15/24 08:17	11/15/24 16:28	1
Xylenes, Total	<0.00404	U	0.00404		mg/Kg		11/15/24 08:17	11/15/24 16:28	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	118		70 - 130	11/15/24 08:17	11/15/24 16:28	1

Eurofins Midland

Client Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gasline Rel

Job ID: 880-51112-1
SDG: 21348

Client Sample ID: Augr Hole 6

Lab Sample ID: 880-51112-12

Date Collected: 11/12/24 12:55

Matrix: Solid

Date Received: 11/14/24 15:29

Sample Depth: 4'

Method: SW846 8021B - Volatile Organic Compounds (GC) (Continued)

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,4-Difluorobenzene (Surr)	101		70 - 130	11/15/24 08:17	11/15/24 16:28	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00404	U	0.00404		mg/Kg			11/15/24 16:28	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			11/15/24 16:33	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		11/15/24 08:23	11/15/24 16:33	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		11/15/24 08:23	11/15/24 16:33	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		11/15/24 08:23	11/15/24 16:33	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	87		70 - 130				11/15/24 08:23	11/15/24 16:33	1
o-Terphenyl	65	S1-	70 - 130				11/15/24 08:23	11/15/24 16:33	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<9.96	U	9.96		mg/Kg			11/15/24 18:21	1

Client Sample ID: Augr Hole 7

Lab Sample ID: 880-51112-13

Date Collected: 11/12/24 13:00

Matrix: Solid

Date Received: 11/14/24 15:29

Sample Depth: 0-5"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		11/15/24 08:17	11/15/24 16:49	1
Toluene	<0.00199	U	0.00199		mg/Kg		11/15/24 08:17	11/15/24 16:49	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		11/15/24 08:17	11/15/24 16:49	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		11/15/24 08:17	11/15/24 16:49	1
o-Xylene	<0.00199	U	0.00199		mg/Kg		11/15/24 08:17	11/15/24 16:49	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		11/15/24 08:17	11/15/24 16:49	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	120		70 - 130	11/15/24 08:17	11/15/24 16:49	1
1,4-Difluorobenzene (Surr)	101		70 - 130	11/15/24 08:17	11/15/24 16:49	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			11/15/24 16:49	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.8	U	49.8		mg/Kg			11/15/24 16:49	1

Eurofins Midland

Client Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gasline Rel

Job ID: 880-51112-1
SDG: 21348

Client Sample ID: Augr Hole 7

Lab Sample ID: 880-51112-13

Date Collected: 11/12/24 13:00

Matrix: Solid

Date Received: 11/14/24 15:29

Sample Depth: 0-5"

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.8	U	49.8		mg/Kg		11/15/24 08:23	11/15/24 16:49	1
Diesel Range Organics (Over C10-C28)	<49.8	U	49.8		mg/Kg		11/15/24 08:23	11/15/24 16:49	1
Oil Range Organics (Over C28-C36)	<49.8	U	49.8		mg/Kg		11/15/24 08:23	11/15/24 16:49	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	86		70 - 130				11/15/24 08:23	11/15/24 16:49	1
o-Terphenyl	64	S1-	70 - 130				11/15/24 08:23	11/15/24 16:49	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<9.92	U	9.92		mg/Kg			11/15/24 18:28	1

Client Sample ID: Augr Hole 7

Lab Sample ID: 880-51112-14

Date Collected: 11/12/24 13:05

Matrix: Solid

Date Received: 11/14/24 15:29

Sample Depth: 4'

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		11/15/24 08:17	11/15/24 17:09	1
Toluene	<0.00200	U	0.00200		mg/Kg		11/15/24 08:17	11/15/24 17:09	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		11/15/24 08:17	11/15/24 17:09	1
m-Xylene & p-Xylene	<0.00401	U	0.00401		mg/Kg		11/15/24 08:17	11/15/24 17:09	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		11/15/24 08:17	11/15/24 17:09	1
Xylenes, Total	<0.00401	U	0.00401		mg/Kg		11/15/24 08:17	11/15/24 17:09	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	120		70 - 130				11/15/24 08:17	11/15/24 17:09	1
1,4-Difluorobenzene (Surr)	101		70 - 130				11/15/24 08:17	11/15/24 17:09	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00401	U	0.00401		mg/Kg			11/15/24 17:09	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.8	U	49.8		mg/Kg			11/15/24 17:05	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.8	U	49.8		mg/Kg		11/15/24 08:23	11/15/24 17:05	1
Diesel Range Organics (Over C10-C28)	<49.8	U	49.8		mg/Kg		11/15/24 08:23	11/15/24 17:05	1
Oil Range Organics (Over C28-C36)	<49.8	U	49.8		mg/Kg		11/15/24 08:23	11/15/24 17:05	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	84		70 - 130				11/15/24 08:23	11/15/24 17:05	1
o-Terphenyl	63	S1-	70 - 130				11/15/24 08:23	11/15/24 17:05	1

Eurofins Midland

Client Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gasline Rel

Job ID: 880-51112-1
SDG: 21348

Client Sample ID: Augr Hole 7

Lab Sample ID: 880-51112-14

Date Collected: 11/12/24 13:05

Matrix: Solid

Date Received: 11/14/24 15:29

Sample Depth: 4'

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<10.1	U	10.1		mg/Kg			11/15/24 18:35	1

Client Sample ID: Augr Hole 8

Lab Sample ID: 880-51112-15

Date Collected: 11/12/24 13:10

Matrix: Solid

Date Received: 11/14/24 15:29

Sample Depth: 0-5"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		11/15/24 08:17	11/15/24 17:29	1
Toluene	<0.00200	U	0.00200		mg/Kg		11/15/24 08:17	11/15/24 17:29	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		11/15/24 08:17	11/15/24 17:29	1
m-Xylene & p-Xylene	<0.00401	U	0.00401		mg/Kg		11/15/24 08:17	11/15/24 17:29	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		11/15/24 08:17	11/15/24 17:29	1
Xylenes, Total	<0.00401	U	0.00401		mg/Kg		11/15/24 08:17	11/15/24 17:29	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	118		70 - 130				11/15/24 08:17	11/15/24 17:29	1
1,4-Difluorobenzene (Surr)	100		70 - 130				11/15/24 08:17	11/15/24 17:29	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00401	U	0.00401		mg/Kg			11/15/24 17:29	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			11/15/24 17:21	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	49.9		mg/Kg		11/15/24 08:23	11/15/24 17:21	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		11/15/24 08:23	11/15/24 17:21	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		11/15/24 08:23	11/15/24 17:21	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	83		70 - 130				11/15/24 08:23	11/15/24 17:21	1
o-Terphenyl	61	S1-	70 - 130				11/15/24 08:23	11/15/24 17:21	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<10.0	U	10.0		mg/Kg			11/15/24 18:24	1

Eurofins Midland

Client Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gasline Rel

Job ID: 880-51112-1
SDG: 21348

Client Sample ID: Augr Hole 8

Lab Sample ID: 880-51112-16

Date Collected: 11/12/24 13:15

Matrix: Solid

Date Received: 11/14/24 15:29

Sample Depth: 1'

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		11/15/24 08:17	11/15/24 17:50	1
Toluene	<0.00200	U	0.00200		mg/Kg		11/15/24 08:17	11/15/24 17:50	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		11/15/24 08:17	11/15/24 17:50	1
m-Xylene & p-Xylene	<0.00399	U	0.00399		mg/Kg		11/15/24 08:17	11/15/24 17:50	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		11/15/24 08:17	11/15/24 17:50	1
Xylenes, Total	<0.00399	U	0.00399		mg/Kg		11/15/24 08:17	11/15/24 17:50	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	121		70 - 130	11/15/24 08:17	11/15/24 17:50	1
1,4-Difluorobenzene (Surr)	100		70 - 130	11/15/24 08:17	11/15/24 17:50	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00399	U	0.00399		mg/Kg			11/15/24 17:50	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			11/15/24 17:38	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		11/15/24 08:23	11/15/24 17:38	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		11/15/24 08:23	11/15/24 17:38	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		11/15/24 08:23	11/15/24 17:38	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	85		70 - 130	11/15/24 08:23	11/15/24 17:38	1
o-Terphenyl	62	S1-	70 - 130	11/15/24 08:23	11/15/24 17:38	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	25.0		10.0		mg/Kg			11/15/24 18:40	1

Client Sample ID: Augr Hole 9

Lab Sample ID: 880-51112-17

Date Collected: 11/12/24 13:20

Matrix: Solid

Date Received: 11/14/24 15:29

Sample Depth: 0-5"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		11/15/24 08:17	11/15/24 18:10	1
Toluene	<0.00199	U	0.00199		mg/Kg		11/15/24 08:17	11/15/24 18:10	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		11/15/24 08:17	11/15/24 18:10	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		11/15/24 08:17	11/15/24 18:10	1
o-Xylene	<0.00199	U	0.00199		mg/Kg		11/15/24 08:17	11/15/24 18:10	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		11/15/24 08:17	11/15/24 18:10	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	119		70 - 130	11/15/24 08:17	11/15/24 18:10	1

Eurofins Midland

Client Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gasline Rel

Job ID: 880-51112-1
SDG: 21348

Client Sample ID: Augr Hole 9

Lab Sample ID: 880-51112-17

Date Collected: 11/12/24 13:20

Matrix: Solid

Date Received: 11/14/24 15:29

Sample Depth: 0-5"

Method: SW846 8021B - Volatile Organic Compounds (GC) (Continued)

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,4-Difluorobenzene (Surr)	101		70 - 130	11/15/24 08:17	11/15/24 18:10	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			11/15/24 18:10	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.7	U	49.7		mg/Kg			11/15/24 17:54	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.7	U	49.7		mg/Kg		11/15/24 08:23	11/15/24 17:54	1
Diesel Range Organics (Over C10-C28)	<49.7	U	49.7		mg/Kg		11/15/24 08:23	11/15/24 17:54	1
Oil Range Organics (Over C28-C36)	<49.7	U	49.7		mg/Kg		11/15/24 08:23	11/15/24 17:54	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	92		70 - 130				11/15/24 08:23	11/15/24 17:54	1
o-Terphenyl	67	S1-	70 - 130				11/15/24 08:23	11/15/24 17:54	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<10.1	U	10.1		mg/Kg			11/15/24 18:45	1

Client Sample ID: Augr Hole 9

Lab Sample ID: 880-51112-18

Date Collected: 11/12/24 13:25

Matrix: Solid

Date Received: 11/14/24 15:29

Sample Depth: 1'

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00201	U	0.00201		mg/Kg		11/15/24 08:17	11/15/24 18:31	1
Toluene	<0.00201	U	0.00201		mg/Kg		11/15/24 08:17	11/15/24 18:31	1
Ethylbenzene	<0.00201	U	0.00201		mg/Kg		11/15/24 08:17	11/15/24 18:31	1
m-Xylene & p-Xylene	<0.00402	U	0.00402		mg/Kg		11/15/24 08:17	11/15/24 18:31	1
o-Xylene	<0.00201	U	0.00201		mg/Kg		11/15/24 08:17	11/15/24 18:31	1
Xylenes, Total	<0.00402	U	0.00402		mg/Kg		11/15/24 08:17	11/15/24 18:31	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	121		70 - 130	11/15/24 08:17	11/15/24 18:31	1
1,4-Difluorobenzene (Surr)	100		70 - 130	11/15/24 08:17	11/15/24 18:31	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00402	U	0.00402		mg/Kg			11/15/24 18:31	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			11/15/24 18:11	1

Eurofins Midland

Client Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gasline Rel

Job ID: 880-51112-1
SDG: 21348

Client Sample ID: Augr Hole 9

Lab Sample ID: 880-51112-18

Date Collected: 11/12/24 13:25

Matrix: Solid

Date Received: 11/14/24 15:29

Sample Depth: 1'

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	49.9		mg/Kg		11/15/24 08:23	11/15/24 18:11	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		11/15/24 08:23	11/15/24 18:11	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		11/15/24 08:23	11/15/24 18:11	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	86		70 - 130				11/15/24 08:23	11/15/24 18:11	1
o-Terphenyl	63	S1-	70 - 130				11/15/24 08:23	11/15/24 18:11	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	23.1		9.92		mg/Kg			11/15/24 18:51	1

Client Sample ID: Augr Hole 10

Lab Sample ID: 880-51112-19

Date Collected: 11/12/24 13:30

Matrix: Solid

Date Received: 11/14/24 15:29

Sample Depth: 0-5"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00201	U	0.00201		mg/Kg		11/15/24 08:17	11/15/24 18:51	1
Toluene	<0.00201	U	0.00201		mg/Kg		11/15/24 08:17	11/15/24 18:51	1
Ethylbenzene	<0.00201	U	0.00201		mg/Kg		11/15/24 08:17	11/15/24 18:51	1
m-Xylene & p-Xylene	<0.00402	U	0.00402		mg/Kg		11/15/24 08:17	11/15/24 18:51	1
o-Xylene	<0.00201	U	0.00201		mg/Kg		11/15/24 08:17	11/15/24 18:51	1
Xylenes, Total	<0.00402	U	0.00402		mg/Kg		11/15/24 08:17	11/15/24 18:51	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	121		70 - 130				11/15/24 08:17	11/15/24 18:51	1
1,4-Difluorobenzene (Surr)	100		70 - 130				11/15/24 08:17	11/15/24 18:51	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00402	U	0.00402		mg/Kg			11/15/24 18:51	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			11/15/24 18:27	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		11/15/24 08:23	11/15/24 18:27	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		11/15/24 08:23	11/15/24 18:27	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		11/15/24 08:23	11/15/24 18:27	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	89		70 - 130				11/15/24 08:23	11/15/24 18:27	1
o-Terphenyl	66	S1-	70 - 130				11/15/24 08:23	11/15/24 18:27	1

Eurofins Midland

Client Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gasline Rel

Job ID: 880-51112-1
SDG: 21348

Client Sample ID: Augr Hole 10

Lab Sample ID: 880-51112-19

Date Collected: 11/12/24 13:30

Matrix: Solid

Date Received: 11/14/24 15:29

Sample Depth: 0-5"

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	24.1		10.1		mg/Kg			11/15/24 18:56	1

Client Sample ID: Augr Hole 10

Lab Sample ID: 880-51112-20

Date Collected: 11/12/24 13:35

Matrix: Solid

Date Received: 11/14/24 15:29

Sample Depth: 1'

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00202	U	0.00202		mg/Kg		11/15/24 08:17	11/15/24 19:12	1
Toluene	<0.00202	U	0.00202		mg/Kg		11/15/24 08:17	11/15/24 19:12	1
Ethylbenzene	<0.00202	U	0.00202		mg/Kg		11/15/24 08:17	11/15/24 19:12	1
m-Xylene & p-Xylene	<0.00404	U	0.00404		mg/Kg		11/15/24 08:17	11/15/24 19:12	1
o-Xylene	<0.00202	U	0.00202		mg/Kg		11/15/24 08:17	11/15/24 19:12	1
Xylenes, Total	<0.00404	U	0.00404		mg/Kg		11/15/24 08:17	11/15/24 19:12	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	124		70 - 130				11/15/24 08:17	11/15/24 19:12	1
1,4-Difluorobenzene (Surr)	100		70 - 130				11/15/24 08:17	11/15/24 19:12	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00404	U	0.00404		mg/Kg			11/15/24 19:12	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.8	U	49.8		mg/Kg			11/15/24 18:43	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.8	U	49.8		mg/Kg		11/15/24 08:23	11/15/24 18:43	1
Diesel Range Organics (Over C10-C28)	<49.8	U	49.8		mg/Kg		11/15/24 08:23	11/15/24 18:43	1
Oil Range Organics (Over C28-C36)	<49.8	U	49.8		mg/Kg		11/15/24 08:23	11/15/24 18:43	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	98		70 - 130				11/15/24 08:23	11/15/24 18:43	1
o-Terphenyl	73		70 - 130				11/15/24 08:23	11/15/24 18:43	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<9.98	U	9.98		mg/Kg			11/15/24 19:12	1

Eurofins Midland

Client Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gasline Rel

Job ID: 880-51112-1
SDG: 21348

Client Sample ID: Augr Hole 11

Lab Sample ID: 880-51112-21

Date Collected: 11/12/24 13:40

Matrix: Solid

Date Received: 11/14/24 15:29

Sample Depth: 0-5"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		11/15/24 08:20	11/15/24 11:31	1
Toluene	<0.00200	U	0.00200		mg/Kg		11/15/24 08:20	11/15/24 11:31	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		11/15/24 08:20	11/15/24 11:31	1
m-Xylene & p-Xylene	<0.00399	U	0.00399		mg/Kg		11/15/24 08:20	11/15/24 11:31	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		11/15/24 08:20	11/15/24 11:31	1
Xylenes, Total	<0.00399	U	0.00399		mg/Kg		11/15/24 08:20	11/15/24 11:31	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	103		70 - 130	11/15/24 08:20	11/15/24 11:31	1
1,4-Difluorobenzene (Surr)	102		70 - 130	11/15/24 08:20	11/15/24 11:31	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00399	U	0.00399		mg/Kg			11/15/24 11:31	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			11/15/24 12:45	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	49.9		mg/Kg		11/15/24 08:26	11/15/24 12:45	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		11/15/24 08:26	11/15/24 12:45	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		11/15/24 08:26	11/15/24 12:45	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	96		70 - 130	11/15/24 08:26	11/15/24 12:45	1
o-Terphenyl	86		70 - 130	11/15/24 08:26	11/15/24 12:45	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	34.7		9.96		mg/Kg			11/15/24 19:17	1

Client Sample ID: Augr Hole 11

Lab Sample ID: 880-51112-22

Date Collected: 11/12/24 13:45

Matrix: Solid

Date Received: 11/14/24 15:29

Sample Depth: 1'

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00201	U	0.00201		mg/Kg		11/15/24 08:20	11/15/24 11:52	1
Toluene	<0.00201	U	0.00201		mg/Kg		11/15/24 08:20	11/15/24 11:52	1
Ethylbenzene	<0.00201	U	0.00201		mg/Kg		11/15/24 08:20	11/15/24 11:52	1
m-Xylene & p-Xylene	<0.00402	U	0.00402		mg/Kg		11/15/24 08:20	11/15/24 11:52	1
o-Xylene	<0.00201	U	0.00201		mg/Kg		11/15/24 08:20	11/15/24 11:52	1
Xylenes, Total	<0.00402	U	0.00402		mg/Kg		11/15/24 08:20	11/15/24 11:52	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	104		70 - 130	11/15/24 08:20	11/15/24 11:52	1

Eurofins Midland

Client Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gasline Rel

Job ID: 880-51112-1
SDG: 21348

Client Sample ID: Augr Hole 11

Lab Sample ID: 880-51112-22

Date Collected: 11/12/24 13:45

Matrix: Solid

Date Received: 11/14/24 15:29

Sample Depth: 1'

Method: SW846 8021B - Volatile Organic Compounds (GC) (Continued)

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,4-Difluorobenzene (Surr)	102		70 - 130	11/15/24 08:20	11/15/24 11:52	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00402	U	0.00402		mg/Kg			11/15/24 11:52	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			11/15/24 13:50	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		11/15/24 08:26	11/15/24 13:50	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		11/15/24 08:26	11/15/24 13:50	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		11/15/24 08:26	11/15/24 13:50	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	95		70 - 130				11/15/24 08:26	11/15/24 13:50	1
o-Terphenyl	84		70 - 130				11/15/24 08:26	11/15/24 13:50	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	44.8		10.0		mg/Kg			11/15/24 19:22	1

Client Sample ID: Augr Hole 12

Lab Sample ID: 880-51112-23

Date Collected: 11/12/24 13:50

Matrix: Solid

Date Received: 11/14/24 15:29

Sample Depth: 0-5"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		11/15/24 08:20	11/15/24 12:12	1
Toluene	<0.00199	U	0.00199		mg/Kg		11/15/24 08:20	11/15/24 12:12	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		11/15/24 08:20	11/15/24 12:12	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		11/15/24 08:20	11/15/24 12:12	1
o-Xylene	<0.00199	U	0.00199		mg/Kg		11/15/24 08:20	11/15/24 12:12	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		11/15/24 08:20	11/15/24 12:12	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	104		70 - 130	11/15/24 08:20	11/15/24 12:12	1
1,4-Difluorobenzene (Surr)	102		70 - 130	11/15/24 08:20	11/15/24 12:12	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			11/15/24 12:12	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			11/15/24 14:06	1

Eurofins Midland

Client Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gasline Rel

Job ID: 880-51112-1
SDG: 21348

Client Sample ID: Augr Hole 12

Lab Sample ID: 880-51112-23

Date Collected: 11/12/24 13:50

Matrix: Solid

Date Received: 11/14/24 15:29

Sample Depth: 0-5"

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	49.9		mg/Kg		11/15/24 08:26	11/15/24 14:06	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		11/15/24 08:26	11/15/24 14:06	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		11/15/24 08:26	11/15/24 14:06	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	91		70 - 130				11/15/24 08:26	11/15/24 14:06	1
o-Terphenyl	81		70 - 130				11/15/24 08:26	11/15/24 14:06	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<9.90	U	9.90		mg/Kg			11/15/24 19:28	1

Client Sample ID: Augr Hole 12

Lab Sample ID: 880-51112-24

Date Collected: 11/12/24 13:55

Matrix: Solid

Date Received: 11/14/24 15:29

Sample Depth: 1'

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00198	U	0.00198		mg/Kg		11/15/24 08:20	11/15/24 12:33	1
Toluene	<0.00198	U	0.00198		mg/Kg		11/15/24 08:20	11/15/24 12:33	1
Ethylbenzene	<0.00198	U	0.00198		mg/Kg		11/15/24 08:20	11/15/24 12:33	1
m-Xylene & p-Xylene	<0.00396	U	0.00396		mg/Kg		11/15/24 08:20	11/15/24 12:33	1
o-Xylene	<0.00198	U	0.00198		mg/Kg		11/15/24 08:20	11/15/24 12:33	1
Xylenes, Total	<0.00396	U	0.00396		mg/Kg		11/15/24 08:20	11/15/24 12:33	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	105		70 - 130				11/15/24 08:20	11/15/24 12:33	1
1,4-Difluorobenzene (Surr)	101		70 - 130				11/15/24 08:20	11/15/24 12:33	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00396	U	0.00396		mg/Kg			11/15/24 12:33	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.8	U	49.8		mg/Kg			11/15/24 14:23	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.8	U	49.8		mg/Kg		11/15/24 08:26	11/15/24 14:23	1
Diesel Range Organics (Over C10-C28)	<49.8	U	49.8		mg/Kg		11/15/24 08:26	11/15/24 14:23	1
Oil Range Organics (Over C28-C36)	<49.8	U	49.8		mg/Kg		11/15/24 08:26	11/15/24 14:23	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	102		70 - 130				11/15/24 08:26	11/15/24 14:23	1
o-Terphenyl	91		70 - 130				11/15/24 08:26	11/15/24 14:23	1

Eurofins Midland

Client Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gasline Rel

Job ID: 880-51112-1
SDG: 21348

Client Sample ID: Augr Hole 12

Lab Sample ID: 880-51112-24

Date Collected: 11/12/24 13:55

Matrix: Solid

Date Received: 11/14/24 15:29

Sample Depth: 1'

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<10.1	U	10.1		mg/Kg			11/15/24 19:33	1

Client Sample ID: Augr Hole 13

Lab Sample ID: 880-51112-25

Date Collected: 11/12/24 14:00

Matrix: Solid

Date Received: 11/14/24 15:29

Sample Depth: 0-5"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		11/15/24 08:20	11/15/24 12:53	1
Toluene	<0.00200	U	0.00200		mg/Kg		11/15/24 08:20	11/15/24 12:53	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		11/15/24 08:20	11/15/24 12:53	1
m-Xylene & p-Xylene	<0.00399	U	0.00399		mg/Kg		11/15/24 08:20	11/15/24 12:53	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		11/15/24 08:20	11/15/24 12:53	1
Xylenes, Total	<0.00399	U	0.00399		mg/Kg		11/15/24 08:20	11/15/24 12:53	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	102		70 - 130				11/15/24 08:20	11/15/24 12:53	1
1,4-Difluorobenzene (Surr)	101		70 - 130				11/15/24 08:20	11/15/24 12:53	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00399	U	0.00399		mg/Kg			11/15/24 12:53	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			11/15/24 14:39	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		11/15/24 08:26	11/15/24 14:39	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		11/15/24 08:26	11/15/24 14:39	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		11/15/24 08:26	11/15/24 14:39	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	98		70 - 130				11/15/24 08:26	11/15/24 14:39	1
o-Terphenyl	86		70 - 130				11/15/24 08:26	11/15/24 14:39	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	25.6		10.1		mg/Kg			11/15/24 19:38	1

Eurofins Midland

Client Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gasline Rel

Job ID: 880-51112-1
SDG: 21348

Client Sample ID: Augr Hole 13

Lab Sample ID: 880-51112-26

Date Collected: 11/12/24 14:05

Matrix: Solid

Date Received: 11/14/24 15:29

Sample Depth: 1'

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00201	U	0.00201		mg/Kg		11/15/24 08:20	11/15/24 13:13	1
Toluene	<0.00201	U	0.00201		mg/Kg		11/15/24 08:20	11/15/24 13:13	1
Ethylbenzene	<0.00201	U	0.00201		mg/Kg		11/15/24 08:20	11/15/24 13:13	1
m-Xylene & p-Xylene	<0.00402	U	0.00402		mg/Kg		11/15/24 08:20	11/15/24 13:13	1
o-Xylene	<0.00201	U	0.00201		mg/Kg		11/15/24 08:20	11/15/24 13:13	1
Xylenes, Total	<0.00402	U	0.00402		mg/Kg		11/15/24 08:20	11/15/24 13:13	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	105		70 - 130				11/15/24 08:20	11/15/24 13:13	1
1,4-Difluorobenzene (Surr)	101		70 - 130				11/15/24 08:20	11/15/24 13:13	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00402	U	0.00402		mg/Kg			11/15/24 13:13	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.8	U	49.8		mg/Kg			11/15/24 14:55	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.8	U	49.8		mg/Kg		11/15/24 08:26	11/15/24 14:55	1
Diesel Range Organics (Over C10-C28)	<49.8	U	49.8		mg/Kg		11/15/24 08:26	11/15/24 14:55	1
Oil Range Organics (Over C28-C36)	<49.8	U	49.8		mg/Kg		11/15/24 08:26	11/15/24 14:55	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	103		70 - 130				11/15/24 08:26	11/15/24 14:55	1
o-Terphenyl	91		70 - 130				11/15/24 08:26	11/15/24 14:55	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<10.0	U	10.0		mg/Kg			11/15/24 19:54	1

Client Sample ID: Augr Hole 14

Lab Sample ID: 880-51112-27

Date Collected: 11/12/24 14:10

Matrix: Solid

Date Received: 11/14/24 15:29

Sample Depth: 0-5"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		11/15/24 08:20	11/15/24 13:34	1
Toluene	<0.00199	U	0.00199		mg/Kg		11/15/24 08:20	11/15/24 13:34	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		11/15/24 08:20	11/15/24 13:34	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		11/15/24 08:20	11/15/24 13:34	1
o-Xylene	<0.00199	U	0.00199		mg/Kg		11/15/24 08:20	11/15/24 13:34	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		11/15/24 08:20	11/15/24 13:34	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	105		70 - 130				11/15/24 08:20	11/15/24 13:34	1

Eurofins Midland

Client Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gasline Rel

Job ID: 880-51112-1
SDG: 21348

Client Sample ID: Augr Hole 14

Lab Sample ID: 880-51112-27

Date Collected: 11/12/24 14:10

Matrix: Solid

Date Received: 11/14/24 15:29

Sample Depth: 0-5"

Method: SW846 8021B - Volatile Organic Compounds (GC) (Continued)

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,4-Difluorobenzene (Surr)	101		70 - 130	11/15/24 08:20	11/15/24 13:34	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			11/15/24 13:34	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			11/15/24 15:12	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		11/15/24 08:26	11/15/24 15:12	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		11/15/24 08:26	11/15/24 15:12	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		11/15/24 08:26	11/15/24 15:12	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	95		70 - 130				11/15/24 08:26	11/15/24 15:12	1
o-Terphenyl	85		70 - 130				11/15/24 08:26	11/15/24 15:12	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<10.0	U	10.0		mg/Kg			11/15/24 19:59	1

Client Sample ID: Augr Hole 14

Lab Sample ID: 880-51112-28

Date Collected: 11/12/24 14:15

Matrix: Solid

Date Received: 11/14/24 15:29

Sample Depth: 1'

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		11/15/24 08:20	11/15/24 13:54	1
Toluene	<0.00199	U	0.00199		mg/Kg		11/15/24 08:20	11/15/24 13:54	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		11/15/24 08:20	11/15/24 13:54	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		11/15/24 08:20	11/15/24 13:54	1
o-Xylene	<0.00199	U	0.00199		mg/Kg		11/15/24 08:20	11/15/24 13:54	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		11/15/24 08:20	11/15/24 13:54	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	103		70 - 130				11/15/24 08:20	11/15/24 13:54	1
1,4-Difluorobenzene (Surr)	101		70 - 130				11/15/24 08:20	11/15/24 13:54	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			11/15/24 13:54	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.8	U	49.8		mg/Kg			11/15/24 15:28	1

Eurofins Midland

Client Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gasline Rel

Job ID: 880-51112-1
SDG: 21348

Client Sample ID: Augr Hole 14

Lab Sample ID: 880-51112-28

Date Collected: 11/12/24 14:15

Matrix: Solid

Date Received: 11/14/24 15:29

Sample Depth: 1'

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.8	U	49.8		mg/Kg		11/15/24 08:26	11/15/24 15:28	1
Diesel Range Organics (Over C10-C28)	<49.8	U	49.8		mg/Kg		11/15/24 08:26	11/15/24 15:28	1
Oil Range Organics (Over C28-C36)	<49.8	U	49.8		mg/Kg		11/15/24 08:26	11/15/24 15:28	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	107		70 - 130				11/15/24 08:26	11/15/24 15:28	1
o-Terphenyl	95		70 - 130				11/15/24 08:26	11/15/24 15:28	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<10.0	U	10.0		mg/Kg			11/15/24 20:15	1

Client Sample ID: Augr Hole 15

Lab Sample ID: 880-51112-29

Date Collected: 11/12/24 14:20

Matrix: Solid

Date Received: 11/14/24 15:29

Sample Depth: 0-5"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		11/15/24 08:20	11/15/24 14:15	1
Toluene	<0.00200	U	0.00200		mg/Kg		11/15/24 08:20	11/15/24 14:15	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		11/15/24 08:20	11/15/24 14:15	1
m-Xylene & p-Xylene	<0.00399	U	0.00399		mg/Kg		11/15/24 08:20	11/15/24 14:15	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		11/15/24 08:20	11/15/24 14:15	1
Xylenes, Total	<0.00399	U	0.00399		mg/Kg		11/15/24 08:20	11/15/24 14:15	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	105		70 - 130				11/15/24 08:20	11/15/24 14:15	1
1,4-Difluorobenzene (Surr)	101		70 - 130				11/15/24 08:20	11/15/24 14:15	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00399	U	0.00399		mg/Kg			11/15/24 14:15	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			11/15/24 15:44	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	49.9		mg/Kg		11/15/24 08:26	11/15/24 15:44	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		11/15/24 08:26	11/15/24 15:44	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		11/15/24 08:26	11/15/24 15:44	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	95		70 - 130				11/15/24 08:26	11/15/24 15:44	1
o-Terphenyl	83		70 - 130				11/15/24 08:26	11/15/24 15:44	1

Eurofins Midland

Client Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gasline Rel

Job ID: 880-51112-1
SDG: 21348

Client Sample ID: Augr Hole 15

Lab Sample ID: 880-51112-29

Date Collected: 11/12/24 14:20

Matrix: Solid

Date Received: 11/14/24 15:29

Sample Depth: 0-5"

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	22.1		9.90		mg/Kg			11/15/24 20:20	1

Client Sample ID: Augr Hole 15

Lab Sample ID: 880-51112-30

Date Collected: 11/12/24 14:25

Matrix: Solid

Date Received: 11/14/24 15:29

Sample Depth: 1'

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00202	U	0.00202		mg/Kg		11/15/24 08:20	11/15/24 14:35	1
Toluene	<0.00202	U	0.00202		mg/Kg		11/15/24 08:20	11/15/24 14:35	1
Ethylbenzene	<0.00202	U	0.00202		mg/Kg		11/15/24 08:20	11/15/24 14:35	1
m-Xylene & p-Xylene	<0.00403	U	0.00403		mg/Kg		11/15/24 08:20	11/15/24 14:35	1
o-Xylene	<0.00202	U	0.00202		mg/Kg		11/15/24 08:20	11/15/24 14:35	1
Xylenes, Total	<0.00403	U	0.00403		mg/Kg		11/15/24 08:20	11/15/24 14:35	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	106		70 - 130				11/15/24 08:20	11/15/24 14:35	1
1,4-Difluorobenzene (Surr)	100		70 - 130				11/15/24 08:20	11/15/24 14:35	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00403	U	0.00403		mg/Kg			11/15/24 14:35	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			11/15/24 16:16	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	49.9		mg/Kg		11/15/24 08:26	11/15/24 16:16	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		11/15/24 08:26	11/15/24 16:16	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		11/15/24 08:26	11/15/24 16:16	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	94		70 - 130				11/15/24 08:26	11/15/24 16:16	1
o-Terphenyl	83		70 - 130				11/15/24 08:26	11/15/24 16:16	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<9.90	U	9.90		mg/Kg			11/15/24 20:25	1

Eurofins Midland

Client Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gasline Rel

Job ID: 880-51112-1
SDG: 21348

Client Sample ID: Augr Hole 16

Lab Sample ID: 880-51112-31

Date Collected: 11/12/24 14:30

Matrix: Solid

Date Received: 11/14/24 15:29

Sample Depth: 0-5"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		11/15/24 08:20	11/15/24 16:50	1
Toluene	<0.00200	U	0.00200		mg/Kg		11/15/24 08:20	11/15/24 16:50	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		11/15/24 08:20	11/15/24 16:50	1
m-Xylene & p-Xylene	<0.00401	U	0.00401		mg/Kg		11/15/24 08:20	11/15/24 16:50	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		11/15/24 08:20	11/15/24 16:50	1
Xylenes, Total	<0.00401	U	0.00401		mg/Kg		11/15/24 08:20	11/15/24 16:50	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	107		70 - 130	11/15/24 08:20	11/15/24 16:50	1
1,4-Difluorobenzene (Surr)	101		70 - 130	11/15/24 08:20	11/15/24 16:50	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00401	U	0.00401		mg/Kg			11/15/24 16:50	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			11/15/24 16:33	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		11/15/24 08:26	11/15/24 16:33	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		11/15/24 08:26	11/15/24 16:33	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		11/15/24 08:26	11/15/24 16:33	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	96		70 - 130	11/15/24 08:26	11/15/24 16:33	1
o-Terphenyl	86		70 - 130	11/15/24 08:26	11/15/24 16:33	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	10.6		10.1		mg/Kg			11/15/24 20:31	1

Client Sample ID: Augr Hole 16

Lab Sample ID: 880-51112-32

Date Collected: 11/12/24 14:35

Matrix: Solid

Date Received: 11/14/24 15:29

Sample Depth: 1'

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00202	U	0.00202		mg/Kg		11/15/24 08:20	11/15/24 17:10	1
Toluene	<0.00202	U	0.00202		mg/Kg		11/15/24 08:20	11/15/24 17:10	1
Ethylbenzene	<0.00202	U	0.00202		mg/Kg		11/15/24 08:20	11/15/24 17:10	1
m-Xylene & p-Xylene	<0.00404	U	0.00404		mg/Kg		11/15/24 08:20	11/15/24 17:10	1
o-Xylene	<0.00202	U	0.00202		mg/Kg		11/15/24 08:20	11/15/24 17:10	1
Xylenes, Total	<0.00404	U	0.00404		mg/Kg		11/15/24 08:20	11/15/24 17:10	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	105		70 - 130	11/15/24 08:20	11/15/24 17:10	1

Eurofins Midland

Client Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gasline Rel

Job ID: 880-51112-1
SDG: 21348

Client Sample ID: Augr Hole 16

Lab Sample ID: 880-51112-32

Date Collected: 11/12/24 14:35

Matrix: Solid

Date Received: 11/14/24 15:29

Sample Depth: 1'

Method: SW846 8021B - Volatile Organic Compounds (GC) (Continued)

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,4-Difluorobenzene (Surr)	100		70 - 130	11/15/24 08:20	11/15/24 17:10	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00404	U	0.00404		mg/Kg			11/15/24 17:10	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.8	U	49.8		mg/Kg			11/15/24 16:49	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.8	U	49.8		mg/Kg		11/15/24 08:26	11/15/24 16:49	1
Diesel Range Organics (Over C10-C28)	<49.8	U	49.8		mg/Kg		11/15/24 08:26	11/15/24 16:49	1
Oil Range Organics (Over C28-C36)	<49.8	U	49.8		mg/Kg		11/15/24 08:26	11/15/24 16:49	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	102		70 - 130	11/15/24 08:26	11/15/24 16:49	1
o-Terphenyl	90		70 - 130	11/15/24 08:26	11/15/24 16:49	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<9.96	U	9.96		mg/Kg			11/15/24 20:36	1

Surrogate Summary

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gasline Rel

Job ID: 880-51112-1
SDG: 21348

Method: 8021B - Volatile Organic Compounds (GC)

Matrix: Solid

Prep Type: Total/NA

		Percent Surrogate Recovery (Acceptance Limits)	
Lab Sample ID	Client Sample ID	BFB1 (70-130)	DFBZ1 (70-130)
880-50704-A-29-A MB	Method Blank	105	101
880-51112-1	Augr Hole 1	111	102
880-51112-1 MS	Augr Hole 1	109	99
880-51112-1 MSD	Augr Hole 1	109	99
880-51112-2	Augr Hole 1	113	103
880-51112-3	Augr Hole 2	113	102
880-51112-4	Augr Hole 2	113	102
880-51112-5	Augr Hole 3	114	103
880-51112-6	Augr Hole 3	115	103
880-51112-7	Augr Hole 4	114	103
880-51112-8	Augr Hole 4	116	102
880-51112-9	Augr Hole 5	116	102
880-51112-10	Augr Hole 5	113	101
880-51112-11	Augr Hole 6	116	100
880-51112-12	Augr Hole 6	118	101
880-51112-13	Augr Hole 7	120	101
880-51112-14	Augr Hole 7	120	101
880-51112-15	Augr Hole 8	118	100
880-51112-16	Augr Hole 8	121	100
880-51112-17	Augr Hole 9	119	101
880-51112-18	Augr Hole 9	121	100
880-51112-19	Augr Hole 10	121	100
880-51112-20	Augr Hole 10	124	100
880-51112-21	Augr Hole 11	103	102
880-51112-21 MS	Augr Hole 11	98	99
880-51112-21 MSD	Augr Hole 11	99	99
880-51112-22	Augr Hole 11	104	102
880-51112-23	Augr Hole 12	104	102
880-51112-24	Augr Hole 12	105	101
880-51112-25	Augr Hole 13	102	101
880-51112-26	Augr Hole 13	105	101
880-51112-27	Augr Hole 14	105	101
880-51112-28	Augr Hole 14	103	101
880-51112-29	Augr Hole 15	105	101
880-51112-30	Augr Hole 15	106	100
880-51112-31	Augr Hole 16	107	101
880-51112-32	Augr Hole 16	105	100
LCS 880-95769/1-A	Lab Control Sample	108	98
LCS 880-95770/1-A	Lab Control Sample	100	100
LCSD 880-95769/2-A	Lab Control Sample Dup	110	98
LCSD 880-95770/2-A	Lab Control Sample Dup	100	99
MB 880-95769/5-A	Method Blank	111	98
MB 880-95770/5-A	Method Blank	101	98

Surrogate Legend

BFB = 4-Bromofluorobenzene (Surr)

DFBZ = 1,4-Difluorobenzene (Surr)

Eurofins Midland

Surrogate Summary

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gasline Rel

Job ID: 880-51112-1
SDG: 21348

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Matrix: Solid

Prep Type: Total/NA

		Percent Surrogate Recovery (Acceptance Limits)	
Lab Sample ID	Client Sample ID	1CO1 (70-130)	OTPH1 (70-130)
880-51112-1	Augr Hole 1	89	69 S1-
880-51112-1 MS	Augr Hole 1	75	65 S1-
880-51112-1 MSD	Augr Hole 1	76	65 S1-
880-51112-2	Augr Hole 1	94	70
880-51112-3	Augr Hole 2	88	67 S1-
880-51112-4	Augr Hole 2	82	63 S1-
880-51112-5	Augr Hole 3	82	61 S1-
880-51112-6	Augr Hole 3	101	74
880-51112-7	Augr Hole 4	78	57 S1-
880-51112-8	Augr Hole 4	91	68 S1-
880-51112-9	Augr Hole 5	78	58 S1-
880-51112-10	Augr Hole 5	86	63 S1-
880-51112-11	Augr Hole 6	88	63 S1-
880-51112-12	Augr Hole 6	87	65 S1-
880-51112-13	Augr Hole 7	86	64 S1-
880-51112-14	Augr Hole 7	84	63 S1-
880-51112-15	Augr Hole 8	83	61 S1-
880-51112-16	Augr Hole 8	85	62 S1-
880-51112-17	Augr Hole 9	92	67 S1-
880-51112-18	Augr Hole 9	86	63 S1-
880-51112-19	Augr Hole 10	89	66 S1-
880-51112-20	Augr Hole 10	98	73
880-51112-21	Augr Hole 11	96	86
880-51112-21 MS	Augr Hole 11	92	91
880-51112-21 MSD	Augr Hole 11	91	90
880-51112-22	Augr Hole 11	95	84
880-51112-23	Augr Hole 12	91	81
880-51112-24	Augr Hole 12	102	91
880-51112-25	Augr Hole 13	98	86
880-51112-26	Augr Hole 13	103	91
880-51112-27	Augr Hole 14	95	85
880-51112-28	Augr Hole 14	107	95
880-51112-29	Augr Hole 15	95	83
880-51112-30	Augr Hole 15	94	83
880-51112-31	Augr Hole 16	96	86
880-51112-32	Augr Hole 16	102	90
LCS 880-95776/2-A	Lab Control Sample	121	111
LCS 880-95777/2-A	Lab Control Sample	131 S1+	135 S1+
LCSD 880-95776/3-A	Lab Control Sample Dup	135 S1+	122
LCSD 880-95777/3-A	Lab Control Sample Dup	134 S1+	136 S1+
MB 880-95776/1-A	Method Blank	132 S1+	110
MB 880-95777/1-A	Method Blank	177 S1+	166 S1+

Surrogate Legend

1CO = 1-Chlorooctane

OTPH = o-Terphenyl

Eurofins Midland

QC Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gasline Rel

Job ID: 880-51112-1
SDG: 21348

Method: 8021B - Volatile Organic Compounds (GC)

Lab Sample ID: MB 880-95769/5-A

Matrix: Solid

Analysis Batch: 95765

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 95769

Analyte	MB MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Benzene	<0.00200	U	0.00200		mg/Kg		11/15/24 08:17	11/15/24 11:08	1
Toluene	<0.00200	U	0.00200		mg/Kg		11/15/24 08:17	11/15/24 11:08	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		11/15/24 08:17	11/15/24 11:08	1
m-Xylene & p-Xylene	<0.00400	U	0.00400		mg/Kg		11/15/24 08:17	11/15/24 11:08	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		11/15/24 08:17	11/15/24 11:08	1
Xylenes, Total	<0.00400	U	0.00400		mg/Kg		11/15/24 08:17	11/15/24 11:08	1

Surrogate	MB MB		Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
4-Bromofluorobenzene (Surr)	111		70 - 130	11/15/24 08:17	11/15/24 11:08	1
1,4-Difluorobenzene (Surr)	98		70 - 130	11/15/24 08:17	11/15/24 11:08	1

Lab Sample ID: LCS 880-95769/1-A

Matrix: Solid

Analysis Batch: 95765

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 95769

Analyte	Spike Added	LCS LCS		Unit	D	%Rec	%Rec Limits
		Result	Qualifier				
Benzene	0.100	0.1025		mg/Kg		103	70 - 130
Toluene	0.100	0.1003		mg/Kg		100	70 - 130
Ethylbenzene	0.100	0.09952		mg/Kg		100	70 - 130
m-Xylene & p-Xylene	0.200	0.2021		mg/Kg		101	70 - 130
o-Xylene	0.100	0.1032		mg/Kg		103	70 - 130

Surrogate	LCS LCS		Limits
	%Recovery	Qualifier	
4-Bromofluorobenzene (Surr)	108		70 - 130
1,4-Difluorobenzene (Surr)	98		70 - 130

Lab Sample ID: LCSD 880-95769/2-A

Matrix: Solid

Analysis Batch: 95765

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 95769

Analyte	Spike Added	LCSD LCSD		Unit	D	%Rec	%Rec Limits	RPD	
		Result	Qualifier					RPD	Limit
Benzene	0.100	0.1012		mg/Kg		101	70 - 130	1	35
Toluene	0.100	0.09988		mg/Kg		100	70 - 130	0	35
Ethylbenzene	0.100	0.09976		mg/Kg		100	70 - 130	0	35
m-Xylene & p-Xylene	0.200	0.2022		mg/Kg		101	70 - 130	0	35
o-Xylene	0.100	0.1037		mg/Kg		104	70 - 130	1	35

Surrogate	LCSD LCSD		Limits
	%Recovery	Qualifier	
4-Bromofluorobenzene (Surr)	110		70 - 130
1,4-Difluorobenzene (Surr)	98		70 - 130

Lab Sample ID: 880-51112-1 MS

Matrix: Solid

Analysis Batch: 95765

Client Sample ID: Augr Hole 1

Prep Type: Total/NA

Prep Batch: 95769

Analyte	Sample Sample		Spike Added	MS MS		Unit	D	%Rec	%Rec Limits
	Result	Qualifier		Result	Qualifier				
Benzene	<0.00200	U	0.100	0.1018		mg/Kg		102	70 - 130
Toluene	<0.00200	U	0.100	0.09943		mg/Kg		99	70 - 130

Eurofins Midland

QC Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gasline Rel

Job ID: 880-51112-1
SDG: 21348

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: 880-51112-1 MS

Matrix: Solid

Analysis Batch: 95765

Client Sample ID: Augr Hole 1

Prep Type: Total/NA

Prep Batch: 95769

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Ethylbenzene	<0.00200	U	0.100	0.09744		mg/Kg		97	70 - 130
m-Xylene & p-Xylene	<0.00399	U	0.200	0.1975		mg/Kg		99	70 - 130
o-Xylene	<0.00200	U	0.100	0.1008		mg/Kg		101	70 - 130

Surrogate	MS %Recovery	MS Qualifier	Limits
4-Bromofluorobenzene (Surr)	109		70 - 130
1,4-Difluorobenzene (Surr)	99		70 - 130

Lab Sample ID: 880-51112-1 MSD

Matrix: Solid

Analysis Batch: 95765

Client Sample ID: Augr Hole 1

Prep Type: Total/NA

Prep Batch: 95769

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Benzene	<0.00200	U	0.100	0.1013		mg/Kg		101	70 - 130	0	35
Toluene	<0.00200	U	0.100	0.09947		mg/Kg		99	70 - 130	0	35
Ethylbenzene	<0.00200	U	0.100	0.09779		mg/Kg		98	70 - 130	0	35
m-Xylene & p-Xylene	<0.00399	U	0.200	0.1980		mg/Kg		99	70 - 130	0	35
o-Xylene	<0.00200	U	0.100	0.1010		mg/Kg		101	70 - 130	0	35

Surrogate	MSD %Recovery	MSD Qualifier	Limits
4-Bromofluorobenzene (Surr)	109		70 - 130
1,4-Difluorobenzene (Surr)	99		70 - 130

Lab Sample ID: 880-50704-A-29-A MB

Matrix: Solid

Analysis Batch: 95763

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 95770

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		11/15/24 08:20	11/15/24 16:09	1
Toluene	<0.00200	U	0.00200		mg/Kg		11/15/24 08:20	11/15/24 16:09	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		11/15/24 08:20	11/15/24 16:09	1
m-Xylene & p-Xylene	<0.00400	U	0.00400		mg/Kg		11/15/24 08:20	11/15/24 16:09	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		11/15/24 08:20	11/15/24 16:09	1
Xylenes, Total	<0.00400	U	0.00400		mg/Kg		11/15/24 08:20	11/15/24 16:09	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	105		70 - 130	11/15/24 08:20	11/15/24 16:09	1
1,4-Difluorobenzene (Surr)	101		70 - 130	11/15/24 08:20	11/15/24 16:09	1

Lab Sample ID: MB 880-95770/5-A

Matrix: Solid

Analysis Batch: 95763

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 95770

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		11/15/24 08:20	11/15/24 11:10	1
Toluene	<0.00200	U	0.00200		mg/Kg		11/15/24 08:20	11/15/24 11:10	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		11/15/24 08:20	11/15/24 11:10	1
m-Xylene & p-Xylene	<0.00400	U	0.00400		mg/Kg		11/15/24 08:20	11/15/24 11:10	1

Eurofins Midland

QC Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gasline Rel

Job ID: 880-51112-1
SDG: 21348

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: MB 880-95770/5-A

Matrix: Solid

Analysis Batch: 95763

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 95770

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
o-Xylene	<0.00200	U	0.00200		mg/Kg		11/15/24 08:20	11/15/24 11:10	1
Xylenes, Total	<0.00400	U	0.00400		mg/Kg		11/15/24 08:20	11/15/24 11:10	1
Surrogate	MB	MB	Limits				Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier							
4-Bromofluorobenzene (Surr)	101		70 - 130				11/15/24 08:20	11/15/24 11:10	1
1,4-Difluorobenzene (Surr)	98		70 - 130				11/15/24 08:20	11/15/24 11:10	1

Lab Sample ID: LCS 880-95770/1-A

Matrix: Solid

Analysis Batch: 95763

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 95770

Analyte	Spike Added	LCS	LCS	Unit	D	%Rec	%Rec Limits		
		Result	Qualifier						
Benzene	0.100	0.1089		mg/Kg		109	70 - 130		
Toluene	0.100	0.1010		mg/Kg		101	70 - 130		
Ethylbenzene	0.100	0.1021		mg/Kg		102	70 - 130		
m-Xylene & p-Xylene	0.200	0.2070		mg/Kg		104	70 - 130		
o-Xylene	0.100	0.1009		mg/Kg		101	70 - 130		
Surrogate	LCS	LCS	Limits				%Recovery	Qualifier	
	%Recovery	Qualifier							
4-Bromofluorobenzene (Surr)	100		70 - 130						
1,4-Difluorobenzene (Surr)	100		70 - 130						

Lab Sample ID: LCSD 880-95770/2-A

Matrix: Solid

Analysis Batch: 95763

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 95770

Analyte	Spike Added	LCSD	LCSD	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
		Result	Qualifier						
Benzene	0.100	0.1062		mg/Kg		106	70 - 130	2	35
Toluene	0.100	0.09920		mg/Kg		99	70 - 130	2	35
Ethylbenzene	0.100	0.1008		mg/Kg		101	70 - 130	1	35
m-Xylene & p-Xylene	0.200	0.2048		mg/Kg		102	70 - 130	1	35
o-Xylene	0.100	0.1001		mg/Kg		100	70 - 130	1	35
Surrogate	LCSD	LCSD	Limits				%Recovery	Qualifier	
	%Recovery	Qualifier							
4-Bromofluorobenzene (Surr)	100		70 - 130						
1,4-Difluorobenzene (Surr)	99		70 - 130						

Lab Sample ID: 880-51112-21 MS

Matrix: Solid

Analysis Batch: 95763

Client Sample ID: Augr Hole 11

Prep Type: Total/NA

Prep Batch: 95770

Analyte	Sample	Sample	Spike Added	MS	MS	Unit	D	%Rec	%Rec Limits		
	Result	Qualifier		Result	Qualifier						
Benzene	<0.00200	U	0.100	0.1089		mg/Kg		109	70 - 130		
Toluene	<0.00200	U	0.100	0.1013		mg/Kg		101	70 - 130		
Ethylbenzene	<0.00200	U	0.100	0.1013		mg/Kg		101	70 - 130		
m-Xylene & p-Xylene	<0.00399	U	0.200	0.2057		mg/Kg		103	70 - 130		
o-Xylene	<0.00200	U	0.100	0.09917		mg/Kg		99	70 - 130		

Eurofins Midland

QC Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gasline Rel

Job ID: 880-51112-1
SDG: 21348

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: 880-51112-21 MS

Matrix: Solid

Analysis Batch: 95763

Client Sample ID: Augr Hole 11

Prep Type: Total/NA

Prep Batch: 95770

	MS	MS	
Surrogate	%Recovery	Qualifier	Limits
4-Bromofluorobenzene (Surr)	98		70 - 130
1,4-Difluorobenzene (Surr)	99		70 - 130

Lab Sample ID: 880-51112-21 MSD

Matrix: Solid

Analysis Batch: 95763

Client Sample ID: Augr Hole 11

Prep Type: Total/NA

Prep Batch: 95770

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Benzene	<0.00200	U	0.100	0.1049		mg/Kg		105	70 - 130	4	35
Toluene	<0.00200	U	0.100	0.09773		mg/Kg		98	70 - 130	4	35
Ethylbenzene	<0.00200	U	0.100	0.09890		mg/Kg		99	70 - 130	2	35
m-Xylene & p-Xylene	<0.00399	U	0.200	0.2006		mg/Kg		100	70 - 130	3	35
o-Xylene	<0.00200	U	0.100	0.09767		mg/Kg		98	70 - 130	2	35

	MSD	MSD	
Surrogate	%Recovery	Qualifier	Limits
4-Bromofluorobenzene (Surr)	99		70 - 130
1,4-Difluorobenzene (Surr)	99		70 - 130

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Lab Sample ID: MB 880-95776/1-A

Matrix: Solid

Analysis Batch: 95803

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 95776

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		11/14/24 17:23	11/15/24 04:35	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		11/14/24 17:23	11/15/24 04:35	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		11/14/24 17:23	11/15/24 04:35	1

	MB	MB							
Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac			
1-Chlorooctane	132	S1+	70 - 130	11/14/24 17:23	11/15/24 04:35	1			
o-Terphenyl	110		70 - 130	11/14/24 17:23	11/15/24 04:35	1			

Lab Sample ID: LCS 880-95776/2-A

Matrix: Solid

Analysis Batch: 95803

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 95776

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits		
Gasoline Range Organics (GRO)-C6-C10	1000	961.5		mg/Kg		96	70 - 130		
Diesel Range Organics (Over C10-C28)	1000	880.4		mg/Kg		88	70 - 130		

	LCS	LCS	
Surrogate	%Recovery	Qualifier	Limits
1-Chlorooctane	121		70 - 130
o-Terphenyl	111		70 - 130

Eurofins Midland

QC Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gasline Rel

Job ID: 880-51112-1
SDG: 21348

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Lab Sample ID: LCSD 880-95776/3-A

Matrix: Solid

Analysis Batch: 95803

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 95776

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Gasoline Range Organics (GRO)-C6-C10	1000	1079		mg/Kg		108	70 - 130	12	20
Diesel Range Organics (Over C10-C28)	1000	973.6		mg/Kg		97	70 - 130	10	20
		LCSD %Recovery	LCSD Qualifier						
Surrogate				Limits					
1-Chlorooctane		135	S1+	70 - 130					
o-Terphenyl		122		70 - 130					

Lab Sample ID: 880-51112-1 MS

Matrix: Solid

Analysis Batch: 95803

Client Sample ID: Augr Hole 1

Prep Type: Total/NA

Prep Batch: 95776

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	998	728.9		mg/Kg		73	70 - 130		
Diesel Range Organics (Over C10-C28)	<50.0	U F1	998	649.2	F1	mg/Kg		64	70 - 130		
		MS %Recovery	MS Qualifier								
Surrogate				Limits							
1-Chlorooctane		75		70 - 130							
o-Terphenyl		65	S1-	70 - 130							

Lab Sample ID: 880-51112-1 MSD

Matrix: Solid

Analysis Batch: 95803

Client Sample ID: Augr Hole 1

Prep Type: Total/NA

Prep Batch: 95776

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	998	735.1		mg/Kg		74	70 - 130	1	20
Diesel Range Organics (Over C10-C28)	<50.0	U F1	998	662.0	F1	mg/Kg		65	70 - 130	2	20
		MSD %Recovery	MSD Qualifier								
Surrogate				Limits							
1-Chlorooctane		76		70 - 130							
o-Terphenyl		65	S1-	70 - 130							

Lab Sample ID: MB 880-95777/1-A

Matrix: Solid

Analysis Batch: 95805

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 95777

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		11/15/24 08:26	11/15/24 04:35	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		11/15/24 08:26	11/15/24 04:35	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		11/15/24 08:26	11/15/24 04:35	1

Eurofins Midland

QC Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gasline Rel

Job ID: 880-51112-1
SDG: 21348

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Lab Sample ID: MB 880-95777/1-A

Matrix: Solid

Analysis Batch: 95805

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 95777

	MB	MB				
Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	177	S1+	70 - 130	11/15/24 08:26	11/15/24 04:35	1
o-Terphenyl	166	S1+	70 - 130	11/15/24 08:26	11/15/24 04:35	1

Lab Sample ID: LCS 880-95777/2-A

Matrix: Solid

Analysis Batch: 95805

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 95777

			Spike	LCS	LCS				%Rec		
Analyte			Added	Result	Qualifier	Unit	D	%Rec	Limits		
Gasoline Range Organics (GRO)-C6-C10			1000	980.7		mg/Kg		98	70 - 130		
Diesel Range Organics (Over C10-C28)			1000	942.4		mg/Kg		94	70 - 130		
Surrogate		LCS	LCS								
	%Recovery	Qualifier	Limits								
1-Chlorooctane	131	S1+	70 - 130								
o-Terphenyl	135	S1+	70 - 130								

Lab Sample ID: LCSD 880-95777/3-A

Matrix: Solid

Analysis Batch: 95805

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 95777

			Spike	LCSD	LCSD				%Rec		RPD	
Analyte			Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit	
Gasoline Range Organics (GRO)-C6-C10			1000	1017		mg/Kg		102	70 - 130	4	20	
Diesel Range Organics (Over C10-C28)			1000	975.8		mg/Kg		98	70 - 130	3	20	
Surrogate		LCSD	LCSD									
	%Recovery	Qualifier	Limits									
1-Chlorooctane	134	S1+	70 - 130									
o-Terphenyl	136	S1+	70 - 130									

Lab Sample ID: 880-51112-21 MS

Matrix: Solid

Analysis Batch: 95805

Client Sample ID: Augr Hole 11

Prep Type: Total/NA

Prep Batch: 95777

	Sample	Sample	Spike	MS	MS				%Rec		
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits		
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	998	838.3		mg/Kg		84	70 - 130		
Diesel Range Organics (Over C10-C28)	<49.9	U	998	825.2		mg/Kg		83	70 - 130		
Surrogate		MS	MS								
	%Recovery	Qualifier	Limits								
1-Chlorooctane	92		70 - 130								
o-Terphenyl	91		70 - 130								

Eurofins Midland

QC Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gasline Rel

Job ID: 880-51112-1
SDG: 21348

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Lab Sample ID: 880-51112-21 MSD

Matrix: Solid

Analysis Batch: 95805

Client Sample ID: Augr Hole 11

Prep Type: Total/NA

Prep Batch: 95777

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	998	821.7		mg/Kg		82	70 - 130	2	20
Diesel Range Organics (Over C10-C28)	<49.9	U	998	828.4		mg/Kg		83	70 - 130	0	20
Surrogate	MSD %Recovery	MSD Qualifier	Limits								
1-Chlorooctane	91		70 - 130								
o-Terphenyl	90		70 - 130								

Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: MB 880-95758/1-A

Matrix: Solid

Analysis Batch: 95798

Client Sample ID: Method Blank

Prep Type: Soluble

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<10.0	U	10.0		mg/Kg			11/15/24 15:14	1

Lab Sample ID: LCS 880-95758/2-A

Matrix: Solid

Analysis Batch: 95798

Client Sample ID: Lab Control Sample

Prep Type: Soluble

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	250	259.9		mg/Kg		104	90 - 110

Lab Sample ID: LCSD 880-95758/3-A

Matrix: Solid

Analysis Batch: 95798

Client Sample ID: Lab Control Sample Dup

Prep Type: Soluble

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	250	267.7		mg/Kg		107	90 - 110	3	20

Lab Sample ID: 880-51112-5 MS

Matrix: Solid

Analysis Batch: 95798

Client Sample ID: Augr Hole 3

Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	28.6		252	293.1		mg/Kg		105	90 - 110

Lab Sample ID: 880-51112-5 MSD

Matrix: Solid

Analysis Batch: 95798

Client Sample ID: Augr Hole 3

Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	28.6		252	275.2		mg/Kg		98	90 - 110	6	20

Eurofins Midland

QC Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gasline Rel

Job ID: 880-51112-1
SDG: 21348

Method: 300.0 - Anions, Ion Chromatography (Continued)

Lab Sample ID: MB 880-95761/1-A

Matrix: Solid

Analysis Batch: 95801

Client Sample ID: Method Blank

Prep Type: Soluble

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<10.0	U	10.0		mg/Kg			11/15/24 18:08	1

Lab Sample ID: LCS 880-95761/2-A

Matrix: Solid

Analysis Batch: 95801

Client Sample ID: Lab Control Sample

Prep Type: Soluble

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	250	263.7		mg/Kg		105	90 - 110

Lab Sample ID: LCSD 880-95761/3-A

Matrix: Solid

Analysis Batch: 95801

Client Sample ID: Lab Control Sample Dup

Prep Type: Soluble

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	250	256.0		mg/Kg		102	90 - 110	3	20

Lab Sample ID: 880-51112-15 MS

Matrix: Solid

Analysis Batch: 95801

Client Sample ID: Augr Hole 8

Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	<10.0	U	251	271.5		mg/Kg		107	90 - 110

Lab Sample ID: 880-51112-15 MSD

Matrix: Solid

Analysis Batch: 95801

Client Sample ID: Augr Hole 8

Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	<10.0	U	251	263.8		mg/Kg		104	90 - 110	3	20

Lab Sample ID: 880-51112-25 MS

Matrix: Solid

Analysis Batch: 95801

Client Sample ID: Augr Hole 13

Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	25.6		252	291.5		mg/Kg		106	90 - 110

Lab Sample ID: 880-51112-25 MSD

Matrix: Solid

Analysis Batch: 95801

Client Sample ID: Augr Hole 13

Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	25.6		252	283.0		mg/Kg		102	90 - 110	3	20

Eurofins Midland

QC Association Summary

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gasline Rel

Job ID: 880-51112-1
SDG: 21348

GC VOA

Analysis Batch: 95763

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-51112-21	Augr Hole 11	Total/NA	Solid	8021B	95770
880-51112-22	Augr Hole 11	Total/NA	Solid	8021B	95770
880-51112-23	Augr Hole 12	Total/NA	Solid	8021B	95770
880-51112-24	Augr Hole 12	Total/NA	Solid	8021B	95770
880-51112-25	Augr Hole 13	Total/NA	Solid	8021B	95770
880-51112-26	Augr Hole 13	Total/NA	Solid	8021B	95770
880-51112-27	Augr Hole 14	Total/NA	Solid	8021B	95770
880-51112-28	Augr Hole 14	Total/NA	Solid	8021B	95770
880-51112-29	Augr Hole 15	Total/NA	Solid	8021B	95770
880-51112-30	Augr Hole 15	Total/NA	Solid	8021B	95770
880-51112-31	Augr Hole 16	Total/NA	Solid	8021B	95770
880-51112-32	Augr Hole 16	Total/NA	Solid	8021B	95770
880-50704-A-29-A MB	Method Blank	Total/NA	Solid	8021B	95770
MB 880-95770/5-A	Method Blank	Total/NA	Solid	8021B	95770
LCS 880-95770/1-A	Lab Control Sample	Total/NA	Solid	8021B	95770
LCSD 880-95770/2-A	Lab Control Sample Dup	Total/NA	Solid	8021B	95770
880-51112-21 MS	Augr Hole 11	Total/NA	Solid	8021B	95770
880-51112-21 MSD	Augr Hole 11	Total/NA	Solid	8021B	95770

Analysis Batch: 95765

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-51112-1	Augr Hole 1	Total/NA	Solid	8021B	95769
880-51112-2	Augr Hole 1	Total/NA	Solid	8021B	95769
880-51112-3	Augr Hole 2	Total/NA	Solid	8021B	95769
880-51112-4	Augr Hole 2	Total/NA	Solid	8021B	95769
880-51112-5	Augr Hole 3	Total/NA	Solid	8021B	95769
880-51112-6	Augr Hole 3	Total/NA	Solid	8021B	95769
880-51112-7	Augr Hole 4	Total/NA	Solid	8021B	95769
880-51112-8	Augr Hole 4	Total/NA	Solid	8021B	95769
880-51112-9	Augr Hole 5	Total/NA	Solid	8021B	95769
880-51112-10	Augr Hole 5	Total/NA	Solid	8021B	95769
880-51112-11	Augr Hole 6	Total/NA	Solid	8021B	95769
880-51112-12	Augr Hole 6	Total/NA	Solid	8021B	95769
880-51112-13	Augr Hole 7	Total/NA	Solid	8021B	95769
880-51112-14	Augr Hole 7	Total/NA	Solid	8021B	95769
880-51112-15	Augr Hole 8	Total/NA	Solid	8021B	95769
880-51112-16	Augr Hole 8	Total/NA	Solid	8021B	95769
880-51112-17	Augr Hole 9	Total/NA	Solid	8021B	95769
880-51112-18	Augr Hole 9	Total/NA	Solid	8021B	95769
880-51112-19	Augr Hole 10	Total/NA	Solid	8021B	95769
880-51112-20	Augr Hole 10	Total/NA	Solid	8021B	95769
MB 880-95769/5-A	Method Blank	Total/NA	Solid	8021B	95769
LCS 880-95769/1-A	Lab Control Sample	Total/NA	Solid	8021B	95769
LCSD 880-95769/2-A	Lab Control Sample Dup	Total/NA	Solid	8021B	95769
880-51112-1 MS	Augr Hole 1	Total/NA	Solid	8021B	95769
880-51112-1 MSD	Augr Hole 1	Total/NA	Solid	8021B	95769

Prep Batch: 95769

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-51112-1	Augr Hole 1	Total/NA	Solid	5035	
880-51112-2	Augr Hole 1	Total/NA	Solid	5035	

Eurofins Midland

QC Association Summary

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gasline Rel

Job ID: 880-51112-1
SDG: 21348

GC VOA (Continued)

Prep Batch: 95769 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-51112-3	Augr Hole 2	Total/NA	Solid	5035	
880-51112-4	Augr Hole 2	Total/NA	Solid	5035	
880-51112-5	Augr Hole 3	Total/NA	Solid	5035	
880-51112-6	Augr Hole 3	Total/NA	Solid	5035	
880-51112-7	Augr Hole 4	Total/NA	Solid	5035	
880-51112-8	Augr Hole 4	Total/NA	Solid	5035	
880-51112-9	Augr Hole 5	Total/NA	Solid	5035	
880-51112-10	Augr Hole 5	Total/NA	Solid	5035	
880-51112-11	Augr Hole 6	Total/NA	Solid	5035	
880-51112-12	Augr Hole 6	Total/NA	Solid	5035	
880-51112-13	Augr Hole 7	Total/NA	Solid	5035	
880-51112-14	Augr Hole 7	Total/NA	Solid	5035	
880-51112-15	Augr Hole 8	Total/NA	Solid	5035	
880-51112-16	Augr Hole 8	Total/NA	Solid	5035	
880-51112-17	Augr Hole 9	Total/NA	Solid	5035	
880-51112-18	Augr Hole 9	Total/NA	Solid	5035	
880-51112-19	Augr Hole 10	Total/NA	Solid	5035	
880-51112-20	Augr Hole 10	Total/NA	Solid	5035	
MB 880-95769/5-A	Method Blank	Total/NA	Solid	5035	
LCS 880-95769/1-A	Lab Control Sample	Total/NA	Solid	5035	
LCSD 880-95769/2-A	Lab Control Sample Dup	Total/NA	Solid	5035	
880-51112-1 MS	Augr Hole 1	Total/NA	Solid	5035	
880-51112-1 MSD	Augr Hole 1	Total/NA	Solid	5035	

Prep Batch: 95770

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-51112-21	Augr Hole 11	Total/NA	Solid	5035	
880-51112-22	Augr Hole 11	Total/NA	Solid	5035	
880-51112-23	Augr Hole 12	Total/NA	Solid	5035	
880-51112-24	Augr Hole 12	Total/NA	Solid	5035	
880-51112-25	Augr Hole 13	Total/NA	Solid	5035	
880-51112-26	Augr Hole 13	Total/NA	Solid	5035	
880-51112-27	Augr Hole 14	Total/NA	Solid	5035	
880-51112-28	Augr Hole 14	Total/NA	Solid	5035	
880-51112-29	Augr Hole 15	Total/NA	Solid	5035	
880-51112-30	Augr Hole 15	Total/NA	Solid	5035	
880-51112-31	Augr Hole 16	Total/NA	Solid	5035	
880-51112-32	Augr Hole 16	Total/NA	Solid	5035	
880-50704-A-29-A MB	Method Blank	Total/NA	Solid	5035	
MB 880-95770/5-A	Method Blank	Total/NA	Solid	5035	
LCS 880-95770/1-A	Lab Control Sample	Total/NA	Solid	5035	
LCSD 880-95770/2-A	Lab Control Sample Dup	Total/NA	Solid	5035	
880-51112-21 MS	Augr Hole 11	Total/NA	Solid	5035	
880-51112-21 MSD	Augr Hole 11	Total/NA	Solid	5035	

Analysis Batch: 95941

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-51112-1	Augr Hole 1	Total/NA	Solid	Total BTEX	
880-51112-2	Augr Hole 1	Total/NA	Solid	Total BTEX	
880-51112-3	Augr Hole 2	Total/NA	Solid	Total BTEX	
880-51112-4	Augr Hole 2	Total/NA	Solid	Total BTEX	

QC Association Summary

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gasline Rel

Job ID: 880-51112-1
SDG: 21348

GC VOA (Continued)

Analysis Batch: 95941 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-51112-5	Auqr Hole 3	Total/NA	Solid	Total BTEX	
880-51112-6	Auqr Hole 3	Total/NA	Solid	Total BTEX	
880-51112-7	Auqr Hole 4	Total/NA	Solid	Total BTEX	
880-51112-8	Auqr Hole 4	Total/NA	Solid	Total BTEX	
880-51112-9	Auqr Hole 5	Total/NA	Solid	Total BTEX	
880-51112-10	Auqr Hole 5	Total/NA	Solid	Total BTEX	
880-51112-11	Auqr Hole 6	Total/NA	Solid	Total BTEX	
880-51112-12	Auqr Hole 6	Total/NA	Solid	Total BTEX	
880-51112-13	Auqr Hole 7	Total/NA	Solid	Total BTEX	
880-51112-14	Auqr Hole 7	Total/NA	Solid	Total BTEX	
880-51112-15	Auqr Hole 8	Total/NA	Solid	Total BTEX	
880-51112-16	Auqr Hole 8	Total/NA	Solid	Total BTEX	
880-51112-17	Auqr Hole 9	Total/NA	Solid	Total BTEX	
880-51112-18	Auqr Hole 9	Total/NA	Solid	Total BTEX	
880-51112-19	Auqr Hole 10	Total/NA	Solid	Total BTEX	
880-51112-20	Auqr Hole 10	Total/NA	Solid	Total BTEX	
880-51112-21	Auqr Hole 11	Total/NA	Solid	Total BTEX	
880-51112-22	Auqr Hole 11	Total/NA	Solid	Total BTEX	
880-51112-23	Auqr Hole 12	Total/NA	Solid	Total BTEX	
880-51112-24	Auqr Hole 12	Total/NA	Solid	Total BTEX	
880-51112-25	Auqr Hole 13	Total/NA	Solid	Total BTEX	
880-51112-26	Auqr Hole 13	Total/NA	Solid	Total BTEX	
880-51112-27	Auqr Hole 14	Total/NA	Solid	Total BTEX	
880-51112-28	Auqr Hole 14	Total/NA	Solid	Total BTEX	
880-51112-29	Auqr Hole 15	Total/NA	Solid	Total BTEX	
880-51112-30	Auqr Hole 15	Total/NA	Solid	Total BTEX	
880-51112-31	Auqr Hole 16	Total/NA	Solid	Total BTEX	
880-51112-32	Auqr Hole 16	Total/NA	Solid	Total BTEX	

GC Semi VOA

Prep Batch: 95776

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-51112-1	Auqr Hole 1	Total/NA	Solid	8015NM Prep	
880-51112-2	Auqr Hole 1	Total/NA	Solid	8015NM Prep	
880-51112-3	Auqr Hole 2	Total/NA	Solid	8015NM Prep	
880-51112-4	Auqr Hole 2	Total/NA	Solid	8015NM Prep	
880-51112-5	Auqr Hole 3	Total/NA	Solid	8015NM Prep	
880-51112-6	Auqr Hole 3	Total/NA	Solid	8015NM Prep	
880-51112-7	Auqr Hole 4	Total/NA	Solid	8015NM Prep	
880-51112-8	Auqr Hole 4	Total/NA	Solid	8015NM Prep	
880-51112-9	Auqr Hole 5	Total/NA	Solid	8015NM Prep	
880-51112-10	Auqr Hole 5	Total/NA	Solid	8015NM Prep	
880-51112-11	Auqr Hole 6	Total/NA	Solid	8015NM Prep	
880-51112-12	Auqr Hole 6	Total/NA	Solid	8015NM Prep	
880-51112-13	Auqr Hole 7	Total/NA	Solid	8015NM Prep	
880-51112-14	Auqr Hole 7	Total/NA	Solid	8015NM Prep	
880-51112-15	Auqr Hole 8	Total/NA	Solid	8015NM Prep	
880-51112-16	Auqr Hole 8	Total/NA	Solid	8015NM Prep	
880-51112-17	Auqr Hole 9	Total/NA	Solid	8015NM Prep	
880-51112-18	Auqr Hole 9	Total/NA	Solid	8015NM Prep	

Eurofins Midland

QC Association Summary

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gasline Rel

Job ID: 880-51112-1
SDG: 21348

GC Semi VOA (Continued)

Prep Batch: 95776 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-51112-19	Augr Hole 10	Total/NA	Solid	8015NM Prep	
880-51112-20	Augr Hole 10	Total/NA	Solid	8015NM Prep	
MB 880-95776/1-A	Method Blank	Total/NA	Solid	8015NM Prep	
LCS 880-95776/2-A	Lab Control Sample	Total/NA	Solid	8015NM Prep	
LCSD 880-95776/3-A	Lab Control Sample Dup	Total/NA	Solid	8015NM Prep	
880-51112-1 MS	Augr Hole 1	Total/NA	Solid	8015NM Prep	
880-51112-1 MSD	Augr Hole 1	Total/NA	Solid	8015NM Prep	

Prep Batch: 95777

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-51112-21	Augr Hole 11	Total/NA	Solid	8015NM Prep	
880-51112-22	Augr Hole 11	Total/NA	Solid	8015NM Prep	
880-51112-23	Augr Hole 12	Total/NA	Solid	8015NM Prep	
880-51112-24	Augr Hole 12	Total/NA	Solid	8015NM Prep	
880-51112-25	Augr Hole 13	Total/NA	Solid	8015NM Prep	
880-51112-26	Augr Hole 13	Total/NA	Solid	8015NM Prep	
880-51112-27	Augr Hole 14	Total/NA	Solid	8015NM Prep	
880-51112-28	Augr Hole 14	Total/NA	Solid	8015NM Prep	
880-51112-29	Augr Hole 15	Total/NA	Solid	8015NM Prep	
880-51112-30	Augr Hole 15	Total/NA	Solid	8015NM Prep	
880-51112-31	Augr Hole 16	Total/NA	Solid	8015NM Prep	
880-51112-32	Augr Hole 16	Total/NA	Solid	8015NM Prep	
MB 880-95777/1-A	Method Blank	Total/NA	Solid	8015NM Prep	
LCS 880-95777/2-A	Lab Control Sample	Total/NA	Solid	8015NM Prep	
LCSD 880-95777/3-A	Lab Control Sample Dup	Total/NA	Solid	8015NM Prep	
880-51112-21 MS	Augr Hole 11	Total/NA	Solid	8015NM Prep	
880-51112-21 MSD	Augr Hole 11	Total/NA	Solid	8015NM Prep	

Analysis Batch: 95803

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-51112-1	Augr Hole 1	Total/NA	Solid	8015B NM	95776
880-51112-2	Augr Hole 1	Total/NA	Solid	8015B NM	95776
880-51112-3	Augr Hole 2	Total/NA	Solid	8015B NM	95776
880-51112-4	Augr Hole 2	Total/NA	Solid	8015B NM	95776
880-51112-5	Augr Hole 3	Total/NA	Solid	8015B NM	95776
880-51112-6	Augr Hole 3	Total/NA	Solid	8015B NM	95776
880-51112-7	Augr Hole 4	Total/NA	Solid	8015B NM	95776
880-51112-8	Augr Hole 4	Total/NA	Solid	8015B NM	95776
880-51112-9	Augr Hole 5	Total/NA	Solid	8015B NM	95776
880-51112-10	Augr Hole 5	Total/NA	Solid	8015B NM	95776
880-51112-11	Augr Hole 6	Total/NA	Solid	8015B NM	95776
880-51112-12	Augr Hole 6	Total/NA	Solid	8015B NM	95776
880-51112-13	Augr Hole 7	Total/NA	Solid	8015B NM	95776
880-51112-14	Augr Hole 7	Total/NA	Solid	8015B NM	95776
880-51112-15	Augr Hole 8	Total/NA	Solid	8015B NM	95776
880-51112-16	Augr Hole 8	Total/NA	Solid	8015B NM	95776
880-51112-17	Augr Hole 9	Total/NA	Solid	8015B NM	95776
880-51112-18	Augr Hole 9	Total/NA	Solid	8015B NM	95776
880-51112-19	Augr Hole 10	Total/NA	Solid	8015B NM	95776
880-51112-20	Augr Hole 10	Total/NA	Solid	8015B NM	95776
MB 880-95776/1-A	Method Blank	Total/NA	Solid	8015B NM	95776

Eurofins Midland

QC Association Summary

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gasline Rel

Job ID: 880-51112-1
SDG: 21348

GC Semi VOA (Continued)

Analysis Batch: 95803 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
LCS 880-95776/2-A	Lab Control Sample	Total/NA	Solid	8015B NM	95776
LCSD 880-95776/3-A	Lab Control Sample Dup	Total/NA	Solid	8015B NM	95776
880-51112-1 MS	Augr Hole 1	Total/NA	Solid	8015B NM	95776
880-51112-1 MSD	Augr Hole 1	Total/NA	Solid	8015B NM	95776

Analysis Batch: 95805

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-51112-21	Augr Hole 11	Total/NA	Solid	8015B NM	95777
880-51112-22	Augr Hole 11	Total/NA	Solid	8015B NM	95777
880-51112-23	Augr Hole 12	Total/NA	Solid	8015B NM	95777
880-51112-24	Augr Hole 12	Total/NA	Solid	8015B NM	95777
880-51112-25	Augr Hole 13	Total/NA	Solid	8015B NM	95777
880-51112-26	Augr Hole 13	Total/NA	Solid	8015B NM	95777
880-51112-27	Augr Hole 14	Total/NA	Solid	8015B NM	95777
880-51112-28	Augr Hole 14	Total/NA	Solid	8015B NM	95777
880-51112-29	Augr Hole 15	Total/NA	Solid	8015B NM	95777
880-51112-30	Augr Hole 15	Total/NA	Solid	8015B NM	95777
880-51112-31	Augr Hole 16	Total/NA	Solid	8015B NM	95777
880-51112-32	Augr Hole 16	Total/NA	Solid	8015B NM	95777
MB 880-95777/1-A	Method Blank	Total/NA	Solid	8015B NM	95777
LCS 880-95777/2-A	Lab Control Sample	Total/NA	Solid	8015B NM	95777
LCSD 880-95777/3-A	Lab Control Sample Dup	Total/NA	Solid	8015B NM	95777
880-51112-21 MS	Augr Hole 11	Total/NA	Solid	8015B NM	95777
880-51112-21 MSD	Augr Hole 11	Total/NA	Solid	8015B NM	95777

Analysis Batch: 95848

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-51112-1	Augr Hole 1	Total/NA	Solid	8015 NM	
880-51112-2	Augr Hole 1	Total/NA	Solid	8015 NM	
880-51112-3	Augr Hole 2	Total/NA	Solid	8015 NM	
880-51112-4	Augr Hole 2	Total/NA	Solid	8015 NM	
880-51112-5	Augr Hole 3	Total/NA	Solid	8015 NM	
880-51112-6	Augr Hole 3	Total/NA	Solid	8015 NM	
880-51112-7	Augr Hole 4	Total/NA	Solid	8015 NM	
880-51112-8	Augr Hole 4	Total/NA	Solid	8015 NM	
880-51112-9	Augr Hole 5	Total/NA	Solid	8015 NM	
880-51112-10	Augr Hole 5	Total/NA	Solid	8015 NM	
880-51112-11	Augr Hole 6	Total/NA	Solid	8015 NM	
880-51112-12	Augr Hole 6	Total/NA	Solid	8015 NM	
880-51112-13	Augr Hole 7	Total/NA	Solid	8015 NM	
880-51112-14	Augr Hole 7	Total/NA	Solid	8015 NM	
880-51112-15	Augr Hole 8	Total/NA	Solid	8015 NM	
880-51112-16	Augr Hole 8	Total/NA	Solid	8015 NM	
880-51112-17	Augr Hole 9	Total/NA	Solid	8015 NM	
880-51112-18	Augr Hole 9	Total/NA	Solid	8015 NM	
880-51112-19	Augr Hole 10	Total/NA	Solid	8015 NM	
880-51112-20	Augr Hole 10	Total/NA	Solid	8015 NM	
880-51112-21	Augr Hole 11	Total/NA	Solid	8015 NM	
880-51112-22	Augr Hole 11	Total/NA	Solid	8015 NM	
880-51112-23	Augr Hole 12	Total/NA	Solid	8015 NM	
880-51112-24	Augr Hole 12	Total/NA	Solid	8015 NM	

Eurofins Midland

QC Association Summary

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gasline Rel

Job ID: 880-51112-1
SDG: 21348

GC Semi VOA (Continued)

Analysis Batch: 95848 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-51112-25	Augr Hole 13	Total/NA	Solid	8015 NM	
880-51112-26	Augr Hole 13	Total/NA	Solid	8015 NM	
880-51112-27	Augr Hole 14	Total/NA	Solid	8015 NM	
880-51112-28	Augr Hole 14	Total/NA	Solid	8015 NM	
880-51112-29	Augr Hole 15	Total/NA	Solid	8015 NM	
880-51112-30	Augr Hole 15	Total/NA	Solid	8015 NM	
880-51112-31	Augr Hole 16	Total/NA	Solid	8015 NM	
880-51112-32	Augr Hole 16	Total/NA	Solid	8015 NM	

HPLC/IC

Leach Batch: 95758

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-51112-1	Augr Hole 1	Soluble	Solid	DI Leach	
880-51112-2	Augr Hole 1	Soluble	Solid	DI Leach	
880-51112-3	Augr Hole 2	Soluble	Solid	DI Leach	
880-51112-4	Augr Hole 2	Soluble	Solid	DI Leach	
880-51112-5	Augr Hole 3	Soluble	Solid	DI Leach	
880-51112-6	Augr Hole 3	Soluble	Solid	DI Leach	
880-51112-7	Augr Hole 4	Soluble	Solid	DI Leach	
880-51112-8	Augr Hole 4	Soluble	Solid	DI Leach	
880-51112-9	Augr Hole 5	Soluble	Solid	DI Leach	
880-51112-10	Augr Hole 5	Soluble	Solid	DI Leach	
880-51112-11	Augr Hole 6	Soluble	Solid	DI Leach	
880-51112-12	Augr Hole 6	Soluble	Solid	DI Leach	
880-51112-13	Augr Hole 7	Soluble	Solid	DI Leach	
880-51112-14	Augr Hole 7	Soluble	Solid	DI Leach	
MB 880-95758/1-A	Method Blank	Soluble	Solid	DI Leach	
LCS 880-95758/2-A	Lab Control Sample	Soluble	Solid	DI Leach	
LCSD 880-95758/3-A	Lab Control Sample Dup	Soluble	Solid	DI Leach	
880-51112-5 MS	Augr Hole 3	Soluble	Solid	DI Leach	
880-51112-5 MSD	Augr Hole 3	Soluble	Solid	DI Leach	

Leach Batch: 95761

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-51112-15	Augr Hole 8	Soluble	Solid	DI Leach	
880-51112-16	Augr Hole 8	Soluble	Solid	DI Leach	
880-51112-17	Augr Hole 9	Soluble	Solid	DI Leach	
880-51112-18	Augr Hole 9	Soluble	Solid	DI Leach	
880-51112-19	Augr Hole 10	Soluble	Solid	DI Leach	
880-51112-20	Augr Hole 10	Soluble	Solid	DI Leach	
880-51112-21	Augr Hole 11	Soluble	Solid	DI Leach	
880-51112-22	Augr Hole 11	Soluble	Solid	DI Leach	
880-51112-23	Augr Hole 12	Soluble	Solid	DI Leach	
880-51112-24	Augr Hole 12	Soluble	Solid	DI Leach	
880-51112-25	Augr Hole 13	Soluble	Solid	DI Leach	
880-51112-26	Augr Hole 13	Soluble	Solid	DI Leach	
880-51112-27	Augr Hole 14	Soluble	Solid	DI Leach	
880-51112-28	Augr Hole 14	Soluble	Solid	DI Leach	
880-51112-29	Augr Hole 15	Soluble	Solid	DI Leach	
880-51112-30	Augr Hole 15	Soluble	Solid	DI Leach	

Eurofins Midland

QC Association Summary

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gasline Rel

Job ID: 880-51112-1
SDG: 21348

HPLC/IC (Continued)

Leach Batch: 95761 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-51112-31	Augr Hole 16	Soluble	Solid	DI Leach	
880-51112-32	Augr Hole 16	Soluble	Solid	DI Leach	
MB 880-95761/1-A	Method Blank	Soluble	Solid	DI Leach	
LCS 880-95761/2-A	Lab Control Sample	Soluble	Solid	DI Leach	
LCSD 880-95761/3-A	Lab Control Sample Dup	Soluble	Solid	DI Leach	
880-51112-15 MS	Augr Hole 8	Soluble	Solid	DI Leach	
880-51112-15 MSD	Augr Hole 8	Soluble	Solid	DI Leach	
880-51112-25 MS	Augr Hole 13	Soluble	Solid	DI Leach	
880-51112-25 MSD	Augr Hole 13	Soluble	Solid	DI Leach	

Analysis Batch: 95798

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-51112-1	Augr Hole 1	Soluble	Solid	300.0	95758
880-51112-2	Augr Hole 1	Soluble	Solid	300.0	95758
880-51112-3	Augr Hole 2	Soluble	Solid	300.0	95758
880-51112-4	Augr Hole 2	Soluble	Solid	300.0	95758
880-51112-5	Augr Hole 3	Soluble	Solid	300.0	95758
880-51112-6	Augr Hole 3	Soluble	Solid	300.0	95758
880-51112-7	Augr Hole 4	Soluble	Solid	300.0	95758
880-51112-8	Augr Hole 4	Soluble	Solid	300.0	95758
880-51112-9	Augr Hole 5	Soluble	Solid	300.0	95758
880-51112-10	Augr Hole 5	Soluble	Solid	300.0	95758
880-51112-11	Augr Hole 6	Soluble	Solid	300.0	95758
880-51112-12	Augr Hole 6	Soluble	Solid	300.0	95758
880-51112-13	Augr Hole 7	Soluble	Solid	300.0	95758
880-51112-14	Augr Hole 7	Soluble	Solid	300.0	95758
MB 880-95758/1-A	Method Blank	Soluble	Solid	300.0	95758
LCS 880-95758/2-A	Lab Control Sample	Soluble	Solid	300.0	95758
LCSD 880-95758/3-A	Lab Control Sample Dup	Soluble	Solid	300.0	95758
880-51112-5 MS	Augr Hole 3	Soluble	Solid	300.0	95758
880-51112-5 MSD	Augr Hole 3	Soluble	Solid	300.0	95758

Analysis Batch: 95801

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-51112-15	Augr Hole 8	Soluble	Solid	300.0	95761
880-51112-16	Augr Hole 8	Soluble	Solid	300.0	95761
880-51112-17	Augr Hole 9	Soluble	Solid	300.0	95761
880-51112-18	Augr Hole 9	Soluble	Solid	300.0	95761
880-51112-19	Augr Hole 10	Soluble	Solid	300.0	95761
880-51112-20	Augr Hole 10	Soluble	Solid	300.0	95761
880-51112-21	Augr Hole 11	Soluble	Solid	300.0	95761
880-51112-22	Augr Hole 11	Soluble	Solid	300.0	95761
880-51112-23	Augr Hole 12	Soluble	Solid	300.0	95761
880-51112-24	Augr Hole 12	Soluble	Solid	300.0	95761
880-51112-25	Augr Hole 13	Soluble	Solid	300.0	95761
880-51112-26	Augr Hole 13	Soluble	Solid	300.0	95761
880-51112-27	Augr Hole 14	Soluble	Solid	300.0	95761
880-51112-28	Augr Hole 14	Soluble	Solid	300.0	95761
880-51112-29	Augr Hole 15	Soluble	Solid	300.0	95761
880-51112-30	Augr Hole 15	Soluble	Solid	300.0	95761
880-51112-31	Augr Hole 16	Soluble	Solid	300.0	95761

Eurofins Midland

QC Association Summary

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gasline Rel

Job ID: 880-51112-1
SDG: 21348

HPLC/IC (Continued)

Analysis Batch: 95801 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-51112-32	Augr Hole 16	Soluble	Solid	300.0	95761
MB 880-95761/1-A	Method Blank	Soluble	Solid	300.0	95761
LCS 880-95761/2-A	Lab Control Sample	Soluble	Solid	300.0	95761
LCSD 880-95761/3-A	Lab Control Sample Dup	Soluble	Solid	300.0	95761
880-51112-15 MS	Augr Hole 8	Soluble	Solid	300.0	95761
880-51112-15 MSD	Augr Hole 8	Soluble	Solid	300.0	95761
880-51112-25 MS	Augr Hole 13	Soluble	Solid	300.0	95761
880-51112-25 MSD	Augr Hole 13	Soluble	Solid	300.0	95761

Lab Chronicle

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gasline Rel

Job ID: 880-51112-1
SDG: 21348

Client Sample ID: Augr Hole 1
Date Collected: 11/12/24 12:00
Date Received: 11/14/24 15:29

Lab Sample ID: 880-51112-1
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	95769	11/15/24 08:17	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	95765	11/15/24 11:30	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			95941	11/15/24 11:30	SM	EET MID
Total/NA	Analysis	8015 NM		1			95848	11/15/24 12:45	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10 mL	95776	11/15/24 08:23	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	95803	11/15/24 12:45	TKC	EET MID
Soluble	Leach	DI Leach			5.02 g	50 mL	95758	11/15/24 07:58	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	95798	11/15/24 16:41	CH	EET MID

Client Sample ID: Augr Hole 1
Date Collected: 11/12/24 12:05
Date Received: 11/14/24 15:29

Lab Sample ID: 880-51112-2
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.97 g	5 mL	95769	11/15/24 08:17	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	95765	11/15/24 11:50	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			95941	11/15/24 11:50	SM	EET MID
Total/NA	Analysis	8015 NM		1			95848	11/15/24 13:34	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10 mL	95776	11/15/24 08:23	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	95803	11/15/24 13:34	TKC	EET MID
Soluble	Leach	DI Leach			4.99 g	50 mL	95758	11/15/24 07:58	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	95798	11/15/24 16:48	CH	EET MID

Client Sample ID: Augr Hole 2
Date Collected: 11/12/24 12:10
Date Received: 11/14/24 15:29

Lab Sample ID: 880-51112-3
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.02 g	5 mL	95769	11/15/24 08:17	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	95765	11/15/24 12:10	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			95941	11/15/24 12:10	SM	EET MID
Total/NA	Analysis	8015 NM		1			95848	11/15/24 13:50	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.04 g	10 mL	95776	11/15/24 08:23	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	95803	11/15/24 13:50	TKC	EET MID
Soluble	Leach	DI Leach			5.05 g	50 mL	95758	11/15/24 07:58	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	95798	11/15/24 16:55	CH	EET MID

Client Sample ID: Augr Hole 2
Date Collected: 11/12/24 12:15
Date Received: 11/14/24 15:29

Lab Sample ID: 880-51112-4
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.05 g	5 mL	95769	11/15/24 08:17	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	95765	11/15/24 12:31	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			95941	11/15/24 12:31	SM	EET MID

Eurofins Midland

Lab Chronicle

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gasline Rel

Job ID: 880-51112-1
SDG: 21348

Client Sample ID: Augr Hole 2
Date Collected: 11/12/24 12:15
Date Received: 11/14/24 15:29

Lab Sample ID: 880-51112-4
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8015 NM		1			95848	11/15/24 14:06	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.03 g	10 mL	95776	11/15/24 08:23	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	95803	11/15/24 14:06	TKC	EET MID
Soluble	Leach	DI Leach			4.97 g	50 mL	95758	11/15/24 07:58	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	95798	11/15/24 17:01	CH	EET MID

Client Sample ID: Augr Hole 3
Date Collected: 11/12/24 12:20
Date Received: 11/14/24 15:29

Lab Sample ID: 880-51112-5
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	95769	11/15/24 08:17	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	95765	11/15/24 12:51	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			95941	11/15/24 12:51	SM	EET MID
Total/NA	Analysis	8015 NM		1			95848	11/15/24 14:23	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10 mL	95776	11/15/24 08:23	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	95803	11/15/24 14:23	TKC	EET MID
Soluble	Leach	DI Leach			4.96 g	50 mL	95758	11/15/24 07:58	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	95798	11/15/24 17:08	CH	EET MID

Client Sample ID: Augr Hole 3
Date Collected: 11/12/24 12:25
Date Received: 11/14/24 15:29

Lab Sample ID: 880-51112-6
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.98 g	5 mL	95769	11/15/24 08:17	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	95765	11/15/24 13:12	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			95941	11/15/24 13:12	SM	EET MID
Total/NA	Analysis	8015 NM		1			95848	11/15/24 14:39	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.02 g	10 mL	95776	11/15/24 08:23	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	95803	11/15/24 14:39	TKC	EET MID
Soluble	Leach	DI Leach			5.00 g	50 mL	95758	11/15/24 07:58	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	95798	11/15/24 17:28	CH	EET MID

Client Sample ID: Augr Hole 4
Date Collected: 11/12/24 12:30
Date Received: 11/14/24 15:29

Lab Sample ID: 880-51112-7
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.02 g	5 mL	95769	11/15/24 08:17	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	95765	11/15/24 13:32	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			95941	11/15/24 13:32	SM	EET MID
Total/NA	Analysis	8015 NM		1			95848	11/15/24 14:55	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.06 g	10 mL	95776	11/15/24 08:23	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	95803	11/15/24 14:55	TKC	EET MID

Eurofins Midland

Lab Chronicle

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gasline Rel

Job ID: 880-51112-1
SDG: 21348

Client Sample ID: Augr Hole 4

Lab Sample ID: 880-51112-7

Date Collected: 11/12/24 12:30

Matrix: Solid

Date Received: 11/14/24 15:29

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Soluble	Leach	DI Leach			4.98 g	50 mL	95758	11/15/24 07:58	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	95798	11/15/24 17:35	CH	EET MID

Client Sample ID: Augr Hole 4

Lab Sample ID: 880-51112-8

Date Collected: 11/12/24 12:35

Matrix: Solid

Date Received: 11/14/24 15:29

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.02 g	5 mL	95769	11/15/24 08:17	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	95765	11/15/24 13:53	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			95941	11/15/24 13:53	SM	EET MID
Total/NA	Analysis	8015 NM		1			95848	11/15/24 15:12	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10 mL	95776	11/15/24 08:23	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	95803	11/15/24 15:12	TKC	EET MID
Soluble	Leach	DI Leach			4.99 g	50 mL	95758	11/15/24 07:58	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	95798	11/15/24 17:55	CH	EET MID

Client Sample ID: Augr Hole 5

Lab Sample ID: 880-51112-9

Date Collected: 11/12/24 12:40

Matrix: Solid

Date Received: 11/14/24 15:29

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	95769	11/15/24 08:17	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	95765	11/15/24 14:13	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			95941	11/15/24 14:13	SM	EET MID
Total/NA	Analysis	8015 NM		1			95848	11/15/24 15:28	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.02 g	10 mL	95776	11/15/24 08:23	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	95803	11/15/24 15:28	TKC	EET MID
Soluble	Leach	DI Leach			5.05 g	50 mL	95758	11/15/24 07:58	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	95798	11/15/24 18:01	CH	EET MID

Client Sample ID: Augr Hole 5

Lab Sample ID: 880-51112-10

Date Collected: 11/12/24 12:45

Matrix: Solid

Date Received: 11/14/24 15:29

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.96 g	5 mL	95769	11/15/24 08:17	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	95765	11/15/24 14:34	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			95941	11/15/24 14:34	SM	EET MID
Total/NA	Analysis	8015 NM		1			95848	11/15/24 15:44	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.04 g	10 mL	95776	11/15/24 08:23	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	95803	11/15/24 15:44	TKC	EET MID
Soluble	Leach	DI Leach			5.05 g	50 mL	95758	11/15/24 07:58	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	95798	11/15/24 18:08	CH	EET MID

Eurofins Midland

Lab Chronicle

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gasline Rel

Job ID: 880-51112-1
SDG: 21348

Client Sample ID: Augr Hole 6
Date Collected: 11/12/24 12:50
Date Received: 11/14/24 15:29

Lab Sample ID: 880-51112-11
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.99 g	5 mL	95769	11/15/24 08:17	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	95765	11/15/24 16:08	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			95941	11/15/24 16:08	SM	EET MID
Total/NA	Analysis	8015 NM		1			95848	11/15/24 16:16	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.03 g	10 mL	95776	11/15/24 08:23	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	95803	11/15/24 16:16	TKC	EET MID
Soluble	Leach	DI Leach			4.96 g	50 mL	95758	11/15/24 07:58	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	95798	11/15/24 18:15	CH	EET MID

Client Sample ID: Augr Hole 6
Date Collected: 11/12/24 12:55
Date Received: 11/14/24 15:29

Lab Sample ID: 880-51112-12
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.95 g	5 mL	95769	11/15/24 08:17	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	95765	11/15/24 16:28	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			95941	11/15/24 16:28	SM	EET MID
Total/NA	Analysis	8015 NM		1			95848	11/15/24 16:33	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10 mL	95776	11/15/24 08:23	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	95803	11/15/24 16:33	TKC	EET MID
Soluble	Leach	DI Leach			5.02 g	50 mL	95758	11/15/24 07:58	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	95798	11/15/24 18:21	CH	EET MID

Client Sample ID: Augr Hole 7
Date Collected: 11/12/24 13:00
Date Received: 11/14/24 15:29

Lab Sample ID: 880-51112-13
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.02 g	5 mL	95769	11/15/24 08:17	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	95765	11/15/24 16:49	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			95941	11/15/24 16:49	SM	EET MID
Total/NA	Analysis	8015 NM		1			95848	11/15/24 16:49	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.05 g	10 mL	95776	11/15/24 08:23	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	95803	11/15/24 16:49	TKC	EET MID
Soluble	Leach	DI Leach			5.04 g	50 mL	95758	11/15/24 07:58	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	95798	11/15/24 18:28	CH	EET MID

Client Sample ID: Augr Hole 7
Date Collected: 11/12/24 13:05
Date Received: 11/14/24 15:29

Lab Sample ID: 880-51112-14
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.99 g	5 mL	95769	11/15/24 08:17	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	95765	11/15/24 17:09	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			95941	11/15/24 17:09	SM	EET MID

Eurofins Midland

Lab Chronicle

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gasline Rel

Job ID: 880-51112-1
SDG: 21348

Client Sample ID: Augr Hole 7

Date Collected: 11/12/24 13:05

Date Received: 11/14/24 15:29

Lab Sample ID: 880-51112-14

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8015 NM		1			95848	11/15/24 17:05	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.04 g	10 mL	95776	11/15/24 08:23	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	95803	11/15/24 17:05	TKC	EET MID
Soluble	Leach	DI Leach			4.96 g	50 mL	95758	11/15/24 07:58	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	95798	11/15/24 18:35	CH	EET MID

Client Sample ID: Augr Hole 8

Date Collected: 11/12/24 13:10

Date Received: 11/14/24 15:29

Lab Sample ID: 880-51112-15

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.99 g	5 mL	95769	11/15/24 08:17	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	95765	11/15/24 17:29	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			95941	11/15/24 17:29	SM	EET MID
Total/NA	Analysis	8015 NM		1			95848	11/15/24 17:21	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.03 g	10 mL	95776	11/15/24 08:23	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	95803	11/15/24 17:21	TKC	EET MID
Soluble	Leach	DI Leach			4.98 g	50 mL	95761	11/15/24 08:00	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	95801	11/15/24 18:24	CH	EET MID

Client Sample ID: Augr Hole 8

Date Collected: 11/12/24 13:15

Date Received: 11/14/24 15:29

Lab Sample ID: 880-51112-16

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	95769	11/15/24 08:17	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	95765	11/15/24 17:50	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			95941	11/15/24 17:50	SM	EET MID
Total/NA	Analysis	8015 NM		1			95848	11/15/24 17:38	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10 mL	95776	11/15/24 08:23	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	95803	11/15/24 17:38	TKC	EET MID
Soluble	Leach	DI Leach			4.98 g	50 mL	95761	11/15/24 08:00	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	95801	11/15/24 18:40	CH	EET MID

Client Sample ID: Augr Hole 9

Date Collected: 11/12/24 13:20

Date Received: 11/14/24 15:29

Lab Sample ID: 880-51112-17

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.03 g	5 mL	95769	11/15/24 08:17	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	95765	11/15/24 18:10	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			95941	11/15/24 18:10	SM	EET MID
Total/NA	Analysis	8015 NM		1			95848	11/15/24 17:54	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.06 g	10 mL	95776	11/15/24 08:23	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	95803	11/15/24 17:54	TKC	EET MID

Eurofins Midland

Lab Chronicle

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gasline Rel

Job ID: 880-51112-1
SDG: 21348

Client Sample ID: Augr Hole 9

Date Collected: 11/12/24 13:20

Date Received: 11/14/24 15:29

Lab Sample ID: 880-51112-17

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Soluble	Leach	DI Leach			4.95 g	50 mL	95761	11/15/24 08:00	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	95801	11/15/24 18:45	CH	EET MID

Client Sample ID: Augr Hole 9

Date Collected: 11/12/24 13:25

Date Received: 11/14/24 15:29

Lab Sample ID: 880-51112-18

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.97 g	5 mL	95769	11/15/24 08:17	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	95765	11/15/24 18:31	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			95941	11/15/24 18:31	SM	EET MID
Total/NA	Analysis	8015 NM		1			95848	11/15/24 18:11	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.02 g	10 mL	95776	11/15/24 08:23	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	95803	11/15/24 18:11	TKC	EET MID
Soluble	Leach	DI Leach			5.04 g	50 mL	95761	11/15/24 08:00	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	95801	11/15/24 18:51	CH	EET MID

Client Sample ID: Augr Hole 10

Date Collected: 11/12/24 13:30

Date Received: 11/14/24 15:29

Lab Sample ID: 880-51112-19

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.98 g	5 mL	95769	11/15/24 08:17	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	95765	11/15/24 18:51	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			95941	11/15/24 18:51	SM	EET MID
Total/NA	Analysis	8015 NM		1			95848	11/15/24 18:27	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10 mL	95776	11/15/24 08:23	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	95803	11/15/24 18:27	TKC	EET MID
Soluble	Leach	DI Leach			4.96 g	50 mL	95761	11/15/24 08:00	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	95801	11/15/24 18:56	CH	EET MID

Client Sample ID: Augr Hole 10

Date Collected: 11/12/24 13:35

Date Received: 11/14/24 15:29

Lab Sample ID: 880-51112-20

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.95 g	5 mL	95769	11/15/24 08:17	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	95765	11/15/24 19:12	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			95941	11/15/24 19:12	SM	EET MID
Total/NA	Analysis	8015 NM		1			95848	11/15/24 18:43	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.04 g	10 mL	95776	11/15/24 08:23	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	95803	11/15/24 18:43	TKC	EET MID
Soluble	Leach	DI Leach			5.01 g	50 mL	95761	11/15/24 08:00	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	95801	11/15/24 19:12	CH	EET MID

Eurofins Midland

Lab Chronicle

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gasline Rel

Job ID: 880-51112-1
SDG: 21348

Client Sample ID: Augr Hole 11
Date Collected: 11/12/24 13:40
Date Received: 11/14/24 15:29

Lab Sample ID: 880-51112-21
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	95770	11/15/24 08:20	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	95763	11/15/24 11:31	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			95941	11/15/24 11:31	SM	EET MID
Total/NA	Analysis	8015 NM		1			95848	11/15/24 12:45	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.02 g	10 mL	95777	11/15/24 08:26	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	95805	11/15/24 12:45	TKC	EET MID
Soluble	Leach	DI Leach			5.02 g	50 mL	95761	11/15/24 08:00	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	95801	11/15/24 19:17	CH	EET MID

Client Sample ID: Augr Hole 11
Date Collected: 11/12/24 13:45
Date Received: 11/14/24 15:29

Lab Sample ID: 880-51112-22
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.97 g	5 mL	95770	11/15/24 08:20	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	95763	11/15/24 11:52	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			95941	11/15/24 11:52	SM	EET MID
Total/NA	Analysis	8015 NM		1			95848	11/15/24 13:50	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10 mL	95777	11/15/24 08:26	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	95805	11/15/24 13:50	TKC	EET MID
Soluble	Leach	DI Leach			4.99 g	50 mL	95761	11/15/24 08:00	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	95801	11/15/24 19:22	CH	EET MID

Client Sample ID: Augr Hole 12
Date Collected: 11/12/24 13:50
Date Received: 11/14/24 15:29

Lab Sample ID: 880-51112-23
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.02 g	5 mL	95770	11/15/24 08:20	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	95763	11/15/24 12:12	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			95941	11/15/24 12:12	SM	EET MID
Total/NA	Analysis	8015 NM		1			95848	11/15/24 14:06	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.03 g	10 mL	95777	11/15/24 08:26	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	95805	11/15/24 14:06	TKC	EET MID
Soluble	Leach	DI Leach			5.05 g	50 mL	95761	11/15/24 08:00	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	95801	11/15/24 19:28	CH	EET MID

Client Sample ID: Augr Hole 12
Date Collected: 11/12/24 13:55
Date Received: 11/14/24 15:29

Lab Sample ID: 880-51112-24
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.05 g	5 mL	95770	11/15/24 08:20	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	95763	11/15/24 12:33	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			95941	11/15/24 12:33	SM	EET MID

Eurofins Midland

Lab Chronicle

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gasline Rel

Job ID: 880-51112-1
SDG: 21348

Client Sample ID: Augr Hole 12

Date Collected: 11/12/24 13:55

Date Received: 11/14/24 15:29

Lab Sample ID: 880-51112-24

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8015 NM		1			95848	11/15/24 14:23	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.04 g	10 mL	95777	11/15/24 08:26	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	95805	11/15/24 14:23	TKC	EET MID
Soluble	Leach	DI Leach			4.97 g	50 mL	95761	11/15/24 08:00	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	95801	11/15/24 19:33	CH	EET MID

Client Sample ID: Augr Hole 13

Date Collected: 11/12/24 14:00

Date Received: 11/14/24 15:29

Lab Sample ID: 880-51112-25

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	95770	11/15/24 08:20	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	95763	11/15/24 12:53	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			95941	11/15/24 12:53	SM	EET MID
Total/NA	Analysis	8015 NM		1			95848	11/15/24 14:39	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10 mL	95777	11/15/24 08:26	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	95805	11/15/24 14:39	TKC	EET MID
Soluble	Leach	DI Leach			4.96 g	50 mL	95761	11/15/24 08:00	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	95801	11/15/24 19:38	CH	EET MID

Client Sample ID: Augr Hole 13

Date Collected: 11/12/24 14:05

Date Received: 11/14/24 15:29

Lab Sample ID: 880-51112-26

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.98 g	5 mL	95770	11/15/24 08:20	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	95763	11/15/24 13:13	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			95941	11/15/24 13:13	SM	EET MID
Total/NA	Analysis	8015 NM		1			95848	11/15/24 14:55	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.05 g	10 mL	95777	11/15/24 08:26	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	95805	11/15/24 14:55	TKC	EET MID
Soluble	Leach	DI Leach			5.00 g	50 mL	95761	11/15/24 08:00	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	95801	11/15/24 19:54	CH	EET MID

Client Sample ID: Augr Hole 14

Date Collected: 11/12/24 14:10

Date Received: 11/14/24 15:29

Lab Sample ID: 880-51112-27

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.02 g	5 mL	95770	11/15/24 08:20	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	95763	11/15/24 13:34	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			95941	11/15/24 13:34	SM	EET MID
Total/NA	Analysis	8015 NM		1			95848	11/15/24 15:12	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10 mL	95777	11/15/24 08:26	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	95805	11/15/24 15:12	TKC	EET MID

Eurofins Midland

Lab Chronicle

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gasline Rel

Job ID: 880-51112-1
SDG: 21348

Client Sample ID: Augr Hole 14

Lab Sample ID: 880-51112-27

Date Collected: 11/12/24 14:10

Matrix: Solid

Date Received: 11/14/24 15:29

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Soluble	Leach	DI Leach			4.98 g	50 mL	95761	11/15/24 08:00	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	95801	11/15/24 19:59	CH	EET MID

Client Sample ID: Augr Hole 14

Lab Sample ID: 880-51112-28

Date Collected: 11/12/24 14:15

Matrix: Solid

Date Received: 11/14/24 15:29

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.02 g	5 mL	95770	11/15/24 08:20	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	95763	11/15/24 13:54	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			95941	11/15/24 13:54	SM	EET MID
Total/NA	Analysis	8015 NM		1			95848	11/15/24 15:28	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.04 g	10 mL	95777	11/15/24 08:26	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	95805	11/15/24 15:28	TKC	EET MID
Soluble	Leach	DI Leach			4.99 g	50 mL	95761	11/15/24 08:00	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	95801	11/15/24 20:15	CH	EET MID

Client Sample ID: Augr Hole 15

Lab Sample ID: 880-51112-29

Date Collected: 11/12/24 14:20

Matrix: Solid

Date Received: 11/14/24 15:29

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	95770	11/15/24 08:20	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	95763	11/15/24 14:15	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			95941	11/15/24 14:15	SM	EET MID
Total/NA	Analysis	8015 NM		1			95848	11/15/24 15:44	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.03 g	10 mL	95777	11/15/24 08:26	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	95805	11/15/24 15:44	TKC	EET MID
Soluble	Leach	DI Leach			5.05 g	50 mL	95761	11/15/24 08:00	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	95801	11/15/24 20:20	CH	EET MID

Client Sample ID: Augr Hole 15

Lab Sample ID: 880-51112-30

Date Collected: 11/12/24 14:25

Matrix: Solid

Date Received: 11/14/24 15:29

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.96 g	5 mL	95770	11/15/24 08:20	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	95763	11/15/24 14:35	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			95941	11/15/24 14:35	SM	EET MID
Total/NA	Analysis	8015 NM		1			95848	11/15/24 16:16	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.02 g	10 mL	95777	11/15/24 08:26	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	95805	11/15/24 16:16	TKC	EET MID
Soluble	Leach	DI Leach			5.05 g	50 mL	95761	11/15/24 08:00	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	95801	11/15/24 20:25	CH	EET MID

Eurofins Midland

Lab Chronicle

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gasline Rel

Job ID: 880-51112-1
SDG: 21348

Client Sample ID: Augr Hole 16

Lab Sample ID: 880-51112-31

Date Collected: 11/12/24 14:30

Matrix: Solid

Date Received: 11/14/24 15:29

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.99 g	5 mL	95770	11/15/24 08:20	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	95763	11/15/24 16:50	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			95941	11/15/24 16:50	SM	EET MID
Total/NA	Analysis	8015 NM		1			95848	11/15/24 16:33	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10 mL	95777	11/15/24 08:26	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	95805	11/15/24 16:33	TKC	EET MID
Soluble	Leach	DI Leach			4.96 g	50 mL	95761	11/15/24 08:00	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	95801	11/15/24 20:31	CH	EET MID

Client Sample ID: Augr Hole 16

Lab Sample ID: 880-51112-32

Date Collected: 11/12/24 14:35

Matrix: Solid

Date Received: 11/14/24 15:29

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.95 g	5 mL	95770	11/15/24 08:20	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	95763	11/15/24 17:10	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			95941	11/15/24 17:10	SM	EET MID
Total/NA	Analysis	8015 NM		1			95848	11/15/24 16:49	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.05 g	10 mL	95777	11/15/24 08:26	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	95805	11/15/24 16:49	TKC	EET MID
Soluble	Leach	DI Leach			5.02 g	50 mL	95761	11/15/24 08:00	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	95801	11/15/24 20:36	CH	EET MID

Laboratory References:
EET MID = Eurofins Midland, 1211 W. Florida Ave, Midland, TX 79701, TEL (432)704-5440

Accreditation/Certification Summary

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gasline Rel

Job ID: 880-51112-1
SDG: 21348

Laboratory: Eurofins Midland

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
Texas	NELAP	T104704400	06-30-25
The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.			
Analysis Method	Prep Method	Matrix	Analyte
8015 NM		Solid	Total TPH
Total BTEX		Solid	Total BTEX

Method Summary

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gasline Rel

Job ID: 880-51112-1
SDG: 21348

Method	Method Description	Protocol	Laboratory
8021B	Volatile Organic Compounds (GC)	SW846	EET MID
Total BTEX	Total BTEX Calculation	TAL SOP	EET MID
8015 NM	Diesel Range Organics (DRO) (GC)	SW846	EET MID
8015B NM	Diesel Range Organics (DRO) (GC)	SW846	EET MID
300.0	Anions, Ion Chromatography	EPA	EET MID
5035	Closed System Purge and Trap	SW846	EET MID
8015NM Prep	Microextraction	SW846	EET MID
DI Leach	Deionized Water Leaching Procedure	ASTM	EET MID

Protocol References:

- ASTM = ASTM International
- EPA = US Environmental Protection Agency
- SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.
- TAL SOP = TestAmerica Laboratories, Standard Operating Procedure

Laboratory References:

- EET MID = Eurofins Midland, 1211 W. Florida Ave, Midland, TX 79701, TEL (432)704-5440

Sample Summary

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gasline Rel

Job ID: 880-51112-1
SDG: 21348

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Depth
880-51112-1	Augr Hole 1	Solid	11/12/24 12:00	11/14/24 15:29	0-5"
880-51112-2	Augr Hole 1	Solid	11/12/24 12:05	11/14/24 15:29	4'
880-51112-3	Augr Hole 2	Solid	11/12/24 12:10	11/14/24 15:29	0-5"
880-51112-4	Augr Hole 2	Solid	11/12/24 12:15	11/14/24 15:29	4'
880-51112-5	Augr Hole 3	Solid	11/12/24 12:20	11/14/24 15:29	0-5"
880-51112-6	Augr Hole 3	Solid	11/12/24 12:25	11/14/24 15:29	4'
880-51112-7	Augr Hole 4	Solid	11/12/24 12:30	11/14/24 15:29	0-5"
880-51112-8	Augr Hole 4	Solid	11/12/24 12:35	11/14/24 15:29	4'
880-51112-9	Augr Hole 5	Solid	11/12/24 12:40	11/14/24 15:29	0-5"
880-51112-10	Augr Hole 5	Solid	11/12/24 12:45	11/14/24 15:29	4'
880-51112-11	Augr Hole 6	Solid	11/12/24 12:50	11/14/24 15:29	0-5"
880-51112-12	Augr Hole 6	Solid	11/12/24 12:55	11/14/24 15:29	4'
880-51112-13	Augr Hole 7	Solid	11/12/24 13:00	11/14/24 15:29	0-5"
880-51112-14	Augr Hole 7	Solid	11/12/24 13:05	11/14/24 15:29	4'
880-51112-15	Augr Hole 8	Solid	11/12/24 13:10	11/14/24 15:29	0-5"
880-51112-16	Augr Hole 8	Solid	11/12/24 13:15	11/14/24 15:29	1'
880-51112-17	Augr Hole 9	Solid	11/12/24 13:20	11/14/24 15:29	0-5"
880-51112-18	Augr Hole 9	Solid	11/12/24 13:25	11/14/24 15:29	1'
880-51112-19	Augr Hole 10	Solid	11/12/24 13:30	11/14/24 15:29	0-5"
880-51112-20	Augr Hole 10	Solid	11/12/24 13:35	11/14/24 15:29	1'
880-51112-21	Augr Hole 11	Solid	11/12/24 13:40	11/14/24 15:29	0-5"
880-51112-22	Augr Hole 11	Solid	11/12/24 13:45	11/14/24 15:29	1'
880-51112-23	Augr Hole 12	Solid	11/12/24 13:50	11/14/24 15:29	0-5"
880-51112-24	Augr Hole 12	Solid	11/12/24 13:55	11/14/24 15:29	1'
880-51112-25	Augr Hole 13	Solid	11/12/24 14:00	11/14/24 15:29	0-5"
880-51112-26	Augr Hole 13	Solid	11/12/24 14:05	11/14/24 15:29	1'
880-51112-27	Augr Hole 14	Solid	11/12/24 14:10	11/14/24 15:29	0-5"
880-51112-28	Augr Hole 14	Solid	11/12/24 14:15	11/14/24 15:29	1'
880-51112-29	Augr Hole 15	Solid	11/12/24 14:20	11/14/24 15:29	0-5"
880-51112-30	Augr Hole 15	Solid	11/12/24 14:25	11/14/24 15:29	1'
880-51112-31	Augr Hole 16	Solid	11/12/24 14:30	11/14/24 15:29	0-5"
880-51112-32	Augr Hole 16	Solid	11/12/24 14:35	11/14/24 15:29	1'



Chain of Custody

Houston, TX (281) 240-4200 Dallas, TX (214) 902-0300 San Antonio, TX (210) 509-3334

Midland, TX (432-704-5440) EL Paso, TX (915) 585-3443 Lubbock, TX (806) 794-1296

Hobbs, NM (575-392-7550) Phoenix, AZ (480-355-0900) Atlanta, GA (770-449-8800) Tampa, FL (813-620-2000)

www.xenco.com

Page 2 of 4

Project Manager:	Blake Estep	Bill to: (if different)	
Company Name:	Etech Environmental	Company Name:	
Address:	13000 West CR 100	Address:	
City, State ZIP:	Midland, TX 79711	City, State ZIP:	
Phone:	(432)563-2200	Email:	blake@etechenv.com

Work Order Comments	
Program: UST/PST PRP Brownfields RRC Superfund	
State of Project:	
Reporting: Level II	Level III PST/UST TRRP Level IV
Deliverables: EDD	ADaPT Other:

Project Name:	Walker HP Gasline Rel		Turn Around	ANALYSIS REQUEST												Work Order Notes																												
Project Number:	21348		Routine	Number of Containers BTEX (800000) 8015M TPH (TX1005) Chloride												Distribute to WES																												
P.O. Number:	21348		Rush:													Bill Etech																												
Sampler's Name:	Art		Due Date:																																									
<table border="1"> <tr> <th colspan="2">SAMPLE RECEIPT</th> <th>Temp Blank:</th> <th>Yes</th> <th>No</th> <th>Wet Ice:</th> <th>Yes</th> <th>No</th> </tr> <tr> <td>Temperature (°C):</td> <td></td> <td colspan="6">Thermometer ID</td> </tr> <tr> <td>Received Intact:</td> <td>Yes</td> <td>No</td> <td colspan="5"></td> </tr> <tr> <td>Cooler Custody Seals:</td> <td>Yes</td> <td>No</td> <td>N/A</td> <td colspan="4">Correction Factor:</td> </tr> <tr> <td>Sample Custody Seals:</td> <td>Yes</td> <td>No</td> <td>N/A</td> <td colspan="4">Total Containers:</td> </tr> </table>																SAMPLE RECEIPT		Temp Blank:	Yes	No	Wet Ice:	Yes	No	Temperature (°C):		Thermometer ID						Received Intact:	Yes	No						Cooler Custody Seals:	Yes	No	N/A	Correction Factor:
SAMPLE RECEIPT		Temp Blank:	Yes	No	Wet Ice:	Yes	No																																					
Temperature (°C):		Thermometer ID																																										
Received Intact:	Yes	No																																										
Cooler Custody Seals:	Yes	No	N/A	Correction Factor:																																								
Sample Custody Seals:	Yes	No	N/A	Total Containers:																																								
Sample Identification	Matrix	Date Sampled	Time Sampled	Depth													Sample Comments																											
Auger hole 6	Soil	11/12/24	12:50	0-5"																																								
Auger hole 6			12:55	4'																																								
Auger hole 7			13:00	0-5"																																								
Auger hole 7			13:05	4'																																								
Auger hole 8			13:10	0-5"																																								
Auger hole 8			13:15	1'																																								
Auger hole 9			13:20	0-5"																																								
Auger hole 9			13:25	1'																																								
Auger hole 10			13:30	0-5"																																								
Auger hole 10			13:35	1'																																								

Total 200.7 / 6010	200.8 / 6020:	8RCRA 13PPM Texas 11	Al Sb As Ba Be B Cd Ca Cr Co Cu Fe Pb Mg Mn Mo Ni K Se Ag SiO2 Na Sr Ti Sn U V Zn
Circle Method(s) and Metal(s) to be analyzed		TCLP / SPLP 6010: 8RCRA Sb As Ba Be Cd Cr Co Cu Pb Mn Mo Ni Se Ag Ti U	1631 / 245.1 / 7470 / 7471 : Hg

Notice: Signature of this document and relinquishment of samples constitutes a valid purchase order from client company to Xenco, its affiliates and subcontractors. It assigns standard terms and conditions of service. Xenco will be liable only for the cost of samples and shall not assume any responsibility for any losses or expenses incurred by the client if such losses are due to circumstances beyond the control of Xenco. A minimum charge of \$75.00 will be applied to each project and a charge of \$5 for each sample submitted to Xenco, but not analyzed. These terms will be enforced unless previously negotiated.

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1		11/14/24 15:28	2		
3			4		
5			6		

Revised Date 051418 Rev. 2018.1



Chain of Custody

Houston, TX (281) 240-4200 Dallas, TX (214) 902-0300 San Antonio, TX (210) 509-3334

Midland, TX (432-704-5440) EL Paso, TX (915) 585-3443 Lubbock, TX (806) 794-1296

Hobbs, NM (575-392-7550) Phoenix, AZ (480-355-0900) Atlanta, GA (770-449-8800) Tampa, FL (813-620-2000)

www.xenco.com

Page 3 of 4

11/18/2024

Project Manager:	Blake Estep	Bill to: (if different)	
Company Name:	Etech Environmental	Company Name:	
Address:	13000 West CR 100	Address:	
City, State ZIP:	Midland, TX 79711	City, State ZIP:	
Phone:	(432)563-2200	Email:	blake@etechenv.com

Work Order Comments	
Program: UST/PST PRP Brownfields RRC Superfund	
State of Project:	
Reporting: Level II	Level III PST/UST TRRP Level IV
Deliverables: EDD	ADaPT Other:

Project Name:	Walker Hg Gasline Rel	Turn Around	
Project Number:	21348	Routine	X
P.O. Number:	21348	Rush:	
Sampler's Name:	Art	Due Date:	

SAMPLE RECEIPT		Temp Blank:	Yes	No	Wet Ice:	Yes	No
Temperature (°C):		Thermometer ID					
Received Intact:		Yes		No			
Cooler Custody Seals:		Yes	No	N/A	Correction Factor:		
Sample Custody Seals:		Yes	No	N/A	Total Containers:		

Sample Identification		Matrix	Date Sampled	Time Sampled	Depth	Number	BTEX (9021B)	TPH (TX1005)	Chloride										Sample Comments
Auger hole	11	Soil	11/12/24	13:40	0-5"														
Auger hole	11			13:45	1'														
Auger hole	12			13:50	0-5"														
Auger hole	12			13:55	1'														
Auger hole	13			14:00	0-5"														
Auger hole	13			14:05	1'														
Auger hole	14			14:10	0-5"														
Auger hole	14			14:15	1'														
Auger hole	15			14:20	0-5"														
Auger hole	15			14:25	1'														

Total 200.7 / 6010	200.8 / 6020:	8RCRA 13PPM Texas 11	Al Sb As Ba Be B Cd Ca Cr Co Cu Fe Pb Mg Mn Mo Ni K Se Ag SiO2 Na Sr Ti Sn U V Zn
Circle Method(s) and Metal(s) to be analyzed		TCLP / SPLP 6010: 8RCRA	Sb As Ba Be Cd Cr Co Cu Pb Mn Mo Ni Se Ag Ti U
			1631 / 245.1 / 7470 / 7471 : Hg

Notice: Signature of this document and relinquishment of samples constitutes a valid purchase order from client company to Xenco, its affiliates and subcontractors. It assigns standard terms and conditions of service. Xenco will be liable only for the cost of samples and shall not assume any responsibility for any losses or expenses incurred by the client if such losses are due to circumstances beyond the control of Xenco. A minimum charge of \$75.00 will be applied to each project and a charge of \$5 for each sample submitted to Xenco, but not analyzed. These terms will be enforced unless previously negotiated.

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1		11/14/24 15:28			
3			4		
5			6		

Revised Date 051418 Rev. 2018.1

Page 65 of 67

Released to Imaging: 5/27/2025 10:03:42 AM

Chain of Custody



Houston, TX (281) 240-4200 Dallas, TX (214) 902-0300 San Antonio, TX (210) 509-3334

Midland, TX (432-704-5440) EL Paso, TX (915)585-3443 Lubbock, TX (806)794-1296

Hobbs,NM (575-392-7550) Phoenix,AZ (480-355-0900) Atlanta,GA (770-449-8800) Tampa,FL (813-620-2000)

www.xenco.com

Page 7 of 1

Project Manager:	Blake Estep		Bill to: (if different)	
Company Name:	Etech Environmental		Company Name:	
Address:	13000 West CR 100		Address:	
City, State ZIP:	Midland, TX 79711		City, State ZIP:	
Phone:	(432)563-2200	Email:	blake@etechenv.com	

Work Order Comments				
Program:	UST/PST	PRP	Brownfields	RRC Superfund
State of Project:				
Reporting:	Level II	Level III	PST/UST	TRRP Level IV
Deliverables:	EDD	ADaPT	Other:	

[illegible]

Total 200.7 / 6010	200.8 / 6020:	8RCRA 13PPM Texas 11	Al	Sb	As	Ba	Be	B	Cd	Ca	Cr	Co	Cu	Fe	Pb	Mg	Mn	Mo	Ni	K	Se	Ag	SiO2	Na	Sr	Ti	Sn	U	V	Zn	
<i>Circle Method(s) and Metal(s) to be analyzed</i>		TCLP / SPLP 6010:	8RCRA	Sb	As	Ba	Be	Cd	Cr	Co	Cu	Pb	Mn	Mo	Ni	Se	Ag	Ti	U											1631 / 245.1 / 7470 / 7471 :	Hg

Notice: Signature of this document and relinquishment of samples constitutes a valid purchase order from client company to Xenco, its affiliates and subcontractors. It assigns standard terms and conditions of service. Xenco will be liable only for the cost of samples and shall not assume any responsibility for any losses or expenses incurred by the client if such losses are due to circumstances beyond the control of Xenco. A minimum charge of \$75.00 will be applied to each project and a charge of \$5 for each sample submitted to Xenco, but not analyzed. These terms will be enforced unless previously negotiated.

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1 		11/14/24 15:29			
3			4		
5			6		

Login Sample Receipt Checklist

Client: Etech Environmental & Safety Solutions

Job Number: 880-51112-1

SDG Number: 21348

Login Number: 51112

List Number: 1

Creator: Vasquez, Julisa

List Source: Eurofins Midland

Question	Answer	Comment
The cooler's custody seal, if present, is intact.	N/A	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	



Environment Testing

1

2

3

4

5

6

7

8

9

10

11

12

13

14

ANALYTICAL REPORT

PREPARED FOR

Attn: Blake Estep
Etech Environmental & Safety Solutions
PO BOX 62228
Midland, Texas 79711

Generated 2/19/2025 4:28:31 PM Revision 1

JOB DESCRIPTION

Walker HP Gas Line Release
21348

JOB NUMBER

880-53920-1

Eurofins Midland
1211 W. Florida Ave
Midland TX 79701

Eurofins Midland

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

Analytical test results meet all requirements of the associated regulatory program (i.e., NELAC (TNI), DoD, and ISO 17025) unless otherwise noted under the individual analysis.

Authorization



Authorized for release by
Jessica Kramer, Project Manager
Jessica.Kramer@et.eurofinsus.com
(432)704-5440

Generated
2/19/2025 4:28:31 PM
Revision 1

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gas Line Release

Laboratory Job ID: 880-53920-1
SDG: 21348

Table of Contents

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	5
Client Sample Results	7
Surrogate Summary	70
QC Sample Results	75
QC Association Summary	96
Lab Chronicle	114
Certification Summary	138
Method Summary	139
Sample Summary	140
Chain of Custody	142
Receipt Checklists	150

1

2

3

4

5

6

7

8

9

10

11

12

13

14

Definitions/Glossary

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gas Line Release

Job ID: 880-53920-1
SDG: 21348

Qualifiers

GC VOA

Qualifier	Qualifier Description
*-	LCS and/or LCSD is outside acceptance limits, low biased.
S1+	Surrogate recovery exceeds control limits, high biased.
U	Indicates the analyte was analyzed for but not detected.

GC Semi VOA

Qualifier	Qualifier Description
*-	LCS and/or LCSD is outside acceptance limits, low biased.
S1-	Surrogate recovery exceeds control limits, low biased.
S1+	Surrogate recovery exceeds control limits, high biased.
U	Indicates the analyte was analyzed for but not detected.

HPLC/IC

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: Etech Environmental & Safety Solutions
Project: Walker HP Gas Line Release

Job ID: 880-53920-1

Job ID: 880-53920-1

Eurofins Midland

Job Narrative 880-53920-1

REVISION

The report being provided is a revision of the original report sent on 2/11/2025. The report (revision 1) is being revised due to Per client email, requesting TPH re run.

Analytical test results meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page unless otherwise noted under the individual analysis. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable.

- Matrix QC may not be reported if insufficient sample is provided or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD may be performed, unless otherwise specified in the method.
- Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

Receipt

The samples were received on 2/3/2025 9:55 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 3.9°C.

Receipt Exceptions

The following samples were received and analyzed from an unpreserved bulk soil jar: Floor Sample 01 (880-53920-1), Floor Sample 02 (880-53920-2), Floor Sample 03 (880-53920-3), Floor Sample 04 (880-53920-4), Floor Sample 05 (880-53920-5), Floor Sample 06 (880-53920-6), Floor Sample 07 (880-53920-7), Floor Sample 08 (880-53920-8), Floor Sample 09 (880-53920-9), Floor Sample 10 (880-53920-10), Floor Sample 11 (880-53920-11), Floor Sample 12 (880-53920-12), Floor Sample 13 (880-53920-13), Floor Sample 14 (880-53920-14), Floor Sample 15 (880-53920-15), Floor Sample 16 (880-53920-16), Floor Sample 17 (880-53920-17), Floor Sample 18 (880-53920-18), Floor Sample 19 (880-53920-19), Floor Sample 20 (880-53920-20), Floor Sample 21 (880-53920-21), Floor Sample 22 (880-53920-22), Floor Sample 23 (880-53920-23), Floor Sample 24 (880-53920-24), Floor Sample 25 (880-53920-25), Floor Sample 26 (880-53920-26), Floor Sample 27 (880-53920-27), Floor Sample 28 (880-53920-28), Floor Sample 29 (880-53920-29), Floor Sample 30 (880-53920-30), Floor Sample 31 (880-53920-31), Floor Sample 32 (880-53920-32), Floor Sample 33 (880-53920-33), Floor Sample 34 (880-53920-34), Floor Sample 35 (880-53920-35), Floor Sample 36 (880-53920-36), Floor Sample 37 (880-53920-37), Floor Sample 38 (880-53920-38), Floor Sample 39 (880-53920-39), Floor Sample 40 (880-53920-40), Floor Sample 41 (880-53920-41), Floor Sample 42 (880-53920-42), Floor Sample 43 (880-53920-43), Floor Sample 44 (880-53920-44), Floor Sample 45 (880-53920-45), Floor Sample 46 (880-53920-46), Floor Sample 47 (880-53920-47), Floor Sample 48 (880-53920-48), Floor Sample 49 (880-53920-49), Floor Sample 50 (880-53920-50), Floor Sample 51 (880-53920-51), Floor Sample 52 (880-53920-52), Floor Sample 53 (880-53920-53), Floor Sample 54 (880-53920-54), Floor Sample 55 (880-53920-55), Floor Sample 56 (880-53920-56), Floor Sample 57 (880-53920-57), Floor Sample 58 (880-53920-58), Floor Sample 59 (880-53920-59), Floor Sample 60 (880-53920-60), Floor Sample 61 (880-53920-61), Floor Sample 62 (880-53920-62), Floor Sample 63 (880-53920-63), Floor Sample 64 (880-53920-64), Floor Sample 65 (880-53920-65), Floor Sample 66 (880-53920-66), Floor Sample 67 (880-53920-67), Floor Sample 68 (880-53920-68), Floor Sample 69 (880-53920-69), Floor Sample 70 (880-53920-70), Floor Sample 71 (880-53920-71), Sidewall 01 (880-53920-72), Sidewall 02 (880-53920-73), Sidewall 03 (880-53920-74), Sidewall 04 (880-53920-75), Sidewall 05 (880-53920-76), Sidewall 06 (880-53920-77) and Sidewall 07 (880-53920-78).

GC VOA

Method 8021B: Surrogate recovery for the following sample was outside control limits: Floor Sample 40 (880-53920-40). Evidence of matrix interference is present; therefore, re-extraction and/or re-analysis was not performed.

Method 8021B: Surrogate recovery for the following sample was outside control limits: Floor Sample 66 (880-53920-66). Evidence of matrix interference is present; therefore, re-extraction and/or re-analysis was not performed.

Method 8021B: The laboratory control sample (LCS) associated with preparation batch 880-102000 and analytical batch 880-101941 was outside acceptance criteria. Re-extraction and/or re-analysis could not be performed; therefore, the data have been reported. The batch matrix spike/matrix spike duplicate (MS/MSD) was within acceptance limits and may be used to evaluate matrix performance.

Eurofins Midland

Case Narrative

Client: Etech Environmental & Safety Solutions
Project: Walker HP Gas Line Release

Job ID: 880-53920-1

Job ID: 880-53920-1 (Continued)

Eurofins Midland

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Diesel Range Organics

Method 8015MOD_NM: An incorrect volume of surrogate spiking solution was inadvertently added the following samples: Floor Sample 29 (880-53920-29), Floor Sample 33 (880-53920-33), Floor Sample 35 (880-53920-35), Floor Sample 37 (880-53920-37), Floor Sample 40 (880-53920-40), Floor Sample 61 (880-53920-61), Floor Sample 63 (880-53920-63), Floor Sample 65 (880-53920-65), Floor Sample 66 (880-53920-66), Floor Sample 67 (880-53920-67), Floor Sample 69 (880-53920-69), Floor Sample 70 (880-53920-70), Floor Sample 71 (880-53920-71), Sidewall 01 (880-53920-72), Sidewall 03 (880-53920-74), Sidewall 04 (880-53920-75), Sidewall 05 (880-53920-76) and Sidewall 07 (880-53920-78). Percent recoveries are based on the amount spiked.

Method 8015MOD_NM: Surrogate recovery for the following samples were outside control limits: Floor Sample 22 (880-53920-22), Floor Sample 23 (880-53920-23), Floor Sample 24 (880-53920-24), Floor Sample 25 (880-53920-25), Floor Sample 26 (880-53920-26), Floor Sample 27 (880-53920-27), Floor Sample 28 (880-53920-28), Floor Sample 30 (880-53920-30), Floor Sample 31 (880-53920-31), Floor Sample 32 (880-53920-32), Floor Sample 34 (880-53920-34), Floor Sample 36 (880-53920-36), Floor Sample 38 (880-53920-38), Floor Sample 39 (880-53920-39), Floor Sample 62 (880-53920-62), Floor Sample 64 (880-53920-64), Floor Sample 68 (880-53920-68), Sidewall 02 (880-53920-73), Sidewall 06 (880-53920-77), (880-53920-A-21-E MS), (880-53920-A-21-F MSD), (880-53920-A-61-E MS) and (880-53920-A-61-F MSD). Evidence of matrix interferences is not obvious.

Method 8015MOD_NM: Surrogate recovery for the following sample was outside control limits: Floor Sample 21 (880-53920-21). Evidence of matrix interferences is not obvious.

Method 8015MOD_NM: Surrogate recovery for the following samples were outside control limits: Floor Sample 02 (880-53920-2), Floor Sample 03 (880-53920-3), Floor Sample 04 (880-53920-4), Floor Sample 05 (880-53920-5), Floor Sample 06 (880-53920-6), Floor Sample 08 (880-53920-8), Floor Sample 09 (880-53920-9), Floor Sample 10 (880-53920-10), Floor Sample 11 (880-53920-11), Floor Sample 12 (880-53920-12), Floor Sample 13 (880-53920-13), Floor Sample 18 (880-53920-18), Floor Sample 19 (880-53920-19) and Floor Sample 20 (880-53920-20). Evidence of matrix interferences is not obvious.

Method 8015MOD_NM: The surrogate recovery for the blank associated with preparation batch 880-101908 and analytical batch 880-102160 was outside the upper control limits.

Method 8015MOD_NM: An incorrect volume of surrogate spiking solution was inadvertently added the following samples: Floor Sample 60 (880-53920-60). Percent recoveries are based on the amount spiked.

Method 8015MOD_NM: Surrogate recovery for the following samples were outside control limits: Floor Sample 41 (880-53920-41), Floor Sample 42 (880-53920-42), Floor Sample 45 (880-53920-45), Floor Sample 46 (880-53920-46), Floor Sample 47 (880-53920-47), Floor Sample 49 (880-53920-49), Floor Sample 50 (880-53920-50), Floor Sample 51 (880-53920-51), Floor Sample 52 (880-53920-52), Floor Sample 54 (880-53920-54), Floor Sample 55 (880-53920-55), Floor Sample 56 (880-53920-56), Floor Sample 57 (880-53920-57), Floor Sample 58 (880-53920-58) and Floor Sample 59 (880-53920-59). Evidence of matrix interferences is not obvious.

Method 8015MOD_NM: The laboratory control sample (LCS) associated with preparation batch 880-102943 and analytical batch 880-102924 was outside acceptance criteria. Re-extraction and/or re-analysis could not be performed; therefore, the data have been reported. The batch matrix spike/matrix spike duplicate (MS/MSD) was within acceptance limits and may be used to evaluate matrix performance.

Method 8015MOD_NM: The surrogate recovery for the blank associated with preparation batch 880-102943 and analytical batch 880-102924 was outside the upper control limits.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

HPLC/IC

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Midland

Client Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gas Line Release

Job ID: 880-53920-1
SDG: 21348

Client Sample ID: Floor Sample 01

Lab Sample ID: 880-53920-1

Date Collected: 01/30/25 12:00

Matrix: Solid

Date Received: 02/03/25 09:55

Sample Depth: 0.3"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00198	U	0.00198		mg/Kg		02/04/25 10:55	02/04/25 22:56	1
Toluene	<0.00198	U	0.00198		mg/Kg		02/04/25 10:55	02/04/25 22:56	1
Ethylbenzene	<0.00198	U	0.00198		mg/Kg		02/04/25 10:55	02/04/25 22:56	1
m-Xylene & p-Xylene	<0.00396	U	0.00396		mg/Kg		02/04/25 10:55	02/04/25 22:56	1
o-Xylene	<0.00198	U	0.00198		mg/Kg		02/04/25 10:55	02/04/25 22:56	1
Xylenes, Total	<0.00396	U	0.00396		mg/Kg		02/04/25 10:55	02/04/25 22:56	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	97		70 - 130	02/04/25 10:55	02/04/25 22:56	1
1,4-Difluorobenzene (Surr)	98		70 - 130	02/04/25 10:55	02/04/25 22:56	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00396	U	0.00396		mg/Kg			02/04/25 22:56	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			02/04/25 22:39	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	49.9		mg/Kg		02/03/25 15:37	02/04/25 22:39	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		02/03/25 15:37	02/04/25 22:39	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		02/03/25 15:37	02/04/25 22:39	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	83		70 - 130	02/03/25 15:37	02/04/25 22:39	1
o-Terphenyl	72		70 - 130	02/03/25 15:37	02/04/25 22:39	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<10.0	U	10.0		mg/Kg			02/03/25 19:26	1

Client Sample ID: Floor Sample 02

Lab Sample ID: 880-53920-2

Date Collected: 01/30/25 12:02

Matrix: Solid

Date Received: 02/03/25 09:55

Sample Depth: 0.3"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00198	U	0.00198		mg/Kg		02/04/25 10:55	02/04/25 23:17	1
Toluene	<0.00198	U	0.00198		mg/Kg		02/04/25 10:55	02/04/25 23:17	1
Ethylbenzene	<0.00198	U	0.00198		mg/Kg		02/04/25 10:55	02/04/25 23:17	1
m-Xylene & p-Xylene	<0.00397	U	0.00397		mg/Kg		02/04/25 10:55	02/04/25 23:17	1
o-Xylene	<0.00198	U	0.00198		mg/Kg		02/04/25 10:55	02/04/25 23:17	1
Xylenes, Total	<0.00397	U	0.00397		mg/Kg		02/04/25 10:55	02/04/25 23:17	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	89		70 - 130	02/04/25 10:55	02/04/25 23:17	1

Eurofins Midland

Client Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gas Line Release

Job ID: 880-53920-1
SDG: 21348

Client Sample ID: Floor Sample 02

Date Collected: 01/30/25 12:02

Date Received: 02/03/25 09:55

Sample Depth: 0.3"

Lab Sample ID: 880-53920-2

Matrix: Solid

Method: SW846 8021B - Volatile Organic Compounds (GC) (Continued)

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,4-Difluorobenzene (Surr)	106		70 - 130	02/04/25 10:55	02/04/25 23:17	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00397	U	0.00397		mg/Kg			02/04/25 23:17	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			02/04/25 23:24	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	49.9		mg/Kg		02/03/25 15:37	02/04/25 23:24	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		02/03/25 15:37	02/04/25 23:24	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		02/03/25 15:37	02/04/25 23:24	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	76		70 - 130				02/03/25 15:37	02/04/25 23:24	1
o-Terphenyl	65	S1-	70 - 130				02/03/25 15:37	02/04/25 23:24	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<10.1	U	10.1		mg/Kg			02/03/25 19:44	1

Client Sample ID: Floor Sample 03

Date Collected: 01/30/25 12:04

Date Received: 02/03/25 09:55

Sample Depth: 0.3"

Lab Sample ID: 880-53920-3

Matrix: Solid

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		02/04/25 10:55	02/04/25 23:37	1
Toluene	<0.00199	U	0.00199		mg/Kg		02/04/25 10:55	02/04/25 23:37	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		02/04/25 10:55	02/04/25 23:37	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		02/04/25 10:55	02/04/25 23:37	1
o-Xylene	<0.00199	U	0.00199		mg/Kg		02/04/25 10:55	02/04/25 23:37	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		02/04/25 10:55	02/04/25 23:37	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	98		70 - 130	02/04/25 10:55	02/04/25 23:37	1
1,4-Difluorobenzene (Surr)	96		70 - 130	02/04/25 10:55	02/04/25 23:37	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			02/04/25 23:37	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	70.2		49.8		mg/Kg			02/04/25 23:39	1

Eurofins Midland

Client Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gas Line Release

Job ID: 880-53920-1
SDG: 21348

Client Sample ID: Floor Sample 03

Lab Sample ID: 880-53920-3

Date Collected: 01/30/25 12:04

Matrix: Solid

Date Received: 02/03/25 09:55

Sample Depth: 0.3"

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.8	U	49.8		mg/Kg		02/03/25 15:37	02/04/25 23:39	1
Diesel Range Organics (Over C10-C28)	70.2		49.8		mg/Kg		02/03/25 15:37	02/04/25 23:39	1
Oil Range Organics (Over C28-C36)	<49.8	U	49.8		mg/Kg		02/03/25 15:37	02/04/25 23:39	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	80		70 - 130				02/03/25 15:37	02/04/25 23:39	1
o-Terphenyl	69	S1-	70 - 130				02/03/25 15:37	02/04/25 23:39	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<9.92	U	9.92		mg/Kg			02/03/25 19:50	1

Client Sample ID: Floor Sample 04

Lab Sample ID: 880-53920-4

Date Collected: 01/30/25 12:06

Matrix: Solid

Date Received: 02/03/25 09:55

Sample Depth: 0.3"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		02/04/25 10:55	02/04/25 23:58	1
Toluene	<0.00200	U	0.00200		mg/Kg		02/04/25 10:55	02/04/25 23:58	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		02/04/25 10:55	02/04/25 23:58	1
m-Xylene & p-Xylene	<0.00401	U	0.00401		mg/Kg		02/04/25 10:55	02/04/25 23:58	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		02/04/25 10:55	02/04/25 23:58	1
Xylenes, Total	<0.00401	U	0.00401		mg/Kg		02/04/25 10:55	02/04/25 23:58	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	93		70 - 130				02/04/25 10:55	02/04/25 23:58	1
1,4-Difluorobenzene (Surr)	96		70 - 130				02/04/25 10:55	02/04/25 23:58	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00401	U	0.00401		mg/Kg			02/04/25 23:58	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			02/04/25 23:56	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		02/03/25 15:37	02/04/25 23:56	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		02/03/25 15:37	02/04/25 23:56	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		02/03/25 15:37	02/04/25 23:56	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	76		70 - 130				02/03/25 15:37	02/04/25 23:56	1
o-Terphenyl	64	S1-	70 - 130				02/03/25 15:37	02/04/25 23:56	1

Eurofins Midland

Client Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gas Line Release

Job ID: 880-53920-1
SDG: 21348

Client Sample ID: Floor Sample 04

Lab Sample ID: 880-53920-4

Date Collected: 01/30/25 12:06

Matrix: Solid

Date Received: 02/03/25 09:55

Sample Depth: 0.3"

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<9.98	U	9.98		mg/Kg			02/03/25 19:55	1

Client Sample ID: Floor Sample 05

Lab Sample ID: 880-53920-5

Date Collected: 01/30/25 12:08

Matrix: Solid

Date Received: 02/03/25 09:55

Sample Depth: 0.3"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		02/04/25 10:55	02/05/25 00:18	1
Toluene	<0.00199	U	0.00199		mg/Kg		02/04/25 10:55	02/05/25 00:18	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		02/04/25 10:55	02/05/25 00:18	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		02/04/25 10:55	02/05/25 00:18	1
o-Xylene	<0.00199	U	0.00199		mg/Kg		02/04/25 10:55	02/05/25 00:18	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		02/04/25 10:55	02/05/25 00:18	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	98		70 - 130				02/04/25 10:55	02/05/25 00:18	1
1,4-Difluorobenzene (Surr)	98		70 - 130				02/04/25 10:55	02/05/25 00:18	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			02/05/25 00:18	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			02/05/25 00:10	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	49.9		mg/Kg		02/03/25 15:37	02/05/25 00:10	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		02/03/25 15:37	02/05/25 00:10	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		02/03/25 15:37	02/05/25 00:10	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	71		70 - 130				02/03/25 15:37	02/05/25 00:10	1
o-Terphenyl	62	S1-	70 - 130				02/03/25 15:37	02/05/25 00:10	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	10.8		9.94		mg/Kg			02/03/25 20:01	1

Eurofins Midland

Client Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gas Line Release

Job ID: 880-53920-1
SDG: 21348

Client Sample ID: Floor Sample 06

Lab Sample ID: 880-53920-6

Date Collected: 01/30/25 12:10

Matrix: Solid

Date Received: 02/03/25 09:55

Sample Depth: 0.3"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		02/04/25 10:55	02/05/25 00:39	1
Toluene	<0.00200	U	0.00200		mg/Kg		02/04/25 10:55	02/05/25 00:39	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		02/04/25 10:55	02/05/25 00:39	1
m-Xylene & p-Xylene	<0.00399	U	0.00399		mg/Kg		02/04/25 10:55	02/05/25 00:39	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		02/04/25 10:55	02/05/25 00:39	1
Xylenes, Total	<0.00399	U	0.00399		mg/Kg		02/04/25 10:55	02/05/25 00:39	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	102		70 - 130	02/04/25 10:55	02/05/25 00:39	1
1,4-Difluorobenzene (Surr)	100		70 - 130	02/04/25 10:55	02/05/25 00:39	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00399	U	0.00399		mg/Kg			02/05/25 00:39	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.8	U	49.8		mg/Kg			02/05/25 00:26	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.8	U	49.8		mg/Kg		02/03/25 15:37	02/05/25 00:26	1
Diesel Range Organics (Over C10-C28)	<49.8	U	49.8		mg/Kg		02/03/25 15:37	02/05/25 00:26	1
Oil Range Organics (Over C28-C36)	<49.8	U	49.8		mg/Kg		02/03/25 15:37	02/05/25 00:26	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	78		70 - 130	02/03/25 15:37	02/05/25 00:26	1
o-Terphenyl	66	S1-	70 - 130	02/03/25 15:37	02/05/25 00:26	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<9.92	U	9.92		mg/Kg			02/03/25 20:19	1

Client Sample ID: Floor Sample 07

Lab Sample ID: 880-53920-7

Date Collected: 01/30/25 12:12

Matrix: Solid

Date Received: 02/03/25 09:55

Sample Depth: 0.3"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00202	U	0.00202		mg/Kg		02/04/25 10:55	02/05/25 00:59	1
Toluene	<0.00202	U	0.00202		mg/Kg		02/04/25 10:55	02/05/25 00:59	1
Ethylbenzene	<0.00202	U	0.00202		mg/Kg		02/04/25 10:55	02/05/25 00:59	1
m-Xylene & p-Xylene	<0.00403	U	0.00403		mg/Kg		02/04/25 10:55	02/05/25 00:59	1
o-Xylene	<0.00202	U	0.00202		mg/Kg		02/04/25 10:55	02/05/25 00:59	1
Xylenes, Total	<0.00403	U	0.00403		mg/Kg		02/04/25 10:55	02/05/25 00:59	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	93		70 - 130	02/04/25 10:55	02/05/25 00:59	1

Eurofins Midland

Client Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gas Line Release

Job ID: 880-53920-1
SDG: 21348

Client Sample ID: Floor Sample 07

Date Collected: 01/30/25 12:12

Date Received: 02/03/25 09:55

Sample Depth: 0.3"

Lab Sample ID: 880-53920-7

Matrix: Solid

Method: SW846 8021B - Volatile Organic Compounds (GC) (Continued)

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,4-Difluorobenzene (Surr)	99		70 - 130	02/04/25 10:55	02/05/25 00:59	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00403	U	0.00403		mg/Kg			02/05/25 00:59	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.7	U	49.7		mg/Kg			02/05/25 00:40	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.7	U	49.7		mg/Kg		02/03/25 15:37	02/05/25 00:40	1
Diesel Range Organics (Over C10-C28)	<49.7	U	49.7		mg/Kg		02/03/25 15:37	02/05/25 00:40	1
Oil Range Organics (Over C28-C36)	<49.7	U	49.7		mg/Kg		02/03/25 15:37	02/05/25 00:40	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	84		70 - 130				02/03/25 15:37	02/05/25 00:40	1
o-Terphenyl	72		70 - 130				02/03/25 15:37	02/05/25 00:40	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<10.0	U	10.0		mg/Kg			02/03/25 20:25	1

Client Sample ID: Floor Sample 08

Date Collected: 01/30/25 12:14

Date Received: 02/03/25 09:55

Sample Depth: 0.3"

Lab Sample ID: 880-53920-8

Matrix: Solid

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		02/04/25 10:55	02/05/25 01:20	1
Toluene	<0.00200	U	0.00200		mg/Kg		02/04/25 10:55	02/05/25 01:20	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		02/04/25 10:55	02/05/25 01:20	1
m-Xylene & p-Xylene	<0.00399	U	0.00399		mg/Kg		02/04/25 10:55	02/05/25 01:20	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		02/04/25 10:55	02/05/25 01:20	1
Xylenes, Total	<0.00399	U	0.00399		mg/Kg		02/04/25 10:55	02/05/25 01:20	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	99		70 - 130	02/04/25 10:55	02/05/25 01:20	1
1,4-Difluorobenzene (Surr)	98		70 - 130	02/04/25 10:55	02/05/25 01:20	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00399	U	0.00399		mg/Kg			02/05/25 01:20	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.8	U	49.8		mg/Kg			02/05/25 00:57	1

Eurofins Midland

Client Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gas Line Release

Job ID: 880-53920-1
SDG: 21348

Client Sample ID: Floor Sample 08

Lab Sample ID: 880-53920-8

Date Collected: 01/30/25 12:14

Matrix: Solid

Date Received: 02/03/25 09:55

Sample Depth: 0.3"

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.8	U	49.8		mg/Kg		02/03/25 15:37	02/05/25 00:57	1
Diesel Range Organics (Over C10-C28)	<49.8	U	49.8		mg/Kg		02/03/25 15:37	02/05/25 00:57	1
Oil Range Organics (Over C28-C36)	<49.8	U	49.8		mg/Kg		02/03/25 15:37	02/05/25 00:57	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	76		70 - 130				02/03/25 15:37	02/05/25 00:57	1
o-Terphenyl	64	S1-	70 - 130				02/03/25 15:37	02/05/25 00:57	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<10.1	U	10.1		mg/Kg			02/03/25 20:31	1

Client Sample ID: Floor Sample 09

Lab Sample ID: 880-53920-9

Date Collected: 01/30/25 12:16

Matrix: Solid

Date Received: 02/03/25 09:55

Sample Depth: 0.3"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		02/04/25 10:55	02/05/25 01:40	1
Toluene	<0.00200	U	0.00200		mg/Kg		02/04/25 10:55	02/05/25 01:40	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		02/04/25 10:55	02/05/25 01:40	1
m-Xylene & p-Xylene	<0.00401	U	0.00401		mg/Kg		02/04/25 10:55	02/05/25 01:40	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		02/04/25 10:55	02/05/25 01:40	1
Xylenes, Total	<0.00401	U	0.00401		mg/Kg		02/04/25 10:55	02/05/25 01:40	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	112		70 - 130				02/04/25 10:55	02/05/25 01:40	1
1,4-Difluorobenzene (Surr)	98		70 - 130				02/04/25 10:55	02/05/25 01:40	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00401	U	0.00401		mg/Kg			02/05/25 01:40	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			02/05/25 01:11	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	49.9		mg/Kg		02/03/25 15:37	02/05/25 01:11	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		02/03/25 15:37	02/05/25 01:11	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		02/03/25 15:37	02/05/25 01:11	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	77		70 - 130				02/03/25 15:37	02/05/25 01:11	1
o-Terphenyl	66	S1-	70 - 130				02/03/25 15:37	02/05/25 01:11	1

Eurofins Midland

Client Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gas Line Release

Job ID: 880-53920-1
SDG: 21348

Client Sample ID: Floor Sample 09

Lab Sample ID: 880-53920-9

Date Collected: 01/30/25 12:16

Matrix: Solid

Date Received: 02/03/25 09:55

Sample Depth: 0.3"

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<10.1	U	10.1		mg/Kg			02/03/25 20:37	1

Client Sample ID: Floor Sample 10

Lab Sample ID: 880-53920-10

Date Collected: 01/30/25 12:18

Matrix: Solid

Date Received: 02/03/25 09:55

Sample Depth: 0.3"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		02/04/25 10:55	02/05/25 02:01	1
Toluene	<0.00200	U	0.00200		mg/Kg		02/04/25 10:55	02/05/25 02:01	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		02/04/25 10:55	02/05/25 02:01	1
m-Xylene & p-Xylene	<0.00399	U	0.00399		mg/Kg		02/04/25 10:55	02/05/25 02:01	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		02/04/25 10:55	02/05/25 02:01	1
Xylenes, Total	<0.00399	U	0.00399		mg/Kg		02/04/25 10:55	02/05/25 02:01	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	98		70 - 130				02/04/25 10:55	02/05/25 02:01	1
1,4-Difluorobenzene (Surr)	94		70 - 130				02/04/25 10:55	02/05/25 02:01	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00399	U	0.00399		mg/Kg			02/05/25 02:01	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.8	U	49.8		mg/Kg			02/05/25 01:27	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.8	U	49.8		mg/Kg		02/03/25 15:37	02/05/25 01:27	1
Diesel Range Organics (Over C10-C28)	<49.8	U	49.8		mg/Kg		02/03/25 15:37	02/05/25 01:27	1
Oil Range Organics (Over C28-C36)	<49.8	U	49.8		mg/Kg		02/03/25 15:37	02/05/25 01:27	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	80		70 - 130				02/03/25 15:37	02/05/25 01:27	1
o-Terphenyl	67	S1-	70 - 130				02/03/25 15:37	02/05/25 01:27	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<9.94	U	9.94		mg/Kg			02/03/25 20:43	1

Eurofins Midland

Client Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gas Line Release

Job ID: 880-53920-1
SDG: 21348

Client Sample ID: Floor Sample 11

Lab Sample ID: 880-53920-11

Date Collected: 01/30/25 12:20

Matrix: Solid

Date Received: 02/03/25 09:55

Sample Depth: 0.3"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00202	U	0.00202		mg/Kg		02/04/25 10:55	02/05/25 03:35	1
Toluene	<0.00202	U	0.00202		mg/Kg		02/04/25 10:55	02/05/25 03:35	1
Ethylbenzene	<0.00202	U	0.00202		mg/Kg		02/04/25 10:55	02/05/25 03:35	1
m-Xylene & p-Xylene	<0.00403	U	0.00403		mg/Kg		02/04/25 10:55	02/05/25 03:35	1
o-Xylene	<0.00202	U	0.00202		mg/Kg		02/04/25 10:55	02/05/25 03:35	1
Xylenes, Total	<0.00403	U	0.00403		mg/Kg		02/04/25 10:55	02/05/25 03:35	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	90		70 - 130	02/04/25 10:55	02/05/25 03:35	1
1,4-Difluorobenzene (Surr)	97		70 - 130	02/04/25 10:55	02/05/25 03:35	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00403	U	0.00403		mg/Kg			02/05/25 03:35	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			02/05/25 01:56	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		02/03/25 15:37	02/05/25 01:56	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		02/03/25 15:37	02/05/25 01:56	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		02/03/25 15:37	02/05/25 01:56	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	75		70 - 130	02/03/25 15:37	02/05/25 01:56	1
o-Terphenyl	63	S1-	70 - 130	02/03/25 15:37	02/05/25 01:56	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<9.96	U	9.96		mg/Kg			02/03/25 20:49	1

Client Sample ID: Floor Sample 12

Lab Sample ID: 880-53920-12

Date Collected: 01/30/25 12:22

Matrix: Solid

Date Received: 02/03/25 09:55

Sample Depth: 0.3"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		02/04/25 10:55	02/05/25 03:55	1
Toluene	<0.00199	U	0.00199		mg/Kg		02/04/25 10:55	02/05/25 03:55	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		02/04/25 10:55	02/05/25 03:55	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		02/04/25 10:55	02/05/25 03:55	1
o-Xylene	<0.00199	U	0.00199		mg/Kg		02/04/25 10:55	02/05/25 03:55	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		02/04/25 10:55	02/05/25 03:55	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	91		70 - 130	02/04/25 10:55	02/05/25 03:55	1

Eurofins Midland

Client Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gas Line Release

Job ID: 880-53920-1
SDG: 21348

Client Sample ID: Floor Sample 12

Lab Sample ID: 880-53920-12

Date Collected: 01/30/25 12:22

Matrix: Solid

Date Received: 02/03/25 09:55

Sample Depth: 0.3"

Method: SW846 8021B - Volatile Organic Compounds (GC) (Continued)

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,4-Difluorobenzene (Surr)	105		70 - 130	02/04/25 10:55	02/05/25 03:55	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			02/05/25 03:55	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.7	U	49.7		mg/Kg			02/05/25 02:10	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.7	U	49.7		mg/Kg		02/03/25 15:37	02/05/25 02:10	1
Diesel Range Organics (Over C10-C28)	<49.7	U	49.7		mg/Kg		02/03/25 15:37	02/05/25 02:10	1
Oil Range Organics (Over C28-C36)	<49.7	U	49.7		mg/Kg		02/03/25 15:37	02/05/25 02:10	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	73		70 - 130				02/03/25 15:37	02/05/25 02:10	1
o-Terphenyl	62	S1-	70 - 130				02/03/25 15:37	02/05/25 02:10	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<9.98	U	9.98		mg/Kg			02/03/25 21:06	1

Client Sample ID: Floor Sample 13

Lab Sample ID: 880-53920-13

Date Collected: 01/30/25 12:24

Matrix: Solid

Date Received: 02/03/25 09:55

Sample Depth: 0.3"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		02/04/25 10:55	02/05/25 04:16	1
Toluene	<0.00200	U	0.00200		mg/Kg		02/04/25 10:55	02/05/25 04:16	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		02/04/25 10:55	02/05/25 04:16	1
m-Xylene & p-Xylene	<0.00400	U	0.00400		mg/Kg		02/04/25 10:55	02/05/25 04:16	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		02/04/25 10:55	02/05/25 04:16	1
Xylenes, Total	<0.00400	U	0.00400		mg/Kg		02/04/25 10:55	02/05/25 04:16	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	105		70 - 130	02/04/25 10:55	02/05/25 04:16	1
1,4-Difluorobenzene (Surr)	105		70 - 130	02/04/25 10:55	02/05/25 04:16	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00400	U	0.00400		mg/Kg			02/05/25 04:16	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.8	U	49.8		mg/Kg			02/05/25 02:25	1

Eurofins Midland

Client Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gas Line Release

Job ID: 880-53920-1
SDG: 21348

Client Sample ID: Floor Sample 13

Lab Sample ID: 880-53920-13

Date Collected: 01/30/25 12:24

Matrix: Solid

Date Received: 02/03/25 09:55

Sample Depth: 0.3"

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.8	U	49.8		mg/Kg		02/03/25 15:37	02/05/25 02:25	1
Diesel Range Organics (Over C10-C28)	<49.8	U	49.8		mg/Kg		02/03/25 15:37	02/05/25 02:25	1
Oil Range Organics (Over C28-C36)	<49.8	U	49.8		mg/Kg		02/03/25 15:37	02/05/25 02:25	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	79		70 - 130				02/03/25 15:37	02/05/25 02:25	1
o-Terphenyl	67	S1-	70 - 130				02/03/25 15:37	02/05/25 02:25	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<9.92	U	9.92		mg/Kg			02/03/25 21:12	1

Client Sample ID: Floor Sample 14

Lab Sample ID: 880-53920-14

Date Collected: 01/30/25 12:26

Matrix: Solid

Date Received: 02/03/25 09:55

Sample Depth: 0.3"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00201	U	0.00201		mg/Kg		02/04/25 10:55	02/05/25 04:36	1
Toluene	<0.00201	U	0.00201		mg/Kg		02/04/25 10:55	02/05/25 04:36	1
Ethylbenzene	<0.00201	U	0.00201		mg/Kg		02/04/25 10:55	02/05/25 04:36	1
m-Xylene & p-Xylene	<0.00402	U	0.00402		mg/Kg		02/04/25 10:55	02/05/25 04:36	1
o-Xylene	<0.00201	U	0.00201		mg/Kg		02/04/25 10:55	02/05/25 04:36	1
Xylenes, Total	<0.00402	U	0.00402		mg/Kg		02/04/25 10:55	02/05/25 04:36	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	99		70 - 130				02/04/25 10:55	02/05/25 04:36	1
1,4-Difluorobenzene (Surr)	100		70 - 130				02/04/25 10:55	02/05/25 04:36	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00402	U	0.00402		mg/Kg			02/05/25 04:36	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			02/05/25 02:40	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	49.9		mg/Kg		02/03/25 15:37	02/05/25 02:40	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		02/03/25 15:37	02/05/25 02:40	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		02/03/25 15:37	02/05/25 02:40	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	84		70 - 130				02/03/25 15:37	02/05/25 02:40	1
o-Terphenyl	72		70 - 130				02/03/25 15:37	02/05/25 02:40	1

Eurofins Midland

Client Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gas Line Release

Job ID: 880-53920-1
SDG: 21348

Client Sample ID: Floor Sample 14

Lab Sample ID: 880-53920-14

Date Collected: 01/30/25 12:26

Matrix: Solid

Date Received: 02/03/25 09:55

Sample Depth: 0.3"

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<10.1	U	10.1		mg/Kg			02/03/25 21:30	1

Client Sample ID: Floor Sample 15

Lab Sample ID: 880-53920-15

Date Collected: 01/30/25 12:28

Matrix: Solid

Date Received: 02/03/25 09:55

Sample Depth: 0.3"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		02/04/25 10:55	02/05/25 04:57	1
Toluene	<0.00200	U	0.00200		mg/Kg		02/04/25 10:55	02/05/25 04:57	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		02/04/25 10:55	02/05/25 04:57	1
m-Xylene & p-Xylene	<0.00401	U	0.00401		mg/Kg		02/04/25 10:55	02/05/25 04:57	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		02/04/25 10:55	02/05/25 04:57	1
Xylenes, Total	<0.00401	U	0.00401		mg/Kg		02/04/25 10:55	02/05/25 04:57	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	95		70 - 130				02/04/25 10:55	02/05/25 04:57	1
1,4-Difluorobenzene (Surr)	99		70 - 130				02/04/25 10:55	02/05/25 04:57	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00401	U	0.00401		mg/Kg			02/05/25 04:57	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.8	U	49.8		mg/Kg			02/05/25 02:55	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.8	U	49.8		mg/Kg		02/03/25 15:37	02/05/25 02:55	1
Diesel Range Organics (Over C10-C28)	<49.8	U	49.8		mg/Kg		02/03/25 15:37	02/05/25 02:55	1
Oil Range Organics (Over C28-C36)	<49.8	U	49.8		mg/Kg		02/03/25 15:37	02/05/25 02:55	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	84		70 - 130				02/03/25 15:37	02/05/25 02:55	1
o-Terphenyl	72		70 - 130				02/03/25 15:37	02/05/25 02:55	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<10.1	U	10.1		mg/Kg			02/03/25 21:36	1

Eurofins Midland

Client Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gas Line Release

Job ID: 880-53920-1
SDG: 21348

Client Sample ID: Floor Sample 16

Lab Sample ID: 880-53920-16

Date Collected: 01/30/25 12:30

Matrix: Solid

Date Received: 02/03/25 09:55

Sample Depth: 0.3"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		02/04/25 10:55	02/05/25 05:17	1
Toluene	<0.00199	U	0.00199		mg/Kg		02/04/25 10:55	02/05/25 05:17	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		02/04/25 10:55	02/05/25 05:17	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		02/04/25 10:55	02/05/25 05:17	1
o-Xylene	<0.00199	U	0.00199		mg/Kg		02/04/25 10:55	02/05/25 05:17	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		02/04/25 10:55	02/05/25 05:17	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	94		70 - 130	02/04/25 10:55	02/05/25 05:17	1
1,4-Difluorobenzene (Surr)	105		70 - 130	02/04/25 10:55	02/05/25 05:17	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			02/05/25 05:17	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.8	U	49.8		mg/Kg			02/05/25 03:10	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.8	U	49.8		mg/Kg		02/03/25 15:37	02/05/25 03:10	1
Diesel Range Organics (Over C10-C28)	<49.8	U	49.8		mg/Kg		02/03/25 15:37	02/05/25 03:10	1
Oil Range Organics (Over C28-C36)	<49.8	U	49.8		mg/Kg		02/03/25 15:37	02/05/25 03:10	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	86		70 - 130	02/03/25 15:37	02/05/25 03:10	1
o-Terphenyl	73		70 - 130	02/03/25 15:37	02/05/25 03:10	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<9.94	U	9.94		mg/Kg			02/03/25 21:42	1

Client Sample ID: Floor Sample 17

Lab Sample ID: 880-53920-17

Date Collected: 01/30/25 12:32

Matrix: Solid

Date Received: 02/03/25 09:55

Sample Depth: 0.3"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00201	U	0.00201		mg/Kg		02/04/25 10:55	02/05/25 05:38	1
Toluene	<0.00201	U	0.00201		mg/Kg		02/04/25 10:55	02/05/25 05:38	1
Ethylbenzene	<0.00201	U	0.00201		mg/Kg		02/04/25 10:55	02/05/25 05:38	1
m-Xylene & p-Xylene	<0.00402	U	0.00402		mg/Kg		02/04/25 10:55	02/05/25 05:38	1
o-Xylene	<0.00201	U	0.00201		mg/Kg		02/04/25 10:55	02/05/25 05:38	1
Xylenes, Total	<0.00402	U	0.00402		mg/Kg		02/04/25 10:55	02/05/25 05:38	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	102		70 - 130	02/04/25 10:55	02/05/25 05:38	1

Eurofins Midland

Client Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gas Line Release

Job ID: 880-53920-1
SDG: 21348

Client Sample ID: Floor Sample 17

Date Collected: 01/30/25 12:32

Date Received: 02/03/25 09:55

Sample Depth: 0.3"

Lab Sample ID: 880-53920-17

Matrix: Solid

Method: SW846 8021B - Volatile Organic Compounds (GC) (Continued)

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,4-Difluorobenzene (Surr)	99		70 - 130	02/04/25 10:55	02/05/25 05:38	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00402	U	0.00402		mg/Kg			02/05/25 05:38	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.7	U	49.7		mg/Kg			02/05/25 03:24	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.7	U	49.7		mg/Kg		02/03/25 15:37	02/05/25 03:24	1
Diesel Range Organics (Over C10-C28)	<49.7	U	49.7		mg/Kg		02/03/25 15:37	02/05/25 03:24	1
Oil Range Organics (Over C28-C36)	<49.7	U	49.7		mg/Kg		02/03/25 15:37	02/05/25 03:24	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	82		70 - 130				02/03/25 15:37	02/05/25 03:24	1
o-Terphenyl	71		70 - 130				02/03/25 15:37	02/05/25 03:24	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<9.92	U	9.92		mg/Kg			02/03/25 21:48	1

Client Sample ID: Floor Sample 18

Date Collected: 01/30/25 12:34

Date Received: 02/03/25 09:55

Sample Depth: 0.3"

Lab Sample ID: 880-53920-18

Matrix: Solid

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		02/04/25 10:55	02/05/25 05:58	1
Toluene	<0.00199	U	0.00199		mg/Kg		02/04/25 10:55	02/05/25 05:58	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		02/04/25 10:55	02/05/25 05:58	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		02/04/25 10:55	02/05/25 05:58	1
o-Xylene	<0.00199	U	0.00199		mg/Kg		02/04/25 10:55	02/05/25 05:58	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		02/04/25 10:55	02/05/25 05:58	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	98		70 - 130	02/04/25 10:55	02/05/25 05:58	1
1,4-Difluorobenzene (Surr)	99		70 - 130	02/04/25 10:55	02/05/25 05:58	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			02/05/25 05:58	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.8	U	49.8		mg/Kg			02/05/25 03:39	1

Eurofins Midland

Client Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gas Line Release

Job ID: 880-53920-1
SDG: 21348

Client Sample ID: Floor Sample 18

Lab Sample ID: 880-53920-18

Date Collected: 01/30/25 12:34

Matrix: Solid

Date Received: 02/03/25 09:55

Sample Depth: 0.3"

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.8	U	49.8		mg/Kg		02/03/25 15:37	02/05/25 03:39	1
Diesel Range Organics (Over C10-C28)	<49.8	U	49.8		mg/Kg		02/03/25 15:37	02/05/25 03:39	1
Oil Range Organics (Over C28-C36)	<49.8	U	49.8		mg/Kg		02/03/25 15:37	02/05/25 03:39	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	76		70 - 130				02/03/25 15:37	02/05/25 03:39	1
o-Terphenyl	65	S1-	70 - 130				02/03/25 15:37	02/05/25 03:39	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	53.9		10.0		mg/Kg			02/03/25 21:54	1

Client Sample ID: Floor Sample 19

Lab Sample ID: 880-53920-19

Date Collected: 01/30/25 12:36

Matrix: Solid

Date Received: 02/03/25 09:55

Sample Depth: 0.3"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		02/04/25 10:55	02/05/25 06:19	1
Toluene	<0.00199	U	0.00199		mg/Kg		02/04/25 10:55	02/05/25 06:19	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		02/04/25 10:55	02/05/25 06:19	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		02/04/25 10:55	02/05/25 06:19	1
o-Xylene	<0.00199	U	0.00199		mg/Kg		02/04/25 10:55	02/05/25 06:19	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		02/04/25 10:55	02/05/25 06:19	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	93		70 - 130				02/04/25 10:55	02/05/25 06:19	1
1,4-Difluorobenzene (Surr)	98		70 - 130				02/04/25 10:55	02/05/25 06:19	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			02/05/25 06:19	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.8	U	49.8		mg/Kg			02/05/25 03:53	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.8	U	49.8		mg/Kg		02/03/25 15:37	02/05/25 03:53	1
Diesel Range Organics (Over C10-C28)	<49.8	U	49.8		mg/Kg		02/03/25 15:37	02/05/25 03:53	1
Oil Range Organics (Over C28-C36)	<49.8	U	49.8		mg/Kg		02/03/25 15:37	02/05/25 03:53	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	79		70 - 130				02/03/25 15:37	02/05/25 03:53	1
o-Terphenyl	69	S1-	70 - 130				02/03/25 15:37	02/05/25 03:53	1

Eurofins Midland

Client Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gas Line Release

Job ID: 880-53920-1
SDG: 21348

Client Sample ID: Floor Sample 19

Lab Sample ID: 880-53920-19

Date Collected: 01/30/25 12:36

Matrix: Solid

Date Received: 02/03/25 09:55

Sample Depth: 0.3"

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	12.3		9.94		mg/Kg			02/03/25 22:00	1

Client Sample ID: Floor Sample 20

Lab Sample ID: 880-53920-20

Date Collected: 01/30/25 12:38

Matrix: Solid

Date Received: 02/03/25 09:55

Sample Depth: 0.3"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		02/04/25 10:55	02/05/25 06:39	1
Toluene	<0.00199	U	0.00199		mg/Kg		02/04/25 10:55	02/05/25 06:39	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		02/04/25 10:55	02/05/25 06:39	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		02/04/25 10:55	02/05/25 06:39	1
o-Xylene	<0.00199	U	0.00199		mg/Kg		02/04/25 10:55	02/05/25 06:39	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		02/04/25 10:55	02/05/25 06:39	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	95		70 - 130				02/04/25 10:55	02/05/25 06:39	1
1,4-Difluorobenzene (Surr)	104		70 - 130				02/04/25 10:55	02/05/25 06:39	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			02/05/25 06:39	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.8	U	49.8		mg/Kg			02/05/25 04:09	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.8	U	49.8		mg/Kg		02/03/25 15:37	02/05/25 04:09	1
Diesel Range Organics (Over C10-C28)	<49.8	U	49.8		mg/Kg		02/03/25 15:37	02/05/25 04:09	1
Oil Range Organics (Over C28-C36)	<49.8	U	49.8		mg/Kg		02/03/25 15:37	02/05/25 04:09	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	76		70 - 130				02/03/25 15:37	02/05/25 04:09	1
o-Terphenyl	66	S1-	70 - 130				02/03/25 15:37	02/05/25 04:09	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	22.9		10.1		mg/Kg			02/03/25 22:06	1

Eurofins Midland

Client Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gas Line Release

Job ID: 880-53920-1
SDG: 21348

Client Sample ID: Floor Sample 21

Lab Sample ID: 880-53920-21

Date Collected: 01/30/25 12:40

Matrix: Solid

Date Received: 02/03/25 09:55

Sample Depth: 0.3"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00198	U	0.00198		mg/Kg		02/04/25 10:58	02/04/25 22:43	1
Toluene	<0.00198	U	0.00198		mg/Kg		02/04/25 10:58	02/04/25 22:43	1
Ethylbenzene	<0.00198	U	0.00198		mg/Kg		02/04/25 10:58	02/04/25 22:43	1
m-Xylene & p-Xylene	<0.00396	U	0.00396		mg/Kg		02/04/25 10:58	02/04/25 22:43	1
o-Xylene	<0.00198	U	0.00198		mg/Kg		02/04/25 10:58	02/04/25 22:43	1
Xylenes, Total	<0.00396	U	0.00396		mg/Kg		02/04/25 10:58	02/04/25 22:43	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	108		70 - 130	02/04/25 10:58	02/04/25 22:43	1
1,4-Difluorobenzene (Surr)	95		70 - 130	02/04/25 10:58	02/04/25 22:43	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00396	U	0.00396		mg/Kg			02/04/25 22:43	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			02/04/25 22:39	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	49.9		mg/Kg		02/03/25 15:40	02/04/25 22:39	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		02/03/25 15:40	02/04/25 22:39	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		02/03/25 15:40	02/04/25 22:39	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	144	S1+	70 - 130	02/03/25 15:40	02/04/25 22:39	1
o-Terphenyl	125		70 - 130	02/03/25 15:40	02/04/25 22:39	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	22.7		9.94		mg/Kg			02/04/25 01:55	1

Client Sample ID: Floor Sample 22

Lab Sample ID: 880-53920-22

Date Collected: 01/30/25 12:42

Matrix: Solid

Date Received: 02/03/25 09:55

Sample Depth: 0.3"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00198	U	0.00198		mg/Kg		02/04/25 10:58	02/04/25 23:03	1
Toluene	<0.00198	U	0.00198		mg/Kg		02/04/25 10:58	02/04/25 23:03	1
Ethylbenzene	<0.00198	U	0.00198		mg/Kg		02/04/25 10:58	02/04/25 23:03	1
m-Xylene & p-Xylene	<0.00397	U	0.00397		mg/Kg		02/04/25 10:58	02/04/25 23:03	1
o-Xylene	<0.00198	U	0.00198		mg/Kg		02/04/25 10:58	02/04/25 23:03	1
Xylenes, Total	<0.00397	U	0.00397		mg/Kg		02/04/25 10:58	02/04/25 23:03	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	101		70 - 130	02/04/25 10:58	02/04/25 23:03	1

Eurofins Midland

Client Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gas Line Release

Job ID: 880-53920-1
SDG: 21348

Client Sample ID: Floor Sample 22

Lab Sample ID: 880-53920-22

Date Collected: 01/30/25 12:42

Matrix: Solid

Date Received: 02/03/25 09:55

Sample Depth: 0.3"

Method: SW846 8021B - Volatile Organic Compounds (GC) (Continued)

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,4-Difluorobenzene (Surr)	98		70 - 130	02/04/25 10:58	02/04/25 23:03	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00397	U	0.00397		mg/Kg			02/04/25 23:03	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.8	U	49.8		mg/Kg			02/04/25 23:24	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.8	U	49.8		mg/Kg		02/03/25 15:40	02/04/25 23:24	1
Diesel Range Organics (Over C10-C28)	<49.8	U	49.8		mg/Kg		02/03/25 15:40	02/04/25 23:24	1
Oil Range Organics (Over C28-C36)	<49.8	U	49.8		mg/Kg		02/03/25 15:40	02/04/25 23:24	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	70		70 - 130				02/03/25 15:40	02/04/25 23:24	1
o-Terphenyl	61	S1-	70 - 130				02/03/25 15:40	02/04/25 23:24	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	17.5		9.92		mg/Kg			02/04/25 02:13	1

Client Sample ID: Floor Sample 23

Lab Sample ID: 880-53920-23

Date Collected: 01/30/25 12:24

Matrix: Solid

Date Received: 02/03/25 09:55

Sample Depth: 0.3"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		02/04/25 10:58	02/04/25 23:24	1
Toluene	<0.00199	U	0.00199		mg/Kg		02/04/25 10:58	02/04/25 23:24	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		02/04/25 10:58	02/04/25 23:24	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		02/04/25 10:58	02/04/25 23:24	1
o-Xylene	<0.00199	U	0.00199		mg/Kg		02/04/25 10:58	02/04/25 23:24	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		02/04/25 10:58	02/04/25 23:24	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	105		70 - 130	02/04/25 10:58	02/04/25 23:24	1
1,4-Difluorobenzene (Surr)	100		70 - 130	02/04/25 10:58	02/04/25 23:24	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			02/04/25 23:24	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			02/04/25 23:39	1

Eurofins Midland

Client Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gas Line Release

Job ID: 880-53920-1
SDG: 21348

Client Sample ID: Floor Sample 23

Lab Sample ID: 880-53920-23

Date Collected: 01/30/25 12:24

Matrix: Solid

Date Received: 02/03/25 09:55

Sample Depth: 0.3"

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	49.9		mg/Kg		02/03/25 15:40	02/04/25 23:39	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		02/03/25 15:40	02/04/25 23:39	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		02/03/25 15:40	02/04/25 23:39	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	76		70 - 130				02/03/25 15:40	02/04/25 23:39	1
o-Terphenyl	66	S1-	70 - 130				02/03/25 15:40	02/04/25 23:39	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<10.1	U	10.1		mg/Kg			02/04/25 02:19	1

Client Sample ID: Floor Sample 24

Lab Sample ID: 880-53920-24

Date Collected: 01/30/25 12:46

Matrix: Solid

Date Received: 02/03/25 09:55

Sample Depth: 0.3"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		02/04/25 10:58	02/04/25 23:44	1
Toluene	<0.00200	U	0.00200		mg/Kg		02/04/25 10:58	02/04/25 23:44	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		02/04/25 10:58	02/04/25 23:44	1
m-Xylene & p-Xylene	<0.00401	U	0.00401		mg/Kg		02/04/25 10:58	02/04/25 23:44	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		02/04/25 10:58	02/04/25 23:44	1
Xylenes, Total	<0.00401	U	0.00401		mg/Kg		02/04/25 10:58	02/04/25 23:44	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	102		70 - 130				02/04/25 10:58	02/04/25 23:44	1
1,4-Difluorobenzene (Surr)	96		70 - 130				02/04/25 10:58	02/04/25 23:44	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00401	U	0.00401		mg/Kg			02/04/25 23:44	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.8	U	49.8		mg/Kg			02/04/25 23:56	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.8	U	49.8		mg/Kg		02/03/25 15:40	02/04/25 23:56	1
Diesel Range Organics (Over C10-C28)	<49.8	U	49.8		mg/Kg		02/03/25 15:40	02/04/25 23:56	1
Oil Range Organics (Over C28-C36)	<49.8	U	49.8		mg/Kg		02/03/25 15:40	02/04/25 23:56	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	73		70 - 130				02/03/25 15:40	02/04/25 23:56	1
o-Terphenyl	63	S1-	70 - 130				02/03/25 15:40	02/04/25 23:56	1

Eurofins Midland

Client Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gas Line Release

Job ID: 880-53920-1
SDG: 21348

Client Sample ID: Floor Sample 24

Lab Sample ID: 880-53920-24

Date Collected: 01/30/25 12:46

Matrix: Solid

Date Received: 02/03/25 09:55

Sample Depth: 0.3"

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<10.1	U	10.1		mg/Kg			02/04/25 02:25	1

Client Sample ID: Floor Sample 25

Lab Sample ID: 880-53920-25

Date Collected: 01/30/25 12:48

Matrix: Solid

Date Received: 02/03/25 09:55

Sample Depth: 0.3"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		02/04/25 10:58	02/05/25 00:05	1
Toluene	<0.00199	U	0.00199		mg/Kg		02/04/25 10:58	02/05/25 00:05	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		02/04/25 10:58	02/05/25 00:05	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		02/04/25 10:58	02/05/25 00:05	1
o-Xylene	<0.00199	U	0.00199		mg/Kg		02/04/25 10:58	02/05/25 00:05	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		02/04/25 10:58	02/05/25 00:05	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	102		70 - 130				02/04/25 10:58	02/05/25 00:05	1
1,4-Difluorobenzene (Surr)	97		70 - 130				02/04/25 10:58	02/05/25 00:05	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			02/05/25 00:05	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.8	U	49.8		mg/Kg			02/05/25 00:10	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.8	U	49.8		mg/Kg		02/03/25 15:40	02/05/25 00:10	1
Diesel Range Organics (Over C10-C28)	<49.8	U	49.8		mg/Kg		02/03/25 15:40	02/05/25 00:10	1
Oil Range Organics (Over C28-C36)	<49.8	U	49.8		mg/Kg		02/03/25 15:40	02/05/25 00:10	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	75		70 - 130				02/03/25 15:40	02/05/25 00:10	1
o-Terphenyl	65	S1-	70 - 130				02/03/25 15:40	02/05/25 00:10	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<10.0	U	10.0		mg/Kg			02/04/25 02:31	1

Eurofins Midland

Client Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gas Line Release

Job ID: 880-53920-1
SDG: 21348

Client Sample ID: Floor Sample 26

Lab Sample ID: 880-53920-26

Date Collected: 01/30/25 12:50

Matrix: Solid

Date Received: 02/03/25 09:55

Sample Depth: 0.3"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		02/04/25 10:58	02/05/25 00:25	1
Toluene	<0.00200	U	0.00200		mg/Kg		02/04/25 10:58	02/05/25 00:25	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		02/04/25 10:58	02/05/25 00:25	1
m-Xylene & p-Xylene	<0.00399	U	0.00399		mg/Kg		02/04/25 10:58	02/05/25 00:25	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		02/04/25 10:58	02/05/25 00:25	1
Xylenes, Total	<0.00399	U	0.00399		mg/Kg		02/04/25 10:58	02/05/25 00:25	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	105		70 - 130	02/04/25 10:58	02/05/25 00:25	1
1,4-Difluorobenzene (Surr)	92		70 - 130	02/04/25 10:58	02/05/25 00:25	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00399	U	0.00399		mg/Kg			02/05/25 00:25	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			02/05/25 00:26	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	49.9		mg/Kg		02/03/25 15:40	02/05/25 00:26	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		02/03/25 15:40	02/05/25 00:26	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		02/03/25 15:40	02/05/25 00:26	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	73		70 - 130	02/03/25 15:40	02/05/25 00:26	1
o-Terphenyl	63	S1-	70 - 130	02/03/25 15:40	02/05/25 00:26	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<10.0	U	10.0		mg/Kg			02/04/25 02:48	1

Client Sample ID: Floor Sample 27

Lab Sample ID: 880-53920-27

Date Collected: 01/30/25 12:52

Matrix: Solid

Date Received: 02/03/25 09:55

Sample Depth: 0.3"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00202	U	0.00202		mg/Kg		02/04/25 10:58	02/05/25 00:46	1
Toluene	<0.00202	U	0.00202		mg/Kg		02/04/25 10:58	02/05/25 00:46	1
Ethylbenzene	<0.00202	U	0.00202		mg/Kg		02/04/25 10:58	02/05/25 00:46	1
m-Xylene & p-Xylene	<0.00403	U	0.00403		mg/Kg		02/04/25 10:58	02/05/25 00:46	1
o-Xylene	<0.00202	U	0.00202		mg/Kg		02/04/25 10:58	02/05/25 00:46	1
Xylenes, Total	<0.00403	U	0.00403		mg/Kg		02/04/25 10:58	02/05/25 00:46	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	109		70 - 130	02/04/25 10:58	02/05/25 00:46	1

Eurofins Midland

Client Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gas Line Release

Job ID: 880-53920-1
SDG: 21348

Client Sample ID: Floor Sample 27

Lab Sample ID: 880-53920-27

Date Collected: 01/30/25 12:52

Matrix: Solid

Date Received: 02/03/25 09:55

Sample Depth: 0.3"

Method: SW846 8021B - Volatile Organic Compounds (GC) (Continued)

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,4-Difluorobenzene (Surr)	95		70 - 130	02/04/25 10:58	02/05/25 00:46	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00403	U	0.00403		mg/Kg			02/05/25 00:46	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.8	U	49.8		mg/Kg			02/05/25 00:40	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.8	U	49.8		mg/Kg		02/03/25 15:40	02/05/25 00:40	1
Diesel Range Organics (Over C10-C28)	<49.8	U	49.8		mg/Kg		02/03/25 15:40	02/05/25 00:40	1
Oil Range Organics (Over C28-C36)	<49.8	U	49.8		mg/Kg		02/03/25 15:40	02/05/25 00:40	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	79		70 - 130				02/03/25 15:40	02/05/25 00:40	1
o-Terphenyl	68	S1-	70 - 130				02/03/25 15:40	02/05/25 00:40	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<9.92	U	9.92		mg/Kg			02/04/25 02:54	1

Client Sample ID: Floor Sample 28

Lab Sample ID: 880-53920-28

Date Collected: 01/30/25 12:54

Matrix: Solid

Date Received: 02/03/25 09:55

Sample Depth: 0.3"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		02/04/25 10:58	02/05/25 01:06	1
Toluene	<0.00200	U	0.00200		mg/Kg		02/04/25 10:58	02/05/25 01:06	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		02/04/25 10:58	02/05/25 01:06	1
m-Xylene & p-Xylene	<0.00399	U	0.00399		mg/Kg		02/04/25 10:58	02/05/25 01:06	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		02/04/25 10:58	02/05/25 01:06	1
Xylenes, Total	<0.00399	U	0.00399		mg/Kg		02/04/25 10:58	02/05/25 01:06	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	98		70 - 130	02/04/25 10:58	02/05/25 01:06	1
1,4-Difluorobenzene (Surr)	96		70 - 130	02/04/25 10:58	02/05/25 01:06	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00399	U	0.00399		mg/Kg			02/05/25 01:06	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	50.6		49.8		mg/Kg			02/05/25 00:57	1

Eurofins Midland

Client Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gas Line Release

Job ID: 880-53920-1
SDG: 21348

Client Sample ID: Floor Sample 28

Lab Sample ID: 880-53920-28

Date Collected: 01/30/25 12:54

Matrix: Solid

Date Received: 02/03/25 09:55

Sample Depth: 0.3"

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.8	U	49.8		mg/Kg		02/03/25 15:40	02/05/25 00:57	1
Diesel Range Organics (Over C10-C28)	50.6		49.8		mg/Kg		02/03/25 15:40	02/05/25 00:57	1
Oil Range Organics (Over C28-C36)	<49.8	U	49.8		mg/Kg		02/03/25 15:40	02/05/25 00:57	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	79		70 - 130				02/03/25 15:40	02/05/25 00:57	1
o-Terphenyl	68	S1-	70 - 130				02/03/25 15:40	02/05/25 00:57	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<10.1	U	10.1		mg/Kg			02/04/25 03:00	1

Client Sample ID: Floor Sample 29

Lab Sample ID: 880-53920-29

Date Collected: 01/30/25 12:56

Matrix: Solid

Date Received: 02/03/25 09:55

Sample Depth: 0.3"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		02/04/25 10:58	02/05/25 01:27	1
Toluene	<0.00200	U	0.00200		mg/Kg		02/04/25 10:58	02/05/25 01:27	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		02/04/25 10:58	02/05/25 01:27	1
m-Xylene & p-Xylene	<0.00401	U	0.00401		mg/Kg		02/04/25 10:58	02/05/25 01:27	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		02/04/25 10:58	02/05/25 01:27	1
Xylenes, Total	<0.00401	U	0.00401		mg/Kg		02/04/25 10:58	02/05/25 01:27	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	104		70 - 130				02/04/25 10:58	02/05/25 01:27	1
1,4-Difluorobenzene (Surr)	93		70 - 130				02/04/25 10:58	02/05/25 01:27	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00401	U	0.00401		mg/Kg			02/05/25 01:27	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.7	U	49.7		mg/Kg			02/05/25 01:11	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.7	U	49.7		mg/Kg		02/03/25 15:40	02/05/25 01:11	1
Diesel Range Organics (Over C10-C28)	<49.7	U	49.7		mg/Kg		02/03/25 15:40	02/05/25 01:11	1
Oil Range Organics (Over C28-C36)	<49.7	U	49.7		mg/Kg		02/03/25 15:40	02/05/25 01:11	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	68	S1-	70 - 130				02/03/25 15:40	02/05/25 01:11	1
o-Terphenyl	59	S1-	70 - 130				02/03/25 15:40	02/05/25 01:11	1

Eurofins Midland

Client Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gas Line Release

Job ID: 880-53920-1
SDG: 21348

Client Sample ID: Floor Sample 29

Lab Sample ID: 880-53920-29

Date Collected: 01/30/25 12:56

Matrix: Solid

Date Received: 02/03/25 09:55

Sample Depth: 0.3"

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<9.94	U	9.94		mg/Kg			02/04/25 03:06	1

Client Sample ID: Floor Sample 30

Lab Sample ID: 880-53920-30

Date Collected: 01/30/25 12:58

Matrix: Solid

Date Received: 02/03/25 09:55

Sample Depth: 0.3"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		02/04/25 10:58	02/05/25 01:47	1
Toluene	<0.00200	U	0.00200		mg/Kg		02/04/25 10:58	02/05/25 01:47	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		02/04/25 10:58	02/05/25 01:47	1
m-Xylene & p-Xylene	<0.00399	U	0.00399		mg/Kg		02/04/25 10:58	02/05/25 01:47	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		02/04/25 10:58	02/05/25 01:47	1
Xylenes, Total	<0.00399	U	0.00399		mg/Kg		02/04/25 10:58	02/05/25 01:47	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	108		70 - 130				02/04/25 10:58	02/05/25 01:47	1
1,4-Difluorobenzene (Surr)	98		70 - 130				02/04/25 10:58	02/05/25 01:47	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00399	U	0.00399		mg/Kg			02/05/25 01:47	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.8	U	49.8		mg/Kg			02/05/25 01:27	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.8	U	49.8		mg/Kg		02/03/25 15:40	02/05/25 01:27	1
Diesel Range Organics (Over C10-C28)	<49.8	U	49.8		mg/Kg		02/03/25 15:40	02/05/25 01:27	1
Oil Range Organics (Over C28-C36)	<49.8	U	49.8		mg/Kg		02/03/25 15:40	02/05/25 01:27	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	70		70 - 130				02/03/25 15:40	02/05/25 01:27	1
o-Terphenyl	61	S1-	70 - 130				02/03/25 15:40	02/05/25 01:27	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<9.92	U	9.92		mg/Kg			02/04/25 03:12	1

Eurofins Midland

Client Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gas Line Release

Job ID: 880-53920-1
SDG: 21348

Client Sample ID: Floor Sample 31

Lab Sample ID: 880-53920-31

Date Collected: 01/30/25 13:00

Matrix: Solid

Date Received: 02/03/25 09:55

Sample Depth: 0.3"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00202	U	0.00202		mg/Kg		02/04/25 10:58	02/05/25 03:21	1
Toluene	<0.00202	U	0.00202		mg/Kg		02/04/25 10:58	02/05/25 03:21	1
Ethylbenzene	<0.00202	U	0.00202		mg/Kg		02/04/25 10:58	02/05/25 03:21	1
m-Xylene & p-Xylene	<0.00403	U	0.00403		mg/Kg		02/04/25 10:58	02/05/25 03:21	1
o-Xylene	<0.00202	U	0.00202		mg/Kg		02/04/25 10:58	02/05/25 03:21	1
Xylenes, Total	<0.00403	U	0.00403		mg/Kg		02/04/25 10:58	02/05/25 03:21	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	111		70 - 130	02/04/25 10:58	02/05/25 03:21	1
1,4-Difluorobenzene (Surr)	93		70 - 130	02/04/25 10:58	02/05/25 03:21	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00403	U	0.00403		mg/Kg			02/05/25 03:21	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			02/05/25 01:56	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	49.9		mg/Kg		02/03/25 15:40	02/05/25 01:56	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		02/03/25 15:40	02/05/25 01:56	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		02/03/25 15:40	02/05/25 01:56	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	76		70 - 130	02/03/25 15:40	02/05/25 01:56	1
o-Terphenyl	65	S1-	70 - 130	02/03/25 15:40	02/05/25 01:56	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	52.9		10.0		mg/Kg			02/04/25 03:18	1

Client Sample ID: Floor Sample 32

Lab Sample ID: 880-53920-32

Date Collected: 01/30/25 13:02

Matrix: Solid

Date Received: 02/03/25 09:55

Sample Depth: 0.3"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		02/04/25 10:58	02/05/25 03:42	1
Toluene	<0.00199	U	0.00199		mg/Kg		02/04/25 10:58	02/05/25 03:42	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		02/04/25 10:58	02/05/25 03:42	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		02/04/25 10:58	02/05/25 03:42	1
o-Xylene	<0.00199	U	0.00199		mg/Kg		02/04/25 10:58	02/05/25 03:42	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		02/04/25 10:58	02/05/25 03:42	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	105		70 - 130	02/04/25 10:58	02/05/25 03:42	1

Eurofins Midland

Client Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gas Line Release

Job ID: 880-53920-1
SDG: 21348

Client Sample ID: Floor Sample 32

Lab Sample ID: 880-53920-32

Date Collected: 01/30/25 13:02

Matrix: Solid

Date Received: 02/03/25 09:55

Sample Depth: 0.3"

Method: SW846 8021B - Volatile Organic Compounds (GC) (Continued)

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,4-Difluorobenzene (Surr)	93		70 - 130	02/04/25 10:58	02/05/25 03:42	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			02/05/25 03:42	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.8	U	49.8		mg/Kg			02/05/25 02:10	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.8	U	49.8		mg/Kg		02/03/25 15:40	02/05/25 02:10	1
Diesel Range Organics (Over C10-C28)	<49.8	U	49.8		mg/Kg		02/03/25 15:40	02/05/25 02:10	1
Oil Range Organics (Over C28-C36)	<49.8	U	49.8		mg/Kg		02/03/25 15:40	02/05/25 02:10	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	75		70 - 130				02/03/25 15:40	02/05/25 02:10	1
o-Terphenyl	65	S1-	70 - 130				02/03/25 15:40	02/05/25 02:10	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<9.92	U	9.92		mg/Kg			02/04/25 03:36	1

Client Sample ID: Floor Sample 33

Lab Sample ID: 880-53920-33

Date Collected: 01/30/25 13:04

Matrix: Solid

Date Received: 02/03/25 09:55

Sample Depth: 0.3"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		02/04/25 10:58	02/05/25 04:02	1
Toluene	<0.00200	U	0.00200		mg/Kg		02/04/25 10:58	02/05/25 04:02	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		02/04/25 10:58	02/05/25 04:02	1
m-Xylene & p-Xylene	<0.00400	U	0.00400		mg/Kg		02/04/25 10:58	02/05/25 04:02	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		02/04/25 10:58	02/05/25 04:02	1
Xylenes, Total	<0.00400	U	0.00400		mg/Kg		02/04/25 10:58	02/05/25 04:02	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	102		70 - 130	02/04/25 10:58	02/05/25 04:02	1
1,4-Difluorobenzene (Surr)	93		70 - 130	02/04/25 10:58	02/05/25 04:02	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00400	U	0.00400		mg/Kg			02/05/25 04:02	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	89.9		49.9		mg/Kg			02/05/25 02:25	1

Eurofins Midland

Client Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gas Line Release

Job ID: 880-53920-1
SDG: 21348

Client Sample ID: Floor Sample 33

Lab Sample ID: 880-53920-33

Date Collected: 01/30/25 13:04

Matrix: Solid

Date Received: 02/03/25 09:55

Sample Depth: 0.3"

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	49.9		mg/Kg		02/03/25 15:40	02/05/25 02:25	1
Diesel Range Organics (Over C10-C28)	89.9		49.9		mg/Kg		02/03/25 15:40	02/05/25 02:25	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		02/03/25 15:40	02/05/25 02:25	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	68	S1-	70 - 130				02/03/25 15:40	02/05/25 02:25	1
o-Terphenyl	59	S1-	70 - 130				02/03/25 15:40	02/05/25 02:25	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<10.1	U	10.1		mg/Kg			02/04/25 03:41	1

Client Sample ID: Floor Sample 34

Lab Sample ID: 880-53920-34

Date Collected: 01/30/25 13:06

Matrix: Solid

Date Received: 02/03/25 09:55

Sample Depth: 0.3"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00201	U	0.00201		mg/Kg		02/04/25 10:58	02/05/25 04:22	1
Toluene	<0.00201	U	0.00201		mg/Kg		02/04/25 10:58	02/05/25 04:22	1
Ethylbenzene	<0.00201	U	0.00201		mg/Kg		02/04/25 10:58	02/05/25 04:22	1
m-Xylene & p-Xylene	<0.00402	U	0.00402		mg/Kg		02/04/25 10:58	02/05/25 04:22	1
o-Xylene	<0.00201	U	0.00201		mg/Kg		02/04/25 10:58	02/05/25 04:22	1
Xylenes, Total	<0.00402	U	0.00402		mg/Kg		02/04/25 10:58	02/05/25 04:22	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	115		70 - 130				02/04/25 10:58	02/05/25 04:22	1
1,4-Difluorobenzene (Surr)	90		70 - 130				02/04/25 10:58	02/05/25 04:22	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00402	U	0.00402		mg/Kg			02/05/25 04:22	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.8	U	49.8		mg/Kg			02/05/25 02:40	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.8	U	49.8		mg/Kg		02/03/25 15:40	02/05/25 02:40	1
Diesel Range Organics (Over C10-C28)	<49.8	U	49.8		mg/Kg		02/03/25 15:40	02/05/25 02:40	1
Oil Range Organics (Over C28-C36)	<49.8	U	49.8		mg/Kg		02/03/25 15:40	02/05/25 02:40	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	71		70 - 130				02/03/25 15:40	02/05/25 02:40	1
o-Terphenyl	61	S1-	70 - 130				02/03/25 15:40	02/05/25 02:40	1

Eurofins Midland

Client Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gas Line Release

Job ID: 880-53920-1
SDG: 21348

Client Sample ID: Floor Sample 34

Lab Sample ID: 880-53920-34

Date Collected: 01/30/25 13:06

Matrix: Solid

Date Received: 02/03/25 09:55

Sample Depth: 0.3"

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<10.0	U	10.0		mg/Kg			02/04/25 03:59	1

Client Sample ID: Floor Sample 35

Lab Sample ID: 880-53920-35

Date Collected: 01/30/25 13:08

Matrix: Solid

Date Received: 02/03/25 09:55

Sample Depth: 0.3"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		02/04/25 10:58	02/05/25 04:43	1
Toluene	<0.00200	U	0.00200		mg/Kg		02/04/25 10:58	02/05/25 04:43	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		02/04/25 10:58	02/05/25 04:43	1
m-Xylene & p-Xylene	<0.00401	U	0.00401		mg/Kg		02/04/25 10:58	02/05/25 04:43	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		02/04/25 10:58	02/05/25 04:43	1
Xylenes, Total	<0.00401	U	0.00401		mg/Kg		02/04/25 10:58	02/05/25 04:43	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	111		70 - 130				02/04/25 10:58	02/05/25 04:43	1
1,4-Difluorobenzene (Surr)	95		70 - 130				02/04/25 10:58	02/05/25 04:43	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00401	U	0.00401		mg/Kg			02/05/25 04:43	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.8	U	49.8		mg/Kg			02/05/25 02:55	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.8	U	49.8		mg/Kg		02/03/25 15:40	02/05/25 02:55	1
Diesel Range Organics (Over C10-C28)	<49.8	U	49.8		mg/Kg		02/03/25 15:40	02/05/25 02:55	1
Oil Range Organics (Over C28-C36)	<49.8	U	49.8		mg/Kg		02/03/25 15:40	02/05/25 02:55	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	69	S1-	70 - 130				02/03/25 15:40	02/05/25 02:55	1
o-Terphenyl	60	S1-	70 - 130				02/03/25 15:40	02/05/25 02:55	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<10.1	U	10.1		mg/Kg			02/04/25 04:05	1

Eurofins Midland

Client Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gas Line Release

Job ID: 880-53920-1
SDG: 21348

Client Sample ID: Floor Sample 36

Lab Sample ID: 880-53920-36

Date Collected: 01/30/25 13:10

Matrix: Solid

Date Received: 02/03/25 09:55

Sample Depth: 0.3"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		02/04/25 10:58	02/05/25 05:03	1
Toluene	<0.00199	U	0.00199		mg/Kg		02/04/25 10:58	02/05/25 05:03	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		02/04/25 10:58	02/05/25 05:03	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		02/04/25 10:58	02/05/25 05:03	1
o-Xylene	<0.00199	U	0.00199		mg/Kg		02/04/25 10:58	02/05/25 05:03	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		02/04/25 10:58	02/05/25 05:03	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	112		70 - 130	02/04/25 10:58	02/05/25 05:03	1
1,4-Difluorobenzene (Surr)	96		70 - 130	02/04/25 10:58	02/05/25 05:03	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			02/05/25 05:03	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	119		49.7		mg/Kg			02/05/25 03:10	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.7	U	49.7		mg/Kg		02/03/25 15:40	02/05/25 03:10	1
Diesel Range Organics (Over C10-C28)	119		49.7		mg/Kg		02/03/25 15:40	02/05/25 03:10	1
Oil Range Organics (Over C28-C36)	<49.7	U	49.7		mg/Kg		02/03/25 15:40	02/05/25 03:10	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	71		70 - 130	02/03/25 15:40	02/05/25 03:10	1
o-Terphenyl	61	S1-	70 - 130	02/03/25 15:40	02/05/25 03:10	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<9.96	U	9.96		mg/Kg			02/04/25 04:11	1

Client Sample ID: Floor Sample 37

Lab Sample ID: 880-53920-37

Date Collected: 01/30/25 13:12

Matrix: Solid

Date Received: 02/03/25 09:55

Sample Depth: 0.3"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00201	U	0.00201		mg/Kg		02/04/25 10:58	02/05/25 05:24	1
Toluene	<0.00201	U	0.00201		mg/Kg		02/04/25 10:58	02/05/25 05:24	1
Ethylbenzene	<0.00201	U	0.00201		mg/Kg		02/04/25 10:58	02/05/25 05:24	1
m-Xylene & p-Xylene	<0.00402	U	0.00402		mg/Kg		02/04/25 10:58	02/05/25 05:24	1
o-Xylene	<0.00201	U	0.00201		mg/Kg		02/04/25 10:58	02/05/25 05:24	1
Xylenes, Total	<0.00402	U	0.00402		mg/Kg		02/04/25 10:58	02/05/25 05:24	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	111		70 - 130	02/04/25 10:58	02/05/25 05:24	1

Eurofins Midland

Client Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gas Line Release

Job ID: 880-53920-1
SDG: 21348

Client Sample ID: Floor Sample 37

Lab Sample ID: 880-53920-37

Date Collected: 01/30/25 13:12

Matrix: Solid

Date Received: 02/03/25 09:55

Sample Depth: 0.3"

Method: SW846 8021B - Volatile Organic Compounds (GC) (Continued)

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,4-Difluorobenzene (Surr)	93		70 - 130	02/04/25 10:58	02/05/25 05:24	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00402	U	0.00402		mg/Kg			02/05/25 05:24	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	202		49.8		mg/Kg			02/05/25 03:24	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.8	U	49.8		mg/Kg		02/03/25 15:40	02/05/25 03:24	1
Diesel Range Organics (Over C10-C28)	202		49.8		mg/Kg		02/03/25 15:40	02/05/25 03:24	1
Oil Range Organics (Over C28-C36)	<49.8	U	49.8		mg/Kg		02/03/25 15:40	02/05/25 03:24	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	68	S1-	70 - 130				02/03/25 15:40	02/05/25 03:24	1
o-Terphenyl	59	S1-	70 - 130				02/03/25 15:40	02/05/25 03:24	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<9.92	U	9.92		mg/Kg			02/04/25 04:17	1

Client Sample ID: Floor Sample 38

Lab Sample ID: 880-53920-38

Date Collected: 01/30/25 13:14

Matrix: Solid

Date Received: 02/03/25 09:55

Sample Depth: 0.3"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		02/04/25 10:58	02/05/25 05:44	1
Toluene	<0.00199	U	0.00199		mg/Kg		02/04/25 10:58	02/05/25 05:44	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		02/04/25 10:58	02/05/25 05:44	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		02/04/25 10:58	02/05/25 05:44	1
o-Xylene	<0.00199	U	0.00199		mg/Kg		02/04/25 10:58	02/05/25 05:44	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		02/04/25 10:58	02/05/25 05:44	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	113		70 - 130	02/04/25 10:58	02/05/25 05:44	1
1,4-Difluorobenzene (Surr)	93		70 - 130	02/04/25 10:58	02/05/25 05:44	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			02/05/25 05:44	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.8	U	49.8		mg/Kg			02/05/25 03:39	1

Eurofins Midland

Client Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gas Line Release

Job ID: 880-53920-1
SDG: 21348

Client Sample ID: Floor Sample 38

Lab Sample ID: 880-53920-38

Date Collected: 01/30/25 13:14

Matrix: Solid

Date Received: 02/03/25 09:55

Sample Depth: 0.3"

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.8	U	49.8		mg/Kg		02/03/25 15:40	02/05/25 03:39	1
Diesel Range Organics (Over C10-C28)	<49.8	U	49.8		mg/Kg		02/03/25 15:40	02/05/25 03:39	1
Oil Range Organics (Over C28-C36)	<49.8	U	49.8		mg/Kg		02/03/25 15:40	02/05/25 03:39	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	74		70 - 130				02/03/25 15:40	02/05/25 03:39	1
o-Terphenyl	64	S1-	70 - 130				02/03/25 15:40	02/05/25 03:39	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	73.7		10.1		mg/Kg			02/04/25 04:23	1

Client Sample ID: Floor Sample 39

Lab Sample ID: 880-53920-39

Date Collected: 01/30/25 13:16

Matrix: Solid

Date Received: 02/03/25 09:55

Sample Depth: 0.3"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		02/04/25 10:58	02/05/25 06:04	1
Toluene	<0.00199	U	0.00199		mg/Kg		02/04/25 10:58	02/05/25 06:04	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		02/04/25 10:58	02/05/25 06:04	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		02/04/25 10:58	02/05/25 06:04	1
o-Xylene	<0.00199	U	0.00199		mg/Kg		02/04/25 10:58	02/05/25 06:04	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		02/04/25 10:58	02/05/25 06:04	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	108		70 - 130				02/04/25 10:58	02/05/25 06:04	1
1,4-Difluorobenzene (Surr)	88		70 - 130				02/04/25 10:58	02/05/25 06:04	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			02/05/25 06:04	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.8	U	49.8		mg/Kg			02/05/25 03:53	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.8	U	49.8		mg/Kg		02/03/25 15:40	02/05/25 03:53	1
Diesel Range Organics (Over C10-C28)	<49.8	U	49.8		mg/Kg		02/03/25 15:40	02/05/25 03:53	1
Oil Range Organics (Over C28-C36)	<49.8	U	49.8		mg/Kg		02/03/25 15:40	02/05/25 03:53	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	74		70 - 130				02/03/25 15:40	02/05/25 03:53	1
o-Terphenyl	63	S1-	70 - 130				02/03/25 15:40	02/05/25 03:53	1

Eurofins Midland

Client Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gas Line Release

Job ID: 880-53920-1
SDG: 21348

Client Sample ID: Floor Sample 39

Lab Sample ID: 880-53920-39

Date Collected: 01/30/25 13:16

Matrix: Solid

Date Received: 02/03/25 09:55

Sample Depth: 0.3"

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<10.0	U	10.0		mg/Kg			02/04/25 04:29	1

Client Sample ID: Floor Sample 40

Lab Sample ID: 880-53920-40

Date Collected: 01/30/25 13:18

Matrix: Solid

Date Received: 02/03/25 09:55

Sample Depth: 0.3"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		02/04/25 10:58	02/05/25 06:25	1
Toluene	<0.00199	U	0.00199		mg/Kg		02/04/25 10:58	02/05/25 06:25	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		02/04/25 10:58	02/05/25 06:25	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		02/04/25 10:58	02/05/25 06:25	1
o-Xylene	<0.00199	U	0.00199		mg/Kg		02/04/25 10:58	02/05/25 06:25	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		02/04/25 10:58	02/05/25 06:25	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	602	S1+	70 - 130				02/04/25 10:58	02/05/25 06:25	1
1,4-Difluorobenzene (Surr)	75		70 - 130				02/04/25 10:58	02/05/25 06:25	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			02/05/25 06:25	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.7	U	49.7		mg/Kg			02/05/25 04:09	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.7	U	49.7		mg/Kg		02/03/25 15:40	02/05/25 04:09	1
Diesel Range Organics (Over C10-C28)	<49.7	U	49.7		mg/Kg		02/03/25 15:40	02/05/25 04:09	1
Oil Range Organics (Over C28-C36)	<49.7	U	49.7		mg/Kg		02/03/25 15:40	02/05/25 04:09	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	67	S1-	70 - 130				02/03/25 15:40	02/05/25 04:09	1
o-Terphenyl	60	S1-	70 - 130				02/03/25 15:40	02/05/25 04:09	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<9.98	U	9.98		mg/Kg			02/04/25 04:34	1

Eurofins Midland

Client Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gas Line Release

Job ID: 880-53920-1
SDG: 21348

Client Sample ID: Floor Sample 41

Lab Sample ID: 880-53920-41

Date Collected: 01/30/25 13:20

Matrix: Solid

Date Received: 02/03/25 09:55

Sample Depth: 0.3"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00198	U	0.00198		mg/Kg		02/04/25 11:00	02/04/25 22:01	1
Toluene	<0.00198	U	0.00198		mg/Kg		02/04/25 11:00	02/04/25 22:01	1
Ethylbenzene	<0.00198	U *	0.00198		mg/Kg		02/04/25 11:00	02/04/25 22:01	1
m-Xylene & p-Xylene	<0.00396	U	0.00396		mg/Kg		02/04/25 11:00	02/04/25 22:01	1
o-Xylene	<0.00198	U	0.00198		mg/Kg		02/04/25 11:00	02/04/25 22:01	1
Xylenes, Total	<0.00396	U	0.00396		mg/Kg		02/04/25 11:00	02/04/25 22:01	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	121		70 - 130	02/04/25 11:00	02/04/25 22:01	1
1,4-Difluorobenzene (Surr)	97		70 - 130	02/04/25 11:00	02/04/25 22:01	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00396	U	0.00396		mg/Kg			02/04/25 22:01	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			02/06/25 09:44	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	49.9		mg/Kg		02/03/25 15:43	02/06/25 09:44	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		02/03/25 15:43	02/06/25 09:44	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		02/03/25 15:43	02/06/25 09:44	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	134	S1+	70 - 130	02/03/25 15:43	02/06/25 09:44	1
o-Terphenyl	129		70 - 130	02/03/25 15:43	02/06/25 09:44	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<10.1	U	10.1		mg/Kg			02/04/25 05:49	1

Client Sample ID: Floor Sample 42

Lab Sample ID: 880-53920-42

Date Collected: 01/30/25 13:22

Matrix: Solid

Date Received: 02/03/25 09:55

Sample Depth: 0.3"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00198	U	0.00198		mg/Kg		02/04/25 11:00	02/04/25 22:22	1
Toluene	<0.00198	U	0.00198		mg/Kg		02/04/25 11:00	02/04/25 22:22	1
Ethylbenzene	<0.00198	U *	0.00198		mg/Kg		02/04/25 11:00	02/04/25 22:22	1
m-Xylene & p-Xylene	<0.00397	U	0.00397		mg/Kg		02/04/25 11:00	02/04/25 22:22	1
o-Xylene	<0.00198	U	0.00198		mg/Kg		02/04/25 11:00	02/04/25 22:22	1
Xylenes, Total	<0.00397	U	0.00397		mg/Kg		02/04/25 11:00	02/04/25 22:22	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	115		70 - 130	02/04/25 11:00	02/04/25 22:22	1

Eurofins Midland

Client Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gas Line Release

Job ID: 880-53920-1
SDG: 21348

Client Sample ID: Floor Sample 42

Lab Sample ID: 880-53920-42

Date Collected: 01/30/25 13:22

Matrix: Solid

Date Received: 02/03/25 09:55

Sample Depth: 0.3"

Method: SW846 8021B - Volatile Organic Compounds (GC) (Continued)

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,4-Difluorobenzene (Surr)	98		70 - 130	02/04/25 11:00	02/04/25 22:22	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00397	U	0.00397		mg/Kg			02/04/25 22:22	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.7	U	49.7		mg/Kg			02/06/25 10:33	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.7	U	49.7		mg/Kg		02/03/25 15:43	02/06/25 10:33	1
Diesel Range Organics (Over C10-C28)	<49.7	U	49.7		mg/Kg		02/03/25 15:43	02/06/25 10:33	1
Oil Range Organics (Over C28-C36)	<49.7	U	49.7		mg/Kg		02/03/25 15:43	02/06/25 10:33	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	131	S1+	70 - 130				02/03/25 15:43	02/06/25 10:33	1
o-Terphenyl	110		70 - 130				02/03/25 15:43	02/06/25 10:33	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<10.1	U	10.1		mg/Kg			02/04/25 06:07	1

Client Sample ID: Floor Sample 43

Lab Sample ID: 880-53920-43

Date Collected: 01/30/25 13:24

Matrix: Solid

Date Received: 02/03/25 09:55

Sample Depth: 0.3"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		02/04/25 11:00	02/04/25 22:42	1
Toluene	<0.00199	U	0.00199		mg/Kg		02/04/25 11:00	02/04/25 22:42	1
Ethylbenzene	<0.00199	U *	0.00199		mg/Kg		02/04/25 11:00	02/04/25 22:42	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		02/04/25 11:00	02/04/25 22:42	1
o-Xylene	<0.00199	U	0.00199		mg/Kg		02/04/25 11:00	02/04/25 22:42	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		02/04/25 11:00	02/04/25 22:42	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	121		70 - 130	02/04/25 11:00	02/04/25 22:42	1
1,4-Difluorobenzene (Surr)	95		70 - 130	02/04/25 11:00	02/04/25 22:42	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			02/04/25 22:42	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			02/06/25 10:49	1

Eurofins Midland

Client Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gas Line Release

Job ID: 880-53920-1
SDG: 21348

Client Sample ID: Floor Sample 43

Lab Sample ID: 880-53920-43

Date Collected: 01/30/25 13:24

Matrix: Solid

Date Received: 02/03/25 09:55

Sample Depth: 0.3"

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		02/03/25 15:43	02/06/25 10:49	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		02/03/25 15:43	02/06/25 10:49	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		02/03/25 15:43	02/06/25 10:49	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	130		70 - 130				02/03/25 15:43	02/06/25 10:49	1
o-Terphenyl	106		70 - 130				02/03/25 15:43	02/06/25 10:49	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<10.1	U	10.1		mg/Kg			02/04/25 06:13	1

Client Sample ID: Floor Sample 44

Lab Sample ID: 880-53920-44

Date Collected: 01/30/25 13:26

Matrix: Solid

Date Received: 02/03/25 09:55

Sample Depth: 0.3"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		02/04/25 11:00	02/04/25 23:03	1
Toluene	<0.00200	U	0.00200		mg/Kg		02/04/25 11:00	02/04/25 23:03	1
Ethylbenzene	<0.00200	U *	0.00200		mg/Kg		02/04/25 11:00	02/04/25 23:03	1
m-Xylene & p-Xylene	<0.00401	U	0.00401		mg/Kg		02/04/25 11:00	02/04/25 23:03	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		02/04/25 11:00	02/04/25 23:03	1
Xylenes, Total	<0.00401	U	0.00401		mg/Kg		02/04/25 11:00	02/04/25 23:03	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	115		70 - 130				02/04/25 11:00	02/04/25 23:03	1
1,4-Difluorobenzene (Surr)	98		70 - 130				02/04/25 11:00	02/04/25 23:03	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00401	U	0.00401		mg/Kg			02/04/25 23:03	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			02/06/25 11:06	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		02/03/25 15:43	02/06/25 11:06	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		02/03/25 15:43	02/06/25 11:06	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		02/03/25 15:43	02/06/25 11:06	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	125		70 - 130				02/03/25 15:43	02/06/25 11:06	1
o-Terphenyl	102		70 - 130				02/03/25 15:43	02/06/25 11:06	1

Eurofins Midland

Client Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gas Line Release

Job ID: 880-53920-1
SDG: 21348

Client Sample ID: Floor Sample 44

Lab Sample ID: 880-53920-44

Date Collected: 01/30/25 13:26

Matrix: Solid

Date Received: 02/03/25 09:55

Sample Depth: 0.3"

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	27.6		9.96		mg/Kg			02/04/25 06:19	1

Client Sample ID: Floor Sample 45

Lab Sample ID: 880-53920-45

Date Collected: 01/30/25 13:28

Matrix: Solid

Date Received: 02/03/25 09:55

Sample Depth: 0.3"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		02/04/25 11:00	02/04/25 23:23	1
Toluene	<0.00199	U	0.00199		mg/Kg		02/04/25 11:00	02/04/25 23:23	1
Ethylbenzene	<0.00199	U *	0.00199		mg/Kg		02/04/25 11:00	02/04/25 23:23	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		02/04/25 11:00	02/04/25 23:23	1
o-Xylene	<0.00199	U	0.00199		mg/Kg		02/04/25 11:00	02/04/25 23:23	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		02/04/25 11:00	02/04/25 23:23	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	109		70 - 130				02/04/25 11:00	02/04/25 23:23	1
1,4-Difluorobenzene (Surr)	97		70 - 130				02/04/25 11:00	02/04/25 23:23	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			02/04/25 23:23	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			02/06/25 11:22	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	49.9		mg/Kg		02/03/25 15:43	02/06/25 11:22	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		02/03/25 15:43	02/06/25 11:22	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		02/03/25 15:43	02/06/25 11:22	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	134	S1+	70 - 130				02/03/25 15:43	02/06/25 11:22	1
o-Terphenyl	110		70 - 130				02/03/25 15:43	02/06/25 11:22	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<9.98	U	9.98		mg/Kg			02/04/25 06:24	1

Eurofins Midland

Client Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gas Line Release

Job ID: 880-53920-1
SDG: 21348

Client Sample ID: Floor Sample 46

Lab Sample ID: 880-53920-46

Date Collected: 01/30/25 13:30

Matrix: Solid

Date Received: 02/03/25 09:55

Sample Depth: 0.3"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		02/04/25 11:00	02/04/25 23:44	1
Toluene	<0.00200	U	0.00200		mg/Kg		02/04/25 11:00	02/04/25 23:44	1
Ethylbenzene	<0.00200	U *	0.00200		mg/Kg		02/04/25 11:00	02/04/25 23:44	1
m-Xylene & p-Xylene	<0.00399	U	0.00399		mg/Kg		02/04/25 11:00	02/04/25 23:44	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		02/04/25 11:00	02/04/25 23:44	1
Xylenes, Total	<0.00399	U	0.00399		mg/Kg		02/04/25 11:00	02/04/25 23:44	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	121		70 - 130	02/04/25 11:00	02/04/25 23:44	1
1,4-Difluorobenzene (Surr)	98		70 - 130	02/04/25 11:00	02/04/25 23:44	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00399	U	0.00399		mg/Kg			02/04/25 23:44	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	204		49.7		mg/Kg			02/06/25 11:38	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.7	U	49.7		mg/Kg		02/03/25 15:43	02/06/25 11:38	1
Diesel Range Organics (Over C10-C28)	204		49.7		mg/Kg		02/03/25 15:43	02/06/25 11:38	1
Oil Range Organics (Over C28-C36)	<49.7	U	49.7		mg/Kg		02/03/25 15:43	02/06/25 11:38	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	134	S1+	70 - 130	02/03/25 15:43	02/06/25 11:38	1
o-Terphenyl	111		70 - 130	02/03/25 15:43	02/06/25 11:38	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<10.0	U	10.0		mg/Kg			02/04/25 06:42	1

Client Sample ID: Floor Sample 47

Lab Sample ID: 880-53920-47

Date Collected: 01/30/25 13:32

Matrix: Solid

Date Received: 02/03/25 09:55

Sample Depth: 0.3"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00202	U	0.00202		mg/Kg		02/04/25 11:00	02/05/25 00:05	1
Toluene	<0.00202	U	0.00202		mg/Kg		02/04/25 11:00	02/05/25 00:05	1
Ethylbenzene	<0.00202	U *	0.00202		mg/Kg		02/04/25 11:00	02/05/25 00:05	1
m-Xylene & p-Xylene	<0.00403	U	0.00403		mg/Kg		02/04/25 11:00	02/05/25 00:05	1
o-Xylene	<0.00202	U	0.00202		mg/Kg		02/04/25 11:00	02/05/25 00:05	1
Xylenes, Total	<0.00403	U	0.00403		mg/Kg		02/04/25 11:00	02/05/25 00:05	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	114		70 - 130	02/04/25 11:00	02/05/25 00:05	1

Eurofins Midland

Client Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gas Line Release

Job ID: 880-53920-1
SDG: 21348

Client Sample ID: Floor Sample 47

Date Collected: 01/30/25 13:32

Date Received: 02/03/25 09:55

Sample Depth: 0.3"

Lab Sample ID: 880-53920-47

Matrix: Solid

Method: SW846 8021B - Volatile Organic Compounds (GC) (Continued)

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,4-Difluorobenzene (Surr)	96		70 - 130	02/04/25 11:00	02/05/25 00:05	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00403	U	0.00403		mg/Kg			02/05/25 00:05	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			02/06/25 11:55	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	49.9		mg/Kg		02/03/25 15:43	02/06/25 11:55	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		02/03/25 15:43	02/06/25 11:55	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		02/03/25 15:43	02/06/25 11:55	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	134	S1+	70 - 130				02/03/25 15:43	02/06/25 11:55	1
o-Terphenyl	109		70 - 130				02/03/25 15:43	02/06/25 11:55	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<10.1	U	10.1		mg/Kg			02/04/25 06:48	1

Client Sample ID: Floor Sample 48

Date Collected: 01/30/25 13:34

Date Received: 02/03/25 09:55

Sample Depth: 0.3"

Lab Sample ID: 880-53920-48

Matrix: Solid

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		02/04/25 11:00	02/05/25 00:25	1
Toluene	<0.00200	U	0.00200		mg/Kg		02/04/25 11:00	02/05/25 00:25	1
Ethylbenzene	<0.00200	U *	0.00200		mg/Kg		02/04/25 11:00	02/05/25 00:25	1
m-Xylene & p-Xylene	<0.00399	U	0.00399		mg/Kg		02/04/25 11:00	02/05/25 00:25	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		02/04/25 11:00	02/05/25 00:25	1
Xylenes, Total	<0.00399	U	0.00399		mg/Kg		02/04/25 11:00	02/05/25 00:25	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	113		70 - 130	02/04/25 11:00	02/05/25 00:25	1
1,4-Difluorobenzene (Surr)	96		70 - 130	02/04/25 11:00	02/05/25 00:25	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00399	U	0.00399		mg/Kg			02/05/25 00:25	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.8	U	49.8		mg/Kg			02/06/25 12:11	1

Eurofins Midland

Client Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gas Line Release

Job ID: 880-53920-1
SDG: 21348

Client Sample ID: Floor Sample 48

Lab Sample ID: 880-53920-48

Date Collected: 01/30/25 13:34

Matrix: Solid

Date Received: 02/03/25 09:55

Sample Depth: 0.3"

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.8	U	49.8		mg/Kg		02/03/25 15:43	02/06/25 12:11	1
Diesel Range Organics (Over C10-C28)	<49.8	U	49.8		mg/Kg		02/03/25 15:43	02/06/25 12:11	1
Oil Range Organics (Over C28-C36)	<49.8	U	49.8		mg/Kg		02/03/25 15:43	02/06/25 12:11	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	127		70 - 130				02/03/25 15:43	02/06/25 12:11	1
o-Terphenyl	107		70 - 130				02/03/25 15:43	02/06/25 12:11	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<10.0	U	10.0		mg/Kg			02/04/25 06:54	1

Client Sample ID: Floor Sample 49

Lab Sample ID: 880-53920-49

Date Collected: 01/30/25 13:36

Matrix: Solid

Date Received: 02/03/25 09:55

Sample Depth: 0.3"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		02/04/25 11:00	02/05/25 00:46	1
Toluene	<0.00200	U	0.00200		mg/Kg		02/04/25 11:00	02/05/25 00:46	1
Ethylbenzene	<0.00200	U *	0.00200		mg/Kg		02/04/25 11:00	02/05/25 00:46	1
m-Xylene & p-Xylene	<0.00401	U	0.00401		mg/Kg		02/04/25 11:00	02/05/25 00:46	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		02/04/25 11:00	02/05/25 00:46	1
Xylenes, Total	<0.00401	U	0.00401		mg/Kg		02/04/25 11:00	02/05/25 00:46	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	123		70 - 130				02/04/25 11:00	02/05/25 00:46	1
1,4-Difluorobenzene (Surr)	95		70 - 130				02/04/25 11:00	02/05/25 00:46	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00401	U	0.00401		mg/Kg			02/05/25 00:46	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	50.6		49.8		mg/Kg			02/06/25 12:27	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.8	U	49.8		mg/Kg		02/03/25 15:43	02/06/25 12:27	1
Diesel Range Organics (Over C10-C28)	50.6		49.8		mg/Kg		02/03/25 15:43	02/06/25 12:27	1
Oil Range Organics (Over C28-C36)	<49.8	U	49.8		mg/Kg		02/03/25 15:43	02/06/25 12:27	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	141	S1+	70 - 130				02/03/25 15:43	02/06/25 12:27	1
o-Terphenyl	116		70 - 130				02/03/25 15:43	02/06/25 12:27	1

Eurofins Midland

Client Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gas Line Release

Job ID: 880-53920-1
SDG: 21348

Client Sample ID: Floor Sample 49

Lab Sample ID: 880-53920-49

Date Collected: 01/30/25 13:36

Matrix: Solid

Date Received: 02/03/25 09:55

Sample Depth: 0.3"

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	189		9.92		mg/Kg			02/04/25 07:00	1

Client Sample ID: Floor Sample 50

Lab Sample ID: 880-53920-50

Date Collected: 01/30/25 13:38

Matrix: Solid

Date Received: 02/03/25 09:55

Sample Depth: 0.3"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		02/04/25 11:00	02/05/25 01:06	1
Toluene	<0.00200	U	0.00200		mg/Kg		02/04/25 11:00	02/05/25 01:06	1
Ethylbenzene	<0.00200	U *	0.00200		mg/Kg		02/04/25 11:00	02/05/25 01:06	1
m-Xylene & p-Xylene	<0.00399	U	0.00399		mg/Kg		02/04/25 11:00	02/05/25 01:06	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		02/04/25 11:00	02/05/25 01:06	1
Xylenes, Total	<0.00399	U	0.00399		mg/Kg		02/04/25 11:00	02/05/25 01:06	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	116		70 - 130				02/04/25 11:00	02/05/25 01:06	1
1,4-Difluorobenzene (Surr)	97		70 - 130				02/04/25 11:00	02/05/25 01:06	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00399	U	0.00399		mg/Kg			02/05/25 01:06	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	90.2		49.7		mg/Kg			02/06/25 12:43	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.7	U	49.7		mg/Kg		02/03/25 15:43	02/06/25 12:43	1
Diesel Range Organics (Over C10-C28)	90.2		49.7		mg/Kg		02/03/25 15:43	02/06/25 12:43	1
Oil Range Organics (Over C28-C36)	<49.7	U	49.7		mg/Kg		02/03/25 15:43	02/06/25 12:43	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	133	S1+	70 - 130				02/03/25 15:43	02/06/25 12:43	1
o-Terphenyl	106		70 - 130				02/03/25 15:43	02/06/25 12:43	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<10.1	U	10.1		mg/Kg			02/04/25 07:06	1

Eurofins Midland

Client Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gas Line Release

Job ID: 880-53920-1
SDG: 21348

Client Sample ID: Floor Sample 51

Lab Sample ID: 880-53920-51

Date Collected: 01/30/25 13:40

Matrix: Solid

Date Received: 02/03/25 09:55

Sample Depth: 0.3"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00202	U	0.00202		mg/Kg		02/04/25 11:00	02/05/25 02:29	1
Toluene	<0.00202	U	0.00202		mg/Kg		02/04/25 11:00	02/05/25 02:29	1
Ethylbenzene	<0.00202	U *	0.00202		mg/Kg		02/04/25 11:00	02/05/25 02:29	1
m-Xylene & p-Xylene	<0.00403	U	0.00403		mg/Kg		02/04/25 11:00	02/05/25 02:29	1
o-Xylene	<0.00202	U	0.00202		mg/Kg		02/04/25 11:00	02/05/25 02:29	1
Xylenes, Total	<0.00403	U	0.00403		mg/Kg		02/04/25 11:00	02/05/25 02:29	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	119		70 - 130	02/04/25 11:00	02/05/25 02:29	1
1,4-Difluorobenzene (Surr)	97		70 - 130	02/04/25 11:00	02/05/25 02:29	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00403	U	0.00403		mg/Kg			02/05/25 02:29	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			02/06/25 12:59	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		02/03/25 15:43	02/06/25 12:59	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		02/03/25 15:43	02/06/25 12:59	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		02/03/25 15:43	02/06/25 12:59	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	142	S1+	70 - 130	02/03/25 15:43	02/06/25 12:59	1
o-Terphenyl	115		70 - 130	02/03/25 15:43	02/06/25 12:59	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	12.1		9.94		mg/Kg			02/04/25 07:12	1

Client Sample ID: Floor Sample 52

Lab Sample ID: 880-53920-52

Date Collected: 01/30/25 13:42

Matrix: Solid

Date Received: 02/03/25 09:55

Sample Depth: 0.3"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		02/04/25 11:00	02/05/25 02:50	1
Toluene	<0.00199	U	0.00199		mg/Kg		02/04/25 11:00	02/05/25 02:50	1
Ethylbenzene	<0.00199	U *	0.00199		mg/Kg		02/04/25 11:00	02/05/25 02:50	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		02/04/25 11:00	02/05/25 02:50	1
o-Xylene	<0.00199	U	0.00199		mg/Kg		02/04/25 11:00	02/05/25 02:50	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		02/04/25 11:00	02/05/25 02:50	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	115		70 - 130	02/04/25 11:00	02/05/25 02:50	1

Eurofins Midland

Client Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gas Line Release

Job ID: 880-53920-1
SDG: 21348

Client Sample ID: Floor Sample 52

Lab Sample ID: 880-53920-52

Date Collected: 01/30/25 13:42

Matrix: Solid

Date Received: 02/03/25 09:55

Sample Depth: 0.3"

Method: SW846 8021B - Volatile Organic Compounds (GC) (Continued)

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,4-Difluorobenzene (Surr)	97		70 - 130	02/04/25 11:00	02/05/25 02:50	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			02/05/25 02:50	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.8	U	49.8		mg/Kg			02/06/25 13:15	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.8	U	49.8		mg/Kg		02/03/25 15:43	02/06/25 13:15	1
Diesel Range Organics (Over C10-C28)	<49.8	U	49.8		mg/Kg		02/03/25 15:43	02/06/25 13:15	1
Oil Range Organics (Over C28-C36)	<49.8	U	49.8		mg/Kg		02/03/25 15:43	02/06/25 13:15	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	132	S1+	70 - 130				02/03/25 15:43	02/06/25 13:15	1
o-Terphenyl	109		70 - 130				02/03/25 15:43	02/06/25 13:15	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<9.98	U	9.98		mg/Kg			02/04/25 07:30	1

Client Sample ID: Floor Sample 53

Lab Sample ID: 880-53920-53

Date Collected: 01/30/25 13:44

Matrix: Solid

Date Received: 02/03/25 09:55

Sample Depth: 0.3"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		02/04/25 11:00	02/05/25 03:10	1
Toluene	<0.00200	U	0.00200		mg/Kg		02/04/25 11:00	02/05/25 03:10	1
Ethylbenzene	<0.00200	U *	0.00200		mg/Kg		02/04/25 11:00	02/05/25 03:10	1
m-Xylene & p-Xylene	<0.00400	U	0.00400		mg/Kg		02/04/25 11:00	02/05/25 03:10	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		02/04/25 11:00	02/05/25 03:10	1
Xylenes, Total	<0.00400	U	0.00400		mg/Kg		02/04/25 11:00	02/05/25 03:10	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	112		70 - 130	02/04/25 11:00	02/05/25 03:10	1
1,4-Difluorobenzene (Surr)	95		70 - 130	02/04/25 11:00	02/05/25 03:10	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00400	U	0.00400		mg/Kg			02/05/25 03:10	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	337		49.9		mg/Kg			02/06/25 13:31	1

Eurofins Midland

Client Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gas Line Release

Job ID: 880-53920-1
SDG: 21348

Client Sample ID: Floor Sample 53

Lab Sample ID: 880-53920-53

Date Collected: 01/30/25 13:44

Matrix: Solid

Date Received: 02/03/25 09:55

Sample Depth: 0.3"

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	49.9		mg/Kg		02/03/25 15:43	02/06/25 13:31	1
Diesel Range Organics (Over C10-C28)	337		49.9		mg/Kg		02/03/25 15:43	02/06/25 13:31	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		02/03/25 15:43	02/06/25 13:31	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	129		70 - 130				02/03/25 15:43	02/06/25 13:31	1
o-Terphenyl	105		70 - 130				02/03/25 15:43	02/06/25 13:31	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<9.96	U	9.96		mg/Kg			02/04/25 07:36	1

Client Sample ID: Floor Sample 54

Lab Sample ID: 880-53920-54

Date Collected: 01/30/25 13:46

Matrix: Solid

Date Received: 02/03/25 09:55

Sample Depth: 0.3"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00201	U	0.00201		mg/Kg		02/04/25 11:00	02/05/25 03:31	1
Toluene	<0.00201	U	0.00201		mg/Kg		02/04/25 11:00	02/05/25 03:31	1
Ethylbenzene	<0.00201	U *	0.00201		mg/Kg		02/04/25 11:00	02/05/25 03:31	1
m-Xylene & p-Xylene	<0.00402	U	0.00402		mg/Kg		02/04/25 11:00	02/05/25 03:31	1
o-Xylene	<0.00201	U	0.00201		mg/Kg		02/04/25 11:00	02/05/25 03:31	1
Xylenes, Total	<0.00402	U	0.00402		mg/Kg		02/04/25 11:00	02/05/25 03:31	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	112		70 - 130				02/04/25 11:00	02/05/25 03:31	1
1,4-Difluorobenzene (Surr)	96		70 - 130				02/04/25 11:00	02/05/25 03:31	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00402	U	0.00402		mg/Kg			02/05/25 03:31	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	81.8		50.0		mg/Kg			02/06/25 13:47	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		02/03/25 15:43	02/06/25 13:47	1
Diesel Range Organics (Over C10-C28)	81.8		50.0		mg/Kg		02/03/25 15:43	02/06/25 13:47	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		02/03/25 15:43	02/06/25 13:47	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	144	S1+	70 - 130				02/03/25 15:43	02/06/25 13:47	1
o-Terphenyl	116		70 - 130				02/03/25 15:43	02/06/25 13:47	1

Eurofins Midland

Client Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gas Line Release

Job ID: 880-53920-1
SDG: 21348

Client Sample ID: Floor Sample 54

Lab Sample ID: 880-53920-54

Date Collected: 01/30/25 13:46

Matrix: Solid

Date Received: 02/03/25 09:55

Sample Depth: 0.3"

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	14.4		10.0		mg/Kg			02/04/25 07:53	1

Client Sample ID: Floor Sample 55

Lab Sample ID: 880-53920-55

Date Collected: 01/30/25 13:48

Matrix: Solid

Date Received: 02/03/25 09:55

Sample Depth: 0.3"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		02/04/25 11:00	02/05/25 03:51	1
Toluene	<0.00200	U	0.00200		mg/Kg		02/04/25 11:00	02/05/25 03:51	1
Ethylbenzene	<0.00200	U *	0.00200		mg/Kg		02/04/25 11:00	02/05/25 03:51	1
m-Xylene & p-Xylene	<0.00401	U	0.00401		mg/Kg		02/04/25 11:00	02/05/25 03:51	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		02/04/25 11:00	02/05/25 03:51	1
Xylenes, Total	<0.00401	U	0.00401		mg/Kg		02/04/25 11:00	02/05/25 03:51	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	112		70 - 130				02/04/25 11:00	02/05/25 03:51	1
1,4-Difluorobenzene (Surr)	94		70 - 130				02/04/25 11:00	02/05/25 03:51	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00401	U	0.00401		mg/Kg			02/05/25 03:51	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			02/06/25 14:04	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	49.9		mg/Kg		02/03/25 15:43	02/06/25 14:04	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		02/03/25 15:43	02/06/25 14:04	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		02/03/25 15:43	02/06/25 14:04	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	136	S1+	70 - 130				02/03/25 15:43	02/06/25 14:04	1
o-Terphenyl	128		70 - 130				02/03/25 15:43	02/06/25 14:04	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<9.94	U	9.94		mg/Kg			02/04/25 08:23	1

Eurofins Midland

Client Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gas Line Release

Job ID: 880-53920-1
SDG: 21348

Client Sample ID: Floor Sample 56

Lab Sample ID: 880-53920-56

Date Collected: 01/30/25 13:50

Matrix: Solid

Date Received: 02/03/25 09:55

Sample Depth: 0.3"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		02/04/25 11:00	02/05/25 04:12	1
Toluene	<0.00199	U	0.00199		mg/Kg		02/04/25 11:00	02/05/25 04:12	1
Ethylbenzene	<0.00199	U *	0.00199		mg/Kg		02/04/25 11:00	02/05/25 04:12	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		02/04/25 11:00	02/05/25 04:12	1
o-Xylene	<0.00199	U	0.00199		mg/Kg		02/04/25 11:00	02/05/25 04:12	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		02/04/25 11:00	02/05/25 04:12	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	114		70 - 130	02/04/25 11:00	02/05/25 04:12	1
1,4-Difluorobenzene (Surr)	97		70 - 130	02/04/25 11:00	02/05/25 04:12	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			02/05/25 04:12	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.8	U	49.8		mg/Kg			02/06/25 14:20	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.8	U	49.8		mg/Kg		02/03/25 15:43	02/06/25 14:20	1
Diesel Range Organics (Over C10-C28)	<49.8	U	49.8		mg/Kg		02/03/25 15:43	02/06/25 14:20	1
Oil Range Organics (Over C28-C36)	<49.8	U	49.8		mg/Kg		02/03/25 15:43	02/06/25 14:20	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	142	S1+	70 - 130	02/03/25 15:43	02/06/25 14:20	1
o-Terphenyl	113		70 - 130	02/03/25 15:43	02/06/25 14:20	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	22.6		10.0		mg/Kg			02/04/25 08:29	1

Client Sample ID: Floor Sample 57

Lab Sample ID: 880-53920-57

Date Collected: 01/30/25 13:52

Matrix: Solid

Date Received: 02/03/25 09:55

Sample Depth: 0.3"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00201	U	0.00201		mg/Kg		02/04/25 11:00	02/05/25 04:32	1
Toluene	<0.00201	U	0.00201		mg/Kg		02/04/25 11:00	02/05/25 04:32	1
Ethylbenzene	<0.00201	U *	0.00201		mg/Kg		02/04/25 11:00	02/05/25 04:32	1
m-Xylene & p-Xylene	<0.00402	U	0.00402		mg/Kg		02/04/25 11:00	02/05/25 04:32	1
o-Xylene	<0.00201	U	0.00201		mg/Kg		02/04/25 11:00	02/05/25 04:32	1
Xylenes, Total	<0.00402	U	0.00402		mg/Kg		02/04/25 11:00	02/05/25 04:32	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	118		70 - 130	02/04/25 11:00	02/05/25 04:32	1

Eurofins Midland

Client Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gas Line Release

Job ID: 880-53920-1
SDG: 21348

Client Sample ID: Floor Sample 57

Lab Sample ID: 880-53920-57

Date Collected: 01/30/25 13:52

Matrix: Solid

Date Received: 02/03/25 09:55

Sample Depth: 0.3"

Method: SW846 8021B - Volatile Organic Compounds (GC) (Continued)

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,4-Difluorobenzene (Surr)	97		70 - 130	02/04/25 11:00	02/05/25 04:32	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00402	U	0.00402		mg/Kg			02/05/25 04:32	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.7	U	49.7		mg/Kg			02/06/25 14:36	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.7	U	49.7		mg/Kg		02/03/25 15:43	02/06/25 14:36	1
Diesel Range Organics (Over C10-C28)	<49.7	U	49.7		mg/Kg		02/03/25 15:43	02/06/25 14:36	1
Oil Range Organics (Over C28-C36)	<49.7	U	49.7		mg/Kg		02/03/25 15:43	02/06/25 14:36	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	141	S1+	70 - 130				02/03/25 15:43	02/06/25 14:36	1
o-Terphenyl	128		70 - 130				02/03/25 15:43	02/06/25 14:36	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	15.9		10.1		mg/Kg			02/04/25 08:35	1

Client Sample ID: Floor Sample 58

Lab Sample ID: 880-53920-58

Date Collected: 01/30/25 13:54

Matrix: Solid

Date Received: 02/03/25 09:55

Sample Depth: 0.3"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		02/04/25 11:00	02/05/25 04:53	1
Toluene	<0.00199	U	0.00199		mg/Kg		02/04/25 11:00	02/05/25 04:53	1
Ethylbenzene	<0.00199	U *	0.00199		mg/Kg		02/04/25 11:00	02/05/25 04:53	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		02/04/25 11:00	02/05/25 04:53	1
o-Xylene	<0.00199	U	0.00199		mg/Kg		02/04/25 11:00	02/05/25 04:53	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		02/04/25 11:00	02/05/25 04:53	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	116		70 - 130	02/04/25 11:00	02/05/25 04:53	1
1,4-Difluorobenzene (Surr)	95		70 - 130	02/04/25 11:00	02/05/25 04:53	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			02/05/25 04:53	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.8	U	49.8		mg/Kg			02/06/25 14:52	1

Eurofins Midland

Client Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gas Line Release

Job ID: 880-53920-1
SDG: 21348

Client Sample ID: Floor Sample 58

Lab Sample ID: 880-53920-58

Date Collected: 01/30/25 13:54

Matrix: Solid

Date Received: 02/03/25 09:55

Sample Depth: 0.3"

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.8	U	49.8		mg/Kg		02/03/25 15:43	02/06/25 14:52	1
Diesel Range Organics (Over C10-C28)	<49.8	U	49.8		mg/Kg		02/03/25 15:43	02/06/25 14:52	1
Oil Range Organics (Over C28-C36)	<49.8	U	49.8		mg/Kg		02/03/25 15:43	02/06/25 14:52	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	132	S1+	70 - 130				02/03/25 15:43	02/06/25 14:52	1
o-Terphenyl	125		70 - 130				02/03/25 15:43	02/06/25 14:52	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<9.94	U	9.94		mg/Kg			02/04/25 08:41	1

Client Sample ID: Floor Sample 59

Lab Sample ID: 880-53920-59

Date Collected: 01/30/25 13:56

Matrix: Solid

Date Received: 02/03/25 09:55

Sample Depth: 0.3"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		02/04/25 11:00	02/05/25 05:13	1
Toluene	<0.00199	U	0.00199		mg/Kg		02/04/25 11:00	02/05/25 05:13	1
Ethylbenzene	<0.00199	U *	0.00199		mg/Kg		02/04/25 11:00	02/05/25 05:13	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		02/04/25 11:00	02/05/25 05:13	1
o-Xylene	<0.00199	U	0.00199		mg/Kg		02/04/25 11:00	02/05/25 05:13	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		02/04/25 11:00	02/05/25 05:13	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	118		70 - 130				02/04/25 11:00	02/05/25 05:13	1
1,4-Difluorobenzene (Surr)	97		70 - 130				02/04/25 11:00	02/05/25 05:13	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			02/05/25 05:13	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.8	U	49.8		mg/Kg			02/06/25 15:17	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.8	U	49.8		mg/Kg		02/03/25 15:43	02/06/25 15:17	1
Diesel Range Organics (Over C10-C28)	<49.8	U	49.8		mg/Kg		02/03/25 15:43	02/06/25 15:17	1
Oil Range Organics (Over C28-C36)	<49.8	U	49.8		mg/Kg		02/03/25 15:43	02/06/25 15:17	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	140	S1+	70 - 130				02/03/25 15:43	02/06/25 15:17	1
o-Terphenyl	128		70 - 130				02/03/25 15:43	02/06/25 15:17	1

Eurofins Midland

Client Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gas Line Release

Job ID: 880-53920-1
SDG: 21348

Client Sample ID: Floor Sample 59

Lab Sample ID: 880-53920-59

Date Collected: 01/30/25 13:56

Matrix: Solid

Date Received: 02/03/25 09:55

Sample Depth: 0.3"

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<9.92	U	9.92		mg/Kg			02/04/25 08:47	1

Client Sample ID: Floor Sample 60

Lab Sample ID: 880-53920-60

Date Collected: 01/30/25 13:58

Matrix: Solid

Date Received: 02/03/25 09:55

Sample Depth: 0.3"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		02/04/25 11:00	02/05/25 05:34	1
Toluene	<0.00199	U	0.00199		mg/Kg		02/04/25 11:00	02/05/25 05:34	1
Ethylbenzene	<0.00199	U *	0.00199		mg/Kg		02/04/25 11:00	02/05/25 05:34	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		02/04/25 11:00	02/05/25 05:34	1
o-Xylene	<0.00199	U	0.00199		mg/Kg		02/04/25 11:00	02/05/25 05:34	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		02/04/25 11:00	02/05/25 05:34	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	122		70 - 130				02/04/25 11:00	02/05/25 05:34	1
1,4-Difluorobenzene (Surr)	100		70 - 130				02/04/25 11:00	02/05/25 05:34	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			02/05/25 05:34	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	117		49.7		mg/Kg			02/06/25 15:37	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.7	U	49.7		mg/Kg		02/03/25 15:43	02/06/25 15:37	1
Diesel Range Organics (Over C10-C28)	117		49.7		mg/Kg		02/03/25 15:43	02/06/25 15:37	1
Oil Range Organics (Over C28-C36)	<49.7	U	49.7		mg/Kg		02/03/25 15:43	02/06/25 15:37	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	141	S1+	70 - 130				02/03/25 15:43	02/06/25 15:37	1
o-Terphenyl	136	S1+	70 - 130				02/03/25 15:43	02/06/25 15:37	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<9.90	U	9.90		mg/Kg			02/04/25 08:53	1

Eurofins Midland

Client Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gas Line Release

Job ID: 880-53920-1
SDG: 21348

Client Sample ID: Floor Sample 61

Lab Sample ID: 880-53920-61

Date Collected: 01/30/25 14:00

Matrix: Solid

Date Received: 02/03/25 09:55

Sample Depth: 0.3"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		02/04/25 13:18	02/04/25 18:00	1
Toluene	<0.00200	U	0.00200		mg/Kg		02/04/25 13:18	02/04/25 18:00	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		02/04/25 13:18	02/04/25 18:00	1
m-Xylene & p-Xylene	<0.00401	U	0.00401		mg/Kg		02/04/25 13:18	02/04/25 18:00	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		02/04/25 13:18	02/04/25 18:00	1
Xylenes, Total	<0.00401	U	0.00401		mg/Kg		02/04/25 13:18	02/04/25 18:00	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	99		70 - 130	02/04/25 13:18	02/04/25 18:00	1
1,4-Difluorobenzene (Surr)	100		70 - 130	02/04/25 13:18	02/04/25 18:00	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00401	U	0.00401		mg/Kg			02/04/25 18:00	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	259		49.8		mg/Kg			02/04/25 15:25	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.8	U	49.8		mg/Kg		02/04/25 08:46	02/04/25 15:25	1
Diesel Range Organics (Over C10-C28)	259		49.8		mg/Kg		02/04/25 08:46	02/04/25 15:25	1
Oil Range Organics (Over C28-C36)	<49.8	U	49.8		mg/Kg		02/04/25 08:46	02/04/25 15:25	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	69	S1-	70 - 130	02/04/25 08:46	02/04/25 15:25	1
o-Terphenyl	59	S1-	70 - 130	02/04/25 08:46	02/04/25 15:25	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<9.92	U	9.92		mg/Kg			02/04/25 14:55	1

Client Sample ID: Floor Sample 62

Lab Sample ID: 880-53920-62

Date Collected: 01/30/25 14:02

Matrix: Solid

Date Received: 02/03/25 09:55

Sample Depth: 0.3"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		02/04/25 13:18	02/04/25 18:21	1
Toluene	<0.00200	U	0.00200		mg/Kg		02/04/25 13:18	02/04/25 18:21	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		02/04/25 13:18	02/04/25 18:21	1
m-Xylene & p-Xylene	<0.00399	U	0.00399		mg/Kg		02/04/25 13:18	02/04/25 18:21	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		02/04/25 13:18	02/04/25 18:21	1
Xylenes, Total	<0.00399	U	0.00399		mg/Kg		02/04/25 13:18	02/04/25 18:21	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	104		70 - 130	02/04/25 13:18	02/04/25 18:21	1

Eurofins Midland

Client Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gas Line Release

Job ID: 880-53920-1
SDG: 21348

Client Sample ID: Floor Sample 62

Lab Sample ID: 880-53920-62

Date Collected: 01/30/25 14:02

Matrix: Solid

Date Received: 02/03/25 09:55

Sample Depth: 0.3"

Method: SW846 8021B - Volatile Organic Compounds (GC) (Continued)

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,4-Difluorobenzene (Surr)	101		70 - 130	02/04/25 13:18	02/04/25 18:21	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00399	U	0.00399		mg/Kg			02/04/25 18:21	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	86.5		50.0		mg/Kg			02/04/25 16:11	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		02/04/25 08:46	02/04/25 16:11	1
Diesel Range Organics (Over C10-C28)	86.5		50.0		mg/Kg		02/04/25 08:46	02/04/25 16:11	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		02/04/25 08:46	02/04/25 16:11	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	70		70 - 130				02/04/25 08:46	02/04/25 16:11	1
o-Terphenyl	60	S1-	70 - 130				02/04/25 08:46	02/04/25 16:11	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<9.98	U	9.98		mg/Kg			02/04/25 15:18	1

Client Sample ID: Floor Sample 63

Lab Sample ID: 880-53920-63

Date Collected: 01/30/25 14:04

Matrix: Solid

Date Received: 02/03/25 09:55

Sample Depth: 0.3"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		02/04/25 13:18	02/04/25 18:41	1
Toluene	<0.00199	U	0.00199		mg/Kg		02/04/25 13:18	02/04/25 18:41	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		02/04/25 13:18	02/04/25 18:41	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		02/04/25 13:18	02/04/25 18:41	1
o-Xylene	<0.00199	U	0.00199		mg/Kg		02/04/25 13:18	02/04/25 18:41	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		02/04/25 13:18	02/04/25 18:41	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	103		70 - 130	02/04/25 13:18	02/04/25 18:41	1
1,4-Difluorobenzene (Surr)	100		70 - 130	02/04/25 13:18	02/04/25 18:41	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			02/04/25 18:41	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.8	U	49.8		mg/Kg			02/04/25 16:25	1

Eurofins Midland

Client Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gas Line Release

Job ID: 880-53920-1
SDG: 21348

Client Sample ID: Floor Sample 63

Lab Sample ID: 880-53920-63

Date Collected: 01/30/25 14:04

Matrix: Solid

Date Received: 02/03/25 09:55

Sample Depth: 0.3"

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.8	U	49.8		mg/Kg		02/04/25 08:46	02/04/25 16:25	1
Diesel Range Organics (Over C10-C28)	<49.8	U	49.8		mg/Kg		02/04/25 08:46	02/04/25 16:25	1
Oil Range Organics (Over C28-C36)	<49.8	U	49.8		mg/Kg		02/04/25 08:46	02/04/25 16:25	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	66	S1-	70 - 130				02/04/25 08:46	02/04/25 16:25	1
o-Terphenyl	57	S1-	70 - 130				02/04/25 08:46	02/04/25 16:25	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	11.3		10.1		mg/Kg			02/04/25 15:25	1

Client Sample ID: Floor Sample 64

Lab Sample ID: 880-53920-64

Date Collected: 01/30/25 14:06

Matrix: Solid

Date Received: 02/03/25 09:55

Sample Depth: 0.3"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		02/04/25 13:18	02/04/25 19:02	1
Toluene	<0.00199	U	0.00199		mg/Kg		02/04/25 13:18	02/04/25 19:02	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		02/04/25 13:18	02/04/25 19:02	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		02/04/25 13:18	02/04/25 19:02	1
o-Xylene	<0.00199	U	0.00199		mg/Kg		02/04/25 13:18	02/04/25 19:02	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		02/04/25 13:18	02/04/25 19:02	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	99		70 - 130				02/04/25 13:18	02/04/25 19:02	1
1,4-Difluorobenzene (Surr)	100		70 - 130				02/04/25 13:18	02/04/25 19:02	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			02/04/25 19:02	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.8	U	49.8		mg/Kg			02/04/25 16:40	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.8	U	49.8		mg/Kg		02/04/25 08:46	02/04/25 16:40	1
Diesel Range Organics (Over C10-C28)	<49.8	U	49.8		mg/Kg		02/04/25 08:46	02/04/25 16:40	1
Oil Range Organics (Over C28-C36)	<49.8	U	49.8		mg/Kg		02/04/25 08:46	02/04/25 16:40	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	70		70 - 130				02/04/25 08:46	02/04/25 16:40	1
o-Terphenyl	60	S1-	70 - 130				02/04/25 08:46	02/04/25 16:40	1

Eurofins Midland

Client Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gas Line Release

Job ID: 880-53920-1
SDG: 21348

Client Sample ID: Floor Sample 64

Lab Sample ID: 880-53920-64

Date Collected: 01/30/25 14:06

Matrix: Solid

Date Received: 02/03/25 09:55

Sample Depth: 0.3"

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<10.0	U	10.0		mg/Kg			02/04/25 15:33	1

Client Sample ID: Floor Sample 65

Lab Sample ID: 880-53920-65

Date Collected: 01/30/25 14:08

Matrix: Solid

Date Received: 02/03/25 09:55

Sample Depth: 0.3"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00201	U	0.00201		mg/Kg		02/04/25 13:18	02/04/25 19:22	1
Toluene	<0.00201	U	0.00201		mg/Kg		02/04/25 13:18	02/04/25 19:22	1
Ethylbenzene	<0.00201	U	0.00201		mg/Kg		02/04/25 13:18	02/04/25 19:22	1
m-Xylene & p-Xylene	<0.00402	U	0.00402		mg/Kg		02/04/25 13:18	02/04/25 19:22	1
o-Xylene	<0.00201	U	0.00201		mg/Kg		02/04/25 13:18	02/04/25 19:22	1
Xylenes, Total	<0.00402	U	0.00402		mg/Kg		02/04/25 13:18	02/04/25 19:22	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	101		70 - 130				02/04/25 13:18	02/04/25 19:22	1
1,4-Difluorobenzene (Surr)	100		70 - 130				02/04/25 13:18	02/04/25 19:22	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00402	U	0.00402		mg/Kg			02/04/25 19:22	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	131		49.6		mg/Kg			02/04/25 16:55	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.6	U	49.6		mg/Kg		02/04/25 08:46	02/04/25 16:55	1
Diesel Range Organics (Over C10-C28)	131		49.6		mg/Kg		02/04/25 08:46	02/04/25 16:55	1
Oil Range Organics (Over C28-C36)	<49.6	U	49.6		mg/Kg		02/04/25 08:46	02/04/25 16:55	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	69	S1-	70 - 130				02/04/25 08:46	02/04/25 16:55	1
o-Terphenyl	58	S1-	70 - 130				02/04/25 08:46	02/04/25 16:55	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<9.96	U	9.96		mg/Kg			02/04/25 15:40	1

Eurofins Midland

Client Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gas Line Release

Job ID: 880-53920-1
SDG: 21348

Client Sample ID: Floor Sample 66

Lab Sample ID: 880-53920-66

Date Collected: 01/30/25 14:10

Matrix: Solid

Date Received: 02/03/25 09:55

Sample Depth: 0.3"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00201	U	0.00201		mg/Kg		02/04/25 13:19	02/04/25 17:56	1
Toluene	<0.00201	U	0.00201		mg/Kg		02/04/25 13:19	02/04/25 17:56	1
Ethylbenzene	<0.00201	U	0.00201		mg/Kg		02/04/25 13:19	02/04/25 17:56	1
m-Xylene & p-Xylene	0.00547		0.00402		mg/Kg		02/04/25 13:19	02/04/25 17:56	1
o-Xylene	0.147		0.00201		mg/Kg		02/04/25 13:19	02/04/25 17:56	1
Xylenes, Total	0.152		0.00402		mg/Kg		02/04/25 13:19	02/04/25 17:56	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	152	S1+	70 - 130	02/04/25 13:19	02/04/25 17:56	1
1,4-Difluorobenzene (Surr)	97		70 - 130	02/04/25 13:19	02/04/25 17:56	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	0.152		0.00402		mg/Kg			02/04/25 17:56	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	237		49.8		mg/Kg			02/04/25 17:10	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.8	U	49.8		mg/Kg		02/04/25 08:46	02/04/25 17:10	1
Diesel Range Organics (Over C10-C28)	237		49.8		mg/Kg		02/04/25 08:46	02/04/25 17:10	1
Oil Range Organics (Over C28-C36)	<49.8	U	49.8		mg/Kg		02/04/25 08:46	02/04/25 17:10	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	66	S1-	70 - 130	02/04/25 08:46	02/04/25 17:10	1
o-Terphenyl	57	S1-	70 - 130	02/04/25 08:46	02/04/25 17:10	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<9.98	U	9.98		mg/Kg			02/04/25 16:02	1

Client Sample ID: Floor Sample 67

Lab Sample ID: 880-53920-67

Date Collected: 01/30/25 14:12

Matrix: Solid

Date Received: 02/03/25 09:55

Sample Depth: 0.3"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00202	U	0.00202		mg/Kg		02/04/25 13:19	02/04/25 18:16	1
Toluene	<0.00202	U	0.00202		mg/Kg		02/04/25 13:19	02/04/25 18:16	1
Ethylbenzene	<0.00202	U	0.00202		mg/Kg		02/04/25 13:19	02/04/25 18:16	1
m-Xylene & p-Xylene	<0.00404	U	0.00404		mg/Kg		02/04/25 13:19	02/04/25 18:16	1
o-Xylene	<0.00202	U	0.00202		mg/Kg		02/04/25 13:19	02/04/25 18:16	1
Xylenes, Total	<0.00404	U	0.00404		mg/Kg		02/04/25 13:19	02/04/25 18:16	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	115		70 - 130	02/04/25 13:19	02/04/25 18:16	1

Eurofins Midland

Client Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gas Line Release

Job ID: 880-53920-1
SDG: 21348

Client Sample ID: Floor Sample 67

Lab Sample ID: 880-53920-67

Date Collected: 01/30/25 14:12

Matrix: Solid

Date Received: 02/03/25 09:55

Sample Depth: 0.3"

Method: SW846 8021B - Volatile Organic Compounds (GC) (Continued)

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,4-Difluorobenzene (Surr)	99		70 - 130	02/04/25 13:19	02/04/25 18:16	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00404	U	0.00404		mg/Kg			02/04/25 18:16	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.6	U	49.6		mg/Kg			02/04/25 17:24	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.6	U	49.6		mg/Kg		02/04/25 08:46	02/04/25 17:24	1
Diesel Range Organics (Over C10-C28)	<49.6	U	49.6		mg/Kg		02/04/25 08:46	02/04/25 17:24	1
Oil Range Organics (Over C28-C36)	<49.6	U	49.6		mg/Kg		02/04/25 08:46	02/04/25 17:24	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	66	S1-	70 - 130				02/04/25 08:46	02/04/25 17:24	1
o-Terphenyl	57	S1-	70 - 130				02/04/25 08:46	02/04/25 17:24	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<9.94	U	9.94		mg/Kg			02/04/25 16:10	1

Client Sample ID: Floor Sample 68

Lab Sample ID: 880-53920-68

Date Collected: 01/30/25 14:14

Matrix: Solid

Date Received: 02/03/25 09:55

Sample Depth: 0.3"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		02/04/25 13:19	02/04/25 18:37	1
Toluene	<0.00200	U	0.00200		mg/Kg		02/04/25 13:19	02/04/25 18:37	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		02/04/25 13:19	02/04/25 18:37	1
m-Xylene & p-Xylene	<0.00399	U	0.00399		mg/Kg		02/04/25 13:19	02/04/25 18:37	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		02/04/25 13:19	02/04/25 18:37	1
Xylenes, Total	<0.00399	U	0.00399		mg/Kg		02/04/25 13:19	02/04/25 18:37	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	113		70 - 130	02/04/25 13:19	02/04/25 18:37	1
1,4-Difluorobenzene (Surr)	96		70 - 130	02/04/25 13:19	02/04/25 18:37	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00399	U	0.00399		mg/Kg			02/04/25 18:37	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	75.4		50.5		mg/Kg			02/17/25 13:21	1

Eurofins Midland

Client Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gas Line Release

Job ID: 880-53920-1
SDG: 21348

Client Sample ID: Floor Sample 68

Lab Sample ID: 880-53920-68

Date Collected: 01/30/25 14:14

Matrix: Solid

Date Received: 02/03/25 09:55

Sample Depth: 0.3"

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.5	U *-	50.5		mg/Kg		02/04/25 10:53	02/17/25 13:21	1
Diesel Range Organics (Over C10-C28)	75.4	*-	50.5		mg/Kg		02/04/25 10:53	02/17/25 13:21	1
Oil Range Organics (Over C28-C36)	<50.5	U	50.5		mg/Kg		02/04/25 10:53	02/17/25 13:21	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	247	S1+	70 - 130				02/04/25 10:53	02/17/25 13:21	1
o-Terphenyl	189	S1+	70 - 130				02/04/25 10:53	02/17/25 13:21	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<10.0	U	10.0		mg/Kg			02/04/25 16:17	1

Client Sample ID: Floor Sample 69

Lab Sample ID: 880-53920-69

Date Collected: 01/30/25 14:16

Matrix: Solid

Date Received: 02/03/25 09:55

Sample Depth: 0.3"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		02/04/25 13:19	02/04/25 18:57	1
Toluene	<0.00200	U	0.00200		mg/Kg		02/04/25 13:19	02/04/25 18:57	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		02/04/25 13:19	02/04/25 18:57	1
m-Xylene & p-Xylene	<0.00400	U	0.00400		mg/Kg		02/04/25 13:19	02/04/25 18:57	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		02/04/25 13:19	02/04/25 18:57	1
Xylenes, Total	<0.00400	U	0.00400		mg/Kg		02/04/25 13:19	02/04/25 18:57	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	113		70 - 130				02/04/25 13:19	02/04/25 18:57	1
1,4-Difluorobenzene (Surr)	96		70 - 130				02/04/25 13:19	02/04/25 18:57	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00400	U	0.00400		mg/Kg			02/04/25 18:57	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	114		49.7		mg/Kg			02/04/25 17:54	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.7	U	49.7		mg/Kg		02/04/25 08:46	02/04/25 17:54	1
Diesel Range Organics (Over C10-C28)	114		49.7		mg/Kg		02/04/25 08:46	02/04/25 17:54	1
Oil Range Organics (Over C28-C36)	<49.7	U	49.7		mg/Kg		02/04/25 08:46	02/04/25 17:54	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	66	S1-	70 - 130				02/04/25 08:46	02/04/25 17:54	1
o-Terphenyl	56	S1-	70 - 130				02/04/25 08:46	02/04/25 17:54	1

Eurofins Midland

Client Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gas Line Release

Job ID: 880-53920-1
SDG: 21348

Client Sample ID: Floor Sample 69

Lab Sample ID: 880-53920-69

Date Collected: 01/30/25 14:16

Matrix: Solid

Date Received: 02/03/25 09:55

Sample Depth: 0.3"

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	13.1		10.0		mg/Kg			02/04/25 16:25	1

Client Sample ID: Floor Sample 70

Lab Sample ID: 880-53920-70

Date Collected: 01/30/25 14:18

Matrix: Solid

Date Received: 02/03/25 09:55

Sample Depth: 0.3"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00201	U	0.00201		mg/Kg		02/04/25 13:20	02/04/25 18:27	1
Toluene	<0.00201	U	0.00201		mg/Kg		02/04/25 13:20	02/04/25 18:27	1
Ethylbenzene	<0.00201	U	0.00201		mg/Kg		02/04/25 13:20	02/04/25 18:27	1
m-Xylene & p-Xylene	<0.00402	U	0.00402		mg/Kg		02/04/25 13:20	02/04/25 18:27	1
o-Xylene	<0.00201	U	0.00201		mg/Kg		02/04/25 13:20	02/04/25 18:27	1
Xylenes, Total	<0.00402	U	0.00402		mg/Kg		02/04/25 13:20	02/04/25 18:27	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	108		70 - 130				02/04/25 13:20	02/04/25 18:27	1
1,4-Difluorobenzene (Surr)	100		70 - 130				02/04/25 13:20	02/04/25 18:27	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00402	U	0.00402		mg/Kg			02/04/25 18:27	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.7	U	49.7		mg/Kg			02/04/25 18:09	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.7	U	49.7		mg/Kg		02/04/25 08:46	02/04/25 18:09	1
Diesel Range Organics (Over C10-C28)	<49.7	U	49.7		mg/Kg		02/04/25 08:46	02/04/25 18:09	1
Oil Range Organics (Over C28-C36)	<49.7	U	49.7		mg/Kg		02/04/25 08:46	02/04/25 18:09	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	66	S1-	70 - 130				02/04/25 08:46	02/04/25 18:09	1
o-Terphenyl	56	S1-	70 - 130				02/04/25 08:46	02/04/25 18:09	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<9.92	U	9.92		mg/Kg			02/04/25 16:32	1

Eurofins Midland

Client Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gas Line Release

Job ID: 880-53920-1
SDG: 21348

Client Sample ID: Floor Sample 71

Lab Sample ID: 880-53920-71

Date Collected: 01/30/25 14:20

Matrix: Solid

Date Received: 02/03/25 09:55

Sample Depth: 0-.3"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00202	U	0.00202		mg/Kg		02/04/25 13:20	02/04/25 18:47	1
Toluene	<0.00202	U	0.00202		mg/Kg		02/04/25 13:20	02/04/25 18:47	1
Ethylbenzene	<0.00202	U	0.00202		mg/Kg		02/04/25 13:20	02/04/25 18:47	1
m-Xylene & p-Xylene	<0.00403	U	0.00403		mg/Kg		02/04/25 13:20	02/04/25 18:47	1
o-Xylene	<0.00202	U	0.00202		mg/Kg		02/04/25 13:20	02/04/25 18:47	1
Xylenes, Total	<0.00403	U	0.00403		mg/Kg		02/04/25 13:20	02/04/25 18:47	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	106		70 - 130	02/04/25 13:20	02/04/25 18:47	1
1,4-Difluorobenzene (Surr)	94		70 - 130	02/04/25 13:20	02/04/25 18:47	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00403	U	0.00403		mg/Kg			02/04/25 18:47	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	95.2		49.7		mg/Kg			02/17/25 13:36	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.7	U *	49.7		mg/Kg		02/04/25 10:53	02/17/25 13:36	1
Diesel Range Organics (Over C10-C28)	95.2	*-	49.7		mg/Kg		02/04/25 10:53	02/17/25 13:36	1
Oil Range Organics (Over C28-C36)	<49.7	U	49.7		mg/Kg		02/04/25 10:53	02/17/25 13:36	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	106		70 - 130	02/04/25 10:53	02/17/25 13:36	1
o-Terphenyl	79		70 - 130	02/04/25 10:53	02/17/25 13:36	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<9.98	U	9.98		mg/Kg			02/04/25 16:40	1

Client Sample ID: Sidewall 01

Lab Sample ID: 880-53920-72

Date Collected: 01/30/25 12:00

Matrix: Solid

Date Received: 02/03/25 09:55

Sample Depth: 0-.3"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		02/04/25 13:20	02/04/25 19:08	1
Toluene	<0.00199	U	0.00199		mg/Kg		02/04/25 13:20	02/04/25 19:08	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		02/04/25 13:20	02/04/25 19:08	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		02/04/25 13:20	02/04/25 19:08	1
o-Xylene	<0.00199	U	0.00199		mg/Kg		02/04/25 13:20	02/04/25 19:08	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		02/04/25 13:20	02/04/25 19:08	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	106		70 - 130	02/04/25 13:20	02/04/25 19:08	1

Eurofins Midland

Client Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gas Line Release

Job ID: 880-53920-1
SDG: 21348

Client Sample ID: Sidewall 01

Lab Sample ID: 880-53920-72

Date Collected: 01/30/25 12:00

Matrix: Solid

Date Received: 02/03/25 09:55

Sample Depth: 0-.3"

Method: SW846 8021B - Volatile Organic Compounds (GC) (Continued)

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,4-Difluorobenzene (Surr)	94		70 - 130	02/04/25 13:20	02/04/25 19:08	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			02/04/25 19:08	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.8	U	49.8		mg/Kg			02/04/25 18:53	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.8	U	49.8		mg/Kg		02/04/25 08:46	02/04/25 18:53	1
Diesel Range Organics (Over C10-C28)	<49.8	U	49.8		mg/Kg		02/04/25 08:46	02/04/25 18:53	1
Oil Range Organics (Over C28-C36)	<49.8	U	49.8		mg/Kg		02/04/25 08:46	02/04/25 18:53	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	60	S1-	70 - 130				02/04/25 08:46	02/04/25 18:53	1
o-Terphenyl	52	S1-	70 - 130				02/04/25 08:46	02/04/25 18:53	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	10.8		10.0		mg/Kg			02/04/25 17:02	1

Client Sample ID: Sidewall 02

Lab Sample ID: 880-53920-73

Date Collected: 01/30/25 12:05

Matrix: Solid

Date Received: 02/03/25 09:55

Sample Depth: 0-.3"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		02/04/25 13:20	02/04/25 19:28	1
Toluene	<0.00200	U	0.00200		mg/Kg		02/04/25 13:20	02/04/25 19:28	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		02/04/25 13:20	02/04/25 19:28	1
m-Xylene & p-Xylene	<0.00399	U	0.00399		mg/Kg		02/04/25 13:20	02/04/25 19:28	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		02/04/25 13:20	02/04/25 19:28	1
Xylenes, Total	<0.00399	U	0.00399		mg/Kg		02/04/25 13:20	02/04/25 19:28	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	112		70 - 130	02/04/25 13:20	02/04/25 19:28	1
1,4-Difluorobenzene (Surr)	86		70 - 130	02/04/25 13:20	02/04/25 19:28	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00399	U	0.00399		mg/Kg			02/04/25 19:28	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.8	U	49.8		mg/Kg			02/04/25 19:08	1

Eurofins Midland

Client Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gas Line Release

Job ID: 880-53920-1
SDG: 21348

Client Sample ID: Sidewall 02

Lab Sample ID: 880-53920-73

Date Collected: 01/30/25 12:05

Matrix: Solid

Date Received: 02/03/25 09:55

Sample Depth: 0-.3"

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.8	U	49.8		mg/Kg		02/04/25 08:46	02/04/25 19:08	1
Diesel Range Organics (Over C10-C28)	<49.8	U	49.8		mg/Kg		02/04/25 08:46	02/04/25 19:08	1
Oil Range Organics (Over C28-C36)	<49.8	U	49.8		mg/Kg		02/04/25 08:46	02/04/25 19:08	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	75		70 - 130				02/04/25 08:46	02/04/25 19:08	1
o-Terphenyl	64	S1-	70 - 130				02/04/25 08:46	02/04/25 19:08	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	17.3		10.1		mg/Kg			02/04/25 17:09	1

Client Sample ID: Sidewall 03

Lab Sample ID: 880-53920-74

Date Collected: 01/30/25 12:10

Matrix: Solid

Date Received: 02/03/25 09:55

Sample Depth: 0-.3"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00198	U	0.00198		mg/Kg		02/04/25 11:01	02/04/25 22:54	1
Toluene	<0.00198	U	0.00198		mg/Kg		02/04/25 11:01	02/04/25 22:54	1
Ethylbenzene	<0.00198	U	0.00198		mg/Kg		02/04/25 11:01	02/04/25 22:54	1
m-Xylene & p-Xylene	<0.00396	U	0.00396		mg/Kg		02/04/25 11:01	02/04/25 22:54	1
o-Xylene	<0.00198	U	0.00198		mg/Kg		02/04/25 11:01	02/04/25 22:54	1
Xylenes, Total	<0.00396	U	0.00396		mg/Kg		02/04/25 11:01	02/04/25 22:54	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	96		70 - 130				02/04/25 11:01	02/04/25 22:54	1
1,4-Difluorobenzene (Surr)	93		70 - 130				02/04/25 11:01	02/04/25 22:54	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00396	U	0.00396		mg/Kg			02/04/25 22:54	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			02/04/25 19:24	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	49.9		mg/Kg		02/04/25 08:46	02/04/25 19:24	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		02/04/25 08:46	02/04/25 19:24	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		02/04/25 08:46	02/04/25 19:24	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	63	S1-	70 - 130				02/04/25 08:46	02/04/25 19:24	1
o-Terphenyl	54	S1-	70 - 130				02/04/25 08:46	02/04/25 19:24	1

Eurofins Midland

Client Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gas Line Release

Job ID: 880-53920-1
SDG: 21348

Client Sample ID: Sidewall 03

Date Collected: 01/30/25 12:10

Date Received: 02/03/25 09:55

Sample Depth: 0-.3"

Lab Sample ID: 880-53920-74

Matrix: Solid

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	11.0		9.94		mg/Kg			02/04/25 17:32	1

Client Sample ID: Sidewall 04

Date Collected: 01/30/25 12:15

Date Received: 02/03/25 09:55

Sample Depth: 0-.3"

Lab Sample ID: 880-53920-75

Matrix: Solid

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00198	U	0.00198		mg/Kg		02/04/25 11:01	02/04/25 23:15	1
Toluene	<0.00198	U	0.00198		mg/Kg		02/04/25 11:01	02/04/25 23:15	1
Ethylbenzene	<0.00198	U	0.00198		mg/Kg		02/04/25 11:01	02/04/25 23:15	1
m-Xylene & p-Xylene	<0.00397	U	0.00397		mg/Kg		02/04/25 11:01	02/04/25 23:15	1
o-Xylene	<0.00198	U	0.00198		mg/Kg		02/04/25 11:01	02/04/25 23:15	1
Xylenes, Total	<0.00397	U	0.00397		mg/Kg		02/04/25 11:01	02/04/25 23:15	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	107		70 - 130				02/04/25 11:01	02/04/25 23:15	1
1,4-Difluorobenzene (Surr)	92		70 - 130				02/04/25 11:01	02/04/25 23:15	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00397	U	0.00397		mg/Kg			02/04/25 23:15	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			02/04/25 19:38	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		02/04/25 08:46	02/04/25 19:38	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		02/04/25 08:46	02/04/25 19:38	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		02/04/25 08:46	02/04/25 19:38	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	65	S1-	70 - 130				02/04/25 08:46	02/04/25 19:38	1
o-Terphenyl	56	S1-	70 - 130				02/04/25 08:46	02/04/25 19:38	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<9.90	U	9.90		mg/Kg			02/04/25 17:39	1

Eurofins Midland

Client Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gas Line Release

Job ID: 880-53920-1
SDG: 21348

Client Sample ID: Sidewall 05

Lab Sample ID: 880-53920-76

Date Collected: 01/30/25 12:20

Matrix: Solid

Date Received: 02/03/25 09:55

Sample Depth: 0-.3"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		02/04/25 11:01	02/04/25 23:35	1
Toluene	<0.00199	U	0.00199		mg/Kg		02/04/25 11:01	02/04/25 23:35	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		02/04/25 11:01	02/04/25 23:35	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		02/04/25 11:01	02/04/25 23:35	1
o-Xylene	<0.00199	U	0.00199		mg/Kg		02/04/25 11:01	02/04/25 23:35	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		02/04/25 11:01	02/04/25 23:35	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	96		70 - 130	02/04/25 11:01	02/04/25 23:35	1
1,4-Difluorobenzene (Surr)	92		70 - 130	02/04/25 11:01	02/04/25 23:35	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			02/04/25 23:35	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.8	U	49.8		mg/Kg			02/04/25 19:53	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.8	U	49.8		mg/Kg		02/04/25 08:46	02/04/25 19:53	1
Diesel Range Organics (Over C10-C28)	<49.8	U	49.8		mg/Kg		02/04/25 08:46	02/04/25 19:53	1
Oil Range Organics (Over C28-C36)	<49.8	U	49.8		mg/Kg		02/04/25 08:46	02/04/25 19:53	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	67	S1-	70 - 130	02/04/25 08:46	02/04/25 19:53	1
o-Terphenyl	56	S1-	70 - 130	02/04/25 08:46	02/04/25 19:53	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<10.0	U	10.0		mg/Kg			02/04/25 17:47	1

Client Sample ID: Sidewall 06

Lab Sample ID: 880-53920-77

Date Collected: 01/30/25 12:25

Matrix: Solid

Date Received: 02/03/25 09:55

Sample Depth: 0-.3"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		02/04/25 11:01	02/04/25 23:56	1
Toluene	<0.00200	U	0.00200		mg/Kg		02/04/25 11:01	02/04/25 23:56	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		02/04/25 11:01	02/04/25 23:56	1
m-Xylene & p-Xylene	<0.00401	U	0.00401		mg/Kg		02/04/25 11:01	02/04/25 23:56	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		02/04/25 11:01	02/04/25 23:56	1
Xylenes, Total	<0.00401	U	0.00401		mg/Kg		02/04/25 11:01	02/04/25 23:56	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	100		70 - 130	02/04/25 11:01	02/04/25 23:56	1

Eurofins Midland

Client Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gas Line Release

Job ID: 880-53920-1
SDG: 21348

Client Sample ID: Sidewall 06

Lab Sample ID: 880-53920-77

Date Collected: 01/30/25 12:25

Matrix: Solid

Date Received: 02/03/25 09:55

Sample Depth: 0-.3"

Method: SW846 8021B - Volatile Organic Compounds (GC) (Continued)

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,4-Difluorobenzene (Surr)	97		70 - 130	02/04/25 11:01	02/04/25 23:56	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00401	U	0.00401		mg/Kg			02/04/25 23:56	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.8	U	49.8		mg/Kg			02/04/25 20:07	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.8	U	49.8		mg/Kg		02/04/25 08:46	02/04/25 20:07	1
Diesel Range Organics (Over C10-C28)	<49.8	U	49.8		mg/Kg		02/04/25 08:46	02/04/25 20:07	1
Oil Range Organics (Over C28-C36)	<49.8	U	49.8		mg/Kg		02/04/25 08:46	02/04/25 20:07	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	72		70 - 130				02/04/25 08:46	02/04/25 20:07	1
o-Terphenyl	62	S1-	70 - 130				02/04/25 08:46	02/04/25 20:07	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	123		9.96		mg/Kg			02/04/25 17:54	1

Client Sample ID: Sidewall 07

Lab Sample ID: 880-53920-78

Date Collected: 01/30/25 12:30

Matrix: Solid

Date Received: 02/03/25 09:55

Sample Depth: 0-.3"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		02/04/25 11:01	02/05/25 00:16	1
Toluene	<0.00199	U	0.00199		mg/Kg		02/04/25 11:01	02/05/25 00:16	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		02/04/25 11:01	02/05/25 00:16	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		02/04/25 11:01	02/05/25 00:16	1
o-Xylene	<0.00199	U	0.00199		mg/Kg		02/04/25 11:01	02/05/25 00:16	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		02/04/25 11:01	02/05/25 00:16	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	96		70 - 130	02/04/25 11:01	02/05/25 00:16	1
1,4-Difluorobenzene (Surr)	98		70 - 130	02/04/25 11:01	02/05/25 00:16	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			02/05/25 00:16	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.8	U	49.8		mg/Kg			02/04/25 20:23	1

Eurofins Midland

Client Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gas Line Release

Job ID: 880-53920-1
SDG: 21348

Client Sample ID: Sidewall 07

Lab Sample ID: 880-53920-78

Date Collected: 01/30/25 12:30

Matrix: Solid

Date Received: 02/03/25 09:55

Sample Depth: 0-.3"

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.8	U	49.8		mg/Kg		02/04/25 08:46	02/04/25 20:23	1
Diesel Range Organics (Over C10-C28)	<49.8	U	49.8		mg/Kg		02/04/25 08:46	02/04/25 20:23	1
Oil Range Organics (Over C28-C36)	<49.8	U	49.8		mg/Kg		02/04/25 08:46	02/04/25 20:23	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	69	S1-	70 - 130	02/04/25 08:46	02/04/25 20:23	1
o-Terphenyl	60	S1-	70 - 130	02/04/25 08:46	02/04/25 20:23	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<9.92	U	9.92		mg/Kg			02/04/25 18:01	1

Surrogate Summary

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gas Line Release

Job ID: 880-53920-1
SDG: 21348

Method: 8021B - Volatile Organic Compounds (GC)**Matrix: Solid****Prep Type: Total/NA**

		Percent Surrogate Recovery (Acceptance Limits)	
Lab Sample ID	Client Sample ID	BFB1	DFBZ1
		(70-130)	(70-130)
880-53920-1	Floor Sample 01	97	98
880-53920-1 MS	Floor Sample 01	102	101
880-53920-1 MSD	Floor Sample 01	107	97
880-53920-2	Floor Sample 02	89	106
880-53920-3	Floor Sample 03	98	96
880-53920-4	Floor Sample 04	93	96
880-53920-5	Floor Sample 05	98	98
880-53920-6	Floor Sample 06	102	100
880-53920-7	Floor Sample 07	93	99
880-53920-8	Floor Sample 08	99	98
880-53920-9	Floor Sample 09	112	98
880-53920-10	Floor Sample 10	98	94
880-53920-11	Floor Sample 11	90	97
880-53920-12	Floor Sample 12	91	105
880-53920-13	Floor Sample 13	105	105
880-53920-14	Floor Sample 14	99	100
880-53920-15	Floor Sample 15	95	99
880-53920-16	Floor Sample 16	94	105
880-53920-17	Floor Sample 17	102	99
880-53920-18	Floor Sample 18	98	99
880-53920-19	Floor Sample 19	93	98
880-53920-20	Floor Sample 20	95	104
880-53920-21	Floor Sample 21	108	95
880-53920-21 MS	Floor Sample 21	113	98
880-53920-21 MSD	Floor Sample 21	106	90
880-53920-22	Floor Sample 22	101	98
880-53920-23	Floor Sample 23	105	100
880-53920-24	Floor Sample 24	102	96
880-53920-25	Floor Sample 25	102	97
880-53920-26	Floor Sample 26	105	92
880-53920-27	Floor Sample 27	109	95
880-53920-28	Floor Sample 28	98	96
880-53920-29	Floor Sample 29	104	93
880-53920-30	Floor Sample 30	108	98
880-53920-31	Floor Sample 31	111	93
880-53920-32	Floor Sample 32	105	93
880-53920-33	Floor Sample 33	102	93
880-53920-34	Floor Sample 34	115	90
880-53920-35	Floor Sample 35	111	95
880-53920-36	Floor Sample 36	112	96
880-53920-37	Floor Sample 37	111	93
880-53920-38	Floor Sample 38	113	93
880-53920-39	Floor Sample 39	108	88
880-53920-40	Floor Sample 40	602 S1+	75
880-53920-41	Floor Sample 41	121	97
880-53920-41 MS	Floor Sample 41	100	104
880-53920-41 MSD	Floor Sample 41	95	105
880-53920-42	Floor Sample 42	115	98
880-53920-43	Floor Sample 43	121	95

Eurofins Midland

Surrogate Summary

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gas Line Release

Job ID: 880-53920-1
SDG: 21348

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Matrix: Solid

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)	
		BFB1 (70-130)	DFBZ1 (70-130)
880-53920-44	Floor Sample 44	115	98
880-53920-45	Floor Sample 45	109	97
880-53920-46	Floor Sample 46	121	98
880-53920-47	Floor Sample 47	114	96
880-53920-48	Floor Sample 48	113	96
880-53920-49	Floor Sample 49	123	95
880-53920-50	Floor Sample 50	116	97
880-53920-51	Floor Sample 51	119	97
880-53920-52	Floor Sample 52	115	97
880-53920-53	Floor Sample 53	112	95
880-53920-54	Floor Sample 54	112	96
880-53920-55	Floor Sample 55	112	94
880-53920-56	Floor Sample 56	114	97
880-53920-57	Floor Sample 57	118	97
880-53920-58	Floor Sample 58	116	95
880-53920-59	Floor Sample 59	118	97
880-53920-60	Floor Sample 60	122	100
880-53920-61	Floor Sample 61	99	100
880-53920-62	Floor Sample 62	104	101
880-53920-63	Floor Sample 63	103	100
880-53920-64	Floor Sample 64	99	100
880-53920-65	Floor Sample 65	101	100
880-53920-66	Floor Sample 66	152 S1+	97
880-53920-67	Floor Sample 67	115	99
880-53920-68	Floor Sample 68	113	96
880-53920-69	Floor Sample 69	113	96
880-53920-70	Floor Sample 70	108	100
880-53920-71	Floor Sample 71	106	94
880-53920-72	Sidewall 01	106	94
880-53920-73	Sidewall 02	112	86
880-53920-74	Sidewall 03	96	93
880-53920-74 MS	Sidewall 03	100	103
880-53920-74 MSD	Sidewall 03	111	99
880-53920-75	Sidewall 04	107	92
880-53920-76	Sidewall 05	96	92
880-53920-77	Sidewall 06	100	97
880-53920-78	Sidewall 07	96	98
890-7623-A-13-B MS	Matrix Spike	94	117
890-7623-A-13-C MSD	Matrix Spike Duplicate	103	110
LCS 880-101948/1-A	Lab Control Sample	94	105
LCS 880-101951/1-A	Lab Control Sample	98	110
LCS 880-101952/1-A	Lab Control Sample	97	95
LCS 880-101997/1-A	Lab Control Sample	99	97
LCS 880-101999/1-A	Lab Control Sample	98	94
LCS 880-102000/1-A	Lab Control Sample	95	101
LCS 880-102001/1-A	Lab Control Sample	100	105
LCSD 880-101948/2-A	Lab Control Sample Dup	95	102
LCSD 880-101951/2-A	Lab Control Sample Dup	100	111
LCSD 880-101952/2-A	Lab Control Sample Dup	108	93
LCSD 880-101997/2-A	Lab Control Sample Dup	96	98

Eurofins Midland

Surrogate Summary

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gas Line Release

Job ID: 880-53920-1
SDG: 21348

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Matrix: Solid

Prep Type: Total/NA

		Percent Surrogate Recovery (Acceptance Limits)	
Lab Sample ID	Client Sample ID	BFB1 (70-130)	DFBZ1 (70-130)
LCSD 880-101999/2-A	Lab Control Sample Dup	102	94
LCSD 880-102000/2-A	Lab Control Sample Dup	98	100
LCSD 880-102001/2-A	Lab Control Sample Dup	101	100
MB 880-101948/5-A	Method Blank	114	92
MB 880-101950/5-A	Method Blank	93	90
MB 880-101951/5-A	Method Blank	96	93
MB 880-101952/5-A	Method Blank	95	86
MB 880-101953/5-A	Method Blank	88	88
MB 880-101997/5-A	Method Blank	94	91
MB 880-101999/5-A	Method Blank	99	90
MB 880-102000/5-A	Method Blank	109	88
MB 880-102001/5-A	Method Blank	91	89

Surrogate Legend

BFB = 4-Bromofluorobenzene (Surr)

DFBZ = 1,4-Difluorobenzene (Surr)

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Matrix: Solid

Prep Type: Total/NA

		Percent Surrogate Recovery (Acceptance Limits)	
Lab Sample ID	Client Sample ID	1CO1 (70-130)	OTPH1 (70-130)
880-53920-1	Floor Sample 01	83	72
880-53920-1 MS	Floor Sample 01	88	76
880-53920-1 MSD	Floor Sample 01	90	79
880-53920-2	Floor Sample 02	76	65 S1-
880-53920-3	Floor Sample 03	80	69 S1-
880-53920-4	Floor Sample 04	76	64 S1-
880-53920-5	Floor Sample 05	71	62 S1-
880-53920-6	Floor Sample 06	78	66 S1-
880-53920-7	Floor Sample 07	84	72
880-53920-8	Floor Sample 08	76	64 S1-
880-53920-9	Floor Sample 09	77	66 S1-
880-53920-10	Floor Sample 10	80	67 S1-
880-53920-11	Floor Sample 11	75	63 S1-
880-53920-12	Floor Sample 12	73	62 S1-
880-53920-13	Floor Sample 13	79	67 S1-
880-53920-14	Floor Sample 14	84	72
880-53920-15	Floor Sample 15	84	72
880-53920-16	Floor Sample 16	86	73
880-53920-17	Floor Sample 17	82	71
880-53920-18	Floor Sample 18	76	65 S1-
880-53920-19	Floor Sample 19	79	69 S1-
880-53920-20	Floor Sample 20	76	66 S1-
880-53920-21	Floor Sample 21	144 S1+	125
880-53920-21 MS	Floor Sample 21	76	65 S1-
880-53920-21 MSD	Floor Sample 21	79	67 S1-
880-53920-22	Floor Sample 22	70	61 S1-
880-53920-23	Floor Sample 23	76	66 S1-
880-53920-24	Floor Sample 24	73	63 S1-

Eurofins Midland

Surrogate Summary

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gas Line Release

Job ID: 880-53920-1
SDG: 21348

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Matrix: Solid

Prep Type: Total/NA

		Percent Surrogate Recovery (Acceptance Limits)	
Lab Sample ID	Client Sample ID	1CO1 (70-130)	OTPH1 (70-130)
880-53920-25	Floor Sample 25	75	65 S1-
880-53920-26	Floor Sample 26	73	63 S1-
880-53920-27	Floor Sample 27	79	68 S1-
880-53920-28	Floor Sample 28	79	68 S1-
880-53920-29	Floor Sample 29	68 S1-	59 S1-
880-53920-30	Floor Sample 30	70	61 S1-
880-53920-31	Floor Sample 31	76	65 S1-
880-53920-32	Floor Sample 32	75	65 S1-
880-53920-33	Floor Sample 33	68 S1-	59 S1-
880-53920-34	Floor Sample 34	71	61 S1-
880-53920-35	Floor Sample 35	69 S1-	60 S1-
880-53920-36	Floor Sample 36	71	61 S1-
880-53920-37	Floor Sample 37	68 S1-	59 S1-
880-53920-38	Floor Sample 38	74	64 S1-
880-53920-39	Floor Sample 39	74	63 S1-
880-53920-40	Floor Sample 40	67 S1-	60 S1-
880-53920-41	Floor Sample 41	134 S1+	129
880-53920-41 MS	Floor Sample 41	129	117
880-53920-41 MSD	Floor Sample 41	125	113
880-53920-42	Floor Sample 42	131 S1+	110
880-53920-43	Floor Sample 43	130	106
880-53920-44	Floor Sample 44	125	102
880-53920-45	Floor Sample 45	134 S1+	110
880-53920-46	Floor Sample 46	134 S1+	111
880-53920-47	Floor Sample 47	134 S1+	109
880-53920-48	Floor Sample 48	127	107
880-53920-49	Floor Sample 49	141 S1+	116
880-53920-50	Floor Sample 50	133 S1+	106
880-53920-51	Floor Sample 51	142 S1+	115
880-53920-52	Floor Sample 52	132 S1+	109
880-53920-53	Floor Sample 53	129	105
880-53920-54	Floor Sample 54	144 S1+	116
880-53920-55	Floor Sample 55	136 S1+	128
880-53920-56	Floor Sample 56	142 S1+	113
880-53920-57	Floor Sample 57	141 S1+	128
880-53920-58	Floor Sample 58	132 S1+	125
880-53920-59	Floor Sample 59	140 S1+	128
880-53920-60	Floor Sample 60	141 S1+	136 S1+
880-53920-61	Floor Sample 61	69 S1-	59 S1-
880-53920-61 MS	Floor Sample 61	78	64 S1-
880-53920-61 MSD	Floor Sample 61	76	62 S1-
880-53920-62	Floor Sample 62	70	60 S1-
880-53920-63	Floor Sample 63	66 S1-	57 S1-
880-53920-64	Floor Sample 64	70	60 S1-
880-53920-65	Floor Sample 65	69 S1-	58 S1-
880-53920-66	Floor Sample 66	66 S1-	57 S1-
880-53920-67	Floor Sample 67	66 S1-	57 S1-
880-53920-68	Floor Sample 68	247 S1+	189 S1+
880-53920-69	Floor Sample 69	66 S1-	56 S1-
880-53920-70	Floor Sample 70	66 S1-	56 S1-

Eurofins Midland

Surrogate Summary

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gas Line Release

Job ID: 880-53920-1
SDG: 21348

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Matrix: Solid

Prep Type: Total/NA

		Percent Surrogate Recovery (Acceptance Limits)	
Lab Sample ID	Client Sample ID	1CO1 (70-130)	OTPH1 (70-130)
880-53920-71	Floor Sample 71	106	79
880-53920-72	Sidewall 01	60 S1-	52 S1-
880-53920-73	Sidewall 02	75	64 S1-
880-53920-74	Sidewall 03	63 S1-	54 S1-
880-53920-75	Sidewall 04	65 S1-	56 S1-
880-53920-76	Sidewall 05	67 S1-	56 S1-
880-53920-77	Sidewall 06	72	62 S1-
880-53920-78	Sidewall 07	69 S1-	60 S1-
890-7663-A-1-Q MS	Matrix Spike	102	100
890-7663-A-1-R MSD	Matrix Spike Duplicate	104	104
LCS 880-101901/2-A	Lab Control Sample	92	80
LCS 880-101903/2-A	Lab Control Sample	88	75
LCS 880-101908/2-A	Lab Control Sample	110	98
LCS 880-101955/2-A	Lab Control Sample	83	72
LCS 880-102943/2-A	Lab Control Sample	83	76
LCSD 880-101901/3-A	Lab Control Sample Dup	91	81
LCSD 880-101903/3-A	Lab Control Sample Dup	87	73
LCSD 880-101908/3-A	Lab Control Sample Dup	83	74
LCSD 880-101955/3-A	Lab Control Sample Dup	88	75
LCSD 880-102943/3-A	Lab Control Sample Dup	86	72
MB 880-101901/1-A	Method Blank	116	105
MB 880-101903/1-A	Method Blank	88	79
MB 880-101908/1-A	Method Blank	171 S1+	137 S1+
MB 880-101955/1-A	Method Blank	83	74
MB 880-102943/1-A	Method Blank	133 S1+	98

Surrogate Legend

1CO = 1-Chlorooctane

OTPH = o-Terphenyl

QC Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gas Line Release

Job ID: 880-53920-1
SDG: 21348

Method: 8021B - Volatile Organic Compounds (GC)

Lab Sample ID: MB 880-101948/5-A

Matrix: Solid

Analysis Batch: 101941

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 101948

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		02/04/25 08:23	02/04/25 11:05	1
Toluene	<0.00200	U	0.00200		mg/Kg		02/04/25 08:23	02/04/25 11:05	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		02/04/25 08:23	02/04/25 11:05	1
m-Xylene & p-Xylene	<0.00399	U	0.00399		mg/Kg		02/04/25 08:23	02/04/25 11:05	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		02/04/25 08:23	02/04/25 11:05	1
Xylenes, Total	<0.00399	U	0.00399		mg/Kg		02/04/25 08:23	02/04/25 11:05	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	114		70 - 130	02/04/25 08:23	02/04/25 11:05	1
1,4-Difluorobenzene (Surr)	92		70 - 130	02/04/25 08:23	02/04/25 11:05	1

Lab Sample ID: LCS 880-101948/1-A

Matrix: Solid

Analysis Batch: 101941

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 101948

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	0.100	0.1059		mg/Kg		106	70 - 130
Toluene	0.100	0.1070		mg/Kg		107	70 - 130
Ethylbenzene	0.100	0.09712		mg/Kg		97	70 - 130
m-Xylene & p-Xylene	0.200	0.2022		mg/Kg		101	70 - 130
o-Xylene	0.100	0.1010		mg/Kg		101	70 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
4-Bromofluorobenzene (Surr)	94		70 - 130
1,4-Difluorobenzene (Surr)	105		70 - 130

Lab Sample ID: LCSD 880-101948/2-A

Matrix: Solid

Analysis Batch: 101941

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 101948

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Benzene	0.100	0.1039		mg/Kg		104	70 - 130	2	35
Toluene	0.100	0.1045		mg/Kg		105	70 - 130	2	35
Ethylbenzene	0.100	0.09475		mg/Kg		95	70 - 130	2	35
m-Xylene & p-Xylene	0.200	0.1967		mg/Kg		98	70 - 130	3	35
o-Xylene	0.100	0.09864		mg/Kg		99	70 - 130	2	35

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
4-Bromofluorobenzene (Surr)	95		70 - 130
1,4-Difluorobenzene (Surr)	102		70 - 130

Lab Sample ID: MB 880-101950/5-A

Matrix: Solid

Analysis Batch: 101942

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 101950

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		02/04/25 08:24	02/04/25 11:35	1
Toluene	<0.00200	U	0.00200		mg/Kg		02/04/25 08:24	02/04/25 11:35	1

Eurofins Midland

QC Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gas Line Release

Job ID: 880-53920-1
SDG: 21348

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: MB 880-101950/5-A

Matrix: Solid

Analysis Batch: 101942

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 101950

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		02/04/25 08:24	02/04/25 11:35	1
m-Xylene & p-Xylene	<0.00399	U	0.00399		mg/Kg		02/04/25 08:24	02/04/25 11:35	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		02/04/25 08:24	02/04/25 11:35	1
Xylenes, Total	<0.00399	U	0.00399		mg/Kg		02/04/25 08:24	02/04/25 11:35	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	93		70 - 130	02/04/25 08:24	02/04/25 11:35	1
1,4-Difluorobenzene (Surr)	90		70 - 130	02/04/25 08:24	02/04/25 11:35	1

Lab Sample ID: MB 880-101951/5-A

Matrix: Solid

Analysis Batch: 101943

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 101951

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		02/04/25 08:26	02/04/25 11:18	1
Toluene	<0.00200	U	0.00200		mg/Kg		02/04/25 08:26	02/04/25 11:18	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		02/04/25 08:26	02/04/25 11:18	1
m-Xylene & p-Xylene	<0.00400	U	0.00400		mg/Kg		02/04/25 08:26	02/04/25 11:18	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		02/04/25 08:26	02/04/25 11:18	1
Xylenes, Total	<0.00400	U	0.00400		mg/Kg		02/04/25 08:26	02/04/25 11:18	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	96		70 - 130	02/04/25 08:26	02/04/25 11:18	1
1,4-Difluorobenzene (Surr)	93		70 - 130	02/04/25 08:26	02/04/25 11:18	1

Lab Sample ID: LCS 880-101951/1-A

Matrix: Solid

Analysis Batch: 101943

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 101951

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	0.100	0.1029		mg/Kg		103	70 - 130
Toluene	0.100	0.08979		mg/Kg		90	70 - 130
Ethylbenzene	0.100	0.09979		mg/Kg		100	70 - 130
m-Xylene & p-Xylene	0.200	0.2076		mg/Kg		104	70 - 130
o-Xylene	0.100	0.1026		mg/Kg		103	70 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
4-Bromofluorobenzene (Surr)	98		70 - 130
1,4-Difluorobenzene (Surr)	110		70 - 130

Lab Sample ID: LCSD 880-101951/2-A

Matrix: Solid

Analysis Batch: 101943

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 101951

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Benzene	0.100	0.09853		mg/Kg		99	70 - 130	4	35
Toluene	0.100	0.08609		mg/Kg		86	70 - 130	4	35
Ethylbenzene	0.100	0.09573		mg/Kg		96	70 - 130	4	35

Eurofins Midland

QC Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gas Line Release

Job ID: 880-53920-1
SDG: 21348

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: LCSD 880-101951/2-A

Matrix: Solid

Analysis Batch: 101943

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 101951

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
m-Xylene & p-Xylene	0.200	0.1979		mg/Kg		99	70 - 130	5	35
o-Xylene	0.100	0.09717		mg/Kg		97	70 - 130	5	35

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
4-Bromofluorobenzene (Surr)	100		70 - 130
1,4-Difluorobenzene (Surr)	111		70 - 130

Lab Sample ID: 890-7623-A-13-B MS

Matrix: Solid

Analysis Batch: 101943

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 101951

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	<0.00198	U	0.100	0.1022		mg/Kg		102	70 - 130
Toluene	<0.00198	U	0.100	0.08788		mg/Kg		88	70 - 130
Ethylbenzene	<0.00198	U	0.100	0.09776		mg/Kg		98	70 - 130
m-Xylene & p-Xylene	<0.00396	U	0.200	0.2017		mg/Kg		101	70 - 130
o-Xylene	<0.00198	U	0.100	0.09892		mg/Kg		99	70 - 130

Surrogate	MS %Recovery	MS Qualifier	Limits
4-Bromofluorobenzene (Surr)	94		70 - 130
1,4-Difluorobenzene (Surr)	117		70 - 130

Lab Sample ID: 890-7623-A-13-C MSD

Matrix: Solid

Analysis Batch: 101943

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Prep Batch: 101951

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Benzene	<0.00198	U	0.100	0.1006		mg/Kg		101	70 - 130	2	35
Toluene	<0.00198	U	0.100	0.08714		mg/Kg		87	70 - 130	1	35
Ethylbenzene	<0.00198	U	0.100	0.09669		mg/Kg		97	70 - 130	1	35
m-Xylene & p-Xylene	<0.00396	U	0.200	0.1998		mg/Kg		100	70 - 130	1	35
o-Xylene	<0.00198	U	0.100	0.09838		mg/Kg		98	70 - 130	1	35

Surrogate	MSD %Recovery	MSD Qualifier	Limits
4-Bromofluorobenzene (Surr)	103		70 - 130
1,4-Difluorobenzene (Surr)	110		70 - 130

Lab Sample ID: MB 880-101952/5-A

Matrix: Solid

Analysis Batch: 101954

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 101952

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		02/04/25 08:28	02/04/25 11:26	1
Toluene	<0.00200	U	0.00200		mg/Kg		02/04/25 08:28	02/04/25 11:26	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		02/04/25 08:28	02/04/25 11:26	1
m-Xylene & p-Xylene	<0.00400	U	0.00400		mg/Kg		02/04/25 08:28	02/04/25 11:26	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		02/04/25 08:28	02/04/25 11:26	1
Xylenes, Total	<0.00400	U	0.00400		mg/Kg		02/04/25 08:28	02/04/25 11:26	1

Eurofins Midland

QC Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gas Line Release

Job ID: 880-53920-1
SDG: 21348

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	95		70 - 130	02/04/25 08:28	02/04/25 11:26	1
1,4-Difluorobenzene (Surr)	86		70 - 130	02/04/25 08:28	02/04/25 11:26	1

Lab Sample ID: LCS 880-101952/1-A
Matrix: Solid
Analysis Batch: 101954

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 101952

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	0.100	0.1061		mg/Kg		106	70 - 130
Toluene	0.100	0.09475		mg/Kg		95	70 - 130
Ethylbenzene	0.100	0.09875		mg/Kg		99	70 - 130
m-Xylene & p-Xylene	0.200	0.2056		mg/Kg		103	70 - 130
o-Xylene	0.100	0.1020		mg/Kg		102	70 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
4-Bromofluorobenzene (Surr)	97		70 - 130
1,4-Difluorobenzene (Surr)	95		70 - 130

Lab Sample ID: LCSD 880-101952/2-A
Matrix: Solid
Analysis Batch: 101954

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: 101952

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Benzene	0.100	0.09940		mg/Kg		99	70 - 130	7	35
Toluene	0.100	0.09229		mg/Kg		92	70 - 130	3	35
Ethylbenzene	0.100	0.09560		mg/Kg		96	70 - 130	3	35
m-Xylene & p-Xylene	0.200	0.2001		mg/Kg		100	70 - 130	3	35
o-Xylene	0.100	0.09970		mg/Kg		100	70 - 130	2	35

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
4-Bromofluorobenzene (Surr)	108		70 - 130
1,4-Difluorobenzene (Surr)	93		70 - 130

Lab Sample ID: MB 880-101953/5-A
Matrix: Solid
Analysis Batch: 101945

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 101953

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		02/04/25 08:29	02/04/25 11:13	1
Toluene	<0.00200	U	0.00200		mg/Kg		02/04/25 08:29	02/04/25 11:13	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		02/04/25 08:29	02/04/25 11:13	1
m-Xylene & p-Xylene	<0.00400	U	0.00400		mg/Kg		02/04/25 08:29	02/04/25 11:13	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		02/04/25 08:29	02/04/25 11:13	1
Xylenes, Total	<0.00400	U	0.00400		mg/Kg		02/04/25 08:29	02/04/25 11:13	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	88		70 - 130	02/04/25 08:29	02/04/25 11:13	1
1,4-Difluorobenzene (Surr)	88		70 - 130	02/04/25 08:29	02/04/25 11:13	1

Eurofins Midland

QC Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gas Line Release

Job ID: 880-53920-1
SDG: 21348

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: MB 880-101997/5-A

Matrix: Solid

Analysis Batch: 101942

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 101997

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		02/04/25 10:55	02/04/25 22:35	1
Toluene	<0.00200	U	0.00200		mg/Kg		02/04/25 10:55	02/04/25 22:35	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		02/04/25 10:55	02/04/25 22:35	1
m-Xylene & p-Xylene	<0.00400	U	0.00400		mg/Kg		02/04/25 10:55	02/04/25 22:35	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		02/04/25 10:55	02/04/25 22:35	1
Xylenes, Total	<0.00400	U	0.00400		mg/Kg		02/04/25 10:55	02/04/25 22:35	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	94		70 - 130	02/04/25 10:55	02/04/25 22:35	1
1,4-Difluorobenzene (Surr)	91		70 - 130	02/04/25 10:55	02/04/25 22:35	1

Lab Sample ID: LCS 880-101997/1-A

Matrix: Solid

Analysis Batch: 101942

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 101997

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	0.100	0.09663		mg/Kg		97	70 - 130
Toluene	0.100	0.09871		mg/Kg		99	70 - 130
Ethylbenzene	0.100	0.1007		mg/Kg		101	70 - 130
m-Xylene & p-Xylene	0.200	0.1896		mg/Kg		95	70 - 130
o-Xylene	0.100	0.1010		mg/Kg		101	70 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
4-Bromofluorobenzene (Surr)	99		70 - 130
1,4-Difluorobenzene (Surr)	97		70 - 130

Lab Sample ID: LCSD 880-101997/2-A

Matrix: Solid

Analysis Batch: 101942

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 101997

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Benzene	0.100	0.09847		mg/Kg		98	70 - 130	2	35
Toluene	0.100	0.1017		mg/Kg		102	70 - 130	3	35
Ethylbenzene	0.100	0.1056		mg/Kg		106	70 - 130	5	35
m-Xylene & p-Xylene	0.200	0.1984		mg/Kg		99	70 - 130	5	35
o-Xylene	0.100	0.1053		mg/Kg		105	70 - 130	4	35

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
4-Bromofluorobenzene (Surr)	96		70 - 130
1,4-Difluorobenzene (Surr)	98		70 - 130

Lab Sample ID: 880-53920-1 MS

Matrix: Solid

Analysis Batch: 101942

Client Sample ID: Floor Sample 01

Prep Type: Total/NA

Prep Batch: 101997

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	<0.00198	U	0.100	0.1069		mg/Kg		107	70 - 130
Toluene	<0.00198	U	0.100	0.1056		mg/Kg		106	70 - 130

Eurofins Midland

QC Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gas Line Release

Job ID: 880-53920-1
SDG: 21348

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: 880-53920-1 MS

Matrix: Solid

Analysis Batch: 101942

Client Sample ID: Floor Sample 01

Prep Type: Total/NA

Prep Batch: 101997

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Ethylbenzene	<0.00198	U	0.100	0.1086		mg/Kg		109	70 - 130
m-Xylene & p-Xylene	<0.00396	U	0.200	0.1984		mg/Kg		99	70 - 130
o-Xylene	<0.00198	U	0.100	0.1046		mg/Kg		105	70 - 130

Surrogate	MS %Recovery	MS Qualifier	Limits
4-Bromofluorobenzene (Surr)	102		70 - 130
1,4-Difluorobenzene (Surr)	101		70 - 130

Lab Sample ID: 880-53920-1 MSD

Matrix: Solid

Analysis Batch: 101942

Client Sample ID: Floor Sample 01

Prep Type: Total/NA

Prep Batch: 101997

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	Limit
Benzene	<0.00198	U	0.100	0.1032		mg/Kg		103	70 - 130	4	35
Toluene	<0.00198	U	0.100	0.1009		mg/Kg		101	70 - 130	5	35
Ethylbenzene	<0.00198	U	0.100	0.1044		mg/Kg		104	70 - 130	4	35
m-Xylene & p-Xylene	<0.00396	U	0.200	0.1892		mg/Kg		95	70 - 130	5	35
o-Xylene	<0.00198	U	0.100	0.1018		mg/Kg		102	70 - 130	3	35

Surrogate	MSD %Recovery	MSD Qualifier	Limits
4-Bromofluorobenzene (Surr)	107		70 - 130
1,4-Difluorobenzene (Surr)	97		70 - 130

Lab Sample ID: MB 880-101999/5-A

Matrix: Solid

Analysis Batch: 101954

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 101999

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		02/04/25 10:58	02/04/25 22:21	1
Toluene	<0.00200	U	0.00200		mg/Kg		02/04/25 10:58	02/04/25 22:21	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		02/04/25 10:58	02/04/25 22:21	1
m-Xylene & p-Xylene	<0.00400	U	0.00400		mg/Kg		02/04/25 10:58	02/04/25 22:21	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		02/04/25 10:58	02/04/25 22:21	1
Xylenes, Total	<0.00400	U	0.00400		mg/Kg		02/04/25 10:58	02/04/25 22:21	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	99		70 - 130	02/04/25 10:58	02/04/25 22:21	1
1,4-Difluorobenzene (Surr)	90		70 - 130	02/04/25 10:58	02/04/25 22:21	1

Lab Sample ID: LCS 880-101999/1-A

Matrix: Solid

Analysis Batch: 101954

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 101999

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	0.100	0.1015		mg/Kg		101	70 - 130
Toluene	0.100	0.08766		mg/Kg		88	70 - 130
Ethylbenzene	0.100	0.08969		mg/Kg		90	70 - 130
m-Xylene & p-Xylene	0.200	0.1884		mg/Kg		94	70 - 130

Eurofins Midland

QC Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gas Line Release

Job ID: 880-53920-1
SDG: 21348

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: LCS 880-101999/1-A

Matrix: Solid

Analysis Batch: 101954

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 101999

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
o-Xylene	0.100	0.09574		mg/Kg		96	70 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
4-Bromofluorobenzene (Surr)	98		70 - 130
1,4-Difluorobenzene (Surr)	94		70 - 130

Lab Sample ID: LCSD 880-101999/2-A

Matrix: Solid

Analysis Batch: 101954

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 101999

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	Limit
Benzene	0.100	0.08235		mg/Kg		82	70 - 130	21	35
Toluene	0.100	0.07655		mg/Kg		77	70 - 130	14	35
Ethylbenzene	0.100	0.07778		mg/Kg		78	70 - 130	14	35
m-Xylene & p-Xylene	0.200	0.1636		mg/Kg		82	70 - 130	14	35
o-Xylene	0.100	0.08350		mg/Kg		84	70 - 130	14	35

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
4-Bromofluorobenzene (Surr)	102		70 - 130
1,4-Difluorobenzene (Surr)	94		70 - 130

Lab Sample ID: 880-53920-21 MS

Matrix: Solid

Analysis Batch: 101954

Client Sample ID: Floor Sample 21

Prep Type: Total/NA

Prep Batch: 101999

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	<0.00198	U	0.100	0.1071		mg/Kg		107	70 - 130
Toluene	<0.00198	U	0.100	0.09509		mg/Kg		95	70 - 130
Ethylbenzene	<0.00198	U	0.100	0.09279		mg/Kg		93	70 - 130
m-Xylene & p-Xylene	<0.00396	U	0.200	0.2030		mg/Kg		101	70 - 130
o-Xylene	<0.00198	U	0.100	0.1015		mg/Kg		102	70 - 130

Surrogate	MS %Recovery	MS Qualifier	Limits
4-Bromofluorobenzene (Surr)	113		70 - 130
1,4-Difluorobenzene (Surr)	98		70 - 130

Lab Sample ID: 880-53920-21 MSD

Matrix: Solid

Analysis Batch: 101954

Client Sample ID: Floor Sample 21

Prep Type: Total/NA

Prep Batch: 101999

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	Limit
Benzene	<0.00198	U	0.100	0.1013		mg/Kg		101	70 - 130	6	35
Toluene	<0.00198	U	0.100	0.08802		mg/Kg		88	70 - 130	8	35
Ethylbenzene	<0.00198	U	0.100	0.08422		mg/Kg		84	70 - 130	10	35
m-Xylene & p-Xylene	<0.00396	U	0.200	0.1840		mg/Kg		92	70 - 130	10	35
o-Xylene	<0.00198	U	0.100	0.09202		mg/Kg		92	70 - 130	10	35

Eurofins Midland

QC Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gas Line Release

Job ID: 880-53920-1
SDG: 21348

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: 880-53920-21 MSD

Matrix: Solid

Analysis Batch: 101954

Client Sample ID: Floor Sample 21

Prep Type: Total/NA

Prep Batch: 101999

	MSD	MSD	
Surrogate	%Recovery	Qualifier	Limits
4-Bromofluorobenzene (Surr)	106		70 - 130
1,4-Difluorobenzene (Surr)	90		70 - 130

Lab Sample ID: MB 880-102000/5-A

Matrix: Solid

Analysis Batch: 101941

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 102000

Analyte	MB	MB							
	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		02/04/25 11:00	02/04/25 21:40	1
Toluene	<0.00200	U	0.00200		mg/Kg		02/04/25 11:00	02/04/25 21:40	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		02/04/25 11:00	02/04/25 21:40	1
m-Xylene & p-Xylene	<0.00400	U	0.00400		mg/Kg		02/04/25 11:00	02/04/25 21:40	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		02/04/25 11:00	02/04/25 21:40	1
Xylenes, Total	<0.00400	U	0.00400		mg/Kg		02/04/25 11:00	02/04/25 21:40	1

	MB	MB	
Surrogate	%Recovery	Qualifier	Limits
4-Bromofluorobenzene (Surr)	109		70 - 130
1,4-Difluorobenzene (Surr)	88		70 - 130

	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	02/04/25 11:00	02/04/25 21:40	1
1,4-Difluorobenzene (Surr)	02/04/25 11:00	02/04/25 21:40	1

Lab Sample ID: LCS 880-102000/1-A

Matrix: Solid

Analysis Batch: 101941

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 102000

Analyte	Spike	LCS	LCS						
	Added	Result	Qualifier	Unit	D	%Rec	Limits		
Benzene	0.100	0.07584		mg/Kg		76	70 - 130		
Toluene	0.100	0.07570		mg/Kg		76	70 - 130		
Ethylbenzene	0.100	0.06814	*-	mg/Kg		68	70 - 130		
m-Xylene & p-Xylene	0.200	0.1423		mg/Kg		71	70 - 130		
o-Xylene	0.100	0.07397		mg/Kg		74	70 - 130		

	LCS	LCS	
Surrogate	%Recovery	Qualifier	Limits
4-Bromofluorobenzene (Surr)	95		70 - 130
1,4-Difluorobenzene (Surr)	101		70 - 130

Lab Sample ID: LCSD 880-102000/2-A

Matrix: Solid

Analysis Batch: 101941

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 102000

Analyte	Spike	LCSD	LCSD							
	Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit	
Benzene	0.100	0.08089		mg/Kg		81	70 - 130	6	35	
Toluene	0.100	0.08156		mg/Kg		82	70 - 130	7	35	
Ethylbenzene	0.100	0.07372		mg/Kg		74	70 - 130	8	35	
m-Xylene & p-Xylene	0.200	0.1533		mg/Kg		77	70 - 130	7	35	
o-Xylene	0.100	0.07918		mg/Kg		79	70 - 130	7	35	

	LCSD	LCSD	
Surrogate	%Recovery	Qualifier	Limits
4-Bromofluorobenzene (Surr)	98		70 - 130

Eurofins Midland

QC Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gas Line Release

Job ID: 880-53920-1
SDG: 21348

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: LCSD 880-102000/2-A

Matrix: Solid

Analysis Batch: 101941

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 102000

	LCSD	LCSD	
Surrogate	%Recovery	Qualifier	Limits
1,4-Difluorobenzene (Surr)	100		70 - 130

Lab Sample ID: 880-53920-41 MS

Matrix: Solid

Analysis Batch: 101941

Client Sample ID: Floor Sample 41

Prep Type: Total/NA

Prep Batch: 102000

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	Limits
Benzene	<0.00198	U	0.100	0.09927		mg/Kg		99	70 - 130
Toluene	<0.00198	U	0.100	0.09574		mg/Kg		96	70 - 130
Ethylbenzene	<0.00198	U *-	0.100	0.08478		mg/Kg		85	70 - 130
m-Xylene & p-Xylene	<0.00396	U	0.200	0.1745		mg/Kg		87	70 - 130
o-Xylene	<0.00198	U	0.100	0.08774		mg/Kg		88	70 - 130

	MS	MS	
Surrogate	%Recovery	Qualifier	Limits
4-Bromofluorobenzene (Surr)	100		70 - 130
1,4-Difluorobenzene (Surr)	104		70 - 130

Lab Sample ID: 880-53920-41 MSD

Matrix: Solid

Analysis Batch: 101941

Client Sample ID: Floor Sample 41

Prep Type: Total/NA

Prep Batch: 102000

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	Limits	RPD	Limit
Benzene	<0.00198	U	0.100	0.1022		mg/Kg		102	70 - 130	3	35
Toluene	<0.00198	U	0.100	0.09839		mg/Kg		98	70 - 130	3	35
Ethylbenzene	<0.00198	U *-	0.100	0.08743		mg/Kg		87	70 - 130	3	35
m-Xylene & p-Xylene	<0.00396	U	0.200	0.1790		mg/Kg		89	70 - 130	3	35
o-Xylene	<0.00198	U	0.100	0.08999		mg/Kg		90	70 - 130	3	35

	MSD	MSD	
Surrogate	%Recovery	Qualifier	Limits
4-Bromofluorobenzene (Surr)	95		70 - 130
1,4-Difluorobenzene (Surr)	105		70 - 130

Lab Sample ID: MB 880-102001/5-A

Matrix: Solid

Analysis Batch: 101945

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 102001

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		02/04/25 11:01	02/04/25 22:32	1
Toluene	<0.00200	U	0.00200		mg/Kg		02/04/25 11:01	02/04/25 22:32	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		02/04/25 11:01	02/04/25 22:32	1
m-Xylene & p-Xylene	<0.00400	U	0.00400		mg/Kg		02/04/25 11:01	02/04/25 22:32	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		02/04/25 11:01	02/04/25 22:32	1
Xylenes, Total	<0.00400	U	0.00400		mg/Kg		02/04/25 11:01	02/04/25 22:32	1

	MB	MB							
Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac			
4-Bromofluorobenzene (Surr)	91		70 - 130	02/04/25 11:01	02/04/25 22:32	1			
1,4-Difluorobenzene (Surr)	89		70 - 130	02/04/25 11:01	02/04/25 22:32	1			

Eurofins Midland

QC Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gas Line Release

Job ID: 880-53920-1
SDG: 21348

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: LCS 880-102001/1-A

Matrix: Solid

Analysis Batch: 101945

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 102001

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	0.100	0.1056		mg/Kg		106	70 - 130
Toluene	0.100	0.1050		mg/Kg		105	70 - 130
Ethylbenzene	0.100	0.1045		mg/Kg		105	70 - 130
m-Xylene & p-Xylene	0.200	0.2035		mg/Kg		102	70 - 130
o-Xylene	0.100	0.09938		mg/Kg		99	70 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
4-Bromofluorobenzene (Surr)	100		70 - 130
1,4-Difluorobenzene (Surr)	105		70 - 130

Lab Sample ID: LCSD 880-102001/2-A

Matrix: Solid

Analysis Batch: 101945

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 102001

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Benzene	0.100	0.1029		mg/Kg		103	70 - 130	3	35
Toluene	0.100	0.1041		mg/Kg		104	70 - 130	1	35
Ethylbenzene	0.100	0.1061		mg/Kg		106	70 - 130	1	35
m-Xylene & p-Xylene	0.200	0.1990		mg/Kg		100	70 - 130	2	35
o-Xylene	0.100	0.09888		mg/Kg		99	70 - 130	1	35

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
4-Bromofluorobenzene (Surr)	101		70 - 130
1,4-Difluorobenzene (Surr)	100		70 - 130

Lab Sample ID: 880-53920-74 MS

Matrix: Solid

Analysis Batch: 101945

Client Sample ID: Sidewall 03

Prep Type: Total/NA

Prep Batch: 102001

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	<0.00198	U	0.100	0.09197		mg/Kg		92	70 - 130
Toluene	<0.00198	U	0.100	0.09247		mg/Kg		92	70 - 130
Ethylbenzene	<0.00198	U	0.100	0.09050		mg/Kg		91	70 - 130
m-Xylene & p-Xylene	<0.00396	U	0.200	0.1745		mg/Kg		87	70 - 130
o-Xylene	<0.00198	U	0.100	0.08594		mg/Kg		86	70 - 130

Surrogate	MS %Recovery	MS Qualifier	Limits
4-Bromofluorobenzene (Surr)	100		70 - 130
1,4-Difluorobenzene (Surr)	103		70 - 130

Lab Sample ID: 880-53920-74 MSD

Matrix: Solid

Analysis Batch: 101945

Client Sample ID: Sidewall 03

Prep Type: Total/NA

Prep Batch: 102001

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Benzene	<0.00198	U	0.100	0.09681		mg/Kg		97	70 - 130	5	35
Toluene	<0.00198	U	0.100	0.1044		mg/Kg		104	70 - 130	12	35
Ethylbenzene	<0.00198	U	0.100	0.1144		mg/Kg		114	70 - 130	23	35

Eurofins Midland

QC Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gas Line Release

Job ID: 880-53920-1
SDG: 21348

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: 880-53920-74 MSD

Matrix: Solid

Analysis Batch: 101945

Client Sample ID: Sidewall 03

Prep Type: Total/NA

Prep Batch: 102001

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
m-Xylene & p-Xylene	<0.00396	U	0.200	0.2197		mg/Kg		110	70 - 130	23	35
o-Xylene	<0.00198	U	0.100	0.1070		mg/Kg		107	70 - 130	22	35
Surrogate	MSD %Recovery	MSD Qualifier	Limits								
4-Bromofluorobenzene (Surr)	111		70 - 130								
1,4-Difluorobenzene (Surr)	99		70 - 130								

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Lab Sample ID: MB 880-101901/1-A

Matrix: Solid

Analysis Batch: 101956

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 101901

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		02/03/25 15:37	02/04/25 21:54	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		02/03/25 15:37	02/04/25 21:54	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		02/03/25 15:37	02/04/25 21:54	1
Surrogate	MB %Recovery	MB Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	116		70 - 130				02/03/25 15:37	02/04/25 21:54	1
o-Terphenyl	105		70 - 130				02/03/25 15:37	02/04/25 21:54	1

Lab Sample ID: LCS 880-101901/2-A

Matrix: Solid

Analysis Batch: 101956

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 101901

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits		
Gasoline Range Organics (GRO)-C6-C10	1000	1114		mg/Kg		111	70 - 130		
Diesel Range Organics (Over C10-C28)	1000	986.9		mg/Kg		99	70 - 130		
Surrogate	LCS %Recovery	LCS Qualifier	Limits						
1-Chlorooctane	92		70 - 130						
o-Terphenyl	80		70 - 130						

Lab Sample ID: LCSD 880-101901/3-A

Matrix: Solid

Analysis Batch: 101956

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 101901

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Gasoline Range Organics (GRO)-C6-C10	1000	1128		mg/Kg		113	70 - 130	1	20
Diesel Range Organics (Over C10-C28)	1000	960.1		mg/Kg		96	70 - 130	3	20

Eurofins Midland

QC Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gas Line Release

Job ID: 880-53920-1
SDG: 21348

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Lab Sample ID: LCSD 880-101901/3-A

Matrix: Solid

Analysis Batch: 101956

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 101901

	LCSD	LCSD	
Surrogate	%Recovery	Qualifier	Limits
1-Chlorooctane	91		70 - 130
o-Terphenyl	81		70 - 130

Lab Sample ID: 880-53920-1 MS

Matrix: Solid

Analysis Batch: 101956

Client Sample ID: Floor Sample 01

Prep Type: Total/NA

Prep Batch: 101901

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	999	784.9		mg/Kg		79	70 - 130
Diesel Range Organics (Over C10-C28)	<49.9	U	999	825.0		mg/Kg		83	70 - 130
Surrogate	MS %Recovery	MS Qualifier	Limits						
1-Chlorooctane	88		70 - 130						
o-Terphenyl	76		70 - 130						

Lab Sample ID: 880-53920-1 MSD

Matrix: Solid

Analysis Batch: 101956

Client Sample ID: Floor Sample 01

Prep Type: Total/NA

Prep Batch: 101901

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	999	890.0		mg/Kg		89	70 - 130	13	20
Diesel Range Organics (Over C10-C28)	<49.9	U	999	893.9		mg/Kg		89	70 - 130	8	20
Surrogate	MSD %Recovery	MSD Qualifier	Limits								
1-Chlorooctane	90		70 - 130								
o-Terphenyl	79		70 - 130								

Lab Sample ID: MB 880-101903/1-A

Matrix: Solid

Analysis Batch: 101958

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 101903

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		02/03/25 15:40	02/04/25 21:54	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		02/03/25 15:40	02/04/25 21:54	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		02/03/25 15:40	02/04/25 21:54	1
Surrogate	MB %Recovery	MB Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	88		70 - 130				02/03/25 15:40	02/04/25 21:54	1
o-Terphenyl	79		70 - 130				02/03/25 15:40	02/04/25 21:54	1

Eurofins Midland

QC Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gas Line Release

Job ID: 880-53920-1
SDG: 21348

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Lab Sample ID: LCS 880-101903/2-A

Matrix: Solid

Analysis Batch: 101958

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 101903

Analyte			Spike	LCS	LCS	Unit	D	%Rec	%Rec		
			Added	Result	Qualifier			Limits			
Gasoline Range Organics (GRO)-C6-C10			1000	1043		mg/Kg		104	70 - 130		
Diesel Range Organics (Over C10-C28)			1000	975.8		mg/Kg		98	70 - 130		
Surrogate	LCS	LCS	Limits								
	%Recovery	Qualifier									
1-Chlorooctane	88		70 - 130								
o-Terphenyl	75		70 - 130								

Lab Sample ID: LCSD 880-101903/3-A

Matrix: Solid

Analysis Batch: 101958

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 101903

Analyte			Spike	LCSD	LCSD	Unit	D	%Rec	%Rec	RPD	RPD
			Added	Result	Qualifier				Limits		Limit
Gasoline Range Organics (GRO)-C6-C10			1000	1066		mg/Kg		107	70 - 130	2	20
Diesel Range Organics (Over C10-C28)			1000	996.5		mg/Kg		100	70 - 130	2	20
Surrogate	LCSD %Recovery	LCSD Qualifier	Limits								
1-Chlorooctane	87		70 - 130								
o-Terphenyl	73		70 - 130								

Lab Sample ID: 880-53920-21 MS

Matrix: Solid

Analysis Batch: 101958

Client Sample ID: Floor Sample 21

Prep Type: Total/NA

Prep Batch: 101903

Analyte	Sample	Sample	Spike	MS	MS	Unit	D	%Rec	%Rec		
	Result	Qualifier	Added	Result	Qualifier			Limits	Limits		
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	995	762.6		mg/Kg		77	70 - 130		
Diesel Range Organics (Over C10-C28)	<49.9	U	995	847.9		mg/Kg		81	70 - 130		
Surrogate	MS	MS	Limits								
	%Recovery	Qualifier									
1-Chlorooctane	76		70 - 130								
o-Terphenyl	65	S1-	70 - 130								

Lab Sample ID: 880-53920-21 MSD

Matrix: Solid

Analysis Batch: 101958

Client Sample ID: Floor Sample 21

Prep Type: Total/NA

Prep Batch: 101903

	Sample	Sample	Spike	MSD	MSD			%Rec		RPD	
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	995	769.9		mg/Kg		77	70 - 130	1	20
Diesel Range Organics (Over C10-C28)	<49.9	U	995	878.3		mg/Kg		84	70 - 130	4	20
Surrogate	MSD %Recovery	MSD Qualifier	Limits								
1-Chlorooctane	79		70 - 130								

Eurofins Midland

QC Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gas Line Release

Job ID: 880-53920-1
SDG: 21348

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Lab Sample ID: 880-53920-21 MSD

Matrix: Solid

Analysis Batch: 101958

Client Sample ID: Floor Sample 21

Prep Type: Total/NA

Prep Batch: 101903

	MSD	MSD	
Surrogate	%Recovery	Qualifier	Limits
<i>o</i> -Terphenyl	67	S1-	70 - 130

Lab Sample ID: MB 880-101908/1-A

Matrix: Solid

Analysis Batch: 102160

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 101908

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		02/03/25 15:43	02/06/25 05:08	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		02/03/25 15:43	02/06/25 05:08	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		02/03/25 15:43	02/06/25 05:08	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	171	S1+	70 - 130				02/03/25 15:43	02/06/25 05:08	1
<i>o</i> -Terphenyl	137	S1+	70 - 130				02/03/25 15:43	02/06/25 05:08	1

Lab Sample ID: LCS 880-101908/2-A

Matrix: Solid

Analysis Batch: 102160

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 101908

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Gasoline Range Organics (GRO)-C6-C10	1000	1080		mg/Kg		108	70 - 130
Diesel Range Organics (Over C10-C28)	1000	1036		mg/Kg		104	70 - 130
Surrogate	LCS	LCS	Limits				
	%Recovery	Qualifier					
1-Chlorooctane	110		70 - 130				
<i>o</i> -Terphenyl	98		70 - 130				

Lab Sample ID: LCSD 880-101908/3-A

Matrix: Solid

Analysis Batch: 102160

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 101908

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	Limit
Gasoline Range Organics (GRO)-C6-C10	1000	986.8		mg/Kg		99	70 - 130	9	20
Diesel Range Organics (Over C10-C28)	1000	927.2		mg/Kg		93	70 - 130	11	20
Surrogate	LCSD	LCSD	Limits						
	%Recovery	Qualifier							
1-Chlorooctane	83		70 - 130						
<i>o</i> -Terphenyl	74		70 - 130						

Eurofins Midland

QC Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gas Line Release

Job ID: 880-53920-1
SDG: 21348

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Lab Sample ID: 880-53920-41 MS

Matrix: Solid

Analysis Batch: 102160

Client Sample ID: Floor Sample 41

Prep Type: Total/NA

Prep Batch: 101908

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	996	1167		mg/Kg		117	70 - 130
Diesel Range Organics (Over C10-C28)	<49.9	U	996	1293		mg/Kg		130	70 - 130
Surrogate	MS %Recovery	MS Qualifier	Limits						
1-Chlorooctane	129		70 - 130						
o-Terphenyl	117		70 - 130						

Lab Sample ID: 880-53920-41 MSD

Matrix: Solid

Analysis Batch: 102160

Client Sample ID: Floor Sample 41

Prep Type: Total/NA

Prep Batch: 101908

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	996	1149		mg/Kg		115	70 - 130	2	20
Diesel Range Organics (Over C10-C28)	<49.9	U	996	1258		mg/Kg		126	70 - 130	3	20
Surrogate	MSD %Recovery	MSD Qualifier	Limits								
1-Chlorooctane	125		70 - 130								
o-Terphenyl	113		70 - 130								

Lab Sample ID: MB 880-101955/1-A

Matrix: Solid

Analysis Batch: 101958

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 101955

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		02/04/25 08:46	02/04/25 14:40	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		02/04/25 08:46	02/04/25 14:40	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		02/04/25 08:46	02/04/25 14:40	1
Surrogate	MB %Recovery	MB Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	83		70 - 130				02/04/25 08:46	02/04/25 14:40	1
o-Terphenyl	74		70 - 130				02/04/25 08:46	02/04/25 14:40	1

Lab Sample ID: LCS 880-101955/2-A

Matrix: Solid

Analysis Batch: 101958

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 101955

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Gasoline Range Organics (GRO)-C6-C10	1000	1018		mg/Kg		102	70 - 130
Diesel Range Organics (Over C10-C28)	1000	958.6		mg/Kg		96	70 - 130

Eurofins Midland

QC Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gas Line Release

Job ID: 880-53920-1
SDG: 21348

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Lab Sample ID: LCS 880-101955/2-A

Matrix: Solid

Analysis Batch: 101958

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 101955

	LCS	LCS	
Surrogate	%Recovery	Qualifier	Limits
1-Chlorooctane	83		70 - 130
o-Terphenyl	72		70 - 130

Lab Sample ID: LCSD 880-101955/3-A

Matrix: Solid

Analysis Batch: 101958

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 101955

Analyte			Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Gasoline Range Organics (GRO)-C6-C10			1000	1070		mg/Kg		107	70 - 130	5	20
Diesel Range Organics (Over C10-C28)			1000	987.7		mg/Kg		99	70 - 130	3	20
Surrogate		LCSD	LCSD								
	%Recovery	Qualifier	Limits								
1-Chlorooctane	88		70 - 130								
o-Terphenyl	75		70 - 130								

Lab Sample ID: 880-53920-61 MS

Matrix: Solid

Analysis Batch: 101958

Client Sample ID: Floor Sample 61

Prep Type: Total/NA

Prep Batch: 101955

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits		
Gasoline Range Organics (GRO)-C6-C10	<49.8	U	997	712.9		mg/Kg		72	70 - 130		
Diesel Range Organics (Over C10-C28)	259		997	962.7		mg/Kg		71	70 - 130		
Surrogate		MS	MS								
	%Recovery	Qualifier	Limits								
1-Chlorooctane	78		70 - 130								
o-Terphenyl	64	S1-	70 - 130								

Lab Sample ID: 880-53920-61 MSD

Matrix: Solid

Analysis Batch: 101958

Client Sample ID: Floor Sample 61

Prep Type: Total/NA

Prep Batch: 101955

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Gasoline Range Organics (GRO)-C6-C10	<49.8	U	997	700.5		mg/Kg		70	70 - 130	2	20
Diesel Range Organics (Over C10-C28)	259		997	953.4		mg/Kg		70	70 - 130	1	20
Surrogate		MSD	MSD								
	%Recovery	Qualifier	Limits								
1-Chlorooctane	76		70 - 130								
o-Terphenyl	62	S1-	70 - 130								

Eurofins Midland

QC Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gas Line Release

Job ID: 880-53920-1
SDG: 21348

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Lab Sample ID: MB 880-102943/1-A

Matrix: Solid

Analysis Batch: 102924

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 102943

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		02/17/25 10:52	02/17/25 09:22	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		02/17/25 10:52	02/17/25 09:22	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		02/17/25 10:52	02/17/25 09:22	1
Surrogate	%Recovery	MB Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	133	S1+	70 - 130				02/17/25 10:52	02/17/25 09:22	1
o-Terphenyl	98		70 - 130				02/17/25 10:52	02/17/25 09:22	1

Lab Sample ID: LCS 880-102943/2-A

Matrix: Solid

Analysis Batch: 102924

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 102943

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits	
Gasoline Range Organics (GRO)-C6-C10	1000	631.9	*-	mg/Kg		63	70 - 130	
Diesel Range Organics (Over C10-C28)	1000	592.2	*-	mg/Kg		59	70 - 130	
Surrogate		LCS %Recovery	LCS Qualifier	Limits				
1-Chlorooctane		83		70 - 130				
o-Terphenyl		76		70 - 130				

Lab Sample ID: LCSD 880-102943/3-A

Matrix: Solid

Analysis Batch: 102924

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 102943

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Gasoline Range Organics (GRO)-C6-C10	1000	689.2	*-	mg/Kg		69	70 - 130	9	20
Diesel Range Organics (Over C10-C28)	1000	580.9	*-	mg/Kg		58	70 - 130	2	20
Surrogate		LCSD %Recovery	LCSD Qualifier	Limits					
1-Chlorooctane		86		70 - 130					
o-Terphenyl		72		70 - 130					

Lab Sample ID: 890-7663-A-1-Q MS

Matrix: Solid

Analysis Batch: 102924

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 102943

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits	
Gasoline Range Organics (GRO)-C6-C10	<49.8	U *-	1010	796.1		mg/Kg		79	70 - 130	
Diesel Range Organics (Over C10-C28)	<49.8	U *-	1010	908.5		mg/Kg		90	70 - 130	

Eurofins Midland

QC Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gas Line Release

Job ID: 880-53920-1
SDG: 21348

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Lab Sample ID: 890-7663-A-1-Q MS

Matrix: Solid

Analysis Batch: 102924

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 102943

	MS	MS	
Surrogate	%Recovery	Qualifier	Limits
1-Chlorooctane	102		70 - 130
o-Terphenyl	100		70 - 130

Lab Sample ID: 890-7663-A-1-R MSD

Matrix: Solid

Analysis Batch: 102924

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Prep Batch: 102943

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Gasoline Range Organics (GRO)-C6-C10	<49.8	U *	1010	805.1		mg/Kg		80	70 - 130	1	20
Diesel Range Organics (Over C10-C28)	<49.8	U *	1010	931.1		mg/Kg		93	70 - 130	2	20

	MSD	MSD	
Surrogate	%Recovery	Qualifier	Limits
1-Chlorooctane	104		70 - 130
o-Terphenyl	104		70 - 130

Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: MB 880-101888/1-A

Matrix: Solid

Analysis Batch: 101892

Client Sample ID: Method Blank

Prep Type: Soluble

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<10.0	U	10.0		mg/Kg			02/03/25 19:17	1

Lab Sample ID: LCS 880-101888/2-A

Matrix: Solid

Analysis Batch: 101892

Client Sample ID: Lab Control Sample

Prep Type: Soluble

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	250	248.8		mg/Kg		100	90 - 110

Lab Sample ID: LCSD 880-101888/3-A

Matrix: Solid

Analysis Batch: 101892

Client Sample ID: Lab Control Sample Dup

Prep Type: Soluble

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	250	248.5		mg/Kg		99	90 - 110	0	20

Lab Sample ID: 880-53920-1 MS

Matrix: Solid

Analysis Batch: 101892

Client Sample ID: Floor Sample 01

Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	<10.0	U	251	250.6		mg/Kg		96	90 - 110

Eurofins Midland

QC Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gas Line Release

Job ID: 880-53920-1
SDG: 21348

Method: 300.0 - Anions, Ion Chromatography (Continued)

Lab Sample ID: 880-53920-1 MSD

Matrix: Solid

Analysis Batch: 101892

Client Sample ID: Floor Sample 01

Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	<10.0	U	251	251.1		mg/Kg		97	90 - 110	0	20

Lab Sample ID: 880-53920-11 MS

Matrix: Solid

Analysis Batch: 101892

Client Sample ID: Floor Sample 11

Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits		
Chloride	<9.96	U	249	244.7		mg/Kg		97	90 - 110		

Lab Sample ID: 880-53920-11 MSD

Matrix: Solid

Analysis Batch: 101892

Client Sample ID: Floor Sample 11

Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	<9.96	U	249	244.7		mg/Kg		97	90 - 110	0	20

Lab Sample ID: MB 880-101889/1-A

Matrix: Solid

Analysis Batch: 101897

Client Sample ID: Method Blank

Prep Type: Soluble

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<10.0	U	10.0		mg/Kg			02/04/25 01:38	1

Lab Sample ID: LCS 880-101889/2-A

Matrix: Solid

Analysis Batch: 101897

Client Sample ID: Lab Control Sample

Prep Type: Soluble

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits		
Chloride	250	258.0		mg/Kg		103	90 - 110		

Lab Sample ID: LCSD 880-101889/3-A

Matrix: Solid

Analysis Batch: 101897

Client Sample ID: Lab Control Sample Dup

Prep Type: Soluble

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	250	258.0		mg/Kg		103	90 - 110	0	20

Lab Sample ID: 880-53920-21 MS

Matrix: Solid

Analysis Batch: 101897

Client Sample ID: Floor Sample 21

Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits		
Chloride	22.7		249	288.5		mg/Kg		107	90 - 110		

Lab Sample ID: 880-53920-21 MSD

Matrix: Solid

Analysis Batch: 101897

Client Sample ID: Floor Sample 21

Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	22.7		249	288.8		mg/Kg		107	90 - 110	0	20

Eurofins Midland

QC Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gas Line Release

Job ID: 880-53920-1
SDG: 21348

Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: 880-53920-31 MS

Matrix: Solid

Analysis Batch: 101897

Client Sample ID: Floor Sample 31

Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits	
Chloride	52.9		250	323.5		mg/Kg		108	90 - 110	

Lab Sample ID: 880-53920-31 MSD

Matrix: Solid

Analysis Batch: 101897

Client Sample ID: Floor Sample 31

Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	52.9		250	323.1		mg/Kg		108	90 - 110	0	20

Lab Sample ID: MB 880-101890/1-A

Matrix: Solid

Analysis Batch: 101898

Client Sample ID: Method Blank

Prep Type: Soluble

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<10.0	U	10.0		mg/Kg			02/04/25 05:31	1

Lab Sample ID: LCS 880-101890/2-A

Matrix: Solid

Analysis Batch: 101898

Client Sample ID: Lab Control Sample

Prep Type: Soluble

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits	
Chloride	250	241.6		mg/Kg		97	90 - 110	

Lab Sample ID: LCSD 880-101890/3-A

Matrix: Solid

Analysis Batch: 101898

Client Sample ID: Lab Control Sample Dup

Prep Type: Soluble

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	250	239.0		mg/Kg		96	90 - 110	1	20

Lab Sample ID: 880-53920-41 MS

Matrix: Solid

Analysis Batch: 101898

Client Sample ID: Floor Sample 41

Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits	
Chloride	<10.1	U	252	265.3		mg/Kg		103	90 - 110	

Lab Sample ID: 880-53920-41 MSD

Matrix: Solid

Analysis Batch: 101898

Client Sample ID: Floor Sample 41

Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	<10.1	U	252	265.6		mg/Kg		103	90 - 110	0	20

Lab Sample ID: 880-53920-51 MS

Matrix: Solid

Analysis Batch: 101898

Client Sample ID: Floor Sample 51

Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits	
Chloride	12.1		249	262.1		mg/Kg		101	90 - 110	

Eurofins Midland

QC Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gas Line Release

Job ID: 880-53920-1
SDG: 21348

Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: 880-53920-51 MSD

Matrix: Solid

Analysis Batch: 101898

Client Sample ID: Floor Sample 51

Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	12.1		249	262.6		mg/Kg		101	90 - 110	0	20

Lab Sample ID: MB 880-101891/1-A

Matrix: Solid

Analysis Batch: 101902

Client Sample ID: Method Blank

Prep Type: Soluble

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<10.0	U	10.0		mg/Kg			02/04/25 14:33	1

Lab Sample ID: LCS 880-101891/2-A

Matrix: Solid

Analysis Batch: 101902

Client Sample ID: Lab Control Sample

Prep Type: Soluble

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	250	264.8		mg/Kg		106	90 - 110

Lab Sample ID: LCSD 880-101891/3-A

Matrix: Solid

Analysis Batch: 101902

Client Sample ID: Lab Control Sample Dup

Prep Type: Soluble

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	250	267.8		mg/Kg		107	90 - 110	1	20

Lab Sample ID: 880-53920-61 MS

Matrix: Solid

Analysis Batch: 101902

Client Sample ID: Floor Sample 61

Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	<9.92	U	248	273.1		mg/Kg		108	90 - 110

Lab Sample ID: 880-53920-61 MSD

Matrix: Solid

Analysis Batch: 101902

Client Sample ID: Floor Sample 61

Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	<9.92	U	248	273.3		mg/Kg		108	90 - 110	0	20

Lab Sample ID: 880-53920-71 MS

Matrix: Solid

Analysis Batch: 101902

Client Sample ID: Floor Sample 71

Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	<9.98	U	250	273.9		mg/Kg		108	90 - 110

Lab Sample ID: 880-53920-71 MSD

Matrix: Solid

Analysis Batch: 101902

Client Sample ID: Floor Sample 71

Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	<9.98	U	250	275.8		mg/Kg		109	90 - 110	1	20

Eurofins Midland

QC Association Summary

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gas Line Release

Job ID: 880-53920-1
SDG: 21348

GC VOA

Analysis Batch: 101941

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-53920-41	Floor Sample 41	Total/NA	Solid	8021B	102000
880-53920-42	Floor Sample 42	Total/NA	Solid	8021B	102000
880-53920-43	Floor Sample 43	Total/NA	Solid	8021B	102000
880-53920-44	Floor Sample 44	Total/NA	Solid	8021B	102000
880-53920-45	Floor Sample 45	Total/NA	Solid	8021B	102000
880-53920-46	Floor Sample 46	Total/NA	Solid	8021B	102000
880-53920-47	Floor Sample 47	Total/NA	Solid	8021B	102000
880-53920-48	Floor Sample 48	Total/NA	Solid	8021B	102000
880-53920-49	Floor Sample 49	Total/NA	Solid	8021B	102000
880-53920-50	Floor Sample 50	Total/NA	Solid	8021B	102000
880-53920-51	Floor Sample 51	Total/NA	Solid	8021B	102000
880-53920-52	Floor Sample 52	Total/NA	Solid	8021B	102000
880-53920-53	Floor Sample 53	Total/NA	Solid	8021B	102000
880-53920-54	Floor Sample 54	Total/NA	Solid	8021B	102000
880-53920-55	Floor Sample 55	Total/NA	Solid	8021B	102000
880-53920-56	Floor Sample 56	Total/NA	Solid	8021B	102000
880-53920-57	Floor Sample 57	Total/NA	Solid	8021B	102000
880-53920-58	Floor Sample 58	Total/NA	Solid	8021B	102000
880-53920-59	Floor Sample 59	Total/NA	Solid	8021B	102000
880-53920-60	Floor Sample 60	Total/NA	Solid	8021B	102000
880-53920-66	Floor Sample 66	Total/NA	Solid	8021B	101948
880-53920-67	Floor Sample 67	Total/NA	Solid	8021B	101948
880-53920-68	Floor Sample 68	Total/NA	Solid	8021B	101948
880-53920-69	Floor Sample 69	Total/NA	Solid	8021B	101948
MB 880-101948/5-A	Method Blank	Total/NA	Solid	8021B	101948
MB 880-102000/5-A	Method Blank	Total/NA	Solid	8021B	102000
LCS 880-101948/1-A	Lab Control Sample	Total/NA	Solid	8021B	101948
LCS 880-102000/1-A	Lab Control Sample	Total/NA	Solid	8021B	102000
LCSD 880-101948/2-A	Lab Control Sample Dup	Total/NA	Solid	8021B	101948
LCSD 880-102000/2-A	Lab Control Sample Dup	Total/NA	Solid	8021B	102000
880-53920-41 MS	Floor Sample 41	Total/NA	Solid	8021B	102000
880-53920-41 MSD	Floor Sample 41	Total/NA	Solid	8021B	102000

Analysis Batch: 101942

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-53920-1	Floor Sample 01	Total/NA	Solid	8021B	101997
880-53920-2	Floor Sample 02	Total/NA	Solid	8021B	101997
880-53920-3	Floor Sample 03	Total/NA	Solid	8021B	101997
880-53920-4	Floor Sample 04	Total/NA	Solid	8021B	101997
880-53920-5	Floor Sample 05	Total/NA	Solid	8021B	101997
880-53920-6	Floor Sample 06	Total/NA	Solid	8021B	101997
880-53920-7	Floor Sample 07	Total/NA	Solid	8021B	101997
880-53920-8	Floor Sample 08	Total/NA	Solid	8021B	101997
880-53920-9	Floor Sample 09	Total/NA	Solid	8021B	101997
880-53920-10	Floor Sample 10	Total/NA	Solid	8021B	101997
880-53920-11	Floor Sample 11	Total/NA	Solid	8021B	101997
880-53920-12	Floor Sample 12	Total/NA	Solid	8021B	101997
880-53920-13	Floor Sample 13	Total/NA	Solid	8021B	101997
880-53920-14	Floor Sample 14	Total/NA	Solid	8021B	101997
880-53920-15	Floor Sample 15	Total/NA	Solid	8021B	101997
880-53920-16	Floor Sample 16	Total/NA	Solid	8021B	101997

Eurofins Midland

QC Association Summary

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gas Line Release

Job ID: 880-53920-1
SDG: 21348

GC VOA (Continued)

Analysis Batch: 101942 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-53920-17	Floor Sample 17	Total/NA	Solid	8021B	101997
880-53920-18	Floor Sample 18	Total/NA	Solid	8021B	101997
880-53920-19	Floor Sample 19	Total/NA	Solid	8021B	101997
880-53920-20	Floor Sample 20	Total/NA	Solid	8021B	101997
MB 880-101950/5-A	Method Blank	Total/NA	Solid	8021B	101950
MB 880-101997/5-A	Method Blank	Total/NA	Solid	8021B	101997
LCS 880-101997/1-A	Lab Control Sample	Total/NA	Solid	8021B	101997
LCSD 880-101997/2-A	Lab Control Sample Dup	Total/NA	Solid	8021B	101997
880-53920-1 MS	Floor Sample 01	Total/NA	Solid	8021B	101997
880-53920-1 MSD	Floor Sample 01	Total/NA	Solid	8021B	101997

Analysis Batch: 101943

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-53920-61	Floor Sample 61	Total/NA	Solid	8021B	101951
880-53920-62	Floor Sample 62	Total/NA	Solid	8021B	101951
880-53920-63	Floor Sample 63	Total/NA	Solid	8021B	101951
880-53920-64	Floor Sample 64	Total/NA	Solid	8021B	101951
880-53920-65	Floor Sample 65	Total/NA	Solid	8021B	101951
MB 880-101951/5-A	Method Blank	Total/NA	Solid	8021B	101951
LCS 880-101951/1-A	Lab Control Sample	Total/NA	Solid	8021B	101951
LCSD 880-101951/2-A	Lab Control Sample Dup	Total/NA	Solid	8021B	101951
890-7623-A-13-B MS	Matrix Spike	Total/NA	Solid	8021B	101951
890-7623-A-13-C MSD	Matrix Spike Duplicate	Total/NA	Solid	8021B	101951

Analysis Batch: 101945

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-53920-74	Sidewall 03	Total/NA	Solid	8021B	102001
880-53920-75	Sidewall 04	Total/NA	Solid	8021B	102001
880-53920-76	Sidewall 05	Total/NA	Solid	8021B	102001
880-53920-77	Sidewall 06	Total/NA	Solid	8021B	102001
880-53920-78	Sidewall 07	Total/NA	Solid	8021B	102001
MB 880-101953/5-A	Method Blank	Total/NA	Solid	8021B	101953
MB 880-102001/5-A	Method Blank	Total/NA	Solid	8021B	102001
LCS 880-102001/1-A	Lab Control Sample	Total/NA	Solid	8021B	102001
LCSD 880-102001/2-A	Lab Control Sample Dup	Total/NA	Solid	8021B	102001
880-53920-74 MS	Sidewall 03	Total/NA	Solid	8021B	102001
880-53920-74 MSD	Sidewall 03	Total/NA	Solid	8021B	102001

Prep Batch: 101948

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-53920-66	Floor Sample 66	Total/NA	Solid	5035	
880-53920-67	Floor Sample 67	Total/NA	Solid	5035	
880-53920-68	Floor Sample 68	Total/NA	Solid	5035	
880-53920-69	Floor Sample 69	Total/NA	Solid	5035	
MB 880-101948/5-A	Method Blank	Total/NA	Solid	5035	
LCS 880-101948/1-A	Lab Control Sample	Total/NA	Solid	5035	
LCSD 880-101948/2-A	Lab Control Sample Dup	Total/NA	Solid	5035	

Prep Batch: 101950

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MB 880-101950/5-A	Method Blank	Total/NA	Solid	5035	

Eurofins Midland

QC Association Summary

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gas Line Release

Job ID: 880-53920-1
SDG: 21348

GC VOA

Prep Batch: 101951

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-53920-61	Floor Sample 61	Total/NA	Solid	5035	
880-53920-62	Floor Sample 62	Total/NA	Solid	5035	
880-53920-63	Floor Sample 63	Total/NA	Solid	5035	
880-53920-64	Floor Sample 64	Total/NA	Solid	5035	
880-53920-65	Floor Sample 65	Total/NA	Solid	5035	
MB 880-101951/5-A	Method Blank	Total/NA	Solid	5035	
LCS 880-101951/1-A	Lab Control Sample	Total/NA	Solid	5035	
LCSD 880-101951/2-A	Lab Control Sample Dup	Total/NA	Solid	5035	
890-7623-A-13-B MS	Matrix Spike	Total/NA	Solid	5035	
890-7623-A-13-C MSD	Matrix Spike Duplicate	Total/NA	Solid	5035	

Prep Batch: 101952

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-53920-70	Floor Sample 70	Total/NA	Solid	5035	
880-53920-71	Floor Sample 71	Total/NA	Solid	5035	
880-53920-72	Sidewall 01	Total/NA	Solid	5035	
880-53920-73	Sidewall 02	Total/NA	Solid	5035	
MB 880-101952/5-A	Method Blank	Total/NA	Solid	5035	
LCS 880-101952/1-A	Lab Control Sample	Total/NA	Solid	5035	
LCSD 880-101952/2-A	Lab Control Sample Dup	Total/NA	Solid	5035	

Prep Batch: 101953

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MB 880-101953/5-A	Method Blank	Total/NA	Solid	5035	

Analysis Batch: 101954

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-53920-21	Floor Sample 21	Total/NA	Solid	8021B	101999
880-53920-22	Floor Sample 22	Total/NA	Solid	8021B	101999
880-53920-23	Floor Sample 23	Total/NA	Solid	8021B	101999
880-53920-24	Floor Sample 24	Total/NA	Solid	8021B	101999
880-53920-25	Floor Sample 25	Total/NA	Solid	8021B	101999
880-53920-26	Floor Sample 26	Total/NA	Solid	8021B	101999
880-53920-27	Floor Sample 27	Total/NA	Solid	8021B	101999
880-53920-28	Floor Sample 28	Total/NA	Solid	8021B	101999
880-53920-29	Floor Sample 29	Total/NA	Solid	8021B	101999
880-53920-30	Floor Sample 30	Total/NA	Solid	8021B	101999
880-53920-31	Floor Sample 31	Total/NA	Solid	8021B	101999
880-53920-32	Floor Sample 32	Total/NA	Solid	8021B	101999
880-53920-33	Floor Sample 33	Total/NA	Solid	8021B	101999
880-53920-34	Floor Sample 34	Total/NA	Solid	8021B	101999
880-53920-35	Floor Sample 35	Total/NA	Solid	8021B	101999
880-53920-36	Floor Sample 36	Total/NA	Solid	8021B	101999
880-53920-37	Floor Sample 37	Total/NA	Solid	8021B	101999
880-53920-38	Floor Sample 38	Total/NA	Solid	8021B	101999
880-53920-39	Floor Sample 39	Total/NA	Solid	8021B	101999
880-53920-40	Floor Sample 40	Total/NA	Solid	8021B	101999
880-53920-70	Floor Sample 70	Total/NA	Solid	8021B	101952
880-53920-71	Floor Sample 71	Total/NA	Solid	8021B	101952
880-53920-72	Sidewall 01	Total/NA	Solid	8021B	101952
880-53920-73	Sidewall 02	Total/NA	Solid	8021B	101952

Eurofins Midland

QC Association Summary

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gas Line Release

Job ID: 880-53920-1
SDG: 21348

GC VOA (Continued)

Analysis Batch: 101954 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MB 880-101952/5-A	Method Blank	Total/NA	Solid	8021B	101952
MB 880-101999/5-A	Method Blank	Total/NA	Solid	8021B	101999
LCS 880-101952/1-A	Lab Control Sample	Total/NA	Solid	8021B	101952
LCS 880-101999/1-A	Lab Control Sample	Total/NA	Solid	8021B	101999
LCSD 880-101952/2-A	Lab Control Sample Dup	Total/NA	Solid	8021B	101952
LCSD 880-101999/2-A	Lab Control Sample Dup	Total/NA	Solid	8021B	101999
880-53920-21 MS	Floor Sample 21	Total/NA	Solid	8021B	101999
880-53920-21 MSD	Floor Sample 21	Total/NA	Solid	8021B	101999

Prep Batch: 101997

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-53920-1	Floor Sample 01	Total/NA	Solid	5035	
880-53920-2	Floor Sample 02	Total/NA	Solid	5035	
880-53920-3	Floor Sample 03	Total/NA	Solid	5035	
880-53920-4	Floor Sample 04	Total/NA	Solid	5035	
880-53920-5	Floor Sample 05	Total/NA	Solid	5035	
880-53920-6	Floor Sample 06	Total/NA	Solid	5035	
880-53920-7	Floor Sample 07	Total/NA	Solid	5035	
880-53920-8	Floor Sample 08	Total/NA	Solid	5035	
880-53920-9	Floor Sample 09	Total/NA	Solid	5035	
880-53920-10	Floor Sample 10	Total/NA	Solid	5035	
880-53920-11	Floor Sample 11	Total/NA	Solid	5035	
880-53920-12	Floor Sample 12	Total/NA	Solid	5035	
880-53920-13	Floor Sample 13	Total/NA	Solid	5035	
880-53920-14	Floor Sample 14	Total/NA	Solid	5035	
880-53920-15	Floor Sample 15	Total/NA	Solid	5035	
880-53920-16	Floor Sample 16	Total/NA	Solid	5035	
880-53920-17	Floor Sample 17	Total/NA	Solid	5035	
880-53920-18	Floor Sample 18	Total/NA	Solid	5035	
880-53920-19	Floor Sample 19	Total/NA	Solid	5035	
880-53920-20	Floor Sample 20	Total/NA	Solid	5035	
MB 880-101997/5-A	Method Blank	Total/NA	Solid	5035	
LCS 880-101997/1-A	Lab Control Sample	Total/NA	Solid	5035	
LCSD 880-101997/2-A	Lab Control Sample Dup	Total/NA	Solid	5035	
880-53920-1 MS	Floor Sample 01	Total/NA	Solid	5035	
880-53920-1 MSD	Floor Sample 01	Total/NA	Solid	5035	

Prep Batch: 101999

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-53920-21	Floor Sample 21	Total/NA	Solid	5035	
880-53920-22	Floor Sample 22	Total/NA	Solid	5035	
880-53920-23	Floor Sample 23	Total/NA	Solid	5035	
880-53920-24	Floor Sample 24	Total/NA	Solid	5035	
880-53920-25	Floor Sample 25	Total/NA	Solid	5035	
880-53920-26	Floor Sample 26	Total/NA	Solid	5035	
880-53920-27	Floor Sample 27	Total/NA	Solid	5035	
880-53920-28	Floor Sample 28	Total/NA	Solid	5035	
880-53920-29	Floor Sample 29	Total/NA	Solid	5035	
880-53920-30	Floor Sample 30	Total/NA	Solid	5035	
880-53920-31	Floor Sample 31	Total/NA	Solid	5035	
880-53920-32	Floor Sample 32	Total/NA	Solid	5035	

Eurofins Midland

QC Association Summary

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gas Line Release

Job ID: 880-53920-1
SDG: 21348

GC VOA (Continued)

Prep Batch: 101999 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-53920-33	Floor Sample 33	Total/NA	Solid	5035	
880-53920-34	Floor Sample 34	Total/NA	Solid	5035	
880-53920-35	Floor Sample 35	Total/NA	Solid	5035	
880-53920-36	Floor Sample 36	Total/NA	Solid	5035	
880-53920-37	Floor Sample 37	Total/NA	Solid	5035	
880-53920-38	Floor Sample 38	Total/NA	Solid	5035	
880-53920-39	Floor Sample 39	Total/NA	Solid	5035	
880-53920-40	Floor Sample 40	Total/NA	Solid	5035	
MB 880-101999/5-A	Method Blank	Total/NA	Solid	5035	
LCS 880-101999/1-A	Lab Control Sample	Total/NA	Solid	5035	
LCSD 880-101999/2-A	Lab Control Sample Dup	Total/NA	Solid	5035	
880-53920-21 MS	Floor Sample 21	Total/NA	Solid	5035	
880-53920-21 MSD	Floor Sample 21	Total/NA	Solid	5035	

Prep Batch: 102000

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-53920-41	Floor Sample 41	Total/NA	Solid	5035	
880-53920-42	Floor Sample 42	Total/NA	Solid	5035	
880-53920-43	Floor Sample 43	Total/NA	Solid	5035	
880-53920-44	Floor Sample 44	Total/NA	Solid	5035	
880-53920-45	Floor Sample 45	Total/NA	Solid	5035	
880-53920-46	Floor Sample 46	Total/NA	Solid	5035	
880-53920-47	Floor Sample 47	Total/NA	Solid	5035	
880-53920-48	Floor Sample 48	Total/NA	Solid	5035	
880-53920-49	Floor Sample 49	Total/NA	Solid	5035	
880-53920-50	Floor Sample 50	Total/NA	Solid	5035	
880-53920-51	Floor Sample 51	Total/NA	Solid	5035	
880-53920-52	Floor Sample 52	Total/NA	Solid	5035	
880-53920-53	Floor Sample 53	Total/NA	Solid	5035	
880-53920-54	Floor Sample 54	Total/NA	Solid	5035	
880-53920-55	Floor Sample 55	Total/NA	Solid	5035	
880-53920-56	Floor Sample 56	Total/NA	Solid	5035	
880-53920-57	Floor Sample 57	Total/NA	Solid	5035	
880-53920-58	Floor Sample 58	Total/NA	Solid	5035	
880-53920-59	Floor Sample 59	Total/NA	Solid	5035	
880-53920-60	Floor Sample 60	Total/NA	Solid	5035	
MB 880-102000/5-A	Method Blank	Total/NA	Solid	5035	
LCS 880-102000/1-A	Lab Control Sample	Total/NA	Solid	5035	
LCSD 880-102000/2-A	Lab Control Sample Dup	Total/NA	Solid	5035	
880-53920-41 MS	Floor Sample 41	Total/NA	Solid	5035	
880-53920-41 MSD	Floor Sample 41	Total/NA	Solid	5035	

Prep Batch: 102001

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-53920-74	Sidewall 03	Total/NA	Solid	5035	
880-53920-75	Sidewall 04	Total/NA	Solid	5035	
880-53920-76	Sidewall 05	Total/NA	Solid	5035	
880-53920-77	Sidewall 06	Total/NA	Solid	5035	
880-53920-78	Sidewall 07	Total/NA	Solid	5035	
MB 880-102001/5-A	Method Blank	Total/NA	Solid	5035	
LCS 880-102001/1-A	Lab Control Sample	Total/NA	Solid	5035	

Eurofins Midland

QC Association Summary

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gas Line Release

Job ID: 880-53920-1
SDG: 21348

GC VOA (Continued)

Prep Batch: 102001 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
LCSD 880-102001/2-A	Lab Control Sample Dup	Total/NA	Solid	5035	
880-53920-74 MS	Sidewall 03	Total/NA	Solid	5035	
880-53920-74 MSD	Sidewall 03	Total/NA	Solid	5035	

Analysis Batch: 102090

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-53920-1	Floor Sample 01	Total/NA	Solid	Total BTEX	
880-53920-2	Floor Sample 02	Total/NA	Solid	Total BTEX	
880-53920-3	Floor Sample 03	Total/NA	Solid	Total BTEX	
880-53920-4	Floor Sample 04	Total/NA	Solid	Total BTEX	
880-53920-5	Floor Sample 05	Total/NA	Solid	Total BTEX	
880-53920-6	Floor Sample 06	Total/NA	Solid	Total BTEX	
880-53920-7	Floor Sample 07	Total/NA	Solid	Total BTEX	
880-53920-8	Floor Sample 08	Total/NA	Solid	Total BTEX	
880-53920-9	Floor Sample 09	Total/NA	Solid	Total BTEX	
880-53920-10	Floor Sample 10	Total/NA	Solid	Total BTEX	
880-53920-11	Floor Sample 11	Total/NA	Solid	Total BTEX	
880-53920-12	Floor Sample 12	Total/NA	Solid	Total BTEX	
880-53920-13	Floor Sample 13	Total/NA	Solid	Total BTEX	
880-53920-14	Floor Sample 14	Total/NA	Solid	Total BTEX	
880-53920-15	Floor Sample 15	Total/NA	Solid	Total BTEX	
880-53920-16	Floor Sample 16	Total/NA	Solid	Total BTEX	
880-53920-17	Floor Sample 17	Total/NA	Solid	Total BTEX	
880-53920-18	Floor Sample 18	Total/NA	Solid	Total BTEX	
880-53920-19	Floor Sample 19	Total/NA	Solid	Total BTEX	
880-53920-20	Floor Sample 20	Total/NA	Solid	Total BTEX	
880-53920-21	Floor Sample 21	Total/NA	Solid	Total BTEX	
880-53920-22	Floor Sample 22	Total/NA	Solid	Total BTEX	
880-53920-23	Floor Sample 23	Total/NA	Solid	Total BTEX	
880-53920-24	Floor Sample 24	Total/NA	Solid	Total BTEX	
880-53920-25	Floor Sample 25	Total/NA	Solid	Total BTEX	
880-53920-26	Floor Sample 26	Total/NA	Solid	Total BTEX	
880-53920-27	Floor Sample 27	Total/NA	Solid	Total BTEX	
880-53920-28	Floor Sample 28	Total/NA	Solid	Total BTEX	
880-53920-29	Floor Sample 29	Total/NA	Solid	Total BTEX	
880-53920-30	Floor Sample 30	Total/NA	Solid	Total BTEX	
880-53920-31	Floor Sample 31	Total/NA	Solid	Total BTEX	
880-53920-32	Floor Sample 32	Total/NA	Solid	Total BTEX	
880-53920-33	Floor Sample 33	Total/NA	Solid	Total BTEX	
880-53920-34	Floor Sample 34	Total/NA	Solid	Total BTEX	
880-53920-35	Floor Sample 35	Total/NA	Solid	Total BTEX	
880-53920-36	Floor Sample 36	Total/NA	Solid	Total BTEX	
880-53920-37	Floor Sample 37	Total/NA	Solid	Total BTEX	
880-53920-38	Floor Sample 38	Total/NA	Solid	Total BTEX	
880-53920-39	Floor Sample 39	Total/NA	Solid	Total BTEX	
880-53920-40	Floor Sample 40	Total/NA	Solid	Total BTEX	
880-53920-41	Floor Sample 41	Total/NA	Solid	Total BTEX	
880-53920-42	Floor Sample 42	Total/NA	Solid	Total BTEX	
880-53920-43	Floor Sample 43	Total/NA	Solid	Total BTEX	
880-53920-44	Floor Sample 44	Total/NA	Solid	Total BTEX	
880-53920-45	Floor Sample 45	Total/NA	Solid	Total BTEX	

Eurofins Midland

QC Association Summary

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gas Line Release

Job ID: 880-53920-1
SDG: 21348

GC VOA (Continued)

Analysis Batch: 102090 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-53920-46	Floor Sample 46	Total/NA	Solid	Total BTEX	
880-53920-47	Floor Sample 47	Total/NA	Solid	Total BTEX	
880-53920-48	Floor Sample 48	Total/NA	Solid	Total BTEX	
880-53920-49	Floor Sample 49	Total/NA	Solid	Total BTEX	
880-53920-50	Floor Sample 50	Total/NA	Solid	Total BTEX	
880-53920-51	Floor Sample 51	Total/NA	Solid	Total BTEX	
880-53920-52	Floor Sample 52	Total/NA	Solid	Total BTEX	
880-53920-53	Floor Sample 53	Total/NA	Solid	Total BTEX	
880-53920-54	Floor Sample 54	Total/NA	Solid	Total BTEX	
880-53920-55	Floor Sample 55	Total/NA	Solid	Total BTEX	
880-53920-56	Floor Sample 56	Total/NA	Solid	Total BTEX	
880-53920-57	Floor Sample 57	Total/NA	Solid	Total BTEX	
880-53920-58	Floor Sample 58	Total/NA	Solid	Total BTEX	
880-53920-59	Floor Sample 59	Total/NA	Solid	Total BTEX	
880-53920-60	Floor Sample 60	Total/NA	Solid	Total BTEX	
880-53920-61	Floor Sample 61	Total/NA	Solid	Total BTEX	
880-53920-62	Floor Sample 62	Total/NA	Solid	Total BTEX	
880-53920-63	Floor Sample 63	Total/NA	Solid	Total BTEX	
880-53920-64	Floor Sample 64	Total/NA	Solid	Total BTEX	
880-53920-65	Floor Sample 65	Total/NA	Solid	Total BTEX	
880-53920-66	Floor Sample 66	Total/NA	Solid	Total BTEX	
880-53920-67	Floor Sample 67	Total/NA	Solid	Total BTEX	
880-53920-68	Floor Sample 68	Total/NA	Solid	Total BTEX	
880-53920-69	Floor Sample 69	Total/NA	Solid	Total BTEX	
880-53920-70	Floor Sample 70	Total/NA	Solid	Total BTEX	
880-53920-71	Floor Sample 71	Total/NA	Solid	Total BTEX	
880-53920-72	Sidewall 01	Total/NA	Solid	Total BTEX	
880-53920-73	Sidewall 02	Total/NA	Solid	Total BTEX	
880-53920-74	Sidewall 03	Total/NA	Solid	Total BTEX	
880-53920-75	Sidewall 04	Total/NA	Solid	Total BTEX	
880-53920-76	Sidewall 05	Total/NA	Solid	Total BTEX	
880-53920-77	Sidewall 06	Total/NA	Solid	Total BTEX	
880-53920-78	Sidewall 07	Total/NA	Solid	Total BTEX	

GC Semi VOA

Prep Batch: 101901

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-53920-1	Floor Sample 01	Total/NA	Solid	8015NM Prep	
880-53920-2	Floor Sample 02	Total/NA	Solid	8015NM Prep	
880-53920-3	Floor Sample 03	Total/NA	Solid	8015NM Prep	
880-53920-4	Floor Sample 04	Total/NA	Solid	8015NM Prep	
880-53920-5	Floor Sample 05	Total/NA	Solid	8015NM Prep	
880-53920-6	Floor Sample 06	Total/NA	Solid	8015NM Prep	
880-53920-7	Floor Sample 07	Total/NA	Solid	8015NM Prep	
880-53920-8	Floor Sample 08	Total/NA	Solid	8015NM Prep	
880-53920-9	Floor Sample 09	Total/NA	Solid	8015NM Prep	
880-53920-10	Floor Sample 10	Total/NA	Solid	8015NM Prep	
880-53920-11	Floor Sample 11	Total/NA	Solid	8015NM Prep	
880-53920-12	Floor Sample 12	Total/NA	Solid	8015NM Prep	
880-53920-13	Floor Sample 13	Total/NA	Solid	8015NM Prep	

Eurofins Midland

QC Association Summary

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gas Line Release

Job ID: 880-53920-1
SDG: 21348

GC Semi VOA (Continued)

Prep Batch: 101901 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-53920-14	Floor Sample 14	Total/NA	Solid	8015NM Prep	
880-53920-15	Floor Sample 15	Total/NA	Solid	8015NM Prep	
880-53920-16	Floor Sample 16	Total/NA	Solid	8015NM Prep	
880-53920-17	Floor Sample 17	Total/NA	Solid	8015NM Prep	
880-53920-18	Floor Sample 18	Total/NA	Solid	8015NM Prep	
880-53920-19	Floor Sample 19	Total/NA	Solid	8015NM Prep	
880-53920-20	Floor Sample 20	Total/NA	Solid	8015NM Prep	
MB 880-101901/1-A	Method Blank	Total/NA	Solid	8015NM Prep	
LCS 880-101901/2-A	Lab Control Sample	Total/NA	Solid	8015NM Prep	
LCSD 880-101901/3-A	Lab Control Sample Dup	Total/NA	Solid	8015NM Prep	
880-53920-1 MS	Floor Sample 01	Total/NA	Solid	8015NM Prep	
880-53920-1 MSD	Floor Sample 01	Total/NA	Solid	8015NM Prep	

Prep Batch: 101903

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-53920-21	Floor Sample 21	Total/NA	Solid	8015NM Prep	
880-53920-22	Floor Sample 22	Total/NA	Solid	8015NM Prep	
880-53920-23	Floor Sample 23	Total/NA	Solid	8015NM Prep	
880-53920-24	Floor Sample 24	Total/NA	Solid	8015NM Prep	
880-53920-25	Floor Sample 25	Total/NA	Solid	8015NM Prep	
880-53920-26	Floor Sample 26	Total/NA	Solid	8015NM Prep	
880-53920-27	Floor Sample 27	Total/NA	Solid	8015NM Prep	
880-53920-28	Floor Sample 28	Total/NA	Solid	8015NM Prep	
880-53920-29	Floor Sample 29	Total/NA	Solid	8015NM Prep	
880-53920-30	Floor Sample 30	Total/NA	Solid	8015NM Prep	
880-53920-31	Floor Sample 31	Total/NA	Solid	8015NM Prep	
880-53920-32	Floor Sample 32	Total/NA	Solid	8015NM Prep	
880-53920-33	Floor Sample 33	Total/NA	Solid	8015NM Prep	
880-53920-34	Floor Sample 34	Total/NA	Solid	8015NM Prep	
880-53920-35	Floor Sample 35	Total/NA	Solid	8015NM Prep	
880-53920-36	Floor Sample 36	Total/NA	Solid	8015NM Prep	
880-53920-37	Floor Sample 37	Total/NA	Solid	8015NM Prep	
880-53920-38	Floor Sample 38	Total/NA	Solid	8015NM Prep	
880-53920-39	Floor Sample 39	Total/NA	Solid	8015NM Prep	
880-53920-40	Floor Sample 40	Total/NA	Solid	8015NM Prep	
MB 880-101903/1-A	Method Blank	Total/NA	Solid	8015NM Prep	
LCS 880-101903/2-A	Lab Control Sample	Total/NA	Solid	8015NM Prep	
LCSD 880-101903/3-A	Lab Control Sample Dup	Total/NA	Solid	8015NM Prep	
880-53920-21 MS	Floor Sample 21	Total/NA	Solid	8015NM Prep	
880-53920-21 MSD	Floor Sample 21	Total/NA	Solid	8015NM Prep	

Prep Batch: 101908

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-53920-41	Floor Sample 41	Total/NA	Solid	8015NM Prep	
880-53920-42	Floor Sample 42	Total/NA	Solid	8015NM Prep	
880-53920-43	Floor Sample 43	Total/NA	Solid	8015NM Prep	
880-53920-44	Floor Sample 44	Total/NA	Solid	8015NM Prep	
880-53920-45	Floor Sample 45	Total/NA	Solid	8015NM Prep	
880-53920-46	Floor Sample 46	Total/NA	Solid	8015NM Prep	
880-53920-47	Floor Sample 47	Total/NA	Solid	8015NM Prep	
880-53920-48	Floor Sample 48	Total/NA	Solid	8015NM Prep	

Eurofins Midland

QC Association Summary

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gas Line Release

Job ID: 880-53920-1
SDG: 21348

GC Semi VOA (Continued)

Prep Batch: 101908 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-53920-49	Floor Sample 49	Total/NA	Solid	8015NM Prep	
880-53920-50	Floor Sample 50	Total/NA	Solid	8015NM Prep	
880-53920-51	Floor Sample 51	Total/NA	Solid	8015NM Prep	
880-53920-52	Floor Sample 52	Total/NA	Solid	8015NM Prep	
880-53920-53	Floor Sample 53	Total/NA	Solid	8015NM Prep	
880-53920-54	Floor Sample 54	Total/NA	Solid	8015NM Prep	
880-53920-55	Floor Sample 55	Total/NA	Solid	8015NM Prep	
880-53920-56	Floor Sample 56	Total/NA	Solid	8015NM Prep	
880-53920-57	Floor Sample 57	Total/NA	Solid	8015NM Prep	
880-53920-58	Floor Sample 58	Total/NA	Solid	8015NM Prep	
880-53920-59	Floor Sample 59	Total/NA	Solid	8015NM Prep	
880-53920-60	Floor Sample 60	Total/NA	Solid	8015NM Prep	
MB 880-101908/1-A	Method Blank	Total/NA	Solid	8015NM Prep	
LCS 880-101908/2-A	Lab Control Sample	Total/NA	Solid	8015NM Prep	
LCSD 880-101908/3-A	Lab Control Sample Dup	Total/NA	Solid	8015NM Prep	
880-53920-41 MS	Floor Sample 41	Total/NA	Solid	8015NM Prep	
880-53920-41 MSD	Floor Sample 41	Total/NA	Solid	8015NM Prep	

Prep Batch: 101955

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-53920-61	Floor Sample 61	Total/NA	Solid	8015NM Prep	
880-53920-62	Floor Sample 62	Total/NA	Solid	8015NM Prep	
880-53920-63	Floor Sample 63	Total/NA	Solid	8015NM Prep	
880-53920-64	Floor Sample 64	Total/NA	Solid	8015NM Prep	
880-53920-65	Floor Sample 65	Total/NA	Solid	8015NM Prep	
880-53920-66	Floor Sample 66	Total/NA	Solid	8015NM Prep	
880-53920-67	Floor Sample 67	Total/NA	Solid	8015NM Prep	
880-53920-69	Floor Sample 69	Total/NA	Solid	8015NM Prep	
880-53920-70	Floor Sample 70	Total/NA	Solid	8015NM Prep	
880-53920-72	Sidewall 01	Total/NA	Solid	8015NM Prep	
880-53920-73	Sidewall 02	Total/NA	Solid	8015NM Prep	
880-53920-74	Sidewall 03	Total/NA	Solid	8015NM Prep	
880-53920-75	Sidewall 04	Total/NA	Solid	8015NM Prep	
880-53920-76	Sidewall 05	Total/NA	Solid	8015NM Prep	
880-53920-77	Sidewall 06	Total/NA	Solid	8015NM Prep	
880-53920-78	Sidewall 07	Total/NA	Solid	8015NM Prep	
MB 880-101955/1-A	Method Blank	Total/NA	Solid	8015NM Prep	
LCS 880-101955/2-A	Lab Control Sample	Total/NA	Solid	8015NM Prep	
LCSD 880-101955/3-A	Lab Control Sample Dup	Total/NA	Solid	8015NM Prep	
880-53920-61 MS	Floor Sample 61	Total/NA	Solid	8015NM Prep	
880-53920-61 MSD	Floor Sample 61	Total/NA	Solid	8015NM Prep	

Analysis Batch: 101956

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-53920-1	Floor Sample 01	Total/NA	Solid	8015B NM	101901
880-53920-2	Floor Sample 02	Total/NA	Solid	8015B NM	101901
880-53920-3	Floor Sample 03	Total/NA	Solid	8015B NM	101901
880-53920-4	Floor Sample 04	Total/NA	Solid	8015B NM	101901
880-53920-5	Floor Sample 05	Total/NA	Solid	8015B NM	101901
880-53920-6	Floor Sample 06	Total/NA	Solid	8015B NM	101901
880-53920-7	Floor Sample 07	Total/NA	Solid	8015B NM	101901

Eurofins Midland

QC Association Summary

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gas Line Release

Job ID: 880-53920-1
SDG: 21348

GC Semi VOA (Continued)

Analysis Batch: 101956 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-53920-8	Floor Sample 08	Total/NA	Solid	8015B NM	101901
880-53920-9	Floor Sample 09	Total/NA	Solid	8015B NM	101901
880-53920-10	Floor Sample 10	Total/NA	Solid	8015B NM	101901
880-53920-11	Floor Sample 11	Total/NA	Solid	8015B NM	101901
880-53920-12	Floor Sample 12	Total/NA	Solid	8015B NM	101901
880-53920-13	Floor Sample 13	Total/NA	Solid	8015B NM	101901
880-53920-14	Floor Sample 14	Total/NA	Solid	8015B NM	101901
880-53920-15	Floor Sample 15	Total/NA	Solid	8015B NM	101901
880-53920-16	Floor Sample 16	Total/NA	Solid	8015B NM	101901
880-53920-17	Floor Sample 17	Total/NA	Solid	8015B NM	101901
880-53920-18	Floor Sample 18	Total/NA	Solid	8015B NM	101901
880-53920-19	Floor Sample 19	Total/NA	Solid	8015B NM	101901
880-53920-20	Floor Sample 20	Total/NA	Solid	8015B NM	101901
MB 880-101901/1-A	Method Blank	Total/NA	Solid	8015B NM	101901
LCS 880-101901/2-A	Lab Control Sample	Total/NA	Solid	8015B NM	101901
LCSD 880-101901/3-A	Lab Control Sample Dup	Total/NA	Solid	8015B NM	101901
880-53920-1 MS	Floor Sample 01	Total/NA	Solid	8015B NM	101901
880-53920-1 MSD	Floor Sample 01	Total/NA	Solid	8015B NM	101901

Analysis Batch: 101958

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-53920-21	Floor Sample 21	Total/NA	Solid	8015B NM	101903
880-53920-22	Floor Sample 22	Total/NA	Solid	8015B NM	101903
880-53920-23	Floor Sample 23	Total/NA	Solid	8015B NM	101903
880-53920-24	Floor Sample 24	Total/NA	Solid	8015B NM	101903
880-53920-25	Floor Sample 25	Total/NA	Solid	8015B NM	101903
880-53920-26	Floor Sample 26	Total/NA	Solid	8015B NM	101903
880-53920-27	Floor Sample 27	Total/NA	Solid	8015B NM	101903
880-53920-28	Floor Sample 28	Total/NA	Solid	8015B NM	101903
880-53920-29	Floor Sample 29	Total/NA	Solid	8015B NM	101903
880-53920-30	Floor Sample 30	Total/NA	Solid	8015B NM	101903
880-53920-31	Floor Sample 31	Total/NA	Solid	8015B NM	101903
880-53920-32	Floor Sample 32	Total/NA	Solid	8015B NM	101903
880-53920-33	Floor Sample 33	Total/NA	Solid	8015B NM	101903
880-53920-34	Floor Sample 34	Total/NA	Solid	8015B NM	101903
880-53920-35	Floor Sample 35	Total/NA	Solid	8015B NM	101903
880-53920-36	Floor Sample 36	Total/NA	Solid	8015B NM	101903
880-53920-37	Floor Sample 37	Total/NA	Solid	8015B NM	101903
880-53920-38	Floor Sample 38	Total/NA	Solid	8015B NM	101903
880-53920-39	Floor Sample 39	Total/NA	Solid	8015B NM	101903
880-53920-40	Floor Sample 40	Total/NA	Solid	8015B NM	101903
880-53920-61	Floor Sample 61	Total/NA	Solid	8015B NM	101955
880-53920-62	Floor Sample 62	Total/NA	Solid	8015B NM	101955
880-53920-63	Floor Sample 63	Total/NA	Solid	8015B NM	101955
880-53920-64	Floor Sample 64	Total/NA	Solid	8015B NM	101955
880-53920-65	Floor Sample 65	Total/NA	Solid	8015B NM	101955
880-53920-66	Floor Sample 66	Total/NA	Solid	8015B NM	101955
880-53920-67	Floor Sample 67	Total/NA	Solid	8015B NM	101955
880-53920-69	Floor Sample 69	Total/NA	Solid	8015B NM	101955
880-53920-70	Floor Sample 70	Total/NA	Solid	8015B NM	101955
880-53920-72	Sidewall 01	Total/NA	Solid	8015B NM	101955

Eurofins Midland

QC Association Summary

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gas Line Release

Job ID: 880-53920-1
SDG: 21348

GC Semi VOA (Continued)

Analysis Batch: 101958 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-53920-73	Sidewall 02	Total/NA	Solid	8015B NM	101955
880-53920-74	Sidewall 03	Total/NA	Solid	8015B NM	101955
880-53920-75	Sidewall 04	Total/NA	Solid	8015B NM	101955
880-53920-76	Sidewall 05	Total/NA	Solid	8015B NM	101955
880-53920-77	Sidewall 06	Total/NA	Solid	8015B NM	101955
880-53920-78	Sidewall 07	Total/NA	Solid	8015B NM	101955
MB 880-101903/1-A	Method Blank	Total/NA	Solid	8015B NM	101903
MB 880-101955/1-A	Method Blank	Total/NA	Solid	8015B NM	101955
LCS 880-101903/2-A	Lab Control Sample	Total/NA	Solid	8015B NM	101903
LCS 880-101955/2-A	Lab Control Sample	Total/NA	Solid	8015B NM	101955
LCSD 880-101903/3-A	Lab Control Sample Dup	Total/NA	Solid	8015B NM	101903
LCSD 880-101955/3-A	Lab Control Sample Dup	Total/NA	Solid	8015B NM	101955
880-53920-21 MS	Floor Sample 21	Total/NA	Solid	8015B NM	101903
880-53920-21 MSD	Floor Sample 21	Total/NA	Solid	8015B NM	101903
880-53920-61 MS	Floor Sample 61	Total/NA	Solid	8015B NM	101955
880-53920-61 MSD	Floor Sample 61	Total/NA	Solid	8015B NM	101955

Analysis Batch: 102085

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-53920-1	Floor Sample 01	Total/NA	Solid	8015 NM	
880-53920-2	Floor Sample 02	Total/NA	Solid	8015 NM	
880-53920-3	Floor Sample 03	Total/NA	Solid	8015 NM	
880-53920-4	Floor Sample 04	Total/NA	Solid	8015 NM	
880-53920-5	Floor Sample 05	Total/NA	Solid	8015 NM	
880-53920-6	Floor Sample 06	Total/NA	Solid	8015 NM	
880-53920-7	Floor Sample 07	Total/NA	Solid	8015 NM	
880-53920-8	Floor Sample 08	Total/NA	Solid	8015 NM	
880-53920-9	Floor Sample 09	Total/NA	Solid	8015 NM	
880-53920-10	Floor Sample 10	Total/NA	Solid	8015 NM	
880-53920-11	Floor Sample 11	Total/NA	Solid	8015 NM	
880-53920-12	Floor Sample 12	Total/NA	Solid	8015 NM	
880-53920-13	Floor Sample 13	Total/NA	Solid	8015 NM	
880-53920-14	Floor Sample 14	Total/NA	Solid	8015 NM	
880-53920-15	Floor Sample 15	Total/NA	Solid	8015 NM	
880-53920-16	Floor Sample 16	Total/NA	Solid	8015 NM	
880-53920-17	Floor Sample 17	Total/NA	Solid	8015 NM	
880-53920-18	Floor Sample 18	Total/NA	Solid	8015 NM	
880-53920-19	Floor Sample 19	Total/NA	Solid	8015 NM	
880-53920-20	Floor Sample 20	Total/NA	Solid	8015 NM	
880-53920-21	Floor Sample 21	Total/NA	Solid	8015 NM	
880-53920-22	Floor Sample 22	Total/NA	Solid	8015 NM	
880-53920-23	Floor Sample 23	Total/NA	Solid	8015 NM	
880-53920-24	Floor Sample 24	Total/NA	Solid	8015 NM	
880-53920-25	Floor Sample 25	Total/NA	Solid	8015 NM	
880-53920-26	Floor Sample 26	Total/NA	Solid	8015 NM	
880-53920-27	Floor Sample 27	Total/NA	Solid	8015 NM	
880-53920-28	Floor Sample 28	Total/NA	Solid	8015 NM	
880-53920-29	Floor Sample 29	Total/NA	Solid	8015 NM	
880-53920-30	Floor Sample 30	Total/NA	Solid	8015 NM	
880-53920-31	Floor Sample 31	Total/NA	Solid	8015 NM	
880-53920-32	Floor Sample 32	Total/NA	Solid	8015 NM	

Eurofins Midland

QC Association Summary

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gas Line Release

Job ID: 880-53920-1
SDG: 21348

GC Semi VOA (Continued)

Analysis Batch: 102085 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-53920-33	Floor Sample 33	Total/NA	Solid	8015 NM	
880-53920-34	Floor Sample 34	Total/NA	Solid	8015 NM	
880-53920-35	Floor Sample 35	Total/NA	Solid	8015 NM	
880-53920-36	Floor Sample 36	Total/NA	Solid	8015 NM	
880-53920-37	Floor Sample 37	Total/NA	Solid	8015 NM	
880-53920-38	Floor Sample 38	Total/NA	Solid	8015 NM	
880-53920-39	Floor Sample 39	Total/NA	Solid	8015 NM	
880-53920-40	Floor Sample 40	Total/NA	Solid	8015 NM	
880-53920-41	Floor Sample 41	Total/NA	Solid	8015 NM	
880-53920-42	Floor Sample 42	Total/NA	Solid	8015 NM	
880-53920-43	Floor Sample 43	Total/NA	Solid	8015 NM	
880-53920-44	Floor Sample 44	Total/NA	Solid	8015 NM	
880-53920-45	Floor Sample 45	Total/NA	Solid	8015 NM	
880-53920-46	Floor Sample 46	Total/NA	Solid	8015 NM	
880-53920-47	Floor Sample 47	Total/NA	Solid	8015 NM	
880-53920-48	Floor Sample 48	Total/NA	Solid	8015 NM	
880-53920-49	Floor Sample 49	Total/NA	Solid	8015 NM	
880-53920-50	Floor Sample 50	Total/NA	Solid	8015 NM	
880-53920-51	Floor Sample 51	Total/NA	Solid	8015 NM	
880-53920-52	Floor Sample 52	Total/NA	Solid	8015 NM	
880-53920-53	Floor Sample 53	Total/NA	Solid	8015 NM	
880-53920-54	Floor Sample 54	Total/NA	Solid	8015 NM	
880-53920-55	Floor Sample 55	Total/NA	Solid	8015 NM	
880-53920-56	Floor Sample 56	Total/NA	Solid	8015 NM	
880-53920-57	Floor Sample 57	Total/NA	Solid	8015 NM	
880-53920-58	Floor Sample 58	Total/NA	Solid	8015 NM	
880-53920-59	Floor Sample 59	Total/NA	Solid	8015 NM	
880-53920-60	Floor Sample 60	Total/NA	Solid	8015 NM	
880-53920-61	Floor Sample 61	Total/NA	Solid	8015 NM	
880-53920-62	Floor Sample 62	Total/NA	Solid	8015 NM	
880-53920-63	Floor Sample 63	Total/NA	Solid	8015 NM	
880-53920-64	Floor Sample 64	Total/NA	Solid	8015 NM	
880-53920-65	Floor Sample 65	Total/NA	Solid	8015 NM	
880-53920-66	Floor Sample 66	Total/NA	Solid	8015 NM	
880-53920-67	Floor Sample 67	Total/NA	Solid	8015 NM	
880-53920-68	Floor Sample 68	Total/NA	Solid	8015 NM	
880-53920-69	Floor Sample 69	Total/NA	Solid	8015 NM	
880-53920-70	Floor Sample 70	Total/NA	Solid	8015 NM	
880-53920-71	Floor Sample 71	Total/NA	Solid	8015 NM	
880-53920-72	Sidewall 01	Total/NA	Solid	8015 NM	
880-53920-73	Sidewall 02	Total/NA	Solid	8015 NM	
880-53920-74	Sidewall 03	Total/NA	Solid	8015 NM	
880-53920-75	Sidewall 04	Total/NA	Solid	8015 NM	
880-53920-76	Sidewall 05	Total/NA	Solid	8015 NM	
880-53920-77	Sidewall 06	Total/NA	Solid	8015 NM	
880-53920-78	Sidewall 07	Total/NA	Solid	8015 NM	

Analysis Batch: 102160

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-53920-41	Floor Sample 41	Total/NA	Solid	8015B NM	101908
880-53920-42	Floor Sample 42	Total/NA	Solid	8015B NM	101908

Eurofins Midland

QC Association Summary

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gas Line Release

Job ID: 880-53920-1
SDG: 21348

GC Semi VOA (Continued)

Analysis Batch: 102160 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-53920-43	Floor Sample 43	Total/NA	Solid	8015B NM	101908
880-53920-44	Floor Sample 44	Total/NA	Solid	8015B NM	101908
880-53920-45	Floor Sample 45	Total/NA	Solid	8015B NM	101908
880-53920-46	Floor Sample 46	Total/NA	Solid	8015B NM	101908
880-53920-47	Floor Sample 47	Total/NA	Solid	8015B NM	101908
880-53920-48	Floor Sample 48	Total/NA	Solid	8015B NM	101908
880-53920-49	Floor Sample 49	Total/NA	Solid	8015B NM	101908
880-53920-50	Floor Sample 50	Total/NA	Solid	8015B NM	101908
880-53920-51	Floor Sample 51	Total/NA	Solid	8015B NM	101908
880-53920-52	Floor Sample 52	Total/NA	Solid	8015B NM	101908
880-53920-53	Floor Sample 53	Total/NA	Solid	8015B NM	101908
880-53920-54	Floor Sample 54	Total/NA	Solid	8015B NM	101908
880-53920-55	Floor Sample 55	Total/NA	Solid	8015B NM	101908
880-53920-56	Floor Sample 56	Total/NA	Solid	8015B NM	101908
880-53920-57	Floor Sample 57	Total/NA	Solid	8015B NM	101908
880-53920-58	Floor Sample 58	Total/NA	Solid	8015B NM	101908
880-53920-59	Floor Sample 59	Total/NA	Solid	8015B NM	101908
880-53920-60	Floor Sample 60	Total/NA	Solid	8015B NM	101908
MB 880-101908/1-A	Method Blank	Total/NA	Solid	8015B NM	101908
LCS 880-101908/2-A	Lab Control Sample	Total/NA	Solid	8015B NM	101908
LCSD 880-101908/3-A	Lab Control Sample Dup	Total/NA	Solid	8015B NM	101908
880-53920-41 MS	Floor Sample 41	Total/NA	Solid	8015B NM	101908
880-53920-41 MSD	Floor Sample 41	Total/NA	Solid	8015B NM	101908

Analysis Batch: 102924

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-53920-68	Floor Sample 68	Total/NA	Solid	8015B NM	102943
880-53920-71	Floor Sample 71	Total/NA	Solid	8015B NM	102943
MB 880-102943/1-A	Method Blank	Total/NA	Solid	8015B NM	102943
LCS 880-102943/2-A	Lab Control Sample	Total/NA	Solid	8015B NM	102943
LCSD 880-102943/3-A	Lab Control Sample Dup	Total/NA	Solid	8015B NM	102943
890-7663-A-1-Q MS	Matrix Spike	Total/NA	Solid	8015B NM	102943
890-7663-A-1-R MSD	Matrix Spike Duplicate	Total/NA	Solid	8015B NM	102943

Prep Batch: 102943

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-53920-68	Floor Sample 68	Total/NA	Solid	8015NM Prep	
880-53920-71	Floor Sample 71	Total/NA	Solid	8015NM Prep	
MB 880-102943/1-A	Method Blank	Total/NA	Solid	8015NM Prep	
LCS 880-102943/2-A	Lab Control Sample	Total/NA	Solid	8015NM Prep	
LCSD 880-102943/3-A	Lab Control Sample Dup	Total/NA	Solid	8015NM Prep	
890-7663-A-1-Q MS	Matrix Spike	Total/NA	Solid	8015NM Prep	
890-7663-A-1-R MSD	Matrix Spike Duplicate	Total/NA	Solid	8015NM Prep	

HPLC/IC

Leach Batch: 101888

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-53920-1	Floor Sample 01	Soluble	Solid	DI Leach	
880-53920-2	Floor Sample 02	Soluble	Solid	DI Leach	
880-53920-3	Floor Sample 03	Soluble	Solid	DI Leach	

Eurofins Midland

QC Association Summary

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gas Line Release

Job ID: 880-53920-1
SDG: 21348

HPLC/IC (Continued)

Leach Batch: 101888 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-53920-4	Floor Sample 04	Soluble	Solid	DI Leach	
880-53920-5	Floor Sample 05	Soluble	Solid	DI Leach	
880-53920-6	Floor Sample 06	Soluble	Solid	DI Leach	
880-53920-7	Floor Sample 07	Soluble	Solid	DI Leach	
880-53920-8	Floor Sample 08	Soluble	Solid	DI Leach	
880-53920-9	Floor Sample 09	Soluble	Solid	DI Leach	
880-53920-10	Floor Sample 10	Soluble	Solid	DI Leach	
880-53920-11	Floor Sample 11	Soluble	Solid	DI Leach	
880-53920-12	Floor Sample 12	Soluble	Solid	DI Leach	
880-53920-13	Floor Sample 13	Soluble	Solid	DI Leach	
880-53920-14	Floor Sample 14	Soluble	Solid	DI Leach	
880-53920-15	Floor Sample 15	Soluble	Solid	DI Leach	
880-53920-16	Floor Sample 16	Soluble	Solid	DI Leach	
880-53920-17	Floor Sample 17	Soluble	Solid	DI Leach	
880-53920-18	Floor Sample 18	Soluble	Solid	DI Leach	
880-53920-19	Floor Sample 19	Soluble	Solid	DI Leach	
880-53920-20	Floor Sample 20	Soluble	Solid	DI Leach	
MB 880-101888/1-A	Method Blank	Soluble	Solid	DI Leach	
LCS 880-101888/2-A	Lab Control Sample	Soluble	Solid	DI Leach	
LCSD 880-101888/3-A	Lab Control Sample Dup	Soluble	Solid	DI Leach	
880-53920-1 MS	Floor Sample 01	Soluble	Solid	DI Leach	
880-53920-1 MSD	Floor Sample 01	Soluble	Solid	DI Leach	
880-53920-11 MS	Floor Sample 11	Soluble	Solid	DI Leach	
880-53920-11 MSD	Floor Sample 11	Soluble	Solid	DI Leach	

Leach Batch: 101889

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-53920-21	Floor Sample 21	Soluble	Solid	DI Leach	
880-53920-22	Floor Sample 22	Soluble	Solid	DI Leach	
880-53920-23	Floor Sample 23	Soluble	Solid	DI Leach	
880-53920-24	Floor Sample 24	Soluble	Solid	DI Leach	
880-53920-25	Floor Sample 25	Soluble	Solid	DI Leach	
880-53920-26	Floor Sample 26	Soluble	Solid	DI Leach	
880-53920-27	Floor Sample 27	Soluble	Solid	DI Leach	
880-53920-28	Floor Sample 28	Soluble	Solid	DI Leach	
880-53920-29	Floor Sample 29	Soluble	Solid	DI Leach	
880-53920-30	Floor Sample 30	Soluble	Solid	DI Leach	
880-53920-31	Floor Sample 31	Soluble	Solid	DI Leach	
880-53920-32	Floor Sample 32	Soluble	Solid	DI Leach	
880-53920-33	Floor Sample 33	Soluble	Solid	DI Leach	
880-53920-34	Floor Sample 34	Soluble	Solid	DI Leach	
880-53920-35	Floor Sample 35	Soluble	Solid	DI Leach	
880-53920-36	Floor Sample 36	Soluble	Solid	DI Leach	
880-53920-37	Floor Sample 37	Soluble	Solid	DI Leach	
880-53920-38	Floor Sample 38	Soluble	Solid	DI Leach	
880-53920-39	Floor Sample 39	Soluble	Solid	DI Leach	
880-53920-40	Floor Sample 40	Soluble	Solid	DI Leach	
MB 880-101889/1-A	Method Blank	Soluble	Solid	DI Leach	
LCS 880-101889/2-A	Lab Control Sample	Soluble	Solid	DI Leach	
LCSD 880-101889/3-A	Lab Control Sample Dup	Soluble	Solid	DI Leach	
880-53920-21 MS	Floor Sample 21	Soluble	Solid	DI Leach	

Eurofins Midland

QC Association Summary

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gas Line Release

Job ID: 880-53920-1
SDG: 21348

HPLC/IC (Continued)

Leach Batch: 101889 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-53920-21 MSD	Floor Sample 21	Soluble	Solid	DI Leach	
880-53920-31 MS	Floor Sample 31	Soluble	Solid	DI Leach	
880-53920-31 MSD	Floor Sample 31	Soluble	Solid	DI Leach	

Leach Batch: 101890

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-53920-41	Floor Sample 41	Soluble	Solid	DI Leach	
880-53920-42	Floor Sample 42	Soluble	Solid	DI Leach	
880-53920-43	Floor Sample 43	Soluble	Solid	DI Leach	
880-53920-44	Floor Sample 44	Soluble	Solid	DI Leach	
880-53920-45	Floor Sample 45	Soluble	Solid	DI Leach	
880-53920-46	Floor Sample 46	Soluble	Solid	DI Leach	
880-53920-47	Floor Sample 47	Soluble	Solid	DI Leach	
880-53920-48	Floor Sample 48	Soluble	Solid	DI Leach	
880-53920-49	Floor Sample 49	Soluble	Solid	DI Leach	
880-53920-50	Floor Sample 50	Soluble	Solid	DI Leach	
880-53920-51	Floor Sample 51	Soluble	Solid	DI Leach	
880-53920-52	Floor Sample 52	Soluble	Solid	DI Leach	
880-53920-53	Floor Sample 53	Soluble	Solid	DI Leach	
880-53920-54	Floor Sample 54	Soluble	Solid	DI Leach	
880-53920-55	Floor Sample 55	Soluble	Solid	DI Leach	
880-53920-56	Floor Sample 56	Soluble	Solid	DI Leach	
880-53920-57	Floor Sample 57	Soluble	Solid	DI Leach	
880-53920-58	Floor Sample 58	Soluble	Solid	DI Leach	
880-53920-59	Floor Sample 59	Soluble	Solid	DI Leach	
880-53920-60	Floor Sample 60	Soluble	Solid	DI Leach	
MB 880-101890/1-A	Method Blank	Soluble	Solid	DI Leach	
LCS 880-101890/2-A	Lab Control Sample	Soluble	Solid	DI Leach	
LCSD 880-101890/3-A	Lab Control Sample Dup	Soluble	Solid	DI Leach	
880-53920-41 MS	Floor Sample 41	Soluble	Solid	DI Leach	
880-53920-41 MSD	Floor Sample 41	Soluble	Solid	DI Leach	
880-53920-51 MS	Floor Sample 51	Soluble	Solid	DI Leach	
880-53920-51 MSD	Floor Sample 51	Soluble	Solid	DI Leach	

Leach Batch: 101891

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-53920-61	Floor Sample 61	Soluble	Solid	DI Leach	
880-53920-62	Floor Sample 62	Soluble	Solid	DI Leach	
880-53920-63	Floor Sample 63	Soluble	Solid	DI Leach	
880-53920-64	Floor Sample 64	Soluble	Solid	DI Leach	
880-53920-65	Floor Sample 65	Soluble	Solid	DI Leach	
880-53920-66	Floor Sample 66	Soluble	Solid	DI Leach	
880-53920-67	Floor Sample 67	Soluble	Solid	DI Leach	
880-53920-68	Floor Sample 68	Soluble	Solid	DI Leach	
880-53920-69	Floor Sample 69	Soluble	Solid	DI Leach	
880-53920-70	Floor Sample 70	Soluble	Solid	DI Leach	
880-53920-71	Floor Sample 71	Soluble	Solid	DI Leach	
880-53920-72	Sidewall 01	Soluble	Solid	DI Leach	
880-53920-73	Sidewall 02	Soluble	Solid	DI Leach	
880-53920-74	Sidewall 03	Soluble	Solid	DI Leach	
880-53920-75	Sidewall 04	Soluble	Solid	DI Leach	

Eurofins Midland

QC Association Summary

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gas Line Release

Job ID: 880-53920-1
SDG: 21348

HPLC/IC (Continued)

Leach Batch: 101891 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-53920-76	Sidewall 05	Soluble	Solid	DI Leach	
880-53920-77	Sidewall 06	Soluble	Solid	DI Leach	
880-53920-78	Sidewall 07	Soluble	Solid	DI Leach	
MB 880-101891/1-A	Method Blank	Soluble	Solid	DI Leach	
LCS 880-101891/2-A	Lab Control Sample	Soluble	Solid	DI Leach	
LCSD 880-101891/3-A	Lab Control Sample Dup	Soluble	Solid	DI Leach	
880-53920-61 MS	Floor Sample 61	Soluble	Solid	DI Leach	
880-53920-61 MSD	Floor Sample 61	Soluble	Solid	DI Leach	
880-53920-71 MS	Floor Sample 71	Soluble	Solid	DI Leach	
880-53920-71 MSD	Floor Sample 71	Soluble	Solid	DI Leach	

Analysis Batch: 101892

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-53920-1	Floor Sample 01	Soluble	Solid	300.0	101888
880-53920-2	Floor Sample 02	Soluble	Solid	300.0	101888
880-53920-3	Floor Sample 03	Soluble	Solid	300.0	101888
880-53920-4	Floor Sample 04	Soluble	Solid	300.0	101888
880-53920-5	Floor Sample 05	Soluble	Solid	300.0	101888
880-53920-6	Floor Sample 06	Soluble	Solid	300.0	101888
880-53920-7	Floor Sample 07	Soluble	Solid	300.0	101888
880-53920-8	Floor Sample 08	Soluble	Solid	300.0	101888
880-53920-9	Floor Sample 09	Soluble	Solid	300.0	101888
880-53920-10	Floor Sample 10	Soluble	Solid	300.0	101888
880-53920-11	Floor Sample 11	Soluble	Solid	300.0	101888
880-53920-12	Floor Sample 12	Soluble	Solid	300.0	101888
880-53920-13	Floor Sample 13	Soluble	Solid	300.0	101888
880-53920-14	Floor Sample 14	Soluble	Solid	300.0	101888
880-53920-15	Floor Sample 15	Soluble	Solid	300.0	101888
880-53920-16	Floor Sample 16	Soluble	Solid	300.0	101888
880-53920-17	Floor Sample 17	Soluble	Solid	300.0	101888
880-53920-18	Floor Sample 18	Soluble	Solid	300.0	101888
880-53920-19	Floor Sample 19	Soluble	Solid	300.0	101888
880-53920-20	Floor Sample 20	Soluble	Solid	300.0	101888
MB 880-101888/1-A	Method Blank	Soluble	Solid	300.0	101888
LCS 880-101888/2-A	Lab Control Sample	Soluble	Solid	300.0	101888
LCSD 880-101888/3-A	Lab Control Sample Dup	Soluble	Solid	300.0	101888
880-53920-1 MS	Floor Sample 01	Soluble	Solid	300.0	101888
880-53920-1 MSD	Floor Sample 01	Soluble	Solid	300.0	101888
880-53920-11 MS	Floor Sample 11	Soluble	Solid	300.0	101888
880-53920-11 MSD	Floor Sample 11	Soluble	Solid	300.0	101888

Analysis Batch: 101897

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-53920-21	Floor Sample 21	Soluble	Solid	300.0	101889
880-53920-22	Floor Sample 22	Soluble	Solid	300.0	101889
880-53920-23	Floor Sample 23	Soluble	Solid	300.0	101889
880-53920-24	Floor Sample 24	Soluble	Solid	300.0	101889
880-53920-25	Floor Sample 25	Soluble	Solid	300.0	101889
880-53920-26	Floor Sample 26	Soluble	Solid	300.0	101889
880-53920-27	Floor Sample 27	Soluble	Solid	300.0	101889
880-53920-28	Floor Sample 28	Soluble	Solid	300.0	101889

Eurofins Midland

QC Association Summary

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gas Line Release

Job ID: 880-53920-1
SDG: 21348

HPLC/IC (Continued)

Analysis Batch: 101897 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-53920-29	Floor Sample 29	Soluble	Solid	300.0	101889
880-53920-30	Floor Sample 30	Soluble	Solid	300.0	101889
880-53920-31	Floor Sample 31	Soluble	Solid	300.0	101889
880-53920-32	Floor Sample 32	Soluble	Solid	300.0	101889
880-53920-33	Floor Sample 33	Soluble	Solid	300.0	101889
880-53920-34	Floor Sample 34	Soluble	Solid	300.0	101889
880-53920-35	Floor Sample 35	Soluble	Solid	300.0	101889
880-53920-36	Floor Sample 36	Soluble	Solid	300.0	101889
880-53920-37	Floor Sample 37	Soluble	Solid	300.0	101889
880-53920-38	Floor Sample 38	Soluble	Solid	300.0	101889
880-53920-39	Floor Sample 39	Soluble	Solid	300.0	101889
880-53920-40	Floor Sample 40	Soluble	Solid	300.0	101889
MB 880-101889/1-A	Method Blank	Soluble	Solid	300.0	101889
LCS 880-101889/2-A	Lab Control Sample	Soluble	Solid	300.0	101889
LCSD 880-101889/3-A	Lab Control Sample Dup	Soluble	Solid	300.0	101889
880-53920-21 MS	Floor Sample 21	Soluble	Solid	300.0	101889
880-53920-21 MSD	Floor Sample 21	Soluble	Solid	300.0	101889
880-53920-31 MS	Floor Sample 31	Soluble	Solid	300.0	101889
880-53920-31 MSD	Floor Sample 31	Soluble	Solid	300.0	101889

Analysis Batch: 101898

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-53920-41	Floor Sample 41	Soluble	Solid	300.0	101890
880-53920-42	Floor Sample 42	Soluble	Solid	300.0	101890
880-53920-43	Floor Sample 43	Soluble	Solid	300.0	101890
880-53920-44	Floor Sample 44	Soluble	Solid	300.0	101890
880-53920-45	Floor Sample 45	Soluble	Solid	300.0	101890
880-53920-46	Floor Sample 46	Soluble	Solid	300.0	101890
880-53920-47	Floor Sample 47	Soluble	Solid	300.0	101890
880-53920-48	Floor Sample 48	Soluble	Solid	300.0	101890
880-53920-49	Floor Sample 49	Soluble	Solid	300.0	101890
880-53920-50	Floor Sample 50	Soluble	Solid	300.0	101890
880-53920-51	Floor Sample 51	Soluble	Solid	300.0	101890
880-53920-52	Floor Sample 52	Soluble	Solid	300.0	101890
880-53920-53	Floor Sample 53	Soluble	Solid	300.0	101890
880-53920-54	Floor Sample 54	Soluble	Solid	300.0	101890
880-53920-55	Floor Sample 55	Soluble	Solid	300.0	101890
880-53920-56	Floor Sample 56	Soluble	Solid	300.0	101890
880-53920-57	Floor Sample 57	Soluble	Solid	300.0	101890
880-53920-58	Floor Sample 58	Soluble	Solid	300.0	101890
880-53920-59	Floor Sample 59	Soluble	Solid	300.0	101890
880-53920-60	Floor Sample 60	Soluble	Solid	300.0	101890
MB 880-101890/1-A	Method Blank	Soluble	Solid	300.0	101890
LCS 880-101890/2-A	Lab Control Sample	Soluble	Solid	300.0	101890
LCSD 880-101890/3-A	Lab Control Sample Dup	Soluble	Solid	300.0	101890
880-53920-41 MS	Floor Sample 41	Soluble	Solid	300.0	101890
880-53920-41 MSD	Floor Sample 41	Soluble	Solid	300.0	101890
880-53920-51 MS	Floor Sample 51	Soluble	Solid	300.0	101890
880-53920-51 MSD	Floor Sample 51	Soluble	Solid	300.0	101890

Eurofins Midland

QC Association Summary

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gas Line Release

Job ID: 880-53920-1
SDG: 21348

HPLC/IC

Analysis Batch: 101902

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-53920-61	Floor Sample 61	Soluble	Solid	300.0	101891
880-53920-62	Floor Sample 62	Soluble	Solid	300.0	101891
880-53920-63	Floor Sample 63	Soluble	Solid	300.0	101891
880-53920-64	Floor Sample 64	Soluble	Solid	300.0	101891
880-53920-65	Floor Sample 65	Soluble	Solid	300.0	101891
880-53920-66	Floor Sample 66	Soluble	Solid	300.0	101891
880-53920-67	Floor Sample 67	Soluble	Solid	300.0	101891
880-53920-68	Floor Sample 68	Soluble	Solid	300.0	101891
880-53920-69	Floor Sample 69	Soluble	Solid	300.0	101891
880-53920-70	Floor Sample 70	Soluble	Solid	300.0	101891
880-53920-71	Floor Sample 71	Soluble	Solid	300.0	101891
880-53920-72	Sidewall 01	Soluble	Solid	300.0	101891
880-53920-73	Sidewall 02	Soluble	Solid	300.0	101891
880-53920-74	Sidewall 03	Soluble	Solid	300.0	101891
880-53920-75	Sidewall 04	Soluble	Solid	300.0	101891
880-53920-76	Sidewall 05	Soluble	Solid	300.0	101891
880-53920-77	Sidewall 06	Soluble	Solid	300.0	101891
880-53920-78	Sidewall 07	Soluble	Solid	300.0	101891
MB 880-101891/1-A	Method Blank	Soluble	Solid	300.0	101891
LCS 880-101891/2-A	Lab Control Sample	Soluble	Solid	300.0	101891
LCSD 880-101891/3-A	Lab Control Sample Dup	Soluble	Solid	300.0	101891
880-53920-61 MS	Floor Sample 61	Soluble	Solid	300.0	101891
880-53920-61 MSD	Floor Sample 61	Soluble	Solid	300.0	101891
880-53920-71 MS	Floor Sample 71	Soluble	Solid	300.0	101891
880-53920-71 MSD	Floor Sample 71	Soluble	Solid	300.0	101891

Lab Chronicle

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gas Line Release

Job ID: 880-53920-1
SDG: 21348

Client Sample ID: Floor Sample 01

Lab Sample ID: 880-53920-1

Date Collected: 01/30/25 12:00

Matrix: Solid

Date Received: 02/03/25 09:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.05 g	5 mL	101997	02/04/25 10:55	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	101942	02/04/25 22:56	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			102090	02/04/25 22:56	AJ	EET MID
Total/NA	Analysis	8015 NM		1			102085	02/04/25 22:39	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.03 g	10 mL	101901	02/03/25 15:37	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	101956	02/04/25 22:39	TKC	EET MID
Soluble	Leach	DI Leach			4.98 g	50 mL	101888	02/03/25 13:10	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	101892	02/03/25 19:26	CH	EET MID

Client Sample ID: Floor Sample 02

Lab Sample ID: 880-53920-2

Date Collected: 01/30/25 12:02

Matrix: Solid

Date Received: 02/03/25 09:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.04 g	5 mL	101997	02/04/25 10:55	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	101942	02/04/25 23:17	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			102090	02/04/25 23:17	AJ	EET MID
Total/NA	Analysis	8015 NM		1			102085	02/04/25 23:24	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.02 g	10 mL	101901	02/03/25 15:37	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	101956	02/04/25 23:24	TKC	EET MID
Soluble	Leach	DI Leach			4.95 g	50 mL	101888	02/03/25 13:10	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	101892	02/03/25 19:44	CH	EET MID

Client Sample ID: Floor Sample 03

Lab Sample ID: 880-53920-3

Date Collected: 01/30/25 12:04

Matrix: Solid

Date Received: 02/03/25 09:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.03 g	5 mL	101997	02/04/25 10:55	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	101942	02/04/25 23:37	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			102090	02/04/25 23:37	AJ	EET MID
Total/NA	Analysis	8015 NM		1			102085	02/04/25 23:39	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.05 g	10 mL	101901	02/03/25 15:37	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	101956	02/04/25 23:39	TKC	EET MID
Soluble	Leach	DI Leach			5.04 g	50 mL	101888	02/03/25 13:10	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	101892	02/03/25 19:50	CH	EET MID

Client Sample ID: Floor Sample 04

Lab Sample ID: 880-53920-4

Date Collected: 01/30/25 12:06

Matrix: Solid

Date Received: 02/03/25 09:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.99 g	5 mL	101997	02/04/25 10:55	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	101942	02/04/25 23:58	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			102090	02/04/25 23:58	AJ	EET MID

Eurofins Midland

Lab Chronicle

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gas Line Release

Job ID: 880-53920-1
SDG: 21348

Client Sample ID: Floor Sample 04

Lab Sample ID: 880-53920-4

Date Collected: 01/30/25 12:06

Matrix: Solid

Date Received: 02/03/25 09:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8015 NM		1			102085	02/04/25 23:56	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10 mL	101901	02/03/25 15:37	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	101956	02/04/25 23:56	TKC	EET MID
Soluble	Leach	DI Leach			5.01 g	50 mL	101888	02/03/25 13:10	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	101892	02/03/25 19:55	CH	EET MID

Client Sample ID: Floor Sample 05

Lab Sample ID: 880-53920-5

Date Collected: 01/30/25 12:08

Matrix: Solid

Date Received: 02/03/25 09:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.02 g	5 mL	101997	02/04/25 10:55	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	101942	02/05/25 00:18	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			102090	02/05/25 00:18	AJ	EET MID
Total/NA	Analysis	8015 NM		1			102085	02/05/25 00:10	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.02 g	10 mL	101901	02/03/25 15:37	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	101956	02/05/25 00:10	TKC	EET MID
Soluble	Leach	DI Leach			5.03 g	50 mL	101888	02/03/25 13:10	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	101892	02/03/25 20:01	CH	EET MID

Client Sample ID: Floor Sample 06

Lab Sample ID: 880-53920-6

Date Collected: 01/30/25 12:10

Matrix: Solid

Date Received: 02/03/25 09:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	101997	02/04/25 10:55	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	101942	02/05/25 00:39	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			102090	02/05/25 00:39	AJ	EET MID
Total/NA	Analysis	8015 NM		1			102085	02/05/25 00:26	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.05 g	10 mL	101901	02/03/25 15:37	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	101956	02/05/25 00:26	TKC	EET MID
Soluble	Leach	DI Leach			5.04 g	50 mL	101888	02/03/25 13:10	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	101892	02/03/25 20:19	CH	EET MID

Client Sample ID: Floor Sample 07

Lab Sample ID: 880-53920-7

Date Collected: 01/30/25 12:12

Matrix: Solid

Date Received: 02/03/25 09:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.96 g	5 mL	101997	02/04/25 10:55	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	101942	02/05/25 00:59	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			102090	02/05/25 00:59	AJ	EET MID
Total/NA	Analysis	8015 NM		1			102085	02/05/25 00:40	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.06 g	10 mL	101901	02/03/25 15:37	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	101956	02/05/25 00:40	TKC	EET MID

Eurofins Midland

Lab Chronicle

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gas Line Release

Job ID: 880-53920-1
SDG: 21348

Client Sample ID: Floor Sample 07

Lab Sample ID: 880-53920-7

Date Collected: 01/30/25 12:12

Matrix: Solid

Date Received: 02/03/25 09:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Soluble	Leach	DI Leach			4.98 g	50 mL	101888	02/03/25 13:10	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	101892	02/03/25 20:25	CH	EET MID

Client Sample ID: Floor Sample 08

Lab Sample ID: 880-53920-8

Date Collected: 01/30/25 12:14

Matrix: Solid

Date Received: 02/03/25 09:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	101997	02/04/25 10:55	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	101942	02/05/25 01:20	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			102090	02/05/25 01:20	AJ	EET MID
Total/NA	Analysis	8015 NM		1			102085	02/05/25 00:57	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.04 g	10 mL	101901	02/03/25 15:37	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	101956	02/05/25 00:57	TKC	EET MID
Soluble	Leach	DI Leach			4.95 g	50 mL	101888	02/03/25 13:10	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	101892	02/03/25 20:31	CH	EET MID

Client Sample ID: Floor Sample 09

Lab Sample ID: 880-53920-9

Date Collected: 01/30/25 12:16

Matrix: Solid

Date Received: 02/03/25 09:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.99 g	5 mL	101997	02/04/25 10:55	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	101942	02/05/25 01:40	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			102090	02/05/25 01:40	AJ	EET MID
Total/NA	Analysis	8015 NM		1			102085	02/05/25 01:11	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.03 g	10 mL	101901	02/03/25 15:37	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	101956	02/05/25 01:11	TKC	EET MID
Soluble	Leach	DI Leach			4.95 g	50 mL	101888	02/03/25 13:10	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	101892	02/03/25 20:37	CH	EET MID

Client Sample ID: Floor Sample 10

Lab Sample ID: 880-53920-10

Date Collected: 01/30/25 12:18

Matrix: Solid

Date Received: 02/03/25 09:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	101997	02/04/25 10:55	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	101942	02/05/25 02:01	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			102090	02/05/25 02:01	AJ	EET MID
Total/NA	Analysis	8015 NM		1			102085	02/05/25 01:27	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.05 g	10 mL	101901	02/03/25 15:37	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	101956	02/05/25 01:27	TKC	EET MID
Soluble	Leach	DI Leach			5.03 g	50 mL	101888	02/03/25 13:10	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	101892	02/03/25 20:43	CH	EET MID

Eurofins Midland

Lab Chronicle

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gas Line Release

Job ID: 880-53920-1
SDG: 21348

Client Sample ID: Floor Sample 11

Lab Sample ID: 880-53920-11

Date Collected: 01/30/25 12:20

Matrix: Solid

Date Received: 02/03/25 09:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.96 g	5 mL	101997	02/04/25 10:55	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	101942	02/05/25 03:35	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			102090	02/05/25 03:35	AJ	EET MID
Total/NA	Analysis	8015 NM		1			102085	02/05/25 01:56	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10 mL	101901	02/03/25 15:37	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	101956	02/05/25 01:56	TKC	EET MID
Soluble	Leach	DI Leach			5.02 g	50 mL	101888	02/03/25 13:10	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	101892	02/03/25 20:49	CH	EET MID

Client Sample ID: Floor Sample 12

Lab Sample ID: 880-53920-12

Date Collected: 01/30/25 12:22

Matrix: Solid

Date Received: 02/03/25 09:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.02 g	5 mL	101997	02/04/25 10:55	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	101942	02/05/25 03:55	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			102090	02/05/25 03:55	AJ	EET MID
Total/NA	Analysis	8015 NM		1			102085	02/05/25 02:10	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.06 g	10 mL	101901	02/03/25 15:37	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	101956	02/05/25 02:10	TKC	EET MID
Soluble	Leach	DI Leach			5.01 g	50 mL	101888	02/03/25 13:10	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	101892	02/03/25 21:06	CH	EET MID

Client Sample ID: Floor Sample 13

Lab Sample ID: 880-53920-13

Date Collected: 01/30/25 12:24

Matrix: Solid

Date Received: 02/03/25 09:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.00 g	5 mL	101997	02/04/25 10:55	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	101942	02/05/25 04:16	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			102090	02/05/25 04:16	AJ	EET MID
Total/NA	Analysis	8015 NM		1			102085	02/05/25 02:25	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.04 g	10 mL	101901	02/03/25 15:37	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	101956	02/05/25 02:25	TKC	EET MID
Soluble	Leach	DI Leach			5.04 g	50 mL	101888	02/03/25 13:10	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	101892	02/03/25 21:12	CH	EET MID

Client Sample ID: Floor Sample 14

Lab Sample ID: 880-53920-14

Date Collected: 01/30/25 12:26

Matrix: Solid

Date Received: 02/03/25 09:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.97 g	5 mL	101997	02/04/25 10:55	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	101942	02/05/25 04:36	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			102090	02/05/25 04:36	AJ	EET MID

Eurofins Midland

Lab Chronicle

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gas Line Release

Job ID: 880-53920-1
SDG: 21348

Client Sample ID: Floor Sample 14

Lab Sample ID: 880-53920-14

Date Collected: 01/30/25 12:26

Matrix: Solid

Date Received: 02/03/25 09:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8015 NM		1			102085	02/05/25 02:40	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.03 g	10 mL	101901	02/03/25 15:37	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	101956	02/05/25 02:40	TKC	EET MID
Soluble	Leach	DI Leach			4.97 g	50 mL	101888	02/03/25 13:10	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	101892	02/03/25 21:30	CH	EET MID

Client Sample ID: Floor Sample 15

Lab Sample ID: 880-53920-15

Date Collected: 01/30/25 12:28

Matrix: Solid

Date Received: 02/03/25 09:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.99 g	5 mL	101997	02/04/25 10:55	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	101942	02/05/25 04:57	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			102090	02/05/25 04:57	AJ	EET MID
Total/NA	Analysis	8015 NM		1			102085	02/05/25 02:55	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.04 g	10 mL	101901	02/03/25 15:37	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	101956	02/05/25 02:55	TKC	EET MID
Soluble	Leach	DI Leach			4.95 g	50 mL	101888	02/03/25 13:10	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	101892	02/03/25 21:36	CH	EET MID

Client Sample ID: Floor Sample 16

Lab Sample ID: 880-53920-16

Date Collected: 01/30/25 12:30

Matrix: Solid

Date Received: 02/03/25 09:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.02 g	5 mL	101997	02/04/25 10:55	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	101942	02/05/25 05:17	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			102090	02/05/25 05:17	AJ	EET MID
Total/NA	Analysis	8015 NM		1			102085	02/05/25 03:10	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.04 g	10 mL	101901	02/03/25 15:37	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	101956	02/05/25 03:10	TKC	EET MID
Soluble	Leach	DI Leach			5.03 g	50 mL	101888	02/03/25 13:10	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	101892	02/03/25 21:42	CH	EET MID

Client Sample ID: Floor Sample 17

Lab Sample ID: 880-53920-17

Date Collected: 01/30/25 12:32

Matrix: Solid

Date Received: 02/03/25 09:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.97 g	5 mL	101997	02/04/25 10:55	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	101942	02/05/25 05:38	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			102090	02/05/25 05:38	AJ	EET MID
Total/NA	Analysis	8015 NM		1			102085	02/05/25 03:24	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.06 g	10 mL	101901	02/03/25 15:37	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	101956	02/05/25 03:24	TKC	EET MID

Eurofins Midland

Lab Chronicle

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gas Line Release

Job ID: 880-53920-1
SDG: 21348

Client Sample ID: Floor Sample 17
Date Collected: 01/30/25 12:32
Date Received: 02/03/25 09:55

Lab Sample ID: 880-53920-17
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Soluble	Leach	DI Leach			5.04 g	50 mL	101888	02/03/25 13:10	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	101892	02/03/25 21:48	CH	EET MID

Client Sample ID: Floor Sample 18
Date Collected: 01/30/25 12:34
Date Received: 02/03/25 09:55

Lab Sample ID: 880-53920-18
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.02 g	5 mL	101997	02/04/25 10:55	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	101942	02/05/25 05:58	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			102090	02/05/25 05:58	AJ	EET MID
Total/NA	Analysis	8015 NM		1			102085	02/05/25 03:39	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.05 g	10 mL	101901	02/03/25 15:37	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	101956	02/05/25 03:39	TKC	EET MID
Soluble	Leach	DI Leach			4.98 g	50 mL	101888	02/03/25 13:10	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	101892	02/03/25 21:54	CH	EET MID

Client Sample ID: Floor Sample 19
Date Collected: 01/30/25 12:36
Date Received: 02/03/25 09:55

Lab Sample ID: 880-53920-19
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.02 g	5 mL	101997	02/04/25 10:55	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	101942	02/05/25 06:19	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			102090	02/05/25 06:19	AJ	EET MID
Total/NA	Analysis	8015 NM		1			102085	02/05/25 03:53	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.04 g	10 mL	101901	02/03/25 15:37	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	101956	02/05/25 03:53	TKC	EET MID
Soluble	Leach	DI Leach			5.03 g	50 mL	101888	02/03/25 13:10	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	101892	02/03/25 22:00	CH	EET MID

Client Sample ID: Floor Sample 20
Date Collected: 01/30/25 12:38
Date Received: 02/03/25 09:55

Lab Sample ID: 880-53920-20
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.03 g	5 mL	101997	02/04/25 10:55	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	101942	02/05/25 06:39	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			102090	02/05/25 06:39	AJ	EET MID
Total/NA	Analysis	8015 NM		1			102085	02/05/25 04:09	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.04 g	10 mL	101901	02/03/25 15:37	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	101956	02/05/25 04:09	TKC	EET MID
Soluble	Leach	DI Leach			4.97 g	50 mL	101888	02/03/25 13:10	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	101892	02/03/25 22:06	CH	EET MID

Lab Chronicle

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gas Line Release

Job ID: 880-53920-1
SDG: 21348

Client Sample ID: Floor Sample 21

Lab Sample ID: 880-53920-21

Date Collected: 01/30/25 12:40

Matrix: Solid

Date Received: 02/03/25 09:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.05 g	5 mL	101999	02/04/25 10:58	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	101954	02/04/25 22:43	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			102090	02/04/25 22:43	AJ	EET MID
Total/NA	Analysis	8015 NM		1			102085	02/04/25 22:39	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.02 g	10 mL	101903	02/03/25 15:40	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	101958	02/04/25 22:39	TKC	EET MID
Soluble	Leach	DI Leach			5.03 g	50 mL	101889	02/03/25 13:12	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	101897	02/04/25 01:55	CH	EET MID

Client Sample ID: Floor Sample 22

Lab Sample ID: 880-53920-22

Date Collected: 01/30/25 12:42

Matrix: Solid

Date Received: 02/03/25 09:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.04 g	5 mL	101999	02/04/25 10:58	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	101954	02/04/25 23:03	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			102090	02/04/25 23:03	AJ	EET MID
Total/NA	Analysis	8015 NM		1			102085	02/04/25 23:24	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.04 g	10 mL	101903	02/03/25 15:40	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	101958	02/04/25 23:24	TKC	EET MID
Soluble	Leach	DI Leach			5.04 g	50 mL	101889	02/03/25 13:12	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	101897	02/04/25 02:13	CH	EET MID

Client Sample ID: Floor Sample 23

Lab Sample ID: 880-53920-23

Date Collected: 01/30/25 12:24

Matrix: Solid

Date Received: 02/03/25 09:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.03 g	5 mL	101999	02/04/25 10:58	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	101954	02/04/25 23:24	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			102090	02/04/25 23:24	AJ	EET MID
Total/NA	Analysis	8015 NM		1			102085	02/04/25 23:39	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.03 g	10 mL	101903	02/03/25 15:40	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	101958	02/04/25 23:39	TKC	EET MID
Soluble	Leach	DI Leach			4.97 g	50 mL	101889	02/03/25 13:12	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	101897	02/04/25 02:19	CH	EET MID

Client Sample ID: Floor Sample 24

Lab Sample ID: 880-53920-24

Date Collected: 01/30/25 12:46

Matrix: Solid

Date Received: 02/03/25 09:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.99 g	5 mL	101999	02/04/25 10:58	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	101954	02/04/25 23:44	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			102090	02/04/25 23:44	AJ	EET MID

Eurofins Midland

Lab Chronicle

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gas Line Release

Job ID: 880-53920-1
SDG: 21348

Client Sample ID: Floor Sample 24

Lab Sample ID: 880-53920-24

Date Collected: 01/30/25 12:46

Matrix: Solid

Date Received: 02/03/25 09:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8015 NM		1			102085	02/04/25 23:56	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.05 g	10 mL	101903	02/03/25 15:40	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	101958	02/04/25 23:56	TKC	EET MID
Soluble	Leach	DI Leach			4.95 g	50 mL	101889	02/03/25 13:12	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	101897	02/04/25 02:25	CH	EET MID

Client Sample ID: Floor Sample 25

Lab Sample ID: 880-53920-25

Date Collected: 01/30/25 12:48

Matrix: Solid

Date Received: 02/03/25 09:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.02 g	5 mL	101999	02/04/25 10:58	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	101954	02/05/25 00:05	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			102090	02/05/25 00:05	AJ	EET MID
Total/NA	Analysis	8015 NM		1			102085	02/05/25 00:10	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.04 g	10 mL	101903	02/03/25 15:40	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	101958	02/05/25 00:10	TKC	EET MID
Soluble	Leach	DI Leach			4.98 g	50 mL	101889	02/03/25 13:12	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	101897	02/04/25 02:31	CH	EET MID

Client Sample ID: Floor Sample 26

Lab Sample ID: 880-53920-26

Date Collected: 01/30/25 12:50

Matrix: Solid

Date Received: 02/03/25 09:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	101999	02/04/25 10:58	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	101954	02/05/25 00:25	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			102090	02/05/25 00:25	AJ	EET MID
Total/NA	Analysis	8015 NM		1			102085	02/05/25 00:26	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.03 g	10 mL	101903	02/03/25 15:40	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	101958	02/05/25 00:26	TKC	EET MID
Soluble	Leach	DI Leach			4.99 g	50 mL	101889	02/03/25 13:12	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	101897	02/04/25 02:48	CH	EET MID

Client Sample ID: Floor Sample 27

Lab Sample ID: 880-53920-27

Date Collected: 01/30/25 12:52

Matrix: Solid

Date Received: 02/03/25 09:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.96 g	5 mL	101999	02/04/25 10:58	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	101954	02/05/25 00:46	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			102090	02/05/25 00:46	AJ	EET MID
Total/NA	Analysis	8015 NM		1			102085	02/05/25 00:40	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.04 g	10 mL	101903	02/03/25 15:40	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	101958	02/05/25 00:40	TKC	EET MID

Eurofins Midland

Lab Chronicle

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gas Line Release

Job ID: 880-53920-1
SDG: 21348

Client Sample ID: Floor Sample 27

Lab Sample ID: 880-53920-27

Date Collected: 01/30/25 12:52

Matrix: Solid

Date Received: 02/03/25 09:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Soluble	Leach	DI Leach			5.04 g	50 mL	101889	02/03/25 13:12	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	101897	02/04/25 02:54	CH	EET MID

Client Sample ID: Floor Sample 28

Lab Sample ID: 880-53920-28

Date Collected: 01/30/25 12:54

Matrix: Solid

Date Received: 02/03/25 09:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	101999	02/04/25 10:58	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	101954	02/05/25 01:06	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			102090	02/05/25 01:06	AJ	EET MID
Total/NA	Analysis	8015 NM		1			102085	02/05/25 00:57	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.05 g	10 mL	101903	02/03/25 15:40	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	101958	02/05/25 00:57	TKC	EET MID
Soluble	Leach	DI Leach			4.95 g	50 mL	101889	02/03/25 13:12	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	101897	02/04/25 03:00	CH	EET MID

Client Sample ID: Floor Sample 29

Lab Sample ID: 880-53920-29

Date Collected: 01/30/25 12:56

Matrix: Solid

Date Received: 02/03/25 09:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.99 g	5 mL	101999	02/04/25 10:58	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	101954	02/05/25 01:27	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			102090	02/05/25 01:27	AJ	EET MID
Total/NA	Analysis	8015 NM		1			102085	02/05/25 01:11	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.06 g	10 mL	101903	02/03/25 15:40	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	101958	02/05/25 01:11	TKC	EET MID
Soluble	Leach	DI Leach			5.03 g	50 mL	101889	02/03/25 13:12	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	101897	02/04/25 03:06	CH	EET MID

Client Sample ID: Floor Sample 30

Lab Sample ID: 880-53920-30

Date Collected: 01/30/25 12:58

Matrix: Solid

Date Received: 02/03/25 09:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	101999	02/04/25 10:58	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	101954	02/05/25 01:47	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			102090	02/05/25 01:47	AJ	EET MID
Total/NA	Analysis	8015 NM		1			102085	02/05/25 01:27	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.04 g	10 mL	101903	02/03/25 15:40	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	101958	02/05/25 01:27	TKC	EET MID
Soluble	Leach	DI Leach			5.04 g	50 mL	101889	02/03/25 13:12	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	101897	02/04/25 03:12	CH	EET MID

Eurofins Midland

Lab Chronicle

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gas Line Release

Job ID: 880-53920-1
SDG: 21348

Client Sample ID: Floor Sample 31

Lab Sample ID: 880-53920-31

Date Collected: 01/30/25 13:00

Matrix: Solid

Date Received: 02/03/25 09:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.96 g	5 mL	101999	02/04/25 10:58	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	101954	02/05/25 03:21	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			102090	02/05/25 03:21	AJ	EET MID
Total/NA	Analysis	8015 NM		1			102085	02/05/25 01:56	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.02 g	10 mL	101903	02/03/25 15:40	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	101958	02/05/25 01:56	TKC	EET MID
Soluble	Leach	DI Leach			5.00 g	50 mL	101889	02/03/25 13:12	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	101897	02/04/25 03:18	CH	EET MID

Client Sample ID: Floor Sample 32

Lab Sample ID: 880-53920-32

Date Collected: 01/30/25 13:02

Matrix: Solid

Date Received: 02/03/25 09:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.02 g	5 mL	101999	02/04/25 10:58	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	101954	02/05/25 03:42	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			102090	02/05/25 03:42	AJ	EET MID
Total/NA	Analysis	8015 NM		1			102085	02/05/25 02:10	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.04 g	10 mL	101903	02/03/25 15:40	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	101958	02/05/25 02:10	TKC	EET MID
Soluble	Leach	DI Leach			5.04 g	50 mL	101889	02/03/25 13:12	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	101897	02/04/25 03:36	CH	EET MID

Client Sample ID: Floor Sample 33

Lab Sample ID: 880-53920-33

Date Collected: 01/30/25 13:04

Matrix: Solid

Date Received: 02/03/25 09:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.00 g	5 mL	101999	02/04/25 10:58	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	101954	02/05/25 04:02	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			102090	02/05/25 04:02	AJ	EET MID
Total/NA	Analysis	8015 NM		1			102085	02/05/25 02:25	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.03 g	10 mL	101903	02/03/25 15:40	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	101958	02/05/25 02:25	TKC	EET MID
Soluble	Leach	DI Leach			4.97 g	50 mL	101889	02/03/25 13:12	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	101897	02/04/25 03:41	CH	EET MID

Client Sample ID: Floor Sample 34

Lab Sample ID: 880-53920-34

Date Collected: 01/30/25 13:06

Matrix: Solid

Date Received: 02/03/25 09:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.97 g	5 mL	101999	02/04/25 10:58	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	101954	02/05/25 04:22	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			102090	02/05/25 04:22	AJ	EET MID

Eurofins Midland

Lab Chronicle

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gas Line Release

Job ID: 880-53920-1
SDG: 21348

Client Sample ID: Floor Sample 34

Lab Sample ID: 880-53920-34

Date Collected: 01/30/25 13:06

Matrix: Solid

Date Received: 02/03/25 09:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8015 NM		1			102085	02/05/25 02:40	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.04 g	10 mL	101903	02/03/25 15:40	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	101958	02/05/25 02:40	TKC	EET MID
Soluble	Leach	DI Leach			5.00 g	50 mL	101889	02/03/25 13:12	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	101897	02/04/25 03:59	CH	EET MID

Client Sample ID: Floor Sample 35

Lab Sample ID: 880-53920-35

Date Collected: 01/30/25 13:08

Matrix: Solid

Date Received: 02/03/25 09:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.99 g	5 mL	101999	02/04/25 10:58	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	101954	02/05/25 04:43	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			102090	02/05/25 04:43	AJ	EET MID
Total/NA	Analysis	8015 NM		1			102085	02/05/25 02:55	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.05 g	10 mL	101903	02/03/25 15:40	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	101958	02/05/25 02:55	TKC	EET MID
Soluble	Leach	DI Leach			4.95 g	50 mL	101889	02/03/25 13:12	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	101897	02/04/25 04:05	CH	EET MID

Client Sample ID: Floor Sample 36

Lab Sample ID: 880-53920-36

Date Collected: 01/30/25 13:10

Matrix: Solid

Date Received: 02/03/25 09:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.02 g	5 mL	101999	02/04/25 10:58	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	101954	02/05/25 05:03	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			102090	02/05/25 05:03	AJ	EET MID
Total/NA	Analysis	8015 NM		1			102085	02/05/25 03:10	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.06 g	10 mL	101903	02/03/25 15:40	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	101958	02/05/25 03:10	TKC	EET MID
Soluble	Leach	DI Leach			5.02 g	50 mL	101889	02/03/25 13:12	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	101897	02/04/25 04:11	CH	EET MID

Client Sample ID: Floor Sample 37

Lab Sample ID: 880-53920-37

Date Collected: 01/30/25 13:12

Matrix: Solid

Date Received: 02/03/25 09:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.97 g	5 mL	101999	02/04/25 10:58	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	101954	02/05/25 05:24	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			102090	02/05/25 05:24	AJ	EET MID
Total/NA	Analysis	8015 NM		1			102085	02/05/25 03:24	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.04 g	10 mL	101903	02/03/25 15:40	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	101958	02/05/25 03:24	TKC	EET MID

Eurofins Midland

Lab Chronicle

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gas Line Release

Job ID: 880-53920-1
SDG: 21348

Client Sample ID: Floor Sample 37

Lab Sample ID: 880-53920-37

Date Collected: 01/30/25 13:12

Matrix: Solid

Date Received: 02/03/25 09:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Soluble	Leach	DI Leach			5.04 g	50 mL	101889	02/03/25 13:12	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	101897	02/04/25 04:17	CH	EET MID

Client Sample ID: Floor Sample 38

Lab Sample ID: 880-53920-38

Date Collected: 01/30/25 13:14

Matrix: Solid

Date Received: 02/03/25 09:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.02 g	5 mL	101999	02/04/25 10:58	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	101954	02/05/25 05:44	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			102090	02/05/25 05:44	AJ	EET MID
Total/NA	Analysis	8015 NM		1			102085	02/05/25 03:39	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.05 g	10 mL	101903	02/03/25 15:40	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	101958	02/05/25 03:39	TKC	EET MID
Soluble	Leach	DI Leach			4.96 g	50 mL	101889	02/03/25 13:12	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	101897	02/04/25 04:23	CH	EET MID

Client Sample ID: Floor Sample 39

Lab Sample ID: 880-53920-39

Date Collected: 01/30/25 13:16

Matrix: Solid

Date Received: 02/03/25 09:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.02 g	5 mL	101999	02/04/25 10:58	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	101954	02/05/25 06:04	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			102090	02/05/25 06:04	AJ	EET MID
Total/NA	Analysis	8015 NM		1			102085	02/05/25 03:53	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.04 g	10 mL	101903	02/03/25 15:40	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	101958	02/05/25 03:53	TKC	EET MID
Soluble	Leach	DI Leach			4.98 g	50 mL	101889	02/03/25 13:12	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	101897	02/04/25 04:29	CH	EET MID

Client Sample ID: Floor Sample 40

Lab Sample ID: 880-53920-40

Date Collected: 01/30/25 13:18

Matrix: Solid

Date Received: 02/03/25 09:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.03 g	5 mL	101999	02/04/25 10:58	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	101954	02/05/25 06:25	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			102090	02/05/25 06:25	AJ	EET MID
Total/NA	Analysis	8015 NM		1			102085	02/05/25 04:09	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.06 g	10 mL	101903	02/03/25 15:40	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	101958	02/05/25 04:09	TKC	EET MID
Soluble	Leach	DI Leach			5.01 g	50 mL	101889	02/03/25 13:12	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	101897	02/04/25 04:34	CH	EET MID

Eurofins Midland

Lab Chronicle

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gas Line Release

Job ID: 880-53920-1
SDG: 21348

Client Sample ID: Floor Sample 41

Lab Sample ID: 880-53920-41

Date Collected: 01/30/25 13:20

Matrix: Solid

Date Received: 02/03/25 09:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.05 g	5 mL	102000	02/04/25 11:00	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	101941	02/04/25 22:01	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			102090	02/04/25 22:01	AJ	EET MID
Total/NA	Analysis	8015 NM		1			102085	02/06/25 09:44	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.03 g	10 mL	101908	02/03/25 15:43	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	102160	02/06/25 09:44	TKC	EET MID
Soluble	Leach	DI Leach			4.96 g	50 mL	101890	02/03/25 13:15	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	101898	02/04/25 05:49	CH	EET MID

Client Sample ID: Floor Sample 42

Lab Sample ID: 880-53920-42

Date Collected: 01/30/25 13:22

Matrix: Solid

Date Received: 02/03/25 09:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.04 g	5 mL	102000	02/04/25 11:00	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	101941	02/04/25 22:22	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			102090	02/04/25 22:22	AJ	EET MID
Total/NA	Analysis	8015 NM		1			102085	02/06/25 10:33	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.06 g	10 mL	101908	02/03/25 15:43	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	102160	02/06/25 10:33	TKC	EET MID
Soluble	Leach	DI Leach			4.95 g	50 mL	101890	02/03/25 13:15	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	101898	02/04/25 06:07	CH	EET MID

Client Sample ID: Floor Sample 43

Lab Sample ID: 880-53920-43

Date Collected: 01/30/25 13:24

Matrix: Solid

Date Received: 02/03/25 09:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.03 g	5 mL	102000	02/04/25 11:00	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	101941	02/04/25 22:42	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			102090	02/04/25 22:42	AJ	EET MID
Total/NA	Analysis	8015 NM		1			102085	02/06/25 10:49	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.00 g	10 mL	101908	02/03/25 15:43	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	102160	02/06/25 10:49	TKC	EET MID
Soluble	Leach	DI Leach			4.96 g	50 mL	101890	02/03/25 13:15	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	101898	02/04/25 06:13	CH	EET MID

Client Sample ID: Floor Sample 44

Lab Sample ID: 880-53920-44

Date Collected: 01/30/25 13:26

Matrix: Solid

Date Received: 02/03/25 09:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.99 g	5 mL	102000	02/04/25 11:00	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	101941	02/04/25 23:03	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			102090	02/04/25 23:03	AJ	EET MID

Eurofins Midland

Lab Chronicle

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gas Line Release

Job ID: 880-53920-1
SDG: 21348

Client Sample ID: Floor Sample 44

Lab Sample ID: 880-53920-44

Date Collected: 01/30/25 13:26

Matrix: Solid

Date Received: 02/03/25 09:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8015 NM		1			102085	02/06/25 11:06	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10 mL	101908	02/03/25 15:43	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	102160	02/06/25 11:06	TKC	EET MID
Soluble	Leach	DI Leach			5.02 g	50 mL	101890	02/03/25 13:15	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	101898	02/04/25 06:19	CH	EET MID

Client Sample ID: Floor Sample 45

Lab Sample ID: 880-53920-45

Date Collected: 01/30/25 13:28

Matrix: Solid

Date Received: 02/03/25 09:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.02 g	5 mL	102000	02/04/25 11:00	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	101941	02/04/25 23:23	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			102090	02/04/25 23:23	AJ	EET MID
Total/NA	Analysis	8015 NM		1			102085	02/06/25 11:22	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.03 g	10 mL	101908	02/03/25 15:43	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	102160	02/06/25 11:22	TKC	EET MID
Soluble	Leach	DI Leach			5.01 g	50 mL	101890	02/03/25 13:15	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	101898	02/04/25 06:24	CH	EET MID

Client Sample ID: Floor Sample 46

Lab Sample ID: 880-53920-46

Date Collected: 01/30/25 13:30

Matrix: Solid

Date Received: 02/03/25 09:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	102000	02/04/25 11:00	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	101941	02/04/25 23:44	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			102090	02/04/25 23:44	AJ	EET MID
Total/NA	Analysis	8015 NM		1			102085	02/06/25 11:38	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.06 g	10 mL	101908	02/03/25 15:43	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	102160	02/06/25 11:38	TKC	EET MID
Soluble	Leach	DI Leach			5.00 g	50 mL	101890	02/03/25 13:15	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	101898	02/04/25 06:42	CH	EET MID

Client Sample ID: Floor Sample 47

Lab Sample ID: 880-53920-47

Date Collected: 01/30/25 13:32

Matrix: Solid

Date Received: 02/03/25 09:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.96 g	5 mL	102000	02/04/25 11:00	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	101941	02/05/25 00:05	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			102090	02/05/25 00:05	AJ	EET MID
Total/NA	Analysis	8015 NM		1			102085	02/06/25 11:55	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.02 g	10 mL	101908	02/03/25 15:43	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	102160	02/06/25 11:55	TKC	EET MID

Eurofins Midland

Lab Chronicle

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gas Line Release

Job ID: 880-53920-1
SDG: 21348

Client Sample ID: Floor Sample 47

Lab Sample ID: 880-53920-47

Date Collected: 01/30/25 13:32

Matrix: Solid

Date Received: 02/03/25 09:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Soluble	Leach	DI Leach			4.95 g	50 mL	101890	02/03/25 13:15	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	101898	02/04/25 06:48	CH	EET MID

Client Sample ID: Floor Sample 48

Lab Sample ID: 880-53920-48

Date Collected: 01/30/25 13:34

Matrix: Solid

Date Received: 02/03/25 09:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	102000	02/04/25 11:00	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	101941	02/05/25 00:25	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			102090	02/05/25 00:25	AJ	EET MID
Total/NA	Analysis	8015 NM		1			102085	02/06/25 12:11	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.05 g	10 mL	101908	02/03/25 15:43	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	102160	02/06/25 12:11	TKC	EET MID
Soluble	Leach	DI Leach			4.99 g	50 mL	101890	02/03/25 13:15	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	101898	02/04/25 06:54	CH	EET MID

Client Sample ID: Floor Sample 49

Lab Sample ID: 880-53920-49

Date Collected: 01/30/25 13:36

Matrix: Solid

Date Received: 02/03/25 09:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.99 g	5 mL	102000	02/04/25 11:00	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	101941	02/05/25 00:46	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			102090	02/05/25 00:46	AJ	EET MID
Total/NA	Analysis	8015 NM		1			102085	02/06/25 12:27	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.04 g	10 mL	101908	02/03/25 15:43	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	102160	02/06/25 12:27	TKC	EET MID
Soluble	Leach	DI Leach			5.04 g	50 mL	101890	02/03/25 13:15	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	101898	02/04/25 07:00	CH	EET MID

Client Sample ID: Floor Sample 50

Lab Sample ID: 880-53920-50

Date Collected: 01/30/25 13:38

Matrix: Solid

Date Received: 02/03/25 09:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	102000	02/04/25 11:00	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	101941	02/05/25 01:06	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			102090	02/05/25 01:06	AJ	EET MID
Total/NA	Analysis	8015 NM		1			102085	02/06/25 12:43	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.06 g	10 mL	101908	02/03/25 15:43	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	102160	02/06/25 12:43	TKC	EET MID
Soluble	Leach	DI Leach			4.95 g	50 mL	101890	02/03/25 13:15	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	101898	02/04/25 07:06	CH	EET MID

Eurofins Midland

Lab Chronicle

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gas Line Release

Job ID: 880-53920-1
SDG: 21348

Client Sample ID: Floor Sample 51

Lab Sample ID: 880-53920-51

Date Collected: 01/30/25 13:40

Matrix: Solid

Date Received: 02/03/25 09:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.96 g	5 mL	102000	02/04/25 11:00	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	101941	02/05/25 02:29	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			102090	02/05/25 02:29	AJ	EET MID
Total/NA	Analysis	8015 NM		1			102085	02/06/25 12:59	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.00 g	10 mL	101908	02/03/25 15:43	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	102160	02/06/25 12:59	TKC	EET MID
Soluble	Leach	DI Leach			5.03 g	50 mL	101890	02/03/25 13:15	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	101898	02/04/25 07:12	CH	EET MID

Client Sample ID: Floor Sample 52

Lab Sample ID: 880-53920-52

Date Collected: 01/30/25 13:42

Matrix: Solid

Date Received: 02/03/25 09:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.02 g	5 mL	102000	02/04/25 11:00	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	101941	02/05/25 02:50	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			102090	02/05/25 02:50	AJ	EET MID
Total/NA	Analysis	8015 NM		1			102085	02/06/25 13:15	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.04 g	10 mL	101908	02/03/25 15:43	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	102160	02/06/25 13:15	TKC	EET MID
Soluble	Leach	DI Leach			5.01 g	50 mL	101890	02/03/25 13:15	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	101898	02/04/25 07:30	CH	EET MID

Client Sample ID: Floor Sample 53

Lab Sample ID: 880-53920-53

Date Collected: 01/30/25 13:44

Matrix: Solid

Date Received: 02/03/25 09:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.00 g	5 mL	102000	02/04/25 11:00	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	101941	02/05/25 03:10	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			102090	02/05/25 03:10	AJ	EET MID
Total/NA	Analysis	8015 NM		1			102085	02/06/25 13:31	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.03 g	10 mL	101908	02/03/25 15:43	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	102160	02/06/25 13:31	TKC	EET MID
Soluble	Leach	DI Leach			5.02 g	50 mL	101890	02/03/25 13:15	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	101898	02/04/25 07:36	CH	EET MID

Client Sample ID: Floor Sample 54

Lab Sample ID: 880-53920-54

Date Collected: 01/30/25 13:46

Matrix: Solid

Date Received: 02/03/25 09:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.97 g	5 mL	102000	02/04/25 11:00	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	101941	02/05/25 03:31	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			102090	02/05/25 03:31	AJ	EET MID

Eurofins Midland

Lab Chronicle

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gas Line Release

Job ID: 880-53920-1
SDG: 21348

Client Sample ID: Floor Sample 54

Lab Sample ID: 880-53920-54

Date Collected: 01/30/25 13:46

Matrix: Solid

Date Received: 02/03/25 09:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8015 NM		1			102085	02/06/25 13:47	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10 mL	101908	02/03/25 15:43	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	102160	02/06/25 13:47	TKC	EET MID
Soluble	Leach	DI Leach			4.98 g	50 mL	101890	02/03/25 13:15	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	101898	02/04/25 07:53	CH	EET MID

Client Sample ID: Floor Sample 55

Lab Sample ID: 880-53920-55

Date Collected: 01/30/25 13:48

Matrix: Solid

Date Received: 02/03/25 09:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.99 g	5 mL	102000	02/04/25 11:00	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	101941	02/05/25 03:51	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			102090	02/05/25 03:51	AJ	EET MID
Total/NA	Analysis	8015 NM		1			102085	02/06/25 14:04	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.02 g	10 mL	101908	02/03/25 15:43	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	102160	02/06/25 14:04	TKC	EET MID
Soluble	Leach	DI Leach			5.03 g	50 mL	101890	02/03/25 13:15	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	101898	02/04/25 08:23	CH	EET MID

Client Sample ID: Floor Sample 56

Lab Sample ID: 880-53920-56

Date Collected: 01/30/25 13:50

Matrix: Solid

Date Received: 02/03/25 09:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.02 g	5 mL	102000	02/04/25 11:00	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	101941	02/05/25 04:12	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			102090	02/05/25 04:12	AJ	EET MID
Total/NA	Analysis	8015 NM		1			102085	02/06/25 14:20	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.04 g	10 mL	101908	02/03/25 15:43	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	102160	02/06/25 14:20	TKC	EET MID
Soluble	Leach	DI Leach			4.98 g	50 mL	101890	02/03/25 13:15	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	101898	02/04/25 08:29	CH	EET MID

Client Sample ID: Floor Sample 57

Lab Sample ID: 880-53920-57

Date Collected: 01/30/25 13:52

Matrix: Solid

Date Received: 02/03/25 09:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.97 g	5 mL	102000	02/04/25 11:00	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	101941	02/05/25 04:32	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			102090	02/05/25 04:32	AJ	EET MID
Total/NA	Analysis	8015 NM		1			102085	02/06/25 14:36	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.06 g	10 mL	101908	02/03/25 15:43	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	102160	02/06/25 14:36	TKC	EET MID

Eurofins Midland

Lab Chronicle

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gas Line Release

Job ID: 880-53920-1
SDG: 21348

Client Sample ID: Floor Sample 57

Lab Sample ID: 880-53920-57

Date Collected: 01/30/25 13:52

Matrix: Solid

Date Received: 02/03/25 09:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Soluble	Leach	DI Leach			4.95 g	50 mL	101890	02/03/25 13:15	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	101898	02/04/25 08:35	CH	EET MID

Client Sample ID: Floor Sample 58

Lab Sample ID: 880-53920-58

Date Collected: 01/30/25 13:54

Matrix: Solid

Date Received: 02/03/25 09:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.02 g	5 mL	102000	02/04/25 11:00	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	101941	02/05/25 04:53	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			102090	02/05/25 04:53	AJ	EET MID
Total/NA	Analysis	8015 NM		1			102085	02/06/25 14:52	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.05 g	10 mL	101908	02/03/25 15:43	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	102160	02/06/25 14:52	TKC	EET MID
Soluble	Leach	DI Leach			5.03 g	50 mL	101890	02/03/25 13:15	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	101898	02/04/25 08:41	CH	EET MID

Client Sample ID: Floor Sample 59

Lab Sample ID: 880-53920-59

Date Collected: 01/30/25 13:56

Matrix: Solid

Date Received: 02/03/25 09:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.02 g	5 mL	102000	02/04/25 11:00	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	101941	02/05/25 05:13	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			102090	02/05/25 05:13	AJ	EET MID
Total/NA	Analysis	8015 NM		1			102085	02/06/25 15:17	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.04 g	10 mL	101908	02/03/25 15:43	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	102160	02/06/25 15:17	TKC	EET MID
Soluble	Leach	DI Leach			5.04 g	50 mL	101890	02/03/25 13:15	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	101898	02/04/25 08:47	CH	EET MID

Client Sample ID: Floor Sample 60

Lab Sample ID: 880-53920-60

Date Collected: 01/30/25 13:58

Matrix: Solid

Date Received: 02/03/25 09:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.03 g	5 mL	102000	02/04/25 11:00	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	101941	02/05/25 05:34	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			102090	02/05/25 05:34	AJ	EET MID
Total/NA	Analysis	8015 NM		1			102085	02/06/25 15:37	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.06 g	10 mL	101908	02/03/25 15:43	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	102160	02/06/25 15:37	TKC	EET MID
Soluble	Leach	DI Leach			5.05 g	50 mL	101890	02/03/25 13:15	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	101898	02/04/25 08:53	CH	EET MID

Eurofins Midland

Lab Chronicle

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gas Line Release

Job ID: 880-53920-1
SDG: 21348

Client Sample ID: Floor Sample 61

Lab Sample ID: 880-53920-61

Date Collected: 01/30/25 14:00

Matrix: Solid

Date Received: 02/03/25 09:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.99 g	5 mL	101951	02/04/25 13:18	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	101943	02/04/25 18:00	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			102090	02/04/25 18:00	AJ	EET MID
Total/NA	Analysis	8015 NM		1			102085	02/04/25 15:25	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.05 g	10 mL	101955	02/04/25 08:46	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	101958	02/04/25 15:25	TKC	EET MID
Soluble	Leach	DI Leach			5.04 g	50 mL	101891	02/03/25 13:17	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	101902	02/04/25 14:55	CH	EET MID

Client Sample ID: Floor Sample 62

Lab Sample ID: 880-53920-62

Date Collected: 01/30/25 14:02

Matrix: Solid

Date Received: 02/03/25 09:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	101951	02/04/25 13:18	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	101943	02/04/25 18:21	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			102090	02/04/25 18:21	AJ	EET MID
Total/NA	Analysis	8015 NM		1			102085	02/04/25 16:11	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10 mL	101955	02/04/25 08:46	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	101958	02/04/25 16:11	TKC	EET MID
Soluble	Leach	DI Leach			5.01 g	50 mL	101891	02/03/25 13:17	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	101902	02/04/25 15:18	CH	EET MID

Client Sample ID: Floor Sample 63

Lab Sample ID: 880-53920-63

Date Collected: 01/30/25 14:04

Matrix: Solid

Date Received: 02/03/25 09:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.03 g	5 mL	101951	02/04/25 13:18	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	101943	02/04/25 18:41	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			102090	02/04/25 18:41	AJ	EET MID
Total/NA	Analysis	8015 NM		1			102085	02/04/25 16:25	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.05 g	10 mL	101955	02/04/25 08:46	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	101958	02/04/25 16:25	TKC	EET MID
Soluble	Leach	DI Leach			4.95 g	50 mL	101891	02/03/25 13:17	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	101902	02/04/25 15:25	CH	EET MID

Client Sample ID: Floor Sample 64

Lab Sample ID: 880-53920-64

Date Collected: 01/30/25 14:06

Matrix: Solid

Date Received: 02/03/25 09:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.02 g	5 mL	101951	02/04/25 13:18	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	101943	02/04/25 19:02	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			102090	02/04/25 19:02	AJ	EET MID

Eurofins Midland

Lab Chronicle

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gas Line Release

Job ID: 880-53920-1
SDG: 21348

Client Sample ID: Floor Sample 64

Lab Sample ID: 880-53920-64

Date Collected: 01/30/25 14:06

Matrix: Solid

Date Received: 02/03/25 09:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8015 NM		1			102085	02/04/25 16:40	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.04 g	10 mL	101955	02/04/25 08:46	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	101958	02/04/25 16:40	TKC	EET MID
Soluble	Leach	DI Leach			4.99 g	50 mL	101891	02/03/25 13:17	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	101902	02/04/25 15:33	CH	EET MID

Client Sample ID: Floor Sample 65

Lab Sample ID: 880-53920-65

Date Collected: 01/30/25 14:08

Matrix: Solid

Date Received: 02/03/25 09:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.97 g	5 mL	101951	02/04/25 13:18	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	101943	02/04/25 19:22	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			102090	02/04/25 19:22	AJ	EET MID
Total/NA	Analysis	8015 NM		1			102085	02/04/25 16:55	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.09 g	10 mL	101955	02/04/25 08:46	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	101958	02/04/25 16:55	TKC	EET MID
Soluble	Leach	DI Leach			5.02 g	50 mL	101891	02/03/25 13:17	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	101902	02/04/25 15:40	CH	EET MID

Client Sample ID: Floor Sample 66

Lab Sample ID: 880-53920-66

Date Collected: 01/30/25 14:10

Matrix: Solid

Date Received: 02/03/25 09:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.98 g	5 mL	101948	02/04/25 13:19	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	101941	02/04/25 17:56	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			102090	02/04/25 17:56	AJ	EET MID
Total/NA	Analysis	8015 NM		1			102085	02/04/25 17:10	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.04 g	10 mL	101955	02/04/25 08:46	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	101958	02/04/25 17:10	TKC	EET MID
Soluble	Leach	DI Leach			5.01 g	50 mL	101891	02/03/25 13:17	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	101902	02/04/25 16:02	CH	EET MID

Client Sample ID: Floor Sample 67

Lab Sample ID: 880-53920-67

Date Collected: 01/30/25 14:12

Matrix: Solid

Date Received: 02/03/25 09:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.95 g	5 mL	101948	02/04/25 13:19	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	101941	02/04/25 18:16	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			102090	02/04/25 18:16	AJ	EET MID
Total/NA	Analysis	8015 NM		1			102085	02/04/25 17:24	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.08 g	10 mL	101955	02/04/25 08:46	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	101958	02/04/25 17:24	TKC	EET MID

Eurofins Midland

Lab Chronicle

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gas Line Release

Job ID: 880-53920-1
SDG: 21348

Client Sample ID: Floor Sample 67

Lab Sample ID: 880-53920-67

Date Collected: 01/30/25 14:12

Matrix: Solid

Date Received: 02/03/25 09:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Soluble	Leach	DI Leach			5.03 g	50 mL	101891	02/03/25 13:17	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	101902	02/04/25 16:10	CH	EET MID

Client Sample ID: Floor Sample 68

Lab Sample ID: 880-53920-68

Date Collected: 01/30/25 14:14

Matrix: Solid

Date Received: 02/03/25 09:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	101948	02/04/25 13:19	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	101941	02/04/25 18:37	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			102090	02/04/25 18:37	AJ	EET MID
Total/NA	Analysis	8015 NM		1			102085	02/17/25 13:21	AJ	EET MID
Total/NA	Prep	8015NM Prep			9.90 g	10 mL	102943	02/04/25 10:53	TKC	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	102924	02/17/25 13:21	TKC	EET MID
Soluble	Leach	DI Leach			5.00 g	50 mL	101891	02/03/25 13:17	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	101902	02/04/25 16:17	CH	EET MID

Client Sample ID: Floor Sample 69

Lab Sample ID: 880-53920-69

Date Collected: 01/30/25 14:16

Matrix: Solid

Date Received: 02/03/25 09:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.00 g	5 mL	101948	02/04/25 13:19	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	101941	02/04/25 18:57	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			102090	02/04/25 18:57	AJ	EET MID
Total/NA	Analysis	8015 NM		1			102085	02/04/25 17:54	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.07 g	10 mL	101955	02/04/25 08:46	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	101958	02/04/25 17:54	TKC	EET MID
Soluble	Leach	DI Leach			4.98 g	50 mL	101891	02/03/25 13:17	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	101902	02/04/25 16:25	CH	EET MID

Client Sample ID: Floor Sample 70

Lab Sample ID: 880-53920-70

Date Collected: 01/30/25 14:18

Matrix: Solid

Date Received: 02/03/25 09:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.97 g	5 mL	101952	02/04/25 13:20	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	101954	02/04/25 18:27	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			102090	02/04/25 18:27	AJ	EET MID
Total/NA	Analysis	8015 NM		1			102085	02/04/25 18:09	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.06 g	10 mL	101955	02/04/25 08:46	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	101958	02/04/25 18:09	TKC	EET MID
Soluble	Leach	DI Leach			5.04 g	50 mL	101891	02/03/25 13:17	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	101902	02/04/25 16:32	CH	EET MID

Eurofins Midland

Lab Chronicle

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gas Line Release

Job ID: 880-53920-1
SDG: 21348

Client Sample ID: Floor Sample 71

Lab Sample ID: 880-53920-71

Date Collected: 01/30/25 14:20

Matrix: Solid

Date Received: 02/03/25 09:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.96 g	5 mL	101952	02/04/25 13:20	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	101954	02/04/25 18:47	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			102090	02/04/25 18:47	AJ	EET MID
Total/NA	Analysis	8015 NM		1			102085	02/17/25 13:36	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.06 g	10 mL	102943	02/04/25 10:53	TKC	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	102924	02/17/25 13:36	TKC	EET MID
Soluble	Leach	DI Leach			5.01 g	50 mL	101891	02/03/25 13:17	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	101902	02/04/25 16:40	CH	EET MID

Client Sample ID: Sidewall 01

Lab Sample ID: 880-53920-72

Date Collected: 01/30/25 12:00

Matrix: Solid

Date Received: 02/03/25 09:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.02 g	5 mL	101952	02/04/25 13:20	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	101954	02/04/25 19:08	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			102090	02/04/25 19:08	AJ	EET MID
Total/NA	Analysis	8015 NM		1			102085	02/04/25 18:53	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.05 g	10 mL	101955	02/04/25 08:46	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	101958	02/04/25 18:53	TKC	EET MID
Soluble	Leach	DI Leach			4.98 g	50 mL	101891	02/03/25 13:17	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	101902	02/04/25 17:02	CH	EET MID

Client Sample ID: Sidewall 02

Lab Sample ID: 880-53920-73

Date Collected: 01/30/25 12:05

Matrix: Solid

Date Received: 02/03/25 09:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	101952	02/04/25 13:20	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	101954	02/04/25 19:28	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			102090	02/04/25 19:28	AJ	EET MID
Total/NA	Analysis	8015 NM		1			102085	02/04/25 19:08	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.04 g	10 mL	101955	02/04/25 08:46	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	101958	02/04/25 19:08	TKC	EET MID
Soluble	Leach	DI Leach			4.95 g	50 mL	101891	02/03/25 13:17	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	101902	02/04/25 17:09	CH	EET MID

Client Sample ID: Sidewall 03

Lab Sample ID: 880-53920-74

Date Collected: 01/30/25 12:10

Matrix: Solid

Date Received: 02/03/25 09:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.05 g	5 mL	102001	02/04/25 11:01	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	101945	02/04/25 22:54	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			102090	02/04/25 22:54	AJ	EET MID

Eurofins Midland

Lab Chronicle

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gas Line Release

Job ID: 880-53920-1
SDG: 21348

Client Sample ID: Sidewall 03

Lab Sample ID: 880-53920-74

Date Collected: 01/30/25 12:10

Matrix: Solid

Date Received: 02/03/25 09:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8015 NM		1			102085	02/04/25 19:24	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.03 g	10 mL	101955	02/04/25 08:46	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	101958	02/04/25 19:24	TKC	EET MID
Soluble	Leach	DI Leach			5.03 g	50 mL	101891	02/03/25 13:17	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	101902	02/04/25 17:32	CH	EET MID

Client Sample ID: Sidewall 04

Lab Sample ID: 880-53920-75

Date Collected: 01/30/25 12:15

Matrix: Solid

Date Received: 02/03/25 09:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.04 g	5 mL	102001	02/04/25 11:01	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	101945	02/04/25 23:15	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			102090	02/04/25 23:15	AJ	EET MID
Total/NA	Analysis	8015 NM		1			102085	02/04/25 19:38	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10 mL	101955	02/04/25 08:46	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	101958	02/04/25 19:38	TKC	EET MID
Soluble	Leach	DI Leach			5.05 g	50 mL	101891	02/03/25 13:17	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	101902	02/04/25 17:39	CH	EET MID

Client Sample ID: Sidewall 05

Lab Sample ID: 880-53920-76

Date Collected: 01/30/25 12:20

Matrix: Solid

Date Received: 02/03/25 09:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.03 g	5 mL	102001	02/04/25 11:01	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	101945	02/04/25 23:35	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			102090	02/04/25 23:35	AJ	EET MID
Total/NA	Analysis	8015 NM		1			102085	02/04/25 19:53	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.05 g	10 mL	101955	02/04/25 08:46	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	101958	02/04/25 19:53	TKC	EET MID
Soluble	Leach	DI Leach			4.99 g	50 mL	101891	02/03/25 13:17	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	101902	02/04/25 17:47	CH	EET MID

Client Sample ID: Sidewall 06

Lab Sample ID: 880-53920-77

Date Collected: 01/30/25 12:25

Matrix: Solid

Date Received: 02/03/25 09:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.99 g	5 mL	102001	02/04/25 11:01	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	101945	02/04/25 23:56	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			102090	02/04/25 23:56	AJ	EET MID
Total/NA	Analysis	8015 NM		1			102085	02/04/25 20:07	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.04 g	10 mL	101955	02/04/25 08:46	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	101958	02/04/25 20:07	TKC	EET MID

Eurofins Midland

Lab Chronicle

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gas Line Release

Job ID: 880-53920-1
SDG: 21348

Client Sample ID: Sidewall 06
Date Collected: 01/30/25 12:25
Date Received: 02/03/25 09:55

Lab Sample ID: 880-53920-77
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Soluble	Leach	DI Leach			5.02 g	50 mL	101891	02/03/25 13:17	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	101902	02/04/25 17:54	CH	EET MID

Client Sample ID: Sidewall 07
Date Collected: 01/30/25 12:30
Date Received: 02/03/25 09:55

Lab Sample ID: 880-53920-78
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.02 g	5 mL	102001	02/04/25 11:01	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	101945	02/05/25 00:16	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			102090	02/05/25 00:16	AJ	EET MID
Total/NA	Analysis	8015 NM		1			102085	02/04/25 20:23	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.05 g	10 mL	101955	02/04/25 08:46	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	101958	02/04/25 20:23	TKC	EET MID
Soluble	Leach	DI Leach			5.04 g	50 mL	101891	02/03/25 13:17	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	101902	02/04/25 18:01	CH	EET MID

Laboratory References:
EET MID = Eurofins Midland, 1211 W. Florida Ave, Midland, TX 79701, TEL (432)704-5440

Accreditation/Certification Summary

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gas Line Release

Job ID: 880-53920-1
SDG: 21348

Laboratory: Eurofins Midland

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
Texas	NELAP	T104704400	06-30-25
The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.			
Analysis Method	Prep Method	Matrix	Analyte
8015 NM		Solid	Total TPH
Total BTEX		Solid	Total BTEX

Method Summary

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gas Line Release

Job ID: 880-53920-1
SDG: 21348

Method	Method Description	Protocol	Laboratory
8021B	Volatile Organic Compounds (GC)	SW846	EET MID
Total BTEX	Total BTEX Calculation	TAL SOP	EET MID
8015 NM	Diesel Range Organics (DRO) (GC)	SW846	EET MID
8015B NM	Diesel Range Organics (DRO) (GC)	SW846	EET MID
300.0	Anions, Ion Chromatography	EPA	EET MID
5035	Closed System Purge and Trap	SW846	EET MID
8015NM Prep	Microextraction	SW846	EET MID
DI Leach	Deionized Water Leaching Procedure	ASTM	EET MID

Protocol References:

- ASTM = ASTM International
- EPA = US Environmental Protection Agency
- SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.
- TAL SOP = TestAmerica Laboratories, Standard Operating Procedure

Laboratory References:

- EET MID = Eurofins Midland, 1211 W. Florida Ave, Midland, TX 79701, TEL (432)704-5440

Sample Summary

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gas Line Release

Job ID: 880-53920-1
SDG: 21348

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Depth
880-53920-1	Floor Sample 01	Solid	01/30/25 12:00	02/03/25 09:55	0.3"
880-53920-2	Floor Sample 02	Solid	01/30/25 12:02	02/03/25 09:55	0.3"
880-53920-3	Floor Sample 03	Solid	01/30/25 12:04	02/03/25 09:55	0.3"
880-53920-4	Floor Sample 04	Solid	01/30/25 12:06	02/03/25 09:55	0.3"
880-53920-5	Floor Sample 05	Solid	01/30/25 12:08	02/03/25 09:55	0.3"
880-53920-6	Floor Sample 06	Solid	01/30/25 12:10	02/03/25 09:55	0.3"
880-53920-7	Floor Sample 07	Solid	01/30/25 12:12	02/03/25 09:55	0.3"
880-53920-8	Floor Sample 08	Solid	01/30/25 12:14	02/03/25 09:55	0.3"
880-53920-9	Floor Sample 09	Solid	01/30/25 12:16	02/03/25 09:55	0.3"
880-53920-10	Floor Sample 10	Solid	01/30/25 12:18	02/03/25 09:55	0.3"
880-53920-11	Floor Sample 11	Solid	01/30/25 12:20	02/03/25 09:55	0.3"
880-53920-12	Floor Sample 12	Solid	01/30/25 12:22	02/03/25 09:55	0.3"
880-53920-13	Floor Sample 13	Solid	01/30/25 12:24	02/03/25 09:55	0.3"
880-53920-14	Floor Sample 14	Solid	01/30/25 12:26	02/03/25 09:55	0.3"
880-53920-15	Floor Sample 15	Solid	01/30/25 12:28	02/03/25 09:55	0.3"
880-53920-16	Floor Sample 16	Solid	01/30/25 12:30	02/03/25 09:55	0.3"
880-53920-17	Floor Sample 17	Solid	01/30/25 12:32	02/03/25 09:55	0.3"
880-53920-18	Floor Sample 18	Solid	01/30/25 12:34	02/03/25 09:55	0.3"
880-53920-19	Floor Sample 19	Solid	01/30/25 12:36	02/03/25 09:55	0.3"
880-53920-20	Floor Sample 20	Solid	01/30/25 12:38	02/03/25 09:55	0.3"
880-53920-21	Floor Sample 21	Solid	01/30/25 12:40	02/03/25 09:55	0.3"
880-53920-22	Floor Sample 22	Solid	01/30/25 12:42	02/03/25 09:55	0.3"
880-53920-23	Floor Sample 23	Solid	01/30/25 12:24	02/03/25 09:55	0.3"
880-53920-24	Floor Sample 24	Solid	01/30/25 12:46	02/03/25 09:55	0.3"
880-53920-25	Floor Sample 25	Solid	01/30/25 12:48	02/03/25 09:55	0.3"
880-53920-26	Floor Sample 26	Solid	01/30/25 12:50	02/03/25 09:55	0.3"
880-53920-27	Floor Sample 27	Solid	01/30/25 12:52	02/03/25 09:55	0.3"
880-53920-28	Floor Sample 28	Solid	01/30/25 12:54	02/03/25 09:55	0.3"
880-53920-29	Floor Sample 29	Solid	01/30/25 12:56	02/03/25 09:55	0.3"
880-53920-30	Floor Sample 30	Solid	01/30/25 12:58	02/03/25 09:55	0.3"
880-53920-31	Floor Sample 31	Solid	01/30/25 13:00	02/03/25 09:55	0.3"
880-53920-32	Floor Sample 32	Solid	01/30/25 13:02	02/03/25 09:55	0.3"
880-53920-33	Floor Sample 33	Solid	01/30/25 13:04	02/03/25 09:55	0.3"
880-53920-34	Floor Sample 34	Solid	01/30/25 13:06	02/03/25 09:55	0.3"
880-53920-35	Floor Sample 35	Solid	01/30/25 13:08	02/03/25 09:55	0.3"
880-53920-36	Floor Sample 36	Solid	01/30/25 13:10	02/03/25 09:55	0.3"
880-53920-37	Floor Sample 37	Solid	01/30/25 13:12	02/03/25 09:55	0.3"
880-53920-38	Floor Sample 38	Solid	01/30/25 13:14	02/03/25 09:55	0.3"
880-53920-39	Floor Sample 39	Solid	01/30/25 13:16	02/03/25 09:55	0.3"
880-53920-40	Floor Sample 40	Solid	01/30/25 13:18	02/03/25 09:55	0.3"
880-53920-41	Floor Sample 41	Solid	01/30/25 13:20	02/03/25 09:55	0.3"
880-53920-42	Floor Sample 42	Solid	01/30/25 13:22	02/03/25 09:55	0.3"
880-53920-43	Floor Sample 43	Solid	01/30/25 13:24	02/03/25 09:55	0.3"
880-53920-44	Floor Sample 44	Solid	01/30/25 13:26	02/03/25 09:55	0.3"
880-53920-45	Floor Sample 45	Solid	01/30/25 13:28	02/03/25 09:55	0.3"
880-53920-46	Floor Sample 46	Solid	01/30/25 13:30	02/03/25 09:55	0.3"
880-53920-47	Floor Sample 47	Solid	01/30/25 13:32	02/03/25 09:55	0.3"
880-53920-48	Floor Sample 48	Solid	01/30/25 13:34	02/03/25 09:55	0.3"
880-53920-49	Floor Sample 49	Solid	01/30/25 13:36	02/03/25 09:55	0.3"
880-53920-50	Floor Sample 50	Solid	01/30/25 13:38	02/03/25 09:55	0.3"
880-53920-51	Floor Sample 51	Solid	01/30/25 13:40	02/03/25 09:55	0.3"
880-53920-52	Floor Sample 52	Solid	01/30/25 13:42	02/03/25 09:55	0.3"
880-53920-53	Floor Sample 53	Solid	01/30/25 13:44	02/03/25 09:55	0.3"
880-53920-54	Floor Sample 54	Solid	01/30/25 13:46	02/03/25 09:55	0.3"

Sample Summary

Client: Etech Environmental & Safety Solutions
Project/Site: Walker HP Gas Line Release

Job ID: 880-53920-1
SDG: 21348

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Depth
880-53920-55	Floor Sample 55	Solid	01/30/25 13:48	02/03/25 09:55	0.3"
880-53920-56	Floor Sample 56	Solid	01/30/25 13:50	02/03/25 09:55	0.3"
880-53920-57	Floor Sample 57	Solid	01/30/25 13:52	02/03/25 09:55	0.3"
880-53920-58	Floor Sample 58	Solid	01/30/25 13:54	02/03/25 09:55	0.3"
880-53920-59	Floor Sample 59	Solid	01/30/25 13:56	02/03/25 09:55	0.3"
880-53920-60	Floor Sample 60	Solid	01/30/25 13:58	02/03/25 09:55	0.3"
880-53920-61	Floor Sample 61	Solid	01/30/25 14:00	02/03/25 09:55	0.3"
880-53920-62	Floor Sample 62	Solid	01/30/25 14:02	02/03/25 09:55	0.3"
880-53920-63	Floor Sample 63	Solid	01/30/25 14:04	02/03/25 09:55	0.3"
880-53920-64	Floor Sample 64	Solid	01/30/25 14:06	02/03/25 09:55	0.3"
880-53920-65	Floor Sample 65	Solid	01/30/25 14:08	02/03/25 09:55	0.3"
880-53920-66	Floor Sample 66	Solid	01/30/25 14:10	02/03/25 09:55	0.3"
880-53920-67	Floor Sample 67	Solid	01/30/25 14:12	02/03/25 09:55	0.3"
880-53920-68	Floor Sample 68	Solid	01/30/25 14:14	02/03/25 09:55	0.3"
880-53920-69	Floor Sample 69	Solid	01/30/25 14:16	02/03/25 09:55	0.3"
880-53920-70	Floor Sample 70	Solid	01/30/25 14:18	02/03/25 09:55	0.3"
880-53920-71	Floor Sample 71	Solid	01/30/25 14:20	02/03/25 09:55	0-.3"
880-53920-72	Sidewall 01	Solid	01/30/25 12:00	02/03/25 09:55	0-.3"
880-53920-73	Sidewall 02	Solid	01/30/25 12:05	02/03/25 09:55	0-.3"
880-53920-74	Sidewall 03	Solid	01/30/25 12:10	02/03/25 09:55	0-.3"
880-53920-75	Sidewall 04	Solid	01/30/25 12:15	02/03/25 09:55	0-.3"
880-53920-76	Sidewall 05	Solid	01/30/25 12:20	02/03/25 09:55	0-.3"
880-53920-77	Sidewall 06	Solid	01/30/25 12:25	02/03/25 09:55	0-.3"
880-53920-78	Sidewall 07	Solid	01/30/25 12:30	02/03/25 09:55	0-.3"

Etech Environmental

Eurofins

12800 W Hwy 80 E
Odessa, Texas 79765

CHAIN OF CUSTODY RECORD AND ANALYSIS REQUEST

Phone: 432-563-2200
Fax: 432-563-2213

ry x ot 8

Project Manager: Blake EstepProject Name: Walker HP Gas Line ReleaseCompany Name: Etech Environmental & Safety Solutions, Inc.Project #: 21348Company Address: PO Box 62228Project Loc: 283City/State/Zip: Midland, Texas 79711PO #: 21348Telephone No: 432-563-2200 Fax No: 432-563-2213Report Format: ☒ Standard ☐ TRRP ☐ NPDESSampler Signature: _____ e-mail: blake@etechenv.com


(lab use only)

ORDER #:

ORDER #:						Preservation & # of Containers								Matrix																		RUSH TAT (Pre-Schedule) 24, 48, 72		Standard TAT
LAB # (lab use only)	FIELD CODE	Sample Depth	Date Sampled	Time Sampled	No. of Containers	Ice	HNO ₃	HCl	H ₂ SO ₄	NaOH	Na ₂ S ₂ O ₃	None	Other (Specify)	DW=Drinking Water SL=Sludge GW = Groundwater S=Soil/Solid NP=Non-Potable Specify Other	TPH: 1x1000 8015M	Cations (Ca, Mg, Na, K)	Anions (Cl, SO ₄ , CO ₃ , HCO ₃)	SAR / ESP / CEC	Metals: As Ag Ba Cd Cr Pb Hg Se	Volatiles	Semivolatiles	BTEX 8021B	RCI	N.O.R.M.	TDS, Bromide	Se e								

Special Instructions:

Bill etech Distribute to WES

Relinquished by:	Date	Time	Received by:	Date	Time	Laboratory Comments: Sample Containers Intact? Y N VOCs Free of Headspace? Y N Labels on container(s) Y N Custody seals on container(s) Y N Custody seals on cooler(s) Y N Sample Hand Delivered by Sampler/Client Rep. ? Y N by Courier? UPS DHL FedEx Lone Star Temperature Upon Receipt: °C
	2-7-25			2/3/25	755	
Relinquished by:	Date	Time	Received by:	Date	Time	
Relinquished by:	Date	Time	Received by:	Date	Time	

Etech Environmental

Eurofins

12800 W Hwy 80 E
Odessa, Texas 79765

CHAIN OF CUSTODY RECORD AND ANALYSIS REQUEST

Phone: 432-563-2200
Fax: 432-563-2213

Project Manager: Blake Estep

Project Name: Walker HP Gas Line Release

Company Name: Etech Environmental & Safety Solutions, Inc.

Project #: 21348

Company Address: PO Box 62228

Project Loc: _____

City/State/Zip: Midland, Texas 79711

PO #: 21348

Telephone No: 432-563-2200

Fax No: 432-563-2213


Report Format: ☒ Standard ☐ TRRP ☐ NPDES

Sampler Signature: _____

e-mail: blake@etechenv.com

LAB # (lab use only)		FIELD CODE		Sample Depth	Date Sampled	Time Sampled	No. of Containers	Preservation & # of Containers								Matrix		Analyze For:															
								Ice	HNO ₃	HCl	H ₂ SO ₄	NaOH	Na ₂ S ₂ O ₃	None	Other (Specify)	DWI=Drinking Water SL=Sludge	GW = Groundwater S=Soil/Solid	NP=Non-Potable Specify Other	TPH: 1005 8015m	Cations (Ca, Mg, Na, K)	Anions (Cl, SO ₄ , CO ₃ , HCO ₃)	SAR / ESP / CEC	Metals: As Ag Ba Cd Cr Pb Hg Se	Volatiles	Semivolatiles	BTEX 8021B	RCI	NORM	TDS, Bromide	Chlorides	RUSH TAT (Pre-Schedule) 24, 48, 72 hrs	Standard TAT	
		Floor Sample 21	0.3"	1/30/2025	1240	1	☒	☐	☐	☐	☐	☐	☐	☐	☐	S	☒	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
		Floor Sample 22	0.3"	1/30/2025	1242	1	☒	☐	☐	☐	☐	☐	☐	☐	☐	S	☒	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
		Floor Sample 23	0.3"	1/30/2025	1244	1	☒	☐	☐	☐	☐	☐	☐	☐	☐	S	☒	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
		Floor Sample 24	0.3"	1/30/2025	1246	1	☒	☐	☐	☐	☐	☐	☐	☐	☐	S	☒	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
		Floor Sample 25	0.3"	1/30/2025	1248	1	☒	☐	☐	☐	☐	☐	☐	☐	☐	S	☒	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
		Floor Sample 26	0.3"	1/30/2025	1250	1	☒	☐	☐	☐	☐	☐	☐	☐	☐	S	☒	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
		Floor Sample 27	0.3"	1/30/2025	1252	1	☒	☐	☐	☐	☐	☐	☐	☐	☐	S	☒	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
		Floor Sample 28	0.3"	1/30/2025	1254	1	☒	☐	☐	☐	☐	☐	☐	☐	☐	S	☒	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
		Floor Sample 29	0.3"	1/30/2025	1256	1	☒	☐	☐	☐	☐	☐	☐	☐	☐	S	☒	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
		Floor Sample 30	0.3"	1/30/2025	1258	1	☒	☐	☐	☐	☐	☐	☐	☒	☐	S	☒	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐

Special Instructions: Bill etech Distribute to WES

Relinquished by:  Date: 2/25 Time: Received by:  Date: 2/3/25 Time: 955

Relinquished by: Date: Time: Received by: Date: Time:

Relinquished by: Date: Time: Received by: Date: Time:

Laboratory Comments:

Sample Containers Intact? Y N

VOCs Free of Headspace? Y N

Labels on container(s) Y N

Custody seals on container(s) Y N

Custody seals on cooler(s) Y N

Sample Hand Delivered Y N

by Sampler/Client Rep. ? Y N

by Courier? UPS DHL FedEx Lone Star

Temperature Upon Receipt: °C

[illegible]

Etech Environmental

Eurofins

12800 W Hwy 80 E
Odessa, Texas 79765

CHAIN OF CUSTODY RECORD AND ANALYSIS REQUEST

Phone: 432-563-2200
Fax: 432-563-2213Project Manager: Blake EstepProject Name: Walker HP Gas Line ReleaseCompany Name: Etech Environmental & Safety Solutions, Inc.Project #: 21348Company Address: PO Box 62228

Project Loc: _____

City/State/Zip: Midland, Texas 79711PO #: 21348Telephone No: 432-563-2200Fax No: 432-563-2213Report Format: ☒ Standard ☐ TRRP ☐ NPDESSampler Signature: _____ e-mail: blake@etechenv.com

LAB # (lab use only)		FIELD CODE		Sample Depth	Date Sampled	Time Sampled	No. of Containers	Preservation & # of Containers								Matrix		Analyze For:															
ORDER #:								Ice	HNO ₃	HCl	H ₂ SO ₄	NaOH	Na ₂ S ₂ O ₃	None	Other (Specify)	DW=Drinking Water SL=Sludge	GW = Groundwater S=Soil/Solid	NP=Non-Potable Specify Other	TPH: <u>TX4005</u>	Cations (Ca, Mg, Na, K)	Anions (Cl, SO ₄ , CO ₃ , HCO ₃)	SAR / ESP / CEC	Metals: As Ag Ba Cd Cr Pb Hg Se	Volatiles	Semivolatiles	BTEX 8021B	RCI	NORM	TDS, Bromide	Seeds - 1000	RUSH TAT (Pre-Schedule) 24, 48, 72 hrs	Standard TAT	
		Floor Sample 51	0.3"	1/30/2025	1340	1	☒	☐	☐	☐	☐	☐	☐	☐	☐	S	☒	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☒
		Floor Sample 52	0.3"	1/30/2025	1342	1	☒	☐	☐	☐	☐	☐	☐	☐	☐	S	☒	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
		Floor Sample 53	0.3"	1/30/2025	1344	1	☒	☐	☐	☐	☐	☐	☐	☐	☐	S	☒	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
		Floor Sample 54	0.3"	1/30/2025	1346	1	☒	☐	☐	☐	☐	☐	☐	☐	☐	S	☒	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
		Floor Sample 55	0.3"	1/30/2025	1348	1	☒	☐	☐	☐	☐	☐	☐	☐	☐	S	☒	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
		Floor Sample 56	0.3"	1/30/2025	1350	1	☒	☐	☐	☐	☐	☐	☐	☐	☐	S	☒	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
		Floor Sample 57	0.3"	1/30/2025	1352	1	☒	☐	☐	☐	☐	☐	☐	☐	☐	S	☒	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
		Floor Sample 58	0.3"	1/30/2025	1354	1	☒	☐	☐	☐	☐	☐	☐	☐	☐	S	☒	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
		Floor Sample 59	0.3"	1/30/2025	1356	1	☒	☐	☐	☐	☐	☐	☐	☐	☐	S	☒	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
		Floor Sample 60	0.3"	1/30/2025	1358	1	☒	☐	☐	☐	☐	☐	☐	☒	☐	S	☒	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
Special Instructions:		<u>Bill etech Distribute to WES</u>																		Laboratory Comments:													
Relinquished by:		Date	Time	Received by:		Date	Time	Sample Containers Intact?										Y	N														
Relinquished by:		Date	Time	Received by:		Date	Time	VOCs Free of Headspace?										Y	N														
Relinquished by:		Date	Time	Received by:		Date	Time	Labels on container(s)										Y	N														
Relinquished by:		Date	Time	Received by:		Date	Time	Custody seals on container(s)										Y	N														
Relinquished by:		Date	Time	Received by:		Date	Time	Custody seals on cooler(s)										Y	N														
Relinquished by:		Date	Time	Received by:		Date	Time	Sample Hand Delivered										Y	N														
Relinquished by:		Date	Time	Received by:		Date	Time	by Sampler/Client Rep. ?										Y	N														
Relinquished by:		Date	Time	Received by:		Date	Time	by Courier? UPS DHL FedEx Lone Star																									
Relinquished by:		Date	Time	Received by:		Date	Time	Temperature Upon Receipt:										°C															

Etech Environmental

Eurofins

12800 W Hwy 80 E
Odessa, Texas 79765

CHAIN OF CUSTODY RECORD AND ANALYSIS REQUEST

Phone: 432-563-2200
Fax: 432-563-2213Project Manager: Blake EstepProject Name: Walker HP Gas Line ReleaseCompany Name: Etech Environmental & Safety Solutions, Inc.Project #: 21348Company Address: PO Box 62228

Project Loc: _____

City/State/Zip: Midland, Texas 79711PO #: 21348Telephone No: 432-563-2200Fax No: 432-563-2213Report Format: ☒ Standard ☐ TRRP ☐ NPDES

Sampler Signature: _____

e-mail: blake@etechenv.com



(lab use only)

ORDER #:

(lab use only)																																																																																																																																																																																																																																																																																																																																																																																													
----------------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Special Instructions:

Bill etech Distribute to WES

Relinquished by: 	Date: <u>2-7-25</u>	Time: _____	Received by: 	Date: <u>2/3/25</u>	Time: <u>9:55</u>
Relinquished by: _____	Date: _____	Time: _____	Received by: _____	Date: _____	Time: _____
Relinquished by: _____	Date: _____	Time: _____	Received by: _____	Date: _____	Time: _____

Laboratory Comments:

Sample Containers Intact?	Y	N
VOCs Free of Headspace?	Y	N
Labels on container(s)	Y	N
Custody seals on container(s)	Y	N
Custody seals on cooler(s)	Y	N
Sample Hand Delivered	Y	N
by Sampler/Client Rep. ?	Y	N
by Courier? UPS DHL FedEx Lone Star		
Temperature Upon Receipt:	°C	

Etech Environmental

Eurofins

12800 W Hwy 80 E
Odessa, Texas 79765

CHAIN OF CUSTODY RECORD AND ANALYSIS REQUEST

Phone: 432-563-2200
Fax: 432-563-2213

Pg 8 of 8

Project Manager: Blake Estep

Project Name: Walker HP Gas Line Release

Company Name: Etech Environmental & Safety Solutions, Inc.

Project #: 21348

Company Address: PO Box 62228

Project Loc: _____

City/State/Zip: Midland, Texas 79711

PO #: 21348

Telephone No: 432-563-2200

Fax No: 432-563-2213

Report Format: ☒ Standard ☐ TRRP ☐ NPDES

Sampler Signature: _____

e-mail: blake@etechenv.com

(lab use only)

ORDER #:

LAB # (lab use only)	FIELD CODE	Sample Depth	Date Sampled	Time Sampled	No. of Containers	Preservation & # of Containers										Matrix		Analyze For:																	
						Ice	HNO ₃	HCl	H ₂ SO ₄	NaOH	Na ₂ S ₂ O ₃	None	Other (Specify)	DW=Drinking Water SL=Sludge	GW = Groundwater S=Soil/Solid	NP=Non-Potable Specify Other	TPH: 1000 8015M	Cations (Ca, Mg, Na, K)	Anions (Cl, SO ₄ , CO ₃ , HCO ₃)	SAR / ESP / CEC	Metals: As Ag Ba Cd Cr Pb Hg Se	Volatiles	Semivolatiles	BTEX 8021B	RCI	NORM	TDS, Bromide	Chlorides	RUSH TAT (Pre-Schedule) 24, 48, 72 hrs	Standard TAT					
	Floor Sample 71	0.3"	1/30/2025	1420	1	☒	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	S	☒	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☒	☐
	Sidewall 01	0-.3"	1-30-25	1200	1	☒	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	S	☒	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	
	Sidewall 02	0-.3"		1205	1	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐		☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	
	Sidewall 03	0-.3"		1210	1	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐		☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	
	Sidewall 04	0-.3"		1215	1	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐		☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	
	Sidewall 05	0-.3"		1220	1	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐		☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	
	Sidewall 06	0-.3"		1225	1	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐		☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	
	Sidewall 07	0-.3"		1230	1	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐		☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	
						☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐		☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	
						☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐		☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	

Special Instructions:

Bill etech Distribute to WES

Relinquished by:

Date

Time

Received by:

Date

Time

Relinquished by:

Date

Time

Received by:

Date

Time

Relinquished by:

Date

Time

Received by:

Date

Time

Laboratory Comments:

Sample Containers Intact?	Y	N
VOCs Free of Headspace?	Y	N
Labels on container(s)	Y	N
Custody seals on container(s)	Y	N
Custody seals on cooler(s)	Y	N
Sample Hand Delivered	Y	N
by Sampler/Client Rep. ?	Y	N
by Courier?	UPS	DHL FedEx Lone Star
Temperature Upon Receipt:	°C	

Login Sample Receipt Checklist

Client: Etech Environmental & Safety Solutions

Job Number: 880-53920-1

SDG Number: 21348

Login Number: 53920

List Number: 1

Creator: Vasquez, Julisa

List Source: Eurofins Midland

Question	Answer	Comment
The cooler's custody seal, if present, is intact.	N/A	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	

From: [Green, Matthew](#)
To: [Shepherd, Alex](#)
Subject: FW: [EXTERNAL]: Re: [EXTERNAL] Delaware Basin Midstream LLC Wlaker HP Gas Line Release Followup
Date: Wednesday, April 30, 2025 3:25:25 PM

From: Amos, James A <jamos@blm.gov>
Sent: Monday, April 7, 2025 1:08 PM
To: Green, Matthew <Matthew.Green@westernmidstream.com>; Beneway, Gabriel R <gbeneway@blm.gov>
Cc: Shepherd, Alex <Alex.Shepherd@westernmidstream.com>; Tull, Melissa <Melissa.Tull@westernmidstream.com>; Weaver, Joe <Joe.Weaver@westernmidstream.com>; Walker, Dalton <Dalton.Walker@westernmidstream.com>
Subject: [EXTERNAL]: Re: [EXTERNAL] Delaware Basin Midstream LLC Wlaker HP Gas Line Release Followup

EXTERNAL EMAIL: PROCEED WITH CAUTION.

This e-mail has originated from outside of the organization. Do not respond, click on links or open attachments unless you recognize the sender or know the content is safe. If this email looks suspicious, report it **using the Report Message button in the banner above.**

Matthew,

Consider this BLM's approval to proceed with the proposed application of Micro Blaze to treat for the hydrocarbon impact. I would like to see the initial application applies. If after 4 weeks there is still any staining, disk the impact and apply a second application. If the impact is located on an existing reclaimed area, then the impact area should be reseeded as per the initial attempt at remediation. If any questions, please get back to me. Thanks

From: Green, Matthew <Matthew.Green@westernmidstream.com>
Sent: Monday, March 24, 2025 8:52 AM
To: Amos, James A <jamos@blm.gov>; Beneway, Gabriel R <gbeneway@blm.gov>
Cc: Shepherd, Alex <Alex.Shepherd@westernmidstream.com>; Tull, Melissa <Melissa.Tull@westernmidstream.com>; Weaver, Joe <Joe.Weaver@westernmidstream.com>; Walker, Dalton <Dalton.Walker@westernmidstream.com>
Subject: [EXTERNAL] Delaware Basin Midstream LLC Wlaker HP Gas Line Release Followup

This email has been received from outside of DOI - Use caution before clicking on

links, opening attachments, or responding.

Good Afternoon,

Attached is the Updated Spill Reporting Form, Site Characterisation and Remediation Work Plan, and the Remediation Scope of Work following initial confirmation sampling for the release of 23 barrels of condensate from Delaware Basin Midstream LLC's Walker HP Gas Line on 10/17/24. On November 12, 2024, thirty-two (32) initial delineation samples were collected from the impacted area. Delineation sample results indicated that no impact was present at a depth of six (6) inches below ground surface (bgs) and confirmed at depths ranging from one (1) foot to four (4) feet bgs based on depth of refusal for the hand auger. On January 30, 2025, based on delineation sample results, seventy-eight (78) confirmation sample results were collected from the impacted area. Laboratory analytical results indicated TPH concentrations were present above NMOCD regulatory limits of 100 mg/kg for samples Floor Sample 36, Floor Sample 37, Floor Sample 46, Floor Sample 53, Floor Sample 60, Floor Sample 61, Floor Sample 65, Floor Sample 66, and Floor Sample 69. Based on sample results Delaware Basin Midstream LLC requested permission to treat in-situ areas with elevated TPH concentrations utilizing Micro-Blaze. Following treatment confirmation soil samples will be collected to confirm remediation of the TPH impacted soil. Let me know if you have any questions or if there is anything else you need from me.

Regards,

Matthew Green, P.G.
Environmental Advisor

Western Midstream
6001 Deauville Blvd., 4th Floor
Midland, TX 79706
Mobile: 432.230.3763
Matthew.Green@westernmidstream.com

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico

Energy, Minerals and Natural Resources

Oil Conservation Division

1220 S. St Francis Dr.

Santa Fe, NM 87505

QUESTIONS

Action 457269

QUESTIONS

Operator: DELAWARE BASIN MIDSTREAM, LLC 9950 Woodloch Forest Drive The Woodlands, TX 77380	OGRID: 314437
	Action Number: 457269
	Action Type: [C-141] Site Char./Remediation Plan C-141 (C-141-v-Plan)

QUESTIONS

Prerequisites	
Incident ID (n#)	nAPP2429241405
Incident Name	NAPP2429241405 WALKER HP GAS PIPELINE @ 0
Incident Type	Oil Release
Incident Status	Remediation Plan Approved

Location of Release Source	
Please answer all the questions in this group.	
Site Name	WALKER HP GAS PIPELINE
Date Release Discovered	10/17/2024
Surface Owner	Federal

Incident Details	
Please answer all the questions in this group.	
Incident Type	Oil Release
Did this release result in a fire or is the result of a fire	No
Did this release result in any injuries	No
Has this release reached or does it have a reasonable probability of reaching a watercourse	No
Has this release endangered or does it have a reasonable probability of endangering public health	No
Has this release substantially damaged or will it substantially damage property or the environment	No
Is this release of a volume that is or may with reasonable probability be detrimental to fresh water	No

Nature and Volume of Release	
Material(s) released, please answer all that apply below. Any calculations or specific justifications for the volumes provided should be attached to the follow-up C-141 submission.	
Crude Oil Released (bbls) Details	Not answered.
Produced Water Released (bbls) Details	Not answered.
Is the concentration of chloride in the produced water >10,000 mg/l	No
Condensate Released (bbls) Details	Cause: Equipment Failure Pipeline (Any) Condensate Released: 23 BBL Recovered: 0 BBL Lost: 23 BBL.
Natural Gas Vented (Mcf) Details	Cause: Equipment Failure Pipeline (Any) Natural Gas Vented Released: 17,878 MCF Recovered: 0 MCF Lost: 17,878 MCF.
Natural Gas Flared (Mcf) Details	Not answered.
Other Released Details	Not answered.
Are there additional details for the questions above (i.e. any answer containing Other, Specify, Unknown, and/or Fire, or any negative lost amounts)	A crew was working on the HMI. The door on the pigging barrel was open and the valve cycled allowing condensate and gas to be released. Approximately 23-bbl of condensate and 17,878.42 mcf of gas was released. Condensate release affected nearby vegetation and soil. Release was reported to NMOCD and BLM on 10/18/2024 verbally. Affected area will be treated in place or removed via dig and haul once fully delineated.

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 2

Action 457269

QUESTIONS (continued)

Operator: DELAWARE BASIN MIDSTREAM, LLC 9950 Woodloch Forest Drive The Woodlands, TX 77380	OGRID: 314437
	Action Number: 457269
	Action Type: [C-141] Site Char./Remediation Plan C-141 (C-141-v-Plan)

QUESTIONS

Nature and Volume of Release (continued)	
Is this a gas only submission (i.e. only significant Mcf values reported)	No, according to supplied volumes this does not appear to be a "gas only" report.
Was this a major release as defined by Subsection A of 19.15.29.7 NMAC	Yes
Reasons why this would be considered a submission for a notification of a major release	From paragraph A. "Major release" determine using: (3) an unauthorized release of gases exceeding 500 MCF.
With the implementation of the 19.15.27 NMAC (05/25/2021), venting and/or flaring of natural gas (i.e. gas only) are to be submitted on the C-129 form.	

Initial Response

The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury.

The source of the release has been stopped	True
The impacted area has been secured to protect human health and the environment	True
Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices	True
All free liquids and recoverable materials have been removed and managed appropriately	True
If all the actions described above have not been undertaken, explain why	Not answered.

Per Paragraph (4) of Subsection B of 19.15.29.8 NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please prepare and attach a narrative of actions to date in the follow-up C-141 submission. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see Subparagraph (a) of Paragraph (5) of Subsection A of 19.15.29.11 NMAC), please prepare and attach all information needed for closure evaluation in the follow-up C-141 submission.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

I hereby agree and sign off to the above statement	Name: Alex Shepherd Title: Environmental Manager Email: Alex.Shepherd@westernmidstream.com Date: 10/28/2024
--	--

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 3

Action 457269

QUESTIONS (continued)

Operator: DELAWARE BASIN MIDSTREAM, LLC 9950 Woodloch Forest Drive The Woodlands, TX 77380	OGRID: 314437
	Action Number: 457269
	Action Type: [C-141] Site Char./Remediation Plan C-141 (C-141-v-Plan)

QUESTIONS**Site Characterization**

Please answer all the questions in this group (only required when seeking remediation plan approval and beyond). This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

What is the shallowest depth to groundwater beneath the area affected by the release in feet below ground surface (ft bgs)	Between 100 and 500 (ft.)
What method was used to determine the depth to ground water	NM OSE iWaters Database Search
Did this release impact groundwater or surface water	No
What is the minimum distance, between the closest lateral extents of the release and the following surface areas:	
A continuously flowing watercourse or any other significant watercourse	Greater than 5 (mi.)
Any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)	Between ½ and 1 (mi.)
An occupied permanent residence, school, hospital, institution, or church	Greater than 5 (mi.)
A spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes	Between 1 and 5 (mi.)
Any other fresh water well or spring	Between ½ and 1 (mi.)
Incorporated municipal boundaries or a defined municipal fresh water well field	Greater than 5 (mi.)
A wetland	Between ½ and 1 (mi.)
A subsurface mine	Greater than 5 (mi.)
An (non-karst) unstable area	Between 1 and 5 (mi.)
Categorize the risk of this well / site being in a karst geology	Low
A 100-year floodplain	Greater than 5 (mi.)
Did the release impact areas not on an exploration, development, production, or storage site	Yes

Remediation Plan

Please answer all the questions that apply or are indicated. This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

Requesting a remediation plan approval with this submission	Yes
<i>Attach a comprehensive report demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined, pursuant to 19.15.29.11 NMAC and 19.15.29.13 NMAC.</i>	
Have the lateral and vertical extents of contamination been fully delineated	Yes
Was this release entirely contained within a lined containment area	No

Soil Contamination Sampling: (Provide the highest observable value for each, in milligrams per kilograms.)

Chloride (EPA 300.0 or SM4500 Cl B)	144
TPH (GRO+DRO+MRO) (EPA SW-846 Method 8015M)	0
GRO+DRO (EPA SW-846 Method 8015M)	0
BTEX (EPA SW-846 Method 8021B or 8260B)	0
Benzene (EPA SW-846 Method 8021B or 8260B)	0

Per Subsection B of 19.15.29.11 NMAC unless the site characterization report includes completed efforts at remediation, the report must include a proposed remediation plan in accordance with 19.15.29.12 NMAC, which includes the anticipated timelines for beginning and completing the remediation.

On what estimated date will the remediation commence	04/11/2025
On what date will (or did) the final sampling or liner inspection occur	05/11/2025
On what date will (or was) the remediation complete(d)	04/11/2025
What is the estimated surface area (in square feet) that will be reclaimed	0
What is the estimated volume (in cubic yards) that will be reclaimed	0
What is the estimated surface area (in square feet) that will be remediated	1800
What is the estimated volume (in cubic yards) that will be remediated	67

These estimated dates and measurements are recognized to be the best guess or calculation at the time of submission and may (be) change(d) over time as more remediation efforts are completed.

The OCD recognizes that proposed remediation measures may have to be minimally adjusted in accordance with the physical realities encountered during remediation. If the responsible party has any need to significantly deviate from the remediation plan proposed, then it should consult with the division to determine if another remediation plan submission is required.

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 4

Action 457269

QUESTIONS (continued)

Operator: DELAWARE BASIN MIDSTREAM, LLC 9950 Woodloch Forest Drive The Woodlands, TX 77380	OGRID: 314437
	Action Number: 457269
	Action Type: [C-141] Site Char./Remediation Plan C-141 (C-141-v-Plan)

QUESTIONS

Remediation Plan (continued)	
<i>Please answer all the questions that apply or are indicated. This information must be provided to the appropriate district office no later than 90 days after the release discovery date.</i>	
This remediation will (or is expected to) utilize the following processes to remediate / reduce contaminants:	
<i>(Select all answers below that apply.)</i>	
(Ex Situ) Excavation and off-site disposal (i.e. dig and haul, hydrovac, etc.)	No
(Ex Situ) Excavation and on-site remediation (i.e. On-Site Land Farms)	No
(In Situ) Soil Vapor Extraction	No
(In Situ) Chemical processing (i.e. Soil Shredding, Potassium Permanganate, etc.)	No
(In Situ) Biological processing (i.e. Microbes / Fertilizer, etc.)	Yes
(In Situ) Physical processing (i.e. Soil Washing, Gypsum, Disking, etc.)	Yes
Ground Water Abatement pursuant to 19.15.30 NMAC	No
OTHER (Non-listed remedial process)	No
<i>Per Subsection B of 19.15.29.11 NMAC unless the site characterization report includes completed efforts at remediation, the report must include a proposed remediation plan in accordance with 19.15.29.12 NMAC, which includes the anticipated timelines for beginning and completing the remediation.</i>	
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.	
I hereby agree and sign off to the above statement	Name: Alex Shepherd Title: Environmental Manager Email: Alex.Shepherd@westernmidstream.com Date: 04/30/2025
<i>The OCD recognizes that proposed remediation measures may have to be minimally adjusted in accordance with the physical realities encountered during remediation. If the responsible party has any need to significantly deviate from the remediation plan proposed, then it should consult with the division to determine if another remediation plan submission is required.</i>	

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 5

Action 457269

QUESTIONS (continued)

Operator: DELAWARE BASIN MIDSTREAM, LLC 9950 Woodloch Forest Drive The Woodlands, TX 77380	OGRID: 314437
	Action Number: 457269
	Action Type: [C-141] Site Char./Remediation Plan C-141 (C-141-v-Plan)

QUESTIONS

Deferral Requests Only	
Only answer the questions in this group if seeking a deferral upon approval this submission. Each of the following items must be confirmed as part of any request for deferral of remediation.	
Requesting a deferral of the remediation closure due date with the approval of this submission	No

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 6

Action 457269

QUESTIONS (continued)

Operator: DELAWARE BASIN MIDSTREAM, LLC 9950 Woodloch Forest Drive The Woodlands, TX 77380	OGRID: 314437
	Action Number: 457269
	Action Type: [C-141] Site Char./Remediation Plan C-141 (C-141-v-Plan)

QUESTIONS

Sampling Event Information	
Last sampling notification (C-141N) recorded	425652
Sampling date pursuant to Subparagraph (a) of Paragraph (1) of Subsection D of 19.15.29.12 NMAC	01/30/2025
What was the (estimated) number of samples that were to be gathered	85
What was the sampling surface area in square feet	35600

Remediation Closure Request

Only answer the questions in this group if seeking remediation closure for this release because all remediation steps have been completed.

Requesting a remediation closure approval with this submission	No
--	----

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 457269

CONDITIONS

Operator: DELAWARE BASIN MIDSTREAM, LLC 9950 Woodloch Forest Drive The Woodlands, TX 77380	OGRID: 314437
	Action Number: 457269
	Action Type: [C-141] Site Char./Remediation Plan C-141 (C-141-v-Plan)

CONDITIONS

Created By	Condition	Condition Date
nvez	The remediation plan is approved as written. Delaware Basin Midstream has 90-days (August 25, 2025) to submit to OCD its appropriate or final remediation closure report.	5/27/2025