

October 7, 2025

New Mexico Oil Conservation Division

New Mexico Energy, Minerals, and Natural Resources Department 1220 South St. Francis Drive Santa Fe, New Mexico 87505

Re: Updated Release Remediation, Delineation and Deferral Request

Val Verde Glycol Release San Juan County, New Mexico Harvest Four Corners, LLC

NMOCD Incident No: nAPP2505046340 & nAPP2504531514

To Whom it May Concern:

Ensolum, LLC (Ensolum), on behalf of Harvest Four Corners, LLC (Harvest), presents the following Updated *Release Remediation, Delineation and Deferral Request* (Deferral Request) detailing soil sampling, remediation, and site delineation activities for two releases at the Val Verde Gas Plant (Site). The Site is located on private land in Bloomfield, New Mexico (Figure 1). The Site is located in Unit H, Section 18, Township 30 North, Range 10 West, in San Juan County, New Mexico. The purpose of the soil sampling, remediation, and delineation activities was to confirm the presence or absence of impacts to soil following two separate releases of liquid glycol and water mixture at the Site and to remove elevated glycol from the Site. Based on field observations, field screening, and laboratory analytical results from soil sampling activities, Harvest is submitting this Deferral Request for both releases at the Site.

RELEASE BACKGROUND

On February 1, 2025, Train 7 experienced an upset that caused the glycol still vent to open and release a mixture of approximately 400 gallons of glycol and water into containment, approximately 200 gallons of which spilled out of containment and spread onto the surrounding ground surface of the facility, comprised of structural fill and crushed aggregate. Upon discovery of the release, the issue was resolved to stop any further liquid release.

An initial Release Notification and Corrective Action Form C-141 (Form C-141) was submitted to the New Mexico Oil Conservation Division (NMOCD) on February 14, 2025. The release was assigned Incident Number nAPP2504531514.

On February 5, 2025, another release occurred from Train 7 due to a carryover of amine into the glycol system, which forced approximately 18 barrels (bbls) of glycol out of the vent stack on the glycol still column and onto the surrounding ground surface.

A separate initial Form C-141 was submitted to the NMOCD on February 19, 2025. The release was assigned Incident Number nAPP2505046340.

Due to the nature of the releases within the short timeframe, the following soil investigation treated the two Incidents as one release.

Page 2

SITE DESCRIPTION AND CLOSURE CRITERIA

Ensolum characterized the Site to determine applicability of Table 1, Closure Criteria for Soils Impacted by a Release, of Title 19, Chapter 15, Part 29, Section 12 (19.15.29.12) of the New Mexico Administrative Code (NMAC). Depth to groundwater at the Site is estimated to be less than 50 feet below ground surface (bgs) based on the nearest groundwater well data. The closest permitted groundwater well with depth to groundwater data is New Mexico Office of State Engineer (NMOSE) well SJ 04127-POD10 (Appendix A, MW-80), a monitoring well, located approximately 815 feet west-northwest of the Site. This groundwater monitoring well has a depth to groundwater of approximately 30 feet bgs. Ground surface elevation at the groundwater well location is approximately 5,587 feet above mean sea level (amsl), which is approximately 8 feet lower in elevation than the Site.

The closest significant watercourse to the Site is an unnamed arroyo located approximately 965 feet to the west of the Site. The Site is greater than 200 feet from a lakebed, sinkhole, or playa lake and greater than 300 feet from an occupied residence, school, hospital, institution, church, or wetland. The Site is greater than 1,000 feet to a freshwater well or spring and is not within a 100-year floodplain or overlying a subsurface mine. The Site is located in a low potential karst area. Figure 2 shows the Site in relation to the above potential receptors.

Based on the results of the Site Characterization, the following NMOCD Table 1 Closure Criteria (Closure Criteria) apply for the following constituents of concern (COC):

- Benzene: 10 milligrams per kilogram (mg/kg)
- Benzene, toluene, ethylbenzene, and total xylenes (BTEX): 50 mg/kg
- Total petroleum hydrocarbons (TPH) as gasoline range organics (GRO), diesel range organics (DRO), and motor oil range organics (MRO): 100 mg/kg
- Chloride: 600 mg/kg

On July 30, 2025, Harvest submitted a deferral request for the two releases at this Site. Based on the conditions of denial provided by the NMOCD regarding the previous deferral request, and per 19.15.29.11.A(5)(e) NMAC, the following Environmental Protection Agency (EPA) Risk-Based Protection of Groundwater Soil Screening Level (SSL) standards for glycol's apply at the Site:

Diethylene glycol: Not established

Ethylene glycol: 3.2 mg/kgPropylene glycol: 81 mg/kgTriethylene glycol: 8.8 mg/kg

DELINEATION SOIL SAMPLING AND ANALYTICAL RESULTS

March 2025

On March 13, 2025, Ensolum personnel visited the Site to map the release extent and collect soil samples within and outside of the mapped release area. Boring locations were selected to evaluate the vertical and lateral extent of impacted soil relative to the source area by placing borings below and outside of the extent of the mapped release. A total of five borehole locations (SS01 through SS05) were advanced using a hand auger to depths ranging from 0.5 feet to 3feet bgs. Soil was inspected for visual staining, the presence or absence of odor, and field screened for volatile organic compounds (VOC's) using a photo ionization detector (PID). Two samples were collected from each boring, one from the highest PID reading and one from the terminus of the boring. The soil samples were placed directly into pre-cleaned glass jars, labeled with the location, date, time, sampler name, method of analysis, and immediately placed on ice. The soil



samples were transported under strict chain-of-custody procedures to Eurofins Environmental Analysis Laboratory (Eurofins) in Albuquerque, New Mexico for the following analysis:

- BTEX by EPA Method 8021B
- TPH-GRO, TPH-DRO, and TPH-MRO by EPA Method 8015M/D
- Chloride anion by EPA Method 300.0
- Glycols (diethylene, ethylene, propylene, triethylene) by EPA Method 8015C

Figure 3 depicts the area of the release and the five soil sample locations from the March 2025 sampling event. A photographic log is included as Appendix B.

Laboratory analytical results indicated that elevated total TPH concentrations exceeding Closure Criteria were present in soil sample SS02 3' collected at the south end of the release extent, with a concentration of 132 mg/kg. In addition, triethylene glycol was detected in soil sample SS01 6", with a concentration of 160 mg/kg. No other glycols were detected above laboratory reporting limits in any of the other soil samples collected during the March 2025 sampling event. Soil sample laboratory analytical results are summarized on Table 1, and the complete laboratory analytical reports are included as Appendix C.

Due to the findings of elevated TPH at the southern end of the release extent, additional investigation was required to delineate impacted soil. An extension request was submitted to NMOCD on April 25, 2025, and approved on the same day. NMOCD correspondence, including sampling notifications and the approved extension request are included in Appendix D.

April 2025

On April 30, 2025, Ensolum collected additional soil samples to delineate identified impacts. Four additional borings (SS06 through SS09) were progressed to depths of 4.5 to 5.5 bgs. Two soil samples were collected from each boring at the highest PID reading and the terminus of the boring. Boring locations were selected to delineate the vertical and lateral extent of elevated TPH identified during the March 2025 sampling event at SS02. Samples were submitted to Eurofins and analyzed for BTEX, TPH and Chloride using the same methods described above.

During the March 2025 sampling event, elevated triethylene glycol, exceeding the EPA Risk-Based Protection of Groundwater SSL standard, was detected at soil boring SS01. No other glycol constituents were detected above the laboratory reporting limit in any of the delineation borings surrounding SS01, indicating that elevated glycol was isolated near the release source. Therefore, glycol constituents were no longer considered a COC outside of the immediate source area, and additional samples were not analyzed for glycols outside of the release area while delineating elevated TPH.

Laboratory analytical results indicated that soil sample SS07@5.5, collected to the west of the SS02 boring, and SS08@5, collected to the east of SS02, exceeded TPH Closure Criteria with concentrations of 120 mg/kg and 157 mg/kg, respectively. All other soil samples collected during the April 2025 sampling event were in compliance with Site Closure Criteria.

May 2025

On May 28, 2025, Ensolum collected additional soil samples to delineate identified impacts at SS07 and SS08. Two borings, SS07R and SS08R, were progressed to delineate vertical impacts to depths of 7 to 8 feet bgs, near SS07 and SS08. Three additional borings (SS10, SS11, SS12) were progressed to delineate lateral impacts. SS10 was placed west of SS07, and SS11 was placed east of SS08. Refusal was encountered at 5 feet bgs at SS11, therefore an additional



Page 4

boring was progressed east of SS11 to a depth of 8 feet bgs. Samples submitted to Eurofins and analyzed for BTEX, TPH and Chloride using the same methods described above.

Laboratory analytical results indicated that all soil samples collected during the May 2025 sampling event were below the laboratory reporting limit, and in compliance with NMOCD Table 1 Site Closure Criteria.

GLYCOL REMEDIATION

Laboratory analytical results indicated that elevated concentrations of triethylene glycol, exceeding the EPA Risk-Based Protection of Groundwater SSL, were present near the source of the release at 6 inches bgs. Soil surrounding soil boring SS01 was excavated to an approximate extent of 16 square feet and a depth of 3 feet bgs. On September 23, 2025, Ensolum personnel collected a 5-point composite sample from the floor and sidewalls of the excavation. The 5-point composite sample was collected by placing five equivalent aliquots of soil into a 1-gallon, resealable plastic bag and homogenizing the samples by thoroughly mixing. The sample was field screened for VOC's and handled using the same methods as described above. The sample was transported to Eurofins and analyzed for BTEX, TPH, chloride, and glycols (diethylene, ethylene, propylene, triethylene).

Laboratory analytical results for composite soil sample CS01 indicated that all glycol constituents were below the laboratory reporting limit and in compliance with EPA Risk-Based Protection of Groundwater SSL standards. In addition, BTEX, TPH and chloride were in compliance with the Site Closure Criteria. The excavation extent and sampling results are presented on Figure 4. All soil sample laboratory analytical results are summarized on Table 1, and the complete laboratory analytical reports are included as Appendix C. A photographic log, including excavation sampling, is included as Appendix B.

CONCLUSIONS AND DEFERRAL REQUEST

Delineation and excavation soil-sampling activities conducted by Ensolum, and subsequent analytical results indicate that glycol impacted soil has been successfully remediated and the TPH impacted soil remains in a limited area at the Site at vertical depths less than 6 feet bgs and that the lateral extent of the release has successfully been delineated. Based on the vertical and lateral extent of the TPH impact and delineation soil sampling results, approximately 200 cubic yards of impacted soil remain in place at the Site near active production equipment.

Based on the results presented in this report, Ensolum and Harvest do not believe deferment of the remaining impacted soil will result in imminent risk to human health, the environment, or groundwater. Specifically, impacted soil remaining at the Site is restricted to depths less than 6 feet, and is composed of DRO and MRO with concentrations that narrowly exceed NMOCD Table 1 Closure Criteria. Additionally, based on the nature of the soil within this area of the Site (structural fill for equipment and machinery related to the gas plant operations) and the access restrictions presented by the gas plant equipment/machinery, further soil removal is not feasible at this time. In accordance with 19.15.29.12 C NMAC. (2), Harvest is proposing to leave in place approximately 200 cubic yards of impacted soil at the Site until facility closure or major deconstruction, whichever occurs first. Accordingly, Harvest requests deferral of final remediation of TPH for Incident Numbers nAPP2505046340 & nAPP2504531514 until equipment in this area is removed or the facility is closed.



Page 5

We appreciate the opportunity to provide this report to the NMOCD. If you should have any questions or comments regarding this document, please contact the undersigned. Sincerely,

ENSOLUM, LLC

Reece Hanson Project Geologist (970) 210-9803

rhanson@ensolum.com

Brooke Herb Senior Managing Geologist (970) 403-6824 bherb@ensolum.com

cc: Jennifer Deal, Harvest Four Corners, LLC

Attachments:

Figure 1: Site Location Map Figure 2: Site Receptor Map

Figure 3: Soil Sample Analytical Results Figure 4: Excavation Soil Sample Results


Table 1: Soil Sample Analytical Results

Appendix A: NMOSE Well Summary Appendix B: Photographic Log

Appendix C: Laboratory Analytical Reports
Appendix D: NMOCD Correspondence



FIGURES





Site Location Map


Val Verde Glycol Release Harvest Four Corners, LLC

36.7290848, -107.95666564 San Juan County, New Mexico FIGURE



Val Verde Glycol Release Harvest Four Corners, LLC

36.7290848, -107.95666564 San Juan County, New Mexico **FIGURE**





Soil Sample Analytical Results

Val Verde Glycol Release Harvest Four Corners, LLC

36.7290848, -107.95666564 San Juan County, New Mexico FIGURE





Excavation Soil Sample Analytical Results

Val Verde Glycol Release Harvest Four Corners, LLC

36.7290848, -107.95666564 San Juan County, New Mexico **FIGURE**

4



TABLES

Page 12 of 169



TABLE 1 SOIL SAMPLE ANALYTICAL RESULTS Val Verde Glycol Release Harvest Four Corners, LLC

| | | | | | | | | Harvest Four San Juan Cour | Corners, LLC ity, New Mexico | | | | | | | | |
|--------------------------|------------------------------------|---------------------------------|--------------|---------------------------------|-------------------------------|--------------------------------|----------------------------------|----------------------------|---------------------------------|-------------------------|--------------------|--------------------|--------------------|--------------------|--------------------|----------------------|---------------------|
| Sample Identification | Date | Depth (feet bgs) | PID (ppm) | Diethylene Glycol (mg/kg) | Ethylene Glycol (mg/kg) | Propylene Glycol (mg/kg) | Triethylene Glycol (mg/kg) | Benzene (mg/kg) | Toluene (mg/kg) | Ethylbenzene (mg/kg) | Xylenes (mg/kg) | Total BTEX (mg/kg) | TPH GRO (mg/kg) | TPH DRO (mg/kg) | TPH MRO (mg/kg) | Total TPH (mg/kg) | Chloride (mg/kg) |
| | e Criteria for So e (Groundwate | oils Impacted by r <50 feet) | NE | NE | NE | NE | NE | 10 | NE | NE | NE | 50 | NE | NE | NE | 100 | 600 |
| | ed Protection o (TR=1E-06, THO | | NE | NE | 3.2 | 81 | 8.8 | NA | NA | NA | NA | NE | NE | NE | NE | NE | NE |
| | | · | | • | | | | Initial Soil Sam | oling - 3/13/2025 | 5 | | | | | | | |
| SS01 6" | 3/13/2025 | 0.5 | 0.5 | <52 | <15 | <10 | 160 | <0.024 | <0.048 | <0.048 | <0.095 | <0.095 | <4.8 | 19 | <48 | 19 | <59 |
| SS01 3' | 3/13/2025 | 3 | 0.8 | <52 | <15 | <9.9 | <56 | <0.024 | <0.048 | <0.048 | <0.095 | <0.095 | <4.8 | 12 | <47 | 12 | <61 |
| SS02 6" | 3/13/2025 | 0.5 | 0.0 | <52 | <15 | <10 | <56 | <0.023 | <0.047 | <0.047 | <0.094 | <0.094 | <4.7 | <9.8 | <49 | <49 | <60 |
| SS02 3' | 3/13/2025 | 3 | 0.5 | <51 | <15 | <9.9 | <55 | <0.025 | <0.050 | <0.050 | <0.099 | <0.099 | <5.0 | 22 | 110 | 132 | <60 |
| SS03 2' | 3/13/2025 | 2 | 0.9 | <51 | <15 | <9.9 | <55 | <0.024 | <0.047 | <0.047 | <0.095 | <0.095 | <4.7 | <9.6 | <48 | <48 | <60 |
| SS03 3' | 3/13/2025 | 3 | 0.7 | <52 | <15 | <10 | <56 | <0.024 | <0.048 | <0.048 | <0.097 | <0.097 | <4.8 | <9.6 | <48 | <48 | <59 |
| SS04 6" | 3/13/2025 | 0.5 | 0.8 | <52 | <15 | <10 | <56 | <0.024 | <0.047 | <0.047 | <0.095 | <0.095 | <4.7 | <9.7 | <49 | <49 | <60 |
| SS04 3' | 3/13/2025 | 3 | 8.0 | <52 | <15 | <9.9 | <56 | <0.023 | <0.047 | <0.047 | <0.094 | <0.094 | <4.7 | <10 | <50 | <50 | <60 |
| SS05 6" | 3/13/2025 | 0.5 | 0.1 | <52 | <15 | <9.9 | <56 | <0.025 | <0.049 | <0.049 | <0.098 | <0.098 | <4.9 | <10 | <50 | <50 | <60 |
| SS05 3' | 3/13/2025 | 3 | 0.1 | <52 | <15 | <9.9 | <56 | <0.024 | <0.047 | <0.047 | <0.094 | <0.094 | <4.7 | <9.2 | <46 | <46 | <60 |
| | | | | | | | De | lineation Soil Sa | ampling - 4/30/2 | 025 | | | | | | | |
| SS06@3 | 4/30/2025 | 3 | 77.2 | | | | | <0.024 | <0.049 | <0.049 | <0.098 | <0.098 | <4.9 | <9.4 | <47 | <47 | <60 |
| SS06@5.5 | 4/30/2025 | 5.5 | 60.6 | | | | | <0.024 | <0.049 | <0.049 | <0.098 | <0.098 | <4.9 | <9.8 | <49 | <49 | <60 |
| SS07@3 | 4/30/2025 | 3 | 5.5 | | - | | | <0.025 | <0.049 | <0.049 | <0.098 | <0.098 | <4.9 | <9.7 | <48 | <48 | <60 |
| SS07@5.5 | 4/30/2025 | 5.5 | 0.9 | | | | | <0.024 | <0.047 | <0.047 | <0.095 | <0.095 | <4.7 | 20 | 100 | 120 | <60 |
| SS08@3 | 4/30/2025 | 3 | 10.9 | | | | | <0.023 | <0.047 | <0.047 | <0.094 | <0.094 | <4.7 | <9.7 | <48 | <48 | <60 |
| SS08@5 | 4/30/2025 | 5 | 9.5 | | | | | <0.023 | <0.046 | <0.046 | <0.092 | <0.092 | <4.6 | 47 | 110 | 157 | <60 |
| SS09@4 | 4/30/2025 | 4 | 9.2 | | | | | <0.025 | <0.049 | <0.049 | <0.098 | <0.098 | <4.9 | <10 | <50 | <50 | <60 |
| SS09@5.5 | 4/30/2025 | 5.5 | 6.6 | | | | | <0.024 | <0.048 | <0.048 | <0.095 | <0.095 | <4.8 | <9.8 | <49 | <49 | <60 |

Ensolum 1 of 2

Page 13 of 169



TABLE 1 SOIL SAMPLE ANALYTICAL RESULTS Val Verde Glycol Release Harvest Four Corners, LLC

| | | | | | | | | San Juan Coun | ty, New Mexico | | | | | | | | |
|--------------------------|-------------------------------------|-------------------------------|--------------|---------------------------------|-------------------------------|--------------------------------|----------------------------------|--------------------|--------------------|-------------------------|--------------------|--------------------|--------------------|--------------------|--------------------|----------------------|---------------------|
| Sample Identification | Date | Depth (feet bgs) | PID (ppm) | Diethylene Glycol (mg/kg) | Ethylene Glycol (mg/kg) | Propylene Glycol (mg/kg) | Triethylene Glycol (mg/kg) | Benzene (mg/kg) | Toluene (mg/kg) | Ethylbenzene (mg/kg) | Xylenes (mg/kg) | Total BTEX (mg/kg) | TPH GRO (mg/kg) | TPH DRO (mg/kg) | TPH MRO (mg/kg) | Total TPH (mg/kg) | Chloride (mg/kg) |
| | e Criteria for So e (Groundwater | oils Impacted by <50 feet) | NE | NE | NE | NE | NE | 10 | NE | NE | NE | 50 | NE | NE | NE | 100 | 600 |
| | ed Protection o (TR=1E-06, THC | | NE | NE | 3.2 | 81 | 8.8 | NA | NA | NA | NA | NE | NE | NE | NE | NE | NE |
| | | | | | | | De | elineation Soil Sa | mpling - 5/28/2 | 025 | | | | | | | |
| SS07R@6' | 5/28/2025 | 6 | 99.6 | | | | | <0.025 | <0.050 | <0.050 | <0.099 | <0.099 | <5.0 | <9.8 | <49 | <49 | <60 |
| SS07R@8' | 5/28/2025 | 8 | 13.1 | | | | | <0.025 | <0.050 | <0.050 | <0.099 | <0.099 | <5.0 | <9.5 | <48 | <48 | <60 |
| SS08R@5' | 5/28/2025 | 5 | 2.0 | | | | | <0.025 | <0.050 | <0.050 | <0.10 | <0.10 | <5.0 | <9.8 | <49 | <49 | <60 |
| SS08R@7' | 5/28/2025 | 7 | 0.0 | | | | | <0.025 | <0.050 | <0.050 | <0.10 | <0.10 | <5.0 | <9.6 | <48 | <48 | <60 |
| SS10@2' | 5/28/2025 | 2 | 112.1 | | | | | <0.025 | <0.050 | <0.050 | <0.10 | <0.10 | <5.0 | <10 | <50 | <50 | <61 |
| SS10@8' | 5/28/2025 | 8 | 0.0 | | | | | <0.025 | <0.049 | <0.049 | <0.098 | <0.098 | <4.9 | <9.9 | <49 | <49 | <60 |
| SS11@4' | 5/28/2025 | 4 | 2.1 | | | | | <0.025 | <0.050 | <0.050 | <0.10 | <0.10 | <5.0 | <9.1 | <46 | <46 | <60 |
| SS11@5' | 5/28/2025 | 5 | 2.6 | | | | | <0.024 | <0.048 | <0.048 | <0.097 | <0.097 | <4.8 | <9.2 | <46 | <46 | <60 |
| SS12@7' | 5/28/2025 | 7 | 6.2 | | | | | <0.025 | <0.049 | <0.049 | <0.099 | <0.099 | <4.9 | <9.3 | <46 | <46 | <60 |
| SS12@8' | 5/28/2025 | 8 | 2.6 | | | | | <0.025 | <0.050 | <0.050 | <0.099 | <0.099 | <5.0 | <10 | <50 | <50 | <61 |
| | | | | | | | Ex | cavation Soil Sa | mpling - 9/23/2 | 025 | | | | | | | |
| CS01 | 9/23/2025 | 0-3 | 35.3 | <52 | <15 | <10 | <56 F2 | <0.025 | <0.049 | <0.049 | <0.098 | <0.098 | <4.9 | 14 F1 F2 | <46 | 14 | <50 |

Notes:

bgs: below ground surface

BTEX: Benzene, Toluene, Ethylbenzene, and Xylenes

mg/kg: milligrams per kilogram

NMOCD: New Mexico Oil Conservation Division

EPA: Environmental Protection Agency

NE: Not Established

NA: Not Applicable, NMOCD Table 1 Closure Criteria takes precedence <0.037: indicates result less than the stated laboratory reporting limit (RL)

--: Not Analyzed

GRO: Gasoline Range Organics

DRO: Diesel Range Organics

MRO: Motor Oil/Lube Oil Range Organics

TPH: Total Petroleum Hydrocarbon

Concentrations in **bold** and shaded exceed the New Mexico Oil Conservation Division Table 1 Closure Criteria for Soils Impacted by a Release

Grey indicates soil sample was excavated

F1: MS and/or MSD recovery exceeds control limits

F2: MS/MSD RPD exceeds control limits

Ensolum 2 of 2



APPENDIX A

NMOSE Well Summary



New Mexico Office of the State Engineer

Point of Diversion Summary

(quarters are 1=NW 2=NE 3=SW 4=SE)

(quarters are smallest to largest)

(NAD83 UTM in meters)

Q64 Q16 Q4 Sec Tws Rng

235748

4069006

Driller License:

POD Number

SJ 04127 POD10

Driller Company:

Driller Name:

Well Tag

Drill Start Date: Drill Finish Date: Plug Date: Log File Date: **PCW Rcv Date:** Source:

Pump Type: Pipe Discharge Size: **Estimated Yield: Casing Size:** Depth Well: **Depth Water:**


The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

1/19/23 2:25 PM

POINT OF DIVERSION SUMMARY



NEW MEXICO OFFICE OF THE STATE ENGINEER





(check applicable box):

| | For fees, see State Engineer well | osite: http://www.ose.state.nm.us/ | |
|--|--|---|--|
| Purpose: | ☐ Pollution Control And / Or Recovery | ☐ Geo-Thermal | AZTEO AZTEO |
| ☐ Exploratory | ☐ Construction Site De-Watering | Other (Describe): | |
| | ☐ Mineral De-Watering | | AN MENORE |
| A separate permit wi | Il be required to apply water to beneficial use. | | : 30 |
| ☑ Temporary Requ | est - Requested Start Date: 12/1/14 | Requested En | nd Date: 2/27/15 Unknown per email date |
| Plugging Plan of Ope | erations Submitted? Yes No | | 11-24-14 |
| | g plan submitted for three existed with this location (MW-5, M | | Ls |
| | | | |
| . APPLICANT(S) | | | |
| . APPLICANT(S) Name: Joseph Wile | <i>y</i> | Name: Jeffrey Minchak | |
| Name: Joseph Wiley Contact or Agent: | check here if Agent | Name: Jeffrey Minchak Contact or Agent: CH2M HILL | check here if Agent ⊠ |
| Name: Joseph Wile Contact or Agent: El Paso Natural Gas | check here if Agent | Contact or Agent: | |
| Name: Joseph Wile Contact or Agent: El Paso Natural Gas Mailing Address: 100 | check here if Agent s Co, LLC | Contact or Agent: CH2M HILL | |
| Name: Joseph Wile Contact or Agent: El Paso Natural Gas Mailing Address: 100 City: Houston | check here if Agent s Co, LLC | Contact or Agent: CH2M HILL Mailing Address: 3721 Rutle | |
| Name: Joseph Wile Contact or Agent: El Paso Natural Gas | check here if Agent s Co, LLC 1 Louisiana Street, Room 956L Zip Code: 77002 | Contact or Agent: CH2M HILL Mailing Address: 3721 Rutle City: Albuquerque | dge Road NE, Suite B-1 Zip Code: 87109 ☐ Home ☑ Cell |

| FOR OSE INTERNAL USE | Application for Permit, Form wr-07, Rev 4/12/12 |
|--------------------------------|---|
| File Number: SJ-4127 POD1-POD4 | Trn Number: 643 778 |
| Trans Description (optional): | thru PODII |
| Sub-Basin: | , |
| PCW/LOG Due Date: November 25, | 2015 |
| | Page 1 of 4 |

2. WELL(S) Describe the well(s) applicable to this application.

| | | ustomers, provide | a PLSS location in addition to above. |
|--|--|---|--|
| NM State Plane (NAD83) NM West Zone NM East Zone NM Central Zone | | JTM (NAD83) (Mete]Zone 12N]Zone 13N | Lat/Long (WGS84) (to the nearest 1/10 th of second) |
| Well Number (if known): | XXX Easting on X:9budgaox Y | Xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx | Provide if known: -Public Land Survey System (PLSS) (Quarters or Halves, Section, Township, Range) OR - Hydrographic Survey Map & Tract; OR - Lot, Block & Subdivision; OR - Land Grant Name |
| | | | X SECTION X 1/4 X TOWNSHIP 29 N X R 2009 EX X X X X X X X X X X X X X X X X X X |
| Per e | email dated 11- | 24-14 this we | ll will not be installed. |
| WW-71 SJ-4127 POD1) | 2085809.45 | 2685097.54 | Section: 14, Township: 29N, Range: 11W |
| MW-72 SJ-4127 POD2) | 2084534.0818 | 2685482.3535 | Section: 14, Township: 29N, Range: 11W |
| WW-73 SJ-4127 POD3) | 2084835.7311 | 2685874.0635 | Section: 14, Township: 29N, Range: 11W |
| MW-74 | 2084408.2137 | 2685959.784 | Section: 14, Township: 29N, Range: 11W |
| | _ = | | |
| SJ-4127 POD4) NOTE: If more well location Additional well description | ns are attached: | Yes 🛛 No | n WR-08 (Attachment 1 – POD Descriptions) If yes, how many |
| SJ-4127 POD4) NOTE: If more well location Additional well description Description relating well 1900, Bloomfield, NM. The | ns are attached: If to common landmar site address is 81 Co | Yes No ks, streets, or other ounty Road 4900, I | If yes, how many : Well locations are located on the south side of County F Bloomfield, NM 87413. |
| SJ-4127 POD4) NOTE: If more well location Additional well description Description relating well 1900, Bloomfield, NM. The | ns are attached: If to common landmar site address is 81 Co | Yes No ks, streets, or other ounty Road 4900, I | If yes, how many : Well locations are located on the south side of County F |
| SJ-4127 POD4) NOTE: If more well location Additional well description Description relating well 900, Bloomfield, NM. The Well is on land owned by: E3 | ns are attached: It to common landmar site address is 81 Co | Yes No ks, streets, or other county Road 4900, I | If yes, how many : Well locations are located on the south side of County F Bloomfield, NM 87413. |
| SJ-4127 POD4) NOTE: If more well location Additional well description of the description relating well 900, Bloomfield, NM. The Well is on land owned by: Ell lf yes, how many | ns are attached: ell to common landmar site address is 81 Co | Yes No ks, streets, or other bunty Road 4900, I Gas Co. (Per ell needs to be des | If yes, how many : Well locations are located on the south side of County F Bloomfield, NM 87413. : email dated 11-24-14) scribed, provide attachment. Attached? Yes No Outside diameter of well casing (inches): 4.50 |
| SJ-4127 POD4) NOTE: If more well location Additional well description Description relating well 4900, Bloomfield, NM. The Well is on land owned by: E3 | ns are attached: Dell to common landmar site address is 81 Control Paso Natural more than one (1) we set): 50.00 | Yes No ks, streets, or other bunty Road 4900, I Gas Co. (Per ell needs to be des | If yes, how many : Well locations are located on the south side of County F Bloomfield, NM 87413. : email dated 11-24-14) scribed, provide attachment. Attached? \[\sum \text{Yes} \text{No} \] |
| SJ-4127 POD4) NOTE: If more well location Additional well description Description relating well agood, Bloomfield, NM. The Well is on land owned by: E3 Well Information: NOTE: If If yes, how many | ns are attached: Dell to common landmar site address is 81 Control of the landmar site address is 81 Control of th | Yes No ks, streets, or other bounty Road 4900, I Gas Co. (Per cell needs to be des | If yes, how many : Well locations are located on the south side of County F Bloomfield, NM 87413. : email dated 11-24-14) scribed, provide attachment. Attached? Yes No Outside diameter of well casing (inches): 4.50 Driller License Number: WD-1210 |
| NOTE: If more well location Additional well description Other description relating well 900, Bloomfield, NM. The Well is on land owned by: Ell lf yes, how many Approximate depth of well (fe Oriller Name: National Exp, ADDITIONAL STATEMENT OSE Notation: Well well well on the state of the sta | ns are attached: Dell to common landmar site address is 81 Control Paso Natural more than one (1) we set): 50.00 Wells, & Pumps TS OR EXPLANATION | Yes No ks, streets, or other bunty Road 4900, I Gas Co. (Per ell needs to be des ated with sit | If yes, how many : Well locations are located on the south side of County F Bloomfield, NM 87413. : email dated 11-24-14) scribed, provide attachment. Attached? Yes No Outside diameter of well casing (inches): 4.50 Driller License Number: WD-1210 |
| NOTE: If more well location Additional well description Description relating well 900, Bloomfield, NM. The Well is on land owned by: Ell lf yes, how many Approximate depth of well (fed Driller Name: National Exp.) ADDITIONAL STATEMENT OSE Notation: Well well well to the state of the state | ns are attached: Dell to common landmar site address is 81 Control of the land | Yes No ks, streets, or other bunty Road 4900, I Gas Co. (Per ell needs to be des ated with sit | If yes, how many : Well locations are located on the south side of County F Bloomfield, NM 87413. : email dated 11-24-14) scribed, provide attachment. Attached? Yes No Outside diameter of well casing (inches): 4.50 Driller License Number: WD-1210 |

File Number: SJ-4127 POD1-POD4

Trn Number:

Page 3 of 4

4. SPECIFIC REQUIREMENTS: The applicant must include the following, as applicable to each well type. Please check the appropriate boxes, to indicate the information has been included and/or attached to this application: Construction Mine De-Watering: Pollution Control and/or Recovery: **Exploratory:** De-Watering: ☐ Include a plan for pollution ☐ Include a ☐ Include a plan for pollution description of control/recovery, that includes the Include a description of the control/recovery, that includes the following: proposed dewatering A description of the need for mine any proposed following: A description of the need for the operation, dewatering. pump test, if pollution control or recovery operation. The estimated duration of ☐ The estimated maximum period of time applicable. ☐ The estimated maximum period of the operation, for completion of the operation. time for completion of the operation. ☐ The maximum amount of ☐ The source(s) of the water to be diverted. The annual diversion amount. The geohydrologic characteristics of the water to be diverted. ☐ The annual consumptive use A description of the need aquifer(s). for the dewatering operation. The maximum amount of water to be amount. ☐ The maximum amount of water to be diverted per annum. diverted and injected for the duration of A description of how the The maximum amount of water to be the operation. diverted water will be disposed diverted for the duration of the operation. The method and place of discharge. The quality of the water. ☐ The method of measurement of ☐The method of measurement of water Monitoring: Geo-Thermal: water produced and discharged. ☐ Include a description of the diverted. ☐ The source of water to be injected. ☐ The recharge of water to the aquifer. reason for the geothermal heat exchange ☐ The method of measurement of Description of the estimated area of monitoring project, water injected. ☐ The amount of water to be hydrologic effect of the project. well, and, ☐ The characteristics of the aquifer. The method and place of discharge. diverted and re-injected for the ☐ The method of determining the project. An estimation of the effects on surface duration resulting annual consumptive use of water rights and underground water rights of the planned The time frame for monitoring. water and depletion from any related constructing the geothermal from the mine dewatering project. stream system. A description of the methods employed to heat exchange project, and, Proof of any permit required from the ☐ The duration of the project. estimate effects on surface water rights and New Mexico Environment Department. Preliminary surveys, design underground water rights. An access agreement if the data, and additional ☐ Information on existing wells, rivers, applicant is not the owner of the land on springs, and wetlands within the area of information shall be included to which the pollution plume control or hydrologic effect. provide all essential facts recovery well is to be located. relating to the request. **ACKNOWLEDGEMENT** I, We (name of applicant(s)), Joseph Wiley Print Name(s) affirm that the foregoing statements are true to the best of (my, our) knowledge and belief. **Applicant Signature ACTION OF THE STATE ENGINEER** This application is: X approved partially approved ☐ denied provided it is not exercised to the detriment of any others having existing rights, and is not contrary to the conservation of water in New Mexico nor detrimental to the public welfare and further subject to the attached conditions of approval. Witness my hand and seal this 25th day of November 20 14, for the State Engineer, Scott A. Verhines, PE , State Engineer Kimberly Kirby Title: Water Resource Spec., Water Rights Division District V OSE Notation: Page 4 removed as it FOR OSE INTERNAL USE Application for Permit, Form wr-07 only had the Title underline File Number: SJ-4127 POD1-POD4 Trn Number: carried over.



NEW MEXICO OFFICE OF THE STATE ENGINEER



APPLICATION FOR PERMIT TO DRILL A WELL WITH NO CONSUMPTIVE USE OF WATER



(check applicable box):

| | For fees, see State Engineer w | ebsite: http://www.ose.state.nm.us/ | 63 |
|---|--|---|-----------------------------|
| Purpose: | ☐ Pollution Control And / Or Recovery | y Geo-Thermal | STATE EL AZTEC |
| ☐ Exploratory | ☐ Construction Site De-Watering | Other (Describe): | 2 5 |
| Monitoring | ☐ Mineral De-Watering | | NEER OFFI VEV MEXICO |
| A separate permit will | be required to apply water to beneficial use. | | = 8H |
| ▼ Temporary Reque | st - Requested Start Date: 12/1/14 | Requested End Date: XIXXXIX | |
| Plugging | rations Submitted? Yes No plan submitted for three exist | | per email dated 11-24-14 |
| associate | d with this location (MW-5, MW | 1-6 and MW-7) | |
| 1. APPLICANT(S) | | | |
| Name: Joseph Wiley | | Name: Jeffrey Minchak | |
| Contact or Agent: El Paso Natural Gas | check here if Agent ☐ Co, LLC | Contact or Agent: check he CH2M HILL | re if Agent 🛚 |
| Mailing Address: 1001 | 1 Louisiana Street, Room 956L | Mailing Address: 3721 Rutledge Road NE, S | Suite B-1 |
| City: Houston | | City: Albuquerque | |
| State: TX | Zip Code: 77002 | State: NM Zip Code: | 87109 |
| Phone: (832) 279-161 Phone (Work): (713) 4 | | Phone: (505) 379-3222 Phone (Work): (505) 855-5237 | ☐ Home ⊠ Cell |
| E-mail (optional): Joe | _Wiley@kindermorgan.com | E-mail (optional): Jeffrey.Minchak@ch2m.c | om |
| | | | |
| | | | |
| | | | |
| | FOR OSE INTERN | NAL USE Application for Permit, Fo | orm wr-07, Rev 4/12/12 |
| | | -4127 POD5-POD9 Trn Number: | |
| | | | orm wr-07, Rev 4/1 |

Trans Description (optional):

November 25, 2015

PCW/LOG Due Date:


Sub-Basin:

2. WELL(S) Describe the well(s) applicable to this application.

| Location Required: Coordi (Lat/Long - WGS84). District II (Roswell) and Dis | | | | | de/Longitude |
|---|--|---|--|---|------------------|
| ✓ NM State Plane (NAD83) ✓ NM West Zone ✓ NM East Zone ✓ NM Central Zone |) (Feet) | JTM (NAD83) (Mete]Zone 12N]Zone 13N | rs) | Lat/Long (WGS84) (to 10 th of second) | the nearest |
| Well Number (if known): | X XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX | X AK AK K | Provide if known: -Public Land Survey (Quarters or Halves - Hydrographic Surves - Lot, Block & Subdives - Land Grant Name | s , Section, Township, ley Map & Tract; OR | Range) OR |
| NW-75 (SJ-4127 POD5) | 2084710.9481 | 2686216.9455 | Section: 14, Townsh | ip: 29N, Range: 11W | |
| //W-76 (SJ-4127 POD6) | 2084353.9603 | 2685504.0549 | Section: 14, Townsh | ip: 29N, Range: 11W | |
| NW-77 (SJ-4127 POD7) | 2085323.44 | 2685745.6 | Section: 14, Townsh | ip: 29N, Range: 11W | |
| WW-78 (SJ-4127 POD8) | 2084774.14 | 2685752.76 | Section: 14, Townsh | ip: 29N, Range: 11W | 4 |
| NW-79 (SJ-4127 POD9) | 2085042.3455 | 2685775.4088 | Section: 14, Townsh | ip: 29N, Range: 11W | |
| Other description relating we 1900, Bloomfield, NM. The | | | | ated on the south side | of County Ro |
| Vell is on land owned by: E | 1 Paso Natural | Gas Co. (per | email dated 11-2 | 24-14) | |
| Vell Information: NOTE: If If yes, how many | more than one (1) we | ell needs to be desc | cribed, provide attachr | ment. Attached? | Yes No |
| approximate depth of well (fe | eet): 50.00 | | outside diameter of well | | |
| riller Name: National Exp, | Wells, & Pumps | D | riller License Number: V | VD-1210 | |
| ADDITIONAL STATEMENT | S OR EXPLANATION | s | | | STATE E |
| OSE Notation: Well Blan | s are associate co South Flare | | The state of the s | | 2 € |
| | | | | - 1 | AM III 3 |
| | | | | = - - : | N |
| | F | FOR OSE INTERNAL U | JSE | Application for | Permit, Form wr- |
| | F | File Number: SJ-41 | 27 POD5-POD9 | Trn Number: | |
| | | | | | Page 2 |

4. SPECIFIC REQUIREMENTS: The applicant must include the following, as applicable to each well type. Please check the appropriate boxes, to indicate the information has been included and/or attached to this application:

| Exploratory: | Pollution Control and/or Recovery: | Construction | Mine De-Watering: |
|---|--|--|--|
| ☐ Include a | ☐ Include a plan for pollution | De-Watering: | ☐ Include a plan for pollution |
| description of | control/recovery, that includes the | ☐ Include a description of the | control/recovery, that includes the following: |
| any proposed | following: | proposed dewatering | A description of the need for mine |
| pump test, if | A description of the need for the | operation, | dewatering. |
| applicable. | pollution control or recovery operation. | The estimated duration of | The estimated maximum period of time |
| | The estimated maximum period of | the operation, The maximum amount of | for completion of the operation. |
| | time for completion of the operation. The annual diversion amount. | water to be diverted, | ☐ The source(s) of the water to be diverted. ☐The geohydrologic characteristics of the |
| 100 | The annual consumptive use | A description of the need | aquifer(s). |
| | amount. | for the dewatering operation, | ☐The maximum amount of water to be |
| | The maximum amount of water to be | and, | diverted per annum. |
| | diverted and injected for the duration of | A description of how the | The maximum amount of water to be |
| | the operation. | diverted water will be disposed | diverted for the duration of the operation. |
| | ☐ The method and place of discharge. | of. | ☐The quality of the water. |
| Monitoring: | ☐ The method of measurement of | Geo-Thermal: | The method of measurement of water |
| | water produced and discharged. | ☐ Include a description of the | diverted. |
| reason for the | ☐ The source of water to be injected. | geothermal heat exchange | ☐The recharge of water to the aquifer. |
| monitoring | ☐ The method of measurement of | project, | Description of the estimated area of |
| well, and, | water injected. | ☐ The amount of water to be | hydrologic effect of the project. |
| | The characteristics of the aquifer. | diverted and re-injected for the | The method and place of discharge. |
| duration | ☐ The method of determining the | project, | ☐An estimation of the effects on surface |
| of the planned | resulting annual consumptive use of | ☐ The time frame for | water rights and underground water rights |
| monitoring. | water and depletion from any related | constructing the geothermal | from the mine dewatering project. |
| 127 - 1186 : | stream system. Proof of any permit required from the | heat exchange project, and, | A description of the methods employed to |
| | New Mexico Environment Department. | ☐ The duration of the project. ☐ Preliminary surveys, design | estimate effects on surface water rights and underground water rights. |
| | An access agreement if the | data, and additional | ☐ Information on existing wells, rivers, |
| | applicant is not the owner of the land on | information shall be included to | springs, and wetlands within the area of |
| | which the pollution plume control or | provide all essential facts | hydrologic effect. |
| | recovery well is to be located. | relating to the request. | my are legic enecu |
| | AC | CKNOWLEDGEMENT | |
| | | | STATE E AZTIEC |
| I, We (name of | applicant(s)), Joseph Wiley | | 20 |
| | Pr | rint Name(s) | |
| | | | and the state of t |
| affirm that the fo | pregoing statements are true to the best of | (my, our) knowledge and belief. | The state of the s |
| affirm that the fo | pregoing statements are true to the best of | (my, our) knowledge and belief. | V O, NEW YORK |
| affirm that the fo | pregoing statements are true to the best of | (my, our) knowledge and belief. | 19 |
| Jose | Luly | | NEW MER |
| Applicant Signa | Luly | (my, our) knowledge and belief. Applicant Signature | 19 AM NEW MEN OFFI |
| Jose | Lub | | NEW MER |
| Jose | Lub | Applicant Signature OF THE STATE ENGINEER | NEW MEN OFFICE |
| Jose | Louis | Applicant Signature OF THE STATE ENGINEER This application is: | NEW MEN OFFICE 19 AM 11: 35 |
| Applicant Signa | ACTION ACTION | Applicant Signature OF THE STATE ENGINEER This application is: □ partially approved [| NEW MER OFFICE 35 denied |
| Applicant Signa | ACTION ACTION | Applicant Signature OF THE STATE ENGINEER This application is: partially approved having existing rights, and is not compared. | denied contrary to the conservation of water in New |
| Applicant Signa provided it is n Mexico nor de | ACTION ACTION ACTION approved to the detriment of any others trimental to the public welfare and further so | Applicant Signature OF THE STATE ENGINEER This application is: partially approved having existing rights, and is not cubject to the attached conditions of | denied contrary to the conservation of water in New f approval. |
| Applicant Signa provided it is n Mexico nor de | ACTION ACTION ACTION approved to the detriment of any others trimental to the public welfare and further so | Applicant Signature OF THE STATE ENGINEER This application is: partially approved having existing rights, and is not compared. | denied contrary to the conservation of water in New f approval. |
| Applicant Signa provided it is n Mexico nor de | ACTION ACTION ACTION approved to the detriment of any others trimental to the public welfare and further so | Applicant Signature OF THE STATE ENGINEER This application is: partially approved having existing rights, and is not cubject to the attached conditions of | denied contrary to the conservation of water in New f approval. |
| Applicant Signa provided it is n Mexico nor de | ACTION ACTION ACTION approved to the detriment of any others trimental to the public welfare and further so | Applicant Signature OF THE STATE ENGINEER This application is: partially approved having existing rights, and is not cubject to the attached conditions of | denied contrary to the conservation of water in New f approval. |
| Applicant Signa provided it is n Mexico nor de | ACTION ACTION ACTION The approved approved and exercised to the detriment of any others trimental to the public welfare and further sund and seal this 25th day of November 1.00 Nove | Applicant Signature OF THE STATE ENGINEER This application is: partially approved having existing rights, and is not coubject to the attached conditions of the attached conditions | denied contrary to the conservation of water in New f approval. |
| Applicant Signa provided it is n Mexico nor de Witness my han | ACTION ACTION ACTION The approved approved and exercised to the detriment of any others trimental to the public welfare and further sund and seal this 25th day of November 1.00 Nove | Applicant Signature OF THE STATE ENGINEER This application is: partially approved [having existing rights, and is not cubject to the attached conditions of the attached conditions | denied contrary to the conservation of water in New f approval. for the State Engineer, |
| Applicant Signa provided it is n Mexico nor de Witness my han Scott | ACTION ACTION ACTION The approved approved and exercised to the detriment of any others trimental to the public welfare and further sund and seal this 25th day of November 1.00 Nove | Applicant Signature OF THE STATE ENGINEER This application is: partially approved having existing rights, and is not cubject to the attached conditions of the attached. Tember 20 14 , State Engineer Kimberly | denied contrary to the conservation of water in New f approval. for the State Engineer, |
| Applicant Signa provided it is not make the Mexico nor determined by: Scott By: Signature | ACTION ACTION Approved not exercised to the detriment of any others trimental to the public welfare and further sold and seal this25th_ day ofNov. A. Verhines PE | Applicant Signature OF THE STATE ENGINEER This application is: partially approved [having existing rights, and is not cubject to the attached conditions of the attached conditions | denied contrary to the conservation of water in New f approval. for the State Engineer, |
| Applicant Signa provided it is in Mexico nor de Witness my han Scott By: Signature Title: Water | ACTION ACTION ACTION Approved not exercised to the detriment of any others trimental to the public welfare and further so and and seal this | Applicant Signature OF THE STATE ENGINEER This application is: partially approved [having existing rights, and is not cubject to the attached conditions of the attached conditions | denied contrary to the conservation of water in New f approval. for the State Engineer, |
| Applicant Signa provided it is in Mexico nor de Witness my han Scott By: Signature Title: Water OSE Notatio | ACTION ACTION ACTION Approved approved as it FOR OS | Applicant Signature OF THE STATE ENGINEER This application is: partially approved [having existing rights, and is not cubject to the attached conditions of the attached conditions | denied contrary to the conservation of water in New f approval. for the State Engineer, |
| Applicant Signa provided it is in Mexico nor de Witness my han Scott By: Signature Title: Water OSE Notatio | ACTION ACTION ACTION Approved not exercised to the detriment of any others trimental to the public welfare and further sold and seal this25th day ofNov. A. Verhines PE Resource Spec., Water Rights n: Page 4 removed as it FOR OS e Title underline | Applicant Signature OF THE STATE ENGINEER This application is: partially approved having existing rights, and is not cubject to the attached conditions of the attached conditions o | denied ontrary to the conservation of water in New f approval. Kirby |





NEW MEXICO OFFICE OF THE STATE ENGINEER

APPLICATION FOR PERMIT TO DRILL A WELL WITH NO CONSUMPTIVE USE OF WATER



(check applicable box):

| | For fees, see State Engineer web | site: http://www.ose.state.ni | m.us/ |
|---|----------------------------------|---|--|
| Purpose: Pollu | tion Control And / Or Recovery | ☐ Geo-Thermal | m.us/ |
| ☐ Exploratory ☐ Cons | truction Site De-Watering | Other (Describe | : |
| | ral De-Watering | | AM III |
| A separate permit will be required to | apply water to beneficial use. | | 3 °F |
| ☑ Temporary Request - Requested | Start Date: 12/1/14 | Request | ed End Date: 2/27/15X Unknown |
| Plugging Plan of Operations Submit | ted? Yes No | | per email dated 11-24-14 |
| Plugging plan submitte associated with this l | | | |
| | | | |
| . APPLICANT(S) | | | |
| Name: Joseph Wiley | | Name: Jeffrey Mincha | k |
| Contact or Agent: | check here if Agent | Contact or Agent: | check here if Agent |
| El Paso Natural Gas Co, LLC | | CH2M HILL | |
| Mailing Address: 1001 Louisiana S | treet, Room 956L | Mailing Address: 3721 | Rutledge Road NE, Suite B-1 |
| City: Houston | 1 40 | City: Albuquerque | |
| State: TX Z | ip Code: 77002 | State: NM | Zip Code: 87109 |
| Phone: (932) 279-1610 Phone (Work): (713) 420-3475 | ☐ Home ☒ Cell | Phone: (505) 379-3222 Phone (Work): (505) 85 | |
| E-mail (optional): Joe_Wiley@kinde | ermorgan.com | E-mail (optional): Jeffre | ey.Minchak@ch2m.com |
| | = 7 2 1 | | |
| | | | |
| | | | |
| | | | |
| | FOR OSE INTERNA | AL USE | Application for Permit, Form wr-07, Rev 4/ |
| | File Number: SJ-4 | 4127 POD10-POD11 | Trn Number: |
| | Trans Description (c | optional): | |
| | Sub-Basin: | And the second | |

PCW/LOG Due Date:

November 25, 2015

2. WELL(S) Describe the well(s) applicable to his application.

| (Lat/Long - WGS84). District II (Roswell) and I | | | | TM (NAD 83), or Latitude/Longitudition to above. | |
|--|--|--|--------------------------|---|------------|
| NM State Plane (NAD8 | 83) (Feet) | JTM (NAD83) (Meter Zone 12N Zone 13N | rs) | Lat/Long (WGS84) (to the neares 10 th of second) | t |
| Well Number (if known) | : XXXXIX E AST HIG X O IX X IX XIX XI X IX IX IX IX X X X X X | XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX | | s , Section, Township, Range) OR rey Map & Tract; OR | |
| /W-80 (SJ-4127 POD10) | 2085066.8509 | 2686234.3066 | Section: 14, Townsh | ip: 29N, Range: 11W | |
| //W-81 (SJ-4127 POD11) | 2084599.186 | 2686024.8882 | Section: 14, Townsh | iip: 29N, Range: 11W | A. I |
| | | | | 2014 NOV | STATE FIVE |
| NOTE: If more well locat | | | | POD Descriptions) | ATO BEEN |
| 1900, Bloomfield, NM. Th | ne site address is 81 Co | Gas Co. (per | oomfield, NM 87413. | | |
| Vell Information: NOTE: If yes, how many | If more than one (1) we | ell needs to be desc | ribed, provide attachi | ment. Attached? | 0 |
| approximate depth of well | | | utside diameter of well | | |
| Oriller Name: National Ex | | | riller License Number: \ | WD-1210 | |
| | Wells are associa Blanco South Flar | | | of the | |
| | | | | | |
| | | | | | |
| = = | F | OR OSE INTERNAL U | ISF | Application for Permit, Form | wr- |
| | _ | | 27 POD10-POD11 | Trn Number: | |
| | | | | Page | |

4. SPECIFIC REQUIREMENTS: The applicant must include the following, as applicable to each well type. Please check the appropriate boxes, to indicate the information has been included and/or attached to this application: Mine De-Watering: Construction Pollution Control and/or Recovery: **Exploratory:** ☐ Include a plan for pollution ☐ Include a plan for pollution De-Watering: Include a control/recovery, that includes the following: ☐ Include a description of the control/recovery, that includes the description of A description of the need for mine proposed dewatering any proposed following: dewatering. A description of the need for the operation, pump test, if ☐ The estimated duration of ☐ The estimated maximum period of time pollution control or recovery operation. applicable. for completion of the operation. ☐ The estimated maximum period of the operation. ☐ The source(s) of the water to be diverted.
☐ The geohydrologic characteristics of the ☐ The maximum amount of time for completion of the operation. ☐ The annual diversion amount. water to be diverted. aquifer(s). The annual consumptive use A description of the need The maximum amount of water to be for the dewatering operation, amount. diverted per annum. ☐ The maximum amount of water to be ☐The maximum amount of water to be diverted and injected for the duration of A description of how the diverted for the duration of the operation. diverted water will be disposed the operation. The quality of the water. ☐ The method and place of discharge. The method of measurement of water ☐ The method of measurement of Geo-Thermal: Monitoring: ☐ Include a description of the water produced and discharged. Include the ☐ The recharge of water to the aquifer. geothermal heat exchange ☐ The source of water to be injected. reason for the Description of the estimated area of ☐ The method of measurement of project. monitoring hydrologic effect of the project. ☐ The amount of water to be water injected. well, and, The method and place of discharge. ☐ The characteristics of the aquifer. diverted and re-injected for the An estimation of the effects on surface The method of determining the project. duration water rights and underground water rights resulting annual consumptive use of ☐ The time frame for of the planned from the mine dewatering project. water and depletion from any related constructing the geothermal monitoring. A description of the methods employed to heat exchange project, and, stream system. estimate effects on surface water rights and ☐ The duration of the project. Proof of any permit required from the underground water rights. New Mexico Environment Department. Preliminary surveys, design ☐Information on existing wells, rivers, ☐ An access agreement if the data, and additional springs, and wetlands within the area of applicant is not the owner of the land on information shall be included to hydrologic effect. provide all essential facts which the pollution plume control or relating to the request. recovery well is to be located. **ACKNOWLEDGEMENT** I, We (name of applicant(s)), Joseph Wiley Print Name(s) affirm that the foregoing statements are true to the best of (my, our) knowledge and belief. **Applicant Signature** Applicant Signature **ACTION OF THE STATE ENGINEER** This application is: denied partially approved X approved provided it is not exercised to the detriment of any others having existing rights, and is not contrary to the conservation of water in New Mexico nor detrimental to the public welfare and further subject to the attached conditions of approval. Witness my hand and seal this 25th day of November 20 14 , for the State Engineer, Scott A. Verhines, PE _____, State Engineer Kimberly Kirby Title: Water Resource Spec., Water Rigths Division District V Application for Permit, Form wr-07 OSE Notation: Page 4 removed as it FOR OSE INTERNAL USE

File Number:

SJ-4127 POD10-POD11

Trn Number:

Page 3 of 4

carried over.

only had the Title underline

NMOSE Permit to Drill a Non-Consumptive Well(s) - Conditions of Approval SJ-4127 POD1 - POD11

The New Mexico Office of the State Engineer (NMOSE) has determined that existing water rights will not be impaired by this activity. This application is approved without publication provided it is not exercised to the detriment of any others having existing rights, and is not contrary to the conservation of water in New Mexico nor detrimental to the public welfare of the state. This application is further subject to the following conditions of approval.

1. This application is approved as follows:

Permittee(s): El Paso Natural Gas Co., LLC

(via Jeffrey Minchak, CH2M HILL, as Agent)

1001 Louisiana St., Room 956L

Houston, TX 77002

Permit Number: SJ-4127

Application File Date: November 19, 2014

Priority: N/A

Source: Groundwater

Point(s) of Diversion: SJ-4127 POD1–POD11, 11 newly proposed groundwater

monitoring wells associated with a site investigation at the Blanco Plant South Flare Pit Area, located on land owned by the applicant in San Juan County, New Mexico. The wells (aka, points of diversion; PODs) are to be located within the NW/4 NE/4, NE/4 NW/4, SE/4 NW/4, SW/4 NE/4 of Section 14 and SE/4 SW/4 of Section 11, both in Township 29 North, Range 11 West, NMPM, at the following approximate point locations (State Plane NM

West, NAD83; feet).

Table 1: Proposed Monitoring Wells

| POD Name and Owner's Well Identification | X | Y |
|--|--------------|--------------|
| SJ-4127 POD1 (MW-71) | 2685097.54 | 2085809.45 |
| SJ-4127 POD2 (MW-72) | 2685482.3535 | 2084534.0818 |
| SJ-4127 POD3 (MW-73) | 2685874.0635 | 2084835.7311 |
| SJ-4127 POD4 (MW-74) | 2685959.784 | 2084408.2137 |
| SJ-4127 POD5 (MW-75) | 2686216.9455 | 2084710.9481 |
| SJ-4127 POD6 (MW-76) | 2685504.0549 | 2084353.9603 |
| SJ-4127 POD7 (MW-77) | 2685745.6 | 2085323.44 |
| SJ-4127 POD8 (MW-78) | 2685752.76 | 2084774.14 |
| SJ-4127 POD9 (MW-79) | 2685775.4088 | 2085042.3455 |
| SJ-4127 POD10 (MW-80) | 2686234.3066 | 2085066.8509 |
| SJ-4127 POD11 (MW-81) | 2686024.8882 | 2084599.186 |

SJ-4127 POD1–POD11 Page 2 of 6 November 25, 2014

Table 2: Existing Monitoring Well (unpermitted) to be Plugged and Abandoned.

| POD Name and Owner's Well Identification | X | Y |
|--|-------------|-----------|
| MW-5 to be plugged | 2685510.470 | 2084534.0 |
| MW-6 to be plugged | 2685886.720 | 2084836.0 |
| MW-7 to be plugged | 2685970.670 | 2084408.0 |

Purpose of Use:

Groundwater monitoring

Place of Use:

N/A

Amount of Water:

N/A

- 2. No water shall be appropriated and beneficially used from any wells approved under this permit.
- 3. No water shall be diverted from the well(s) except for sampling purposes, and upon completion of monitoring activities the well(s) shall be plugged in accordance with Subsection C of 19.27.4.30 NMAC, unless a permit to use water is acquired from the NMOSE.
- 4. The well(s) may continue to be used indefinitely for groundwater sampling or monitoring required for the current site investigation and any associated remediation, so long as they remain in good repair. A new permit shall be obtained from the NMOSE prior to replacing a well(s) or for any change in use as approved herein.
- 5. Water well drilling and well drilling activities, including well plugging, are regulated under NMOSE Regulations 19.27.4 NMAC. These regulations apply, and provide both general and specific direction regarding the drilling of wells in New Mexico. Note that the construction of any well that allows groundwater to flow uncontrolled to the land surface or to move appreciably between geologic units is prohibited. Based on the proposed well construction information provided regarding the subject well(s), the following variances have been provided from 19.27.4.29 and 19.27.4.30 NMAC.
 - a. Subsection C of 19.27.4.29 NMAC requires that drilling equipment be disinfected with a chlorine bleach solution. Due to the environmental investigative purpose of these wells, chlorine may bias or degrade contaminates under investigation in the soil and groundwater samples to be collected. Therefore, NMOSE is granting a variance to allow for steam and the use of a suitable cleaning solution for the cleaning of drilling equipment between the drilling of each borehole/well.
 - b. Paragraph (2) of Subsection A of 19.27.4.30 NMAC requires that for wells completed less than 20 feet below land surface, the seal be placed from land surface to the bottom of the blank casing. However, due to the need for collection of groundwater samples at particular and discrete intervals, and a screened

SJ-4127 POD1-POD11 Page 3 of 6 November 25, 2014

interval that accounts for fluctuations in the water levels, the seal may be placed above the filter pack which may be extended up to two feet above the top of the screened interval.

- 6. In accordance with Subsection A of 19.27.4.29 NMAC, on-site supervision of well drilling/plugging is required by the holder of a New Mexico Well Driller License or a NMOSE-registered Drill Rig Supervisor. The New Mexico licensed Well Driller shall ensure that well drilling activities are completed in accordance with 19.27.4.29, 19.27.4.30 and 19.27.4.31 NMAC. However, pursuant to 72-12-12 NMSA 1978 and 19.27.4.8 NMAC, a driller's license is not required for the construction of a driven well with an outside casing diameter of 23/8 inches or less and that does not require the use of a drill rig for installation.
- 7. Based on existing on-site well information it appears unlikely that artesian conditions will be encountered at the proposed well location(s). However, if artesian conditions are encountered during drilling, all rules and regulations pertaining to the drilling and casing and plugging of artesian wells shall be followed.
- 8. A Well Record documenting the as-built well construction and materials used shall be filed for each of the new wells in accordance with Subsection K of 19.27.4.29 NMAC. Well Records shall be filed with the State Engineer (NMOSE District V, 100 Gossett Drive, Suite A, Aztec, NM, 87410) within 20 days after completion of the well(s). Well installation(s) shall be complete and the well record(s) filed no later than one year from the date of approval of this permit.
- 9. If the required Well Record documentation is not received within one year of the date of permit approval, this permit will automatically expire.
- 10. The November 19, 2014 application also includes a plugging plan for the proposed abandonment of three existing unpermitted monitoring wells (MW-5, MW-6 and MW-7) that have gone dry. The well plugging will be performed by National EWP under well driller license WD-1210. The wells/boring shall be plugged in accordance with Subsection C of 19.27.4.30 NMAC, the approved Plugging Plans of Operations and the following conditions of approval:
 - a. Obstructions in a well/borehole shall be identified and removed if possible. If an obstruction cannot be removed, the method used to grout below and around the obstruction shall be described in detail in the plugging record.
 - b. The theoretical volume of sealant required for abandonment of a 4-inch well casing is approximately 0.65 gallons per linear foot of casing. The theoretical volume of sealant required for abandonment of each well casing shall be determined prior to plugging. The total minimum volume of sealant shall be calculated based on the actual measured pluggable depth of the well and the volume factor for the casing diameter. The volume of sealing material placed in the well shall be compared with

SJ-4127 POD1–POD11 Page 4 of 6 November 25, 2014

the theoretical volume to verify the actual volume of sealant is equal to or exceeds the theoretical volume.

c. The Well Plugging Plan of Operations submitted proposes the use of Portland cement as the plugging sealant; Portland Type I/II cement is required. The water mixed with the cement to create the plugging grout shall be potable water or of similar quality. Portland cement has a fundamental water demand of 5.2 gallons of water per 94-lb sack of cement. The mix rate proposed in the plan is approximately 5.2 gallons of water per 94-lb sack of cement. If necessary for pumpability, the use of a slightly higher amount of cement mixing water is acceptable as long as it remains at or below the six gallons per 94-lb sack limit allowed by NMOSE.

This plugging plan also proposes the addition of bentonite powder to the Portland cement slurry. Pure bentonite powder ("90 barrel yield") is allowed as a cement additive by NMOSE and American Water Works Association (AWWA) guidelines. Neither granular bentonite nor extended-yield bentonite shall be mixed with cement for the purpose of this plugging activity. When supplementing a cement slurry with bentonite powder, water demand for the mix increases at a rate of approximately 0.65 gallon of water for each 1% increment of bentonite bdwc (by dry weight cement) above the stated base water demand of six gallons of water per 94-lb sack of cement for neat cement. Bentonite powder must be hydrated separately with its required increment of water before being mixed into the wet neat cement. If water is otherwise added to the combination of dry ingredients or the dry bentonite is blended into wet cement, the alkalinity of the cement will restrict the yield of the bentonite powder, resulting in excess free water in the slurry and excessive cement shrinkage upon curing.

- d. Placement of the sealant within the well(s) shall be by pumping through a tremie pipe extended to near the bottom of the well and kept below the top of the slurry column (i.e., immersed in the slurry) as the well is plugged from bottom upwards in a manner that displaces the standing water column.
- e. Prior to, or upon completion of plugging, the well casing may be cut-off below grade as necessary to allow for approved construction onsite, provided a minimum six-inch thickness of reinforced abandonment plugging sealant or concrete completely covers the top of the cut-off casing. Any remaining void to the surface maybe filled with native soil, concrete, or asphalt as needed to match the surrounding surface material and blended with the surface topography to prevent ponding.
- f. Witnessing of the plugging work by NMOSE will not be required, but shall be facilitated if an NMOSE observer is onsite. NMOSE witnessing may be requested during normal work hours by calling the NMOSE District V Office at (505) 334-4571, at least 48 hours in advance. NMOSE inspection will occur depending on personnel availability.

SJ-4127 POD1-POD11 Page 5 of 6 November 25, 2014

- g. Within 20 days after completion of well plugging, a complete well Plugging Record shall be filed with the State Engineer in accordance with Paragraph (3) of Subsection C of 19.27.4.30 NMAC for each well plugged. The Well Plugging Record(s) shall be filed with the State Engineer at the NMOSE District V Office, 100 Gossett Drive, Suite A, Aztec, NM 87410. The required well plugging record form is available at http://www.ose.state.nm.us/PDF/WellDrillers/WD-11.pdf.
- h. Additionally, the work plan attached to the application indicates that up to 32 soil borings will be drilled for soil sample collection, 11 of which will be completed as the proposed monitoring wells authorized by this permit. Those soil borings not completed as monitoring wells may or may not encounter groundwater; yet will be plugged, as proposed, in the same manner as the three monitoring wells proposed for abandonment.
 - i. No water shall be appropriated and beneficially used from the boring(s) during the time between drilling completion and plugging. Groundwater samples associated with the site investigation may be collected prior to plugging.
 - ii. A Plugging Record is <u>not</u> required to be filed with the State Engineer for the soil borings.
- 11. Should another regulatory agency sharing jurisdiction of the project authorize, or by regulation require, more stringent requirements than stated herein, the more stringent procedure should be followed. These, among others, may include provisions regarding pre-authorization to proceed, type of methods and materials used, inspection, or prohibition of free discharge of any fluid or other material to or from the well that is related to the drilling and/or monitoring process.
- 12. The State Engineer retains jurisdiction of this permit.

The application for non-consumptive use for well(s) <u>SJ-4127 POD1-POD11</u>, submitted on <u>November 19, 2014</u>, including a plugging plan for three existing unpermitted wells, is hereby approved with the aforesaid conditions applied, when signed by an authorized designee of the State Engineer:


Witness my hand and seal this <u>25th</u> day of <u>November</u>, A.D. 2014. Scott A. Verhines, P.E., State Engineer

By:

Kimberly D. Kirby, Water Resource Specialist

District V, Water Rights Division

SJ-4127 POD1-POD11 Page 6 of 6 November 25, 2014



Map Description: El Paso Natural Gas Co., LLC

Blanco South Flare Pit and D Plant Areas Site Investigation

Data sources: Application File number: SJ-4127 Aerial Photography: 2013 STATE OF NEW MEXICO Office of the State Engineer Scott A. Verhines, P.E. State Engineer

> Aztec District Office Well Location Map





STATE OF NEW MEXICO OFFICE OF THE STATE ENGINEER AZTEC

Scott A. Verhines, P.E. State Engineer 100 Gossett Drive, Suite A Aztec, New Mexico 87410

November 25, 2014

Joseph Wiley El Paso Natural Gas Company, LLC 1001 Louisiana St, Room 956L Houston, TX 77002

RE: Permit Approval to Drill Non-Consumptive Wells, SJ-4127 POD1-POD11, and Plugging Plan Approval, El Paso Natural Gas Co., Blanco South Flare Pit and D Plant Areas Site Investigation

Dear Mr. Wiley:

On November 19, 2014, the New Mexico Office of the State Engineer (NMOSE) received an application for a permit to install 11 groundwater monitoring wells for the above referenced location. A Plugging Plan of Operations was also received with the application, for abandonment of three existing unpermitted monitoring wells. Additional information and corrections were received on November 24, 2014. Enclosed are copies of the above numbered permit and plugging plan that have been approved subject to the conditions set forth on the approval pages and in the attached Conditions of Approval.

Please be aware that there are deadlines to submit well records for the newly installed monitoring wells and plugging records for the abandoned wells. These deadlines can be found in the attached Conditions of Approval in Conditions 8 and 10.g, respectively.

Also, the application indicates that there are additional existing wells at this location, which do not appear to have permit coverage. The NMOSE is requesting that these existing wells be brought into compliance by obtaining permit coverage. Please submit an application to NMOSE as soon as practicable to obtain permit coverage for these wells.

If you have any questions regarding this permitting action, please feel free to contact me at (505) 334-4282.

Sincerely,

Kimberly Kirby

Water Resource Specialist

Water Rights Division - District V

Enclosures

cc: Aztec Reading (w/o enclosures)

SJ-4127 File

WATERS

Jeffrey Minchak, CH2M HILL, via email: <u>Jeffrey.Minchak@ch2m.com</u> Bryan Nydoske, National EWP, via email: <u>bnydoske@nationalewp.com</u>

Table 1 **Groundwater Elevation Data** Blanco Gas Plant South Flare Pit - Bloomfield, New Mexico

| Monitoring Well | TOC Elevation (ft amsl) | Measurement Date | Depth to Water (ft btoc) | Groundwater Elevation (ft amsl) |
|-----------------|----------------------------|---------------------|-----------------------------|---------------------------------------|
| MW-79 | 5583.35 | 2/11/2015 | 35.67 | 5547.68 |
| | | 12/16/2015 | 33.73 | 5549.62 |
| | | 12/14/2016 | 33.74 | 5549.61 |
| | | 11/15/2017 | 33.17 | 5550.18 |
| | | 1/28/2018 | 34.35 | 5549.00 |
| | | 11/15/2018 | 33.57 | 5549.78 |
| | | 4/16/2019 | 35.96 | 5547.39 |
| | | 9/23/2019 | 34.12 | 5549.23 |
| | | 10/15/2019 | 33.98 | 5549.37 |
| | | 11/17/2020 | 33.39 | 5549.96 |
| MW-80 | 5587.4 | 2/10/2015 | 29.43 | 5557.97 |
| | | 12/16/2015 | 26.65 | 5560.75 |
| | | 12/14/2016 | 28.82 | 5558.58 |
| | | 11/15/2017 | 27.49 | 5559.91 |
| | | 1/28/2018 | 28.81 | 5558.59 |
| | | 11/15/2018 | 30.50 | 5556.90 |
| | | 4/16/2019 | 30.51 | 5556.89 |
| | | 9/23/2019 | 27.50 | 5559.90 |
| | | 10/15/2019 | 27.56 | 5559.84 |
| | | 11/17/2020 | 30.90 | 5556.50 |
| MW-81 | 5576.5 | 2/11/2015 | 30.25 | 5546.25 |
| | | 12/16/2015 | 28.03 | 5548.47 |
| | | 12/14/2016 | 27.95 | 5548.55 |
| | | 11/15/2017 | 27.39 | 5549.11 |
| | | 1/28/2018 | 29.08 | 5547.42 |
| | | 11/15/2018 | 27.78 | 5548.72 |
| | | 4/16/2019 | 30.78 | 5545.72 |
| | | 9/23/2019 | 28.10 | 5548.40 |
| | | 10/15/2019 | 27.98 | 5548.52 |
| | | 11/17/2020 | 27.25 | 5549.25 |

Data from monitoring wells abandoned prior to 2018 have been removed from the table


NA = Historical data is not available

NM = not measured

ft btoc = feet below top of casing

ft amsl = feet above mean sea level

TOC = top of casing





APPENDIX B

Photographic Log



Photographic Log Harvest Four Corners Val Verde Gas Plant 3/13/2025





Photograph 1 Date: 03/13/2025

Description: Glycol release source

View: West

Photograph 2

Description: Stained soil

View: West

Date: 03/13/2025





Photograph 3

Date: 03/13/2025

Photograph 4

Date: 03/13/2025

Description: Stained soil View: Southeast

Description: Stained soil

View: Northwest



Photographic Log Harvest Four Corners Val Verde Gas Plant 4/30/2025






Photograph 5 Description: SS06 Date: 04/30/2025

Photograph 6 Description: SS07

View: East

Date: 04/30/2025



Photograph 7 Date: 04/30/2025 Description: SS08

> View: East View: West-northwest



Photograph 8 Date: 04/30/2025 Description: SS08 with SS06 in the background



Photographic Log Harvest Four Corners Val Verde Gas Plant 5/28/2025






Photograph 9 Description: SS07R

View: West

Date: 05/28/2025

Photograph 10 Description: SS10

View: South





Photograph 11

Date: 05/28/2025

Photograph 12 Description: SS12

View: South

Date: 05/28/2025

Date: 05/28/2025

Description: SS08R View: West



Photographic Log Harvest Four Corners Val Verde Gas Plant 9/23/2025





Photograph 9 Description: Excavation

View: South

Date: 09/23/2025 Photograph 10

Description: Excavation





Date: 09/23/2025

Date: 09/23/2025



Photograph 11 Description: Excavation

View: North

Photograph 12

Description: Excavation View: West

Date: 09/23/2025



APPENDIX C

Laboratory Analytical Reports

ANALYTICAL REPORT

PREPARED FOR

Attn: Monica Smith Harvest 1755 Arroyo Dr. Bloomfield, New Mexico 87413

Generated 3/25/2025 3:58:16 AM

JOB DESCRIPTION

Val Verde

JOB NUMBER

885-21470-1

Eurofins Albuquerque 4901 Hawkins NE Albuquerque NM 87109

Eurofins Albuquerque

Job Notes

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing South Central, LLC Project Manager.

Authorization

Generated 3/25/2025 3:58:16 AM

Authorized for release by Michelle Garcia, Project Manager michelle.garcia@et.eurofinsus.com (505)345-3975

3/25/2025

Client: Harvest

Laboratory Job ID: 885-21470-1

Project/Site: Val Verde

Table of Contents

| Cover Page | 1 |
|------------------------|----|
| Table of Contents | 3 |
| Definitions/Glossary | 4 |
| Case Narrative | 5 |
| Client Sample Results | 6 |
| QC Sample Results | 16 |
| QC Association Summary | 20 |
| Lab Chronicle | 24 |
| Certification Summary | 28 |
| Chain of Custody | 30 |
| Receipt Checklists | 33 |

Definitions/Glossary

Job ID: 885-21470-1 Client: Harvest

Project/Site: Val Verde

Qualifiers

GC Semi VOA

Qualifier **Qualifier Description**

MS and/or MSD recovery exceeds control limits.

Glossary

Abbreviation These commonly used abbreviations may or may not be present in this report. Listed under the "D" column to designate that the result is reported on a dry weight basis

Percent Recovery %R CFL Contains Free Liquid CFU Colony Forming Unit **CNF** Contains No Free Liquid

DER Duplicate Error Ratio (normalized absolute difference)

Dil Fac **Dilution Factor**

Detection Limit (DoD/DOE) DL

DL, RA, RE, IN Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample

DLC Decision Level Concentration (Radiochemistry)

Estimated Detection Limit (Dioxin) EDL LOD Limit of Detection (DoD/DOE) LOQ Limit of Quantitation (DoD/DOE)

EPA recommended "Maximum Contaminant Level" MCL MDA Minimum Detectable Activity (Radiochemistry) MDC Minimum Detectable Concentration (Radiochemistry)

MDL Method Detection Limit ML Minimum Level (Dioxin) MPN Most Probable Number MQL Method Quantitation Limit

NC Not Calculated

ND Not Detected at the reporting limit (or MDL or EDL if shown)

NEG Negative / Absent POS Positive / Present

PQL Practical Quantitation Limit

PRES Presumptive QC **Quality Control**

RER Relative Error Ratio (Radiochemistry)

RL Reporting Limit or Requested Limit (Radiochemistry)

RPD Relative Percent Difference, a measure of the relative difference between two points

TEF Toxicity Equivalent Factor (Dioxin) **TEQ** Toxicity Equivalent Quotient (Dioxin)

TNTC Too Numerous To Count

Case Narrative

Client: Harvest Job ID: 885-21470-1 Project: Val Verde

Job ID: 885-21470-1 Eurofins Albuquerque

Job Narrative 885-21470-1

Analytical test results meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page unless otherwise noted under the individual analysis. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable.

- Matrix QC may not be reported if insufficient sample is provided or site-specific QC samples were not submitted. In these
 situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD may be performed, unless otherwise
 specified in the method.
- Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

Receipt

The samples were received on 3/14/2025 6:30 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 0.0°C.

Gasoline Range Organics

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

GC VOA

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Diesel Range Organics

Method 8015D_DRO: The continuing calibration verification (CCV) associated with batch 885-22695 recovered above the upper control limit for Diesel Range Organics [C10-C28]. The samples associated with this CCV were non-detects for the affected analytes; therefore, the data have been reported. The associated samples are impacted: SS02 6' (885-21470-3), SS03 2' (885-21470-5), SS03 3' (885-21470-6), SS04 6' (885-21470-7), SS04 3' (885-21470-8), SS05 6' (885-21470-9) and SS05 3' (885-21470-10).

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

GC Semi VOA

Method 8015C_DAI_GLY - Soluble: The bracketing continuing calibration verification (CCV) recovered outside acceptance criteria, low biased, for Triethylene Glycol. Due to the nature of the compound, the data are reported.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

HPLC/IC

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Albuquerque

2

3

4

5

7

10

Client: Harvest Project/Site: Val Verde

Toluene

Xylenes, Total

Client Sample ID: SS01 6'

Lab Sample ID: 885-21470-1

03/19/25 03:36

03/19/25 03:36

Matrix: Solid

03/17/25 16:26

03/17/25 16:26

Date Collected: 03/13/25 09:55 Date Received: 03/14/25 06:30

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|-------------------------------------|--------------|------------|----------|-------|---|-------------------------|-------------------------|---------|
| Gasoline Range Organics [C6 - C10] | ND | | 4.8 | mg/Kg | | 03/17/25 16:26 | 03/19/25 03:36 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 42 | | 35 - 166 | | | 03/17/25 16:26 | 03/19/25 03:36 | 1 |
| - Method: SW846 8021B - Volatile | Organic Comp | ounds (GC) | | | | | | |
| | | | | | | | | |
| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Analyte Benzene | Result ND | Qualifier | RL | mg/Kg | D | Prepared 03/17/25 16:26 | Analyzed 03/19/25 03:36 | Dil Fac |

| Surrogate | %Recovery Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|-----------------------------|---------------------|--------|----------------|----------------|---------|
| 4-Bromofluorobenzene (Surr) | 84 | 48 145 | 03/17/25 16:26 | 03/19/25 03:36 | |

0.048

0.095

mg/Kg

mg/Kg

ND

ND

| Analyte | Result Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|--------------------|------------------|----|-------|---|----------|----------------|---------|
| Diethylene glycol | ND ND | 52 | mg/Kg | | | 03/24/25 17:40 | 1 |
| Ethylene glycol | ND | 15 | mg/Kg | | | 03/24/25 17:40 | 1 |
| Propylene glycol | ND | 10 | mg/Kg | | | 03/24/25 17:40 | 1 |
| Triethylene Glycol | 160 | 56 | mg/Kg | | | 03/24/25 17:40 | 1 |

| Surrogate | %Recovery Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------------|---------------------|---------|----------|----------------|---------|
| Tetramethylene glycol (Surr) | 66 | 5 - 131 | | 03/24/25 17:40 | 1 |

| Method: SW846 8015M/D - Diese | l Range Organ | ics (DRO) (| GC) | | | | | |
|------------------------------------|---------------|-------------|----------|-------|---|----------------|----------------|---------|
| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Diesel Range Organics [C10-C28] | 19 | | 9.7 | mg/Kg | | 03/19/25 08:18 | 03/20/25 09:03 | 1 |
| Motor Oil Range Organics [C28-C40] | ND | | 48 | mg/Kg | | 03/19/25 08:18 | 03/20/25 09:03 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| Di-n-octyl phthalate (Surr) | 96 | | 62 - 134 | | | 03/19/25 08:18 | 03/20/25 09:03 | 1 |

| Method: EPA 300.0 - Anions, ion Ci | nromatograpny | | | | | | |
|------------------------------------|------------------|----|-------|---|----------------|----------------|---------|
| Analyte | Result Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Chloride | ND | 59 | mg/Kg | | 03/19/25 09:05 | 03/19/25 18:26 | 20 |

Client Sample Results

Client: Harvest Job ID: 885-21470-1

Project/Site: Val Verde

Client Sample ID: SS01 3' Lab Sample ID: 885-21470-2

| · | • |
|--------------------------------|---------------|
| Date Collected: 03/13/25 10:00 | Matrix: Solid |
| Date Received: 03/14/25 06:30 | |

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fa |
|------------------------------------|------------------|------------|-----------|-------|---|----------------|----------------|--------|
| Gasoline Range Organics [C6 - C10] | ND | | 4.8 | mg/Kg | | 03/17/25 16:26 | 03/19/25 03:58 | |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fa |
| 4-Bromofluorobenzene (Surr) | 84 | | 35 - 166 | | | 03/17/25 16:26 | 03/19/25 03:58 | |
| Method: SW846 8021B - Volatile | Organic Comp | ounds (GC) |) | | | | | |
| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fa |
| Benzene | ND | | 0.024 | mg/Kg | | 03/17/25 16:26 | 03/19/25 03:58 | |
| Ethylbenzene | ND | | 0.048 | mg/Kg | | 03/17/25 16:26 | 03/19/25 03:58 | |
| Toluene | ND | | 0.048 | mg/Kg | | 03/17/25 16:26 | 03/19/25 03:58 | |
| Xylenes, Total | ND | | 0.095 | mg/Kg | | 03/17/25 16:26 | 03/19/25 03:58 | |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fa |
| 4-Bromofluorobenzene (Surr) | 85 | | 48 - 145 | | | 03/17/25 16:26 | 03/19/25 03:58 | |
| Method: SW846 8015C - Glycols- | Direct Injection | n (GC/FID) | - Soluble | | | | | |
| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fa |
| Diethylene glycol | ND | | 52 | mg/Kg | | | 03/24/25 17:55 | |
| Ethylene glycol | ND | | 15 | mg/Kg | | | 03/24/25 17:55 | |
| Propylene glycol | ND | | 9.9 | mg/Kg | | | 03/24/25 17:55 | |
| Triethylene Glycol | ND | | 56 | mg/Kg | | | 03/24/25 17:55 | |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fa |
| Tetramethylene glycol (Surr) | 58 | | <u> </u> | | | | 03/24/25 17:55 | - |

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------------------------|-----------|-----------|----------|-------|---|----------------|----------------|---------|
| Diesel Range Organics [C10-C28] | 12 | | 9.3 | mg/Kg | | 03/19/25 08:18 | 03/20/25 09:13 | 1 |
| Motor Oil Range Organics [C28-C40] | ND | | 47 | mg/Kg | | 03/19/25 08:18 | 03/20/25 09:13 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| Di-n-octyl phthalate (Surr) | 99 | | 62 - 134 | | | 03/19/25 08:18 | 03/20/25 09:13 | 1 |

| Method: EPA 300.0 - Anions, Ion C | hromatography | | | | | | |
|-----------------------------------|------------------|----|-------|---|----------------|----------------|---------|
| Analyte | Result Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Chloride | ND — | 61 | mg/Kg | | 03/19/25 09:05 | 03/19/25 17:56 | 20 |

Client Sample Results

Client: Harvest Job ID: 885-21470-1

Project/Site: Val Verde

Client Sample ID: SS02 6' Lab Sample ID: 885-21470-3

Date Collected: 03/13/25 10:15
Date Received: 03/14/25 06:30

| Lab Sample | ID: 885-21470-3 |
|------------|-----------------|
| | Matrix: Solid |

| Analyte | Result Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------------------------|---------------------|--------|-------|---|----------------|----------------|---------|
| Gasoline Range Organics [C6 - C10] | ND | 4.7 | mg/Kg | | 03/17/25 16:26 | 03/19/25 04:41 | 1 |
| Surrogate | %Recovery Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |

 Surrogate
 %Recovery
 Qualifier
 Limits
 Prepared
 Analyzed
 Dil Fa

 4-Bromofluorobenzene (Surr)
 89
 35 - 166
 03/17/25 16:26
 03/19/25 04:41
 03/19/25 04:41

Method: SW846 8021B - Volatile Organic Compounds (GC)

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|----------------|--------|-----------|-------|-------|---|----------------|----------------|---------|
| Benzene | ND | | 0.023 | mg/Kg | | 03/17/25 16:26 | 03/19/25 04:41 | 1 |
| Ethylbenzene | ND | | 0.047 | mg/Kg | | 03/17/25 16:26 | 03/19/25 04:41 | 1 |
| Toluene | ND | | 0.047 | mg/Kg | | 03/17/25 16:26 | 03/19/25 04:41 | 1 |
| Xylenes, Total | ND | | 0.094 | mg/Kg | | 03/17/25 16:26 | 03/19/25 04:41 | 1 |
| | | | | | | | | |
| | | | | | | | | |

 Surrogate
 %Recovery
 Qualifier
 Limits
 Prepared
 Analyzed
 Dil Fac

 4-Bromofluorobenzene (Surr)
 82
 48 - 145
 03/17/25 16:26
 03/19/25 04:41
 1

Method: SW846 8015C - Glycols- Direct Injection (GC/FID) - Soluble

| 4 | Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|--------------------|--------|-----------|----|-------|---|----------|----------------|---------|
| j | Diethylene glycol | ND | | 52 | mg/Kg | | | 03/24/25 18:10 | 1 |
| | Ethylene glycol | ND | | 15 | mg/Kg | | | 03/24/25 18:10 | 1 |
| | Propylene glycol | ND | | 10 | mg/Kg | | | 03/24/25 18:10 | 1 |
| - | Triethylene Glycol | ND | F1 | 56 | mg/Kg | | | 03/24/25 18:10 | 1 |

| Surrogate | %Recovery Qual | lifier Limits | Prepared | Analyzed | Dil Fac |
|------------------------------|----------------|---------------|----------|----------------|---------|
| Tetramethylene glycol (Surr) | 51 | 5 - 131 | | 03/24/25 18:10 | 1 |

Method: SW846 8015M/D - Diesel Range Organics (DRO) (GC)

| Wiethou. 344040 00 13W/D - Diesei | Range Organ | ica (Dico) (| GC) | | | | | |
|------------------------------------|-------------|--------------|-------------|-------|---|----------------|----------------|---------|
| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Diesel Range Organics [C10-C28] | ND | | 9.8 | mg/Kg | | 03/19/25 08:18 | 03/19/25 16:52 | 1 |
| Motor Oil Range Organics [C28-C40] | ND | | 49 | mg/Kg | | 03/19/25 08:18 | 03/19/25 16:52 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| Di-n-octyl phthalate (Surr) | 99 | | 62 - 134 | | | 03/19/25 08:18 | 03/19/25 16:52 | |

Method: EPA 300.0 - Anions, Ion Chromatography

Released to Imaging: 10/14/2025 2:38:29 PM

| Analyte | Result Qualifi | ier RL | Unit | D | Prepared | Analyzed | Dil Fac | |
|----------|----------------|--------|-------|---|----------------|----------------|---------|--|
| Chloride | ND | 60 | ma/Ka | | 03/19/25 09:05 | 03/19/25 18:55 | 20 | |

Eurofins Albuquerque

6

3

4

5

Q

9

4 4

Client: Harvest Project/Site: Val Verde

Client Sample ID: SS02 3' Date Collected: 03/13/25 10:20

Date Received: 03/14/25 06:30

Lab Sample ID: 885-21470-4

| Matrix: Solid | ı |
|---------------|---|
|---------------|---|

| Method: SW846 8015M/D - Gasoline Range Organics (GRO) (GC) | | | | | | | | | | |
|--|-----------|-----------|----------|-------|---|----------------|----------------|---------|--|--|
| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac | | |
| Gasoline Range Organics [C6 - C10] | ND | | 5.0 | mg/Kg | | 03/17/25 16:26 | 03/19/25 05:03 | 1 | | |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac | | |
| 4-Bromofluorobenzene (Surr) | 85 | | 35 - 166 | | | 03/17/25 16:26 | 03/19/25 05:03 | 1 | | |
| _ | | | | | | | | | | |

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|-----------|-----------|----------|-------|---|----------------|----------------|---------|
| Benzene | ND | | 0.025 | mg/Kg | | 03/17/25 16:26 | 03/19/25 05:03 | 1 |
| Ethylbenzene | ND | | 0.050 | mg/Kg | | 03/17/25 16:26 | 03/19/25 05:03 | 1 |
| Toluene | ND | | 0.050 | mg/Kg | | 03/17/25 16:26 | 03/19/25 05:03 | 1 |
| Xylenes, Total | ND | | 0.099 | mg/Kg | | 03/17/25 16:26 | 03/19/25 05:03 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 84 | | 48 - 145 | | | 03/17/25 16:26 | 03/19/25 05:03 | 1 |

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------------------|-----------|-----------|---------|-------|---|----------|----------------|---------|
| Diethylene glycol | ND | | 51 | mg/Kg | | | 03/24/25 18:54 | 1 |
| Ethylene glycol | ND | | 15 | mg/Kg | | | 03/24/25 18:54 | 1 |
| Propylene glycol | ND | | 9.9 | mg/Kg | | | 03/24/25 18:54 | 1 |
| Triethylene Glycol | ND | | 55 | mg/Kg | | | 03/24/25 18:54 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| Tetramethylene glycol (Surr) | 49 | | 5 - 131 | | | | 03/24/25 18:54 | 1 |

| Tetramethylene glycol (Surr) | 49 | | 5 - 131 | | | | 03/24/25 18:54 | |
|---------------------------------|-------------|-------------|----------|-------|---|----------------|----------------|--------|
| Method: SW846 8015M/D - Diesel | Range Organ | ics (DRO) (| GC) | | | | | |
| Analyte | | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fa |
| Diesel Range Organics [C10-C28] | 22 | | 19 | mg/Kg | | 03/19/25 08:18 | 03/20/25 09:34 | |
| Motor Oil Range Organics | 110 | | 96 | mg/Kg | | 03/19/25 08:18 | 03/20/25 09:34 | |
| [C28-C40] | | | | | | | | |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil F |
| Di-n-octyl phthalate (Surr) | 99 | | 62 - 134 | | | 03/19/25 08:18 | 03/20/25 09:34 | |

| method. El A 000.0 - Allions, lon o | momatograp | 'iiy | | | | | | |
|-------------------------------------|------------|-----------|----|-------|---|----------------|----------------|---------|
| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Chloride | ND | | 60 | mg/Kg | | 03/19/25 09:05 | 03/19/25 19:05 | 20 |

Client: Harvest Project/Site: Val Verde

Client Sample ID: SS03 2'

Lab Sample ID: 885-21470-5

Matrix: Solid

Date Collected: 03/13/25 10:40 Date Received: 03/14/25 06:30

| Method: SW846 8015M/D - Gasol | ine Range Org | anics (GR | O) (GC) | | | | | |
|------------------------------------|---------------|-----------|----------|-------|---|----------------|----------------|---------|
| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Gasoline Range Organics [C6 - C10] | ND | | 4.7 | mg/Kg | | 03/17/25 16:26 | 03/19/25 05:24 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 84 | | 35 - 166 | | | 03/17/25 16:26 | 03/19/25 05:24 | 1 |
| | | | | | | | | |

Method: SW846 8021B - Volatile Organic Compounds (GC) Analyte Result Qualifier RL Unit Prepared Analyzed Dil Fac Benzene ND 0.024 mg/Kg 03/17/25 16:26 03/19/25 05:24 ND Ethylbenzene 0.047 03/17/25 16:26 03/19/25 05:24 mg/Kg Toluene ND 0.047 03/17/25 16:26 03/19/25 05:24 mg/Kg ND Xylenes, Total 0.095 03/17/25 16:26 03/19/25 05:24 mg/Kg

Qualifier %Recovery Limits Prepared Dil Fac Surrogate Analyzed 48 - 145 03/17/25 16:26 4-Bromofluorobenzene (Surr) 83 03/19/25 05:24

Method: SW846 8015C - Glycols- Direct Injection (GC/FID) - Soluble

Analyte Result Qualifier Dil Fac RL Unit D Prepared Analyzed ND Diethylene glycol 51 mg/Kg 03/24/25 19:09 Ethylene glycol ND 15 mg/Kg 03/24/25 19:09 Propylene glycol ND 9.9 03/24/25 19:09 mg/Kg Triethylene Glycol ND 55 mg/Kg 03/24/25 19:09

Surrogate %Recovery Qualifier Limits Prepared Analyzed Tetramethylene glycol (Surr) 49 5 - 131 03/24/25 19:09

Dil Fac

Method: SW846 8015M/D - Diesel Range Organics (DRO) (GC)

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|--|-------------|-----------|-----------------|-------|---|-------------------------|-------------------------|---------|
| Diesel Range Organics [C10 |)-C28] ND | | 9.6 | mg/Kg | | 03/19/25 08:18 | 03/19/25 17:14 | 1 |
| Motor Oil Range Organics [0 | C28-C40] ND | | 48 | mg/Kg | | 03/19/25 08:18 | 03/19/25 17:14 | 1 |
| Surrogate Di-n-octyl phthalate (Surr) | | Qualifier | Limits 62 - 134 | | | Prepared 03/19/25 08:18 | Analyzed 03/19/25 17:14 | Dil Fac |

Method: EPA 300.0 - Anions, Ion Chromatography

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|----------|--------|-----------|----|-------|---|----------------|----------------|---------|
| Chloride | ND | | 60 | mg/Kg | | 03/19/25 09:05 | 03/19/25 19:15 | 20 |

Client: Harvest Project/Site: Val Verde

Client Sample ID: SS03 3'

Lab Sample ID: 885-21470-6

Matrix: Solid

Date Collected: 03/13/25 10:45 Date Received: 03/14/25 06:30

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------------------------|--------------|------------|----------|-------|---|----------------|----------------|---------|
| Gasoline Range Organics [C6 - C10] | ND | | 4.8 | mg/Kg | | 03/17/25 16:26 | 03/19/25 05:46 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 87 | | 35 - 166 | | | 03/17/25 16:26 | 03/19/25 05:46 | 1 |
| Method: SW846 8021B - Volatile | Organic Comp | ounds (GC) | | | | | | |
| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Benzene | ND | | 0.024 | mg/Kg | | 03/17/25 16:26 | 03/19/25 05:46 | 1 |
| Ethylbenzene | ND | | 0.048 | mg/Kg | | 03/17/25 16:26 | 03/19/25 05:46 | 1 |
| Toluene | ND | | 0.048 | mg/Kg | | 03/17/25 16:26 | 03/19/25 05:46 | 1 |
| Xylenes, Total | ND | | 0.097 | mg/Kg | | 03/17/25 16:26 | 03/19/25 05:46 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 81 | | 48 - 145 | | | 03/17/25 16:26 | 03/19/25 05:46 | |

| | | \ - / | | | | | | |
|------------------------------|-----------|-----------|---------|-------|---|----------|----------------|---------|
| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Diethylene glycol | ND | | 52 | mg/Kg | | | 03/24/25 19:23 | 1 |
| Ethylene glycol | ND | | 15 | mg/Kg | | | 03/24/25 19:23 | 1 |
| Propylene glycol | ND | | 10 | mg/Kg | | | 03/24/25 19:23 | 1 |
| Triethylene Glycol | ND | | 56 | mg/Kg | | | 03/24/25 19:23 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| Tetramethylene glycol (Surr) | 46 | | 5 - 131 | | | | 03/24/25 19:23 | 1 |

| Method: SW846 8015M/D - Diese | Range Organ | ics (DRO) (| GC) | | | | | |
|------------------------------------|-------------|-------------|----------|-------|---|----------------|----------------|---------|
| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Diesel Range Organics [C10-C28] | ND | | 9.6 | mg/Kg | | 03/19/25 08:18 | 03/19/25 17:25 | 1 |
| Motor Oil Range Organics [C28-C40] | ND | | 48 | mg/Kg | | 03/19/25 08:18 | 03/19/25 17:25 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| Di-n-octyl phthalate (Surr) | 92 | | 62 - 134 | | | 03/19/25 08:18 | 03/19/25 17:25 | 1 |

| Method: EPA 300.0 - Anions, Ion C | hromatography | | | | | | |
|-----------------------------------|------------------|----|-------|---|----------------|----------------|---------|
| Analyte | Result Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Chloride | ND = | 59 | mg/Kg | | 03/19/25 09:05 | 03/19/25 19:45 | 20 |

Client: Harvest Project/Site: Val Verde

Client Sample ID: SS04 6'

Lab Sample ID: 885-21470-7

Matrix: Solid

Date Collected: 03/13/25 10:50 Date Received: 03/14/25 06:30

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------------------------|------------------|------------|-----------|-------|---|----------------|----------------|---------|
| Gasoline Range Organics [C6 - C10] | ND | | 4.7 | mg/Kg | | 03/17/25 16:26 | 03/19/25 06:07 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 88 | | 35 - 166 | | | 03/17/25 16:26 | 03/19/25 06:07 | 1 |
| Method: SW846 8021B - Volatile | Organic Comp | ounds (GC) |) | | | | | |
| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Benzene | ND | | 0.024 | mg/Kg | | 03/17/25 16:26 | 03/19/25 06:07 | 1 |
| Ethylbenzene | ND | | 0.047 | mg/Kg | | 03/17/25 16:26 | 03/19/25 06:07 | 1 |
| Toluene | ND | | 0.047 | mg/Kg | | 03/17/25 16:26 | 03/19/25 06:07 | 1 |
| Xylenes, Total | ND | | 0.095 | mg/Kg | | 03/17/25 16:26 | 03/19/25 06:07 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 83 | | 48 - 145 | | | 03/17/25 16:26 | 03/19/25 06:07 | 1 |
| Method: SW846 8015C - Glycols- | Direct Injection | n (GC/FID) | - Soluble | | | | | |
| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Diethylene glycol | ND | | 52 | mg/Kg | | | 03/24/25 19:38 | 1 |
| Ethylene glycol | ND | | 15 | mg/Kg | | | 03/24/25 19:38 | 1 |
| Propylene glycol | ND | | 10 | mg/Kg | | | 03/24/25 19:38 | 1 |
| Triethylene Glycol | ND | | 56 | mg/Kg | | | 03/24/25 19:38 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| | | | | | | | | |

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------------------------|-----------|-----------|----------|-------|---|----------------|----------------|---------|
| Diesel Range Organics [C10-C28] | ND | | 9.7 | mg/Kg | | 03/19/25 08:18 | 03/19/25 17:36 | 1 |
| Motor Oil Range Organics [C28-C40] | ND | | 49 | mg/Kg | | 03/19/25 08:18 | 03/19/25 17:36 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| Di-n-octyl phthalate (Surr) | 117 | | 62 - 134 | | | 03/19/25 08:18 | 03/19/25 17:36 | 1 |

| Method: EPA 300.0 - Anions, Ion C | nromatography | | | | | | | |
|-----------------------------------|------------------|----|-------|---|----------------|----------------|---------|--|
| Analyte | Result Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac | |
| Chloride | ND — | 60 | ma/Ka | | 03/19/25 09:05 | 03/19/25 19:54 | 20 | |

Client: Harvest Project/Site: Val Verde

Client Sample ID: SS04 3'

Lab Sample ID: 885-21470-8

Matrix: Solid

Date Collected: 03/13/25 10:55 Date Received: 03/14/25 06:30

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------------------------|--------------|------------|----------|-------|---|----------------|----------------|---------|
| Gasoline Range Organics [C6 - C10] | ND | | 4.7 | mg/Kg | | 03/17/25 16:26 | 03/19/25 06:29 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 84 | | 35 - 166 | | | 03/17/25 16:26 | 03/19/25 06:29 | 1 |
| Method: SW846 8021B - Volatile | Organic Comp | ounds (GC) |) | | | | | |
| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Benzene | ND | | 0.023 | mg/Kg | | 03/17/25 16:26 | 03/19/25 06:29 | 1 |
| Ethylbenzene | ND | | 0.047 | mg/Kg | | 03/17/25 16:26 | 03/19/25 06:29 | 1 |
| Toluene | ND | | 0.047 | mg/Kg | | 03/17/25 16:26 | 03/19/25 06:29 | 1 |
| Xylenes, Total | ND | | 0.094 | mg/Kg | | 03/17/25 16:26 | 03/19/25 06:29 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 82 | | 48 - 145 | | | 03/17/25 16:26 | 03/19/25 06:29 | |

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------------------|-----------|-----------|---------|-------|---|----------|----------------|---------|
| Diethylene glycol | ND | | 52 | mg/Kg | | | 03/24/25 19:53 | 1 |
| Ethylene glycol | ND | | 15 | mg/Kg | | | 03/24/25 19:53 | 1 |
| Propylene glycol | ND | | 9.9 | mg/Kg | | | 03/24/25 19:53 | 1 |
| Triethylene Glycol | ND | | 56 | mg/Kg | | | 03/24/25 19:53 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| Tetramethylene glycol (Surr) | 49 | | 5 - 131 | | • | | 03/24/25 19:53 | 1 |

| Method: SW846 8015M/D - Diese | Range Organ | ics (DRO) (| GC) | | | | | |
|------------------------------------|-------------|-------------|----------|-------|---|----------------|----------------|---------|
| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Diesel Range Organics [C10-C28] | ND | | 10 | mg/Kg | | 03/19/25 08:18 | 03/19/25 17:46 | 1 |
| Motor Oil Range Organics [C28-C40] | ND | | 50 | mg/Kg | | 03/19/25 08:18 | 03/19/25 17:46 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| Di-n-octyl phthalate (Surr) | 97 | | 62 - 134 | | | 03/19/25 08:18 | 03/19/25 17:46 | 1 |

| Method: EPA 300.0 - Anions, Ion C | hromatography | | | | | | |
|-----------------------------------|------------------|----|-------|---|----------------|----------------|---------|
| Analyte | Result Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Chloride | ND = | 60 | mg/Kg | | 03/19/25 09:05 | 03/19/25 20:04 | 20 |

Client Sample Results

Client: Harvest Job ID: 885-21470-1

Project/Site: Val Verde

Chloride

Released to Imaging: 10/14/2025 2:38:29 PM

Client Sample ID: SS05 6' Lab Sample ID: 885-21470-9

Date Collected: 03/13/25 11:10 Matrix: Solid Date Received: 03/14/25 06:30

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|--|--|--|---|----------------------------------|----------|---|--|---------------------------------------|
| Gasoline Range Organics [C6 - C10] | ND | | 4.9 | mg/Kg | | 03/17/25 16:26 | 03/19/25 06:50 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 81 | | 35 - 166 | | | 03/17/25 16:26 | 03/19/25 06:50 | 1 |
| Method: SW846 8021B - Volatile | Organic Comp | ounds (GC) |) | | | | | |
| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Benzene | ND | | 0.025 | mg/Kg | | 03/17/25 16:26 | 03/19/25 06:50 | 1 |
| Ethylbenzene | ND | | 0.049 | mg/Kg | | 03/17/25 16:26 | 03/19/25 06:50 | 1 |
| Toluene | ND | | 0.049 | mg/Kg | | 03/17/25 16:26 | 03/19/25 06:50 | 1 |
| Xylenes, Total | ND | | 0.098 | mg/Kg | | 03/17/25 16:26 | 03/19/25 06:50 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 83 | | 48 - 145 | | | 03/17/25 16:26 | 03/19/25 06:50 | 1 |
| • | • | | | Unit | n | Propared | Analyzod | Dil Fac |
| Method: SW846 8015C - Glycols | • | | - Soluble | | | | | |
| Analyte | Result | on (GC/FID) Qualifier | RL | Unit | <u>D</u> | Prepared | Analyzed | Dil Fac |
| Analyte Diethylene glycol | Result ND | | RL 52 | mg/Kg | <u>D</u> | Prepared | 03/24/25 20:08 | 1 |
| Analyte Diethylene glycol Ethylene glycol | Result ND ND | | RL 52 15 | mg/Kg | <u>D</u> | Prepared | 03/24/25 20:08 03/24/25 20:08 | 1 |
| Analyte | Result ND | | RL 52 | mg/Kg | <u>D</u> | Prepared | 03/24/25 20:08 | 1 |
| Analyte Diethylene glycol Ethylene glycol Propylene glycol | Result ND ND ND ND | Qualifier | RL 52 15 9.9 | mg/Kg mg/Kg mg/Kg | <u>D</u> | Prepared Prepared | 03/24/25 20:08 03/24/25 20:08 03/24/25 20:08 | 1 1 1 |
| Analyte Diethylene glycol Ethylene glycol Propylene glycol Triethylene Glycol | Result ND ND ND | | RL 52 15 9.9 | mg/Kg mg/Kg mg/Kg | <u>D</u> | · · · · · · · · · · · · · · · · · · · | 03/24/25 20:08 03/24/25 20:08 03/24/25 20:08 03/24/25 20:08 | 1 1 1 |
| Analyte Diethylene glycol Ethylene glycol Propylene glycol Triethylene Glycol Surrogate | Result ND ND ND ND ND 49 | Qualifier Qualifier | 8L 52 15 9.9 56 Limits 5 - 131 | mg/Kg mg/Kg mg/Kg | <u> </u> | · · · · · · · · · · · · · · · · · · · | 03/24/25 20:08 03/24/25 20:08 03/24/25 20:08 03/24/25 20:08 Analyzed | 1 1 1 1 Dil Fac |
| Analyte Diethylene glycol Ethylene glycol Propylene glycol Triethylene Glycol Surrogate Tetramethylene glycol (Surr) | Result ND ND ND ND ND Recovery 49 Il Range Organ | Qualifier Qualifier | 8L 52 15 9.9 56 Limits 5 - 131 | mg/Kg mg/Kg mg/Kg | <u>D</u> | · · · · · · · · · · · · · · · · · · · | 03/24/25 20:08 03/24/25 20:08 03/24/25 20:08 03/24/25 20:08 Analyzed | 1 1 1 1 Dil Fac |
| Analyte Diethylene glycol Ethylene glycol Propylene glycol Triethylene Glycol Surrogate Tetramethylene glycol (Surr) Method: SW846 8015M/D - Diese | Result ND ND ND ND ND Recovery 49 Il Range Organ | Qualifier Qualifier ics (DRO) (| RL 52 15 9.9 56 Limits 5 - 131 | mg/Kg mg/Kg mg/Kg mg/Kg | <u> </u> | Prepared | 03/24/25 20:08 03/24/25 20:08 03/24/25 20:08 03/24/25 20:08 Analyzed 03/24/25 20:08 | 1 1 1 1 Dil Fac |
| Analyte Diethylene glycol Ethylene glycol Propylene glycol Triethylene Glycol Surrogate Tetramethylene glycol (Surr) Method: SW846 8015M/D - Diese Analyte | Result ND ND ND ND ND 49 Recovery 49 Result Result | Qualifier Qualifier ics (DRO) (| RL 52 15 9.9 56 Limits 5 - 131 GC) RL | mg/Kg mg/Kg mg/Kg mg/Kg | <u> </u> | Prepared Prepared | 03/24/25 20:08 03/24/25 20:08 03/24/25 20:08 03/24/25 20:08 Analyzed 03/24/25 20:08 | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 |
| Analyte Diethylene glycol Ethylene glycol Propylene glycol Triethylene Glycol Surrogate Tetramethylene glycol (Surr) Method: SW846 8015M/D - Diese Analyte Diesel Range Organics [C10-C28] | Result ND ND ND ND ND WRecovery 49 I Range Organ Result ND | Qualifier Qualifier ics (DRO) (| RL 52 15 9.9 56 Limits 5 - 131 GC) RL 10 | mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg | <u> </u> | Prepared 03/19/25 08:18 | 03/24/25 20:08 03/24/25 20:08 03/24/25 20:08 03/24/25 20:08 Analyzed 03/24/25 20:08 Analyzed 03/19/25 17:57 | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 |
| Analyte Diethylene glycol Ethylene glycol Propylene glycol Triethylene Glycol Surrogate Tetramethylene glycol (Surr) Method: SW846 8015M/D - Diese Analyte Diesel Range Organics [C10-C28] Motor Oil Range Organics [C28-C40] | Result ND ND ND ND WRecovery 49 I Range Organ Result ND ND | Qualifier Qualifier ics (DRO) (Gualifier | RL 52 15 9.9 56 Limits 5 - 131 GC) RL 10 50 | mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg | <u> </u> | Prepared 03/19/25 08:18 03/19/25 08:18 | 03/24/25 20:08 03/24/25 20:08 03/24/25 20:08 03/24/25 20:08 Analyzed 03/24/25 20:08 Analyzed 03/19/25 17:57 03/19/25 17:57 | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 |
| Analyte Diethylene glycol Ethylene glycol Propylene glycol Triethylene Glycol Surrogate Tetramethylene glycol (Surr) Method: SW846 8015M/D - Diese Analyte Diesel Range Organics [C10-C28] Motor Oil Range Organics [C28-C40] Surrogate | Result ND ND ND WRecovery 49 I Range Organ Result ND ND WRecovery 97 | Qualifier Qualifier ics (DRO) (Qualifier Qualifier | RL 52 15 9.9 56 Limits 5 - 131 GC) RL 10 50 Limits | mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg | <u> </u> | Prepared 03/19/25 08:18 03/19/25 08:18 Prepared | 03/24/25 20:08 03/24/25 20:08 03/24/25 20:08 03/24/25 20:08 Analyzed 03/24/25 20:08 Analyzed 03/19/25 17:57 03/19/25 17:57 | Dil Fac |

60

mg/Kg

03/19/25 09:05

03/19/25 20:14

20

ND

Client Sample Results

Client: Harvest Job ID: 885-21470-1

Project/Site: Val Verde

Client Sample ID: SS05 3' Lab Sample ID: 885-21470-10

Date Collected: 03/13/25 11:15 Matrix: Solid

Date Collected: 03/13/25 11:15 Matrix: Solid

Date Received: 03/14/25 06:30

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------------------------------------|---------------|------------------|---------------------------|----------------|---|--------------------------|----------------------------------|---------|
| Gasoline Range Organics [C6 - C10] | ND | | 4.7 | mg/Kg | | 03/17/25 16:26 | 03/19/25 07:12 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 91 | | 35 - 166 | | | 03/17/25 16:26 | 03/19/25 07:12 | 1 |
| Method: SW846 8021B - Volatile | Organic Comp | ounds (GC) |) | | | | | |
| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Benzene | ND | | 0.024 | mg/Kg | | 03/17/25 16:26 | 03/19/25 07:12 | 1 |
| Ethylbenzene | ND | | 0.047 | mg/Kg | | 03/17/25 16:26 | 03/19/25 07:12 | 1 |
| Toluene | ND | | 0.047 | mg/Kg | | 03/17/25 16:26 | 03/19/25 07:12 | 1 |
| Xylenes, Total | ND | | 0.094 | mg/Kg | | 03/17/25 16:26 | 03/19/25 07:12 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 82 | | 48 - 145 | | | 03/17/25 16:26 | 03/19/25 07:12 | |
| Diethylene glycol Ethylene glycol | ND ND | | 52 15 | mg/Kg mg/Kg | | | 03/24/25 20:22 03/24/25 20:22 | |
| Etnylene glycol Propylene glycol | ND ND | | 9.9 | mg/Kg mg/Kg | | | 03/24/25 20:22 | |
| Triethylene Glycol | ND | | 56 | mg/Kg | | | 03/24/25 20:22 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fa |
| Tetramethylene glycol (Surr) | 49 | | 5 - 131 | | | | 03/24/25 20:22 | 1 |
| Method: SW846 8015M/D - Diese | l Range Organ | ics (DRO) (| GC) | | | | | |
| Analyte | • | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Diesel Range Organics [C10-C28] | ND | | 9.2 | mg/Kg | | 03/19/25 08:18 | 03/19/25 18:08 | |
| Motor Oil Range Organics [C28-C40] | ND | | 46 | mg/Kg | | 03/19/25 08:18 | 03/19/25 18:08 | 1 |
| _ | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| Surrogate | | | | | | | | |
| Surrogate Di-n-octyl phthalate (Surr) | 100 | | 62 - 134 | | | 03/19/25 08:18 | 03/19/25 18:08 | |
| Di-n-octyl phthalate (Surr) | | ohv | 62 - 134 | | | 03/19/25 08:18 | 03/19/25 18:08 | |
| | Chromatograp | ohy Qualifier | 62 ₋ 134 RL | Unit | D | 03/19/25 08:18 Prepared | 03/19/25 18:08 Analyzed | Dil Fac |

60

mg/Kg

03/19/25 09:05

03/19/25 20:24

20

ND

Chloride

Client Sample ID: Method Blank

Project/Site: Val Verde

Client: Harvest

Job ID: 885-21470-1

Prep Type: Total/NA

Prep Batch: 22617

Method: 8015M/D - Gasoline Range Organics (GRO) (GC)

Lab Sample ID: MB 885-22617/1-A

Matrix: Solid

Analysis Batch: 22688

| МВ МВ | |
|-------|--|
|-------|--|

Analyte Result Qualifier RL Unit D Prepared Analyzed Dil Fac Gasoline Range Organics [C6 - C10] ND 5.0 mg/Kg 03/17/25 16:26 03/18/25 23:38

MB MB

Surrogate %Recovery Qualifier Limits Prepared Analyzed Dil Fac 4-Bromofluorobenzene (Surr) 93 35 - 166 03/17/25 16:26 03/18/25 23:38

Lab Sample ID: LCS 885-22617/2-A

Matrix: Solid

Analysis Batch: 22688

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 22617

Spike LCS LCS %Rec Analyte Added Result Qualifier Unit D %Rec Limits 25.0 27.0 108 Gasoline Range Organics [C6 mg/Kg 70 - 130

C10]

LCS LCS

Surrogate %Recovery Qualifier Limits 35 - 166 4-Bromofluorobenzene (Surr) 184

Method: 8021B - Volatile Organic Compounds (GC)

Lab Sample ID: MB 885-22617/1-A

Matrix: Solid

Analysis Batch: 22689

Client Sample ID: Method Blank

Prep Type: Total/NA Prep Batch: 22617

MB MB Analyte Result Qualifier RL Unit Prepared Analyzed Dil Fac ND 0.025 03/17/25 16:26 03/18/25 23:38 Benzene mg/Kg Ethylbenzene ND 0.050 mg/Kg 03/17/25 16:26 03/18/25 23:38 Toluene NΠ 0.050 03/17/25 16:26 03/18/25 23:38 mg/Kg Xylenes, Total ND 0.10 mg/Kg 03/17/25 16:26 03/18/25 23:38

MB MB

Surrogate %Recovery Qualifier Limits Dil Fac Prepared Analyzed 03/17/25 16:26 03/18/25 23:38 4-Bromofluorobenzene (Surr) 48 - 145 84

Lab Sample ID: LCS 885-22617/3-A

Matrix: Solid

Analysis Batch: 22689

Client Sample ID: Lab Control Sample

Prep Type: Total/NA Prep Batch: 22617

%Rac

| | Оріке | LOS | LUU | | | | /ortec | |
|----------------|-------|--------|-----------|-------|---|------|----------|--|
| Analyte | Added | Result | Qualifier | Unit | D | %Rec | Limits | |
| Benzene | 1.00 | 0.917 | | mg/Kg | | 92 | 70 - 130 | |
| Ethylbenzene | 1.00 | 0.925 | | mg/Kg | | 92 | 70 - 130 | |
| Toluene | 1.00 | 0.922 | | mg/Kg | | 92 | 70 - 130 | |
| Xylenes, Total | 3.00 | 2.75 | | mg/Kg | | 92 | 70 - 130 | |

Snike

LCS LCS

LCS LCS

%Recovery Qualifier Limits Surrogate 4-Bromofluorobenzene (Surr) 85 48 - 145

Prep Type: Soluble

Job ID: 885-21470-1

Project/Site: Val Verde

Client: Harvest

Method: 8015C - Glycols- Direct Injection (GC/FID)

Lab Sample ID: MB 410-620745/1-A Client Sample ID: Method Blank

Matrix: Solid

Analysis Batch: 620958

| | | MB | MB | | | | | | |
|---|--------------------|--------|-----------|----|-------|---|----------|----------------|---------|
| | Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| | Diethylene glycol | ND | | 52 | mg/Kg | | | 03/24/25 17:11 | 1 |
| | Ethylene glycol | ND | | 15 | mg/Kg | | | 03/24/25 17:11 | 1 |
| | Propylene glycol | ND | | 10 | mg/Kg | | | 03/24/25 17:11 | 1 |
| | Triethylene Glycol | ND | | 56 | mg/Kg | | | 03/24/25 17:11 | 1 |
| ı | | | | | | | | | |

MB MB

Surrogate Qualifier Limits Prepared Dil Fac %Recovery Analyzed Tetramethylene glycol (Surr) 58 5 - 131 03/24/25 17:11

Lab Sample ID: LCS 410-620745/2-A

Matrix: Solid

Analysis Batch: 620958

Client Sample ID: Lab Control Sample

Prep Type: Soluble

Client Sample ID: SS02 6'

Prep Type: Soluble

| | | Spike | LCS | LCS | | | %Rec | |
|---|--------------------|--------------|--------|-----------|-------|--------|----------|--|
| | Analyte | Added | Result | Qualifier | Unit | D %Rec | Limits | |
| | Diethylene glycol | 99.2 | 89.7 | · | mg/Kg | 90 | 57 - 121 | |
| | Ethylene glycol | 106 | 115 | | mg/Kg | 108 | 76 - 124 | |
| | Propylene glycol | 99.8 | 111 | | mg/Kg | 112 | 74 - 124 | |
| | Triethylene Glycol | 99.5 | 71.8 | | mg/Kg | 72 | 10 - 151 | |
| П | | | | | | | | |

LCS LCS

%Recovery Qualifier Surrogate Limits Tetramethylene glycol (Surr) 75 5 - 131

Lab Sample ID: 885-21470-3 MS

Matrix: Solid

Analysis Batch: 620958

| | Sample | Sample | Spike | MS | MS | | | | %Rec |
|--------------------|--------|-----------|-------|--------|-----------|-------|---|------|----------|
| Analyte | Result | Qualifier | Added | Result | Qualifier | Unit | D | %Rec | Limits |
| Diethylene glycol | ND | | 98.9 | 62.6 | | mg/Kg | | 63 | 57 - 121 |
| Ethylene glycol | ND | | 106 | 99.3 | | mg/Kg | | 94 | 76 - 124 |
| Propylene glycol | ND | | 99.5 | 97.6 | | mg/Kg | | 98 | 74 - 124 |
| Triethylene Glycol | ND | F1 | 99.2 | ND | F1 | mg/Kg | | 0 | 10 - 151 |

MS MS

Surrogate %Recovery Qualifier Limits Tetramethylene glycol (Surr) 68 5 - 131

| Lab Sample ID: 885-21470-3 MSD | Client Sample ID: SS02 6' |
|--------------------------------|---------------------------|
| Matrix: Solid | Prep Type: Soluble |
| Analysis Batch: 620958 | |

| _ | Sample | Sample | Spike | MSD | MSD | | | | %Rec | | RPD |
|--------------------|--------|-----------|-------|--------|-----------|-------|---|------|----------|-----|-------|
| Analyte | Result | Qualifier | Added | Result | Qualifier | Unit | D | %Rec | Limits | RPD | Limit |
| Diethylene glycol | ND | | 98.6 | 66.4 | | mg/Kg | | 67 | 57 - 121 | 6 | 20 |
| Ethylene glycol | ND | | 106 | 99.5 | | mg/Kg | | 94 | 76 - 124 | 0 | 20 |
| Propylene glycol | ND | | 99.2 | 96.2 | | mg/Kg | | 97 | 74 - 124 | 2 | 20 |
| Triethylene Glycol | ND | F1 | 98.9 | ND | | mg/Kg | | 27 | 10 - 151 | NC | 20 |

| | MSD | MSD | |
|------------------------------|-----------|-----------|---------|
| Surrogate | %Recovery | Qualifier | Limits |
| Tetramethylene glycol (Surr) | 65 | | 5 - 131 |

Project/Site: Val Verde

Client: Harvest

Method: 8015M/D - Diesel Range Organics (DRO) (GC)

Lab Sample ID: MB 885-22699/1-A Client Sample ID: Method Blank Prep Type: Total/NA

Matrix: Solid Analysis Batch: 22695

Prep Batch: 22699 MB MB Analyte Result Qualifier RLUnit D Prepared Analyzed Dil Fac

Diesel Range Organics [C10-C28] ND 10 mg/Kg 03/19/25 08:18 03/19/25 14:33 Motor Oil Range Organics [C28-C40] ND 50 mg/Kg 03/19/25 08:18 03/19/25 14:33

MB MB

Qualifier Limits Dil Fac Surrogate %Recovery Prepared Analyzed Di-n-octyl phthalate (Surr) 105 62 - 134 03/19/25 08:18 03/19/25 14:33

Lab Sample ID: LCS 885-22699/2-A Client Sample ID: Lab Control Sample

Matrix: Solid

Analysis Batch: 22695

Spike LCS LCS %Rec Analyte Added Result Qualifier Unit D %Rec Limits 50.0 45.2 90 60 - 135 Diesel Range Organics mg/Kg

[C10-C28]

LCS LCS

Surrogate %Recovery Qualifier Limits Di-n-octyl phthalate (Surr) 72 62 - 134

Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: MRL 885-22693/3 Client Sample ID: Lab Control Sample Prep Type: Total/NA

Matrix: Solid

Analysis Batch: 22693

Spike MRL MRL %Rec Analyte Added Result Qualifier Unit D %Rec Limits Chloride 0.500 0.520 mg/L 104 50 - 150

Lab Sample ID: MB 885-22706/1-A Client Sample ID: Method Blank

Matrix: Solid

Analysis Batch: 22693

мв мв

Analyte Result Qualifier RL Unit D Prepared Analyzed Dil Fac 1.5 03/19/25 09:05 03/19/25 17:07 Chloride ND mg/Kg

Lab Sample ID: LCS 885-22706/3-A Client Sample ID: Lab Control Sample

Matrix: Solid

Analysis Batch: 22693

LCS LCS %Rec Spike Analyte Added Result Qualifier Unit %Rec Limits Chloride 15.0 14 4 mg/Kg 90 - 110

Lab Sample ID: LLCS 885-22706/2-A Client Sample ID: Lab Control Sample

Matrix: Solid Analysis Batch: 22693

Spike LLCS LLCS %Rec Analyte Added Result Qualifier Unit %Rec Limits 1.50 ND 100 50 - 150 Chloride mg/Kg

Eurofins Albuquerque

Prep Type: Total/NA

Prep Batch: 22699

Prep Type: Total/NA Prep Batch: 22706

Prep Type: Total/NA

Prep Batch: 22706

Prep Type: Total/NA

Prep Batch: 22706

Chloride

Client: Harvest Job ID: 885-21470-1

Project/Site: Val Verde

Method: 300.0 - Anions, Ion Chromatography (Continued)

Lab Sample ID: 885-21470-1 MS Client Sample ID: SS01 6' **Matrix: Solid** Prep Type: Total/NA Analysis Batch: 22693 Prep Batch: 22706

Sample Sample Spike MS MS Result Qualifier Added Analyte Result Qualifier Unit D %Rec Limits Chloride ND 30.2 ND mg/Kg NC 50 - 150

Lab Sample ID: 885-21470-1 MSD Client Sample ID: SS01 6' **Matrix: Solid** Prep Type: Total/NA

Analysis Batch: 22693 Prep Batch: 22706 Sample Sample Spike MSD MSD %Rec **RPD** Result Qualifier Added Qualifier Limit Analyte Result Unit D %Rec Limits RPD Chloride ND 29.9 ND mg/Kg NC 50 - 150 NC

Lab Sample ID: 885-21470-2 MS Client Sample ID: SS01 3'

Matrix: Solid Prep Type: Total/NA **Analysis Batch: 22693** Prep Batch: 22706

MS MS Sample Sample Spike %Rec Analyte Result Qualifier Added Result Qualifier Unit D %Rec Limits

29.9

Lab Sample ID: 885-21470-2 MSD Client Sample ID: SS01 3' Prep Type: Total/NA

ND

mg/Kg

NC

50 - 150

Prep Batch: 22706

Matrix: Solid Analysis Batch: 22693

ND

MSD MSD Spike RPD Sample Sample %Rec Analyte Result Qualifier Added Result Qualifier Unit %Rec Limits

Limit ND Chloride ND 29.8 NC 50 - 150 NC 20 mg/Kg

Client: Harvest Job ID: 885-21470-1

Project/Site: Val Verde

GC VOA

Prep Batch: 22617

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|-------------------|--------------------|-----------|--------|--------|------------|
| 885-21470-1 | SS01 6' | Total/NA | Solid | 5030C | |
| 885-21470-2 | SS01 3' | Total/NA | Solid | 5030C | |
| 885-21470-3 | SS02 6' | Total/NA | Solid | 5030C | |
| 885-21470-4 | SS02 3' | Total/NA | Solid | 5030C | |
| 885-21470-5 | SS03 2' | Total/NA | Solid | 5030C | |
| 885-21470-6 | SS03 3' | Total/NA | Solid | 5030C | |
| 885-21470-7 | SS04 6' | Total/NA | Solid | 5030C | |
| 885-21470-8 | SS04 3' | Total/NA | Solid | 5030C | |
| 885-21470-9 | SS05 6' | Total/NA | Solid | 5030C | |
| 885-21470-10 | SS05 3' | Total/NA | Solid | 5030C | |
| MB 885-22617/1-A | Method Blank | Total/NA | Solid | 5030C | |
| LCS 885-22617/2-A | Lab Control Sample | Total/NA | Solid | 5030C | |
| LCS 885-22617/3-A | Lab Control Sample | Total/NA | Solid | 5030C | |

Analysis Batch: 22688

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|-------------------|--------------------|-----------|--------|---------|------------|
| 885-21470-1 | SS01 6' | Total/NA | Solid | 8015M/D | 22617 |
| 885-21470-2 | SS01 3' | Total/NA | Solid | 8015M/D | 22617 |
| 885-21470-3 | SS02 6' | Total/NA | Solid | 8015M/D | 22617 |
| 885-21470-4 | SS02 3' | Total/NA | Solid | 8015M/D | 22617 |
| 885-21470-5 | SS03 2' | Total/NA | Solid | 8015M/D | 22617 |
| 885-21470-6 | SS03 3' | Total/NA | Solid | 8015M/D | 22617 |
| 885-21470-7 | SS04 6' | Total/NA | Solid | 8015M/D | 22617 |
| 885-21470-8 | SS04 3' | Total/NA | Solid | 8015M/D | 22617 |
| 885-21470-9 | SS05 6' | Total/NA | Solid | 8015M/D | 22617 |
| 885-21470-10 | SS05 3' | Total/NA | Solid | 8015M/D | 22617 |
| MB 885-22617/1-A | Method Blank | Total/NA | Solid | 8015M/D | 22617 |
| LCS 885-22617/2-A | Lab Control Sample | Total/NA | Solid | 8015M/D | 22617 |

Analysis Batch: 22689

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|-------------------|--------------------|-----------|--------|--------|------------|
| 885-21470-1 | SS01 6' | Total/NA | Solid | 8021B | 22617 |
| 885-21470-2 | SS01 3' | Total/NA | Solid | 8021B | 22617 |
| 885-21470-3 | SS02 6' | Total/NA | Solid | 8021B | 22617 |
| 885-21470-4 | SS02 3' | Total/NA | Solid | 8021B | 22617 |
| 885-21470-5 | SS03 2' | Total/NA | Solid | 8021B | 22617 |
| 885-21470-6 | SS03 3' | Total/NA | Solid | 8021B | 22617 |
| 885-21470-7 | SS04 6' | Total/NA | Solid | 8021B | 22617 |
| 885-21470-8 | SS04 3' | Total/NA | Solid | 8021B | 22617 |
| 885-21470-9 | SS05 6' | Total/NA | Solid | 8021B | 22617 |
| 885-21470-10 | SS05 3' | Total/NA | Solid | 8021B | 22617 |
| MB 885-22617/1-A | Method Blank | Total/NA | Solid | 8021B | 22617 |
| LCS 885-22617/3-A | Lab Control Sample | Total/NA | Solid | 8021B | 22617 |

GC Semi VOA

Analysis Batch: 22695

| Lab Sample ID 885-21470-3 | Client Sample ID SS02 6' | Prep Type Total/NA | Matrix Solid | Method 8015M/D | Prep Batch 22699 |
|------------------------------|--------------------------|--------------------|--------------|-------------------|------------------|
| 885-21470-5 | SS03 2' | Total/NA | Solid | 8015M/D | 22699 |
| 885-21470-6 | SS03 3' | Total/NA | Solid | 8015M/D | 22699 |

Eurofins Albuquerque

Page 20 of 34

Client: Harvest Job ID: 885-21470-1

Project/Site: Val Verde

GC Semi VOA (Continued)

Analysis Batch: 22695 (Continued)

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|-------------------|--------------------|-----------|--------|---------|------------|
| 885-21470-7 | SS04 6' | Total/NA | Solid | 8015M/D | 22699 |
| 885-21470-8 | SS04 3' | Total/NA | Solid | 8015M/D | 22699 |
| 885-21470-9 | SS05 6' | Total/NA | Solid | 8015M/D | 22699 |
| 885-21470-10 | SS05 3' | Total/NA | Solid | 8015M/D | 22699 |
| MB 885-22699/1-A | Method Blank | Total/NA | Solid | 8015M/D | 22699 |
| LCS 885-22699/2-A | Lab Control Sample | Total/NA | Solid | 8015M/D | 22699 |

Prep Batch: 22699

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|-------------------|--------------------|-----------|--------|--------|------------|
| 885-21470-1 | SS01 6' | Total/NA | Solid | SHAKE | |
| 885-21470-2 | SS01 3' | Total/NA | Solid | SHAKE | |
| 885-21470-3 | SS02 6' | Total/NA | Solid | SHAKE | |
| 885-21470-4 | SS02 3' | Total/NA | Solid | SHAKE | |
| 885-21470-5 | SS03 2' | Total/NA | Solid | SHAKE | |
| 885-21470-6 | SS03 3' | Total/NA | Solid | SHAKE | |
| 885-21470-7 | SS04 6' | Total/NA | Solid | SHAKE | |
| 885-21470-8 | SS04 3' | Total/NA | Solid | SHAKE | |
| 885-21470-9 | SS05 6' | Total/NA | Solid | SHAKE | |
| 885-21470-10 | SS05 3' | Total/NA | Solid | SHAKE | |
| MB 885-22699/1-A | Method Blank | Total/NA | Solid | SHAKE | |
| LCS 885-22699/2-A | Lab Control Sample | Total/NA | Solid | SHAKE | |

Analysis Batch: 22780

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---------------|------------------|-----------|--------|---------|------------|
| 885-21470-1 | SS01 6' | Total/NA | Solid | 8015M/D | 22699 |
| 885-21470-2 | SS01 3' | Total/NA | Solid | 8015M/D | 22699 |
| 885-21470-4 | SS02 3' | Total/NA | Solid | 8015M/D | 22699 |

Leach Batch: 620745

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batcl |
|--------------------|--------------------|-----------|--------|----------|------------|
| 885-21470-1 | SS01 6' | Soluble | Solid | DI Leach | _ |
| 885-21470-2 | SS01 3' | Soluble | Solid | DI Leach | |
| 885-21470-3 | SS02 6' | Soluble | Solid | DI Leach | |
| 885-21470-4 | SS02 3' | Soluble | Solid | DI Leach | |
| 885-21470-5 | SS03 2' | Soluble | Solid | DI Leach | |
| 885-21470-6 | SS03 3' | Soluble | Solid | DI Leach | |
| 885-21470-7 | SS04 6' | Soluble | Solid | DI Leach | |
| 885-21470-8 | SS04 3' | Soluble | Solid | DI Leach | |
| 885-21470-9 | SS05 6' | Soluble | Solid | DI Leach | |
| 885-21470-10 | SS05 3' | Soluble | Solid | DI Leach | |
| MB 410-620745/1-A | Method Blank | Soluble | Solid | DI Leach | |
| LCS 410-620745/2-A | Lab Control Sample | Soluble | Solid | DI Leach | |
| 885-21470-3 MS | SS02 6' | Soluble | Solid | DI Leach | |
| 885-21470-3 MSD | SS02 6' | Soluble | Solid | DI Leach | |

Analysis Batch: 620958

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---------------|------------------|-----------|--------|--------|------------|
| 885-21470-1 | SS01 6' | Soluble | Solid | 8015C | 620745 |
| 885-21470-2 | SS01 3' | Soluble | Solid | 8015C | 620745 |
| 885-21470-3 | SS02 6' | Soluble | Solid | 8015C | 620745 |
| 885-21470-4 | SS02 3' | Soluble | Solid | 8015C | 620745 |

Eurofins Albuquerque

А

0

8

10

Client: Harvest Job ID: 885-21470-1

Project/Site: Val Verde

GC Semi VOA (Continued)

Analysis Batch: 620958 (Continued)

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|--------------------|--------------------|-----------|--------|--------|------------|
| 885-21470-5 | SS03 2' | Soluble | Solid | 8015C | 620745 |
| 885-21470-6 | SS03 3' | Soluble | Solid | 8015C | 620745 |
| 885-21470-7 | SS04 6' | Soluble | Solid | 8015C | 620745 |
| 885-21470-8 | SS04 3' | Soluble | Solid | 8015C | 620745 |
| 885-21470-9 | SS05 6' | Soluble | Solid | 8015C | 620745 |
| 885-21470-10 | SS05 3' | Soluble | Solid | 8015C | 620745 |
| MB 410-620745/1-A | Method Blank | Soluble | Solid | 8015C | 620745 |
| LCS 410-620745/2-A | Lab Control Sample | Soluble | Solid | 8015C | 620745 |
| 885-21470-3 MS | SS02 6' | Soluble | Solid | 8015C | 620745 |
| 885-21470-3 MSD | SS02 6' | Soluble | Solid | 8015C | 620745 |

HPLC/IC

Analysis Batch: 22693

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|--------------------|--------------------|-----------|--------|--------|------------|
| 885-21470-1 | SS01 6' | Total/NA | Solid | 300.0 | 22706 |
| 885-21470-2 | SS01 3' | Total/NA | Solid | 300.0 | 22706 |
| 885-21470-3 | SS02 6' | Total/NA | Solid | 300.0 | 22706 |
| 885-21470-4 | SS02 3' | Total/NA | Solid | 300.0 | 22706 |
| 885-21470-5 | SS03 2' | Total/NA | Solid | 300.0 | 22706 |
| 885-21470-6 | SS03 3' | Total/NA | Solid | 300.0 | 22706 |
| 885-21470-7 | SS04 6' | Total/NA | Solid | 300.0 | 22706 |
| 885-21470-8 | SS04 3' | Total/NA | Solid | 300.0 | 22706 |
| 885-21470-9 | SS05 6' | Total/NA | Solid | 300.0 | 22706 |
| 885-21470-10 | SS05 3' | Total/NA | Solid | 300.0 | 22706 |
| MB 885-22706/1-A | Method Blank | Total/NA | Solid | 300.0 | 22706 |
| LCS 885-22706/3-A | Lab Control Sample | Total/NA | Solid | 300.0 | 22706 |
| LLCS 885-22706/2-A | Lab Control Sample | Total/NA | Solid | 300.0 | 22706 |
| MRL 885-22693/3 | Lab Control Sample | Total/NA | Solid | 300.0 | |
| 885-21470-1 MS | SS01 6' | Total/NA | Solid | 300.0 | 22706 |
| 885-21470-1 MSD | SS01 6' | Total/NA | Solid | 300.0 | 22706 |
| 885-21470-2 MS | SS01 3' | Total/NA | Solid | 300.0 | 22706 |
| 885-21470-2 MSD | SS01 3' | Total/NA | Solid | 300.0 | 22706 |

Prep Batch: 22706

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batcl |
|--------------------|--------------------|-----------|--------|----------|------------|
| 885-21470-1 | SS01 6' | Total/NA | Solid | 300_Prep | |
| 885-21470-2 | SS01 3' | Total/NA | Solid | 300_Prep | |
| 885-21470-3 | SS02 6' | Total/NA | Solid | 300_Prep | |
| 885-21470-4 | SS02 3' | Total/NA | Solid | 300_Prep | |
| 885-21470-5 | SS03 2' | Total/NA | Solid | 300_Prep | |
| 885-21470-6 | SS03 3' | Total/NA | Solid | 300_Prep | |
| 885-21470-7 | SS04 6' | Total/NA | Solid | 300_Prep | |
| 885-21470-8 | SS04 3' | Total/NA | Solid | 300_Prep | |
| 885-21470-9 | SS05 6' | Total/NA | Solid | 300_Prep | |
| 885-21470-10 | SS05 3' | Total/NA | Solid | 300_Prep | |
| MB 885-22706/1-A | Method Blank | Total/NA | Solid | 300_Prep | |
| LCS 885-22706/3-A | Lab Control Sample | Total/NA | Solid | 300_Prep | |
| LLCS 885-22706/2-A | Lab Control Sample | Total/NA | Solid | 300_Prep | |
| 885-21470-1 MS | SS01 6' | Total/NA | Solid | 300_Prep | |
| 885-21470-1 MSD | SS01 6' | Total/NA | Solid | 300_Prep | |

Eurofins Albuquerque

Page 22 of 34

1

2

0

0

9

10

1

Client: Harvest Job ID: 885-21470-1

Project/Site: Val Verde

HPLC/IC (Continued)

Prep Batch: 22706 (Continued)

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|-----------------|------------------|-----------|--------|----------|------------|
| 885-21470-2 MS | SS01 3' | Total/NA | Solid | 300_Prep | |
| 885-21470-2 MSD | SS01 3' | Total/NA | Solid | 300_Prep | |

2

9

10

Client Sample ID: SS01 6'

Lab Sample ID: 885-21470-1 Date Collected: 03/13/25 09:55

Matrix: Solid

Date Received: 03/14/25 06:30

| | Batch | Batch | | Dilution | Batch | | | Prepared |
|-----------|----------|----------|-----|----------|--------|---------|---------|----------------|
| Prep Type | Type | Method | Run | Factor | Number | Analyst | Lab | or Analyzed |
| Total/NA | Prep | 5030C | | | 22617 | AT | EET ALB | 03/17/25 16:26 |
| Total/NA | Analysis | 8015M/D | | 1 | 22688 | AT | EET ALB | 03/19/25 03:36 |
| Total/NA | Prep | 5030C | | | 22617 | AT | EET ALB | 03/17/25 16:26 |
| Total/NA | Analysis | 8021B | | 1 | 22689 | AT | EET ALB | 03/19/25 03:36 |
| Soluble | Leach | DI Leach | | | 620745 | WZ6J | ELLE | 03/24/25 10:45 |
| Soluble | Analysis | 8015C | | 1 | 620958 | LXF2 | ELLE | 03/24/25 17:40 |
| Total/NA | Prep | SHAKE | | | 22699 | MI | EET ALB | 03/19/25 08:18 |
| Total/NA | Analysis | 8015M/D | | 1 | 22780 | MI | EET ALB | 03/20/25 09:03 |
| Total/NA | Prep | 300_Prep | | | 22706 | DL | EET ALB | 03/19/25 09:05 |
| Total/NA | Analysis | 300.0 | | 20 | 22693 | RC | EET ALB | 03/19/25 18:26 |

Client Sample ID: SS01 3' Lab Sample ID: 885-21470-2

Date Collected: 03/13/25 10:00 Matrix: Solid

Date Received: 03/14/25 06:30

| | Batch | Batch | | Dilution | Batch | | | Prepared |
|-----------|----------|----------|-----|----------|--------|---------|---------|----------------|
| Prep Type | Туре | Method | Run | Factor | Number | Analyst | Lab | or Analyzed |
| Total/NA | Prep | 5030C | | | 22617 | AT | EET ALB | 03/17/25 16:26 |
| Total/NA | Analysis | 8015M/D | | 1 | 22688 | AT | EET ALB | 03/19/25 03:58 |
| Total/NA | Prep | 5030C | | | 22617 | AT | EET ALB | 03/17/25 16:26 |
| Total/NA | Analysis | 8021B | | 1 | 22689 | AT | EET ALB | 03/19/25 03:58 |
| Soluble | Leach | DI Leach | | | 620745 | WZ6J | ELLE | 03/24/25 10:45 |
| Soluble | Analysis | 8015C | | 1 | 620958 | LXF2 | ELLE | 03/24/25 17:5 |
| Total/NA | Prep | SHAKE | | | 22699 | MI | EET ALB | 03/19/25 08:18 |
| Total/NA | Analysis | 8015M/D | | 1 | 22780 | MI | EET ALB | 03/20/25 09:13 |
| Total/NA | Prep | 300_Prep | | | 22706 | DL | EET ALB | 03/19/25 09:0 |
| Total/NA | Analysis | 300.0 | | 20 | 22693 | RC | EET ALB | 03/19/25 17:5 |

Client Sample ID: SS02 6' Lab Sample ID: 885-21470-3

Date Collected: 03/13/25 10:15 **Matrix: Solid** Date Received: 03/14/25 06:30

| | Batch | Batch | | Dilution | Batch | | | Prepared |
|-----------|----------|----------|-----|----------|--------|---------|---------|----------------|
| Prep Type | Type | Method | Run | Factor | Number | Analyst | Lab | or Analyzed |
| Total/NA | Prep | 5030C | | | 22617 | AT | EET ALB | 03/17/25 16:26 |
| Total/NA | Analysis | 8015M/D | | 1 | 22688 | AT | EET ALB | 03/19/25 04:41 |
| Total/NA | Prep | 5030C | | | 22617 | AT | EET ALB | 03/17/25 16:26 |
| Total/NA | Analysis | 8021B | | 1 | 22689 | AT | EET ALB | 03/19/25 04:4 |
| Soluble | Leach | DI Leach | | | 620745 | WZ6J | ELLE | 03/24/25 10:45 |
| Soluble | Analysis | 8015C | | 1 | 620958 | LXF2 | ELLE | 03/24/25 18:10 |
| Total/NA | Prep | SHAKE | | | 22699 | MI | EET ALB | 03/19/25 08:18 |
| Total/NA | Analysis | 8015M/D | | 1 | 22695 | MI | EET ALB | 03/19/25 16:52 |
| Total/NA | Prep | 300_Prep | | | 22706 | DL | EET ALB | 03/19/25 09:0 |
| Total/NA | Analysis | 300.0 | | 20 | 22693 | RC | EET ALB | 03/19/25 18:5 |

Project/Site: Val Verde

Client: Harvest

Client Sample ID: SS02 3'

Date Collected: 03/13/25 10:20 Date Received: 03/14/25 06:30 Lab Sample ID: 885-21470-4

Matrix: Solid

| | Batch | Batch | | Dilution | Batch | | | Prepared |
|-----------|----------|----------|-----|----------|--------|---------|---------|----------------|
| Prep Type | Туре | Method | Run | Factor | Number | Analyst | Lab | or Analyzed |
| Total/NA | Prep | 5030C | | | 22617 | AT | EET ALB | 03/17/25 16:26 |
| Total/NA | Analysis | 8015M/D | | 1 | 22688 | AT | EET ALB | 03/19/25 05:03 |
| Total/NA | Prep | 5030C | | | 22617 | AT | EET ALB | 03/17/25 16:26 |
| Total/NA | Analysis | 8021B | | 1 | 22689 | AT | EET ALB | 03/19/25 05:03 |
| Soluble | Leach | DI Leach | | | 620745 | WZ6J | ELLE | 03/24/25 10:45 |
| Soluble | Analysis | 8015C | | 1 | 620958 | LXF2 | ELLE | 03/24/25 18:54 |
| Total/NA | Prep | SHAKE | | | 22699 | MI | EET ALB | 03/19/25 08:18 |
| Total/NA | Analysis | 8015M/D | | 2 | 22780 | MI | EET ALB | 03/20/25 09:34 |
| Total/NA | Prep | 300_Prep | | | 22706 | DL | EET ALB | 03/19/25 09:05 |
| Total/NA | Analysis | 300.0 | | 20 | 22693 | RC | EET ALB | 03/19/25 19:05 |

Lab Sample ID: 885-21470-5

Matrix: Solid

Client Sample ID: SS03 2'
Date Collected: 03/13/25 10:40
Date Received: 03/14/25 06:30

| | Batch | Batch | | Dilution | Batch | | | Prepared |
|-----------|----------|----------|-----|----------|--------|---------|---------|----------------|
| Prep Type | Туре | Method | Run | Factor | Number | Analyst | Lab | or Analyzed |
| Total/NA | Prep | 5030C | | | 22617 | AT | EET ALB | 03/17/25 16:26 |
| Total/NA | Analysis | 8015M/D | | 1 | 22688 | AT | EET ALB | 03/19/25 05:24 |
| Total/NA | Prep | 5030C | | | 22617 | AT | EET ALB | 03/17/25 16:26 |
| Total/NA | Analysis | 8021B | | 1 | 22689 | AT | EET ALB | 03/19/25 05:24 |
| Soluble | Leach | DI Leach | | | 620745 | WZ6J | ELLE | 03/24/25 10:45 |
| Soluble | Analysis | 8015C | | 1 | 620958 | LXF2 | ELLE | 03/24/25 19:09 |
| Total/NA | Prep | SHAKE | | | 22699 | MI | EET ALB | 03/19/25 08:18 |
| Total/NA | Analysis | 8015M/D | | 1 | 22695 | MI | EET ALB | 03/19/25 17:14 |
| Total/NA | Prep | 300_Prep | | | 22706 | DL | EET ALB | 03/19/25 09:05 |
| Total/NA | Analysis | 300.0 | | 20 | 22693 | RC | EET ALB | 03/19/25 19:15 |

Client Sample ID: SS03 3'

Date Collected: 03/13/25 10:45

Lab Sample ID: 885-21470-6

Matrix: Solid

Date Collected: 03/13/25 10:45
Date Received: 03/14/25 06:30
Matrix: Solid

| | Batch | Batch | | Dilution | Batch | | | Prepared |
|-----------|----------|----------|-----|----------|--------|---------|---------|----------------|
| Prep Type | Туре | Method | Run | Factor | Number | Analyst | Lab | or Analyzed |
| Total/NA | Prep | 5030C | | | 22617 | AT | EET ALB | 03/17/25 16:26 |
| Total/NA | Analysis | 8015M/D | | 1 | 22688 | AT | EET ALB | 03/19/25 05:46 |
| Total/NA | Prep | 5030C | | | 22617 | AT | EET ALB | 03/17/25 16:26 |
| Total/NA | Analysis | 8021B | | 1 | 22689 | AT | EET ALB | 03/19/25 05:46 |
| Soluble | Leach | DI Leach | | | 620745 | WZ6J | ELLE | 03/24/25 10:45 |
| Soluble | Analysis | 8015C | | 1 | 620958 | LXF2 | ELLE | 03/24/25 19:23 |
| Total/NA | Prep | SHAKE | | | 22699 | MI | EET ALB | 03/19/25 08:18 |
| Total/NA | Analysis | 8015M/D | | 1 | 22695 | MI | EET ALB | 03/19/25 17:25 |
| Total/NA | Prep | 300_Prep | | | 22706 | DL | EET ALB | 03/19/25 09:05 |
| Total/NA | Analysis | 300.0 | | 20 | 22693 | RC | EET ALB | 03/19/25 19:45 |

Project/Site: Val Verde

Client: Harvest

Client Sample ID: SS04 6'

Date Collected: 03/13/25 10:50 Date Received: 03/14/25 06:30 Lab Sample ID: 885-21470-7

Matrix: Solid

| | Batch | Batch | | Dilution | Batch | | | Prepared |
|-----------|----------|----------|-----|----------|--------|---------|---------|----------------|
| Prep Type | Туре | Method | Run | Factor | Number | Analyst | Lab | or Analyzed |
| Total/NA | Prep | 5030C | | | 22617 | AT | EET ALB | 03/17/25 16:26 |
| Total/NA | Analysis | 8015M/D | | 1 | 22688 | AT | EET ALB | 03/19/25 06:07 |
| Total/NA | Prep | 5030C | | | 22617 | AT | EET ALB | 03/17/25 16:26 |
| Total/NA | Analysis | 8021B | | 1 | 22689 | AT | EET ALB | 03/19/25 06:07 |
| Soluble | Leach | DI Leach | | | 620745 | WZ6J | ELLE | 03/24/25 10:45 |
| Soluble | Analysis | 8015C | | 1 | 620958 | LXF2 | ELLE | 03/24/25 19:38 |
| Total/NA | Prep | SHAKE | | | 22699 | MI | EET ALB | 03/19/25 08:18 |
| Total/NA | Analysis | 8015M/D | | 1 | 22695 | MI | EET ALB | 03/19/25 17:36 |
| Total/NA | Prep | 300_Prep | | | 22706 | DL | EET ALB | 03/19/25 09:05 |
| Total/NA | Analysis | 300.0 | | 20 | 22693 | RC | EET ALB | 03/19/25 19:54 |

Client Sample ID: SS04 3'

Date Collected: 03/13/25 10:55 Date Received: 03/14/25 06:30 Lab Sample ID: 885-21470-8

Lab Sample ID: 885-21470-9

Matrix: Solid

Matrix: Solid

| | Batch | Batch | | Dilution | Batch | | | Prepared |
|-----------|----------|----------|-----|----------|--------|---------|---------|----------------|
| Prep Type | Туре | Method | Run | Factor | Number | Analyst | Lab | or Analyzed |
| Total/NA | Prep | 5030C | | | 22617 | AT | EET ALB | 03/17/25 16:26 |
| Total/NA | Analysis | 8015M/D | | 1 | 22688 | AT | EET ALB | 03/19/25 06:29 |
| Total/NA | Prep | 5030C | | | 22617 | AT | EET ALB | 03/17/25 16:26 |
| Total/NA | Analysis | 8021B | | 1 | 22689 | AT | EET ALB | 03/19/25 06:29 |
| Soluble | Leach | DI Leach | | | 620745 | WZ6J | ELLE | 03/24/25 10:45 |
| Soluble | Analysis | 8015C | | 1 | 620958 | LXF2 | ELLE | 03/24/25 19:53 |
| Total/NA | Prep | SHAKE | | | 22699 | MI | EET ALB | 03/19/25 08:18 |
| Total/NA | Analysis | 8015M/D | | 1 | 22695 | MI | EET ALB | 03/19/25 17:46 |
| Total/NA | Prep | 300_Prep | | | 22706 | DL | EET ALB | 03/19/25 09:05 |
| Total/NA | Analysis | 300.0 | | 20 | 22693 | RC | EET ALB | 03/19/25 20:04 |

Client Sample ID: SS05 6'

Date Collected: 03/13/25 11:10

Date Received: 03/14/25 06:30

| | Batch | Batch | | Dilution | Batch | | | Prepared |
|-----------|----------|----------|-----|----------|--------|---------|---------|----------------|
| Prep Type | Type | Method | Run | Factor | Number | Analyst | Lab | or Analyzed |
| Total/NA | Prep | 5030C | | | 22617 | AT | EET ALB | 03/17/25 16:26 |
| Total/NA | Analysis | 8015M/D | | 1 | 22688 | AT | EET ALB | 03/19/25 06:50 |
| Total/NA | Prep | 5030C | | | 22617 | AT | EET ALB | 03/17/25 16:26 |
| Total/NA | Analysis | 8021B | | 1 | 22689 | AT | EET ALB | 03/19/25 06:50 |
| Soluble | Leach | DI Leach | | | 620745 | WZ6J | ELLE | 03/24/25 11:24 |
| Soluble | Analysis | 8015C | | 1 | 620958 | LXF2 | ELLE | 03/24/25 20:08 |
| Total/NA | Prep | SHAKE | | | 22699 | MI | EET ALB | 03/19/25 08:18 |
| Total/NA | Analysis | 8015M/D | | 1 | 22695 | MI | EET ALB | 03/19/25 17:57 |
| Total/NA | Prep | 300_Prep | | | 22706 | DL | EET ALB | 03/19/25 09:05 |
| Total/NA | Analysis | 300.0 | | 20 | 22693 | RC | EET ALB | 03/19/25 20:14 |

Project/Site: Val Verde

Client: Harvest

Client Sample ID: SS05 3'

Lab Sample ID: 885-21470-10

Matrix: Solid

Date Collected: 03/13/25 11:15 Date Received: 03/14/25 06:30

| | Batch | Batch | | Dilution | Batch | | | Prepared |
|-----------|----------|----------|-----|----------|--------|---------|---------|----------------|
| Prep Type | Туре | Method | Run | Factor | Number | Analyst | Lab | or Analyzed |
| Total/NA | Prep | 5030C | | | 22617 | AT | EET ALB | 03/17/25 16:26 |
| Total/NA | Analysis | 8015M/D | | 1 | 22688 | AT | EET ALB | 03/19/25 07:12 |
| Total/NA | Prep | 5030C | | | 22617 | AT | EET ALB | 03/17/25 16:26 |
| Total/NA | Analysis | 8021B | | 1 | 22689 | AT | EET ALB | 03/19/25 07:12 |
| Soluble | Leach | DI Leach | | | 620745 | WZ6J | ELLE | 03/24/25 11:24 |
| Soluble | Analysis | 8015C | | 1 | 620958 | LXF2 | ELLE | 03/24/25 20:22 |
| Total/NA | Prep | SHAKE | | | 22699 | MI | EET ALB | 03/19/25 08:18 |
| Total/NA | Analysis | 8015M/D | | 1 | 22695 | MI | EET ALB | 03/19/25 18:08 |
| Total/NA | Prep | 300_Prep | | | 22706 | DL | EET ALB | 03/19/25 09:05 |
| Total/NA | Analysis | 300.0 | | 20 | 22693 | RC | EET ALB | 03/19/25 20:24 |

Laboratory References:

Released to Imaging: 10/14/2025 2:38:29 PM

EET ALB = Eurofins Albuquerque, 4901 Hawkins NE, Albuquerque, NM 87109, TEL (505)345-3975

ELLE = Eurofins Lancaster Laboratories Environment Testing, LLC, 2425 New Holland Pike, Lancaster, PA 17601, TEL (717)656-2300

Eurofins Albuquerque

1

2

3

4

6

8

9

Client: Harvest Project/Site: Val Verde

8021B

Oregon

Laboratory: Eurofins Albuquerque

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

| Authority | Prog | gram | Identification Number | Expiration Date |
|-----------------|---|----------------------------------|--|------------------------|
| New Mexico | Stat | е | NM9425, NM0901 | 02-27-26 |
| 0 , | are included in this report, oes not offer certification. | but the laboratory is not certif | ied by the governing authority. This lis | t may include analyte |
| Analysis Method | Prep Method | Matrix | Analyte | |
| 300.0 | 300_Prep | Solid | Chloride | |
| 8015M/D | 5030C | Solid | Gasoline Range Organics | [C6 - C10] |
| 8015M/D | SHAKE | Solid | Diesel Range Organics [C | 10-C28] |
| 8015M/D | SHAKE | Solid | Motor Oil Range Organics | [C28-C40] |
| 8021B | 5030C | Solid | Benzene | |
| 8021B | 5030C | Solid | Ethylbenzene | |
| 8021B | 5030C | Solid | Toluene | |

Xylenes, Total

02-26-26

NM100001

Laboratory: Eurofins Lancaster Laboratories Environment Testing, LLC

NELAP

5030C

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Solid

| Authority | Program | Identification Number | Expiration Date |
|-----------------|-----------------------|-----------------------|-----------------|
| A2LA | Dept. of Defense ELAP | 0001.01 | 11-30-26 |
| A2LA | Dept. of Energy | 0001.01 | 11-30-26 |
| A2LA | ISO/IEC 17025 | 0001.01 | 11-30-26 |
| Alabama | State | 43200 | 01-31-26 |
| Alaska | State | PA00009 | 06-30-25 |
| Arizona | State | AZ0780 | 03-12-26 |
| Arkansas DEQ | State | 88-00660 | 08-09-25 |
| California | State | 2792 | 01-31-26 |
| Colorado | State | PA00009 | 06-30-25 |
| Connecticut | State | PH-0746 | 06-30-25 |
| Delaware (DW) | State | N/A | 01-31-26 |
| Florida | NELAP | E87997 | 06-30-25 |
| Georgia (DW) | State | C048 | 01-31-26 |
| Illinois | NELAP | 200027 | 01-31-26 |
| Iowa | State | 361 | 03-01-26 |
| Kansas | NELAP | E-10151 | 10-31-25 |
| Kentucky (DW) | State | KY90088 | 12-31-25 |
| Kentucky (UST) | State | 0001.01 | 11-30-26 |
| Kentucky (WW) | State | KY90088 | 12-31-25 |
| Louisiana (All) | NELAP | 02055 | 06-30-25 |
| Maine | State | 2019012 | 03-12-27 |
| Maryland | State | 100 | 06-30-25 |
| Massachusetts | State | M-PA009 | 06-30-25 |
| Michigan | State | 9930 | 01-31-26 |
| Minnesota | NELAP | 042-999-487 | 12-31-25 |
| Mississippi | State | 023 | 01-31-26 |
| Missouri | State | 450 | 01-31-28 |
| Montana (DW) | State | 0098 | 01-01-26 |
| Nebraska | State | NE-OS-32-17 | 01-31-26 |
| New Hampshire | NELAP | 2730 | 01-10-26 |
| New Jersey | NELAP | PA011 | 06-30-25 |
| New York | NELAP | 10670 | 04-01-25 |

Eurofins Albuquerque

9

3

0

40

Accreditation/Certification Summary

Client: Harvest Job ID: 885-21470-1

Project/Site: Val Verde

Laboratory: Eurofins Lancaster Laboratories Environment Testing, LLC (Continued)

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

| Authority | Program | Identification Number | Expiration Date |
|---|---------------------|-----------------------|------------------------|
| North Carolina (DW) | State | 42705 | 07-31-25 |
| North Carolina (WW/SW) | State | 521 | 12-31-25 |
| North Dakota | State | R-205 | 01-31-24 * |
| Oklahoma | NELAP | 9804 | 08-31-25 |
| Oregon | NELAP | PA200001 | 09-11-25 |
| Pennsylvania | NELAP | 36-00037 | 01-31-26 |
| Quebec Ministry of Environment and Fight against Climate Change | PALA | 507 | 09-16-29 |
| Rhode Island | State | LAO00338 | 12-30-25 |
| South Carolina | State | 89002 | 01-31-25 * |
| Tennessee | State | 02838 | 01-31-26 |
| Texas | NELAP | T104704194-23-46 | 08-31-25 |
| USDA | US Federal Programs | 525-22-298-19481 | 10-25-25 |
| Vermont | State | VT - 36037 | 10-28-25 |
| Virginia | NELAP | 460182 | 06-14-25 |
| Washington | State | C457 | 04-11-25 |
| West Virginia (DW) | State | 9906 C | 03-31-26 |
| West Virginia DEP | State | 055 | 07-31-25 |
| Wyoming | State | 8TMS-L | 01-31-26 |
| Wyoming (UST) | A2LA | 0001.01 | 11-30-26 |

Eurofins Albuquerque

-

F

6

8

9

10

 $^{^{\}star} \ \text{Accreditation/Certification renewal pending - accreditation/certification considered valid}.$

10

885-21470 COC Remarks: [rlycol: ethylene glycol, triethylme glycol, #1083 f necessary, samples submitted to Hall Environmental may be subcontracted to other accredited laboratories. This serves as notice of this possibility. Any sub-contracted data will be clearly notated on the analytical report. ANALYSIS LABORA HALL ENVIRONME 4901 Hawkins NE - Albuquerque, NM 87109 505-345-4107 5108 1:05 100 11-0 CC: ECATIVILE ensolum, Com 2015 www.hallenvironmental.com Analysis Request Total Coliform (Present/Absent) Propyleme glycal (AOV-imaS) 07S8 Fax (AOV) 09S8 105" во" гоч Tel. 505-345-3975 RCRA 8 Metals SMI20728 to 0188 yd eHA9 EDB (Method 504 1) 8081 Pesticides/8082 PCB's (OAM \ OAG \ OAB)G\$108:H9T WTBE / TMB's (8021) ပ္ပ 3/14/25 6.30 Molo HEAL No. Reece Hanson - Ensolum Cooler Temp(including CF): 0.1-0/\=0 S □ Rush Val Verde このとの Preservative 1000 Yes Type Turn-Around Time: Project Manager: Project Name: X Standard # of Coolers: Type and # 20h6 Container seived by Project #: Sampler: On Ice: email or Fax#: MSmith@houlest midstleam.com □ Level 4 (Full Validation) Chain-of-Custody Record i s 8 Four corners 3 \sim O O Sample Name 5055 5503 2055 4055 5055 4055 2055 5003 5501 1055 □ Az Compliance Smith Relinquished by □ Other Matrix 50. Harvest 71 Mailing Address: 9:55 1000 QA/QC Package: Time 200 510 5501 Shor EDD (Type) 040 802 122 Accreditation: 5111 110 <u>u</u> Standard □ NELAC Phone #: Client: Page 30 of 34 3/25/2025

Eurofins Albuquerque

4901 Hawkins NE

Albuquerque, NM 87109

Chain of Custody Record



eurofins

Environment Testing

| Phone: 505-345-3975 Fax: 505-345-4107 | | | | | | | | | | | Ŀ | | 75 | | | | | | |
|---|-------------------------------|-------------------|-------------------|--------------------------|--------------------------------|------------|-------------------|----------|----------|-----------|------------|----------|--------------------|-------------|-----------|--------------|-------------------------|------------------|-----------|
| Client Information (Sub Contract Lab) | Sampler: N/A | | | | a, Mic | chelle | 9 | | | | | N/A | | g No(s): | | | COC No: 885-4215.1 | | |
| Client Contact: Shipping/Receiving | Phone: N/A | | | | elle.ga | | @et.eu | | | | | | f Origin Mexico | | | | Page: Page 1 of 2 | | |
| Company: Eurofins Lancaster Laboratories Environm | | | | | | | s Requi Dregon | | | | xico | | | | | | Job #: 885-21470-1 | | |
| Address 2425 New Holland Pike, | Due Date Request 3/25/2025 | ed: | | | | | | | | | | quest | ed | | | | Preservation Cod | es: | |
| City: | TAT Requested (d | | | | 10 | | | | T | T | T | | | | | | | | |
| Lancaster State, Zip: | | N/A | | | | | 1 | | | | | | | | | 10 | | | |
| PA, 17601 | | | | | | | | | | | | | | | | | | | |
| Phone: 717-656-2300(Tel) | PO #: N/A | | | | 2 | ycol | | | | | | | | | | | | | |
| Email: | WO #: | | | | 킨_ | 0 > | | | | | | | | | | | | | |
| N/A | N/A | | | | 2 2 | 18 | | | | | | | | | | 6 6 | | | |
| Project Name: Val Verde | Project #: 88501083 | | | | Sample (Yes or No) | ACH. | | | | | | | | | | containers | | | |
| Site: | SSOW#: | | | | | 12 | | | | | | 1 1 | | | | | Other: | | |
| N/A | N/A | | | | | 12 | | | | | | | - 1 | | | Prof | N/A | | |
| Sample Identification - Client ID (Lab ID) | Sample Date | Sample Time | 1 | Sesolid, Dewaste/oil, | Fleid Filtered Perform MS/A | 5C_D | | | | | | | | | | Total Number | Special Ins | structions/No | ote:_ |
| | | >< | Preservatio | n Code: | XX | | | | | | | | | | | X | | | |
| SS01 6' (885-21470-1) | 3/13/25 | 09:55 Mountain | G | Solid | | Х | | | | | | | | | | 1 | | | |
| SS01 3' (885-21470-2) | 3/13/25 | 10:00 Mountain | G | Solid | | х | | | | | | | | | | 1 | | | |
| SS02 6' (885-21470-3) | 3/13/25 | 10:15 Mountain | G | Solid | | Х | | | | | | | | | | 1 | | | |
| SS02 3' (885-21470-4) | 3/13/25 | 10:20 Mountain | G | Solid | | Х | | | | | | | | | | 1 | | | |
| SS03 2' (885-21470-5) | 3/13/25 | 10:40 Mountain | G | Solid | | Х | | | | | | | | | | 1 | | | |
| SS03 3' (885-21470-6) | 3/13/25 | 10:45 Mountain | G | Solid | | X | | | | | | | | | | 1 | | | |
| SS04 6' (885-21470-7) | 3/13/25 | 10:50 Mountain | G | Solid | | Х | | | | | | \sqcup | \perp | \perp | | 1 | | | |
| SS04 3' (885-21470-8) | 3/13/25 | 10:55 Mountain | G | Solid | | X | | | | | | | | | | 1 | | | |
| SS05 6' (885-21470-9) | 3/13/25 | 11:10 Mountain | G | Solid | | Х | | | | | | | | | | 1 | | | |
| Note: Since laboratory accreditations are subject to change, Eurofins Enviaboratory does not currently maintain accreditation in the State of Origin accreditation status should be brought to Eurofins Environment Testing S | listed above for analysis/tes | ts/matrix being | analyzed, the sai | nples must be | e shippi | ed ba | ck to the | e Eurofi | ins Env | vironme | ent Tes | ting Sou | th Cent | ral, LLC la | aboratory | or oth | er instructions will be | provided. Any ch | hanges to |
| Possible Hazard Identification | | | | | Sa | ampl | e Disp | osal | (A fe | e may | | | | | | | d longer than 1 i | month) | |
| Unconfirmed | | | | | | \Box_{p} | Return | To C | lient | | \sqcup_l | Disposi | al By L | .ab | | Archi | ve For | Months | |
| Deliverable Requested: I, II, III, IV, Other (specify) | Primary Deliver | rable Rank: | 2 | | Sp | oecia | Instru | uctions | s/QC | Requi | ireme | nts: | | | | | | | |
| Empty Kit Relinquished by: | | Date: | | | Time: | : | | | | | | Į. | Method | of Shipme | ent: | | | | |
| Relinquished by: | Date/Time: | 1/25 | 1315 00 | mpany | | Red | eived b | y · | | | | | | Date/ | Time: | | | Company | |
| Relinquished by: | Date/Time. | 100 | - | mpany | | Re | lv d b | У | | | | | | Date/ | Time: | | | Company | |
| Relinquished by: | Date/Time: | | Co | mpany | / | R | M | 1/2 | | \bigcap | m | | | 029/ | Time XI | וכו | 5 1005 | Company | 17 |
| Custody Seals Intact: Custody Seal No.: | | 12 | | / | deli | Cod | oler Tem | peratu | re(s) °(| C and C | offer F | emarks: | | R: | 1. |) | | Cilia |) |

K

Ver: 10/10/2024

Eurofins Albuquerque

4901 Hawkins NE

Albuquerque, NM 87109 Phone: 505-345-3975 Fax: 505-345-4107

Chain of Custody Record

| eurofins | | eurofins |
|----------|--|----------|
|----------|--|----------|

Environment Testing

| Filling: 303-343-3373 Tax: 303-343-4107 | Sampler: | | | Lab | PM: | | | | | | Ic | rrier Tra | skina N | lo(e): | | _ | COC No: | | |
|--|-------------------------------|-----------------|---------------|----------------------------------|----------------|----------------------------|----------|----------------------|---------|----------|---------------|------------|-------------|------------|-----------|------------|-----------------------|---|-------------|
| Client Information (Sub Contract Lab) | N/A | | | | cia, N | Miche | lle | | | | N. | | PKIII DI 14 | io(s). | | | 885-4215.2 | | |
| Client Contact | Phone: | | | E-Ma | | | | | | | | ate of Ori | | | | | Page: | | |
| Shipping/Receiving Company | N/A | | - | mic | | | | eurofin quired (S | | | N | ew Mex | ico | | | | Page 2 of 2 Job #: | | |
| Eurofins Lancaster Laboratories Environm | | | | | | | | on; Sta | | | СО | | | | | | 885-21470-1 | | |
| Address: | Due Date Request | ed: | | | \top | _ | | | | | _ | | | | | \neg | Preservation Cod | es: | |
| 2425 New Holland Pike, City | 3/25/2025 TAT Requested (d | laura). | | | - | | | | Ana | lysis I | Requ | ested | | | | _ | - | | |
| Lancaster | IN I Kaduastan (u | N/A | | | ш | | | | | 1 | | | | | | | | | |
| State, Zip: | 1 | | | | | | | | | | | | | | ΙI | | | | |
| Phone: | PO #: | | | | -188 | Ш. | . | | | | | | | | | | | | |
| 717-656-2300(Tel) | N/A | | | | 9 | | | 1 1 | | 1 | | | | | | | | | |
| Email | WO # | | | | 킪 | 2 3 | 2 | | | | | | | | ш | | ı | | |
| N/A | N/A Project #: | | | | | or No | ž, | | | | | | | | | 5 | ı | | |
| Project Name: Val Verde | 88501083 | | | | ple (Yes or No | 9 | 3 | | | | | | | | Н | containers | | | |
| Site | SSOW# | | | | | إغ | 3 | | | | | | | | | | Other: | | |
| N/A | N/A | | | | 20 | MS/MSD (Yes | | | | | | | | | | ō | N/A | | |
| | | | Sample | Matrix | Filtered Sam | Perform MS/MSD (Yes or No) | 5 | | | | | | | | ш | Number | | | |
| | | | Туре | (W=water, S=solid, | Ē | Perform | 3, | | | | | | | | Ш | Z | | | |
| Sample Identification - Client ID (Lab ID) | Sample Date | Sample Time | (C=comp, | O=waste/oil, BT=Tissue, A=Air | 몽 | T S | ś | | + | | | 1 1 | | | | Total | Special In | | Mater |
| Sample Identification - Chefft ID (Lab ID) | Sample Date | 111110 | | tion Code: | 炑 | ۸, | • | | | | | | | | | | Special ins | structions/i | Note: |
| SS05 3' (885-21470-10) | 3/13/25 | 11:15 | | Solid | ++ | | , | | - | - | | _ | - | | | | | | |
| 5505 5 (665-21470-10) | 3/13/25 | Mountain | G | 20110 | 11 | | × | + | | \perp | | | | | \sqcup | 1 | | | |
| | | | | | \mathbf{H} | | | | | | | | | | | | | | |
| | | | | | П | | \top | \top | \neg | \top | | | | | | | | | |
| | | | | | ╫ | + | - | +-+ | + | + + | _ | + | - | + | + | \dashv | | | |
| | | | | | 11 | \perp | | \perp | | \perp | | | | | Ш | | | | |
| | | | | | | | 1 | | | | | | | | | | | | |
| | | | | | \top | \neg | \dashv | | | | | | | | \Box | | | | |
| | | | | | ₩ | + | - | + | - | + | | + | | | \vdash | | | | |
| | | | | | Ш | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | 11 | | _ | + | + | | $\overline{}$ | | | \vdash | \Box | | | | |
| | | | | | Ш | | | | | | | | | | | | | | |
| Note: Since laboratory accreditations are subject to change, Eurofins Environm laboratory does not currently maintain accreditation in the State of Origin listed | ent Testing South Cer | tral, LLC place | s the ownersh | ip of method, a | nalyte | & acc | reditati | on compl | ance up | on our s | ubcontra | ct labora | tories. | This san | nple ship | pmer | nt is forwarded under | chain-of-custo | ody. If the |
| accreditation status should be brought to Eurofins Environment Testing South (| Central, LLC attention | immediately. If | all requested | accreditations | are cu | ment to | date, | return the | signed | Chain of | Custod | y attestin | g to sa | id compli | ance to | Euro | ofins Environment Tes | iting South Ce | ntral, LLC. |
| Possible Hazard Identification | | | | | 1. | Sami | le Di | sposal | (A fee | may I | e ass | essed i | f sam | noles ar | e reta | ine | d longer than 1 r | nonth) | |
| Unconfirmed | | | | | - 1 | | 1 | m To C | | | \neg | osal B | | , | | | ve For | Months | |
| Deliverable Requested: I, II, III, IV, Other (specify) | Primary Deliver | able Rank: 2 | 2 | | <u> </u> | Speci | | truction | | Require | | ,00a, D | Lub | | 730 | 01111 | | _ ///////////////////////////////////// | |
| | <u> </u> | | | | | | | | | | | | | | | | | | |
| Empty Kit Relinquished by: | | Date: | | | Tim | | | | - | | | Meth | | hipment: | | | | | |
| Relinquished by: | Date/Time | | 315 | Company | | R | eceived | 1 by: | | | | | C | Date/Time | E | | | Company | |
| Relinquished by. | Date/Pifne |) | | Company | | R | eceived | i bu | | | | | ı | Date/Time |): | | | Company | |
| | | | | | | | 1 | | | | | | | | | | | | |
| Relinquished by: | Date/Time; | | | Company | | P | ceiye | by: | bx | - / | Pho | 7 | Ç | Date/Tyrge | 11/2 | 7 | 5 1005 | Company | // |
| Custody Seals Intact: Custody Seal No.: | | | | - | _ | | nole : | Y Ç | | | 184 | | | 2/1 | X/0 | | 2 10,92 | | 4/ |
| Custody Seal No.: | | | | | | 10 | DOIBT I | emperatu | Le BY | and Uth | at Kens | IFKS: | R | 1/0 | 2 | | | (. / | 1 |

R

3/25/2025

Login Sample Receipt Checklist

Client: Harvest Job Number: 885-21470-1

Login Number: 21470 List Source: Eurofins Albuquerque

List Number: 1

Creator: Casarrubias, Tracy

| Question | Answer | Comment |
|---|--------|---------|
| Radioactivity wasn't checked or is = background as measured by a survey meter.</td <td>True</td> <td>Comment</td> | True | Comment |
| The cooler's custody seal, if present, is intact. | True | |
| Sample custody seals, if present, are intact. | True | |
| The cooler or samples do not appear to have been compromised or tampered with. | True | |
| Samples were received on ice. | True | |
| Cooler Temperature is acceptable. | True | |
| Cooler Temperature is recorded. | True | |
| COC is present. | True | |
| COC is filled out in ink and legible. | True | |
| COC is filled out with all pertinent information. | True | |
| Is the Field Sampler's name present on COC? | True | |
| There are no discrepancies between the containers received and the COC. | True | |
| Samples are received within Holding Time (excluding tests with immediate HTs) | True | |
| Sample containers have legible labels. | True | |
| Containers are not broken or leaking. | True | |
| Sample collection date/times are provided. | True | |
| Appropriate sample containers are used. | True | |
| Sample bottles are completely filled. | True | |
| Sample Preservation Verified. | N/A | |
| There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs | True | |
| Containers requiring zero headspace have no headspace or bubble is <6mm (1/4"). | True | |
| Multiphasic samples are not present. | True | |
| Samples do not require splitting or compositing. | True | |
| Residual Chlorine Checked. | N/A | |

Login Sample Receipt Checklist

Job Number: 885-21470-1 Client: Harvest

Login Number: 21470 List Number: 2

Creator: Santiago, Nathaniel

| List Source: Eurofins | Lancaster | Laboratories | Environment | Testing, LLC |
|-----------------------|-----------|--------------|----------------|--------------|
| | | List C | reation: 03/18 | /25 10:30 AM |

| Question | Answer | Comment |
|--|--------|------------------------------------|
| The cooler's custody seal is intact. | True | |
| The cooler or samples do not appear to have been compromised or tampered with. | True | |
| Samples were received on ice. | True | |
| Cooler Temperature acceptable, where thermal pres is required(=6C, not frozen).</td <td>True</td> <td></td> | True | |
| Cooler Temperature is recorded. | True | |
| WV:Container Temp acceptable, where thermal pres is required (=6C, not frozen).</td <td>N/A</td> <td></td> | N/A | |
| WV: Container Temperature is recorded. | N/A | |
| COC is present. | True | |
| COC is filled out in ink and legible. | True | |
| COC is filled out with all pertinent information. | True | |
| There are no discrepancies between the containers received and the COC. | True | |
| Sample containers have legible labels. | True | |
| Containers are not broken or leaking. | True | |
| Sample collection date/times are provided. | True | |
| Appropriate sample containers are used. | True | |
| Sample bottles are completely filled. | True | |
| There is sufficient vol. for all requested analyses. | True | |
| Is the Field Sampler's name present on COC? | False | Received project as a subcontract. |
| Sample custody seals are intact. | N/A | |
| VOA sample vials do not have headspace >6mm in diameter (none, if from WV)? | N/A | |

Attn: Jennifer Deal Harvest

1755 Arroyo Dr.

Bloomfield, New Mexico 87413

Generated 5/6/2025 7:38:27 PM

JOB DESCRIPTION

Val Verde GS

JOB NUMBER

885-24053-1

Eurofins Albuquerque 4901 Hawkins NE Albuquerque NM 87109

Eurofins Albuquerque

Job Notes

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing South Central, LLC Project Manager.

Authorization

Generated 5/6/2025 7:38:27 PM

Authorized for release by Michelle Garcia, Project Manager michelle.garcia@et.eurofinsus.com (505)345-3975

Page 2 of 23 5/6/2025

Client: Harvest
Laboratory Job ID: 885-24053-1
Project/Site: Val Verde GS

Table of Contents

| Cover Page | 1 |
|------------------------|----|
| Table of Contents | 3 |
| Definitions/Glossary | 4 |
| Case Narrative | 5 |
| Client Sample Results | 6 |
| QC Sample Results | 14 |
| QC Association Summary | 16 |
| Lab Chronicle | 18 |
| Certification Summary | 21 |
| Chain of Custody | 22 |
| Receipt Checklists | 23 |

2

3

4

6

8

9

10

Definitions/Glossary

Client: Harvest Job ID: 885-24053-1

Project/Site: Val Verde GS

Glossary

| Abbreviation | These commonly used abbreviations may or may not be present in this report. |
|----------------|---|
| ☼ | Listed under the "D" column to designate that the result is reported on a dry weight basis |
| %R | Percent Recovery |
| CFL | Contains Free Liquid |
| CFU | Colony Forming Unit |
| CNF | Contains No Free Liquid |
| DER | Duplicate Error Ratio (normalized absolute difference) |
| Dil Fac | Dilution Factor |
| DL | Detection Limit (DoD/DOE) |
| DL, RA, RE, IN | Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample |
| DLC | Decision Level Concentration (Radiochemistry) |
| EDL | Estimated Detection Limit (Dioxin) |
| LOD | Limit of Detection (DoD/DOE) |
| LOQ | Limit of Quantitation (DoD/DOE) |
| MCL | EPA recommended "Maximum Contaminant Level" |
| MDA | Minimum Detectable Activity (Radiochemistry) |
| MDC | Minimum Detectable Concentration (Radiochemistry) |

MDL Method Detection Limit MLMinimum Level (Dioxin) MPN Most Probable Number MQL Method Quantitation Limit

NC Not Calculated

ND Not Detected at the reporting limit (or MDL or EDL if shown)

NEG Negative / Absent POS Positive / Present PQL Practical Quantitation Limit

PRES Presumptive **Quality Control** QC

RER Relative Error Ratio (Radiochemistry)

RL Reporting Limit or Requested Limit (Radiochemistry)

RPD Relative Percent Difference, a measure of the relative difference between two points

TEF Toxicity Equivalent Factor (Dioxin) TEQ Toxicity Equivalent Quotient (Dioxin)

TNTC Too Numerous To Count

Eurofins Albuquerque

Case Narrative

Client: Harvest Job ID: 885-24053-1

Project: Val Verde GS

Job ID: 885-24053-1 Eurofins Albuquerque

Job Narrative 885-24053-1

Analytical test results meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page unless otherwise noted under the individual analysis. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable.

- Matrix QC may not be reported if insufficient sample is provided or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD may be performed, unless otherwise specified in the method.
- · Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

Receipt

The samples were received on 5/1/2025 7:10 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 5.5°C.

Gasoline Range Organics

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

GC VOA

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Diesel Range Organics

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

HPLC/IC

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Albuquerque

3

Ė

6

_

10

11

Client: Harvest Job ID: 885-24053-1

Project/Site: Val Verde GS

Chloride

Client Sample ID: SS06@3

Lab Sample ID: 885-24053-1

05/02/25 11:06

05/02/25 15:40

20

Matrix: Solid

| Date Collected: 04/30/25 12:15 |
|--------------------------------|
| Date Received: 05/01/25 07:10 |
| |

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|--|---------------|-------------|----------|-------|---|----------------|----------------|---------|
| Gasoline Range Organics [C6 - C10] | ND | | 4.9 | mg/Kg | | 05/01/25 17:03 | 05/02/25 17:49 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 96 | | 35 - 166 | | | 05/01/25 17:03 | 05/02/25 17:49 | 1 |
| Method: SW846 8021B - Volatile | Organic Comp | ounds (GC) |) | | | | | |
| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Benzene | ND | | 0.024 | mg/Kg | | 05/01/25 17:03 | 05/02/25 17:49 | 1 |
| Ethylbenzene | ND | | 0.049 | mg/Kg | | 05/01/25 17:03 | 05/02/25 17:49 | 1 |
| Toluene | ND | | 0.049 | mg/Kg | | 05/01/25 17:03 | 05/02/25 17:49 | 1 |
| Xylenes, Total | ND | | 0.098 | mg/Kg | | 05/01/25 17:03 | 05/02/25 17:49 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 94 | | 48 - 145 | | | 05/01/25 17:03 | 05/02/25 17:49 | 1 |
| - Method: SW846 8015M/D - Diese | l Range Organ | ics (DRO) (| GC) | | | | | |
| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Diesel Range Organics [C10-C28] | ND | | 9.4 | mg/Kg | | 05/02/25 12:59 | 05/02/25 18:22 | 1 |
| Motor Oil Range Organics [C28-C40] | ND | | 47 | mg/Kg | | 05/02/25 12:59 | 05/02/25 18:22 | 1 |
| | | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| Surrogate | %Recovery | ~~~~~ | | | | | | |
| Surrogate Di-n-octyl phthalate (Surr) | | <u> </u> | 62 - 134 | | | 05/02/25 12:59 | 05/02/25 18:22 | 1 |
| | 107 | | 62 - 134 | | | 05/02/25 12:59 | 05/02/25 18:22 | 1 |

60

mg/Kg

ND

Job ID: 885-24053-1

Project/Site: Val Verde GS

Client: Harvest

Chloride

Client Sample ID: SS06@5.5

Lab Sample ID: 885-24053-2 Date Collected: 04/30/25 12:20

Matrix: Solid

05/02/25 11:06

05/02/25 16:11

Date Received: 05/01/25 07:10

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------------------------|----------------|-------------|----------|-------|---|----------------|----------------|---------|
| Gasoline Range Organics [C6 - C10] | ND | | 4.9 | mg/Kg | | 05/01/25 17:03 | 05/02/25 18:11 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 96 | | 35 - 166 | | | 05/01/25 17:03 | 05/02/25 18:11 | 1 |
| Method: SW846 8021B - Volatile | Organic Comp | ounds (GC |) | | | | | |
| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Benzene | ND | | 0.024 | mg/Kg | | 05/01/25 17:03 | 05/02/25 18:11 | 1 |
| Ethylbenzene | ND | | 0.049 | mg/Kg | | 05/01/25 17:03 | 05/02/25 18:11 | 1 |
| Toluene | ND | | 0.049 | mg/Kg | | 05/01/25 17:03 | 05/02/25 18:11 | 1 |
| Xylenes, Total | ND | | 0.098 | mg/Kg | | 05/01/25 17:03 | 05/02/25 18:11 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 92 | | 48 - 145 | | | 05/01/25 17:03 | 05/02/25 18:11 | 1 |
| Method: SW846 8015M/D - Diese | I Range Organ | ics (DRO) (| GC) | | | | | |
| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Diesel Range Organics [C10-C28] | ND | | 9.8 | mg/Kg | | 05/02/25 12:59 | 05/02/25 18:33 | 1 |
| Motor Oil Range Organics [C28-C40] | ND | | 49 | mg/Kg | | 05/02/25 12:59 | 05/02/25 18:33 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| Di-n-octyl phthalate (Surr) | 111 | | 62 - 134 | | | 05/02/25 12:59 | 05/02/25 18:33 | 1 |
| Mathada FDA 200 0 - Aniona Jana | Chromotogran | hv | | | | | | |
| Method: EPA 300.0 - Anions, Ion | Cilionialograp | 'II'Y | | | | | | |

60

mg/Kg

ND

20

Client: Harvest Job ID: 885-24053-1

Project/Site: Val Verde GS

Client Sample ID: SS07@3

Lab Sample ID: 885-24053-3 Date Collected: 04/30/25 12:35 Matrix: Solid

Date Received: 05/01/25 07:10

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------------------------|--------------|-------------|----------|-------|---|----------------|----------------|---------|
| Gasoline Range Organics [C6 - C10] | ND | | 4.9 | mg/Kg | | 05/01/25 17:03 | 05/02/25 18:33 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 98 | | 35 - 166 | | | 05/01/25 17:03 | 05/02/25 18:33 | 1 |
| Method: SW846 8021B - Volatile | Organic Comp | ounds (GC) |) | | | | | |
| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Benzene | ND | | 0.025 | mg/Kg | | 05/01/25 17:03 | 05/02/25 18:33 | 1 |
| Ethylbenzene | ND | | 0.049 | mg/Kg | | 05/01/25 17:03 | 05/02/25 18:33 | 1 |
| Toluene | ND | | 0.049 | mg/Kg | | 05/01/25 17:03 | 05/02/25 18:33 | 1 |
| Xylenes, Total | ND | | 0.098 | mg/Kg | | 05/01/25 17:03 | 05/02/25 18:33 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 95 | | 48 - 145 | | | 05/01/25 17:03 | 05/02/25 18:33 | 1 |
| Method: SW846 8015M/D - Diese | Range Organ | ics (DRO) (| GC) | | | | | |
| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Diesel Range Organics [C10-C28] | ND | | 9.7 | mg/Kg | | 05/02/25 12:59 | 05/02/25 18:44 | 1 |
| Motor Oil Range Organics [C28-C40] | ND | | 48 | mg/Kg | | 05/02/25 12:59 | 05/02/25 18:44 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| Di-n-octyl phthalate (Surr) | 110 | | 62 - 134 | | | 05/02/25 12:59 | 05/02/25 18:44 | 1 |
| Method: EPA 300.0 - Anions, Ion | Chromatograp | hy | | | | | | |
| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Chloride | ND | - | 60 | mg/Kg | | 05/02/25 11:06 | 05/02/25 16:22 | 20 |

Client: Harvest Job ID: 885-24053-1

Project/Site: Val Verde GS

Client Sample ID: SS07@5.5 Lab Sample ID: 885-24053-4

Date Collected: 04/30/25 12:38 Matrix: Solid

Date Collected: 04/30/25 12:38 Matrix: Solid
Date Received: 05/01/25 07:10

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------------------------------------|---------------|------------------|----------------|-------|---|----------------|----------------|---------|
| Gasoline Range Organics [C6 - C10] | ND | | 4.7 | mg/Kg | | 05/01/25 17:03 | 05/02/25 18:54 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 96 | | 35 - 166 | | | 05/01/25 17:03 | 05/02/25 18:54 | 1 |
| Method: SW846 8021B - Volatile | Organic Comp | ounds (GC |) | | | | | |
| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Benzene | ND | | 0.024 | mg/Kg | | 05/01/25 17:03 | 05/02/25 18:54 | 1 |
| Ethylbenzene | ND | | 0.047 | mg/Kg | | 05/01/25 17:03 | 05/02/25 18:54 | 1 |
| Toluene | ND | | 0.047 | mg/Kg | | 05/01/25 17:03 | 05/02/25 18:54 | 1 |
| Xylenes, Total | ND | | 0.095 | mg/Kg | | 05/01/25 17:03 | 05/02/25 18:54 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 94 | | 48 - 145 | | | 05/01/25 17:03 | 05/02/25 18:54 | 1 |
| - Method: SW846 8015M/D - Diese | l Range Organ | ics (DRO) (| GC) | | | | | |
| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Diesel Range Organics [C10-C28] | 20 | | 9.9 | mg/Kg | | 05/02/25 12:59 | 05/05/25 10:03 | 1 |
| Motor Oil Range Organics [C28-C40] | 100 | | 49 | mg/Kg | | 05/02/25 12:59 | 05/05/25 10:03 | 1 |
| 0 | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| Surrogate | | | | | | 05/02/25 12:59 | 05/05/25 10:03 | |
| Di-n-octyl phthalate (Surr) | 120 | | 62 - 134 | | | 03/02/23 12.39 | 00/00/20 70:00 | |
| | | ohy | 62 - 134 | | | 00/02/20 12:03 | 00,00,20,70.00 | |
| Di-n-octyl phthalate (Surr) | Chromatograp | ohy Qualifier | 62 - 134 RL | Unit | D | Prepared | Analyzed | Dil Fac |

Job ID: 885-24053-1

Client: Harvest Project/Site: Val Verde GS

Client Sample ID: SS08@3 Date Collected: 04/30/25 13:10

Date Received: 05/01/25 07:10

Analyte

Chloride

Lab Sample ID: 885-24053-5

ib Sample ID: 665-24053-5

| Matrix: | Solid |
|---------|-------|
| | |

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------------------------|--------------|-------------|----------|-------|---|----------------|----------------|---------|
| Gasoline Range Organics [C6 - C10] | ND | | 4.7 | mg/Kg | | 05/01/25 17:03 | 05/02/25 19:16 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 98 | | 35 - 166 | | | 05/01/25 17:03 | 05/02/25 19:16 | 1 |
| Method: SW846 8021B - Volatile | Organic Comp | ounds (GC) |) | | | | | |
| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Benzene | ND | | 0.023 | mg/Kg | | 05/01/25 17:03 | 05/02/25 19:16 | 1 |
| Ethylbenzene | ND | | 0.047 | mg/Kg | | 05/01/25 17:03 | 05/02/25 19:16 | 1 |
| Toluene | ND | | 0.047 | mg/Kg | | 05/01/25 17:03 | 05/02/25 19:16 | 1 |
| Xylenes, Total | ND | | 0.094 | mg/Kg | | 05/01/25 17:03 | 05/02/25 19:16 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 97 | | 48 - 145 | | | 05/01/25 17:03 | 05/02/25 19:16 | 1 |
| Method: SW846 8015M/D - Diese | Range Organ | ics (DRO) (| GC) | | | | | |
| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Diesel Range Organics [C10-C28] | ND | | 9.7 | mg/Kg | | 05/02/25 12:59 | 05/02/25 19:06 | 1 |
| Motor Oil Range Organics [C28-C40] | ND | | 48 | mg/Kg | | 05/02/25 12:59 | 05/02/25 19:06 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| Di-n-octyl phthalate (Surr) | 108 | | 62 - 134 | | | 05/02/25 12:59 | 05/02/25 19:06 | 1 |

RL

60

Unit

mg/Kg

Prepared

05/02/25 11:06

Result Qualifier

ND

Dil Fac

20

Analyzed

05/02/25 17:03

Job ID: 885-24053-1

Project/Site: Val Verde GS

Client: Harvest

Client Sample ID: SS08@5 Date Collected: 04/30/25 13:13

Lab Sample ID: 885-24053-6

Matrix: Solid

| Method: SW846 8015M/D - Gasol | | • | , , | | _ | | | D.: E |
|---------------------------------------|--------------|-------------|----------|-------|---|----------------|----------------|---------|
| Analyte | | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Gasoline Range Organics [C6 - C10] | ND | | 4.6 | mg/Kg | | 05/01/25 17:03 | 05/02/25 19:37 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 99 | | 35 - 166 | | | 05/01/25 17:03 | 05/02/25 19:37 | |
| Method: SW846 8021B - Volatile (| Organic Comp | ounds (GC) |) | | | | | |
| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Benzene | ND | | 0.023 | mg/Kg | | 05/01/25 17:03 | 05/02/25 19:37 | 1 |
| Ethylbenzene | ND | | 0.046 | mg/Kg | | 05/01/25 17:03 | 05/02/25 19:37 | 1 |
| Toluene | ND | | 0.046 | mg/Kg | | 05/01/25 17:03 | 05/02/25 19:37 | 1 |
| Xylenes, Total | ND | | 0.092 | mg/Kg | | 05/01/25 17:03 | 05/02/25 19:37 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 96 | | 48 - 145 | | | 05/01/25 17:03 | 05/02/25 19:37 | 1 |
| Method: SW846 8015M/D - Diese | Range Organ | ics (DRO) (| GC) | | | | | |
| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Diesel Range Organics [C10-C28] | 47 | | 9.5 | mg/Kg | | 05/02/25 12:59 | 05/05/25 10:14 | 1 |
| Motor Oil Range Organics [C28-C40] | 110 | | 47 | mg/Kg | | 05/02/25 12:59 | 05/05/25 10:14 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| Di-n-octyl phthalate (Surr) | 120 | | 62 - 134 | | | 05/02/25 12:59 | 05/05/25 10:14 | 1 |
| Method: EPA 300.0 - Anions, Ion | Chromatograp | hy | | | | | | |
| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Chloride | ND | | 60 | mg/Kg | _ | 05/02/25 11:06 | 05/02/25 17:13 | 20 |

Client: Harvest Job ID: 885-24053-1

Project/Site: Val Verde GS

Chloride

Client Sample ID: SS09@4

ND

Lab Sample ID: 885-24053-7 Date Collected: 04/30/25 13:20

Matrix: Solid Date Received: 05/01/25 07:10

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------------------------|----------------|-------------|----------|-------|---|----------------|----------------|---------|
| Gasoline Range Organics [C6 - C10] | ND | | 4.9 | mg/Kg | | 05/01/25 17:03 | 05/02/25 19:59 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 106 | | 35 - 166 | | | 05/01/25 17:03 | 05/02/25 19:59 | 1 |
| Method: SW846 8021B - Volatile | Organic Comp | ounds (GC |) | | | | | |
| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Benzene | ND | | 0.025 | mg/Kg | | 05/01/25 17:03 | 05/02/25 19:59 | 1 |
| Ethylbenzene | ND | | 0.049 | mg/Kg | | 05/01/25 17:03 | 05/02/25 19:59 | 1 |
| Toluene | ND | | 0.049 | mg/Kg | | 05/01/25 17:03 | 05/02/25 19:59 | 1 |
| Xylenes, Total | ND | | 0.098 | mg/Kg | | 05/01/25 17:03 | 05/02/25 19:59 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 101 | | 48 - 145 | | | 05/01/25 17:03 | 05/02/25 19:59 | 1 |
| Method: SW846 8015M/D - Diese | l Range Organ | ics (DRO) (| GC) | | | | | |
| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Diesel Range Organics [C10-C28] | ND | | 10 | mg/Kg | | 05/02/25 12:59 | 05/02/25 19:27 | 1 |
| Motor Oil Range Organics [C28-C40] | ND | | 50 | mg/Kg | | 05/02/25 12:59 | 05/02/25 19:27 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| Di-n-octyl phthalate (Surr) | 111 | | 62 - 134 | | | 05/02/25 12:59 | 05/02/25 19:27 | 1 |
| Method: EDA 200 0 Aniene Jen | Chromatogran | hv | | | | | | |
| Method: EPA 300.0 - Anions, Ion | Cilionialograp | ,,,, | | | | | | |

60

mg/Kg

05/02/25 11:06

05/02/25 17:24

20

Job ID: 885-24053-1

Project/Site: Val Verde GS

Client: Harvest

Analyte

Chloride

Client Sample ID: SS09@5.5

Lab Sample ID: 885-24053-8

Date Collected: 04/30/25 13:25 Matrix: Solid

Date Received: 05/01/25 07:10

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------------------------|--------------|-------------|----------|-------|---|----------------|----------------|---------|
| Gasoline Range Organics [C6 - C10] | ND | | 4.8 | mg/Kg | | 05/01/25 17:03 | 05/02/25 20:21 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 103 | | 35 - 166 | | | 05/01/25 17:03 | 05/02/25 20:21 | 1 |
| Method: SW846 8021B - Volatile (| Organic Comp | ounds (GC) |) | | | | | |
| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Benzene | ND | | 0.024 | mg/Kg | | 05/01/25 17:03 | 05/02/25 20:21 | 1 |
| Ethylbenzene | ND | | 0.048 | mg/Kg | | 05/01/25 17:03 | 05/02/25 20:21 | 1 |
| Toluene | ND | | 0.048 | mg/Kg | | 05/01/25 17:03 | 05/02/25 20:21 | 1 |
| Xylenes, Total | ND | | 0.095 | mg/Kg | | 05/01/25 17:03 | 05/02/25 20:21 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 101 | | 48 - 145 | | | 05/01/25 17:03 | 05/02/25 20:21 | 1 |
| Method: SW846 8015M/D - Diesel | Range Organ | ics (DRO) (| GC) | | | | | |
| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Diesel Range Organics [C10-C28] | ND | | 9.8 | mg/Kg | | 05/02/25 12:59 | 05/02/25 19:38 | 1 |
| Motor Oil Range Organics [C28-C40] | ND | | 49 | mg/Kg | | 05/02/25 12:59 | 05/02/25 19:38 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| Di-n-octyl phthalate (Surr) | 112 | | 62 - 134 | | | 05/02/25 12:59 | 05/02/25 19:38 | 1 |

RL

60

Unit

mg/Kg

Prepared

05/02/25 11:06

Result Qualifier

ND

Dil Fac

20

Analyzed

05/02/25 17:34

Prep Batch: 25372

05/02/25 11:41

Job ID: 885-24053-1 Client: Harvest

Project/Site: Val Verde GS

Method: 8015M/D - Gasoline Range Organics (GRO) (GC)

Lab Sample ID: MB 885-25372/1-A Client Sample ID: Method Blank Prep Type: Total/NA

Matrix: Solid Analysis Batch: 25397

Gasoline Range Organics [C6 - C10]

MB MB Analyte Result Qualifier RL Unit D Prepared Analyzed Dil Fac 05/01/25 17:03

5.0

mg/Kg

MB MB

ND

Surrogate %Recovery Qualifier Limits Prepared Analyzed Dil Fac 4-Bromofluorobenzene (Surr) 100 35 - 166 05/01/25 17:03 05/02/25 11:41

Lab Sample ID: LCS 885-25372/2-A Client Sample ID: Lab Control Sample Prep Type: Total/NA

Matrix: Solid

Analysis Batch: 25397

Prep Batch: 25372 Spike LCS LCS %Rec Analyte Added Result Qualifier Unit D %Rec Limits 25.0 27.7 111 mg/Kg 70 - 130 Gasoline Range Organics [C6 -

C10]

LCS LCS

%Recovery Qualifier Limits Surrogate 35 - 166 4-Bromofluorobenzene (Surr) 211

Method: 8021B - Volatile Organic Compounds (GC)

Lab Sample ID: MB 885-25372/1-A Client Sample ID: Method Blank

Matrix: Solid

Xylenes, Total

Prep Type: Total/NA Analysis Batch: 25398 Prep Batch: 25372 MB MB

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|----------------|--------|-----------|-------|-------|---|----------------|----------------|---------|
| Benzene | ND | | 0.025 | mg/Kg | | 05/01/25 17:03 | 05/02/25 11:41 | 1 |
| Ethylbenzene | ND | | 0.050 | mg/Kg | | 05/01/25 17:03 | 05/02/25 11:41 | 1 |
| Toluene | ND | | 0.050 | mg/Kg | | 05/01/25 17:03 | 05/02/25 11:41 | 1 |
| Xylenes, Total | ND | | 0.10 | mg/Kg | | 05/01/25 17:03 | 05/02/25 11:41 | 1 |
| | | | | | | | | |

MB MB

%Recovery Qualifier Limits Dil Fac Surrogate Prepared Analyzed 48 - 145 05/01/25 17:03 05/02/25 11:41 4-Bromofluorobenzene (Surr) 98

Lab Sample ID: LCS 885-25372/3-A **Matrix: Solid**

Analysis Batch: 25398

Spike LCS LCS %Rec Result Qualifier Analyte Added Unit %Rec Limits 1.00 1.03 Benzene mg/Kg 103 70 - 130 Ethylbenzene 1.00 1.03 mg/Kg 103 70 - 130 1.00 101 Toluene 1.01 mg/Kg 70 - 130

3.14

mg/Kg

3.00

LCS LCS

%Recovery Qualifier Limits Surrogate 4-Bromofluorobenzene (Surr) 97 48 - 145

Eurofins Albuquerque

Client Sample ID: Lab Control Sample Prep Type: Total/NA

Prep Batch: 25372

105

70 - 130

Client Sample ID: Method Blank

Analyzed

05/02/25 15:41

05/02/25 15:41

Analyzed

05/02/25 15:41

Client Sample ID: Lab Control Sample

Limits

51 - 148

Client Sample ID: Method Blank

Analyzed

05/02/25 12:37

Client Sample ID: Lab Control Sample

%Rec

Limits

90 - 110

%Rec

Limits

50 - 150

Prep Type: Total/NA

Prep Batch: 25414

Prep Type: Total/NA

Client Sample ID: SS06@3

Client Sample ID: SS06@3

Prep Type: Total/NA

Prep Batch: 25414

RPD

Limit

20

Prep Type: Total/NA

Prep Batch: 25414

Prep Batch: 25414

Dil Fac

Prep Type: Total/NA

Prep Type: Total/NA

Prep Batch: 25426

Prep Batch: 25426

Dil Fac

Dil Fac

RL

10

50

RL

3.0

Spike

Added

30.0

Spike

Added

30.0

Limits

Spike

Added

50.0

62 - 134

Job ID: 885-24053-1

Unit

mg/Kg

mg/Kg

LCS LCS

Qualifier

Unit

mg/Kg

Unit

Unit

mg/Kg

mg/Kg

Unit

mg/Kg

Result

51.3

D

Prepared

05/02/25 12:59

05/02/25 12:59

Prepared

05/02/25 12:59

%Rec

Prepared

05/02/25 11:06

%Rec

%Rec

NC

97

D

D

103

D

D

Project/Site: Val Verde GS

Client: Harvest

Method: 8015M/D - Diesel Range Organics (DRO) (GC)

Lab Sample ID: MB 885-25426/1-A **Matrix: Solid**

Analysis Batch: 25385

| | MB | MB |
|---------------------------------|--------|-----------|
| Analyte | Result | Qualifier |
| Diesel Range Organics [C10-C28] | ND | |

Motor Oil Range Organics [C28-C40]

Surrogate Di-n-octyl phthalate (Surr)

Lab Sample ID: LCS 885-25426/2-A **Matrix: Solid**

Analysis Batch: 25385

Analyte Diesel Range Organics [C10-C28]

Surrogate

Di-n-octyl phthalate (Surr)

LCS LCS

мв мв

Qualifier

Result

Sample Sample

Qualifier

Result

ND

ND

ND

109

%Recovery

MB MB

Qualifier

%Recovery Qualifier 104

Limits 62 - 134

Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: MB 885-25414/1-A

Matrix: Solid

Analysis Batch: 25422

Analyte Chloride

Lab Sample ID: LCS 885-25414/2-A

Matrix: Solid Analysis Batch: 25422

Analyte Chloride

Lab Sample ID: 885-24053-1 MS

Matrix: Solid

Analyte

Analysis Batch: 25422

Chloride Lab Sample ID: 885-24053-1 MSD

Matrix: Solid

Analysis Batch: 25422

Sample Sample Analyte Result

Qualifier Chloride ND

Spike Added 30.2

Result ND

LCS LCS

MS MS

Result

ND

Qualifier

Qualifier

Result

29.1

MSD MSD Qualifier

Unit mg/Kg

%Rec NC.

Limits 50 - 150

RPD

%Rec

Eurofins Albuquerque

QC Association Summary

Client: Harvest Job ID: 885-24053-1

Project/Site: Val Verde GS

GC VOA

Prep Batch: 25372

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|-------------------|--------------------|-----------|--------|--------|------------|
| 885-24053-1 | SS06@3 | Total/NA | Solid | 5030C | |
| 885-24053-2 | SS06@5.5 | Total/NA | Solid | 5030C | |
| 885-24053-3 | SS07@3 | Total/NA | Solid | 5030C | |
| 885-24053-4 | SS07@5.5 | Total/NA | Solid | 5030C | |
| 885-24053-5 | SS08@3 | Total/NA | Solid | 5030C | |
| 885-24053-6 | SS08@5 | Total/NA | Solid | 5030C | |
| 885-24053-7 | SS09@4 | Total/NA | Solid | 5030C | |
| 885-24053-8 | SS09@5.5 | Total/NA | Solid | 5030C | |
| MB 885-25372/1-A | Method Blank | Total/NA | Solid | 5030C | |
| LCS 885-25372/2-A | Lab Control Sample | Total/NA | Solid | 5030C | |
| LCS 885-25372/3-A | Lab Control Sample | Total/NA | Solid | 5030C | |

Analysis Batch: 25397

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|-------------------|--------------------|-----------|--------|---------|------------|
| 885-24053-1 | SS06@3 | Total/NA | Solid | 8015M/D | 25372 |
| 885-24053-2 | SS06@5.5 | Total/NA | Solid | 8015M/D | 25372 |
| 885-24053-3 | SS07@3 | Total/NA | Solid | 8015M/D | 25372 |
| 885-24053-4 | SS07@5.5 | Total/NA | Solid | 8015M/D | 25372 |
| 885-24053-5 | SS08@3 | Total/NA | Solid | 8015M/D | 25372 |
| 885-24053-6 | SS08@5 | Total/NA | Solid | 8015M/D | 25372 |
| 885-24053-7 | SS09@4 | Total/NA | Solid | 8015M/D | 25372 |
| 885-24053-8 | SS09@5.5 | Total/NA | Solid | 8015M/D | 25372 |
| MB 885-25372/1-A | Method Blank | Total/NA | Solid | 8015M/D | 25372 |
| LCS 885-25372/2-A | Lab Control Sample | Total/NA | Solid | 8015M/D | 25372 |

Analysis Batch: 25398

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|-------------------|--------------------|-----------|--------|--------|------------|
| 885-24053-1 | SS06@3 | Total/NA | Solid | 8021B | 25372 |
| 885-24053-2 | SS06@5.5 | Total/NA | Solid | 8021B | 25372 |
| 885-24053-3 | SS07@3 | Total/NA | Solid | 8021B | 25372 |
| 885-24053-4 | SS07@5.5 | Total/NA | Solid | 8021B | 25372 |
| 885-24053-5 | SS08@3 | Total/NA | Solid | 8021B | 25372 |
| 885-24053-6 | SS08@5 | Total/NA | Solid | 8021B | 25372 |
| 885-24053-7 | SS09@4 | Total/NA | Solid | 8021B | 25372 |
| 885-24053-8 | SS09@5.5 | Total/NA | Solid | 8021B | 25372 |
| MB 885-25372/1-A | Method Blank | Total/NA | Solid | 8021B | 25372 |
| LCS 885-25372/3-A | Lab Control Sample | Total/NA | Solid | 8021B | 25372 |

GC Semi VOA

Analysis Batch: 25385

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|-------------------|--------------------|-----------|--------|---------|------------|
| 885-24053-1 | SS06@3 | Total/NA | Solid | 8015M/D | 25426 |
| 885-24053-2 | SS06@5.5 | Total/NA | Solid | 8015M/D | 25426 |
| 885-24053-3 | SS07@3 | Total/NA | Solid | 8015M/D | 25426 |
| 885-24053-5 | SS08@3 | Total/NA | Solid | 8015M/D | 25426 |
| 885-24053-7 | SS09@4 | Total/NA | Solid | 8015M/D | 25426 |
| 885-24053-8 | SS09@5.5 | Total/NA | Solid | 8015M/D | 25426 |
| MB 885-25426/1-A | Method Blank | Total/NA | Solid | 8015M/D | 25426 |
| LCS 885-25426/2-A | Lab Control Sample | Total/NA | Solid | 8015M/D | 25426 |

Eurofins Albuquerque

QC Association Summary

Client: Harvest Job ID: 885-24053-1

Project/Site: Val Verde GS

GC Semi VOA

| Prep | Batch: | 25426 |
|-------|---------|-------|
| 1 ICP | Dateii. | 20720 |

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|-------------------|--------------------|-----------|--------|--------|------------|
| 885-24053-1 | SS06@3 | Total/NA | Solid | SHAKE | _ |
| 885-24053-2 | SS06@5.5 | Total/NA | Solid | SHAKE | |
| 885-24053-3 | SS07@3 | Total/NA | Solid | SHAKE | |
| 885-24053-4 | SS07@5.5 | Total/NA | Solid | SHAKE | |
| 885-24053-5 | SS08@3 | Total/NA | Solid | SHAKE | |
| 885-24053-6 | SS08@5 | Total/NA | Solid | SHAKE | |
| 885-24053-7 | SS09@4 | Total/NA | Solid | SHAKE | |
| 885-24053-8 | SS09@5.5 | Total/NA | Solid | SHAKE | |
| MB 885-25426/1-A | Method Blank | Total/NA | Solid | SHAKE | |
| LCS 885-25426/2-A | Lab Control Sample | Total/NA | Solid | SHAKE | |

Analysis Batch: 25465

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---------------|------------------|-----------|--------|---------|------------|
| 885-24053-4 | SS07@5.5 | Total/NA | Solid | 8015M/D | 25426 |
| 885-24053-6 | SS08@5 | Total/NA | Solid | 8015M/D | 25426 |

HPLC/IC

Prep Batch: 25414

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|-------------------|--------------------|-----------|--------|----------|------------|
| 885-24053-1 | SS06@3 | Total/NA | Solid | 300_Prep | |
| 885-24053-2 | SS06@5.5 | Total/NA | Solid | 300_Prep | |
| 885-24053-3 | SS07@3 | Total/NA | Solid | 300_Prep | |
| 885-24053-4 | SS07@5.5 | Total/NA | Solid | 300_Prep | |
| 885-24053-5 | SS08@3 | Total/NA | Solid | 300_Prep | |
| 885-24053-6 | SS08@5 | Total/NA | Solid | 300_Prep | |
| 885-24053-7 | SS09@4 | Total/NA | Solid | 300_Prep | |
| 885-24053-8 | SS09@5.5 | Total/NA | Solid | 300_Prep | |
| MB 885-25414/1-A | Method Blank | Total/NA | Solid | 300_Prep | |
| LCS 885-25414/2-A | Lab Control Sample | Total/NA | Solid | 300_Prep | |
| 885-24053-1 MS | SS06@3 | Total/NA | Solid | 300_Prep | |
| 885-24053-1 MSD | SS06@3 | Total/NA | Solid | 300_Prep | |

Analysis Batch: 25422

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|-------------------|--------------------|-----------|--------|--------|------------|
| 885-24053-1 | SS06@3 | Total/NA | Solid | 300.0 | 25414 |
| 885-24053-2 | SS06@5.5 | Total/NA | Solid | 300.0 | 25414 |
| 885-24053-3 | SS07@3 | Total/NA | Solid | 300.0 | 25414 |
| 885-24053-4 | SS07@5.5 | Total/NA | Solid | 300.0 | 25414 |
| 885-24053-5 | SS08@3 | Total/NA | Solid | 300.0 | 25414 |
| 885-24053-6 | SS08@5 | Total/NA | Solid | 300.0 | 25414 |
| 885-24053-7 | SS09@4 | Total/NA | Solid | 300.0 | 25414 |
| 885-24053-8 | SS09@5.5 | Total/NA | Solid | 300.0 | 25414 |
| MB 885-25414/1-A | Method Blank | Total/NA | Solid | 300.0 | 25414 |
| LCS 885-25414/2-A | Lab Control Sample | Total/NA | Solid | 300.0 | 25414 |
| 885-24053-1 MS | SS06@3 | Total/NA | Solid | 300.0 | 25414 |
| 885-24053-1 MSD | SS06@3 | Total/NA | Solid | 300.0 | 25414 |

Eurofins Albuquerque

3

4

0

8

9

10

1

Client: Harvest

Lab Sample ID: 885-24053-1

Matrix: Solid

Date Collected: 04/30/25 12:15 Date Received: 05/01/25 07:10

| _ | Batch | Batch | | Dilution | Batch | | | Prepared |
|-----------|----------|----------|-----|----------|--------|---------|---------|----------------|
| Prep Type | Туре | Method | Run | Factor | Number | Analyst | Lab | or Analyzed |
| Total/NA | Prep | 5030C | | | 25372 | JP | EET ALB | 05/01/25 17:03 |
| Total/NA | Analysis | 8015M/D | | 1 | 25397 | AT | EET ALB | 05/02/25 17:49 |
| Total/NA | Prep | 5030C | | | 25372 | JP | EET ALB | 05/01/25 17:03 |
| Total/NA | Analysis | 8021B | | 1 | 25398 | AT | EET ALB | 05/02/25 17:49 |
| Total/NA | Prep | SHAKE | | | 25426 | MI | EET ALB | 05/02/25 12:59 |
| Total/NA | Analysis | 8015M/D | | 1 | 25385 | MI | EET ALB | 05/02/25 18:22 |
| Total/NA | Prep | 300_Prep | | | 25414 | RC | EET ALB | 05/02/25 11:06 |
| Total/NA | Analysis | 300.0 | | 20 | 25422 | JT | EET ALB | 05/02/25 15:40 |

Lab Sample ID: 885-24053-2

Matrix: Solid

Date Collected: 04/30/25 12:20 Date Received: 05/01/25 07:10

Client Sample ID: SS06@5.5

| | Batch | Batch | | Dilution | Batch | | | Prepared |
|-----------|----------|----------|-----|----------|--------|---------|---------|----------------|
| Prep Type | Type | Method | Run | Factor | Number | Analyst | Lab | or Analyzed |
| Total/NA | Prep | 5030C | | | 25372 | JP | EET ALB | 05/01/25 17:03 |
| Total/NA | Analysis | 8015M/D | | 1 | 25397 | AT | EET ALB | 05/02/25 18:11 |
| Total/NA | Prep | 5030C | | | 25372 | JP | EET ALB | 05/01/25 17:03 |
| Total/NA | Analysis | 8021B | | 1 | 25398 | AT | EET ALB | 05/02/25 18:11 |
| Total/NA | Prep | SHAKE | | | 25426 | MI | EET ALB | 05/02/25 12:59 |
| Total/NA | Analysis | 8015M/D | | 1 | 25385 | MI | EET ALB | 05/02/25 18:33 |
| Total/NA | Prep | 300_Prep | | | 25414 | RC | EET ALB | 05/02/25 11:06 |
| Total/NA | Analysis | 300.0 | | 20 | 25422 | JT | EET ALB | 05/02/25 16:11 |

Client Sample ID: SS07@3 Lab Sample ID: 885-24053-3 Date Collected: 04/30/25 12:35

Date Received: 05/01/25 07:10

| | Batch | Batch | | Dilution | Batch | | | Prepared |
|-----------|----------|----------|-----|----------|--------|---------|---------|----------------|
| Prep Type | Type | Method | Run | Factor | Number | Analyst | Lab | or Analyzed |
| Total/NA | Prep | 5030C | | | 25372 | JP | EET ALB | 05/01/25 17:03 |
| Total/NA | Analysis | 8015M/D | | 1 | 25397 | AT | EET ALB | 05/02/25 18:33 |
| Total/NA | Prep | 5030C | | | 25372 | JP | EET ALB | 05/01/25 17:03 |
| Total/NA | Analysis | 8021B | | 1 | 25398 | AT | EET ALB | 05/02/25 18:33 |
| Total/NA | Prep | SHAKE | | | 25426 | MI | EET ALB | 05/02/25 12:59 |
| Total/NA | Analysis | 8015M/D | | 1 | 25385 | MI | EET ALB | 05/02/25 18:44 |
| Total/NA | Prep | 300_Prep | | | 25414 | RC | EET ALB | 05/02/25 11:06 |
| Total/NA | Analysis | 300.0 | | 20 | 25422 | JT | EET ALB | 05/02/25 16:22 |

Client Sample ID: SS07@5.5 Lab Sample ID: 885-24053-4

Date Collected: 04/30/25 12:38 Date Received: 05/01/25 07:10

| | Batch | Batch | | Dilution | Batch | | | Prepared |
|-----------|----------|---------|-----|----------|--------|---------|---------|----------------|
| Prep Type | Type | Method | Run | Factor | Number | Analyst | Lab | or Analyzed |
| Total/NA | Prep | 5030C | | | 25372 | JP | EET ALB | 05/01/25 17:03 |
| Total/NA | Analysis | 8015M/D | | 1 | 25397 | AT | EET ALB | 05/02/25 18:54 |

Eurofins Albuquerque

Matrix: Solid

Matrix: Solid

Job ID: 885-24053-1

Project/Site: Val Verde GS

Client: Harvest

Client Sample ID: SS07@5.5

Lab Sample ID: 885-24053-4 Date Collected: 04/30/25 12:38

Matrix: Solid

Date Received: 05/01/25 07:10

| | Batch | Batch | | Dilution | Batch | | | Prepared |
|-----------|----------|----------|-----|----------|--------|---------|---------|----------------|
| Prep Type | Туре | Method | Run | Factor | Number | Analyst | Lab | or Analyzed |
| Total/NA | Prep | 5030C | | | 25372 | JP | EET ALB | 05/01/25 17:03 |
| Total/NA | Analysis | 8021B | | 1 | 25398 | AT | EET ALB | 05/02/25 18:54 |
| Total/NA | Prep | SHAKE | | | 25426 | MI | EET ALB | 05/02/25 12:59 |
| Total/NA | Analysis | 8015M/D | | 1 | 25465 | MI | EET ALB | 05/05/25 10:03 |
| Total/NA | Prep | 300_Prep | | | 25414 | RC | EET ALB | 05/02/25 11:06 |
| Total/NA | Analysis | 300.0 | | 20 | 25422 | JT | EET ALB | 05/02/25 16:32 |

Lab Sample ID: 885-24053-5 Client Sample ID: SS08@3

Date Collected: 04/30/25 13:10 **Matrix: Solid** Date Received: 05/01/25 07:10

Batch Batch Dilution Prepared Batch Prep Type Туре Method Run Factor **Number Analyst** Lab or Analyzed Total/NA Prep 5030C 25372 JP **EET ALB** 05/01/25 17:03 Total/NA 8015M/D 05/02/25 19:16 25397 AT **EET ALB** Analysis 1 Total/NA 5030C **EET ALB** 05/01/25 17:03 Prep 25372 JP Total/NA Analysis 8021B 25398 AT **EET ALB** 05/02/25 19:16 1 Total/NA **EET ALB** 05/02/25 12:59 Prep SHAKE 25426 MI Total/NA Analysis 8015M/D 1 25385 MI **EET ALB** 05/02/25 19:06 Total/NA 300 Prep **EET ALB** 05/02/25 11:06 Prep 25414 RC 05/02/25 17:03 Total/NA Analysis 300.0 20 25422 JT **EET ALB**

Client Sample ID: SS08@5 Lab Sample ID: 885-24053-6 Date Collected: 04/30/25 13:13 **Matrix: Solid**

Date Received: 05/01/25 07:10

| | Batch | Batch | | Dilution | Batch | | | Prepared |
|-----------|----------|----------|-----|----------|--------|---------|---------|----------------|
| Prep Type | Туре | Method | Run | Factor | Number | Analyst | Lab | or Analyzed |
| Total/NA | Prep | 5030C | | | 25372 | JP | EET ALB | 05/01/25 17:03 |
| Total/NA | Analysis | 8015M/D | | 1 | 25397 | AT | EET ALB | 05/02/25 19:37 |
| Total/NA | Prep | 5030C | | | 25372 | JP | EET ALB | 05/01/25 17:03 |
| Total/NA | Analysis | 8021B | | 1 | 25398 | AT | EET ALB | 05/02/25 19:37 |
| Total/NA | Prep | SHAKE | | | 25426 | MI | EET ALB | 05/02/25 12:59 |
| Total/NA | Analysis | 8015M/D | | 1 | 25465 | MI | EET ALB | 05/05/25 10:14 |
| Total/NA | Prep | 300_Prep | | | 25414 | RC | EET ALB | 05/02/25 11:06 |
| Total/NA | Analysis | 300.0 | | 20 | 25422 | JT | EET ALB | 05/02/25 17:13 |

Client Sample ID: SS09@4 Lab Sample ID: 885-24053-7

Date Collected: 04/30/25 13:20 Matrix: Solid Date Received: 05/01/25 07:10

| | Batch | Batch | | Dilution | Batch | | | Prepared |
|-----------|----------|---------|-----|----------|--------|---------|---------|----------------|
| Prep Type | Type | Method | Run | Factor | Number | Analyst | Lab | or Analyzed |
| Total/NA | Prep | 5030C | | | 25372 | JP | EET ALB | 05/01/25 17:03 |
| Total/NA | Analysis | 8015M/D | | 1 | 25397 | AT | EET ALB | 05/02/25 19:59 |
| Total/NA | Prep | 5030C | | | 25372 | JP | EET ALB | 05/01/25 17:03 |
| Total/NA | Analysis | 8021B | | 1 | 25398 | AT | EET ALB | 05/02/25 19:59 |

Eurofins Albuquerque

Job ID: 885-24053-1

Project/Site: Val Verde GS

Client: Harvest

Client Sample ID: SS09@4

Lab Sample ID: 885-24053-7

Matrix: Solid

Date Collected: 04/30/25 13:20 Date Received: 05/01/25 07:10

| | Batch | Batch | | Dilution | Batch | | | Prepared |
|-----------|----------|----------|-----|----------|--------|---------|---------|----------------|
| Prep Type | Туре | Method | Run | Factor | Number | Analyst | Lab | or Analyzed |
| Total/NA | Prep | SHAKE | | | 25426 | MI | EET ALB | 05/02/25 12:59 |
| Total/NA | Analysis | 8015M/D | | 1 | 25385 | MI | EET ALB | 05/02/25 19:27 |
| Total/NA | Prep | 300_Prep | | | 25414 | RC | EET ALB | 05/02/25 11:06 |
| Total/NA | Analysis | 300.0 | | 20 | 25422 | JT | EET ALB | 05/02/25 17:24 |

Lab Sample ID: 885-24053-8

Client Sample ID: SS09@5.5 Matrix: Solid

Date Collected: 04/30/25 13:25 Date Received: 05/01/25 07:10

| | Batch | Batch | | Dilution | Batch | | | Prepared |
|-----------|----------|----------|-----|----------|--------|---------|---------|----------------|
| Prep Type | Type | Method | Run | Factor | Number | Analyst | Lab | or Analyzed |
| Total/NA | Prep | 5030C | | | 25372 | JP | EET ALB | 05/01/25 17:03 |
| Total/NA | Analysis | 8015M/D | | 1 | 25397 | AT | EET ALB | 05/02/25 20:21 |
| Total/NA | Prep | 5030C | | | 25372 | JP | EET ALB | 05/01/25 17:03 |
| Total/NA | Analysis | 8021B | | 1 | 25398 | AT | EET ALB | 05/02/25 20:21 |
| Total/NA | Prep | SHAKE | | | 25426 | MI | EET ALB | 05/02/25 12:59 |
| Total/NA | Analysis | 8015M/D | | 1 | 25385 | MI | EET ALB | 05/02/25 19:38 |
| Total/NA | Prep | 300_Prep | | | 25414 | RC | EET ALB | 05/02/25 11:06 |
| Total/NA | Analysis | 300.0 | | 20 | 25422 | JT | EET ALB | 05/02/25 17:34 |

Laboratory References:

EET ALB = Eurofins Albuquerque, 4901 Hawkins NE, Albuquerque, NM 87109, TEL (505)345-3975

Page 20 of 23 5/6/2025 Released to Imaging: 10/14/2025 2:38:29 PM

Accreditation/Certification Summary

Client: Harvest Job ID: 885-24053-1

Project/Site: Val Verde GS

Laboratory: Eurofins Albuquerque

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

| Authority | Prog | ıram | Identification Number | Expiration Date |
|-----------------|--|----------------------------------|---|-------------------------|
| New Mexico | State | • | NM9425, NM0901 | 02-27-26 |
| , | are included in this report, loes not offer certification. | out the laboratory is not certif | fied by the governing authority. This lis | st may include analytes |
| Analysis Method | Prep Method | Matrix | Analyte | |
| 300.0 | 300_Prep | Solid | Chloride | |
| 8015M/D | 5030C | Solid | Gasoline Range Organics | [C6 - C10] |
| 8015M/D | SHAKE | Solid | Diesel Range Organics [C | 10-C28] |
| 8015M/D | SHAKE | Solid | Motor Oil Range Organics | [C28-C40] |
| 8021B | 5030C | Solid | Benzene | |
| 8021B | 5030C | Solid | Ethylbenzene | |
| 8021B | 5030C | Solid | Toluene | |
| 8021B | 5030C | Solid | Xylenes, Total | |
| Oregon | NEL | AP | NM100001 | 02-26-26 |

3

А

5

9

10

4 4

5/6/2025

Login Sample Receipt Checklist

Client: Harvest Job Number: 885-24053-1

Login Number: 24053 List Source: Eurofins Albuquerque

List Number: 1

Creator: Dominguez, Desiree

| Question | Answer | Comment |
|---|--------|---------|
| Radioactivity wasn't checked or is = background as measured by a survey meter.</td <td>N/A</td> <td></td> | N/A | |
| The cooler's custody seal, if present, is intact. | True | |
| Sample custody seals, if present, are intact. | True | |
| The cooler or samples do not appear to have been compromised or tampered with. | True | |
| Samples were received on ice. | True | |
| Cooler Temperature is acceptable. | True | |
| Cooler Temperature is recorded. | True | |
| COC is present. | True | |
| COC is filled out in ink and legible. | True | |
| COC is filled out with all pertinent information. | True | |
| Is the Field Sampler's name present on COC? | True | |
| There are no discrepancies between the containers received and the COC. | True | |
| Samples are received within Holding Time (excluding tests with immediate HTs) | True | |
| Sample containers have legible labels. | True | |
| Containers are not broken or leaking. | True | |
| Sample collection date/times are provided. | True | |
| Appropriate sample containers are used. | True | |
| Sample bottles are completely filled. | True | |
| Sample Preservation Verified. | N/A | |
| There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs | True | |
| Containers requiring zero headspace have no headspace or bubble is <6mm (1/4"). | True | |
| Multiphasic samples are not present. | True | |
| Samples do not require splitting or compositing. | True | |
| Residual Chlorine Checked. | N/A | |

ANALYTICAL REPORT

PREPARED FOR

Attn: Monica Smith Harvest 1755 Arroyo Dr. Bloomfield, New Mexico 87413

Generated 6/6/2025 11:33:44 AM

JOB DESCRIPTION

Val Verde Train 7

JOB NUMBER

885-25751-1

Eurofins Albuquerque 4901 Hawkins NE Albuquerque NM 87109

Eurofins Albuquerque

Job Notes

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing South Central, LLC Project Manager.

Authorization

Generated 6/6/2025 11:33:44 AM

Authorized for release by Michelle Garcia, Project Manager michelle.garcia@et.eurofinsus.com (505)345-3975

Page 2 of 28 6/6/2025

Client: Harvest

Laboratory Job ID: 885-25751-1

Project/Site: Val Verde Train 7

Table of Contents

| Cover Page | 1 |
|------------------------|----|
| Table of Contents | |
| Definitions/Glossary | 4 |
| Case Narrative | 5 |
| Client Sample Results | 6 |
| QC Sample Results | 16 |
| QC Association Summary | 19 |
| Lab Chronicle | 22 |
| Certification Summary | 26 |
| Chain of Custody | 27 |
| Receipt Checklists | 28 |

Definitions/Glossary

Client: Harvest Job ID: 885-25751-1

Project/Site: Val Verde Train 7

Glossary

MCL

| Abbreviation | These commonly used abbreviations may or may not be present in this report. |
|----------------|---|
| * | Listed under the "D" column to designate that the result is reported on a dry weight basis |
| %R | Percent Recovery |
| CFL | Contains Free Liquid |
| CFU | Colony Forming Unit |
| CNF | Contains No Free Liquid |
| DER | Duplicate Error Ratio (normalized absolute difference) |
| Dil Fac | Dilution Factor |
| DL | Detection Limit (DoD/DOE) |
| DL, RA, RE, IN | Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample |
| DLC | Decision Level Concentration (Radiochemistry) |
| EDL | Estimated Detection Limit (Dioxin) |
| LOD | Limit of Detection (DoD/DOE) |
| LOQ | Limit of Quantitation (DoD/DOE) |

MDA Minimum Detectable Activity (Radiochemistry) Minimum Detectable Concentration (Radiochemistry) MDC MDL Method Detection Limit Minimum Level (Dioxin)

MLMPN Most Probable Number MQL Method Quantitation Limit NC Not Calculated

Not Detected at the reporting limit (or MDL or EDL if shown) ND

EPA recommended "Maximum Contaminant Level"

NEG Negative / Absent POS Positive / Present PQL Practical Quantitation Limit

PRES Presumptive Quality Control QC

RER Relative Error Ratio (Radiochemistry)

Reporting Limit or Requested Limit (Radiochemistry) RL

RPD Relative Percent Difference, a measure of the relative difference between two points

TEF Toxicity Equivalent Factor (Dioxin) TEQ Toxicity Equivalent Quotient (Dioxin)

TNTC Too Numerous To Count

Eurofins Albuquerque

Case Narrative

Client: Harvest Job ID: 885-25751-1

Project: Val Verde Train 7

Job ID: 885-25751-1 **Eurofins Albuquerque**

Job Narrative 885-25751-1

Analytical test results meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page unless otherwise noted under the individual analysis. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable.

- Matrix QC may not be reported if insufficient sample is provided or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD may be performed, unless otherwise specified in the method.
- Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

Receipt

The samples were received on 5/30/2025 6:30 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 2.9°C.

Gasoline Range Organics

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Diesel Range Organics

Method 8015D DRO: The continuing calibration verification (CCV) associated with batch 885-27346 recovered above the upper control limit for Diesel Range Organics [C10-C28]. The samples associated with this CCV were non-detects for the affected analytes; therefore, the data have been reported. The associated samples are:SS11@4' (885-25751-7), SS11@5' (885-25751-8), SS12@7' (885-25751-9) and SS12@8' (885-25751-10). Re-running any samples with hits.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

HPLC/IC

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Albuquerque

Client: Harvest Job ID: 885-25751-1

Project/Site: Val Verde Train 7

Client Sample ID: SS07R@6'

Lab Sample ID: 885-25751-1

Matrix: Solid

Date Collected: 05/28/25 11:50 Date Received: 05/30/25 06:30

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------------------------|-----------|-----------|----------|-------|---|----------------|----------------|---------|
| Gasoline Range Organics [C6 - C10] | ND | | 5.0 | mg/Kg | | 05/30/25 09:27 | 06/04/25 21:15 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 101 | | 15 - 150 | | | 05/30/25 09:27 | 06/04/25 21:15 | |

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|-----------|-----------|--------|-------|---|----------------|----------------|---------|
| Benzene | ND | | 0.025 | mg/Kg | | 05/30/25 09:27 | 06/04/25 21:15 | 1 |
| Ethylbenzene | ND | | 0.050 | mg/Kg | | 05/30/25 09:27 | 06/04/25 21:15 | 1 |
| Toluene | ND | | 0.050 | mg/Kg | | 05/30/25 09:27 | 06/04/25 21:15 | 1 |
| Xylenes, Total | ND | | 0.099 | mg/Kg | | 05/30/25 09:27 | 06/04/25 21:15 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 1 Promofluorobonzono (Curr) | | | 15 150 | | | 05/20/25 00:27 | 06/04/25 21:15 | |

4-Bromofluorobenzene (Surr) 15 - 150 05/30/25 09:27

| Method: SW846 8015M/D - Diese | l Range Organ | ics (DRO) (| GC) | | | | | |
|------------------------------------|---------------|-------------|----------|-------|---|----------------|----------------|---------|
| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Diesel Range Organics [C10-C28] | ND | | 9.8 | mg/Kg | | 06/02/25 11:39 | 06/02/25 15:41 | 1 |
| Motor Oil Range Organics [C28-C40] | ND | | 49 | mg/Kg | | 06/02/25 11:39 | 06/02/25 15:41 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| Di-n-octyl phthalate (Surr) | 115 | | 62 - 134 | | | 06/02/25 11:39 | 06/02/25 15:41 | 1 |

| Method: EPA 300.0 - Anions, Ion Chromatography | | | | | | | | |
|--|----------|------------------|----|-------|---|----------------|----------------|---------|
| | Analyte | Result Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| | Chloride | ND | 60 | mg/Kg | | 06/01/25 12:21 | 06/01/25 18:03 | 20 |

Client: Harvest Job ID: 885-25751-1

Project/Site: Val Verde Train 7

Client Sample ID: SS07R@8'

Lab Sample ID: 885-25751-2

Matrix: Solid

Dil Fac

20

Analyzed

06/01/25 18:17

Date Collected: 05/28/25 12:05 Date Received: 05/30/25 06:30

Analyte

Chloride

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------------------------|--------------|-------------|----------|-------|---|----------------|----------------|---------|
| Gasoline Range Organics [C6 - C10] | ND | | 5.0 | mg/Kg | | 05/30/25 09:27 | 06/04/25 22:20 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 97 | | 15 - 150 | | | 05/30/25 09:27 | 06/04/25 22:20 | 1 |
| Method: SW846 8021B - Volatile (| Organic Comp | ounds (GC) |) | | | | | |
| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Benzene | ND | | 0.025 | mg/Kg | | 05/30/25 09:27 | 06/04/25 22:20 | 1 |
| Ethylbenzene | ND | | 0.050 | mg/Kg | | 05/30/25 09:27 | 06/04/25 22:20 | 1 |
| Toluene | ND | | 0.050 | mg/Kg | | 05/30/25 09:27 | 06/04/25 22:20 | 1 |
| Xylenes, Total | ND | | 0.099 | mg/Kg | | 05/30/25 09:27 | 06/04/25 22:20 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 92 | | 15 - 150 | | | 05/30/25 09:27 | 06/04/25 22:20 | 1 |
| Method: SW846 8015M/D - Diesel | Range Organ | ics (DRO) (| GC) | | | | | |
| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Diesel Range Organics [C10-C28] | ND | | 9.5 | mg/Kg | | 06/02/25 11:39 | 06/02/25 15:53 | 1 |
| Motor Oil Range Organics [C28-C40] | ND | | 48 | mg/Kg | | 06/02/25 11:39 | 06/02/25 15:53 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| Di-n-octyl phthalate (Surr) | 122 | | 62 - 134 | | | 06/02/25 11:39 | 06/02/25 15:53 | 1 |

RL

60

Result Qualifier

ND

Unit

mg/Kg

Prepared

06/01/25 12:21

Client: Harvest Job ID: 885-25751-1

Project/Site: Val Verde Train 7

Client Sample ID: SS10@2'

Lab Sample ID: 885-25751-3

Date Collected: 05/28/25 12:50 Matrix: Solid Date Received: 05/30/25 06:30

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------------------------|--------------|-------------|----------|-------|---|----------------|----------------|---------|
| Gasoline Range Organics [C6 - C10] | ND | | 5.0 | mg/Kg | | 05/30/25 09:27 | 06/04/25 23:25 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 99 | | 15 - 150 | | | 05/30/25 09:27 | 06/04/25 23:25 | 1 |
| Method: SW846 8021B - Volatile | Organic Comp | ounds (GC) |) | | | | | |
| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Benzene | ND | | 0.025 | mg/Kg | | 05/30/25 09:27 | 06/04/25 23:25 | 1 |
| Ethylbenzene | ND | | 0.050 | mg/Kg | | 05/30/25 09:27 | 06/04/25 23:25 | 1 |
| Toluene | ND | | 0.050 | mg/Kg | | 05/30/25 09:27 | 06/04/25 23:25 | 1 |
| Xylenes, Total | ND | | 0.10 | mg/Kg | | 05/30/25 09:27 | 06/04/25 23:25 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 93 | | 15 - 150 | | | 05/30/25 09:27 | 06/04/25 23:25 | 1 |
| Method: SW846 8015M/D - Diese | Range Organ | ics (DRO) (| GC) | | | | | |
| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Diesel Range Organics [C10-C28] | ND | | 10 | mg/Kg | | 06/02/25 11:39 | 06/02/25 16:05 | 1 |
| Motor Oil Range Organics [C28-C40] | ND | | 50 | mg/Kg | | 06/02/25 11:39 | 06/02/25 16:05 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| Di-n-octyl phthalate (Surr) | 111 | | 62 - 134 | | | 06/02/25 11:39 | 06/02/25 16:05 | 1 |
| Method: EPA 300.0 - Anions, Ion | Chromatograp | hy | | | | | | |
| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Chloride | ND | - | 61 | mg/Kg | | 06/01/25 12:21 | 06/01/25 18:30 | 20 |

Client: Harvest Job ID: 885-25751-1

Project/Site: Val Verde Train 7

| Date | Received: | 05/30/25 | 06:30 |
|-------------|-----------|----------|-------|

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------------------------|-----------|-----------|----------|-------|---|----------------|----------------|---------|
| Gasoline Range Organics [C6 - C10] | ND | | 4.9 | mg/Kg | | 05/30/25 09:27 | 06/04/25 23:47 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 97 | | 15 - 150 | | | 05/30/25 09:27 | 06/04/25 23:47 | 1 |

| 4-Bromofluorobenzene (Surr) | 97 | | 15 - 150 | | | 05/30/25 09:27 | 06/04/25 23:47 | 1 |
|-----------------------------|-------------------|------------|----------|-------|---|----------------|----------------|---------|
| | ile Organic Compo | ounds (GC) | | | | | | |
| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Benzene | ND | | 0.025 | mg/Kg | | 05/30/25 09:27 | 06/04/25 23:47 | 1 |
| Ethylbenzene | ND | | 0.049 | mg/Kg | | 05/30/25 09:27 | 06/04/25 23:47 | 1 |
| Toluene | ND | | 0.049 | mg/Kg | | 05/30/25 09:27 | 06/04/25 23:47 | 1 |
| Xylenes, Total | ND | | 0.098 | mg/Kg | | 05/30/25 09:27 | 06/04/25 23:47 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 92 | | 15 - 150 | | | 05/30/25 09:27 | 06/04/25 23:47 | 1 |

| Analyte | • | ics (DRO) ((Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------------------------|-----------|------------------------|----------|-------|-----|----------------|----------------|---------|
| <u> </u> | | Quanner | | | _ = | | | Diriac |
| Diesel Range Organics [C10-C28] | ND | | 9.9 | mg/Kg | | 06/02/25 11:39 | 06/02/25 16:17 | 1 |
| Motor Oil Range Organics [C28-C40] | ND | | 49 | mg/Kg | | 06/02/25 11:39 | 06/02/25 16:17 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| Di-n-octyl phthalate (Surr) | 115 | - | 62 - 134 | | | 06/02/25 11:39 | 06/02/25 16:17 | 1 |

| Method: EPA 300.0 - Anions, Ion C | hromatography | | | | | | |
|-----------------------------------|------------------|----|-------|---|----------------|----------------|---------|
| Analyte | Result Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Chloride | ND | 60 | mg/Kg | | 06/01/25 12:21 | 06/01/25 19:09 | 20 |

Client Sample ID: SS10@8' Lab Sample ID: 885-25751-4 Date Collected: 05/28/25 13:19 Matrix: Solid

Client: Harvest Job ID: 885-25751-1

Project/Site: Val Verde Train 7

Client Sample ID: SS08R@5'

Lab Sample ID: 885-25751-5

Dil Fac

20

Analyzed

06/01/25 19:22

| • | Gumpic | 000 | | ٠. | • |
|---|--------|-----|-------|-----|---|
| | | Ma | triv. | Sal | ы |

| Date Collected: | 05/28/25 14:12 |
|------------------------|----------------|
| Date Received: | 05/30/25 06:30 |

| Method: SW846 8015M/D - Gasol | ine Range Org | anics (GRC |)) (GC) | | | | | |
|------------------------------------|---------------|-------------|----------|-------|---|----------------|----------------|---------|
| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Gasoline Range Organics [C6 - C10] | ND | | 5.0 | mg/Kg | | 05/30/25 09:27 | 06/05/25 00:09 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 97 | | 15 - 150 | | | 05/30/25 09:27 | 06/05/25 00:09 | 1 |
| Method: SW846 8021B - Volatile | Organic Comp | ounds (GC) |) | | | | | |
| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Benzene | ND | | 0.025 | mg/Kg | | 05/30/25 09:27 | 06/05/25 00:09 | 1 |
| Ethylbenzene | ND | | 0.050 | mg/Kg | | 05/30/25 09:27 | 06/05/25 00:09 | 1 |
| Toluene | ND | | 0.050 | mg/Kg | | 05/30/25 09:27 | 06/05/25 00:09 | 1 |
| Xylenes, Total | ND | | 0.10 | mg/Kg | | 05/30/25 09:27 | 06/05/25 00:09 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 94 | | 15 _ 150 | | | 05/30/25 09:27 | 06/05/25 00:09 | 1 |
| - Method: SW846 8015M/D - Diese | l Range Organ | ics (DRO) (| GC) | | | | | |
| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Diesel Range Organics [C10-C28] | ND | | 9.8 | mg/Kg | | 06/02/25 11:39 | 06/02/25 16:29 | 1 |
| Motor Oil Range Organics [C28-C40] | ND | | 49 | mg/Kg | | 06/02/25 11:39 | 06/02/25 16:29 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| Di-n-octyl phthalate (Surr) | 118 | | 62 - 134 | | | 06/02/25 11:39 | 06/02/25 16:29 | 1 |

RL

60

Unit

mg/Kg

Prepared

06/01/25 12:21

Eurofins Albuquerque

Method: EPA 300.0 - Anions, Ion Chromatography

Analyte

Chloride

Result Qualifier

ND

Client: Harvest Job ID: 885-25751-1

Project/Site: Val Verde Train 7

Client Sample ID: SS08R@8'

Lab Sample ID: 885-25751-6 Date Collected: 05/28/25 14:27

Matrix: Solid

06/05/25 00:31

06/05/25 00:31

Date Received: 05/30/25 06:30

Toluene

Xylenes, Total

| Method: SW846 8015M/D - Gasol | ine Range Org | anics (GRC |)) (GC) | | | | | |
|------------------------------------|---------------|------------|----------|-------|---|----------------|----------------|---------|
| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Gasoline Range Organics [C6 - C10] | ND | | 5.0 | mg/Kg | | 05/30/25 09:27 | 06/05/25 00:31 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 103 | | 15 - 150 | | | 05/30/25 09:27 | 06/05/25 00:31 | 1 |
| Method: SW846 8021B - Volatile | Organic Comp | ounds (GC) |) | | | | | |
| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Benzene | ND | | 0.025 | mg/Kg | | 05/30/25 09:27 | 06/05/25 00:31 | 1 |
| Ethylbenzene | ND | | 0.050 | mg/Kg | | 05/30/25 09:27 | 06/05/25 00:31 | 1 |

| Surrogate | %Recovery Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|-----------------------------|---------------------|----------|----------------|----------------|---------|
| 4-Bromofluorobenzene (Surr) | 95 | 15 - 150 | 05/30/25 09:27 | 06/05/25 00:31 | 1 |

0.050

0.10

mg/Kg

mg/Kg

05/30/25 09:27

05/30/25 09:27

ND

ND

| Analyte | Result | ics (DRO) (Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------------------------|-----------|--------------------------|----------|-------|---|----------------|----------------|---------|
| Diesel Range Organics [C10-C28] | ND | | 9.6 | mg/Kg | | 06/02/25 11:39 | 06/02/25 16:41 | 1 |
| Motor Oil Range Organics [C28-C40] | ND | | 48 | mg/Kg | | 06/02/25 11:39 | 06/02/25 16:41 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| Di-n-octyl phthalate (Surr) | 126 | | 62 - 134 | | | 06/02/25 11:39 | 06/02/25 16:41 | 1 |

| Method: EPA 300.0 - Anions, Ion C | hromatography | | | | | | |
|-----------------------------------|------------------|----|-------|---|----------------|----------------|---------|
| Analyte | Result Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Chloride | ND ND | 60 | mg/Kg | | 06/01/25 12:21 | 06/01/25 19:35 | 20 |

Client: Harvest Job ID: 885-25751-1

Project/Site: Val Verde Train 7

Client Sample ID: SS11@4'
Date Collected: 05/28/25 14:54

Lab Sample ID: 885-25751-7

| - ap.o | | | • • • |
|--------|------|-------|-------|
| | Ma | triy. | Solid |

Date Received: 05/30/25 06:30

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------------------------|-----------|-----------|----------|-------|---|----------------|----------------|---------|
| Gasoline Range Organics [C6 - C10] | ND | | 5.0 | mg/Kg | | 05/30/25 09:27 | 06/05/25 00:53 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 101 | | 15 - 150 | | | 05/30/25 09:27 | 06/05/25 00:53 | 1 |

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|-----------|-----------|------------------|-------|---|----------------|----------------|---------|
| Benzene | ND | | 0.025 | mg/Kg | | 05/30/25 09:27 | 06/05/25 00:53 | 1 |
| Ethylbenzene | ND | | 0.050 | mg/Kg | | 05/30/25 09:27 | 06/05/25 00:53 | 1 |
| Toluene | ND | | 0.050 | mg/Kg | | 05/30/25 09:27 | 06/05/25 00:53 | 1 |
| Xylenes, Total | ND | | 0.10 | mg/Kg | | 05/30/25 09:27 | 06/05/25 00:53 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 96 | | <u> 15 - 150</u> | | | 05/30/25 09:27 | 06/05/25 00:53 | 1 |

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------------------------|-----------|-----------|----------|-------|---|----------------|----------------|---------|
| Diesel Range Organics [C10-C28] | ND | | 9.1 | mg/Kg | | 06/02/25 11:39 | 06/02/25 17:06 | 1 |
| Motor Oil Range Organics [C28-C40] | ND | | 46 | mg/Kg | | 06/02/25 11:39 | 06/02/25 17:06 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| Di-n-octyl phthalate (Surr) | 113 | | 62 - 134 | | | 06/02/25 11:39 | 06/02/25 17:06 | 1 |

| Method: EPA 300.0 - Anions, ion C | | | | | | | |
|-----------------------------------|------------------|----|-------|---|----------------|----------------|---------|
| Analyte | Result Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Chloride | ND ND | 60 | mg/Kg | | 06/01/25 12:21 | 06/01/25 19:49 | 20 |

Client Sample Results

Client: Harvest Job ID: 885-25751-1

Project/Site: Val Verde Train 7

Client Sample ID: SS11@5'

Lab Sample ID: 885-25751-8

Matrix: Solid

Dil Fac

20

Analyzed

06/01/25 20:02

Date Collected: 05/28/25 15:06 Date Received: 05/30/25 06:30

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------------------------|--------------|-------------|----------|-------|---|----------------|----------------|---------|
| Gasoline Range Organics [C6 - C10] | ND | | 4.8 | mg/Kg | | 05/30/25 09:27 | 06/05/25 01:15 | |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fa |
| 4-Bromofluorobenzene (Surr) | 102 | | 15 - 150 | | | 05/30/25 09:27 | 06/05/25 01:15 | |
| Method: SW846 8021B - Volatile (| Organic Comp | ounds (GC) |) | | | | | |
| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Benzene | ND | | 0.024 | mg/Kg | | 05/30/25 09:27 | 06/05/25 01:15 | |
| Ethylbenzene | ND | | 0.048 | mg/Kg | | 05/30/25 09:27 | 06/05/25 01:15 | • |
| Toluene | ND | | 0.048 | mg/Kg | | 05/30/25 09:27 | 06/05/25 01:15 | , |
| Xylenes, Total | ND | | 0.097 | mg/Kg | | 05/30/25 09:27 | 06/05/25 01:15 | |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fa |
| 4-Bromofluorobenzene (Surr) | 96 | | 15 - 150 | | | 05/30/25 09:27 | 06/05/25 01:15 | |
| Method: SW846 8015M/D - Diesel | Range Organ | ics (DRO) (| GC) | | | | | |
| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Diesel Range Organics [C10-C28] | ND | | 9.2 | mg/Kg | | 06/02/25 11:39 | 06/02/25 17:18 | |
| Motor Oil Range Organics [C28-C40] | ND | | 46 | mg/Kg | | 06/02/25 11:39 | 06/02/25 17:18 | • |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fa |
| Di-n-octyl phthalate (Surr) | 124 | | 62 - 134 | | | 06/02/25 11:39 | 06/02/25 17:18 | - |

RL

60

Unit

mg/Kg

Prepared

06/01/25 12:21

Method: EPA 300.0 - Anions, Ion Chromatography

Result Qualifier

ND

Analyte

Chloride

Client Sample Results

Client: Harvest Job ID: 885-25751-1

Project/Site: Val Verde Train 7

Client Sample ID: SS12@7'

Lab Sample ID: 885-25751-9

Matrix: Solid

| Date Collected: 05/28/25 16:09 |) |
|--------------------------------|---|
| Date Received: 05/30/25 06:30 |) |

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------------------------|-----------|-----------|----------|-------|---|----------------|----------------|---------|
| Gasoline Range Organics [C6 - C10] | ND | | 4.9 | mg/Kg | | 05/30/25 09:27 | 06/05/25 01:37 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 103 | | 15 - 150 | | | 05/30/25 09:27 | 06/05/25 01:37 | 1 |

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|-----------|-----------|----------|-------|---|----------------|----------------|---------|
| Benzene | ND | | 0.025 | mg/Kg | | 05/30/25 09:27 | 06/05/25 01:37 | 1 |
| Ethylbenzene | ND | | 0.049 | mg/Kg | | 05/30/25 09:27 | 06/05/25 01:37 | 1 |
| Toluene | ND | | 0.049 | mg/Kg | | 05/30/25 09:27 | 06/05/25 01:37 | 1 |
| Xylenes, Total | ND | | 0.099 | mg/Kg | | 05/30/25 09:27 | 06/05/25 01:37 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 96 | | 15 - 150 | | | 05/30/25 09:27 | 06/05/25 01:37 | 1 |

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------------------------|-----------|-----------|----------|-------|---|----------------|----------------|---------|
| Diesel Range Organics [C10-C28] | ND | | 9.3 | mg/Kg | | 06/02/25 11:39 | 06/02/25 17:30 | 1 |
| Motor Oil Range Organics [C28-C40] | ND | | 46 | mg/Kg | | 06/02/25 11:39 | 06/02/25 17:30 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| Di-n-octyl phthalate (Surr) | 111 | | 62 - 134 | | | 06/02/25 11:39 | 06/02/25 17:30 | 1 |

| Method: EPA 300.0 - Anions, Ion C | hromatography | | | | | | |
|-----------------------------------|------------------|----|-------|---|----------------|----------------|---------|
| Analyte | Result Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Chloride | ND | 60 | mg/Kg | | 06/01/25 12:21 | 06/01/25 20:15 | 20 |

1

3

7

8

10

Job ID: 885-25751-1

Project/Site: Val Verde Train 7

Client: Harvest

Client Sample ID: SS12@8'

Lab Sample ID: 885-25751-10

Date Collected: 05/28/25 16:13 Matrix: Solid Date Received: 05/30/25 06:30

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------------------------|---------------|-------------|----------|-------|---|----------------|----------------|---------|
| Gasoline Range Organics [C6 - C10] | ND | | 5.0 | mg/Kg | | 05/30/25 09:27 | 06/05/25 01:59 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 100 | | 15 - 150 | | | 05/30/25 09:27 | 06/05/25 01:59 | 1 |
| Method: SW846 8021B - Volatile | Organic Comp | ounds (GC) |) | | | | | |
| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Benzene | ND | | 0.025 | mg/Kg | | 05/30/25 09:27 | 06/05/25 01:59 | 1 |
| Ethylbenzene | ND | | 0.050 | mg/Kg | | 05/30/25 09:27 | 06/05/25 01:59 | 1 |
| Toluene | ND | | 0.050 | mg/Kg | | 05/30/25 09:27 | 06/05/25 01:59 | 1 |
| Xylenes, Total | ND | | 0.099 | mg/Kg | | 05/30/25 09:27 | 06/05/25 01:59 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 94 | | 15 - 150 | | | 05/30/25 09:27 | 06/05/25 01:59 | 1 |
| Method: SW846 8015M/D - Diese | I Range Organ | ics (DRO) (| GC) | | | | | |
| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Diesel Range Organics [C10-C28] | ND | | 10 | mg/Kg | | 06/02/25 11:39 | 06/02/25 17:42 | 1 |
| Motor Oil Range Organics [C28-C40] | ND | | 50 | mg/Kg | | 06/02/25 11:39 | 06/02/25 17:42 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| Di-n-octyl phthalate (Surr) | 107 | | 62 - 134 | | | 06/02/25 11:39 | 06/02/25 17:42 | 1 |
| Method: EPA 300.0 - Anions, Ion | Chromatograp | hy | | | | | | |
| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Chloride | ND | | 61 | mg/Kg | | 06/02/25 08:28 | 06/02/25 18:40 | 20 |

Prep Batch: 27234

Job ID: 885-25751-1 Client: Harvest

Project/Site: Val Verde Train 7

Method: 8015M/D - Gasoline Range Organics (GRO) (GC)

Lab Sample ID: MB 885-27234/1-A Client Sample ID: Method Blank **Matrix: Solid** Prep Type: Total/NA

Analysis Batch: 27645

MB MB Analyte Result Qualifier RLUnit D Prepared Analyzed Dil Fac Gasoline Range Organics [C6 - C10] ND 5.0 mg/Kg 05/30/25 09:26 06/04/25 20:53

MB MB

LCS LCS

Surrogate %Recovery Qualifier Limits Prepared Analyzed Dil Fac 4-Bromofluorobenzene (Surr) 97 15 - 150 05/30/25 09:26 06/04/25 20:53

Lab Sample ID: LCS 885-27234/2-A Client Sample ID: Lab Control Sample Prep Type: Total/NA

Matrix: Solid

Analysis Batch: 27645

Prep Batch: 27234 Spike LCS LCS %Rec Analyte Added Result Qualifier Unit %Rec Limits 25.0 28.2 113 70 - 130 Gasoline Range Organics [C6 mg/Kg

C10]

%Recovery Qualifier Surrogate

Limits 4-Bromofluorobenzene (Surr) 215 15 - 150

Lab Sample ID: 885-25751-1 MS Client Sample ID: SS07R@6' Prep Type: Total/NA

Matrix: Solid

Analysis Batch: 27645

Prep Batch: 27234 Sample Sample Spike MS MS Result Qualifier Added Qualifier Analyte Result Unit D %Rec Limits 24.9 106 70 - 130 Gasoline Range Organics [C6 -ND 26.4 mg/Kg

C10] MS MS

Surrogate %Recovery Qualifier Limits 4-Bromofluorobenzene (Surr) 208 15 - 150

Lab Sample ID: 885-25751-1 MSD

Matrix: Solid

Analysis Batch: 27645

Prep Batch: 27234 Sample Sample MSD MSD RPD Spike %Rec Result Qualifier Qualifier babbA RPD Limit Analyte Result %Rec Limits Unit Gasoline Range Organics [C6 -ND 24.9 25.9 mg/Kg 104 70 - 130 20

C10]

MSD MSD %Recovery Surrogate Qualifier Limits

15 - 150 4-Bromofluorobenzene (Surr) 207

Method: 8021B - Volatile Organic Compounds (GC)

Matrix: Solid Prep Type: Total/NA **Analysis Batch: 27646** Prep Batch: 27234

| | MB | MB | | | | | | |
|--------------|--------|-----------|-------|-------|---|----------------|----------------|---------|
| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Benzene | ND | | 0.025 | mg/Kg | _ | 05/30/25 09:26 | 06/04/25 20:53 | 1 |
| Ethylbenzene | ND | | 0.050 | mg/Kg | | 05/30/25 09:26 | 06/04/25 20:53 | 1 |
| Toluene | ND | | 0.050 | mg/Kg | | 05/30/25 09:26 | 06/04/25 20:53 | 1 |

Eurofins Albuquerque

Page 16 of 28

Released to Imaging: 10/14/2025 2:38:29 PM

Lab Sample ID: MB 885-27234/1-A Client Sample ID: Method Blank

Client Sample ID: SS07R@6'

Prep Type: Total/NA

Job ID: 885-25751-1 Client: Harvest

Project/Site: Val Verde Train 7

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: MB 885-27234/1-A **Matrix: Solid**

Analysis Batch: 27646

Client Sample ID: Method Blank

Prep Type: Total/NA Prep Batch: 27234

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|----------------|--------|-----------|------|-------|---|----------------|----------------|---------|
| Xylenes, Total | ND | | 0.10 | mg/Kg | | 05/30/25 09:26 | 06/04/25 20:53 | 1 |
| | | | | | | | | |

MR MR

MB MB

Surrogate %Recovery Qualifier Limits Prepared Analyzed Dil Fac 4-Bromofluorobenzene (Surr) 93 15 - 150 05/30/25 09:26 06/04/25 20:53

Lab Sample ID: LCS 885-27234/3-A Client Sample ID: Lab Control Sample

Matrix: Solid Prep Type: Total/NA Analysis Batch: 27646 Prep Batch: 27234

LCS LCS Spike %Rec Analyte Added Result Qualifier Unit %Rec Limits Benzene 1.00 0.975 mg/Kg 98 70 - 130 Ethylbenzene 1.00 0.988 mg/Kg 99 70 - 130 Toluene 1.00 0.952 mg/Kg 95 70 - 130 Xylenes, Total 3.00 2.98 mg/Kg 70 - 130

15 - 150

LCS LCS Qualifier Limits %Recovery

111

97

Lab Sample ID: 885-25751-2 MSD

Matrix: Solid

Surrogate

Analysis Batch: 27646

4-Bromofluorobenzene (Surr)

Client Sample ID: SS07R@8' Prep Type: Total/NA Prep Batch: 27234

| | Sample | Sample | Spike | MSD | MSD | | | | %Rec | | RPD |
|----------------|--------|-----------|-------|--------|-----------|-------|---|------|----------|-----|-------|
| Analyte | Result | Qualifier | Added | Result | Qualifier | Unit | D | %Rec | Limits | RPD | Limit |
| Benzene | ND | | 0.991 | 0.912 | - | mg/Kg | | 92 | 70 - 130 | 2 | 20 |
| Ethylbenzene | ND | | 0.991 | 0.933 | | mg/Kg | | 94 | 70 - 130 | 1 | 20 |
| Toluene | ND | | 0.991 | 0.905 | | mg/Kg | | 91 | 70 - 130 | 1 | 20 |
| Xylenes, Total | ND | | 2.97 | 2.80 | | mg/Kg | | 94 | 70 - 130 | 2 | 20 |
| | | | | | | | | | | | |

MSD MSD Surrogate %Recovery Qualifier Limits 4-Bromofluorobenzene (Surr) 95 15 - 150

Method: 8015M/D - Diesel Range Organics (DRO) (GC)

Lab Sample ID: MB 885-27365/1-A

Matrix: Solid

Analysis Batch: 27346

Di-n-octyl phthalate (Surr)

Client Sample ID: Method Blank Prep Type: Total/NA Prep Batch: 27365

06/02/25 11:39

| • | MB | MB | | | | | • | |
|------------------------------------|-----------|-----------|--------|-------|---|----------------|----------------|---------|
| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Diesel Range Organics [C10-C28] | ND | | 10 | mg/Kg | | 06/02/25 11:39 | 06/02/25 14:28 | 1 |
| Motor Oil Range Organics [C28-C40] | ND | | 50 | mg/Kg | | 06/02/25 11:39 | 06/02/25 14:28 | 1 |
| | МВ | MB | | | | | | |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |

62 - 134

Eurofins Albuquerque

06/02/25 14:28

Lab Sample ID: LCS 885-27365/2-A

Job ID: 885-25751-1

Project/Site: Val Verde Train 7

Analysis Batch: 27346

Method: 8015M/D - Diesel Range Organics (DRO) (GC) (Continued)

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 27365

Prep Batch: 27321

Prep Type: Total/NA

Prep Type: Total/NA

Prep Type: Total/NA

104

90 - 110

Prep Batch: 27339

Prep Batch: 27321

Spike LCS LCS Qualifier Analyte Added Result Unit %Rec Limits Diesel Range Organics 50.0 49.0 mg/Kg 98 51 - 148

[C10-C28]

Client: Harvest

Matrix: Solid

LCS LCS

%Recovery Surrogate Qualifier Limits 62 - 134 Di-n-octyl phthalate (Surr) 117

Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: MB 885-27321/1-A Client Sample ID: Method Blank Prep Type: Total/NA

Matrix: Solid

Analysis Batch: 27322

мв мв

Analyte Result Qualifier RL Unit Dil Fac D Prepared Analyzed Chloride 3.0 mg/Kg 06/01/25 12:21 06/01/25 13:34 ND

Lab Sample ID: LCS 885-27321/2-A Client Sample ID: Lab Control Sample

Matrix: Solid

Analysis Batch: 27322

Spike LCS LCS %Rec Added Analyte Result Qualifier %Rec Limits Unit D Chloride 30.0 31.9 mg/Kg 106 90 - 110

Lab Sample ID: MB 885-27339/1-A Client Sample ID: Method Blank

Matrix: Solid

Analysis Batch: 27344

мв мв Analyte Result Qualifier RL Unit D Prepared Analyzed Dil Fac Chloride ND 1.5 mg/Kg 06/02/25 08:28 06/02/25 09:53

Lab Sample ID: LCS 885-27339/2-A **Client Sample ID: Lab Control Sample**

15.5

mg/Kg

Matrix: Solid

Chloride

Analysis Batch: 27344

Prep Batch: 27339 LCS LCS Spike %Rec Analyte Added Result Qualifier Unit %Rec Limits

15.0

Client: Harvest Job ID: 885-25751-1

Project/Site: Val Verde Train 7

GC VOA

Prep Batch: 27234

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|-------------------|--------------------|-----------|--------|--------|------------|
| 885-25751-1 | SS07R@6' | Total/NA | Solid | 5030C | |
| 885-25751-2 | SS07R@8' | Total/NA | Solid | 5030C | |
| 885-25751-3 | SS10@2' | Total/NA | Solid | 5030C | |
| 885-25751-4 | SS10@8' | Total/NA | Solid | 5030C | |
| 885-25751-5 | SS08R@5' | Total/NA | Solid | 5030C | |
| 885-25751-6 | SS08R@8' | Total/NA | Solid | 5030C | |
| 885-25751-7 | SS11@4' | Total/NA | Solid | 5030C | |
| 885-25751-8 | SS11@5' | Total/NA | Solid | 5030C | |
| 885-25751-9 | SS12@7' | Total/NA | Solid | 5030C | |
| 885-25751-10 | SS12@8' | Total/NA | Solid | 5030C | |
| MB 885-27234/1-A | Method Blank | Total/NA | Solid | 5030C | |
| LCS 885-27234/2-A | Lab Control Sample | Total/NA | Solid | 5030C | |
| LCS 885-27234/3-A | Lab Control Sample | Total/NA | Solid | 5030C | |
| 885-25751-1 MS | SS07R@6' | Total/NA | Solid | 5030C | |
| 885-25751-1 MSD | SS07R@6' | Total/NA | Solid | 5030C | |
| 885-25751-2 MSD | SS07R@8' | Total/NA | Solid | 5030C | |

Analysis Batch: 27645

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|-------------------|--------------------|-----------|--------|---------|------------|
| 885-25751-1 | SS07R@6' | Total/NA | Solid | 8015M/D | 27234 |
| 885-25751-2 | SS07R@8' | Total/NA | Solid | 8015M/D | 27234 |
| 885-25751-3 | SS10@2' | Total/NA | Solid | 8015M/D | 27234 |
| 885-25751-4 | SS10@8' | Total/NA | Solid | 8015M/D | 27234 |
| 885-25751-5 | SS08R@5' | Total/NA | Solid | 8015M/D | 27234 |
| 885-25751-6 | SS08R@8' | Total/NA | Solid | 8015M/D | 27234 |
| 885-25751-7 | SS11@4' | Total/NA | Solid | 8015M/D | 27234 |
| 885-25751-8 | SS11@5' | Total/NA | Solid | 8015M/D | 27234 |
| 885-25751-9 | SS12@7' | Total/NA | Solid | 8015M/D | 27234 |
| 885-25751-10 | SS12@8' | Total/NA | Solid | 8015M/D | 27234 |
| MB 885-27234/1-A | Method Blank | Total/NA | Solid | 8015M/D | 27234 |
| LCS 885-27234/2-A | Lab Control Sample | Total/NA | Solid | 8015M/D | 27234 |
| 885-25751-1 MS | SS07R@6' | Total/NA | Solid | 8015M/D | 27234 |
| 885-25751-1 MSD | SS07R@6' | Total/NA | Solid | 8015M/D | 27234 |

Analysis Batch: 27646

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|-------------------|--------------------|-----------|--------|--------|------------|
| 885-25751-1 | SS07R@6' | Total/NA | Solid | 8021B | 27234 |
| 885-25751-2 | SS07R@8' | Total/NA | Solid | 8021B | 27234 |
| 885-25751-3 | SS10@2' | Total/NA | Solid | 8021B | 27234 |
| 885-25751-4 | SS10@8' | Total/NA | Solid | 8021B | 27234 |
| 885-25751-5 | SS08R@5' | Total/NA | Solid | 8021B | 27234 |
| 885-25751-6 | SS08R@8' | Total/NA | Solid | 8021B | 27234 |
| 885-25751-7 | SS11@4' | Total/NA | Solid | 8021B | 27234 |
| 885-25751-8 | SS11@5' | Total/NA | Solid | 8021B | 27234 |
| 885-25751-9 | SS12@7' | Total/NA | Solid | 8021B | 27234 |
| 885-25751-10 | SS12@8' | Total/NA | Solid | 8021B | 27234 |
| MB 885-27234/1-A | Method Blank | Total/NA | Solid | 8021B | 27234 |
| LCS 885-27234/3-A | Lab Control Sample | Total/NA | Solid | 8021B | 27234 |
| 885-25751-2 MSD | SS07R@8' | Total/NA | Solid | 8021B | 27234 |

Eurofins Albuquerque

1

O —

1

q

Client: Harvest Job ID: 885-25751-1

Project/Site: Val Verde Train 7

GC Semi VOA

Analysis Batch: 27346

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|-------------------|--------------------|-----------|--------|---------|------------|
| 885-25751-1 | SS07R@6' | Total/NA | Solid | 8015M/D | 27365 |
| 885-25751-2 | SS07R@8' | Total/NA | Solid | 8015M/D | 27365 |
| 885-25751-3 | SS10@2' | Total/NA | Solid | 8015M/D | 27365 |
| 885-25751-4 | SS10@8' | Total/NA | Solid | 8015M/D | 27365 |
| 885-25751-5 | SS08R@5' | Total/NA | Solid | 8015M/D | 27365 |
| 885-25751-6 | SS08R@8' | Total/NA | Solid | 8015M/D | 27365 |
| 885-25751-7 | SS11@4' | Total/NA | Solid | 8015M/D | 27365 |
| 885-25751-8 | SS11@5' | Total/NA | Solid | 8015M/D | 27365 |
| 885-25751-9 | SS12@7' | Total/NA | Solid | 8015M/D | 27365 |
| 885-25751-10 | SS12@8' | Total/NA | Solid | 8015M/D | 27365 |
| MB 885-27365/1-A | Method Blank | Total/NA | Solid | 8015M/D | 27365 |
| LCS 885-27365/2-A | Lab Control Sample | Total/NA | Solid | 8015M/D | 27365 |

Prep Batch: 27365

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|-------------------|--------------------|-----------|--------|--------|------------|
| 885-25751-1 | SS07R@6' | Total/NA | Solid | SHAKE | |
| 885-25751-2 | SS07R@8' | Total/NA | Solid | SHAKE | |
| 885-25751-3 | SS10@2' | Total/NA | Solid | SHAKE | |
| 885-25751-4 | SS10@8' | Total/NA | Solid | SHAKE | |
| 885-25751-5 | SS08R@5' | Total/NA | Solid | SHAKE | |
| 885-25751-6 | SS08R@8' | Total/NA | Solid | SHAKE | |
| 885-25751-7 | SS11@4' | Total/NA | Solid | SHAKE | |
| 885-25751-8 | SS11@5' | Total/NA | Solid | SHAKE | |
| 885-25751-9 | SS12@7' | Total/NA | Solid | SHAKE | |
| 885-25751-10 | SS12@8' | Total/NA | Solid | SHAKE | |
| MB 885-27365/1-A | Method Blank | Total/NA | Solid | SHAKE | |
| LCS 885-27365/2-A | Lab Control Sample | Total/NA | Solid | SHAKE | |

HPLC/IC

Prep Batch: 27321

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|-------------------|--------------------|-----------|--------|----------|------------|
| 885-25751-1 | SS07R@6' | Total/NA | Solid | 300_Prep | |
| 885-25751-2 | SS07R@8' | Total/NA | Solid | 300_Prep | |
| 885-25751-3 | SS10@2' | Total/NA | Solid | 300_Prep | |
| 885-25751-4 | SS10@8' | Total/NA | Solid | 300_Prep | |
| 885-25751-5 | SS08R@5' | Total/NA | Solid | 300_Prep | |
| 885-25751-6 | SS08R@8' | Total/NA | Solid | 300_Prep | |
| 885-25751-7 | SS11@4' | Total/NA | Solid | 300_Prep | |
| 885-25751-8 | SS11@5' | Total/NA | Solid | 300_Prep | |
| 885-25751-9 | SS12@7' | Total/NA | Solid | 300_Prep | |
| MB 885-27321/1-A | Method Blank | Total/NA | Solid | 300_Prep | |
| LCS 885-27321/2-A | Lab Control Sample | Total/NA | Solid | 300 Prep | |

Analysis Batch: 27322

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---------------|------------------|-----------|--------|--------|------------|
| 885-25751-1 | SS07R@6' | Total/NA | Solid | 300.0 | 27321 |
| 885-25751-2 | SS07R@8' | Total/NA | Solid | 300.0 | 27321 |
| 885-25751-3 | SS10@2' | Total/NA | Solid | 300.0 | 27321 |
| 885-25751-4 | SS10@8' | Total/NA | Solid | 300.0 | 27321 |
| 885-25751-5 | SS08R@5' | Total/NA | Solid | 300.0 | 27321 |

Eurofins Albuquerque

7365

7

q

10

Client: Harvest Job ID: 885-25751-1

Project/Site: Val Verde Train 7

HPLC/IC (Continued)

Analysis Batch: 27322 (Continued)

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|-------------------|--------------------|-----------|--------|--------|------------|
| 885-25751-6 | SS08R@8' | Total/NA | Solid | 300.0 | 27321 |
| 885-25751-7 | SS11@4' | Total/NA | Solid | 300.0 | 27321 |
| 885-25751-8 | SS11@5' | Total/NA | Solid | 300.0 | 27321 |
| 885-25751-9 | SS12@7' | Total/NA | Solid | 300.0 | 27321 |
| MB 885-27321/1-A | Method Blank | Total/NA | Solid | 300.0 | 27321 |
| LCS 885-27321/2-A | Lab Control Sample | Total/NA | Solid | 300.0 | 27321 |

Prep Batch: 27339

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|-------------------|--------------------|-----------|--------|----------|------------|
| 885-25751-10 | SS12@8' | Total/NA | Solid | 300_Prep | |
| MB 885-27339/1-A | Method Blank | Total/NA | Solid | 300_Prep | |
| LCS 885-27339/2-A | Lab Control Sample | Total/NA | Solid | 300_Prep | |

Analysis Batch: 27344

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|-------------------|--------------------|-----------|--------|--------|------------|
| 885-25751-10 | SS12@8' | Total/NA | Solid | 300.0 | 27339 |
| MB 885-27339/1-A | Method Blank | Total/NA | Solid | 300.0 | 27339 |
| LCS 885-27339/2-A | Lab Control Sample | Total/NA | Solid | 300.0 | 27339 |

4

5

7

8

3

10

Client: Harvest

Client Sample ID: SS07R@6'

Date Collected: 05/28/25 11:50 Date Received: 05/30/25 06:30 Lab Sample ID: 885-25751-1

Matrix: Solid

| | Batch | Batch | | Dilution | Batch | | | Prepared |
|-----------|----------|----------|-----|----------|--------|---------|---------|----------------|
| Prep Type | Type | Method | Run | Factor | Number | Analyst | Lab | or Analyzed |
| Total/NA | Prep | 5030C | | | 27234 | JE | EET ALB | 05/30/25 09:27 |
| Total/NA | Analysis | 8015M/D | | 1 | 27645 | AT | EET ALB | 06/04/25 21:15 |
| Total/NA | Prep | 5030C | | | 27234 | JE | EET ALB | 05/30/25 09:27 |
| Total/NA | Analysis | 8021B | | 1 | 27646 | AT | EET ALB | 06/04/25 21:15 |
| Total/NA | Prep | SHAKE | | | 27365 | MI | EET ALB | 06/02/25 11:39 |
| Total/NA | Analysis | 8015M/D | | 1 | 27346 | EM | EET ALB | 06/02/25 15:41 |
| Total/NA | Prep | 300_Prep | | | 27321 | JT | EET ALB | 06/01/25 12:21 |
| Total/NA | Analysis | 300.0 | | 20 | 27322 | JT | EET ALB | 06/01/25 18:03 |

Client Sample ID: SS07R@8'

Date Collected: 05/28/25 12:05

Date Received: 05/30/25 06:30

Lab Sample ID: 885-25751-2

Matrix: Solid

| | Batch | Batch | | Dilution | Batch | | | Prepared |
|-----------|----------|----------|-----|----------|--------|---------|---------|----------------|
| Prep Type | Type | Method | Run | Factor | Number | Analyst | Lab | or Analyzed |
| Total/NA | Prep | 5030C | | | 27234 | JE | EET ALB | 05/30/25 09:27 |
| Total/NA | Analysis | 8015M/D | | 1 | 27645 | AT | EET ALB | 06/04/25 22:20 |
| Total/NA | Prep | 5030C | | | 27234 | JE | EET ALB | 05/30/25 09:27 |
| Total/NA | Analysis | 8021B | | 1 | 27646 | AT | EET ALB | 06/04/25 22:20 |
| Total/NA | Prep | SHAKE | | | 27365 | MI | EET ALB | 06/02/25 11:39 |
| Total/NA | Analysis | 8015M/D | | 1 | 27346 | EM | EET ALB | 06/02/25 15:53 |
| Total/NA | Prep | 300_Prep | | | 27321 | JT | EET ALB | 06/01/25 12:21 |
| Total/NA | Analysis | 300.0 | | 20 | 27322 | JT | EET ALB | 06/01/25 18:17 |

Client Sample ID: SS10@2'

Date Collected: 05/28/25 12:50

Date Received: 05/30/25 06:30

| _ab Sam | ple l | D: 88 | 35-257 | 51-3 |
|---------|-------|-------|---------------|------|
|---------|-------|-------|---------------|------|

Matrix: Solid

| | Batch | Batch | | Dilution | Batch | | | Prepared |
|-----------|----------|----------|-----|----------|--------|---------|---------|----------------|
| Prep Type | Type | Method | Run | Factor | Number | Analyst | Lab | or Analyzed |
| Total/NA | Prep | 5030C | | | 27234 | JE | EET ALB | 05/30/25 09:27 |
| Total/NA | Analysis | 8015M/D | | 1 | 27645 | AT | EET ALB | 06/04/25 23:25 |
| Total/NA | Prep | 5030C | | | 27234 | JE | EET ALB | 05/30/25 09:27 |
| Total/NA | Analysis | 8021B | | 1 | 27646 | AT | EET ALB | 06/04/25 23:25 |
| Total/NA | Prep | SHAKE | | | 27365 | MI | EET ALB | 06/02/25 11:39 |
| Total/NA | Analysis | 8015M/D | | 1 | 27346 | EM | EET ALB | 06/02/25 16:05 |
| Total/NA | Prep | 300_Prep | | | 27321 | JT | EET ALB | 06/01/25 12:21 |
| Total/NA | Analysis | 300.0 | | 20 | 27322 | JT | EET ALB | 06/01/25 18:30 |

Client Sample ID: SS10@8'

Date Collected: 05/28/25 13:19

Date Received: 05/30/25 06:30

| Lab Samp | ole ID: 885-25751-4 | |
|----------|---------------------|--|
|----------|---------------------|--|

Matrix: Solid

| | Batch | Batch | | Dilution | Batch | | | Prepared |
|-----------|----------|---------|-----|----------|--------|---------|---------|----------------|
| Prep Type | Type | Method | Run | Factor | Number | Analyst | Lab | or Analyzed |
| Total/NA | Prep | 5030C | | | 27234 | JE | EET ALB | 05/30/25 09:27 |
| Total/NA | Analysis | 8015M/D | | 1 | 27645 | AT | EET ALB | 06/04/25 23:47 |

Client: Harvest

Client Sample ID: SS10@8'

Date Collected: 05/28/25 13:19 Date Received: 05/30/25 06:30

Lab Sample ID: 885-25751-4

Matrix: Solid

| | Batch | Batch | | Dilution | Batch | | | Prepared |
|-----------|----------|----------|-----|----------|--------|---------|---------|----------------|
| Prep Type | Туре | Method | Run | Factor | Number | Analyst | Lab | or Analyzed |
| Total/NA | Prep | 5030C | | | 27234 | JE | EET ALB | 05/30/25 09:27 |
| Total/NA | Analysis | 8021B | | 1 | 27646 | AT | EET ALB | 06/04/25 23:47 |
| Total/NA | Prep | SHAKE | | | 27365 | MI | EET ALB | 06/02/25 11:39 |
| Total/NA | Analysis | 8015M/D | | 1 | 27346 | EM | EET ALB | 06/02/25 16:17 |
| Total/NA | Prep | 300_Prep | | | 27321 | JT | EET ALB | 06/01/25 12:21 |
| Total/NA | Analysis | 300.0 | | 20 | 27322 | JT | EET ALB | 06/01/25 19:09 |

Client Sample ID: SS08R@5'

Date Collected: 05/28/25 14:12 Date Received: 05/30/25 06:30

Lab Sample ID: 885-25751-5

Matrix: Solid

Batch Batch Dilution Prepared Batch Prep Type Туре Method Run Factor **Number Analyst** Lab or Analyzed Total/NA Prep 5030C 27234 JE **EET ALB** 05/30/25 09:27 Total/NA 8015M/D 06/05/25 00:09 27645 AT **EET ALB** Analysis 1 Total/NA 5030C **EET ALB** 05/30/25 09:27 Prep 27234 JE Total/NA Analysis 8021B 27646 AT **EET ALB** 06/05/25 00:09 1 Total/NA **EET ALB** 06/02/25 11:39 Prep SHAKE 27365 MI Total/NA Analysis 8015M/D 1 27346 EM **EET ALB** 06/02/25 16:29 Total/NA 300 Prep 27321 JT **EET ALB** 06/01/25 12:21 Prep 06/01/25 19:22 Total/NA Analysis 300.0 20 27322 JT **EET ALB**

Client Sample ID: SS08R@8'

Date Collected: 05/28/25 14:27 Date Received: 05/30/25 06:30

Lab Sample ID: 885-25751-6

| | Batch | Batch | | Dilution | Batch | | | Prepared |
|-----------|----------|----------|-----|----------|--------|---------|---------|----------------|
| Prep Type | Type | Method | Run | Factor | Number | Analyst | Lab | or Analyzed |
| Total/NA | Prep | 5030C | | | 27234 | JE | EET ALB | 05/30/25 09:27 |
| Total/NA | Analysis | 8015M/D | | 1 | 27645 | AT | EET ALB | 06/05/25 00:31 |
| Total/NA | Prep | 5030C | | | 27234 | JE | EET ALB | 05/30/25 09:27 |
| Total/NA | Analysis | 8021B | | 1 | 27646 | AT | EET ALB | 06/05/25 00:31 |
| Total/NA | Prep | SHAKE | | | 27365 | MI | EET ALB | 06/02/25 11:39 |
| Total/NA | Analysis | 8015M/D | | 1 | 27346 | EM | EET ALB | 06/02/25 16:41 |
| Total/NA | Prep | 300_Prep | | | 27321 | JT | EET ALB | 06/01/25 12:21 |
| Total/NA | Analysis | 300.0 | | 20 | 27322 | JT | EET ALB | 06/01/25 19:35 |

Client Sample ID: SS11@4'

Date Collected: 05/28/25 14:54

Date Received: 05/30/25 06:30

Lab Sample ID: 885-25751-7

Matrix: Solid

| | Batch | Batch | | Dilution | Batch | | | Prepared |
|-----------|----------|---------|-----|----------|--------|---------|---------|----------------|
| Prep Type | Туре | Method | Run | Factor | Number | Analyst | Lab | or Analyzed |
| Total/NA | Prep | 5030C | | | 27234 | JE | EET ALB | 05/30/25 09:27 |
| Total/NA | Analysis | 8015M/D | | 1 | 27645 | AT | EET ALB | 06/05/25 00:53 |
| Total/NA | Prep | 5030C | | | 27234 | JE | EET ALB | 05/30/25 09:27 |
| Total/NA | Analysis | 8021B | | 1 | 27646 | AT | EET ALB | 06/05/25 00:53 |

Eurofins Albuquerque

Matrix: Solid

Client: Harvest

Client Sample ID: SS11@4'

Date Collected: 05/28/25 14:54 Date Received: 05/30/25 06:30

Lab Sample ID: 885-25751-7

Matrix: Solid

| | Batch | Batch | | Dilution | Batch | | | Prepared |
|-----------|----------|----------|-----|----------|--------|---------|---------|----------------|
| Prep Type | Type | Method | Run | Factor | Number | Analyst | Lab | or Analyzed |
| Total/NA | Prep | SHAKE | | | 27365 | MI | EET ALB | 06/02/25 11:39 |
| Total/NA | Analysis | 8015M/D | | 1 | 27346 | EM | EET ALB | 06/02/25 17:06 |
| Total/NA | Prep | 300_Prep | | | 27321 | JT | EET ALB | 06/01/25 12:21 |
| Total/NA | Analysis | 300.0 | | 20 | 27322 | JT | EET ALB | 06/01/25 19:49 |

Client Sample ID: SS11@5' Lab Sample ID: 885-25751-8 Date Collected: 05/28/25 15:06 Matrix: Solid

Date Received: 05/30/25 06:30

Batch Batch Dilution Batch Prepared **Prep Type** Туре Method Run Factor Number Analyst Lab or Analyzed Total/NA 5030C 27234 JE EET ALB 05/30/25 09:27 Prep 06/05/25 01:15 Total/NA 8015M/D Analysis 27645 AT **EET ALB** 1 Total/NA Prep 5030C 27234 JE **EET ALB** 05/30/25 09:27 8021B Total/NA 27646 AT **EET ALB** 06/05/25 01:15 Analysis 1 Total/NA SHAKE **EET ALB** 06/02/25 11:39 Prep 27365 MI Total/NA Analysis 8015M/D 27346 EM **EET ALB** 06/02/25 17:18 1 Total/NA 300_Prep **EET ALB** 06/01/25 12:21 Prep 27321 JT Total/NA Analysis 300.0 20 27322 JT **EET ALB** 06/01/25 20:02

Client Sample ID: SS12@7' Lab Sample ID: 885-25751-9

Date Collected: 05/28/25 16:09 **Matrix: Solid** Date Received: 05/30/25 06:30

| | Batch | Batch | | Dilution | Batch | | | Prepared |
|-----------|----------|----------|-----|----------|--------|---------|---------|----------------|
| Prep Type | Туре | Method | Run | Factor | Number | Analyst | Lab | or Analyzed |
| Total/NA | Prep | 5030C | | | 27234 | JE | EET ALB | 05/30/25 09:27 |
| Total/NA | Analysis | 8015M/D | | 1 | 27645 | AT | EET ALB | 06/05/25 01:37 |
| Total/NA | Prep | 5030C | | | 27234 | JE | EET ALB | 05/30/25 09:27 |
| Total/NA | Analysis | 8021B | | 1 | 27646 | AT | EET ALB | 06/05/25 01:37 |
| Total/NA | Prep | SHAKE | | | 27365 | MI | EET ALB | 06/02/25 11:39 |
| Total/NA | Analysis | 8015M/D | | 1 | 27346 | EM | EET ALB | 06/02/25 17:30 |
| Total/NA | Prep | 300_Prep | | | 27321 | JT | EET ALB | 06/01/25 12:21 |
| Total/NA | Analysis | 300.0 | | 20 | 27322 | JT | EET ALB | 06/01/25 20:15 |

Client Sample ID: SS12@8' Lab Sample ID: 885-25751-10 Date Collected: 05/28/25 16:13 **Matrix: Solid**

Date Received: 05/30/25 06:30

| | Batch | Batch | | Dilution | Batch | | | Prepared |
|-----------|----------|---------|-----|----------|--------|---------|---------|----------------|
| Prep Type | Type | Method | Run | Factor | Number | Analyst | Lab | or Analyzed |
| Total/NA | Prep | 5030C | | | 27234 | JE | EET ALB | 05/30/25 09:27 |
| Total/NA | Analysis | 8015M/D | | 1 | 27645 | AT | EET ALB | 06/05/25 01:59 |
| Total/NA | Prep | 5030C | | | 27234 | JE | EET ALB | 05/30/25 09:27 |
| Total/NA | Analysis | 8021B | | 1 | 27646 | AT | EET ALB | 06/05/25 01:59 |
| Total/NA | Prep | SHAKE | | | 27365 | MI | EET ALB | 06/02/25 11:39 |
| Total/NA | Analysis | 8015M/D | | 1 | 27346 | EM | EET ALB | 06/02/25 17:42 |

Lab Chronicle

Client: Harvest Job ID: 885-25751-1

Project/Site: Val Verde Train 7

Client Sample ID: SS12@8' Lab Sample ID: 885-25751-10

Date Collected: 05/28/25 16:13 Matrix: Solid

Date Received: 05/30/25 06:30

| | Batch | Batch | | Dilution | Batch | | | Prepared |
|-----------|----------|----------|-----|----------|--------|---------|---------|----------------|
| Prep Type | Type | Method | Run | Factor | Number | Analyst | Lab | or Analyzed |
| Total/NA | Prep | 300_Prep | | | 27339 | DL | EET ALB | 06/02/25 08:28 |
| Total/NA | Analysis | 300.0 | | 20 | 27344 | DL | EET ALB | 06/02/25 18:40 |

Laboratory References:

EET ALB = Eurofins Albuquerque, 4901 Hawkins NE, Albuquerque, NM 87109, TEL (505)345-3975

6

g

10

Accreditation/Certification Summary

Client: Harvest Job ID: 885-25751-1

Project/Site: Val Verde Train 7

Laboratory: Eurofins Albuquerque

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

| Authority | thority Program | | Identification Number | r Expiration Date | |
|-----------------|--------------------------------|---------------------------------|--|------------------------|--|
| New Mexico | State | | NM9425, NM0901 | 02-27-26 | |
| , | are included in this report, b | ut the laboratory is not certif | ied by the governing authority. This lis | t may include analytes | |
| Analysis Method | Prep Method | Matrix | Analyte | | |
| 300.0 | 300_Prep | Solid | Chloride | | |
| 8015M/D | 5030C | Solid | Gasoline Range Organics | [C6 - C10] | |
| 8015M/D | SHAKE | Solid | Diesel Range Organics [C | 10-C28] | |
| 8015M/D | SHAKE | Solid | Motor Oil Range Organics | [C28-C40] | |
| 8021B | 5030C | Solid | Benzene | | |
| 8021B | 5030C | Solid | Ethylbenzene | | |
| 8021B | 5030C | Solid | Toluene | | |
| 8021B | 5030C | Solid | Xylenes, Total | | |
| Oregon | NELA | ·Ρ | NM100001 | 02-26-26 | |

Login Sample Receipt Checklist

Client: Harvest Job Number: 885-25751-1

Login Number: 25751 List Source: Eurofins Albuquerque

List Number: 1

Creator: Casarrubias, Tracy

| Question | Answer | Comment |
|---|--------|---------|
| Radioactivity wasn't checked or is = background as measured by a survey neter.</td <td>N/A</td> <td></td> | N/A | |
| The cooler's custody seal, if present, is intact. | True | |
| Sample custody seals, if present, are intact. | True | |
| The cooler or samples do not appear to have been compromised or ampered with. | True | |
| Samples were received on ice. | True | |
| Cooler Temperature is acceptable. | True | |
| Cooler Temperature is recorded. | True | |
| COC is present. | True | |
| COC is filled out in ink and legible. | True | |
| COC is filled out with all pertinent information. | True | |
| s the Field Sampler's name present on COC? | True | |
| here are no discrepancies between the containers received and the COC. | True | |
| Samples are received within Holding Time (excluding tests with immediate HTs) | True | |
| Sample containers have legible labels. | True | |
| Containers are not broken or leaking. | True | |
| Sample collection date/times are provided. | True | |
| Appropriate sample containers are used. | True | |
| Sample bottles are completely filled. | True | |
| Sample Preservation Verified. | N/A | |
| There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs | True | |
| Containers requiring zero headspace have no headspace or bubble is 6mm (1/4"). | True | |
| fultiphasic samples are not present. | True | |
| Samples do not require splitting or compositing. | True | |
| Residual Chlorine Checked. | N/A | |
| | | |

107

5

6

10

4 4

6/6/2025

PREPARED FOR

Attn: Jennifer Deal Harvest 1755 Arroyo Dr. Bloomfield, New Mexico 87413

Generated 10/1/2025 11:58:41 AM

JOB DESCRIPTION

Val Verde GP

JOB NUMBER

885-33973-1

Eurofins Albuquerque 4901 Hawkins NE Albuquerque NM 87109

Eurofins Albuquerque

Job Notes

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing South Central, LLC Project Manager.

Authorization

Generated 10/1/2025 11:58:41 AM

Authorized for release by Michelle Garcia, Project Manager michelle.garcia@et.eurofinsus.com (505)345-3975 Q

9

Client: Harvest
Laboratory Job ID: 885-33973-1
Project/Site: Val Verde GP

Table of Contents

| Cover Page | 1 |
|------------------------|----|
| Table of Contents | 3 |
| Definitions/Glossary | 4 |
| Case Narrative | 5 |
| Client Sample Results | 6 |
| QC Sample Results | 7 |
| QC Association Summary | 11 |
| Lab Chronicle | 13 |
| Certification Summary | 14 |
| Chain of Custody | 16 |
| Receipt Checklists | 18 |

Definitions/Glossary

Client: Harvest Job ID: 885-33973-1

Project/Site: Val Verde GP

Qualifiers

GC Semi VOA

Qualifier Description

F1 MS and/or MSD recovery exceeds control limits.

F2 MS/MSD RPD exceeds control limits

Glossary

Abbreviation These commonly used abbreviations may or may not be present in this report.

Listed under the "D" column to designate that the result is reported on a dry weight basis

%R Percent Recovery

CFL Contains Free Liquid

CFU Colony Forming Unit

CNF Contains No Free Liquid

DER Duplicate Error Ratio (normalized absolute difference)

Dil Fac Dilution Factor

DL Detection Limit (DoD/DOE)

DL, RA, RE, IN Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample

DLC Decision Level Concentration (Radiochemistry)

EDL Estimated Detection Limit (Dioxin)

LOD Limit of Detection (DoD/DOE)

LOQ Limit of Quantitation (DoD/DOE)

MCL EPA recommended "Maximum Contaminant Level"

MDA Minimum Detectable Activity (Radiochemistry)

MDC Minimum Detectable Concentration (Radiochemistry)

MDL Method Detection Limit
ML Minimum Level (Dioxin)
MPN Most Probable Number
MQL Method Quantitation Limit

NC Not Calculated

ND Not Detected at the reporting limit (or MDL or EDL if shown)

NEG Negative / Absent
POS Positive / Present

PQL Practical Quantitation Limit

PRES Presumptive
QC Quality Control

RER Relative Error Ratio (Radiochemistry)

RL Reporting Limit or Requested Limit (Radiochemistry)

RPD Relative Percent Difference, a measure of the relative difference between two points

TEF Toxicity Equivalent Factor (Dioxin)
TEQ Toxicity Equivalent Quotient (Dioxin)

TNTC Too Numerous To Count

Case Narrative

Client: Harvest Job ID: 885-33973-1

Project: Val Verde GP

Job ID: 885-33973-1 Eurofins Albuquerque

Job Narrative 885-33973-1

The analytical test results presented in this report meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page, unless otherwise noted. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable. Regulated compliance samples (e.g. SDWA, NPDES) must comply with associated agency requirements/permits.

- Matrix-specific batch QC (e.g., MS, MSD, SD) may not be reported when insufficient sample volume is available or when site-specific QC samples are not submitted. In such cases, a Laboratory Control Sample Duplicate (LCSD) may be analyzed to provide precision data for the batch.
- For samples analyzed using surrogate and/or isotope dilution analytes, any recoveries falling outside of established acceptance criteria are re-prepared and/or re-analyzed to confirm results, unless the deviation is due to sample dilution or otherwise explained in the case narrative.

Receipt

The sample was received on 9/24/2025 7:18 AM. Unless otherwise noted below, the sample arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 1.4°C.

Gasoline Range Organics

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

GC VOA

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Diesel Range Organics

Method 8015D_DRO: The matrix spike / matrix spike duplicate (MS/MSD) recoveries for preparation batch 885-35416 and analytical batch 885-35475 were outside control limits for one or more analytes. See QC Sample Results for detail. Sample matrix interference and/or non-homogeneity are suspected because the associated laboratory control sample (LCS) recovery is within acceptance limits.

Method 8015D_DRO: The matrix spike / matrix spike duplicate / sample duplicate (MS/MSD/DUP) precision for preparation batch 885-35416 and analytical batch 885-35475 was outside control limits. Sample matrix interference and/or non-homogeneity are suspected because the associated laboratory control sample / laboratory control sample duplicate (LCS/LCSD) precision was within acceptance limits.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

GC Semi VOA

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

HPLC/IC

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Albuquerque

3

4

J

7

10

Job ID: 885-33973-1

Project/Site: Val Verde GP

Client: Harvest

Client Sample ID: CS01 Lab Sample ID: 885-33973-1

Date Collected: 09/23/25 12:55 Matrix: Solid

Date Received: 09/24/25 07:18

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fa |
|---|--|---|--|----------------------------------|----------|--|--|-------------|
| Gasoline Range Organics [C6 - C10] | ND | | 4.9 | mg/Kg | | 09/25/25 13:04 | 09/27/25 04:26 | |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 93 | | 15 - 150 | | | 09/25/25 13:04 | 09/27/25 04:26 | 1 |
| Method: SW846 8021B - Volatile | Organic Comp | ounds (GC) |) | | | | | |
| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fa |
| Benzene | ND | | 0.025 | mg/Kg | | 09/25/25 13:04 | 09/27/25 04:26 | |
| Ethylbenzene | ND | | 0.049 | mg/Kg | | 09/25/25 13:04 | 09/27/25 04:26 | 1 |
| Toluene | ND | | 0.049 | mg/Kg | | 09/25/25 13:04 | 09/27/25 04:26 | 1 |
| Xylenes, Total | ND | | 0.098 | mg/Kg | | 09/25/25 13:04 | 09/27/25 04:26 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 93 | | 15 - 150 | | | 09/25/25 13:04 | 09/27/25 04:26 | |
| Analyte Diethylene glycol | Result ND | on (GC/FID) Qualifier | RL 52 | Unit mg/Kg | <u>D</u> | Prepared | Analyzed 09/29/25 15:43 | |
| Analyte Diethylene glycol | Result ND | , | RL 52 | mg/Kg | <u>D</u> | Prepared | 09/29/25 15:43 | |
| Method: SW846 8015C - Glycols- Analyte Diethylene glycol Ethylene glycol Propylene glycol | Result ND ND ND | Qualifier | RL 52 15 10 | mg/Kg mg/Kg mg/Kg | <u>D</u> | Prepared | 09/29/25 15:43 09/29/25 15:43 09/29/25 15:43 | 1 |
| Analyte Diethylene glycol Ethylene glycol Propylene glycol | Result ND ND | Qualifier | RL 52 15 | mg/Kg mg/Kg | <u>D</u> | Prepared | 09/29/25 15:43 09/29/25 15:43 | |
| Analyte Diethylene glycol Ethylene glycol Propylene glycol Triethylene Glycol | Result ND ND ND | Qualifier | RL 52 15 10 | mg/Kg mg/Kg mg/Kg | <u>D</u> | Prepared Prepared | 09/29/25 15:43 09/29/25 15:43 09/29/25 15:43 | Dil Fac |
| Analyte Diethylene glycol Ethylene glycol | Result ND ND ND ND | Qualifier F2 | 52 15 10 56 | mg/Kg mg/Kg mg/Kg | <u>D</u> | | 09/29/25 15:43 09/29/25 15:43 09/29/25 15:43 09/29/25 15:43 | Dil Fa |
| Analyte Diethylene glycol Ethylene glycol Propylene glycol Triethylene Glycol Surrogate | Result ND ND ND ND ND 80 81 | Qualifier F2 Qualifier | 15 10 56 Limits 5 - 131 | mg/Kg mg/Kg mg/Kg | <u> </u> | | 09/29/25 15:43 09/29/25 15:43 09/29/25 15:43 09/29/25 15:43 Analyzed | Dil Fa |
| Analyte Diethylene glycol Ethylene glycol Propylene glycol Triethylene Glycol Surrogate Tetramethylene glycol (Surr) Method: SW846 8015M/D - Diese | Result ND ND ND ND ND ST ND ND ND ND 1 Range Organ | Qualifier F2 Qualifier | 15 10 56 Limits 5 - 131 | mg/Kg mg/Kg mg/Kg | <u>D</u> | | 09/29/25 15:43 09/29/25 15:43 09/29/25 15:43 09/29/25 15:43 Analyzed | Dil Fac |
| Analyte Diethylene glycol Ethylene glycol Propylene glycol Triethylene Glycol Surrogate Tetramethylene glycol (Surr) Method: SW846 8015M/D - Diese Analyte | Result ND ND ND ND ND ST ND ND ND ND 1 Range Organ | Qualifier F2 Qualifier ics (DRO) (| RL 52 15 10 56 Limits 5 - 131 | mg/Kg mg/Kg mg/Kg mg/Kg | <u> </u> | Prepared | 09/29/25 15:43 09/29/25 15:43 09/29/25 15:43 09/29/25 15:43 Analyzed 09/29/25 15:43 | Dil Fac |
| Analyte Diethylene glycol Ethylene glycol Propylene glycol Triethylene Glycol Surrogate Tetramethylene glycol (Surr) Method: SW846 8015M/D - Diese Analyte Diesel Range Organics [C10-C28] | Result ND ND ND ND SRecovery 81 I Range Organ Result | Qualifier F2 Qualifier ics (DRO) (Qualifier | RL 52 15 10 56 Limits 5 - 131 GC) | mg/Kg mg/Kg mg/Kg mg/Kg | <u> </u> | Prepared Prepared | 09/29/25 15:43 09/29/25 15:43 09/29/25 15:43 09/29/25 15:43 Analyzed 09/29/25 15:43 Analyzed | Dil Fa |
| Analyte Diethylene glycol Ethylene glycol Propylene glycol Triethylene Glycol Surrogate Tetramethylene glycol (Surr) Method: SW846 8015M/D - Diese Analyte Diesel Range Organics [C10-C28] Motor Oil Range Organics [C28-C40] | Result ND ND ND ND ND 1 Result 14 | Qualifier F2 Qualifier ics (DRO) (Qualifier | RL 52 15 10 56 Limits 5 - 131 GC) RL 9.2 | mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg | <u> </u> | Prepared Prepared 09/25/25 14:36 | 09/29/25 15:43 09/29/25 15:43 09/29/25 15:43 09/29/25 15:43 Analyzed 09/29/25 15:43 Analyzed 09/29/25 15:43 | Dil Fa |
| Analyte Diethylene glycol Ethylene glycol Propylene glycol Triethylene Glycol Surrogate Tetramethylene glycol (Surr) Method: SW846 8015M/D - Diese Analyte Diesel Range Organics [C10-C28] Motor Oil Range Organics [C28-C40] Surrogate | Result ND ND ND ND **Recovery 81 I Range Organ Result 14 ND | Qualifier F2 Qualifier ics (DRO) (Qualifier) F1 F2 | RL 52 15 10 56 Limits 5 - 131 GC) RL 9.2 46 | mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg | <u> </u> | Prepared Prepared 09/25/25 14:36 09/25/25 14:36 | 09/29/25 15:43 09/29/25 15:43 09/29/25 15:43 09/29/25 15:43 Analyzed 09/29/25 15:43 Analyzed 09/26/25 16:25 09/26/25 16:25 | Dil Fac |
| Analyte Diethylene glycol Ethylene glycol Propylene glycol Triethylene Glycol Surrogate Tetramethylene glycol (Surr) Method: SW846 8015M/D - Diese Analyte Diesel Range Organics [C10-C28] Motor Oil Range Organics [C28-C40] Surrogate Di-n-octyl phthalate (Surr) | Result ND ND ND ND **Recovery 81 I Range Organ Result 14 ND **Recovery 89 | Qualifier F2 Qualifier ics (DRO) (Qualifier F1 F2 Qualifier | RL 52 15 10 56 Limits 5 - 131 GC) RL 9.2 46 Limits | mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg | <u> </u> | Prepared Prepared 09/25/25 14:36 09/25/25 14:36 Prepared | 09/29/25 15:43 09/29/25 15:43 09/29/25 15:43 09/29/25 15:43 Analyzed 09/29/25 15:43 Analyzed 09/26/25 16:25 09/26/25 16:25 Analyzed | Dil Fac |
| Analyte Diethylene glycol Ethylene glycol Propylene glycol Triethylene Glycol Surrogate Tetramethylene glycol (Surr) | Result ND ND ND ND **Recovery 81 I Range Organ Result 14 ND **Recovery 89 Chromatograp | Qualifier F2 Qualifier ics (DRO) (Qualifier F1 F2 Qualifier | RL 52 15 10 56 Limits 5 - 131 GC) RL 9.2 46 Limits | mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg | <u> </u> | Prepared Prepared 09/25/25 14:36 09/25/25 14:36 Prepared | 09/29/25 15:43 09/29/25 15:43 09/29/25 15:43 09/29/25 15:43 Analyzed 09/29/25 15:43 Analyzed 09/26/25 16:25 09/26/25 16:25 Analyzed | 1 1 1 |

Prep Batch: 35407

Client: Harvest Job ID: 885-33973-1

Project/Site: Val Verde GP

Method: 8015M/D - Gasoline Range Organics (GRO) (GC)

Lab Sample ID: MB 885-35407/1-A Client Sample ID: Method Blank **Matrix: Solid** Prep Type: Total/NA

Analysis Batch: 35506

мв мв Analyte Result Qualifier RL Unit D Prepared Analyzed Dil Fac Gasoline Range Organics [C6 - C10] ND 5.0 mg/Kg 09/25/25 13:04 09/26/25 15:10

MB MB

Surrogate %Recovery Qualifier Limits Prepared Analyzed Dil Fac 4-Bromofluorobenzene (Surr) 94 15 - 150 09/25/25 13:04 09/26/25 15:10

Lab Sample ID: LCS 885-35407/2-A Client Sample ID: Lab Control Sample Prep Type: Total/NA

Matrix: Solid

Analysis Batch: 35506

Prep Batch: 35407 Spike LCS LCS %Rec Added Result Qualifier Unit D %Rec Limits

Analyte 25.0 23.8 95 70 - 130 mg/Kg Gasoline Range Organics [C6 -

C10]

LCS LCS

Surrogate %Recovery Qualifier Limits 15 - 150 4-Bromofluorobenzene (Surr) 190

Method: 8021B - Volatile Organic Compounds (GC)

Lab Sample ID: MB 885-35407/1-A Client Sample ID: Method Blank

Matrix: Solid

Prep Type: Total/NA Analysis Batch: 35507 Prep Batch: 35407

MB MB

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|----------------|--------|-----------|-----|-------|---|----------------|----------------|---------|
| Benzene | ND | 0.0 |)25 | mg/Kg | _ | 09/25/25 13:04 | 09/26/25 15:10 | 1 |
| Ethylbenzene | ND | 0.0 | 50 | mg/Kg | | 09/25/25 13:04 | 09/26/25 15:10 | 1 |
| Toluene | ND | 0.0 | 50 | mg/Kg | | 09/25/25 13:04 | 09/26/25 15:10 | 1 |
| Xylenes, Total | ND | 0 | .10 | mg/Kg | | 09/25/25 13:04 | 09/26/25 15:10 | 1 |
| | | | | | | | | |

MB MB

%Recovery Qualifier Limits Dil Fac Surrogate Prepared Analyzed 15 - 150 09/25/25 13:04 09/26/25 15:10 4-Bromofluorobenzene (Surr) 91

Lab Sample ID: LCS 885-35407/3-A

Matrix: Solid Prep Type: Total/NA

Analysis Batch: 35507 Prep Batch: 35407 LCS LCS Snike %Rec

| | Opino | | | | | | 701100 | |
|----------------|-------|--------|-----------|-------|---|------|----------|--|
| Analyte | Added | Result | Qualifier | Unit | D | %Rec | Limits | |
| Benzene | 1.00 | 0.952 | | mg/Kg | | 95 | 70 - 130 | |
| Ethylbenzene | 1.00 | 0.949 | | mg/Kg | | 95 | 70 - 130 | |
| Toluene | 1.00 | 0.943 | | mg/Kg | | 94 | 70 - 130 | |
| Xylenes, Total | 3.00 | 2.81 | | mg/Kg | | 94 | 70 - 130 | |

LCS LCS

%Recovery Qualifier Limits Surrogate 4-Bromofluorobenzene (Surr) 93 15 - 150

Eurofins Albuquerque

Client Sample ID: Lab Control Sample

Client: Harvest Job ID: 885-33973-1

Project/Site: Val Verde GP

Method: 8015C - Glycols- Direct Injection (GC/FID)

Lab Sample ID: MB 410-706119/1-A

Analysis Batch: 706225

Matrix: Solid

Client Sample ID: Method Blank

Prep Type: Soluble

| | MB | MR | | | | | | |
|--------------------|--------|-----------|----|-------|---|----------|----------------|---------|
| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Diethylene glycol | ND | | 52 | mg/Kg | | | 09/29/25 15:15 | 1 |
| Ethylene glycol | ND | | 15 | mg/Kg | | | 09/29/25 15:15 | 1 |
| Propylene glycol | ND | | 10 | mg/Kg | | | 09/29/25 15:15 | 1 |
| Triethylene Glycol | ND | | 56 | mg/Kg | | | 09/29/25 15:15 | 1 |
| | | | | | | | | |

MB MB

Dil Fac Surrogate Qualifier Limits Prepared %Recovery Analyzed Tetramethylene glycol (Surr) 82 5 - 131 09/29/25 15:15

Lab Sample ID: LCS 410-706119/2-A **Client Sample ID: Lab Control Sample Matrix: Solid Prep Type: Soluble**

Analysis Batch: 706225

LCS LCS %Rec Spike Analyte Added Result Qualifier Unit %Rec Limits D Diethylene glycol 99.7 94.6 mg/Kg 95 57 - 121 Ethylene glycol 99.3 99.7 76 - 124 mg/Kg 100 Propylene glycol 99.2 101 mg/Kg 101 74 - 124 Triethylene Glycol 104 116 mg/Kg 112 10 - 151

LCS LCS %Recovery Qualifier Surrogate Limits Tetramethylene glycol (Surr) 112 5 - 131

Lab Sample ID: 885-33973-1 MS

Matrix: Solid

Analysis Batch: 706225

| Analysis Baton, 100220 | | | | | | | | | | |
|------------------------|--------|-----------|-------|--------|-----------|-------|---|------|----------|--|
| | Sample | Sample | Spike | MS | MS | | | | %Rec | |
| Analyte | Result | Qualifier | Added | Result | Qualifier | Unit | D | %Rec | Limits | |
| Diethylene glycol | ND | | 99.1 | 92.8 | | mg/Kg | | 94 | 57 - 121 | |
| Ethylene glycol | ND | | 98.7 | 94.4 | | mg/Kg | | 96 | 76 - 124 | |
| Propylene glycol | ND | | 98.6 | 98.2 | | mg/Kg | | 100 | 74 - 124 | |
| Triethylene Glycol | ND | F2 | 103 | 87.3 | | mg/Kg | | 85 | 10 - 151 | |

MS MS

Surrogate %Recovery Qualifier Limits Tetramethylene glycol (Surr) 108 5 - 131

Analysis Batch: 706225

Lab Sample ID: 885-33973-1 MSD Client Sample ID: CS01 **Matrix: Solid Prep Type: Soluble**

| | Sample | Sample | Spike | MSD | MSD | | | | %Rec | | RPD |
|--------------------|--------|-----------|-------|--------|-----------|-------|---|------|----------|-----|-------|
| Analyte | Result | Qualifier | Added | Result | Qualifier | Unit | D | %Rec | Limits | RPD | Limit |
| Diethylene glycol | ND | | 99.2 | 93.7 | - | mg/Kg | | 94 | 57 - 121 | 1 | 20 |
| Ethylene glycol | ND | | 98.8 | 94.6 | | mg/Kg | | 96 | 76 - 124 | 0 | 20 |
| Propylene glycol | ND | | 98.7 | 92.8 | | mg/Kg | | 94 | 74 - 124 | 6 | 20 |
| Triethylene Glycol | ND | F2 | 103 | 126 | F2 | mg/Kg | | 122 | 10 - 151 | 36 | 20 |

| | MSD | MSD | |
|------------------------------|-----------|-----------|---------|
| Surrogate | %Recovery | Qualifier | Limits |
| Tetramethylene glycol (Surr) | 105 | - | 5 - 131 |

Eurofins Albuquerque

Client Sample ID: CS01

Prep Type: Soluble

QC Sample Results

Job ID: 885-33973-1 Client: Harvest

Project/Site: Val Verde GP

Method: 8015M/D - Diesel Range Organics (DRO) (GC)

Lab Sample ID: MB 885-35416/1-A **Matrix: Solid**

Lab Sample ID: LCS 885-35416/2-A

Analysis Batch: 35380

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 35416

Analyte Result Qualifier RLUnit D Prepared Analyzed Dil Fac Diesel Range Organics [C10-C28] ND 10 mg/Kg 09/25/25 14:35 09/25/25 15:49 Motor Oil Range Organics [C28-C40] ND 50 mg/Kg 09/25/25 14:35 09/25/25 15:49

MB MB

MB MB

Qualifier Limits Dil Fac Surrogate %Recovery Prepared Analyzed Di-n-octyl phthalate (Surr) 88 62 - 134 09/25/25 14:35 09/25/25 15:49

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 35416

Spike LCS LCS Analyte Added Result Qualifier Unit D %Rec Limits 50.0 44.6 89 51 - 148 Diesel Range Organics mg/Kg

[C10-C28]

Matrix: Solid

Analysis Batch: 35380

Analysis Batch: 35475

LCS LCS

Surrogate %Recovery Qualifier Limits Di-n-octyl phthalate (Surr) 89 62 - 134

Lab Sample ID: 885-33973-1 MS Client Sample ID: CS01 **Matrix: Solid**

Prep Type: Total/NA Prep Batch: 35416

MS MS %Rec Sample Sample Spike

Analyte Result Qualifier Added Result Qualifier Unit D %Rec Limits F1 F2 47.9 85.3 F1 **Diesel Range Organics** 14 mg/Kg 148 44 - 136

[C10-C28]

MS MS

%Recovery Qualifier Limits Surrogate Di-n-octyl phthalate (Surr) 62 - 134 88

Lab Sample ID: 885-33973-1 MSD Client Sample ID: CS01

Matrix: Solid

Analysis Batch: 35475

Prep Type: Total/NA Prep Batch: 35416

> RPD %Rec

MSD MSD Sample Sample Spike Analyte Result Qualifier Added Result Qualifier Unit Limits RPD Limit **Diesel Range Organics** 14 F1 F2 49.2 55.3 F2 83 44 - 136 mg/Kg

[C10-C28]

MSD MSD %Recovery Surrogate Qualifier Limits 90 62 - 134

Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: MB 885-35461/1-A Client Sample ID: Method Blank **Matrix: Solid** Prep Type: Total/NA

мв мв Analyte Result Qualifier RL Unit Prepared Analyzed Dil Fac 4.9 mg/Kg 09/26/25 06:35 09/27/25 09:21

Eurofins Albuquerque

Prep Batch: 35461

Di-n-octyl phthalate (Surr)

Analysis Batch: 35555

ND

Chloride

Released to Imaging: 10/14/2025 2:38:29 PM

QC Sample Results

Client: Harvest Job ID: 885-33973-1

Project/Site: Val Verde GP

Method: 300.0 - Anions, Ion Chromatography (Continued)

Lab Sample ID: LCS 885-35461/2-A **Client Sample ID: Lab Control Sample**

Matrix: Solid

Prep Type: Total/NA Prep Batch: 35461 Analysis Batch: 35555

Spike LCS LCS Result Qualifier Added Analyte Unit %Rec Limits Chloride 50.0 48.4 mg/Kg 97 90 - 110

Client: Harvest Job ID: 885-33973-1

Project/Site: Val Verde GP

GC VOA

| Prep Bato | h: 35407 |
|-----------|----------|
|-----------|----------|

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method Prep Batch |
|-------------------|--------------------|-----------|--------|-------------------|
| 885-33973-1 | CS01 | Total/NA | Solid | 5030C |
| MB 885-35407/1-A | Method Blank | Total/NA | Solid | 5030C |
| LCS 885-35407/2-A | Lab Control Sample | Total/NA | Solid | 5030C |
| LCS 885-35407/3-A | Lab Control Sample | Total/NA | Solid | 5030C |

Analysis Batch: 35506

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|-------------------|--------------------|-----------|--------|---------|------------|
| MB 885-35407/1-A | Method Blank | Total/NA | Solid | 8015M/D | 35407 |
| LCS 885-35407/2-A | Lab Control Sample | Total/NA | Solid | 8015M/D | 35407 |

Analysis Batch: 35507

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|-------------------|--------------------|-----------|--------|--------|------------|
| MB 885-35407/1-A | Method Blank | Total/NA | Solid | 8021B | 35407 |
| LCS 885-35407/3-A | Lab Control Sample | Total/NA | Solid | 8021B | 35407 |

Analysis Batch: 35538

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---------------|------------------|-----------|--------|--------|------------|
| 885-33973-1 | CS01 | Total/NA | Solid | 8021B | 35407 |

Analysis Batch: 35539

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---------------|------------------|-----------|--------|---------|------------|
| 885-33973-1 | CS01 | Total/NA | Solid | 8015M/D | 35407 |

GC Semi VOA

Analysis Batch: 35380

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|-------------------|--------------------|-----------|--------|---------|------------|
| MB 885-35416/1-A | Method Blank | Total/NA | Solid | 8015M/D | 35416 |
| LCS 885-35416/2-A | Lab Control Sample | Total/NA | Solid | 8015M/D | 35416 |

Prep Batch: 35416

| Lab Camarla ID | Olicant Occupie ID | D T | Madala | 84 - 41I | Dura Datah |
|-------------------|--------------------|-----------|--------|----------|------------|
| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
| 885-33973-1 | CS01 | Total/NA | Solid | SHAKE | |
| MB 885-35416/1-A | Method Blank | Total/NA | Solid | SHAKE | |
| LCS 885-35416/2-A | Lab Control Sample | Total/NA | Solid | SHAKE | |
| 885-33973-1 MS | CS01 | Total/NA | Solid | SHAKE | |
| 885-33973-1 MSD | CS01 | Total/NA | Solid | SHAKE | |

Analysis Batch: 35475

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|-----------------|------------------|-----------|--------|---------|------------|
| 885-33973-1 | CS01 | Total/NA | Solid | 8015M/D | 35416 |
| 885-33973-1 MS | CS01 | Total/NA | Solid | 8015M/D | 35416 |
| 885-33973-1 MSD | CS01 | Total/NA | Solid | 8015M/D | 35416 |

Leach Batch: 706119

Released to Imaging: 10/14/2025 2:38:29 PM

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|--------------------|--------------------|-----------|--------|----------|------------|
| 885-33973-1 | CS01 | Soluble | Solid | DI Leach | |
| MB 410-706119/1-A | Method Blank | Soluble | Solid | DI Leach | |
| LCS 410-706119/2-A | Lab Control Sample | Soluble | Solid | DI Leach | |
| 885-33973-1 MS | CS01 | Soluble | Solid | DI Leach | |
| 885-33973-1 MSD | CS01 | Soluble | Solid | DI Leach | |

Client: Harvest Job ID: 885-33973-1

Project/Site: Val Verde GP

GC Semi VOA

Analysis Batch: 706225

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|--------------------|--------------------|-----------|--------|--------|------------|
| 885-33973-1 | CS01 | Soluble | Solid | 8015C | 706119 |
| MB 410-706119/1-A | Method Blank | Soluble | Solid | 8015C | 706119 |
| LCS 410-706119/2-A | Lab Control Sample | Soluble | Solid | 8015C | 706119 |
| 885-33973-1 MS | CS01 | Soluble | Solid | 8015C | 706119 |
| 885-33973-1 MSD | CS01 | Soluble | Solid | 8015C | 706119 |

HPLC/IC

Prep Batch: 35461

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|-------------------|--------------------|-----------|--------|----------|------------|
| 885-33973-1 | CS01 | Total/NA | Solid | 300_Prep | |
| MB 885-35461/1-A | Method Blank | Total/NA | Solid | 300_Prep | |
| LCS 885-35461/2-A | Lab Control Sample | Total/NA | Solid | 300_Prep | |

Analysis Batch: 35555

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|-------------------|--------------------|-----------|--------|--------|------------|
| 885-33973-1 | CS01 | Total/NA | Solid | 300.0 | 35461 |
| MB 885-35461/1-A | Method Blank | Total/NA | Solid | 300.0 | 35461 |
| LCS 885-35461/2-A | Lab Control Sample | Total/NA | Solid | 300.0 | 35461 |

Eurofins Albuquerque

1

3

0

Q

9

10

Client: Harvest Job ID: 885-33973-1

Project/Site: Val Verde GP

Client Sample ID: CS01 Lab Sample ID: 885-33973-1

Date Collected: 09/23/25 12:55 Matrix: Solid Date Received: 09/24/25 07:18

| | Batch | Batch | | Dilution | Batch | | | Prepared |
|-----------|----------|----------|-----|----------|--------|---------|---------|----------------|
| Prep Type | Type | Method | Run | Factor | Number | Analyst | Lab | or Analyzed |
| Total/NA | Prep | 5030C | | | 35407 | AT | EET ALB | 09/25/25 13:04 |
| Total/NA | Analysis | 8015M/D | | 1 | 35539 | AT | EET ALB | 09/27/25 04:26 |
| Total/NA | Prep | 5030C | | | 35407 | AT | EET ALB | 09/25/25 13:04 |
| Total/NA | Analysis | 8021B | | 1 | 35538 | AT | EET ALB | 09/27/25 04:26 |
| Soluble | Leach | DI Leach | | | 706119 | WZ6J | ELLE | 09/29/25 10:49 |
| Soluble | Analysis | 8015C | | 1 | 706225 | LXF2 | ELLE | 09/29/25 15:43 |
| Total/NA | Prep | SHAKE | | | 35416 | BZR | EET ALB | 09/25/25 14:36 |
| Total/NA | Analysis | 8015M/D | | 1 | 35475 | BZR | EET ALB | 09/26/25 16:25 |
| Total/NA | Prep | 300_Prep | | | 35461 | JT | EET ALB | 09/26/25 06:35 |
| Total/NA | Analysis | 300.0 | | 10 | 35555 | RC | EET ALB | 09/27/25 11:17 |

Laboratory References:

EET ALB = Eurofins Albuquerque, 4901 Hawkins NE, Albuquerque, NM 87109, TEL (505)345-3975

ELLE = Eurofins Lancaster Laboratories Environment Testing, LLC, 2425 New Holland Pike, Lancaster, PA 17601, TEL (717)656-2300

Client: Harvest Job ID: 885-33973-1

Project/Site: Val Verde GP

Laboratory: Eurofins Albuquerque

Released to Imaging: 10/14/2025 2:38:29 PM

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

| hority | Prog | ıram | Identification Number | Expiration Date |
|------------------------|------------------------------|----------------------------------|--|------------------------|
| / Mexico | State | 9 | NM9425, NM0901 | 02-27-26 |
| The following analytes | are included in this report, | out the laboratory is not certif | ied by the governing authority. This lis | st may include analyte |
| for which the agency d | oes not offer certification. | | | |
| Analysis Method | Prep Method | Matrix | Analyte | |
| 300.0 | 300_Prep | Solid | Chloride | |
| 8015M/D | 5030C | Solid | Gasoline Range Organics | [C6 - C10] |
| 8015M/D | SHAKE | Solid | Diesel Range Organics [C | 10-C28] |
| 8015M/D | SHAKE | Solid | Motor Oil Range Organics | [C28-C40] |
| 8021B | 5030C | Solid | Benzene | |
| 8021B | 5030C | Solid | Ethylbenzene | |
| 8021B | 5030C | Solid | Toluene | |
| 8021B | 5030C | Solid | Xylenes, Total | |
| gon | NEL | AP | NM100001 | 02-26-26 |

Laboratory: Eurofins Lancaster Laboratories Environment Testing, LLC

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

| Authority | Program | Identification Number | Expiration Date |
|-----------------------------------|-----------------------|-----------------------|-----------------|
| A2LA | Dept. of Defense ELAP | 0001.01 | 11-30-26 |
| A2LA | Dept. of Energy | 0001.01 | 11-30-26 |
| A2LA | ISO/IEC 17025 | 0001.01 | 11-30-26 |
| Alabama | State | 43200 | 01-31-26 |
| Alaska | State | PA00009 | 06-30-26 |
| Alaska (UST) | State | 17-027 | 12-30-26 |
| Arizona | State | AZ0780 | 03-12-26 |
| Arkansas DEQ | State | 88-00660 | 08-09-26 |
| California | State | 2792 | 01-31-26 |
| Colorado | State | PA00009 | 06-30-26 |
| Connecticut | State | PH-0746 | 06-30-27 |
| DE Haz. Subst. Cleanup Act (HSCA) | State | 019-006 (PA cert) | 01-31-26 |
| Delaware (DW) | State | N/A | 01-31-26 |
| Florida | NELAP | E87997 | 07-01-26 |
| Georgia (DW) | State | C048 | 01-31-26 |
| Illinois | NELAP | 200027 | 01-31-26 |
| lowa | State | 361 | 03-01-26 |
| Kansas | NELAP | E-10151 | 10-31-25 |
| Kentucky (DW) | State | KY90088 | 12-31-25 |
| Kentucky (UST) | State | 0001.01 | 11-30-26 |
| Kentucky (WW) | State | KY90088 | 12-31-25 |
| Louisiana (All) | NELAP | 02055 | 06-30-26 |
| Maine | State | 2019012 | 03-12-27 |
| Maryland | State | 100 | 06-30-26 |
| Massachusetts | State | M-PA009 | 06-30-26 |
| Michigan | State | 9930 | 01-31-26 |
| Minnesota | NELAP | 042-999-487 | 12-31-25 |
| Mississippi | State | 023 | 01-31-26 |
| Missouri | State | 450 | 01-31-28 |
| Montana (DW) | State | 0098 | 01-01-26 |
| Nebraska | State | NE-OS-32-17 | 01-31-26 |
| New Hampshire | NELAP | 2730 | 01-10-26 |

Eurofins Albuquerque

2

Л

O

8

9

a a

Accreditation/Certification Summary

Client: Harvest Job ID: 885-33973-1

Project/Site: Val Verde GP

Laboratory: Eurofins Lancaster Laboratories Environment Testing, LLC (Continued)

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

| Authority | Program | Identification Number | Expiration Date | | |
|--|---------------------|-----------------------|------------------------|--|--|
| New Jersey | NELAP | PA011 | 06-30-26 | | |
| New York | NELAP | 10670 | 04-01-26 | | |
| North Carolina (DW) | State | 42705 | 07-31-26 | | |
| North Carolina (WW/SW) | State | 521 | 12-31-25 | | |
| North Dakota | State | R-205 | 01-31-24 * | | |
| Ohio | State | 87787 | 01-31-26 | | |
| Oklahoma | NELAP | 9804 | 12-31-25 | | |
| Oregon | NELAP | PA200001 | 09-12-26 | | |
| Pennsylvania | NELAP | 36-00037 | 01-31-26 | | |
| Quebec Ministry of Environment and Fight | PALA | 507 | 09-16-29 | | |
| against Climate Change | | | | | |
| Rhode Island | State | LAO00338 | 12-30-25 | | |
| South Carolina | State | 89002 | 01-31-26 | | |
| Tennessee | State | 02838 | 01-31-26 | | |
| Texas | NELAP | T104704194-23-46 | 08-31-26 | | |
| USDA | US Federal Programs | 525-22-298-19481 | 10-25-25 | | |
| Vermont | State | VT - 36037 | 10-28-25 | | |
| Virginia | NELAP | 460182 | 06-14-26 | | |
| Washington | State | C457 | 04-11-26 | | |
| West Virginia (DW) | State | 9906 C | 03-31-26 | | |
| West Virginia DEP | State | 055 | 07-31-26 | | |
| Wyoming | State | 8TMS-L | 01-31-26 | | |
| Wyoming (UST) | A2LA | 0001.01 | 11-30-26 | | |

9

5

_

8

10

 $^{^{\}star}\, \text{Accreditation/Certification renewal pending - accreditation/certification considered valid}.$

Released to Imaging: 10/14/2025 2:38:29 PM

Eurofins Albuquerque

4901 Hawkins NE

Albuquerque, NM 87109

Chain of Custody Record



🔅 eurofins |

Environment Testing

| Phone: 505-345-3975 Fax: 505-345-4107 | 1. | | | | | | | | | | | | | | | _ | | |
|---|------------------------------|-------------------|----------------|--------------------------|--------------------|--|---------------------------------|---------------|----------|--------------------|--------------------------------|-----------|----------|-----------|-----------------------|--------------|-----------------------|-------------------------|
| Client Information (Sub Contract Lab) | | | | | | | | | | Carrier 1 N/A | Carrier Tracking No(s): N/A | | | | COC No: 885-6701.1 | | | |
| Client Contact: Shipping/Receiving | Phone: E-Mail: N/A michelle. | | | | | | | | | | te of Origin: w Mexico | | | | Page: Page 1 of 1 | | | |
| Company: Eurofins Lancaster Laboratories Environm | Acc | | | | Acci | reditations Required (See note): LAP - Oregon; State - New Mexico | | | | | | | | | Job #: 885-33973-1 | | | |
| Address: | Due Date Request | ed: | | | INC | Li | - 010 | gon, ac | ate - I | 1017 1416 | SAICO | | | | | - | Preservation Code | eg. |
| 2425 New Holland Pike, , | 9/29/2025 | | | | 1 | Analysis Reque | | | | | ueste | ested | | | | - | | |
| City: | TAT Requested (d. | aya): N/A | | | | | | | П | | T | | | | T | | | |
| Lancaster State, Zip: | - | IN/A | | | | | | | | | | | | | | | | |
| PA, 17601 | | | | | | | | | | | | | | | | | | |
| Phone: | PO#: | | | | | | - a | | | | | | | | | | | |
| 717-656-2300(Tel) | N/A WO#: | | | | - 2 | | g g | | | | | | | | | | | |
| Email: N/A | N/A | | | | So | 2 | 5 | | | | | | | | | 10 | | |
| Project Name: | Project #: | | | | ع | 0 1 | 용 | | | | | | | | | containers | | |
| Vai Verde GP | 88501083 | | | - 8 | ٥ | 2 | | | | | | | | | ont | Other: | | |
| Site: N/A | SSOW#: N/A | | | | Sample (Yes or No) | MS/MSD (Yes or No) | 8015C_DALGLY/DI_LEACH_GCVGlycol | | | | | | 1 | | | ofo | N/A | |
| | | | C1- | Matrix | 핗 | 25 | 원 | | | | | | | | | ber | | |
| | | | Sample Type | (W-water, | Filtered | E | ¥ | | | | | | | | | Total Number | | |
| | | Sample | (C=comp, | Sesolid, O=waste/oil, | Field F | Perform | ις Ε | | | | | | | | | Ta Ta | | |
| Sample Identification - Client ID (Lab ID) | Sample Date | Time | G=grab) | BT=Tissue, A=Air |) 르 | 8 | 2 | | | | | | | | | Þ | Special Ins | tructions/Note: |
| | >< | $\geq \leq$ | Preserva | tion Code: | \mathbf{X} | X | | | | | | | | | | \times | | |
| CS01 (B85-33973-1) | 9/23/25 | 12:55 Mountain | G | Solid | | | x | | | | | | | | | 1 | | |
| | | Mountain | | | + | \dashv | | \rightarrow | \Box | | | | _ | | 1 | | | |
| | | | | | ₩ | \dashv | - | _ | | _ | - | - | - | | - | | | |
| | | | | | ш | | | | | | | | | | | | | |
| | | | | | П | | | | | | T | | | | | | | |
| | - | | | | ++ | | - | + | | + | +- | | + | | - | 10000 | | |
| | | | | | Ш | | | | \sqcup | | | | | | | | | |
| | | | | | | | | | | | | | | | | 1 | | |
| | | | | | \forall | | \neg | | \Box | \neg | | | | | \top | | | |
| | - | | | | ┵ | \vdash | - | - | \vdash | + | + | | + | - | - | | | |
| | | | | | Ш | | | | | | | | | | | | | |
| | | | | | П | | | | | | | | T | | | | | |
| | | l | | | | | | | | | | | | | | | | |
| Note: Since laboratory accreditations are subject to change, Eurofins Environme laboratory does not currently maintain accreditation in the State of Origin listed a | | | | | | | | | | | | | | | | | | |
| accreditation status should be brought to Eurofins Environment Testing South C | entral, LLC attention | mmediately. If | all requested | accreditations | are cu | urrent | to dat | e, return 1 | the sign | ed Chai | n of Cus | tody atte | sting to | said comp | diance to | o Eun | ofins Environment Tes | ting South Central, LLC |
| Possible Hazard Identification | | | | | | San | nple L | Disposa | I (Af | ee ma | y be a | ssesse | d if sa | mples | are ret | aine | d longer than 1 n | nonth) |
| Unconfirmed | | | | | | | Rei | turn To | Client | | | isposai | By La | b | \Box_A | lrchi | ve For | Months |
| Deliverable Requested: I, II, III, IV, Other (specify) | Primary Deliver | able Rank: 2 | 2 | | | Spe | ciai Ir | structio | ns/QC | Requ | iremer | its: | | | | - 11 - | | |
| Empty Kit Relinquished by: | | Date: | | | Tin | ne: | | | | | | [M- | ethod of | Shipmen | t | | | |
| | Date/Tithe: / | | | Company | 1 | | Receiv | ed by: | | _ | | | | Date/Tin | | _ | | Company |
| Relinquished by: | 9/25/25 | | 505 | | | | | /- | | | | | | | | | | |
| Relinquished by: | Date/Time: | | | Company | | | Received by: | | | | Date/Ti | | | ne: | | | Company | |
| Relinquished by: | Date/Time: | | | Company | | Received by: | | | | | | Date/Tie | De: | | ^: | Company | | |
| Relinquistrad by. | Dater (inte: | | | | From ly | | | | | 09/26/25 0940 Bich | | | | | | | | |
| Custody Seals Intact: Custody Seal No.: Δ Yes Δ No | | | | | | Cooler | Tempera | iture(s) | °C and (| Other R | marka: | 27 | 4,2 | | 1 | 7.41 | | |

1

2

5

7

8

10

Login Sample Receipt Checklist

Client: Harvest Job Number: 885-33973-1

Login Number: 33973 List Source: Eurofins Albuquerque

List Number: 1

Creator: Casarrubias, Tracy

| Question | Answer | Comment |
|---|--------|---------|
| Radioactivity wasn't checked or is = background as measured by a survey meter.</td <td>N/A</td> <td></td> | N/A | |
| The cooler's custody seal, if present, is intact. | True | |
| Sample custody seals, if present, are intact. | True | |
| The cooler or samples do not appear to have been compromised or tampered with. | True | |
| Samples were received on ice. | True | |
| Cooler Temperature is acceptable. | True | |
| Cooler Temperature is recorded. | True | |
| COC is present. | True | |
| COC is filled out in ink and legible. | True | |
| COC is filled out with all pertinent information. | True | |
| Is the Field Sampler's name present on COC? | True | |
| There are no discrepancies between the containers received and the COC. | True | |
| Samples are received within Holding Time (excluding tests with immediate HTs) | True | |
| Sample containers have legible labels. | True | |
| Containers are not broken or leaking. | True | |
| Sample collection date/times are provided. | True | |
| Appropriate sample containers are used. | True | |
| Sample bottles are completely filled. | True | |
| Sample Preservation Verified. | N/A | |
| There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs | True | |
| Containers requiring zero headspace have no headspace or bubble is <6mm (1/4"). | True | |
| Multiphasic samples are not present. | True | |
| Samples do not require splitting or compositing. | True | |
| Residual Chlorine Checked. | N/A | |

Login Sample Receipt Checklist

Client: Harvest Job Number: 885-33973-1

Login Number: 33973 List Source: Eurofins Lancaster Laboratories Environment Testing, LLC
List Number: 2 List Creation: 09/26/25 12:15 PM

Creator: Bui, Anthony

| Question | Answer | Comment |
|--|--------|------------------------------------|
| The cooler's custody seal is intact. | True | |
| The cooler or samples do not appear to have been compromised or tampered with. | True | |
| Samples were received on ice. | True | |
| Cooler Temperature acceptable, where thermal pres is required(=6C, not frozen).</td <td>True</td> <td></td> | True | |
| Cooler Temperature is recorded. | True | |
| WV:Container Temp acceptable, where thermal pres is required (=6C, not frozen).</td <td>N/A</td> <td></td> | N/A | |
| WV: Container Temperature is recorded. | N/A | |
| COC is present. | True | |
| COC is filled out in ink and legible. | True | |
| COC is filled out with all pertinent information. | True | |
| There are no discrepancies between the containers received and the COC. | True | |
| Sample containers have legible labels. | True | |
| Containers are not broken or leaking. | True | |
| Sample collection date/times are provided. | True | |
| Appropriate sample containers are used. | True | |
| Sample bottles are completely filled. | True | |
| There is sufficient vol. for all requested analyses. | True | |
| Is the Field Sampler's name present on COC? | False | Received project as a subcontract. |
| Sample custody seals are intact. | N/A | Not present. |
| VOA sample vials do not have headspace >6mm in diameter (none, if from WV)? | N/A | |

Ė

10



APPENDIX D

NMOCD Correspondence

Phone: (505) 629-6116
Online Phone Directory
https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

QUESTIONS

Action 441069

QUESTIONS

| ı | Operator: | OGRID: |
|---|---------------------------|--|
| ı | Harvest Four Corners, LLC | 373888 |
| ı | 1755 Arroyo Dr | Action Number: |
| ı | Bloomfield, NM 87413 | 441069 |
| ı | | Action Type: |
| ı | | [NOTIFY] Notification Of Sampling (C-141N) |

| Prerequisites | |
|-------------------|--------------------------------------|
| Incident ID (n#) | nAPP2504531514 |
| Incident Name | NAPP2504531514 VAL VERDE TRAIN 7 @ 0 |
| Incident Type | Release Other |
| Incident Status | Initial C-141 Approved |
| Incident Facility | [fGP0000000031] VAL VERDE GP |

| ocation of Release Source | |
|---------------------------|-------------------|
| Site Name | Val Verde Train 7 |
| Date Release Discovered | 02/01/2024 |
| Surface Owner | Private |

| Sampling Event General Information | |
|---|--|
| Please answer all the questions in this group. | |
| What is the sampling surface area in square feet | 1,000 |
| What is the estimated number of samples that will be gathered | 10 |
| Sampling date pursuant to Subparagraph (a) of Paragraph (1) of Subsection D of 19.15.29.12 NMAC | 03/13/2025 |
| Time sampling will commence | 09:00 AM |
| Please provide any information necessary for observers to contact samplers | Reece Hanson 970-210-9803 |
| Please provide any information necessary for navigation to sampling site | Val Verde Gas Plant, 119 Road 4900, 1.25 miles north of Bloomfield |

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Action 441069

CONDITIONS

| Operator: | OGRID: |
|---------------------------|--|
| Harvest Four Corners, LLC | 373888 |
| 1755 Arroyo Dr | Action Number: |
| Bloomfield, NM 87413 | 441069 |
| | Action Type: |
| | [NOTIFY] Notification Of Sampling (C-141N) |

| Created By | 1 Condition | Condition Date |
|---------------|---|-------------------|
| bherk | Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation closure samples not being accepted. | 3/11/2025 |

Phone: (505) 629-6116
Online Phone Directory
https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

QUESTIONS

Action 455704

QUESTIONS

| ı | Operator: | OGRID: |
|---|---------------------------|--|
| ı | Harvest Four Corners, LLC | 373888 |
| ı | 1755 Arroyo Dr | Action Number: |
| ı | Bloomfield, NM 87413 | 455704 |
| ı | | Action Type: |
| ı | | [NOTIFY] Notification Of Sampling (C-141N) |

| Prerequisites | |
|-------------------|--------------------------------------|
| Incident ID (n#) | nAPP2504531514 |
| Incident Name | NAPP2504531514 VAL VERDE TRAIN 7 @ 0 |
| Incident Type | Release Other |
| Incident Status | Initial C-141 Approved |
| Incident Facility | [fGP0000000031] VAL VERDE GP |

| ocation of Release Source | |
|---------------------------|-------------------|
| Site Name | Val Verde Train 7 |
| Date Release Discovered | 02/01/2024 |
| Surface Owner | Private |

| Sampling Event General Information | | |
|---|---|--|
| Please answer all the questions in this group. | | |
| What is the sampling surface area in square feet | 2,000 | |
| What is the estimated number of samples that will be gathered | 10 | |
| Sampling date pursuant to Subparagraph (a) of Paragraph (1) of Subsection D of 19.15.29.12 NMAC | 04/30/2025 | |
| Time sampling will commence | 10:00 AM | |
| Please provide any information necessary for observers to contact samplers | Reece Hanson - 970-210-9803 - rhanson@ensolum.com. this sampling event will be in conjunction with incident nAPP2505046340 | |
| Please provide any information necessary for navigation to sampling site | From the intersection of Highway 64 and Highway US-550 in Bloomfield New Mexico. Drive north from Bloomfield up Highway 550 for 1.5 miles, then turn right on Road 4900 (Arizona). Travel 1.2 miles and Val Verde Gas Plant is on your right. | |

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Action 455704

CONDITIONS

| Operator: | OGRID: |
|---------------------------|--|
| Harvest Four Corners, LLC | 373888 |
| 1755 Arroyo Dr | Action Number: |
| Bloomfield, NM 87413 | 455704 |
| | Action Type: |
| | [NOTIFY] Notification Of Sampling (C-141N) |

| Created By | Condition | Condition Date |
|---------------|---|-------------------|
| bherb | Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation closure samples not being accepted. | 4/25/2025 |

Phone: (505) 629-6116
Online Phone Directory
https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

QUESTIONS

Action 465245

QUESTIONS

| ı | Operator: | OGRID: |
|---|---------------------------|--|
| ı | Harvest Four Corners, LLC | 373888 |
| ı | 1755 Arroyo Dr | Action Number: |
| ı | Bloomfield, NM 87413 | 465245 |
| ı | | Action Type: |
| ı | | [NOTIFY] Notification Of Sampling (C-141N) |

| Prerequisites | |
|-------------------|--------------------------------------|
| Incident ID (n#) | nAPP2504531514 |
| Incident Name | NAPP2504531514 VAL VERDE TRAIN 7 @ 0 |
| Incident Type | Release Other |
| Incident Status | Initial C-141 Approved |
| Incident Facility | [fGP0000000031] VAL VERDE GP |

| Location of Release Source | |
|----------------------------|-------------------|
| Site Name | VAL VERDE TRAIN 7 |
| Date Release Discovered | 02/01/2024 |
| Surface Owner | Private |

| Sampling Event General Information | |
|---|--|
| Please answer all the questions in this group. | |
| What is the sampling surface area in square feet | 2,000 |
| What is the estimated number of samples that will be gathered | 10 |
| Sampling date pursuant to Subparagraph (a) of Paragraph (1) of Subsection D of 19.15.29.12 NMAC | 05/28/2025 |
| Time sampling will commence | 09:00 AM |
| Please provide any information necessary for observers to contact samplers | Reece Hanson (Project Manager) 970-210-9803, rhanson@ensolum.com Osgood Froelich (On site - Sampling) 415-747-9186, ofroelich@ensolum.com |
| Please provide any information necessary for navigation to sampling site | From the intersection of Highway 64 and Highway US-550 in Bloomfield, New Mexico. Drive north from Bloomfield up Highway 550 for 1.5 miles, then turn right on Road 4900 (Arizona). Travel 1.2 miles and Val Verde Gas Plant is on your right. Check in at Val Verde GP office before entry. |

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Action 465245

CONDITIONS

| Operator: | OGRID: |
|---------------------------|--|
| Harvest Four Corners, LLC | 373888 |
| 1755 Arroyo Dr | Action Number: |
| Bloomfield, NM 87413 | 465245 |
| | Action Type: |
| | [NOTIFY] Notification Of Sampling (C-141N) |

| Create By | d Condition | Condition Date |
|--------------|---|-------------------|
| bhei | Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation closure samples not being accepted. | 5/20/2025 |

Phone: (505) 629-6116
Online Phone Directory
https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

QUESTIONS

Action 441074

QUESTIONS

| ı | Operator: | OGRID: |
|---|---------------------------|--|
| ı | Harvest Four Corners, LLC | 373888 |
| ı | 1755 Arroyo Dr | Action Number: |
| ı | Bloomfield, NM 87413 | 441074 |
| ı | | Action Type: |
| ı | | [NOTIFY] Notification Of Sampling (C-141N) |

| Prerequisites | |
|-------------------|--|
| Incident ID (n#) | nAPP2505046340 |
| Incident Name | NAPP2505046340 VAL VERDE PLANT TRAIN 7 @ 0 |
| Incident Type | Release Other |
| Incident Status | Initial C-141 Approved |
| Incident Facility | [fGP0000000031] VAL VERDE GP |

| ocation of Release Source | |
|---------------------------|-------------------------|
| Site Name | Val Verde Plant Train 7 |
| Date Release Discovered | 02/05/2025 |
| Surface Owner | Private |

| Sampling Event General Information | |
|---|--|
| Please answer all the questions in this group. | |
| What is the sampling surface area in square feet | 1,000 |
| What is the estimated number of samples that will be gathered | 10 |
| Sampling date pursuant to Subparagraph (a) of Paragraph (1) of Subsection D of 19.15.29.12 NMAC | 03/13/2025 |
| Time sampling will commence | 09:00 AM |
| Please provide any information necessary for observers to contact samplers | Reece Hanson 970-210-9803 |
| Please provide any information necessary for navigation to sampling site | Val Verde Gas Plant - 119 Road 4900 1.25 miles north of Bloomfield |

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Action 441074

CONDITIONS

| Operator: | OGRID: |
|---------------------------|--|
| Harvest Four Corners, LLC | 373888 |
| 1755 Arroyo Dr | Action Number: |
| Bloomfield, NM 87413 | 441074 |
| | Action Type: |
| | [NOTIFY] Notification Of Sampling (C-141N) |

| Created By | 1 Condition | Condition Date |
|---------------|---|-------------------|
| bherk | Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation closure samples not being accepted. | 3/11/2025 |

Phone: (505) 629-6116
Online Phone Directory
https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

QUESTIONS

Action 455706

QUESTIONS

| ı | Operator: | OGRID: |
|---|---------------------------|--|
| ı | Harvest Four Corners, LLC | 373888 |
| ı | 1755 Arroyo Dr | Action Number: |
| ı | Bloomfield, NM 87413 | 455706 |
| ı | | Action Type: |
| ı | | [NOTIFY] Notification Of Sampling (C-141N) |

| Prerequisites | |
|-------------------|--|
| Incident ID (n#) | nAPP2505046340 |
| Incident Name | NAPP2505046340 VAL VERDE PLANT TRAIN 7 @ 0 |
| Incident Type | Release Other |
| Incident Status | Initial C-141 Approved |
| Incident Facility | [fGP0000000031] VAL VERDE GP |

| Location of Release Source | |
|----------------------------|-------------------------|
| Site Name | Val Verde Plant Train 7 |
| Date Release Discovered | 02/05/2025 |
| Surface Owner | Private |

| Sampling Event General Information | | |
|---|---|--|
| Please answer all the questions in this group. | | |
| What is the sampling surface area in square feet | 2,000 | |
| What is the estimated number of samples that will be gathered | 10 | |
| Sampling date pursuant to Subparagraph (a) of Paragraph (1) of Subsection D of 19.15.29.12 NMAC | 04/30/2025 | |
| Time sampling will commence | 10:00 AM | |
| Please provide any information necessary for observers to contact samplers | Reece Hanson - 970-210-9803 - rhanson@ensolum.com this sampling event will be in conjunction with incident nAPP2504531514 | |
| Please provide any information necessary for navigation to sampling site | From the intersection of Highway 64 and Highway US-550 in Bloomfield New Mexico. Drive north from Bloomfield up Highway 550 for 1.5 miles, then turn right on Road 4900 (Arizona). Travel 1.2 miles and Val Verde Gas Plant is on your right. | |

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Action 455706

CONDITIONS

| Operator: | OGRID: |
|---------------------------|--|
| Harvest Four Corners, LLC | 373888 |
| 1755 Arroyo Dr | Action Number: |
| Bloomfield, NM 87413 | 455706 |
| | Action Type: |
| | [NOTIFY] Notification Of Sampling (C-141N) |

| Create By | d Condition | Condition Date |
|--------------|---|-------------------|
| bhe | Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation closure samples not being accepted. | 4/25/2025 |

Phone: (505) 629-6116
Online Phone Directory
https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

QUESTIONS

Action 465247

QUESTIONS

| Operator: | OGRID: |
|---------------------------|--|
| Harvest Four Corners, LLC | 373888 |
| 1755 Arroyo Dr | Action Number: |
| Bloomfield, NM 87413 | 465247 |
| | Action Type: |
| | [NOTIFY] Notification Of Sampling (C-141N) |

| Prerequisites | |
|-------------------|--|
| Incident ID (n#) | nAPP2505046340 |
| Incident Name | NAPP2505046340 VAL VERDE PLANT TRAIN 7 @ 0 |
| Incident Type | Release Other |
| Incident Status | Initial C-141 Approved |
| Incident Facility | [fGP0000000031] VAL VERDE GP |

| Location of Release Source | |
|----------------------------|-------------------------|
| Site Name | VAL VERDE PLANT TRAIN 7 |
| Date Release Discovered | 02/05/2025 |
| Surface Owner | Private |

| Sampling Event General Information | | |
|---|--|--|
| Please answer all the questions in this group. | | |
| What is the sampling surface area in square feet | 2,000 | |
| What is the estimated number of samples that will be gathered | 10 | |
| Sampling date pursuant to Subparagraph (a) of Paragraph (1) of Subsection D of 19.15.29.12 NMAC | 05/28/2025 | |
| Time sampling will commence | 09:00 AM | |
| Please provide any information necessary for observers to contact samplers | Reece Hanson (Project Manager) 970-210-9803, rhanson@ensolum.com Osgood Froelich (On-Site, sampler) 415-747-9186, ofroelich@ensolum.com This sampling event is in conjunction with sampling notification submitted for NAPP2504531514 VAL VERDE TRAIN 7 | |
| Please provide any information necessary for navigation to sampling site | From the intersection of Highway 64 and Highway US-550 in Bloomfield, New Mexico. Drive north from Bloomfield up Highway 550 for 1.5 miles, then turn right on Road 4900 (Arizona). Travel 1.2 miles and Val Verde Gas Plant is on your right. Check in at Val Verde GP office prior to visiting site. | |

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505


CONDITIONS

Action 465247

CONDITIONS

| Operator: | OGRID: |
|---------------------------|--|
| Harvest Four Corners, LLC | 373888 |
| 1755 Arroyo Dr | Action Number: |
| Bloomfield, NM 87413 | 465247 |
| | Action Type: |
| | [NOTIFY] Notification Of Sampling (C-141N) |

| Created By | Condition | Condition Date |
|---------------|---|-------------------|
| bherb | Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation closure samples not being accepted. | 5/20/2025 |



RE: [EXTERNAL] Extension Request - nAPP2504531514 & nAPP2505046340

From Wells, Shelly, EMNRD < Shelly. Wells@emnrd.nm.gov>

Date Fri 4/25/2025 11:32 AM

To Reece Hanson <rhanson@ensolum.com>

Cc Brooke Herb
bherb@ensolum.com>; Bratcher, Michael, EMNRD <mike.bratcher@emnrd.nm.gov>

You don't often get email from shelly.wells@emnrd.nm.gov. Learn why this is important

[**EXTERNAL EMAIL**]

Good morning Reece,

The extension request for NAPP2504531514 VAL VERDE TRAIN 7 is approved. The new due date to submit your updated remediation plan or closure report to the OCD is July 30, 2025.

The extension request for NAPP2505046340 VAL VERDE PLANT TRAIN 7 is approved. The new due date to submit your updated remediation plan or closure report to the OCD is August 4, 2025.

Please include a copy of this and all notifications in the remedial and/or closure reports to ensure the notifications are documented in the project file.

Kind regards,

Shelly

Shelly Wells * Environmental Specialist-Advanced Environmental Bureau EMNRD-Oil Conservation Division 1220 S. St. Francis Drive|Santa Fe, NM 87505 (505)469-7520 Shelly.Wells@emnrd.nm.gov http://www.emnrd.state.nm.us/OCD/

From: Reece Hanson <rhanson@ensolum.com>

Sent: Friday, April 25, 2025 11:10 AM

To: Enviro, OCD, EMNRD < OCD. Enviro@emnrd.nm.gov>

Cc: Brooke Herb

bherb@ensolum.com>

Subject: [EXTERNAL] Extension Request - nAPP2504531514 & nAPP2505046340

You don't often get email from rhanson@ensolum.com. Learn why this is important

CAUTION: This email originated outside of our organization. Exercise caution prior to clicking on links or opening attachments.

Ensolum, on behalf of Harvest Four Corners, is requesting an extension of 90 days to conduct additional delineation and soil sampling at the Val Verde gas plant, where elevated TPH above NMOCD closure criteria was observed at one sample location.

Two release notifications were submitted on 2/1/2025 and 2/5/2025 and assigned incidents numbers nAPP2504531514 and nAPP2505046340, respectively.

Both releases are from the same source and are being treated as one release in regard to the ongoing delineation activities.

Sampling notifications were submitted on 4/25/25 for both incidents, and additional delineation and soil sampling activities will be conducted Wednesday, April 30th, 2025.

Thanks, Reece



Phone: (505) 629-6116
Online Phone Directory
https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

QUESTIONS

Action 507105

QUESTIONS

| Operator: | OGRID: |
|---------------------------|--|
| Harvest Four Corners, LLC | 373888 |
| 1755 Arroyo Dr | Action Number: |
| Bloomfield, NM 87413 | 507105 |
| | Action Type: |
| | [NOTIFY] Notification Of Sampling (C-141N) |

| Prerequisites | |
|-------------------|--------------------------------------|
| Incident ID (n#) | nAPP2504531514 |
| Incident Name | NAPP2504531514 VAL VERDE TRAIN 7 @ 0 |
| Incident Type | Release Other |
| Incident Status | Initial C-141 Approved |
| Incident Facility | [fGP0000000031] VAL VERDE GP |

| Location of Release Source | |
|----------------------------|-------------------|
| Site Name | VAL VERDE TRAIN 7 |
| Date Release Discovered | 02/01/2024 |
| Surface Owner | Private |

| Sampling Event General Information | | |
|---|---|--|
| Please answer all the questions in this group. | | |
| What is the sampling surface area in square feet | 25 | |
| What is the estimated number of samples that will be gathered | 1 | |
| Sampling date pursuant to Subparagraph (a) of Paragraph (1) of Subsection D of 19.15.29.12 NMAC | 09/23/2025 | |
| Time sampling will commence | 10:00 AM | |
| Please provide any information necessary for observers to contact samplers | Contact Reece Hanson - 970-210-9803, rhanson@ensolum.com | |
| Please provide any information necessary for navigation to sampling site | From the intersection of Highway 64 and Highway US550 in Bloomfield, New Mexico. Drive north from Bloomfield up Highway 550 for 1.5 miles, then turn right on Road 4900 (Arizona). Travel 1.2 miles and Val Verde Gas Plant is on your right. Check in at Val Verde GP office before entry. | |

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Action 507105

CONDITIONS

| Operator: | OGRID: |
|---------------------------|--|
| Harvest Four Corners, LLC | 373888 |
| 1755 Arroyo Dr | Action Number: |
| Bloomfield, NM 87413 | 507105 |
| | Action Type: |
| | [NOTIFY] Notification Of Sampling (C-141N) |

| Created By | Condition | Condition Date |
|---------------|--|-------------------|
| bherb | Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation closure samples not being accepted. | 9/18/2025 |
| bherb | If confirmation sampling is going to take place over multiple days, individual C-141N applications must be submitted for each sampling date. Date ranges are not currently accepted on the C-141N application. | 9/18/2025 |

Phone: (505) 629-6116
Online Phone Directory
https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

QUESTIONS

Action 507100

QUESTIONS

| ı | Operator: | OGRID: |
|---|---------------------------|--|
| ı | Harvest Four Corners, LLC | 373888 |
| ı | 1755 Arroyo Dr | Action Number: |
| ı | Bloomfield, NM 87413 | 507100 |
| ı | | Action Type: |
| ı | | [NOTIFY] Notification Of Sampling (C-141N) |

| Prerequisites | |
|-------------------|--|
| Incident ID (n#) | nAPP2505046340 |
| Incident Name | NAPP2505046340 VAL VERDE PLANT TRAIN 7 @ 0 |
| Incident Type | Release Other |
| Incident Status | Initial C-141 Approved |
| Incident Facility | [fGP0000000031] VAL VERDE GP |

| Location of Release Source | |
|----------------------------|-------------------------|
| Site Name | VAL VERDE PLANT TRAIN 7 |
| Date Release Discovered | 02/05/2025 |
| Surface Owner | Private |

| Sampling Event General Information | | |
|---|---|--|
| Please answer all the questions in this group. | | |
| What is the sampling surface area in square feet | 25 | |
| What is the estimated number of samples that will be gathered | 1 | |
| Sampling date pursuant to Subparagraph (a) of Paragraph (1) of Subsection D of 19.15.29.12 NMAC | 09/23/2025 | |
| Time sampling will commence | 10:00 AM | |
| Please provide any information necessary for observers to contact samplers | Contact Reece Hanson - 970-210-9802, rhanson@ensolum.com | |
| Please provide any information necessary for navigation to sampling site | From the intersection of Highway 64 and Highway US550 in Bloomfield, New Mexico. Drive north from Bloomfield up Highway 550 for 1.5 miles, then turn right on Road 4900 (Arizona). Travel 1.2 miles and Val Verde Gas Plant is on your right. Check in at Val Verde GP office before entry. | |

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Action 507100

CONDITIONS

| Operator: | OGRID: |
|---------------------------|--|
| Harvest Four Corners, LLC | 373888 |
| 1755 Arroyo Dr | Action Number: |
| Bloomfield, NM 87413 | 507100 |
| | Action Type: |
| | [NOTIFY] Notification Of Sampling (C-141N) |

| Created By | Condition | Condition Date |
|---------------|--|-------------------|
| bherb | Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation closure samples not being accepted. | 9/18/2025 |
| bherb | If confirmation sampling is going to take place over multiple days, individual C-141N applications must be submitted for each sampling date. Date ranges are not currently accepted on the C-141N application. | 9/18/2025 |

Sante Fe Main Office Phone: (505) 476-3441 General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

QUESTIONS

Action 512792

QUESTIONS

| ı | Operator: | OGRID: |
|---|---------------------------|---|
| ı | Harvest Four Corners, LLC | 373888 |
| ı | 1755 Arroyo Dr | Action Number: |
| ı | Bloomfield, NM 87413 | 512792 |
| ı | | Action Type: |
| ı | | [C-141] Deferral Request C-141 (C-141-v-Deferral) |

| Prerequisites | |
|-------------------|---|
| Incident ID (n#) | nAPP2505046340 |
| Incident Name | NAPP2505046340 VAL VERDE PLANT TRAIN 7 @ FGP00000000031 |
| Incident Type | Release Other |
| Incident Status | Deferral Request Received |
| Incident Facility | [fGP0000000031] VAL VERDE GP |

| Location of Release Source | |
|--|-------------------------|
| Please answer all the questions in this group. | |
| Site Name | VAL VERDE PLANT TRAIN 7 |
| Date Release Discovered | 02/05/2025 |
| Surface Owner | Private |

| Incident Details | | |
|--|---------------|--|
| Please answer all the questions in this group. | | |
| Incident Type | Release Other | |
| Did this release result in a fire or is the result of a fire | No | |
| Did this release result in any injuries | No | |
| Has this release reached or does it have a reasonable probability of reaching a watercourse | No | |
| Has this release endangered or does it have a reasonable probability of endangering public health | No | |
| Has this release substantially damaged or will it substantially damage property or the environment | No | |
| Is this release of a volume that is or may with reasonable probability be detrimental to fresh water | No | |

| Nature and Volume of Release | | |
|--|---|--|
| Material(s) released, please answer all that apply below. Any calculations or specific justifications for the volumes provided should be attached to the follow-up C-141 submission. | | |
| Crude Oil Released (bbls) Details | Not answered. | |
| Produced Water Released (bbls) Details | Not answered. | |
| Is the concentration of chloride in the produced water >10,000 mg/l | No | |
| Condensate Released (bbls) Details | Not answered. | |
| Natural Gas Vented (Mcf) Details | Not answered. | |
| Natural Gas Flared (Mcf) Details | Not answered. | |
| Other Released Details | Cause: Other Valve Glycol Released: 18 BBL Recovered: 0 BBL Lost: 18 BBL. | |
| Are there additional details for the questions above (i.e. any answer containing Other, Specify, Unknown, and/or Fire, or any negative lost amounts) | Val Verde Train 7 experienced an upset due to high dp in the amine contactor and a high level in the residue scrubber which caused carry over of amine into the glycol system, causing glycol to release out of the vent stack on the glycol still column | |

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

QUESTIONS, Page 2

Action 512792

| ı | Operator: | OGRID: |
|---|---------------------------|---|
| ı | Harvest Four Corners, LLC | 373888 |
| ı | 1755 Arroyo Dr | Action Number: |
| ı | Bloomfield, NM 87413 | 512792 |
| ı | | Action Type: |
| ı | | [C-141] Deferral Request C-141 (C-141-v-Deferral) |

QUESTIONS (continued)

QUESTIONS Nature and Volume of Release (continued) Is this a gas only submission (i.e. only significant Mcf values reported) No, according to supplied volumes this does not appear to be a "gas only" report. Was this a major release as defined by Subsection A of 19.15.29.7 NMAC No Reasons why this would be considered a submission for a notification of a major Unavailable With the implementation of the 19.15.27 NMAC (05/25/2021), venting and/or flaring of natural gas (i.e. gas only) are to be submitted on the C-129 form. Initial Response The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury. The source of the release has been stopped The impacted area has been secured to protect human health and the True environment Released materials have been contained via the use of berms or dikes, absorbent True pads, or other containment devices All free liquids and recoverable materials have been removed and managed True appropriately If all the actions described above have not been undertaken, explain why Not answered. Per Paragraph (4) of Subsection B of 19.15.29.8 NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please prepare and attach a narrative of actions to date in the follow-up C-141 submission. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see Subparagraph (a) of Paragraph (5) of Subsection A of 19.15.29.11 NMAC), please prepare and attach all information needed for closure evaluation in the follow-up C-141 submission. hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. Name: Brooke Herb

Title: regulatory analyst

Email: bherb@ensolum.com Date: 10/07/2025

I hereby agree and sign off to the above statement

Phone: (505) 629-6116 Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

QUESTIONS, Page 3

Action 512792

QUESTIONS (continued)

| Operator: | OGRID: |
|---------------------------|---|
| Harvest Four Corners, LLC | 373888 |
| 1755 Arroyo Dr | Action Number: |
| Bloomfield, NM 87413 | 512792 |
| | Action Type: |
| | [C-141] Deferral Request C-141 (C-141-v-Deferral) |

QUESTIONS

| Site Characterization | |
|---|---|
| Please answer all the questions in this group (only required when seeking remediation plan approva release discovery date. | l and beyond). This information must be provided to the appropriate district office no later than 90 days after the |
| What is the shallowest depth to groundwater beneath the area affected by the release in feet below ground surface (ft bgs) | Between 26 and 50 (ft.) |
| What method was used to determine the depth to ground water | NM OSE iWaters Database Search |
| Did this release impact groundwater or surface water | No |
| What is the minimum distance, between the closest lateral extents of the release ar | nd the following surface areas: |
| A continuously flowing watercourse or any other significant watercourse | Between 500 and 1000 (ft.) |
| Any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark) | Between 500 and 1000 (ft.) |
| An occupied permanent residence, school, hospital, institution, or church | Between 1000 (ft.) and ½ (mi.) |
| A spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes | Between 1000 (ft.) and ½ (mi.) |
| Any other fresh water well or spring | Between 1000 (ft.) and ½ (mi.) |
| Incorporated municipal boundaries or a defined municipal fresh water well field | Zero feet, overlying, or within area |
| A wetland | Between 500 and 1000 (ft.) |
| A subsurface mine | Between 1 and 5 (mi.) |
| An (non-karst) unstable area | Greater than 5 (mi.) |
| Categorize the risk of this well / site being in a karst geology | None |
| A 100-year floodplain | Between 1000 (ft.) and ½ (mi.) |
| Did the release impact areas not on an exploration, development, production, or storage site | No |

| Remediation Plan | | |
|---|--|--|
| Please answer all the questions that apply or are indicated. This information must be provided to the appropriate district office no later than 90 days after the release discovery date. | | |
| Requesting a remediation plan appro | oval with this submission | Yes |
| Attach a comprehensive report demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined, pursuant to 19.15.29.11 NMAC and 19.15.29.13 NMAC. | | |
| Have the lateral and vertical extents of | of contamination been fully delineated | Yes |
| Was this release entirely contained w | vithin a lined containment area | No |
| Soil Contamination Sampling: (Provide | the highest observable value for each, in millig | rams per kilograms.) |
| Chloride (EP | PA 300.0 or SM4500 CI B) | 0 |
| TPH (GRO+DRO+MRO) (EPA | SW-846 Method 8015M) | 157 |
| GRO+DRO (EF | PA SW-846 Method 8015M) | 47 |
| BTEX (EF | PA SW-846 Method 8021B or 8260B) | 0 |
| Benzene (EF | PA SW-846 Method 8021B or 8260B) | 0 |
| Per Subsection B of 19.15.29.11 NMAC unless which includes the anticipated timelines for be | | forts at remediation, the report must include a proposed remediation plan in accordance with 19.15.29.12 NMAC, |
| On what estimated date will the reme | ediation commence | 07/30/2100 |
| On what date will (or did) the final sar | mpling or liner inspection occur | 07/30/2100 |
| On what date will (or was) the remediation complete(d) | | 07/30/2100 |
| What is the estimated surface area (in square feet) that will be reclaimed | | 620 |
| What is the estimated volume (in cub | ic yards) that will be reclaimed | 200 |
| What is the estimated surface area (in | n square feet) that will be remediated | 620 |
| What is the estimated volume (in cubic yards) that will be remediated | | 200 |
| These estimated dates and measurements are recognized to be the best guess or calculation at the time of submission and may (be) change(d) over time as more remediation efforts are completed. | | |

The OCD recognizes that proposed remediation measures may have to be minimally adjusted in accordance with the physical realities encountered during remediation. If the responsible party has any need to significantly deviate from the remediation plan proposed, then it should consult with the division to determine if another remediation plan submission is required.

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

QUESTIONS, Page 4

Action 512792

QUESTIONS (continued)

| Operator: | OGRID: |
|---------------------------|---|
| Harvest Four Corners, LLC | 373888 |
| 1755 Arroyo Dr | Action Number: |
| Bloomfield, NM 87413 | 512792 |
| | Action Type: |
| | [C-141] Deferral Request C-141 (C-141-v-Deferral) |

QUESTIONS

| Remediation Plan (continued) | |
|---|---|
| Please answer all the questions that apply or are indicated. This information must be provided to the | appropriate district office no later than 90 days after the release discovery date. |
| This remediation will (or is expected to) utilize the following processes to remediate | / reduce contaminants: |
| (Select all answers below that apply.) | |
| (Ex Situ) Excavation and off-site disposal (i.e. dig and haul, hydrovac, etc.) | Yes |
| Which OCD approved facility will be used for off-site disposal | fEEM0112334691 ENVIROTECH LANDFARM #1 |
| OR which OCD approved well (API) will be used for off-site disposal | Not answered. |
| OR is the off-site disposal site, to be used, out-of-state | Not answered. |
| OR is the off-site disposal site, to be used, an NMED facility | Not answered. |
| (Ex Situ) Excavation and on-site remediation (i.e. On-Site Land Farms) | No |
| (In Situ) Soil Vapor Extraction | No |
| (In Situ) Chemical processing (i.e. Soil Shredding, Potassium Permanganate, etc.) | No |
| (In Situ) Biological processing (i.e. Microbes / Fertilizer, etc.) | No |
| (In Situ) Physical processing (i.e. Soil Washing, Gypsum, Disking, etc.) | No |
| Ground Water Abatement pursuant to 19.15.30 NMAC | No |
| OTHER (Non-listed remedial process) | No |

er Subsection B of 19.15.29.11 NMAC unless the site characterization report includes completed efforts at remediation, the report must include a proposed remediation plan in accordance with 19.15.29.12 NMAC, which includes the anticipated timelines for beginning and completing the remediation.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Name: Brooke Herb Title: regulatory analyst I hereby agree and sign off to the above statement Email: bherb@ensolum.com Date: 10/07/2025

The OCD recognizes that proposed remediation measures may have to be minimally adjusted in accordance with the physical realities encountered during remediation. If the responsible party has any need to

significantly deviate from the remediation plan proposed, then it should consult with the division to determine if another remediation plan submission is required.

Operator:

Phone: (505) 629-6116
Online Phone Directory

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

Harvest Four Corners, LLC

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

QUESTIONS, Page 5

Action 512792

QUESTIONS (continued)

OGRID:

373888

| 1755 Arroyo Dr Bloomfield, NM 87413 | Action Number: 512792 |
|--|---|
| 2,001,110,110 | Action Type: |
| | [C-141] Deferral Request C-141 (C-141-v-Deferral) |
| QUESTIONS | |
| Deferral Requests Only | |
| Only answer the questions in this group if seeking a deferral upon approval this submission. Each of | of the following items must be confirmed as part of any request for deferral of remediation. |
| Requesting a deferral of the remediation closure due date with the approval of this submission | Yes |
| Have the lateral and vertical extents of contamination been fully delineated | Yes |
| Is the remaining contamination in areas immediately under or around production equipment where remediation could cause a major facility deconstruction | Yes |
| Please list or describe the production equipment and how (re)moving the equipment would cause major facility deconstruction | Equipment, pipelines etc. related to gas plant operations (Train 7). Infrastructure can only be removed once Train 7 is decommissioned. |
| What is the remaining surface area (in square feet) that will still need to be remediated if a deferral is granted | 620 |
| What is the remaining volume (in cubic yards) that will still need to be remediated if a deferral is granted | 200 |
| | liately under or around production equipment such as production tanks, wellheads and pipelines where n may be deferred with division written approval until the equipment is removed during other operations, or when |
| Enter the facility ID (f#) on which this deferral should be granted | fGP0000000031 VAL VERDE GP |
| Enter the well API (30-) on which this deferral should be granted | Not answered. |
| Contamination does not cause an imminent risk to human health, the environment, or groundwater | True |
| Per Subsection B of 19.15.29.11 NMAC unless the site characterization report includes completed e which includes the anticipated timelines for beginning and completing the remediation. | fforts at remediation, the report must include a proposed remediation plan in accordance with 19.15.29.12 NMAC |
| to report and/or file certain release notifications and perform corrective actions for relethe OCD does not relieve the operator of liability should their operations have failed to | knowledge and understand that pursuant to OCD rules and regulations all operators are required ases which may endanger public health or the environment. The acceptance of a C-141 report by adequately investigate and remediate contamination that pose a threat to groundwater, surface t does not relieve the operator of responsibility for compliance with any other federal, state, or |
| I hereby agree and sign off to the above statement | Name: Brooke Herb Title: regulatory analyst Email: bherb@ensolum.com Date: 10/07/2025 |

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

QUESTIONS, Page 6

Action 512792

QUESTIONS (continued)

| Operator: | OGRID: |
|---------------------------|---|
| Harvest Four Corners, LLC | 373888 |
| 1755 Arroyo Dr | Action Number: |
| Bloomfield, NM 87413 | 512792 |
| | Action Type: |
| | [C-141] Deferral Request C-141 (C-141-v-Deferral) |

| Sampling Event Information | | |
|---|------------|--|
| Last sampling notification (C-141N) recorded | 507100 | |
| Sampling date pursuant to Subparagraph (a) of Paragraph (1) of Subsection D of 19.15.29.12 NMAC | 09/23/2025 | |
| What was the (estimated) number of samples that were to be gathered | 1 | |
| What was the sampling surface area in square feet | 25 | |

| Remediation Closure Request | | |
|--|----|--|
| Only answer the questions in this group if seeking remediation closure for this release because all remediation steps have been completed. | | |
| Requesting a remediation closure approval with this submission | No | |

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Action 512792

CONDITIONS

| Operator: | OGRID: |
|---------------------------|---|
| Harvest Four Corners, LLC | 373888 |
| 1755 Arroyo Dr | Action Number: |
| Bloomfield, NM 87413 | 512792 |
| | Action Type: |
| | [C-141] Deferral Request C-141 (C-141-v-Deferral) |

| Created By | Condition | Condition Date |
|------------|--|----------------|
| scwells | Deferral approved. Deferral of SS02, SS07, and SS08 is approved until plugging and abandonment or a major facility deconstruction, whichever comes first. A complete and accurate remediation report and/or reclamation report will need to be submitted at that time. | 10/14/2025 |