




W.D. GRIMES "A" #25

Remediation/Reclamation Closure Report

NAPP2520252250

C-32-18S-38E

Private Land

32.71042776,-103.17072009 NAD83



2525 NW County Rd
Hobbs, NM 88240
[\(575\) 392-9996](tel:5753929996)

Executive Summary

This Executive Summary provides an overview of the remediation and reclamation activities conducted at the W.D. GRIMES "A" #25 site, associated with Incident ID NAPP2520252250. The incident occurred on July 18, 2025, during seeding activities for closure of a prior release. A contractor struck a transfer line, resulting in a limited release with volume recorded as unknown. Diamondback Disposal Services, Inc., on behalf of TEXLAND PETROLEUM-HOBBS, LLC, managed all remediation efforts under the regulatory framework of NMAC 19.15.29.

Site characterization determined groundwater within 50 feet below ground surface and classified the site under the most stringent closure criteria. Excavation activities removed all impacted soils exceeding regulatory standards. Material was transported to NMOCD-approved facilities for disposal. Confirmation sampling, conducted under OCD notices, verified compliance with closure standards. Targeted re-excavation and resampling ensured final results met requirements for chlorides, TPH, and BTEX. Imported backfill material was confirmed uncontaminated by laboratory testing.

Final reclamation included backfilling with clean caliche and topsoil, grading to restore natural drainage, and reseeded with BLM-certified weed-free mix. Monitoring will continue until vegetation reaches 70 percent of pre-disturbance cover with a ± 50 percent lifeform ratio, consistent with NMAC 19.15.29.13.

Based on the documented remediation, laboratory verification, and compliance with state regulations, Diamondback Disposal Services, Inc., respectfully requests that the New Mexico Oil Conservation Division grant closure approval for incident NAPP2520252250.

Table of Contents

Introduction.....	1
Site Characterization.....	1
Soil and Pad Construction.....	1
Water Resources and remediation considerations.....	2
Soil Remediation Standards.....	2
Remediation Activities.....	3
Conclusion.....	4

Appendices

Appendix A Site Characterization

Appendix B Depth to Groundwater Topographical Information

Appendix C Site Delineation Mapping and Summary Report

Appendix D Site Photography And Field Notes

Appendix E Communications

Appendix F Lab Results Originals

Introduction

This report documents the remediation activities conducted at the W.D. GRIMES “A” #25 site, associated with Incident ID NAPP2520252250. The site is located in Unit Letter C, Section 32, Township 18 South, Range 38 East (NAD83 coordinates 32.71042776, -103.17072009) in Lea County, New Mexico. The location lies approximately one mile west of Hobbs, New Mexico, within an area designated for both oil and gas operations and agricultural use. On behalf of TEXLAND PETROLEUM-HOBBS, LLC (Texland), Diamondback Disposal Services, Inc. (Diamondback) undertook cleanup and reclamation activities following a release on July 18, 2025.

This secondary release occurred during ongoing efforts to close the earlier incident NAPP2417728388. While performing seeding activities associated with that remediation, a contractor struck an aboveground transfer line with a drill box. The line was not under constant pressure and cycled approximately once per hour, which limited the potential discharge. Although the originating source was known and much of the fluid continued toward its intended destination, the actual volume that arrived at the receiving point could not be determined. Field observations indicated only minor surface pooling, and no reliable measurement could be derived. For this reason, the release volume is recorded as unknown, consistent with photographic documentation in Appendix D that shows a limited but unquantifiable discharge.

Remediation and reclamation activities were conducted in accordance with the New Mexico Oil Conservation Division regulations codified in NMAC 19.15.29, effective August 14, 2018. Access to the site is from the intersection of Sanger Street and West County Road, proceeding east on Sanger for approximately 0.3 miles to the entrance on the right. A location map is provided in Appendix B, illustrating the site’s position relative to surrounding features.

Site Characterization

Site characterization was conducted to document the native soil conditions, water resources, and environmental factors influencing remediation and reclamation at the W.D. GRIMES “A” #25 site. Background data were compiled from the Web Soil Survey, New Mexico Office of the State Engineer records, and various other sources, all of which are included in Appendix A and Appendix B. This information provides the basis for evaluating closure under the applicable NMAC 19.15.29 standards.

Soil and Pad Construction

- The Web Soil Survey (see Appendix A) identifies the native soil at the site as the Kimbrough–Lea complex, dry, with 0 to 3 percent slop
- Soil profiles consist of gravelly loam and loam underlain by petrocalcic horizons, with very low water transmission and high runoff potential.
- Areas outside of the pad were reseeded with the BLM #1 certified weed-free seed mix using a drill box. Seeding was applied at the appropriate drill box rate during a season conducive to growth, and photographic documentation of seeding activities is included in Appendix D.

Water Resources and remediation considerations

- The New Mexico Office of the State Engineer (NMOSE) identifies multiple wells within a one-mile radius. Depths to water range from 25 to 100 feet below ground surface (BGS), with an average depth of approximately 49 feet BGS.
- The nearest well with current valid data is POD L-13997, located 0.3 miles north of the site, drilled to 62 feet BGS (see Appendix B for maps and POD data).
- Historical records from the 1960s noted water as shallow as 45 feet, but those values are considered deprecated.
- The Pecos River is the nearest continuously flowing watercourse, located approximately 65.7 miles west of the site.
- A freshwater pond was identified within a one-mile radius, located approximately 1,039 feet (0.2 miles) Southeast of the site.
- The nearest residence is located approximately 0.6 miles southwest from the site.
- The site is located in an area with low karst potential.
- The nearest subsurface mining activities are located near the city of Eunice, approximately 18 miles from the site.
- The site is not located within a 100-year floodplain.
- Taken together, these factors confirm that the site presents no elevated risk to surrounding resources and that remediation was evaluated under the most stringent regulatory framework, providing the basis for application of the closure criteria outlined in NMAC 19.15.29.12.

Soil Remediation Standards

Based on site characterization results, the W.D. GRIMES “A” #25 site was evaluated and remediated under the most stringent soil closure criteria established in NMAC 19.15.29.12 Table 1 for sites with groundwater occurring at less than 50 feet below ground surface (BGS). Remediation activities were completed to ensure compliance with these standards, and confirmation data verified that closure criteria were achieved. The applicable regulatory thresholds are summarized in Table 1 below.

Table 1: NMAC 19.15.29.12 Closure Criteria for Soils Impacted by a Release

Groundwater Depth	Chloride (mg/kg)	TPH (GRO+DRO+MRO) (mg/kg)	GRO+DRO (mg/kg)	BTEX (mg/kg)	Benzene (mg/kg)
Less than 50 feet	600	100	N/A	50	10

In addition, and consistent with NMAC 19.15.29.13, the imported backfill material was evaluated to confirm that it met the requirement for uncontaminated, non-waste earthen material. Analytical data confirmed that no exceedances were present, and no further corrective action was required.

Remediation Activities

Initial site stabilization was conducted on July 19, 2025, immediately following repair of the damaged transfer line. Standing fluid and associated impacted soils were scraped from the surface, loaded onto 12-yard trucks, and transported to the R360 Halfway facility, an NMOCD-approved disposal facility, for proper disposal.

Between July 24 and August 4, 2025, Diamondback conducted full excavation of the release area. Excavation was directed by field chloride titration screening to identify and remove soils exceeding closure thresholds. All remaining contaminated material was loaded into 12-yard trucks and transported to Lea Land LLC, an NMOCD-approved disposal facility, for proper disposal in compliance with 19.15.29 NMAC.

The NMOCD was formally notified of confirmation sampling events scheduled for August 4, 2025, and August 5, 2025. On those dates, the excavation was subdivided into 200-square-foot grids, and five-point composite samples were collected from both floor and sidewall areas of each grid. All samples were packaged under chain of custody and submitted to an approved third-party laboratory for analysis. Samples were tested for chlorides, total petroleum hydrocarbons (TPH), and benzene, toluene, ethylbenzene, and xylenes (BTEX) in accordance with NMAC 19.15.29.12 Table 1. Analytical results indicated that two samples exceeded the applicable RRALs. Those areas were re-excavated, and a follow-up notice was accepted on August 11, 2025, with resampling conducted on August 14, 2025. The subsequent analytical results confirmed that all soil met the <50 ft BGS closure criteria, and the results are included in Appendix C.

Once all confirmation samples verified compliance, backfilling commenced. Road areas were restored using clean imported caliche sourced from Diamondback's yard, and the excavation cap was finished with locally sourced topsoil to reestablish natural grade. The imported backfill material was also sampled, submitted under chain of custody to an approved laboratory, and tested for chlorides, total petroleum hydrocarbons (TPH), and benzene, toluene, ethylbenzene, and xylenes (BTEX). Analytical results confirmed the backfill was free of contamination prior to placement. All fill was compacted and contoured to promote positive drainage and prepare the site for reclamation.

Final site restoration was completed on August 25, 2025. The site was seeded using a drill box with the BLM #1 certified weed-free seed mix to promote reestablishment of vegetative cover.

The site will be monitored until reclamation is deemed complete, as required by NMAC 19.15.29.13. Completion will be determined when vegetative growth achieves 70 percent of pre-disturbance conditions with a ± 50 percent lifeform ratio compared to surrounding reference areas. Additional amendments or reseeding will be applied as necessary to achieve these standards.

Photographic documentation of the initial scrape, excavation activities, sampling grid layout, backfilling, and final seeding is provided in Appendix D. All sampling notices and approvals are included in the Communications Appendix.

Conclusion

This report documents the assessment, excavation, and closure verification for the release associated with the W.D. GRIMES "A" #25 location, situated in Unit Letter C, Section 32, Township 18S, Range 38E (coordinates 32.71042776, -103.17072009 NAD83). The secondary release occurred on July 18, 2025 during seeding activities conducted while closing the earlier incident NAPP2417728388, and was managed by Diamondback Disposal Services, Inc. on behalf of TEXLAND PETROLEUM-HOBBS, LLC.

All impacted material was removed and properly disposed of. The initial surface scrape was hauled to the R360 Halfway facility, and all subsequent excavation material was transported to Lea Land LLC, both NMOCD-approved facilities. Confirmation sampling was performed under OCD notices on August 4 and August 5, 2025, with targeted re-excavation and re-sampling conducted on August 14,

2025 after two samples initially exceeded closure thresholds. All soil samples were analyzed for chlorides, total petroleum hydrocarbons, and BTEX, and final results met the most stringent NMAC 19.15.29.12 Table 1 closure criteria for groundwater less than 50 feet below ground surface. Backfilling was completed with clean imported caliche and locally sourced topsoil that was confirmed acceptable by laboratory analysis, and the site was reseeded on August 25, 2025 using the BLM #1 certified weed-free seed mix applied with a drill box.

Remediation and reclamation activities were conducted in accordance with NMAC 19.15.29.12 and related requirements, and all verification data confirm compliance with applicable regulatory standards. The site will be monitored until reclamation is complete as required by NMAC 19.15.29.13, which will be determined when vegetative growth reaches at least 70 percent of pre-disturbance conditions with a plus or minus 50 percent lifeform ratio relative to surrounding reference areas.

Based on the documented work, the supporting laboratory data, and compliance with applicable regulations, Diamondback Disposal Services, Inc., on behalf of TEXLAND PETROLEUM-HOBBS, LLC, respectfully requests that the New Mexico Oil Conservation Division grant closure approval for incident NAPP2520252250. Please contact us with any questions or requests for additional information.

Appendix A

Site Characterization

- 5 mile radius
- ↓ nAPP2417728388
- Karst Occurrence Potential
 - High
 - Low
 - Medium
- Critical Karst Resource Area

5 Mile Radius

↓ nAPP2417728388



0 5 10 mi

TEXLAND PETROLEUM-HOBBS, LLC
W.D. GRIMES "A" #25
NAPP2520252250
32.7110659,-103.1705367



Diamondback Disposal
Services, Inc
P.O. Box 2491
Hobbs, NM 88241
575-392-9996

National Flood Hazard Layer FIRMette



103°10'35"W 32°42'53"N



Released to Imaging: 10/15/2025 9:50:34 AM

1:6,000

103°9'57"W 32°42'23"N

Basemap Imagery Source: USGS National Map 2023

Legend

SEE FIS REPORT FOR DETAILED LEGEND AND INDEX MAP FOR FIRM PANEL LAYOUT

SPECIAL FLOOD HAZARD AREAS		Without Base Flood Elevation (BFE) Zone A, V, A99
		With BFE or Depth Zone AE, AO, AH, VE, AR
		Regulatory Floodway
OTHER AREAS OF FLOOD HAZARD		0.2% Annual Chance Flood Hazard, Areas of 1% annual chance flood with average depth less than one foot or with drainage areas of less than one square mile Zone X
		Future Conditions 1% Annual Chance Flood Hazard Zone X
		Area with Reduced Flood Risk due to Levee. See Notes. Zone X
		Area with Flood Risk due to Levee Zone D
OTHER AREAS		NO SCREEN Area of Minimal Flood Hazard Zone X
		Effective LOMRs
		Area of Undetermined Flood Hazard Zone D
GENERAL STRUCTURES		Channel, Culvert, or Storm Sewer
		Levee, Dike, or Floodwall
OTHER FEATURES		20.2 Cross Sections with 1% Annual Chance
		17.5 Water Surface Elevation
		Coastal Transect
		Base Flood Elevation Line (BFE)
		Limit of Study
		Jurisdiction Boundary
		Coastal Transect Baseline
MAP PANELS		Digital Data Available
		No Digital Data Available
		Unmapped

The pin displayed on the map is an approximate point selected by the user and does not represent an authoritative property location.

This map complies with FEMA's standards for the use of digital flood maps if it is not void as described below. The basemap shown complies with FEMA's basemap accuracy standards

The flood hazard information is derived directly from the authoritative NFHL web services provided by FEMA. This map was exported on 1/13/2025 at 8:23 PM and does not reflect changes or amendments subsequent to this date and time. The NFHL and effective information may change or become superseded by new data over time.

This map image is void if the one or more of the following map elements do not appear: basemap imagery, flood zone labels, legend, scale bar, map creation date, community identifiers, FIRM panel number, and FIRM effective date. Map images for unmapped and unmodernized areas cannot be used for regulatory purposes.



United States
Department of
Agriculture

NRCS

Natural
Resources
Conservation
Service

A product of the National
Cooperative Soil Survey,
a joint effort of the United
States Department of
Agriculture and other
Federal agencies, State
agencies including the
Agricultural Experiment
Stations, and local
participants

Custom Soil Resource Report for **Lea County, New Mexico**

WD Grimes #25



April 4, 2025

Custom Soil Resource Report Soil Map



Custom Soil Resource Report

MAP LEGEND

Area of Interest (AOI)

 Area of Interest (AOI)

Soils

 Soil Map Unit Polygons

 Soil Map Unit Lines

 Soil Map Unit Points

Special Point Features

 Blowout

 Borrow Pit

 Clay Spot

 Closed Depression

 Gravel Pit

 Gravelly Spot

 Landfill

 Lava Flow

 Marsh or swamp

 Mine or Quarry

 Miscellaneous Water

 Perennial Water

 Rock Outcrop

 Saline Spot

 Sandy Spot

 Severely Eroded Spot

 Sinkhole

 Slide or Slip

 Sodic Spot

 Spoil Area

 Stony Spot

 Very Stony Spot

 Wet Spot

 Other

 Special Line Features

Water Features

 Streams and Canals

Transportation

 Rails

 Interstate Highways

 US Routes

 Major Roads

 Local Roads

Background

 Aerial Photography

MAP INFORMATION

The soil surveys that comprise your AOI were mapped at 1:20,000.

Warning: Soil Map may not be valid at this scale.

Enlargement of maps beyond the scale of mapping can cause misunderstanding of the detail of mapping and accuracy of soil line placement. The maps do not show the small areas of contrasting soils that could have been shown at a more detailed scale.

Please rely on the bar scale on each map sheet for map measurements.

Source of Map: Natural Resources Conservation Service
Web Soil Survey URL:
Coordinate System: Web Mercator (EPSG:3857)

Maps from the Web Soil Survey are based on the Web Mercator projection, which preserves direction and shape but distorts distance and area. A projection that preserves area, such as the Albers equal-area conic projection, should be used if more accurate calculations of distance or area are required.

This product is generated from the USDA-NRCS certified data as of the version date(s) listed below.

Soil Survey Area: Lea County, New Mexico
Survey Area Data: Version 21, Sep 3, 2024

Soil map units are labeled (as space allows) for map scales 1:50,000 or larger.

Date(s) aerial images were photographed: Jan 18, 2020—Feb 17, 2020

The orthophoto or other base map on which the soil lines were compiled and digitized probably differs from the background imagery displayed on these maps. As a result, some minor shifting of map unit boundaries may be evident.

Custom Soil Resource Report

Map Unit Legend

Map Unit Symbol	Map Unit Name	Acres in AOI	Percent of AOI
KU	Kimbrough-Lea complex, dry, 0 to 3 percent slopes	1.4	100.0%
Totals for Area of Interest		1.4	100.0%

Map Unit Descriptions

The map units delineated on the detailed soil maps in a soil survey represent the soils or miscellaneous areas in the survey area. The map unit descriptions, along with the maps, can be used to determine the composition and properties of a unit.

A map unit delineation on a soil map represents an area dominated by one or more major kinds of soil or miscellaneous areas. A map unit is identified and named according to the taxonomic classification of the dominant soils. Within a taxonomic class there are precisely defined limits for the properties of the soils. On the landscape, however, the soils are natural phenomena, and they have the characteristic variability of all natural phenomena. Thus, the range of some observed properties may extend beyond the limits defined for a taxonomic class. Areas of soils of a single taxonomic class rarely, if ever, can be mapped without including areas of other taxonomic classes. Consequently, every map unit is made up of the soils or miscellaneous areas for which it is named and some minor components that belong to taxonomic classes other than those of the major soils.

Most minor soils have properties similar to those of the dominant soil or soils in the map unit, and thus they do not affect use and management. These are called noncontrasting, or similar, components. They may or may not be mentioned in a particular map unit description. Other minor components, however, have properties and behavioral characteristics divergent enough to affect use or to require different management. These are called contrasting, or dissimilar, components. They generally are in small areas and could not be mapped separately because of the scale used. Some small areas of strongly contrasting soils or miscellaneous areas are identified by a special symbol on the maps. If included in the database for a given area, the contrasting minor components are identified in the map unit descriptions along with some characteristics of each. A few areas of minor components may not have been observed, and consequently they are not mentioned in the descriptions, especially where the pattern was so complex that it was impractical to make enough observations to identify all the soils and miscellaneous areas on the landscape.

The presence of minor components in a map unit in no way diminishes the usefulness or accuracy of the data. The objective of mapping is not to delineate pure taxonomic classes but rather to separate the landscape into landforms or landform segments that have similar use and management requirements. The delineation of such segments on the map provides sufficient information for the development of resource plans. If intensive use of small areas is planned, however, onsite investigation is needed to define and locate the soils and miscellaneous areas.

Custom Soil Resource Report

An identifying symbol precedes the map unit name in the map unit descriptions. Each description includes general facts about the unit and gives important soil properties and qualities.

Soils that have profiles that are almost alike make up a *soil series*. Except for differences in texture of the surface layer, all the soils of a series have major horizons that are similar in composition, thickness, and arrangement.

Soils of one series can differ in texture of the surface layer, slope, stoniness, salinity, degree of erosion, and other characteristics that affect their use. On the basis of such differences, a soil series is divided into *soil phases*. Most of the areas shown on the detailed soil maps are phases of soil series. The name of a soil phase commonly indicates a feature that affects use or management. For example, Alpha silt loam, 0 to 2 percent slopes, is a phase of the Alpha series.

Some map units are made up of two or more major soils or miscellaneous areas. These map units are complexes, associations, or undifferentiated groups.

A *complex* consists of two or more soils or miscellaneous areas in such an intricate pattern or in such small areas that they cannot be shown separately on the maps. The pattern and proportion of the soils or miscellaneous areas are somewhat similar in all areas. Alpha-Beta complex, 0 to 6 percent slopes, is an example.

An *association* is made up of two or more geographically associated soils or miscellaneous areas that are shown as one unit on the maps. Because of present or anticipated uses of the map units in the survey area, it was not considered practical or necessary to map the soils or miscellaneous areas separately. The pattern and relative proportion of the soils or miscellaneous areas are somewhat similar. Alpha-Beta association, 0 to 2 percent slopes, is an example.

An *undifferentiated group* is made up of two or more soils or miscellaneous areas that could be mapped individually but are mapped as one unit because similar interpretations can be made for use and management. The pattern and proportion of the soils or miscellaneous areas in a mapped area are not uniform. An area can be made up of only one of the major soils or miscellaneous areas, or it can be made up of all of them. Alpha and Beta soils, 0 to 2 percent slopes, is an example.

Some surveys include *miscellaneous areas*. Such areas have little or no soil material and support little or no vegetation. Rock outcrop is an example.

Custom Soil Resource Report

Lea County, New Mexico**KU—Kimbrough-Lea complex, dry, 0 to 3 percent slopes****Map Unit Setting***National map unit symbol: 2tw46**Elevation: 2,500 to 4,800 feet**Mean annual precipitation: 14 to 16 inches**Mean annual air temperature: 57 to 63 degrees F**Frost-free period: 180 to 220 days**Farmland classification: Not prime farmland***Map Unit Composition***Kimbrough and similar soils: 45 percent**Lea and similar soils: 25 percent**Minor components: 30 percent**Estimates are based on observations, descriptions, and transects of the mapunit.***Description of Kimbrough****Setting***Landform: Playa rims, plains**Down-slope shape: Convex, linear**Across-slope shape: Concave, linear**Parent material: Loamy eolian deposits derived from sedimentary rock***Typical profile***A - 0 to 3 inches: gravelly loam**Bw - 3 to 10 inches: loam**Bkkm1 - 10 to 16 inches: cemented material**Bkkm2 - 16 to 80 inches: cemented material***Properties and qualities***Slope: 0 to 3 percent**Depth to restrictive feature: 4 to 18 inches to petrocalcic**Drainage class: Well drained**Runoff class: Very high**Capacity of the most limiting layer to transmit water (Ksat): Very low to moderately low (0.00 to 0.01 in/hr)**Depth to water table: More than 80 inches**Frequency of flooding: None**Frequency of ponding: None**Calcium carbonate, maximum content: 95 percent**Maximum salinity: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)**Sodium adsorption ratio, maximum: 1.0**Available water supply, 0 to 60 inches: Very low (about 1.4 inches)***Interpretive groups***Land capability classification (irrigated): None specified**Land capability classification (nonirrigated): 7s**Hydrologic Soil Group: D**Ecological site: R077DY049TX - Very Shallow 12-17" PZ**Hydric soil rating: No*

Custom Soil Resource Report

Description of Lea**Setting**

Landform: Plains

Down-slope shape: Convex

Across-slope shape: Linear

Parent material: Calcareous, loamy eolian deposits from the blackwater draw formation of pleistocene age over indurated caliche of pliocene age

Typical profile

A - 0 to 10 inches: loam

Bk - 10 to 18 inches: loam

Bkk - 18 to 26 inches: gravelly fine sandy loam

Bkkm - 26 to 80 inches: cemented material

Properties and qualities

Slope: 0 to 3 percent

Depth to restrictive feature: 22 to 30 inches to petrocalcic

Drainage class: Well drained

Runoff class: High

Capacity of the most limiting layer to transmit water (Ksat): Very low to moderately low (0.00 to 0.06 in/hr)

Depth to water table: More than 80 inches

Frequency of flooding: None

Frequency of ponding: None

Calcium carbonate, maximum content: 90 percent

Maximum salinity: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)

Sodium adsorption ratio, maximum: 3.0

Available water supply, 0 to 60 inches: Very low (about 2.9 inches)

Interpretive groups

Land capability classification (irrigated): None specified

Land capability classification (nonirrigated): 7s

Hydrologic Soil Group: D

Ecological site: R077DY047TX - Sandy Loam 12-17" PZ

Hydric soil rating: No

Minor Components**Douro**

Percent of map unit: 12 percent

Landform: Plains

Down-slope shape: Linear

Across-slope shape: Linear

Ecological site: R077DY047TX - Sandy Loam 12-17" PZ

Other vegetative classification: Unnamed (G077DH000TX)

Hydric soil rating: No

Kenhill

Percent of map unit: 12 percent

Landform: Plains

Down-slope shape: Linear

Across-slope shape: Linear

Ecological site: R077DY038TX - Clay Loam 12-17" PZ

Hydric soil rating: No

Custom Soil Resource Report

Spraberry

Percent of map unit: 6 percent

Landform: Playa rims, plains

Down-slope shape: Convex, linear

Across-slope shape: Linear

Ecological site: R077DY049TX - Very Shallow 12-17" PZ

Other vegetative classification: Unnamed (G077DH000TX)

Hydric soil rating: No

Appendix B

Depth to Groundwater

Topographical Information



Released to Imaging: 10/15/2025 7:50:34 AM



Diamondback Disposal
Services, Inc
P.O. Box 2491
Hobbs, NM 88241
575-392-9996

○ 5 mile radius
↓ nAPP2417728388

5 Mile Radius

nAPP2417728388

65.7 miles

Pecos River



0 5 10 mi

TEXLAND PETROLEUM-HOBBS, LLC
W.D. GRIMES "A" #25
NAPP2417728388
32.7110659,-103.1705367



Diamondback Disposal
Services, Inc
P.O. Box 2491
Hobbs, NM 88241
575-392-9996

- 1/2 mile radius
- ↓ nAPP2417728388
-  Occupied Residence
- OSE_PODs_By Depth
 - 0 - 0
 - 0 - 49
 - 49 - 100
 - 95 - 8,495

1/2 Mile Radius

0.3 miles

0.6 miles

1039 ft



0 750 1,500 ft

TEXLAND PETROLEUM-HOBBS, LLC
 W.D. GRIMES "A" #25
 NAPP2520252250
 32.7110659,-103.1705367



Diamondback Disposal
 Services, Inc
 P.O. Box 2491
 Hobbs, NM 88241
 575-392-9996

Point of Diversion Summary

quarters are 1=NW 2=NE 3=SW 4=SE
quarters are smallest to largest

NAD83 UTM in meters

Well Tag	POD Nbr	Q64	Q16	Q4	Sec	Tws	Rng	X	Y	Map
	L 13997 POD1	NE	SE	SW	29	18S	38E	671343.3	3621125.0	

* UTM location was derived from PLSS - see Help

Driller License:	1731	Driller Company:	HARRISON & COOPER, INC DBA: HCI DRILLING		
Driller Name:	KENNY COOPER				
Drill Start Date:	2015-10-02	Drill Finish Date:	2015-10-02	Plug Date:	
Log File Date:	2015-10-23	PCW Rcv Date:		Source:	Shallow
Pump Type:		Pipe Discharge Size:		Estimated Yield:	
Casing Size:	4.00	Depth Well:	109	Depth Water:	62

Water Bearing Stratifications:

Top	Bottom	Description
60	109	Sandstone/Gravel/Conglomerate

Casing Perforations:

Top	Bottom
59	99

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

Appendix C

Site Delineation Mapping and Summary Report

W.D. GRIMES "A" #25 – NAPP2520252250

Wall Summary

SAMPLE ID	LAB ID NUMBER	SAMPLE DEPTH	SAMPLE DATE	BENZENE	TOLUENE (mg/kg)	ETHYL-BENZENE (mg/kg)	TOTAL XYLENES (mg/kg)	TOTAL BTEX (mg/kg)	GRO C6-C10 (mg/kg)	DRO C10-C28 (mg/kg)	EXT DRO C28-C36 (mg/kg)	TOTAL TPH C6-C36 (mg/kg)	CHLORIDE
W1	H254736-01	0-1'	8/4/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	368
W2	H254736-02	0-1'6"	8/4/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	176
W3	H254736-03	0-1'	8/4/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	160
W4	H254736-04	0-1'	8/4/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	160
W5	H254736-05	0-1'6"	8/4/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	144

W.D. GRIMES "A" #25 – NAPP2520252250

Floor Summary

SAMPLE ID	LAB ID NUMBER	SAMPLE DEPTH	SAMPLE DATE	BENZENE	TOLUENE (mg/kg)	ETHYL-BENZENE (mg/kg)	TOTAL XYLENES (mg/kg)	TOTAL BTEX (mg/kg)	GRO C6-C10 (mg/kg)	DRO C10-C28 (mg/kg)	EXT DRO C28-C36 (mg/kg)	TOTAL TPH C6-C36 (mg/kg)	CHLORIDE	SOIL STATUS
B1	H254739-01	1'	8/4/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	240	In-Situ
B2	H254739-02	1'	8/4/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	112	In-Situ
B3	H254739-03	1'	8/4/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	384	In-Situ
B4	H254739-04	1'	8/4/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	416	In-Situ
B5	H254739-05	1'	8/4/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	512	In-Situ
B6	H254739-06	1'	8/4/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	416	In-Situ
B7	H254739-07	1'	8/4/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	432	In-Situ
B8	H254739-08	1'	8/4/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	336	In-Situ
B9	H254739-09	1'	8/4/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	336	In-Situ
B10	H254739-10	1'6"	8/4/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	320	In-Situ
B11	H254739-11	1'6"	8/4/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	384	In-Situ
B12	H254739-12	1'6"	8/4/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	176	In-Situ
B13	H254739-13	1'	8/4/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	176	In-Situ
B14	H254739-14	1'	8/4/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	160	In-Situ
B15	H254739-15	1'	8/4/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	128	In-Situ
B16	H254739-16	1'	8/4/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	160	In-Situ
B17	H254739-17	1'	8/4/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	144	In-Situ
B18	H254739-18	1'	8/4/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	128	In-Situ
B19	H254739-19	1'	8/4/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	160	In-Situ
B20	H254739-20	1'	8/4/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	32	In-Situ
B21	H254739-21	1'	8/4/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	64	In-Situ
B22	H254739-22	1'	8/4/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	144	In-Situ
B23	H254739-23	1'	8/4/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	54.7	47.9	102.6	496	Excavated
B23	H255030-01	2'	8/14/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	10.4	<10.0	10.4	224	In-Situ
B24	H254739-24	1'	8/4/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	77.4	73.1	150.5	512	Excavated
B24	H255030-02	2'	8/14/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	25	15.3	40.3	208	In-Situ
B25	H254739-25	1'	8/4/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	176	In-Situ
B26	H254739-26	1'	8/4/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	160	In-Situ
B27	H254739-27	1'	8/4/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	176	In-Situ
B28	H254739-28	1'	8/4/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	208	In-Situ
B29	H254739-29	1'	8/4/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	336	In-Situ
B30	H254739-30	1'	8/4/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	352	In-Situ
B31	H254739-31	1'	8/4/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	160	In-Situ
B32	H254739-32	1'	8/4/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	160	In-Situ
B33	H254739-33	1'	8/4/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	160	In-Situ
B34	H254739-34	1'	8/4/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	160	In-Situ

W.D. GRIMES "A" #25 – NAPP2520252250

Horizontal Summary


SAMPLE ID	LAB ID NUMBER	SAMPLE DEPTH	SAMPLE DATE	BENZENE	TOLUENE (mg/kg)	ETHYL-BENZENE (mg/kg)	TOTAL XYLENES (mg/kg)	TOTAL BTEX (mg/kg)	GRO C6-C10 (mg/kg)	DRO C10-C28 (mg/kg)	EXT DRO C28-C36 (mg/kg)	TOTAL TPH C6-C36 (mg/kg)	CHLORIDE
H1	H254737-01	Surface	8/4/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	96
H2	H254737-02	Surface	8/4/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	48
H3	H254737-03	Surface	8/4/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	16
H4	H254737-04	Surface	8/4/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	400

W.D. GRIMES "A" #25 – NAPP2520252250

Backfill Summary

SAMPLE ID	LAB ID NUMBER	SAMPLE DEPTH	SAMPLE DATE	BENZENE	TOLUENE (mg/kg)	ETHYL- BENZENE (mg/kg)	TOTAL XYLENES (mg/kg)	TOTAL BTEX (mg/kg)	GRO C6-C10 (mg/kg)	DRO C10-C28 (mg/kg)	EXT DRO C28-C36 (mg/kg)	TOTAL TPH C6-C36 (mg/kg)	CHLORIDE
TOP SOIL	H254738-01	Surface	8/4/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<16.0
CALICHE	H254738-02	Surface	8/4/25	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	144

- ↓ Release Point
● Horizontal Sample "H"
- Wall Number
- 1
 - 2
 - 3
 - 4
 - 5



0 10 20 ft

Texland
W D GRIMES NCT A #025
Incident GPS
32.71042776,-103.17072009
Private Lease

Released to Imaging: 10/15/2025 7:50:34 AM



Diamondback Disposal
Services, Inc
P.O. Box 2491
Hobbs, NM 88241
575-392-9996

- ↓ Release Point
- Horizontal Sample "H"
- Bottoms "B"



Texland
W D GRIMES NCT A #025
Incident GPS
32.71042776,-103.17072009
Private Lease




Diamondback Disposal
Services, Inc
P.O. Box 2491
Hobbs, NM 88241
575-392-9996

Appendix D Site Photography And Field Notes

WD Grime #25 -- NAPP2520252250

Final Excavation Photos



WD Grime #25 -- NAPP2520252250
Seeding and Reclamation Completion Photos

↓ Release Point

Figure 1

Figure 2

Figure 3

Figure 11

Figure 10

Figure 4

Figure 5

Figure 9

Figure 6

Figure 7

Figure 8



0 25 50 ft



Texland
W D GRIMES NCT A #025
Incident GPS
32.71042776,-103.17072009
Private Lease

Diamondback Disposal
Services, Inc
P.O. Box 2491
Hobbs, NM 88241
575-392-9996

W D GRIMES NCT A #025
Final Status – Leak Secured



Figure 1



Figure 2



Figure 3



Figure 4



Figure 5



Figure 6



Figure 7

W D GRIMES NCT A #025
Final Status – Leak Secured



Figure 8



Figure 9



Figure 10



Figure 11

Appendix E

Communications

FW: The Oil Conservation Division (OCD) has accepted the application, Application ID: 494291

From: Vickie Smith <vsmith@texpetro.com>
To: Jason Owsley <jasono@diamondbacknm.com>
Cc: Kelly Jordan <kjordan@texpetro.com>
Date: Mon, 11 Aug 2025 17:41:10 +0000 (08/11/2025 11:41:10 AM)

Ok, this on has the correct date; Notice of Sampling for the Grimes A 25,

Wishing you a wonderful day,
Vickie

From: OCDOnline@state.nm.us <OCDOnline@state.nm.us>
Sent: Monday, August 11, 2025 12:36 PM
To: Vickie Smith <vsmith@texpetro.com>
Subject: The Oil Conservation Division (OCD) has accepted the application, Application ID: 494291

To whom it may concern (c/o Vickie Smith for TEXLAND PETROLEUM-HOBBS, LLC),

The OCD has received the submitted *Notification for (Final) Sampling of a Release* (C-141N), for incident ID (n#) nAPP2520252250.

The sampling event is expected to take place:

When: 08/14/2025 @ 08:00
Where: C-32-18S-38E 0 FNL 0 FEL (32.71042776,-103.17072009)

Additional Information: Vickie w/Texland (113315) 575-433-8395; Jason w/Diamondback 575-602-5998

Additional Instructions: 32.71042776, -103.17072009

An OCD representative may be available onsite at the date and time reported. In the absence or presence of an OCD representative, sampling pursuant to 19.15.29.12.D NMAC is required. Sampling must be performed following an approved sampling plan or pursuant to 19.15.29.12.D.(1).(c) NMAC. Should there be a change in the scheduled date and time of the sampling event, then another notification should be resubmitted through OCD permitting as soon as possible.

- **Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation closure samples not being accepted.**

- **If confirmation sampling is going to take place over multiple days, individual C-141N applications must be submitted for each sampling date. Date ranges are not currently accepted on the C-141N application.**

If you have any questions regarding this application, or don't know why you have received this email, please contact us.

New Mexico Energy, Minerals and Natural Resources Department

1220 South St. Francis Drive

Santa Fe, NM 87505

FW: The Oil Conservation Division (OCD) has accepted the application, Application ID: 490226

- Jason Owsley <jasono@diamondbacknm.com>
- Vickie Smith <vsmith@texpetro.com>

Vickie

Wednesday, July 30, 2025 at 10:44:24 AM

To: You (jasono@diamondbacknm.com)

Here is the first one for Monday on the Grimes A #25

Vickie

From: OCDOnline@state.nm.us <OCDOnline@state.nm.us>

Sent: Wednesday, July 30, 2025 11:42 AM

To: Vickie Smith <vsmith@texpetro.com>

Subject: The Oil Conservation Division (OCD) has accepted the application, Application ID: 490226

To whom it may concern (c/o Vickie Smith for TEXLAND PETROLEUM-HOBBS, LLC),

The OCD has received the submitted *Notification for (Final) Sampling of a Release* (C-141N), for incident ID (n#) nAPP2520252250.

The sampling event is expected to take place:

When: 08/04/2025 @ 08:00

Where: C-32-18S-38E 0 FNL 0 FEL (32.71042776,-103.17072009)

Additional Information: Vickie w/Texland [575-433-8395](tel:575-433-8395)

Jason w/Diamondback [575-602-5998](tel:575-602-5998)

Additional Instructions: 32.71042776, -103.17072009

An OCD representative may be available onsite at the date and time reported. In the absence or presence of an OCD representative, sampling pursuant to [19.15.29.12.D](#) NMAC is required. Sampling must be performed following an approved sampling plan or pursuant to [19.15.29.12.D.\(1\).\(c\)](#) NMAC. Should there be a change in the scheduled date and time of the sampling event, then another notification should be resubmitted through OCD permitting as soon as possible.

- Failure to notify the OCD of sampling events including any changes in date/time per the requirements of [19.15.29.12.D.\(1\).\(a\)](#) NMAC, may result in the remediation closure samples not being accepted.
- If confirmation sampling is going to take place over multiple days, individual C-141N applications must be submitted for each sampling date. Date ranges are not currently accepted on the C-141N application.

If you have any questions regarding this application, or don't know why you have received this email, please contact us.

New Mexico Energy, Minerals and Natural Resources Department

1220 South St. Francis Drive

Santa Fe, NM 87505

FW: The Oil Conservation Division (OCD) has accepted the application, Application ID: 490276

- Jason Owsley <jasono@diamondbacknm.com>
- Vickie Smith <vsmith@texpetro.com>

Vickie

Wednesday, July 30, 2025 at 11:05:15 AM

To: You (jasono@diamondbacknm.com)

Here is the second Sampling Approval for Tuesday for the Grimes A 25.

Even though it shows EW as operator, these are showing Texland as operator, which is what Mike said, the incident numbers will stay attached to Texland's OGRID number.

Wishing you a great day,
Vickie

From: OCDOnline@state.nm.us <OCDOnline@state.nm.us>

Sent: Wednesday, July 30, 2025 11:51 AM

To: Vickie Smith <vsmith@texpetro.com>

Subject: The Oil Conservation Division (OCD) has accepted the application, Application ID: 490276

To whom it may concern (c/o Vickie Smith for TEXLAND PETROLEUM-HOBBS, LLC),
The OCD has received the submitted *Notification for (Final) Sampling of a Release* (C-141N), for incident ID (n#) nAPP2520252250.

The sampling event is expected to take place:

When: 08/05/2025 @ 08:00

Where: C-32-18S-38E 0 FNL 0 FEL (32.71042776,-103.17072009)

Additional Information: Vickie w/Texland [575-433-8395](tel:575-433-8395)

Jason w/Diamondback [575-602-5998](tel:575-602-5998)

Additional Instructions: 32.71042776, -103.17072009

An OCD representative may be available onsite at the date and time reported. In the absence or presence of an OCD representative, sampling pursuant to [19.15.29.12.D](#) NMAC is required. Sampling must be performed following an approved sampling plan or pursuant to [19.15.29.12.D.\(1\).\(c\)](#) NMAC. Should there be a change in the scheduled date and time of the sampling event, then another notification should be resubmitted through OCD permitting as soon as possible.

- Failure to notify the OCD of sampling events including any changes in date/time per the requirements of [19.15.29.12.D.\(1\).\(a\)](#) NMAC, may result in the remediation closure samples not

being accepted.

- If confirmation sampling is going to take place over multiple days, individual C-141N applications must be submitted for each sampling date. Date ranges are not currently accepted on the C-141N application.

If you have any questions regarding this application, or don't know why you have received this email, please contact us.

New Mexico Energy, Minerals and Natural Resources Department

1220 South St. Francis Drive

Santa Fe, NM 87505

FW: The Oil Conservation Division (OCD) has accepted the application, Application ID: 490226

- Jason Owsley <jasono@diamondbacknm.com>
- Vickie Smith <vsmith@texpetro.com>

Vickie

Wednesday, July 30, 2025 at 10:44:24 AM

To: You (jasono@diamondbacknm.com)

Here is the first one for Monday on the Grimes A #25

Vickie

From: OCDOnline@state.nm.us <OCDOnline@state.nm.us>

Sent: Wednesday, July 30, 2025 11:42 AM

To: Vickie Smith <vsmith@texpetro.com>

Subject: The Oil Conservation Division (OCD) has accepted the application, Application ID: 490226

To whom it may concern (c/o Vickie Smith for TEXLAND PETROLEUM-HOBBS, LLC),

The OCD has received the submitted *Notification for (Final) Sampling of a Release* (C-141N), for incident ID (n#) nAPP2520252250.

The sampling event is expected to take place:

When: 08/04/2025 @ 08:00

Where: C-32-18S-38E 0 FNL 0 FEL (32.71042776,-103.17072009)

Additional Information: Vickie w/Texland [575-433-8395](tel:575-433-8395)

Jason w/Diamondback [575-602-5998](tel:575-602-5998)

Additional Instructions: 32.71042776, -103.17072009

An OCD representative may be available onsite at the date and time reported. In the absence or presence of an OCD representative, sampling pursuant to [19.15.29.12.D](#) NMAC is required. Sampling must be performed following an approved sampling plan or pursuant to [19.15.29.12.D.\(1\).\(c\)](#) NMAC. Should there be a change in the scheduled date and time of the sampling event, then another notification should be resubmitted through OCD permitting as soon as possible.

- Failure to notify the OCD of sampling events including any changes in date/time per the requirements of [19.15.29.12.D.\(1\).\(a\)](#) NMAC, may result in the remediation closure samples not being accepted.
- If confirmation sampling is going to take place over multiple days, individual C-141N applications must be submitted for each sampling date. Date ranges are not currently accepted on the C-141N application.

If you have any questions regarding this application, or don't know why you have received this email, please contact us.

New Mexico Energy, Minerals and Natural Resources Department

1220 South St. Francis Drive

Santa Fe, NM 87505

FW: The Oil Conservation Division (OCD) has accepted the application, Application ID: 490276

- Jason Owsley <jasono@diamondbacknm.com>
- Vickie Smith <vsmith@texpetro.com>

Vickie

Wednesday, July 30, 2025 at 11:05:15 AM

To: You (jasono@diamondbacknm.com)

Here is the second Sampling Approval for Tuesday for the Grimes A 25.

Even though it shows EW as operator, these are showing Texland as operator, which is what Mike said, the incident numbers will stay attached to Texland's OGRID number.

Wishing you a great day,
Vickie

From: OCDOnline@state.nm.us <OCDOnline@state.nm.us>

Sent: Wednesday, July 30, 2025 11:51 AM

To: Vickie Smith <vsmith@texpetro.com>

Subject: The Oil Conservation Division (OCD) has accepted the application, Application ID: 490276

To whom it may concern (c/o Vickie Smith for TEXLAND PETROLEUM-HOBBS, LLC),
The OCD has received the submitted *Notification for (Final) Sampling of a Release* (C-141N), for incident ID (n#) nAPP2520252250.

The sampling event is expected to take place:

When: 08/05/2025 @ 08:00

Where: C-32-18S-38E 0 FNL 0 FEL (32.71042776,-103.17072009)

Additional Information: Vickie w/Texland [575-433-8395](tel:575-433-8395)

Jason w/Diamondback [575-602-5998](tel:575-602-5998)

Additional Instructions: 32.71042776, -103.17072009

An OCD representative may be available onsite at the date and time reported. In the absence or presence of an OCD representative, sampling pursuant to [19.15.29.12.D](#) NMAC is required. Sampling must be performed following an approved sampling plan or pursuant to [19.15.29.12.D.\(1\).\(c\)](#) NMAC. Should there be a change in the scheduled date and time of the sampling event, then another notification should be resubmitted through OCD permitting as soon as possible.

- Failure to notify the OCD of sampling events including any changes in date/time per the requirements of [19.15.29.12.D.\(1\).\(a\)](#) NMAC, may result in the remediation closure samples not

being accepted.

- If confirmation sampling is going to take place over multiple days, individual C-141N applications must be submitted for each sampling date. Date ranges are not currently accepted on the C-141N application.

If you have any questions regarding this application, or don't know why you have received this email, please contact us.

New Mexico Energy, Minerals and Natural Resources Department

1220 South St. Francis Drive

Santa Fe, NM 87505

OCD Permitting

Home Operator Data Action Status Action Search Results Action Status Item Details

[NOTIFY] Notification Of Release (NOR) Application

Submission Information

Submission ID:	487127	Districts:	Hobbs
Operator:	[113315] TEXLAND PETROLEUM-HOBBS, LLC	Counties:	Lea
Description:	TEXLAND PETROLEUM-HOBBS, LLC [113315] , W.D. Grimes "A" #25 , nAPP2520252250		
Status:	APPROVED		
Status Date:	07/21/2025		
References (0):			

Forms

This application type does not have attachments.

Questions

Location of Release Source

Please answer all the questions in this group.

Site Name	W.D. Grimes "A" #25
Date Release Discovered	07/18/2025
Surface Owner	Private

Incident Details

Please answer all the questions in this group.

Incident Type	Produced Water Release
Did this release result in a fire or is the result of a fire	No
Did this release result in any injuries	No
Has this release reached or does it have a reasonable probability of reaching a watercourse	No
Has this release endangered or does it have a reasonable probability of endangering public health	No
Has this release substantially damaged or will it substantially damage property or the environment	No
Is this release of a volume that is or may with reasonable probability be detrimental to fresh water	No

Nature and Volume of Release

Material(s) released, please answer all that apply below. Any calculations or specific justifications for the volumes provided should be attached to the follow-up C-141 submission.

Crude Oil Released (bbls) Details	Not answered.
-----------------------------------	---------------

Natural Gas Flared (Mcf) Details	Not answered.
Other Released Details	Not answered.
Are there additional details for the questions above (i.e. any answer containing Other, Specify, Unknown, and/or Fire, or any negative lost amounts)	Not answered.

Nature and Volume of Release (continued)

Is this a gas only submission (i.e. only significant Mcf values reported)	No, according to supplied volumes this does not appear to be a “gas only” report.
Was this a major release as defined by Subsection A of 19.15.29.7 NMAC	Yes
Reasons why this would be considered a submission for a notification of a major release	From paragraph A. “Major release” determine using: (1) an unauthorized release of a volume, excluding gases, of 25 barrels or more.

With the implementation of the 19.15.27 NMAC (05/25/2021), venting and/or flaring of natural gas (i.e. gas only) are to be submitted on the C-129 form.

Initial Response

The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury.

The source of the release has been stopped	True
The impacted area has been secured to protect human health and the environment	True
Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices	False
All free liquids and recoverable materials have been removed and managed appropriately	True
If all the actions described above have not been undertaken, explain why	some of the released water soaked into the soil

Per Paragraph 4 of Subsection B of 19.15.29.8 NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please prepare and attach a narrative of actions to date in the follow up remedial efforts have been successfully completed or if the release occurred within a lined containment area (see 19.15.29.11(A)(5)(a) NMAC), please prepare and attach all information needed for closure evaluation in the follow-up C-141 su

Acknowledgments

- ☒ I acknowledge that I am authorized to submit notification of a release on behalf of my operator.
- ☒ I acknowledge that upon submitting this application, I will be creating a new incident file (assigned to my operator) to track the notification(s) and corrective action(s) for a release, pursuant to NMAC 19.15.29.
- ☒ I acknowledge that creating a new incident file will require my operator to file subsequent submission(s) of form "C-141, Application for administrative approval of a release notification and corrective action", pursuant to NMAC 19.15.29.
- ☒ I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment.
- ☒ I acknowledge the fact that the acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment.
- ☒ I acknowledge the fact that, in addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Comments

No comments found for this submission.

Reasons

No reasons found for this submission.

Go Back

Appendix F Lab Results Originals



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

August 08, 2025

JUSTIN ROBERTS

DIAMONDBACK DISPOSAL SERVICE INC.

P. O. BOX 2491

HOBBS, NM 88241

RE: WD GRIMES 25

Enclosed are the results of analyses for samples received by the laboratory on 08/04/25 13:39.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C25-00101. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Celey D. Keene". The signature is written in a cursive, flowing style.

Celey D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	08/04/2025	Sampling Date:	08/04/2025
Reported:	08/08/2025	Sampling Type:	Soil
Project Name:	WD GRIMES 25	Sampling Condition:	Cool & Intact
Project Number:	TLP-159	Sample Received By:	Alyssa Parras
Project Location:	TEXLAND 32.7105301-103.1711141		

Sample ID: W1 BGS 0-1' (H254736-01)

BTX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/05/2025	ND	1.85	92.7	2.00	7.15		
Toluene*	<0.050	0.050	08/05/2025	ND	1.93	96.6	2.00	4.26		
Ethylbenzene*	<0.050	0.050	08/05/2025	ND	1.95	97.5	2.00	1.94		
Total Xylenes*	<0.150	0.150	08/05/2025	ND	5.91	98.5	6.00	1.85		
Total BTX	<0.300	0.300	08/05/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 110 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	368	16.0	08/05/2025	ND	400	100	400	3.92		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	08/05/2025	ND	217	108	200	3.38	
DRO >C10-C28*	<10.0	10.0	08/05/2025	ND	213	106	200	1.07	
EXT DRO >C28-C36	<10.0	10.0	08/05/2025	ND					

Surrogate: 1-Chlorooctane 95.2 % 44.4-145

Surrogate: 1-Chlorooctadecane 96.5 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	08/04/2025	Sampling Date:	08/04/2025
Reported:	08/08/2025	Sampling Type:	Soil
Project Name:	WD GRIMES 25	Sampling Condition:	Cool & Intact
Project Number:	TLP-159	Sample Received By:	Alyssa Parras
Project Location:	TEXLAND 32.7105301-103.1711141		

Sample ID: W2 BGS 0-1'6" (H254736-02)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/05/2025	ND	1.85	92.7	2.00	7.15		
Toluene*	<0.050	0.050	08/05/2025	ND	1.93	96.6	2.00	4.26		
Ethylbenzene*	<0.050	0.050	08/05/2025	ND	1.95	97.5	2.00	1.94		
Total Xylenes*	<0.150	0.150	08/05/2025	ND	5.91	98.5	6.00	1.85		
Total BTEX	<0.300	0.300	08/05/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 111 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	176	16.0	08/05/2025	ND	400	100	400	3.92		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	08/05/2025	ND	217	108	200	3.38	
DRO >C10-C28*	<10.0	10.0	08/05/2025	ND	213	106	200	1.07	
EXT DRO >C28-C36	<10.0	10.0	08/05/2025	ND					

Surrogate: 1-Chlorooctane 95.5 % 44.4-145

Surrogate: 1-Chlorooctadecane 96.5 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	08/04/2025	Sampling Date:	08/04/2025
Reported:	08/08/2025	Sampling Type:	Soil
Project Name:	WD GRIMES 25	Sampling Condition:	Cool & Intact
Project Number:	TLP-159	Sample Received By:	Alyssa Parras
Project Location:	TEXLAND 32.7105301-103.1711141		

Sample ID: W3 BGS 0-1' (H254736-03)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/05/2025	ND	1.85	92.7	2.00	7.15		
Toluene*	<0.050	0.050	08/05/2025	ND	1.93	96.6	2.00	4.26		
Ethylbenzene*	<0.050	0.050	08/05/2025	ND	1.95	97.5	2.00	1.94		
Total Xylenes*	<0.150	0.150	08/05/2025	ND	5.91	98.5	6.00	1.85		
Total BTEX	<0.300	0.300	08/05/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 113 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	160	16.0	08/05/2025	ND	400	100	400	3.92		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	08/05/2025	ND	217	108	200	3.38	
DRO >C10-C28*	<10.0	10.0	08/05/2025	ND	213	106	200	1.07	
EXT DRO >C28-C36	<10.0	10.0	08/05/2025	ND					

Surrogate: 1-Chlorooctane 96.6 % 44.4-145

Surrogate: 1-Chlorooctadecane 97.5 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	08/04/2025	Sampling Date:	08/04/2025
Reported:	08/08/2025	Sampling Type:	Soil
Project Name:	WD GRIMES 25	Sampling Condition:	Cool & Intact
Project Number:	TLP-159	Sample Received By:	Alyssa Parras
Project Location:	TEXLAND 32.7105301-103.1711141		

Sample ID: W4 BGS 0-1' (H254736-04)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/05/2025	ND	1.85	92.7	2.00	7.15		
Toluene*	<0.050	0.050	08/05/2025	ND	1.93	96.6	2.00	4.26		
Ethylbenzene*	<0.050	0.050	08/05/2025	ND	1.95	97.5	2.00	1.94		
Total Xylenes*	<0.150	0.150	08/05/2025	ND	5.91	98.5	6.00	1.85		
Total BTEX	<0.300	0.300	08/05/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 112 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	160	16.0	08/05/2025	ND	400	100	400	3.92		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	08/05/2025	ND	217	108	200	3.38	
DRO >C10-C28*	<10.0	10.0	08/05/2025	ND	213	106	200	1.07	
EXT DRO >C28-C36	<10.0	10.0	08/05/2025	ND					

Surrogate: 1-Chlorooctane 94.3 % 44.4-145

Surrogate: 1-Chlorooctadecane 96.6 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	08/04/2025	Sampling Date:	08/04/2025
Reported:	08/08/2025	Sampling Type:	Soil
Project Name:	WD GRIMES 25	Sampling Condition:	Cool & Intact
Project Number:	TLP-159	Sample Received By:	Alyssa Parras
Project Location:	TEXLAND 32.7105301-103.1711141		

Sample ID: W5 BGS 0-1'6" (H254736-05)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/05/2025	ND	1.85	92.7	2.00	7.15		
Toluene*	<0.050	0.050	08/05/2025	ND	1.93	96.6	2.00	4.26		
Ethylbenzene*	<0.050	0.050	08/05/2025	ND	1.95	97.5	2.00	1.94		
Total Xylenes*	<0.150	0.150	08/05/2025	ND	5.91	98.5	6.00	1.85		
Total BTEX	<0.300	0.300	08/05/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 113 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	144	16.0	08/05/2025	ND	400	100	400	3.92		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	08/05/2025	ND	217	108	200	3.38	
DRO >C10-C28*	<10.0	10.0	08/05/2025	ND	213	106	200	1.07	
EXT DRO >C28-C36	<10.0	10.0	08/05/2025	ND					

Surrogate: 1-Chlorooctane 91.9 % 44.4-145

Surrogate: 1-Chlorooctadecane 93.8 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

A handwritten signature in black ink, appearing to read "Celey D. Keene".

Celey D. Keene, Lab Director/Quality Manager



CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

Company Name: <u>Diamond Back Disposal</u>		P.O. #:		BILL TO		ANALYSIS REQUEST	
Project Manager: <u>Justin Roberts</u>		Company: <u>Diamond Back</u>					
Address: <u>2525 NW County R.D.</u>		Attn: <u>Justin Roberts</u>					
City: <u>Hobbs</u>		Address:					
Phone #: <u>(575) 392-9996</u>		City:					
Project #: <u>ILP-159</u>		State:					
Project Name: <u>WD Grimes 25</u>		Zip:					
Project Location: <u>-103.711141 32.7105301</u>		Phone #: <u>(575) 392-9996</u>					
Sample Name: <u>Juho M. Rivera</u>		Fax #:					

Lab I.D. <i>AP 8405</i>	Sample I.D.	(G)RAB OR (C)OMP.	# CONTAINERS	MATRIX							PRESERV.	SAMPLING	DATE	TIME	CL	EXT	TPH	B-TEX
				GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :	ACID/BASE:								
<i>10547350</i>	<i>W1 BGS 0-1'</i>		<i>1</i>										<i>8-4-25</i>	<i>1:00</i>				
	<i>W2 BGS 0-1'6"</i>		<i>1</i>											<i>1:02</i>				
	<i>W3 BGS 0-1'</i>		<i>1</i>											<i>1:04</i>				
	<i>W4 BGS 0-1'</i>		<i>1</i>											<i>1:06</i>				
	<i>W5 BGS 0-1'6"</i>		<i>1</i>											<i>1:08</i>				

Relinquished By: <u>Juho Rivera</u>		Date: <u>8-4-25</u>		Received By: <u>AP 8405</u>		Verbal Result: ☐ Yes ☐ No ☐ Add'l Phone #:	
Relinquished By:		Date: <u>1/3/9</u>		Received By: <u>AP 8405</u>		All Results are emailed. Please provide Email address: <u>Environmental@diamondbacknm.com</u>	
Delivered By: (Circle One)		Observed Temp. °C: <u>29-</u>		Sample Condition: ☒ Cool ☐ Intact		CHECKED BY: (Initials) <u>AP</u>	
Sampler - UPS - Bus - Other:		Corrected Temp. °C: <u>29</u>		☐ Yes ☐ No		Turnaround Time: <u>Standard</u> ☒ Rush ☐ Add'l Phone #:	
FORM 000-R-3-02/12/23						Bacteria (only) Sample Condition: ☐ Cool ☐ Intact ☐ Yes ☐ No ☐ Corrected Temp. °C:	

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

August 08, 2025

JUSTIN ROBERTS

DIAMONDBACK DISPOSAL SERVICE INC.

P. O. BOX 2491

HOBBS, NM 88241

RE: WD GRIMES 25

Enclosed are the results of analyses for samples received by the laboratory on 08/04/25 13:39.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C25-00101. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Celey D. Keene". The signature is fluid and cursive, with the first name "Celey" and last name "Keene" clearly distinguishable.

Celey D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	08/04/2025	Sampling Date:	08/04/2025
Reported:	08/08/2025	Sampling Type:	Soil
Project Name:	WD GRIMES 25	Sampling Condition:	Cool & Intact
Project Number:	TLP-159	Sample Received By:	Alyssa Parras
Project Location:	TEXLAND 32.7105301-103.1711141		

Sample ID: H1 SURFACE (H254737-01)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/05/2025	ND	1.85	92.7	2.00	7.15		
Toluene*	<0.050	0.050	08/05/2025	ND	1.93	96.6	2.00	4.26		
Ethylbenzene*	<0.050	0.050	08/05/2025	ND	1.95	97.5	2.00	1.94		
Total Xylenes*	<0.150	0.150	08/05/2025	ND	5.91	98.5	6.00	1.85		
Total BTEx	<0.300	0.300	08/05/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 111 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	96.0	16.0	08/05/2025	ND	400	100	400	3.92		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	08/05/2025	ND	217	108	200	3.38	
DRO >C10-C28*	<10.0	10.0	08/05/2025	ND	213	106	200	1.07	
EXT DRO >C28-C36	<10.0	10.0	08/05/2025	ND					

Surrogate: 1-Chlorooctane 86.4 % 44.4-145

Surrogate: 1-Chlorooctadecane 86.3 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	08/04/2025	Sampling Date:	08/04/2025
Reported:	08/08/2025	Sampling Type:	Soil
Project Name:	WD GRIMES 25	Sampling Condition:	Cool & Intact
Project Number:	TLP-159	Sample Received By:	Alyssa Parras
Project Location:	TEXLAND 32.7105301-103.1711141		

Sample ID: H2 SURFACE (H254737-02)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/05/2025	ND	1.85	92.7	2.00	7.15		
Toluene*	<0.050	0.050	08/05/2025	ND	1.93	96.6	2.00	4.26		
Ethylbenzene*	<0.050	0.050	08/05/2025	ND	1.95	97.5	2.00	1.94		
Total Xylenes*	<0.150	0.150	08/05/2025	ND	5.91	98.5	6.00	1.85		
Total BTEX	<0.300	0.300	08/05/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 111 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	48.0	16.0	08/05/2025	ND	400	100	400	3.92		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	08/05/2025	ND	217	108	200	3.38	
DRO >C10-C28*	<10.0	10.0	08/05/2025	ND	213	106	200	1.07	
EXT DRO >C28-C36	<10.0	10.0	08/05/2025	ND					

Surrogate: 1-Chlorooctane 77.2 % 44.4-145

Surrogate: 1-Chlorooctadecane 78.0 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	08/04/2025	Sampling Date:	08/04/2025
Reported:	08/08/2025	Sampling Type:	Soil
Project Name:	WD GRIMES 25	Sampling Condition:	Cool & Intact
Project Number:	TLP-159	Sample Received By:	Alyssa Parras
Project Location:	TEXLAND 32.7105301-103.1711141		

Sample ID: H3 SURFACE (H254737-03)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/05/2025	ND	1.85	92.7	2.00	7.15		
Toluene*	<0.050	0.050	08/05/2025	ND	1.93	96.6	2.00	4.26		
Ethylbenzene*	<0.050	0.050	08/05/2025	ND	1.95	97.5	2.00	1.94		
Total Xylenes*	<0.150	0.150	08/05/2025	ND	5.91	98.5	6.00	1.85		
Total BTEX	<0.300	0.300	08/05/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 113 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	08/05/2025	ND	400	100	400	3.92		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	08/05/2025	ND	217	108	200	3.38	
DRO >C10-C28*	<10.0	10.0	08/05/2025	ND	213	106	200	1.07	
EXT DRO >C28-C36	<10.0	10.0	08/05/2025	ND					

Surrogate: 1-Chlorooctane 83.7 % 44.4-145

Surrogate: 1-Chlorooctadecane 85.6 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	08/04/2025	Sampling Date:	08/04/2025
Reported:	08/08/2025	Sampling Type:	Soil
Project Name:	WD GRIMES 25	Sampling Condition:	Cool & Intact
Project Number:	TLP-159	Sample Received By:	Alyssa Parras
Project Location:	TEXLAND 32.7105301-103.1711141		

Sample ID: H4 SURFACE (H254737-04)

BTX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/05/2025	ND	1.85	92.7	2.00	7.15		
Toluene*	<0.050	0.050	08/05/2025	ND	1.93	96.6	2.00	4.26		
Ethylbenzene*	<0.050	0.050	08/05/2025	ND	1.95	97.5	2.00	1.94		
Total Xylenes*	<0.150	0.150	08/05/2025	ND	5.91	98.5	6.00	1.85		
Total BTX	<0.300	0.300	08/05/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 109 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	400	16.0	08/05/2025	ND	400	100	400	3.92		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	08/05/2025	ND	217	108	200	3.38	
DRO >C10-C28*	<10.0	10.0	08/05/2025	ND	213	106	200	1.07	
EXT DRO >C28-C36	<10.0	10.0	08/05/2025	ND					

Surrogate: 1-Chlorooctane 81.4 % 44.4-145

Surrogate: 1-Chlorooctadecane 82.6 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

A handwritten signature in black ink, appearing to read "Celey D. Keene".

Celey D. Keene, Lab Director/Quality Manager



101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Company Name: <u>Diamond Back Disposal</u> Project Manager: <u>Justin Roberts</u> Address: <u>2525 NW County Rd.</u> City: <u>Hobbs</u> State: <u>NM</u> Zip: <u>88240</u> Phone #: <u>(575) 392-9996</u> Fax #: _____ Project #: <u>TLR-159</u> Project Owner: _____ Project Name: <u>WD Grimes 25</u> Project Location: <u>-163.1711141; 32.7105301</u> Sampler Name: <u>Julie M. Rivera</u>				BILL TO P.O. #: _____ Company: <u>Diamond Back</u> Attn: <u>Justin Roberts</u> Address: _____ City: _____ State: _____ Zip: _____ Phone #: <u>(575) 392-9996</u> Fax #: _____		ANALYSIS REQUEST					
FOR LAB USE ONLY				MATRIX GROUNDWATER WASTEWATER SOIL OIL SLUDGE OTHER: _____		PRESERV. ACID/BASE: _____ ICE / COOL _____ OTHER: _____		SAMPLING DATE TIME		CL Cx + TPH BTEX	
Sample I.D. <u>Lab I.D. 008-435</u> <u>Hobbs 17</u>				(G)RAB OR (C)OMP. # CONTAINERS GROUNDWATER WASTEWATER SOIL OIL SLUDGE OTHER: _____		ACID/BASE: _____ ICE / COOL _____ OTHER: _____		DATE TIME		CL Cx + TPH BTEX	
H1 Surface H2 Surface H3 Surface H4 Surface				G1 G1 G1 G1		1 1 1 1		8/4/25 12:40 12:42 12:44 12:46		1 1 1 1	
PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.											
Relinquished By: <u>Julie Rivera</u> Date: <u>8.4.25</u> Time: <u>1:39</u> Date: _____ Received By: <u>APR</u> Time: _____				Verbal Result: ☐ Yes ☐ No ☐ Add'l Phone #: _____ All Results are emailed. Please provide Email address: <u>Environmental@diamondbacknm.com</u> REMARKS: <u>Email Results</u>				Turnaround Time: ☐ Standard ☒ Rush Thermometer ID #140 ☐ Bacteria (only) Sample Condition Correction Factor +0.3°C ☐ Yes ☐ No ☐ Observed Temp. °C Corrected Temp. °C			
Delivered By: (Circle One) Sampler - UPS - Bus - Other: _____ Observed Temp. °C <u>89.1</u> Corrected Temp. °C <u>8.25</u> Sample Condition Cool Intact ☒ Yes ☐ No Checked By: <u>APR</u> (Initials)				Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com							



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

August 08, 2025

JUSTIN ROBERTS

DIAMONDBACK DISPOSAL SERVICE INC.

P. O. BOX 2491

HOBBS, NM 88241

RE: WD GRIMES 25

Enclosed are the results of analyses for samples received by the laboratory on 08/04/25 13:39.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C25-00101. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Celey D. Keene". The signature is written in a cursive style with a large, stylized 'C' and 'K'.

Celey D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	08/04/2025	Sampling Date:	08/04/2025
Reported:	08/08/2025	Sampling Type:	Soil
Project Name:	WD GRIMES 25	Sampling Condition:	Cool & Intact
Project Number:	TLP-159	Sample Received By:	Alyssa Parras
Project Location:	TEXLAND 32.7105301-103.1711141		

Sample ID: BACKFILL TOP SOIL (H254738-01)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/05/2025	ND	1.85	92.7	2.00	7.15		
Toluene*	<0.050	0.050	08/05/2025	ND	1.93	96.6	2.00	4.26		
Ethylbenzene*	<0.050	0.050	08/05/2025	ND	1.95	97.5	2.00	1.94		
Total Xylenes*	<0.150	0.150	08/05/2025	ND	5.91	98.5	6.00	1.85		
Total BTEX	<0.300	0.300	08/05/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 112 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	08/05/2025	ND	400	100	400	3.92		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	08/05/2025	ND	217	108	200	3.38	
DRO >C10-C28*	<10.0	10.0	08/05/2025	ND	213	106	200	1.07	
EXT DRO >C28-C36	<10.0	10.0	08/05/2025	ND					

Surrogate: 1-Chlorooctane 86.1 % 44.4-145

Surrogate: 1-Chlorooctadecane 87.2 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	08/04/2025	Sampling Date:	08/04/2025
Reported:	08/08/2025	Sampling Type:	Soil
Project Name:	WD GRIMES 25	Sampling Condition:	Cool & Intact
Project Number:	TLP-159	Sample Received By:	Alyssa Parras
Project Location:	TEXLAND 32.7105301-103.1711141		

Sample ID: BACKFILL CALICHE (H254738-02)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/05/2025	ND	1.85	92.7	2.00	7.15		
Toluene*	<0.050	0.050	08/05/2025	ND	1.93	96.6	2.00	4.26		
Ethylbenzene*	<0.050	0.050	08/05/2025	ND	1.95	97.5	2.00	1.94		
Total Xylenes*	<0.150	0.150	08/05/2025	ND	5.91	98.5	6.00	1.85		
Total BTEX	<0.300	0.300	08/05/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 113 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	144	16.0	08/05/2025	ND	400	100	400	3.92		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	08/05/2025	ND	217	108	200	3.38	
DRO >C10-C28*	<10.0	10.0	08/05/2025	ND	213	106	200	1.07	
EXT DRO >C28-C36	<10.0	10.0	08/05/2025	ND					

Surrogate: 1-Chlorooctane 85.3 % 44.4-145

Surrogate: 1-Chlorooctadecane 85.3 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

A handwritten signature in black ink, appearing to read "Celey D. Keene".

Celey D. Keene, Lab Director/Quality Manager



ANALYSIS REQUEST

Page 5 of 5



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

August 08, 2025

JUSTIN ROBERTS

DIAMONDBACK DISPOSAL SERVICE INC.

P. O. BOX 2491

HOBBS, NM 88241

RE: WD GRIMES 25

Enclosed are the results of analyses for samples received by the laboratory on 08/04/25 13:39.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C25-00101. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Celey D. Keene". The signature is written in a cursive, flowing style.

Celey D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	08/04/2025	Sampling Date:	08/04/2025
Reported:	08/08/2025	Sampling Type:	Soil
Project Name:	WD GRIMES 25	Sampling Condition:	Cool & Intact
Project Number:	TLP-159	Sample Received By:	Alyssa Parras
Project Location:	TEXLAND 32.7105301-103.1711141		

Sample ID: B1 @ 1' (H254739-01)

BTX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/05/2025	ND	1.88	93.9	2.00	8.31		
Toluene*	<0.050	0.050	08/05/2025	ND	1.89	94.6	2.00	5.63		
Ethylbenzene*	<0.050	0.050	08/05/2025	ND	1.90	95.1	2.00	4.40		
Total Xylenes*	<0.150	0.150	08/05/2025	ND	5.81	96.8	6.00	4.09		
Total BTX	<0.300	0.300	08/05/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 104 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	240	16.0	08/05/2025	ND	400	100	400	3.92	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	08/05/2025	ND	217	108	200	3.38	
DRO >C10-C28*	<10.0	10.0	08/05/2025	ND	213	106	200	1.07	
EXT DRO >C28-C36	<10.0	10.0	08/05/2025	ND					

Surrogate: 1-Chlorooctane 92.6 % 44.4-145

Surrogate: 1-Chlorooctadecane 94.6 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	08/04/2025	Sampling Date:	08/04/2025
Reported:	08/08/2025	Sampling Type:	Soil
Project Name:	WD GRIMES 25	Sampling Condition:	Cool & Intact
Project Number:	TLP-159	Sample Received By:	Alyssa Parras
Project Location:	TEXLAND 32.7105301-103.1711141		

Sample ID: B2 @ 1' (H254739-02)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/05/2025	ND	1.88	93.9	2.00	8.31		
Toluene*	<0.050	0.050	08/05/2025	ND	1.89	94.6	2.00	5.63		
Ethylbenzene*	<0.050	0.050	08/05/2025	ND	1.90	95.1	2.00	4.40		
Total Xylenes*	<0.150	0.150	08/05/2025	ND	5.81	96.8	6.00	4.09		
Total BTEX	<0.300	0.300	08/05/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 102 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	112	16.0	08/05/2025	ND	400	100	400	3.92		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	08/05/2025	ND	217	108	200	3.38	
DRO >C10-C28*	<10.0	10.0	08/05/2025	ND	213	106	200	1.07	
EXT DRO >C28-C36	<10.0	10.0	08/05/2025	ND					

Surrogate: 1-Chlorooctane 90.4 % 44.4-145

Surrogate: 1-Chlorooctadecane 93.7 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	08/04/2025	Sampling Date:	08/04/2025
Reported:	08/08/2025	Sampling Type:	Soil
Project Name:	WD GRIMES 25	Sampling Condition:	Cool & Intact
Project Number:	TLP-159	Sample Received By:	Alyssa Parras
Project Location:	TEXLAND 32.7105301-103.1711141		

Sample ID: B3 @ 1' (H254739-03)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/05/2025	ND	1.88	93.9	2.00	8.31		
Toluene*	<0.050	0.050	08/05/2025	ND	1.89	94.6	2.00	5.63		
Ethylbenzene*	<0.050	0.050	08/05/2025	ND	1.90	95.1	2.00	4.40		
Total Xylenes*	<0.150	0.150	08/05/2025	ND	5.81	96.8	6.00	4.09		
Total BTEX	<0.300	0.300	08/05/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 103 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	384	16.0	08/05/2025	ND	400	100	400	3.92		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	08/05/2025	ND	217	108	200	3.38	
DRO >C10-C28*	<10.0	10.0	08/05/2025	ND	213	106	200	1.07	
EXT DRO >C28-C36	<10.0	10.0	08/05/2025	ND					

Surrogate: 1-Chlorooctane 86.8 % 44.4-145

Surrogate: 1-Chlorooctadecane 88.7 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	08/04/2025	Sampling Date:	08/04/2025
Reported:	08/08/2025	Sampling Type:	Soil
Project Name:	WD GRIMES 25	Sampling Condition:	Cool & Intact
Project Number:	TLP-159	Sample Received By:	Alyssa Parras
Project Location:	TEXLAND 32.7105301-103.1711141		

Sample ID: B4 @ 1' (H254739-04)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/05/2025	ND	1.88	93.9	2.00	8.31	
Toluene*	<0.050	0.050	08/05/2025	ND	1.89	94.6	2.00	5.63	
Ethylbenzene*	<0.050	0.050	08/05/2025	ND	1.90	95.1	2.00	4.40	
Total Xylenes*	<0.150	0.150	08/05/2025	ND	5.81	96.8	6.00	4.09	
Total BTEX	<0.300	0.300	08/05/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 102 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	416	16.0	08/05/2025	ND	400	100	400	3.92		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	08/05/2025	ND	217	108	200	3.38		
DRO >C10-C28*	<10.0	10.0	08/05/2025	ND	213	106	200	1.07		
EXT DRO >C28-C36	<10.0	10.0	08/05/2025	ND						

Surrogate: 1-Chlorooctane 93.6 % 44.4-145

Surrogate: 1-Chlorooctadecane 97.1 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	08/04/2025	Sampling Date:	08/04/2025
Reported:	08/08/2025	Sampling Type:	Soil
Project Name:	WD GRIMES 25	Sampling Condition:	Cool & Intact
Project Number:	TLP-159	Sample Received By:	Alyssa Parras
Project Location:	TEXLAND 32.7105301-103.1711141		

Sample ID: B5 @ 1' (H254739-05)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/05/2025	ND	1.88	93.9	2.00	8.31		
Toluene*	<0.050	0.050	08/05/2025	ND	1.89	94.6	2.00	5.63		
Ethylbenzene*	<0.050	0.050	08/05/2025	ND	1.90	95.1	2.00	4.40		
Total Xylenes*	<0.150	0.150	08/05/2025	ND	5.81	96.8	6.00	4.09		
Total BTEx	<0.300	0.300	08/05/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 102 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	512	16.0	08/05/2025	ND	400	100	400	3.92		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	08/05/2025	ND	217	108	200	3.38	
DRO >C10-C28*	<10.0	10.0	08/05/2025	ND	213	106	200	1.07	
EXT DRO >C28-C36	<10.0	10.0	08/05/2025	ND					

Surrogate: 1-Chlorooctane 91.7 % 44.4-145

Surrogate: 1-Chlorooctadecane 95.2 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	08/04/2025	Sampling Date:	08/04/2025
Reported:	08/08/2025	Sampling Type:	Soil
Project Name:	WD GRIMES 25	Sampling Condition:	Cool & Intact
Project Number:	TLP-159	Sample Received By:	Alyssa Parras
Project Location:	TEXLAND 32.7105301-103.1711141		

Sample ID: B6 @ 1' (H254739-06)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/05/2025	ND	1.88	93.9	2.00	8.31		
Toluene*	<0.050	0.050	08/05/2025	ND	1.89	94.6	2.00	5.63		
Ethylbenzene*	<0.050	0.050	08/05/2025	ND	1.90	95.1	2.00	4.40		
Total Xylenes*	<0.150	0.150	08/05/2025	ND	5.81	96.8	6.00	4.09		
Total BTEx	<0.300	0.300	08/05/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 101 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	416	16.0	08/05/2025	ND	400	100	400	3.92		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	08/05/2025	ND	214	107	200	4.68	
DRO >C10-C28*	<10.0	10.0	08/05/2025	ND	206	103	200	2.61	
EXT DRO >C28-C36	<10.0	10.0	08/05/2025	ND					

Surrogate: 1-Chlorooctane 115 % 44.4-145

Surrogate: 1-Chlorooctadecane 117 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	08/04/2025	Sampling Date:	08/04/2025
Reported:	08/08/2025	Sampling Type:	Soil
Project Name:	WD GRIMES 25	Sampling Condition:	Cool & Intact
Project Number:	TLP-159	Sample Received By:	Alyssa Parras
Project Location:	TEXLAND 32.7105301-103.1711141		

Sample ID: B7 @ 1' (H254739-07)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/05/2025	ND	1.88	93.9	2.00	8.31		
Toluene*	<0.050	0.050	08/05/2025	ND	1.89	94.6	2.00	5.63		
Ethylbenzene*	<0.050	0.050	08/05/2025	ND	1.90	95.1	2.00	4.40		
Total Xylenes*	<0.150	0.150	08/05/2025	ND	5.81	96.8	6.00	4.09		
Total BTEx	<0.300	0.300	08/05/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 101 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	432	16.0	08/05/2025	ND	400	100	400	3.92	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	08/05/2025	ND	214	107	200	4.68	
DRO >C10-C28*	<10.0	10.0	08/05/2025	ND	206	103	200	2.61	
EXT DRO >C28-C36	<10.0	10.0	08/05/2025	ND					

Surrogate: 1-Chlorooctane 115 % 44.4-145

Surrogate: 1-Chlorooctadecane 118 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	08/04/2025	Sampling Date:	08/04/2025
Reported:	08/08/2025	Sampling Type:	Soil
Project Name:	WD GRIMES 25	Sampling Condition:	Cool & Intact
Project Number:	TLP-159	Sample Received By:	Alyssa Parras
Project Location:	TEXLAND 32.7105301-103.1711141		

Sample ID: B8 @ 1' (H254739-08)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/05/2025	ND	1.88	93.9	2.00	8.31		
Toluene*	<0.050	0.050	08/05/2025	ND	1.89	94.6	2.00	5.63		
Ethylbenzene*	<0.050	0.050	08/05/2025	ND	1.90	95.1	2.00	4.40		
Total Xylenes*	<0.150	0.150	08/05/2025	ND	5.81	96.8	6.00	4.09		
Total BTEX	<0.300	0.300	08/05/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 101 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	336	16.0	08/05/2025	ND	400	100	400	3.92	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	08/05/2025	ND	214	107	200	4.68	
DRO >C10-C28*	<10.0	10.0	08/05/2025	ND	206	103	200	2.61	
EXT DRO >C28-C36	<10.0	10.0	08/05/2025	ND					

Surrogate: 1-Chlorooctane 114 % 44.4-145

Surrogate: 1-Chlorooctadecane 117 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	08/04/2025	Sampling Date:	08/04/2025
Reported:	08/08/2025	Sampling Type:	Soil
Project Name:	WD GRIMES 25	Sampling Condition:	Cool & Intact
Project Number:	TLP-159	Sample Received By:	Alyssa Parras
Project Location:	TEXLAND 32.7105301-103.1711141		

Sample ID: B9 @ 1' (H254739-09)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/05/2025	ND	1.88	93.9	2.00	8.31		
Toluene*	<0.050	0.050	08/05/2025	ND	1.89	94.6	2.00	5.63		
Ethylbenzene*	<0.050	0.050	08/05/2025	ND	1.90	95.1	2.00	4.40		
Total Xylenes*	<0.150	0.150	08/05/2025	ND	5.81	96.8	6.00	4.09		
Total BTEX	<0.300	0.300	08/05/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 100 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	336	16.0	08/05/2025	ND	400	100	400	3.92	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	08/05/2025	ND	214	107	200	4.68	
DRO >C10-C28*	<10.0	10.0	08/05/2025	ND	206	103	200	2.61	
EXT DRO >C28-C36	<10.0	10.0	08/05/2025	ND					

Surrogate: 1-Chlorooctane 104 % 44.4-145

Surrogate: 1-Chlorooctadecane 107 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	08/04/2025	Sampling Date:	08/04/2025
Reported:	08/08/2025	Sampling Type:	Soil
Project Name:	WD GRIMES 25	Sampling Condition:	Cool & Intact
Project Number:	TLP-159	Sample Received By:	Alyssa Parras
Project Location:	TEXLAND 32.7105301-103.1711141		

Sample ID: B10 @ 1'6" (H254739-10)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/05/2025	ND	1.88	93.9	2.00	8.31		
Toluene*	<0.050	0.050	08/05/2025	ND	1.89	94.6	2.00	5.63		
Ethylbenzene*	<0.050	0.050	08/05/2025	ND	1.90	95.1	2.00	4.40		
Total Xylenes*	<0.150	0.150	08/05/2025	ND	5.81	96.8	6.00	4.09		
Total BTEX	<0.300	0.300	08/05/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 101 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	320	16.0	08/05/2025	ND	400	100	400	3.92		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	08/05/2025	ND	214	107	200	4.68	
DRO >C10-C28*	<10.0	10.0	08/05/2025	ND	206	103	200	2.61	
EXT DRO >C28-C36	<10.0	10.0	08/05/2025	ND					

Surrogate: 1-Chlorooctane 106 % 44.4-145

Surrogate: 1-Chlorooctadecane 108 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	08/04/2025	Sampling Date:	08/04/2025
Reported:	08/08/2025	Sampling Type:	Soil
Project Name:	WD GRIMES 25	Sampling Condition:	Cool & Intact
Project Number:	TLP-159	Sample Received By:	Alyssa Parras
Project Location:	TEXLAND 32.7105301-103.1711141		

Sample ID: B11 @ 1'6" (H254739-11)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/05/2025	ND	1.88	93.9	2.00	8.31		
Toluene*	<0.050	0.050	08/05/2025	ND	1.89	94.6	2.00	5.63		
Ethylbenzene*	<0.050	0.050	08/05/2025	ND	1.90	95.1	2.00	4.40		
Total Xylenes*	<0.150	0.150	08/05/2025	ND	5.81	96.8	6.00	4.09		
Total BTEX	<0.300	0.300	08/05/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 101 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	384	16.0	08/05/2025	ND	400	100	400	3.92		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	08/05/2025	ND	214	107	200	4.68	
DRO >C10-C28*	<10.0	10.0	08/05/2025	ND	206	103	200	2.61	
EXT DRO >C28-C36	<10.0	10.0	08/05/2025	ND					

Surrogate: 1-Chlorooctane 105 % 44.4-145

Surrogate: 1-Chlorooctadecane 113 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	08/04/2025	Sampling Date:	08/04/2025
Reported:	08/08/2025	Sampling Type:	Soil
Project Name:	WD GRIMES 25	Sampling Condition:	Cool & Intact
Project Number:	TLP-159	Sample Received By:	Alyssa Parras
Project Location:	TEXLAND 32.7105301-103.1711141		

Sample ID: B12 @ 1'6" (H254739-12)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/05/2025	ND	1.88	93.9	2.00	8.31		
Toluene*	<0.050	0.050	08/05/2025	ND	1.89	94.6	2.00	5.63		
Ethylbenzene*	<0.050	0.050	08/05/2025	ND	1.90	95.1	2.00	4.40		
Total Xylenes*	<0.150	0.150	08/05/2025	ND	5.81	96.8	6.00	4.09		
Total BTEx	<0.300	0.300	08/05/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 101 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	176	16.0	08/05/2025	ND	400	100	400	3.92		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	08/05/2025	ND	214	107	200	4.68	
DRO >C10-C28*	<10.0	10.0	08/05/2025	ND	206	103	200	2.61	
EXT DRO >C28-C36	<10.0	10.0	08/05/2025	ND					

Surrogate: 1-Chlorooctane 110 % 44.4-145

Surrogate: 1-Chlorooctadecane 113 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	08/04/2025	Sampling Date:	08/04/2025
Reported:	08/08/2025	Sampling Type:	Soil
Project Name:	WD GRIMES 25	Sampling Condition:	Cool & Intact
Project Number:	TLP-159	Sample Received By:	Alyssa Parras
Project Location:	TEXLAND 32.7105301-103.1711141		

Sample ID: B13 @ 1' (H254739-13)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/05/2025	ND	1.88	93.9	2.00	8.31		
Toluene*	<0.050	0.050	08/05/2025	ND	1.89	94.6	2.00	5.63		
Ethylbenzene*	<0.050	0.050	08/05/2025	ND	1.90	95.1	2.00	4.40		
Total Xylenes*	<0.150	0.150	08/05/2025	ND	5.81	96.8	6.00	4.09		
Total BTEX	<0.300	0.300	08/05/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 101 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	176	16.0	08/05/2025	ND	400	100	400	3.92		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	08/05/2025	ND	214	107	200	4.68	
DRO >C10-C28*	<10.0	10.0	08/05/2025	ND	206	103	200	2.61	
EXT DRO >C28-C36	<10.0	10.0	08/05/2025	ND					

Surrogate: 1-Chlorooctane 112 % 44.4-145

Surrogate: 1-Chlorooctadecane 114 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	08/04/2025	Sampling Date:	08/04/2025
Reported:	08/08/2025	Sampling Type:	Soil
Project Name:	WD GRIMES 25	Sampling Condition:	Cool & Intact
Project Number:	TLP-159	Sample Received By:	Alyssa Parras
Project Location:	TEXLAND 32.7105301-103.1711141		

Sample ID: B14 @ 1' (H254739-14)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/05/2025	ND	1.88	93.9	2.00	8.31		
Toluene*	<0.050	0.050	08/05/2025	ND	1.89	94.6	2.00	5.63		
Ethylbenzene*	<0.050	0.050	08/05/2025	ND	1.90	95.1	2.00	4.40		
Total Xylenes*	<0.150	0.150	08/05/2025	ND	5.81	96.8	6.00	4.09		
Total BTEX	<0.300	0.300	08/05/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 100 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	160	16.0	08/05/2025	ND	400	100	400	3.92		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	08/05/2025	ND	214	107	200	4.68	
DRO >C10-C28*	<10.0	10.0	08/05/2025	ND	206	103	200	2.61	
EXT DRO >C28-C36	<10.0	10.0	08/05/2025	ND					

Surrogate: 1-Chlorooctane 109 % 44.4-145

Surrogate: 1-Chlorooctadecane 113 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	08/04/2025	Sampling Date:	08/04/2025
Reported:	08/08/2025	Sampling Type:	Soil
Project Name:	WD GRIMES 25	Sampling Condition:	Cool & Intact
Project Number:	TLP-159	Sample Received By:	Alyssa Parras
Project Location:	TEXLAND 32.7105301-103.1711141		

Sample ID: B15 @ 1' (H254739-15)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/05/2025	ND	1.88	93.9	2.00	8.31		
Toluene*	<0.050	0.050	08/05/2025	ND	1.89	94.6	2.00	5.63		
Ethylbenzene*	<0.050	0.050	08/05/2025	ND	1.90	95.1	2.00	4.40		
Total Xylenes*	<0.150	0.150	08/05/2025	ND	5.81	96.8	6.00	4.09		
Total BTEX	<0.300	0.300	08/05/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 101 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	128	16.0	08/05/2025	ND	400	100	400	3.92		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	08/05/2025	ND	214	107	200	4.68	
DRO >C10-C28*	<10.0	10.0	08/05/2025	ND	206	103	200	2.61	
EXT DRO >C28-C36	<10.0	10.0	08/05/2025	ND					

Surrogate: 1-Chlorooctane 112 % 44.4-145

Surrogate: 1-Chlorooctadecane 113 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	08/04/2025	Sampling Date:	08/04/2025
Reported:	08/08/2025	Sampling Type:	Soil
Project Name:	WD GRIMES 25	Sampling Condition:	Cool & Intact
Project Number:	TLP-159	Sample Received By:	Alyssa Parras
Project Location:	TEXLAND 32.7105301-103.1711141		

Sample ID: B16 @ 1' (H254739-16)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/05/2025	ND	1.88	93.9	2.00	8.31		
Toluene*	<0.050	0.050	08/05/2025	ND	1.89	94.6	2.00	5.63		
Ethylbenzene*	<0.050	0.050	08/05/2025	ND	1.90	95.1	2.00	4.40		
Total Xylenes*	<0.150	0.150	08/05/2025	ND	5.81	96.8	6.00	4.09		
Total BTEX	<0.300	0.300	08/05/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 101 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	160	16.0	08/05/2025	ND	400	100	400	3.92		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	08/05/2025	ND	214	107	200	4.68	
DRO >C10-C28*	<10.0	10.0	08/05/2025	ND	206	103	200	2.61	
EXT DRO >C28-C36	<10.0	10.0	08/05/2025	ND					

Surrogate: 1-Chlorooctane 110 % 44.4-145

Surrogate: 1-Chlorooctadecane 112 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	08/04/2025	Sampling Date:	08/04/2025
Reported:	08/08/2025	Sampling Type:	Soil
Project Name:	WD GRIMES 25	Sampling Condition:	Cool & Intact
Project Number:	TLP-159	Sample Received By:	Alyssa Parras
Project Location:	TEXLAND 32.7105301-103.1711141		

Sample ID: B17 @ 1' (H254739-17)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/05/2025	ND	1.88	93.9	2.00	8.31		
Toluene*	<0.050	0.050	08/05/2025	ND	1.89	94.6	2.00	5.63		
Ethylbenzene*	<0.050	0.050	08/05/2025	ND	1.90	95.1	2.00	4.40		
Total Xylenes*	<0.150	0.150	08/05/2025	ND	5.81	96.8	6.00	4.09		
Total BTEX	<0.300	0.300	08/05/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 101 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	144	16.0	08/05/2025	ND	400	100	400	3.92		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	08/05/2025	ND	214	107	200	4.68	
DRO >C10-C28*	<10.0	10.0	08/05/2025	ND	206	103	200	2.61	
EXT DRO >C28-C36	<10.0	10.0	08/05/2025	ND					

Surrogate: 1-Chlorooctane 104 % 44.4-145

Surrogate: 1-Chlorooctadecane 106 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	08/04/2025	Sampling Date:	08/04/2025
Reported:	08/08/2025	Sampling Type:	Soil
Project Name:	WD GRIMES 25	Sampling Condition:	Cool & Intact
Project Number:	TLP-159	Sample Received By:	Alyssa Parras
Project Location:	TEXLAND 32.7105301-103.1711141		

Sample ID: B18 @ 1' (H254739-18)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/05/2025	ND	1.88	93.9	2.00	8.31		
Toluene*	<0.050	0.050	08/05/2025	ND	1.89	94.6	2.00	5.63		
Ethylbenzene*	<0.050	0.050	08/05/2025	ND	1.90	95.1	2.00	4.40		
Total Xylenes*	<0.150	0.150	08/05/2025	ND	5.81	96.8	6.00	4.09		
Total BTEX	<0.300	0.300	08/05/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 101 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	128	16.0	08/05/2025	ND	400	100	400	3.92	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	08/05/2025	ND	214	107	200	4.68	
DRO >C10-C28*	<10.0	10.0	08/05/2025	ND	206	103	200	2.61	
EXT DRO >C28-C36	<10.0	10.0	08/05/2025	ND					

Surrogate: 1-Chlorooctane 112 % 44.4-145

Surrogate: 1-Chlorooctadecane 115 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	08/04/2025	Sampling Date:	08/04/2025
Reported:	08/08/2025	Sampling Type:	Soil
Project Name:	WD GRIMES 25	Sampling Condition:	Cool & Intact
Project Number:	TLP-159	Sample Received By:	Alyssa Parras
Project Location:	TEXLAND 32.7105301-103.1711141		

Sample ID: B19 @ 1' (H254739-19)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/05/2025	ND	1.88	93.9	2.00	8.31		
Toluene*	<0.050	0.050	08/05/2025	ND	1.89	94.6	2.00	5.63		
Ethylbenzene*	<0.050	0.050	08/05/2025	ND	1.90	95.1	2.00	4.40		
Total Xylenes*	<0.150	0.150	08/05/2025	ND	5.81	96.8	6.00	4.09		
Total BTEX	<0.300	0.300	08/05/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 102 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	160	16.0	08/05/2025	ND	400	100	400	3.92		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	08/05/2025	ND	214	107	200	4.68	
DRO >C10-C28*	<10.0	10.0	08/05/2025	ND	206	103	200	2.61	
EXT DRO >C28-C36	<10.0	10.0	08/05/2025	ND					

Surrogate: 1-Chlorooctane 109 % 44.4-145

Surrogate: 1-Chlorooctadecane 112 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	08/04/2025	Sampling Date:	08/04/2025
Reported:	08/08/2025	Sampling Type:	Soil
Project Name:	WD GRIMES 25	Sampling Condition:	Cool & Intact
Project Number:	TLP-159	Sample Received By:	Alyssa Parras
Project Location:	TEXLAND 32.7105301-103.1711141		

Sample ID: B20 @ 1' (H254739-20)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/05/2025	ND	1.88	93.9	2.00	8.31		
Toluene*	<0.050	0.050	08/05/2025	ND	1.89	94.6	2.00	5.63		
Ethylbenzene*	<0.050	0.050	08/05/2025	ND	1.90	95.1	2.00	4.40		
Total Xylenes*	<0.150	0.150	08/05/2025	ND	5.81	96.8	6.00	4.09		
Total BTEX	<0.300	0.300	08/05/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 101 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	32.0	16.0	08/05/2025	ND	400	100	400	3.92		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	08/05/2025	ND	214	107	200	4.68	
DRO >C10-C28*	<10.0	10.0	08/05/2025	ND	206	103	200	2.61	
EXT DRO >C28-C36	<10.0	10.0	08/05/2025	ND					

Surrogate: 1-Chlorooctane 89.0 % 44.4-145

Surrogate: 1-Chlorooctadecane 91.5 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	08/04/2025	Sampling Date:	08/04/2025
Reported:	08/08/2025	Sampling Type:	Soil
Project Name:	WD GRIMES 25	Sampling Condition:	Cool & Intact
Project Number:	TLP-159	Sample Received By:	Alyssa Parras
Project Location:	TEXLAND 32.7105301-103.1711141		

Sample ID: B21 @ 1' (H254739-21)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/05/2025	ND	1.84	92.2	2.00	4.23		
Toluene*	<0.050	0.050	08/05/2025	ND	1.92	96.1	2.00	3.84		
Ethylbenzene*	<0.050	0.050	08/05/2025	ND	1.94	97.0	2.00	4.27		
Total Xylenes*	<0.150	0.150	08/05/2025	ND	5.73	95.5	6.00	4.21		
Total BTEX	<0.300	0.300	08/05/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 95.1 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	64.0	16.0	08/05/2025	ND	400	100	400	3.92		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	08/05/2025	ND	214	107	200	4.68	
DRO >C10-C28*	<10.0	10.0	08/05/2025	ND	206	103	200	2.61	
EXT DRO >C28-C36	<10.0	10.0	08/05/2025	ND					

Surrogate: 1-Chlorooctane 102 % 44.4-145

Surrogate: 1-Chlorooctadecane 105 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	08/04/2025	Sampling Date:	08/04/2025
Reported:	08/08/2025	Sampling Type:	Soil
Project Name:	WD GRIMES 25	Sampling Condition:	Cool & Intact
Project Number:	TLP-159	Sample Received By:	Alyssa Parras
Project Location:	TEXLAND 32.7105301-103.1711141		

Sample ID: B22 @ 1' (H254739-22)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/05/2025	ND	1.84	92.2	2.00	4.23		
Toluene*	<0.050	0.050	08/05/2025	ND	1.92	96.1	2.00	3.84		
Ethylbenzene*	<0.050	0.050	08/05/2025	ND	1.94	97.0	2.00	4.27		
Total Xylenes*	<0.150	0.150	08/05/2025	ND	5.73	95.5	6.00	4.21		
Total BTEX	<0.300	0.300	08/05/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 94.2 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	144	16.0	08/05/2025	ND	400	100	400	3.92		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	08/05/2025	ND	214	107	200	4.68	
DRO >C10-C28*	<10.0	10.0	08/05/2025	ND	206	103	200	2.61	
EXT DRO >C28-C36	<10.0	10.0	08/05/2025	ND					

Surrogate: 1-Chlorooctane 106 % 44.4-145

Surrogate: 1-Chlorooctadecane 109 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	08/04/2025	Sampling Date:	08/04/2025
Reported:	08/08/2025	Sampling Type:	Soil
Project Name:	WD GRIMES 25	Sampling Condition:	Cool & Intact
Project Number:	TLP-159	Sample Received By:	Alyssa Parras
Project Location:	TEXLAND 32.7105301-103.1711141		

Sample ID: B23 @ 1' (H254739-23)

BTX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/05/2025	ND	1.84	92.2	2.00	4.23		
Toluene*	<0.050	0.050	08/05/2025	ND	1.92	96.1	2.00	3.84		
Ethylbenzene*	<0.050	0.050	08/05/2025	ND	1.94	97.0	2.00	4.27		
Total Xylenes*	<0.150	0.150	08/05/2025	ND	5.73	95.5	6.00	4.21		
Total BTX	<0.300	0.300	08/05/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 93.1 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	496	16.0	08/05/2025	ND	400	100	400	3.92	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	08/05/2025	ND	214	107	200	4.68	
DRO >C10-C28*	54.7	10.0	08/05/2025	ND	206	103	200	2.61	
EXT DRO >C28-C36	47.9	10.0	08/05/2025	ND					

Surrogate: 1-Chlorooctane 107 % 44.4-145

Surrogate: 1-Chlorooctadecane 114 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	08/04/2025	Sampling Date:	08/04/2025
Reported:	08/08/2025	Sampling Type:	Soil
Project Name:	WD GRIMES 25	Sampling Condition:	Cool & Intact
Project Number:	TLP-159	Sample Received By:	Alyssa Parras
Project Location:	TEXLAND 32.7105301-103.1711141		

Sample ID: B24 @ 1' (H254739-24)

BTX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/05/2025	ND	1.84	92.2	2.00	4.23		
Toluene*	<0.050	0.050	08/05/2025	ND	1.92	96.1	2.00	3.84		
Ethylbenzene*	<0.050	0.050	08/05/2025	ND	1.94	97.0	2.00	4.27		
Total Xylenes*	<0.150	0.150	08/05/2025	ND	5.73	95.5	6.00	4.21		
Total BTX	<0.300	0.300	08/05/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 93.5 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	512	16.0	08/05/2025	ND	400	100	400	3.92		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	08/05/2025	ND	214	107	200	4.68	
DRO >C10-C28*	77.4	10.0	08/05/2025	ND	206	103	200	2.61	
EXT DRO >C28-C36	73.1	10.0	08/05/2025	ND					

Surrogate: 1-Chlorooctane 127 % 44.4-145

Surrogate: 1-Chlorooctadecane 138 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	08/04/2025	Sampling Date:	08/04/2025
Reported:	08/08/2025	Sampling Type:	Soil
Project Name:	WD GRIMES 25	Sampling Condition:	Cool & Intact
Project Number:	TLP-159	Sample Received By:	Alyssa Parras
Project Location:	TEXLAND 32.7105301-103.1711141		

Sample ID: B25 @ 1' (H254739-25)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/05/2025	ND	1.84	92.2	2.00	4.23		
Toluene*	<0.050	0.050	08/05/2025	ND	1.92	96.1	2.00	3.84		
Ethylbenzene*	<0.050	0.050	08/05/2025	ND	1.94	97.0	2.00	4.27		
Total Xylenes*	<0.150	0.150	08/05/2025	ND	5.73	95.5	6.00	4.21		
Total BTEX	<0.300	0.300	08/05/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 94.2 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	176	16.0	08/05/2025	ND	400	100	400	3.92		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	08/05/2025	ND	214	107	200	4.68	
DRO >C10-C28*	<10.0	10.0	08/05/2025	ND	206	103	200	2.61	
EXT DRO >C28-C36	<10.0	10.0	08/05/2025	ND					

Surrogate: 1-Chlorooctane 101 % 44.4-145

Surrogate: 1-Chlorooctadecane 104 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	08/04/2025	Sampling Date:	08/04/2025
Reported:	08/08/2025	Sampling Type:	Soil
Project Name:	WD GRIMES 25	Sampling Condition:	Cool & Intact
Project Number:	TLP-159	Sample Received By:	Alyssa Parras
Project Location:	TEXLAND 32.7105301-103.1711141		

Sample ID: B26 @ 1' (H254739-26)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/05/2025	ND	1.84	92.2	2.00	4.23		
Toluene*	<0.050	0.050	08/05/2025	ND	1.92	96.1	2.00	3.84		
Ethylbenzene*	<0.050	0.050	08/05/2025	ND	1.94	97.0	2.00	4.27		
Total Xylenes*	<0.150	0.150	08/05/2025	ND	5.73	95.5	6.00	4.21		
Total BTEX	<0.300	0.300	08/05/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 93.8 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	160	16.0	08/05/2025	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	08/05/2025	ND	205	102	200	2.61	
DRO >C10-C28*	<10.0	10.0	08/05/2025	ND	202	101	200	2.52	
EXT DRO >C28-C36	<10.0	10.0	08/05/2025	ND					

Surrogate: 1-Chlorooctane 88.8 % 44.4-145

Surrogate: 1-Chlorooctadecane 83.3 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	08/04/2025	Sampling Date:	08/04/2025
Reported:	08/08/2025	Sampling Type:	Soil
Project Name:	WD GRIMES 25	Sampling Condition:	Cool & Intact
Project Number:	TLP-159	Sample Received By:	Alyssa Parras
Project Location:	TEXLAND 32.7105301-103.1711141		

Sample ID: B27 @ 1' (H254739-27)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/05/2025	ND	1.84	92.2	2.00	4.23		
Toluene*	<0.050	0.050	08/05/2025	ND	1.92	96.1	2.00	3.84		
Ethylbenzene*	<0.050	0.050	08/05/2025	ND	1.94	97.0	2.00	4.27		
Total Xylenes*	<0.150	0.150	08/05/2025	ND	5.73	95.5	6.00	4.21		
Total BTEX	<0.300	0.300	08/05/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 94.2 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	176	16.0	08/05/2025	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	08/05/2025	ND	205	102	200	2.61	
DRO >C10-C28*	<10.0	10.0	08/05/2025	ND	202	101	200	2.52	
EXT DRO >C28-C36	<10.0	10.0	08/05/2025	ND					

Surrogate: 1-Chlorooctane 86.9 % 44.4-145

Surrogate: 1-Chlorooctadecane 81.3 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	08/04/2025	Sampling Date:	08/04/2025
Reported:	08/08/2025	Sampling Type:	Soil
Project Name:	WD GRIMES 25	Sampling Condition:	Cool & Intact
Project Number:	TLP-159	Sample Received By:	Alyssa Parras
Project Location:	TEXLAND 32.7105301-103.1711141		

Sample ID: B28 @ 1' (H254739-28)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/05/2025	ND	1.84	92.2	2.00	4.23		
Toluene*	<0.050	0.050	08/05/2025	ND	1.92	96.1	2.00	3.84		
Ethylbenzene*	<0.050	0.050	08/05/2025	ND	1.94	97.0	2.00	4.27		
Total Xylenes*	<0.150	0.150	08/05/2025	ND	5.73	95.5	6.00	4.21		
Total BTEX	<0.300	0.300	08/05/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 93.7 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	208	16.0	08/05/2025	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	08/05/2025	ND	205	102	200	2.61	
DRO >C10-C28*	<10.0	10.0	08/05/2025	ND	202	101	200	2.52	
EXT DRO >C28-C36	<10.0	10.0	08/05/2025	ND					

Surrogate: 1-Chlorooctane 87.5 % 44.4-145

Surrogate: 1-Chlorooctadecane 82.1 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	08/04/2025	Sampling Date:	08/04/2025
Reported:	08/08/2025	Sampling Type:	Soil
Project Name:	WD GRIMES 25	Sampling Condition:	Cool & Intact
Project Number:	TLP-159	Sample Received By:	Alyssa Parras
Project Location:	TEXLAND 32.7105301-103.1711141		

Sample ID: B29 @ 1' (H254739-29)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/05/2025	ND	1.84	92.2	2.00	4.23		
Toluene*	<0.050	0.050	08/05/2025	ND	1.92	96.1	2.00	3.84		
Ethylbenzene*	<0.050	0.050	08/05/2025	ND	1.94	97.0	2.00	4.27		
Total Xylenes*	<0.150	0.150	08/05/2025	ND	5.73	95.5	6.00	4.21		
Total BTEX	<0.300	0.300	08/05/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 92.6 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	336	16.0	08/05/2025	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	08/05/2025	ND	205	102	200	2.61	
DRO >C10-C28*	<10.0	10.0	08/05/2025	ND	202	101	200	2.52	
EXT DRO >C28-C36	<10.0	10.0	08/05/2025	ND					

Surrogate: 1-Chlorooctane 91.3 % 44.4-145

Surrogate: 1-Chlorooctadecane 88.0 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	08/04/2025	Sampling Date:	08/04/2025
Reported:	08/08/2025	Sampling Type:	Soil
Project Name:	WD GRIMES 25	Sampling Condition:	Cool & Intact
Project Number:	TLP-159	Sample Received By:	Alyssa Parras
Project Location:	TEXLAND 32.7105301-103.1711141		

Sample ID: B30 @ 1' (H254739-30)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/05/2025	ND	1.84	92.2	2.00	4.23		
Toluene*	<0.050	0.050	08/05/2025	ND	1.92	96.1	2.00	3.84		
Ethylbenzene*	<0.050	0.050	08/05/2025	ND	1.94	97.0	2.00	4.27		
Total Xylenes*	<0.150	0.150	08/05/2025	ND	5.73	95.5	6.00	4.21		
Total BTEX	<0.300	0.300	08/05/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 93.4 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	352	16.0	08/05/2025	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	08/05/2025	ND	205	102	200	2.61	
DRO >C10-C28*	<10.0	10.0	08/05/2025	ND	202	101	200	2.52	
EXT DRO >C28-C36	<10.0	10.0	08/05/2025	ND					

Surrogate: 1-Chlorooctane 89.5 % 44.4-145

Surrogate: 1-Chlorooctadecane 85.6 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	08/04/2025	Sampling Date:	08/04/2025
Reported:	08/08/2025	Sampling Type:	Soil
Project Name:	WD GRIMES 25	Sampling Condition:	Cool & Intact
Project Number:	TLP-159	Sample Received By:	Alyssa Parras
Project Location:	TEXLAND 32.7105301-103.1711141		

Sample ID: B31 @ 1' (H254739-31)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/05/2025	ND	1.84	92.2	2.00	4.23		
Toluene*	<0.050	0.050	08/05/2025	ND	1.92	96.1	2.00	3.84		
Ethylbenzene*	<0.050	0.050	08/05/2025	ND	1.94	97.0	2.00	4.27		
Total Xylenes*	<0.150	0.150	08/05/2025	ND	5.73	95.5	6.00	4.21		
Total BTEX	<0.300	0.300	08/05/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 92.7 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	160	16.0	08/05/2025	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	08/05/2025	ND	205	102	200	2.61	
DRO >C10-C28*	<10.0	10.0	08/05/2025	ND	202	101	200	2.52	
EXT DRO >C28-C36	<10.0	10.0	08/05/2025	ND					

Surrogate: 1-Chlorooctane 80.8 % 44.4-145

Surrogate: 1-Chlorooctadecane 77.0 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	08/04/2025	Sampling Date:	08/04/2025
Reported:	08/08/2025	Sampling Type:	Soil
Project Name:	WD GRIMES 25	Sampling Condition:	Cool & Intact
Project Number:	TLP-159	Sample Received By:	Alyssa Parras
Project Location:	TEXLAND 32.7105301-103.1711141		

Sample ID: B32 @ 1' (H254739-32)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/05/2025	ND	1.84	92.2	2.00	4.23	
Toluene*	<0.050	0.050	08/05/2025	ND	1.92	96.1	2.00	3.84	
Ethylbenzene*	<0.050	0.050	08/05/2025	ND	1.94	97.0	2.00	4.27	
Total Xylenes*	<0.150	0.150	08/05/2025	ND	5.73	95.5	6.00	4.21	
Total BTEX	<0.300	0.300	08/05/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 93.2 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	160	16.0	08/05/2025	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	08/05/2025	ND	205	102	200	2.61	
DRO >C10-C28*	<10.0	10.0	08/05/2025	ND	202	101	200	2.52	
EXT DRO >C28-C36	<10.0	10.0	08/05/2025	ND					

Surrogate: 1-Chlorooctane 82.2 % 44.4-145

Surrogate: 1-Chlorooctadecane 78.6 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	08/04/2025	Sampling Date:	08/04/2025
Reported:	08/08/2025	Sampling Type:	Soil
Project Name:	WD GRIMES 25	Sampling Condition:	Cool & Intact
Project Number:	TLP-159	Sample Received By:	Alyssa Parras
Project Location:	TEXLAND 32.7105301-103.1711141		

Sample ID: B33 @ 1' (H254739-33)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/05/2025	ND	1.84	92.2	2.00	4.23		
Toluene*	<0.050	0.050	08/05/2025	ND	1.92	96.1	2.00	3.84		
Ethylbenzene*	<0.050	0.050	08/05/2025	ND	1.94	97.0	2.00	4.27		
Total Xylenes*	<0.150	0.150	08/05/2025	ND	5.73	95.5	6.00	4.21		
Total BTEX	<0.300	0.300	08/05/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 94.2 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	160	16.0	08/05/2025	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	08/05/2025	ND	205	102	200	2.61	
DRO >C10-C28*	<10.0	10.0	08/05/2025	ND	202	101	200	2.52	
EXT DRO >C28-C36	<10.0	10.0	08/05/2025	ND					

Surrogate: 1-Chlorooctane 85.4 % 44.4-145

Surrogate: 1-Chlorooctadecane 81.5 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	08/04/2025	Sampling Date:	08/04/2025
Reported:	08/08/2025	Sampling Type:	Soil
Project Name:	WD GRIMES 25	Sampling Condition:	Cool & Intact
Project Number:	TLP-159	Sample Received By:	Alyssa Parras
Project Location:	TEXLAND 32.7105301-103.1711141		

Sample ID: B34 @ 1' (H254739-34)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/05/2025	ND	1.84	92.2	2.00	4.23		
Toluene*	<0.050	0.050	08/05/2025	ND	1.92	96.1	2.00	3.84		
Ethylbenzene*	<0.050	0.050	08/05/2025	ND	1.94	97.0	2.00	4.27		
Total Xylenes*	<0.150	0.150	08/05/2025	ND	5.73	95.5	6.00	4.21		
Total BTEX	<0.300	0.300	08/05/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 93.1 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	160	16.0	08/05/2025	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	08/05/2025	ND	205	102	200	2.61	
DRO >C10-C28*	<10.0	10.0	08/05/2025	ND	202	101	200	2.52	
EXT DRO >C28-C36	<10.0	10.0	08/05/2025	ND					

Surrogate: 1-Chlorooctane 78.4 % 44.4-145

Surrogate: 1-Chlorooctadecane 75.4 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

- ND Analyte NOT DETECTED at or above the reporting limit
- RPD Relative Percent Difference
- ** Samples not received at proper temperature of 6°C or below.
- *** Insufficient time to reach temperature.
- Chloride by SM4500Cl-B does not require samples be received at or below 6°C
Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

A handwritten signature in black ink, appearing to read "Celey D. Keene".

Celey D. Keene, Lab Director/Quality Manager



101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

Page 37 of 40



101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Company Name: DiamondBack Disposal Project Manager: Justin Roberts Address: 2525 NW County R.D. City: Hobbs State: NM Zip: 88240 Phone #: (575) 392-9996 Fax #: Project #: ILR159 Project Owner: Project Name: W.D. Garmones 25 Project Location: -103.1711141 33.32.7105301 Sampler Name: Julie M. Rivera		P.O. #: Company: Diamond Back Attn: Justin Roberts Address: City: State: Zip: Phone #: (575) 392-9996 Fax #:	
FOR LAB USE ONLY		BILL TO	
Lab I.D.		Sample I.D.	
11 B11 @ 1' 6" (G)RAB OR (C)OMP. 12 B12 @ 1' 6" # CONTAINERS 13 B13 @ 1' GROUNDWATER 14 B14 @ 1' WASTEWATER 15 B15 @ 1' SOIL 16 B16 @ 1' OIL 17 B17 @ 1' SLUDGE 18 B18 @ 1' OTHER 19 B19 @ 1' ACID/BASE 20 B20 @ 1' ICE / COGL OTHER		DATE TIME 8/4/25 10:20 10:22 10:24 10:26 10:30 10:32 10:34 10:36 10:38 10:46	
Relinquished By: Julie Rivera Date: 8-4-25 Time: 1:30a Received By: [Signature] Date: Time:		Verbal Result: ☐ Yes ☐ No Add'l Phone #: REMARKS: All Results are emailed. Please provide Email address: Environmental@diamondbacknm.com Email Results	
Delivered By: (Circle One) Sample - UPS - Bus - Other:		Observed Temp. °C: 8.90 Corrected Temp. °C: 8.82 Sample Condition: ☒ Cool ☐ Intact ☐ Yes ☐ No CHECKED BY: (Initials)	
Turnaround Time: Standard ☒ Rush ☐ Thermometer ID #140 Correction Factor +0.3°C		Bacteria (only) Sample Condition: ☐ Cool ☐ Intact ☐ Yes ☐ No Observed Temp. °C: Corrected Temp. °C:	

† Cardinal cannot accept verbal changes. Please email changes to cclay.keene@cardinallabsnm.com



101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Company Name: Diamond Back Disposal										P.O. #:		BILL TO		ANALYSIS REQUEST	
Project Manager: Justin Roberts															
Address: 2505 NW County Rd.										Company: Diamond Back					
City: Hobbs										Attn: Justin Roberts					
Phone #: (575) 392-9946										Fax #:					
Project #: TLP-159										Project Owner:		City:			
Project Name: W.D. Gyimes 25										State:		Zip:			
Project Location: -103.711141; 32.7105301										Phone #: (575) 392-9946					
Sampler Name: Julio M. Rivera										Fax #:					
FOR LAB USE ONLY										MATRIX		PRESERV.		SAMPLING	
Lab I.D.										Sample I.D.					
HSA4738										(G)RAB OR (C)OMP.					
										# CONTAINERS					
										GROUNDWATER					
										WASTEWATER					
										SOIL					
										OIL					
										SLUDGE					
										OTHER :					
										ACID/BASE:					
										ICE / COOL					
										OTHER :					
										DATE		TIME			
21										8-4-25		10:42			
22												10:44			
23												10:46			
24												10:48			
25												10:50			
26												10:52			
27												10:54			
28												10:56			
29												10:58			
30												11:00			
PLEASE NOTE: Liability and Damages, Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.															
Relinquished By: Julio Rivera										Date: 8-4-25		Received By: J. Rivera			
Relinquished By: Julio Rivera										Time: 1:33a					
Delivered By: (Circle One)										Observed Temp. °C		Sample Condition		CHECKED BY: (Initials)	
Sampler - UPS - Bus - Other:										Corrected Temp. °C		Cool - Intact			
										89.0		Yes Yes		AP	
										38.1		No No			
Turnaround Time:										Standard		Bacteria (only)		Sample Condition	
										Rush		Cool Intact		Observed Temp. °C	
												Yes Yes		Corrected Temp. °C	
												No No			
REMARKS: E-mail Results															
Verbal Result: Yes No Add'l Phone #:															
All Results are emailed. Please provide Email address: Environmental@diamondbacknm.com															



101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Company Name: Diamond Back Disposal Project Manager: Justin Roberts Address: 2525 NW County RD. City: Hobbs State: NM Zip: 88240 Phone #: (575) 392-9996 Project #: TLR-159 Project Name: WD Grimes 25 Project Location: -103.171141 ; 32.7105301 Sampler Name: Julio M. Rivera				BILL TO P.O. #: Company: Diamond Back Attn: Justin Roberts Address: City: State: Zip: Phone #: (575) 392-9996 Fax #:				ANALYSIS REQUEST							
Lab I.D. H054735				Sample I.D. B31@1' B32@1' B33@1' B34@1' B035@1'				(G)RAB OR (C)OMP. # CONTAINERS GROUNDWATER WASTEWATER SOIL OIL SLUDGE OTHER : ACID/BASE: ICE / COOL OTHER :				MATRIX PRESERV. SAMPLING			
Relinquished By: Julio Rivera Date: 8-4-25 Time: 1:33p Received By: [Signature] Date: Time:				Observed Temp. °C: 29.9 Corrected Temp. °C: 3.8				Sample Condition: Cool ☒ Intact ☒ Yes ☒ No ☐ Yes ☒ No ☐				CHECKED BY: [Signature] Turnaround Time: Thermometer ID #140 Correction Factor +0.3°C			
REMARKS: Environmental@diamondbacknm.com Email Results				Verbal Result: ☐ Yes ☐ No ☐ Add'l Phone #: All Results are emailed. Please provide Email address: Environmental@diamondbacknm.com				Standard ☒ Rush ☐ Bacteria (only) ☐ Sample Condition Cool ☐ Intact ☐ Yes ☐ No ☐ Yes ☐ No ☐ Observed Temp. °C Corrected Temp. °C							



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

August 20, 2025

JUSTIN ROBERTS

DIAMONDBACK DISPOSAL SERVICE INC.

P. O. BOX 2491

HOBBS, NM 88241

RE: WD GRIMES 25

Enclosed are the results of analyses for samples received by the laboratory on 08/14/25 14:46.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C25-00101. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Celey D. Keene". The signature is written in a cursive style with a large, stylized 'C' and 'K'.

Celey D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	08/14/2025	Sampling Date:	08/14/2025
Reported:	08/20/2025	Sampling Type:	Soil
Project Name:	WD GRIMES 25	Sampling Condition:	Cool & Intact
Project Number:	TLP-159	Sample Received By:	Tamara Oldaker
Project Location:	TEXLAND 32.7105301-103.1711141		

Sample ID: B23 @ 2' (H255030-01)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/15/2025	ND	1.85	92.7	2.00	0.608	
Toluene*	<0.050	0.050	08/15/2025	ND	1.85	92.7	2.00	0.982	
Ethylbenzene*	<0.050	0.050	08/15/2025	ND	1.85	92.3	2.00	0.0226	
Total Xylenes*	<0.150	0.150	08/15/2025	ND	5.63	93.9	6.00	0.179	
Total BTX	<0.300	0.300	08/15/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 99.9 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	224	16.0	08/18/2025	ND	448	112	400	7.41	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	08/15/2025	ND	207	104	200	4.13	
DRO >C10-C28*	10.4	10.0	08/15/2025	ND	196	97.8	200	3.89	
EXT DRO >C28-C36	<10.0	10.0	08/15/2025	ND					

Surrogate: 1-Chlorooctane 68.6 % 44.4-145

Surrogate: 1-Chlorooctadecane 63.4 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	08/14/2025	Sampling Date:	08/14/2025
Reported:	08/20/2025	Sampling Type:	Soil
Project Name:	WD GRIMES 25	Sampling Condition:	Cool & Intact
Project Number:	TLP-159	Sample Received By:	Tamara Oldaker
Project Location:	TEXLAND 32.7105301-103.1711141		

Sample ID: B24 @ 2' (H255030-02)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	08/15/2025	ND	1.85	92.7	2.00	0.608		
Toluene*	<0.050	0.050	08/15/2025	ND	1.85	92.7	2.00	0.982		
Ethylbenzene*	<0.050	0.050	08/15/2025	ND	1.85	92.3	2.00	0.0226		
Total Xylenes*	<0.150	0.150	08/15/2025	ND	5.63	93.9	6.00	0.179		
Total BTEX	<0.300	0.300	08/15/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 96.8 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	208	16.0	08/18/2025	ND	448	112	400	7.41	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	08/15/2025	ND	207	104	200	4.13	
DRO >C10-C28*	25.0	10.0	08/15/2025	ND	196	97.8	200	3.89	
EXT DRO >C28-C36	15.3	10.0	08/15/2025	ND					

Surrogate: 1-Chlorooctane 78.9 % 44.4-145

Surrogate: 1-Chlorooctadecane 73.7 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

S-06	The recovery of this surrogate is outside control limits due to sample dilution required from high analyte concentration and/or matrix interference's.
QR-03	The RPD value for the sample duplicate or MS/MSD was outside of QC acceptance limits due to matrix interference. QC batch accepted based on LCS and/or LCSD recovery and/or RPD values.
QM-07	The spike recovery was outside acceptance limits for the MS and/or MSD. The batch was accepted based on acceptable LCS recovery.
ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

A handwritten signature in black ink, appearing to read "Celey D. Keene", is written over a horizontal line.

Celey D. Keene, Lab Director/Quality Manager



101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

[illegible]

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS

Action 500120

QUESTIONS

Operator: TEXLAND PETROLEUM-HOBBS, LLC 600 Bailey Ave, Suite 150 Fort Worth, TX 76107	OGRID: 113315
	Action Number: 500120
	Action Type: [C-141] Reclamation Report C-141 (C-141-v-Reclamation)

QUESTIONS

Prerequisites	
Incident ID (n#)	nAPP2520252250
Incident Name	NAPP2520252250 W.D. GRIMES "A" #25 @ 30-025-35670
Incident Type	Produced Water Release
Incident Status	Reclamation Report Received
Incident Well	[30-025-35670] W D GRIMES NCT A #025

Location of Release Source*Please answer all the questions in this group.*

Site Name	W.D. Grimes "A" #25
Date Release Discovered	07/18/2025
Surface Owner	Private

Incident Details*Please answer all the questions in this group.*

Incident Type	Produced Water Release
Did this release result in a fire or is the result of a fire	No
Did this release result in any injuries	No
Has this release reached or does it have a reasonable probability of reaching a watercourse	No
Has this release endangered or does it have a reasonable probability of endangering public health	No
Has this release substantially damaged or will it substantially damage property or the environment	No
Is this release of a volume that is or may with reasonable probability be detrimental to fresh water	No

Nature and Volume of Release*Material(s) released, please answer all that apply below. Any calculations or specific justifications for the volumes provided should be attached to the follow-up C-141 submission.*

Crude Oil Released (bbls) Details	Not answered.
Produced Water Released (bbls) Details	Cause: Human Error Flow Line - Injection Produced Water Released: 0 BBL (Unknown Released Amount) Recovered: 0 BBL Lost: 0 BBL.
Is the concentration of chloride in the produced water >10,000 mg/l	Yes
Condensate Released (bbls) Details	Not answered.
Natural Gas Vented (Mcf) Details	Not answered.
Natural Gas Flared (Mcf) Details	Not answered.
Other Released Details	Not answered.
Are there additional details for the questions above (i.e. any answer containing Other, Specify, Unknown, and/or Fire, or any negative lost amounts)	Not answered.

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 2

Action 500120

QUESTIONS (continued)

Operator: TEXLAND PETROLEUM-HOBBS, LLC 600 Bailey Ave, Suite 150 Fort Worth, TX 76107	OGRID: 113315
	Action Number: 500120
	Action Type: [C-141] Reclamation Report C-141 (C-141-v-Reclamation)

QUESTIONS

Nature and Volume of Release (continued)	
Is this a gas only submission (i.e. only significant Mcf values reported)	No, according to supplied volumes this does not appear to be a "gas only" report.
Was this a major release as defined by Subsection A of 19.15.29.7 NMAC	Yes
Reasons why this would be considered a submission for a notification of a major release	From paragraph A. "Major release" determine using: (1) an unauthorized release of a volume, excluding gases, of 25 barrels or more.
With the implementation of the 19.15.27 NMAC (05/25/2021), venting and/or flaring of natural gas (i.e. gas only) are to be submitted on the C-129 form.	

Initial Response

The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury.

The source of the release has been stopped	True
The impacted area has been secured to protect human health and the environment	True
Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices	False
All free liquids and recoverable materials have been removed and managed appropriately	True
If all the actions described above have not been undertaken, explain why	some of the released water soaked into the soil

Per Paragraph (4) of Subsection B of 19.15.29.8 NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please prepare and attach a narrative of actions to date in the follow-up C-141 submission. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see Subparagraph (a) of Paragraph (5) of Subsection A of 19.15.29.11 NMAC), please prepare and attach all information needed for closure evaluation in the follow-up C-141 submission.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

I hereby agree and sign off to the above statement	Name: Vickie Smith Title: Regulatory Analyst Email: vsmith@texpetro.com Date: 08/01/2025
--	---

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 3

Action 500120

QUESTIONS (continued)

Operator: TEXLAND PETROLEUM-HOBBS, LLC 600 Bailey Ave, Suite 150 Fort Worth, TX 76107	OGRID: 113315
	Action Number: 500120
	Action Type: [C-141] Reclamation Report C-141 (C-141-v-Reclamation)

QUESTIONS**Site Characterization**

Please answer all the questions in this group (only required when seeking remediation plan approval and beyond). This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

What is the shallowest depth to groundwater beneath the area affected by the release in feet below ground surface (ft bgs)	Between 26 and 50 (ft.)
What method was used to determine the depth to ground water	NM OSE iWaters Database Search
Did this release impact groundwater or surface water	No
What is the minimum distance, between the closest lateral extents of the release and the following surface areas:	
A continuously flowing watercourse or any other significant watercourse	Greater than 5 (mi.)
Any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)	Greater than 5 (mi.)
An occupied permanent residence, school, hospital, institution, or church	Between ½ and 1 (mi.)
A spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes	Between 1000 (ft.) and ½ (mi.)
Any other fresh water well or spring	Between 1000 (ft.) and ½ (mi.)
Incorporated municipal boundaries or a defined municipal fresh water well field	Between 1 and 5 (mi.)
A wetland	Between 1000 (ft.) and ½ (mi.)
A subsurface mine	Greater than 5 (mi.)
An (non-karst) unstable area	Greater than 5 (mi.)
Categorize the risk of this well / site being in a karst geology	Low
A 100-year floodplain	Greater than 5 (mi.)
Did the release impact areas not on an exploration, development, production, or storage site	Yes

Remediation Plan

Please answer all the questions that apply or are indicated. This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

Requesting a remediation plan approval with this submission	Yes
<i>Attach a comprehensive report demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined, pursuant to 19.15.29.11 NMAC and 19.15.29.13 NMAC.</i>	
Have the lateral and vertical extents of contamination been fully delineated	Yes
Was this release entirely contained within a lined containment area	No

Soil Contamination Sampling: (Provide the highest observable value for each, in milligrams per kilograms.)

Chloride (EPA 300.0 or SM4500 Cl B)	512
TPH (GRO+DRO+MRO) (EPA SW-846 Method 8015M)	150.5
GRO+DRO (EPA SW-846 Method 8015M)	150.5
BTEX (EPA SW-846 Method 8021B or 8260B)	0
Benzene (EPA SW-846 Method 8021B or 8260B)	0

Per Subsection B of 19.15.29.11 NMAC unless the site characterization report includes completed efforts at remediation, the report must include a proposed remediation plan in accordance with 19.15.29.12 NMAC, which includes the anticipated timelines for beginning and completing the remediation.

On what estimated date will the remediation commence	07/19/2025
On what date will (or did) the final sampling or liner inspection occur	08/14/2025
On what date will (or was) the remediation complete(d)	08/12/2025
What is the estimated surface area (in square feet) that will be reclaimed	7418
What is the estimated volume (in cubic yards) that will be reclaimed	300
What is the estimated surface area (in square feet) that will be remediated	7418
What is the estimated volume (in cubic yards) that will be remediated	300

These estimated dates and measurements are recognized to be the best guess or calculation at the time of submission and may (be) change(d) over time as more remediation efforts are completed.

The OCD recognizes that proposed remediation measures may have to be minimally adjusted in accordance with the physical realities encountered during remediation. If the responsible party has any need to significantly deviate from the remediation plan proposed, then it should consult with the division to determine if another remediation plan submission is required.

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 4

Action 500120

QUESTIONS (continued)

Operator: TEXLAND PETROLEUM-HOBBS, LLC 600 Bailey Ave, Suite 150 Fort Worth, TX 76107	OGRID: 113315
	Action Number: 500120
	Action Type: [C-141] Reclamation Report C-141 (C-141-v-Reclamation)

QUESTIONS

Remediation Plan (continued)	
<i>Please answer all the questions that apply or are indicated. This information must be provided to the appropriate district office no later than 90 days after the release discovery date.</i>	
This remediation will (or is expected to) utilize the following processes to remediate / reduce contaminants:	
<i>(Select all answers below that apply.)</i>	
(Ex Situ) Excavation and off-site disposal (i.e. dig and haul, hydrovac, etc.)	Yes
Which OCD approved facility will be used for off-site disposal	fEEM0112342028 LEA LAND LANDFILL
OR which OCD approved well (API) will be used for off-site disposal	Not answered.
OR is the off-site disposal site, to be used, out-of-state	Not answered.
OR is the off-site disposal site, to be used, an NMED facility	Not answered.
(Ex Situ) Excavation and on-site remediation (i.e. On-Site Land Farms)	Not answered.
(In Situ) Soil Vapor Extraction	Not answered.
(In Situ) Chemical processing (i.e. Soil Shredding, Potassium Permanganate, etc.)	Not answered.
(In Situ) Biological processing (i.e. Microbes / Fertilizer, etc.)	Not answered.
(In Situ) Physical processing (i.e. Soil Washing, Gypsum, Disking, etc.)	Not answered.
Ground Water Abatement pursuant to 19.15.30 NMAC	Not answered.
OTHER (Non-listed remedial process)	Not answered.
<i>Per Subsection B of 19.15.29.11 NMAC unless the site characterization report includes completed efforts at remediation, the report must include a proposed remediation plan in accordance with 19.15.29.12 NMAC, which includes the anticipated timelines for beginning and completing the remediation.</i>	
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.	
I hereby agree and sign off to the above statement	Name: Vickie Smith Title: Regulatory Analyst Email: vsmith@texpetro.com Date: 08/28/2025
<i>The OCD recognizes that proposed remediation measures may have to be minimally adjusted in accordance with the physical realities encountered during remediation. If the responsible party has any need to significantly deviate from the remediation plan proposed, then it should consult with the division to determine if another remediation plan submission is required.</i>	

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 5

Action 500120

QUESTIONS (continued)

Operator: TEXLAND PETROLEUM-HOBBS, LLC 600 Bailey Ave, Suite 150 Fort Worth, TX 76107	OGRID: 113315
	Action Number: 500120
	Action Type: [C-141] Reclamation Report C-141 (C-141-v-Reclamation)

QUESTIONS

Deferral Requests Only	
Only answer the questions in this group if seeking a deferral upon approval this submission. Each of the following items must be confirmed as part of any request for deferral of remediation.	
Requesting a deferral of the remediation closure due date with the approval of this submission	No

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 6

Action 500120

QUESTIONS (continued)

Operator: TEXLAND PETROLEUM-HOBBS, LLC 600 Bailey Ave, Suite 150 Fort Worth, TX 76107	OGRID: 113315
	Action Number: 500120
	Action Type: [C-141] Reclamation Report C-141 (C-141-v-Reclamation)

QUESTIONS

Sampling Event Information	
Last sampling notification (C-141N) recorded	494291
Sampling date pursuant to Subparagraph (a) of Paragraph (1) of Subsection D of 19.15.29.12 NMAC	08/14/2025
What was the (estimated) number of samples that were to be gathered	2
What was the sampling surface area in square feet	400

Remediation Closure Request	
<i>Only answer the questions in this group if seeking remediation closure for this release because all remediation steps have been completed.</i>	
Requesting a remediation closure approval with this submission	Yes
Have the lateral and vertical extents of contamination been fully delineated	Yes
Was this release entirely contained within a lined containment area	No
All areas reasonably needed for production or subsequent drilling operations have been stabilized, returned to the sites existing grade, and have a soil cover that prevents ponding of water, minimizing dust and erosion	Yes
What was the total surface area (in square feet) remediated	7418
What was the total volume (cubic yards) remediated	300
All areas not reasonably needed for production or subsequent drilling operations have been reclaimed to contain a minimum of four feet of non-waste contain earthen material with concentrations less than 600 mg/kg chlorides, 100 mg/kg TPH, 50 mg/kg BTEX, and 10 mg/kg Benzene	Yes
What was the total surface area (in square feet) reclaimed	7418
What was the total volume (in cubic yards) reclaimed	300
Summarize any additional remediation activities not included by answers (above)	n/a
<i>The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (in .pdf format) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.</i>	
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. The responsible party acknowledges they must substantially restore, reclaim, and re-vegetate the impacted surface area to the conditions that existed prior to the release or their final land use in accordance with 19.15.29.13 NMAC including notification to the OCD when reclamation and re-vegetation are complete.	
I hereby agree and sign off to the above statement	Name: Vickie Smith Title: Regulatory Analyst Email: vsmith@texpetro.com Date: 08/28/2025

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 7

Action 500120

QUESTIONS (continued)

Operator: TEXLAND PETROLEUM-HOBBS, LLC 600 Bailey Ave, Suite 150 Fort Worth, TX 76107	OGRID: 113315
	Action Number: 500120
	Action Type: [C-141] Reclamation Report C-141 (C-141-v-Reclamation)

QUESTIONS

Reclamation Report	
<i>Only answer the questions in this group if all reclamation steps have been completed.</i>	
Requesting a reclamation approval with this submission	Yes
What was the total reclamation surface area (in square feet) for this site	7418
What was the total volume of replacement material (in cubic yards) for this site	300
<i>Per Paragraph (1) of Subsection D of 19.15.29.13 NMAC the reclamation must contain a minimum of four feet of non-waste containing, uncontaminated, earthen material with chloride concentrations less than 600 mg/kg as analyzed by EPA Method 300.0, or other test methods approved by the division. The soil cover must include a top layer, which is either the background thickness of topsoil or one foot of suitable material to establish vegetation at the site, whichever is greater.</i>	
Is the soil top layer complete and is it suitable material to establish vegetation	Yes
On what (estimated) date will (or was) the reseeded commence(d)	08/25/2025
Summarize any additional reclamation activities not included by answers (above)	n/a
<i>The responsible party must attach information demonstrating they have complied with all applicable reclamation requirements and any conditions or directives of the OCD. This demonstration should be in the form of attachments (in .pdf format) including a scaled site map, any proposed reseeded plans or relevant field notes, photographs of reclaimed area, and a narrative of the reclamation activities. Refer to 19.15.29.13 NMAC.</i>	
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. The responsible party acknowledges they must substantially restore, reclaim, and re-vegetate the impacted surface area to the conditions that existed prior to the release or their final land use in accordance with 19.15.29.13 NMAC including notification to the OCD when reclamation and re-vegetation are complete.	
I hereby agree and sign off to the above statement	Name: Vickie Smith Title: Regulatory Analyst Email: vsmith@texpetro.com Date: 08/28/2025

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 8

Action 500120

QUESTIONS (continued)

Operator: TEXLAND PETROLEUM-HOBBS, LLC 600 Bailey Ave, Suite 150 Fort Worth, TX 76107	OGRID: 113315
	Action Number: 500120
	Action Type: [C-141] Reclamation Report C-141 (C-141-v-Reclamation)

QUESTIONS

Revegetation Report	
<i>Only answer the questions in this group if all surface restoration, reclamation and re-vegetation obligations have been satisfied.</i>	
Requesting a restoration complete approval with this submission	No
<i>Per Paragraph (4) of Subsection (D) of 19.15.29.13 NMAC for any major or minor release containing liquids, the responsible party must notify the division when reclamation and re-vegetation are complete.</i>	

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 500120

CONDITIONS

Operator: TEXLAND PETROLEUM-HOBBS, LLC 600 Bailey Ave, Suite 150 Fort Worth, TX 76107	OGRID: 113315
	Action Number: 500120
	Action Type: [C-141] Reclamation Report C-141 (C-141-v-Reclamation)

CONDITIONS

Created By	Condition	Condition Date
rhamlet	We have received your reclamation report for Incident #NAPP2520252250 W.D. Grimes "A" #25, thank you. The reclamation report is approved.	10/15/2025