Enterprise Field Services, LLC. - Scott 13R Closure Report







Enterprise Field Services, LLC.

Scott 13R Pipeline 36.932648, -107.872621 NMOCD Incident #nAPP2505931148 Unit Letter C S03 T31N R10W San Juan County, New Mexico

May 12th, 2025

Submitted To:

Enterprise Field Services, LLC. 614 Reilly Avenue

Farmington, New Mexico 87401

Attn: Tom Long

Phone: (505) 599-2286 E-mail: tilong@eprod.com



Practical Solutions for a Better Tomorrow Arizona • Colorado • New Mexico • Texas • Utah

Table of Contents

Enterprise Field Services, LLC. Scott 13R - Closure Report Unit Letter C Section 03, Town 31 N, Range 10 W San Juan County, New Mexico

| 1.0 INTROI | DUCTION 1 |
|-------------|--|
| 1.1 SITE | E DESCRIPTION & BACKGROUND1 |
| 2.0 SITING | CLOSURE CRITERIA 1 |
| 3.0 REMED | DIATION ACTIVITIES 3 |
| 4.0 SOIL SA | AMPLING METHODOLOGY4 |
| 5.0 RECLA | MATION4 |
| 6.0 REVEG | ETATION5 |
| 7.0 CONCL | USION 5 |
| 8.0 STAND | ARD PRACTICE AND LIABILITIES5 |
| Figures: | Figure 1, Vicinity Map Figure 2, Site Map |
| Tables: | Table 1, Soil Analytical Summary Results |
| Appendix: | Appendix A, Siting Criteria and Documentation Appendix B, C-138 Solid Waste Acceptance Form Appendix C, Site Photography Appendix D, Regulatory Correspondence Appendix E, Laboratory Analytical Results |

Page Left Intentionally Blank



1.0 Introduction

1.1 Site Description & Background

On February 24th, 2025, Enterprise personnel identified a potential release of natural gas from the Scott 13R pipeline. Enterprise began locating and isolating the release point via pressure testing. Once the release point was located and controlled, remediation excavation activities began. Although, the release was from the Scott 13R pipeline, excavation activities occurred near the Scott 7B. New Mexico Energy, Mineral and Natural Resources Department – Oil Conservation Division (NM EMNRD OCD) was notified prior to any soil sampling. This closure report includes the remediation excavation work that was conducted during the remediation of the Scott 13R pipeline in March of 2025.

| Operator: | Enterprise Field Services, LLC / Enterprise Products | | | | | | |
|---------------------|---|--|--|--|--|--|--|
| Operator: | Operating LLC. | | | | | | |
| Site Name: | Scott #13R Pipeline | | | | | | |
| NM EMNRD OCD | NADD2505021149 | | | | | | |
| Incident ID No. | NAPP2505931148 | | | | | | |
| | Latitude: 36.932648, Longitude: -107.872621 | | | | | | |
| Location: | Unit Letter C, Section 03, Township 31 North, Range 10 West | | | | | | |
| | San Jaun County, New Mexico | | | | | | |
| Property Owner: | United States Bureau of Land Management (BLM) | | | | | | |
| Regulatory: | New Mexico (NM) Energy, Minerals and Natural Resources | | | | | | |
| <u>inegulatory.</u> | Department (EMNRD) Oil Conservation Division (OCD) | | | | | | |

The subject well site is identified as Scott 13R and is located within Section 03, Township 31 North, Range 10 West, San Juan County, New Mexico. The site location is further described as latitude 36.932648 and longitude -107.872621; see **Figure 1, Vicinity Map**.

Driving directions from Aztec, New Mexico are as follows: continue North on US-Highway 550 approximately 9.2 miles to Cedar Hill, New Mexico, turn right and continue on County Road 2390 for approximately 2.25 miles until you reach the site location entrance on the left.

2.0 Siting Closure Criteria

Scott 13R (site) is subject to regulatory oversight by the NM EMNRD OCD. During the evaluation and remediation of Scott 13R, Envirotech Inc., (Envirotech) referenced New



Mexico Administrative Code (NMAC) 19.15.29 *Releases*, which establishes investigation and abatement action requirements for oil and gas release sites that are subject to reporting and/or corrective action. The appropriate closure criteria for sites are determined using the siting requirements outline in paragraph (4) of subsection C of 19.15.29.12 NMAC. Envirotech utilized general site characteristics and information from New Mexico state and federal agency databases to determine the appropriate closure criteria for the site.

- The NM Office of the State Engineer (NMOSE) tracks the usage and assignment of water rights and water installations. This information is recorded in the Water Rights Reporting System (WRRS) database. Numerous points of diversion (PODs) were identified in the adjacent Public Land Survey System (PLSS) as the site. The closest POD (SJ-04061) with a recorded depth to water (DTW) is approximately 2300 feet west of the site and 85 feet lower in elevation than the site. The DTW of this POD is 77 ft below ground surface, therefore, the estimated DTW at the site is approximately 100 ft below ground surface, see Figure 7, Nearest POD.
- No Cathodic Protection Wells were identified in the same PLSS section as the site (Scott 13R).
- The site (Scott 13R) is not located within 300 feet of a NM EMNRD OCD defined continuously flowing watercourse or significant watercourse, see *Figure 4, Nearest Flowing Watercourse.*
- The site (Scott 13R) is not located within 200 feet of a lakebed, sinkhole, or playa lake.
- The site (Scott 13R) is not located within 300 feet of an occupied permanent residence, school, hospital, institution, or church, see *Figure 6, Nearest Occupied Residence*.
- The site (Scott 13R) is not located within 500 feet of spring or private domestic freshwater wells used by less than five households for domestic or stock watering purposes.
- The site (Scott 13R) is not within 1,000 feet of freshwater wells or springs.
- The site (Scott 13R) is not located within incorporated municipal boundaries or within a defined municipal freshwater field.
- According to information identified in the U.S. Fish and Wildlife Service National Wetlands Inventory Mapper, the site (Scott 13R) is located within 300 feet of a wetland (PSS1A – Forested Shrub Wetland), see *Figure 3, Nearest Wetland Map*.
- According to information identified in the New Mexico Mining and Minerals Divisions Geographic Information System Maps and Mine Database, the site



(Scott 13R) is not located within an area overlying a subsurface mine.

- The site (Scott 13R) is not located within an unstable area per Paragraph (6) of subsection U of 19.15.2.7 NMAC.
- According to information identified in the Federal Emergency Management Agency (FEMA) National Flood Hazard Layer (NFHL) geospatial database, the site is not within a 100-year floodplain. The nearest floodplain occurs 133 feet southeast of the subject well site, see Figure 5, Nearest Floodplain Map.

Based on available information, the site is located within 300 feet of a USFWS defined wetland, resulting in a Tier 1 ranking. The closure criteria for soil remaining in place at the site include:

| Tier I Closure Criteria for Soils Impacted by a Release | | | | | | | | | |
|--|------------------|-----------|--|--|--|--|--|--|--|
| Constituent (mg/kg) | Method | Limit | | | | | | | |
| Chloride | EPA 300.0 | 600 mg/kg | | | | | | | |
| Total Petroleum Hydrocarbons (TPH) as Gasoline, Diesel, and Oil Range Organics (GRO/DRO/ORO) | EPA Method 8015D | 100 mg/kg | | | | | | | |
| Benzene, Toluene, Ethylbenzene, Total Xylenes (BTEX) | EPA Method 8021B | 50 mg/kg | | | | | | | |
| Benzene | EPA Method 8021B | 10 mg/kg | | | | | | | |

3.0 Remediation Activities

On February 24th, 2025, Enterprise began to evaluate the Scott 13R pipeline and the source of the release. Enterprise contacted Envirotech, Inc. (Envirotech) on February 27th, 2025, to initiate release and contaminated soil assessment. Due to the volume of impacted soil, Enterprise determined that the release was "reportable" and notified NM OCD of the release on February 28th, 2025. During the remediation and corrective action activities, West States Energy provided heavy equipment and labor support, while Envirotech provided environmental consulting support.

The final excavation measured approximately 40 feet in total length, 20 feet in total width, and approximately 20 feet below ground surface. The final excavation consisted of a footprint of approximately 800 ft². The lithology encountered during the excavation activities consisted primarily of sandy loam clay and sandstone (base of excavation); see *Figure 2, Site Map*, and *Figure 3, Excavation dimensions and sample points*.

Approximately 756 cubic yards (yd3) of petroleum hydrocarbon impacted soil and 140



barrels (bbls) of water and hydro-excavated soil cuttings were removed, transported, and disposed of at Envirotech's Landfarm in San Juan County, New Mexico. The executed C-138 solid waste acceptance form is provided in Appendix B. The excavation was backfilled and contoured to the surrounding grade.

4.0 Soil Sampling Methodology

The collected composite soil samples were analyzed for BTEX using Environmental Protection Agency (EPA) Method 8021. TPH (GRO/DRO/ORO) using EPA Method 8015, and chlorides using EPA Method 300.0. Laboratory analytical results are summarized in *Table 1, Soil Analytical Summary*, and in *Appendix E, Laboratory Analytical Results*. Envirotech utilized NM EMNRD OCD closure criteria to ensure laboratory analysis resulted below applicable standards. A total of seventeen (17) composite samples were collected from the excavation. Each composite soil sample was collected from a representative 200 ft² area per 19.15.29.12 (D) NMAC.

- Initial confirmation composite soil samples were collected on March 3rd, 2025.
 Benzene results were below NM EMNRD OCD closure criteria standards (10 mg/kg) for all composite soil samples collected.
- During initial sample collection on March 3rd, 2025, BTEX results were below NM EMNRD OCD closure criteria standard of 50 mg/kg for all composite soil samples collected except for South Wall 2 which resulted in 72.28 mg/kg. South Wall 2 was resampled on March 6th, 2025, where laboratory analysis then resulted below applicable standards at 0.048 mg/kg.
- During initial sample collection on March 3rd, 2025, Total Petroleum Hydrocarbon (TPH = GRO + DRO + MRO) results were below NM EMNRD OCD closure criteria standard of 100 mg/kg for all composite soil samples collected except for South Wall 2 which resulted in 2,183 mg/kg.
- Additional soil was removed from South Wall 2 and was resampled on March 6th, 2025. The March 6th, 2025, sample results were below applicable standards.
- All composite soil sample results for Chlorides were below the NM EMNRD OCD closure criteria standard of 600 mg/kg.

5.0 Reclamation

The excavation was backfilled with imported fill and then contoured to the surrounding grade. The surface footprint of the excavation is approximately 800 ft². The backfill was sampled and has been analytically verified to be below NM EMNRD OCD closure criteria standards.



6.0 Revegetation

Revegetation will be addressed in accordance with 19.15.29.13 NMAC utilizing the recommended seed mix as described in the Vegetation Community Descriptions and Seed Mixes provide by the BLM Farmington Field Office. The surrounding wash vegetation is predominantly of the Sagebrush Vegetation Community. Enterprise will reseed the area with the appropriate seed mix during the next favorable growing season. Enterprise will provide revegetation documentation under separate cover.

7.0 Conclusion

On March 3rd and March 26th, 2025, seventeen (17) total composite soil samples were collected from the remediation excavation. All sample results were below NM EMNRD OCD applicable closure criteria standards. No contaminated soil remains at the site. Approximately 756 cubic yards (yd³) of petroleum hydrocarbon impacted soil and 140 barrels (bbls) of water and hydro-excavated soil cuttings were removed, transported and disposed of at Envirotech Landfarm in San Juan County, New Mexico. Envirotech recommends no further action.

8.0 Standard Practice and Liabilities

The work and services provided were in accordance with NM EMNRD OCD standards and within the approved variance parameters. All observations and conclusions provided here are based on the information and current site conditions found at the subject well site. This work has been conducted and reported in accordance with generally accepted professional practices in geology, engineering, environmental chemistry, and hydrogeology.

We appreciate the opportunity to be of service. If you have any questions or require additional information, please contact our office at (505) 632-0615.

Respectfully Submitted,

ENVIROTECH, INC.

Diego Aragon

Environmental Staff Scientist

daragon@envirotech-inc.com

Reviewed by:

Greg Crabtree, PE

Environmental Project Manager

gcrabtree@envirotech-inc.com



Figures

Figure 1, *Vicinity Map*Figure 2, *Site Map*



Practical Solutions for a Better Tomorrow



Enterprise Products
Scott 13R
Unit Letter C S03 T31N R10W
36.932648, -107.872621
San Juan County
New Mexico
Project #97057-1281



Environmental Scientists and Engineers 5796 U.S Highway 64 Farmington, New Mexico 87401 505.632.0615 Date Drawn: 05/06/2025

Drawn by: D. Aragon

Figure #2, Site Map

Enterprise Products
Scott 13R
Unit Letter C S03 T31N R10W
36.932648, -107.872621
San Juan County
New Mexico
Project #97057-1281

Legend

*All samples were collected within 200 square feet. *bgs - Below Ground Surface

Composite Samples (Walls 1) were collected within the upper 10 feet of the excavation Composite Samples (Walls 2) were collected within the lower 10 feet of the excavation

0 12.5 25 50 Feet



envirotech

Environmental Scientists and Engineers 5796 U.S Highway 64 Farmington, New Mexico 87401 505.632.0615 Date Drawn: 05/06/2025

Drawn by: D. Aragon

Tables

Table 1, Soil Analytical Summary Results



Practical Solutions for a Better Tomorrow

Enterprise Field Services, LLC. Scott 13R NMOCD #nAPP2505931148 Unit Letter C S03 T31N R10W

| Table 1 - Soil Analytical Summary | | | | | | | | | | | | |
|--|------------|------------------------------|--------------------|--------------------|-------------------------|-----------------|-----------------------|--------------------|--------------------|--------------------|----------------------|---------------------|
| Sample | Date | Sample Depth (feet) (bgs) | Benzene (mg/kg) | Toluene (mg/kg) | Ethylbenzene (mg/kg) | Xylenes (mg/kg) | Total BTEX (mg/kg) | TPH GRO (mg/kg) | TPH DRO (mg/kg) | TPH MRO (mg/kg) | Total TPH (mg/kg) | Chloride (mg/kg) |
| New Mexico Energy [Oil Conservation | Department | | 10 | NE | NE | NE | 50 | NE | NE | NE | 100 | 600 |
| North Ramp 1 | 3/3/2025 | 0-10' | <0.0250 | 0.107 | <0.0250 | 0.136 | 0.243 | <20.0 | <25.0 | <50.0 | <95.0 | <40.0 |
| North Ramp 2 | 3/3/2025 | 10-20' | <0.0250 | 0.133 | <0.0250 | 0.156 | 0.289 | <20.0 | <25.0 | <50.0 | <95.0 | <40.0 |
| Northeast Wall 1 | 3/3/2025 | 0-10' | <0.0250 | 0.144 | <0.0250 | 0.194 | 0.338 | <20.0 | <25.0 | <50.0 | <95.0 | 89.7 |
| Northeast Wall 2 | 3/3/2025 | 10-20' | <0.0250 | 0.138 | <0.0250 | 0.153 | 0.291 | <20.0 | <25.0 | <50.0 | <95.0 | 68.8 |
| Southeast Wall 1 | 3/3/2025 | 0-10' | <0.0250 | 0.110 | <0.0250 | 0.160 | 0.270 | <20.0 | <25.0 | <50.0 | <95.0 | <40.0 |
| Southeast Wall 2 | 3/3/2025 | 10-20' | <0.0250 | 0.180 | <0.0250 | 0.242 | 0.422 | <20.0 | <25.0 | <50.0 | <95.0 | <40.0 |
| South Wall 1 | 3/3/2025 | 0-10' | <0.0250 | 0.0455 | <0.0250 | 0.0500 | 0.0955 | <20.0 | <25.0 | <50.0 | <95.0 | 59.1 |
| South Wall 2 | 3/3/2025 | 10-20' | 0.248 | 13 | 4.34 | 54.4 | 72.288 | 1280 | 903 | <50.0 | 2183 | 166 |
| Southwest Wall 1 | 3/3/2025 | 0-10' | <0.0250 | 0.0825 | <0.0250 | 0.0985 | 0.181 | <20.0 | <25.0 | <50.0 | <95.0 | <40.0 |
| Southwest Wall 2 | 3/3/2025 | 10-20' | <0.0250 | 0.0620 | <0.0250 | 0.0700 | 0.132 | <20.0 | <25.0 | <50.0 | <95.0 | 60.0 |
| Northwest Wall 1 | 3/3/2025 | 0-10' | <0.0250 | 0.111 | <0.0250 | 0.135 | 0.246 | <20.0 | <25.0 | <50.0 | <95.0 | <40.0 |
| Northwest Wall 2 | 3/3/2025 | 10-20' | <0.0250 | 0.0320 | <0.0250 | <0.0250 | 0.0320 | <20.0 | <25.0 | <50.0 | <95.0 | <40.0 |
| Base 1 | 3/3/2025 | 20' | <0.0250 | 0.0405 | <0.0250 | <0.0250 | 0.0405 | <20.0 | 29.3 | <50.0 | 29.2 | 39.1 |
| Base 2 | 3/3/2025 | 20' | <0.0250 | 0.122 | <0.0250 | 0.0845 | 0.2065 | <20.0 | <25.0 | <50.0 | <95.0 | <40.0 |
| Base 3 | 3/3/2025 | 20' | <0.0250 | 0.144 | <0.0250 | 0.101 | 0.245 | <20.0 | <25.0 | <50.0 | <95.0 | 21.3 |
| Base 4 | 3/3/2025 | 20' | <0.0250 | <0.0250 | <0.0250 | <0.0250 | <0.1 | <20.0 | <25.0 | <50.0 | <95.0 | 86.5 |
| South Wall 2 | 3/6/2025 | 10-20' | <0.0250 | 0.0480 | <0.0250 | <0.0250 | 0.0480 | <20.0 | <25.0 | <50.0 | <95.0 | 46.8 |

Notes:

Concentrations in **bold** and **red** exceed the applicable NM EMNRD Closure Criteria Standard

NE = Not Established

South Wall 2 (3/3/2025) was over-excavated

mg/kg = milligrams per kilogram

BTEX = Benzene, Toluene, Ethylbenzene, and Xylenes

TPH = Total Petroleum Hydrocarbons

GRO = Gasoline Range Organics

MRO = Motor Oil Range Organics

Appendix A

Siting Criteria and Documentation



Practical Solutions for a Better Tomorrow

| | | New Mexico | Siting Criteria | | | | | | | | |
|-------------------------|----------------------------|---|----------------------------|--|--|--|--|--|--|--|--|
| REFERENCE | REFERENCE SITE INFORMATION | | | | | | | | | | |
| | | Site Name: | Scott 13R Pipeline | Tier I unless it's not within | | | | | | | |
| | | Cordinates: | municipal boundaries. | | | | | | | | |
| | | Incident Number: | | According to flood hazard | | | | | | | |
| Google Earth & BLM | | Land Owner: | BLM | map, it is not, which conflicts the assessor's | | | | | | | |
| Google Earth | | Site Elevation (ft): | map. | | | | | | | | |
| | | CLOSEST SIG | SNIFICANT WATER SOURCE | | | | | | | | |
| | | Type: | "Blue line" ephemeral Wash | No first and an duaine acc | | | | | | | |
| Google Earth & USGS Map | | Distance (ft): | 133 | No first order drainages within 300 ft | | | | | | | |
| | | Direction: | southwest | Within 300 ft | | | | | | | |
| | | SITE REC | EPTORS | | | | | | | | |
| | NO | Did this release impact groundwater or surface | e water? | No | | | | | | | |
| USGS or USFWS Map | >5MI | <u>200 ft of any lakebed, sinkhole, or playa lake</u> | ? | No | | | | | | | |
| | 400057.0.5841 | No. 1256 foot NW | | | | | | | | | |

USGS or USFWS Map
USGS Map
Google Earth
County Assessor's Map
USFWS Wetlands map
USGS map & NMOSE Map
USGS map
FEMA map
NMBGMR Map
NMEMNRD Mining Data Map
NMOSE & NMOCD Database

| | SHE KECE TONS | | | | | | | | |
|--------------|--|--|--|--|--|--|--|--|--|
| NO | Did this release impact groundwater or surface water? | | | | | | | | |
| >5MI | ≤ 200 ft of any lakebed, sinkhole, or playa lake? | | | | | | | | |
| 1000FT-0.5MI | ≤ 300 ft of a continuously flowing watercourse or any other significant watercourse? | | | | | | | | |
| 1MI-5MI | ≤ 300 ft of an occupied permanent residence, school, hospital, institution, or church? | | | | | | | | |
| WITHIN | Incorporated municipal boundaries or a defined municipal fresh water field | | | | | | | | |
| 1MI-5MI | ≤ 300 ft of a wetland? | | | | | | | | |
| 1MI-5MI | \leq 500 ft of a spring or a private water well used by < 5 houses for domestic or stock watering? | | | | | | | | |
| 1MI-5MI | ≤ 1000 ft of any other fresh water well or spring? | | | | | | | | |
| 1MI-5MI | Distance to nearest 100-year floodplain? | | | | | | | | |
| >5MI | overlying unstable geology? | | | | | | | | |
| LOW | karst potential? Within the area overlying a suface mine? | | | | | | | | |
| 1MI-5MI | water well within half a mile from Site with data ≤ 25 years? | | | | | | | | |
| | <u>DTW INFORMATION</u> | | | | | | | | |

| No |) |
|----|------------------------------|
| Nc |) |
| Nc | , 1356 feet NW |
| Nc | o, 1306 ft |
| No | o, according to assesors map |
| ye | s 133' to PSS1A (forrested |
| sh | rub wetland |
| Nc |) |
| Nc |) |
| 13 | 3' SE to Zone A |
| Nc |) |
| Nc |) |
| 18 | 00' W, 2013 Data |

Cross reference EMNRD OCD Database and NMOSE Database

| Closest Cathodic | Protection Well | Closest NM OSE Well | | | | | |
|--------------------------|-----------------|-----------------------------------|----------|--|--|--|--|
| CLC | SER | FALSE | | | | | |
| Name: | | Name: | SJ-04061 | | | | |
| Distance from Site (ft): | | Distance from Site (ft): | 2,300 | | | | |
| Direction from Site: | | Direction from Site: | West | | | | |
| Elevation: | | Elevation: | 5,843 | | | | |
| DTW (ft): | | DTW (ft): | 15 | | | | |
| Total Depth (ft): | | Total Depth (ft): | 32 | | | | |
| Coordinates: | | Coordinates: 36.931591, -107.8804 | | | | | |
| | | | | | | | |


0 feet lower in elevation than the Site 85 feet lower in elevation than the Site

ESTIMATED DTW @ SITE:
Approximately 100 ft

POD completed in 2003. No CPW with recorded DTW in required PLSS sections.

NMOCD TABLE 1 CLOSURE CRITERIA

TPH: 100 mg/kg Chlorides: 600 mg/kg



Enterprise Products
Scott 13R
Unit Letter C S03 T31N R10W
36.932648, -107.872621
San Juan County
New Mexico
Project #97057-1281

Excavation Location

Distance (ft) from excavation to nearest wetland

0 50 100 200 Feet

Legend



envirotech

Environmental Scientists and Engineers 5796 U.S Highway 64 Farmington, New Mexico 87401 505.632.0615


Figure #4, Nearest Flowing Watercourse

Enterprise Products
Scott 13R
Unit Letter C S03 T31N R10W
36.932648, -107.872621
San Juan County
New Mexico
Project #97057-1281

Excavation Location

Distance (ft) from excavation to nearest flowing watercourse

Legend



envirotech

Environmental Scientists and Engineers 5796 U.S Highway 64 Farmington, New Mexico 87401 505.632.0615

Cross Sections with 1% Annual Chance Base Flood Elevation Line (BFE) Coastal Transect Baseline OTHER **FEATURES** Hydrographic Feature --- Channel, Culvert, or Storm Sewer STRUCTURES | 111111 Levee, Dike, or Floodwall

Figure #5, Nearest Floodplain Map


Enterprise Products Scott 13R Unit Letter C S03 T31N R10W 36.932648, -107.872621 San Juan County New Mexico Project #97057-1281

Excavation Location

Otherwise Protected Area

Distance (ft) from excavation to nearest floodplain

Legend





envirotech

Powered by Esri

Environmental Scientists and Engineers 5796 U.S Highway 64 Farmington, New Mexico 87401 505.632.0615



Figure #6, Nearest Occupied Residence

Enterprise Products
Scott 13R
Unit Letter C S03 T31N R10W
36.932648, -107.872621
San Juan County
New Mexico
Project #97057-1281

Excavation Location

Distance (ft) from excavation to nearest Occupied Residence



envirotech

Environmental Scientists and Engineers 5796 U.S Highway 64 Farmington, New Mexico 87401 505.632.0615




Figure #7, Nearest POD

Enterprise Products
Scott 13R
Unit Letter C S03 T31N R10W
36.932648, -107.872621
San Juan County
New Mexico
Project #97057-1281

Excavation Location


Distance (ft) from excavation to nearest NMOSE POD (SJ-04061)


Legend






Environmental Scientists and Engineers 5796 U.S Highway 64 Farmington, New Mexico 87401 505.632.0615






Enterprise Products
Scott 13R
Unit Letter C S03 T31N R10W
36.932648, -107.872621
San Juan County
New Mexico

Project #97057-1281



envirotech

Environmental Scientists and Engineers 5796 U.S Highway 64 Farmington, New Mexico 87401 505.632.0615



Legend

Figure #9 Water Well and Spring Location Map

Enterprise Products
Scott 13R
Unit Letter C S03 T31N R10W
36.932648, -107.872621
San Juan County
New Mexico
Project #97057-1281

Excavation Location

W

envirotech

Environmental Scientists and Engineers 5796 U.S Highway 64 Farmington, New Mexico 87401 505.632.0615

Figure #10, Cathodic Well Map

Enterprise Products
Scott 13R
Unit Letter C S03 T31N R10W
36.932648, -107.872621
San Juan County
New Mexico
Project #97057-1281

Excavation Location

Half-Mile Radius

Legend



envirotech

Environmental Scientists and Engineers 5796 U.S Highway 64 Farmington, New Mexico 87401 505.632.0615 Date Drawn: 05/06/2025



New Mexico Office of the State Engineer

Water Column/Average Depth to Water

(A CLW##### in the POD suffix indicates the POD has been the POD has been replaced, replaced O=orphaned, & no longer serves C=the file is a water right file.) closed)

(R=POD has been

| (quarters are smallest to | | | | | | |
|------------------------------|--|--|--|----------|-----------|---|
| largest) | | | | (meters) | (In feet) | |
| | | | | | | ı |

| a water right file.) | closed) | | | larges | t) | | | | | | | | (meters) | | (In feet |) |
|----------------------|---------|--------------|--------|--------|-----|----|-----|-----|-------|----------|-------------|-----|----------|---------------|----------|-----------------|
| POD Number | Code | Sub basin | County | Q64 | Q16 | Q4 | Sec | Tws | Range | x | Y | Мар | Distance | Well Depth | - | Water Column |
| SJ 04371 POD1 | | SJAR | SJ | SW | SW | SW | 34 | 32N | 10W | 243808.7 | 4091584.2 | • | 473 | 20 | | |
| <u>SJ 03731 POD1</u> | R | SJAR | SJ | SW | SW | SW | 34 | 32N | 10W | 243746.0 | 4091590.0 * | • | 523 | 22 | 12 | 10 |
| <u>SJ 03731 POD2</u> | | SJAR | SJ | SW | SW | SW | 34 | 32N | 10W | 243681.6 | 4091494.8 | • | 525 | 30 | | |
| <u>SJ 00534</u> | | SJAR | SJ | | | SW | 34 | 32N | 10W | 244048.0 | 4091892.0 * | • | 643 | 28 | 12 | 16 |
| <u>SJ 00586</u> | | SJAR | SJ | | | SW | 34 | 32N | 10W | 244048.0 | 4091892.0 * | • | 643 | 34 | 8 | 26 |
| <u>SJ 04300 POD5</u> | | SJ | SJ | | SW | SW | 34 | 32N | 10W | 243932.1 | 4091879.2 | • | 659 | 15 | 6 | 9 |
| SJ 04300 POD4 | | SJ | SJ | | SW | SW | 34 | 32N | 10W | 243919.8 | 4091882.6 | • | 667 | 15 | | |
| <u>SJ 00921</u> | | SJAR | SJ | NW | SW | SW | 34 | 32N | 10W | 243746.0 | 4091790.0 * | • | 669 | 60 | 40 | 20 |
| <u>SJ 01389</u> | | SJAR | SJ | NW | SW | SW | 34 | 32N | 10W | 243746.0 | 4091790.0 * | • | 669 | 35 | 6 | 29 |
| <u>SJ 04062 POD1</u> | | SJAR | SJ | SE | NE | NE | 04 | 31N | 10W | 243476.1 | 4091282.4 | • | 674 | 32 | 15 | 17 |
| <u>SJ 02789</u> | | SJAR | SJ | SE | SE | SE | 33 | 32N | 10W | 243580.8 | 4091641.4 | • | 687 | 31 | 18 | 13 |
| <u>SJ 04061 POD1</u> | | SJAR | SJ | SE | NE | NE | 04 | 31N | 10W | 243444.1 | 4091151.7 | • | 713 | 32 | 15 | 17 |
| <u>SJ 00128</u> | | SJAR | SJ | | NE | NE | 04 | 31N | 10W | 243432.0 | 4091295.0 * | • | 719 | 70 | 21 | 49 |
| <u>SJ 01564</u> | | SJAR | SJ | | NE | NE | 04 | 31N | 10W | 243432.0 | 4091295.0 * | • | 719 | 34 | 10 | 24 |
| <u>SJ 03068</u> | | SJAR | SJ | SE | NW | SW | 34 | 32N | 10W | 243960.0 | 4091997.0 * | • | 764 | 35 | | |
| <u>SJ 01029</u> | | SJAR | SJ | | NW | SW | 34 | 32N | 10W | 243861.0 | 4092098.0 * | • | 889 | 31 | 7 | 24 |
| <u>SJ 01490</u> | | SJAR | SJ | | NW | SW | 34 | 32N | 10W | 243861.0 | 4092098.0 * | • | 889 | 48 | 20 | 28 |
| <u>SJ 00175</u> | | SJAR | SJ | | | NE | 04 | 31N | 10W | 243218.0 | 4091107.0 * | • | 944 | 28 | 13 | 15 |
| <u>SJ 01110</u> | | SJAR | SJ | SE | NE | SE | 33 | 32N | 10W | 243558.0 | 4092004.0 * | • | 953 | 60 | 20 | 40 |
| <u>SJ 02757</u> | | SJAR | SJ | NE | NW | SW | 34 | 32N | 10W | 243960.0 | 4092197.0 * | • | 959 | 29 | 12 | 17 |
| <u>SJ 03672</u> | | SJAR | SJ | NE | NW | SW | 34 | 32N | 10W | 243960.0 | 4092197.0 * | • | 959 | 25 | 10 | 15 |
| SJ 03969 POD1 | | SJAR | SJ | NE | SE | NE | 04 | 31N | 10W | 243226.7 | 4090992.8 | • | 960 | 24 | 12 | 12 |
| <u>SJ 04509 POD1</u> | | SJAR | SJ | NE | NW | SW | 34 | 32N | 10W | 243913.7 | 4092224.7 | • | 996 | 100 | | |
| <u>SJ 02809</u> | | SJAR | SJ | NW | NW | SW | 34 | 32N | 10W | 243760.0 | 4092197.0 * | • | 1018 | 30 | | |
| <u>SJ 03067</u> | | SJAR | SJ | NW | NW | SW | 34 | 32N | 10W | 243760.0 | 4092197.0 * | • | 1018 | 20 | | |
| <u>SJ 03034</u> | | SJAR | SJ | NE | NW | NE | 04 | 31N | 10W | 243129.0 | 4091405.0 * | • | 1031 | 45 | 23 | 22 |
| <u>SJ 03983 POD1</u> | | SJAR | SJ | SE | SW | SE | 33 | 32N | 10W | 243190.2 | 4091663.8 | • | 1042 | 39 | 26 | 13 |
| SJ 03778 POD1 | | SJAR | SJ | SE | SW | SE | 33 | 32N | 10W | 243156.4 | 4091615.8 | • | 1056 | 60 | 30 | 30 |
| <u>SJ 00860</u> | | SJAR | SJ | | NE | SE | 33 | 32N | 10W | | 4092105.0 * | | 1094 | 70 | 28 | 42 |
| <u>SJ 00231</u> | | SJAR | SJ | | | SE | 33 | | 10W | 243244.0 | 4091907.0 * | | 1115 | 50 | 27 | 23 |
| <u>SJ 01563</u> | | SJAR | SJ | | | NE | 04 | | 10W | | 4091306.0 * | | 1121 | 44 | 28 | 16 |
| <u>SJ 01577</u> | | SJAR | SJ | | SW | SE | 33 | 32N | 10W | 243043.0 | 4091706.0 * | • | 1194 | 44 | 20 | 24 |
| <u>SJ 02089</u> | | SJAR | SJ | NW | NW | NE | 04 | 31N | 10W | 242929.0 | 4091405.0 * | • | 1230 | 55 | 40 | 15 |
| <u>SJ 03033</u> | | SJAR | SJ | NW | NW | NE | 04 | 31N | 10W | | 4091405.0 * | | 1230 | 52 | 30 | 22 |
| <u>SJ 03495</u> | | SJAR | SJ | SW | SW | SE | 33 | | 10W | 242942.0 | 4091605.0 * | • | 1257 | 40 | 6 | 34 |
| <u>SJ 03568</u> | | SJAR | SJ | SW | SW | SE | 33 | | 10W | | 4091605.0 * | | 1257 | 80 | 8 | 72 |
| SJ 04144 POD1 | | SJAR | SJ | NW | NW | NE | 04 | 31N | 10W | 242877.8 | 4091305.5 | • | 1273 | 50 | 40 | 10 |
| <u>SJ 00718</u> | | SJAR | - | | SW | NW | 34 | 32N | 10W | | 4092505.0 * | | 1278 | 31 | 13 | 18 |
| SJ 03785 POD1 | | SJAR | | | | | | | | | 4091713.7 | | 1303 | 35 | 25 | 10 |
| <u>SJ 01222</u> | | SJAR | SJ | | NW | SE | 33 | 32N | 10W | 243057.0 | 4092112.0 * | • | 1388 | 41 | 34 | 7 |

May 12, 2025 03:45 PM MST

Water Column/Average Depth to

the POD suffix indicates the POD has been replaced & no longer serves C=the file is

(R=POD has been replaced, O=orphaned,

(quarters are smallest to

| a water right file.) | closed) | | largest) | | | | | | | | | (meters) | | (In feet) | | |
|----------------------|---------|--------------|----------|-----|-----|----|-----|-----|-------|----------|-------------|----------|----------|---------------|----|-----------------|
| POD Number | Code | Sub basin | County | Q64 | Q16 | Q4 | Sec | Tws | Range | X | Y | Мар | Distance | Well Depth | | Water Column |
| <u>SJ 01346</u> | | SJAR | SJ | | NW | SE | 33 | 32N | 10W | 243057.0 | 4092112.0 * | • | 1388 | 70 | 40 | 30 |
| SJ 03836 POD1 | | SJAR | SJ | NW | SW | SE | 33 | 32N | 10W | 242902.6 | 4091870.5 | • | 1390 | 72 | 19 | 53 |
| <u>SJ 03683</u> | | SJAR | SJ | NW | SW | NW | 34 | 32N | 10W | 243774.0 | 4092604.0 * | • | 1398 | 23 | 9 | 14 |
| <u>SJ 02733</u> | | SJAR | SJ | SW | NW | SE | 33 | 32N | 10W | 242956.0 | 4092011.0 * | • | 1412 | 28 | 16 | 12 |
| <u>SJ 02844</u> | | SJAR | SJ | SE | NE | NW | 04 | 31N | 10W | 242728.0 | 4091215.0 * | • | 1422 | 37 | 21 | 16 |
| <u>SJ 01897</u> | | SJAR | SJ | | SE | NE | 33 | 32N | 10W | 243473.0 | 4092512.0 * | • | 1426 | 54 | 25 | 29 |
| <u>SJ 03062</u> | R | SJAR | SJ | NE | NE | NW | 04 | 31N | 10W | 242728.0 | 4091415.0 * | • | 1430 | 47 | 40 | 7 |
| SJ 03062 POD2 | | SJAR | SJ | NE | NE | NW | 04 | 31N | 10W | 242728.0 | 4091415.0 * | • | 1430 | 55 | 40 | 15 |
| <u>SJ 00595</u> | R | SJAR | SJ | NE | SE | NW | 04 | 31N | 10W | 242716.0 | 4091020.0 * | • | 1453 | 90 | 12 | 78 |
| SJ 04342 POD1 | | SJAR | SJ | NE | SE | NW | 04 | 31N | 10W | 242670.0 | 4091048.0 | • | 1494 | 70 | 10 | 60 |
| SJ 00595 POD3 | | SJAR | SJ | NE | SE | NW | 04 | 31N | 10W | 242669.1 | 4091048.4 | • | 1495 | 48 | 7 | 41 |
| <u>SJ 00498</u> | | SJAR | SJ | | NE | NW | 04 | 31N | 10W | 242629.0 | 4091316.0 * | • | 1522 | 26 | 8 | 18 |
| <u>SJ 00573</u> | | SJAR | SJ | | SE | NW | 04 | 31N | 10W | 242617.0 | 4090921.0 * | • | 1569 | 37 | 12 | 25 |

Average Depth to Water: 19 feet

Minimum Depth: 6 feet

Maximum Depth: 40 feet

Record Count: 53

Basin/County Search:

Basin: SJ **County: SJ**

UTM Filters (in meters):

Easting: 244150.17 **Northing:** 4091256.55

Radius: 1609.34

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

^{*} UTM location was derived from PLSS - see Help

Appendix B

C-138 Solid Waste Acceptance Form



Practical Solutions for a Better Tomorrow

Received by OCD: 9/3/2025 9:55:08 AM

1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr.

Page 27 of 100
Form C-138
Revised 08/01/11

*Surface Waste Management Facility Operator and Generator shall maintain and make this documentation available for Division inspection.

Fe, NM 87505 Santa Fe, NM 87505 documentation available

REQUEST FOR APPROVAL TO ACCEPT SOLID WASTE

| REQUEST FOR AFFROVAL TO ACC | EPI SULID WASTE |
|---|--|
| 1. Generator Name and Address: Enterprise Field Services, LLC, 614 Reilly Ave, Farmington NM 87401 | PayKey:RB21200 PM: Gary Turner AFE: N79913 |
| 2. Originating Site: Scott #13R | ALE: N())JJ |
| 3. Location of Material (Street Address, City, State or ULSTR): UL C Section 3 T31N R10W; 36.36.932648, -107.872621 | |
| 4. Source and Description of Waste: Source: Remediation activities associated with a natural gas pipeline leak. Description: Hydrocarbon/Condensate impacted soil associated natural gas pipeline Estimated Volume 50 yd3 / bbls Known Volume (to be entered by the operator a | release. It the end of the haul) 756/140 yd³/bbls |
| 5. GENERATOR CERTIFICATION STATEMENT | OF WASTE STATUS |
| I, Thomas Long, representative or authorized agent for Enterprise Products Generator Signature certify that according to the Resource Conservation and Recovery Act (RCRA) and the regulatory determination, the above described waste is: (Check the appropriate classification) | ne US Environmental Protection Agency's July 1988 |
| RCRA Exempt: Oil field wastes generated from oil and gas exploration and exempt waste. Operator Use Only: Waste Acceptance Frequency Mont | production operations and are not mixed with non- hly Weekly Per Load |
| ☐ RCRA Non-Exempt: Oil field waste which is non-hazardous that does not excharacteristics established in RCRA regulations, 40 CFR 261.21-261.24, or listed subpart D, as amended. The following documentation is attached to demonstrate the appropriate items) | hazardous waste as defined in 40 CFR part 261 |
| ☐ MSDS Information ☐ RCRA Hazardous Waste Analysis ☐ Process Knowle | edge |
| GENERATOR 19.15.36.15 WASTE TESTING CERTIFICATION ST | TATEMENT FOR LANDFARMS |
| I, Thomas Long 02-22-2025, representative for Enterprise Products Opera Generator Signature the required testing/sign the Generator Waste Testing Certification. | ting authorizes Envirotech, Inc. to complete |
| I, | lant to Section 15 of 19.15.36 NMAC. The results |
| 5. Transporter: West States Energy Contractors OCD Paymitted Synfoco West Management For illing | |
| OCD Permitted Surface Waste Management Facility | |
| Name and Facility Permit #: Envirotech Inc. Soil Remediation Facility * Permit Address of Facility: Hilltop, NM Method of Treatment and/or Disposal: Evaporation Injection Treating Plant Landfarm | t #: NM 01-0011 |
| Waste Acceptance Status: APPROVED DE | NIED (Must Be Maintained As Permanent Record) |
| PRINT NAME: Greg Crubbee SIGNATURE: Surface Waste Management Facility Authorized Agent TITLE: Enviro M. TELEPHONE NO.: | - 1 |

Appendix C

Site Photography and Field Notes



Practical Solutions for a Better Tomorrow

Site Photography

Enterprise Products Scott 13R Unit Letter C S03 T31N R10W 36.932648, -107.872621 San Juan County, New Mexico



Picture 1: View of Excavation



Site Photography

Enterprise Products Scott 13R Unit Letter C S03 T31N R10W 36.932648, -107.872621 San Juan County, New Mexico



Picture 2: The Scott 13R Excavation Backfilled



Picture 3: The Scott 13R Excavation Backfilled



Released to Imaging: 10/17/2025 9:39:06 AM

Appendix D

Regulatory Correspondence



Practical Solutions for a Better Tomorrow



FW: [EXTERNAL] Scott #13R - UL C Section 3 T31N R10W; 36.932648, -107.872621; NMOCD Incident # nAPP2505931148

From Long, Thomas <tjlong@eprod.com>

Date Thu 3/6/2025 8:00 AM

To Diego Aragon daragon@envirotech-inc.com

Cc Greg Crabtree < gcrabtree@envirotech-inc.com>

CAUTION: This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.

FYI

Thomas J. Long
Senior Environmental Scientist
Enterprise Products Company
614 Reilly Ave.
Farmington, New Mexico 87401
505-599-2286 (office)
505-215-4727 (Cell)
tilong@eprod.com



From: Velez, Nelson, EMNRD < Nelson. Velez@emnrd.nm.gov>

Subject: Re: [EXTERNAL] Scott #13R - UL C Section 3 T31N R10W; 36.932648, -107.872621; NMOCD Incident #

nAPP2505931148

[Use caution with links/attachments]

Good morning Tom,

Thank you for the notice. Your variance request specifically addressing 19.15.29.12D (1a) NMAC is approved.

If an OCD representative is not on-site on the date &/or time given, please sample per 19.15.29 NMAC or from an OCD pre-approved sampling plan. For whatever reason, if the sampling timeframe is altered, please notify the OCD as soon as possible so we may adjust our schedule(s). Failure to notify the OCD of this change may result in the closure sample(s) not being accepted.

Please keep a copy of this communication for inclusion within the appropriate report submittal.

The OCD requires a copy of all correspondence relative to remedial activities be included in all proposals and/or final closure reports. Correspondence required to be included in reports may include, but not limited to, notifications for liner inspections, sample events, spill/release/fire, and request for time extensions or variances.

Regards,

Nelson Velez • Environmental Specialist - Adv

Environmental Bureau | EMNRD - Oil Conservation Division

1000 Rio Brazos Road | Aztec, NM 87410

(505) 469-6146 | nelson.velez@emnrd.nm.gov

http://www.emnrd.nm.gov/ocd_



From: Long, Thomas <tilong@eprod.com>
Sent: Thursday, March 6, 2025 7:25 AM

To: Velez, Nelson, EMNRD < Nelson. Velez@emnrd.nm.gov >

Cc: Stone, Brian

bmstone@eprod.com>

Subject: [EXTERNAL] Scott #13R - UL C Section 3 T31N R10W; 36.932648, -107.872621; NMOCD Incident #

nAPP2505931148

CAUTION: This email originated outside of our organization. Exercise caution prior to clicking on links or opening attachments.

Nelson,

This email is a notification and a variance request. Enterprise is requesting a variance for required 48-hour notification per 19.15.29.12D (1a) NMAC. Enterprise would like to collect soil samples for laboratory analysis on March 7, 2025 at 10:00 a.m. at the Scott #13R excavation. Please acknowledge acceptance of this variance request. If you have any questions, please call or email.

Thomas J. Long
Senior Environmental Scientist
Enterprise Products Company
614 Reilly Ave.
Farmington, New Mexico 87401
505-599-2286 (office)
505-215-4727 (Cell)

tjlong@eprod.com



From: Velez, Nelson, EMNRD < Nelson. Velez@emnrd.nm.gov >

Sent: Friday, February 28, 2025 1:08 PM **To:** Long, Thomas <<u>tilong@eprod.com</u>> **Cc:** Stone, Brian <<u>bmstone@eprod.com</u>>

Subject: Re: [EXTERNAL] The Oil Conservation Division (OCD) has accepted the application, Application ID: 437386

[Use caution with links/attachments]

Good afternoon Tom,

Thank you for the notice. Your variance request specifically addressing 19.15.29.12D (1a) NMAC is approved.

If an OCD representative is not on-site on the date &/or time given, please sample per 19.15.29 NMAC or from an OCD pre-approved sampling plan. For whatever reason, if the sampling timeframe is altered, please notify the OCD as soon as possible so we may adjust our schedule(s). Failure to notify the OCD of this change may result in the closure sample(s) not being accepted.

Please keep a copy of this communication for inclusion within the appropriate report submittal.

The OCD requires a copy of all correspondence relative to remedial activities be included in all proposals and/or final closure reports. Correspondence required to be included in reports may include, but not limited to, notifications for liner inspections, sample events, spill/release/fire, and request for time extensions or variances.

Regards,

Nelson Velez • Environmental Specialist - Adv

Environmental Bureau | EMNRD - Oil Conservation Division

1000 Rio Brazos Road | Aztec, NM 87410

(505) 469-6146 | <u>nelson.velez@emnrd.nm.gov</u>

http://www.emnrd.nm.gov/ocd



From: Long, Thomas < tilong@eprod.com > Sent: Friday, February 28, 2025 12:17 PM

To: Velez, Nelson, EMNRD < Nelson.Velez@emnrd.nm.gov >

Cc: Stone, Brian < bmstone@eprod.com>

Subject: Fwd: [EXTERNAL] The Oil Conservation Division (OCD) has accepted the application, Application ID:

437386

Nelson,

This email is a notification and a variance request. Enterprise is requesting a variance for required 48 hour notification per 19.15.29.12D (1a) NMAC. I originally sent notification for March 4, 2025. Enterprise would like to collect soil samples for laboratory analysis on March 3, 2025 at 9:00 a.m. at the Scott #13R excavation. Please acknowledge acceptance of this variance request. If you have any questions, please call or email.

Tom Long

Begin forwarded

From: OCDOnline@state.nm.us <OCDOnline@state.nm.us>

Sent: Friday, February 28, 2025 8:47 AM To: Long, Thomas <<u>tilong@eprod.com</u>>

Subject: [EXTERNAL] The Oil Conservation Division (OCD) has accepted the application, Application ID:

437386

[Use caution with links/attachments]

To whom it may concern (c/o Thomas Long for Enterprise Field Services, LLC),

The OCD has received the submitted Notification for (Final) Sampling of a Release (C-141N), for incident ID (n#) nAPP2505931148.

The sampling event is expected to take place:

When: 03/04/2025 @ 09:00

Where: C-03-31N-10W 0 FNL 0 FEL (36.932648,-107.872621)

Additional Information: Envirotech, Inc.

Additional Instructions: 36.932648,-107.872621

An OCD representative may be available onsite at the date and time reported. In the absence or presence of an OCD representative, sampling pursuant to 19.15.29.12.D NMAC is required. Sampling must be performed following an approved sampling plan or pursuant to 19.15.29.12.D.(1).(c) NMAC. Should there be a change in the scheduled date and time of the sampling event, then another notification should be resubmitted through OCD permitting as soon as possible.

* Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation closure samples not being accepted.

If you have any questions regarding this application, or don't know why you have received this email,

please contact us.

New Mexico Energy, Minerals and Natural Resources Department 1220 South St. Francis Drive Santa Fe, NM 87505

This message (including any attachments) is confidential and intended for a specific individual and purpose. If you are not the intended recipient, please notify the sender immediately and delete this message.

Appendix E

Laboratory Analytical Reports



Practical Solutions for a Better Tomorrow

Report to:
Greg Crabtree







5796 U.S. Hwy 64 Farmington, NM 87401

Phone: (505) 632-1881 Envirotech-inc.com





envirotech

Practical Solutions for a Better Tomorrow

Analytical Report

Enterprise Products

Project Name: Scott 13R

Work Order: E503018

Job Number: 97057-1281

Received: 3/3/2025

Revision: 1

Report Reviewed By:

Walter Hinchman Laboratory Director 3/5/25

Envirotech Inc. certifies the test results meet all requirements of TNI unless noted otherwise.

Statement of Data Authenticity: Envirotech Inc, attests the data reported has not been altered in any way.

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech Inc.

Envirotech Inc, holds the Utah TNI certification NM00979 for data reported.

Envirotech Inc, holds the Texas TNI certification T104704557 for data reported.

Date Reported: 3/5/25

Greg Crabtree 614 Reilly Ave Farmington, NM 87401

Project Name: Scott 13R Workorder: E503018

Date Received: 3/3/2025 4:30:00PM

Greg Crabtree,

Thank you for choosing Envirotech, Inc. as your analytical testing laboratory for the sample(s) received on, 3/3/2025 4:30:00PM, under the Project Name: Scott 13R.

The analytical test results summarized in this report with the Project Name: Scott 13R apply to the individual samples collected, identified and submitted bearing the project name on the enclosed chain-of-custody. Subcontracted sample analyses not conducted by Envirotech, Inc., are attached in full as issued by the subcontract laboratory.

Please review the Chain-of-Custody (COC) and Sample Receipt Checklist (SRC) for any issues reguarding sample receipt temperature, containers, preservation etc. To best understand your test results, review the entire report summarizing your sample data and the associated quality control batch data.

All reported data in this analytical report were analyzed according to the referenced method(s) and are in compliance with the latest NELAC/TNI standards, unless otherwise noted. Samples or analytical quality control parameters not meeting specific QC criteria are qualified with a data flag. Data flag definitions are located in the Notes and Definitions section of this analytical report.

If you have any questions concerning this report, please feel free to contact Envirotech, Inc.

Respectfully,

Walter Hinchman

Laboratory Director Office: 505-632-1881 Cell: 775-287-1762

whinchman@envirotech-inc.com

Raina Schwanz

Laboratory Administrator Office: 505-632-1881

rainaschwanz@envirotech-inc.com

Field Offices:

Southern New Mexico Area

Lynn Jarboe

Laboratory Technical Representative Office: 505-421-LABS(5227)

Cell: 505-320-4759

ljarboe@envirotech-inc.com

Michelle Gonzales

Client Representative

Office: 505-421-LABS(5227)

Cell: 505-947-8222

mgonzales@envirotech-inc.com

Envirotech Web Address: www.envirotech-inc.com

Table of Contents

| T | itle Page | 1 |
|---|---|----|
| C | Cover Page | 2 |
| T | able of Contents | 3 |
| S | cample Summary | 5 |
| S | cample Data | 6 |
| | North Ramp 1 | 6 |
| | North Ramp 2 | 7 |
| | Northeast Wall 1 | 8 |
| | Northeast Wall 2 | 9 |
| | Southeast Wall 1 | 10 |
| | Southeast Wall 2 | 11 |
| | South Wall 1 | 12 |
| | South Wall 2 | 13 |
| | Southwest Wall 1 | 14 |
| | Southwest Wall 2 | 15 |
| | Northwest Wall 1 | 16 |
| | Northwest Wall 2 | 17 |
| | Base 1 | 18 |
| | Base 2 | 19 |
| | Base 3 | 20 |
| | Base 4 | 21 |
| C | QC Summary Data | 22 |
| | QC - Volatile Organic Compounds by EPA8260B | 22 |
| | QC - Nonhalogenated Organics by EPA 8015D - GRO | 23 |
| | QC - Nonhalogenated Organics by EPA 8015D - DRO/ORO | 24 |

Table of Contents (continued)

| QC - Anions by EPA 300.0/9056A | 25 |
|--------------------------------|----|
| Definitions and Notes | 26 |
| Chain of Custody etc. | 27 |

Sample Summary

| Enterprise Products | Project Name: | Scott 13R | Reported: |
|----------------------|------------------|---------------|----------------|
| 614 Reilly Ave | Project Number: | 97057-1281 | Keporteu: |
| Farmington NM, 87401 | Project Manager: | Greg Crabtree | 03/05/25 14:35 |

| Client Sample ID | Lab Sample ID | Matrix | Sampled | Received | Container |
|------------------|---------------|--------|----------|----------|------------------|
| North Ramp 1 | E503018-01A | Soil | 03/03/25 | 03/03/25 | Glass Jar, 2 oz. |
| North Ramp 2 | E503018-02A | Soil | 03/03/25 | 03/03/25 | Glass Jar, 2 oz. |
| Northeast Wall 1 | E503018-03A | Soil | 03/03/25 | 03/03/25 | Glass Jar, 2 oz. |
| Northeast Wall 2 | E503018-04A | Soil | 03/03/25 | 03/03/25 | Glass Jar, 2 oz. |
| Southeast Wall 1 | E503018-05A | Soil | 03/03/25 | 03/03/25 | Glass Jar, 2 oz. |
| Southeast Wall 2 | E503018-06A | Soil | 03/03/25 | 03/03/25 | Glass Jar, 2 oz. |
| South Wall 1 | E503018-07A | Soil | 03/03/25 | 03/03/25 | Glass Jar, 2 oz. |
| South Wall 2 | E503018-08A | Soil | 03/03/25 | 03/03/25 | Glass Jar, 2 oz. |
| Southwest Wall 1 | E503018-09A | Soil | 03/03/25 | 03/03/25 | Glass Jar, 2 oz. |
| Southwest Wall 2 | E503018-10A | Soil | 03/03/25 | 03/03/25 | Glass Jar, 2 oz. |
| Northwest Wall 1 | E503018-11A | Soil | 03/03/25 | 03/03/25 | Glass Jar, 2 oz. |
| Northwest Wall 2 | E503018-12A | Soil | 03/03/25 | 03/03/25 | Glass Jar, 2 oz. |
| Base 1 | E503018-13A | Soil | 03/03/25 | 03/03/25 | Glass Jar, 2 oz. |
| Base 2 | E503018-14A | Soil | 03/03/25 | 03/03/25 | Glass Jar, 2 oz. |
| Base 3 | E503018-15A | Soil | 03/03/25 | 03/03/25 | Glass Jar, 2 oz. |
| Base 4 | E503018-16A | Soil | 03/03/25 | 03/03/25 | Glass Jar, 2 oz. |

| Enterprise Products | Project Name: | Scott 13R | |
|----------------------|------------------|---------------|--------------------|
| 614 Reilly Ave | Project Number: | 97057-1281 | Reported: |
| Farmington NM, 87401 | Project Manager: | Greg Crabtree | 3/5/2025 2:35:06PM |

North Ramp 1 E503018-01

| | | Reporting | | | | | |
|---|-------------------|---|----------------------------|----------|--|--|--------------------------------|
| Analyte | Result | Limit | Dil | ution | Prepared | Analyzed | Notes |
| Volatile Organic Compounds by EPA 8260B | mg/kg | mg/kg | | Analyst: | RAS | | Batch: 2510032 |
| Benzene | ND | 0.0250 | | 1 | 03/04/25 | 03/04/25 | |
| Ethylbenzene | ND | 0.0250 | | 1 | 03/04/25 | 03/04/25 | |
| Toluene | 0.107 | 0.0250 | | 1 | 03/04/25 | 03/04/25 | |
| o-Xylene | 0.0285 | 0.0250 | | 1 | 03/04/25 | 03/04/25 | |
| p,m-Xylene | 0.108 | 0.0500 | | 1 | 03/04/25 | 03/04/25 | |
| Total Xylenes | 0.136 | 0.0250 | | 1 | 03/04/25 | 03/04/25 | |
| Surrogate: Bromofluorobenzene | | 101 % | 70-130 | | 03/04/25 | 03/04/25 | |
| Surrogate: 1,2-Dichloroethane-d4 | | 96.3 % | 70-130 | | 03/04/25 | 03/04/25 | |
| Surrogate: Toluene-d8 | | 106 % | 70-130 | | 03/04/25 | 03/04/25 | |
| | | | | | | | |
| Nonhalogenated Organics by EPA 8015D - GRO | mg/kg | mg/kg | | Analyst: | RAS | | Batch: 2510032 |
| Nonhalogenated Organics by EPA 8015D - GRO Gasoline Range Organics (C6-C10) | mg/kg ND | mg/kg 20.0 | | Analyst: | RAS 03/04/25 | 03/04/25 | Batch: 2510032 |
| | | | 70-130 | | | 03/04/25 03/04/25 | Batch: 2510032 |
| Gasoline Range Organics (C6-C10) | | 20.0 | | | 03/04/25 | | Batch: 2510032 |
| Gasoline Range Organics (C6-C10) Surrogate: Bromofluorobenzene | | 20.0 101 % | 70-130 | | 03/04/25 03/04/25 | 03/04/25 | Batch: 2510032 |
| Gasoline Range Organics (C6-C10) Surrogate: Bromofluorobenzene Surrogate: 1,2-Dichloroethane-d4 | | 20.0 101 % 96.3 % | 70-130 70-130 | | 03/04/25 03/04/25 03/04/25 03/04/25 | 03/04/25 03/04/25 | Batch: 2510032 Batch: 2510035 |
| Gasoline Range Organics (C6-C10) Surrogate: Bromofluorobenzene Surrogate: 1,2-Dichloroethane-d4 Surrogate: Toluene-d8 | ND | 20.0 101 % 96.3 % 106 % | 70-130 70-130 | 1 | 03/04/25 03/04/25 03/04/25 03/04/25 | 03/04/25 03/04/25 | |
| Gasoline Range Organics (C6-C10) Surrogate: Bromofluorobenzene Surrogate: 1,2-Dichloroethane-d4 Surrogate: Toluene-d8 Nonhalogenated Organics by EPA 8015D - DRO/ORO | ND mg/kg | 20.0 101 % 96.3 % 106 % mg/kg | 70-130 70-130 | 1 | 03/04/25 03/04/25 03/04/25 03/04/25 AF | 03/04/25 03/04/25 03/04/25 | |
| Gasoline Range Organics (C6-C10) Surrogate: Bromofluorobenzene Surrogate: 1,2-Dichloroethane-d4 Surrogate: Toluene-d8 Nonhalogenated Organics by EPA 8015D - DRO/ORO Diesel Range Organics (C10-C28) | ND mg/kg ND | 20.0 101 % 96.3 % 106 % mg/kg 25.0 | 70-130 70-130 | 1 | 03/04/25 03/04/25 03/04/25 03/04/25 AF 03/04/25 | 03/04/25 03/04/25 03/04/25 | |
| Gasoline Range Organics (C6-C10) Surrogate: Bromofluorobenzene Surrogate: 1,2-Dichloroethane-d4 Surrogate: Toluene-d8 Nonhalogenated Organics by EPA 8015D - DRO/ORO Diesel Range Organics (C10-C28) Oil Range Organics (C28-C36) | ND mg/kg ND | 20.0 101 % 96.3 % 106 % mg/kg 25.0 50.0 | 70-130 70-130 70-130 | 1 | 03/04/25 03/04/25 03/04/25 03/04/25 AF 03/04/25 03/04/25 03/04/25 | 03/04/25 03/04/25 03/04/25 03/04/25 03/04/25 | |



Enterprise ProductsProject Name:Scott 13R614 Reilly AveProject Number:97057-1281Reported:Farmington NM, 87401Project Manager:Greg Crabtree3/5/2025 2:35:06PM

North Ramp 2 E503018-02

| | | Reporting | | | | | |
|--|--------|-----------|--------|----------|----------|----------|----------------|
| Analyte | Result | Limit | Dilu | ıtion | Prepared | Analyzed | Notes |
| Volatile Organic Compounds by EPA 8260B | mg/kg | mg/kg | | Analyst: | RAS | | Batch: 2510032 |
| Benzene | ND | 0.0250 | 1 | 1 | 03/04/25 | 03/04/25 | |
| Ethylbenzene | ND | 0.0250 | 1 | 1 | 03/04/25 | 03/04/25 | |
| Toluene | 0.133 | 0.0250 | 1 | 1 | 03/04/25 | 03/04/25 | |
| o-Xylene | 0.0310 | 0.0250 | 1 | 1 | 03/04/25 | 03/04/25 | |
| p,m-Xylene | 0.125 | 0.0500 | 1 | 1 | 03/04/25 | 03/04/25 | |
| Total Xylenes | 0.156 | 0.0250 | 1 | 1 | 03/04/25 | 03/04/25 | |
| Surrogate: Bromofluorobenzene | | 101 % | 70-130 | | 03/04/25 | 03/04/25 | |
| Surrogate: 1,2-Dichloroethane-d4 | | 97.2 % | 70-130 | | 03/04/25 | 03/04/25 | |
| Surrogate: Toluene-d8 | | 107 % | 70-130 | | 03/04/25 | 03/04/25 | |
| Nonhalogenated Organics by EPA 8015D - GRO | mg/kg | mg/kg | | Analyst: | RAS | | Batch: 2510032 |
| Gasoline Range Organics (C6-C10) | ND | 20.0 | 1 | 1 | 03/04/25 | 03/04/25 | |
| Surrogate: Bromofluorobenzene | | 101 % | 70-130 | | 03/04/25 | 03/04/25 | |
| Surrogate: 1,2-Dichloroethane-d4 | | 97.2 % | 70-130 | | 03/04/25 | 03/04/25 | |
| Surrogate: Toluene-d8 | | 107 % | 70-130 | | 03/04/25 | 03/04/25 | |
| Nonhalogenated Organics by EPA 8015D - DRO/ORO | mg/kg | mg/kg | | Analyst: | КН | | Batch: 2510035 |
| Diesel Range Organics (C10-C28) | ND | 25.0 | 1 | 1 | 03/04/25 | 03/04/25 | |
| Oil Range Organics (C28-C36) | ND | 50.0 | 1 | 1 | 03/04/25 | 03/04/25 | |
| Surrogate: n-Nonane | | 101 % | 61-141 | | 03/04/25 | 03/04/25 | |
| Anions by EPA 300.0/9056A | mg/kg | mg/kg | | Analyst: | AK | | Batch: 2510044 |
| | | | | | | | |

| Enterprise Products | Project Name: | Scott 13R | |
|----------------------|------------------|---------------|--------------------|
| 614 Reilly Ave | Project Number: | 97057-1281 | Reported: |
| Farmington NM, 87401 | Project Manager: | Greg Crabtree | 3/5/2025 2:35:06PM |

Northeast Wall 1

| | | Reporting | | | | | |
|--|--------|-----------|--------|----------|----------|----------|----------------|
| Analyte | Result | Limit | Dilı | ution | Prepared | Analyzed | Notes |
| Volatile Organic Compounds by EPA 8260B | mg/kg | mg/kg | | Analyst: | : RAS | | Batch: 2510032 |
| Benzene | ND | 0.0250 | | 1 | 03/04/25 | 03/04/25 | |
| Ethylbenzene | ND | 0.0250 | | 1 | 03/04/25 | 03/04/25 | |
| Toluene | 0.144 | 0.0250 | | 1 | 03/04/25 | 03/04/25 | |
| o-Xylene | 0.0395 | 0.0250 | | 1 | 03/04/25 | 03/04/25 | |
| p,m-Xylene | 0.155 | 0.0500 | | 1 | 03/04/25 | 03/04/25 | |
| Total Xylenes | 0.194 | 0.0250 | | 1 | 03/04/25 | 03/04/25 | |
| Surrogate: Bromofluorobenzene | | 100 % | 70-130 | | 03/04/25 | 03/04/25 | |
| Surrogate: 1,2-Dichloroethane-d4 | | 95.1 % | 70-130 | | 03/04/25 | 03/04/25 | |
| Surrogate: Toluene-d8 | | 106 % | 70-130 | | 03/04/25 | 03/04/25 | |
| Nonhalogenated Organics by EPA 8015D - GRO | mg/kg | mg/kg | | Analyst: | : RAS | | Batch: 2510032 |
| Gasoline Range Organics (C6-C10) | ND | 20.0 | | 1 | 03/04/25 | 03/04/25 | |
| Surrogate: Bromofluorobenzene | | 100 % | 70-130 | | 03/04/25 | 03/04/25 | |
| Surrogate: 1,2-Dichloroethane-d4 | | 95.1 % | 70-130 | | 03/04/25 | 03/04/25 | |
| Surrogate: Toluene-d8 | | 106 % | 70-130 | | 03/04/25 | 03/04/25 | |
| Nonhalogenated Organics by EPA 8015D - DRO/ORO | mg/kg | mg/kg | | Analyst: | : KH | | Batch: 2510035 |
| Diesel Range Organics (C10-C28) | ND | 25.0 | | 1 | 03/04/25 | 03/04/25 | |
| Oil Range Organics (C28-C36) | ND | 50.0 | | 1 | 03/04/25 | 03/04/25 | |
| Surrogate: n-Nonane | | 99.6 % | 61-141 | | 03/04/25 | 03/04/25 | |
| Anions by EPA 300.0/9056A | mg/kg | mg/kg | | Analyst: | : AK | | Batch: 2510044 |
| | | | | | | | |



| Enterprise Products | Project Name: | Scott 13R | |
|----------------------|------------------|---------------|--------------------|
| 614 Reilly Ave | Project Number: | 97057-1281 | Reported: |
| Farmington NM, 87401 | Project Manager: | Greg Crabtree | 3/5/2025 2:35:06PM |

Northeast Wall 2

| | | Reporting | | | | | |
|--|--------|-----------|--------|----------|----------|----------|----------------|
| Analyte | Result | Limit | Di | lution | Prepared | Analyzed | Notes |
| Volatile Organic Compounds by EPA 8260B | mg/kg | mg/kg | | Analyst: | : RAS | | Batch: 2510032 |
| Benzene | ND | 0.0250 | | 1 | 03/04/25 | 03/04/25 | |
| Ethylbenzene | ND | 0.0250 | | 1 | 03/04/25 | 03/04/25 | |
| Toluene | 0.138 | 0.0250 | | 1 | 03/04/25 | 03/04/25 | |
| o-Xylene | 0.0305 | 0.0250 | | 1 | 03/04/25 | 03/04/25 | |
| p,m-Xylene | 0.123 | 0.0500 | | 1 | 03/04/25 | 03/04/25 | |
| Total Xylenes | 0.153 | 0.0250 | | 1 | 03/04/25 | 03/04/25 | |
| Surrogate: Bromofluorobenzene | | 102 % | 70-130 | | 03/04/25 | 03/04/25 | |
| Surrogate: 1,2-Dichloroethane-d4 | | 98.3 % | 70-130 | | 03/04/25 | 03/04/25 | |
| Surrogate: Toluene-d8 | | 106 % | 70-130 | | 03/04/25 | 03/04/25 | |
| Nonhalogenated Organics by EPA 8015D - GRO | mg/kg | mg/kg | | Analyst: | : RAS | | Batch: 2510032 |
| Gasoline Range Organics (C6-C10) | ND | 20.0 | | 1 | 03/04/25 | 03/04/25 | |
| Surrogate: Bromofluorobenzene | | 102 % | 70-130 | | 03/04/25 | 03/04/25 | |
| Surrogate: 1,2-Dichloroethane-d4 | | 98.3 % | 70-130 | | 03/04/25 | 03/04/25 | |
| Surrogate: Toluene-d8 | | 106 % | 70-130 | | 03/04/25 | 03/04/25 | |
| Nonhalogenated Organics by EPA 8015D - DRO/ORO | mg/kg | mg/kg | | Analyst: | : KH | | Batch: 2510035 |
| Diesel Range Organics (C10-C28) | ND | 25.0 | | 1 | 03/04/25 | 03/04/25 | |
| Oil Range Organics (C28-C36) | ND | 50.0 | | 1 | 03/04/25 | 03/04/25 | |
| Surrogate: n-Nonane | | 100 % | 61-141 | | 03/04/25 | 03/04/25 | |
| Anions by EPA 300.0/9056A | mg/kg | mg/kg | | Analyst: | : AK | | Batch: 2510044 |
| Chloride | 68.8 | 20.0 | | 1 | 03/04/25 | 03/04/25 | |



| Enterprise Products | Project Name: | Scott 13R | |
|----------------------|------------------|---------------|--------------------|
| 614 Reilly Ave | Project Number: | 97057-1281 | Reported: |
| Farmington NM, 87401 | Project Manager: | Greg Crabtree | 3/5/2025 2:35:06PM |

Southeast Wall 1

| | | Reporting | | | | | |
|--|--------|-----------|--------|----------|----------|----------|----------------|
| Analyte | Result | Limit | Dilı | ution | Prepared | Analyzed | Notes |
| Volatile Organic Compounds by EPA 8260B | mg/kg | mg/kg | | Analyst: | : RAS | | Batch: 2510032 |
| Benzene | ND | 0.0250 | | 1 | 03/04/25 | 03/04/25 | |
| Ethylbenzene | ND | 0.0250 | | 1 | 03/04/25 | 03/04/25 | |
| Toluene | 0.110 | 0.0250 | | 1 | 03/04/25 | 03/04/25 | |
| o-Xylene | 0.0320 | 0.0250 | | 1 | 03/04/25 | 03/04/25 | |
| p,m-Xylene | 0.128 | 0.0500 | | 1 | 03/04/25 | 03/04/25 | |
| Total Xylenes | 0.160 | 0.0250 | | 1 | 03/04/25 | 03/04/25 | |
| Surrogate: Bromofluorobenzene | | 102 % | 70-130 | | 03/04/25 | 03/04/25 | |
| Surrogate: 1,2-Dichloroethane-d4 | | 92.5 % | 70-130 | | 03/04/25 | 03/04/25 | |
| Surrogate: Toluene-d8 | | 105 % | 70-130 | | 03/04/25 | 03/04/25 | |
| Nonhalogenated Organics by EPA 8015D - GRO | mg/kg | mg/kg | | Analyst: | : RAS | | Batch: 2510032 |
| Gasoline Range Organics (C6-C10) | ND | 20.0 | | 1 | 03/04/25 | 03/04/25 | |
| Surrogate: Bromofluorobenzene | | 102 % | 70-130 | | 03/04/25 | 03/04/25 | |
| Surrogate: 1,2-Dichloroethane-d4 | | 92.5 % | 70-130 | | 03/04/25 | 03/04/25 | |
| Surrogate: Toluene-d8 | | 105 % | 70-130 | | 03/04/25 | 03/04/25 | |
| Nonhalogenated Organics by EPA 8015D - DRO/ORO | mg/kg | mg/kg | | Analyst | : KH | | Batch: 2510035 |
| Diesel Range Organics (C10-C28) | ND | 25.0 | | 1 | 03/04/25 | 03/04/25 | |
| Oil Range Organics (C28-C36) | ND | 50.0 | | 1 | 03/04/25 | 03/04/25 | |
| Surrogate: n-Nonane | | 103 % | 61-141 | | 03/04/25 | 03/04/25 | |
| Anions by EPA 300.0/9056A | mg/kg | mg/kg | | Analyst: | : AK | | Batch: 2510044 |
| | | | | | | | |



| Enterprise Products | Project Name: | Scott 13R | |
|----------------------|------------------|---------------|--------------------|
| 614 Reilly Ave | Project Number: | 97057-1281 | Reported: |
| Farmington NM, 87401 | Project Manager: | Greg Crabtree | 3/5/2025 2:35:06PM |

Southeast Wall 2

| | | Reporting | | | | | |
|--|--------|-----------|--------|----------|----------|----------|----------------|
| Analyte | Result | Limit | Dilı | ution | Prepared | Analyzed | Notes |
| Volatile Organic Compounds by EPA 8260B | mg/kg | mg/kg | | Analyst: | : RAS | | Batch: 2510032 |
| Benzene | ND | 0.0250 | | 1 | 03/04/25 | 03/04/25 | |
| Ethylbenzene | ND | 0.0250 | | 1 | 03/04/25 | 03/04/25 | |
| Toluene | 0.180 | 0.0250 | | 1 | 03/04/25 | 03/04/25 | |
| o-Xylene | 0.0480 | 0.0250 | | 1 | 03/04/25 | 03/04/25 | |
| p,m-Xylene | 0.194 | 0.0500 | | 1 | 03/04/25 | 03/04/25 | |
| Total Xylenes | 0.242 | 0.0250 | | 1 | 03/04/25 | 03/04/25 | |
| Surrogate: Bromofluorobenzene | | 102 % | 70-130 | | 03/04/25 | 03/04/25 | |
| Surrogate: 1,2-Dichloroethane-d4 | | 97.1 % | 70-130 | | 03/04/25 | 03/04/25 | |
| Surrogate: Toluene-d8 | | 104 % | 70-130 | | 03/04/25 | 03/04/25 | |
| Nonhalogenated Organics by EPA 8015D - GRO | mg/kg | mg/kg | | Analyst: | : RAS | | Batch: 2510032 |
| Gasoline Range Organics (C6-C10) | ND | 20.0 | | 1 | 03/04/25 | 03/04/25 | |
| Surrogate: Bromofluorobenzene | | 102 % | 70-130 | | 03/04/25 | 03/04/25 | |
| Surrogate: 1,2-Dichloroethane-d4 | | 97.1 % | 70-130 | | 03/04/25 | 03/04/25 | |
| Surrogate: Toluene-d8 | | 104 % | 70-130 | | 03/04/25 | 03/04/25 | |
| Nonhalogenated Organics by EPA 8015D - DRO/ORO | mg/kg | mg/kg | | Analyst: | : KH | | Batch: 2510035 |
| Diesel Range Organics (C10-C28) | ND | 25.0 | | 1 | 03/04/25 | 03/04/25 | |
| Oil Range Organics (C28-C36) | ND | 50.0 | | 1 | 03/04/25 | 03/04/25 | |
| Surrogate: n-Nonane | | 103 % | 61-141 | | 03/04/25 | 03/04/25 | |
| Anions by EPA 300.0/9056A | mg/kg | mg/kg | | Analyst: | : AK | | Batch: 2510044 |
| | | | | | | 03/04/25 | |



| Enterprise Products | Project Name: | Scott 13R | |
|----------------------|------------------|---------------|--------------------|
| 614 Reilly Ave | Project Number: | 97057-1281 | Reported: |
| Farmington NM, 87401 | Project Manager: | Greg Crabtree | 3/5/2025 2:35:06PM |

South Wall 1 E503018-07

| Analyte | Result | Reporting Limit | | ution | Prepared | Analyzed | Notes |
|--|--------|--------------------|--------|---------|----------|----------|----------------|
| Volatile Organic Compounds by EPA 8260B | mg/kg | mg/kg | | Analyst | | | Batch: 2510032 |
| Benzene | ND | 0.0250 | | 1 | 03/04/25 | 03/04/25 | |
| Ethylbenzene | ND | 0.0250 | | 1 | 03/04/25 | 03/04/25 | |
| Toluene | 0.0455 | 0.0250 | | 1 | 03/04/25 | 03/04/25 | |
| o-Xylene | ND | 0.0250 | | 1 | 03/04/25 | 03/04/25 | |
| p,m-Xylene | 0.0500 | 0.0500 | | 1 | 03/04/25 | 03/04/25 | |
| Total Xylenes | 0.0500 | 0.0250 | | 1 | 03/04/25 | 03/04/25 | |
| Surrogate: Bromofluorobenzene | | 99.6 % | 70-130 | | 03/04/25 | 03/04/25 | |
| Surrogate: 1,2-Dichloroethane-d4 | | 96.9 % | 70-130 | | 03/04/25 | 03/04/25 | |
| Surrogate: Toluene-d8 | | 106 % | 70-130 | | 03/04/25 | 03/04/25 | |
| Nonhalogenated Organics by EPA 8015D - GRO | mg/kg | mg/kg | | Analyst | : RAS | | Batch: 2510032 |
| Gasoline Range Organics (C6-C10) | ND | 20.0 | | 1 | 03/04/25 | 03/04/25 | |
| Surrogate: Bromofluorobenzene | | 99.6 % | 70-130 | | 03/04/25 | 03/04/25 | |
| Surrogate: 1,2-Dichloroethane-d4 | | 96.9 % | 70-130 | | 03/04/25 | 03/04/25 | |
| Surrogate: Toluene-d8 | | 106 % | 70-130 | | 03/04/25 | 03/04/25 | |
| Nonhalogenated Organics by EPA 8015D - DRO/ORO | mg/kg | mg/kg | | Analyst | : AF | | Batch: 2510035 |
| Diesel Range Organics (C10-C28) | ND | 25.0 | | 1 | 03/04/25 | 03/04/25 | |
| Oil Range Organics (C28-C36) | ND | 50.0 | | 1 | 03/04/25 | 03/04/25 | |
| Surrogate: n-Nonane | | 110 % | 61-141 | | 03/04/25 | 03/04/25 | |
| Anions by EPA 300.0/9056A | mg/kg | mg/kg | | Analyst | : AK | | Batch: 2510044 |
| Chloride | 59.1 | 20.0 | | 1 | 03/04/25 | 03/04/25 | |



| Enterprise Products | Project Name: | Scott 13R | |
|----------------------|------------------|---------------|--------------------|
| 614 Reilly Ave | Project Number: | 97057-1281 | Reported: |
| Farmington NM, 87401 | Project Manager: | Greg Crabtree | 3/5/2025 2:35:06PM |

South Wall 2 E503018-08

| | | E303010-00 | | | | |
|--|--------|------------|--------|---------------|----------|----------------|
| | | Reporting | | | | |
| Analyte | Result | Limit | Dilut | tion Prepared | Analyzed | Notes |
| Volatile Organic Compounds by EPA 8260B | mg/kg | mg/kg | A | Analyst: RAS | | Batch: 2510032 |
| Benzene | 0.248 | 0.125 | 5 | 03/04/25 | 03/04/25 | |
| Ethylbenzene | 4.34 | 0.125 | 5 | 03/04/25 | 03/04/25 | |
| Toluene | 13.0 | 0.125 | 5 | 03/04/25 | 03/04/25 | |
| o-Xylene | 10.6 | 0.125 | 5 | 03/04/25 | 03/04/25 | |
| p,m-Xylene | 43.7 | 0.250 | 5 | 03/04/25 | 03/04/25 | |
| Total Xylenes | 54.4 | 0.125 | 5 | 03/04/25 | 03/04/25 | |
| Surrogate: Bromofluorobenzene | | 109 % | 70-130 | 03/04/25 | 03/04/25 | |
| Surrogate: 1,2-Dichloroethane-d4 | | 98.2 % | 70-130 | 03/04/25 | 03/04/25 | |
| Surrogate: Toluene-d8 | | 112 % | 70-130 | 03/04/25 | 03/04/25 | |
| Nonhalogenated Organics by EPA 8015D - GRO | mg/kg | mg/kg | I | Analyst: RAS | | Batch: 2510032 |
| Gasoline Range Organics (C6-C10) | 1280 | 100 | 5 | 03/04/25 | 03/04/25 | |
| Surrogate: Bromofluorobenzene | | 109 % | 70-130 | 03/04/25 | 03/04/25 | |
| Surrogate: 1,2-Dichloroethane-d4 | | 98.2 % | 70-130 | 03/04/25 | 03/04/25 | |
| Surrogate: Toluene-d8 | | 112 % | 70-130 | 03/04/25 | 03/04/25 | |
| Nonhalogenated Organics by EPA 8015D - DRO/ORO | mg/kg | mg/kg | A | Analyst: AF | | Batch: 2510035 |
| Diesel Range Organics (C10-C28) | 903 | 25.0 | 1 | 03/04/25 | 03/04/25 | Т9 |
| Oil Range Organics (C28-C36) | ND | 50.0 | 1 | 03/04/25 | 03/04/25 | |
| Surrogate: n-Nonane | | 163 % | 61-141 | 03/04/25 | 03/04/25 | S5 |
| Anions by EPA 300.0/9056A | mg/kg | mg/kg | A | Analyst: AK | | Batch: 2510044 |
| Chloride | 166 | 20.0 | 1 | 03/04/25 | 03/04/25 | |
| | | | | | | |



| Enterprise Products | Project Name: | Scott 13R | |
|----------------------|------------------|---------------|--------------------|
| 614 Reilly Ave | Project Number: | 97057-1281 | Reported: |
| Farmington NM, 87401 | Project Manager: | Greg Crabtree | 3/5/2025 2:35:06PM |

Southwest Wall 1

| | | E503018-09 | | | | | |
|--|--------|------------|--------|---------|----------|----------|----------------|
| Reporting | | | | | | | |
| Analyte | Result | Limit | Dil | ution | Prepared | Analyzed | Notes |
| Volatile Organic Compounds by EPA 8260B | mg/kg | mg/kg | | Analyst | RAS | | Batch: 2510032 |
| Benzene | ND | 0.0250 | | 1 | 03/04/25 | 03/04/25 | |
| Ethylbenzene | ND | 0.0250 | | 1 | 03/04/25 | 03/04/25 | |
| Toluene | 0.0825 | 0.0250 | | 1 | 03/04/25 | 03/04/25 | |
| o-Xylene | ND | 0.0250 | | 1 | 03/04/25 | 03/04/25 | |
| p,m-Xylene | 0.0985 | 0.0500 | | 1 | 03/04/25 | 03/04/25 | |
| Total Xylenes | 0.0985 | 0.0250 | | 1 | 03/04/25 | 03/04/25 | |
| Surrogate: Bromofluorobenzene | | 106 % | 70-130 | | 03/04/25 | 03/04/25 | |
| Surrogate: 1,2-Dichloroethane-d4 | | 96.8 % | 70-130 | | 03/04/25 | 03/04/25 | |
| Surrogate: Toluene-d8 | | 106 % | 70-130 | | 03/04/25 | 03/04/25 | |
| Nonhalogenated Organics by EPA 8015D - GRO | mg/kg | mg/kg | | Analyst | RAS | | Batch: 2510032 |
| Gasoline Range Organics (C6-C10) | ND | 20.0 | | 1 | 03/04/25 | 03/04/25 | |
| Surrogate: Bromofluorobenzene | | 106 % | 70-130 | | 03/04/25 | 03/04/25 | |
| Surrogate: 1,2-Dichloroethane-d4 | | 96.8 % | 70-130 | | 03/04/25 | 03/04/25 | |
| Surrogate: Toluene-d8 | | 106 % | 70-130 | | 03/04/25 | 03/04/25 | |
| Nonhalogenated Organics by EPA 8015D - DRO/ORO | mg/kg | mg/kg | | Analyst | AF | | Batch: 2510035 |
| Diesel Range Organics (C10-C28) | ND | 25.0 | | 1 | 03/04/25 | 03/04/25 | |
| Oil Range Organics (C28-C36) | ND | 50.0 | | 1 | 03/04/25 | 03/04/25 | |
| Surrogate: n-Nonane | | 111 % | 61-141 | | 03/04/25 | 03/04/25 | |
| Anions by EPA 300.0/9056A | mg/kg | mg/kg | | Analyst | AK | | Batch: 2510044 |

20.0

1

03/04/25

03/04/25

ND



Chloride

| Enterprise Products | Project Name: | Scott 13R | |
|----------------------|------------------|---------------|--------------------|
| 614 Reilly Ave | Project Number: | 97057-1281 | Reported: |
| Farmington NM, 87401 | Project Manager: | Greg Crabtree | 3/5/2025 2:35:06PM |

Southwest Wall 2

| | | Reporting | | | | | |
|--|--------|-----------|--------|---------|----------|----------|----------------|
| Analyte | Result | Limit | Dil | lution | Prepared | Analyzed | Notes |
| Volatile Organic Compounds by EPA 8260B | mg/kg | mg/kg | | Analyst | : RAS | | Batch: 2510032 |
| Benzene | ND | 0.0250 | | 1 | 03/04/25 | 03/04/25 | |
| Ethylbenzene | ND | 0.0250 | | 1 | 03/04/25 | 03/04/25 | |
| Toluene | 0.0620 | 0.0250 | | 1 | 03/04/25 | 03/04/25 | |
| o-Xylene | ND | 0.0250 | | 1 | 03/04/25 | 03/04/25 | |
| p,m-Xylene | 0.0700 | 0.0500 | | 1 | 03/04/25 | 03/04/25 | |
| Total Xylenes | 0.0700 | 0.0250 | | 1 | 03/04/25 | 03/04/25 | |
| Surrogate: Bromofluorobenzene | | 102 % | 70-130 | | 03/04/25 | 03/04/25 | |
| Surrogate: 1,2-Dichloroethane-d4 | | 97.0 % | 70-130 | | 03/04/25 | 03/04/25 | |
| Surrogate: Toluene-d8 | | 105 % | 70-130 | | 03/04/25 | 03/04/25 | |
| Nonhalogenated Organics by EPA 8015D - GRO | mg/kg | mg/kg | | Analyst | : RAS | | Batch: 2510032 |
| Gasoline Range Organics (C6-C10) | ND | 20.0 | | 1 | 03/04/25 | 03/04/25 | |
| Surrogate: Bromofluorobenzene | | 102 % | 70-130 | | 03/04/25 | 03/04/25 | |
| Surrogate: 1,2-Dichloroethane-d4 | | 97.0 % | 70-130 | | 03/04/25 | 03/04/25 | |
| Surrogate: Toluene-d8 | | 105 % | 70-130 | | 03/04/25 | 03/04/25 | |
| Nonhalogenated Organics by EPA 8015D - DRO/ORO | mg/kg | mg/kg | | Analyst | : AF | | Batch: 2510035 |
| Diesel Range Organics (C10-C28) | ND | 25.0 | | 1 | 03/04/25 | 03/04/25 | |
| Oil Range Organics (C28-C36) | ND | 50.0 | | 1 | 03/04/25 | 03/04/25 | |
| Surrogate: n-Nonane | | 108 % | 61-141 | | 03/04/25 | 03/04/25 | |
| Anions by EPA 300.0/9056A | mg/kg | mg/kg | | Analyst | : AK | | Batch: 2510044 |
| Chloride | 60.0 | 20.0 | | 1 | 03/04/25 | 03/04/25 | |
| | | | | | | | |



| Enterprise Products | Project Name: | Scott 13R | |
|----------------------|------------------|---------------|--------------------|
| 614 Reilly Ave | Project Number: | 97057-1281 | Reported: |
| Farmington NM, 87401 | Project Manager: | Greg Crabtree | 3/5/2025 2:35:06PM |

Northwest Wall 1

| | | Reporting | | | | | |
|--|--------|-----------|--------|----------|----------|----------|----------------|
| Analyte | Result | Limit | Dil | ution | Prepared | Analyzed | Notes |
| Volatile Organic Compounds by EPA 8260B | mg/kg | mg/kg | | Analyst | IY | | Batch: 2510032 |
| Benzene | ND | 0.0250 | | 1 | 03/04/25 | 03/04/25 | |
| Ethylbenzene | ND | 0.0250 | | 1 | 03/04/25 | 03/04/25 | |
| Toluene | 0.111 | 0.0250 | | 1 | 03/04/25 | 03/04/25 | |
| o-Xylene | 0.0275 | 0.0250 | | 1 | 03/04/25 | 03/04/25 | |
| p,m-Xylene | 0.108 | 0.0500 | | 1 | 03/04/25 | 03/04/25 | |
| Total Xylenes | 0.135 | 0.0250 | | 1 | 03/04/25 | 03/04/25 | |
| Surrogate: Bromofluorobenzene | | 105 % | 70-130 | | 03/04/25 | 03/04/25 | |
| Surrogate: 1,2-Dichloroethane-d4 | | 96.4 % | 70-130 | | 03/04/25 | 03/04/25 | |
| Surrogate: Toluene-d8 | | 108 % | 70-130 | | 03/04/25 | 03/04/25 | |
| Nonhalogenated Organics by EPA 8015D - GRO | mg/kg | mg/kg | | Analyst: | IY | | Batch: 2510032 |
| Gasoline Range Organics (C6-C10) | ND | 20.0 | | 1 | 03/04/25 | 03/04/25 | |
| Surrogate: Bromofluorobenzene | | 105 % | 70-130 | | 03/04/25 | 03/04/25 | |
| Surrogate: 1,2-Dichloroethane-d4 | | 96.4 % | 70-130 | | 03/04/25 | 03/04/25 | |
| Surrogate: Toluene-d8 | | 108 % | 70-130 | | 03/04/25 | 03/04/25 | |
| Nonhalogenated Organics by EPA 8015D - DRO/ORO | mg/kg | mg/kg | | Analyst: | NV | | Batch: 2510035 |
| Diesel Range Organics (C10-C28) | ND | 25.0 | _ | 1 | 03/04/25 | 03/04/25 | |
| Oil Range Organics (C28-C36) | ND | 50.0 | | 1 | 03/04/25 | 03/04/25 | |
| Surrogate: n-Nonane | | 111 % | 61-141 | | 03/04/25 | 03/04/25 | |
| Anions by EPA 300.0/9056A | mg/kg | mg/kg | | Analyst: | AK | | Batch: 2510044 |
| Chloride | ND | 40.0 | | 2 | 03/04/25 | 03/04/25 | |



| Enterprise Products | Project Name: | Scott 13R | |
|----------------------|------------------|---------------|--------------------|
| 614 Reilly Ave | Project Number: | 97057-1281 | Reported: |
| Farmington NM, 87401 | Project Manager: | Greg Crabtree | 3/5/2025 2:35:06PM |

Northwest Wall 2

| | | Reporting | | | | | |
|--|--------|-------------|--------|-------------|----------|----------|----------------|
| Analyte | Result | Limit | Dilı | ıtion | Prepared | Analyzed | Notes |
| Volatile Organic Compounds by EPA 8260B | mg/kg | mg/kg | | Analyst: IY | | | Batch: 2510032 |
| Benzene | ND | 0.0250 | | 1 | 03/04/25 | 03/04/25 | |
| Ethylbenzene | ND | 0.0250 | | 1 | 03/04/25 | 03/04/25 | |
| Toluene | 0.0320 | 0.0250 | | 1 | 03/04/25 | 03/04/25 | |
| o-Xylene | ND | 0.0250 | | 1 | 03/04/25 | 03/04/25 | |
| p,m-Xylene | ND | 0.0500 | | 1 | 03/04/25 | 03/04/25 | |
| Total Xylenes | ND | 0.0250 | | 1 | 03/04/25 | 03/04/25 | |
| Surrogate: Bromofluorobenzene | | 102 % | 70-130 | | 03/04/25 | 03/04/25 | |
| Surrogate: 1,2-Dichloroethane-d4 | | 98.1 % | 70-130 | | 03/04/25 | 03/04/25 | |
| Surrogate: Toluene-d8 | | 107 % | 70-130 | | 03/04/25 | 03/04/25 | |
| Nonhalogenated Organics by EPA 8015D - GRO | mg/kg | ng/kg mg/kg | | Analyst: IY | | | Batch: 2510032 |
| Gasoline Range Organics (C6-C10) | ND | 20.0 | | 1 | 03/04/25 | 03/04/25 | |
| Surrogate: Bromofluorobenzene | | 102 % | 70-130 | | 03/04/25 | 03/04/25 | |
| Surrogate: 1,2-Dichloroethane-d4 | | 98.1 % | 70-130 | | 03/04/25 | 03/04/25 | |
| Surrogate: Toluene-d8 | | 107 % | 70-130 | | 03/04/25 | 03/04/25 | |
| Nonhalogenated Organics by EPA 8015D - DRO/ORO | mg/kg | mg/kg | | Analyst: | NV | | Batch: 2510035 |
| Diesel Range Organics (C10-C28) | ND | 25.0 | | 1 | 03/04/25 | 03/04/25 | |
| Oil Range Organics (C28-C36) | ND | 50.0 | | 1 | 03/04/25 | 03/04/25 | |
| Surrogate: n-Nonane | | 105 % | 61-141 | | 03/04/25 | 03/04/25 | |
| Anions by EPA 300.0/9056A | mg/kg | mg/kg | | Analyst: | AK | | Batch: 2510044 |
| | | | | | | | |



| Enterprise Products | Project Name: | Scott 13R | |
|----------------------|------------------|---------------|--------------------|
| 614 Reilly Ave | Project Number: | 97057-1281 | Reported: |
| Farmington NM, 87401 | Project Manager: | Greg Crabtree | 3/5/2025 2:35:06PM |

Base 1 E503018-13

| | | Reporting | | | | |
|--|--------|-------------------------|--------|---------------|----------------|----------------|
| Analyte | Result | Limit | Dilut | tion Prepared | Analyzed | Notes |
| Volatile Organic Compounds by EPA 8260B | mg/kg | mg/kg | A | Analyst: IY | | Batch: 2510032 |
| Benzene | ND | 0.0250 | 1 | 03/04/25 | 03/04/25 | |
| Ethylbenzene | ND | 0.0250 | 1 | 03/04/25 | 03/04/25 | |
| Toluene | 0.0405 | 0.0250 | 1 | 03/04/25 | 03/04/25 | |
| o-Xylene | ND | 0.0250 | 1 | 03/04/25 | 03/04/25 | |
| p,m-Xylene | ND | 0.0500 | 1 | 03/04/25 | 03/04/25 | |
| Total Xylenes | ND | 0.0250 | 1 | 03/04/25 | 03/04/25 | |
| Surrogate: Bromofluorobenzene | | 105 % | 70-130 | 03/04/25 | 03/04/25 | |
| Surrogate: 1,2-Dichloroethane-d4 | | 97.7 % | 70-130 | 03/04/25 | 03/04/25 | |
| Surrogate: Toluene-d8 | | 108 % | 70-130 | 03/04/25 | 03/04/25 | |
| Nonhalogenated Organics by EPA 8015D - GRO | mg/kg | mg/kg mg/kg Analyst: IY | | | Batch: 2510032 | |
| Gasoline Range Organics (C6-C10) | ND | 20.0 | 1 | 03/04/25 | 03/04/25 | |
| Surrogate: Bromofluorobenzene | | 105 % | 70-130 | 03/04/25 | 03/04/25 | |
| Surrogate: 1,2-Dichloroethane-d4 | | 97.7 % | 70-130 | 03/04/25 | 03/04/25 | |
| Surrogate: Toluene-d8 | | 108 % | 70-130 | 03/04/25 | 03/04/25 | |
| Nonhalogenated Organics by EPA 8015D - DRO/ORO | mg/kg | mg/kg | A | Analyst: KH | | Batch: 2510035 |
| Diesel Range Organics (C10-C28) | 29.2 | 25.0 | 1 | 03/04/25 | 03/04/25 | |
| Oil Range Organics (C28-C36) | ND | 50.0 | 1 | 03/04/25 | 03/04/25 | |
| Surrogate: n-Nonane | | 104 % | 61-141 | 03/04/25 | 03/04/25 | |
| Anions by EPA 300.0/9056A | mg/kg | mg/kg | P | Analyst: AK | | Batch: 2510044 |
| Chloride | 39.1 | 20.0 | 1 | 03/04/25 | 03/04/25 | |
| | | | | | | |



| Enterprise Products | Project Name: | Scott 13R | |
|----------------------|------------------|---------------|--------------------|
| 614 Reilly Ave | Project Number: | 97057-1281 | Reported: |
| Farmington NM, 87401 | Project Manager: | Greg Crabtree | 3/5/2025 2:35:06PM |

Base 2

| | | E503018-14 | | | | | |
|--|--------|-------------------------|--------|----------------|----------|----------|----------------|
| | | Reporting | | | | | |
| Analyte | Result | Limit | Dil | ution | Prepared | Analyzed | Notes |
| Volatile Organic Compounds by EPA 8260B | mg/kg | mg/kg mg/kg Analyst: IY | | Batch: 2510032 | | | |
| Benzene | ND | 0.0250 | | 1 | 03/04/25 | 03/04/25 | |
| Ethylbenzene | ND | 0.0250 | | 1 | 03/04/25 | 03/04/25 | |
| Toluene | 0.122 | 0.0250 | | 1 | 03/04/25 | 03/04/25 | |
| o-Xylene | ND | 0.0250 | | 1 | 03/04/25 | 03/04/25 | |
| p,m-Xylene | 0.0845 | 0.0500 | | 1 | 03/04/25 | 03/04/25 | |
| Total Xylenes | 0.0845 | 0.0250 | | 1 | 03/04/25 | 03/04/25 | |
| Surrogate: Bromofluorobenzene | | 104 % | 70-130 | | 03/04/25 | 03/04/25 | |
| Surrogate: 1,2-Dichloroethane-d4 | | 99.2 % | 70-130 | | 03/04/25 | 03/04/25 | |
| Surrogate: Toluene-d8 | | 108 % | 70-130 | | 03/04/25 | 03/04/25 | |
| Nonhalogenated Organics by EPA 8015D - GRO | mg/kg | mg/kg | | Analyst: | IY | | Batch: 2510032 |
| Gasoline Range Organics (C6-C10) | ND | 20.0 | | 1 | 03/04/25 | 03/04/25 | |
| Surrogate: Bromofluorobenzene | | 104 % | 70-130 | | 03/04/25 | 03/04/25 | |
| Surrogate: 1,2-Dichloroethane-d4 | | 99.2 % | 70-130 | | 03/04/25 | 03/04/25 | |
| Surrogate: Toluene-d8 | | 108 % | 70-130 | | 03/04/25 | 03/04/25 | |
| Nonhalogenated Organics by EPA 8015D - DRO/ORO | mg/kg | mg/kg | | Analyst: | NV | | Batch: 2510035 |
| Diesel Range Organics (C10-C28) | ND | 25.0 | | 1 | 03/04/25 | 03/04/25 | |
| Oil Range Organics (C28-C36) | ND | 50.0 | | 1 | 03/04/25 | 03/04/25 | |
| Surrogate: n-Nonane | | 106 % | 61-141 | | 03/04/25 | 03/04/25 | |
| Anions by EPA 300.0/9056A | mg/kg | mg/kg | | Analyst: | AK | | Batch: 2510044 |
| Chloride | ND | 40.0 | | 2 | 03/04/25 | 03/04/25 | |



| Enterprise Products | Project Name: | Scott 13R | |
|----------------------|------------------|---------------|--------------------|
| 614 Reilly Ave | Project Number: | 97057-1281 | Reported: |
| Farmington NM, 87401 | Project Manager: | Greg Crabtree | 3/5/2025 2:35:06PM |

Base 3 E503018-15

| D 1 | | | | | | V. |
|-------------------------|---|---|--|---|--|---|
| Result | Limit | Dilut | tion Pre | epared | Analyzed | Notes |
| mg/kg mg/kg Analyst: IY | | Batch: 2510032 | | | | |
| ND | 0.0250 | 1 | 03/ | /04/25 | 03/04/25 | |
| ND | 0.0250 | 1 | 03/ | /04/25 | 03/04/25 | |
| 0.144 | 0.0250 | 1 | 03/ | /04/25 | 03/04/25 | |
| ND | 0.0250 | 1 | 03/ | /04/25 | 03/04/25 | |
| 0.101 | 0.0500 | 1 | 03/ | /04/25 | 03/04/25 | |
| 0.101 | 0.0250 | 1 | 03/ | /04/25 | 03/04/25 | |
| | 103 % | 70-130 | 03/ | /04/25 | 03/04/25 | |
| | 101 % | 70-130 | 03/ | /04/25 | 03/04/25 | |
| | 107 % | 70-130 | 03/ | /04/25 | 03/04/25 | |
| mg/kg | /kg mg/kg Analyst: IY | | | Batch: 2510032 | | |
| ND | 20.0 | 1 | 03/ | /04/25 | 03/04/25 | |
| | 103 % | 70-130 | 03/ | /04/25 | 03/04/25 | |
| | 101 % | 70-130 | 03/ | /04/25 | 03/04/25 | |
| | 107 % | 70-130 | 03/ | /04/25 | 03/04/25 | |
| mg/kg | mg/kg | A | Analyst: NV | | | Batch: 2510035 |
| ND | 25.0 | 1 | 03/ | /04/25 | 03/04/25 | |
| ND | 50.0 | 1 | 03/ | /04/25 | 03/04/25 | |
| | 103 % | 61-141 | 03/ | /04/25 | 03/04/25 | |
| mg/kg | mg/kg | Α | Analyst: AK | | | Batch: 2510044 |
| 21.3 | 20.0 | 1 | 03/ | /04/25 | 03/04/25 | |
| | ND ND 0.144 ND 0.101 0.101 mg/kg ND mg/kg ND mg/kg | Result Limit mg/kg mg/kg ND 0.0250 ND 0.0250 0.144 0.0250 ND 0.0250 0.101 0.0500 0.101 0.0250 103 % 101 % 107 % mg/kg ND 20.0 103 % 101 % 107 % mg/kg Mg/kg mg/kg ND 25.0 ND 50.0 103 % mg/kg mg/kg mg/kg | mg/kg mg/kg ng/kg ND 0.0250 1 ND 0.0250 1 0.144 0.0250 1 ND 0.0250 1 0.101 0.0500 1 103% 70-130 101% 70-130 107% 70-130 mg/kg mg/kg ND 20.0 1 103% 70-130 107% 70-130 mg/kg mg/kg ND 25.0 1 ND 50.0 1 103% 61-141 1 mg/kg mg/kg 61-141 | Result Limit Dilution Property mg/kg mg/kg Analyst: IY ND 0.0250 1 03 ND 0.0250 1 03 0.144 0.0250 1 03 ND 0.0250 1 03 0.101 0.0500 1 03 0.101 0.0250 1 03 101% 70-130 03 107% 70-130 03 107% 70-130 03 101% 70-130 03 101% 70-130 03 107% 70-130 03 107% 70-130 03 107% 70-130 03 107% 70-130 03 107% 70-130 03 107% 70-130 03 107% 70-130 03 107% 70-130 03 100 50.0 1 03 < | Result Limit Dilution Prepared mg/kg mg/kg Analyst: IV ND 0.0250 1 03/04/25 ND 0.0250 1 03/04/25 0.144 0.0250 1 03/04/25 ND 0.0250 1 03/04/25 0.101 0.0500 1 03/04/25 0.101 0.0250 1 03/04/25 101% 70-130 03/04/25 101% 70-130 03/04/25 107% 70-130 03/04/25 101% 70-130 03/04/25 101% 70-130 03/04/25 101% 70-130 03/04/25 107% 70-130 03/04/25 107% 70-130 03/04/25 mg/kg mg/kg Analyst: NV ND 25.0 1 03/04/25 ND 50.0 1 03/04/25 ND 50.0 1 03/04/25 mg/kg | Result Limit Dilution Prepared Analyzed mg/kg mg/kg Analyst: IY ND 0.0250 1 03/04/25 03/04/25 ND 0.0250 1 03/04/25 03/04/25 0.144 0.0250 1 03/04/25 03/04/25 ND 0.0250 1 03/04/25 03/04/25 0.101 0.0500 1 03/04/25 03/04/25 0.101 0.0250 1 03/04/25 03/04/25 0.103 % 70-130 03/04/25 03/04/25 103 % 70-130 03/04/25 03/04/25 107 % 70-130 03/04/25 03/04/25 103 % 70-130 03/04/25 03/04/25 103 % 70-130 03/04/25 03/04/25 107 % 70-130 03/04/25 03/04/25 107 % 70-130 03/04/25 03/04/25 107 % 70-130 03/04/25 03/04/25 00 |



| Enterprise Products | Project Name: | Scott 13R | |
|----------------------|------------------|---------------|--------------------|
| 614 Reilly Ave | Project Number: | 97057-1281 | Reported: |
| Farmington NM, 87401 | Project Manager: | Greg Crabtree | 3/5/2025 2:35:06PM |

Base 4 E503018-16

| | | E303010-10 | | | | | |
|--|--------|------------|--------|----------|----------|--------------|----------------|
| Andre | D16 | Reporting | | 4: | D | A a la a . 1 | Nister |
| Analyte | Result | Limit | Dilu | tion | Prepared | Analyzed | Notes |
| Volatile Organic Compounds by EPA 8260B | mg/kg | mg/kg | I | Analyst: | IY | | Batch: 2510032 |
| Benzene | ND | 0.0250 | 1 | | 03/04/25 | 03/04/25 | |
| Ethylbenzene | ND | 0.0250 | 1 | | 03/04/25 | 03/04/25 | |
| Toluene | ND | 0.0250 | 1 | | 03/04/25 | 03/04/25 | |
| o-Xylene | ND | 0.0250 | 1 | | 03/04/25 | 03/04/25 | |
| p,m-Xylene | ND | 0.0500 | 1 | | 03/04/25 | 03/04/25 | |
| Total Xylenes | ND | 0.0250 | 1 | l | 03/04/25 | 03/04/25 | |
| Surrogate: Bromofluorobenzene | | 104 % | 70-130 | | 03/04/25 | 03/04/25 | |
| Surrogate: 1,2-Dichloroethane-d4 | | 101 % | 70-130 | | 03/04/25 | 03/04/25 | |
| Surrogate: Toluene-d8 | | 108 % | 70-130 | | 03/04/25 | 03/04/25 | |
| Nonhalogenated Organics by EPA 8015D - GRO | mg/kg | mg/kg | 1 | Analyst: | IY | | Batch: 2510032 |
| Gasoline Range Organics (C6-C10) | ND | 20.0 | 1 | | 03/04/25 | 03/04/25 | |
| Surrogate: Bromofluorobenzene | | 104 % | 70-130 | | 03/04/25 | 03/04/25 | |
| Surrogate: 1,2-Dichloroethane-d4 | | 101 % | 70-130 | | 03/04/25 | 03/04/25 | |
| Surrogate: Toluene-d8 | | 108 % | 70-130 | | 03/04/25 | 03/04/25 | |
| Nonhalogenated Organics by EPA 8015D - DRO/ORO | mg/kg | mg/kg | 1 | Analyst: | NV | | Batch: 2510035 |
| Diesel Range Organics (C10-C28) | ND | 25.0 | 1 | | 03/04/25 | 03/04/25 | _ |
| Oil Range Organics (C28-C36) | ND | 50.0 | 1 | <u> </u> | 03/04/25 | 03/04/25 | |
| Surrogate: n-Nonane | | 108 % | 61-141 | | 03/04/25 | 03/04/25 | |
| Anions by EPA 300.0/9056A | mg/kg | mg/kg | | Analyst: | AK | | Batch: 2510044 |
| Chloride | 86.5 | 20.0 | 1 | | 03/04/25 | 03/04/25 | |
| | | | | | | | |



Enterprise Products Project Name: Scott 13R Reported:
614 Reilly Ave Project Number: 97057-1281
Farmington NM, 87401 Project Manager: Greg Crabtree 3/5/2025 2:35:06PM

| Farmington NM, 87401 | | Project Manage | r: Gı | reg Crabtree | | | | 3/ | /5/2025 2:35:06PM |
|----------------------------------|--------|--------------------|----------------|------------------|-------------|---------------|--------------|--------------|-------------------|
| | Vo | olatile Organ | ic Compo | unds by EI | Analyst: IY | | | | |
| Analyte | Result | Reporting Limit | Spike Level | Source Result | Rec | Rec Limits | RPD | RPD Limit | |
| | mg/kg | mg/kg | mg/kg | mg/kg | % | % | % | % | Notes |
| Blank (2510032-BLK1) | | | | | | | Prepared: 0 | 3/04/25 Ana | lyzed: 03/04/25 |
| Benzene | ND | 0.0250 | | | | | | | |
| Ethylbenzene | ND | 0.0250 | | | | | | | |
| Toluene | ND | 0.0250 | | | | | | | |
| o-Xylene | ND | 0.0250 | | | | | | | |
| p,m-Xylene | ND | 0.0500 | | | | | | | |
| Total Xylenes | ND | 0.0250 | | | | | | | |
| Surrogate: Bromofluorobenzene | 0.527 | | 0.500 | | 105 | 70-130 | | | |
| Surrogate: 1,2-Dichloroethane-d4 | 0.485 | | 0.500 | | 96.9 | 70-130 | | | |
| Surrogate: Toluene-d8 | 0.535 | | 0.500 | | 107 | 70-130 | | | |
| LCS (2510032-BS1) | | | | | | | Prepared: 0 | 3/04/25 Anai | lyzed: 03/04/25 |
| Benzene | 2.44 | 0.0250 | 2.50 | | 97.6 | 70-130 | | | |
| Ethylbenzene | 2.57 | 0.0250 | 2.50 | | 103 | 70-130 | | | |
| Toluene | 2.70 | 0.0250 | 2.50 | | 108 | 70-130 | | | |
| o-Xylene | 2.68 | 0.0250 | 2.50 | | 107 | 70-130 | | | |
| p,m-Xylene | 5.60 | 0.0500 | 5.00 | | 112 | 70-130 | | | |
| Total Xylenes | 8.28 | 0.0250 | 7.50 | | 110 | 70-130 | | | |
| Surrogate: Bromofluorobenzene | 0.518 | | 0.500 | | 104 | 70-130 | | | |
| Surrogate: 1,2-Dichloroethane-d4 | 0.504 | | 0.500 | | 101 | 70-130 | | | |
| Surrogate: Toluene-d8 | 0.542 | | 0.500 | | 108 | 70-130 | | | |
| LCS Dup (2510032-BSD1) | | | | | | | Prepared: 02 | 3/04/25 Ana | lyzed: 03/04/25 |
| Benzene | 2.33 | 0.0250 | 2.50 | | 93.1 | 70-130 | 4.72 | 23 | |
| Ethylbenzene | 2.44 | 0.0250 | 2.50 | | 97.6 | 70-130 | 5.09 | 27 | |
| Toluene | 2.58 | 0.0250 | 2.50 | | 103 | 70-130 | 4.72 | 24 | |
| o-Xylene | 2.54 | 0.0250 | 2.50 | | 102 | 70-130 | 5.50 | 27 | |
| o,m-Xylene | 5.25 | 0.0500 | 5.00 | | 105 | 70-130 | 6.37 | 27 | |
| Total Xylenes | 7.79 | 0.0250 | 7.50 | | 104 | 70-130 | 6.09 | 27 | |
| Surrogate: Bromofluorobenzene | 0.527 | | 0.500 | | 105 | 70-130 | | | |
| Surrogate: 1,2-Dichloroethane-d4 | 0.512 | | 0.500 | | 102 | 70-130 | | | |
| - | | | | | | | | | |

0.500

107

70-130



Surrogate: Toluene-d8

0.534

Enterprise ProductsProject Name:Scott 13RReported:614 Reilly AveProject Number:97057-1281Farmington NM, 87401Project Manager:Greg Crabtree3/5/20252:35:06PM

| Nonhalogenated | Organics | bv | EPA | 8015D - | GRO |
|-----------------|----------|------------------------|-----|---------|------|
| Tionnaiogenatea | O' Sames | $\boldsymbol{\nu}_{J}$ | | 00151 | GILO |

| vst. | 1. |
|------|------|
| | yst: |

| Analyte | Result | Reporting Limit | Spike Level | Source Result | Rec | Rec Limits | RPD | RPD Limit | |
|---------|--------|--------------------|----------------|------------------|-----|---------------|-----|--------------|-------|
| | mg/kg | mg/kg | mg/kg | mg/kg | % | % | % | % | Notes |

| Blank (2510032-BLK1) | | | | | | Prepared: 03 | 5/04/25 Analyz | ed: 03/04/25 |
|----------------------------------|-------|------|-------|------|--------|--------------|----------------|--------------|
| Gasoline Range Organics (C6-C10) | ND | 20.0 | | | | | | |
| Surrogate: Bromofluorobenzene | 0.527 | | 0.500 | 105 | 70-130 | | | |
| Surrogate: 1,2-Dichloroethane-d4 | 0.485 | | 0.500 | 96.9 | 70-130 | | | |
| Surrogate: Toluene-d8 | 0.535 | | 0.500 | 107 | 70-130 | | | |
| LCS (2510032-BS2) | | | | | | Prepared: 03 | 5/04/25 Analyz | ed: 03/04/25 |
| Gasoline Range Organics (C6-C10) | 52.2 | 20.0 | 50.0 | 104 | 70-130 | | | |
| Surrogate: Bromofluorobenzene | 0.524 | | 0.500 | 105 | 70-130 | | | |
| Surrogate: 1,2-Dichloroethane-d4 | 0.481 | | 0.500 | 96.2 | 70-130 | | | |
| Surrogate: Toluene-d8 | 0.548 | | 0.500 | 110 | 70-130 | | | |
| LCS Dup (2510032-BSD2) | | | | | | Prepared: 03 | 3/04/25 Analyz | ed: 03/04/25 |
| Gasoline Range Organics (C6-C10) | 59.8 | 20.0 | 50.0 | 120 | 70-130 | 13.5 | 20 | |
| Surrogate: Bromofluorobenzene | 0.532 | | 0.500 | 106 | 70-130 | | | |
| Surrogate: 1,2-Dichloroethane-d4 | 0.488 | | 0.500 | 97.6 | 70-130 | | | |
| Surrogate: Toluene-d8 | 0.544 | | 0.500 | 109 | 70-130 | | | |



| Enterprise Products | Project Name: | Scott 13R | Reported: |
|----------------------|------------------|---------------|--------------------|
| 614 Reilly Ave | Project Number: | 97057-1281 | - |
| Farmington NM, 87401 | Project Manager: | Greg Crabtree | 3/5/2025 2:35:06PM |

| Farmington NM, 8/401 | | Project Manager | r: Gr | eg Crabtree | | | | | 3/5/2025 2:35:06PM |
|---------------------------------|--------|--------------------|----------------|------------------|----------|---------------|-------------|--------------|--------------------|
| | Nonha | logenated Or | ganics by | EPA 8015I | D - DRO | /ORO | | | Analyst: KH |
| Analyte | Result | Reporting Limit | Spike Level | Source Result | Rec | Rec Limits | RPD | RPD Limit | |
| | mg/kg | mg/kg | mg/kg | mg/kg | % | % | % | % | Notes |
| Blank (2510035-BLK1) | | | | | | | Prepared: 0 | 3/04/25 A | nalyzed: 03/04/25 |
| Diesel Range Organics (C10-C28) | ND | 25.0 | | | | | | | |
| Dil Range Organics (C28-C36) | ND | 50.0 | | | | | | | |
| urrogate: n-Nonane | 49.8 | | 50.0 | | 99.7 | 61-141 | | | |
| LCS (2510035-BS1) | | | | | | | Prepared: 0 | 3/04/25 A | nalyzed: 03/04/25 |
| Diesel Range Organics (C10-C28) | 230 | 25.0 | 250 | | 92.2 | 66-144 | | | |
| urrogate: n-Nonane | 50.5 | | 50.0 | | 101 | 61-141 | | | |
| Matrix Spike (2510035-MS1) | | | | Source: | E503018- | 13 | Prepared: 0 | 3/04/25 A | nalyzed: 03/04/25 |
| Diesel Range Organics (C10-C28) | 264 | 25.0 | 250 | 29.2 | 94.0 | 56-156 | | | |
| urrogate: n-Nonane | 52.2 | | 50.0 | | 104 | 61-141 | | | |
| Matrix Spike Dup (2510035-MSD1) | | | | Source: | E503018- | 13 | Prepared: 0 | 3/04/25 A | nalyzed: 03/04/25 |
| Diesel Range Organics (C10-C28) | 267 | 25.0 | 250 | 29.2 | 95.1 | 56-156 | 0.985 | 20 | |
| Gurrogate: n-Nonane | 52.3 | | 50.0 | | 105 | 61-141 | | | |

| Enterprise Products 614 Reilly Ave Farmington NM, 87401 | | Project Name: Project Number: Project Manager: | 97 | cott 13R 7057-1281 reg Crabtree | | | | | Reported: 3/5/2025 2:35:06PM |
|---|--------|--|----------------|---------------------------------------|----------|---------------|-------------|--------------|-------------------------------------|
| | | Anions | by EPA 3 | 300.0/9056 <i>A</i> | 4 | | | | Analyst: AK |
| Analyte | Result | Reporting Limit | Spike Level | Source Result | Rec | Rec Limits | RPD | RPD Limit | |
| | mg/kg | mg/kg | mg/kg | mg/kg | % | % | % | % | Notes |
| Blank (2510044-BLK1) | | | | | | | Prepared: 0 | 3/04/25 A | nalyzed: 03/04/25 |
| Chloride | ND | 20.0 | | | | | | | |
| LCS (2510044-BS1) | | | | | | | Prepared: 0 | 3/04/25 A | nalyzed: 03/04/25 |
| Chloride | 256 | 20.0 | 250 | | 102 | 90-110 | | | |
| Matrix Spike (2510044-MS1) | | | | Source: | E503018- | 11 | Prepared: 0 | 3/04/25 A | nalyzed: 03/04/25 |
| Chloride | 247 | 40.0 | 250 | ND | 98.8 | 80-120 | | | |
| Matrix Spike Dup (2510044-MSD1) | | | | Source: | E503018- | 11 | Prepared: 0 | 3/04/25 A | nalyzed: 03/04/25 |
| Chloride | 259 | 40.0 | 250 | ND | 103 | 80-120 | 4.58 | 20 | |

QC Summary Report Comment:

Calculations are based off of the raw (non-rounded) data. However, for reporting purposes all QC data is rounded to three significant figures. Therefore, hand calculated values may differ slightly.



Definitions and Notes

| ſ | Enterprise Products | Project Name: | Scott 13R | |
|---|----------------------|------------------|---------------|----------------|
| l | 614 Reilly Ave | Project Number: | 97057-1281 | Reported: |
| 1 | Farmington NM, 87401 | Project Manager: | Greg Crabtree | 03/05/25 14:35 |

S5 Surrogate spike recovery exceeded acceptance limits due to interfering target and/or non-target analytes.

T9 DRO includes undifferentiated early eluting analytes characteristic of GRO.

ND Analyte NOT DETECTED at or above the reporting limit

NR Not Reported

RPD Relative Percent Difference

DNI Did Not Ignite

DNR Did not react with the addition of acid or base.

Note (1): Methods marked with ** are non-accredited methods.

Note (2): Soil data is reported on an "as received" weight basis, unless reported otherwise.



Released to Imaging: 10/17/2025 9:39:06 AM

| Client Information | | | | | | Invoice Information | | | | | La | b Use | Only | | TAT | | | | | S | tate | |
|--|--------------------------------------|-----------|---------------------|-------------------------------|--------------------|---|-----------------|-------------|--------------|-----------|-----------------------------|----------|------------|-----------|------------|----------|-----------|-------------|--------------|------------------------------------|---------|----------|
| Client: Er | terprise | | | | | Company: | | ti | Lab V | VO# | | J. | ob Nur | nber | | 1D | 2D : | 3D Std | l li | M CO | UT T | хT |
| Project N | ame: Scott 1 | L3R | | | _ A | ddress: | | | Lab V E S | 230 | 218 | | 9709 | 7-128 | | X | | | 1 5 | | | \neg |
| Project N | lanager: G | reg Crabt | ree | | | City, State, Zip: | | r | | | | | | | | | | | _ | | | |
| Address: | | | | | | hone: | | | Γ | | | - | Analys | is and | Meth | od | | | EPA Program | | | |
| City, Stat | e, Zip: | | | | <u> </u> _ | mail: | | | Γ | | | | | | | | | | SDV | /A CW | Ā | RCRA |
| Phone: | | | | | Мі | Miscellaneous: | | | ł | | | | | | | - 1 | | İ | | | | Х |
| Email: A | ll Enviro | | | | | | | | | ď | l | | | | | | | l | Comp | liance | ΥO | r N |
| | | | | | | | | | | j | l | | | 1 1 | | ı | | i | PWSI | D# | | |
| | | | | San | nple Informat | tion | | | | 1 | | | | | | ł | | - 1 | | | | |
| Time Sampled | Date Sampled | Matrix | No. of Container | s | | Sample ID | Field | Lat Numi | - 1 | 000 | BDGOC | ļ | | | | | | | | Rema | rks | |
| 10:45 | 3/3/2025 | s | 1 | | 1 | North Ramp 1 | | Į | | | х | | | | | | | | | Rush all sa | mples | |
| 10:50 | 3/3/2025 | s | 1 | | 1 | North Ramp 2 | | 2 | | | х | | | | | | | | | | | |
| 11:00 | 3/3/2025 | S | 1 | | N | ortheast Wall 1 | | 3 | | | х | | | | | | | | | | | |
| 11:05 | 3/3/2025 | S | 1 | | N | ortheast Wall 2 | | 4 | | | х | | | | | | | | | · · · · · | | |
| 11:15 | 3/3/2025 | S | 1 | | Southeast Wall 1 | | | 5 | | | х | | | | | | | | | | | |
| 11:20 | 3/3/2025 | S | 1 | | Southeast Wall 2 | | | 6 | | | х | | | | | | | | | | | |
| 14:20 | 3/3/2025 | S | 1 | | South Wall 1 | | | 7 | | | х | | | | | | | | | | | |
| 14:25 | 3/3/2025 | s | 1 | | - | South Wall 2 | | 8 | | | х | | | | | | | | | | | |
| 11:25 | 3/3/2025 | s | 1 | | So | outhwest Wall 1 | | 9 | | | х | | | | | | | | | | | |
| 11:30 | 3/3/2025 | s | 1 | | So | outhwest Wall 2 | | 10 | | | х | | | | | | | | | | | |
| Addition | al Instructio | ns: Rusi | h All Sai | nples | | | | | | | | | | | | | | | | | | |
| | oler), attest to the DIEGO ARAGON | | authentic | ity of this sam | ple. I am aware th | at tampering with or intentionally misl | abeling the sam | nple locat | tion, d | ate or | time o | f collec | tion is co | nsidered | fraud a | and ma | ay be gre | ounds for l | egal acti | on. | | |
| Belinquish | ed by: (Signatur | et | Da 3 | 13/25 | Time 16:30 | Received by: (Signature) | Date | 3-25 | | ime 16 | 30 | | | sample | • | ived pa | • | | | ved on ice the ve 0 but less th | | |
| Relinquish | ed by: (Signatur | re) | Da | | Time | Time Received by: (Signature) Date Time Received on | | | | | Lab Use Only n ice: Ø/ N | | | | | | | | | | | |
| Relinquished by: (Signature) Date Time | | | Time | Received by: (Signature) Date | | | † | ime | | 7 | | T1 T2 T3 | | | | | | | | | | |
| Relinquished by: (Signature) Date Time Received by: (Signature) | | | | Received by: (Signature) | Date | - | | ime | | \dashv | | | Temp | o °C | - <u> </u> | <u> </u> | | | - | | | |
| | rix: S - Soil, Sd - S | | | | | | Con | tainer T | ype: | g-g | ass, p | - poly | /plasti | c, ag - a | mber | glass | s, v - V | DA] | | | | |
| | | | | | | arrangements are made. Hazardou | ıs samples wil | l be retu | urned | to cli | ent or | dispos | ed of at | the clie | nt expe | ense. | The reg | ort for th | e analy | sis of the al | ove sai | mples is |

(3

envirotechiem expense. The report for the analysis of the above samples is

applicable only to those samples received by the laboratory with this COC. The liability of the laboratory is limited to the amount paid for on the report.

Released to Imaging: 10/17/2025 9:39:06 AM

| | Clie | nt Inforn | nation | | | | Invoice Informa | ition | | Lab Use Only | | | | | TAT | , | State | |
|--|----------------------------------|----------------|--------------------------|------------|------------------|-----------------|--|-------------------|--------------------|-----------------------------------|---------|------------|--------------------------------------|------------|------------|-----------|-------------|---|
| lient: Er | terprise | | | | | | Company: | | Lab | ab WO# Job Numb E 503018 97057 | | | ber | 1D | 2D 3 | D Std | NM CO UT TX | |
| Project N | ame: Scott 1 | 3R | | | | | Address: | | | 5030 | 18 | - 9 | 97057 | -1281 | X | | | x |
| Project N | lanager: G | reg Crabt | ree | | | | City, State, Zip: | | | | | • | | | | • | • | |
| Address: | | | | | | _ | Phone: | | | | | An | alysis | and Mo | ethod | | | EPA Program |
| City, Stat | e, Zip: | | | | | _ | Email: | | | | | | T | | | 1 | | SDWA CWA RCRA |
| Phone: | | | | | | _ | Miscellaneous: | | | 1 1 | | | | | | | i | х |
| mail: A | ll Enviro | | | | | L | | | | 1 1 | | | | | | | 1 | Compliance Y or N |
| | | | | | | | | | | 1 1 | | | | | | | | PWSID# |
| | - | | | | Samp | ole Informa | ntion | | |] | | | | ľ | | | | |
| Time Sampled | Date Sampled | Matrix | No. of Containe | rs | | | Sample ID | Field | ស្នី Lab Number | BDGOC | 0000 | ŀ | | | | | | Remarks |
| 11:40 | 3/3/2025 | S | 1 | | Northwest Wall 1 | | | | И | 1 - | x | | | | | | | State NM CO UT TX X X X X COMPliance Y Or N PWSID # Remarks |
| 11:45 | 3/3/2025 | s | 1 | | Northwest Wall 2 | | | | 12 | | x | | | | | | | |
| 14:00 | 3/3/2025 | S | 1 | | | | Base 1 | | 13 | | x | | | | | | | |
| 12:00 | 3/3/2025 | S | 1 | | Base 2 | | | | 14 | | x | | | | | | | |
| 12:05 | 3/3/2025 | S | 1 | | Base 3 | | | | 15 | | x | | | | | | | |
| 14:10 | 4:10 3/3/2025 S 1 | | | Base 4 | | 16 | | x | | | | | | | | | | |
| | | | | | | - | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| Addition | al Instructio | ns: Rus | h All Sa | mples | | | | · | | • | | | | | | | | |
| , (field sam Sampled by | oler), attest to the | validity and | lauthenti | ity of th | is sample | e. I am aware t | that tampering with or intentionally m | islabeling the sa | mple location | , date or t | ime of | collection | n is con | idered fra | ud and m | ay be gro | ounds for | legal action. |
| Belinquish | DIEGO ARAGON ed by: (Signatur | 町 フ | D: | te 5 1 | 75 | Time 16:30 | Received by: (Signature) | Date | 3-25 | Time | 6 | - | | sampled or | received p | | | ust be received on ice the day they are g temp above 0 but less than 6 °C on |
| Relinquish | ed by: (Signatur | e) | Ď. | ite | - " | Time | Received by: (Signature) | Date | | Time | _ | | Lab Use Only Received on ice: (Y)/ N | | | | | |
| Relinquished by: (Signature) Date Time | | Time | Received by: (Signature) | Date | • | Time | | | , | | | T3 | | | | | | |
| Relinquish | ed by: (Signatur | e) | Da | ite | Ì | Time | Received by: (Signature) | Date | : | Time | | | | AVG Te | mp °C_ | _,,_ | | |
| Sample Mat | rix: S - Soil, Sd - S | olid, Sg - Slu | ge, A - Ad | ueous, C | - Other | | - | Cor | tainer Typ | e: g - gla | 55, p - | poly/p | | | | | JĀI | |

envirotech

Printed: 3/3/2025 4:45:20PM

Envirotech Analytical Laboratory

Sample Receipt Checklist (SRC)

Instructions: Please take note of any NO checkmarks.

If we receive no response concerning these items within 24 hours of the date of this notice, all the samples will be analyzed as requested.

| Client: | Enterprise Products | Date Received: | 03/03/25 16 | 5:30 | | Work Order ID: | E503018 |
|-------------|--|-------------------|-------------|----------------|------------------|----------------|--------------|
| Phone: | (505)599-2104 | Date Logged In: | 03/03/25 16 | 5:41 | | Logged In By: | Noe Soto |
| Email: | | Due Date: | 03/04/25 17 | 7:00 (1 day TA | Γ) | | |
| Chain of | Custody (COC) | | | | | | |
| | the sample ID match the COC? | | Yes | | | | |
| | ne number of samples per sampling site location mat | tch the COC | Yes | | | | |
| | amples dropped off by client or carrier? | | Yes | Carrier | :: Diego Aragon | | |
| 4. Was the | e COC complete, i.e., signatures, dates/times, reques | sted analyses? | Yes | Cultici | · Diego i iragon | | |
| 5. Were al | Il samples received within holding time? | • | Yes | | | | |
| | Note: Analysis, such as pH which should be conducted in i.e, 15 minute hold time, are not included in this disucssion. | | | | | Comment | s/Resolution |
| | <u>urn Around Time (TAT)</u> | | | | | | |
| | COC indicate standard TAT, or Expedited TAT? | | Yes | | | | |
| Sample C | | | | | | | |
| | sample cooler received? | | Yes | | | | |
| • | was cooler received in good condition? | | Yes | | | | |
| | e sample(s) received intact, i.e., not broken? | | Yes | | | | |
| | custody/security seals present? | | No | | | | |
| 11. If yes, | were custody/security seals intact? | | NA | | | | |
| | e sample received on ice? If yes, the recorded temp is 4°C, Note: Thermal preservation is not required, if samples are minutes of sampling visible ice, record the temperature. Actual sample | e received w/i 15 | Yes | | | | |
| | | temperature. 4 v | <u>~</u> | | | | |
| Sample C | queous VOC samples present? | | No | | | | |
| | OC samples collected in VOA Vials? | | NA NA | | | | |
| | head space less than 6-8 mm (pea sized or less)? | | NA | | | | |
| | trip blank (TB) included for VOC analyses? | | NA | | | | |
| | on-VOC samples collected in the correct containers' | 9 | Yes | | | | |
| | appropriate volume/weight or number of sample contain | | Yes | | | | |
| Field Lab | · · · | iers conected? | 165 | | | | |
| | field sample labels filled out with the minimum info | rmation: | | | | | |
| | ample ID? | mation. | Yes | | | | |
| | ate/Time Collected? | | Yes | | | | |
| C | ollectors name? | | Yes | | | | |
| Sample P | <u>reservation</u> | | | | | | |
| 21. Does | the COC or field labels indicate the samples were pr | reserved? | No | | | | |
| | imple(s) correctly preserved? | | NA | | | | |
| 24. Is lab | filteration required and/or requested for dissolved n | netals? | No | | | | |
| Multipha | se Sample Matrix | | | | | | |
| 26. Does | the sample have more than one phase, i.e., multipha | se? | No | | | | |
| 27. If yes, | does the COC specify which phase(s) is to be analy | yzed? | NA | | | | |
| Subcontr | act Laboratory | | | | | | |
| - | imples required to get sent to a subcontract laborato | rv? | No | | | | |
| | subcontract laboratory specified by the client and it | • | | Subcontract I | Lab: NA | | |
| | struction | | | | | | |
| Chent II | <u>istruction</u> | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |

Date

Report to:
Greg Crabtree





5796 U.S. Hwy 64 Farmington, NM 87401

Phone: (505) 632-1881 Envirotech-inc.com





envirotech

Practical Solutions for a Better Tomorrow

Analytical Report

Enterprise Products

Project Name: Scott 13R

Work Order: E503039

Job Number: 97057-1281

Received: 3/6/2025

Revision: 1

Report Reviewed By:

Walter Hinchman Laboratory Director 3/10/25

Envirotech Inc. certifies the test results meet all requirements of TNI unless noted otherwise.

Statement of Data Authenticity: Envirotech Inc, attests the data reported has not been altered in any way.

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech Inc.

Envirotech Inc, holds the Utah TNI certification NM00979 for data reported.

Envirotech Inc, holds the Texas TNI certification T104704557 for data reported.

Date Reported: 3/10/25

Greg Crabtree 614 Reilly Ave Farmington, NM 87401

Project Name: Scott 13R

Workorder: E503039

Date Received: 3/6/2025 11:42:00AM

Greg Crabtree,

Thank you for choosing Envirotech, Inc. as your analytical testing laboratory for the sample(s) received on, 3/6/2025 11:42:00AM, under the Project Name: Scott 13R.

The analytical test results summarized in this report with the Project Name: Scott 13R apply to the individual samples collected, identified and submitted bearing the project name on the enclosed chain-of-custody. Subcontracted sample analyses not conducted by Envirotech, Inc., are attached in full as issued by the subcontract laboratory.

Please review the Chain-of-Custody (COC) and Sample Receipt Checklist (SRC) for any issues reguarding sample receipt temperature, containers, preservation etc. To best understand your test results, review the entire report summarizing your sample data and the associated quality control batch data.

All reported data in this analytical report were analyzed according to the referenced method(s) and are in compliance with the latest NELAC/TNI standards, unless otherwise noted. Samples or analytical quality control parameters not meeting specific QC criteria are qualified with a data flag. Data flag definitions are located in the Notes and Definitions section of this analytical report.

If you have any questions concerning this report, please feel free to contact Envirotech, Inc.

Respectfully,

Walter Hinchman

Laboratory Director Office: 505-632-1881 Cell: 775-287-1762

whinchman@envirotech-inc.com

Raina Schwanz

Laboratory Administrator Office: 505-632-1881

rainaschwanz@envirotech-inc.com

Field Offices:

Southern New Mexico Area

Lynn Jarboe

Laboratory Technical Representative Office: 505-421-LABS(5227)

Cell: 505-320-4759

ljarboe@envirotech-inc.com

Michelle Gonzales

Client Representative

Office: 505-421-LABS(5227)

Cell: 505-947-8222

mgonzales@envirotech-inc.com

Envirotech Web Address: www.envirotech-inc.com

Table of Contents

| Title Page | 1 |
|---|----|
| Cover Page | 2 |
| Table of Contents | 3 |
| Sample Summary | 4 |
| Sample Data | 5 |
| South Wall 2 | 5 |
| QC Summary Data | 6 |
| QC - Volatile Organics by EPA 8021B | 6 |
| QC - Nonhalogenated Organics by EPA 8015D - GRO | 7 |
| QC - Nonhalogenated Organics by EPA 8015D - DRO/ORO | 8 |
| QC - Anions by EPA 300.0/9056A | 9 |
| Definitions and Notes | 10 |
| Chain of Custody etc. | 11 |

Sample Summary

| Γ | Enterprise Products | Project Name: | Scott 13R | Domonto do |
|---|----------------------|------------------|---------------|----------------|
| l | 614 Reilly Ave | Project Number: | 97057-1281 | Reported: |
| | Farmington NM, 87401 | Project Manager: | Greg Crabtree | 03/10/25 11:54 |

| Client Sample ID | Lab Sample ID | Matrix | Sampled | Received | Container |
|------------------|---------------|--------|----------|----------|------------------|
| South Wall 2 | E503039-01A | Soil | 03/06/25 | 03/06/25 | Glass Jar, 2 oz. |



| Enterprise Products | Project Name: | Scott 13R | |
|----------------------|------------------|---------------|----------------------|
| 614 Reilly Ave | Project Number: | 97057-1281 | Reported: |
| Farmington NM, 87401 | Project Manager: | Greg Crabtree | 3/10/2025 11:54:18AM |

South Wall 2 E503039-01

| | E303039-01 | | | | |
|--------|--|--|---|---|--|
| Result | | Dilution | Prepared | Analyzed | Notes |
| | | | • | 1 11111 / 200 | |
| mg/kg | mg/kg | Anal | yst: SL | | Batch: 2510098 |
| ND | 0.0250 | 1 | 03/06/25 | 03/07/25 | |
| ND | 0.0250 | 1 | 03/06/25 | 03/07/25 | |
| 0.0480 | 0.0250 | 1 | 03/06/25 | 03/07/25 | |
| ND | 0.0250 | 1 | 03/06/25 | 03/07/25 | |
| ND | 0.0500 | 1 | 03/06/25 | 03/07/25 | |
| ND | 0.0250 | 1 | 03/06/25 | 03/07/25 | |
| | 78.2 % | 70-130 | 03/06/25 | 03/07/25 | |
| mg/kg | mg/kg | Anal | yst: SL | | Batch: 2510098 |
| ND | 20.0 | 1 | 03/06/25 | 03/07/25 | |
| | 94.0 % | 70-130 | 03/06/25 | 03/07/25 | |
| mg/kg | mg/kg | Anal | yst: HM | | Batch: 2510102 |
| ND | 25.0 | 1 | 03/06/25 | 03/06/25 | |
| ND | 50.0 | 1 | 03/06/25 | 03/06/25 | |
| | 108 % | 61-141 | 03/06/25 | 03/06/25 | |
| mg/kg | mg/kg | Anal | yst: JM | | Batch: 2510100 |
| 46.8 | 20.0 | 1 | 03/06/25 | 03/06/25 | |
| | ND ND 0.0480 ND ND ND ND ND ND Mg/kg ND mg/kg ND mg/kg | Result Reporting Limit mg/kg mg/kg ND 0.0250 ND 0.0250 0.0480 0.0250 ND 0.0500 ND 0.0250 ND 0.0250 ND 0.0250 78.2 % mg/kg MD 20.0 94.0 % mg/kg ND 25.0 ND 50.0 108 % mg/kg mg/kg mg/kg | Reporting Result Limit Dilution mg/kg mg/kg Anal ND 0.0250 1 ND 0.0250 1 0.0480 0.0250 1 ND 0.0250 1 ND 0.0500 1 ND 0.0250 1 78.2 % 70-130 mg/kg mg/kg Anal ND 20.0 1 94.0 % 70-130 mg/kg mg/kg Anal ND 25.0 1 ND 50.0 1 108 % 61-141 61-141 mg/kg mg/kg Anal | Reporting Result Limit Dilution Prepared mg/kg MD 0.0250 1 03/06/25 ND 0.0250 1 03/06/25 ND 0.0250 1 03/06/25 ND 0.0250 1 03/06/25 ND 0.0500 1 03/06/25 ND 0.0250 1 03/06/25 mg/kg 70-130 03/06/25 mg/kg Malayst: SL ND 20.0 1 03/06/25 mg/kg Mg/kg Analyst: HM ND 25.0 1 03/06/25 ND 50.0 1 03/06/25 ND 50.0 1 03/06/25 ND 50.0 1 03/06/25 mg/kg Mg/kg Analyst: HM | Reporting Result Limit Dilution Prepared Analyzed mg/kg mg/kg Analyst: SL ND 0.0250 1 03/06/25 03/07/25 ND 0.0250 1 03/06/25 03/07/25 ND 0.0250 1 03/06/25 03/07/25 ND 0.0500 1 03/06/25 03/07/25 ND 0.0250 1 03/06/25 03/07/25 ND 0.0250 1 03/06/25 03/07/25 ND 0.0250 1 03/06/25 03/07/25 mg/kg mg/kg Analyst: SL ND 20.0 1 03/06/25 03/07/25 mg/kg mg/kg Analyst: HM ND 25.0 1 03/06/25 03/06/25 ND 50.0 1 03/06/25 03/06/25 ND 50.0 1 03/06/25 03/06/25 ND 50.0 1 03/06/25 |

QC Summary Data

Scott 13R **Enterprise Products** Project Name: Reported: 97057-1281 614 Reilly Ave Project Number: Farmington NM, 87401 Project Manager: Greg Crabtree 3/10/2025 11:54:18AM **Volatile Organics by EPA 8021B** Analyst: SL Reporting Spike Source Rec RPD Analyte Result Limit Level Result Rec Limits RPD Limit mg/kg mg/kg mg/kg mg/kg % % % % Notes Blank (2510098-BLK1) Prepared: 03/06/25 Analyzed: 03/06/25 ND 0.0250 ND Ethylbenzene 0.0250 Toluene ND 0.0250 ND o-Xylene 0.0250 ND p,m-Xylene 0.0500 Total Xylenes ND 0.0250 Surrogate: 4-Bromochlorobenzene-PID 6.31 8.00 78.8 70-130 LCS (2510098-BS1) Prepared: 03/06/25 Analyzed: 03/06/25 5.24 105 70-130 5.00 Benzene 0.0250 Ethylbenzene 5.00 0.0250 5.00 100 70-130 5.15 0.0250 5.00 103 70-130 Toluene o-Xylene 4.95 0.0250 5.00 99.0 70-130 10.1 10.0 101 70-130 0.0500 p.m-Xvlene 101 70-130 15.1 15.0 Total Xylenes 0.0250 8.00 79.9 70-130 Surrogate: 4-Bromochlorobenzene-PID 6.39 Matrix Spike (2510098-MS1) Source: E503036-23 Prepared: 03/06/25 Analyzed: 03/06/25 4.86 0.0250 5.00 ND 97.3 54-133 Benzene ND 92.9 61-133 Ethylbenzene 4.64 0.0250 5.00 Toluene 4.79 0.0250 5.00 ND 95.7 61-130 4.66 ND 93.2 63-131 5.00 0.0250 o-Xylene p,m-Xylene 9.43 0.0500 10.0 ND 94.3 63-131 14.1 0.0250 15.0 ND 63-131 Total Xylenes 70-130 Surrogate: 4-Bromochlorobenzene-PID 6.45 8.00 Matrix Spike Dup (2510098-MSD1) Source: E503036-23 Prepared: 03/06/25 Analyzed: 03/06/25 5.24 0.0250 5.00 ND 54-133 7.46 20 ND 61-133 7.43 5.00 0.0250 5.00 100 20 Ethylbenzene Toluene 5.15 0.0250 5.00 ND 103 61-130 7 34 20 4.98 5.00 ND 99.6 63-131 6.58 20 o-Xylene 0.0250

10.0

15.0

8.00

0.0500

0.0250

ND

ND

101

101

80.1

63-131

63-131

70-130

7.14

6.96

20

20



p,m-Xylene

Total Xylenes

Surrogate: 4-Bromochlorobenzene-PID

10.1

15.1

6.41

Surrogate: 1-Chloro-4-fluorobenzene-FID

Analyst: SL

QC Summary Data

Enterprise ProductsProject Name:Scott 13RReported:614 Reilly AveProject Number:97057-1281Farmington NM, 87401Project Manager:Greg Crabtree3/10/2025 11:54:18AM

| Nonhalog | genated O | rganics | by EPA 8015D | - GRO |
|----------|-----------|---------|--------------|-------|
| n. | | Cailea | Course | D |

| A | Analyte F | Result | Reporting Limit | Spike Level | Source Result | Rec | Rec Limits | RPD | RPD Limit | |
|---|-----------|--------|--------------------|----------------|------------------|-----|---------------|-----|--------------|-------|
| | ı | mg/kg | mg/kg | mg/kg | mg/kg | % | % | % | % | Notes |

| | Resuit | Limit | Level | resure | NCC | Lillies | IG D | Lillin | |
|---|--------|-------|-------|---------|-----------|---------|-------------|---------|--------------------|
| | mg/kg | mg/kg | mg/kg | mg/kg | % | % | % | % | Notes |
| Blank (2510098-BLK1) | | | | | | | Prepared: 0 | 3/06/25 | Analyzed: 03/06/25 |
| Gasoline Range Organics (C6-C10) | ND | 20.0 | | | | | | | |
| Surrogate: 1-Chloro-4-fluorobenzene-FID | 7.45 | | 8.00 | | 93.1 | 70-130 | | | |
| LCS (2510098-BS2) | | | | | | | Prepared: 0 | 3/06/25 | Analyzed: 03/06/25 |
| Gasoline Range Organics (C6-C10) | 40.1 | 20.0 | 50.0 | | 80.2 | 70-130 | | | |
| Surrogate: 1-Chloro-4-fluorobenzene-FID | 7.67 | | 8.00 | | 95.8 | 70-130 | | | |
| Matrix Spike (2510098-MS2) | | | | Source: | E503036-2 | 23 | Prepared: 0 | 3/06/25 | Analyzed: 03/06/25 |
| Gasoline Range Organics (C6-C10) | 43.5 | 20.0 | 50.0 | ND | 87.1 | 70-130 | | | |
| Surrogate: 1-Chloro-4-fluorobenzene-FID | 7.61 | | 8.00 | | 95.1 | 70-130 | | | |
| Matrix Spike Dup (2510098-MSD2) | | | | Source: | E503036-2 | 23 | Prepared: 0 | 3/06/25 | Analyzed: 03/06/25 |
| Gasoline Range Organics (C6-C10) | 42.3 | 20.0 | 50.0 | ND | 84.7 | 70-130 | 2.83 | 20 | |

8.00

7.61

95.1

70-130

QC Summary Data

Enterprise ProductsProject Name:Scott 13RReported:614 Reilly AveProject Number:97057-1281Farmington NM, 87401Project Manager:Greg Crabtree3/10/2025 11:54:18AM

| 1 armington 14Wi, 87401 | | 1 Toject Manage | i. Gi | eg crabitee | | | | | 10/2023 11:51:1071 |
|---------------------------------|--------|--------------------|----------------|------------------|-----------|---------------|-------------|--------------|--------------------|
| | Nonha | logenated Or | ganics by | EPA 8015I | D - DRO | /ORO | | | Analyst: HM |
| Analyte | Result | Reporting Limit | Spike Level | Source Result | Rec | Rec Limits | RPD | RPD Limit | |
| | mg/kg | mg/kg | mg/kg | mg/kg | % | % | % | % | Notes |
| Blank (2510102-BLK1) | | | | | | | Prepared: 0 | 3/06/25 Ana | alyzed: 03/06/25 |
| Diesel Range Organics (C10-C28) | ND | 25.0 | | | | | | | |
| Oil Range Organics (C28-C36) | ND | 50.0 | | | | | | | |
| Surrogate: n-Nonane | 52.2 | | 50.0 | | 104 | 61-141 | | | |
| LCS (2510102-BS1) | | | | | | | Prepared: 0 | 3/06/25 Ana | alyzed: 03/06/25 |
| Diesel Range Organics (C10-C28) | 250 | 25.0 | 250 | | 99.9 | 66-144 | | | |
| Surrogate: n-Nonane | 52.3 | | 50.0 | | 105 | 61-141 | | | |
| Matrix Spike (2510102-MS1) | | | | Source: | E503036-2 | 22 | Prepared: 0 | 3/06/25 Ana | alyzed: 03/06/25 |
| Diesel Range Organics (C10-C28) | 253 | 25.0 | 250 | ND | 101 | 56-156 | | | |
| Surrogate: n-Nonane | 53.2 | | 50.0 | | 106 | 61-141 | | | |
| Matrix Spike Dup (2510102-MSD1) | | | | Source: | E503036-2 | 22 | Prepared: 0 | 3/06/25 Ana | alyzed: 03/06/25 |
| Diesel Range Organics (C10-C28) | 255 | 25.0 | 250 | ND | 102 | 56-156 | 1.05 | 20 | |
| Surrogate: n-Nonane | 52.9 | | 50.0 | | 106 | 61-141 | | | |

Matrix Spike Dup (2510100-MSD1)

Chloride

276

QC Summary Data

| Enterprise Products 614 Reilly Ave | | Project Name: Project Number | | Scott 13R 97057-1281 | | | | | Reported: |
|------------------------------------|--------|---------------------------------|----------------|-------------------------|----------|---------------|-------------|--------------|----------------------|
| Farmington NM, 87401 | | Project Manage | | Greg Crabtree | | | | 3 | 3/10/2025 11:54:18AM |
| | | Anions | by EPA | 300.0/9056 | 4 | | | | Analyst: JM |
| Analyte | Result | Reporting Limit | Spike Level | Source Result | Rec | Rec Limits | RPD | RPD Limit | |
| | mg/kg | mg/kg | mg/kg | mg/kg | % | % | % | % | Notes |
| Blank (2510100-BLK1) | | | | | | | Prepared: 0 | 3/06/25 Ar | nalyzed: 03/06/25 |
| Chloride | ND | 20.0 | | | | | | | |
| LCS (2510100-BS1) | | | | | | | Prepared: 0 | 3/06/25 Ar | nalyzed: 03/06/25 |
| Chloride | 253 | 20.0 | 250 | | 101 | 90-110 | | | |
| Matrix Spike (2510100-MS1) | | | | Source: | E503037- | 01 | Prepared: 0 | 3/06/25 Ar | nalyzed: 03/06/25 |
| Chloride | 275 | 20.0 | 250 | 21.6 | 102 | 80-120 | | | |

250

20.0

Source: E503037-01

21.6

102

80-120

0.0309

QC Summary Report Comment:

Calculations are based off of the raw (non-rounded) data. However, for reporting purposes all QC data is rounded to three significant figures. Therefore, hand calculated values may differ slightly.



Prepared: 03/06/25 Analyzed: 03/06/25

20

Definitions and Notes

| Enterprise Products | Project Name: | Scott 13R | |
|----------------------|------------------|---------------|----------------|
| 614 Reilly Ave | Project Number: | 97057-1281 | Reported: |
| Farmington NM, 87401 | Project Manager: | Greg Crabtree | 03/10/25 11:54 |

ND Analyte NOT DETECTED at or above the reporting limit

NR Not Reported

RPD Relative Percent Difference

DNI Did Not Ignite

DNR Did not react with the addition of acid or base.

Note (1): Methods marked with ** are non-accredited methods.

Note (2): Soil data is reported on an "as received" weight basis, unless reported otherwise.



| Chain | of | Custody |
|-------|----|---------|
|-------|----|---------|

| | Clie | nt Inform | ation | | | Invoice Information |) | | | | La | b Us | e On | ly | | | | TA | AT. | | State | |
|--------------|---|------------|--------------|---------------|--------------------|---|--------------|-------------|--------|--------|----------|---------|--------|---------|---------|----------|---------|--------|-----------|----------|-----------------------------------|--------------------|
| Client: E | nterprise | | | | \neg | Company: | | 1 | lab \ | WO# | | | Job I | Num | ber | \neg | 1D | 2D | 3D | Std | NM CO UT T | \mathbf{x} |
| | ame: Scott | 13R | | | - - | ddress: | | — lī | F5 | 12 | 03 | a I | | | -1281 | | X | | | - | × | |
| | lanager: G | | ree | | | City, State, Zip: | | — ෦ | -54 | M0 | | — | | | | _ | | | | | | |
| Address: | | | | | | hone: | | | ı | | | | Ana | lvsis | and I | Meth | nod | | | | EPA Program | |
| City, Stat | | | | - | - , , - | mail: | | | | | | | | 70.0 | | | | | | I | | RCRA |
| Phone: | C, C.p. | | - | | | iscellaneous: | | | | | | | | | | Į | | | | | 001111 | x |
| Email: A | Il Enviro | | | | — ' ' '' | scenaneous. | | | 1 | | | | | | | ŀ | | | | | Compliance Y C | or N |
| Lillali. A | II CIIVIIO | | | | | | | | | | | | | | | 1 | | | | | PWSID# | " " |
| - | | | | Sam | ple Informat | ion | | | | | | | | | | | | | | | F 4431D # 1 | |
| Time | | | No. of | | | | D 9 | Lat | Ь | | ä | | | | | ı | | | | | Remarks | |
| Sampled | Date Sampled | Matrix | Containers | | | Sample ID | Field | Lat Numi | ber | | BDGOC | | | | | | | | | | | |
| 10:20 | 3/6/2025 | S | 1 | | | South Wall 2 | | 1 | | | X | | | | | | | | | | Rush sample | |
| | • | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | |
| | | | | - | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | \dashv | | | | | | | | - | | | |
| | | | <u> </u> | | | | | | | _ | | | | | | \dashv | | | | | | |
| | | *: | | | | | | ļ | | | | | | | Ш | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | |
| Addition | al Instruction | 1C. | | | | | | | | | | | | | | | | | <u> </u> | | | |
| | | | | | | | | | | | | | | | | | | | | | | |
| | | | authenticity | of this sampl | e. I am aware th | at tampering with or intentionally mislabe | ling the sam | ple loca | ition, | date o | r time (| of coll | ection | is con: | sidered | fraud | and m | ay be | groun | ds for I | legal action. | |
| Relinquishe | d by: (Sighatur | e) | Date | | Time | Received by (Spenature) | Date | , , | | Time | | | | | | - | - | | | | st be received on ice the day the | |
| [/ / | 51/~ |) | 3-(| 25-25 | 11:42 | Castle Man | - 13/ | 6/2 | 5 | 111 | 42 | | l | | sampled | or rec | eived p | acked | in ice at | t an avg | temp above 0 but less than 6 °C | on |
| Relinquishe | d by: (Signatur | 6 | Date | | Time | Received by: (Signature) | Date | | _ | Time | | | 1 | | enpeac. | iont da | V.C | | L | ab Us | se Only | |
| · · | ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | • | | | | | | | | | | | i | | Rece | ived | on id | re. | |)/ N | • | |
| Relinguishe | d by: (Signature | 2) | Date | | Time | Received by: (Signature) | Date | | | Time | | | İ | | | | • | | U | , | | |
| ľ | , , , | • | | | | , , , , | | | | | | | | | T1 | | | | T2 | | Т3 | |
| Relinquishe | d by: (Signature | e) | Date | | Time | Received by: (Signature) | Date | | | Time | | | | | | | 0 | | <u></u> - | | | |
| Commile Nove | 4e. C-11 E-2 C | #4 C= C1 1 | | 0.01 | | <u> </u> | | tainer | Lyna | L | dace : | n - C | | | AVG | | | | VOA | | , | |
| | ix: S - Soil, Sd - So | | | | | arrangements are made. Hazardous s | | | | | | | | | _ | | _ | _ | | | no analysis of the above s | mnles is |
| | | | | • | | arrangements are made. Hazardous s he liability of the laboratory is limited | • | | | | | | oseu (| n al l | ne cite | iir exp | :C113C | . 1116 | epui | L IOI U | ie alialysis of the above so | anihica ia |

envirotec

envirotech Inc.

Printed: 3/6/2025 11:45:09AM

Envirotech Analytical Laboratory

Sample Receipt Checklist (SRC)

Instructions: Please take note of any NO checkmarks.

If we receive no response concerning these items within 24 hours of the date of this notice, all the samples will be analyzed as requested.

| Client: | Enterprise Products | Date Received: | 03/06/25 1 | 1.42 | | Work Order ID: | E503039 |
|------------|---|----------------------|------------|-------------------|--------------|----------------|---------------|
| Phone: | (505)599-2104 | Date Logged In: | 03/06/25 1 | | | Logged In By: | Caitlin Mars |
| Email: | (303)399-2104 | Due Date: | | 7:00 (1 day TAT) | | Logged III By. | Cattill Wais |
| | | | | | | | |
| Chain of | Custody (COC) | | | | | | |
| | he sample ID match the COC? | | Yes | | | | |
| | he number of samples per sampling site location mat | ch the COC | Yes | | | | |
| | amples dropped off by client or carrier? | | Yes | Carrier: <u>I</u> | Diego Aragon | | |
| | e COC complete, i.e., signatures, dates/times, reques | ted analyses? | Yes | | | | |
| 5. Were a | Ill samples received within holding time? Note: Analysis, such as pH which should be conducted in i.e, 15 minute hold time, are not included in this disucssic | • | Yes | | | Comment | ts/Resolution |
| Sample 7 | <u> [urn Around Time (TAT)</u> | | | | | | |
| 6. Did the | e COC indicate standard TAT, or Expedited TAT? | | Yes | | | | |
| Sample (| <u>Cooler</u> | | | | | | |
| 7. Was a | sample cooler received? | | Yes | | | | |
| 8. If yes, | was cooler received in good condition? | | Yes | | | | |
| 9. Was th | e sample(s) received intact, i.e., not broken? | | Yes | | | | |
| 10. Were | custody/security seals present? | | No | | | | |
| 11. If yes | , were custody/security seals intact? | | NA | | | | |
| | ne sample received on ice? If yes, the recorded temp is 4°C, Note: Thermal preservation is not required, if samples are minutes of sampling visible ice, record the temperature. Actual sample | e received w/i 15 | Yes C | | | | |
| | Container | temperature: <u></u> | <u> </u> | | | | |
| | queous VOC samples present? | | No | | | | |
| | OC samples collected in VOA Vials? | | NA NA | | | | |
| | head space less than 6-8 mm (pea sized or less)? | | NA | | | | |
| | a trip blank (TB) included for VOC analyses? | | NA | | | | |
| | on-VOC samples collected in the correct containers? | 1 | Yes | | | | |
| | appropriate volume/weight or number of sample contain | | Yes | | | | |
| Field La | · · · | iers conecteur | 165 | | | | |
| | field sample labels filled out with the minimum info | rmation | | | | | |
| | ample ID? | imation. | Yes | | | | |
| | Pate/Time Collected? | | Yes | | | | |
| C | Collectors name? | | Yes | | | | |
| Sample 1 | Preservation_ | | | | | | |
| | the COC or field labels indicate the samples were pr | eserved? | No | | | | |
| 22. Are s | ample(s) correctly preserved? | | NA | | | | |
| 24. Is lab | filteration required and/or requested for dissolved m | etals? | No | | | | |
| Multipha | ase Sample Matrix | | | | | | |
| 26. Does | the sample have more than one phase, i.e., multiphas | se? | No | | | | |
| 27. If yes | , does the COC specify which phase(s) is to be analy | zed? | NA | | | | |
| Subconti | ract Laboratory | | | | | | |
| | amples required to get sent to a subcontract laborator | ·v? | No | | | | |
| | a subcontract laboratory specified by the client and if | - | NA | Subcontract Lab | n NA | | |
| | | | | Subcontract Eur | J. 1411 | | |
| Client I | <u>nstruction</u> | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |

Date

Signature of client authorizing changes to the COC or sample disposition.

Report to:
Greg Crabtree





5796 U.S. Hwy 64 Farmington, NM 87401

Phone: (505) 632-1881 Envirotech-inc.com





envirotech

Practical Solutions for a Better Tomorrow

Analytical Report

Enterprise Products

Project Name: Scott 13R

Work Order: E503258

Job Number: 97057-1281

Received: 3/31/2025

Revision: 1

Report Reviewed By:

Walter Hinchman Laboratory Director 4/7/25

Envirotech Inc. certifies the test results meet all requirements of TNI unless noted otherwise.

Statement of Data Authenticity: Envirotech Inc, attests the data reported has not been altered in any way.

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech Inc.

Envirotech Inc, holds the Utah TNI certification NM00979 for data reported.

Envirotech Inc, holds the Texas TNI certification T104704557 for data reported.

Date Reported: 4/7/25

Greg Crabtree 614 Reilly Ave Farmington, NM 87401

Project Name: Scott 13R Workorder: E503258

Date Received: 3/31/2025 2:40:00PM

Greg Crabtree,

Thank you for choosing Envirotech, Inc. as your analytical testing laboratory for the sample(s) received on, 3/31/2025 2:40:00PM, under the Project Name: Scott 13R.

The analytical test results summarized in this report with the Project Name: Scott 13R apply to the individual samples collected, identified and submitted bearing the project name on the enclosed chain-of-custody. Subcontracted sample analyses not conducted by Envirotech, Inc., are attached in full as issued by the subcontract laboratory.

Please review the Chain-of-Custody (COC) and Sample Receipt Checklist (SRC) for any issues reguarding sample receipt temperature, containers, preservation etc. To best understand your test results, review the entire report summarizing your sample data and the associated quality control batch data.

All reported data in this analytical report were analyzed according to the referenced method(s) and are in compliance with the latest NELAC/TNI standards, unless otherwise noted. Samples or analytical quality control parameters not meeting specific QC criteria are qualified with a data flag. Data flag definitions are located in the Notes and Definitions section of this analytical report.

If you have any questions concerning this report, please feel free to contact Envirotech, Inc.

Respectfully,

Walter Hinchman

Laboratory Director Office: 505-632-1881 Cell: 775-287-1762

whinchman@envirotech-inc.com

Raina Schwanz

Laboratory Administrator Office: 505-632-1881

rainaschwanz@envirotech-inc.com

Field Offices:

Southern New Mexico Area

Lynn Jarboe

Laboratory Technical Representative Office: 505-421-LABS(5227)

Cell: 505-320-4759

ljarboe@envirotech-inc.com

Michelle Gonzales

Client Representative

Office: 505-421-LABS(5227)

Cell: 505-947-8222

mgonzales@envirotech-inc.com

Envirotech Web Address: www.envirotech-inc.com

Table of Contents

| Title Page | 1 |
|---|----|
| Cover Page | 2 |
| Table of Contents | 3 |
| Sample Summary | 4 |
| Sample Data | 5 |
| Backfill | 5 |
| QC Summary Data | 6 |
| QC - Volatile Organics by EPA 8021B | 6 |
| QC - Nonhalogenated Organics by EPA 8015D - GRO | 7 |
| QC - Nonhalogenated Organics by EPA 8015D - DRO/ORO | 8 |
| QC - Anions by EPA 300.0/9056A | 9 |
| Definitions and Notes | 10 |
| Chain of Custody etc. | 11 |

Sample Summary

| Γ | Enterprise Products | Project Name: | Scott 13R | Donoute de |
|---|----------------------|------------------|---------------|----------------|
| l | 614 Reilly Ave | Project Number: | 97057-1281 | Reported: |
| 1 | Farmington NM, 87401 | Project Manager: | Greg Crabtree | 04/07/25 08:07 |

| Client Sample ID | Lab Sample ID N | Matrix | Sampled | Received | Container |
|------------------|-----------------|--------|----------|----------|------------------|
| Backfill | E503258-01A | Soil | 03/31/25 | 03/31/25 | Glass Jar, 2 oz. |



Sample Data

| Enterprise Products | Project Name: | Scott 13R | |
|----------------------|------------------|---------------|--------------------|
| 614 Reilly Ave | Project Number: | 97057-1281 | Reported: |
| Farmington NM, 87401 | Project Manager: | Greg Crabtree | 4/7/2025 8:07:59AM |

Backfill E503258-01

| | | 12002230-01 | | | | |
|--|--------|--------------------|----------|----------|----------|----------------|
| Analyte | Result | Reporting Limit | Dilution | Prepared | Analyzed | Notes |
| Volatile Organics by EPA 8021B | mg/kg | mg/kg | Analy | st: SL | | Batch: 2514046 |
| Benzene | ND | 0.0250 | 1 | 04/01/25 | 04/02/25 | |
| Ethylbenzene | ND | 0.0250 | 1 | 04/01/25 | 04/02/25 | |
| Toluene | ND | 0.0250 | 1 | 04/01/25 | 04/02/25 | |
| o-Xylene | ND | 0.0250 | 1 | 04/01/25 | 04/02/25 | |
| p,m-Xylene | ND | 0.0500 | 1 | 04/01/25 | 04/02/25 | |
| Total Xylenes | ND | 0.0250 | 1 | 04/01/25 | 04/02/25 | |
| Surrogate: 4-Bromochlorobenzene-PID | | 97.0 % | 70-130 | 04/01/25 | 04/02/25 | |
| Nonhalogenated Organics by EPA 8015D - GRO | mg/kg | mg/kg | Analy | st: SL | | Batch: 2514046 |
| Gasoline Range Organics (C6-C10) | ND | 20.0 | 1 | 04/01/25 | 04/02/25 | |
| Surrogate: 1-Chloro-4-fluorobenzene-FID | | 86.8 % | 70-130 | 04/01/25 | 04/02/25 | |
| Nonhalogenated Organics by EPA 8015D - DRO/ORO | mg/kg | mg/kg | Analy | st: HM | | Batch: 2514037 |
| Diesel Range Organics (C10-C28) | ND | 25.0 | 1 | 04/01/25 | 04/01/25 | |
| Oil Range Organics (C28-C36) | ND | 50.0 | 1 | 04/01/25 | 04/01/25 | |
| Surrogate: n-Nonane | | 101 % | 61-141 | 04/01/25 | 04/01/25 | |
| Anions by EPA 300.0/9056A | mg/kg | mg/kg | Analy | st: AK | | Batch: 2514040 |
| Chloride | 24.8 | 20.0 | 1 | 04/01/25 | 04/02/25 | |



QC Summary Data

Scott 13R **Enterprise Products** Project Name: Reported: 97057-1281 614 Reilly Ave Project Number: Farmington NM, 87401 Project Manager: Greg Crabtree 4/7/2025 8:07:59AM **Volatile Organics by EPA 8021B** Analyst: SL Reporting Spike Source Rec RPD Analyte Result Limit Level Result Rec Limits RPD Limit mg/kg mg/kg mg/kg mg/kg % % % % Notes Blank (2514046-BLK1) Prepared: 04/01/25 Analyzed: 04/02/25 ND 0.0250 ND Ethylbenzene 0.0250 Toluene ND 0.0250 ND o-Xylene 0.0250 ND p,m-Xylene 0.0500 Total Xylenes ND 0.0250 Surrogate: 4-Bromochlorobenzene-PID 7.83 8.00 97.9 70-130 LCS (2514046-BS1) Prepared: 04/01/25 Analyzed: 04/02/25 5.26 105 70-130 5.00 Benzene 0.0250 Ethylbenzene 5.21 0.0250 5.00 104 70-130 5.30 0.0250 5.00 106 70-130 Toluene 5.22 104 o-Xylene 0.0250 5.00 70-130 10.6 10.0 106 70-130 0.0500 p.m-Xvlene 105 70-130 15.8 15.0 Total Xylenes 0.0250 8.00 97.5 70-130 Surrogate: 4-Bromochlorobenzene-PID 7.80 Matrix Spike (2514046-MS1) Source: E503259-02 Prepared: 04/01/25 Analyzed: 04/02/25 5.33 0.0250 5.00 ND 70-130 Benzene ND 70-130 Ethylbenzene 5.28 0.0250 5.00 106 Toluene 5.37 0.0250 5.00 ND 107 70-130 5.31 ND 70-130 5.00 106 0.0250 o-Xylene p,m-Xylene 10.7 0.0500 10.0 ND 107 70-130 16.0 0.0250 15.0 ND 70-130 Total Xylenes 70-130 Surrogate: 4-Bromochlorobenzene-PID 7.91 8.00 Matrix Spike Dup (2514046-MSD1) Source: E503259-02 Prepared: 04/01/25 Analyzed: 04/02/25 5.25 0.0250 5.00 ND 70-130 1.64 27 ND 70-130 1.62 5.20 0.0250 5.00 104 26 Ethylbenzene Toluene 5 29 0.0250 5.00 ND 106 70-130 1.56 20 5.22 5.00 ND 104 70-130 1.58 25 o-Xylene 0.0250 23 10.5 10.0 ND 105 70-130 1.56 p,m-Xylene 0.0500



15.8

7.91

0.0250

15.0

8.00

ND

105

98.8

70-130

70-130

1.57

26

Total Xylenes

Surrogate: 4-Bromochlorobenzene-PID

Matrix Spike Dup (2514046-MSD2)

40.6

7.11

20.0

Gasoline Range Organics (C6-C10)

Surrogate: 1-Chloro-4-fluorobenzene-FID

QC Summary Data

Enterprise ProductsProject Name:Scott 13RReported:614 Reilly AveProject Number:97057-1281Farmington NM, 87401Project Manager:Greg Crabtree4/7/20258:07:59AM

| Farmington NM, 87401 | | Project Manage | r: Gr | eg Crabtree | | | | 4/7 | /2025 8:07:59AM |
|---|-----------------|-----------------------------|-------------------------|---------------------------|----------|---------------|-------------|-------------------|-----------------|
| | Analyst: SL | | | | | | | | |
| Analyte | Result mg/kg | Reporting Limit mg/kg | Spike Level mg/kg | Source Result mg/kg | Rec % | Rec Limits | RPD % | RPD Limit % | Notes |
| Blank (2514046-BLK1) | | | | | | | Prepared: 0 | 4/01/25 Analy | /zed: 04/02/25 |
| Gasoline Range Organics (C6-C10) | ND | 20.0 | | | | | | | |
| Surrogate: 1-Chloro-4-fluorobenzene-FID | 7.00 | | 8.00 | | 87.5 | 70-130 | | | |
| LCS (2514046-BS2) | | | | | | | Prepared: 0 | 4/01/25 Analy | zed: 04/02/25 |
| Gasoline Range Organics (C6-C10) | 44.7 | 20.0 | 50.0 | | 89.4 | 70-130 | | | |
| Surrogate: 1-Chloro-4-fluorobenzene-FID | 7.06 | | 8.00 | | 88.2 | 70-130 | | | |
| Matrix Spike (2514046-MS2) | | | | Source: | E503259- | 02 | Prepared: 0 | 4/01/25 Analy | zed: 04/02/25 |
| Gasoline Range Organics (C6-C10) | 42.0 | 20.0 | 50.0 | ND | 84.0 | 70-130 | | | |
| Surrogate: 1-Chloro-4-fluorobenzene-FID | 7.14 | | 8.00 | | 89.3 | 70-130 | | | |

50.0

8.00

Source: E503259-02

81.2

88.9

ND

Prepared: 04/01/25 Analyzed: 04/02/25

20

3.39

70-130

70-130

QC Summary Data

Enterprise ProductsProject Name:Scott 13RReported:614 Reilly AveProject Number:97057-1281Farmington NM, 87401Project Manager:Greg Crabtree4/7/20258:07:59AM

| Farmington NM, 8/401 | | Project Manager | r: Gr | eg Crabtree | | | | | 4///2025 8:07:59AN |
|---------------------------------|--------|--------------------|----------------|------------------|-----------|---------------|-------------|--------------|--------------------|
| | Nonha | logenated Or | ganics by l | EPA 8015I | D - DRO | ORO/ | | | Analyst: HM |
| Analyte | Result | Reporting Limit | Spike Level | Source Result | Rec | Rec Limits | RPD | RPD Limit | |
| | mg/kg | mg/kg | mg/kg | mg/kg | % | % | % | % | Notes |
| Blank (2514037-BLK1) | | | | | | | Prepared: 0 | 4/01/25 | Analyzed: 04/01/25 |
| Diesel Range Organics (C10-C28) | ND | 25.0 | | | | | | | |
| Dil Range Organics (C28-C36) | ND | 50.0 | | | | | | | |
| Surrogate: n-Nonane | 48.3 | | 50.0 | | 96.5 | 61-141 | | | |
| LCS (2514037-BS1) | | | | | | | Prepared: 0 | 4/01/25 | Analyzed: 04/01/25 |
| Diesel Range Organics (C10-C28) | 257 | 25.0 | 250 | | 103 | 66-144 | | | |
| Surrogate: n-Nonane | 49.1 | | 50.0 | | 98.1 | 61-141 | | | |
| Matrix Spike (2514037-MS1) | | | | Source: | E503255-0 | 01 | Prepared: 0 | 4/01/25 | Analyzed: 04/01/25 |
| Diesel Range Organics (C10-C28) | 273 | 25.0 | 250 | ND | 109 | 56-156 | | | |
| Surrogate: n-Nonane | 50.1 | | 50.0 | | 100 | 61-141 | | | |
| Matrix Spike Dup (2514037-MSD1) | | | | Source: | E503255-0 | 01 | Prepared: 0 | 4/01/25 | Analyzed: 04/01/25 |
| Diesel Range Organics (C10-C28) | 294 | 25.0 | 250 | ND | 118 | 56-156 | 7.64 | 20 | |
| Surrogate: n-Nonane | 51.5 | | 50.0 | | 103 | 61-141 | | | |



QC Summary Data

| Enterprise Products 614 Reilly Ave Farmington NM, 87401 | | Project Name: Project Number: Project Manager: | 97 | cott 13R 7057-1281 reg Crabtree | | | | | Reported: 4/7/2025 8:07:59AM |
|---|--------|--|----------------|---------------------------------------|-----------|---------------|-------------|--------------|-------------------------------------|
| | | Anions | by EPA 3 | 300.0/9056 <i>A</i> | 4 | | | | Analyst: AK |
| Analyte | Result | Reporting Limit | Spike Level | Source Result | Rec | Rec Limits | RPD | RPD Limit | |
| | mg/kg | mg/kg | mg/kg | mg/kg | % | % | % | % | Notes |
| Blank (2514040-BLK1) | | | | | | | Prepared: 0 | 4/01/25 A | nalyzed: 04/02/25 |
| Chloride | ND | 20.0 | | | | | | | |
| LCS (2514040-BS1) | | | | | | | Prepared: 0 | 4/01/25 A | nalyzed: 04/02/25 |
| Chloride | 251 | 20.0 | 250 | | 100 | 90-110 | | | |
| Matrix Spike (2514040-MS1) | | | | Source: | E503257-0 | 02 | Prepared: 0 | 4/01/25 A | nalyzed: 04/02/25 |
| Chloride | 998 | 20.0 | 250 | 867 | 52.5 | 80-120 | | | M4 |
| Matrix Spike Dup (2514040-MSD1) | | | | Source: | E503257-0 | 02 | Prepared: 0 | 4/01/25 A | nalyzed: 04/02/25 |
| Chloride | 1100 | 20.0 | 250 | 867 | 93.4 | 80-120 | 9.76 | 20 | |

QC Summary Report Comment:

Calculations are based off of the raw (non-rounded) data. However, for reporting purposes all QC data is rounded to three significant figures. Therefore, hand calculated values may differ slightly.



Definitions and Notes

| ſ | Enterprise Products | Project Name: | Scott 13R | |
|---|----------------------|------------------|---------------|----------------|
| ١ | 614 Reilly Ave | Project Number: | 97057-1281 | Reported: |
| ١ | Farmington NM, 87401 | Project Manager: | Greg Crabtree | 04/07/25 08:07 |

M4 Matrix spike recovery value is suspect since the analyte concentration in the sample is disproportionate to the spike level. The

associated LCS spike recovery was acceptable.

ND Analyte NOT DETECTED at or above the reporting limit

NR Not Reported

RPD Relative Percent Difference

DNI Did Not Ignite

DNR Did not react with the addition of acid or base.

Note (1): Methods marked with ** are non-accredited methods.

Note (2): Soil data is reported on an "as received" weight basis, unless reported otherwise.



| 3 | | 20 |
|---|----|------|
| 1 | of | (? |
| | 1 | l of |

| Client: | Enterprise | | | | | Bill To | | | BIK | | La | b Us | e On | ly | Chilling . | | | | TA | AT T | | EPA Pi | ogram |
|------------------------|-------------------------------------|---|----------------------|----------------------|-----------------|---------------------------------------|--------------|------------------------|--------------------|--------------|----------------|---------------|-------------|-------------------|---------------------|--------|--------|-------|--------|----------|---------------|--------------|--|
| Project: | Scott 13R | | | | | Attention: | | La | b W | VO# | | | Job I | Num | ber | | 1D | 2D | 3D | Stan | dard | CWA | SDWA |
| Project N | /lanager: | Greg Cra | btree | | 1 | Address: | | E | 50 | 132 | 25 | 8 | 9 | 7057 | -128 | 1 | | | | , | x | | 10 |
| 'Address: | | | | | 9 | City, State, Zip | | | | | | | Analy | sis a | nd Me | etho | d | 31 | | - 6 | | | RCRA |
| City, Stat | e, Zip | | | | <u> </u> | Phone: | | - | | | | | | | | | | | | | | | X |
| Phone: | | | | | 1 | mail: | | by | | | | | | 1&P | 3270 | | | | | | | State | |
| | Garcia G. Cr | abtree D. | Aragon A | Foutz | | | | ORO | | 121 | 0.00 | 90 | 01 | 10/1 | les 8 | | | | | N | м со | UT AZ | TX |
| Report d | ue by: | | | | | | | - 19 19 19 19 | | 37 80 | de 3 | y 82 | s 60.1 | LP v | /olit | | | 1 | | | × | | |
| Time Sampled | Date Sampled | Matrix | No. of Containers | Sample ID | | 1 | Lab Numbe | DRO,GRO,ORO by | 8015 | BTEX by 8021 | Chloride 300.0 | VOC by 8260 | Metals 6010 | Full TCLP w/o H&P | Semi-Volitiles 8270 | RCI | PCB's | | | | | Remarks | 110 |
| 11:22 | 3/31/2025 | S | 1 | | | Backfill | 1 | > | | х | х | 10 | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | _ | | | | | \top | | | | | | | | | | | | | | |
| | | | | | | | | | | 1 | | | | | | | | | | | | | |
| | | | | | | < | | | + | - | | | | | | | | | | | | | —— ; |
| | | | | | | | | | + | + | _ | | | | | | | ├ | - | - | | | |
| | | | | | | | | | _ | | | | | | | | | | | | | | —————————————————————————————————————— |
| | | | | -6 | | | | | | | | | | | | | | | | | | | 8 |
| | | | | | | | | | | | | | | | | | | | | | | | |
| х | | | | | | | | | • | • | | | • | | | | | | | | | | |
| x date or time | of collection is c | onsidered fra | aud and may | be grounds fo | r legal action. | Sampled by: Isaac Garcia | | | | | | | 1899 | | | | | | | | ce the day to | | ed or received |
| Company of the Control | ed by: (Signatur | 200000000000000000000000000000000000000 | Date | 1/2025 | Time 14:40 | Recoived by: Signature | 3.31 | 25 | | ime 14: | 40 | ງ | Rece | eived | l on i | ce: | | ab U | se On | ly | | | |
| Relinquish | ed by: (Signatui | e) | Date | | Time | Received by: (Signature) | Date | | | ime | | | T1 | | | | T2 | | | T; | 3 | | |
| Relinquish | ed by: (Signatuı | re) | Date | | Time | Received by: (Signature) Date | | | Time AVG Temp °C 4 | | | | | | | | | | | | | | |
| Sample Mat | rix: S - Soil, Sd - S | olid, Sg - Slud | ige, A - Aque | ous, O - Othe | | | Contair | er Ty | pe: | g - g | lass, | p - po | oly/pl | astic, | ag - | ambe | er gla | ss, v | VOA | | | | |
| | | | | | | er arrangements are made. Hazardous s | | | | | | | | | | client | expe | nse. | The re | port for | the analy | sis of the a | bove |



entor disposed of at the cheff experies. The report of the analysis of the above left of on the report.

envirotech Inc.

Printed: 3/31/2025 3:17:26PM

Envirotech Analytical Laboratory

Sample Receipt Checklist (SRC)

Instructions: Please take note of any NO checkmarks.

If we receive no response concerning these items within 24 hours of the date of this notice, all the samples will be analyzed as requested.

| Client: | Enterprise Products | Date Received: | 03/31/25 1 | 4:40 | Work Order ID: | E503258 |
|---------------|---|-----------------|-----------------|---------------------|----------------|---------------|
| Phone: | (505)599-2104 | Date Logged In: | 03/31/25 1 | 5:15 | Logged In By: | Caitlin Mars |
| Email: | | Due Date: | 04/07/25 1 | 7:00 (5 day TAT) | | |
| | | | | | | |
| | f Custody (COC) | | | | | |
| | the sample ID match the COC? | h the COC | Yes | | | |
| | the number of samples per sampling site location mate samples dropped off by client or carrier? | in the COC | Yes | | | |
| | ne COC complete, i.e., signatures, dates/times, request | ad analysess? | Yes Yes | Carrier: Isaac Ga | <u>rcıa</u> | |
| | all samples received within holding time? | cu anaryses: | Yes | | | |
| J. WOIC | Note: Analysis, such as pH which should be conducted in i.e, 15 minute hold time, are not included in this disucssion | | 163 | | <u>Commen</u> | ts/Resolution |
| | <u> Turn Around Time (TAT)</u> | | | | | |
| 6. Did th | e COC indicate standard TAT, or Expedited TAT? | | Yes | | | |
| Sample | | | | | | |
| | sample cooler received? | | Yes | | | |
| • | was cooler received in good condition? | | Yes | | | |
| | ne sample(s) received intact, i.e., not broken? | | Yes | | | |
| | custody/security seals present? | | No | | | |
| • | s, were custody/security seals intact? | | NA | | | |
| | he sample received on ice? If yes, the recorded temp is 4°C, i Note: Thermal preservation is not required, if samples are minutes of sampling visible ice, record the temperature. Actual sample t | received w/i 15 | Yes <u>C</u> | | | |
| Sample | Container | _ | | | | |
| | aqueous VOC samples present? | | No | | | |
| 15. Are | VOC samples collected in VOA Vials? | | NA | | | |
| 16. Is the | e head space less than 6-8 mm (pea sized or less)? | | NA | | | |
| 17. Was | a trip blank (TB) included for VOC analyses? | | NA | | | |
| 18. Are 1 | non-VOC samples collected in the correct containers? | | Yes | | | |
| 19. Is the | appropriate volume/weight or number of sample contained | ers collected? | Yes | | | |
| Field La | <u>bel</u> | | | | | |
| | field sample labels filled out with the minimum infor | mation: | ** | | | |
| | Sample ID? Date/Time Collected? | | Yes | | | |
| | Collectors name? | | Yes Yes | | | |
| | Preservation | | 103 | | | |
| 21. Does | the COC or field labels indicate the samples were pre | served? | No | | | |
| 22. Are | sample(s) correctly preserved? | | NA | | | |
| 24. Is lab | filtration required and/or requested for dissolved met | als? | No | | | |
| Multiph | ase Sample Matrix | | | | | |
| 26. Does | the sample have more than one phase, i.e., multiphase | e? | No | | | |
| 27. If ye | s, does the COC specify which phase(s) is to be analyze | zed? | NA | | | |
| Subcont | ract Laboratory | | | | | |
| | samples required to get sent to a subcontract laboratory | y? | No | | | |
| | a subcontract laboratory specified by the client and if | | NA | Subcontract Lab: NA | | |
| Client l | <u>nstruction</u> | | | | | |
| <u>CHCHT</u> | nstruction | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

Date

Signature of client authorizing changes to the COC or sample disposition.

Phone: (505) 629-6116
Online Phone Directory
https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

QUESTIONS

Action 502253

QUESTIONS

| ı | Operator: | OGRID: |
|---|--------------------------------|--|
| ı | Enterprise Field Services, LLC | 241602 |
| ı | PO Box 4324 | Action Number: |
| ı | Houston, TX 77210 | 502253 |
| ı | | Action Type: |
| ı | | [C-141] Reclamation Report C-141 (C-141-v-Reclamation) |

QUESTIONS

| Prerequisites | | | | | | |
|------------------|--|--|--|--|--|--|
| Incident ID (n#) | nAPP2505931148 | | | | | |
| Incident Name | NAPP2505931148 SCOTT #13R @ C-03-31N-10W | | | | | |
| Incident Type | Natural Gas Release | | | | | |
| Incident Status | Reclamation Report Received | | | | | |

| Location of Release Source | | | | | | | |
|--|------------|--|--|--|--|--|--|
| Please answer all the questions in this group. | | | | | | | |
| Site Name | Scott #13R | | | | | | |
| Date Release Discovered | 02/28/2025 | | | | | | |
| Surface Owner | Federal | | | | | | |

| Incident Details | |
|--|---------------------|
| Please answer all the questions in this group. | |
| Incident Type | Natural Gas Release |
| Did this release result in a fire or is the result of a fire | No |
| Did this release result in any injuries | No |
| Has this release reached or does it have a reasonable probability of reaching a watercourse | No |
| Has this release endangered or does it have a reasonable probability of endangering public health | No |
| Has this release substantially damaged or will it substantially damage property or the environment | No |
| Is this release of a volume that is or may with reasonable probability be detrimental to fresh water | No |

| Nature and Volume of Release | |
|--|--|
| Material(s) released, please answer all that apply below. Any calculations or specific justifications for the volumes provided should be attached to the follow-up C-141 submission. | |
| Crude Oil Released (bbls) Details | Not answered. |
| Produced Water Released (bbls) Details | Not answered. |
| Is the concentration of chloride in the produced water >10,000 mg/l | No |
| Condensate Released (bbls) Details | Cause: Corrosion Pipeline (Any) Condensate Released: 5 BBL Recovered: 0 BBL Lost: 5 BBL. |
| Natural Gas Vented (Mcf) Details | Cause: Corrosion Pipeline (Any) Natural Gas Vented Released: 3 MCF Recovered: 0 MCF Lost: 3 MCF. |
| Natural Gas Flared (Mcf) Details | Not answered. |
| Other Released Details | Not answered. |
| Are there additional details for the questions above (i.e. any answer containing Other, Specify, Unknown, and/or Fire, or any negative lost amounts) | Not answered. |

Phone: (505) 629-6116
Online Phone Directory
https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

QUESTIONS, Page 2

Action 502253

QUESTIONS (continued)

| QUESTI | ions (continued) |
|---|---|
| Operator: | OGRID: 241602 |
| Enterprise Field Services, LLC PO Box 4324 | Action Number: |
| Houston, TX 77210 | 502253 |
| | Action Type: |
| | [C-141] Reclamation Report C-141 (C-141-v-Reclamation) |
| QUESTIONS | |
| Nature and Volume of Release (continued) | |
| Is this a gas only submission (i.e. only significant Mcf values reported) | Yes, according to supplied volumes this will be treated as a "gas only" report. |
| Was this a major release as defined by Subsection A of 19.15.29.7 NMAC | No |
| Reasons why this would be considered a submission for a notification of a major release | Unavailable. |
| With the implementation of the 19.15.27 NMAC (05/25/2021), venting and/or flaring of natural gas (i.e. | e. gas only) are to be submitted on the C-129 form. |
| L.W.I.D. | |
| Initial Response | |
| The responsible party must undertake the following actions immediately unless they could create a s | |
| The source of the release has been stopped | True |
| The impacted area has been secured to protect human health and the environment | True |
| Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices | True |
| All free liquids and recoverable materials have been removed and managed appropriately | True |
| If all the actions described above have not been undertaken, explain why | Not answered. |
| | ation immediately after discovery of a release. If remediation has begun, please prepare and attach a narrative of the release occurred within a lined containment area (see Subparagraph (a) of Paragraph (5) of evaluation in the follow-up C-141 submission. |
| to report and/or file certain release notifications and perform corrective actions for releathe OCD does not relieve the operator of liability should their operations have failed to a | knowledge and understand that pursuant to OCD rules and regulations all operators are required ases which may endanger public health or the environment. The acceptance of a C-141 report by adequately investigate and remediate contamination that pose a threat to groundwater, surface t does not relieve the operator of responsibility for compliance with any other federal, state, or |
| I hereby agree and sign off to the above statement | Name: Thomas Long Title: Sr Field Environmental Scientist Email: tjlong@eprod.com Date: 03/10/2025 |

Phone: (505) 629-6116

Online Phone Directory
https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

QUESTIONS, Page 3

Action 502253

QUESTIONS (continued)

| Operator: | OGRID: |
|--------------------------------|--|
| Enterprise Field Services, LLC | 241602 |
| PO Box 4324 | Action Number: |
| Houston, TX 77210 | 502253 |
| | Action Type: |
| | [C-141] Reclamation Report C-141 (C-141-v-Reclamation) |

QUESTIONS

| Site Characterization | |
|---|---|
| Please answer all the questions in this group (only required when seeking remediation plan approva release discovery date. | l and beyond). This information must be provided to the appropriate district office no later than 90 days after the |
| What is the shallowest depth to groundwater beneath the area affected by the release in feet below ground surface (ft bgs) | Between 75 and 100 (ft.) |
| What method was used to determine the depth to ground water | NM OSE iWaters Database Search |
| Did this release impact groundwater or surface water | No |
| What is the minimum distance, between the closest lateral extents of the release and the following surface areas: | |
| A continuously flowing watercourse or any other significant watercourse | Between 1000 (ft.) and ½ (mi.) |
| Any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark) | Greater than 5 (mi.) |
| An occupied permanent residence, school, hospital, institution, or church | Between 1000 (ft.) and ½ (mi.) |
| A spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes | Between 1000 (ft.) and ½ (mi.) |
| Any other fresh water well or spring | Between 1000 (ft.) and ½ (mi.) |
| Incorporated municipal boundaries or a defined municipal fresh water well field | Between 1 and 5 (mi.) |
| A wetland | Between 100 and 200 (ft.) |
| A subsurface mine | Greater than 5 (mi.) |
| An (non-karst) unstable area | Greater than 5 (mi.) |
| Categorize the risk of this well / site being in a karst geology | Low |
| A 100-year floodplain | Between 100 and 200 (ft.) |
| Did the release impact areas not on an exploration, development, production, or storage site | No |

| Remediation Plan | | |
|--|--|--|
| Please answer all the questions that apply or are indicated. This information must be provided to the appropriate district office no later than 90 days after the release discovery date. | | |
| Requesting a remediation plan approval with this submission | Yes | |
| Attach a comprehensive report demonstrating the lateral and vertical extents of soil contamination | associated with the release have been determined, pursuant to 19.15.29.11 NMAC and 19.15.29.13 NMAC. | |
| Have the lateral and vertical extents of contamination been fully delineated Yes | | |
| Was this release entirely contained within a lined containment area No | | |
| Soil Contamination Sampling: (Provide the highest observable value for each, in milligrams per kilograms.) | | |
| Chloride (EPA 300.0 or SM4500 Cl B) | 89.7 | |
| TPH (GRO+DRO+MRO) (EPA SW-846 Method 8015M) | 29.3 | |
| GRO+DRO (EPA SW-846 Method 8015M) | 29.3 | |
| BTEX (EPA SW-846 Method 8021B or 8260B) | 0.4 | |
| Benzene (EPA SW-846 Method 8021B or 8260B) | 0.1 | |
| Per Subsection B of 19.15.29.11 NMAC unless the site characterization report includes completed efforts at remediation, the report must include a proposed remediation plan in accordance with 19.15.29.12 NMAC, which includes the anticipated timelines for beginning and completing the remediation. | | |
| On what estimated date will the remediation commence | 02/28/2025 | |
| On what date will (or did) the final sampling or liner inspection occur | 03/06/2025 | |
| On what date will (or was) the remediation complete(d) | 03/06/2025 | |
| What is the estimated surface area (in square feet) that will be reclaimed | 800 | |
| What is the estimated volume (in cubic yards) that will be reclaimed | 756 | |
| What is the estimated surface area (in square feet) that will be remediated | 800 | |
| What is the estimated volume (in cubic yards) that will be remediated 756 | | |
| These estimated dates and measurements are recognized to be the best guess or calculation at the time of submission and may (be) change(d) over time as more remediation efforts are completed. | | |
| The OCD recognizes that proposed remediation measures may have to be minimally adjusted in accordance with the physical realities encountered during remediation. If the responsible party has any need to significantly deviate from the remediation plan proposed, then it should consult with the division to determine if another remediation plan submission is required. | | |

Sante Fe Main Office Phone: (505) 476-3441

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

QUESTIONS, Page 4

Action 502253

QUESTIONS (continued)

| Operator: | OGRID: |
|--------------------------------|--|
| Enterprise Field Services, LLC | 241602 |
| PO Box 4324 | Action Number: |
| Houston, TX 77210 | 502253 |
| | Action Type: |
| | [C-141] Reclamation Report C-141 (C-141-v-Reclamation) |

QUESTIONS

| Described to Discrete and | |
|---|---------------------------------------|
| Remediation Plan (continued) | |
| Please answer all the questions that apply or are indicated. This information must be provided to the appropriate district office no later than 90 days after the release discovery date. | |
| This remediation will (or is expected to) utilize the following processes to remediate / reduce contaminants: | |
| (Select all answers below that apply.) | |
| (Ex Situ) Excavation and off-site disposal (i.e. dig and haul, hydrovac, etc.) | |
| Which OCD approved facility will be used for off-site disposal | fEEM0112334691 ENVIROTECH LANDFARM #1 |
| OR which OCD approved well (API) will be used for off-site disposal | Not answered. |
| OR is the off-site disposal site, to be used, out-of-state | Not answered. |
| OR is the off-site disposal site, to be used, an NMED facility | Not answered. |
| (Ex Situ) Excavation and on-site remediation (i.e. On-Site Land Farms) | Not answered. |
| (In Situ) Soil Vapor Extraction | Not answered. |
| (In Situ) Chemical processing (i.e. Soil Shredding, Potassium Permanganate, etc.) | Not answered. |
| (In Situ) Biological processing (i.e. Microbes / Fertilizer, etc.) | Not answered. |
| (In Situ) Physical processing (i.e. Soil Washing, Gypsum, Disking, etc.) | Not answered. |
| Ground Water Abatement pursuant to 19.15.30 NMAC | Not answered. |
| OTHER (Non-listed remedial process) | Not answered. |
| · · · · · · · · · · · · · · · · · · · | Not answered. |

Per Subsection B of 19.15.29.11 NMAC unless the site characterization report includes completed efforts at remediation, the report must include a proposed remediation plan in accordance with 19.15.29.12 NMAC, which includes the anticipated timelines for beginning and completing the remediation.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Name: Thomas Long
Title: Sr Field Environmental Scientist
Email: tjlong@eprod.com
Date: 09/03/2025

The OCD recognizes that proposed remediation measures may have to be minimally adjusted in accordance with the physical realities encountered during remediation. If the responsible party has any need to significantly deviate from the remediation plan proposed, then it should consult with the division to determine if another remediation plan submission is required.

Sante Fe Main Office Phone: (505) 476-3441

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

QUESTIONS, Page 5

Action 502253

QUESTIONS (continued)

| Operator: | OGRID: |
|--------------------------------|--|
| Enterprise Field Services, LLC | 241602 |
| PO Box 4324 | Action Number: |
| Houston, TX 77210 | 502253 |
| | Action Type: |
| | [C-141] Reclamation Report C-141 (C-141-v-Reclamation) |

QUESTIONS

| Deferral Requests Only | |
|--|----|
| Only answer the questions in this group if seeking a deferral upon approval this submission. Each of the following items must be confirmed as part of any request for deferral of remediation. | |
| Requesting a deferral of the remediation closure due date with the approval of this submission | No |

Phone: (505) 629-6116
Online Phone Directory
https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

QUESTIONS, Page 6

Action 502253

QUESTIONS (continued)

| Operator: | OGRID: |
|--------------------------------|--|
| Enterprise Field Services, LLC | 241602 |
| PO Box 4324 | Action Number: |
| Houston, TX 77210 | 502253 |
| | Action Type: |
| | [C-141] Reclamation Report C-141 (C-141-v-Reclamation) |
| | |

QUESTIONS

| Sampling Event Information | |
|---|------------|
| Last sampling notification (C-141N) recorded | 439587 |
| Sampling date pursuant to Subparagraph (a) of Paragraph (1) of Subsection D of 19.15.29.12 NMAC | 03/07/2025 |
| What was the (estimated) number of samples that were to be gathered | 6 |
| What was the sampling surface area in square feet | 200 |

| Remediation Closure Request | | | |
|--|------|--|--|
| Only answer the questions in this group if seeking remediation closure for this release because all remediation steps have been completed. | | | |
| Requesting a remediation closure approval with this submission | Yes | | |
| Have the lateral and vertical extents of contamination been fully delineated | Yes | | |
| Was this release entirely contained within a lined containment area | No | | |
| All areas reasonably needed for production or subsequent drilling operations have been stabilized, returned to the sites existing grade, and have a soil cover that prevents ponding of water, minimizing dust and erosion | Yes | | |
| What was the total surface area (in square feet) remediated | 800 | | |
| What was the total volume (cubic yards) remediated | 756 | | |
| All areas not reasonably needed for production or subsequent drilling operations have been reclaimed to contain a minimum of four feet of non-waste contain earthen material with concentrations less than 600 mg/kg chlorides, 100 mg/kg TPH, 50 mg/kg BTEX, and 10 mg/kg Benzene | Yes | | |
| What was the total surface area (in square feet) reclaimed | 800 | | |
| What was the total volume (in cubic yards) reclaimed | 756 | | |
| Summarize any additional remediation activities not included by answers (above) | None | | |

The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (in .pdf format) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. The responsible party acknowledges they must substantially restore, reclaim, and re-vegetate the impacted surface area to the conditions that existed prior to the release or their final land use in accordance with 19.15.29.13 NMAC including notification to the OCD when reclamation and re-vegetation are complete.

I hereby agree and sign off to the above statement

I hereby agree and sign off to the above statement

Email: tjlong@eprod.com
Date: 09/03/2025

Phone: (505) 629-6116
Online Phone Directory

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

QUESTIONS, Page 7

Action 502253

QUESTIONS (continued)

| Operator: Enterprise Field Services, LLC | OGRID: 241602 | |
|--|---|--|
| PO Box 4324 | Action Number: | |
| Houston, TX 77210 | 502253 | |
| | Action Type: | |
| | [C-141] Reclamation Report C-141 (C-141-v-Reclamation) | |
| QUESTIONS | | |
| Reclamation Report | | |
| Only answer the questions in this group if all reclamation steps have been completed. | | |
| Requesting a reclamation approval with this submission | Yes | |
| What was the total reclamation surface area (in square feet) for this site | 800 | |
| What was the total volume of replacement material (in cubic yards) for this site | 756 | |
| | four feet of non-waste containing, uncontaminated, earthen material with chloride concentrations less than 600 over must include a top layer, which is either the background thickness of topsoil or one foot of suitable material | |
| Is the soil top layer complete and is it suitable material to establish vegetation | Yes | |
| On what (estimated) date will (or was) the reseeding commence(d) | 03/12/2025 | |
| Summarize any additional reclamation activities not included by answers (above) | None | |
| | reclamation requirements and any conditions or directives of the OCD. This demonstration should be in the form If field notes, photographs of reclaimed area, and a narrative of the reclamation activities. Refer to 19.15.29.13 | |
| to report and/or file certain release notifications and perform corrective actions for relea the OCD does not relieve the operator of liability should their operations have failed to a water, human health or the environment. In addition, OCD acceptance of a C-141 report | knowledge and understand that pursuant to OCD rules and regulations all operators are required ses which may endanger public health or the environment. The acceptance of a C-141 report by adequately investigate and remediate contamination that pose a threat to groundwater, surface t does not relieve the operator of responsibility for compliance with any other federal, state, or ally restore, reclaim, and re-vegetate the impacted surface area to the conditions that existed no notification to the OCD when reclamation and re-vegetation are complete. Name: Thomas Long | |
| I hereby agree and sign off to the above statement | Title: Sr Field Environmental Scientist Email: tjlong@eprod.com | |

Date: 09/03/2025

Sante Fe Main Office Phone: (505) 476-3441

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

QUESTIONS, Page 8

Action 502253

QUESTIONS (continued)

| Operator: | OGRID: |
|--------------------------------|--|
| Enterprise Field Services, LLC | 241602 |
| PO Box 4324 | Action Number: |
| Houston, TX 77210 | 502253 |
| | Action Type: |
| | [C-141] Reclamation Report C-141 (C-141-v-Reclamation) |

QUESTIONS

| Revegetation Report | | |
|--|----|--|
| Only answer the questions in this group if all surface restoration, reclamation and re-vegetation obligations have been satisfied. | | |
| Requesting a restoration complete approval with this submission | No | |
| Per Paragraph (4) of Subsection (D) of 19.15.29.13 NMAC for any major or minor release containing liquids, the responsible party must notify the division when reclamation and re-vegetation are complete. | | |

Sante Fe Main Office Phone: (505) 476-3441

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Action 502253

CONDITIONS

| Operator: | OGRID: |
|--------------------------------|--|
| Enterprise Field Services, LLC | 241602 |
| PO Box 4324 | Action Number: |
| Houston, TX 77210 | 502253 |
| | Action Type: |
| | [C-141] Reclamation Report C-141 (C-141-v-Reclamation) |

CONDITIONS

| Created By | Condition | Condition Date |
|------------|---|----------------|
| rhamlet | We have received your Remediation Closure/Reclamation Report for Incident #NAPP2505931148 Scott #13R, thank you. This Remediation Closure/Reclamation Report is approved. | 10/17/2025 |