

August 26, 2025

New Mexico Oil Conservation Division

New Mexico Energy, Minerals, and Natural Resources Department 1220 South St. Francis Drive Santa Fe, New Mexico 87505

Re: Reclamation Report

Pipeline 1009

Incident Number nAPP2434522732

Lea County, New Mexico

To Whom It May Concern:

Ensolum, LLC (Ensolum), on behalf of Enterprise Field Services, LLC (Enterprise), has prepared the following *Reclamation Report* for the Pipeline 1009 (Site). This *Reclamation Report* documents the Site history, reclamation activities completed to date, and proposes a vegetation monitoring plan.

BACKGROUND

The Site is located in Unit G, Section 20, Township 21 South, Range 34 East, in Lea County, New Mexico (32.464775°, -103.490371°) and is associated with oil and gas exploration and production operations on New Mexico State Trust Land (STL) managed by the New Mexico State Land Office (NMSLO).

On December 9, 2024, a compromised transfer line to Pipeline 1009 resulted in the release of approximately 15 barrels (bbls) of produced water onto the ground surface with 8 bbls of produced water recovered. Enterprise reported the release to the New Mexico Oil Conservation Division (NMOCD) via a report through the online Notification of Release (NOR) Form on December 10, 2024. The release was assigned Incident Number nAPP2434522732.

Delineation and excavation of impacted soil was completed at the Site between May 2025 and June 2025. The final excavation area measured approximately 5,671 square feet. A total of approximately 1,222 cubic yards of impacted soil were removed during the excavation activities. Based on the delineation and excavation soil sample analytical results, a *Remediation Closure Report* was submitted to the NMOCD on July 22, 2025. The *Remediation Closure Report* is currently pending NMOCD review and approval.

Additional details regarding the release, Site Characterization, archeological records management system (ARMS) survey, delineation and excavation activities, and soil sample analytical results can be referenced in the pending *Remediation Closure Report* attached as an appendix in this report. Remediation of the release was completed in accordance with Title 19, Chapter 15, Part 29, Section 12 (19.15.29.12) of the New Mexico Administrative Code (NMAC).

Enterprise Field Services, LLC Reclamation Report Pipeline 1009

RECLAMATION ACTIVITIES

Upon completion of excavation activities, receipt of final laboratory analytical results, and continued repairs to the pipeline, the excavation was backfilled with locally procured soil and the disturbed area was graded and contoured to match the surrounding topography. The excavation extent and reclamation area are depicted on the attached Figure 1. Photographic documentation of the backfilled excavation is included in Appendix A.

One representative 5-point composite sample (BF01) was collected from the backfill material on July 11, 2025. The backfill soil sample was transported under strict chain-of-custody procedures to Cardinal Laboratories (Cardinal) in Hobbs, New Mexico, for analysis of the following constituents of concern (COCs): benzene, toluene, ethylbenzene, and total xylenes (BTEX) following the United States Environmental Protection Agency (EPA) SW-846 Method 8021B, total petroleum hydrocarbons (TPH)-gasoline range organics (GRO), TPH-diesel range organics (DRO), and TPH-oil range organics (ORO) following EPA Method 8015M/D; and chloride following Standard Method 4500Cl-B.

Laboratory analytical results for the backfill soil sample confirmed compliance with NMOCD requirements for the reclaimed area to contain non-waste containing, uncontaminated, earthen material with chloride concentrations less than 600 milligrams per kilogram (mg/kg) and TPH concentrations less than 100 mg/kg. The laboratory analytical results are summarized in the attached Table 1, and the complete laboratory analytical report is included as Appendix B.

The reclaimed pasture area will be seeded during the Fall of 2025 or Spring of 2026, when temperatures and precipitation are more conducive to vegetation growth. The disturbed area will be seeded with the below NMSLO sandy loam sites seed mix at a rate specified in pounds of pure live seed (PSL) per acre.

Species/Cultivar	PLS/Acre
Galleta, "Viva" (Hilaria jamesii)	2.50
Bluestem, Little "Cimarron" (Schizachyrium scoparium)	2.50
Grama, Blue "Lovington" (Bouteloua Gracilis)	2.00
Grama, Sideoats "Vaughn" (Bouteloua cutipendula)	2.00
Dropseed, Sand (Sporobolus cryptandrus	1.00
Blanketflower, (Gaillardia aristata)	2.00
Flax Blue, (Linum Lewisii)	2.00
Saltbush Fourwing (Atriplex canescens)	3.75

The seed mix will be applied via drill seeding or broadcast seeding. If broadcast seeding is selected, the PLS/acre will be doubled, and the seed will be raked in by chaining or dragging the Site.

VEGETATION MONITORING

The Site will be monitored for vegetation growth to verify that reclamation activities were successful. Focus for this phase will be to prevent erosion and Site degradation, and to monitor for and treat invasive and noxious weed species.

- Annual inspections will take place at the location to monitor revegetation progress.
- If necessary, an additional application of the NMSLO seed mix will be applied.



Enterprise Field Services, LLC Reclamation Report Pipeline 1009

> Noxious and invasive weeds will be identified and treated by a licensed contracted herbicide applicator or mechanically removed.

A *Re-vegetation Report* will be submitted to the NMOCD and NMSLO once vegetation growth in the reclaimed excavation area has a uniform vegetative cover that reflects a life-form ratio of plus or minus 50 percent (%) of pre-disturbance levels and a total percent plant cover of at least 70% of pre-disturbance levels, excluding noxious weeds, per NMAC 19.15.29.13 D.(3).

RECLAMATION APPROVAL REQUEST

Based on the reclamation activities completed to date and proposed vegetation monitoring plan described above, Enterprise respectfully requests approval of this *Reclamation Report* and a status update to *Reclamation Report Approved, Pending submission of Re-Vegetation Report* for Incident Number nAPP2434522732.

If you have any questions or comments, please contact Ms. Kelly Lowery at (214) 733-3165 or klowery@ensolum.com.

Sincerely,

Ensolum, LLC

Kelly Lowery, GIT

Project Geologist

Aimee Cole

Associate Principal

cc: Julianna Falcomata, Enterprise Field Services, LLC

David Feather, Enterprise Field Services, LLC

New Mexico State Land Office

Appendices:

Figure 1 Excavation Extent / Reclamation Area
Table 1 Backfill Soil Sample Analytical Results

Appendix A Photographic Log


Appendix B Laboratory Analytical Report & Chain of Custody Documentation

Appendix C Seed Mixture

Appendix D Remediation Closure Report: Dated July 21, 2025



FIGURES





Excavation Extent/Reclamation Area

Enterprise Field Services, LLC
Pipeline 1009
Project Number: 03B1226345
32.464775, -103.490371
Lea County, New Mexico

FIGURE 1

Released to Imaging: 11/12/2025 4:31:34 PM



TABLES



TABLE 1

BACKFILL SOIL SAMPLE ANALYTICAL RESULTS

Pipeline 1009

Enterprise Field Services, LLC

Lea County, New Mexico

	Lea County, New Mexico									
Sample Designation	Date	Depth (feet bgs)	Benzene (mg/kg)	Total BTEX (mg/kg)	TPH GRO (mg/kg)	TPH DRO (mg/kg)	TPH ORO (mg/kg)	Total TPH (mg/kg)	Chloride (mg/kg)	
NMOCD Requirements for Reclaimed Area		NE	NE	NE	NE	NE	100	600		
Backfill Soil Samples										
BF01	7/11/2025	0.25	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	32.0	

Notes:

bgs: below ground surface mg/kg: milligrams per kilogram

NE - Not Established

NMOCD: New Mexico Oil Conservation Division

NMAC: New Mexico Administrative Code

BTEX: Benzene, Toluene, Ethylbenzene, and Xylenes

GRO: Gasoline Range Organics DRO: Diesel Range Organics ORO: Oil Range Organics

TPH: Total Petroleum Hydrocarbon



APPENDIX A

Photographic Log



Photographic Log

Enterprise Field Services, LLC Pipeline 1009 nAPP2434522732





Photograph: 1 Date: 7/10/2025

Description: Release extent during remediation

View: South

Photograph: 2 Date: 7/10/2025

Description: Release extent during remediation

View: East





Photograph: 3 Date: 7/26/2025

Description: Release extent during remediation

View: Southwest

Photograph: 4 Date: 8/6/2025

Description: Post backfill

View: North



APPENDIX B

Laboratory Analytical Report & Chain of Custody Documentation



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

July 14, 2025

KELLY LOWERY

ENSOLUM

3122 NATIONAL PARKS HWY

CARLSBAD, NM 88220

RE: PIPELINE 1009

Enclosed are the results of analyses for samples received by the laboratory on 07/11/25 11:19.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C25-00101. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab accred certif.html.

Cardinal Laboratories is accreditated through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2 Haloacetic Acids (HAA-5)
Method EPA 524.2 Total Trihalomethanes (TTHM)
Method EPA 524.4 Regulated VOCs (V1, V2, V3)

Celey D. Keine

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

ENSOLUM KELLY LOWERY 3122 NATIONAL PARKS HWY CARLSBAD NM, 88220 Fax To:

Received: 07/11/2025

Reported: 07/14/2025
Project Name: PIPELINE 1009
Project Number: 03B1226345

Project Location: 32.464775, -103.490371

Sampling Date: 07/11/2025

Sampling Type: Soil

Sampling Condition: Cool & Intact
Sample Received By: Shalyn Rodriguez

Sample ID: LEA LAND BACKFILL (H254142-01)

BTEX 8021B	mg,	/kg	Analyze	d By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/11/2025	ND	1.73	86.3	2.00	10.4	
Toluene*	<0.050	0.050	07/11/2025	ND	1.79	89.7	2.00	10.8	
Ethylbenzene*	<0.050	0.050	07/11/2025	ND	1.79	89.4	2.00	9.84	
Total Xylenes*	<0.150	0.150	07/11/2025	ND	5.24	87.3	6.00	10.4	
Total BTEX	<0.300	0.300	07/11/2025	ND					
Surrogate: 4-Bromofluorobenzene (PID	93.7	% 71.5-13	4						
Chloride, SM4500CI-B	mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	32.0	16.0	07/14/2025	ND	416	104	400	3.77	
TPH 8015M	mg,	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/11/2025	ND	209	105	200	0.434	
DRO >C10-C28*	<10.0	10.0	07/11/2025	ND	201	101	200	0.0531	
EXT DRO >C28-C36	<10.0	10.0	07/11/2025	ND					
Surrogate: 1-Chlorooctane	99.3	% 44.4-14	5						
Surrogate: 1-Chlorooctadecane	100	% 40.6-15	3						

A I J D. ... 711

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

S-06 The recovery of this surrogate is outside control limits due to sample dilution required from high analyte concentration and/or matrix interference's.

QM-07 The spike recovery was outside acceptance limits for the MS and/or MSD. The batch was accepted based on acceptable LCS

ecovery.

ND Analyte NOT DETECTED at or above the reporting limit

RPD Relative Percent Difference

** Samples not received at proper temperature of 6°C or below.

*** Insufficient time to reach temperature.

- Chloride by SM4500Cl-B does not require samples be received at or below 6°C

Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celeg D. Freene

Celey D. Keene, Lab Director/Quality Manager

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST



101 East Marland, Hobbs, NM 88240 (575) 393-2326 FAX (575) 393-2476

Sample I.D. Sample I.D. GROSSERY FAX #:		† Cardinal cannot accept verbal changes. Please email changes to celev keene@cardinallabsnm.com	
Sample I.D. Sample I.D. Sample I.D. Received By: Recei	cteria (only) Sa ol Intact Yes Yes	Corrected Temp. °C 3 3. No No No CHECKED BY: Turnaround Tim	7 .7
Sample I.D. Sample I.D. Sample I.D. Sample I.D. Sample I.D. Sample I.D. Received Br. Sample I.D. Received Br.			livered By: (Circle One)
Sample I.D. Sample I.D. Sample I.D. Sample I.D. Sample I.D. ANALYSIS REQUEST Company: Cocks Local Lo		Received By:	inquished By:
Sample I.D. Sampl	□ Yes □ No Add'I Phone #: mailed. Please provide Email address:	119 shading	7 9
ANALYSIS REQUEST ANALYSIS REQUEST ANALYSIS REQUEST		erformance of services hereunder by Cardinal regardless of whether such claim is based upon any of the above stated reasons or otherwise. Date: 7/1//_ Received By:	filiates or successors arising out of or related to the particle.
Manager: Coll County County Po. # PO	able	unity and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the damy other cause whatsoever shall be deeped warved unless made in writing and received by Cardinal within 30 days after completion of the application or the property of the consequential damanes including within a second to the application of the property of the consequential damanes including whether was the consequent and the consequential damanes including whether was the consequent and t	rses. All claims including those for negligence and re. In no event shall Cardinal be liable for incident
Sample I.D. Sampl			ASE NOTE: Liability and Damages: Cardinal's liab
State: Zip: 7476/ Attn: Company: Chestler County M.			
Sample I.D. Sampl			
Sample I.D. Sampl			
State: Zip: 7470 Atm: Company: Chooluge Company: Chooluge			
State: Zip: 7976/ Atm: State: Zip: 7976/ Atm: State: Zip: 7976/ Atm: City: State: Zip: State: Zip: State: Zip:			
State: Zip: A700 Attn: Address: Zip: Z			
State: Zip: 770 Attn: No.# Address: Zip: 770 Attn: Campany: Croolunce Address: Address: City: Address: Addr			
State: Zip: 7476 Attn: National Company:	XX	111/25	
State: V Zip: 7476/ Attn: 7333/25 Fax #: Company: Encolure Project Owner: City: State: Zip: Phone #: Phone #: Sample I.D. Sample I.D. State: V Zip: 7476/ Attn: City: State: Zip: Phone #: Fax #: Phone #: Fax #: Phone #: Fax #: State: Zip: Phone #: Phone #: Fax #: State: Zip: Phone #: Phone #: Phone #: Phone #: State: Zip: Phone #: Phone #:	770	# CO GRO WAS SOIII OIL SLU OTH ÁCIE OTH	_,
State: Zip: 7476 Attn: -7333 (5 Fax #: Address: B12263 (5 Project Owner: City: B12263 (5	Phil	DONTA DUNI STEV L DGE IER :	
P.O.#: N. Maricateld P.O.#: N. Maricateld P.O.#: State: Zip: 7476 Attn:- Address: Project Owner: City: State: Zip: Phone #: Candy N.M. Presery: Sampling P.O.#:	H	OR (AINE	
ANALYSIS P.O. #: Company: Encolum State: To zip: 79761 Attn:- Address: City: State: Zip: State: Zip: Phone #: Phone #: AMALYSIS ANALYSIS ANALYSIS ANALYSIS ANALYSIS ANALYSIS Prof. Company: Encolum State: Zip: Phone #: Fax #: AMATRIX PRESERVI SAMPLING ANALYSIS ANALYSIS ANALYSIS ANALYSIS	de de	RS TER	
Production of the state: The stat	01	MATRIX PRESERY	
P. Deline 1009 Problem: M. Mesicateld Company: Ensolute Company: Ensolute Company: Ensolute Company: Ensolute Company: Ensolute City: State: Zip: City: State: Zip: City: Ci	<u> </u>	1047	7
Mericatuld State: Vip: 79701 Attn: Address: City: State: Zip: 2009 ANALYSIS ANALYSIS ANALYSIS ANALYSIS ANALYSIS ANALYSIS ANALYSIS ANALYSIS Company: Encolure Address: City: State: Zip:	50	Phone #:	roject Location:
Jer: Lefty Lowery Jer: Lefty Lowery P.O. #: Company: Engline State: To zip: 74761 Attn:- Address: City:			Project Name: Pipeline
anager: Lefty Lowery 601 N Meticateld State: Ty Zip: 79761 Attn:- 214-7333165 Fax#: Address:			Project #: 031312263
anager: Lefty Lowery P.O. #: 601 N. Marienteld Company: Ensolure Company: Ensolure ANALYSIS ANALYSIS			hone #: 214~ /333 [C
Mericateld Company: Encolumn		V Zip: 79761	ity: Midland
Lefty Lowery P.O.#: BILL TO ANALYSIS		Company: Encolum	Address: 601 N. Was
FINSOIMON ANALYSIS			oject manager.
CHIPCHI INC.	- 1		Sen of



APPENDIX C

Seed Mixture

NMSLO Seed Mix

Sandy Loam (SL)

SANDY LOAM (SL) SITES SEED MIXTURE:

COMMON NAME	VARIETY	APPLICATION RATE (PLS/Acre)	DRILL BOX	
Grasses:				
Galleta grass	Viva, VNS, So.	2.5	\mathbf{F}	
Little bluestem	Cimmaron, Pastura	2.5	F	
Blue grama	Hachita, Lovington	2.0	D	
Sideoats grama	Vaughn, El Reno	2.0	F	
Sand dropseed	VNS, Southern	1.0	S	
Forbs:				
Indian blanketflower	VNS, Southern	1.0	D	
Parry penstemon	VNS, Southern	1.0	D	
Blue flax	Appar	1.0	D	
Desert globemallow	VNS, Southern	1.0	D	
Shrubs:				
Fourwing saltbush	VNS, Southern	2.0	D	
Common winterfat	VNS, Southern	1.0	F	
Apache plume	VNS, Southern	0.75	F	
	Total PLS/acro	e 17.75		

S = Small seed drill box, D = Standard seed drill box, F = Fluffy seed drill box

- VNS, Southern No Variety Stated, seed should be from a southern latitude collection of this species.
- Double above seed rates for broadcast or hydroseeding.
- If Parry penstemon is not available, substitute firecracker penstemon.
- If desert globemallow is not available, substitute scarlet globemallow or Nelson globemallow.
- If a species is not available, provide a suggested substitute to the New Mexico Land Office for approval. Increasing all other species proportionately may be acceptable.





APPENDIX D

Remediation Closure Report: Dated July 21, 2025



REMEDIATION CLOSURE REPORT

Property:

Pipeline 1009

Unit G, S20, T21S, R34E 32.464775° N, 103.490371° W Lea County, New Mexico Facility ID: fAPP2122928745 NMOCD Incident ID: nAPP2434522732

July 21, 2025

Ensolum Project No. 03B1226345

Prepared for:

Enterprise Field Services, LLC. PO Box 4324 Houston, Texas 77210

Attn: David Feather

Prepared by:

Kelly Lowery, GI€

Project Geologist

Beaux Jennings Associate Principal

TABLE OF CONTENTS

1.0	INTR	INTRODUCTION						
	1.1 1.2	Site Description and BackgroundProject Objective	1 1					
2.0	CLO	SURE CRITERIA	1					
3.0	SOIL	REMEDIATION ACTIVITIES	3					
4.0	SOIL	SAMPLING PROGRAM	4					
5.0	SOIL	LABORATORY ANALYTICAL METHODS	4					
6.0	DAT	A EVALUATION	4					
7.0	REC	LAMATION AND RE-VEGETATION	5					
8.0	FIND	DINGS AND RECOMMENDATION	6					
9.0	STA	NDARDS OF CARE, LIMITATIONS, AND RELIANCE	7					
	9.1	Standard of Care	7					
	9.2	Limitations	7					
	9.3	Reliance	7					

APPENDICES

Appendix A: Figures

Appendix B: Supporting Documentation

Appendix C: Photographic Documentation

Appendix D: Table(s)

Appendix E: Laboratory Data Sheets & Chain-of-Custody Documentation



Pipeline 1009

Unit G, S20, T21S, R34E 32.464775° N, 103.490371° W Lea County, New Mexico Facility ID: fAPP2122928745 NMOCD Incident ID: nAPP2434522732

Ensolum Project No. 03B1226345

1.0 INTRODUCTION

1.1 Site Description and Background

Operator:	Enterprise Field Services, LLC
Site Name:	Pipeline 1009
Location*:	Unit G, Section 20, Township 21 South, Range 34 East 32.464775 °N, 103.490371 °W Lea County, New Mexico
Property:	New Mexico State Trust Land managed by the New Mexico State Land Office (NMSLO)
Regulatory:	New Mexico Energy, Minerals and Natural Resources Department (EMNRD) Oil Conservation Division (OCD)

^{* -} Public Land Survey System (PLSS) Location and Global Positioning System (GPS) coordinates updated to reflect accurate release location pursuant to submission of the New Mexico EMNRD OCD online Notification of Release (NOR).

On December 9, 2024, Enterprise had a release of produced water at the Pipeline 1009, hereinafter referred to as the "Site", due to a compromised transfer line. Approximately 15 barrels (bbls) of produced water was released onto the ground surface with 8 bbls of produced water recovered. Enterprise subsequently reported the release to the New Mexico EMNRD OCD via a report through the online notice of release (NOR) form on December 10, 2024. The release was assigned Incident Number nAPP2434522732.

The **Topographic Map** depicting the location of the Site is included as **Figure 1**, and the **Site Vicinity Map** is included as **Figure 2** in **Appendix A**.

1.2 Project Objective

The primary objective of the closure activities was to reduce chemicals of concern (COC) concentrations in the on-Site soil to be in compliance with the applicable New Mexico EMNRD OCD closure criteria concentrations.

2.0 CLOSURE CRITERIA

The Site is subject to regulatory oversight by the New Mexico EMNRD OCD. In order to address activities related to exempt oil and gas releases, the New Mexico EMNRD OCD references New Mexico Administrative Code (NMAC) 19.15.29 *Releases*, which establishes investigation and abatement action requirements for sites subject to reporting and/or corrective action. Ensolum, LLC (Ensolum) utilized information provided by Enterprise, the general Site characteristics, and information available from the New Mexico Office of the State Engineer (OSE) and the New Mexico EMNRD OCD Imaging database to determine the appropriate closure criteria for the Site.



Supporting documentation and figures associated with the following bullets are provided in **Appendix B**.

- No exploratory water wells were identified within a 0.5-mile radius of the Site on the OSE Water Rights Reporting System (WRRS) database; however, one soil boring (CP-02035-POD-1) was identified approximately 0.5-miles north of the Site. The soil boring was installed in December 2024 to a total depth of 105 feet below ground surface (bgs), with no groundwater encountered.
- The Site is not located within 300 feet of a New Mexico ENMRD OCD-defined continuously flowing watercourse or significant watercourse.
- The Site is not located within 200 feet of a lakebed, sinkhole, or playa lake.
- The Site is not located within 300 feet of a permanent residence, school, hospital, institution, or church.
- According to the OSE WRSS database, there are no private, domestic freshwater wells used by less than five households for domestic or stock water purposes identified within 500 feet of the Site.
- According to the OSE WRSS database, no freshwater wells have been identified within 1,000 feet of the Site.
- The Site is not located within incorporated municipal boundaries or within a defined municipal freshwater well field covered under a municipal ordinance adopted pursuant to New Mexico Statute Annotated (NMSA) 1978, Section 3-27-3.
- A riverine intermittent streambed that is intermittently flooded is located approximately The Site is located approximately 275 feet south of the Site.
- Based on information identified on the New Mexico Mining and Minerals Division's Geographical Information System (GIS), Maps, and Mine Data database, the Site is not located within an area overlying a subsurface mine.
- Based on the Karst Occurrence Potential (.kmz) provided by the BLM, the Site is located within a stable area, also referred to as low karst potential.
- The Site is not located within a 100-year floodplain.

Based on the identified siting criteria, cleanup goals for soils remaining in place at the Site include:

CLOSURE CRITERIA FOR SOILS IMPACTED BY A RELEASE								
Minimum depth below any point within horizontal boundary of the release to groundwater less than 10,000 mg/l TDS	Constituent	Method	Limit					
	Chloride	EPA 300.0 or SM4500 Cl B	600 mg/kg					
≤ 50 feet	TPH (GRO+DRO+MRO)	EPA SW-846 Method 8015M	100 mg/kg					
3 30 1661	BTEX	EPA SW-846 Method 8021B or 8260B	50 mg/kg					
	Benzene	EPA SW-846 Method 8021B or 8260B	10 mg/kg					



Pipeline 1009

Page 3

3.0 SOIL REMEDIATION ACTIVITIES

On December 9, 2024, Enterprise had a release of produced water at the Site due to a compromised transfer line. Approximately 15 bbls of produced water was released onto the ground surface with 8 bbls of produced water recovered.

Due to the Site being located on NMSLO land, an Archeological Records Management System (ARMS) review was required prior to beginning remediation activities. This review would determine if any known cultural properties had been previously identified within the proposed remediation area and if the area had been previously surveyed for cultural resources.

On February 13, 2025, on behalf of Enterprise, Beaver Creek Archaeology and Environmental (Beaver Creek) presented their ARMs Review findings to the NMSLO. Their review indicated that the area had a pedestrian survey conducted and there are no cultural properties in close vicinity to the Site. No cultural properties were found within the survey area and it was recommended that a finding of No Historic Properties Affected with no further archaeological work be approved for remediation activities to proceed.

On February 25, 2025, Enterprise was awarded a positive response ARMS review and approval from NMSLO to proceed with remediation activities with no conditions.

On May 19 and 20, 2025, prior to excavation activities, Ensolum arrived on-Site to collect 25 delineation soil samples from 12 different locations around the release extent (DS-01 through DS-09, DS-13 through DS-15) at depths ranging from 1 to 12 feet bgs. Based on laboratory analytical data, additional excavation and/or remediation was required.

On May 23, 2025, Enterprise was granted a Right of Entry (ROE) by the New Mexico State Land Office to perform remediation work outside of the Enterprise 30-foot right-of-way (ROW) easement.

From May 27, 2025 through May 29, 2025, subsequent to initial excavation activities and continued delineation activities, Ensolum arrived on-Site to collect an additional 16 delineation soil samples from eight different locations around and within the release extent (DS-10, DS-11 (Vertical & Horizontal), DS-12, DS-12D, and DS-15 through DS-17) at a depths of 0.5 to 6 feet bgs, one composite soil samples from the excavation sidewall (SW03) at depths ranging from 0-2 feet bgs, and one composite soil sample from the excavation floor (FS04) at a depth of 2 feet bgs. Based on laboratory analytical data, additional excavation and/or remediation was required.

From June 10, 2025 through June 11, 2025, subsequent to additional excavation activities, Ensolum arrived on-Site to collect 25 composite soil samples from the excavation floor (FS-03, and FS-05 through FS-28) at depths ranging from 2 to 16 feet bgs and nine composite soil sample from the excavation sidewalls (SW-01, and SW-04 through SW-11) at depths ranging from 0-2 to 0-16 feet bgs. Based on laboratory analytical data, additional excavation and/or remediation was required.

On June 26, 2025, subsequent to additional excavation activities, Ensolum arrived on-Site to collect five composite soil samples from the excavation floor (FS-01, FS-02, FS-13, FS-17, and FS-28) at depths ranging from 10 to 16 feet bgs and two composite soil samples from the excavation sidewalls (SW-02 and SW-12) at depths ranging from 0-11 to 0-16 feet bgs. During this time, excavation sidewall sample location SW-11 was removed completely. Based on the laboratory analytical data, no additional excavation and/or remediation was required.



Page 4

The composite soil samples were analyzed for benzene, toluene, ethylbenzene, and total xylenes (BTEX), total petroleum hydrocarbons (TPH), gasoline range organics (GRO), diesel range organics (DRO), motor oil/lube oil range organics (MRO), and chloride in accordance with the New Mexico EMNRD OCD Closure Criteria for Soils Impacted by a Release (NMOCD Closure Criteria).

The final excavation area measured approximately 133 feet long and 40 to 55 feet wide, with a depth ranging from 2 to 16 feet bgs.

The excavation measured approximately 5,671 square feet in arial extent. A total of approximately 1,222 cubic yards (cy) of soil were excavated from the Site and hauled off for proper disposal at the Lea Land Facility located in Hobbs, New Mexico.

Due to on-going repairs of the pipeline, backfill of the excavation will be completed utilizing material purchased locally from the Lea Land Caliche Pit (Lea Land Backfill) and then recontoured to match pre-existing conditions.

Figure 3A and **Figure 3B** are maps that identify approximate soil sample locations and depict the approximate dimensions of the impacted soil and excavation extent with respect to the release (**Appendix A**). Photographic documentation of the field activities is included in **Appendix C**.

4.0 SOIL SAMPLING PROGRAM

Ensolum's soil sampling program from May 19, 2025 to June 26, 2025, included the collection of a total of 41 delineation samples from 17 different locations around the release extent (DS-01 through DS-17), a total of 31 composite soil samples from 28 locations from the excavation floor (FS-01 through FS-28) and 12 composite soil samples from the excavation sidewalls (SW-01 through SW-12). In addition, one composite soil sample was collected from the backfill material (Lea Land Backfill) prior to backfilling.

The composite soil samples were collected and placed in laboratory-prepared glassware, labeled/sealed using laboratory-supplied labels and custody seals, and stored on ice in a cooler. The samples were relinquished to Cardinal Laboratories in Hobbs, New Mexico, under proper chain-of-custody procedures.

5.0 SOIL LABORATORY ANALYTICAL METHODS

The composite soil samples were analyzed for BTEX following the United States Environmental Protection Agency (EPA) SW-846 Method 8021B, TPH GRO/DRO/MRO following EPA SW-846 Method 8015M/D, and chloride using SM4500Cl-B.

Laboratory analytical results are summarized in **Table 1**, **Table 2** and **Table 3** in **Appendix D**. The executed chain-of-custody forms and laboratory data sheets are provided in **Appendix E**.

6.0 DATA EVALUATION

Ensolum compared the benzene, total BTEX, TPH-GRO/DRO/MRO, and chloride concentrations to laboratory sample detection limits (SDLs) associated with the soils remaining in place at the Site to the applicable NMOCD Closure Criteria. The final composite soil samples were compared to the applicable NMOCD Closure Criteria.



Remediation Closure Report
Pipeline 1009

- Laboratory analytical results indicated benzene concentrations for the soils remaining
 in place at the Site, and the backfill material did not exceed the laboratory SDLs or the
 applicable NMOCD Closure Criteria of 10 milligrams per kilogram (mg/kg).
- Laboratory analytical results indicated that total BTEX concentrations for the soils remaining in place at the Site and the backfill material did not exceed the laboratory SDLs or the applicable NMOCD Closure Criteria of 50 mg/kg.
- Laboratory analytical results indicated combined TPH-GRO/DRO/MRO concentrations for the soils remaining in place at the Site and the backfill material did not exceed the laboratory SDLs and/or the applicable NMOCD Closure Criteria of 100 mg/kg for depth to groundwater ≤50 feet.
- Laboratory analytical results indicated chloride concentrations for the soils remaining in place at the Site and the backfill material did not exceed the laboratory SDLs and/or the applicable NMOCD Closure Criteria of 600 mg/kg for depth to groundwater ≤50 feet.

Laboratory analytical results are summarized in Table 1, Table 2 and Table 3 in Appendix D.

7.0 RECLAMATION AND RE-VEGETATION

The release occurred in pasture, and as such, a reclamation requirement of 600 mg/kg chloride and 100 mg/kg TPH was applied to the top 4 feet of the off-pad area in the Reclamation Zone that was impacted by the release per 19.15.29.13.D (1) NMAC Reclamation Requirements for the top 4 feet of areas that will be reclaimed following remediation. The following Reclamation Plan addresses reclamation of the pasture area: The soil in the vicinity of the release includes fine sandy loam from the surface to 8 inches bgs and sandy clay loam from 8 to 60 inches bgs (Berino-Cacique fine sandy loams association, dmpf).

- The excavation will be backfilled with material from the Lea Land facility (Lea Land Backfill) and recontoured to match the surrounding grade;
- The backfilled areas will be seeded utilizing a weed-free seed mix designed by the NMSLO to meet reclamation standards for this region, which will be Sandy Loam (SL) Sites Seed Mixture as described in the NMSLO Revegetation Guidelines Handbook for Southeastern New Mexico, dated 2018;
- The seed mixture will be distributed with one of the following methods: push broadcaster seed spreader/tractor-operated broadcast seed spreader/drill seeding / other means;
- Application of the seed mixture will be at a coverage of either 10 pounds of seeds per acre of reclaimed pasture with distribution by a drilling method or 20 pounds of seeds per acre of reclaimed pasture with distribution by a broadcast method, whichever is more applicable;
- Erosion control management will potentially include:
 - o The placement of waddles in areas with a propensity for high run-off rates;
 - Straw cover if high winds are anticipated to support moisture retention and limit wind from blowing seeds away before they have had time to germinate; and/or



Page 6

- Other erosional control best management practices (BMP) as necessary to support timely and healthy regrowth of vegetation in disturbed areas.
- Backfilling of the excavation will be completed in the next two weeks following the completion of pipeline repairs;
- Seeding is anticipated to be completed in the summer when temperatures and
 precipitation are most conducive for vegetation growth. In general, seeding should
 occur approximately one month after the last frost in the Spring up until approximately
 one month prior to the first fall frost. NMSLO has recognized the optimal time to seed
 is between July and early September, which will be adhered to for this Site; and
- Annual inspections (at a minimum) will take place on the location until revegetation is consistent with local natural vegetation density. The Site will be inspected the following Spring/Fall to assess the success of regrowth. If necessary, an additional application of the NMSLO-approved pure live seed mixture will be applied as well, and any needed BMPs will be installed to support growth and limit erosion.

8.0 FINDINGS AND RECOMMENDATION

- On December 9, 2024, Enterprise had a release of produced water at the Site due to a compromised transfer line. Approximately 15 bbls of produced water was released onto the ground surface with 8 bbls of produced water recovered.
- On February 13, 2025, Beaver Creek presented their ARMs Review findings to the NMSLO. No cultural properties were found within the survey area and it was recommended that a finding of No Historic Properties Affected with no further archaeological work be approved for remediation activities to proceed. On February 25, 2025, Enterprise was awarded a positive response ARMS review and approval from NMSLO to proceed with remediation activities with no conditions.
- Ensolum's soil sampling program from May 19, 2025, to June 26, 2025, included the
 collection of a total of 41 delineation samples from 17 different locations around the
 release extent (DS-01 through DS-17), a total of 31 composite soil samples from 28
 locations from the excavation floor (FS-01 through FS-28) and 12 composite soil
 samples from the excavation sidewalls (SW-01 through SW-12). In addition, one
 composite soil sample was collected from the backfill material (Lea Land Backfill) prior
 to backfilling.
- The final excavation area measured approximately 133 feet long and 40 to 55 feet wide, with a depth ranging from 2 to 16 feet bgs.
- The primary objective of the closure activities was to reduce COC concentrations in the on-Site soil to be in compliance with applicable NMOCD Closure Criteria for Soils Impacted by a Release using the New Mexico EMNRD OCD's NMAC 19.15.29 Releases as guidance. Based on laboratory analytical results, the final composite soil samples within the impacted area and the backfill materials did not exhibit benzene, total BTEX, TPH GRO/DRO/MRO, or chloride concentrations above the applicable NMOCD Closure Criteria.
- After confirmation sampling was completed, the backfill of the excavation will be completed utilizing material purchased locally from the Lea Land Caliche Pit (Lea Land Backfill) and then re-contoured to match pre-existing conditions.



Pipeline 1009

Based on field observations and laboratory analytical results, no additional investigation or corrective action appears warranted at this time.

9.0 STANDARDS OF CARE, LIMITATIONS, AND RELIANCE

9.1 Standard of Care

Ensolum's services were performed in accordance with standards customarily provided by a firm rendering the same or similar services in the area during the same time period. Ensolum makes no warranties, express or implied, as to the services performed hereunder. Additionally, Ensolum does not warrant the work of third parties supplying information used in the report (e.g., laboratories, regulatory agencies, or other third parties). This scope of services was performed in accordance with the scope of work agreed with the client, as detailed in our proposal.

9.2 Limitations

Findings, conclusions, and recommendations resulting from these services are based upon information derived from the on-site activities and other services performed under this scope of work and it should be noted that this information is subject to change over time. Certain indicators of the presence of hazardous substances, petroleum products, or other constituents may have been latent, inaccessible, unobservable, or not present during these services, and Ensolum cannot represent that the Site contains no hazardous substances, toxic materials, petroleum products, or other latent conditions beyond those identified during the investigation. Environmental conditions in other areas or portions of the Site may vary from those encountered at actual sample locations. Ensolum's findings and recommendations are based solely upon data available to Ensolum at the time of these services.

9.3 Reliance


This report has been prepared for the exclusive use of Enterprise Field Services LLC, and any authorization for use or reliance by any other party (except a governmental entity having jurisdiction over the Site) is prohibited without the express written authorization of Enterprise Field Services LLC and Ensolum. Any unauthorized distribution or reuse is at the client's sole risk. Notwithstanding the foregoing, reliance by authorized parties will be subject to the terms, conditions, and limitations stated in the Closure Report and Ensolum's Master Services Agreement. The limitation of liability defined in the agreement is the aggregate limit of Ensolum's liability to the client.





APPENDIX A

Figures





Topographic Map Enterprise Field Services, LLC

Enterprise Field Services, LLC
Pipeline 1009
Project Number: 03B1226345
32.464775, -103.490371
Lea County, New Mexico

FIGURE 1


Released to Imaging: 11/12/2025 4:31.34 PM





Site Vicinity Map Enterprise Field Services, LLC

Enterprise Field Services, LLC Pipeline 1009 Project Number: 03B1226345 32.464775, -103.490371 Lea County, New Mexico FIGURE 2






Site Map

Enterprise Field Services, LLC Pipeline 1009 Project Number: 03B1226345 32.464775, -103.490371 Lea County, New Mexico

FIGURE 3A

Released to Imaging: 11/12/2025 4:31.34 PM






Delineation Soil Sample Locations

Enterprise Field Services, LLC
Pipeline 1009
Project Number: 03B1226345
32.464775, -103.490371
Lea County, New Mexico

FIGURE 3B

Released to Imaging: 11/12/2025 4:31.34 PM



Released to Imaging: 11/12/2025 4:31:34 PM



APPENDIX B

Supporting Documentation



Stephanie Garcia Richard COMMISSIONER

State of New Mexico Commissioner of Public Lands 310 OLD SANTA PL TRAIL P.O. BOX 1148 SANTA PL NICW MEXICO 87504-1148

COMMISSIONER'S OFFICE Phone (505) 827-5760 Fax (505) 827-5766 www.mmstatelands.org

MEMORANDUM

TO: Raina Hanley; Beaver Creek Archaeology

FROM: Adesbah Foguth, Trust Land Archaeologist

(505) 469-2894 afoguth@nmslo.gov

SUBJECT: Ensolum on behalf of Enterprise Field Services (EFS)

Remediation for: EFS' Pipeline 1009 Remediation

Section 20, T21S, R34E, N.M.P.M. Lea County

REFERENCE: NMSLO Cultural Properties Protection Rule (19.2.24 NMAC)

DATE: 2/25/2025

Thank you for your submission relating to the Proponent's proposed remediation activities at Enterprise Field Services' Pipeline 1009 Remediation. An archaeological survey of the entire area of potential effect has been completed and no cultural properties were identified. Pursuant to NMSLO 19.2.24.8 (C) NMAC, remediation may proceed.

If any cultural materials are inadvertently encountered during surface disturbance, work must cease within 50 feet and the NMSLO Cultural Resources Office must be notified immediately by emailing (CROinfo@nmslo.gov). Please reach out if you have questions or need additional clarification.



FW: (Proposed Remediation Work Plan) Enterprise Field Services, LLC – Pipeline 1009 (Facility ID:fAPP2122928745/Incident #: nAPP2434522732) – Not Approved

From Feather, David <DFeather@eprod.com>

Date Mon 4/21/2025 9:22 AM

To Kelly Lowery <klowery@ensolum.com>

[**EXTERNAL EMAIL**]

From: Knight, Tami C. <tknight@nmslo.gov> Sent: Thursday, April 17, 2025 3:14 PM

To: Falcomata, Julianna <JRFalcomata@eprod.com>

Cc: Feather, David <DFeather@eprod.com>

Subject: [EXTERNAL] RE: (Proposed Remediation Work Plan) Enterprise Field Services, LLC - Pipeline 1009 (Facility

ID:fAPP2122928745/Incident #: nAPP2434522732) - Not Approved

[Use caution with links/attachments]

ECO has reviewed the subject plan has is not able to approve the plan. The plan details the site assessment information but does not provide details regarding remediation as required by 19.15.29 NMAC. The workplan did not state that a separate remediation workplan would be submitted either.

Please revise the workplan to address the required details for remediation or let me know if a separate remediation workplan is being submitted based on site assessment results.

Thank you



Tami Knight, CHMM
Environmental Specialist
Environmental Compliance Office
505.670 1638
New Mexico State Land Office







CONFIDENTIALITY NOTICE - This e-mail transmission, including all documents, files, or previous e-mail messages attached hereto, may contain confidential and/or legally privileged information. If you are not the intended recipient, or a person responsible for delivering it to the intended recipient, you are hereby notified that you must not read this transmission and that any disclosure, copying, printing, distribution, or use of any of the information contained in and/or attached to this transmission is STRICTLY PROHIBITED. If you have received this transmission in error, please immediately notify the sender and delete the original transmission and its attachments without reading or saving in any manner. Thank you.



RE: [EXTERNAL] nAPP2434522732 - Extension request

From Bratcher, Michael, EMNRD <mike.bratcher@emnrd.nm.gov>

Date Mon 3/3/2025 4:36 PM

To Falcomata, Julianna < JRFalcomata@eprod.com>

Cc Feather, David <DFeather@eprod.com>; Rodgers, Scott, EMNRD <Scott.Rodgers@emnrd.nm.gov>; Dunaway, Robert <rhdunaway@eprod.com>

[Use caution with links/attachments]

Julianna,

Your request for an extension to 06/07/2025 is approved.

In filling out the C-141 for this release, there is a statement that allows the operator to answer yes or no to. The statement is: "The concentration of dissolved chloride in the produced water >10,000 mg/l". This one is answered "No". It is highly unlikely that any produced water in SENM that is less than 10,000 mg/l in dissolved chloride. If Enterprise contends this water is, you may obtain a representative sample of the water and have it tested. Provide two business days' notice prior to obtaining the sample, or you may correct the C-141 with the next submittal.

Thank you,

Mike Bratcher

Incident Supervisor
Environmental Bureau
EMNRD - Oil Conservation Division
506 W. Texas Ave | Artesia, NM 88210
(575) 626-0857 |
mike.bratcher@emnrd.nm.gov
http://www.emnrd.nm.gov/ocd_

From: Falcomata, Julianna < JRFalcomata@eprod.com>

Sent: Monday, March 3, 2025 1:08 PM

To: Bratcher, Michael, EMNRD < mike.bratcher@emnrd.nm.gov>

Cc: Feather, David <DFeather@eprod.com>; Rodgers, Scott, EMNRD <Scott.Rodgers@emnrd.nm.gov>; Dunaway,

Robert <rhdunaway@eprod.com>

Subject: RE: [EXTERNAL] nAPP2434522732 - Extension request

You don't often get email from <u>jrfalcomata@eprod.com</u>. <u>Learn why this is important</u>

Yes, that is correct. This fluid in this gathering line originated from associated wells and had not undergone any processing prior to being released.

Julianna Falcomata
Field Environmental Scientist
3008 E Greene St, Carlsbad, NM 88220

Mobile: (575) 266-1904 <u>jrfalcomata@eprod.com</u>



From: Bratcher, Michael, EMNRD < mike.bratcher@emnrd.nm.gov >

Sent: Monday, March 3, 2025 10:57 AM

To: Falcomata, Julianna < JRFalcomata@eprod.com>

Cc: Feather, David < DFeather@eprod.com>; Rodgers, Scott, EMNRD < Scott.Rodgers@emnrd.nm.gov>

Subject: RE: [EXTERNAL] nAPP2434522732 - Extension request

[Use caution with links/attachments]

Julianna.

The C-141 for this release indicates the fluid released was produced water. Was the water unadulterated, straight from a production well bore?

Thank you,

Mike Bratcher

Incident Supervisor
Environmental Bureau
EMNRD - Oil Conservation Division
506 W. Texas Ave | Artesia, NM 88210
(575) 626-0857 |
mike.bratcher@emnrd.nm.gov
http://www.emnrd.nm.gov/ocd

From: Falcomata, Julianna <JRFalcomata@eprod.com>

Sent: Monday, March 3, 2025 9:34 AM

To: Bratcher, Michael, EMNRD < mike.bratcher@emnrd.nm.gov>

Cc: Feather, David < DFeather@eprod.com>

Subject: [EXTERNAL] nAPP2434522732 - Extension request

You don't often get email from jrfalcomata@eprod.com. Learn why this is important

CAUTION: This email originated outside of our organization. Exercise caution prior to clicking on links or opening attachments.

Good Morning Mike,

Enterprise is requesting a time extension on nAPP2434522732 . The original due date for the closure report submittal is <u>March 09, 2025</u>. Enterprise requests time extension of an additional <u>90 days</u> for a new submittal due date of <u>June 07,2025</u>. Enterprise requires additional time for the completion of the ARMS survey and remediation activities. Please acknowledge that this variance request was received. If there are any questions, or if we need to supply additional information, please let me know.

Thank you!

Julianna Falcomata
Field Environmental Scientist

3008 E Greene St, Carlsbad, NM 88220

Mobile: (575) 266-1904 <u>jrfalcomata@eprod.com</u>



This message (including any attachments) is confidential and intended for a specific individual and purpose. If you are not the intended recipient, please notify the sender immediately and delete this message.



FW: (Proposed Remediation Work Plan) Enterprise Field Services, LLC – Pipeline 1009 (Facility ID:fAPP2122928745/Incident #: nAPP2434522732) – December 09, 2024 - Approved

From Falcomata, Julianna <JRFalcomata@eprod.com>

Date Thu 5/1/2025 2:19 PM

To Kelly Lowery <klowery@ensolum.com>

Cc Feather, David <DFeather@eprod.com>

[**EXTERNAL EMAIL**]

SLO has approved our remediation plan!

From: Knight, Tami C. <tknight@nmslo.gov> Sent: Thursday, May 1, 2025 12:26 PM

To: Falcomata, Julianna <JRFalcomata@eprod.com>

Cc: Bisbey-Kuehn, Elizabeth A. <ebisbeykuehn@nmslo.gov>

Subject: [EXTERNAL] RE: (Proposed Remediation Work Plan) Enterprise Field Services, LLC - Pipeline 1009 (Facility ID:fAPP2122928745/Incident #:

nAPP2434522732) - December 09, 2024 - Approved

[Use caution with links/attachments]

Documentation of proposed remediation actions for the subject release incident was received from your office on April 30, 2025. The NMSLO Environmental Compliance Office (ECO) has reviewed the plan, and based on the information provided in the document received from your office, ECO has approved the remediation plan. Please submit the remediation closure report to eco@nmslo.gov.

Lessee and/or their contractor are responsible for ensuring the project manager and field personnel performing the work follow the approved work plan.



Environmental Compliance Office New Mexico State Land Office









.....

CONFIDENTIALITY NOTICE - This e-mail transmission, including all documents, files, or previous e-mail messages attached hereto, may contain confidential and/or legally privileged information. If you are not the intended recipient, or a person responsible for delivering it to the intended recipient, you are hereby notified that you must not read this transmission and that any disclosure, copying, printing, distribution, or use of any of the information contained in and/or attached to this transmission is STRICTLY PROHIBITED. If you have received this transmission in error, please immediately notify the sender and delete the original transmission and its attachments without reading or saving in any manner. Thank you.

From: Falcomata, Julianna < JRFalcomata@eprod.com >

Sent: Wednesday, April 30, 2025 6:50 AM

To: SLO Spills < spills@nmslo.gov>

Subject: [EXTERNAL] (Proposed Remediation Work Plan) Enterprise Field Services, LLC – Pipeline 1009 (Facility ID:fAPP2122928745/Incident #:

nAPP2434522732) - December 09, 2024

Good Morning,

Attached is the updated proposed work plan for nAPP2434522732. If any additional information is needed, please let me know!

Thank you!

Julianna Falcomata Field Environmental Scientist 3008 E Greene St, Carlsbad, NM 88220

Mobile: (575) 266-1904 jrfalcomata@eprod.com



This message (including any attachments) is confidential and intended for a specific individual and purpose. If you are not the intended recipient, please notify the sender immediately and delete this message.

From: Falcomata, Julianna < <u>JRFalcomata@eprod.com</u>>

Sent: Monday, April 7, 2025 10:22 AM **To:** SLO Spills < spills@nmslo.gov>

Cc: Feather, David < <u>DFeather@eprod.com</u>>

Subject: [EXTERNAL] (Proposed Remediation Work Plan) Enterprise Field Services, LLC - Pipeline 1009 (Facility

ID:fAPP2122928745/Incident #: nAPP2434522732) - December 09, 2024

Good Morning,


Attached is the proposed work plan for nAPP2434522732. If any additional information is needed, please let me know!

Thank you,

Julianna Falcomata Field Environmental Scientist 3008 E Greene St, Carlsbad, NM 88220 Mobile: (575) 266-1904



This message (including any attachments) is confidential and intended for a specific individual and purpose. If you are not the intended recipient, please notify the sender immediately and delete this message.



(Sampling Notification for 05/19/2025-05/22/2025) Enterprise Field Services, LLC - Pipeline 1009 (Incident ID: nAPP2434522732) - 12/09/2024Hel

From Falcomata, Julianna < JRFalcomata@eprod.com>

To eco@nmslo.gov <eco@nmslo.gov>

Good Morning,

Enterprise Field Services, LLC would like to provide notification for the sampling activities that will be conducted at the Pipeline 1009 (Incident ID: nAPP2434522732) from Monday, May 19th through Thursday, May 22nd beginning at 9:00am MST. The samples may be used for closure, provided they meet applicable closure limits. Thank you,

Julianna Falcomata Field Environmental Scientist 3008 E Greene St, Carlsbad, NM 88220 Mobile: (575) 266-1904





RE: [EXTERNAL] nAPP2434522732 - Extension request

From Bratcher, Michael, EMNRD <mike.bratcher@emnrd.nm.gov>

Date Tue 6/3/2025 4:00 PM

To Falcomata, Julianna < JRFalcomata@eprod.com>

Cc Dunaway, Robert <rhdunaway@eprod.com>

[Use caution with links/attachments]

Julianna,

Your request for an extension on the above referenced incident is approved to 07/22/2025. Please include all correspondence in future submittals.

Thank you,

Mike Bratcher

Incident Supervisor
Environmental Bureau
EMNRD - Oil Conservation Division
506 W. Texas Ave | Artesia, NM 88210
(575) 626-0857 |
mike.bratcher@emnrd.nm.gov
http://www.emnrd.nm.gov/ocd

From: Falcomata, Julianna <JRFalcomata@eprod.com>

Sent: Tuesday, June 3, 2025 9:50 AM

To: Bratcher, Michael, EMNRD < mike.bratcher@emnrd.nm.gov>

Cc: Dunaway, Robert <rhdunaway@eprod.com>

Subject: [EXTERNAL] nAPP2434522732 - Extension request

CAUTION: This email originated outside of our organization. Exercise caution prior to clicking on links or opening attachments.

Good Morning Mike,

Enterprise is requesting a time extension on nAPP2434522732 . The extended due date for the closure report submittal is <u>June 07, 2025</u>. Enterprise requests an additional time extension of <u>45 days</u> for a new submittal due date of <u>July 22,2025</u>. Enterprise requires additional time for the completion of remediation activities outside of the right of way (ROW). Enterprise was not permitted to begin remediation efforts outside the ROW until a Right of Entry (ROE) permit was issued by NMSLO. The ROE permit was finalized with SLO on 05/21/2025 Please acknowledge that this variance request was received. If there are any questions, or if we need to supply additional information, please let me know.

Thank you,

Julianna Falcomata

Field Environmental Scientist 3008 E Greene St, Carlsbad, NM 88220 Mobile: (575) 266-1904

jrfalcomata@eprod.com



This message (including any attachments) is confidential and intended for a specific individual and purpose. If you are not the intended recipient, please notify the sender immediately and delete this message.



NEW MEXICO STATE LAND OFFICE

Commissioner of Public Lands Stephanie Garcia Richard New Mexico State Land Office Building P.O. Box 1148, Santa Fe, NM 87504-1148

RIGHT OF ENTRY PERMIT CONTRACT NO. RE – 7498

This Agreement is made and entered into between the COMMISSIONER OF PUBLIC LANDS (the "Commissioner") and

Enterprise Field Services LLC 1100 Louisiana Street, Suite 1000 Houston, TX 77002

("Permittee"). The parties agree as follows:

1. RIGHT OF ENTRY ("ROE")

The Commissioner grants to Permittee, and its authorized representatives, employees, and contractors, permission to use the state trust lands identified below (the "Premises"), and ingress and egress to the Premises, for the sole purposes of (1) surveying/conducting an environmental investigation due to a crude oil and produced water release on or adjacent to the site of the MRC Permian Company (Incident # nAPP2434522732) and (2) conducting surface reclamation activities, including removal of equipment and debris, and any required remediation per 19.15.29.12 NMAC.

The Premises are situated in the following location in Lea County, New Mexico::

Section	Township	Range	Subdivision	County	Longitude/Latitude
20	21S	34E	SW4NE4	Lea	32.464775/-103.490371

2. TERM AND TERMINATION

Right of entry is granted for a term of 180 days, commencing on the execution date of this document by the Commissioner of Public Lands.

Released to Imaging: 11/12/2025 4:31:34 PM

3. FEES

- \$ 50.00 Application Fee
- \$ 500.00 Permit Fee
- \$ 550.00 Total Fee

4. CONDITIONS OF USE

RE-7498

- A. The issuance of this ROE does not guarantee that any subsequent lease, permit, or any other instrument will be issued to Permittee for the Premises.
- B. No blading or widening of any roads that provide access to the Premises is permitted under this ROE.
- C. No sale of any material extracted from the Premises is allowed under this ROE.
- D. Permittee shall observe all applicable federal, state, and local laws and regulations.
- E. Permittee shall take all reasonable precautions to prevent and suppress forest, brush, and grass fires and prevent pollution of waters on or in the vicinity of the Premises.
- F. Permittee shall not block or disrupt roads or trails commonly in use.
- G. This ROE is subject to any and all easements and rights-of-way previously granted and now in force and effect.
- H. Permittee shall be responsible for repair and restitution for damage to any Premises or improvements as a result of activities related to the ROE.
- I. Prior to entering the Premises, Permittee must identify and contact any existing surface lessees. The grant of this ROE does not allow access across private lands.
- J. Permittee may utilize this ROE upon its execution for inspection of the Premises and to conduct any necessary tests or inspections. Permittee may not conduct remediation or reclamation work until it has submitted a written plan for such work, and received State Land Office approval.
- K. Personnel present on Premises: Enterprise Field Services LLC personnel and authorized contractors.
- L. Equipment and materials present on Premises: Vehicles, heavy equipment, and associated equipment.

5. SITE CONDITIONS

- A. No surface disturbance, other than soil tests, except as described in a reclamation plan submitted to and approved by the State Land Office.
- B. Access to the Premises shall be over existing roads.
- C. The natural environmental conditions that exist contemporaneously with this grant of ROE shall be preserved and protected. Permittee must follow all applicable environmental and cultural resource protection laws and regulations.

6. INDEMNITY

Permittee shall save, hold harmless, indemnify, and defend the State of New Mexico, the Commissioner and Commissioner's employees, agents and contractors, in both their official and individual capacities, from any and all liability, claims, losses, damages, or expenses of any character or nature whatsoever, including but not limited to attorney's fees, court costs, loss of land value or use, third party claims, penalties, or removal, remedial or restoration costs arising out of, or alleged to arise out of Permittee's operations or presence on the Premises (or operations or presence of his representatives, employees, or contractors).

7. SURVIVAL OF TERMS

Permittee's obligations regarding indemnity, site conditions, and compliance with applicable standards and laws, shall survive the termination, cancellation or relinquishment of this Agreement, and any cause of action of the Commissioner to enforce any right, liability, claim, loss, damage or expense under those paragraphs shall not be deemed to accrue until the Commissioner's actual discovery of said right, liability, claim, loss, damage or expense.

8. NOTIFICATION

Permittee must notify the State Land Office immediately in the event Permittee or his representatives, employees, or contractors observe any spill, fire, or other emergency on the Premises, or if Permittee or his representatives, employees, or contractors experience any serious injury while on the Premises.

Received by OCD: 9/18/2025 7:41:16 AM

Released to Imaging: 11/12/2025 4:31:34 PM

WITNESS the hands of PERMITTEE and COMMISSIONER on the day(s) and year entered below.

DATE: 5-21-2025

PERMITTEE SIGNATURE

Brian Woodson
Agent : Attorney-in-Fact

PERMITTEE NAME AND TITLE (PRINT)

SEAL:

Received by OCD: 9/18/2025 7:41:16 AM

Stephanie Garcia Richard Commissioner of Public Lands

DATE:



Stephanie Garcia Richard COMMISSIONER

State of New Mexico Commissioner of Public Lands

310 OLD SANTA FE TRAIL P.O. BOX 1148 SANTA FE, NEW MEXICO 87504-1148 COMMISSIONER'S OFFICE Phone (505) 827-5760 Fax (505) 827-5766 www.nmstatelands.org

May 23, 2025

Enterprise Field Services LLC 1100 Louisiana Street, Suite 1000 Houston, TX 77002

Attn: Brian Woodson

Re: Right-of-Entry Permit No.: RE-7498 MRC Permian Company

Dear Applicant:

Enclosed is the completed captioned Right-of-Entry permit. If any corrections are necessary, please let us know and we will retype or amend this permit as necessary.

The New Mexico State Land Office requires you to notify any surface lessees that will be impacted by your project prior to construction.

If you have any questions, or if we may be of further assistance, please do not hesitate to contact Christopher Gutierrez at (505) 827-5773.

Sincerely,

James S. Bordegaray

Director, Commercial Resources Division

JSB/CLG



(Sampling Notification for 05/27/2025-05/29/2025) Enterprise Field Services, LLC - Pipeline 1009 (Incident ID: nAPP2434522732) - 12/09/2024

From Falcomata, Julianna < JRFalcomata@eprod.com>

To eco@nmslo.gov <eco@nmslo.gov>

Good Morning,

Enterprise Field Services, LLC would like to provide notification for the sampling activities that will be conducted at the Pipeline 1009 (Incident ID: nAPP2434522732) from Tuesday, May 27th through Thursday, May 29th beginning at 9:00am MST. The samples may be used for closure, provided they meet applicable closure limits.

Thank you,

Julianna Falcomata Field Environmental Scientist 3008 E Greene St, Carlsbad, NM 88220 Mobile: (575) 266-1904





(Sampling Notification for 06/10/2025-06/11/2025) Enterprise Field Services, LLC - Pipeline 1009 (Incident ID: nAPP2434522732) - 12/09/2024

From Falcomata, Julianna <JRFalcomata@eprod.com>

Date Fri 6/6/2025 3:38 PM

To spills@nmslo.gov <spills@nmslo.gov>

Cc Kelly Lowery <klowery@ensolum.com>

[**EXTERNAL EMAIL**]

Good Afternoon,


Enterprise Field Services, LLC would like to provide notification for the sampling activities that will be conducted at the Pipeline 1009 (Incident ID: nAPP2434522732) from Tuesday, June 10th through Wednesday, June 11th beginning at 9:00am MST. The samples may be used for closure, provided they meet applicable closure limits.

Thank you,

Julianna Falcomata Field Environmental Scientist 3008 E Greene St, Carlsbad, NM 88220 Mobile: (575) 266-1904

irfalcomata@eprod.com
Enterprise
Products

This message (including any attachments) is confidential and intended for a specific individual and purpose. If you are not the intended recipient, please notify the sender immediately and delete this message.



(Sampling Notification for 06/26/2025-06/27/2025) Enterprise Field Services, LLC - Pipeline 1009 (Incident ID: nAPP2434522732) - 12/09/2024

From Falcomata, Julianna <JRFalcomata@eprod.com>

Date Mon 6/23/2025 1:52 PM

To eco@nmslo.gov <eco@nmslo.gov>

Cc Feather, David <DFeather@eprod.com>; Kelly Lowery <klowery@ensolum.com>

[**EXTERNAL EMAIL**]

Good Afternoon,

Enterprise Field Services, LLC would like to provide notification for the sampling activities that will be conducted at the Pipeline 1009 (Incident ID: nAPP2434522732) from Thursday, June 26th through Friday, June 27th beginning at 9:00am MST.


The samples may be used for closure, provided they meet applicable closure limits.

Thank you,

Julianna Falcomata
Field Environmental Scientist
3008 E Greene St, Carlsbad, NM 88220
Mobile: (575) 266-1904
jrfalcomata@eprod.com



This message (including any attachments) is confidential and intended for a specific individual and purpose. If you are not the intended recipient, please notify the sender immediately and delete this message.



(Sampling Notification Update for 06/27/2025 Enterprise Field Services, LLC - Pipeline 1009 (Incident ID: nAPP2434522732) - 12/09/2024

From Falcomata, Julianna <JRFalcomata@eprod.com>

To eco@nmslo.gov <eco@nmslo.gov>

Cc Feather, David <DFeather@eprod.com>

Good Evening,

Enterprise Field Services, LLC would like to provide an up update to the notification for sampling activities that were be scheduled to be conducted at the Pipeline 1009 (Incident ID: nAPP2434522732) from Thursday, June 26th through Friday, June 27th. All samples were collected this afternoon on June 26th, 2025, and no additional samples will be taken from this location tomorrow June 27th, 2025. If there is any additional information required, please let me know.

Thank you,

Julianna Falcomata
Field Environmental Scientist
3008 E Greene St, Carlsbad, NM 88220
Mobile: (575) 266-1904
jrfalcomata@eprod.com





FW: [EXTERNAL] nAPP2434522732 - Sampling Notification

From Falcomata, Julianna <JRFalcomata@eprod.com>

Date Mon 7/7/2025 4:17 PM

To Kelly Lowery <klowery@ensolum.com>

[**EXTERNAL EMAIL**]

From: Hall, Brittany, EMNRD <Brittany.Hall@emnrd.nm.gov>

Sent: Friday, June 27, 2025 7:02 AM

To: Falcomata, Julianna <JRFalcomata@eprod.com>; Bratcher, Michael, EMNRD <mike.bratcher@emnrd.nm.gov>

Cc: Feather, David <DFeather@eprod.com>; Dunaway, Robert <rhdunaway@eprod.com>

Subject: RE: [EXTERNAL] nAPP2434522732 - Sampling Notification

[Use caution with links/attachments]

Julianna,

Thank you for the notification that today's sampling will not occur.

I have made a note in the incident file.

Thank you,

Brittany Hall • Environmental Field Compliance Supervisor Environmental Field Compliance Group EMNRD - Oil Conservation Division 1000 Rio Brazos Road | Aztec, NM 87410 505.517.5333 | Brittany.Hall@emnrd.nm.gov http://www.emnrd.nm.gov/ocd/

<u>Effective 12/1/2024</u>: OCD has updated guidance on karst potential occurrence zones. This notice can be found at: https://www.emnrd.nm.gov/ocd/ocd-announcements-and-notifications/ under "2024 OCD ANNOUNCEMENTS AND NOTIFICATIONS".

The Digital C-141 guidance documents can be found at https://www.emnrd.nm.gov/ocd/ocd-forms/.

From: Falcomata, Julianna <JRFalcomata@eprod.com>

Sent: Thursday, June 26, 2025 7:33 PM

To: Bratcher, Michael, EMNRD <mike.bratcher@emnrd.nm.gov>; Hall, Brittany, EMNRD

<<u>Brittany.Hall@emnrd.nm.gov</u>>

Cc: Feather, David < DFeather@eprod.com >; Dunaway, Robert < rhdunaway@eprod.com >

Subject: [EXTERNAL] nAPP2434522732 - Sampling Notification

CAUTION: This email originated outside of our organization. Exercise caution prior to clicking on links or opening attachments.

Good evening,

Sample collection at Pipeline 1009 (nAPP2434522732) was scheduled for this week on June $26^{th} - 27^{th}$. All samples were collected this afternoon and there will not be any samples collected at this location tomorrow. If any additional information is required for these types of notifications, please let me know.

Thank you,

Julianna Falcomata Field Environmental Scientist 3008 E Greene St, Carlsbad, NM 88220 Mobile: (575) 266-1904

irfalcomata@eprod.com



This message (including any attachments) is confidential and intended for a specific individual and purpose. If you are not the intended recipient, please notify the sender immediately and delete this message.

NMSLO Seed Mix

Sandy Loam (SL)

SANDY LOAM (SL) SITES SEED MIXTURE:

COMMON NAME	VARIETY	APPLICATION RATE (PLS/Acre)	DRILL BOX	
Grasses:				
Galleta grass	Viva, VNS, So.	2.5	\mathbf{F}	
Little bluestem	Cimmaron, Pastura	2.5	F	
Blue grama	Hachita, Lovington	2.0	D	
Sideoats grama	Vaughn, El Reno	2.0	\mathbf{F}	
Sand dropseed	VNS, Southern	1.0	\mathbf{S}	
Forbs:				
Indian blanketflower	VNS, Southern	1.0	D	
Parry penstemon	VNS, Southern	1.0	D	
Blue flax	Appar	1.0	D	
Desert globemallow	VNS, Southern	1.0	D	
Shrubs:				
Fourwing saltbush	VNS, Southern	2.0	D	
Common winterfat	VNS, Southern	1.0	F	
Apache plume	VNS, Southern	0.75	F	
	Total PLS/acro	e 17.75		

S = Small seed drill box, D = Standard seed drill box, F = Fluffy seed drill box

- VNS, Southern No Variety Stated, seed should be from a southern latitude collection of this species.
- Double above seed rates for broadcast or hydroseeding.
- If Parry penstemon is not available, substitute firecracker penstemon.
- If desert globemallow is not available, substitute scarlet globemallow or Nelson globemallow.
- If a species is not available, provide a suggested substitute to the New Mexico Land Office for approval. Increasing all other species proportionately may be acceptable.





APPENDIX C

Photographic Documentation





View of release extent during remediation activities, facing north (May 29, 2025).




View of release extent during remediation activities, facing northeast (May 29, 2025).






View of release extent during remediation activities, facing north (June 10, 2025).



View of release extent during remediation activities, facing west (June 10, 2025).





View of release extent during remediation activities, facing south (June 10, 2025).



View of release extent during remediation activities, facing east (June 10, 2025).





View of release extent during remediation activities, facing southwest (June 26, 2025).



View of release extent during remediation activities, facing northeast (June 26, 2025).

ENSOLUM

APPENDIX D

Table(s)



TABLE 1 SOIL SAMPLE ANALYTICAL RESULTS PIPELINE 1009 ENTERPRISE FIELD SERVICES, LLC LEA COUNTY, NEW MEXICO

Sample I.D.	Sample Date	Sample Depth (feet bgs)	Benzene (mg/kg)	Total BTEX (mg/kg)	TPH GRO (mg/kg)	TPH DRO (mg/kg)	TPH ORO (mg/kg)	GRO+DRO (mg/kg)	Total TPH (mg/kg)	Chloride (mg/kg)
NMOCD Table 1 (Closure Criteria ((NMAC 19.15.29)	10	50	NE	NE	NE	NE	100	600
				Confirm	ation Floor Soil	Samples				
FS-01	06/26/2025	11	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	16.0
FS-02	06/26/2025	16	<0.050	<0.300	<10.0	12.1	<10.0	12.1	12.1	16.0
FS-03	06/10/2025	2	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	16.0
FS-04	05/29/2025	2	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	32.0
FS-05	06/10/2025	2	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	48.0
FS-06	06/10/2025	2	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	<16.0
FS-07	06/10/2025	2	<0.050	<0.300	<10.0	20.5	<10.0	20.5	20.5	<16.0
FS-08	06/10/2025	2	<0.050	<0.300	<10.0	11.8	<10.0	11.8	11.8	32.0
FS-09	06/10/2025	2	<0.050	<0.300	<10.0	18.8	<10.0	18.8	18.8	16.0
FS-10	06/10/2025	2	<0.050	<0.300	<10.0	14.4	<10.0	14.4	14.4	32.0
FS-11	06/11/2025	2	<0.050	<0.300	<10.0	10.5	<10.0	10.5	10.5	32.0
FS-12	06/10/2025	10	<0.050	<0.300	<10.0	16.7	<10.0	16.7	16.7	<16.0
FS-13	06/10/2025	10	<0.050	0.391	67.5	64.8	<10.0	132	132	<16.0
F3-13	06/26/2025	10	< 0.050	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	32.0
FS-14	06/10/2025	11	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	416
FS-15	06/10/2025	11	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	288
FS-16	06/10/2025	16	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	160
FS-17	06/10/2025	10	<0.050	0.843	35.7	91.0	<10.0	127	127	<16.0
F3-17	06/26/2025	10	< 0.050	< 0.300	<10.0	<10.0	<10.0	<10.0	<10.0	16.0
FS-18	06/10/2025	8	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	16.0
FS-19	06/10/2025	6	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	96.0
FS-20	06/10/2025	2	<0.050	<0.300	<10.0	37.1	<10.0	37.1	37.1	32.0
FS-21	06/10/2025	2	<0.050	<0.300	<10.0	58.1	<10.0	58.1	58.1	16.0
FS-22	06/10/2025	2	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	<16.0
FS-23	06/10/2025	2	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	<16.0
FS-24	06/10/2025	2	<0.050	<0.300	<10.0	16.8	<10.0	16.8	16.8	32.0

Ensolum

Released to Imaging: 11/12/2025 4:31:34 PM

Received by OCD: 9/18/2025 7:41:16 AM



TABLE 1 SOIL SAMPLE ANALYTICAL RESULTS PIPELINE 1009 ENTERPRISE FIELD SERVICES, LLC LEA COUNTY, NEW MEXICO

Sample I.D.	Sample Date	Sample Depth (feet bgs)	Benzene (mg/kg)	Total BTEX (mg/kg)	TPH GRO (mg/kg)	TPH DRO (mg/kg)	TPH ORO (mg/kg)	GRO+DRO (mg/kg)	Total TPH (mg/kg)	Chloride (mg/kg)
NMOCD Table 1 (Closure Criteria ((NMAC 19.15.29)	10	50	NE	NE	NE	NE	100	600
FS-25	06/10/2025	3	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	48.0
FS-26	06/10/2025	4	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	<16.0
FS-27	06/10/2025	5	<0.050	<0.300	<10.0	16.2	<10.0	16.2	16.2	32.0
FS-28	06/10/2025	16	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	752
FS-20	06/26/2025	16	< 0.050	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	32.0
				Confirmat	ion Sidewall S	oil Samples				
SW-01	06/10/2025	0-8	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	304
SW-02	06/26/2025	0-16	<0.050	<0.300	<10.0	42.8	<10.0	42.8	42.8	64.0
SW-03	05/29/2025	0-2	<0.050	<0.300	<10.0	42.8	<10.0	42.8	42.8	32.0
SW-04	06/10/2025	0-2	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	16.0
SW-05	06/10/2025	0-2	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	16.0
SW-06	06/10/2025	0-2	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	64.0
SW-07	06/10/2025	0-4	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	32.0
SW-08	06/10/2025	0-16	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	352
SW-09	06/10/2025	0-11	<0.050	<0.300	<10.0	10.0	<10.0	10.0	10.0	528
SW-10	06/10/2025	0-11	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	80.0
SW-11	06/11/2025	0-16	<0.050	1.13	64.3	365	<10.0	429	429	304
SW-12	06/26/2025	0-11	<0.050	< 0.300	<10.0	<10.0	<10.0	<10.0	<10.0	112

Notes:

bgs: below ground surface mg/kg: milligrams per kilogram

NMOCD: New Mexico Oil Conservation Division

BTEX: Benzene, Toluene, Ethylbenzene, and Xylenes

Concentrations in **bold** exceed the NMOCD Table 1 Closure Criteria or

reclamation requirement where applicable.

GRO: Gasoline Range Organics

DRO: Diesel Range Organics

ORO: Oil Range Organics

TPH: Total Petroleum Hydrocarbon

NMAC: New Mexico Administrative Code

Grey text indicates soil sample removed during excavation activities

Ensolum

Received by OCD: 9/18/2025 7:41:16 AM



TABLE 2 BACKFILL SOIL SAMPLE ANALYTICAL RESULTS PIPELINE 1009 ENTERPRISE FIELD SERVICES, LLC LEA COUNTY, NEW MEXICO

Sample I.D.	Sample Date	Sample Depth (feet bgs)	Benzene (mg/kg)	Total BTEX (mg/kg)	TPH GRO (mg/kg)	TPH DRO (mg/kg)	TPH ORO (mg/kg)	GRO+DRO (mg/kg)	Total TPH (mg/kg)	Chloride (mg/kg)	
NMOCD Table 1 C	NMOCD Table 1 Closure Criteria (NMAC 19.15.29)			50	NE	NE	NE	NE	100	600	
	Confirmation Backfill Soil Sample										
Lea Land Backfill 07/11/2025 NA			<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	32.0	

Notes:

bgs: below ground surface mg/kg: milligrams per kilogram

NMOCD: New Mexico Oil Conservation Division

BTEX: Benzene, Toluene, Ethylbenzene, and Xylenes

Concentrations in ${\bf bold}$ exceed the NMOCD Table 1 Closure Criteria or

reclamation requirement where applicable.

GRO: Gasoline Range Organics DRO: Diesel Range Organics ORO: Oil Range Organics

TPH: Total Petroleum Hydrocarbon NMAC: New Mexico Administrative Code

Ensolum



TABLE 3 DELINEATION SOIL SAMPLE ANALYTICAL RESULTS PIPELINE 1009 ENTERPRISE FIELD SERVICES, LLC LEA COUNTY, NEW MEXICO

Sample I.D.	Sample Date	Sample Depth (feet bgs)	Benzene (mg/kg)	Total BTEX (mg/kg)	TPH GRO (mg/kg)	TPH DRO (mg/kg)	TPH ORO (mg/kg)	GRO+DRO (mg/kg)	Total TPH (mg/kg)	Chloride (mg/kg)
NMOCD Table 1 Cl	osure Criteria (NMAC 19.15.29)	10	50	NE	NE	NE	NE	100	600
				Confirmation	on Delineation S	Soil Samples				
DS-01	05/19/2025	1	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	16.0
DS-01	05/19/2025	4	< 0.050	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	32.0
DS-02	05/19/2025	1	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	32.0
DS-02	05/19/2025	4	< 0.050	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	80.0
DS-03	05/19/2025	2	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	144
DS-03	05/19/2025	4	< 0.050	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	48.0
DS-04	05/20/2025	1	<0.050	0.903	533	702	<10.0	1,235	1,235	<16.0
DS-04	05/20/2025	5	< 0.050	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	48.0
DS-05	05/20/2025	4	<1.00	154	4,040	1,500	<10.0	5,540	5,540	<16.0
DS-05	05/20/2025	10	< 0.050	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	<16.0
DS-05	05/20/2025	12	< 0.050	< 0.300	10.0	<10.0	<10.0	10.0	10.0	160
DS-06	05/20/2025	3	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	64.0
DS-06	05/20/2025	4	< 0.050	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	64.0
DS-07	05/19/2025	1	<0.050	<0.300	<10.0	108	<10.0	108	108	16.0
DS-07	05/19/2025	4	< 0.050	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	32.0
DS-08	05/20/2025	2	<0.050	< 0.300	<10.0	<10.0	<10.0	<10.0	<10.0	80.0
DS-08	05/20/2025	4	< 0.050	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	48.0
DS-09	05/20/2025	3	<0.050	< 0.300	<10.0	<10.0	<10.0	<10.0	<10.0	48.0
DS-09	05/20/2025	4	< 0.050	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	32.0
DS-10	05/27/2025	1	<0.050	< 0.300	<10.0	<10.0	<10.0	<10.0	<10.0	32.0
DS-10	05/27/2025	3	< 0.050	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	<16.0
DS-11 (Vertical)	05/27/2025	1	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	32.0
DS-11 (Vertical)	05/27/2025	6	< 0.050	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	128
OS-11 (Horizontal)	05/28/2025	1	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	912
OS-11 (Horizontal)	05/28/2025	4	< 0.050	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	1,660
DS-12	05/28/2025	2	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	736
DS-12	05/28/2025	4	< 0.050	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	480
DS-12D	05/29/2025	1	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	64.0
DS-12D	05/29/2025	2	< 0.050	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	32.0
DS-13	05/20/2025	1	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	48.0
DS-13	05/20/2025	2	< 0.050	< 0.300	<10.0	<10.0	<10.0	<10.0	<10.0	32.0

Ensolum

Released to Imaging: 11/12/2025 4:31:34 PM

ENSOLUM

TABLE 3 **DELINEATION SOIL SAMPLE ANALYTICAL RESULTS PIPELINE 1009 ENTERPRISE FIELD SERVICES, LLC LEA COUNTY, NEW MEXICO**

									Taral TDU	Oblania
Sample I.D.	Sample Date	Sample Depth (feet bgs)	Benzene (mg/kg)	Total BTEX (mg/kg)	TPH GRO (mg/kg)	TPH DRO (mg/kg)	TPH ORO (mg/kg)	GRO+DRO (mg/kg)	Total TPH (mg/kg)	Chloride (mg/kg)
NMOCD Table 1 C	losure Criteria (re Criteria (NMAC 19.15.29) 10		50	NE	NE	NE	NE	100	600
				Confirmation	on Delineation S	Soil Samples				
DS-14	05/20/2025	3	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	96.0
DS-14	05/20/2025	4	< 0.050	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	96.0
DS-15	05/28/2025	0.5	< 0.050	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	1,520
DS-15	05/20/2025	1	< 0.050	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	<16.0
DS-15	05/20/2025	2	< 0.050	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	<16.0
DS-15	05/28/2025	2	< 0.050	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	32.0
DS-16	05/28/2025	2	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	48.0
DS-16	05/28/2025	4	< 0.050	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	16.0
DS-17	05/29/2025	1	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	48.0
DS-17	05/29/2025	4	< 0.050	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	112

Notes:

bgs: below ground surface mg/kg: milligrams per kilogram

NMOCD: New Mexico Oil Conservation Division

BTEX: Benzene, Toluene, Ethylbenzene, and Xylenes

Concentrations in **bold** exceed the NMOCD Table 1 Closure Criteria or

reclamation requirement where applicable.

GRO: Gasoline Range Organics

DRO: Diesel Range Organics

ORO: Oil Range Organics

TPH: Total Petroleum Hydrocarbon

NMAC: New Mexico Administrative Code

Ensolum



APPENDIX E

Laboratory Analytical Reports & Chain-of-Custody Documentation



May 23, 2025

KELLY LOWERY

ENSOLUM

3122 NATIONAL PARKS HWY

CARLSBAD, NM 88220

RE: PIPELINE 1009

Enclosed are the results of analyses for samples received by the laboratory on 05/20/25 13:35.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C24-00112. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/ga/lab accred certif.html.

Cardinal Laboratories is accreditated through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2 Haloacetic Acids (HAA-5)
Method EPA 524.2 Total Trihalomethanes (TTHM)
Method EPA 524.4 Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

Celey D. Keine

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Lab Director/Quality Manager



05/19/2025

Soil

Analytical Results For:

ENSOLUM KELLY LOWERY 3122 NATIONAL PARKS HWY CARLSBAD NM, 88220 Fax To:

Received: 05/20/2025 Sampling Date:

Reported: 05/23/2025 Sampling Type:

Project Name: PIPELINE 1009 Sampling Condition: Cool & Intact
Project Number: 03B1226345 Sample Received By: Tamara Oldaker

Project Location: 32.464775, -103.490371

Sample ID: DS - 07 1 (H253020-01)

BTEX 8021B	mg/kg		Analyze	d By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/21/2025	ND	2.13	107	2.00	2.54	
Toluene*	<0.050	0.050	05/21/2025	ND	2.30	115	2.00	3.03	
Ethylbenzene*	<0.050	0.050	05/21/2025	ND	2.32	116	2.00	2.38	
Total Xylenes*	<0.150	0.150	05/21/2025	ND	7.18	120	6.00	2.22	
Total BTEX	<0.300	0.300	05/21/2025	ND					
Surrogate: 4-Bromofluorobenzene (PID	114	% 71.5-13	4						
Chloride, SM4500CI-B	mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	05/21/2025	ND	416	104	400	0.00	
TPH 8015M	mg,	/kg	Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/20/2025	ND	213	106	200	0.225	
DRO >C10-C28*	108	10.0	05/20/2025	ND	202	101	200	0.919	
EXT DRO >C28-C36	<10.0	10.0	05/20/2025	ND					
Surrogate: 1-Chlorooctane	95.7	% 44.4-14	5						
Surrogate: 1-Chlorooctadecane	98.0	% 40.6-15	3						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results related only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager



Analytical Results For:

ENSOLUM KELLY LOWERY 3122 NATIONAL PARKS HWY CARLSBAD NM, 88220 Fax To:

Received: 05/20/2025 Sampling Date: 05/19/2025

Reported: 05/23/2025 Sampling Type: Soil Project Name: PIPELINE 1009

Sampling Condition: Cool & Intact Sample Received By: Project Number: 03B1226345 Tamara Oldaker

Project Location: 32.464775, -103.490371

Sample ID: DS - 07 4 (H253020-02)

BTEX 8021B	mg,	'kg	Analyze	d By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/21/2025	ND	2.13	107	2.00	2.54	
Toluene*	<0.050	0.050	05/21/2025	ND	2.30	115	2.00	3.03	
Ethylbenzene*	<0.050	0.050	05/21/2025	ND	2.32	116	2.00	2.38	
Total Xylenes*	<0.150	0.150	05/21/2025	ND	7.18	120	6.00	2.22	
Total BTEX	<0.300	0.300	05/21/2025	ND					
Surrogate: 4-Bromofluorobenzene (PID	113 9	% 71.5-13	4						
Chloride, SM4500Cl-B	mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	32.0	16.0	05/21/2025	ND	416	104	400	0.00	
TPH 8015M	mg,	'kg	Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/20/2025	ND	213	106	200	0.225	
DRO >C10-C28*	<10.0	10.0	05/20/2025	ND	202	101	200	0.919	
EXT DRO >C28-C36	<10.0	10.0	05/20/2025	ND					
Surrogate: 1-Chlorooctane	96.9	% 44.4-14	5						
Surrogate: 1-Chlorooctadecane	95.4	% 40.6-15	3						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager



Analytical Results For:

ENSOLUM KELLY LOWERY 3122 NATIONAL PARKS HWY CARLSBAD NM, 88220 Fax To:

Received: 05/20/2025 Sampling Date: 05/19/2025

Reported: 05/23/2025 Sampling Type: Soil

Project Name: PIPELINE 1009 Sampling Condition: Cool & Intact
Project Number: 03B1226345 Sample Received By: Tamara Oldaker

Analyzed By: JH

Project Location: 32.464775, -103.490371

mg/kg

Sample ID: DS - 03 2 (H253020-03)

BTEX 8021B

DILX GOZID	ıııg,	ng .	Andryzo	.u Dy. 311					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/21/2025	ND	2.13	107	2.00	2.54	
Toluene*	<0.050	0.050	05/21/2025	ND	2.30	115	2.00	3.03	
Ethylbenzene*	<0.050	0.050	05/21/2025	ND	2.32	116	2.00	2.38	
Total Xylenes*	<0.150	0.150	05/21/2025	ND	7.18	120	6.00	2.22	
Total BTEX	<0.300	0.300	05/21/2025	ND					
Surrogate: 4-Bromofluorobenzene (PID	114	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyze	ed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	144	16.0	05/21/2025	ND	416	104	400	0.00	
TPH 8015M	mg,	/kg	Analyze	Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/20/2025	ND	213	106	200	0.225	
DRO >C10-C28*	<10.0	10.0	05/20/2025	ND	202	101	200	0.919	
EXT DRO >C28-C36	<10.0	10.0	05/20/2025	ND					
Surrogate: 1-Chlorooctane	86.2	% 44.4-14	5						
Surrogate: 1-Chlorooctadecane	85.3	% 40.6-15	3						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey & Keene

Celey D. Keene, Lab Director/Quality Manager



Analytical Results For:

ENSOLUM KELLY LOWERY 3122 NATIONAL PARKS HWY CARLSBAD NM, 88220 Fax To:

Received: 05/20/2025 Sampling Date: 05/19/2025

Reported: 05/23/2025 Sampling Type: Soil

Project Name: PIPELINE 1009 Sampling Condition: Cool & Intact
Project Number: 03B1226345 Sample Received By: Tamara Oldaker

Applyzod By: 14

Project Location: 32.464775, -103.490371

ma/ka

Sample ID: DS - 03 4 (H253020-04)

RTFY 8021R

BIEX 8021B	mg	^и кд	Anaiyze	а ву: ЈН					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/21/2025	ND	2.13	107	2.00	2.54	
Toluene*	<0.050	0.050	05/21/2025	ND	2.30	115	2.00	3.03	
Ethylbenzene*	<0.050	0.050	05/21/2025	ND	2.32	116	2.00	2.38	
Total Xylenes*	<0.150	0.150	05/21/2025	ND	7.18	120	6.00	2.22	
Total BTEX	<0.300	0.300	05/21/2025	ND					
Surrogate: 4-Bromofluorobenzene (PID	118	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyze	ed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	48.0	16.0	05/21/2025	ND	416	104	400	0.00	
TPH 8015M	mg,	/kg	Analyze	ed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/20/2025	ND	213	106	200	0.225	
DRO >C10-C28*	<10.0	10.0	05/20/2025	ND	202	101	200	0.919	
EXT DRO >C28-C36	<10.0	10.0	05/20/2025	ND					
Surrogate: 1-Chlorooctane	93.6	% 44.4-14	5						
Surrogate: 1-Chlorooctadecane	93.2	% 40.6-15	3						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey & Keene



Analytical Results For:

ENSOLUM KELLY LOWERY 3122 NATIONAL PARKS HWY CARLSBAD NM, 88220 Fax To:

Received: 05/20/2025 Sampling Date: 05/19/2025

Reported: 05/23/2025 Sampling Type: Soil

Project Name: PIPELINE 1009 Sampling Condition: Cool & Intact Sample Received By: Tamara Oldaker Project Number: 03B1226345

Project Location: 32.464775, -103.490371

Sample ID: DS - 02 1 (H253020-05)

BTEX 8021B	mg/	/kg	Analyze	d By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/21/2025	ND	2.13	107	2.00	2.54	
Toluene*	<0.050	0.050	05/21/2025	ND	2.30	115	2.00	3.03	
Ethylbenzene*	<0.050	0.050	05/21/2025	ND	2.32	116	2.00	2.38	
Total Xylenes*	<0.150	0.150	05/21/2025	ND	7.18	120	6.00	2.22	
Total BTEX	<0.300	0.300	05/21/2025	ND					
Surrogate: 4-Bromofluorobenzene (PID	116 9	% 71.5-13	4						
Chloride, SM4500CI-B	mg/	'kg	Analyze	d By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	32.0	16.0	05/21/2025	ND	416	104	400	0.00	
TPH 8015M	mg/	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/20/2025	ND	213	106	200	0.225	
DRO >C10-C28*	<10.0	10.0	05/20/2025	ND	202	101	200	0.919	
EXT DRO >C28-C36	<10.0	10.0	05/20/2025	ND					
Surrogate: 1-Chlorooctane	97.8	% 44.4-14	5						
Surrogate: 1-Chlorooctadecane	97.6	% 40.6-15	3						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

ENSOLUM KELLY LOWERY 3122 NATIONAL PARKS HWY CARLSBAD NM, 88220 Fax To:

Received: 05/20/2025 Sampling Date: 05/19/2025

Reported: 05/23/2025 Sampling Type: Soil

Project Name: PIPELINE 1009 Sampling Condition: Cool & Intact
Project Number: 03B1226345 Sample Received By: Tamara Oldaker

Project Location: 32.464775, -103.490371

Sample ID: DS - 02 4 (H253020-06)

BTEX 8021B	mg	/kg	Analyze	ed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/21/2025	ND	2.13	107	2.00	2.54	
Toluene*	<0.050	0.050	05/21/2025	ND	2.30	115	2.00	3.03	
Ethylbenzene*	< 0.050	0.050	05/21/2025	ND	2.32	116	2.00	2.38	
Total Xylenes*	<0.150	0.150	05/21/2025	ND	7.18	120	6.00	2.22	
Total BTEX	<0.300	0.300	05/21/2025	ND					
Surrogate: 4-Bromofluorobenzene (PID	115	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyze	ed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	80.0	16.0	05/21/2025	ND	416	104	400	0.00	
TPH 8015M	mg,	/kg	Analyze	ed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/20/2025	ND	213	106	200	0.225	
DRO >C10-C28*	<10.0	10.0	05/20/2025	ND	202	101	200	0.919	
EXT DRO >C28-C36	<10.0	10.0	05/20/2025	ND					
Surrogate: 1-Chlorooctane	99.7	% 44.4-14	25						
Surrogate: 1-Chlorooctadecane	97.7	% 40.6-15	3						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results related only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keine



Analytical Results For:

ENSOLUM KELLY LOWERY 3122 NATIONAL PARKS HWY CARLSBAD NM, 88220 Fax To:

Received: 05/20/2025 Sampling Date: 05/19/2025

Reported: 05/23/2025 Sampling Type: Soil

Project Name: PIPELINE 1009 Sampling Condition: Cool & Intact
Project Number: 03B1226345 Sample Received By: Tamara Oldaker

Project Location: 32.464775, -103.490371

Sample ID: DS - 01 1 (H253020-07)

BTEX 8021B	mg	/kg	Analyze	ed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/21/2025	ND	2.11	106	2.00	5.11	
Toluene*	<0.050	0.050	05/21/2025	ND	2.05	103	2.00	3.19	
Ethylbenzene*	<0.050	0.050	05/21/2025	ND	2.09	104	2.00	3.92	
Total Xylenes*	<0.150	0.150	05/21/2025	ND	6.43	107	6.00	1.45	
Total BTEX	<0.300	0.300	05/21/2025	ND					
Surrogate: 4-Bromofluorobenzene (PID	110	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyze	ed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	05/21/2025	ND	416	104	400	0.00	
TPH 8015M	mg	/kg	Analyze	ed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/20/2025	ND	213	106	200	0.225	
DRO >C10-C28*	<10.0	10.0	05/20/2025	ND	202	101	200	0.919	
EXT DRO >C28-C36	<10.0	10.0	05/20/2025	ND					
Surrogate: 1-Chlorooctane	86.3	% 44.4-14	25						
Surrogate: 1-Chlorooctadecane	83.7	% 40.6-15	3						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results related only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

ENSOLUM KELLY LOWERY 3122 NATIONAL PARKS HWY CARLSBAD NM, 88220 Fax To:

Received: 05/20/2025 Sampling Date: 05/19/2025

Reported: 05/23/2025 Sampling Type: Soil

Project Name: PIPELINE 1009 Sampling Condition: Cool & Intact
Project Number: 03B1226345 Sample Received By: Tamara Oldaker

Project Location: 32.464775, -103.490371

Sample ID: DS - 01 4 (H253020-08)

BTEX 8021B	mg,	/kg	Analyze	d By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/21/2025	ND	2.11	106	2.00	5.11	
Toluene*	<0.050	0.050	05/21/2025	ND	2.05	103	2.00	3.19	
Ethylbenzene*	<0.050	0.050	05/21/2025	ND	2.09	104	2.00	3.92	
Total Xylenes*	<0.150	0.150	05/21/2025	ND	6.43	107	6.00	1.45	
Total BTEX	<0.300	0.300	05/21/2025	ND					
Surrogate: 4-Bromofluorobenzene (PID	107	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyze	d By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	32.0	16.0	05/21/2025	ND	416	104	400	0.00	
TPH 8015M	mg,	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/20/2025	ND	213	106	200	0.225	
DRO >C10-C28*	<10.0	10.0	05/20/2025	ND	202	101	200	0.919	
EXT DRO >C28-C36	<10.0	10.0	05/20/2025	ND					
Surrogate: 1-Chlorooctane	82.0	% 44.4-14	5						
Surrogate: 1-Chlorooctadecane	80.2	% 40.6-15	3						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results related only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keine



Notes and Definitions

ND Analyte NOT DETECTED at or above the reporting limit

RPD Relative Percent Difference

** Samples not received at proper temperature of 6°C or below.

*** Insufficient time to reach temperature.

- Chloride by SM4500Cl-B does not require samples be received at or below 6°C

Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results related only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST



(575) 393-2326 FAX (575) 393-2476	1575) 393-2326 FAX (575) 393-2476	1	ANALYSIS	YSIS REQUEST
Company Name: Ensolum, LLC		BILL 10		
Project Manager: Kelly Lowrey		Company: Ensolum		
Address: 3122 National Parks Hwy				
City: Carlsbad	State: NM Zip: 88220	Address:		
Phone #: 214-733-3165	Fax #:	City:		
Project #: 03B1226345	Project Owner:	State: NM Zip:		
am				
on: 32.464775,	-103.490371	Phone #:		
Mario Sarkis		Fau	G .	
۲,	MATRIX	PRESERV		
Lab I.D. Sample I.D.	(G)RAB OR (C)OMP. # CONTAINERS GROUNDWATER WASTEWATER SOIL OIL	SLUDGE OTHER: ACID/BASE: ICE / COOL OTHER: DATE	BTEX TPH Chlorides	
1 DS-07	200	- 0	,	
4 13-03	20		<	
\$ 15-02	4 6 1	,<	1040	
7 D5-01	6	< "	1056	
8 D2-01	K			
PLEASE NOTE: Liability and Damages: Cardinat's liability and Damages: Card	PLEASE NOTE: Liability and Damages. Cardina's liability and client's exclusive temedy for any claim arising whether based in contract or for, shall be limited to the amount paid by the client for the applicable pLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive temedy for any claims arising whether based in willing and received by Cardinal within 30 days after completion of the applicable places.	arising whether based in confract or tort, shall be limited to the amount paid by waived unless made in willing and received by Cardinal within 30 days after or waived unless made in willing to be so duse, or loss of profits incurred by client humans interruptions, loss of use, or loss of profits incurred by client.		
analyses. All claims including average in a service. In no event shall Cardinat be liable for incidental or affiliales or successors arising out of or related to the performance of the	nanyes. At claims including who be inable for incidental or consequental damages, including whost instance, regardless of whether such claim is based upon any of the above stated reaches of orientees arrives. In no event shall cardinal be inable for incidental or consequental damages, including whost instances regardless of whether such claim is based upon any of the above stated reaches of orientees arrives arrives arrives arrived to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reaches of orientees. All Results 3 Received By: Klowrey@ Klowrey@	ch claim is based upon any of the above stated read.	☐ Yes ☐ No ailed. Please prov m.com / msarkis@e	Add'I Phone #: ide Email address: insolum.com
Relinquished By:	Date: Received By:	me come	REMARKS:	n name in the state of the stat
Delivered By: (Circle One)	Observed Temp. C O. Sample Con	dition CHECKED BY: (Initials)	Turnaround Time: Standard	Bacteria (only) sample consum. Cool Intact Observed Temp. °C Yes Yes No Corrected Temp. °C
Sampler - UPS - bus - Chies.	C. No.	changes Please email chan	No Line Please email changes to celey.keene@cardinallabsnm.com	m.com



May 27, 2025

KELLY LOWERY

ENSOLUM

3122 NATIONAL PARKS HWY

CARLSBAD, NM 88220

RE: PIPELINE 1009

Enclosed are the results of analyses for samples received by the laboratory on 05/21/25 9:57.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C25-00101. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab accred certif.html.

Cardinal Laboratories is accreditated through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2 Haloacetic Acids (HAA-5)
Method EPA 524.2 Total Trihalomethanes (TTHM)
Method EPA 524.4 Regulated VOCs (V1, V2, V3)

Celey D. Keine

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Lab Director/Quality Manager



Analytical Results For:

ENSOLUM KELLY LOWERY 3122 NATIONAL PARKS HWY CARLSBAD NM, 88220 Fax To:

Received: 05/21/2025

Reported: 05/27/2025
Project Name: PIPELINE 1009
Project Number: 03B1226345

Project Location: 32.464775, -103.490371

Sampling Date: 05/20/2025

Sampling Type: Soil

Sampling Condition: Cool & Intact
Sample Received By: Shalyn Rodriguez

Sample ID: DS - 05 12 (H253051-01)

BTEX 8021B	mg,	'kg	Analyze	d By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/22/2025	ND	1.89	94.3	2.00	5.00	QR-03
Toluene*	0.147	0.050	05/22/2025	ND	1.83	91.4	2.00	6.10	QR-03
Ethylbenzene*	<0.050	0.050	05/22/2025	ND	1.81	90.7	2.00	6.20	QR-03
Total Xylenes*	<0.150	0.150	05/22/2025	ND	5.65	94.2	6.00	6.16	QR-03
Total BTEX	<0.300	0.300	05/22/2025	ND					
Surrogate: 4-Bromofluorobenzene (PID	108	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	'kg	Analyze	d By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	160	16.0	05/22/2025	ND	416	104	400	3.77	
TPH 8015M	mg,	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	10.0	10.0	05/22/2025	ND	207	104	200	1.76	
DRO >C10-C28*	<10.0	10.0	05/22/2025	ND	199	99.5	200	2.69	
EXT DRO >C28-C36	<10.0	10.0	05/22/2025	ND					
Surrogate: 1-Chlorooctane	99.7	% 44.4-14	5						
Surrogate: 1-Chlorooctadecane	100	% 40.6-15	3						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results related only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keine



Notes and Definitions

QR-03 The RPD value for the sample duplicate or MS/MSD was outside of QC acceptance limits due to matrix interference. QC batch accepted based on LCS and/or LCSD recovery and/or RPD values. QM-07 The spike recovery was outside acceptance limits for the MS and/or MSD. The batch was accepted based on acceptable LCS ND Analyte NOT DETECTED at or above the reporting limit **RPD** Relative Percent Difference

Samples not received at proper temperature of 6°C or below.

Insufficient time to reach temperature.

Chloride by SM4500Cl-B does not require samples be received at or below 6°C

Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celeg D. Freene

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST



101 East Marland, Hobbs, NM 88240 (575) 393-2326 FAX (575) 393-2476

Company Name: Ensolum, LLC		BILL TO	ANALYSIS REQUEST
Project Manager: Kelly Lowrey		P.O. #:	
Address: 3122 National Parks Hwy		Company: Ensolum	
City: Carlsbad	State: NM Zip: 88220	Attn:	
Phone #: 214-733-3165	Fax#:	Address:	
Project #: 03B1226345	Project Owner:	City:	
Project Name: Pipeline 1009		State: NM Zip:	
~	3,490371	Phone #:	
Sampler Name: Mario Sarkis		Fax #:	
FOR LAB USE ONLY	MATRIX	PRESERV. SAMPLING	NG
Lab I.D. Sample I.D.	(G)RAB OR (C)OMP. # CONTAINERS GROUNDWATER WASTEWATER SOIL OIL	SLUDGE OTHER: ACID/BASE: ICE / COOL OTHER:	BTEX TPH Chlorides
D5-05	_	~	106 7 7 7
LEAST NO.15: Lusting and Lustinger's various arranger manages, All claims including those for negligence and any of asservice, in no event shall Cardinal be liable for incidental or callitates or successors arising out of or related to the perform Delinguished Ruy.	be deemed waived unding without limitation, y Cardinal, regardless	less made in writing and received by Cardinal within 30 days after contouries interruptions, loss of use, or loss of profits incurred by client, so of whether such claim is based upon any of the above stand reason. By:	sys after completion of the applicable ed by client, its subsidiaries, and reasons or otherwise. Verbal Result: Yes No Add'l Phone #:
Relinquished By:	Time: 57 Stadione	Alk	emailed. Please provolum.com / msarkis@e
Relinquished By:	70		REMARKS:
Delivered By: (Circle One) Sampler - UPS - Bus - Other:	Observed Temp. *C3.3: Sample Condition Cool Intact Corrected Temp. *C3.0: Tres Yes No No	CHECKED BY: (Initials)	Turnaround Time: Standard Bacteria (only) Sample Condition 7.2 - 1.5 Rush Cool Intact Observed Temp. °C Thermometer ID #113 #113 #113 Pes Nes No Corrected Temp. °C

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

Page 4 of 4



May 27, 2025

KELLY LOWERY

ENSOLUM

3122 NATIONAL PARKS HWY

CARLSBAD, NM 88220

RE: PIPELINE 1009

Enclosed are the results of analyses for samples received by the laboratory on 05/21/25 9:57.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C25-00101. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab accred certif.html.

Cardinal Laboratories is accreditated through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2 Haloacetic Acids (HAA-5)
Method EPA 524.2 Total Trihalomethanes (TTHM)
Method EPA 524.4 Regulated VOCs (V1, V2, V3)

Celey D. Keine

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Lab Director/Quality Manager



Analytical Results For:

ENSOLUM KELLY LOWERY 3122 NATIONAL PARKS HWY CARLSBAD NM, 88220 Fax To:

Received: 05/21/2025 Reported: 05/27/2025

Project Name: PIPELINE 1009
Project Number: 03B1226345

Project Location: 32.464775, -103.490371

Sampling Date: 05/20/2025

Sampling Type: Soil

Sampling Condition: Cool & Intact
Sample Received By: Shalyn Rodriguez

Sample ID: DS - 05 4 (H253052-01)

BTEX 8021B	mg,	/kg	Analyze	d By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<1.00	1.00	05/22/2025	ND	1.89	94.3	2.00	5.00	
Toluene*	40.0	1.00	05/22/2025	ND	1.83	91.4	2.00	6.10	
Ethylbenzene*	11.3	1.00	05/22/2025	ND	1.81	90.7	2.00	6.20	
Total Xylenes*	102	3.00	05/22/2025	ND	5.65	94.2	6.00	6.16	
Total BTEX	154	6.00	05/22/2025	ND					
Surrogate: 4-Bromofluorobenzene (PID	98.5	% 71.5-13	4						
Chloride, SM4500Cl-B	mg	/kg	Analyze	d By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	05/22/2025	ND	416	104	400	3.77	
TPH 8015M	mg	/kg	Analyze	d By: MS					S-04
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	4040	10.0	05/22/2025	ND	207	104	200	1.76	
DRO >C10-C28*	1500	10.0	05/22/2025	ND	199	99.5	200	2.69	
EXT DRO >C28-C36	<10.0	10.0	05/22/2025	ND					
Surrogate: 1-Chlorooctane	168	% 44.4-14	5						
Surrogate: 1-Chlorooctadecane	115	% 40.6-15	3						

A I J D. ... 711

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey & Keene



Analytical Results For:

ENSOLUM KELLY LOWERY 3122 NATIONAL PARKS HWY CARLSBAD NM, 88220 Fax To:

Received: 05/21/2025 Sampling Date: 05/20/2025

Reported: 05/27/2025 Sampling Type: Soil
Project Name: PIPELINE 1009 Sampling Condition: Cool & Intact

Project Number: 03B1226345 Sample Received By: Shalyn Rodriguez
Project Location: 32.464775, -103.490371

Sample ID: DS - 08 2 (H253052-02)

BTEX 8021B	mg,	/kg	Analyze	ed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/22/2025	ND	1.89	94.3	2.00	5.00	
Toluene*	<0.050	0.050	05/22/2025	ND	1.83	91.4	2.00	6.10	
Ethylbenzene*	<0.050	0.050	05/22/2025	ND	1.81	90.7	2.00	6.20	
Total Xylenes*	<0.150	0.150	05/22/2025	ND	5.65	94.2	6.00	6.16	
Total BTEX	<0.300	0.300	05/22/2025	ND					
Surrogate: 4-Bromofluorobenzene (PID	110 9	% 71.5-13	4						
Chloride, SM4500Cl-B	mg,	/kg	Analyze	ed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	80.0	16.0	05/22/2025	ND	416	104	400	3.77	
TPH 8015M	mg,	/kg	Analyze	ed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/22/2025	ND	207	104	200	1.76	
DRO >C10-C28*	<10.0	10.0	05/22/2025	ND	199	99.5	200	2.69	
EXT DRO >C28-C36	<10.0	10.0	05/22/2025	ND					
Surrogate: 1-Chlorooctane	97.4	% 44.4-14	5						
Surrogate: 1-Chlorooctadecane	94.7	% 40.6-15	3						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results related only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

ENSOLUM KELLY LOWERY 3122 NATIONAL PARKS HWY CARLSBAD NM, 88220 Fax To:

Received: 05/21/2025 Reported: 05/27/2025

Project Name: PIPELINE 1009
Project Number: 03B1226345

Project Location: 32.464775, -103.490371

Sampling Date: 05/20/2025

Sampling Type: Soil

Sampling Condition: Cool & Intact
Sample Received By: Shalyn Rodriguez

Sample ID: DS - 08 4 (H253052-03)

BTEX 8021B	mg	/kg	Analyze	d By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/22/2025	ND	1.89	94.3	2.00	5.00	
Toluene*	<0.050	0.050	05/22/2025	ND	1.83	91.4	2.00	6.10	
Ethylbenzene*	<0.050	0.050	05/22/2025	ND	1.81	90.7	2.00	6.20	
Total Xylenes*	<0.150	0.150	05/22/2025	ND	5.65	94.2	6.00	6.16	
Total BTEX	<0.300	0.300	05/22/2025	ND					
Surrogate: 4-Bromofluorobenzene (PID	111 9	% 71.5-13	4						
Chloride, SM4500CI-B	mg	/kg	Analyze	d By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	48.0	16.0	05/22/2025	ND	416	104	400	3.77	
TPH 8015M	mg	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/22/2025	ND	207	104	200	1.76	
DRO >C10-C28*	<10.0	10.0	05/22/2025	ND	199	99.5	200	2.69	
EXT DRO >C28-C36	<10.0	10.0	05/22/2025	ND					
Surrogate: 1-Chlorooctane	95.0	% 44.4-14	5						
Surrogate: 1-Chlorooctadecane	95.5	% 40.6-15	3						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results related only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keine



Analytical Results For:

ENSOLUM KELLY LOWERY 3122 NATIONAL PARKS HWY CARLSBAD NM, 88220 Fax To:

Received: 05/21/2025 Sampling Date: 05/20/2025

Reported: 05/27/2025 Sampling Type: Soil

Project Name: PIPELINE 1009 Sampling Condition: Cool & Intact
Project Number: 03B1226345 Sample Received By: Shalyn Rodriguez

Analyzed By: JH

Project Location: 32.464775, -103.490371

mg/kg

Sample ID: DS - 09 3 (H253052-04)

BTEX 8021B

DIEX GOZID	11197	K9	Alldiyzo	.u by. 511					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/22/2025	ND	1.89	94.3	2.00	5.00	
Toluene*	<0.050	0.050	05/22/2025	ND	1.83	91.4	2.00	6.10	
Ethylbenzene*	<0.050	0.050	05/22/2025	ND	1.81	90.7	2.00	6.20	
Total Xylenes*	<0.150	0.150	05/22/2025	ND	5.65	94.2	6.00	6.16	
Total BTEX	<0.300	0.300	05/22/2025	ND					
Surrogate: 4-Bromofluorobenzene (PID	104	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	'kg	Analyze	ed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	48.0	16.0	05/22/2025	ND	416	104	400	3.77	
TPH 8015M	mg,	'kg	Analyze	ed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/22/2025	ND	223	111	200	30.7	
DRO >C10-C28*	<10.0	10.0	05/22/2025	ND	182	91.0	200	13.1	
EXT DRO >C28-C36	<10.0	10.0	05/22/2025	ND					
Surrogate: 1-Chlorooctane	56.8	% 44.4-14	5						
Surrogate: 1-Chlorooctadecane	54.8	% 40.6-15	3						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results related only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

ENSOLUM KELLY LOWERY 3122 NATIONAL PARKS HWY CARLSBAD NM, 88220 Fax To:

Received: 05/21/2025 Sampling Date: 05/20/2025 Reported: 05/27/2025 Sampling Type: Soil

Project Name: PIPELINE 1009 Sampling Condition: Cool & Intact
Project Number: 03B1226345 Sample Received By: Shalyn Rodriguez

Project Location: 32.464775, -103.490371

Sample ID: DS - 09 4 (H253052-05)

BTEX 8021B	mg	/kg	Analyze	ed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/22/2025	ND	1.89	94.3	2.00	5.00	
Toluene*	<0.050	0.050	05/22/2025	ND	1.83	91.4	2.00	6.10	
Ethylbenzene*	<0.050	0.050	05/22/2025	ND	1.81	90.7	2.00	6.20	
Total Xylenes*	<0.150	0.150	05/22/2025	ND	5.65	94.2	6.00	6.16	
Total BTEX	<0.300	0.300	05/22/2025	ND					
Surrogate: 4-Bromofluorobenzene (PID	105	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	32.0	16.0	05/23/2025	ND	432	108	400	0.00	
TPH 8015M	mg,	/kg	Analyze	ed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/22/2025	ND	223	111	200	30.7	
DRO >C10-C28*	<10.0	10.0	05/22/2025	ND	182	91.0	200	13.1	
EXT DRO >C28-C36	<10.0	10.0	05/22/2025	ND					
Surrogate: 1-Chlorooctane	46.1	% 44.4-14	75						
Surrogate: 1-Chlorooctadecane	44.1	% 40.6-15	3						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results related only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keine



Analytical Results For:

ENSOLUM KELLY LOWERY 3122 NATIONAL PARKS HWY CARLSBAD NM, 88220 Fax To:

Received: 05/21/2025 Sampling Date: 05/20/2025

Reported: 05/27/2025 Sampling Type: Soil

Project Name: PIPELINE 1009 Sampling Condition: Cool & Intact
Project Number: 03B1226345 Sample Received By: Shalyn Rodriguez

Project Location: 32.464775, -103.490371

Sample ID: DS - 05 10 (H253052-06)

BTEX 8021B	mg	/kg	Analyze	d By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/22/2025	ND	1.89	94.3	2.00	5.00	
Toluene*	<0.050	0.050	05/22/2025	ND	1.83	91.4	2.00	6.10	
Ethylbenzene*	<0.050	0.050	05/22/2025	ND	1.81	90.7	2.00	6.20	
Total Xylenes*	<0.150	0.150	05/22/2025	ND	5.65	94.2	6.00	6.16	
Total BTEX	<0.300	0.300	05/22/2025	ND					
Surrogate: 4-Bromofluorobenzene (PID	110	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	05/23/2025	ND	432	108	400	0.00	
TPH 8015M	mg	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/22/2025	ND	223	111	200	30.7	
DRO >C10-C28*	<10.0	10.0	05/22/2025	ND	182	91.0	200	13.1	
EXT DRO >C28-C36	<10.0	10.0	05/22/2025	ND					
Surrogate: 1-Chlorooctane	109	% 44.4-14	15						
Surrogate: 1-Chlorooctadecane	108	% 40.6-15	3						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

ENSOLUM KELLY LOWERY 3122 NATIONAL PARKS HWY CARLSBAD NM, 88220 Fax To:

Received: 05/21/2025 Sampling Date: 05/20/2025

Reported: 05/27/2025 Sampling Type: Soil

Project Name: PIPELINE 1009 Sampling Condition: Cool & Intact Sample Received By: Shalyn Rodriguez Project Number: 03B1226345

Project Location: 32.464775, -103.490371

Sample ID: DS - 06 3 (H253052-07)

BTEX 8021B	mg/	'kg	Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/22/2025	ND	1.89	94.3	2.00	5.00	
Toluene*	<0.050	0.050	05/22/2025	ND	1.83	91.4	2.00	6.10	
Ethylbenzene*	<0.050	0.050	05/22/2025	ND	1.81	90.7	2.00	6.20	
Total Xylenes*	<0.150	0.150	05/22/2025	ND	5.65	94.2	6.00	6.16	
Total BTEX	<0.300	0.300	05/22/2025	ND					
Surrogate: 4-Bromofluorobenzene (PID	111 9	% 71.5-13	4						
Chloride, SM4500CI-B	mg/	'kg	Analyze	d By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	64.0	16.0	05/23/2025	ND	432	108	400	0.00	
TPH 8015M	mg/	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/22/2025	ND	223	111	200	30.7	
DRO >C10-C28*	<10.0	10.0	05/22/2025	ND	182	91.0	200	13.1	
EXT DRO >C28-C36	<10.0	10.0	05/22/2025	ND					
Surrogate: 1-Chlorooctane	99.6	% 44.4-14	5						
Surrogate: 1-Chlorooctadecane	96.5	% 40.6-15	3						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

ENSOLUM KELLY LOWERY 3122 NATIONAL PARKS HWY CARLSBAD NM, 88220 Fax To:

Received: 05/21/2025 Sampling Date: 05/20/2025

Reported: 05/27/2025 Sampling Type: Soil

Project Name: PIPELINE 1009 Sampling Condition: Cool & Intact
Project Number: 03B1226345 Sample Received By: Shalyn Rodriguez

Project Location: 32.464775, -103.490371

Sample ID: DS - 06 4 (H253052-08)

BTEX 8021B	mg	/kg	Analyze	d By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/22/2025	ND	1.89	94.3	2.00	5.00	
Toluene*	<0.050	0.050	05/22/2025	ND	1.83	91.4	2.00	6.10	
Ethylbenzene*	< 0.050	0.050	05/22/2025	ND	1.81	90.7	2.00	6.20	
Total Xylenes*	<0.150	0.150	05/22/2025	ND	5.65	94.2	6.00	6.16	
Total BTEX	<0.300	0.300	05/22/2025	ND					
Surrogate: 4-Bromofluorobenzene (PID	105	% 71.5-13	4						
Chloride, SM4500CI-B	mg	/kg	Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	64.0	16.0	05/23/2025	ND	432	108	400	0.00	
TPH 8015M	mg,	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/22/2025	ND	223	111	200	30.7	
DRO >C10-C28*	<10.0	10.0	05/22/2025	ND	182	91.0	200	13.1	
EXT DRO >C28-C36	<10.0	10.0	05/22/2025	ND					
Surrogate: 1-Chlorooctane	98.6	% 44.4-14	15						
Surrogate: 1-Chlorooctadecane	97.8	% 40.6-15	3						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results related only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keine



Analytical Results For:

ENSOLUM KELLY LOWERY 3122 NATIONAL PARKS HWY CARLSBAD NM, 88220 Fax To:

Received: 05/21/2025 Sampling Date: 05/20/2025

Reported: 05/27/2025 Sampling Type: Soil

Project Name: PIPELINE 1009 Sampling Condition: Cool & Intact Shalyn Rodriguez Project Number: 03B1226345 Sample Received By:

Project Location: 32.464775, -103.490371

Sample ID: DS - 14 3 (H253052-09)

BTEX 8021B	mg/	/kg	Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/22/2025	ND	1.89	94.3	2.00	5.00	
Toluene*	<0.050	0.050	05/22/2025	ND	1.83	91.4	2.00	6.10	
Ethylbenzene*	<0.050	0.050	05/22/2025	ND	1.81	90.7	2.00	6.20	
Total Xylenes*	<0.150	0.150	05/22/2025	ND	5.65	94.2	6.00	6.16	
Total BTEX	<0.300	0.300	05/22/2025	ND					
Surrogate: 4-Bromofluorobenzene (PID	109 9	% 71.5-13	4						
Chloride, SM4500Cl-B	mg/	'kg	Analyze	d By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	96.0	16.0	05/23/2025	ND	432	108	400	0.00	
TPH 8015M	mg/	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/22/2025	ND	223	111	200	30.7	
DRO >C10-C28*	<10.0	10.0	05/22/2025	ND	182	91.0	200	13.1	
EXT DRO >C28-C36	<10.0	10.0	05/22/2025	ND					
Surrogate: 1-Chlorooctane	96.9	% 44.4-14	5						
Surrogate: 1-Chlorooctadecane	93.6	% 40.6-15	3						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

ENSOLUM KELLY LOWERY 3122 NATIONAL PARKS HWY CARLSBAD NM, 88220 Fax To:

Received: 05/21/2025 Sampling Date: 05/20/2025

Reported: 05/27/2025 Sampling Type: Soil

Project Name: PIPELINE 1009 Sampling Condition: Cool & Intact
Project Number: 03B1226345 Sample Received By: Shalyn Rodriguez

Applyzod By: 14

Project Location: 32.464775, -103.490371

ma/ka

Sample ID: DS - 14 4 (H253052-10)

RTFY 8021R

BIEX 8021B	mg	/ kg	Anaiyze	а ву: ЈН					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/22/2025	ND	1.89	94.3	2.00	5.00	
Toluene*	<0.050	0.050	05/22/2025	ND	1.83	91.4	2.00	6.10	
Ethylbenzene*	<0.050	0.050	05/22/2025	ND	1.81	90.7	2.00	6.20	
Total Xylenes*	<0.150	0.150	05/22/2025	ND	5.65	94.2	6.00	6.16	
Total BTEX	<0.300	0.300	05/22/2025	ND					
Surrogate: 4-Bromofluorobenzene (PID	111	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	96.0	16.0	05/23/2025	ND	432	108	400	0.00	
TPH 8015M	mg	/kg	Analyze	ed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/22/2025	ND	223	111	200	30.7	
DRO >C10-C28*	<10.0	10.0	05/22/2025	ND	182	91.0	200	13.1	
EXT DRO >C28-C36	<10.0	10.0	05/22/2025	ND					
Surrogate: 1-Chlorooctane	101	% 44.4-14	15						
Surrogate: 1-Chlorooctadecane	97.6	% 40.6-15	3						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

ENSOLUM KELLY LOWERY 3122 NATIONAL PARKS HWY CARLSBAD NM, 88220 Fax To:

Received: 05/21/2025 Sampling Date: 05/20/2025

Reported: 05/27/2025 Sampling Type: Soil

Project Name: PIPELINE 1009 Sampling Condition: Cool & Intact
Project Number: 03B1226345 Sample Received By: Shalyn Rodriguez

Project Location: 32.464775, -103.490371

Sample ID: DS - 13 1 (H253052-11)

BTEX 8021B	mg	/kg	Analyze	d By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/22/2025	ND	1.89	94.3	2.00	5.00	
Toluene*	<0.050	0.050	05/22/2025	ND	1.83	91.4	2.00	6.10	
Ethylbenzene*	<0.050	0.050	05/22/2025	ND	1.81	90.7	2.00	6.20	
Total Xylenes*	<0.150	0.150	05/22/2025	ND	5.65	94.2	6.00	6.16	
Total BTEX	<0.300	0.300	05/22/2025	ND					
Surrogate: 4-Bromofluorobenzene (PID	113	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	48.0	16.0	05/23/2025	ND	432	108	400	0.00	
TPH 8015M	mg	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/22/2025	ND	223	111	200	30.7	
DRO >C10-C28*	<10.0	10.0	05/22/2025	ND	182	91.0	200	13.1	
EXT DRO >C28-C36	<10.0	10.0	05/22/2025	ND					
Surrogate: 1-Chlorooctane	98.3	% 44.4-14	5						
Surrogate: 1-Chlorooctadecane	95.9	% 40.6-15	3						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results related only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

ENSOLUM KELLY LOWERY 3122 NATIONAL PARKS HWY CARLSBAD NM, 88220 Fax To:

Received: 05/21/2025 Sampling Date: 05/20/2025

Reported: 05/27/2025 Sampling Type: Soil

Project Name: PIPELINE 1009 Sampling Condition: Cool & Intact
Project Number: 03B1226345 Sample Received By: Shalyn Rodriguez

Project Location: 32.464775, -103.490371

Sample ID: DS - 13 2 (H253052-12)

BTEX 8021B	mg	/kg	Analyze	d By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/22/2025	ND	1.89	94.3	2.00	5.00	
Toluene*	<0.050	0.050	05/22/2025	ND	1.83	91.4	2.00	6.10	
Ethylbenzene*	<0.050	0.050	05/22/2025	ND	1.81	90.7	2.00	6.20	
Total Xylenes*	<0.150	0.150	05/22/2025	ND	5.65	94.2	6.00	6.16	
Total BTEX	<0.300	0.300	05/22/2025	ND					
Surrogate: 4-Bromofluorobenzene (PID	117	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	32.0	16.0	05/23/2025	ND	432	108	400	0.00	
TPH 8015M	mg,	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/22/2025	ND	223	111	200	30.7	
DRO >C10-C28*	<10.0	10.0	05/22/2025	ND	182	91.0	200	13.1	
EXT DRO >C28-C36	<10.0	10.0	05/22/2025	ND					
Surrogate: 1-Chlorooctane	106	% 44.4-14	5						
Surrogate: 1-Chlorooctadecane	104	% 40.6-15	3						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey & Keene



Analytical Results For:

ENSOLUM KELLY LOWERY 3122 NATIONAL PARKS HWY CARLSBAD NM, 88220 Fax To:

Received: 05/21/2025 Sampling Date: 05/20/2025

Reported: 05/27/2025 Sampling Type: Soil

Project Name: PIPELINE 1009 Sampling Condition: Cool & Intact
Project Number: 03B1226345 Sample Received By: Shalyn Rodriguez

Project Location: 32.464775, -103.490371

Sample ID: DS - 15 1 (H253052-13)

BTEX 8021B	mg/	/kg	Analyze	d By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/22/2025	ND	1.89	94.3	2.00	5.00	
Toluene*	<0.050	0.050	05/22/2025	ND	1.83	91.4	2.00	6.10	
Ethylbenzene*	<0.050	0.050	05/22/2025	ND	1.81	90.7	2.00	6.20	
Total Xylenes*	<0.150	0.150	05/22/2025	ND	5.65	94.2	6.00	6.16	
Total BTEX	<0.300	0.300	05/22/2025	ND					
Surrogate: 4-Bromofluorobenzene (PID	112 9	% 71.5-13	4						
Chloride, SM4500Cl-B	mg/	'kg	Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	05/23/2025	ND	432	108	400	0.00	
TPH 8015M	mg/	'kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/22/2025	ND	223	111	200	30.7	
DRO >C10-C28*	<10.0	10.0	05/22/2025	ND	182	91.0	200	13.1	
EXT DRO >C28-C36	<10.0	10.0	05/22/2025	ND					
Surrogate: 1-Chlorooctane	116 9	% 44.4-14	5						
Surrogate: 1-Chlorooctadecane	115 9	% 40.6-15	3						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results related only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

ENSOLUM KELLY LOWERY 3122 NATIONAL PARKS HWY CARLSBAD NM, 88220 Fax To:

Received: 05/21/2025 Sampling Date: 05/20/2025

Reported: 05/27/2025 Sampling Type: Soil

Project Name: PIPELINE 1009 Sampling Condition: Cool & Intact Sample Received By: Shalyn Rodriguez Project Number: 03B1226345

Project Location: 32.464775, -103.490371

Sample ID: DS - 15 2 (H253052-14)

BTEX 8021B	mg/	kg	Analyze	d By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/22/2025	ND	1.89	94.3	2.00	5.00	
Toluene*	<0.050	0.050	05/22/2025	ND	1.83	91.4	2.00	6.10	
Ethylbenzene*	<0.050	0.050	05/22/2025	ND	1.81	90.7	2.00	6.20	
Total Xylenes*	<0.150	0.150	05/22/2025	ND	5.65	94.2	6.00	6.16	
Total BTEX	<0.300	0.300	05/22/2025	ND					
Surrogate: 4-Bromofluorobenzene (PID	105 9	71.5-13	4						
Chloride, SM4500CI-B	mg/	kg	Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	05/23/2025	ND	432	108	400	0.00	
TPH 8015M	mg/	kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/22/2025	ND	223	111	200	30.7	
DRO >C10-C28*	<10.0	10.0	05/22/2025	ND	182	91.0	200	13.1	
EXT DRO >C28-C36	<10.0	10.0	05/22/2025	ND					
Surrogate: 1-Chlorooctane	109 9	% 44.4-14	5						
Surrogate: 1-Chlorooctadecane	108 9	40.6-15	3						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene

C-04



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

ENSOLUM KELLY LOWERY 3122 NATIONAL PARKS HWY CARLSBAD NM, 88220 Fax To:

Received: 05/21/2025 Sampling Date: 05/20/2025

Reported: 05/27/2025 Sampling Type: Soil

Project Name: PIPELINE 1009 Sampling Condition: Cool & Intact
Project Number: 03B1226345 Sample Received By: Shalyn Rodriguez

Applyzod By: 14

Project Location: 32.464775, -103.490371

ma/ka

Sample ID: DS - 04 1 (H253052-15)

RTFY 8021R

BIEX 8021B	mg	/кд	Anaiyze	a By: JH					5-04
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/22/2025	ND	1.89	94.3	2.00	5.00	GC-NC
Toluene*	<0.050	0.050	05/22/2025	ND	1.83	91.4	2.00	6.10	GC-NC
Ethylbenzene*	<0.050	0.050	05/22/2025	ND	1.81	90.7	2.00	6.20	GC-NC
Total Xylenes*	0.903	0.150	05/22/2025	ND	5.65	94.2	6.00	6.16	GC-NC1
Total BTEX	0.903	0.300	05/22/2025	ND					GC-NC1
Surrogate: 4-Bromofluorobenzene (PID	166	% 71.5-13	4						
Chloride, SM4500Cl-B	mg	/kg	Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	05/23/2025	ND	432	108	400	0.00	
TPH 8015M	mg	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	533	10.0	05/22/2025	ND	223	111	200	30.7	
DRO >C10-C28*	702	10.0	05/22/2025	ND	182	91.0	200	13.1	
EXT DRO >C28-C36	<10.0	10.0	05/22/2025	ND					
Surrogate: 1-Chlorooctane	133	% 44.4-14	5						
Surrogate: 1-Chlorooctadecane	117	% 40.6-15	3						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results related only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Kune



Analytical Results For:

ENSOLUM KELLY LOWERY 3122 NATIONAL PARKS HWY CARLSBAD NM, 88220 Fax To:

Received: 05/21/2025 Sampling Date: 05/20/2025

Reported: 05/27/2025 Sampling Type: Soil

Project Name: PIPELINE 1009 Sampling Condition: Cool & Intact
Project Number: 03B1226345 Sample Received By: Shalyn Rodriguez

Project Location: 32.464775, -103.490371

Sample ID: DS - 04 5 (H253052-16)

BTEX 8021B	mg,	/kg	Analyze	d By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/22/2025	ND	1.89	94.3	2.00	5.00	
Toluene*	<0.050	0.050	05/22/2025	ND	1.83	91.4	2.00	6.10	
Ethylbenzene*	<0.050	0.050	05/22/2025	ND	1.81	90.7	2.00	6.20	
Total Xylenes*	<0.150	0.150	05/22/2025	ND	5.65	94.2	6.00	6.16	
Total BTEX	<0.300	0.300	05/22/2025	ND					
Surrogate: 4-Bromofluorobenzene (PID	117 9	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyze	d By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	48.0	16.0	05/23/2025	ND	432	108	400	0.00	
TPH 8015M	mg,	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/22/2025	ND	223	111	200	30.7	
DRO >C10-C28*	<10.0	10.0	05/22/2025	ND	182	91.0	200	13.1	
EXT DRO >C28-C36	<10.0	10.0	05/22/2025	ND					
Surrogate: 1-Chlorooctane	109	% 44.4-14	5						
Surrogate: 1-Chlorooctadecane	108	% 40.6-15	3						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results related only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Notes and Definitions

S-04	The surrogate recovery for this sample is outside of established control limits due to a sample matrix effect.
QR-04	The RPD for the BS/BSD was outside of historical limits.
QR-03	The RPD value for the sample duplicate or MS/MSD was outside of QC acceptance limits due to matrix interference. QC batch accepted based on LCS and/or LCSD recovery and/or RPD values.
QM-07	The spike recovery was outside acceptance limits for the MS and/or MSD. The batch was accepted based on acceptable LCS recovery.
GC-NC1	8260 confirmation analysis was performed; initial GC results were not supported by GC/MS analysis and are biased high with interfering compounds.
GC-NC	8260 confirmation analysis was performed; initial GC results were not supported by GC/MS analysis and are reported as ND.
BS-3	Blank spike recovery outside of lab established statistical limits, but still within method limits. Data is not adversely affected.
ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C
	Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits inclured by client, its subsidiaries, effiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celeg D. Freene

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

101 East Marland, Hobbs, NM 88240 (575) 393-2326 FAX (575) 393-2476

					ANA	VOID PROHIPOT
Company Name: Ensolum, LLC	Ensolum, LLC			BILL 10	ANAL	ANALTSIS REQUEST
Project Manager:	Kelly Lowrey			P.O. #:		
Address: 3122 National Parks Hwy	tional Parks Hwy			Company: Ensolum		
City: Carlsbad		State: NM	Zip: 88220	Attn:		
Phone #: 214-73	214-733-3165	Fax #:		Address:		
Project #: 03B1	03B1226345	Project Owner:	п	City:		
ame:	Pipeline 1009			State: NM Zip:		
Project Location:	32.464775, -103.490371	490371		Phone #:		
Sampler Name:	Mario Sarkis			Fax #:		
FOR LAB USE ONLY			P. MATRIX	PRESERV. SAN	SAMPLING	
Lab I.D.	Sample I.D.	Depth (feet)	(G)RAB OR (C)OMF # CONTAINERS GROUNDWATER WASTEWATER SOIL OIL	SLUDGE OTHER: ACID/BASE: ICE / COOL OTHER:	BTEX TPH Chlorides	
	DS-05	4	0-	1 5/20/25	50953 1 11	
٩	DS-08	بىد	\ 0	<	1014 1	
w	DS-08	4	0-	, \	1018	
2	DS-09	W	0	<	1034	
	200	2	20	<	\	
76	25-55	mt056-3	0		1124 / / /	
000	DS-06	Z,	0	<	1126 / / /	
2	DS-14	: 0	0	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	1/36 / / /	
PLEASE NOTE: Liability and Di analysies. All claims including th service. In no event shall Cardin	Damages. Cardinal's liability and those for negligence and any of linal be liable for incidental or or	iability and client's exclusive remedy for a and any other cause whatsoever shall be ental or consequental damages, including	Uses remedy for any claim arising whether based in contract or tort, shall be finited to the hatsoever shall be deemed waived unless made in writing and received by Cardinal within ; damages, including without limitation, business interruptions, loss of use, or loss of profits in		amount paid by the client for the 10 days after completion of the applicable roursed by client, its subsidiarities.	
Relinquished By:	linquished By:	Date: SA\-95	Date: Received By:		Verbal Result:	hone #: il address:
Relinquished By:	,	Date:	Received By:	- American	REMARKS:	
		Time:				
Delivered By: (Circle One)		Observed Temp. °C3. 3:	0 (0	dition CHECKED BY: (Turmaround Time: Standard U. 1.	Bacteria (only) Sample Condition Cool Intact Observed Temp. °C ☐ Yes ☐ Yes
Samular IIDS		J. T		3	10	J 00

oratories

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

101 East Marland, Hobbs, NM 88240 (575) 393-2326 FAX (575) 393-2476

Company Name: Ensolum, LLC		BILL TO	ANALTOIS REQUEST
Project Manager: Kelly Lowrey		P.O. #:	
Address: 3122 National Parks Hwy		Company: Ensolum	
City: Carlsbad	State: NM Zip: 88220	Attn:	
Phone #: 214-733-3165	Fax #:	Address:	
Project #: 03B1226345	Project Owner:	City:	
Project Name: Pipeline 1009		State: NM Zip:	
Project Location: 32.464775, -103.490371	190371	Phone #:	
Sampler Name: Mario Sarkis		Fax #:	
FOR LAB USE ONLY		X PRESERV. SAMPLING	
Lab I.D. Sample I.D.	(feet) (G)RAB OR (C)ON # CONTAINERS GROUNDWATER WASTEWATER SOIL OIL	SLUDGE OTHER: ACID/BASE: ICE / COOL OTHER: DATE	BTEX TPH Chlorides
11 DS-13)- -	1 5/2065 1145	777
13 DS-15	00	7	1348 V V V
14 DS-15	- e	1 1354	354 7 7 7
10 Ds-04	2- 6- 1	1 1 1/4	1402 / / /
			A S S S S S S S S S S S S S S S S S S S
PLEASE NOTE: Liability and Damages. Cardinal's liability and canalyses. All claims including those for negligence and any othe service. In no event shall Cardinal be liable for incidental or core	B 0 0	netract or toit, shall be limited to the amount paid by the ing and received by Cardinal within 30 days after completions, loss of use, or loss of profits incurred by client, its shown in the control of the control o	The client for the pplicable updates the client for the applicable to the applicable
affiliates or successors ariang out of or related to the performant Relinquished By:	Time by S 7 Spool	Received By: Vert All R kic	Verbal Result: ☐ Yes ☐ No Add'I Phone #: All Results are emailed. Please provide Email address: klowrey@ensolum.com / msarkis@ensolum.com
Relinquished By:	Date: Received By:	REN	REMARKS:
Delivered By: (Circle One) Sampler - UPS - Bus - Other:	Observed Temp. °C 3 3: Sample Condition Coorrected Temp. °C 3 (C): Observed Temp. °C 3 (C): Ob	CHECKED BY.	Turnaround Time: Standard Bacteria (only) Sample Condition 73 -h C Themometer ID 4445 #1440 Correction Factor 455°C #0-35°C No No No Corrected Temp. °C

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

Page 20 of 20



June 03, 2025

KELLY LOWERY

ENSOLUM, LLC

705 W WADLEY AVE.

MIDLAND, TX 79705

RE: PIPELINE 1009

Enclosed are the results of analyses for samples received by the laboratory on 05/29/25 13:40.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C25-00101. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab accred certif.html.

Cardinal Laboratories is accreditated through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2 Haloacetic Acids (HAA-5)
Method EPA 524.2 Total Trihalomethanes (TTHM)
Method EPA 524.4 Regulated VOCs (V1, V2, V3)

Celey D. Keine

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Lab Director/Quality Manager



Analytical Results For:

ENSOLUM, LLC KELLY LOWERY 705 W WADLEY AVE. MIDLAND TX, 79705 Fax To:

Received: 05/29/2025 Sampling Date: 05/27/2025

Reported: 06/03/2025 Sampling Type: Soil Project Name: PIPELINE 1009 Sampling Condition: Coo

Project Name: PIPELINE 1009 Sampling Condition: Cool & Intact
Project Number: 03B1226345 Sample Received By: Tamara Oldaker

A I J D. ... 711

Project Location: ENTERPRISE - EDDY CO., NM

Sample ID: DS 10 1' (H253213-01)

BTEX 8021B	mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/30/2025	ND	1.79	89.7	2.00	6.54	
Toluene*	<0.050	0.050	05/30/2025	ND	1.97	98.5	2.00	6.63	
Ethylbenzene*	<0.050	0.050	05/30/2025	ND	1.85	92.4	2.00	7.29	
Total Xylenes*	<0.150	0.150	05/30/2025	ND	5.56	92.6	6.00	7.02	
Total BTEX	<0.300	0.300	05/30/2025	ND					
Surrogate: 4-Bromofluorobenzene (PID	103	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyze	d By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	32.0	16.0	05/30/2025	ND	432	108	400	0.00	
TPH 8015M	mg,	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/30/2025	ND	189	94.4	200	1.85	
DRO >C10-C28*	<10.0	10.0	05/30/2025	ND	177	88.3	200	1.84	
EXT DRO >C28-C36	<10.0	10.0	05/30/2025	ND					
Surrogate: 1-Chlorooctane	92.8	% 44.4-14	5						
Surrogate: 1-Chlorooctadecane	83.5	% 40.6-15	3						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

ENSOLUM, LLC **KELLY LOWERY** 705 W WADLEY AVE. MIDLAND TX, 79705 Fax To:

Received: 05/29/2025 Sampling Date: 05/27/2025

Reported: 06/03/2025 Sampling Type: Soil

Project Name: PIPELINE 1009 Sampling Condition: Cool & Intact Sample Received By: Project Number: 03B1226345 Tamara Oldaker

ENTERPRISE - EDDY CO., NM Project Location:

Sample ID: DS 10 3' (H253213-02)

BTEX 8021B	mg/	'kg	Analyze	d By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/30/2025	ND	1.79	89.7	2.00	6.54	
Toluene*	<0.050	0.050	05/30/2025	ND	1.97	98.5	2.00	6.63	
Ethylbenzene*	<0.050	0.050	05/30/2025	ND	1.85	92.4	2.00	7.29	
Total Xylenes*	<0.150	0.150	05/30/2025	ND	5.56	92.6	6.00	7.02	
Total BTEX	<0.300	0.300	05/30/2025	ND					
Surrogate: 4-Bromofluorobenzene (PID	103 9	% 71.5-13	4						
Chloride, SM4500Cl-B	mg/	'kg	Analyze	d By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	05/30/2025	ND	432	108	400	0.00	
TPH 8015M	mg/	'kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/30/2025	ND	189	94.4	200	1.85	
DRO >C10-C28*	<10.0	10.0	05/30/2025	ND	177	88.3	200	1.84	
EXT DRO >C28-C36	<10.0	10.0	05/30/2025	ND					
Surrogate: 1-Chlorooctane	87.3	% 44.4-14	5						
Surrogate: 1-Chlorooctadecane	76.4	% 40.6-15	3						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

ENSOLUM, LLC KELLY LOWERY 705 W WADLEY AVE. MIDLAND TX, 79705 Fax To:

Received: 05/29/2025 Sampling Date: 05/27/2025

Reported: 06/03/2025 Sampling Type: Soil

Project Name: PIPELINE 1009 Sampling Condition: Cool & Intact
Project Number: 03B1226345 Sample Received By: Tamara Oldaker

Applyzod By: 14

Project Location: ENTERPRISE - EDDY CO., NM

ma/ka

Sample ID: DS 11 1' (H253213-03)

RTFY 8021R

B1EX 8021B	тд/кд		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/30/2025	ND	1.79	89.7	2.00	6.54	
Toluene*	<0.050	0.050	05/30/2025	ND	1.97	98.5	2.00	6.63	
Ethylbenzene*	<0.050	0.050	05/30/2025	ND	1.85	92.4	2.00	7.29	
Total Xylenes*	<0.150	0.150	05/30/2025	ND	5.56	92.6	6.00	7.02	
Total BTEX	<0.300	0.300	05/30/2025	ND					
Surrogate: 4-Bromofluorobenzene (PID	103	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyze	d By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	32.0	16.0	05/30/2025	ND	432	108	400	0.00	
TPH 8015M	mg,	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/30/2025	ND	189	94.4	200	1.85	
DRO >C10-C28*	<10.0	10.0	05/30/2025	ND	177	88.3	200	1.84	
EXT DRO >C28-C36	<10.0	10.0	05/30/2025	ND					
Surrogate: 1-Chlorooctane	99.0	% 44.4-14	5						
Surrogate: 1-Chlorooctadecane	90.0	% 40.6-15	3						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

ENSOLUM, LLC **KELLY LOWERY** 705 W WADLEY AVE. MIDLAND TX, 79705 Fax To:

Received: 05/29/2025 Sampling Date: 05/27/2025

Reported: 06/03/2025 Sampling Type: Soil

Project Name: PIPELINE 1009 Sampling Condition: Cool & Intact Sample Received By: Project Number: 03B1226345 Tamara Oldaker

ENTERPRISE - EDDY CO., NM Project Location:

Sample ID: DS 11 6' (H253213-04)

BTEX 8021B	mg/	'kg	Analyze	d By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/30/2025	ND	1.79	89.7	2.00	6.54	
Toluene*	<0.050	0.050	05/30/2025	ND	1.97	98.5	2.00	6.63	
Ethylbenzene*	<0.050	0.050	05/30/2025	ND	1.85	92.4	2.00	7.29	
Total Xylenes*	<0.150	0.150	05/30/2025	ND	5.56	92.6	6.00	7.02	
Total BTEX	<0.300	0.300	05/30/2025	ND					
Surrogate: 4-Bromofluorobenzene (PID	103 9	% 71.5-13	4						
Chloride, SM4500Cl-B	mg/	'kg	Analyze	d By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	128	16.0	05/30/2025	ND	432	108	400	0.00	
TPH 8015M	mg/	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/30/2025	ND	189	94.4	200	1.85	
DRO >C10-C28*	<10.0	10.0	05/30/2025	ND	177	88.3	200	1.84	
EXT DRO >C28-C36	<10.0	10.0	05/30/2025	ND					
Surrogate: 1-Chlorooctane	82.5	% 44.4-14	5						
Surrogate: 1-Chlorooctadecane	77.6	% 40.6-15	3						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Notes and Definitions

ND Analyte NOT DETECTED at or above the reporting limit

RPD Relative Percent Difference

** Samples not received at proper temperature of 6°C or below.

*** Insufficient time to reach temperature.

- Chloride by SM4500Cl-B does not require samples be received at or below 6°C

Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results related only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celeg D. Freene

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST



(575) 393-2326 FAX (575) 393-2476

Company Name: Ensolum, LLC Project Manager: Kelly Lowery Address: 601 N. Marienfeld St. STE 400 City: Midland Phone #: 214-733-3165 Project #: 036)1336345 Project Owner: 6-10-10166	ANALYSIS REQUEST
Project Name: WWW 1009 Project Location: 7000 (0) MM Sampler Name: WWW 1000 (0) MATRIX FOR LAB USE ONLY MATRIX	State: Zip: Phone #: 576-390-2826 Fax #: PRESERV SAMPLING
	ER : D/BASE; COOL
GROU WASTI	SLUDGO OTHER ACID/B ICE / CO OTHER OSATA 1936
160	whether based is contract or fort, shall be limited to the amount pand by the client for the
Time: Time: Time:	Received By: Re
ampler - UPS - Bus - Other: Currected Tamp. C	Standard Bacteria (only) Sample Condition (Initials) Standard Cool Intact Observed Temp. °C Corrected Temp. °C Corrected Temp. °C Corrected Temp. °C



June 03, 2025

KELLY LOWERY

ENSOLUM, LLC

705 W WADLEY AVE.

MIDLAND, TX 79705

RE: PIPELINE 1009

Enclosed are the results of analyses for samples received by the laboratory on 05/29/25 13:40.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C25-00101. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab accred certif.html.

Cardinal Laboratories is accreditated through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2 Haloacetic Acids (HAA-5)
Method EPA 524.2 Total Trihalomethanes (TTHM)
Method EPA 524.4 Regulated VOCs (V1, V2, V3)

Celey D. Keine

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Lab Director/Quality Manager



Analytical Results For:

ENSOLUM, LLC KELLY LOWERY 705 W WADLEY AVE. MIDLAND TX, 79705 Fax To:

Received: 05/29/2025 Sampling Date: 05/28/2025

Reported: 06/03/2025 Sampling Type: Soil

Project Name: PIPELINE 1009 Sampling Condition: Cool & Intact
Project Number: 03B1226345 Sample Received By: Tamara Oldaker

Applyand By 14

Project Location: ENTERPRISE - EDDY CO., NM

Sample ID: DS 11 1' (H253214-01)

DTEV 0021D

BTEX 8021B	mg,	/kg	Analyze	d By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/30/2025	ND	1.97	98.3	2.00	4.28	
Toluene*	<0.050	0.050	05/30/2025	ND	2.09	105	2.00	2.68	
Ethylbenzene*	<0.050	0.050	05/30/2025	ND	2.07	104	2.00	1.64	
Total Xylenes*	<0.150	0.150	05/30/2025	ND	6.41	107	6.00	1.58	
Total BTEX	<0.300	0.300	05/30/2025	ND					
Surrogate: 4-Bromofluorobenzene (PID	114 9	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	912	16.0	05/30/2025	ND	432	108	400	0.00	
TPH 8015M	mg,	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/30/2025	ND	204	102	200	9.58	
DRO >C10-C28*	<10.0	10.0	05/30/2025	ND	174	86.8	200	1.63	
EXT DRO >C28-C36	<10.0	10.0	05/30/2025	ND					
Surrogate: 1-Chlorooctane	92.5	% 44.4-14	5						
Surrogate: 1-Chlorooctadecane	94.6	% 40.6-15	3						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

ENSOLUM, LLC KELLY LOWERY 705 W WADLEY AVE. MIDLAND TX, 79705 Fax To:

Received: 05/29/2025 Sampling Date: 05/28/2025

Reported: 06/03/2025 Sampling Type: Soil

Project Name: PIPELINE 1009 Sampling Condition: Cool & Intact
Project Number: 03B1226345 Sample Received By: Tamara Oldaker

Analyzed By: 14

Project Location: ENTERPRISE - EDDY CO., NM

ma/ka

Sample ID: DS 11 4' (H253214-02)

RTFY 8021R

BIEX 8021B	mg	/ kg	Anaiyze	a By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/30/2025	ND	1.97	98.3	2.00	4.28	
Toluene*	<0.050	0.050	05/30/2025	ND	2.09	105	2.00	2.68	
Ethylbenzene*	<0.050	0.050	05/30/2025	ND	2.07	104	2.00	1.64	
Total Xylenes*	<0.150	0.150	05/30/2025	ND	6.41	107	6.00	1.58	
Total BTEX	<0.300	0.300	05/30/2025	ND					
Surrogate: 4-Bromofluorobenzene (PID	111	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyze	d By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	1660	16.0	05/30/2025	ND	432	108	400	0.00	
TPH 8015M	mg	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/30/2025	ND	204	102	200	9.58	
DRO >C10-C28*	<10.0	10.0	05/30/2025	ND	174	86.8	200	1.63	
EXT DRO >C28-C36	<10.0	10.0	05/30/2025	ND					
Surrogate: 1-Chlorooctane	95.9	% 44.4-14	5						
Surrogate: 1-Chlorooctadecane	99.2	% 40.6-15	3						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results related only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keine



Analytical Results For:

ENSOLUM, LLC KELLY LOWERY 705 W WADLEY AVE. MIDLAND TX, 79705 Fax To:

Received: 05/29/2025 Sampling Date: 05/28/2025

Reported: 06/03/2025 Sampling Type: Soil

Project Name: PIPELINE 1009 Sampling Condition: Cool & Intact
Project Number: 03B1226345 Sample Received By: Tamara Oldaker

Project Location: ENTERPRISE - EDDY CO., NM

Sample ID: DS 12 2' (H253214-03)

BTEX 8021B	mg	/kg	Analyze	d By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/30/2025	ND	1.97	98.3	2.00	4.28	
Toluene*	<0.050	0.050	05/30/2025	ND	2.09	105	2.00	2.68	
Ethylbenzene*	<0.050	0.050	05/30/2025	ND	2.07	104	2.00	1.64	
Total Xylenes*	<0.150	0.150	05/30/2025	ND	6.41	107	6.00	1.58	
Total BTEX	<0.300	0.300	05/30/2025	ND					
Surrogate: 4-Bromofluorobenzene (PID	115	% 71.5-13	4						
Chloride, SM4500CI-B	mg	/kg	Analyze	d By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	736	16.0	05/30/2025	ND	432	108	400	0.00	
TPH 8015M	mg	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/30/2025	ND	204	102	200	9.58	
DRO >C10-C28*	<10.0	10.0	05/30/2025	ND	174	86.8	200	1.63	
EXT DRO >C28-C36	<10.0	10.0	05/30/2025	ND					
Surrogate: 1-Chlorooctane	90.1	% 44.4-14	15						
Surrogate: 1-Chlorooctadecane	91.5	% 40.6-15	3						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keine



Analytical Results For:

ENSOLUM, LLC KELLY LOWERY 705 W WADLEY AVE. MIDLAND TX, 79705 Fax To:

Received: 05/29/2025 Sampling Date: 05/28/2025

Reported: 06/03/2025 Sampling Type: Soil

Project Name: PIPELINE 1009 Sampling Condition: Cool & Intact
Project Number: 03B1226345 Sample Received By: Tamara Oldaker

Analyzed By: 14

Project Location: ENTERPRISE - EDDY CO., NM

ma/ka

Sample ID: DS 12 4' (H253214-04)

RTFY 8021R

BIEX 8021B	mg	/кд	Anaiyze	a By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/30/2025	ND	1.97	98.3	2.00	4.28	
Toluene*	<0.050	0.050	05/30/2025	ND	2.09	105	2.00	2.68	
Ethylbenzene*	<0.050	0.050	05/30/2025	ND	2.07	104	2.00	1.64	
Total Xylenes*	<0.150	0.150	05/30/2025	ND	6.41	107	6.00	1.58	
Total BTEX	<0.300	0.300	05/30/2025	ND					
Surrogate: 4-Bromofluorobenzene (PID	113	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyze	d By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	480	16.0	05/30/2025	ND	432	108	400	0.00	
TPH 8015M	mg	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/30/2025	ND	204	102	200	9.58	
DRO >C10-C28*	<10.0	10.0	05/30/2025	ND	174	86.8	200	1.63	
EXT DRO >C28-C36	<10.0	10.0	05/30/2025	ND					
Surrogate: 1-Chlorooctane	93.6	% 44.4-14	5						
Surrogate: 1-Chlorooctadecane	96.3	% 40.6-15	3						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

ENSOLUM, LLC KELLY LOWERY 705 W WADLEY AVE. MIDLAND TX, 79705 Fax To:

Received: 05/29/2025 Sampling Date: 05/28/2025

Reported: 06/03/2025 Sampling Type: Soil

Project Name: PIPELINE 1009 Sampling Condition: Cool & Intact
Project Number: 03B1226345 Sample Received By: Tamara Oldaker

Applyzod By: 14

Project Location: ENTERPRISE - EDDY CO., NM

ma/ka

Sample ID: DS 15 0.5' (H253214-05)

RTFY 8021R

BIEX 8021B	mg	/кд	Anaiyze	a By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/30/2025	ND	1.97	98.3	2.00	4.28	
Toluene*	<0.050	0.050	05/30/2025	ND	2.09	105	2.00	2.68	
Ethylbenzene*	<0.050	0.050	05/30/2025	ND	2.07	104	2.00	1.64	
Total Xylenes*	<0.150	0.150	05/30/2025	ND	6.41	107	6.00	1.58	
Total BTEX	<0.300	0.300	05/30/2025	ND					
Surrogate: 4-Bromofluorobenzene (PID	113	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyze	d By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	1520	16.0	05/30/2025	ND	432	108	400	0.00	
TPH 8015M	mg,	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/30/2025	ND	204	102	200	9.58	
DRO >C10-C28*	<10.0	10.0	05/30/2025	ND	174	86.8	200	1.63	
EXT DRO >C28-C36	<10.0	10.0	05/30/2025	ND					
Surrogate: 1-Chlorooctane	90.7	% 44.4-14	5						
Surrogate: 1-Chlorooctadecane	93.7	% 40.6-15	3						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results related only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keine



Analytical Results For:

ENSOLUM, LLC **KELLY LOWERY** 705 W WADLEY AVE. MIDLAND TX, 79705 Fax To:

Received: 05/29/2025 Sampling Date: 05/28/2025

Reported: 06/03/2025 Sampling Type: Soil

Project Name: PIPELINE 1009 Sampling Condition: Cool & Intact Sample Received By: Project Number: 03B1226345 Tamara Oldaker

ENTERPRISE - EDDY CO., NM Project Location:

Sample ID: DS 15 2' (H253214-06)

BTEX 8021B	mg/	'kg	Analyze	d By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/30/2025	ND	1.97	98.3	2.00	4.28	
Toluene*	<0.050	0.050	05/30/2025	ND	2.09	105	2.00	2.68	
Ethylbenzene*	<0.050	0.050	05/30/2025	ND	2.07	104	2.00	1.64	
Total Xylenes*	<0.150	0.150	05/30/2025	ND	6.41	107	6.00	1.58	
Total BTEX	<0.300	0.300	05/30/2025	ND					
Surrogate: 4-Bromofluorobenzene (PID	114 9	% 71.5-13	4						
Chloride, SM4500CI-B	mg/	/kg	Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	32.0	16.0	05/30/2025	ND	400	100	400	3.92	
TPH 8015M	mg/	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/30/2025	ND	204	102	200	9.58	
DRO >C10-C28*	<10.0	10.0	05/30/2025	ND	174	86.8	200	1.63	
EXT DRO >C28-C36	<10.0	10.0	05/30/2025	ND					
Surrogate: 1-Chlorooctane	94.9	% 44.4-14	5						
Surrogate: 1-Chlorooctadecane	97.7	% 40.6-15	3						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

ENSOLUM, LLC KELLY LOWERY 705 W WADLEY AVE. MIDLAND TX, 79705 Fax To:

Received: 05/29/2025 Sampling Date: 05/28/2025

Reported: 06/03/2025 Sampling Type: Soil

Project Name: PIPELINE 1009 Sampling Condition: Cool & Intact
Project Number: 03B1226345 Sample Received By: Tamara Oldaker

Analyzed By: 14

Project Location: ENTERPRISE - EDDY CO., NM

ma/ka

Sample ID: DS 16 2' (H253214-07)

RTFY 8021R

BIEX 8021B	mg	/ kg	Anaiyze	а ву: ЈН					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/30/2025	ND	1.97	98.3	2.00	4.28	
Toluene*	<0.050	0.050	05/30/2025	ND	2.09	105	2.00	2.68	
Ethylbenzene*	<0.050	0.050	05/30/2025	ND	2.07	104	2.00	1.64	
Total Xylenes*	<0.150	0.150	05/30/2025	ND	6.41	107	6.00	1.58	
Total BTEX	<0.300	0.300	05/30/2025	ND					
Surrogate: 4-Bromofluorobenzene (PID	113	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyze	ed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	48.0	16.0	05/30/2025	ND	400	100	400	3.92	
TPH 8015M	mg	/kg	Analyze	ed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/30/2025	ND	204	102	200	9.58	
DRO >C10-C28*	<10.0	10.0	05/30/2025	ND	174	86.8	200	1.63	
EXT DRO >C28-C36	<10.0	10.0	05/30/2025	ND					
Surrogate: 1-Chlorooctane	92.1	% 44.4-14	15						
Surrogate: 1-Chlorooctadecane	95.5	% 40.6-15	3						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results related only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celeg & Frence



Analytical Results For:

ENSOLUM, LLC KELLY LOWERY 705 W WADLEY AVE. MIDLAND TX, 79705 Fax To:

Received: 05/29/2025 Sampling Date: 05/28/2025

Reported: 06/03/2025 Sampling Type: Soil

Project Name: PIPELINE 1009 Sampling Condition: Cool & Intact
Project Number: 03B1226345 Sample Received By: Tamara Oldaker

Project Location: ENTERPRISE - EDDY CO., NM

Sample ID: DS 16 4' (H253214-08)

BTEX 8021B	mg	/kg	Analyze	d By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/30/2025	ND	1.97	98.3	2.00	4.28	
Toluene*	<0.050	0.050	05/30/2025	ND	2.09	105	2.00	2.68	
Ethylbenzene*	<0.050	0.050	05/30/2025	ND	2.07	104	2.00	1.64	
Total Xylenes*	<0.150	0.150	05/30/2025	ND	6.41	107	6.00	1.58	
Total BTEX	<0.300	0.300	05/30/2025	ND					
Surrogate: 4-Bromofluorobenzene (PID	112	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyze	d By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	05/30/2025	ND	400	100	400	3.92	
TPH 8015M	mg,	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/30/2025	ND	204	102	200	9.58	
DRO >C10-C28*	<10.0	10.0	05/30/2025	ND	174	86.8	200	1.63	
EXT DRO >C28-C36	<10.0	10.0	05/30/2025	ND					
Surrogate: 1-Chlorooctane	88.7	% 44.4-14	5						
Surrogate: 1-Chlorooctadecane	91.1	% 40.6-15	3						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results related only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keine



Notes and Definitions

ND Analyte NOT DETECTED at or above the reporting limit

RPD Relative Percent Difference

** Samples not received at proper temperature of 6°C or below.

*** Insufficient time to reach temperature.

- Chloride by SM4500Cl-B does not require samples be received at or below 6°C

Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results related only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

101 East Marland, Hobbs, NM 88240

(575) 393-2326 FAX (575) 393-2476

No	Correction Factor +0.3°C	Correction Factor +0.3°C / POV / //		
Standard Bacteria (only) Sample Condition Rush Cool Intact Observed Temp. °C Yes Yes	Turnaround Time: St	Sample Condition CHECKED BY: Cool Intact (Initials) Pres Pres	Corrected Temp. °C / 2	Jelivered By: (Circle One) ampler - UPS - Bus - Other: FORM-006 R 3.6 02/12/25
	NEWAKNO:		Time:	
Klonery @ Ensolun Com/ Kjennings (Densim. com	Klo	Received By:	Date: 340	elinquished By:
□ No Add'I Phone #:	Verbal Result:	VECENARD DA:	0	2
	of profits incurred by client, its subsidiaries, of the above stated reasons or otherwise.	including without limitation, business interruptions, loss of use, or loss of profits incurred to index by Cardinal, regardless of whether such claim is based upon any of the above stated	the performance of services hereunder by Cardinal, regardle	Mates or successors arising out of or related to the performance of services hereu Relinquished By:
	and by the otient for the	including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after community that he in-the formed the formed the community of the community	egligence and any other cause whatsoever shall be deemed wo	halyses. All claims including those for negligence.
	128/25 11/2	9		LEASE NOTE: Liability and Damagae Cauti-
t	+ +			
	12.00		216 N. C	00
	19:03		2 6	7
	3.28		250	6
	412		2000	5
	14 86 HI) (C	
The second secon	1		0511	N
	()))			
ch st	BI	# COI GROU WAST SOIL OIL SLUD OTHE ACID/I CE / C	(G)RA	H283214
ler	TE	GE R: BAS	Depth	
lde S	X	WAT ATEF	R (C	Lab I.D. S
<i>y</i>		ER		
7	SAMPLING	MATRIX PRESERV. S.		FOR DIB USE ONLY
<u></u>		Fax #:	CHILDHUDS	Sampler Name: NICOUN
X		Phone #:	(a) VIII)	Project Location: 12 WW
<u> </u>		State: Zip:	1981	Project Name: JVENIM
		mterprise city:	Project Owner:	Project #: U) J J b
		Address:)(b) Fax #:	Pnone #: (17 / 5)
		: /4/01 Attn:	State: X Zip:	City: 0. 1111 777
	M	Company: FRSIMW	THE ST SIE YOU	Address: GOT MINIO
-		P.O. #:	" CONTRACTOR OF THE PARTY OF TH	-
ANALYSIS REQUEST	70	BILL	D. O. C.	
		1	MALI	Company Name: - N Column



June 04, 2025

KELLY LOWERY

ENSOLUM, LLC

705 W WADLEY AVE.

MIDLAND, TX 79705

RE: PIPELINE 1009

Enclosed are the results of analyses for samples received by the laboratory on 05/30/25 9:12.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C25-00101. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab accred certif.html.

Cardinal Laboratories is accreditated through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2 Haloacetic Acids (HAA-5)
Method EPA 524.2 Total Trihalomethanes (TTHM)
Method EPA 524.4 Regulated VOCs (V1, V2, V3)

Celey D. Keine

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Lab Director/Quality Manager



Analytical Results For:

ENSOLUM, LLC KELLY LOWERY 705 W WADLEY AVE. MIDLAND TX, 79705 Fax To:

Received: 05/30/2025 Sampling Date: 05/29/2025

Reported: 06/04/2025 Sampling Type: Soil

Project Name: PIPELINE 1009 Sampling Condition: Cool & Intact
Project Number: 03B1226345 Sample Received By: Alyssa Parras

Applyand By 14

Project Location: ENTERPRISE - EDDY CO., NM

Sample ID: DS 17 1' (H253237-01)

DTEV 0021D

BTEX 8021B	mg/	kg	Analyze	d By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/30/2025	ND	1.97	98.3	2.00	4.28	
Toluene*	<0.050	0.050	05/30/2025	ND	2.09	105	2.00	2.68	
Ethylbenzene*	<0.050	0.050	05/30/2025	ND	2.07	104	2.00	1.64	
Total Xylenes*	<0.150	0.150	05/30/2025	ND	6.41	107	6.00	1.58	
Total BTEX	<0.300	0.300	05/30/2025	ND					
Surrogate: 4-Bromofluorobenzene (PID	112 9	% 71.5-13	4						
Chloride, SM4500CI-B	mg/	kg	Analyze	d By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	48.0	16.0	06/02/2025	ND	432	108	400	0.00	
TPH 8015M	mg/	kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/30/2025	ND	218	109	200	0.486	
DRO >C10-C28*	<10.0	10.0	05/30/2025	ND	213	106	200	1.84	
EXT DRO >C28-C36	<10.0	10.0	05/30/2025	ND					
Surrogate: 1-Chlorooctane	113 9	% 44.4-14	5						
Surrogate: 1-Chlorooctadecane	115 9	40.6-15	3						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

ENSOLUM, LLC **KELLY LOWERY** 705 W WADLEY AVE. MIDLAND TX, 79705 Fax To:

Received: 05/30/2025 Sampling Date: 05/29/2025

Reported: 06/04/2025 Sampling Type: Soil

Project Name: PIPELINE 1009 Sampling Condition: Cool & Intact Project Number: 03B1226345 Sample Received By: Alyssa Parras

ENTERPRISE - EDDY CO., NM Project Location:

Sample ID: DS 17 4' (H253237-02)

BTEX 8021B	mg/	'kg	Analyze	d By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/30/2025	ND	1.97	98.3	2.00	4.28	
Toluene*	<0.050	0.050	05/30/2025	ND	2.09	105	2.00	2.68	
Ethylbenzene*	<0.050	0.050	05/30/2025	ND	2.07	104	2.00	1.64	
Total Xylenes*	<0.150	0.150	05/30/2025	ND	6.41	107	6.00	1.58	
Total BTEX	<0.300	0.300	05/30/2025	ND					
Surrogate: 4-Bromofluorobenzene (PID	113 9	% 71.5-13	4						
Chloride, SM4500Cl-B	mg/	kg	Analyze	d By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	112	16.0	06/02/2025	ND	432	108	400	0.00	
TPH 8015M	mg/	'kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/30/2025	ND	218	109	200	0.486	
DRO >C10-C28*	<10.0	10.0	05/30/2025	ND	213	106	200	1.84	
EXT DRO >C28-C36	<10.0	10.0	05/30/2025	ND					
Surrogate: 1-Chlorooctane	106 9	% 44.4-14	5						
Surrogate: 1-Chlorooctadecane	107 9	% 40.6-15	3						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

ENSOLUM, LLC KELLY LOWERY 705 W WADLEY AVE. MIDLAND TX, 79705 Fax To:

Received: 05/30/2025 Sampling Date: 05/29/2025

Reported: 06/04/2025 Sampling Type: Soil

Project Name: PIPELINE 1009 Sampling Condition: Cool & Intact
Project Number: 03B1226345 Sample Received By: Alyssa Parras

Applyzod By: 14

Project Location: ENTERPRISE - EDDY CO., NM

Sample ID: DS 12-D 1' (H253237-03)

RTFY 8021R

BIEX 8021B	mg	/ kg	Anaiyze	a By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/30/2025	ND	1.97	98.3	2.00	4.28	
Toluene*	<0.050	0.050	05/30/2025	ND	2.09	105	2.00	2.68	
Ethylbenzene*	<0.050	0.050	05/30/2025	ND	2.07	104	2.00	1.64	
Total Xylenes*	<0.150	0.150	05/30/2025	ND	6.41	107	6.00	1.58	
Total BTEX	<0.300	0.300	05/30/2025	ND					
Surrogate: 4-Bromofluorobenzene (PID	112	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyze	d By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	64.0	16.0	06/02/2025	ND	432	108	400	0.00	
TPH 8015M	mg,	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/30/2025	ND	218	109	200	0.486	
DRO >C10-C28*	<10.0	10.0	05/30/2025	ND	213	106	200	1.84	
EXT DRO >C28-C36	<10.0	10.0	05/30/2025	ND					
Surrogate: 1-Chlorooctane	111 5	% 44.4-14	5						
Surrogate: 1-Chlorooctadecane	115	% 40.6-15	3						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results related only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

ENSOLUM, LLC **KELLY LOWERY** 705 W WADLEY AVE. MIDLAND TX, 79705 Fax To:

Received: 05/30/2025 Sampling Date: 05/29/2025

Reported: 06/04/2025 Sampling Type: Soil

Project Name: PIPELINE 1009 Sampling Condition: Cool & Intact Project Number: 03B1226345 Sample Received By: Alyssa Parras

Project Location: ENTERPRISE - EDDY CO., NM

Sample ID: DS 12-D 2' (H253237-04)

BTEX 8021B	mg/	kg	Analyze	d By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/30/2025	ND	1.97	98.3	2.00	4.28	
Toluene*	<0.050	0.050	05/30/2025	ND	2.09	105	2.00	2.68	
Ethylbenzene*	<0.050	0.050	05/30/2025	ND	2.07	104	2.00	1.64	
Total Xylenes*	<0.150	0.150	05/30/2025	ND	6.41	107	6.00	1.58	
Total BTEX	<0.300	0.300	05/30/2025	ND					
Surrogate: 4-Bromofluorobenzene (PID	112 9	6 71.5-13	4						
Chloride, SM4500CI-B	mg/	kg	Analyze	d By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	32.0	16.0	06/02/2025	ND	432	108	400	0.00	
TPH 8015M	mg/	kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/30/2025	ND	218	109	200	0.486	
DRO >C10-C28*	<10.0	10.0	05/30/2025	ND	213	106	200	1.84	
EXT DRO >C28-C36	<10.0	10.0	05/30/2025	ND					
Surrogate: 1-Chlorooctane	111 %	6 44.4-14	5						
Surrogate: 1-Chlorooctadecane	113 9	6 40.6-15	3						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

ENSOLUM, LLC **KELLY LOWERY** 705 W WADLEY AVE. MIDLAND TX, 79705 Fax To:

Received: 05/30/2025 Sampling Date: 05/29/2025

Reported: 06/04/2025 Sampling Type: Soil

Project Name: PIPELINE 1009 Sampling Condition: Cool & Intact Sample Received By: Project Number: 03B1226345 Alyssa Parras

Project Location: ENTERPRISE - EDDY CO., NM

Sample ID: SW 03 0-2' (H253237-05)

BTEX 8021B	mg/	kg	Analyze	d By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/30/2025	ND	1.97	98.3	2.00	4.28	
Toluene*	<0.050	0.050	05/30/2025	ND	2.09	105	2.00	2.68	
Ethylbenzene*	< 0.050	0.050	05/30/2025	ND	2.07	104	2.00	1.64	
Total Xylenes*	<0.150	0.150	05/30/2025	ND	6.41	107	6.00	1.58	
Total BTEX	<0.300	0.300	05/30/2025	ND					
Surrogate: 4-Bromofluorobenzene (PID	113 9	6 71.5-13	4						
Chloride, SM4500CI-B	mg/	kg	Analyze	d By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	32.0	16.0	06/02/2025	ND	432	108	400	0.00	
TPH 8015M	mg/	kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/30/2025	ND	218	109	200	0.486	
DRO >C10-C28*	42.8	10.0	05/30/2025	ND	213	106	200	1.84	
EXT DRO >C28-C36	<10.0	10.0	05/30/2025	ND					
Surrogate: 1-Chlorooctane	85.3	% 44.4-14	5						
Surrogate: 1-Chlorooctadecane	88.1	% 40.6-15	3						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keine



Analytical Results For:

ENSOLUM, LLC KELLY LOWERY 705 W WADLEY AVE. MIDLAND TX, 79705 Fax To:

Received: 05/30/2025 Sampling Date: 05/29/2025

Reported: 06/04/2025 Sampling Type: Soil

Project Name: PIPELINE 1009 Sampling Condition: Cool & Intact
Project Number: 03B1226345 Sample Received By: Alyssa Parras

Analyzed By: 14

Project Location: ENTERPRISE - EDDY CO., NM

ma/ka

Sample ID: FS 04 2' (H253237-06)

RTFY 8021R

BIEX 8021B	mg	/ kg	Anaiyze	а ву: ЈН					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/30/2025	ND	1.97	98.3	2.00	4.28	
Toluene*	<0.050	0.050	05/30/2025	ND	2.09	105	2.00	2.68	
Ethylbenzene*	<0.050	0.050	05/30/2025	ND	2.07	104	2.00	1.64	
Total Xylenes*	<0.150	0.150	05/30/2025	ND	6.41	107	6.00	1.58	
Total BTEX	<0.300	0.300	05/30/2025	ND					
Surrogate: 4-Bromofluorobenzene (PID	112	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyze	ed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	32.0	16.0	06/02/2025	ND	432	108	400	0.00	
TPH 8015M	mg	/kg	Analyze	ed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/30/2025	ND	218	109	200	0.486	
DRO >C10-C28*	<10.0	10.0	05/30/2025	ND	213	106	200	1.84	
EXT DRO >C28-C36	<10.0	10.0	05/30/2025	ND					
Surrogate: 1-Chlorooctane	103	% 44.4-14	15						
Surrogate: 1-Chlorooctadecane	104	% 40.6-15	3						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Notes and Definitions

ND Analyte NOT DETECTED at or above the reporting limit

RPD Relative Percent Difference

** Samples not received at proper temperature of 6°C or below.

*** Insufficient time to reach temperature.

- Chloride by SM4500Cl-B does not require samples be received at or below 6°C

Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results related only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celeg D. Freene

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

101 East Marland, Hobbs, NM 88240 (575) 393-2326 FAX (575) 393-2476

13		
Company Name: [5,58[WW LCC	BILL TO	ANALYSIS REQUEST
Project Manager: Lelly Lawly	P.O. #:	
6011/Mantehfold St. STE 4	(80 company: LASSIMM	
State: TX	Zip: 7970 Attn:	
(214)-733-3165 Fax#:	Address:	
	Enterallye city:	
Project Name: PIPCING 1869	State: Zip:	
	Phone #:	
Sampler Name: Willalus Christallas	Fax #:	
FOR LAB USE ONLY	MATRIX PRESERV.	SAMPLING
Lab I.D. Sample I.D. Sample	(G)RAB OR (C)OMF # CONTAINERS GROUNDWATER WASTEWATER SOIL OIL SLUDGE OTHER: ACID/BASE: ICE / COOL OTHER:	BTEX TPH Chloride
1. 0-2150 1. 4.150 1. 4.150		
5 SW13 0-2		1359
Jan Mee	0	
ges. Cardinal's liability and clie for negligence and any other of e liable for incidental or consect or related to the performance	ntis exclusive rennely for any claim arising whether based in contract or tort, shall be limited to the arrount; asset whatbower shall be deemed walved unless made in writing and received by Cardinal within 30 expured to quental damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by elsevines hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated Date: Received By:	The No.
Relinquished By:	Received By:	Verbal Result:
		Standard
Sampler - UPS - Bus - Other: Corrected Temp. °C -0.5 - 5. FORM-005 R 3.6 02/12/25	Sample Condition CHECKED BY: Cool Intact (Initials) Yes Tyes No I No	Turnaround Time: Standard Bacteria (only) Sample Condition Rush Cool Infact Observed Temp. °C Thermometer ID #140 Correction Factor +0.3°C Correction Factor +0.3°C Thermometer ID #140 Thermome



June 13, 2025

KELLY LOWERY

ENSOLUM, LLC

705 W WADLEY AVE.

MIDLAND, TX 79705

RE: PIPELINE 1009

Enclosed are the results of analyses for samples received by the laboratory on 06/11/25 10:28.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C25-00101. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab accred certif.html.

Cardinal Laboratories is accreditated through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2 Haloacetic Acids (HAA-5)
Method EPA 524.2 Total Trihalomethanes (TTHM)
Method EPA 524.4 Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

Wite Sough

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Mike Snyder For Celey D. Keene

Lab Director/Quality Manager



Analytical Results For:

ENSOLUM, LLC KELLY LOWERY 705 W WADLEY AVE. MIDLAND TX, 79705 Fax To:

Received: 06/11/2025 Reported: 06/13/2025

Project Name: PIPELINE 1009
Project Number: 03B1226345

Project Location: ENTERPRISE - EDDY CO., NM

Sampling Date: 06/10/2025

Sampling Type: Solid

Sampling Condition: Cool & Intact
Sample Received By: Alyssa Parras

Sample ID: FS 03 2 (H253469-01)

BTEX 8021B	mg,	/kg	Analyze	d By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	06/11/2025	ND	1.93	96.6	2.00	3.57	
Toluene*	<0.050	0.050	06/11/2025	ND	2.01	100	2.00	3.10	
Ethylbenzene*	<0.050	0.050	06/11/2025	ND	2.04	102	2.00	2.56	
Total Xylenes*	<0.150	0.150	06/11/2025	ND	6.18	103	6.00	2.21	
Total BTEX	<0.300	0.300	06/11/2025	ND					
Surrogate: 4-Bromofluorobenzene (PID	110 9	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyze	d By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	06/11/2025	ND	448	112	400	3.64	
TPH 8015M	mg,	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	06/11/2025	ND	196	97.9	200	5.82	
DRO >C10-C28*	<10.0	10.0	06/11/2025	ND	196	98.1	200	4.55	
EXT DRO >C28-C36	<10.0	10.0	06/11/2025	ND					
Surrogate: 1-Chlorooctane	111 9	% 44.4-14	5						
Surrogate: 1-Chlorooctadecane	111 9	% 40.6-15	3						

A I J D. ... 711

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Mile Sough



Analytical Results For:

ENSOLUM, LLC **KELLY LOWERY** 705 W WADLEY AVE. MIDLAND TX, 79705 Fax To:

Received: 06/11/2025 Reported: 06/13/2025

Project Name: PIPELINE 1009 Project Number: 03B1226345

ENTERPRISE - EDDY CO., NM Project Location:

Sampling Date: 06/10/2025

Sampling Type: Solid

Sampling Condition: Cool & Intact Sample Received By: Alyssa Parras

Sample ID: FS 05 2 (H253469-02)

BTEX 8021B	mg/	kg	Analyze	d By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	06/11/2025	ND	1.93	96.6	2.00	3.57	
Toluene*	<0.050	0.050	06/11/2025	ND	2.01	100	2.00	3.10	
Ethylbenzene*	<0.050	0.050	06/11/2025	ND	2.04	102	2.00	2.56	
Total Xylenes*	<0.150	0.150	06/11/2025	ND	6.18	103	6.00	2.21	
Total BTEX	<0.300	0.300	06/11/2025	ND					
Surrogate: 4-Bromofluorobenzene (PID	112 %	6 71.5-13	4						
Chloride, SM4500CI-B	mg/	kg	Analyze	d By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	48.0	16.0	06/11/2025	ND	448	112	400	3.64	
TPH 8015M	mg/	kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	06/11/2025	ND	192	96.0	200	2.07	
DRO >C10-C28*	<10.0	10.0	06/11/2025	ND	214	107	200	2.55	
EXT DRO >C28-C36	<10.0	10.0	06/11/2025	ND					
Surrogate: 1-Chlorooctane	114 %	6 44.4-14	5						
Surrogate: 1-Chlorooctadecane	115 %	6 40.6-15	3						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

with Sigh



Analytical Results For:

ENSOLUM, LLC **KELLY LOWERY** 705 W WADLEY AVE. MIDLAND TX, 79705 Fax To:

Received: 06/11/2025 Reported: 06/13/2025

Project Name: PIPELINE 1009 Project Number: 03B1226345

ENTERPRISE - EDDY CO., NM Project Location:

Sampling Date: 06/10/2025

Sampling Type: Solid

Sampling Condition: Cool & Intact Sample Received By: Alyssa Parras

Sample ID: FS 06 2 (H253469-03)

BTEX 8021B	mg/	kg	Analyze	d By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	06/11/2025	ND	1.93	96.6	2.00	3.57	
Toluene*	<0.050	0.050	06/11/2025	ND	2.01	100	2.00	3.10	
Ethylbenzene*	<0.050	0.050	06/11/2025	ND	2.04	102	2.00	2.56	
Total Xylenes*	<0.150	0.150	06/11/2025	ND	6.18	103	6.00	2.21	
Total BTEX	<0.300	0.300	06/11/2025	ND					
Surrogate: 4-Bromofluorobenzene (PID	112 9	% 71.5-13	4						
Chloride, SM4500Cl-B	mg/	kg	Analyze	d By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	06/11/2025	ND	448	112	400	3.64	
TPH 8015M	mg/	'kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	06/11/2025	ND	192	96.0	200	2.07	
DRO >C10-C28*	<10.0	10.0	06/11/2025	ND	214	107	200	2.55	
EXT DRO >C28-C36	<10.0	10.0	06/11/2025	ND					
Surrogate: 1-Chlorooctane	118 9	% 44.4-14	5						
Surrogate: 1-Chlorooctadecane	118 9	% 40.6-15	3						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

with Sigh



Analytical Results For:

ENSOLUM, LLC KELLY LOWERY 705 W WADLEY AVE. MIDLAND TX, 79705 Fax To:

Received: 06/11/2025 Reported: 06/13/2025

Project Name: PIPELINE 1009
Project Number: 03B1226345

Project Location: ENTERPRISE - EDDY CO., NM

Sampling Date: 06/10/2025

Sampling Type: Solid

Sampling Condition: Cool & Intact
Sample Received By: Alyssa Parras

Sample ID: FS 07 2 (H253469-04)

Analyte Result Reporting Limit Analyzed Method Blank BS Benzene* <0.050 0.050 06/11/2025 ND 1.93 Toluene* <0.050 0.050 06/11/2025 ND 2.01 Ethylbenzene* <0.050 0.050 06/11/2025 ND 2.04	% Recovery 96.6	True Value QC	RPD	Qualifier
Toluene* <0.050 0.050 06/11/2025 ND 2.01		2.00		-
			3.57	
Ethylbenzene* <0.050 0.050 06/11/2025 ND 2.04	100	2.00	3.10	
	102	2.00	2.56	
Total Xylenes* <0.150 0.150 06/11/2025 ND 6.18	103	6.00	2.21	
Total BTEX <0.300 0.300 06/11/2025 ND				
Surrogate: 4-Bromofluorobenzene (PID 111 % 71.5-134				
Chloride, SM4500Cl-B mg/kg Analyzed By: HM				
Analyte Result Reporting Limit Analyzed Method Blank BS	% Recovery	True Value QC	RPD	Qualifier
Chloride <16.0 16.0 06/11/2025 ND 448	112	400	3.64	
TPH 8015M mg/kg Analyzed By: MS				
Analyte Result Reporting Limit Analyzed Method Blank BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10* <10.0 10.0 06/11/2025 ND 192	96.0	200	2.07	
DRO >C10-C28* 20.5 10.0 06/11/2025 ND 214	107	200	2.55	
EXT DRO >C28-C36 <10.0 10.0 06/11/2025 ND				
Surrogate: 1-Chlorooctane 116 % 44.4-145				
Surrogate: 1-Chlorooctadecane 119 % 40.6-153				

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Mile Sough



Analytical Results For:

ENSOLUM, LLC **KELLY LOWERY** 705 W WADLEY AVE. MIDLAND TX, 79705 Fax To:

Received: 06/11/2025 Reported: 06/13/2025

Project Name: PIPELINE 1009 Project Number: 03B1226345

ENTERPRISE - EDDY CO., NM Project Location:

Sampling Date: 06/10/2025

Sampling Type: Solid

Sampling Condition: Cool & Intact Sample Received By: Alyssa Parras

Sample ID: FS 08 2 (H253469-05)

BTEX 8021B	mg/	kg	Analyze	d By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	06/11/2025	ND	1.93	96.6	2.00	3.57	
Toluene*	<0.050	0.050	06/11/2025	ND	2.01	100	2.00	3.10	
Ethylbenzene*	<0.050	0.050	06/11/2025	ND	2.04	102	2.00	2.56	
Total Xylenes*	<0.150	0.150	06/11/2025	ND	6.18	103	6.00	2.21	
Total BTEX	<0.300	0.300	06/11/2025	ND					
Surrogate: 4-Bromofluorobenzene (PID	113 9	71.5-13	4						
Chloride, SM4500Cl-B	mg/	kg	Analyze	d By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	32.0	16.0	06/11/2025	ND	448	112	400	3.64	
TPH 8015M	mg/	kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	06/11/2025	ND	192	96.0	200	2.07	
DRO >C10-C28*	11.8	10.0	06/11/2025	ND	214	107	200	2.55	
EXT DRO >C28-C36	<10.0	10.0	06/11/2025	ND					
Surrogate: 1-Chlorooctane	112 9	% 44.4-14	5						
Surrogate: 1-Chlorooctadecane	115 9	40.6-15	3						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

with Sigh



Analytical Results For:

ENSOLUM, LLC KELLY LOWERY 705 W WADLEY AVE. MIDLAND TX, 79705 Fax To:

Received: 06/11/2025 Reported: 06/13/2025

Project Name: PIPELINE 1009
Project Number: 03B1226345

Project Location: ENTERPRISE - EDDY CO., NM

ma/ka

Sampling Date: 06/10/2025

Sampling Type: Solid

Sampling Condition: Cool & Intact
Sample Received By: Alyssa Parras

Sample ID: FS 09 2 (H253469-06)

RTFY 8021R

BIEX 8021B	mg	/кд	Anaiyze	a By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	06/11/2025	ND	1.93	96.6	2.00	3.57	
Toluene*	<0.050	0.050	06/11/2025	ND	2.01	100	2.00	3.10	
Ethylbenzene*	<0.050	0.050	06/11/2025	ND	2.04	102	2.00	2.56	
Total Xylenes*	<0.150	0.150	06/11/2025	ND	6.18	103	6.00	2.21	
Total BTEX	<0.300	0.300	06/11/2025	ND					
Surrogate: 4-Bromofluorobenzene (PID	114	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyze	d By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	06/11/2025	ND	448	112	400	3.64	
TPH 8015M	mg	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	06/11/2025	ND	192	96.0	200	2.07	
DRO >C10-C28*	18.8	10.0	06/11/2025	ND	214	107	200	2.55	
EXT DRO >C28-C36	<10.0	10.0	06/11/2025	ND					
Surrogate: 1-Chlorooctane	135	% 44.4-14	5						
Surrogate: 1-Chlorooctadecane	138	% 40.6-15	3						

Analyzed By: 14

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Mile Sough



Analytical Results For:

ENSOLUM, LLC **KELLY LOWERY** 705 W WADLEY AVE. MIDLAND TX, 79705 Fax To:

Received: 06/11/2025 Reported: 06/13/2025

Project Name: PIPELINE 1009 Project Number: 03B1226345

ENTERPRISE - EDDY CO., NM Project Location:

Sampling Date: 06/10/2025

Sampling Type: Solid

Sampling Condition: Cool & Intact Sample Received By: Alyssa Parras

Sample ID: FS 10 2 (H253469-07)

BTEX 8021B	mg/	'kg	Analyze	d By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	06/11/2025	ND	1.93	96.6	2.00	3.57	
Toluene*	<0.050	0.050	06/11/2025	ND	2.01	100	2.00	3.10	
Ethylbenzene*	<0.050	0.050	06/11/2025	ND	2.04	102	2.00	2.56	
Total Xylenes*	<0.150	0.150	06/11/2025	ND	6.18	103	6.00	2.21	
Total BTEX	<0.300	0.300	06/11/2025	ND					
Surrogate: 4-Bromofluorobenzene (PID	110 9	% 71.5-13	4						
Chloride, SM4500Cl-B	mg/	'kg	Analyze	d By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	32.0	16.0	06/11/2025	ND	448	112	400	3.64	
TPH 8015M	mg/	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	06/11/2025	ND	192	96.0	200	2.07	
DRO >C10-C28*	14.4	10.0	06/11/2025	ND	214	107	200	2.55	
EXT DRO >C28-C36	<10.0	10.0	06/11/2025	ND					
Surrogate: 1-Chlorooctane	121 9	% 44.4-14	5						
Surrogate: 1-Chlorooctadecane	125	2% 40.6-15	3						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

with Sigh



06/10/2025

Solid

Sampling Date:

Analytical Results For:

ENSOLUM, LLC **KELLY LOWERY** 705 W WADLEY AVE. MIDLAND TX, 79705 Fax To:

Received: 06/11/2025 Reported: 06/13/2025

Sampling Type: Project Name: PIPELINE 1009 Sampling Condition: Cool & Intact Sample Received By: Project Number: 03B1226345 Alyssa Parras

Project Location: ENTERPRISE - EDDY CO., NM

Sample ID: FS 11 2 (H253469-08)

BTEX 8021B	mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	06/11/2025	ND	1.93	96.6	2.00	3.57	
Toluene*	<0.050	0.050	06/11/2025	ND	2.01	100	2.00	3.10	
Ethylbenzene*	<0.050	0.050	06/11/2025	ND	2.04	102	2.00	2.56	
Total Xylenes*	<0.150	0.150	06/11/2025	ND	6.18	103	6.00	2.21	
Total BTEX	<0.300	0.300	06/11/2025	ND					
Surrogate: 4-Bromofluorobenzene (PID	112	% 71.5-13	4						
Chloride, SM4500CI-B	mg	/kg	Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	32.0	16.0	06/11/2025	ND	448	112	400	3.64	
TPH 8015M	mg	/kg	Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	06/11/2025	ND	192	96.0	200	2.07	
DRO >C10-C28*	10.5	10.0	06/11/2025	ND	214	107	200	2.55	
EXT DRO >C28-C36	<10.0	10.0	06/11/2025	ND					
Surrogate: 1-Chlorooctane	125	% 44.4-14	5						
Surrogate: 1-Chlorooctadecane	128	% 40.6-15	3						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

with Sigh



Analytical Results For:

ENSOLUM, LLC **KELLY LOWERY** 705 W WADLEY AVE. MIDLAND TX, 79705 Fax To:

Received: 06/11/2025 Reported: 06/13/2025

Project Name: PIPELINE 1009 Project Number: 03B1226345

Project Location: ENTERPRISE - EDDY CO., NM Sampling Date: 06/10/2025

Sampling Type: Solid

Sampling Condition: Cool & Intact Sample Received By: Alyssa Parras

Sample ID: FS 12 10 (H253469-09)

BTEX 8021B	mg/	/kg	Analyze	d By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	06/11/2025	ND	1.93	96.6	2.00	3.57	
Toluene*	<0.050	0.050	06/11/2025	ND	2.01	100	2.00	3.10	
Ethylbenzene*	<0.050	0.050	06/11/2025	ND	2.04	102	2.00	2.56	
Total Xylenes*	<0.150	0.150	06/11/2025	ND	6.18	103	6.00	2.21	
Total BTEX	<0.300	0.300	06/11/2025	ND					
Surrogate: 4-Bromofluorobenzene (PID	113 9	% 71.5-13	4						
Chloride, SM4500CI-B	mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	06/11/2025	ND	448	112	400	3.64	
TPH 8015M	mg/	/kg	Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	06/11/2025	ND	192	96.0	200	2.07	
DRO >C10-C28*	16.7	10.0	06/11/2025	ND	214	107	200	2.55	
EXT DRO >C28-C36	<10.0	10.0	06/11/2025	ND					
Surrogate: 1-Chlorooctane	114 9	% 44.4-14	5						
Surrogate: 1-Chlorooctadecane	119 9	% 40.6-15	3						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

with Sigh



Analytical Results For:

ENSOLUM, LLC KELLY LOWERY 705 W WADLEY AVE. MIDLAND TX, 79705 Fax To:

Received: 06/11/2025 Reported: 06/13/2025

PIPELINE 1009

Project Number: 03B1226345
Project Location: ENTERPRISE - EDDY CO., NM

Sampling Date: 06/10/2025

Sampling Type: Solid Sampling Condition: Cool 8

Sampling Condition: Cool & Intact
Sample Received By: Alyssa Parras

Sample ID: FS 13 10 (H253469-10)

Project Name:

BTEX 8021B	mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	06/11/2025	ND	1.93	96.6	2.00	3.57	
Toluene*	<0.050	0.050	06/11/2025	ND	2.01	100	2.00	3.10	GC-NC
Ethylbenzene*	<0.050	0.050	06/11/2025	ND	2.04	102	2.00	2.56	GC-NC
Total Xylenes*	0.391	0.150	06/11/2025	ND	6.18	103	6.00	2.21	GC-NC1
Total BTEX	0.391	0.300	06/11/2025	ND					GC-NC1
Surrogate: 4-Bromofluorobenzene (PID	126	% 71.5-13	4						
Chloride, SM4500Cl-B	mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	06/11/2025	ND	448	112	400	3.64	
TPH 8015M	mg	/kg	Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	67.5	10.0	06/11/2025	ND	192	96.0	200	2.07	
DRO >C10-C28*	64.8	10.0	06/11/2025	ND	214	107	200	2.55	
EXT DRO >C28-C36	<10.0	10.0	06/11/2025	ND					
Surrogate: 1-Chlorooctane	126	% 44.4-14	15						
Surrogate: 1-Chlorooctadecane	130	% 40.6-15	3						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Mile Sough



Analytical Results For:

ENSOLUM, LLC KELLY LOWERY 705 W WADLEY AVE. MIDLAND TX, 79705 Fax To:

Received: 06/11/2025 Reported: 06/13/2025

Project Name: PIPELINE 1009
Project Number: 03B1226345

Project Location: ENTERPRISE - EDDY CO., NM

ma/ka

Sampling Date: 06/10/2025

Sampling Type: Solid

Sampling Condition: Cool & Intact
Sample Received By: Alyssa Parras

Sample ID: FS 14 11 (H253469-11)

RTFY 8021R

BIEX 8021B	тд/кд		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	06/11/2025	ND	1.93	96.6	2.00	3.57	
Toluene*	<0.050	0.050	06/11/2025	ND	2.01	100	2.00	3.10	
Ethylbenzene*	<0.050	0.050	06/11/2025	ND	2.04	102	2.00	2.56	
Total Xylenes*	<0.150	0.150	06/11/2025	ND	6.18	103	6.00	2.21	
Total BTEX	<0.300	0.300	06/11/2025	ND					
Surrogate: 4-Bromofluorobenzene (PID	111	% 71.5-13	4						
Chloride, SM4500CI-B	mg	/kg	Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	416	16.0	06/11/2025	ND	448	112	400	3.64	
TPH 8015M	mg	/kg	Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	06/11/2025	ND	192	96.0	200	2.07	
DRO >C10-C28*	<10.0	10.0	06/11/2025	ND	214	107	200	2.55	
EXT DRO >C28-C36	<10.0	10.0	06/11/2025	ND					
Surrogate: 1-Chlorooctane	103	% 44.4-14	15						
Surrogate: 1-Chlorooctadecane	108	% 40.6-15	3						

Analyzed By: 14

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Me Sough



Analytical Results For:

ENSOLUM, LLC KELLY LOWERY 705 W WADLEY AVE. MIDLAND TX, 79705 Fax To:

Received: 06/11/2025 Reported: 06/13/2025

06/13/2025 PIPELINE 1009

Project Number: 03B1226345

Project Location: ENTERPRISE

Project Location: ENTERPRISE - EDDY CO., NM

Sampling Date: 06/10/2025

Sampling Type: Solid

Sampling Condition: Cool & Intact
Sample Received By: Alyssa Parras

Sample ID: FS 15 11 (H253469-12)

Project Name:

BTEX 8021B	mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	06/11/2025	ND	1.93	96.6	2.00	3.57	
Toluene*	<0.050	0.050	06/11/2025	ND	2.01	100	2.00	3.10	
Ethylbenzene*	<0.050	0.050	06/11/2025	ND	2.04	102	2.00	2.56	
Total Xylenes*	<0.150	0.150	06/11/2025	ND	6.18	103	6.00	2.21	
Total BTEX	<0.300	0.300	06/11/2025	ND					
Surrogate: 4-Bromofluorobenzene (PID	110	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	288	16.0	06/11/2025	ND	448	112	400	3.64	
TPH 8015M	mg,	/kg	Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	06/11/2025	ND	192	96.0	200	2.07	
DRO >C10-C28*	<10.0	10.0	06/11/2025	ND	214	107	200	2.55	
EXT DRO >C28-C36	<10.0	10.0	06/11/2025	ND					
Surrogate: 1-Chlorooctane	125	% 44.4-14	15						
Surrogate: 1-Chlorooctadecane	131	% 40.6-15	3						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Me Sough



Analytical Results For:

ENSOLUM, LLC **KELLY LOWERY** 705 W WADLEY AVE. MIDLAND TX, 79705 Fax To:

Received: 06/11/2025 Reported: 06/13/2025

Project Name: PIPELINE 1009 Project Number: 03B1226345

Project Location: ENTERPRISE - EDDY CO., NM Sampling Date: 06/10/2025

Sampling Type: Solid

Sampling Condition: Cool & Intact Sample Received By: Alyssa Parras

Sample ID: FS 16 16 (H253469-13)

BTEX 8021B	mg/	'kg	Analyze	d By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	06/11/2025	ND	1.93	96.6	2.00	3.57	
Toluene*	<0.050	0.050	06/11/2025	ND	2.01	100	2.00	3.10	
Ethylbenzene*	<0.050	0.050	06/11/2025	ND	2.04	102	2.00	2.56	
Total Xylenes*	<0.150	0.150	06/11/2025	ND	6.18	103	6.00	2.21	
Total BTEX	<0.300	0.300	06/11/2025	ND					
Surrogate: 4-Bromofluorobenzene (PID	110 9	% 71.5-13	4						
Chloride, SM4500CI-B	mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	160	16.0	06/11/2025	ND	448	112	400	3.64	
TPH 8015M	mg/	/kg	Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	06/11/2025	ND	192	96.0	200	2.07	
DRO >C10-C28*	<10.0	10.0	06/11/2025	ND	214	107	200	2.55	
EXT DRO >C28-C36	<10.0	10.0	06/11/2025	ND					
Surrogate: 1-Chlorooctane	109 9	% 44.4-14	5						
Surrogate: 1-Chlorooctadecane	115 9	% 40.6-15	3						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

with Sigh



06/10/2025

Solid

Analytical Results For:

ENSOLUM, LLC KELLY LOWERY 705 W WADLEY AVE. MIDLAND TX, 79705 Fax To:

Received: 06/11/2025 Sampling Date:
Reported: 06/13/2025 Sampling Type:

Project Name: PIPELINE 1009 Sampling Condition: Cool & Intact
Project Number: 03B1226345 Sample Received By: Alyssa Parras

Project Location: ENTERPRISE - EDDY CO., NM

Sample ID: FS 17 10 (H253469-14)

BTEX 8021B	mg,	'kg	Analyze	d By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	06/11/2025	ND	1.93	96.6	2.00	3.57	
Toluene*	<0.050	0.050	06/11/2025	ND	2.01	100	2.00	3.10	GC-NC
Ethylbenzene*	<0.050	0.050	06/11/2025	ND	2.04	102	2.00	2.56	GC-NC
Total Xylenes*	0.843	0.150	06/11/2025	ND	6.18	103	6.00	2.21	GC-NC1
Total BTEX	0.843	0.300	06/11/2025	ND					GC-NC1
Surrogate: 4-Bromofluorobenzene (PID	133	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	'kg	Analyze	d By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	06/11/2025	ND	448	112	400	3.64	
TPH 8015M	mg,	'kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	35.7	10.0	06/11/2025	ND	192	96.0	200	2.07	
DRO >C10-C28*	91.0	10.0	06/11/2025	ND	214	107	200	2.55	
EXT DRO >C28-C36	<10.0	10.0	06/11/2025	ND					
Surrogate: 1-Chlorooctane	136	% 44.4-14	5						
Surrogate: 1-Chlorooctadecane	142	% 40.6-15	3						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Me Sough



Analytical Results For:

ENSOLUM, LLC **KELLY LOWERY** 705 W WADLEY AVE. MIDLAND TX, 79705 Fax To:

Received: 06/11/2025 Reported: 06/13/2025

Project Name: PIPELINE 1009 Project Number: 03B1226345

Project Location: ENTERPRISE - EDDY CO., NM Sampling Date: 06/10/2025

Sampling Type: Solid

Sampling Condition: Cool & Intact Sample Received By: Alyssa Parras

Sample ID: FS 18 8 (H253469-15)

BTEX 8021B	mg/	'kg	Analyze	d By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	06/11/2025	ND	1.93	96.6	2.00	3.57	
Toluene*	<0.050	0.050	06/11/2025	ND	2.01	100	2.00	3.10	
Ethylbenzene*	<0.050	0.050	06/11/2025	ND	2.04	102	2.00	2.56	
Total Xylenes*	<0.150	0.150	06/11/2025	ND	6.18	103	6.00	2.21	
Total BTEX	<0.300	0.300	06/11/2025	ND					
Surrogate: 4-Bromofluorobenzene (PID	114 9	% 71.5-13	4						
Chloride, SM4500CI-B	mg/	'kg	Analyze	d By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	06/11/2025	ND	448	112	400	3.64	
TPH 8015M	mg/	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	06/11/2025	ND	192	96.0	200	2.07	
DRO >C10-C28*	<10.0	10.0	06/11/2025	ND	214	107	200	2.55	
EXT DRO >C28-C36	<10.0	10.0	06/11/2025	ND					
Surrogate: 1-Chlorooctane	141 9	% 44.4-14	5						
Surrogate: 1-Chlorooctadecane	145	% 40.6-15	3						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

with Sigh



Analytical Results For:

ENSOLUM, LLC **KELLY LOWERY** 705 W WADLEY AVE. MIDLAND TX, 79705 Fax To:

Received: 06/11/2025 Reported: 06/13/2025

Project Name: PIPELINE 1009 Project Number: 03B1226345

ENTERPRISE - EDDY CO., NM Project Location:

Sampling Date: 06/10/2025

Sampling Type: Solid

Sampling Condition: Cool & Intact Sample Received By: Alyssa Parras

Sample ID: FS 19 6 (H253469-16)

BTEX 8021B	mg/	kg	Analyze	d By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	06/11/2025	ND	1.93	96.6	2.00	3.57	
Toluene*	<0.050	0.050	06/11/2025	ND	2.01	100	2.00	3.10	
Ethylbenzene*	<0.050	0.050	06/11/2025	ND	2.04	102	2.00	2.56	
Total Xylenes*	<0.150	0.150	06/11/2025	ND	6.18	103	6.00	2.21	
Total BTEX	<0.300	0.300	06/11/2025	ND					
Surrogate: 4-Bromofluorobenzene (PID	110 %	6 71.5-13	4						
Chloride, SM4500CI-B	mg/	kg	Analyze	d By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	96.0	16.0	06/11/2025	ND	448	112	400	3.64	
TPH 8015M	mg/	kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	06/11/2025	ND	192	96.0	200	2.07	
DRO >C10-C28*	<10.0	10.0	06/11/2025	ND	214	107	200	2.55	
EXT DRO >C28-C36	<10.0	10.0	06/11/2025	ND					
Surrogate: 1-Chlorooctane	133 9	6 44.4-14	5						
Surrogate: 1-Chlorooctadecane	137 9	6 40.6-15	3						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

with Sigh



06/10/2025

Sampling Date:

Analytical Results For:

ENSOLUM, LLC KELLY LOWERY 705 W WADLEY AVE. MIDLAND TX, 79705 Fax To:

Received: 06/11/2025 Reported: 06/13/2025

Reported:06/13/2025Sampling Type:SolidProject Name:PIPELINE 1009Sampling Condition:Cool & IntactProject Number:03B1226345Sample Received By:Alyssa Parras

Project Location: ENTERPRISE - EDDY CO., NM

Sample ID: FS 20 2 (H253469-17)

BTEX 8021B	mg	/kg	Analyze	d By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	06/11/2025	ND	1.93	96.6	2.00	3.57	
Toluene*	<0.050	0.050	06/11/2025	ND	2.01	100	2.00	3.10	
Ethylbenzene*	<0.050	0.050	06/11/2025	ND	2.04	102	2.00	2.56	
Total Xylenes*	<0.150	0.150	06/11/2025	ND	6.18	103	6.00	2.21	
Total BTEX	<0.300	0.300	06/11/2025	ND					
Surrogate: 4-Bromofluorobenzene (PID	110	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyze	d By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	32.0	16.0	06/11/2025	ND	432	108	400	3.64	
TPH 8015M	mg,	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	06/11/2025	ND	192	96.0	200	2.07	
DRO >C10-C28*	37.1	10.0	06/11/2025	ND	214	107	200	2.55	
EXT DRO >C28-C36	<10.0	10.0	06/11/2025	ND					
Surrogate: 1-Chlorooctane	123	% 44.4-14	5						
Surrogate: 1-Chlorooctadecane	127	% 40.6-15	3						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Mile Sough



06/10/2025

Sampling Date:

Analytical Results For:

ENSOLUM, LLC KELLY LOWERY 705 W WADLEY AVE. MIDLAND TX, 79705 Fax To:

Received: 06/11/2025 Reported: 06/13/2025

Reported:06/13/2025Sampling Type:SolidProject Name:PIPELINE 1009Sampling Condition:Cool & IntactProject Number:03B1226345Sample Received By:Alyssa Parras

Project Location: ENTERPRISE - EDDY CO., NM

Sample ID: FS 21 2 (H253469-18)

BTEX 8021B	mg,	'kg	Analyze	d By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	06/11/2025	ND	1.93	96.6	2.00	3.57	
Toluene*	<0.050	0.050	06/11/2025	ND	2.01	100	2.00	3.10	
Ethylbenzene*	<0.050	0.050	06/11/2025	ND	2.04	102	2.00	2.56	GC-NC
Total Xylenes*	<0.150	0.150	06/11/2025	ND	6.18	103	6.00	2.21	GC-NC1
Total BTEX	<0.300	0.300	06/11/2025	ND					GC-NC1
Surrogate: 4-Bromofluorobenzene (PID	116	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	'kg	Analyze	d By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	06/11/2025	ND	432	108	400	3.64	
TPH 8015M	mg,	'kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	06/11/2025	ND	192	96.0	200	2.07	
DRO >C10-C28*	58.1	10.0	06/11/2025	ND	214	107	200	2.55	
EXT DRO >C28-C36	<10.0	10.0	06/11/2025	ND					
Surrogate: 1-Chlorooctane	112 9	% 44.4-14	5						
Surrogate: 1-Chlorooctadecane	116	% 40.6-15	3						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Mile Sough



06/10/2025

Solid

Analytical Results For:

ENSOLUM, LLC KELLY LOWERY 705 W WADLEY AVE. MIDLAND TX, 79705 Fax To:

Received: 06/11/2025 Sampling Date: Reported: 06/13/2025 Sampling Type:

Project Name: PIPELINE 1009 Sampling Condition: Cool & Intact
Project Number: 03B1226345 Sample Received By: Alyssa Parras

Project Location: ENTERPRISE - EDDY CO., NM

Sample ID: FS 22 2 (H253469-19)

BTEX 8021B	mg	/kg	Analyze	d By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	06/11/2025	ND	1.93	96.6	2.00	3.57	
Toluene*	<0.050	0.050	06/11/2025	ND	2.01	100	2.00	3.10	
Ethylbenzene*	<0.050	0.050	06/11/2025	ND	2.04	102	2.00	2.56	
Total Xylenes*	<0.150	0.150	06/11/2025	ND	6.18	103	6.00	2.21	
Total BTEX	<0.300	0.300	06/11/2025	ND					
Surrogate: 4-Bromofluorobenzene (PID	113	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyze	d By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	06/11/2025	ND	432	108	400	3.64	
TPH 8015M	mg,	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	06/11/2025	ND	192	96.0	200	2.07	
DRO >C10-C28*	<10.0	10.0	06/11/2025	ND	214	107	200	2.55	
EXT DRO >C28-C36	<10.0	10.0	06/11/2025	ND					
Surrogate: 1-Chlorooctane	103	% 44.4-14	5						
Surrogate: 1-Chlorooctadecane	103	% 40.6-15	3						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Me Sough



Analytical Results For:

ENSOLUM, LLC KELLY LOWERY 705 W WADLEY AVE. MIDLAND TX, 79705 Fax To:

 Received:
 06/11/2025
 Sampling Date:
 06/10/2025

 Reported:
 06/13/2025
 Sampling Type:
 Solid

Project Name: PIPELINE 1009 Sampling Condition: Cool & Intact
Project Number: 03B1226345 Sample Received By: Alyssa Parras

Project Location: ENTERPRISE - EDDY CO., NM

Sample ID: FS 23 2 (H253469-20)

BTEX 8021B	mg	/kg	Analyze	ed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	06/11/2025	ND	1.93	96.6	2.00	3.57	
Toluene*	<0.050	0.050	06/11/2025	ND	2.01	100	2.00	3.10	
Ethylbenzene*	<0.050	0.050	06/11/2025	ND	2.04	102	2.00	2.56	
Total Xylenes*	<0.150	0.150	06/11/2025	ND	6.18	103	6.00	2.21	
Total BTEX	<0.300	0.300	06/11/2025	ND					
Surrogate: 4-Bromofluorobenzene (PID	112	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyze	ed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	06/11/2025	ND	432	108	400	3.64	
TPH 8015M	mg	/kg	Analyze	ed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	06/11/2025	ND	192	96.0	200	2.07	
DRO >C10-C28*	<10.0	10.0	06/11/2025	ND	214	107	200	2.55	
EXT DRO >C28-C36	<10.0	10.0	06/11/2025	ND					
Surrogate: 1-Chlorooctane	108	% 44.4-14	5						
Surrogate: 1-Chlorooctadecane	108	% 40.6-15	3						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Me Sough



Analytical Results For:

ENSOLUM, LLC **KELLY LOWERY** 705 W WADLEY AVE. MIDLAND TX, 79705 Fax To:

Received: 06/11/2025 Reported: 06/13/2025

Project Name: PIPELINE 1009 Project Number: 03B1226345

ENTERPRISE - EDDY CO., NM Project Location:

Sampling Date: 06/10/2025

Sampling Type: Solid

Sampling Condition: Cool & Intact Sample Received By: Alyssa Parras

Sample ID: FS 24 2 (H253469-21)

BTEX 8021B	mg/	/kg	Analyze	d By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	06/11/2025	ND	1.80	90.2	2.00	4.17	
Toluene*	<0.050	0.050	06/11/2025	ND	1.83	91.6	2.00	3.93	
Ethylbenzene*	<0.050	0.050	06/11/2025	ND	1.83	91.3	2.00	5.95	
Total Xylenes*	<0.150	0.150	06/11/2025	ND	5.63	93.9	6.00	7.09	
Total BTEX	<0.300	0.300	06/11/2025	ND					
Surrogate: 4-Bromofluorobenzene (PID	111 9	% 71.5-13	4						
Chloride, SM4500Cl-B	mg/	'kg	Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	32.0	16.0	06/11/2025	ND	432	108	400	3.64	
TPH 8015M	mg/	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	06/11/2025	ND	192	96.0	200	2.07	
DRO >C10-C28*	16.8	10.0	06/11/2025	ND	214	107	200	2.55	
EXT DRO >C28-C36	<10.0	10.0	06/11/2025	ND					
Surrogate: 1-Chlorooctane	121 9	% 44.4-14	5						
Surrogate: 1-Chlorooctadecane	122 9	% 40.6-15	3						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

with Sigh



Analytical Results For:

ENSOLUM, LLC KELLY LOWERY 705 W WADLEY AVE. MIDLAND TX, 79705 Fax To:

Received: 06/11/2025 Reported: 06/13/2025

Project Name: PIPELINE 1009
Project Number: 03B1226345

Project Location: ENTERPRISE - EDDY CO., NM

Sampling Date: 06/10/2025

Sampling Type: Solid

Sampling Condition: Cool & Intact
Sample Received By: Alyssa Parras

Sample ID: FS 25 3 (H253469-22)

BTEX 8021B	mg	/kg	Analyze	ed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	06/11/2025	ND	1.80	90.2	2.00	4.17	
Toluene*	<0.050	0.050	06/11/2025	ND	1.83	91.6	2.00	3.93	
Ethylbenzene*	<0.050	0.050	06/11/2025	ND	1.83	91.3	2.00	5.95	
Total Xylenes*	<0.150	0.150	06/11/2025	ND	5.63	93.9	6.00	7.09	
Total BTEX	<0.300	0.300	06/11/2025	ND					
Surrogate: 4-Bromofluorobenzene (PID	108	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyze	ed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	48.0	16.0	06/11/2025	ND	432	108	400	3.64	
TPH 8015M	mg,	/kg	Analyze	ed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	06/11/2025	ND	213	107	200	1.11	
DRO >C10-C28*	<10.0	10.0	06/11/2025	ND	201	101	200	1.12	
EXT DRO >C28-C36	<10.0	10.0	06/11/2025	ND					
Surrogate: 1-Chlorooctane	97.3	% 44.4-14	25						
Surrogate: 1-Chlorooctadecane	95.0	% 40.6-15	3						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Mile Sough



Analytical Results For:

ENSOLUM, LLC KELLY LOWERY 705 W WADLEY AVE. MIDLAND TX, 79705 Fax To:

Received: 06/11/2025 Reported: 06/13/2025

06/13/2025 PIPELINE 1009

Project Number: 03B1226345

Project Location: ENTERPRISE - EDDY CO., NM

Sampling Date: 06/10/2025

Sampling Type: Solid

Sampling Condition: Cool & Intact
Sample Received By: Alyssa Parras

Sample ID: FS 26 4 (H253469-23)

Project Name:

BTEX 8021B	mg,	/kg	Analyze	ed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	06/11/2025	ND	1.80	90.2	2.00	4.17	
Toluene*	<0.050	0.050	06/11/2025	ND	1.83	91.6	2.00	3.93	
Ethylbenzene*	<0.050	0.050	06/11/2025	ND	1.83	91.3	2.00	5.95	
Total Xylenes*	<0.150	0.150	06/11/2025	ND	5.63	93.9	6.00	7.09	
Total BTEX	<0.300	0.300	06/11/2025	ND					
Surrogate: 4-Bromofluorobenzene (PID	109	% 71.5-13	4						
Chloride, SM4500Cl-B	mg,	/kg	Analyze	ed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	06/11/2025	ND	432	108	400	3.64	
TPH 8015M	mg,	/kg	Analyze	ed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	06/11/2025	ND	213	107	200	1.11	
DRO >C10-C28*	<10.0	10.0	06/11/2025	ND	201	101	200	1.12	
EXT DRO >C28-C36	<10.0	10.0	06/11/2025	ND					
Surrogate: 1-Chlorooctane	108	% 44.4-14	5						
Surrogate: 1-Chlorooctadecane	106	% 40.6-15	3						

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Mile Sough



Analytical Results For:

ENSOLUM, LLC KELLY LOWERY 705 W WADLEY AVE. MIDLAND TX, 79705 Fax To:

Received: 06/11/2025 Reported: 06/13/2025

Project Name: PIPELINE 1009
Project Number: 03B1226345

Project Location: ENTERPRISE - EDDY CO., NM

Sampling Date: 06/10/2025

Sampling Type: Solid

Sampling Condition: Cool & Intact
Sample Received By: Alyssa Parras

Sample ID: FS 27 5 (H253469-24)

BTEX 8021B	mg	/kg	Analyze	ed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	06/11/2025	ND	1.80	90.2	2.00	4.17	
Toluene*	<0.050	0.050	06/11/2025	ND	1.83	91.6	2.00	3.93	
Ethylbenzene*	<0.050	0.050	06/11/2025	ND	1.83	91.3	2.00	5.95	
Total Xylenes*	<0.150	0.150	06/11/2025	ND	5.63	93.9	6.00	7.09	
Total BTEX	<0.300	0.300	06/11/2025	ND					
Surrogate: 4-Bromofluorobenzene (PID	109	% 71.5-13	4						
Chloride, SM4500Cl-B	mg	/kg	Analyze	ed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	32.0	16.0	06/11/2025	ND	432	108	400	3.64	
TPH 8015M	mg	/kg	Analyze	ed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	06/11/2025	ND	213	107	200	1.11	
DRO >C10-C28*	16.2	10.0	06/11/2025	ND	201	101	200	1.12	
EXT DRO >C28-C36	<10.0	10.0	06/11/2025	ND					
Surrogate: 1-Chlorooctane	109	% 44.4-14	5						
Surrogate: 1-Chlorooctadecane	106	% 40.6-15	3						

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Mile Sough



06/10/2025

Solid

Analytical Results For:

ENSOLUM, LLC KELLY LOWERY 705 W WADLEY AVE. MIDLAND TX, 79705 Fax To:

Received: 06/11/2025 Sampling Date:
Reported: 06/13/2025 Sampling Type:

Project Name: PIPELINE 1009 Sampling Condition: Cool & Intact
Project Number: 03B1226345 Sample Received By: Alyssa Parras

Project Location: ENTERPRISE - EDDY CO., NM

Sample ID: FS 28 16 (H253469-25)

BTEX 8021B	mg	/kg	Analyze	ed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	06/11/2025	ND	1.80	90.2	2.00	4.17	
Toluene*	<0.050	0.050	06/11/2025	ND	1.83	91.6	2.00	3.93	
Ethylbenzene*	< 0.050	0.050	06/11/2025	ND	1.83	91.3	2.00	5.95	
Total Xylenes*	<0.150	0.150	06/11/2025	ND	5.63	93.9	6.00	7.09	
Total BTEX	<0.300	0.300	06/11/2025	ND					
Surrogate: 4-Bromofluorobenzene (PID	113	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyze	ed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	752	16.0	06/11/2025	ND	432	108	400	3.64	
TPH 8015M	mg,	/kg	Analyze	ed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	06/11/2025	ND	213	107	200	1.11	
DRO >C10-C28*	<10.0	10.0	06/11/2025	ND	201	101	200	1.12	
EXT DRO >C28-C36	<10.0	10.0	06/11/2025	ND					
Surrogate: 1-Chlorooctane	108	% 44.4-14	5						
Surrogate: 1-Chlorooctadecane	105	% 40.6-15	3						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Mile Sough



Analytical Results For:

ENSOLUM, LLC **KELLY LOWERY** 705 W WADLEY AVE. MIDLAND TX, 79705 Fax To:

Received: 06/11/2025 Reported: 06/13/2025

Project Name: PIPELINE 1009 Project Number: 03B1226345

Project Location: ENTERPRISE - EDDY CO., NM Sampling Date: 06/10/2025

Sampling Type: Solid

Sampling Condition: Cool & Intact Sample Received By: Alyssa Parras

Sample ID: SW 01 0-8 (H253469-26)

BTEX 8021B	mg/	'kg	Analyze	d By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	06/11/2025	ND	1.80	90.2	2.00	4.17	
Toluene*	<0.050	0.050	06/11/2025	ND	1.83	91.6	2.00	3.93	
Ethylbenzene*	<0.050	0.050	06/11/2025	ND	1.83	91.3	2.00	5.95	
Total Xylenes*	<0.150	0.150	06/11/2025	ND	5.63	93.9	6.00	7.09	
Total BTEX	<0.300	0.300	06/11/2025	ND					
Surrogate: 4-Bromofluorobenzene (PID	109 9	% 71.5-13	4						
Chloride, SM4500CI-B	mg/	'kg	Analyze	d By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	304	16.0	06/11/2025	ND	432	108	400	3.64	
TPH 8015M	mg/	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	06/11/2025	ND	213	107	200	1.11	
DRO >C10-C28*	<10.0	10.0	06/11/2025	ND	201	101	200	1.12	
EXT DRO >C28-C36	<10.0	10.0	06/11/2025	ND					
Surrogate: 1-Chlorooctane	110 9	% 44.4-14	5						
Surrogate: 1-Chlorooctadecane	107 9	% 40.6-15	3						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

with Sigh



Analytical Results For:

ENSOLUM, LLC KELLY LOWERY 705 W WADLEY AVE. MIDLAND TX, 79705 Fax To:

Received: 06/11/2025 Reported: 06/13/2025

Project Name: PIPELINE 1009
Project Number: 03B1226345

Project Location: ENTERPRISE - EDDY CO., NM

Sampling Date: 06/10/2025

Sampling Type: Solid

Sampling Condition: Cool & Intact
Sample Received By: Alyssa Parras

Sample ID: SW 04 0-2 (H253469-27)

RTFY 8021R

BIEX 8021B	mg	^и кд	Anaiyze	а ву: ЈН					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	06/11/2025	ND	1.80	90.2	2.00	4.17	
Toluene*	< 0.050	0.050	06/11/2025	ND	1.83	91.6	2.00	3.93	
Ethylbenzene*	< 0.050	0.050	06/11/2025	ND	1.83	91.3	2.00	5.95	
Total Xylenes*	<0.150	0.150	06/11/2025	ND	5.63	93.9	6.00	7.09	
Total BTEX	<0.300	0.300	06/11/2025	ND					
Surrogate: 4-Bromofluorobenzene (PID	110	% 71.5-13	4						
Chloride, SM4500Cl-B	mg,	/kg	Analyze	ed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	06/11/2025	ND	432	108	400	3.64	
TPH 8015M	mg	/kg	Analyze	ed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	06/11/2025	ND	213	107	200	1.11	
DRO >C10-C28*	<10.0	10.0	06/11/2025	ND	201	101	200	1.12	
EXT DRO >C28-C36	<10.0	10.0	06/11/2025	ND					
Surrogate: 1-Chlorooctane	114	% 44.4-14	15						
Surrogate: 1-Chlorooctadecane	110	2% 40.6-15	3						

Analyzed By: 14

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Mile Sough



Analytical Results For:

ENSOLUM, LLC KELLY LOWERY 705 W WADLEY AVE. MIDLAND TX, 79705 Fax To:

Received: 06/11/2025 Reported: 06/13/2025

06/13/2025 PIPELINE 1009

Project Number: 03B1226345

Project Location: ENTERPRISE - EDDY CO., NM

Sampling Date: 06/10/2025

Sampling Type: Solid

Sampling Condition: Cool & Intact
Sample Received By: Alyssa Parras

Sample ID: SW 05 0-2 (H253469-28)

Project Name:

RTFY 8021R

BIEX 8021B	mg	/кд	Anaiyze	a By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	06/11/2025	ND	1.80	90.2	2.00	4.17	
Toluene*	<0.050	0.050	06/11/2025	ND	1.83	91.6	2.00	3.93	
Ethylbenzene*	<0.050	0.050	06/11/2025	ND	1.83	91.3	2.00	5.95	
Total Xylenes*	<0.150	0.150	06/11/2025	ND	5.63	93.9	6.00	7.09	
Total BTEX	<0.300	0.300	06/11/2025	ND					
Surrogate: 4-Bromofluorobenzene (PID	110	% 71.5-13	4						
Chloride, SM4500Cl-B	mg,	/kg	Analyze	d By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	06/11/2025	ND	432	108	400	3.64	
TPH 8015M	mg,	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	06/11/2025	ND	213	107	200	1.11	
DRO >C10-C28*	<10.0	10.0	06/11/2025	ND	201	101	200	1.12	
EXT DRO >C28-C36	<10.0	10.0	06/11/2025	ND					
Surrogate: 1-Chlorooctane	100	% 44.4-14	5						
Surrogate: 1-Chlorooctadecane	98.6	% 40.6-15	3						

Analyzed By: 14

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

MA Sough



Analytical Results For:

ENSOLUM, LLC KELLY LOWERY 705 W WADLEY AVE. MIDLAND TX, 79705 Fax To:

Received: 06/11/2025 Reported: 06/13/2025

Project Name: PIPELINE 1009
Project Number: 03B1226345

Project Location: ENTERPRISE - EDDY CO., NM

Sampling Date: 06/10/2025

Sampling Type: Solid

Sampling Condition: Cool & Intact
Sample Received By: Alyssa Parras

Sample ID: SW 06 0-2 (H253469-29)

RTFY 8021R

B1EX 8021B	mg	кд	Anaiyze	a By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	06/11/2025	ND	1.80	90.2	2.00	4.17	
Toluene*	<0.050	0.050	06/11/2025	ND	1.83	91.6	2.00	3.93	
Ethylbenzene*	<0.050	0.050	06/11/2025	ND	1.83	91.3	2.00	5.95	
Total Xylenes*	< 0.150	0.150	06/11/2025	ND	5.63	93.9	6.00	7.09	
Total BTEX	<0.300	0.300	06/11/2025	ND					
Surrogate: 4-Bromofluorobenzene (PID	109	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyze	ed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	64.0	16.0	06/11/2025	ND	432	108	400	3.64	
TPH 8015M	mg,	'kg	Analyze	ed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	06/11/2025	ND	213	107	200	1.11	
DRO >C10-C28*	<10.0	10.0	06/11/2025	ND	201	101	200	1.12	
EXT DRO >C28-C36	<10.0	10.0	06/11/2025	ND					
Surrogate: 1-Chlorooctane	87.8	% 44.4-14	5						
Surrogate: 1-Chlorooctadecane	82.1	% 40.6-15	3						

Analyzed By: 14

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Mile Sough



06/10/2025

Cool & Intact

Alyssa Parras

Solid

Sampling Date:

Sampling Type:

Sampling Condition:

Sample Received By:

Analytical Results For:

ENSOLUM, LLC KELLY LOWERY 705 W WADLEY AVE. MIDLAND TX, 79705 Fax To:

Received: 06/11/2025 Reported: 06/13/2025

Project Name: PIPELINE 1009
Project Number: 03B1226345

Project Location: ENTERPRISE - EDDY CO., NM

Sample ID: SW 07 0-4 (H253469-30)

BTEX 8021B	mg,	/kg	Analyze	d By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	06/11/2025	ND	1.80	90.2	2.00	4.17	
Toluene*	<0.050	0.050	06/11/2025	ND	1.83	91.6	2.00	3.93	
Ethylbenzene*	<0.050	0.050	06/11/2025	ND	1.83	91.3	2.00	5.95	
Total Xylenes*	<0.150	0.150	06/11/2025	ND	5.63	93.9	6.00	7.09	
Total BTEX	<0.300	0.300	06/11/2025	ND					
Surrogate: 4-Bromofluorobenzene (PID	117 9	% 71.5-13	4						
Chloride, SM4500Cl-B	mg,	/kg	Analyze	d By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	32.0	16.0	06/11/2025	ND	432	108	400	3.64	
TPH 8015M	mg,	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	06/11/2025	ND	213	107	200	1.11	
DRO >C10-C28*	<10.0	10.0	06/11/2025	ND	201	101	200	1.12	
EXT DRO >C28-C36	<10.0	10.0	06/11/2025	ND					
Surrogate: 1-Chlorooctane	102	% 44.4-14	5						
Surrogate: 1-Chlorooctadecane	96.9	% 40.6-15	3						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Me Sough



06/10/2025

Solid

Analytical Results For:

ENSOLUM, LLC **KELLY LOWERY** 705 W WADLEY AVE. MIDLAND TX, 79705 Fax To:

Received: 06/11/2025 Sampling Date: Reported: 06/13/2025 Sampling Type:

Project Name: PIPELINE 1009 Sampling Condition: Cool & Intact Project Number: 03B1226345 Sample Received By: Alyssa Parras

Project Location: ENTERPRISE - EDDY CO., NM

Sample ID: SW 08 0-16 (H253469-31)

BTEX 8021B	mg,	/kg	Analyze	d By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	06/11/2025	ND	1.80	90.2	2.00	4.17	
Toluene*	<0.050	0.050	06/11/2025	ND	1.83	91.6	2.00	3.93	
Ethylbenzene*	<0.050	0.050	06/11/2025	ND	1.83	91.3	2.00	5.95	
Total Xylenes*	<0.150	0.150	06/11/2025	ND	5.63	93.9	6.00	7.09	
Total BTEX	<0.300	0.300	06/11/2025	ND					
Surrogate: 4-Bromofluorobenzene (PID	111 9	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyze	d By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	352	16.0	06/11/2025	ND	432	108	400	3.64	
TPH 8015M	mg,	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	06/11/2025	ND	213	107	200	1.11	
DRO >C10-C28*	<10.0	10.0	06/11/2025	ND	201	101	200	1.12	
EXT DRO >C28-C36	<10.0	10.0	06/11/2025	ND					
Surrogate: 1-Chlorooctane	97.7	% 44.4-14	5						
Surrogate: 1-Chlorooctadecane	93.7	% 40.6-15	3						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

with Sigh



Analytical Results For:

ENSOLUM, LLC KELLY LOWERY 705 W WADLEY AVE. MIDLAND TX, 79705 Fax To:

Received: 06/11/2025 Reported: 06/13/2025

Project Name: PIPELINE 1009
Project Number: 03B1226345

Project Location: ENTERPRISE - EDDY CO., NM

Sampling Date: 06/10/2025

Sampling Type: Solid

Sampling Condition: Cool & Intact
Sample Received By: Alyssa Parras

Sample ID: SW 09 0-11 (H253469-32)

BTEX 8021B	mg,	/kg	Analyze	d By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	06/11/2025	ND	1.80	90.2	2.00	4.17	
Toluene*	<0.050	0.050	06/11/2025	ND	1.83	91.6	2.00	3.93	
Ethylbenzene*	<0.050	0.050	06/11/2025	ND	1.83	91.3	2.00	5.95	
Total Xylenes*	<0.150	0.150	06/11/2025	ND	5.63	93.9	6.00	7.09	
Total BTEX	<0.300	0.300	06/11/2025	ND					
Surrogate: 4-Bromofluorobenzene (PID	111 9	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyze	d By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	528	16.0	06/11/2025	ND	432	108	400	3.64	
TPH 8015M	mg,	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	06/11/2025	ND	213	107	200	1.11	
DRO >C10-C28*	10.0	10.0	06/11/2025	ND	201	101	200	1.12	
EXT DRO >C28-C36	<10.0	10.0	06/11/2025	ND					
Surrogate: 1-Chlorooctane	103	% 44.4-14	5						
Surrogate: 1-Chlorooctadecane	99.9	% 40.6-15	3						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Me Sough



06/10/2025

Solid

Sampling Date:

Analytical Results For:

ENSOLUM, LLC **KELLY LOWERY** 705 W WADLEY AVE. MIDLAND TX, 79705 Fax To:

Received: 06/11/2025 Reported: 06/13/2025

Sampling Type: Project Name: PIPELINE 1009 Sampling Condition: Cool & Intact Sample Received By: Project Number: 03B1226345 Alyssa Parras

Project Location: ENTERPRISE - EDDY CO., NM

Sample ID: SW 10 0-11 (H253469-33)

BTEX 8021B	mg,	/kg	Analyze	d By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	06/11/2025	ND	1.80	90.2	2.00	4.17	
Toluene*	<0.050	0.050	06/11/2025	ND	1.83	91.6	2.00	3.93	
Ethylbenzene*	<0.050	0.050	06/11/2025	ND	1.83	91.3	2.00	5.95	
Total Xylenes*	<0.150	0.150	06/11/2025	ND	5.63	93.9	6.00	7.09	
Total BTEX	<0.300	0.300	06/11/2025	ND					
Surrogate: 4-Bromofluorobenzene (PID	114 9	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyze	d By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	80.0	16.0	06/11/2025	ND	432	108	400	3.64	
TPH 8015M	mg,	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	06/11/2025	ND	213	107	200	1.11	
DRO >C10-C28*	<10.0	10.0	06/11/2025	ND	201	101	200	1.12	
EXT DRO >C28-C36	<10.0	10.0	06/11/2025	ND					
Surrogate: 1-Chlorooctane	92.8	% 44.4-14	5						
Surrogate: 1-Chlorooctadecane	88.5	% 40.6-15	3						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

with Sigh



Analytical Results For:

ENSOLUM, LLC KELLY LOWERY 705 W WADLEY AVE. MIDLAND TX, 79705 Fax To:

Received: 06/11/2025 Reported: 06/13/2025

Project Name: PIPELINE 1009
Project Number: 03B1226345

Project Location: ENTERPRISE - EDDY CO., NM

Sampling Date: 06/10/2025

Sampling Type: Solid

Sampling Condition: Cool & Intact
Sample Received By: Alyssa Parras

Sample ID: SW 11 0-16 (H253469-34)

BTEX 8021B	mg	/kg	Analyze	ed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	06/11/2025	ND	1.80	90.2	2.00	4.17	
Toluene*	0.144	0.050	06/11/2025	ND	1.83	91.6	2.00	3.93	GC-NC1
Ethylbenzene*	0.057	0.050	06/11/2025	ND	1.83	91.3	2.00	5.95	
Total Xylenes*	0.928	0.150	06/11/2025	ND	5.63	93.9	6.00	7.09	
Total BTEX	1.13	0.300	06/11/2025	ND					GC-NC1
Surrogate: 4-Bromofluorobenzene (PID	124	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyze	ed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	304	16.0	06/11/2025	ND	432	108	400	3.64	
TPH 8015M	mg,	/kg	Analyze	ed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	64.3	10.0	06/11/2025	ND	213	107	200	1.11	
DRO >C10-C28*	365	10.0	06/11/2025	ND	201	101	200	1.12	
EXT DRO >C28-C36	<10.0	10.0	06/11/2025	ND					
Surrogate: 1-Chlorooctane	107	% 44.4-14	25						
Surrogate: 1-Chlorooctadecane	105	% 40.6-15	3						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Mule Sough



Notes and Definitions

GC-NC1 8260 confirmation analysis was performed; initial GC results were not supported by GC/MS analysis and are biased high with

interfering compounds.

GC-NC 8260 confirmation analysis was performed; initial GC results were not supported by GC/MS analysis and are reported as ND.

ND Analyte NOT DETECTED at or above the reporting limit

RPD Relative Percent Difference

** Samples not received at proper temperature of 6°C or below.

*** Insufficient time to reach temperature.

- Chloride by SM4500Cl-B does not require samples be received at or below 6°C

Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client is subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Mike Snyder For Celey D. Keene, Lab Director/Quality Manager

wite South

Page 36 of 40

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

NCARDINAL NLaboratories

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Company Name: Ensolum, LLC Project Manager: Kelly Lowery	solum, LLC	Y LC LC	3	$\Pi \Pi$					P.O. #:	*	BILL TO	70		71		ANALYSIS REQUEST
Address: 601 N. Ma	601 N. Marienfeld St. STE 400			П					Com	pany	Company: Ensolum	3				
w	State: TX Z	Zip: 79701			-				Attn:					_		
Phone #: 214-733-3165		Email: klowery@ensolum.com	very	ens	olum	.com	-		Address:	ess:	1					
Project #: 03B1226345	5		Proj	ect C	Project Owner			_	City:					_		
Project Name: Pipeline 1009	ne 1009								State:	"	Zip:			_		
Project Location: 32,464775, -103,490371	464775, -103.490371				-			1	Phone #:	#						
Sampler Name: Kaoru Shimada	u Shimada				1			4	Email:	=				_		
FOR LAB USE ONLY					1	MA	MATRIX	-	PR	PRESERV.	ν.	SAMPLING	ING	_		
			MP.	_	-			4	+		-	-	1			
Lab I.D.	Sample I.D.	Sample Depth (in)	G)RAB OR (C)OM	CONTAINERS	ROUNDWATER WASTEWATER	OIL	IIL .	LUDGE	THER : CID/BASE:	CE / COOL	THER:	DATE	TIME	TEX 8021 B	PH 8015 M	hloride 4500
FS03	03	2	_	_	_	-	-	_	_		6/10/25		943	×	×	×
2 FS05	05	2	C	_	-	×			\forall	×	6/10/25		945	×	×	×
3 FS06	06	2	C		\dashv	×		_	+	×	6/10/25		946	×	×	×
4 FS07	07	2	C	_	-	×	\exists	4	+	×	6/10/25		948	×	×	×
S FS08	08	2	C	-	+	×	7	4	+	×	6/10/25		949	×	×	×
6 FS09	09		C	_	+	×	7	4	\forall	×	6/10/25		950	×	×	×
7 FS10	10		C		\dashv	×		4	\forall	×	6/10/25		1033	×	×	×
8 FS11	11	2	C 1		-	X		4		×	6/10/25	_	1034	×	×	×
9 FS12	12		CI			×		4	\dashv	×	6/10/25		1525	×	×	×
100	13	10	C I		Н	×				X	6/10/25		1526	×	×	×
TARRETOTIC Licenty and Company. Contracts usually and during sections immorphy to pay shim uniting whosh based in contract on the dute believed by the identity the sections including to contract with the contract of the contract with the contract with the contract with the contract within the contract wit	Cardinal's liability and client's exclusive car and any other cause whatspower incidental or consequental demages, related to the performance of service	emony for any claim arising whether based in context or tor, shall be limited to the amount past by the money from any claim arising whether for the control weaken 30 days after beautiful portional whether 30 days after including without limitation, business interruptions, based of use, or based of prefits incurred by as investigate by Cardinal sensations and whether such relative to the foliam is beautiful arows around the advances.	aged in co	ethact or g and re floris, lo	tort shall	Cardina Crass	d to the a all within of profits	30 days incurre	s after con ad by dien	rpleton of its sub	or the analyses, n of the applicable ubsidiaries,	SEVICE				
Relinquished By:		Date: 11-35	Received By:	ived	By:							× 2 4 3	Verbal Result:	t: Yes		X No Add'i Pho Please provide Email address:
Relinquished By:	1	26	-	2	R	E	1	P				2	kiowei y@eiisoidiii.coiii	solulli.co	=	
Relinquished By:			Received By	ved	By:							φ 20	REMARKS: Paykey/AFE/NonAFE: 3-Day TAT	aykeyiA	FE/NonA	Ē
Delivered By: (Circle One) Sampler - UPS - Bus - Other:		Observed Temp. 'C RESIDENT CORRECTED Temp. 'C RESIDENT CORRECTED TEMPS.	CIC de	00	C Sam	Sample Condiction Cool Intact	Sample Condition Cool Intact Oracle Year No No	9		유	CHECKED BY: (Initials)			Standard Cool Infact #113	Standard Coam	Bacteria (only) San ved Temp. "C
FORM-006 R 3 2 10/07/21	10/07/21		P	H						1		7	ナチョー	O. Has		

14/

Page 37 of 40

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

CARDINAL Laboratories

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

company manner was country who	יוסטועווון, בבע										BI	BILL TO					ANALYSIS	SIS		REQUEST	ST					
Project Manager: Kelly Lowery	elly Lowery								P.O. #:	*										-			+		+	
Address: 601 N. N	601 N. Marienfeld St. STE 400								Com	lpan)	En:	Company: Ensolum		_						_			_			
D)	State: TX	Zip: 79701							Attn:	1				_						_			_		_	
Phone #: 214-733-3165		Email: klowery@ensolum.com	wery(@ens	olun	.com	1	1	Address:	ess:				_						_			_		_	
Project #: 03B1226345	345		Pro	Project Owner	Owne	1		1	City:					_						_			_			
Project Name: Pipeline 1009	line 1009				-			1	State:			Zip:		_						_			_			
Project Location: 32	Project Location: 32.464775, -103.490371		-						Phone #:	ne #:				_						-			_			
Sampler Name: Kaoru Shimada	oru Shimada							4	Email:	#				_						_			_			
ON LYB OSE ONTA						MA	MATRIX		P	PRESERV.	Ÿ.	SAMPLING	LING	_						_			_			
2	Sanda I	Sample Depth				VIER				•	1			021 B	5 M	4500				_						
18534109	campia	(in)	(G)RAB O	# CONTAI	WASTEWA	SOIL	OIL	SLUDGE	ACID/BAS	ICE / COO	OTHER:	DATE	TIME	BTEX 8	TPH 801	Chloride										
_	FS14	11	C	-		X				×		6/10/25	925	×	×	×				+	4		+	4	+	
N E	FS15	11	С	1		×			+	×		`	926	×	×	×				+	4		+	4	+	
13 FS	FS16	16	C	-	Н	×				×			1333	×	×	×				+	4		+	4	+	
E E	FS17	10	C	1		X				×		6/10/25	1527	×	X	×				+	4		+	1	+	
V 100	FS18	8	C	_	Н	×				X		6/10/25	1036	×	×	X				+	4		+	4	+	
FS	FS19	6	C			×				×			1037	X	X	X				\dashv	_		+	_	+	
17 FS	FS20	2	C	_		X				×			1038	×	×	×					4		+	4	1	
FS	FS21	2	C	_		×			Н	×		6/10/25	1039	×	×	×					_			_	1	
19 FS	FS22		C	-	-	×				×		6/10/25	1045	X	×	X				Н	Ш					
1			C	_	-	×				X		6/10/25	1045	×	X	X				\forall	Ц					
All claims including those for regigence and any other in no event shall Cardinal be laste for incolerate or con fillates or successors arising out of or related to the p	figure and any other cause whatspew e for incidental or consequental demaps of or related to the performance of sen-	A claim studing the arrangement was a sensy and early amount arrangement county in control of lot, and be included to the amount all by the claim to the arrangement of the county of th	e in willing a straight of the	contract or tod, shall be lim ting and received by Carr Uptions, loss of use, or lo alther such claim is Forest	tod, shall coaved b	Cardin or loss	ted to the real within a of profit	30 days	all ty the	paid by the client for the is after completion of the ed by client, its subside	of the an	analyses applicable service ries														
Relinquished By:	A		Rece	Received By:	ed By:	1	1	100	1	1000	000	S. S	Verbal Result:	0		No	A	Add'l Phone #:	hone	77	П					
Est	The same	Time:		5	3		7	1					All Results are emailed. klowery@ensolum.com	e email		Please provide Email address:	Email	ddre	S							1
Relinquished By:	,	Date:	Rece	Received By:	By:							(A) TO	REMARKS: Paykey/AFE/NonAFE: 3-Day TAT	aykey	AFE/Non/	Æ										
Delivered By: (Circle One) Sampler - UPS - Bus - Other:		Observed Temp. °C 299 Corrected Temp. °C 3-9	1,1,	,	Samp	Sample Condition Cool Intact	onditi	on		유	ECKED (Initials)	BY:	Turnaround Time:	Standard Cool Intact	g 🗆	Bacteria (or erved Temp. °C	Bacteria (mily) Sample Condition of Yemp. °C	Conditi	8							
							8				B		Correction Factor 0.00 + 3.3 (+) 3	or -0.50	#190					8 1	Corre	ded Temp. "C	ď			

Page 38 of 40

CARDINAL Laboratories

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Company Name: Ensolum, LLC	nsolum, LLC	[C. 0] 222-2320 LWV (212) 223-2410	1970					\dashv		В	BILL TO		1		A	ANALYSIS REQUEST	S RE	QUE	TS				
Project Manager: Kelly Lowery	celly Lowery				1			P.C	P.O. #:				1			-	+	+	_				-
Address: 601 N. N	601 N. Marienfeld St. STE 400							S	mpa	ny: E	Company: Ensolum		_			_		_	_				_
συ I	State: TX Z	Zip: 79701				П		Attn:	ä				_		_	_		_	_				_
Phone #: 214-733-3165			wery@	ensc	dum.	com		Ad	Address:	S:			_			_		_	_				_
Project #: 03B1226345	345		Proj	Project Owner	wner			City:	*				_			_		_	_				
Project Name: Pipeline 1009	line 1009							Sta	State:		Zip:		_					_					
Project Location: 3.	Project Location: 32.464775, -103.490371				1			P	Phone #:	#						_		_	_				-
Sampler Name: Kaoru Shimada	oru Shimada							E.	Email:				_			_		_					_
OK LAB DEF ONLY			2	H	1	MATRIX	RIX	╁	PRESERV.	SERV.	SAMPLING	LING						_					_
Lab I.D.	Sample I.D.	Sample Depth (in)	(G)RAB OR (C)OMP	# CONTAINERS GROUNDWATER	WASTEWATER	SOIL	OIL. SLUDGE	OTHER:	ACID/BASE:	OTHER:	DATE	TIME	BTEX 8021 B	TPH 8015 M	Chloride 4500						- P		
	FS24	2	C	-	-	×	\rightarrow			×	6/10/25	1047	×	×	×	+	1	+	4				+
W	FS25	u	C	-	+	X	-			×	6/10/25	1048	×	×	×	+	+	+	4				+
	FS26	.4	С	-	-	×	-			×	6/10/25	1049	×	×	×	-	+	+	4				-
	FS27	5	C			X	-			×	6/10/25	1048	×	×	X	-	+	+	4				+
	FS28	16	0			X				×	6/10/25	1520	×	×	X		+	+	4				+
	SW01	0-8	C	_		X	1			×	6/10/25	741	×	×	×			-	_				+
	SW04	0-2	0 1		-	X	_			×	6/10/25	1054	×	×	×			\dashv	4				\dashv
	SW05	0-2	C			X	-			×	6/10/25	1053	X	X	X			-					-
	SW06	0-2	C 1	_		X	-			×	6/10/25	1052	X	X	×			-					-
	SW07	0-4	C	_		X	-			X	6/10/25	1051	×	×	×			Н	Н				H
All claims, including those for neglin n no event shall Cardinal be lable	cause whatso sequental dama	was manady da way dam asang welate staad in coltocal a rat, dall be limited to the amonat paid by the climit for the Area shall be desired similar durings make in nating and repeated by Central within 20 days after completion of the app ges, including without limitation, business interruptions, loss of use, or lope of profils incurred by client. Its subsidiaries	based in contract or tort, shall be limited to the amo de in writing and received by Cardinal within 30 as interruptione, lose of use, or tops of profits in	g and rec tions, los	pr. shall by seved by a of use.	Cardina Cardina or loss o	within 30 profits in	days after	y the clin of comple client, it	of paid by the client for the tays after completion of th unred by client, its subsidia	analyses e applicable service artes.			li		H	П					(
Relinquished By:	2	35	Received By:	ived E	sy:		1	100	- Additional	100		Verbal Result:	t: 🗆	문	X No Add'l Pho	Add Email add	Add'l Phone #: address:	at:	Ш				
10	N N	1065	C	5	Ž	A	9					Serio Je	-	-									
Relinquished By:			Received By:	ived E	y.	1	(,				REMARKS: Paykey/AFE/NonAFE: 3-Day TAT	Paykey	/AFE/Non/	¥E:								
Delivered By: (Circle One) Sampler - UPS - Bus - Other:		Observed Temp. °C Q	100		Samp	Sample Cond Cool Intact	Sample Condition Cool Intact	3	0	(Init	CHECKED BY: (Initials)	Turnaround Time:	2 n	8 🗆	Bacteria (only) Sample arred Teng. *C		Condition						
		O	0			- N	8			_	J	Correction Factor & CTE-3	tor of	8.010.9	1		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	8 g	Come	Cornected Temp. *C	47		

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

FORM-006 R 3.2 10/07/21

Page 39 of 40

Delivered By: (Circle One) Sampler - UPS - Bus - Other:

Corrected Temp. °C 2-9

000

CHECKED BY:

REMARKS: Paykey/AFE/NonAFE: 3-Day TAT

(Initials)

Correction Factor - 0.5°C +73'-3'

O No O No

ted Temp. "C

FORM-006 R 3.2 10/07/21

Relinquished By

Date:

Received By:

Received By:

Jished By:

CARDINALLaboratories

101 East Marland, Hobbs, NM 88240

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Sampler Name: Kaoru Shimada Project #: 03B1226345 City: Midland Address: 601 N. Marienfeld St. STE 400 Project Manager: Kelly Lowery (575) 393-2326 FAX (575) 393-2476 Company Name: Ensolum, LLC Project Location: 32.464775, -103.490371 Project Name: Pipeline 1009 Phone #: 214-733-3165 185344 Lab I.D. SW09 SWII 01MS Sample I.D. State: TX Zip: 79701 Sample Depth (in) 0-16 0-11 0-11 0-16 Email: klowery@ensolum.com (G)RAB OR (C)OMP Project Owner # CONTAINERS GROUNDWATER WASTEWATER SOIL MATRIX OIL SLUDGE OTHER State: Attn: P.O. #: Phone #: City: Address: Company: Ensolum Email: ACID/BASE PRESERV. ICE / COOL OTHER BILL TO 6/10/25 6/10/25 6/10/25 6/10/25 Zip: DATE SAMPLING 1143 1342 1337 1501 TIME BTEX 8021 B TPH 8015 M Chloride 4500 ANALYSIS REQUEST

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

Page 40 of 40



July 01, 2025

KELLY LOWERY

ENSOLUM, LLC

705 W WADLEY AVE.

MIDLAND, TX 79705

RE: PIPELINE 1009

Enclosed are the results of analyses for samples received by the laboratory on 06/27/25 9:52.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C25-00101. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab accred certif.html.

Cardinal Laboratories is accreditated through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2 Haloacetic Acids (HAA-5)
Method EPA 524.2 Total Trihalomethanes (TTHM)
Method EPA 524.4 Regulated VOCs (V1, V2, V3)

Celey D. Keine

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Lab Director/Quality Manager



Analytical Results For:

ENSOLUM, LLC **KELLY LOWERY** 705 W WADLEY AVE. MIDLAND TX, 79705 Fax To:

Received: 06/27/2025 Sampling Date: 06/26/2025

Reported: 07/01/2025 Sampling Type: Soil

Project Name: PIPELINE 1009 Sampling Condition: Cool & Intact Project Number: 03B1226345 Sample Received By: Tamara Oldaker

Project Location: ENTERPRISE - EDDY CO., NM

Sample ID: FS 01 11 (H253896-01)

BTEX 8021B	mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	06/27/2025	ND	1.93	96.3	2.00	4.88	
Toluene*	<0.050	0.050	06/27/2025	ND	2.01	101	2.00	3.07	
Ethylbenzene*	<0.050	0.050	06/27/2025	ND	1.99	99.7	2.00	2.92	
Total Xylenes*	<0.150	0.150	06/27/2025	ND	5.88	98.0	6.00	2.87	
Total BTEX	<0.300	0.300	06/27/2025	ND					
Surrogate: 4-Bromofluorobenzene (PID	94.5	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	06/27/2025	ND	432	108	400	3.64	
TPH 8015M	mg,	/kg	Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	06/27/2025	ND	213	106	200	5.66	
DRO >C10-C28*	<10.0	10.0	06/27/2025	ND	215	107	200	5.65	
EXT DRO >C28-C36	<10.0	10.0	06/27/2025	ND					
Surrogate: 1-Chlorooctane	89.2	% 44.4-14	5						
Surrogate: 1-Chlorooctadecane	92.3	% 40.6-15	3						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

ENSOLUM, LLC **KELLY LOWERY** 705 W WADLEY AVE. MIDLAND TX, 79705 Fax To:

Received: 06/27/2025 Sampling Date: 06/26/2025

Reported: 07/01/2025 Sampling Type: Soil

Project Name: PIPELINE 1009 Sampling Condition: Cool & Intact Sample Received By: Project Number: 03B1226345 Tamara Oldaker

ENTERPRISE - EDDY CO., NM Project Location:

Sample ID: FS 02 16 (H253896-02)

BTEX 8021B	mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	06/27/2025	ND	1.93	96.3	2.00	4.88	
Toluene*	<0.050	0.050	06/27/2025	ND	2.01	101	2.00	3.07	
Ethylbenzene*	<0.050	0.050	06/27/2025	ND	1.99	99.7	2.00	2.92	
Total Xylenes*	<0.150	0.150	06/27/2025	ND	5.88	98.0	6.00	2.87	
Total BTEX	<0.300	0.300	06/27/2025	ND					
Surrogate: 4-Bromofluorobenzene (PID	95.9	% 71.5-13	4						
Chloride, SM4500Cl-B	mg/	kg	Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	06/27/2025	ND	432	108	400	3.64	
TPH 8015M	mg/	kg	Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	06/27/2025	ND	213	106	200	5.66	
DRO >C10-C28*	12.1	10.0	06/27/2025	ND	215	107	200	5.65	
EXT DRO >C28-C36	<10.0	10.0	06/27/2025	ND					
Surrogate: 1-Chlorooctane	97.0	% 44.4-14	5						
Surrogate: 1-Chlorooctadecane	101 9	% 40.6-15	3						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

ENSOLUM, LLC KELLY LOWERY 705 W WADLEY AVE. MIDLAND TX, 79705 Fax To:

Received: 06/27/2025 Sampling Date: 06/26/2025

Reported: 07/01/2025 Sampling Type: Soil

Project Name: PIPELINE 1009 Sampling Condition: Cool & Intact
Project Number: 03B1226345 Sample Received By: Tamara Oldaker

Applyzod By: 14

Project Location: ENTERPRISE - EDDY CO., NM

ma/ka

Sample ID: FS 13 10 (H253896-03)

RTFY 8021R

B1EX 8021B	тд/кд		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	06/27/2025	ND	1.93	96.3	2.00	4.88	
Toluene*	<0.050	0.050	06/27/2025	ND	2.01	101	2.00	3.07	
Ethylbenzene*	<0.050	0.050	06/27/2025	ND	1.99	99.7	2.00	2.92	
Total Xylenes*	<0.150	0.150	06/27/2025	ND	5.88	98.0	6.00	2.87	
Total BTEX	<0.300	0.300	06/27/2025	ND					
Surrogate: 4-Bromofluorobenzene (PID	96.0	% 71.5-13	4						
Chloride, SM4500Cl-B	mg,	/kg	Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	32.0	16.0	06/27/2025	ND	432	108	400	3.64	
TPH 8015M	mg,	/kg	Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	06/27/2025	ND	213	106	200	5.66	
DRO >C10-C28*	<10.0	10.0	06/27/2025	ND	215	107	200	5.65	
EXT DRO >C28-C36	<10.0	10.0	06/27/2025	ND					
Surrogate: 1-Chlorooctane	85.8	% 44.4-14	5						
Surrogate: 1-Chlorooctadecane	88.4	% 40.6-15	3						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

ENSOLUM, LLC KELLY LOWERY 705 W WADLEY AVE. MIDLAND TX, 79705 Fax To:

Received: 06/27/2025 Sampling Date: 06/26/2025

Reported: 07/01/2025 Sampling Type: Soil

Project Name: PIPELINE 1009 Sampling Condition: Cool & Intact
Project Number: 03B1226345 Sample Received By: Tamara Oldaker

Applyzod By: 14

Project Location: ENTERPRISE - EDDY CO., NM

ma/ka

Sample ID: FS 17 10 (H253896-04)

RTFY 8021R

BIEX 8021B	mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	06/27/2025	ND	1.93	96.3	2.00	4.88	
Toluene*	<0.050	0.050	06/27/2025	ND	2.01	101	2.00	3.07	
Ethylbenzene*	<0.050	0.050	06/27/2025	ND	1.99	99.7	2.00	2.92	
Total Xylenes*	<0.150	0.150	06/27/2025	ND	5.88	98.0	6.00	2.87	
Total BTEX	<0.300	0.300	06/27/2025	ND					
Surrogate: 4-Bromofluorobenzene (PID	95.4	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	06/27/2025	ND	432	108	400	3.64	
TPH 8015M	mg	/kg	Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	06/27/2025	ND	213	106	200	5.66	
DRO >C10-C28*	<10.0	10.0	06/27/2025	ND	215	107	200	5.65	
EXT DRO >C28-C36	<10.0	10.0	06/27/2025	ND					
Surrogate: 1-Chlorooctane	95.4	% 44.4-14	25						
Surrogate: 1-Chlorooctadecane	98.6	% 40.6-15	3						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

ENSOLUM, LLC KELLY LOWERY 705 W WADLEY AVE. MIDLAND TX, 79705 Fax To:

Received: 06/27/2025 Sampling Date: 06/26/2025

Reported: 07/01/2025 Sampling Type: Soil

Project Name: PIPELINE 1009 Sampling Condition: Cool & Intact
Project Number: 03B1226345 Sample Received By: Tamara Oldaker

Applyzod By: 14

Project Location: ENTERPRISE - EDDY CO., NM

ma/ka

Sample ID: FS 28 16 (H253896-05)

RTFY 8021R

B1EX 8021B	mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	06/27/2025	ND	1.93	96.3	2.00	4.88	
Toluene*	<0.050	0.050	06/27/2025	ND	2.01	101	2.00	3.07	
Ethylbenzene*	<0.050	0.050	06/27/2025	ND	1.99	99.7	2.00	2.92	
Total Xylenes*	<0.150	0.150	06/27/2025	ND	5.88	98.0	6.00	2.87	
Total BTEX	<0.300	0.300	06/27/2025	ND					
Surrogate: 4-Bromofluorobenzene (PID	96.0	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	32.0	16.0	06/27/2025	ND	448	112	400	3.64	
TPH 8015M	mg	/kg	Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	06/27/2025	ND	213	106	200	5.66	
DRO >C10-C28*	<10.0	10.0	06/27/2025	ND	215	107	200	5.65	
EXT DRO >C28-C36	<10.0	10.0	06/27/2025	ND					
Surrogate: 1-Chlorooctane	101	% 44.4-14	5						
Surrogate: 1-Chlorooctadecane	105	% 40.6-15	3						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

ENSOLUM, LLC **KELLY LOWERY** 705 W WADLEY AVE. MIDLAND TX, 79705 Fax To:

Received: 06/27/2025 Sampling Date: 06/26/2025

Reported: 07/01/2025 Sampling Type: Soil

Project Name: PIPELINE 1009 Sampling Condition: Cool & Intact Sample Received By: Project Number: 03B1226345 Tamara Oldaker

Applyzod By: 14

ENTERPRISE - EDDY CO., NM Project Location:

Sample ID: SW 02 0-16 (H253896-06)

RTFY 8021R

B1EX 8021B	тд/кд		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	06/27/2025	ND	1.93	96.3	2.00	4.88	
Toluene*	<0.050	0.050	06/27/2025	ND	2.01	101	2.00	3.07	
Ethylbenzene*	<0.050	0.050	06/27/2025	ND	1.99	99.7	2.00	2.92	GC-NC
Total Xylenes*	<0.150	0.150	06/27/2025	ND	5.88	98.0	6.00	2.87	
Total BTEX	<0.300	0.300	06/27/2025	ND					
Surrogate: 4-Bromofluorobenzene (PID	96.7	% 71.5-13	4						
Chloride, SM4500Cl-B	mg,	/kg	Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	64.0	16.0	06/27/2025	ND	448	112	400	3.64	
TPH 8015M	mg,	/kg	Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	06/27/2025	ND	213	106	200	5.66	
DRO >C10-C28*	42.8	10.0	06/27/2025	ND	215	107	200	5.65	
EXT DRO >C28-C36	<10.0	10.0	06/27/2025	ND					
Surrogate: 1-Chlorooctane	95.6	% 44.4-14	5						
Surrogate: 1-Chlorooctadecane	100	% 40.6-15	3						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Analytical Results For:

ENSOLUM, LLC **KELLY LOWERY** 705 W WADLEY AVE. MIDLAND TX, 79705 Fax To:

Received: 06/27/2025 Sampling Date: 06/26/2025

Reported: 07/01/2025 Sampling Type: Soil

Project Name: PIPELINE 1009 Sampling Condition: Cool & Intact Sample Received By: Tamara Oldaker Project Number: 03B1226345

ENTERPRISE - EDDY CO., NM Project Location:

Sample ID: SW 12 0-11 (H253896-07)

BTEX 8021B	mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	06/27/2025	ND	1.93	96.3	2.00	4.88	
Toluene*	<0.050	0.050	06/27/2025	ND	2.01	101	2.00	3.07	
Ethylbenzene*	<0.050	0.050	06/27/2025	ND	1.99	99.7	2.00	2.92	
Total Xylenes*	<0.150	0.150	06/27/2025	ND	5.88	98.0	6.00	2.87	
Total BTEX	<0.300	0.300	06/27/2025	ND					
Surrogate: 4-Bromofluorobenzene (PID	96.1	% 71.5-13	4						
Chloride, SM4500CI-B	mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	112	16.0	06/27/2025	ND	448	112	400	3.64	
TPH 8015M	mg,	/kg	Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	06/27/2025	ND	213	106	200	5.66	
DRO >C10-C28*	<10.0	10.0	06/27/2025	ND	215	107	200	5.65	
EXT DRO >C28-C36	<10.0	10.0	06/27/2025	ND					
Surrogate: 1-Chlorooctane	108	% 44.4-14	5						
Surrogate: 1-Chlorooctadecane	110	% 40.6-15	3						

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Notes and Definitions

GC-NC 8260 confirmation analysis was performed; initial GC results were not supported by GC/MS analysis and are reported as ND.

ND Analyte NOT DETECTED at or above the reporting limit

RPD Relative Percent Difference

** Samples not received at proper temperature of 6°C or below.

*** Insufficient time to reach temperature.

- Chloride by SM4500Cl-B does not require samples be received at or below 6°C

Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celeg D. Keene



CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Project Location: 32.464775, -103.490371 Project Name: Pipeline 1009 Phone #: 214-733-3165 City: Midland Address: 601 N. Marienfeld St. STE 400 Project Manager: Kelly Lowery Company Name: Sampler Name: Kaoru Shimada Project #: 03B1226345 Delivered By: (Circle One) Sampler - UPS - Bus - Other: Relinquished By: Lab I.D. FORM-006 R 3.2 10/07/21 101 East Marland, Hobbs, NM 88240 (575) 393-2326 FAX (575) 393-2476 Ensolum, LLC SW12 SW02 FS17 FS28 FS02 FS13 FS01 Sample I.D. State: TX Zip: Observed Temp. °C Corrected Temp. °C 79701 Sample Depth † Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallab6nm.dom 0-16 0-11 Email: klowery@ensolum.com (in) 16 0 10 16 50 (G)RAB OR (C)OMF Received **Project Owner** Sample Condition
Cool lotact

The Dies Dies

No No No MATRIX OIL SLUDGE State: City: P.O. #: OTHER Attn: Company: Ensolum Email: Phone #: Address: ACID/BASE PRESERV. CHECKED BY: (Initials) ICE / COOL BILL TO 6/26/25 Zip 6/26/25 6/26/25 6/26/25 6/26/25 6/26/25 6/26/25 DATE SAMPLING 944 934 913 1417 1311 klowery@ensolum.com Verbal Result: ☐ Yes X No Add'I Phone All Results are emailed. Please provide Email address: 1236 1413 BEMARKS: Paykey/AFE/NonAFE: 3-Day TAT TIME BTEX 8021 B 世代 Cool Intact TPH 8015 M Chloride 4500 ANALYSIS REQUEST O No O Year ted Temp. "C



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

July 14, 2025

KELLY LOWERY

ENSOLUM

3122 NATIONAL PARKS HWY

CARLSBAD, NM 88220

RE: PIPELINE 1009

Enclosed are the results of analyses for samples received by the laboratory on 07/11/25 11:19.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C25-00101. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab accred certif.html.

Cardinal Laboratories is accreditated through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2 Haloacetic Acids (HAA-5)
Method EPA 524.2 Total Trihalomethanes (TTHM)
Method EPA 524.4 Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

Celey D. Keine

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

ENSOLUM KELLY LOWERY 3122 NATIONAL PARKS HWY CARLSBAD NM, 88220 Fax To:

Received: 07/11/2025 Reported: 07/14/2025

Project Name: PIPELINE 1009
Project Number: 03B1226345

Project Location: 32.464775, -103.490371

Sampling Date: 07/11/2025

Sampling Type: Soil

Sampling Condition: Cool & Intact
Sample Received By: Shalyn Rodriguez

Sample ID: LEA LAND BACKFILL (H254142-01)

DTEV 0021D

BTEX 8021B	mg	/kg	Analyze	d By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/11/2025	ND	1.73	86.3	2.00	10.4	
Toluene*	<0.050	0.050	07/11/2025	ND	1.79	89.7	2.00	10.8	
Ethylbenzene*	<0.050	0.050	07/11/2025	ND	1.79	89.4	2.00	9.84	
Total Xylenes*	<0.150	0.150	07/11/2025	ND	5.24	87.3	6.00	10.4	
Total BTEX	<0.300	0.300	07/11/2025	ND					
Surrogate: 4-Bromofluorobenzene (PID	93.7	% 71.5-13	4						
Chloride, SM4500CI-B	mg	/kg	Analyze	d By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	32.0	16.0	07/14/2025	ND	416	104	400	3.77	
TPH 8015M	mg,	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	07/11/2025	ND	209	105	200	0.434	
DRO >C10-C28*	<10.0	10.0	07/11/2025	ND	201	101	200	0.0531	
EXT DRO >C28-C36	<10.0	10.0	07/11/2025	ND					
Surrogate: 1-Chlorooctane	99.3	% 44.4-14	5						
Surrogate: 1-Chlorooctadecane	100	% 40.6-15	3						

A .. . l. d D. .. 311

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results related only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keine

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

S-06 The recovery of this surrogate is outside control limits due to sample dilution required from high analyte concentration and/or matrix interference's.

matrix interrelences.

QM-07 The spike recovery was outside acceptance limits for the MS and/or MSD. The batch was accepted based on acceptable LCS

recovery.

ND Analyte NOT DETECTED at or above the reporting limit

RPD Relative Percent Difference

** Samples not received at proper temperature of 6°C or below.

*** Insufficient time to reach temperature.

- Chloride by SM4500Cl-B does not require samples be received at or below 6°C

Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celeg D. Freene

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

CARDINAL
Laboratories
101 East Marland, Hobbs, NM 882

101 East Marland, Hobbs, NM 88240 (575) 393-2326 FAX (575) 393-2476

N E	L NO LI NO	FURIN-000 K 3.0 02/12/23
Standard Bacteria (only) Sample Condition Rush Cool Intact Observed Temp. °C	Observed Temp. °C3 0 Sample Condition CHECKED BY: Turnaround Time: Cool Intact (Initials) Corrected Temp. °C3 3 Thermometer ID. #140	ampler - UPS - Bus - Other: Con
	Time:	
All Results are emailed. Please provide Email address:	Stodkiney.	telinquished By:
Yes □ No Add'l Phone #:	soon saint is based upon any of the above stated re-	(elinquished By:
	whice. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, because white control to the policiable finance and any other cause whitescent with the deeped waked unless made in writing and received by Cardinal within 30 days after competion of the applicable finance are successors arising out of or related to the performance of services hereunded by Cardinal, reparties of whether services, best of use, or tess of profits incurred by client, its subsidiaries,	In no event shall Cardinal be liable for incidental or consequences or successors arising out of or related to the performance.
	LEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or fort, shall be limited to the amount paid by the client for the	NOTE: Liability and Damages. Cardinal's liability and clie
7/7/2		
X	X X OCIO SCIIII	
	# CO GRO WAS SOIL OIL SLUE ACID ICE /	Hasylva.
nla l	DGE ER: /BASE	cample l.C.
ide	R (C)ON NERS VATER TER	Labin
	* » T	
7/2	1000 Fax#:	FOR LAB USE ONLY
50	Phone #:	7
)C	State: Zip:	Project Name: Pipeline 100
	Project Owner: City:	Project #: 0381226345
	Fax #: Address:	214-733316
	State: V Zip: 74701 Attn:	city: Midford
		V. Merical
ANALYSIS REQUEST	DUESV P.O.#:	Kelly C
	BILL TO	SUNOSON?

Sante Fe Main Office Phone: (505) 476-3441 General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

QUESTIONS

Action 506994

QUESTIONS

Operator:	OGRID:
Enterprise Field Services, LLC	241602
PO Box 4324	Action Number:
Houston, TX 77210	506994
	Action Type:
	[C-141] Reclamation Report C-141 (C-141-v-Reclamation)

QUESTIONS

Prerequisites	
Incident ID (n#)	nAPP2434522732
Incident Name	NAPP2434522732 PIPELINE 1009 @ FAPP2122928745
Incident Type	Release Other
Incident Status	Reclamation Report Received
Incident Facility	[fAPP2122928745] Enterprise Carlsbad GS

Location of Release Source		
Please answer all the questions in this group.		
Site Name	PIPELINE 1009	
Date Release Discovered	12/09/2024	
Surface Owner	State	

Incident Details		
Please answer all the questions in this group.		
Incident Type	Release Other	
Did this release result in a fire or is the result of a fire	No	
Did this release result in any injuries	No	
Has this release reached or does it have a reasonable probability of reaching a watercourse	No	
Has this release endangered or does it have a reasonable probability of endangering public health	No	
Has this release substantially damaged or will it substantially damage property or the environment	No	
Is this release of a volume that is or may with reasonable probability be detrimental to fresh water	No	

Nature and Volume of Release	
Material(s) released, please answer all that apply below. Any calculations or specific justifications fo	or the volumes provided should be attached to the follow-up C-141 submission.
Crude Oil Released (bbls) Details	Not answered.
Produced Water Released (bbls) Details	Cause: Other Pipeline (Any) Produced Water Released: 15 BBL Recovered: 8 BBL Lost: 7 BBL.
Is the concentration of chloride in the produced water >10,000 mg/l	Yes
Condensate Released (bbls) Details	Not answered.
Natural Gas Vented (Mcf) Details	Not answered.
Natural Gas Flared (Mcf) Details	Not answered.
Other Released Details	Not answered.
Are there additional details for the questions above (i.e. any answer containing Other, Specify, Unknown, and/or Fire, or any negative lost amounts)	Not answered.

Phone: (505) 629-6116 Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

QUESTIONS, Page 2

Action 506994

QUESTI	ONS (continued)
Operator: Enterprise Field Services, LLC PO Box 4324	OGRID: 241602 Action Number:
Houston, TX 77210	506994
	Action Type: [C-141] Reclamation Report C-141 (C-141-v-Reclamation)
QUESTIONS	
Nature and Volume of Release (continued)	
Is this a gas only submission (i.e. only significant Mcf values reported)	No, according to supplied volumes this does not appear to be a "gas only" report.
Was this a major release as defined by Subsection A of 19.15.29.7 NMAC	No
Reasons why this would be considered a submission for a notification of a major release	Unavailable.
With the implementation of the 19.15.27 NMAC (05/25/2021), venting and/or flaring of natural gas (i.e.	e. gas only) are to be submitted on the C-129 form.
Initial Response The responsible party must undertake the following actions immediately unless they could create a s	rafety hazard that would result in injury
The source of the release has been stopped	True
The impacted area has been secured to protect human health and the environment	True
Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices	True
All free liquids and recoverable materials have been removed and managed appropriately	True
If all the actions described above have not been undertaken, explain why	Not answered.
	ation immediately after discovery of a release. If remediation has begun, please prepare and attach a narrative of ted or if the release occurred within a lined containment area (see Subparagraph (a) of Paragraph (5) of valuation in the follow-up C-141 submission.
to report and/or file certain release notifications and perform corrective actions for releathe OCD does not relieve the operator of liability should their operations have failed to a	knowledge and understand that pursuant to OCD rules and regulations all operators are required ases which may endanger public health or the environment. The acceptance of a C-141 report by adequately investigate and remediate contamination that pose a threat to groundwater, surface t does not relieve the operator of responsibility for compliance with any other federal, state, or
I hereby agree and sign off to the above statement	Name: Julianna Falcomata Title: Field Environmental Scientist Email: JRFalcomata@eprod.com

Phone: (505) 629-6116 Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

QUESTIONS, Page 3

Action 506994

QUESTIONS (continued)

Operator:	OGRID:
Enterprise Field Services, LLC	241602
PO Box 4324	Action Number:
Houston, TX 77210	506994
	Action Type:
	[C-141] Reclamation Report C-141 (C-141-v-Reclamation)

QUESTIONS

Site Characterization	
Please answer all the questions in this group (only required when seeking remediation plan approva release discovery date.	l and beyond). This information must be provided to the appropriate district office no later than 90 days after the
What is the shallowest depth to groundwater beneath the area affected by the release in feet below ground surface (ft bgs)	Between 100 and 500 (ft.)
What method was used to determine the depth to ground water	NM OSE iWaters Database Search
Did this release impact groundwater or surface water	No
What is the minimum distance, between the closest lateral extents of the release ar	nd the following surface areas:
A continuously flowing watercourse or any other significant watercourse	Greater than 5 (mi.)
Any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)	Greater than 5 (mi.)
An occupied permanent residence, school, hospital, institution, or church	Between 1 and 5 (mi.)
A spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes	Between 1 and 5 (mi.)
Any other fresh water well or spring	Between 1 and 5 (mi.)
Incorporated municipal boundaries or a defined municipal fresh water well field	Greater than 5 (mi.)
A wetland	Between 300 and 500 (ft.)
A subsurface mine	Greater than 5 (mi.)
An (non-karst) unstable area	Greater than 5 (mi.)
Categorize the risk of this well / site being in a karst geology	Low
A 100-year floodplain	Greater than 5 (mi.)
Did the release impact areas not on an exploration, development, production, or storage site	Yes

Remediation Plan		
Please answer all the questions that apply or are indicated. This information must be provided to	the appropriate district office no later than 90 days after the release discovery date.	
Requesting a remediation plan approval with this submission	Yes	
Attach a comprehensive report demonstrating the lateral and vertical extents of soil contaminatio	n associated with the release have been determined, pursuant to 19.15.29.11 NMAC and 19.15.29.13 NMAC.	
Have the lateral and vertical extents of contamination been fully delineated	Yes	
Was this release entirely contained within a lined containment area	No	
Soil Contamination Sampling: (Provide the highest observable value for each, in milligrams per kilograms.)		
Chloride (EPA 300.0 or SM4500 Cl B)	752	
TPH (GRO+DRO+MRO) (EPA SW-846 Method 8015M)	429	
GRO+DRO (EPA SW-846 Method 8015M)	429	
BTEX (EPA SW-846 Method 8021B or 8260B)	1.2	
Benzene (EPA SW-846 Method 8021B or 8260B)	0	
Per Subsection B of 19.15.29.11 NMAC unless the site characterization report includes complete which includes the anticipated timelines for beginning and completing the remediation.	d efforts at remediation, the report must include a proposed remediation plan in accordance with 19.15.29.12 NMAC,	
On what estimated date will the remediation commence	05/29/2025	
On what date will (or did) the final sampling or liner inspection occur	06/26/2025	
On what date will (or was) the remediation complete(d)	06/26/2025	
What is the estimated surface area (in square feet) that will be reclaimed	5671	
What is the estimated volume (in cubic yards) that will be reclaimed	1222	
What is the estimated surface area (in square feet) that will be remediated	5671	
What is the estimated volume (in cubic yards) that will be remediated	1222	
These estimated dates and measurements are recognized to be the best guess or calculation at the	ne time of submission and may (be) change(d) over time as more remediation efforts are completed.	

The OCD recognizes that proposed remediation measures may have to be minimally adjusted in accordance with the physical realities encountered during remediation. If the responsible party has any need to significantly deviate from the remediation plan proposed, then it should consult with the division to determine if another remediation plan submission is required.

Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

QUESTIONS, Page 4

Action 506994

QUESTIONS (continued)

Operator:	OGRID:
Enterprise Field Services, LLC	241602
PO Box 4324	Action Number:
Houston, TX 77210	506994
	Action Type:
	[C-141] Reclamation Report C-141 (C-141-v-Reclamation)

QUESTIONS

Remediation Plan (continued)	
Please answer all the questions that apply or are indicated. This information must be provided to the	s annonriate district office no later than 90 days after the release discovery date
This remediation will (or is expected to) utilize the following processes to remediate	
(Select all answers below that apply.)	
(Ex Situ) Excavation and off-site disposal (i.e. dig and haul, hydrovac, etc.)	Yes
Which OCD approved facility will be used for off-site disposal	fEEM0112342028 LEA LAND LANDFILL
OR which OCD approved well (API) will be used for off-site disposal	Not answered.
OR is the off-site disposal site, to be used, out-of-state	No
OR is the off-site disposal site, to be used, an NMED facility	No
(Ex Situ) Excavation and on-site remediation (i.e. On-Site Land Farms)	No
(In Situ) Soil Vapor Extraction	No
(In Situ) Chemical processing (i.e. Soil Shredding, Potassium Permanganate, etc.)	No
(In Situ) Biological processing (i.e. Microbes / Fertilizer, etc.)	No
(In Situ) Physical processing (i.e. Soil Washing, Gypsum, Disking, etc.)	No
Ground Water Abatement pursuant to 19.15.30 NMAC	No
OTHER (Non-listed remedial process)	No

Per Subsection B of 19.15.29.11 NMAC unless the site characterization report includes completed efforts at remediation, the report must include a proposed remediation plan in accordance with 19.15.29.12 NMAC, which includes the anticipated timelines for beginning and completing the remediation.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Name: Julianna Falcomata Title: Field Environmental Scientist I hereby agree and sign off to the above statement Email: JRFalcomata@eprod.com Date: 09/18/2025

The OCD recognizes that proposed remediation measures may have to be minimally adjusted in accordance with the physical realities encountered during remediation. If the responsible party has any need to

significantly deviate from the remediation plan proposed, then it should consult with the division to determine if another remediation plan submission is required.

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

QUESTIONS, Page 5

Action 506994

QUESTIONS (continued)

Operator:	OGRID:
Enterprise Field Services, LLC	241602
PO Box 4324	Action Number:
Houston, TX 77210	506994
	Action Type:
	[C-141] Reclamation Report C-141 (C-141-v-Reclamation)

QUESTIONS

Deferral Requests Only		
Only answer the questions in this group if seeking a deferral upon approval this submission. Each of the following items must be confirmed as part of any request for deferral of remediation.		
Requesting a deferral of the remediation closure due date with the approval of this submission	No	

Phone: (505) 629-6116

Online Phone Directory
https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

QUESTIONS, Page 6

Action 506994

QUESTIONS (continued)

Operator:	OGRID:
Enterprise Field Services, LLC	241602
PO Box 4324	Action Number:
Houston, TX 77210	506994
	Action Type:
	[C-141] Reclamation Report C-141 (C-141-v-Reclamation)

QUESTIONS

Sampling Event Information	
Last sampling notification (C-141N) recorded	477915
Sampling date pursuant to Subparagraph (a) of Paragraph (1) of Subsection D of 19.15.29.12 NMAC	06/27/2025
What was the (estimated) number of samples that were to be gathered	4
What was the sampling surface area in square feet	5600

Remediation Closure Request		
Only answer the questions in this group if seeking remediation closure for this release because all remediation steps have been completed.		
Requesting a remediation closure approval with this submission	Yes	
Have the lateral and vertical extents of contamination been fully delineated	Yes	
Was this release entirely contained within a lined containment area	No	
All areas reasonably needed for production or subsequent drilling operations have been stabilized, returned to the sites existing grade, and have a soil cover that prevents ponding of water, minimizing dust and erosion	Yes	
What was the total surface area (in square feet) remediated	5671	
What was the total volume (cubic yards) remediated	1222	
All areas not reasonably needed for production or subsequent drilling operations have been reclaimed to contain a minimum of four feet of non-waste contain earthen material with concentrations less than 600 mg/kg chlorides, 100 mg/kg TPH, 50 mg/kg BTEX, and 10 mg/kg Benzene	Yes	
What was the total surface area (in square feet) reclaimed	5671	
What was the total volume (in cubic yards) reclaimed	1222	
Summarize any additional remediation activities not included by answers (above)	Backfill of the excavation will be completed in the following weeks subsequent to the completion of pipeline repairs. Post backfill photos will be included in the Reclamation Report.	

The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (in .pdf format) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. The responsible party acknowledges they must substantially restore, reclaim, and re-vegetate the impacted surface area to the conditions that existed prior to the release or their final land use in accordance with 19.15.29.13 NMAC including notification to the OCD when reclamation and re-vegetation are complete.

Name: Julianna Falcomata

Title: Field Environmental Scientist
Email: JRFalcomata@eprod.com
Date: 09/18/2025

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

QUESTIONS, Page 7

Action 506994

QUESTIONS (continued)

Operator: Enterprise Field Services, LLC		OGRID: 241602
PO Box 4324		Action Number:
Houston, TX 77210		506994
		Action Type:
		[C-141] Reclamation Report C-141 (C-141-v-Reclamation)
QUESTIONS		
Reclamation Report		
Only answer the questions in this group if all reclamation steps have been completed.		
Requesting a reclamation approval with this submission	Yes	
What was the total reclamation surface area (in square feet) for this site	5671	
What was the total volume of replacement material (in cubic yards) for this site	1222	
Per Paragraph (1) of Subsection D of 19.15.29.13 NMAC the reclamation must contain a minimum of mg/kg as analyzed by EPA Method 300.0, or other test methods approved by the division. The soil to establish vegetation at the site, whichever is greater.		
Is the soil top layer complete and is it suitable material to establish vegetation	Yes	
On what (estimated) date will (or was) the reseeding commence(d)	05/01/2026	
Summarize any additional reclamation activities not included by answers (above)	Reclaimed pasture area will be re-seeded in Spring of 2026, when temperatures and precipitation are more conducive to seed and vegetation growth.	
The responsible party must attach information demonstrating they have complied with all applicable of attachments (in .pdf format) including a scaled site map, any proposed reseeding plans or releva NMAC.		
I hereby certify that the information given above is true and complete to the best of my to report and/or file certain release notifications and perform corrective actions for relethe OCD does not relieve the operator of liability should their operations have failed to water, human health or the environment. In addition, OCD acceptance of a C-141 repolocal laws and/or regulations. The responsible party acknowledges they must substan prior to the release or their final land use in accordance with 19.15.29.13 NMAC includes	eases which may be adequately invested ort does not relientially restore, re	y endanger public health or the environment. The acceptance of a C-141 report by estigate and remediate contamination that pose a threat to groundwater, surface eve the operator of responsibility for compliance with any other federal, state, or eclaim, and re-vegetate the impacted surface area to the conditions that existed

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

QUESTIONS, Page 8

Action 506994

QUESTIONS (continued)

Operator:	OGRID:
Enterprise Field Services, LLC	241602
PO Box 4324	Action Number:
Houston, TX 77210	506994
	Action Type:
	[C-141] Reclamation Report C-141 (C-141-v-Reclamation)

QUESTIONS

Revegetation Report		
Only answer the questions in this group if all surface restoration, reclamation and re-vegetation obligations have been satisfied.		
Requesting a restoration complete approval with this submission	No	
Per Paragraph (4) of Subsection (D) of 19.15.29.13 NMAC for any major or minor release containing liquids, the responsible party must notify the division when reclamation and re-vegetation are complete.		

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Action 506994

CONDITIONS

Operator:	OGRID:
Enterprise Field Services, LLC	241602
PO Box 4324	Action Number:
Houston, TX 77210	506994
	Action Type:
	[C-141] Reclamation Report C-141 (C-141-v-Reclamation)

CONDITIONS

Created By	Condition	Condition Date
scott.rodgers	The reclamation report has been approved pursuant to 19.15.29.13 E. NMAC. The acceptance of this report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment; or if the location fails to revegetate properly. In addition, the OCD approval does not relieve the responsible party of compliance with any other federal, state, or local laws and/or regulations.	11/12/2025