

Certificate of Analysis

Number: 6030-22020386-001A

Artesia Laboratory 200 E Main St. Artesia, NM 88210 Phone 575-746-3481

Alex Batista Mar. 01, 2022

Taprock 602 Park Point Drive Ste. 200 Golden, CO 80401

Station Name: Black Marlin CTB Sales Sour Sampled By: Gerardo Rodriguez Station Number: 14801 Sample Of: Gas Spot Sample Point: Meter run Sample Date: 02/24/2022 10:30

Sample Point: Meter run Sample Date: 02/24/2022 10:30 Formation: Spot Sample Conditions: 74.3 psig, @ 67.9 °F Ambient: 20 °F

County: Lea Effective Date: 02/24/2022 10:30 Type of Sample: Spot-Cylinder Method: GPA 2286

Heat Trace Used: N/A Cylinder No: 5030-01102 Sampling Method: Fill and Purge Instrument: 6030_GC2 (A

Sampling Method: Fill and Purge Instrument: 6030_GC2 (Agilent GC-7890B)
Sampling Company: SPL Last Inst. Cal.: 03/01/2022 8:20 AM

Analyzed: 03/01/2022 09:20:24 by KNF

Analytical Data

Components	Un-normalized Mol %	Mol. %	Wt. %	GPM at 14.73 psia		
Hydrogen Sulfide	0.000	0.800	1.170		GPM TOTAL C2+	6.614
Nitrogen	1.199	1.195	1.436		GPM TOTAL C3+	3.884
Methane	73.694	73.427	50.532		GPM TOTAL iC5+	1.062
Carbon Dioxide	2.015	2.008	3.791			
Ethane	10.204	10.167	13.115	2.730		
Propane	6.020	5.998	11.346	1.659		
Iso-butane	1.173	1.169	2.915	0.384		
n-Butane	2.469	2.460	6.134	0.779		
Iso-pentane	0.865	0.862	2.668	0.317		
n-Pentane	0.739	0.736	2.278	0.268		
Hexanes Plus	1.182	1.178	4.615	0.477		
	99.560	100.000	100.000	6.614		
Calculated Physical Properties		To	otal	C6+		
Relative Density Real Gas		0.80	079	3.1414		
Calculated Molecular Weight		23	.31	90.98		
Compressibility Factor		0.99	957			
GPA 2172 Calculation						
Calculated Gross BTI	sia & 60°F					
Real Gas Dry BTU Water Sat. Gas Base BTU Ideal, Gross HV - Dry at 14.73 psia		13	326	4916		
		13	303	4830		
		132	0.6	4915.9		
Ideal, Gross HV - Wet		129	-	0.000		
Net BTU Wet Gas - rea	al gas	11	185			

Comments: H2S Field Content 0.8 %

Mcf/day 4818.8

Caly Atm

Hydrocarbon Laboratory Manager

The above analyses are performed in accordance with ASTM, UOP, GPA guidelines for quality

assurance, unless otherwise stated.

Quality Assurance:



Certificate of Analysis

Number: 6030-22020386-001A

Artesia Laboratory 200 E Main St. Artesia, NM 88210 Phone 575-746-3481

Alex Batista Mar. 01, 2022 Taprock

602 Park Point Drive Ste. 200

Golden, CO 80401

Station Name: Black Marlin CTB Sales Sour Station Number: 14801

Sample Point: Meter run
Formation: Spot
County: Lea

County: Lea
Type of Sample: Spot-Cylinder

Heat Trace Used: N/A

Sampling Method: Fill and Purge

Sample Of: Gerardo Rodriguez
Sample Of: Gas Spot
Sample Date: 02/24/2022 10:30
Sample Conditions: 74.3 psig, @ 67.9 °F

Method: GPA 2286 Cylinder No: 5030-01102

Analyzed: 03/01/2022 11:02:19 by KNF

Sampling Company: SPL

Analytical Data

Components	Mol. %	Wt. %	GPM at 14.73 psia	
Hydrogen Sulfide	0.800	1.170		
Nitrogen	1.195	1.436		
Methane	73.427	50.532		
Carbon Dioxide	2.008	3.791		
Ethane	10.167	13.115	2.730	
Propane	5.998	11.346	1.659	
Iso-Butane	1.169	2.915	0.384	
n-Butane	2.460	6.134	0.779	
Iso-Pentane	0.862	2.668	0.317	
n-Pentane	0.736	2.278	0.268	
i-Hexanes	0.381	1.381	0.153	
n-Hexane	0.194	0.704	0.079	
Benzene	0.051	0.169	0.014	
Cyclohexane	0.095	0.341	0.032	
i-Heptanes	0.220	0.873	0.089	
n-Heptane	0.045	0.193	0.021	
Toluene	0.040	0.156	0.013	
i-Octanes	0.106	0.489	0.048	
n-Octane	0.008	0.039	0.004	
Ethylbenzene	0.002	0.012	0.001	
Xylenes	0.007	0.033	0.003	
i-Nonanes	0.011	0.067	0.006	
n-Nonane	0.001	0.008	0.001	
Decanes Plus	0.017	0.150	0.013	
	100.000	100.000	6.614	



Certificate of Analysis

Number: 6030-22020386-001A

Artesia Laboratory 200 E Main St. Artesia, NM 88210 Phone 575-746-3481

Alex Batista Mar. 01, 2022

Taprock

602 Park Point Drive

Ste. 200

Golden, CO 80401

Station Name: Black Marlin CTB Sales Sour

Station Number: 14801 Sample Point: Meter run Formation: Spot

County: Lea

Type of Sample: Spot-Cylinder

Heat Trace Used: N/A

Sampling Method: Fill and Purge

Sampled By: Gerardo Rodriguez
Sample Of: Gas Spot
Sample Date: 02/24/2022 10:30

Sample Conditions: 74.3 psig, @ 67.9 °F Method: GPA 2286 Cylinder No: 5030-01102

Analyzed: 03/01/2022 11:02:19 by KNF

Sampling Company: SPL

Calculated Physical Properties C10+ Total Calculated Molecular Weight 23.31 185.24 **GPA 2172 Calculation:** Calculated Gross BTU per ft3 @ 14.73 psia & 60°F Real Gas Dry BTU 1326.4 10096.1 Water Sat. Gas Base BTU 1303.3 9877.3 Relative Density Real Gas 0.8079 6.3957 Compressibility Factor 0.9957 Ideal, Gross HV - Wet 1297.6 Ideal, Gross HV - Dry at 14.73 psia 1320.6 Net BTU Dry Gas - real gas 1206 Net BTU Wet Gas - real gas 1185

Comments: H2S Field Content 0.8 %

Mcf/day 4818.8

Caly Atm

Hydrocarbon Laboratory Manager

The above analyses are performed in accordance with ASTM, UOP, GPA guidelines for quality assurance, unless otherwise stated.

Quality Assurance:

FLARING SUMMARY

Battery	Date	Total Flare Vol (mcf)	Hrs Flared	Start		End	

Sante Fe Main Office Phone: (505) 476-3441

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

DEFINITIONS

Action 526354

DEFINITIONS

Operator:	OGRID:
Civitas Permian Operating, LLC	332195
555 17th Street	Action Number:
Denver, CO 80202	526354
	Action Type:
	[C-129] Venting and/or Flaring (C-129)

DEFINITIONS

For the sake of brevity and completeness, please allow for the following in all groups of questions and for the rest of this application:

- this application's operator, hereinafter "this operator";
- venting and/or flaring, hereinafter "vent or flare";
- any notification or report(s) of the C-129 form family, hereinafter "any C-129 forms";
- the statements in (and/or attached to) this, hereinafter "the statements in this";
- and the past tense will be used in lieu of mixed past/present tense questions and statements.

Sante Fe Main Office Phone: (505) 476-3441 General Information

Phone: (505) 629-6116
Online Phone Directory
https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

QUESTIONS

Action 526354

	QUESTIONS	
Operator: Civitas Permian Operating, LLC 555 17th Street		OGRID: 332195 Action Number:
Denver, CO 80202		526354 Action Type: [C-129] Venting and/or Flaring (C-129)
QUESTIONS		[O-125] Ventally and/of Finalling (O-125)
Prerequisites		
Any messages presented in this section, will prevent submission of this application. Please resolve	these issues before continuing wit	h the rest of the questions.
Incident Well	Unavailable.	
Incident Facility	[fAPP2126030240] BLACK	MARLIN CTB
Determination of Reporting Requirements		
Answer all questions that apply. The Reason(s) statements are calculated based on your answers a	and may provide addional quidance.	
Was this vent or flare caused by an emergency or malfunction	No	
Did this vent or flare last eight hours or more cumulatively within any 24-hour period from a single event	Yes	
Is this considered a submission for a vent or flare event	Yes, minor venting and/or	flaring of natural gas.
An operator shall file a form C-141 instead of a form C-129 for a release that, includes liquid during	venting and/or flaring that is or may	be a maior or minor release under 19.15.29.7 NMAC.
Was there at least 50 MCF of natural gas vented and/or flared during this event	Yes	
Did this vent or flare result in the release of ANY liquids (not fully and/or completely flared) that reached (or has a chance of reaching) the ground, a surface, a watercourse, or otherwise, with reasonable probability, endanger public health, the environment or fresh water	No	
Was the vent or flare within an incorporated municipal boundary or withing 300 feet from an occupied permanent residence, school, hospital, institution or church in existence	No	
Equipment Involved		
Primary Equipment Involved	Not answered.	
Additional details for Equipment Involved. Please specify	Not answered.	
Representative Compositional Analysis of Vented or Flared Natural Gas		
Please provide the mole percent for the percentage questions in this group.	T	
Methane (CH4) percentage	73	
Nitrogen (N2) percentage, if greater than one percent	1	
Hydrogen Sulfide (H2S) PPM, rounded up	8,000	
Carbon Dioxide (C02) percentage, if greater than one percent	2	
Oxygen (02) percentage, if greater than one percent	0	
If you are venting and/or flaring because of Pipeline Specification, please provide the required spe	cifications for each gas.	
Methane (CH4) percentage quality requirement	Not answered.	
Nitrogen (N2) percentage quality requirement	Not answered.	
Hydrogen Sufide (H2S) PPM quality requirement	Not answered.	
Carbon Dioxide (C02) percentage quality requirement	Not answered.	

Not answered.

Oxygen (02) percentage quality requirement

Sante Fe Main Office Phone: (505) 476-3441 General Information

Phone: (505) 629-6116
Online Phone Directory
https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

QUESTIONS, Page 2

Action 526354

QUESTI	ONS (continued)
Operator:	OGRID:
Civitas Permian Operating, LLC 555 17th Street	332195 Action Number:
Denver, CO 80202	526354
	Action Type: [C-129] Venting and/or Flaring (C-129)
QUESTIONS	
Date(s) and Time(s)	
Date vent or flare was discovered or commenced	11/01/2025
Time vent or flare was discovered or commenced	12:01 AM
Time vent or flare was terminated	11:59 PM
Cumulative hours during this event	14
Measured or Estimated Volume of Vented or Flared Natural Gas	
Natural Gas Vented (Mcf) Details	Not answered.
Natural Gas Flared (Mcf) Details	
Natural Gas Flared (MCI) Details	Not answered.
Other Released Details	Cause: Normal Operations Tank (Any) Natural Gas Flared Released: 50 Mcf Recovered: 0 Mcf Lost: 50 Mcf.
Additional details for Measured or Estimated Volume(s). Please specify	Not answered.
Is this a gas only submission (i.e. only significant Mcf values reported)	Yes, according to supplied volumes this appears to be a "gas only" report.
Venting or Flaring Resulting from Downstream Activity	
Was this vent or flare a result of downstream activity	No
Was notification of downstream activity received by this operator	Not answered.
Downstream OGRID that should have notified this operator	Not answered.
Date notified of downstream activity requiring this vent or flare	Not answered.
Time notified of downstream activity requiring this vent or flare	Not answered.
Steps and Actions to Prevent Waste	
For this event, this operator could not have reasonably anticipated the current event and it was beyond this operator's control.	True
Please explain reason for why this event was beyond this operator's control	The location experienced normal operations and the flaring can be attributed to flash gas/tank vapors coming off the tank and going to low pressure flare.
Steps taken to limit the duration and magnitude of vent or flare	Standard PM. Worked with vendor to coordinate service time and minimize downtime.
Corrective actions taken to eliminate the cause and reoccurrence of vent or flare	Standard PM. No way to avoid periodic downtime for maintenance/repairs to address unforeseen issues.

Sante Fe Main Office Phone: (505) 476-3441

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 526354

ACKNOWLEDGMENTS

Operator:	OGRID:
Civitas Permian Operating, LLC	332195
555 17th Street	Action Number:
Denver, CO 80202	526354
	Action Type:
	[C-129] Venting and/or Flaring (C-129)

ACKNOWLEDGMENTS

V	I acknowledge that I am authorized to submit a Venting and/or Flaring (C-129) report on behalf of this operator and understand that this report can be a complete C-129 submission per 19.15.27.8 and 19.15.28.8 NMAC.
V	I acknowledge that upon submitting this application, I will be creating a new incident file (assigned to this operator) to track any C-129 forms, pursuant to 19.15.27.7 and 19.15.28.8 NMAC and understand that this submission meets the notification requirements of Paragraph (1) of Subsection G and F respectively.
V	I hereby certify the statements in this report are true and correct to the best of my knowledge and acknowledge that any false statement may be subject to civil and criminal penalties under the Oil and Gas Act.
V	I acknowledge that the acceptance of any C-129 forms by the OCD does not relieve this operator of liability should their operations have failed to adequately investigate, report, and remediate contamination that poses a threat to groundwater, surface water, human health, or the environment.
V	I acknowledge that OCD acceptance of any C-129 forms does not relieve this operator of responsibility for compliance with any other applicable federal, state, or local laws and/or regulations.

Sante Fe Main Office Phone: (505) 476-3441

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Action 526354

CONDITIONS

Operator:	OGRID:
Civitas Permian Operating, LLC	332195
555 17th Street	Action Number:
Denver, CO 80202	526354
	Action Type:
	[C-129] Venting and/or Flaring (C-129)

CONDITIONS

Created By	Condition	Condition Date
mlaruecdh	If the information provided in this report requires an amendment, submit a [C-129] Amend Venting and/or Flaring Incident (C-129A), utilizing your incident number from this event.	11/13/2025