



February 19, 2026

New Mexico Oil Conservation Division  
506 W. Texas Ave  
Artesia, NM 88210

RE: **Nailed It B CTB - Closure Request Report**  
Incident Number: nAPP2519532647  
GPS: 32.002686°, -103.842251°  
Eddy County, New Mexico  
ESRR Project No. 422

To Whom It May Concern:

Earth Systems Response & Restoration (ESRR), on behalf of Civitas Resources (Civitas), presents the following Closure Request Report (CRR) detailing excavation activities and subsequent soil sampling events associated with an inadvertent release of produced water at the Nailed It B CTB (Site). Based on completed remedial actions and laboratory analytical results from recent soil sampling events, Civitas is requesting No Further Action (NFA) at the Site until plugging and abandonment (P&A) activities and/or major facility deconstruction, whichever comes first.

### **Site Location & Incident Background**

The Site is located in Unit D, Section 36, Township 26 South, Range 30 East, in Eddy County, New Mexico (32.002686°, -103.842251°) and is associated with oil and gas exploration and production operations on State Land managed by the New Mexico State Land Office (NMSLO) (**Figure 1**).

On July 11, 2025, a valve separated from a 1-inch drain line, causing the release of approximately 75 barrels (bbls) of produced water onto a Civitas production pad. A vac truck was immediately dispatched and recovered 45 bbls of fluids. ESRR conducted initial site assessment activities and mapped the observed release footprint on July 14, 2025, hereafter referred to as the Area of Concern (AOC) (**Figure 2**). Civitas gave notice to the New Mexico Oil Conservation Division (NMOCD) by Notification of Release (NOR) and by Corrective Action Form C-141 (Form C-141) on July 14, 2025. The incident was subsequently assigned Incident Number nAPP2519532647.

During August 2025, Southwest Geophysical Consulting, LLC. (SGC) performed an Environmental Karst Study (EKS) Report, which included a surface and geophysical survey.

On October 8, 2025, ESRR on behalf of Civitas requested an extension of the October 9, 2025 deadline, to allow additional time for depth to groundwater (DTW) drilling and to review and coordinate remediation activities. Civitas was granted a 90-day extension by the NMOCD for January 7, 2026.

Following the New Mexico Office of State of Engineers' (NMOSE) approval, HR Enterprises, LLC. (H&R) installed a temporary DTW well on November 4, 2025.

Nailed It B CTB - Closure Request Report  
Incident Number: nAPP2519532647  
GPS: 32.002686°, -103.842251°



On December 10, 2025, ESRR on behalf of Civitas, requested an alternative sampling plan. NMOCD and NMSLO approved the alternative sampling plan on December 12, 2025, with the following conditions:

- o *“Your request for an alternative sampling plan is approved with the following conditions: Bottom confirmation samples may be collected at a frequency of no more than 400 ft2, while all sidewall samples will be required to be collected no more than every 200 ft2.”*

On January 6, 2026, ESRR on behalf of Civitas, requested an additional extension of the January 7, 2026 deadline, to allow additional time for remediation activities and for ESRR to complete this CRR. Civitas was granted a 90-day extension by the NMOCD for April 6, 2026.

### Site Characterization

ESRR characterized the Site according to Table I, Closure Criteria for Soils Impacted by a Release, of Title 19, Chapter 15, Part 29, Section 12 (19.15.29.12) of the New Mexico Administrative Code (NMAC). The following proximities were estimated:

- o Between 1,000 feet and ½ miles of any continuously flowing watercourse or any other significant watercourse;
- o Between 1 and 5 miles of any lakebed, sinkhole or playa lake (measured from the ordinary high-water mark);
- o Greater than 5 miles of any occupied permanent residence, school, hospital, institution or church;
- o Between 1 and 5 miles of any spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes;
- o Between 1 and 5 miles of any other freshwater well or spring;
- o Greater than 5 miles of any incorporated municipal boundary or a defined municipal fresh water well field covered under a municipal ordinance;
- o Between 1,000 feet and ½ miles of any wetland;
- o Greater than 5 miles of any subsurface mine;
- o Between 1,000 feet and ½ miles of any unstable area (non-karst); and
- o Between 1 and 5 miles of a 100-year floodplain.

Based on the results from the EKS Report, SGC determined the following:

- o *“No surface karst features exist within the 200-foot (61-meter) perimeter of the spill delineation boundary.*
- o *No anomalies consistent with subsurface air- or water- filled voids were found within the NIBC geophysical survey area, indicating the zone beneath the geophysical survey is not subject to collapse.*
- o *Flat-lying stratigraphy is interpreted to exist beneath the area where the geophysical survey was conducted, indicating stable ground.”*

Based on the temporary DTW well drilled by H&R, DTW is estimated to be greater than 100 feet below ground surface (bgs). The following Closure Criteria was applied:

<b>Constituents of Concern (COCs)</b>	<b>Closure Criteria<sup>‡</sup></b>
Chloride	20,000 milligram per kilogram (mg/kg)
Total Petroleum Hydrocarbon (TPH)	2,500 mg/kg
Gasoline Range Organics (GRO) + Diesel Range Organics (DRO)	1,000 mg/kg
Benzene	10 mg/kg
Benzene, Toluene, Ethylbenzene, Total Xylenes (BTEX)	50 mg/kg

<sup>‡</sup>The reclamation concentration requirements of 600 mg/kg Chloride and 100 mg/kg TPH apply to the top 4 feet of areas to be immediately reclaimed following remediation pursuant to NMAC 19.15.17.13.  
Laboratory Analytical Methods used: Environmental Protection Agency (EPA) 300.0, EPA 8015 NM, EPA 8021 B

Receptor details used to determine the Site characterization are included in **Figure 1A** and **Figure 1B**. The **Environmental Karst Study Report** and **Referenced Well Records** for the closest depth to water well are attached.

Nailed It B CTB - Closure Request Report  
Incident Number: nAPP2519532647  
GPS: 32.002686°, -103.842251°



## Delineation Activities

On July 18, 2025, ESRR conducted delineation activities to assess the presence or absence of soil impacts associated with the AOC. Twelve delineation boreholes (HA-1 through HA-12) were advanced via hand auger within and surrounding the AOC. Delineation activities were driven by field screening soil for chloride utilizing QuanTab® test strips. A minimum of two soil samples were collected from each delineation borehole, representing the highest observed field screening concentrations and/or the greatest depth. Delineation soil samples were placed directly into lab-provided pre-cleaned jars, packed with minimal void space, labeled, and placed on ice. The delineation soil samples were transported under strict chain-of-custody procedures, to Eurofins in Carlsbad, New Mexico, for analysis of the COCs.

Laboratory analytical results for all delineation soil samples collected within and surrounding the AOC (HA-1 through HA-12) were below the Site Closure Criteria and/or the reclamation standard within the top 2 feet bgs of the AOC. Laboratory results are summarized in **Table 1**, included in the attachments. The locations of all delineation soil samples are shown in **Figure 2**.

## Remediation Activities

On January 30, 2026, ESRR performed excavation activities of identified impacts via mechanical equipment and hand digging based on laboratory analytical results associated with delineation soil sampling activities, and visual observation. The excavation was vertically advanced to a depth of 0.25-feet bgs.

Following the removal of soil, ESRR collected five-point composite soil samples at a previously approved sampling frequency of 400 square feet from the excavation floor (CS-1 through CS-41) and at a sampling frequency of 200 square feet from the excavation sidewalls (SW-1 through SW-4). The five-point composite soil samples were comprised of five equivalent aliquots homogenized in a 1-gallon resealable plastic bag, handled, transported, and analyzed as previously described.

Laboratory analytical results indicated that concentrations of COCs for all final confirmation soil samples were below the applicable Site Closure Criteria and/or reclamation standard. Laboratory results are summarized in **Table 1**, included in the attachments. The locations of all final confirmation soil samples are shown in **Figure 3**.

Approximately 100 cubic yards (CY) of impacted soil was removed from the Site and transported to R360 Red Bluff in Orla, Texas under Civitas approved manifests. Upon receipt of the final confirmation soil samples results, the excavation was backfilled with clean, locally sourced soil and the Site was restored to "as close to its original state" as possible. The final soil cover was contoured to match the Site's pre-existing grade to prevent ponding of water and erosion.

## Closure Request

Based on laboratory analytical results, impacts associated with the inadvertent release have been delineated, excavated, and removed from the Site in accordance with Site Closure Criteria. Due to the active status of the well pad, the top 4 feet of the AOC is not ready to undergo complete reclamation in which the primary purpose is to reestablish vegetation. With depth to groundwater estimated to be greater than 100 feet bgs and no sensitive receptors within the established buffers in NMAC 19.15.29.12, Civitas believes residual chloride concentrations within the AOC exceeding the reclamation standard but

Nailed It B CTB - Closure Request Report  
Incident Number: nAPP2519532647  
GPS: 32.002686°, -103.842251°



below the Site Closure Criteria meets the requirements set forth in NMAC 19.15.29.13 regulations and is equally protective of human health, the environment, and groundwater.

Civitas will reassess the Site during P&A activities and/or major facility deconstruction, whichever comes first, and address soil concentrations above the reclamation requirements of 100 mg/kg for TPH and 600 mg/kg for chloride (**Figure 4**). The final remediation will be confirmed via final confirmation sampling and is subject to change. As such, NFA appears warranted at this time, and Civitas respectfully requests Closure of this CRR associated with Incident Number nAPP2519532647.

If you have any questions or comments, please do not hesitate to contact Gilbert Moreno at (832) 541-7719 or [gmoreno@earthsys.net](mailto:gmoreno@earthsys.net). **Documentation and correspondence notifications and Executed chain-of-custody forms and laboratory analytical reports** are attached.

Sincerely,

**EARTH SYSTEMS RESPONSE & RESTORATION**

A handwritten signature in black ink, appearing to read "Gilbert Moreno".

Gilbert Moreno  
Carlsbad Operations Manager/ Project Geologist


A handwritten signature in black ink, appearing to read "Kris Williams".

Kris Williams, CHMM, REM  
Principal

cc: Mason Jones, Civitas Resources  
New Mexico State Land Office

Attachments:

- Figure 1 - Site Map
- Figure 1A - Groundwater
- Figure 1B - Karst Potential
- Figure 2 - Delineation Soil Sample Locations
- Figure 3 - Excavation Soil Sample Locations
- Figure 4 - Future Restoration Areas
- Environmental Karst Study Report
- Referenced Well Records
- Photographic Documentation
- Table 1 - Soil Sample Analytical Results
- NMOCD Email Documentation & Correspondence
- Executed Chain-of-Custody Forms and Laboratory Analytical Reports




Source: NMOCD Oil and Gas Map

**Figure 1 – Site Map**

Civitas Resources – Nailed It B CTB  
GPS: 32.002686°, -103.842251°  
Eddy County, New Mexico






Source: NMOCD Oil and Gas Map

Figure 1A – Groundwater

Civitas Resources – Nailed It B CTB  
GPS: 32.002686°, -103.842251°  
Eddy County, New Mexico











**Figure 1B – Karst Potential**

Civitas Resources – Nailed It B CTB  
 GPS: 32.002686°, -103.842251°  
 Eddy County, New Mexico






-  Point of Release
-  Area of Concern
-  Delineation Soil Sample in Compliance with Site Closure Criteria
-  Subsurface Water
-  Subsurface Electrical

**Figure 2 – Delineation Soil Sample Locations**

Civitas Resources – Nailed It B CTB  
GPS: 32.002686°, -103.842251°  
Eddy County, New Mexico






**Figure 3 – Excavation Soil Sample Locations**


Civitas Resources – Nailed It B CTB  
GPS: 32.002686°, -103.842251°  
Eddy County, New Mexico





**Figure 4 – Future Restoration Areas**

Civitas Resources – Nailed It B CTB  
GPS: 32.002686°, -103.842251°  
Eddy County, New Mexico



# **Environmental Karst Study Report Nailed It B CTB Eddy County, New Mexico**

**Prepared For:  
Earth Systems, LLC  
1910 Resource Court  
Carlsbad, NM 88220**

- Positive within 200 feet of spill delineation boundary
- Negative within 200 feet of spill delineation boundary
- Stable  Unstable Ground
- Karst Monitor Recommended

**August 29, 2025**

ESYS-002-20250807

©2025 – Southwest Geophysical Consulting, LLC. All rights reserved.

**Published by:**

Southwest Geophysical Consulting, LLC  
5117 Fairfax Dr. NW  
Albuquerque, NM 87114  
(505) 585-2550  
www.swgeophys.com

**Prepared by:**

Garrett Jorgensen Olague  
Senior Field Geologist  
garrett@swgeophys.com

**Reviewed by:**

David Decker, PhD, PG, CPG  
CEO, Principal Geologist  
dave@swgeophys.com

**Prepared for:**

Earth Systems, LLC  
1910 Resource Court  
Carlsbad, NM 88220

Gilbert Moreno  
(575) 323-9034  
gmoreno@earthsys.net

**MMXXV**

**TABLE OF CONTENTS**

FRONT MATTER..... i

TABLE OF CONTENTS.....ii

LIST OF FIGURES.....iii

LIST OF TABLES.....iii

1.0 INTRODUCTION..... 1

    1.1 Goals of this Study..... 1

    1.2 Summary of Findings..... 1

    1.3 Affected Environment..... 1

    1.4 Limitations of Report..... 3

2.0 LOCATION AND DESCRIPTION OF STUDY AREA..... 4

    2.1 Description of Site..... 4

    2.2 Local Geology Summary..... 5

    2.3 Description of Survey..... 6

        2.3.1 Surface Karst Inventory ..... 6

        2.3.2 Geophysical Survey..... 8

3.0 RESULTS..... 10

    3.1 Surface Karst Survey..... 10

    3.2 Geophysical Survey..... 11

4.0 DISCUSSION..... 12

5.0 SUMMARY..... 14

6.0 DISCLOSURE STATEMENT ..... 14

7.0 REFERENCES..... 16

8.0 GLOSSARY OF TERMS..... 18

9.0 ATTESTATION ..... 20

**LIST OF FIGURES**

Figure 1: Karst occurrence zone overview..... 2  
Figure 2: Land ownership and PLSS overview..... 4  
Figure 3: Geology overview ..... 5  
Figure 4: Surface survey overview ..... 7  
Figure 5: Geophysical survey overview ..... 8  
Figure 6: Surface karst survey results ..... 10  
Figure 7: 2D inverted resistivity sections..... 11  
Figure 8: Interpretation ..... 13

**LIST OF TABLES**

Table 1: Survey Line Data Table ..... 9  
Table 2: Software Information and Settings..... 9

## 1.0 INTRODUCTION

This report was commissioned by Earth Systems, LLC (hereinafter referred to as "the client"), on August 7, 2025, for the purpose of conducting an environmental karst study within an area encompassing the Nailed It B CTB release site (hereinafter termed "NIBC") centered at N 32.002619° W 103.842442°.

### 1.1 Goals of this Study

The goals of this study are to conduct a surface karst inventory and provide the client with the location and description of any surface karst features located within 200 feet (61 meters) of the spill delineation boundary (as defined by 19.15.29.12 NMAC<sup>[1]</sup>), and to determine whether stable ground exists (as defined by 19.15.2 NMAC Definitions<sup>[2]</sup>) within the spill delineation boundary of the Nailed It CTB release site as provided by the client via e-mail (**Nailed It B CTB\_Release\_Extent.kmz**) on August 07, 2025, using electrical resistivity imaging<sup>[3]</sup>.

### 1.2 Summary of Findings


- **No surface karst features exist within the 200-foot (61-meter) perimeter of the spill delineation boundary.**
- **No anomalies consistent with subsurface air- or water-filled voids were found within the NIBC geophysical survey area, indicating the zone beneath the geophysical survey is not subject to collapse.**
- **Flat-lying stratigraphy is interpreted to exist beneath the area where the geophysical survey was conducted, indicating stable ground.**

### 1.3 Affected Environment

The NIBC project site is located in evaporite karst terrain, a landform that is characterized by underground drainage through solutionally enlarged conduits. Evaporite karst terrain may contain sinkholes, sinking streams, caves, and springs. Sinkholes leading to underground drainages and voids are common. These karst features, as well as occasional fissures and discontinuities in the bedrock, provide the primary sources for rapid recharge of the groundwater aquifers of the region. Additionally, karst may develop by hypogene processes involving dissolution by upwelling fluids from depth independent of recharge from the overlying or immediately adjacent surface. Hypogene karst systems may not be connected to the surface and can remain undiscovered unless encountered during drilling or excavation.

Karst features are delicate resources that are often of geological, hydrological, biological, and archeological importance, and should be protected. The four primary concerns in these types of terrain are environmental issues, worker safety, equipment damage, and infrastructure integrity.

The Bureau of Land Management (BLM) categorizes all areas within the Carlsbad Field Office (CFO) zone of responsibility as having either low, medium, high, or critical cave potential based on geology, occurrence of known caves, density of karst features, and potential impacts to freshwater aquifers<sup>[4]</sup>. These designations are also recognized by the New Mexico State Land Office (NMSLO). This project occurs within a **MEDIUM** karst occurrence zone (MKOZ)<sup>[5]</sup> (**Figure 1**).



**Figure 1: Karst occurrence zone overview. Background image credit: Google Earth. Image date: August 21, 2024. Image datum: WGS-84.**

A medium karst occurrence zone is defined as an area in known soluble rock types that may have a shallow insoluble overburden. These areas may contain isolated karst features such as caves and sinkholes. Groundwater recharge may not be wholly dependent on karst features, but the karst features still provide the most rapid aquifer recharge in response to surface runoff<sup>[4]</sup>.

**Due to the rapidity with which evaporite karst develops, each location within a karst occurrence zone must be assessed on an individual basis to determine the existence of surface karst features and the possibility of sub-surface karst development each time a release occurs.**

#### **1.4 Limitations of Report**

This report should be read in full. No responsibility is accepted for the use of any part of this report in any other context or for any other purpose or by third parties. This report does not purport to give legal advice. Legal advice can only be given by qualified legal practitioners.

This report has been prepared for the use of Earth Systems, LLC, in accordance with generally accepted consulting practices. Every effort has been made to ensure the information in this report is accurate as of the time of its writing. This report has not been prepared for use by parties other than the client, their contracting party, and their respective consulting advisors. It may not contain sufficient information for the purposes of other parties or for other uses.

This report was prepared upon completion of the associated fieldwork using a standard template prepared by Southwest Geophysical Consulting and is based on information collected prior to fieldwork, conditions encountered on site, and data collected during the fieldwork and reviewed at the time of preparation. Southwest Geophysical Consulting disclaims responsibility for any changes that might have occurred at the site after this time. The interpreted results, locations, and depths noted in this report (if applicable) should be taken as an interpretation only and no decision should be based solely on this information. Physical verification of aerial imagery analysis results in the field should be conducted prior to using this information for remediation planning. Physical verification of geophysical results using geotechnical methods should be conducted.

To the best of our knowledge, the information contained in this report is accurate at the date of issue. Due to the nature of karst terrain, the information in this report shall not be used beyond two years past the date of the field work provided in section **2.3 Description of Survey**. Large weather events can shorten this time period as areas subject to karst development can rapidly form new features subsequent to these events.

## 2.0 LOCATION AND DESCRIPTION OF STUDY AREA

### 2.1 Description of Site

The site is located 58.7 kilometers (36.5 miles) southeast of Carlsbad, New Mexico, south of State Line Road and north of the New Mexico – Texas border in an area known as Red Bluffs. The spill delineation boundary is located within the western half of section 36, NM T26S R30E<sup>[6]</sup> (Figure 1 and Figure 2). The region has rolling terrain with karstification occurring in the gypsite soils and underlying gypsum and dolomite bedrock<sup>[7]</sup> (see section 2.2 Local Geology Summary for further information). The climate in this area of southeast New Mexico is semi-arid with an average annual precipitation of approximately 13 inches, of which about two-thirds falls as rain during summer thunderstorms from June to October. Summers are hot and sunny while winters are generally mild, with an average maximum temperature of 96°F in July and an average minimum temperature of 28°F in January<sup>[8]</sup>. This area is within the Chihuahuan Desert Thornscrub as defined by the Southwestern Regional ReGAP Vegetation map<sup>[9]</sup> and the vegetation consists mostly of areas of blue grama, nine-awned pappus grass, burro grass and low scrub including yucca. The spill delineation boundary is located within an MKOZ<sup>[5]</sup> (Figure 1) and within NMSLO managed land<sup>[10]</sup> (Figure 2).




Figure 2: Land ownership and PLSS overview. Background image credit: Google Earth. Image date: December 31, 2023. Image datum: WGS-84.

## 2.2 Local Geology Summary

The site for the NIBC survey is located at an elevation of 919 meters (3,015 feet), ± 2 meters (6.6 feet), and is located within a region entirely underlain by the Permian Dewey Lake (Pdl) and Rustler (Pru) Formations. The area is mantled by thin gypsiferous soils (gypsite), Quaternary alluvium (Qal) and eolian sands (Qe)<sup>[11]</sup> up to 5 meters in depth (**Figure 3**).

The Dewey Lake Formation is composed of calcite-cemented, hematite-stained quartz sand grains<sup>[12]</sup> and occasional gypsum lenses and can, in favorable conditions, form cavernous porosity within 30 meters of the top of the Rustler Formation<sup>[13]</sup>. The Dewey Lake Formation is also known to be highly fractured near areas of heavy halite dissolution such as Nash Draw (approximately 25 kilometers north), and these fractures can act as hydrologic conduits.

The Rustler Formation is an evaporite facies and is composed mainly of thin siltstones and sandstones interbedded with claystones, dolomite and gypsum<sup>[12]</sup>, and contains both karst-forming strata (the Forty-niner and Tamarisk members) and two shallow aquifers (the Magenta and Culebra Dolomite members). The Forty-niner and Tamarisk members are known to have highly developed karst features including large voids and solution-enlarged fractures<sup>[14]</sup>.

The survey area is covered by the easily accessible Geologic Map of New Mexico (2003) at 1:500,000 scale<sup>[15]</sup> and the Digital Geologic Map of New Mexico in ARC/INFO Format<sup>[11]</sup>.




Figure 3: Geology overview. Geology map credit: The Digital Geologic Map of New Mexico in ARC/INFO Format. Background image credit: Google Earth. Image date: December 31, 2023. Image datum: WGS-84.

## 2.3 Description of Survey

### 2.3.1 Surface Karst Inventory

Southwest Geophysical Consulting, in partnership with SWCA Environmental Consultants, provides surface karst surveys using small, uncrewed aerial systems (sUAS) that are flown by qualified, FAA licensed drone pilots and that meet the stringent Bureau of Land Management – Carlsbad Field Office requirements for both pedestrian and aerial karst surveys.

The surface karst survey includes a desk study prior to the flight which allows us to provide client feedback in the event of any previously known karst features in the area. The desk study is performed out to 305 meters (1,000 feet) from the spill delineation boundary per New Mexico Oil Conservation Division guidance<sup>[1]</sup> (**Figure 4**). The study was performed using satellite and aerial imagery from Google Earth Pro dated December 31, 2023 (please note features less than one meter in diameter are generally not visible using this method); the Southwest Geophysical Cave and Karst Database dated April 25, 2025<sup>[16]</sup>; the Phantom Banks, NM, 1:24,000 quad, 1968, USGS topographic map; and the latest lidar imagery from CalTopo.com. Please note that we use older topographic maps because newer maps have had caves removed from them. These searches and queries returned no results within the survey boundary.

Surface karst surveys are conducted by sUAS at low elevation within 200 meters of the spill delineation boundary<sup>[4]</sup> (**Figure 4**) following a preplanned raster pattern flightpath designed for the purpose of generating at least 75% imagery overlap. The collected high-resolution, georeferenced imagery is stitched together to develop orthomosaic imagery which is further developed into a digital elevation model (DEM); the DEM is then processed into a local relief model (LRM) (**Figure 6**). This LRM is color coded to enhance differences in elevation of as little as five centimeters. The orthoimagery, DEM, and LRM are uploaded to a server where they are analyzed by an experienced karst geologist. Finally, the data is reviewed by a senior karst geologist for quality assurance and downloaded into a table for inclusion in a written report<sup>[17]</sup>.





Figure 4: Surface survey overview. Background image credit: Google Earth. Image date: December 31, 2023. Datum: WGS-84.

The resolution of the orthoimagery is clear enough that features as small as 10 centimeters can be positively identified in most circumstances. Occasionally there are ambiguous features identified during an aerial survey that will need to be checked in the field if they are impacted by the proposed remediation efforts. Specifically, it is difficult to tell the difference between solution tubes, abandoned uncased well bores, and some burrows in drone imagery. If an ambiguous feature is located during imagery analysis, it is marked with a yellow dot in **Figure 6**. If a feature of any likelihood is subsequently verified in the field prior to publication of the report, the dot will be changed to a red triangle if confirmed as a karst feature or deleted if not.

The imagery for this study was collected via aerial survey by Pat Lagodney of SWCA on August 16, 2025. Surface karst features may have developed after this date and will not be noted in this report. Imagery analysis was completed by Dave Decker of Southwest Geophysical Consulting on August 18, 2025.

### 2.3.2 Geophysical Survey

For this survey, a Guideline Geo Terrameter LS 2 and a 28-electrode array of 40-centimeter-long electrodes were used to image the subsurface. This survey consisted of two resistivity lines in a dipole-dipole configuration. Line NIBC01 is laid out west to east while line NIBC02 is laid out south to north. Both lines consisted of 28 electrodes at 5-meter spacing, resulting in 135-meter-long arrays (**Figure 5, Table 1**). A preconfigured protocol file was used to run the data collection (DipoleDipole2x14). This electrode configuration provided a depth of investigation of 27 meters (89 feet) and a resolution of 2.5 to 3.0 meters (8.2 to 9.8 feet) within the first 5 to 8 meters (16 to 26 feet) from the surface. A Leica GS18 GPS was used to record electrode locations and elevations.



**Figure 5: Geophysical survey overview.** Two survey lines were conducted with 28 electrodes each (yellow dots denoted with blue numbers). Background image credit: Google Earth. Image date: December 31, 2023. Image datum: WGS-84.

**Table 1** provides basic line data. Detailed information for each line including electrode number, location in latitude/longitude (decimal degree format), and elevation in meters can be found in the accompanying data files.

**Table 1: Survey Line Data Table.** The .kmz file contains all the points for the survey line listed in the file name. These data are available in the accompanying files NIBC\_ERI\_Points.xlsx and ESYS-002-20250807\_NIBC\_Data\_Files.kmz.

File Name:	Completed By:	Date:
NIBC01.kmz	Garrett Jorgensen Olague – Senior Field Geologist Britt Bommer – Field Geologist Aaron Beirl – Field Geologist	8/19/2025
NIBC02.kmz		

EarthImager™ 2D software was used to download and process the data and to provide the model used to make our interpretations. The design of the survey and the orientation of each of the lines provides the information necessary to make the determination of “stable” or “unstable” ground at this site.

A typical starting model was used for the data processing due to the two-layer model of the geology in the area; specifically, generally high-resistivity gypsum and dolomite at the surface and low-resistivity saturated gypsum and dolomite bedrock at depth. The starting model used was “average apparent resistivity” and a default inversion setting of “surface,” with a minimum apparent resistivity set to 0.1 Ohm-meters (Ohm-m or  $\Omega$ -m) and a max apparent resistivity set to 100,000  $\Omega$ -m (**Table 2**).

**Table 2: Software Information and Settings**

Software Name:	EarthImager™ 2D
Version:	2.4.4.649
Starting Model:	Average Apparent Resistivity
Default Inversion Settings:	Surface
Changes to Default Inversion Settings:	Max Apparent Resistivity = 100 k $\Omega$ -m Min Apparent Resistivity = 0.1 $\Omega$ -m

**Note:** Raw data files (.dat files for EarthImager™ 2D) and processed data (.trn files, terrain files for surface correction in EarthImager™ 2D and .out files, the processed .dat files) are available upon request.

All field work, including setup, stow, and travel, was completed by Garrett Jorgensen Olague, Britt Bommer, and Aaron Beirl on August 19, 2025.

### 3.0 RESULTS

#### 3.1 Surface Karst Survey

The desk study and surface karst survey showed no surface karst features within the 200-foot (61-meter)<sup>[1]</sup> karst survey boundary (Figure 6).

No springs exist within the 1,000-foot (305-meter)<sup>[1]</sup> survey boundary.





Figure 6: Surface karst survey results. Background image credit: Google Earth. Image date: December 31, 2023. Image datum: WGS-84.

### 3.2 Geophysical Survey

Electrical resistivity tomography forms images of the subsurface by causing a current to flow through the rock and soil and then measuring the resistance of these materials as the current flows through them. This measurement is taken many times and the resulting data, once processed, is used to produce a model of the subsurface (**Figure 7**). This model is produced using "non-unique" solutions, which means that there are many models and interpretations which will satisfy the data. Using experience and knowledge of the local geology, a high-confidence model can be established and used to develop an accurate understanding of what lies below the surface. This survey was conducted with the express purpose of locating subsurface voids and does not purport to find paleokarst (old, non-active karst features that have been filled in with sand and sediment) or nascent karst features below the resolution limit of the survey.

The results of this study indicate a well-layered geologic system with low resistivities between 5.0 and 465 Ohm-m (**Figure 7**). Please keep in mind when viewing the 2D inverted resistivity sections that color maps can be widely different for each view. Always check the color map located on the right side of the image when viewing the 2D images to ensure you understand the range of resistivities presented. Distances along the top and depths along the left side are in meters. The color map along the right side is in Ohm-m. Due to the nature of the survey, shallower zones have higher resolution between electrodes than deeper zones; therefore, small features at depth will not be visible.



**Figure 7: 2D inverted resistivity sections. Reds and oranges indicate higher resistivity values. Yellows and greens are medium-resistivity values. Blues are low-resistivity values. Please note that the color scale is relative.**

#### 4.0 DISCUSSION

No surface karst features and no anomalies consistent with air-filled subsurface voids are found within the NIBC survey area. However, small solutionally enlarged voids or fractures at or near the resolution limit of the survey (2.5 – 3.0 meters) may be present. Slightly higher-than-average resistivity areas less than 10 meters beneath the surface are interpreted as sand, caliche, or gypsite soils. Due to their much lower resistivity values when compared with significant subsurface voids, these features should not be a concern during remediation efforts.

Areas of moderate resistivity (yellows, and greens) near the surface are interpreted as sand, caliche, or sandstone of the Dewey Lake Formation; or dry caliche soils and gypsum or dolomite bedrock Rustler Formation <sup>[18]</sup> (**Figure 7** and **Figure 8**). The low-resistivity area at a depth of approximately 12 - 15 meters beneath the surface across both lines is likely a layer of either clay and halite lenses or moist or saturated layers within the Dewey Lake or Rustler Formations. (**Figure 7** and **Figure 8**).

Please remember that these are interpretations made from knowledge of the local subsurface materials and experience. **They remain interpretations until verified by geotechnical methods.** Employing a BLM-CFO approved karst monitor on site during any drilling and/or remediation activities that require excavation below four feet in depth should be considered.

Fracture sets within the subsurface can act as hydrologic pathways to the water table. Rapid dissolution of gypsum can occur along these pathways creating solution-enlarged fractures, and in some cases, voids within months to years. For this reason, this survey is valid only for this remediation event.

Within karst terrains like the project site, small air- or sediment-filled voids and/or brecciated zones and solutionally enlarged fractures that are below the resolution limit of the survey (2.5 – 3.0 meters) may exist; these may be encountered during excavation, and if so, should be evaluated by a karst specialist prior to continued work.




Figure 8: Interpretation. Colored trapezoids are 2D inverted resistivity lines. Background image credit: Google Earth. Image date: December 31, 2023.

## 5.0 SUMMARY

- **The NIBC survey contains no surface karst features within 200 feet (61 meters) of the spill delineation boundary.**
- **No shallow anomalies interpreted as large voids or related karst features that would present a danger to equipment operators are located within the geophysical survey area.**
- Intercepting a void during remediation is unlikely, but still possible. Small voids or solutionally enlarged fractures below the resolution limit of the survey may be encountered.
- **Well-layered stratigraphy is interpreted to exist beneath the area where the geophysical survey was conducted, indicating stable ground.**
- When conducting any remediation activities in this area, employing a BLM-CFO approved karst monitor on site should be considered.

## 6.0 DISCLOSURE STATEMENT

Karst occurrence zones are prone to rapid karst formation and warrant careful planning and engineering to mitigate karst-forming processes that could be accelerated by removal of surface cover or the vibrations associated with heavy equipment used in the remediation process.

Mitigation measures for any karst features revealed during excavation shall be approved by the Bureau of Land Management – Carlsbad Field Office and follow the Natural Resources Conservation Service Conservation Practice Standard for Karst Sinkhole Treatment, Code 527, or the Bureau of Land Management Cave and Karst Management Handbook, H-8380-1.

Vigilance during remediation activities is paramount. If voids are encountered during excavation, contact the Bureau of Land Management Karst Division at (575) 234-5972, the New Mexico State Land Office Surface Resources Division at (505) 827-5768, or a BLM-CFO approved karst contractor and request an on-site investigation from a karst expert if one is not already on site. A karst consultant can generally be available in Eddy County within five hours.

Approved karst monitors should have karst feature identification training, at least two years of supervised experience identifying karst features, wilderness first aid training, SRT training, confined space training, gas monitor training, and a minimum of SPAR cave rescue training through NCRC. They should have with them the proper gear and be prepared both physically and mentally to enter a collapse feature within minutes to perform a rescue if needed. Monitoring services with qualified karst monitors, as well as cave surveys and geophysical surveys, are available from Southwest Geophysical Consulting.

Under no circumstances should an untrained, inexperienced person enter a cave, pit, sinkhole, or collapse feature. All field employees of Southwest Geophysical Consulting have extensive caving experience and the ability to determine whether entry into a karst feature is safe or presents a hazard. In the event it is necessary to enter a karst feature, Southwest Geophysical Consulting can provide these services on request.

Cave and karst resource inventory reports, karst feature investigations, and geophysical reports (along with the associated data files) commissioned at the request of the federal land manager should be submitted to BLM-CFO: [blm\\_nm\\_karst@blm.gov](mailto:blm_nm_karst@blm.gov).

Cave and karst resource inventory reports for the NMSLO should be submitted to the respective project manager.

Environmental karst reports should be submitted to the appropriate project manager at the New Mexico Oil Conservation Division.

## 7.0 REFERENCES

- 1 Division, O. C. *Title 19, Chapter 15, Part 29* (Oil Conservation Division, 2018).
- 2 NMSLO. (ed Oil Conservation Division) (New Mexico State Land Office, Santa Fe, NM, 2018).
- 3 Decker, D. & Jorgensen, G. L. *Environmental Karst Surveys White Paper* (Southwest Geophysical Consulting, LLC, 2024).
- 4 Goodbar, J. R. Vol. BLM Management Handbook H-8380-1 (ed Carlsbad Field Office) 59 (Bureau of Land Management, Denver, CO, 2015).
- 5 Decker, D., Trautner, E. & Palmer, R. (Bureau of Land Management - Carlsbad Field Office, 2025).
- 6 Earthpoint. *Earthpoint Tools for Google Earth*, <<https://www.earthpoint.us/Townships.aspx>> (2022).
- 7 Decker, D. D., Land, L. & Luke, B. Characterization of Playa Lakes in the Gypsum Karst of Southeastern New Mexico and West Texas, USA. *Oklahoma Geological Survey Circular 113* **113** (2021).
- 8 W.R.C.C. *National Climate Data Center 1981-2010 Normal Climate Summary for Carlsbad, New Mexico (291469)*, 2010).
- 9 Whitehead, W. & Flynn, C. *Plant Utilization in Southeastern New Mexico: Botany, Ethnobotany, and Archaeology*. (Bureau of Land Management, Carlsbad Field Office, 2017).
- 10 NMSLO. Digital overlay (KML) of the surface land ownership in New Mexico (New Mexico State Land Office, Santa Fe, NM, 2024).
- 11 Green, G. N. & Jones, G. E. *The Digital Geologic Map of New Mexico in ARC/INFO Format*, <<https://mrdata.usgs.gov/geology/state/state.php?state=NM>> (1997).
- 12 Austin, G. S. *Geology and mineral deposits of Ochoan rocks in Delaware Basin and adjacent areas*. Vol. Circular 159 (New Mexico Bureau of Mines and Mineral Resources, 1978).
- 13 Powers, D. W., Lambert, S. J., Shaffer, S.-E., Hill, L. R. & Weart, W. D. Geological Characterization Report, Waste Isolation Pilot Plant (WIPP) Site, Southeastern New Mexico. 726 (Sandia Laboratories, Albuquerque, NM, 1978).
- 14 Goodbar, J. R. & Goodbar, A. in *US Geological Survey Karst Interest Group* (National Cave and Karst Research Institute, Carlsbad, NM, 2014).
- 15 Scholle, P. A. *Geologic Map of New Mexico*. (2003).

- 16 Decker, D. D., Jorgensen, G. L. & Palmer, R. in *Southwest Geophysical Cave and Karst Database* (ed LLC Southwest Geophysical Consulting) (Albuquerque, NM, 2025).
- 17 Whitehead, W., Bandy, M. & Decker, D. Protocol for Using UAV Photography for Rapid Assessment of Karst Features in Southeast New Mexico. *Proceedings of the 2022 Cave and Karst Management Symposium* (2022).
- 18 Hill, C. A. *Geology of the Delaware Basin, Guadalupe, Apache and Glass Mountains, New Mexico and West Texas*. Vol. 96-39 (Permian Basin Section - SEPM, 1996).

**8.0 GLOSSARY OF TERMS**

AGI	Advanced Geosciences Inc.
BLM-CFO	Bureau of Land Management - Carlsbad Field Office
brecciated	Fractured rock caused by faulting or collapse.
caprock-collapse sinkhole	Collapse of roof-spanning rock into a cave or void.
cave	Natural opening at the surface large enough for a person to enter.
cover-collapse sinkhole	Collapse of roof-spanning soil or clay ground cover into a subsurface void.
ERI	Electrical Resistivity Imaging
GPS	Global Positioning System
grike	A solutionally enlarged, vertical, or sub-vertical joint or fracture.
(H)	High confidence modifier for a PKF. This is typically reserved for a feature that is definitely karst but has not been confirmed in the field.
HKOZ	High Karst Occurrence Zone
karst	A landscape containing solutional features such as caves, sinkholes, swallets, and springs.
(L)	Low confidence modifier for a PKF. This is typically a feature that cannot be ruled out as karst but is most likely NOT karst related. This modifier may also be used for pseudokarst features.
(M)	Medium confidence modifier for PKF. This is an ambiguous feature that can't be positively identified as karst without a field visit (e.g., burrows, abandoned unlined wells, solution tubes, pseudokarst).
MKOZ	Medium Karst Occurrence Zone
NCRC	National Cave Rescue Commission
NKF	Non-karst feature. Used for features originally identified as PKF that have been subsequently identified in the field as non-karst related. This term may also be used for pseudokarst features.
NMSLO	New Mexico State Land Office
Ohm-m	Ohm-meter, a unit of measurement for resistivity. Sometimes abbreviated $\Omega$ -m.
paleokarst	Previously formed karst features that have been filled in by erosion and/or deposition of minerals.
Pat	Permian Artesia Group
Pc	Permian Capitan Formation
Pcs	Permian Castile Formation

Pdl	Permian Dewey Lake Formation
PKF	Possible karst feature. This term is reserved for features identified in satellite or aerial imagery that have NOT been visited in the field. Further modifiers include (H) for high confidence, (M) for medium confidence, and (L) for low confidence. These confidence levels are based on field experience.
PLSS	Public Land Survey System
Pqg	Permian Queen/Greyburg Formation
Pru	Permian Rustler Formation
pseudokarst	Karst-like features (sinkholes, conduits, voids etc.) that are not formed by dissolution. These types of features include soil piping, lava tubes, and some cover-collapse and suffosion sinkholes.
Psl	Permian Salado Formation
Psr	Permian Seven Rivers Formation
Pt	Permian Tansill Formation
Py	Permian Yates Formation
Qal	Quaternary alluvium
Qe	Quaternary eolian deposits
Qp	Quaternary piedmont deposits
Qpl	Quaternary playa lake deposits
RKF	Recognized karst feature. This term is reserved for karst features that have been physically verified in the field.
SPAR	Small Party Assisted Rescue
sUAS	Small, uncrewed aerial system
suffosion sinkhole	Raveling of soil into a pre-existing void or fracture.
swallet	A natural opening in the surface, too small for a person, that drains water to an aquifer. Some are "open," meaning a void can be seen below; some are "closed," meaning they are full of sediment.
SWG	Southwest Geophysical Consulting, LLC
UTM	Universal Transverse Mercator (projected coordinates)
(V)	Field verified modifier for a RKF. This indicates that the feature has been visited by a qualified karst professional in the field and fully identified
WGS	World Geodetic System (geographic coordinates)

## 9.0 ATTESTATION

### David D. Decker, PhD, PG, CPG

Chief Executive Officer, Principal Geologist

Southwest Geophysical Consulting, LLC

5117 Fairfax Dr. NW

Albuquerque, NM 87114

[dave@swgeophys.com](mailto:dave@swgeophys.com)

(505) 585-2550

## CERTIFICATE OF AUTHOR

I, David D. Decker, a Licensed Professional Geologist and a Certified Professional Geologist, do certify that:

- I am currently employed as a consulting geologist in the specialty of caves and karst with an office address of 5117 Fairfax Dr. NW, Albuquerque, NM, USA, 87114.
- I graduated with a Master of Science in Applied Physics with a specialization in Sensor Systems from the Naval Post Graduate School in Monterey, California, in 2003, and a Doctor of Philosophy in Earth and Planetary Sciences from the University of New Mexico, Albuquerque, New Mexico, in 2018.
- I am a Licensed Professional Geologist in the State of Texas, USA (PG-15242) and have been since 2021. I am a Certified Professional Geologist through the American Institute of Professional Geologists (CPG-12123) and have been since 2021.
- I have been employed as a geologist continuously since 2016. I was previously employed as a Fire Controlman, Naval Flight Officer, and Aerospace Engineering Duty Officer in the U.S. Navy and operated, maintained, and installed various sensor systems including magnetic, electromagnetic, radar, communications, and acoustic systems in various capacities from 1986 through 2010.
- I have been involved in various aspects of cave and karst studies continuously since 1985, including exploration, mapping, and scientific studies.
- I have read the definition of “qualified karst professional” set out in the ASTM Standard Practice for Preliminary Karst Terrain Assessment for Site Development (ASTM E-1527). I meet the definition of “qualified professional” for the purposes of this standard.
- I am responsible for the content, compilation, and editing of all sections of report number ESYS-002-20250807 entitled, “Environmental Karst Study Report, Nailed It B CTB, Eddy County, New Mexico.” I or a duly authorized and qualified representative of Southwest Geophysical Consulting, LLC, have personally visited this site and/or reviewed the aerial imagery on the date or dates mentioned in section **2.3 Description of Survey**.

- I have no prior involvement nor monetary interest in the described property or project, save for my fee for conducting this investigation and providing the report.

Dated in Albuquerque, New Mexico, September 10, 2025.



David D. Decker  
PhD, CPG-12123





# WELL RECORD & LOG

OFFICE OF THE STATE ENGINEER

[www.ose.state.nm.us](http://www.ose.state.nm.us)

<b>1. GENERAL AND WELL LOCATION</b>	OSE POD NO. (WELL NO.) Pod 1		WELL TAG ID NO.		OSE FILE NO(S) C-5008	
	WELL OWNER NAME(S) Civitas Resources, Inc.				PHONE (OPTIONAL)	
	WELL OWNER MAILING ADDRESS 6301 Holiday Hill Rd Unit 201				CITY Midland	STATE TX
					ZIP 79707	
	WELL LOCATION (FROM GPS)	DEGREES LATITUDE 32	MINUTES 0	SECONDS 4.8	N	* ACCURACY REQUIRED: ONE TENTH OF A SECOND
	LONGITUDE 103	50	10.5	W	* DATUM REQUIRED: WGS 84	
DESCRIPTION RELATING WELL LOCATION TO STREET ADDRESS AND COMMON LANDMARKS - PLSS (SECTION, TOWNSHIP, RANGE) WHERE AVAILABLE S36 T26s R30e						

<b>2. DRILLING &amp; CASING INFORMATION</b>	LICENSE NO. WD-1862		NAME OF LICENSED DRILLER James Hawley			NAME OF WELL DRILLING COMPANY H&R Enterprises, LLC		
	DRILLING STARTED 11-4-25	DRILLING ENDED 11-4-25	DEPTH OF COMPLETED WELL (FT) 105'	BORE HOLE DEPTH (FT) 105'	DEPTH WATER FIRST ENCOUNTERED (FT) N/A			
	COMPLETED WELL IS: <input type="checkbox"/> ARTESIAN *add Centralizer info below <input checked="" type="checkbox"/> DRY HOLE <input type="checkbox"/> SHALLOW (UNCONFINED)				STATIC WATER LEVEL IN COMPLETED WELL (FT) N/A	DATE STATIC MEASURED 11-10-25		
	DRILLING FLUID: <input checked="" type="checkbox"/> AIR <input type="checkbox"/> MUD ADDITIVES - SPECIFY:							
	DRILLING METHOD: <input checked="" type="checkbox"/> ROTARY <input type="checkbox"/> HAMMER <input type="checkbox"/> CABLE TOOL <input type="checkbox"/> OTHER - SPECIFY:					CHECK HERE IF PITLESS ADAPTER IS INSTALLED <input type="checkbox"/>		
	DEPTH (feet bgl)		BORE HOLE DIAM (inches)	CASING MATERIAL AND/OR GRADE (include each casing string, and note sections of screen)	CASING CONNECTION TYPE (add coupling diameter)	CASING INSIDE DIAM. (inches)	CASING WALL THICKNESS (inches)	SLOT SIZE (inches)
	FROM	TO						
	0'	105'	6'	No casing left in hole				

<b>3. ANNULAR MATERIAL</b>	DEPTH (feet bgl)		BORE HOLE DIAM. (inches)	LIST ANNULAR SEAL MATERIAL AND GRAVEL PACK SIZE-RANGE BY INTERVAL <i>*(if using Centralizers for Artesian wells- indicate the spacing below)</i>	AMOUNT (cubic feet)	METHOD OF PLACEMENT
	FROM	TO				
				N/A		


FOR OSE INTERNAL USE		WR-20 WELL RECORD & LOG (Version 09/22/2022)			
FILE NO.	POD NO.	TRN NO.			
LOCATION	WELL TAG ID NO.	PAGE 1 OF 2			

4. HYDROGEOLOGIC LOG OF WELL	DEPTH (feet bgl)		THICKNESS (feet)	COLOR AND TYPE OF MATERIAL ENCOUNTERED - INCLUDE WATER-BEARING CAVITIES OR FRACTURE ZONES <i>(attach supplemental sheets to fully describe all units)</i>	WATER BEARING? (YES / NO)	ESTIMATED YIELD FOR WATER- BEARING ZONES (gpm)
	FROM	TO				
	0'	5'	5'	Sandy Topsoil	Y ✓ N	
	5'	15'	10'	Sandy Caliche	Y ✓ N	
	15'	105'	90'	Sand	Y ✓ N	
					Y N	
					Y N	
					Y N	
					Y N	
					Y N	
					Y N	
					Y N	
					Y N	
					Y N	
					Y N	
					Y N	
					Y N	
					Y N	
					Y N	
					Y N	
					Y N	
METHOD USED TO ESTIMATE YIELD OF WATER-BEARING STRATA:					TOTAL ESTIMATED WELL YIELD (gpm): 0.00	
<input type="checkbox"/> PUMP <input type="checkbox"/> AIR LIFT <input type="checkbox"/> BAILER <input checked="" type="checkbox"/> OTHER - SPECIFY: DTGW Bore						

5. TEST; RIG SUPERVISION	WELL TEST	TEST RESULTS - ATTACH A COPY OF DATA COLLECTED DURING WELL TESTING, INCLUDING DISCHARGE METHOD, START TIME, END TIME, AND A TABLE SHOWING DISCHARGE AND DRAWDOWN OVER THE TESTING PERIOD.
	MISCELLANEOUS INFORMATION:	Depth to groundwater bore was gauged for water on 11-10-25. DTGW bore was dry. Temporary well casing was removed, bore hole was backfilled with drill cuttings to 10' BGS. Hydrated bentonite hole plug was poured from 10' BGS to surface.
	PRINT NAME(S) OF DRILL RIG SUPERVISOR(S) THAT PROVIDED ONSITE SUPERVISION OF WELL CONSTRUCTION OTHER THAN LICENSEE:	Nathan Smelcer

6. SIGNATURE	THE UNDERSIGNED HEREBY CERTIFIES THAT, TO THE BEST OF HIS OR HER KNOWLEDGE AND BELIEF, THE FOREGOING IS A TRUE AND CORRECT RECORD OF THE ABOVE DESCRIBED HOLE AND THAT HE OR SHE WILL FILE THIS WELL RECORD WITH THE STATE ENGINEER AND THE PERMIT HOLDER WITHIN 30 DAYS AFTER COMPLETION OF WELL DRILLING:	
	 _____ SIGNATURE OF DRILLER / PRINT SIGNEE NAME	James Hawley _____ DATE
		11-11-25

FOR OSE INTERNAL USE		WR-20 WELL RECORD & LOG (Version 09/22/2022)	
FILE NO.	POD NO.	TRN NO.	
LOCATION		WELL TAG ID NO.	PAGE 2 OF 2

Nailed It B CTB - Closure Request Report  
Incident Number: nAPP2519532647  
GPS: 32.002686°, -103.842251°



PHOTO 1: Eastern aerial view during initial site assessment activities. 7/14/2025



PHOTO 2: Northeastern view during initial site assessment activities. 7/14/2025

Nailed It B CTB - Closure Request Report  
Incident Number: nAPP2519532647  
GPS: 32.002686°, -103.842251°



PHOTO 3: Northern view during delineation activities. 7/18/2025



PHOTO 4: Northern view during delineation activities. 7/18/2025

Nailed It B CTB - Closure Request Report  
Incident Number: nAPP2519532647  
GPS: 32.002686°, -103.842251°



PHOTO 5: Northern view during delineation activities. 7/18/2025



PHOTO 6: Northern view during delineation activities. 7/18/2025

Nailed It B CTB - Closure Request Report  
Incident Number: nAPP2519532647  
GPS: 32.002686°, -103.842251°




PHOTO 7: Northern view during delineation activities. 7/18/2025




PHOTO 8: Northeastern view during DTW drilling activities. 11/04/2025

Nailed It B CTB - Closure Request Report  
Incident Number: nAPP2519532647  
GPS: 32.002686°, -103.842251°




PHOTO 9: Northwestern view during excavation activities. 1/30/2026



PHOTO 10: Southwestern view during excavation activities. 1/30/2026

Nailed It B CTB - Closure Request Report  
Incident Number: nAPP2519532647  
GPS: 32.002686°, -103.842251°



PHOTO 11: Southern view during excavation activities. 1/30/2026




PHOTO 12: Northeastern view during excavation activities. 1/30/2026

Nailed It B CTB - Closure Request Report  
Incident Number: nAPP2519532647  
GPS: 32.002686°, -103.842251°



PHOTO 13: Northwestern view of excavation extent. 2/02/2026




PHOTO 14: Northeastern view of excavation extent. 2/02/2026

Nailed It B CTB - Closure Request Report  
Incident Number: nAPP2519532647  
GPS: 32.002686°, -103.842251°




PHOTO 15: Northeastern view following restoration activities. 2/09/2026



PHOTO 16: Northeastern view following restoration activities. 2/09/2026

Nailed It B CTB - Closure Request Report  
Incident Number: nAPP2519532647  
GPS: 32.002686°, -103.842251°



PHOTO 17: Northern view following restoration activities. 2/09/2026



PHOTO 18: Southwestern view of location sign. 2/09/2026

**Table 1**  
**SOIL SAMPLE ANALYTICAL RESULTS**  
**Nailed It B CTB**  
**Eddy County, New Mexico**

Sample I.D.	Sample Date	Sample Depth (feet bgs)	Benzene (mg/kg)	Total BTEX (mg/kg)	TPH GRO (mg/kg)	TPH DRO (mg/kg)	TPH ORO (mg/kg)	DRO + GRO (mg/kg)	Total TPH (mg/kg)	Chloride (mg/kg)
NMOCD Table I Closure Criteria for Soils Impacted by a Release (NMAC 19.15.29)			10	50	NE	NE	NE	1,000	2,500	20,000
<b>Delineation Soil Samples - nAPP2519532647</b>										
HA - 1	07/18/25	0.5	<0.00200	<0.00399	<50.0	<50.0	<50.0	<50.0	<50.0	1,620
HA - 1	07/18/25	1	<0.00201	<0.00402	<49.8	<49.8	<49.8	<49.8	<49.8	958
HA - 1	07/18/25	2	<0.00202	<0.00404	<49.9	<49.9	<49.9	<49.9	<49.9	136
HA - 2	07/18/25	0.5	<0.00199	<0.00398	<49.8	<49.8	<49.8	<49.8	<49.8	2,810
HA - 2	07/18/25	1	<0.00200	<0.00399	<50.1	<50.1	<50.1	<50.1	<50.1	104
HA - 2	07/18/25	2	<0.00198	<0.00396	<50.1	<50.1	<50.1	<50.1	<50.1	129
HA - 3	07/18/25	0.5	<0.00201	<0.00402	<49.9	<49.9	<49.9	<49.9	<49.9	7,490
HA - 3	07/18/25	1	<0.00201	<0.00402	<49.7	<49.7	<49.7	<49.7	<49.7	3,470
HA - 3	07/18/25	2	<0.00199	<0.00398	<49.8	<49.8	<49.8	<49.8	<49.8	134
HA - 4	07/18/25	0.5	<0.00202	<0.00403	<50.0	<50.0	<50.0	<50.0	<50.0	93.4
HA - 4	07/18/25	1	<0.00201	<0.00402	<50.0	<50.0	<50.0	<50.0	<50.0	68.6
HA - 4	07/18/25	2	<0.00199	<0.00398	<50.0	<50.0	<50.0	<50.0	<50.0	97.1
HA - 5	07/18/25	0.5	<0.00199	0.0103	<49.8	<49.8	<49.8	<49.8	<49.8	11,700
HA - 5	07/18/25	1	<0.00201	<0.00402	<49.9	<49.9	<49.9	<49.9	<49.9	209
HA - 5	07/18/25	2	<0.00200	<0.00399	<50.0	<50.0	<50.0	<50.0	<50.0	633
HA - 5	07/18/25	3	<0.00199	<0.00398	<49.8	<49.8	<49.8	<49.8	<49.8	104
HA - 6	07/18/25	0.5	<0.00199	<0.00398	<50.0	<50.0	<50.0	<50.0	<50.0	2,900
HA - 6	07/18/25	1	<0.00200	<0.00399	<50.0	<50.0	<50.0	<50.0	<50.0	97.8
HA - 6	07/18/25	2	<0.00201	<0.00402	<50.0	<50.0	<50.0	<50.0	<50.0	133
HA - 7	07/18/25	0.5	<0.00200	<0.00399	<50.0	<50.0	<50.0	<50.0	<50.0	116
HA - 7	07/18/25	2	<0.00201	<0.00402	<50.0	<50.0	<50.0	<50.0	<50.0	105
HA - 8	07/18/25	0.5	<0.00202	<0.00404	<49.9	<49.9	<49.9	<49.9	<49.9	63.9
HA - 8	07/18/25	2	<0.00199	<0.00398	<50.0	<50.0	<50.0	<50.0	<50.0	18.4
HA - 9	07/18/25	0.5	<0.00200	<0.00399	<49.8	<49.8	<49.8	<49.8	<49.8	22.0
HA - 9	07/18/25	2	<0.00198	<0.00396	<50.0	<50.0	<50.0	<50.0	<50.0	30.9
HA - 10	07/18/25	0.5	<0.00201	<0.00402	<49.9	<49.9	<49.9	<49.9	<49.9	12.4
HA - 10	07/18/25	2	<0.00201	<0.00402	<49.9	<49.9	<49.9	<49.9	<49.9	15.7
HA - 11	07/18/25	0.5	<0.00199	<0.00398	<49.8	<49.8	<49.8	<49.8	<49.8	4,660
HA - 11	07/18/25	1	<0.00202	<0.00403	<50.0	<50.0	<50.0	<50.0	<50.0	37.9
HA - 11	07/18/25	2	<0.00201	<0.00402	<49.8	<49.8	<49.8	<49.8	<49.8	26.0
HA - 12	07/18/25	0.5	<0.00199	<0.00398	<50.0	<50.0	<50.0	<50.0	<50.0	12.3
HA - 12	07/18/25	2	<0.00199	<0.00398	<50.0	<50.0	<50.0	<50.0	<50.0	11.5

**Table 1**  
**SOIL SAMPLE ANALYTICAL RESULTS**  
**Nailed It B CTB**  
**Eddy County, New Mexico**

Sample I.D.	Sample Date	Sample Depth (feet bgs)	Benzene (mg/kg)	Total BTEX (mg/kg)	TPH GRO (mg/kg)	TPH DRO (mg/kg)	TPH ORO (mg/kg)	DRO + GRO (mg/kg)	Total TPH (mg/kg)	Chloride (mg/kg)
NMOCD Table I Closure Criteria for Soils Impacted by a Release (NMAC 19.15.29)			10	50	NE	NE	NE	1,000	2,500	20,000
<b>Confirmation Soil Samples - nAPP2519532647</b>										
SW - 1	02/02/26	0-0.25	<0.00201	<0.00402	<50.1	<50.1	<50.1	<50.1	<50.1	211
SW - 2	02/02/26	0-0.25	<0.00202	<0.00404	<49.8	<49.8	<49.8	<49.8	<49.8	182
SW - 3	02/02/26	0-0.25	<0.00199	<0.00398	<50.1	<50.1	<50.1	<50.1	<50.1	24.2
SW - 4	02/02/26	0-0.25	<0.00198	<0.00396	<50.1	<50.1	<50.1	<50.1	<50.1	220
CS - 1	02/02/26	0.25	<0.00200	<0.00399	<49.8	<49.8	<49.8	<49.8	<49.8	2,130
CS - 2	02/02/26	0.25	<0.00201	<0.00402	<50.0	<50.0	<50.0	<50.0	<50.0	5,950
CS - 3	02/02/26	0.25	<0.00202	<0.00404	<50.1	<50.1	<50.1	<50.1	<50.1	2,790
CS - 4	02/02/26	0.25	<0.00199	<0.00398	<50.2	<50.2	<50.2	<50.2	<50.2	2,700
CS - 5	02/02/26	0.25	<0.00198	<0.00396	<50.0	<50.0	<50.0	<50.0	<50.0	4,200
CS - 6	02/02/26	0.25	<0.00200	<0.00400	<50.2	<50.2	<50.2	<50.2	<50.2	6,210
CS - 7	02/02/26	0.25	<0.00200	<0.00399	<50.0	<50.0	<50.0	<50.0	<50.0	194
CS - 8	02/02/26	0.25	<0.00201	<0.00402	<50.1	<50.1	<50.1	<50.1	<50.1	1,730
CS - 9	02/02/26	0.25	<0.00202	<0.00404	<50.1	<50.1	<50.1	<50.1	<50.1	1,270
CS - 10	02/02/26	0.25	<0.00199	<0.00398	<50.0	<50.0	<50.0	<50.0	<50.0	255
CS - 11	02/02/26	0.25	<0.00198	<0.00396	<49.8	<49.8	<49.8	<49.8	<49.8	391
CS - 12	02/02/26	0.25	<0.00200	<0.00399	<49.6	<49.6	<49.6	<49.6	<49.6	1,230
CS - 13	02/02/26	0.25	<0.00201	<0.00402	<50.1	<50.1	<50.1	<50.1	<50.1	2,180
CS - 14	02/02/26	0.25	<0.00202	<0.00404	<50.0	<50.0	<50.0	<50.0	<50.0	2,090
CS - 15	02/02/26	0.25	<0.00199	<0.00398	<50.0	<50.0	<50.0	<50.0	<50.0	2,690
CS - 16	02/02/26	0.25	<0.00198	<0.00396	<49.8	<49.8	<49.8	<49.8	<49.8	1,470
CS - 17	02/02/26	0.25	<0.00200	<0.00399	<49.9	<49.9	<49.9	<49.9	<49.9	6,000
CS - 18	02/02/26	0.25	<0.00201	<0.00402	<50.5	<50.5	<50.5	<50.5	<50.5	4,720
CS - 19	02/02/26	0.25	<0.00202	<0.00404	<50.0	<50.0	<50.0	<50.0	<50.0	6,130
CS - 20	02/02/26	0.25	<0.00199	<0.00398	<50.0	<50.0	<50.0	<50.0	<50.0	187
CS - 21	02/02/26	0.25	<0.00200	<0.00399	<49.8	<49.8	<49.8	<49.8	<49.8	4,920
CS - 22	02/02/26	0.25	<0.00201	<0.00402	<50.2	<50.2	<50.2	<50.2	<50.2	2,660
CS - 23	02/02/26	0.25	<0.00202	<0.00404	<50.0	<50.0	<50.0	<50.0	<50.0	1,400
CS - 24	02/02/26	0.25	<0.00199	<0.00398	<50.1	<50.1	<50.1	<50.1	<50.1	3,280
CS - 25	02/02/26	0.25	<0.00198	<0.00396	<50.0	<50.0	<50.0	<50.0	<50.0	2,580
CS - 26	02/02/26	0.25	<0.00200	<0.00400	<49.8	<49.8	<49.8	<49.8	<49.8	1,330
CS - 27	02/02/26	0.25	<0.00200	<0.00399	<50.1	<50.1	<50.1	<50.1	<50.1	1,230
CS - 28	02/02/26	0.25	<0.00201	<0.00402	<49.7	<49.7	<49.7	<49.7	<49.7	539



**Table 1**  
**SOIL SAMPLE ANALYTICAL RESULTS**  
**Nailed It B CTB**  
**Eddy County, New Mexico**



Sample I.D.	Sample Date	Sample Depth (feet bgs)	Benzene (mg/kg)	Total BTEX (mg/kg)	TPH GRO (mg/kg)	TPH DRO (mg/kg)	TPH ORO (mg/kg)	DRO + GRO (mg/kg)	Total TPH (mg/kg)	Chloride (mg/kg)
NMOCD Table I Closure Criteria for Soils Impacted by a Release (NMAC 19.15.29)			10	50	NE	NE	NE	1,000	2,500	20,000
<b>Confirmation Soil Samples - nAPP2519532647</b>										
CS - 29	02/02/26	0.25	<0.00202	<0.00404	<49.6	<49.6	<49.6	<49.6	<49.6	870
CS - 30	02/02/26	0.25	<0.00199	<0.00398	<50.0	<50.0	<50.0	<50.0	<50.0	4,390
CS - 31	02/02/26	0.25	<0.00198	<0.00396	<49.8	<49.8	<49.8	<49.8	<49.8	4,920
CS - 32	02/02/26	0.25	<0.00200	<0.00399	<50.2	<50.2	<50.2	<50.2	<50.2	730
CS - 33	02/02/26	0.25	<0.00201	<0.00402	<49.8	<49.8	<49.8	<49.8	<49.8	5,000
CS - 34	02/02/26	0.25	<0.00202	<0.00404	<50.1	<50.1	<50.1	<50.1	<50.1	320
CS - 35	02/02/26	0.25	<0.00199	<0.00398	<49.8	<49.8	<49.8	<49.8	<49.8	860
CS - 36	02/02/26	0.25	<0.00198	<0.00396	<49.6	<49.6	<49.6	<49.6	<49.6	1,930
CS - 37	02/02/26	0.25	<0.00200	<0.00399	<50.1	<50.1	<50.1	<50.1	<50.1	299
CS - 38	02/02/26	0.25	<0.00201	<0.00402	<49.7	<49.7	<49.7	<49.7	<49.7	21.2
CS - 39	02/02/26	0.25	<0.00202	<0.00404	<50.1	<50.1	<50.1	<50.1	<50.1	366
CS - 40	02/02/26	0.25	<0.00199	<0.00398	<49.8	<49.8	<49.8	<49.8	<49.8	2,550
CS - 41	02/02/26	0.25	<0.00200	<0.00399	<50.1	<50.1	<50.1	<50.1	<50.1	3,110

Notes:  
 bgs: below ground surface  
 mg/kg: milligrams per kilogram  
 BTEX: Benzene, Toluene, Ethylbenzene, and Xylenes  
 GRO: Gasoline Range Organics  
 DRO: Diesel Range Organics  
 ORO: Oil Range Organics  
 NMOCD: New Mexico Oil Conservation Division

NMAC: New Mexico Administrative Code  
 Text in "grey" represents excavated soil samples  
 Concentrations in **bold and highlighted** exceed the NMOCD Table I Closure Criteria and/or Reclamation Standard<sup>†</sup> for Soils Impacted by a Release  
<sup>†</sup>The reclamation concentration requirements of 600 mg/kg chloride and 100 mg/kg TPH apply to the top 4 feet of areas to be immediately reclaimed following remediation pursuant to NMAC 19.15.17.13.

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

QUESTIONS

Action 485284

**QUESTIONS**

Operator: Civitas Permian Operating, LLC 555 17th Street Denver, CO 80202	OGRID: 332195
	Action Number: 485284
	Action Type: [NOTIFY] Notification Of Sampling (C-141N)

**QUESTIONS**

<b>Prerequisites</b>	
Incident ID (n#)	nAPP2519532647
Incident Name	NAPP2519532647 NAILED IT B CTB @ 0
Incident Type	Produced Water Release
Incident Status	Initial C-141 Approved
Incident Facility	[fAPP2132241365] NAILED IT FED COM CTB B

<b>Location of Release Source</b>	
Site Name	Nailed It B CTB
Date Release Discovered	07/11/2025
Surface Owner	Private

<b>Sampling Event General Information</b>	
<i>Please answer all the questions in this group.</i>	
What is the sampling surface area in square feet	15,274
What is the estimated number of samples that will be gathered	40
Sampling date pursuant to Subparagraph (a) of Paragraph (1) of Subsection D of 19.15.29.12 NMAC	07/18/2025
Time sampling will commence	08:00 AM
Please provide any information necessary for observers to contact samplers	Release is on the west side of the location at (32.0002750, -103.842285). Flows from tank battery and pumps towards the southwest under the flare.
Please provide any information necessary for navigation to sampling site	From the intersection of state line road and J-1 (32.005920, -103.715814) drive west on state line road for 7.43 miles, turn left. Continue south on caliche lease road for 0.24 miles, turn right. Continue west on caliche pad for 0.06 miles and arrive onsite.

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/oecd/contact-us>

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

CONDITIONS

Action 485284

**CONDITIONS**

Operator: Civitas Permian Operating, LLC 555 17th Street Denver, CO 80202	OGRID: 332195
	Action Number: 485284
	Action Type: [NOTIFY] Notification Of Sampling (C-141N)

**CONDITIONS**

Created By	Condition	Condition Date
mjones01	Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation closure samples not being accepted.	7/15/2025
mjones01	If confirmation sampling is going to take place over multiple days, individual C-141N applications must be submitted for each sampling date. Date ranges are not currently accepted on the C-141N application.	7/15/2025

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505**

QUESTIONS

Action 547860

**QUESTIONS**

Operator: Civitas Permian Operating, LLC 555 17th Street Denver, CO 80202	OGRID: 332195
	Action Number: 547860
	Action Type: [NOTIFY] Notification Of Sampling (C-141N)

**QUESTIONS**

<b>Prerequisites</b>	
Incident ID (n#)	nAPP2519532647
Incident Name	NAPP2519532647 NAILED IT B CTB @ FAPP2132241365
Incident Type	Produced Water Release
Incident Status	Initial C-141 Approved
Incident Facility	[fAPP2132241365] NAILED IT FED COM CTB B

<b>Location of Release Source</b>	
Site Name	NAILED IT B CTB
Date Release Discovered	07/11/2025
Surface Owner	State

<b>Sampling Event General Information</b>	
<i>Please answer all the questions in this group.</i>	
What is the sampling surface area in square feet	16,397
What is the estimated number of samples that will be gathered	46
Sampling date pursuant to Subparagraph (a) of Paragraph (1) of Subsection D of 19.15.29.12 NMAC	02/02/2026
Time sampling will commence	08:00 AM
Please provide any information necessary for observers to contact samplers	Gilbert Moreno (832) 541-7719
Please provide any information necessary for navigation to sampling site	32.002686, -103.842251

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/oecd/contact-us>

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

CONDITIONS

Action 547860

**CONDITIONS**

Operator: Civitas Permian Operating, LLC 555 17th Street Denver, CO 80202	OGRID: 332195
	Action Number: 547860
	Action Type: [NOTIFY] Notification Of Sampling (C-141N)

**CONDITIONS**

Created By	Condition	Condition Date
mjones01	Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation closure samples not being accepted.	1/29/2026
mjones01	If confirmation sampling is going to take place over multiple days, individual C-141N applications must be submitted for each sampling date. Date ranges are not currently accepted on the C-141N application.	1/29/2026



RE: [EXTERNAL] Nailed It B CTB - Extension Request - nAPP2519532647

From SLO Spills <spills@nmslo.gov>  
Date Wed 10/8/2025 11:01 AM  
To Wells, Shelly, EMNRD <Shelly.Wells@emnrd.nm.gov>; Gilbert Moreno <gmoreno@earthsys.net>  
Cc Mason Jones <mjones@civiresources.com>; Bratcher, Michael, EMNRD <mike.bratcher@emnrd.nm.gov>

ECO will honor OCD's new due date.



Tami C. Knight, CHMM  
Senior Environmental Scientist  
Environmental Compliance Office  
Mobile: 505.670.1638



[tknight@nmslo.gov](mailto:tknight@nmslo.gov)  
[nmstatelands.org](http://nmstatelands.org)  
NMSLO Closed October 13, 2025  
OOO: October 29-November 1



ECO is hiring for an Environmental Specialist. To apply for this job please proceed to: <http://www.spo.state.nm.us/>. 1. Click on "View Job Opportunities & Apply"; 2. Search for keyword: #37832

**Reminder: All notifications, workplans, and reports must be submitted to [eco@nmslo.gov](mailto:eco@nmslo.gov). Submittal of these items to individual ECO staff emails will not be accepted.**

.....  
**CONFIDENTIALITY NOTICE** - This e-mail transmission, including all documents, files, or previous e-mail messages attached hereto, may contain confidential and/or legally privileged information. If you are not the intended recipient, or a person responsible for delivering it to the intended recipient, you are hereby notified that you must not read this transmission and that any disclosure, copying, printing, distribution, or use of any of the information contained in and/or attached to this transmission is STRICTLY PROHIBITED. If you have received this transmission in error, please immediately notify the sender and delete the original transmission and its attachments without reading or saving in any manner. Thank you.

**From:** Wells, Shelly, EMNRD <Shelly.Wells@emnrd.nm.gov>  
**Sent:** Wednesday, October 8, 2025 10:54 AM  
**To:** Gilbert Moreno <gmoreno@earthsys.net>  
**Cc:** Mason Jones <mjones@civiresources.com>; SLO Spills <spills@nmslo.gov>; Bratcher, Michael, EMNRD <mike.bratcher@emnrd.nm.gov>  
**Subject:** RE: [EXTERNAL] Nailed It B CTB - Extension Request - nAPP2519532647

Good morning Gilbert,

A 90-day extension is approved for nAPP2519532647 Nailed It B CTB. The new due date to submit your remediation plan or closure report to the OCD is January 7, 2025. Please include a copy of this and all notifications in the report to ensure the notifications are documented in the project file.

Kind regards,

Shelly

**Shelly Wells** \* Senior Environmental Scientist  
Environmental Bureau  
EMNRD-Oil Conservation Division  
1220 S. St. Francis Drive|Santa Fe, NM 87505  
(505)469-7520 [Shelly.Wells@emnrd.nm.gov](mailto:Shelly.Wells@emnrd.nm.gov)  
<http://www.emnrd.state.nm.us/OCD/>

---

**From:** Gilbert Moreno <[gmoreno@earthsys.net](mailto:gmoreno@earthsys.net)>  
**Sent:** Wednesday, October 8, 2025 10:34 AM  
**To:** Enviro, OCD, EMNRD <[OCD.Enviro@emnrd.nm.gov](mailto:OCD.Enviro@emnrd.nm.gov)>  
**Cc:** Mason Jones <[mjones@civiresources.com](mailto:mjones@civiresources.com)>; NMSLO Environmental Compliance Office (ECO) <[eco@nmslo.gov](mailto:eco@nmslo.gov)>  
**Subject:** [EXTERNAL] Nailed It B CTB - Extension Request - nAPP2519532647

CAUTION: This email originated outside of our organization. Exercise caution prior to clicking on links or opening attachments.

Hello,

Earth Sytems R & R (ESRR) on behalf of Civitas Resources (Civitas) is requesting an extension to the current deadline for a report required in 19.15.29.12.B(1) NMAC at the Nailed It B CTB (Site).

A produced water release was discovered on July 11, 2025, and was subsequently assigned Incident Number nAPP2519532647. ESRR assessed the release on July 14, 2025, and performed initial delineation activities July 18, 2025. Upon further review by Civitas, it was determined that a temporary depth to groundwater (DTW) well be drilled to further assist in determining the site characterization. Unfortunately, surface rights determination has caused delays on permitting and the DTW drilling is pending NMOSE approval.

Civitas requests an extension of the October 9, 2025, deadline for the release associated with Incident Number nAPP2519532647, to allow additional time for DTW drilling and additional time to review and coordinate the remediation activities. Upon favorable remediation activities, ESRR will complete a subsequent corrective action closure report.

Thanks,



Outlook

---

**RE: [EXTERNAL] Sampling Variance Request - Nailed It B CTB - nAPP2519532647**

---

**From** Wells, Shelly, EMNRD <Shelly.Wells@emnrd.nm.gov>

**Date** Fri 12/12/2025 11:48 AM

**To** Gilbert Moreno <gmoreno@earthsys.net>

**Cc** Bratcher, Michael, EMNRD <mike.bratcher@emnrd.nm.gov>; mjones@civiresources.com <mjones@civiresources.com>; eco@nmslo.gov <eco@nmslo.gov>

Good morning Gilbert,

Please be advised that the request for larger square footage for final/confirmation 5-point composite samples is not a variance request. Pursuant to 19.15.29.12 D. (1)(b) NMAC, operators may request alternative sampling plans. Without an approved alternative sampling plan, the operator must collect final/confirmation 5-point composite samples where each composite sample is not representative of more than 200 square feet.

In future requests, please submit these types of requests as alternative sampling plans and not variance requests. Although, variance requests can be submitted with alternative sampling plans.

Variance requests should only be submitted for requests that fall outside of requirements of 19.15.29 NMAC. One example of a variance request would be deviating away from the requirements of 19.15.29.12 D. (1) NMAC.

If other applicable regulatory Agencies (BLM,SLO, Tribal etc.) impose additional requirements, it is the Operator's responsibility to meet all applicable requirements as OCD approval does not relieve the Operator of any regulatory requirements imposed by other agencies.

Your request for an alternative sampling plan is approved with the following conditions: Bottom confirmation samples may be collected at a frequency of no more than 400 ft<sup>2</sup>, while all sidewall samples will be required to be collected no more than every 200 ft<sup>2</sup>.

Sincerely,

Shelly

**Shelly Wells** \* Senior Environmental Scientist  
Environmental Bureau  
EMNRD-Oil Conservation Division  
1220 S. St. Francis Drive|Santa Fe, NM 87505  
(505)469-7520 [Shelly.Wells@emnrd.nm.gov](mailto:Shelly.Wells@emnrd.nm.gov)  
<http://www.emnrd.state.nm.us/OCD/>

**From:** Gilbert Moreno <[gmoreno@earthsys.net](mailto:gmoreno@earthsys.net)>  
**Sent:** Wednesday, December 10, 2025 12:49 PM  
**To:** Enviro, OCD, EMNRD <[OCD.Enviro@emnrd.nm.gov](mailto:OCD.Enviro@emnrd.nm.gov)>  
**Cc:** Bratcher, Michael, EMNRD <[mike.bratcher@emnrd.nm.gov](mailto:mike.bratcher@emnrd.nm.gov)>; Mason Jones <[mjones@civiresources.com](mailto:mjones@civiresources.com)>; NMSLO Environmental Compliance Office (ECO <[eco@nmslo.gov](mailto:eco@nmslo.gov)>  
**Subject:** [EXTERNAL] Sampling Variance Request - Nailed It B CTB - nAPP2519532647

CAUTION: This email originated outside of our organization. Exercise caution prior to clicking on links or opening attachments.

Hello,

Earth Systems Response & Restoration (ESRR), on behalf of Civitas Resources (Civitas), presents the attached Sampling Variance Request cover letter, detailing the site characterization, background of events, and subsequent soil sampling performed to date associated with an inadvertent release of produced water at the Nailed It B CTB (nAPP2519532647). Civitas respectfully requests a sampling variance for composite confirmation soil samples to be collected from the floor and sidewalls of the excavation from areas representing no greater than 800 square feet.

**Attached:**

- *Sampling Variance Request*
  - Figure 1 - Site Map
  - Figure 1A - Ground Water
  - Figure 1B - Karst Potential
  - Figure 2 - Delineation Soil Sample Locations
  - Figure 3 - Estimated Excavation Soil Sampling Locations
  - Table 1 - Soil Sample Analytical Results
  - Environmental Karst Study Report
  - Referenced Well Records
  - Executed Chain-of-Custody Forms and Laboratory Analytical Reports

Regards,

**Gilbert Moreno**

Carlsbad Operations Manager- Project Geologist  
O: (575) 323-9034 C: (832) 541-7719  
[gmoreno@earthsys.net](mailto:gmoreno@earthsys.net)  
[earthsys.net](http://earthsys.net)





RE: [EXTERNAL] Nailed It B CTB - Extension Request - nAPP2519532647

From SLO Spills <spills@nmslo.gov>  
Date Tue 1/6/2026 3:01 PM  
To Wells, Shelly, EMNRD <Shelly.Wells@emnrd.nm.gov>; Gilbert Moreno <gmoreno@earthsys.net>  
Cc Bratcher, Michael, EMNRD <mike.bratcher@emnrd.nm.gov>; mjones@civiresources.com <mjones@civiresources.com>

ECO will honor NMOCD approval and update our records accordingly



Tami C. Knight, CHMM  
Senior Environmental Scientist  
Environmental Compliance Office  
Mobile: 505.670.1638



[tknight@nmslo.gov](mailto:tknight@nmslo.gov)  
[nmstatelands.org](http://nmstatelands.org)

NMSLO Offices are closed January 19

**Reminder: All notifications, workplans, and reports must be submitted to [eco@nmslo.gov](mailto:eco@nmslo.gov). Submittal of these items to individual ECO staff emails will not be accepted.**

.....  
**CONFIDENTIALITY NOTICE** - This e-mail transmission, including all documents, files, or previous e-mail messages attached hereto, may contain confidential and/or legally privileged information. If you are not the intended recipient, or a person responsible for delivering it to the intended recipient, you are hereby notified that you must not read this transmission and that any disclosure, copying, printing, distribution, or use of any of the information contained in and/or attached to this transmission is STRICTLY PROHIBITED. If you have received this transmission in error, please immediately notify the sender and delete the original transmission and its attachments without reading or saving in any manner. Thank you.

**From:** Wells, Shelly, EMNRD <Shelly.Wells@emnrd.nm.gov>  
**Sent:** Tuesday, January 6, 2026 1:42 PM  
**To:** Gilbert Moreno <gmoreno@earthsys.net>  
**Cc:** Bratcher, Michael, EMNRD <mike.bratcher@emnrd.nm.gov>; mjones@civiresources.com; SLO Spills <spills@nmslo.gov>  
**Subject:** RE: [EXTERNAL] Nailed It B CTB - Extension Request - nAPP2519532647

Good afternoon Gilbert,

A 90-day extension is approved for nAPP2519532647 NAILED IT B CTB. A remediation closure report must be submitted to the OCD Permitting website no later than April 6, 2026. Please include a copy of this and all notifications in the report to ensure the notifications are documented in the project file.

Kind regards,

Shelly

Shelly Wells \* Senior Environmental Scientist  
Environmental Bureau  
EMNRD-Oil Conservation Division  
1220 S. St. Francis Drive|Santa Fe, NM 87505  
(505)469-7520 [Shelly.Wells@emnrd.nm.gov](mailto:Shelly.Wells@emnrd.nm.gov)  
<http://www.emnrd.state.nm.us/OCD/>

---

**From:** Gilbert Moreno <[gmoreno@earthsys.net](mailto:gmoreno@earthsys.net)>  
**Sent:** Tuesday, January 6, 2026 9:32 AM  
**To:** Enviro, OCD, EMNRD <[OCD.Enviro@emnrd.nm.gov](mailto:OCD.Enviro@emnrd.nm.gov)>  
**Cc:** Mason Jones <[mjones@civiresources.com](mailto:mjones@civiresources.com)>; NMSLO Environmental Compliance Office (ECO) <[eco@nmslo.gov](mailto:eco@nmslo.gov)>  
**Subject:** [EXTERNAL] Nailed It B CTB - Extension Request - nAPP2519532647

CAUTION: This email originated outside of our organization. Exercise caution prior to clicking on links or opening attachments.

Hello,

Earth Systems R & R (ESRR) on behalf of Civitas Resources (Civitas) is requesting an additional extension to the current deadline for a report required in 19.15.29.12.B(1) NMAC at the Nailed It B CTB (Site).

As previously mentioned, a temporary depth to groundwater well was installed on November 4, 2025, and has since been plugged. Following drilling activities, Civitas also requested an alternative sampling plan, in which was approved on December 12, 2025, with the condition that the *bottom confirmation samples be collected at a frequency of no more than 400 ft<sup>2</sup>, while all sidewall samples collected no more than every 200 ft<sup>2</sup>.* Civitas has since reviewed the updated site characterization data along with the alternative sampling plan and will have a 3rd-party contractor assigned to begin remediation activities mid January of 2026.

Civitas requests an additional 90-day extension of the January 7, 2026, deadline for the release associated with Incident Number nAPP2519532647, to allow additional time for remediation activities and for ESRR to complete a subsequent corrective action closure report upon favorable laboratory analytical results.

Regards,

**Gilbert Moreno**

Carlsbad Operations Manager- Project Geologist



Environment Testing

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

# ANALYTICAL REPORT

## PREPARED FOR

Attn: Gilbert Moreno  
 Earth Systems Response and Restoration  
 4115 South County Road 1297  
 Odessa, Texas 79765

Generated 7/25/2025 10:29:21 AM

## JOB DESCRIPTION

Nailed It B CTB  
 Eddy County, NM

## JOB NUMBER

890-8478-1




# Eurofins Carlsbad

## Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

Analytical test results meet all requirements of the associated regulatory program (i.e., NELAC (TNI), DoD, and ISO 17025) unless otherwise noted under the individual analysis.

## Authorization



Generated  
7/25/2025 10:29:21 AM

Authorized for release by  
Brianna Teel, Project Manager  
[Brianna.Teel@et.eurofinsus.com](mailto:Brianna.Teel@et.eurofinsus.com)  
(432)704-5440

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Client: Earth Systems Response and Restoration  
Project/Site: Nailed It B CTB

Laboratory Job ID: 890-8478-1  
SDG: Eddy County, NM

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

# Table of Contents

Cover Page . . . . .	1
Table of Contents . . . . .	3
Definitions/Glossary . . . . .	4
Case Narrative . . . . .	5
Client Sample Results . . . . .	6
Surrogate Summary . . . . .	22
QC Sample Results . . . . .	24
QC Association Summary . . . . .	29
Lab Chronicle . . . . .	34
Certification Summary . . . . .	40
Method Summary . . . . .	41
Sample Summary . . . . .	42
Chain of Custody . . . . .	43
Receipt Checklists . . . . .	46

## Definitions/Glossary

Client: Earth Systems Response and Restoration  
Project/Site: Nailed It B CTB

Job ID: 890-8478-1  
SDG: Eddy County, NM

## Qualifiers

## GC VOA

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

## GC Semi VOA

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

## HPLC/IC

Qualifier	Qualifier Description
F1	MS and/or MSD recovery exceeds control limits.
U	Indicates the analyte was analyzed for but not detected.

## Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

# Case Narrative

Client: Earth Systems Response and Restoration  
Project: Nailed It B CTB

Job ID: 890-8478-1

**Job ID: 890-8478-1**

**Eurofins Carlsbad**

## Job Narrative 890-8478-1

Analytical test results meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page unless otherwise noted under the individual analysis. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable.

- Matrix QC may not be reported if insufficient sample is provided or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD may be performed, unless otherwise specified in the method.
- Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

### Receipt

The samples were received on 7/21/2025 9:55 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was -4.6°C.

### Receipt Exceptions

The following samples were received and analyzed from an unpreserved bulk soil jar: HA - 1 (890-8478-1), HA - 1 (890-8478-2), HA - 1 (890-8478-3), HA - 2 (890-8478-4), HA - 2 (890-8478-5), HA - 2 (890-8478-6), HA - 3 (890-8478-7), HA - 3 (890-8478-8), HA - 3 (890-8478-9), HA - 4 (890-8478-10), HA - 4 (890-8478-11), HA - 4 (890-8478-12), HA - 5 (890-8478-13), HA - 5 (890-8478-14), HA - 5 (890-8478-15), HA - 5 (890-8478-16), HA - 6 (890-8478-17), HA - 6 (890-8478-18) and HA - 6 (890-8478-19).

### GC VOA

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

### Diesel Range Organics

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

### HPLC/IC

Method 300\_ORGFM\_28D - Soluble: The matrix spike / matrix spike duplicate (MS/MSD) recoveries for preparation batch 880-114666 and analytical batch 880-114730 were outside control limits for one or more analytes. See QC Sample Results for detail. Sample matrix interference and/or non-homogeneity are suspected because the associated laboratory control sample (LCS) recovery is within acceptance limits.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Carlsbad

### Client Sample Results

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed It B CTB

Job ID: 890-8478-1  
 SDG: Eddy County, NM

**Client Sample ID: HA - 1**

**Lab Sample ID: 890-8478-1**

Date Collected: 07/18/25 12:00

Matrix: Solid

Date Received: 07/21/25 09:55

Sample Depth: 0.5

**Method: SW846 8021B - Volatile Organic Compounds (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		07/21/25 12:27	07/22/25 11:33	1
Toluene	<0.00200	U	0.00200		mg/Kg		07/21/25 12:27	07/22/25 11:33	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		07/21/25 12:27	07/22/25 11:33	1
m-Xylene & p-Xylene	<0.00399	U	0.00399		mg/Kg		07/21/25 12:27	07/22/25 11:33	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		07/21/25 12:27	07/22/25 11:33	1
Xylenes, Total	<0.00399	U	0.00399		mg/Kg		07/21/25 12:27	07/22/25 11:33	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	119		70 - 130	07/21/25 12:27	07/22/25 11:33	1
1,4-Difluorobenzene (Surr)	104		70 - 130	07/21/25 12:27	07/22/25 11:33	1

**Method: TAL SOP Total BTEX - Total BTEX Calculation**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00399	U	0.00399		mg/Kg			07/22/25 11:33	1

**Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			07/24/25 14:29	1

**Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		07/22/25 08:39	07/24/25 14:29	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		07/22/25 08:39	07/24/25 14:29	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		07/22/25 08:39	07/24/25 14:29	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	115		70 - 130	07/22/25 08:39	07/24/25 14:29	1
o-Terphenyl	123		70 - 130	07/22/25 08:39	07/24/25 14:29	1

**Method: EPA 300.0 - Anions, Ion Chromatography - Soluble**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	1620		49.7		mg/Kg			07/22/25 20:48	5

**Client Sample ID: HA - 1**

**Lab Sample ID: 890-8478-2**

Date Collected: 07/18/25 12:05

Matrix: Solid

Date Received: 07/21/25 09:55

Sample Depth: 1

**Method: SW846 8021B - Volatile Organic Compounds (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00201	U	0.00201		mg/Kg		07/21/25 12:27	07/22/25 11:54	1
Toluene	<0.00201	U	0.00201		mg/Kg		07/21/25 12:27	07/22/25 11:54	1
Ethylbenzene	<0.00201	U	0.00201		mg/Kg		07/21/25 12:27	07/22/25 11:54	1
m-Xylene & p-Xylene	<0.00402	U	0.00402		mg/Kg		07/21/25 12:27	07/22/25 11:54	1
o-Xylene	<0.00201	U	0.00201		mg/Kg		07/21/25 12:27	07/22/25 11:54	1
Xylenes, Total	<0.00402	U	0.00402		mg/Kg		07/21/25 12:27	07/22/25 11:54	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	113		70 - 130	07/21/25 12:27	07/22/25 11:54	1

Eurofins Carlsbad

### Client Sample Results

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed It B CTB

Job ID: 890-8478-1  
 SDG: Eddy County, NM

**Client Sample ID: HA - 1**  
 Date Collected: 07/18/25 12:05  
 Date Received: 07/21/25 09:55  
 Sample Depth: 1

**Lab Sample ID: 890-8478-2**  
 Matrix: Solid

**Method: SW846 8021B - Volatile Organic Compounds (GC) (Continued)**

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,4-Difluorobenzene (Surr)	96		70 - 130	07/21/25 12:27	07/22/25 11:54	1

**Method: TAL SOP Total BTEX - Total BTEX Calculation**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00402	U	0.00402		mg/Kg			07/22/25 11:54	1

**Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.8	U	49.8		mg/Kg			07/24/25 15:19	1

**Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.8	U	49.8		mg/Kg		07/22/25 08:39	07/24/25 15:19	1
Diesel Range Organics (Over C10-C28)	<49.8	U	49.8		mg/Kg		07/22/25 08:39	07/24/25 15:19	1
Oil Range Organics (Over C28-C36)	<49.8	U	49.8		mg/Kg		07/22/25 08:39	07/24/25 15:19	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	108		70 - 130	07/22/25 08:39	07/24/25 15:19	1
o-Terphenyl	110		70 - 130	07/22/25 08:39	07/24/25 15:19	1

**Method: EPA 300.0 - Anions, Ion Chromatography - Soluble**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	958		10.1		mg/Kg			07/22/25 20:54	1

**Client Sample ID: HA - 1**  
 Date Collected: 07/18/25 12:10  
 Date Received: 07/21/25 09:55  
 Sample Depth: 2

**Lab Sample ID: 890-8478-3**  
 Matrix: Solid

**Method: SW846 8021B - Volatile Organic Compounds (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00202	U	0.00202		mg/Kg		07/21/25 12:27	07/22/25 12:14	1
Toluene	<0.00202	U	0.00202		mg/Kg		07/21/25 12:27	07/22/25 12:14	1
Ethylbenzene	<0.00202	U	0.00202		mg/Kg		07/21/25 12:27	07/22/25 12:14	1
m-Xylene & p-Xylene	<0.00404	U	0.00404		mg/Kg		07/21/25 12:27	07/22/25 12:14	1
o-Xylene	<0.00202	U	0.00202		mg/Kg		07/21/25 12:27	07/22/25 12:14	1
Xylenes, Total	<0.00404	U	0.00404		mg/Kg		07/21/25 12:27	07/22/25 12:14	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	115		70 - 130	07/21/25 12:27	07/22/25 12:14	1
1,4-Difluorobenzene (Surr)	98		70 - 130	07/21/25 12:27	07/22/25 12:14	1

**Method: TAL SOP Total BTEX - Total BTEX Calculation**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00404	U	0.00404		mg/Kg			07/22/25 12:14	1

**Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			07/24/25 15:35	1

Eurofins Carlsbad

### Client Sample Results

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed It B CTB

Job ID: 890-8478-1  
 SDG: Eddy County, NM

**Client Sample ID: HA - 1**  
**Date Collected: 07/18/25 12:10**  
**Date Received: 07/21/25 09:55**  
**Sample Depth: 2**

**Lab Sample ID: 890-8478-3**  
**Matrix: Solid**

**Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	49.9		mg/Kg		07/22/25 08:39	07/24/25 15:35	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		07/22/25 08:39	07/24/25 15:35	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		07/22/25 08:39	07/24/25 15:35	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	108		70 - 130				07/22/25 08:39	07/24/25 15:35	1
o-Terphenyl	107		70 - 130				07/22/25 08:39	07/24/25 15:35	1

**Method: EPA 300.0 - Anions, Ion Chromatography - Soluble**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	136		10.1		mg/Kg			07/22/25 21:51	1

**Client Sample ID: HA - 2**  
**Date Collected: 07/18/25 12:15**  
**Date Received: 07/21/25 09:55**  
**Sample Depth: 0.5**

**Lab Sample ID: 890-8478-4**  
**Matrix: Solid**

**Method: SW846 8021B - Volatile Organic Compounds (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		07/21/25 12:27	07/22/25 12:35	1
Toluene	<0.00199	U	0.00199		mg/Kg		07/21/25 12:27	07/22/25 12:35	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		07/21/25 12:27	07/22/25 12:35	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		07/21/25 12:27	07/22/25 12:35	1
o-Xylene	<0.00199	U	0.00199		mg/Kg		07/21/25 12:27	07/22/25 12:35	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		07/21/25 12:27	07/22/25 12:35	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	110		70 - 130				07/21/25 12:27	07/22/25 12:35	1
1,4-Difluorobenzene (Surr)	97		70 - 130				07/21/25 12:27	07/22/25 12:35	1

**Method: TAL SOP Total BTEX - Total BTEX Calculation**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			07/22/25 12:35	1

**Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.8	U	49.8		mg/Kg			07/24/25 15:52	1

**Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.8	U	49.8		mg/Kg		07/22/25 08:39	07/24/25 15:52	1
Diesel Range Organics (Over C10-C28)	<49.8	U	49.8		mg/Kg		07/22/25 08:39	07/24/25 15:52	1
Oil Range Organics (Over C28-C36)	<49.8	U	49.8		mg/Kg		07/22/25 08:39	07/24/25 15:52	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	113		70 - 130				07/22/25 08:39	07/24/25 15:52	1
o-Terphenyl	112		70 - 130				07/22/25 08:39	07/24/25 15:52	1

Eurofins Carlsbad

### Client Sample Results

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed It B CTB

Job ID: 890-8478-1  
 SDG: Eddy County, NM

**Client Sample ID: HA - 2**

**Lab Sample ID: 890-8478-4**

Date Collected: 07/18/25 12:15

Matrix: Solid

Date Received: 07/21/25 09:55

Sample Depth: 0.5

**Method: EPA 300.0 - Anions, Ion Chromatography - Soluble**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	2810		50.2		mg/Kg			07/22/25 22:14	5

**Client Sample ID: HA - 2**

**Lab Sample ID: 890-8478-5**

Date Collected: 07/18/25 12:20

Matrix: Solid

Date Received: 07/21/25 09:55

Sample Depth: 1

**Method: SW846 8021B - Volatile Organic Compounds (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		07/21/25 12:27	07/22/25 12:55	1
Toluene	<0.00200	U	0.00200		mg/Kg		07/21/25 12:27	07/22/25 12:55	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		07/21/25 12:27	07/22/25 12:55	1
m-Xylene & p-Xylene	<0.00399	U	0.00399		mg/Kg		07/21/25 12:27	07/22/25 12:55	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		07/21/25 12:27	07/22/25 12:55	1
Xylenes, Total	<0.00399	U	0.00399		mg/Kg		07/21/25 12:27	07/22/25 12:55	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
4-Bromofluorobenzene (Surr)	108		70 - 130				07/21/25 12:27	07/22/25 12:55	1
1,4-Difluorobenzene (Surr)	95		70 - 130				07/21/25 12:27	07/22/25 12:55	1

**Method: TAL SOP Total BTEX - Total BTEX Calculation**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00399	U	0.00399		mg/Kg			07/22/25 12:55	1

**Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.1	U	50.1		mg/Kg			07/24/25 16:08	1

**Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.1	U	50.1		mg/Kg		07/22/25 08:39	07/24/25 16:08	1
Diesel Range Organics (Over C10-C28)	<50.1	U	50.1		mg/Kg		07/22/25 08:39	07/24/25 16:08	1
Oil Range Organics (Over C28-C36)	<50.1	U	50.1		mg/Kg		07/22/25 08:39	07/24/25 16:08	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
1-Chlorooctane	108		70 - 130				07/22/25 08:39	07/24/25 16:08	1
o-Terphenyl	108		70 - 130				07/22/25 08:39	07/24/25 16:08	1

**Method: EPA 300.0 - Anions, Ion Chromatography - Soluble**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	104		10.1		mg/Kg			07/22/25 22:22	1

### Client Sample Results

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed It B CTB

Job ID: 890-8478-1  
 SDG: Eddy County, NM

**Client Sample ID: HA - 2**

**Lab Sample ID: 890-8478-6**

Date Collected: 07/18/25 12:25

Matrix: Solid

Date Received: 07/21/25 09:55

Sample Depth: 2

**Method: SW846 8021B - Volatile Organic Compounds (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00198	U	0.00198		mg/Kg		07/21/25 12:27	07/22/25 13:15	1
Toluene	<0.00198	U	0.00198		mg/Kg		07/21/25 12:27	07/22/25 13:15	1
Ethylbenzene	<0.00198	U	0.00198		mg/Kg		07/21/25 12:27	07/22/25 13:15	1
m-Xylene & p-Xylene	<0.00396	U	0.00396		mg/Kg		07/21/25 12:27	07/22/25 13:15	1
o-Xylene	<0.00198	U	0.00198		mg/Kg		07/21/25 12:27	07/22/25 13:15	1
Xylenes, Total	<0.00396	U	0.00396		mg/Kg		07/21/25 12:27	07/22/25 13:15	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	118		70 - 130	07/21/25 12:27	07/22/25 13:15	1
1,4-Difluorobenzene (Surr)	102		70 - 130	07/21/25 12:27	07/22/25 13:15	1

**Method: TAL SOP Total BTEX - Total BTEX Calculation**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00396	U	0.00396		mg/Kg			07/22/25 13:15	1

**Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.1	U	50.1		mg/Kg			07/24/25 16:24	1

**Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.1	U	50.1		mg/Kg		07/22/25 08:39	07/24/25 16:24	1
Diesel Range Organics (Over C10-C28)	<50.1	U	50.1		mg/Kg		07/22/25 08:39	07/24/25 16:24	1
Oil Range Organics (Over C28-C36)	<50.1	U	50.1		mg/Kg		07/22/25 08:39	07/24/25 16:24	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	113		70 - 130	07/22/25 08:39	07/24/25 16:24	1
o-Terphenyl	112		70 - 130	07/22/25 08:39	07/24/25 16:24	1

**Method: EPA 300.0 - Anions, Ion Chromatography - Soluble**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	129		10.1		mg/Kg			07/22/25 22:29	1

**Client Sample ID: HA - 3**

**Lab Sample ID: 890-8478-7**

Date Collected: 07/18/25 12:30

Matrix: Solid

Date Received: 07/21/25 09:55

Sample Depth: 0.5

**Method: SW846 8021B - Volatile Organic Compounds (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00201	U	0.00201		mg/Kg		07/21/25 12:27	07/22/25 13:36	1
Toluene	<0.00201	U	0.00201		mg/Kg		07/21/25 12:27	07/22/25 13:36	1
Ethylbenzene	<0.00201	U	0.00201		mg/Kg		07/21/25 12:27	07/22/25 13:36	1
m-Xylene & p-Xylene	<0.00402	U	0.00402		mg/Kg		07/21/25 12:27	07/22/25 13:36	1
o-Xylene	<0.00201	U	0.00201		mg/Kg		07/21/25 12:27	07/22/25 13:36	1
Xylenes, Total	<0.00402	U	0.00402		mg/Kg		07/21/25 12:27	07/22/25 13:36	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	115		70 - 130	07/21/25 12:27	07/22/25 13:36	1

Eurofins Carlsbad

### Client Sample Results

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed It B CTB

Job ID: 890-8478-1  
 SDG: Eddy County, NM

**Client Sample ID: HA - 3**

**Lab Sample ID: 890-8478-7**

Date Collected: 07/18/25 12:30

Matrix: Solid

Date Received: 07/21/25 09:55

Sample Depth: 0.5

**Method: SW846 8021B - Volatile Organic Compounds (GC) (Continued)**

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,4-Difluorobenzene (Surr)	97		70 - 130	07/21/25 12:27	07/22/25 13:36	1

**Method: TAL SOP Total BTEX - Total BTEX Calculation**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00402	U	0.00402		mg/Kg			07/22/25 13:36	1

**Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			07/24/25 16:41	1

**Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	49.9		mg/Kg		07/22/25 08:39	07/24/25 16:41	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		07/22/25 08:39	07/24/25 16:41	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		07/22/25 08:39	07/24/25 16:41	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	114		70 - 130	07/22/25 08:39	07/24/25 16:41	1
o-Terphenyl	114		70 - 130	07/22/25 08:39	07/24/25 16:41	1

**Method: EPA 300.0 - Anions, Ion Chromatography - Soluble**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	7490		99.6		mg/Kg			07/22/25 22:37	10

**Client Sample ID: HA - 3**

**Lab Sample ID: 890-8478-8**

Date Collected: 07/18/25 12:35

Matrix: Solid

Date Received: 07/21/25 09:55

Sample Depth: 1

**Method: SW846 8021B - Volatile Organic Compounds (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00201	U	0.00201		mg/Kg		07/21/25 12:27	07/22/25 13:56	1
Toluene	<0.00201	U	0.00201		mg/Kg		07/21/25 12:27	07/22/25 13:56	1
Ethylbenzene	<0.00201	U	0.00201		mg/Kg		07/21/25 12:27	07/22/25 13:56	1
m-Xylene & p-Xylene	<0.00402	U	0.00402		mg/Kg		07/21/25 12:27	07/22/25 13:56	1
o-Xylene	<0.00201	U	0.00201		mg/Kg		07/21/25 12:27	07/22/25 13:56	1
Xylenes, Total	<0.00402	U	0.00402		mg/Kg		07/21/25 12:27	07/22/25 13:56	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	122		70 - 130	07/21/25 12:27	07/22/25 13:56	1
1,4-Difluorobenzene (Surr)	100		70 - 130	07/21/25 12:27	07/22/25 13:56	1

**Method: TAL SOP Total BTEX - Total BTEX Calculation**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00402	U	0.00402		mg/Kg			07/22/25 13:56	1

**Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.7	U	49.7		mg/Kg			07/24/25 16:58	1

Eurofins Carlsbad

### Client Sample Results

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed It B CTB

Job ID: 890-8478-1  
 SDG: Eddy County, NM

**Client Sample ID: HA - 3**

**Lab Sample ID: 890-8478-8**

Date Collected: 07/18/25 12:35

Matrix: Solid

Date Received: 07/21/25 09:55

Sample Depth: 1

**Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.7	U	49.7		mg/Kg		07/22/25 08:39	07/24/25 16:58	1
Diesel Range Organics (Over C10-C28)	<49.7	U	49.7		mg/Kg		07/22/25 08:39	07/24/25 16:58	1
Oil Range Organics (Over C28-C36)	<49.7	U	49.7		mg/Kg		07/22/25 08:39	07/24/25 16:58	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	112		70 - 130				07/22/25 08:39	07/24/25 16:58	1
o-Terphenyl	112		70 - 130				07/22/25 08:39	07/24/25 16:58	1

**Method: EPA 300.0 - Anions, Ion Chromatography - Soluble**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	3470		101		mg/Kg			07/22/25 23:00	10

**Client Sample ID: HA - 3**

**Lab Sample ID: 890-8478-9**

Date Collected: 07/18/25 12:40

Matrix: Solid

Date Received: 07/21/25 09:55

Sample Depth: 2

**Method: SW846 8021B - Volatile Organic Compounds (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		07/21/25 12:27	07/22/25 14:17	1
Toluene	<0.00199	U	0.00199		mg/Kg		07/21/25 12:27	07/22/25 14:17	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		07/21/25 12:27	07/22/25 14:17	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		07/21/25 12:27	07/22/25 14:17	1
o-Xylene	<0.00199	U	0.00199		mg/Kg		07/21/25 12:27	07/22/25 14:17	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		07/21/25 12:27	07/22/25 14:17	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	114		70 - 130				07/21/25 12:27	07/22/25 14:17	1
1,4-Difluorobenzene (Surr)	99		70 - 130				07/21/25 12:27	07/22/25 14:17	1

**Method: TAL SOP Total BTEX - Total BTEX Calculation**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			07/22/25 14:17	1

**Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.8	U	49.8		mg/Kg			07/24/25 17:14	1

**Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.8	U	49.8		mg/Kg		07/22/25 08:39	07/24/25 17:14	1
Diesel Range Organics (Over C10-C28)	<49.8	U	49.8		mg/Kg		07/22/25 08:39	07/24/25 17:14	1
Oil Range Organics (Over C28-C36)	<49.8	U	49.8		mg/Kg		07/22/25 08:39	07/24/25 17:14	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	122		70 - 130				07/22/25 08:39	07/24/25 17:14	1
o-Terphenyl	122		70 - 130				07/22/25 08:39	07/24/25 17:14	1

Eurofins Carlsbad

### Client Sample Results

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed It B CTB

Job ID: 890-8478-1  
 SDG: Eddy County, NM

**Client Sample ID: HA - 3**  
 Date Collected: 07/18/25 12:40  
 Date Received: 07/21/25 09:55  
 Sample Depth: 2

**Lab Sample ID: 890-8478-9**  
 Matrix: Solid

**Method: EPA 300.0 - Anions, Ion Chromatography - Soluble**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	134		10.0		mg/Kg			07/22/25 23:08	1

**Client Sample ID: HA - 4**  
 Date Collected: 07/18/25 12:45  
 Date Received: 07/21/25 09:55  
 Sample Depth: 0.5

**Lab Sample ID: 890-8478-10**  
 Matrix: Solid

**Method: SW846 8021B - Volatile Organic Compounds (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00202	U	0.00202		mg/Kg		07/21/25 12:27	07/22/25 16:00	1
Toluene	<0.00202	U	0.00202		mg/Kg		07/21/25 12:27	07/22/25 16:00	1
Ethylbenzene	<0.00202	U	0.00202		mg/Kg		07/21/25 12:27	07/22/25 16:00	1
m-Xylene & p-Xylene	<0.00403	U	0.00403		mg/Kg		07/21/25 12:27	07/22/25 16:00	1
o-Xylene	<0.00202	U	0.00202		mg/Kg		07/21/25 12:27	07/22/25 16:00	1
Xylenes, Total	<0.00403	U	0.00403		mg/Kg		07/21/25 12:27	07/22/25 16:00	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
4-Bromofluorobenzene (Surr)	113		70 - 130				07/21/25 12:27	07/22/25 16:00	1
1,4-Difluorobenzene (Surr)	102		70 - 130				07/21/25 12:27	07/22/25 16:00	1

**Method: TAL SOP Total BTEX - Total BTEX Calculation**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00403	U	0.00403		mg/Kg			07/22/25 16:00	1

**Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			07/24/25 17:30	1

**Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		07/22/25 08:39	07/24/25 17:30	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		07/22/25 08:39	07/24/25 17:30	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		07/22/25 08:39	07/24/25 17:30	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
1-Chlorooctane	109		70 - 130				07/22/25 08:39	07/24/25 17:30	1
o-Terphenyl	109		70 - 130				07/22/25 08:39	07/24/25 17:30	1

**Method: EPA 300.0 - Anions, Ion Chromatography - Soluble**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	93.4		9.96		mg/Kg			07/22/25 23:15	1

### Client Sample Results

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed It B CTB

Job ID: 890-8478-1  
 SDG: Eddy County, NM

**Client Sample ID: HA - 4**

**Lab Sample ID: 890-8478-11**

Date Collected: 07/18/25 12:50

Matrix: Solid

Date Received: 07/21/25 09:55

Sample Depth: 1

**Method: SW846 8021B - Volatile Organic Compounds (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00201	U	0.00201		mg/Kg		07/21/25 12:27	07/22/25 16:21	1
Toluene	<0.00201	U	0.00201		mg/Kg		07/21/25 12:27	07/22/25 16:21	1
Ethylbenzene	<0.00201	U	0.00201		mg/Kg		07/21/25 12:27	07/22/25 16:21	1
m-Xylene & p-Xylene	<0.00402	U	0.00402		mg/Kg		07/21/25 12:27	07/22/25 16:21	1
o-Xylene	<0.00201	U	0.00201		mg/Kg		07/21/25 12:27	07/22/25 16:21	1
Xylenes, Total	<0.00402	U	0.00402		mg/Kg		07/21/25 12:27	07/22/25 16:21	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	109		70 - 130	07/21/25 12:27	07/22/25 16:21	1
1,4-Difluorobenzene (Surr)	92		70 - 130	07/21/25 12:27	07/22/25 16:21	1

**Method: TAL SOP Total BTEX - Total BTEX Calculation**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00402	U	0.00402		mg/Kg			07/22/25 16:21	1

**Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			07/24/25 18:03	1

**Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		07/22/25 08:39	07/24/25 18:03	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		07/22/25 08:39	07/24/25 18:03	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		07/22/25 08:39	07/24/25 18:03	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	115		70 - 130	07/22/25 08:39	07/24/25 18:03	1
o-Terphenyl	113		70 - 130	07/22/25 08:39	07/24/25 18:03	1

**Method: EPA 300.0 - Anions, Ion Chromatography - Soluble**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	68.6		10.1		mg/Kg			07/22/25 23:23	1

**Client Sample ID: HA - 4**

**Lab Sample ID: 890-8478-12**

Date Collected: 07/18/25 12:55

Matrix: Solid

Date Received: 07/21/25 09:55

Sample Depth: 2

**Method: SW846 8021B - Volatile Organic Compounds (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		07/21/25 12:27	07/22/25 16:41	1
Toluene	<0.00199	U	0.00199		mg/Kg		07/21/25 12:27	07/22/25 16:41	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		07/21/25 12:27	07/22/25 16:41	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		07/21/25 12:27	07/22/25 16:41	1
o-Xylene	<0.00199	U	0.00199		mg/Kg		07/21/25 12:27	07/22/25 16:41	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		07/21/25 12:27	07/22/25 16:41	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	113		70 - 130	07/21/25 12:27	07/22/25 16:41	1

Eurofins Carlsbad

### Client Sample Results

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed It B CTB

Job ID: 890-8478-1  
 SDG: Eddy County, NM

**Client Sample ID: HA - 4**

**Lab Sample ID: 890-8478-12**

Date Collected: 07/18/25 12:55

Matrix: Solid

Date Received: 07/21/25 09:55

Sample Depth: 2

**Method: SW846 8021B - Volatile Organic Compounds (GC) (Continued)**

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,4-Difluorobenzene (Surr)	98		70 - 130	07/21/25 12:27	07/22/25 16:41	1

**Method: TAL SOP Total BTEX - Total BTEX Calculation**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			07/22/25 16:41	1

**Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			07/24/25 18:20	1

**Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		07/22/25 08:39	07/24/25 18:20	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		07/22/25 08:39	07/24/25 18:20	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		07/22/25 08:39	07/24/25 18:20	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	112		70 - 130	07/22/25 08:39	07/24/25 18:20	1
o-Terphenyl	112		70 - 130	07/22/25 08:39	07/24/25 18:20	1

**Method: EPA 300.0 - Anions, Ion Chromatography - Soluble**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	97.1		10.1		mg/Kg			07/22/25 23:31	1

**Client Sample ID: HA - 5**

**Lab Sample ID: 890-8478-13**

Date Collected: 07/18/25 13:00

Matrix: Solid

Date Received: 07/21/25 09:55

Sample Depth: 0.5

**Method: SW846 8021B - Volatile Organic Compounds (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		07/21/25 12:27	07/22/25 17:02	1
Toluene	0.00248		0.00199		mg/Kg		07/21/25 12:27	07/22/25 17:02	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		07/21/25 12:27	07/22/25 17:02	1
m-Xylene & p-Xylene	0.00786		0.00398		mg/Kg		07/21/25 12:27	07/22/25 17:02	1
o-Xylene	<0.00199	U	0.00199		mg/Kg		07/21/25 12:27	07/22/25 17:02	1
Xylenes, Total	0.00786		0.00398		mg/Kg		07/21/25 12:27	07/22/25 17:02	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	116		70 - 130	07/21/25 12:27	07/22/25 17:02	1
1,4-Difluorobenzene (Surr)	105		70 - 130	07/21/25 12:27	07/22/25 17:02	1

**Method: TAL SOP Total BTEX - Total BTEX Calculation**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	0.0103		0.00398		mg/Kg			07/22/25 17:02	1

**Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.8	U	49.8		mg/Kg			07/24/25 18:36	1

Eurofins Carlsbad

### Client Sample Results

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed It B CTB

Job ID: 890-8478-1  
 SDG: Eddy County, NM

**Client Sample ID: HA - 5**

**Lab Sample ID: 890-8478-13**

Date Collected: 07/18/25 13:00

Matrix: Solid

Date Received: 07/21/25 09:55

Sample Depth: 0.5

**Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.8	U	49.8		mg/Kg		07/22/25 08:39	07/24/25 18:36	1
Diesel Range Organics (Over C10-C28)	<49.8	U	49.8		mg/Kg		07/22/25 08:39	07/24/25 18:36	1
Oil Range Organics (Over C28-C36)	<49.8	U	49.8		mg/Kg		07/22/25 08:39	07/24/25 18:36	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	112		70 - 130				07/22/25 08:39	07/24/25 18:36	1
o-Terphenyl	113		70 - 130				07/22/25 08:39	07/24/25 18:36	1

**Method: EPA 300.0 - Anions, Ion Chromatography - Soluble**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	11700	F1	202		mg/Kg			07/22/25 23:38	20

**Client Sample ID: HA - 5**

**Lab Sample ID: 890-8478-14**

Date Collected: 07/18/25 13:05

Matrix: Solid

Date Received: 07/21/25 09:55

Sample Depth: 1

**Method: SW846 8021B - Volatile Organic Compounds (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00201	U	0.00201		mg/Kg		07/21/25 12:27	07/22/25 17:22	1
Toluene	<0.00201	U	0.00201		mg/Kg		07/21/25 12:27	07/22/25 17:22	1
Ethylbenzene	<0.00201	U	0.00201		mg/Kg		07/21/25 12:27	07/22/25 17:22	1
m-Xylene & p-Xylene	<0.00402	U	0.00402		mg/Kg		07/21/25 12:27	07/22/25 17:22	1
o-Xylene	<0.00201	U	0.00201		mg/Kg		07/21/25 12:27	07/22/25 17:22	1
Xylenes, Total	<0.00402	U	0.00402		mg/Kg		07/21/25 12:27	07/22/25 17:22	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	116		70 - 130				07/21/25 12:27	07/22/25 17:22	1
1,4-Difluorobenzene (Surr)	100		70 - 130				07/21/25 12:27	07/22/25 17:22	1

**Method: TAL SOP Total BTEX - Total BTEX Calculation**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00402	U	0.00402		mg/Kg			07/22/25 17:22	1

**Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			07/24/25 18:52	1

**Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	49.9		mg/Kg		07/22/25 08:39	07/24/25 18:52	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		07/22/25 08:39	07/24/25 18:52	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		07/22/25 08:39	07/24/25 18:52	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	115		70 - 130				07/22/25 08:39	07/24/25 18:52	1
o-Terphenyl	116		70 - 130				07/22/25 08:39	07/24/25 18:52	1

Eurofins Carlsbad

### Client Sample Results

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed It B CTB

Job ID: 890-8478-1  
 SDG: Eddy County, NM

**Client Sample ID: HA - 5**

**Lab Sample ID: 890-8478-14**

Date Collected: 07/18/25 13:05

Matrix: Solid

Date Received: 07/21/25 09:55

Sample Depth: 1

**Method: EPA 300.0 - Anions, Ion Chromatography - Soluble**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	209		9.96		mg/Kg			07/23/25 00:01	1

**Client Sample ID: HA - 5**

**Lab Sample ID: 890-8478-15**

Date Collected: 07/18/25 13:10

Matrix: Solid

Date Received: 07/21/25 09:55

Sample Depth: 2

**Method: SW846 8021B - Volatile Organic Compounds (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		07/21/25 12:27	07/22/25 17:43	1
Toluene	<0.00200	U	0.00200		mg/Kg		07/21/25 12:27	07/22/25 17:43	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		07/21/25 12:27	07/22/25 17:43	1
m-Xylene & p-Xylene	<0.00399	U	0.00399		mg/Kg		07/21/25 12:27	07/22/25 17:43	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		07/21/25 12:27	07/22/25 17:43	1
Xylenes, Total	<0.00399	U	0.00399		mg/Kg		07/21/25 12:27	07/22/25 17:43	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
4-Bromofluorobenzene (Surr)	123		70 - 130				07/21/25 12:27	07/22/25 17:43	1
1,4-Difluorobenzene (Surr)	101		70 - 130				07/21/25 12:27	07/22/25 17:43	1

**Method: TAL SOP Total BTEX - Total BTEX Calculation**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00399	U	0.00399		mg/Kg			07/22/25 17:43	1

**Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			07/24/25 19:09	1

**Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		07/22/25 08:39	07/24/25 19:09	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		07/22/25 08:39	07/24/25 19:09	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		07/22/25 08:39	07/24/25 19:09	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
1-Chlorooctane	110		70 - 130				07/22/25 08:39	07/24/25 19:09	1
o-Terphenyl	110		70 - 130				07/22/25 08:39	07/24/25 19:09	1

**Method: EPA 300.0 - Anions, Ion Chromatography - Soluble**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	633		10.1		mg/Kg			07/23/25 00:09	1

Eurofins Carlsbad

### Client Sample Results

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed It B CTB

Job ID: 890-8478-1  
 SDG: Eddy County, NM

**Client Sample ID: HA - 5**

**Lab Sample ID: 890-8478-16**

Date Collected: 07/18/25 13:15

Matrix: Solid

Date Received: 07/21/25 09:55

Sample Depth: 3

**Method: SW846 8021B - Volatile Organic Compounds (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		07/21/25 12:27	07/22/25 18:03	1
Toluene	<0.00199	U	0.00199		mg/Kg		07/21/25 12:27	07/22/25 18:03	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		07/21/25 12:27	07/22/25 18:03	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		07/21/25 12:27	07/22/25 18:03	1
o-Xylene	<0.00199	U	0.00199		mg/Kg		07/21/25 12:27	07/22/25 18:03	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		07/21/25 12:27	07/22/25 18:03	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	120		70 - 130	07/21/25 12:27	07/22/25 18:03	1
1,4-Difluorobenzene (Surr)	100		70 - 130	07/21/25 12:27	07/22/25 18:03	1

**Method: TAL SOP Total BTEX - Total BTEX Calculation**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			07/22/25 18:03	1

**Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.8	U	49.8		mg/Kg			07/24/25 19:25	1

**Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.8	U	49.8		mg/Kg		07/22/25 08:39	07/24/25 19:25	1
Diesel Range Organics (Over C10-C28)	<49.8	U	49.8		mg/Kg		07/22/25 08:39	07/24/25 19:25	1
Oil Range Organics (Over C28-C36)	<49.8	U	49.8		mg/Kg		07/22/25 08:39	07/24/25 19:25	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	109		70 - 130	07/22/25 08:39	07/24/25 19:25	1
o-Terphenyl	110		70 - 130	07/22/25 08:39	07/24/25 19:25	1

**Method: EPA 300.0 - Anions, Ion Chromatography - Soluble**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	104		10.0		mg/Kg			07/23/25 00:32	1

**Client Sample ID: HA - 6**

**Lab Sample ID: 890-8478-17**

Date Collected: 07/18/25 13:20

Matrix: Solid

Date Received: 07/21/25 09:55

Sample Depth: 0.5

**Method: SW846 8021B - Volatile Organic Compounds (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		07/21/25 12:27	07/22/25 18:24	1
Toluene	<0.00199	U	0.00199		mg/Kg		07/21/25 12:27	07/22/25 18:24	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		07/21/25 12:27	07/22/25 18:24	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		07/21/25 12:27	07/22/25 18:24	1
o-Xylene	<0.00199	U	0.00199		mg/Kg		07/21/25 12:27	07/22/25 18:24	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		07/21/25 12:27	07/22/25 18:24	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	118		70 - 130	07/21/25 12:27	07/22/25 18:24	1

Eurofins Carlsbad

### Client Sample Results

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed It B CTB

Job ID: 890-8478-1  
 SDG: Eddy County, NM

**Client Sample ID: HA - 6**

**Lab Sample ID: 890-8478-17**

Date Collected: 07/18/25 13:20

Matrix: Solid

Date Received: 07/21/25 09:55

Sample Depth: 0.5

**Method: SW846 8021B - Volatile Organic Compounds (GC) (Continued)**

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,4-Difluorobenzene (Surr)	98		70 - 130	07/21/25 12:27	07/22/25 18:24	1

**Method: TAL SOP Total BTEX - Total BTEX Calculation**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			07/22/25 18:24	1

**Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			07/24/25 19:42	1

**Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		07/22/25 08:39	07/24/25 19:42	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		07/22/25 08:39	07/24/25 19:42	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		07/22/25 08:39	07/24/25 19:42	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	109		70 - 130	07/22/25 08:39	07/24/25 19:42	1
o-Terphenyl	108		70 - 130	07/22/25 08:39	07/24/25 19:42	1

**Method: EPA 300.0 - Anions, Ion Chromatography - Soluble**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	2900		99.8		mg/Kg			07/23/25 00:39	10

**Client Sample ID: HA - 6**

**Lab Sample ID: 890-8478-18**

Date Collected: 07/18/25 13:25

Matrix: Solid

Date Received: 07/21/25 09:55

Sample Depth: 1

**Method: SW846 8021B - Volatile Organic Compounds (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		07/21/25 12:27	07/22/25 18:44	1
Toluene	<0.00200	U	0.00200		mg/Kg		07/21/25 12:27	07/22/25 18:44	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		07/21/25 12:27	07/22/25 18:44	1
m-Xylene & p-Xylene	<0.00399	U	0.00399		mg/Kg		07/21/25 12:27	07/22/25 18:44	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		07/21/25 12:27	07/22/25 18:44	1
Xylenes, Total	<0.00399	U	0.00399		mg/Kg		07/21/25 12:27	07/22/25 18:44	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	119		70 - 130	07/21/25 12:27	07/22/25 18:44	1
1,4-Difluorobenzene (Surr)	101		70 - 130	07/21/25 12:27	07/22/25 18:44	1

**Method: TAL SOP Total BTEX - Total BTEX Calculation**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00399	U	0.00399		mg/Kg			07/22/25 18:44	1

**Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			07/24/25 19:58	1

Eurofins Carlsbad

### Client Sample Results

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed It B CTB

Job ID: 890-8478-1  
 SDG: Eddy County, NM

**Client Sample ID: HA - 6**

**Lab Sample ID: 890-8478-18**

Date Collected: 07/18/25 13:25

Matrix: Solid

Date Received: 07/21/25 09:55

Sample Depth: 1

**Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		07/22/25 08:39	07/24/25 19:58	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		07/22/25 08:39	07/24/25 19:58	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		07/22/25 08:39	07/24/25 19:58	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	114		70 - 130				07/22/25 08:39	07/24/25 19:58	1
o-Terphenyl	112		70 - 130				07/22/25 08:39	07/24/25 19:58	1

**Method: EPA 300.0 - Anions, Ion Chromatography - Soluble**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	97.8		10.0		mg/Kg			07/23/25 00:47	1

**Client Sample ID: HA - 6**

**Lab Sample ID: 890-8478-19**

Date Collected: 07/18/25 13:30

Matrix: Solid

Date Received: 07/21/25 09:55

Sample Depth: 2

**Method: SW846 8021B - Volatile Organic Compounds (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00201	U	0.00201		mg/Kg		07/21/25 12:27	07/22/25 19:04	1
Toluene	<0.00201	U	0.00201		mg/Kg		07/21/25 12:27	07/22/25 19:04	1
Ethylbenzene	<0.00201	U	0.00201		mg/Kg		07/21/25 12:27	07/22/25 19:04	1
m-Xylene & p-Xylene	<0.00402	U	0.00402		mg/Kg		07/21/25 12:27	07/22/25 19:04	1
o-Xylene	<0.00201	U	0.00201		mg/Kg		07/21/25 12:27	07/22/25 19:04	1
Xylenes, Total	<0.00402	U	0.00402		mg/Kg		07/21/25 12:27	07/22/25 19:04	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	118		70 - 130				07/21/25 12:27	07/22/25 19:04	1
1,4-Difluorobenzene (Surr)	103		70 - 130				07/21/25 12:27	07/22/25 19:04	1

**Method: TAL SOP Total BTEX - Total BTEX Calculation**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00402	U	0.00402		mg/Kg			07/22/25 19:04	1

**Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			07/24/25 20:14	1

**Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		07/22/25 08:39	07/24/25 20:14	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		07/22/25 08:39	07/24/25 20:14	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		07/22/25 08:39	07/24/25 20:14	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	107		70 - 130				07/22/25 08:39	07/24/25 20:14	1
o-Terphenyl	106		70 - 130				07/22/25 08:39	07/24/25 20:14	1

Eurofins Carlsbad

### Client Sample Results

Client: Earth Systems Response and Restoration  
Project/Site: Nailed It B CTB

Job ID: 890-8478-1  
SDG: Eddy County, NM

**Client Sample ID: HA - 6**

**Lab Sample ID: 890-8478-19**

Date Collected: 07/18/25 13:30

Matrix: Solid

Date Received: 07/21/25 09:55

Sample Depth: 2

**Method: EPA 300.0 - Anions, Ion Chromatography - Soluble**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	133		9.96		mg/Kg			07/23/25 00:55	1

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

## Surrogate Summary

Client: Earth Systems Response and Restoration  
Project/Site: Nailed It B CTB

Job ID: 890-8478-1  
SDG: Eddy County, NM

## Method: 8021B - Volatile Organic Compounds (GC)

Matrix: Solid

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)	
		BFB1 (70-130)	DFBZ1 (70-130)
890-8478-1	HA - 1	119	104
890-8478-1 MS	HA - 1	109	96
890-8478-1 MSD	HA - 1	104	99
890-8478-2	HA - 1	113	96
890-8478-3	HA - 1	115	98
890-8478-4	HA - 2	110	97
890-8478-5	HA - 2	108	95
890-8478-6	HA - 2	118	102
890-8478-7	HA - 3	115	97
890-8478-8	HA - 3	122	100
890-8478-9	HA - 3	114	99
890-8478-10	HA - 4	113	102
890-8478-11	HA - 4	109	92
890-8478-12	HA - 4	113	98
890-8478-13	HA - 5	116	105
890-8478-14	HA - 5	116	100
890-8478-15	HA - 5	123	101
890-8478-16	HA - 5	120	100
890-8478-17	HA - 6	118	98
890-8478-18	HA - 6	119	101
890-8478-19	HA - 6	118	103
LCS 880-114596/1-A	Lab Control Sample	112	96
LCS D 880-114596/2-A	Lab Control Sample Dup	102	93
MB 880-114596/5-A	Method Blank	104	97

## Surrogate Legend

BFB = 4-Bromofluorobenzene (Surr)

DFBZ = 1,4-Difluorobenzene (Surr)

## Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Matrix: Solid

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)	
		1CO1 (70-130)	OTPH1 (70-130)
890-8478-1	HA - 1	115	123
890-8478-1 MS	HA - 1	108	113
890-8478-1 MSD	HA - 1	123	112
890-8478-2	HA - 1	108	110
890-8478-3	HA - 1	108	107
890-8478-4	HA - 2	113	112
890-8478-5	HA - 2	108	108
890-8478-6	HA - 2	113	112
890-8478-7	HA - 3	114	114
890-8478-8	HA - 3	112	112
890-8478-9	HA - 3	122	122
890-8478-10	HA - 4	109	109
890-8478-11	HA - 4	115	113
890-8478-12	HA - 4	112	112
890-8478-13	HA - 5	112	113

Eurofins Carlsbad

### Surrogate Summary

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed It B CTB

Job ID: 890-8478-1  
 SDG: Eddy County, NM

**Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)**

**Matrix: Solid**

**Prep Type: Total/NA**

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)	
		1CO1 (70-130)	OTPH1 (70-130)
890-8478-14	HA - 5	115	116
890-8478-15	HA - 5	110	110
890-8478-16	HA - 5	109	110
890-8478-17	HA - 6	109	108
890-8478-18	HA - 6	114	112
890-8478-19	HA - 6	107	106
LCS 880-114637/2-A	Lab Control Sample	96	98
LCSD 880-114637/3-A	Lab Control Sample Dup	100	102
MB 880-114637/1-A	Method Blank	93	88

**Surrogate Legend**

1CO = 1-Chlorooctane

OTPH = o-Terphenyl

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

### QC Sample Results

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed It B CTB

Job ID: 890-8478-1  
 SDG: Eddy County, NM

#### Method: 8021B - Volatile Organic Compounds (GC)

Lab Sample ID: MB 880-114596/5-A  
 Matrix: Solid  
 Analysis Batch: 114645

Client Sample ID: Method Blank  
 Prep Type: Total/NA  
 Prep Batch: 114596

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		07/21/25 12:27	07/22/25 11:12	1
Toluene	<0.00200	U	0.00200		mg/Kg		07/21/25 12:27	07/22/25 11:12	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		07/21/25 12:27	07/22/25 11:12	1
m-Xylene & p-Xylene	<0.00400	U	0.00400		mg/Kg		07/21/25 12:27	07/22/25 11:12	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		07/21/25 12:27	07/22/25 11:12	1
Xylenes, Total	<0.00400	U	0.00400		mg/Kg		07/21/25 12:27	07/22/25 11:12	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	104		70 - 130	07/21/25 12:27	07/22/25 11:12	1
1,4-Difluorobenzene (Surr)	97		70 - 130	07/21/25 12:27	07/22/25 11:12	1

Lab Sample ID: LCS 880-114596/1-A  
 Matrix: Solid  
 Analysis Batch: 114645

Client Sample ID: Lab Control Sample  
 Prep Type: Total/NA  
 Prep Batch: 114596

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	0.100	0.1167		mg/Kg		117	70 - 130
Toluene	0.100	0.1033		mg/Kg		103	70 - 130
Ethylbenzene	0.100	0.1090		mg/Kg		109	70 - 130
m-Xylene & p-Xylene	0.200	0.2176		mg/Kg		109	70 - 130
o-Xylene	0.100	0.1101		mg/Kg		110	70 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
4-Bromofluorobenzene (Surr)	112		70 - 130
1,4-Difluorobenzene (Surr)	96		70 - 130

Lab Sample ID: LCSD 880-114596/2-A  
 Matrix: Solid  
 Analysis Batch: 114645

Client Sample ID: Lab Control Sample Dup  
 Prep Type: Total/NA  
 Prep Batch: 114596

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Benzene	0.100	0.1139		mg/Kg		114	70 - 130	2	35
Toluene	0.100	0.1001		mg/Kg		100	70 - 130	3	35
Ethylbenzene	0.100	0.1035		mg/Kg		103	70 - 130	5	35
m-Xylene & p-Xylene	0.200	0.2053		mg/Kg		103	70 - 130	6	35
o-Xylene	0.100	0.1045		mg/Kg		104	70 - 130	5	35

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
4-Bromofluorobenzene (Surr)	102		70 - 130
1,4-Difluorobenzene (Surr)	93		70 - 130

Lab Sample ID: 890-8478-1 MS  
 Matrix: Solid  
 Analysis Batch: 114645

Client Sample ID: HA - 1  
 Prep Type: Total/NA  
 Prep Batch: 114596

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	<0.00200	U	0.100	0.1206		mg/Kg		121	70 - 130
Toluene	<0.00200	U	0.100	0.1099		mg/Kg		110	70 - 130

Eurofins Carlsbad

### QC Sample Results

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed It B CTB

Job ID: 890-8478-1  
 SDG: Eddy County, NM

#### Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: 890-8478-1 MS

Client Sample ID: HA - 1

Matrix: Solid

Prep Type: Total/NA

Analysis Batch: 114645

Prep Batch: 114596

Analyte	Sample	Sample	Spike	MS	MS	Unit	D	%Rec	%Rec
	Result	Qualifier		Result	Qualifier				
Ethylbenzene	<0.00200	U	0.100	0.1155		mg/Kg		115	70 - 130
m-Xylene & p-Xylene	<0.00399	U	0.200	0.2328		mg/Kg		116	70 - 130
o-Xylene	<0.00200	U	0.100	0.1145		mg/Kg		114	70 - 130

Surrogate	MS	MS	Limits
	%Recovery	Qualifier	
4-Bromofluorobenzene (Surr)	109		70 - 130
1,4-Difluorobenzene (Surr)	96		70 - 130

Lab Sample ID: 890-8478-1 MSD

Client Sample ID: HA - 1

Matrix: Solid

Prep Type: Total/NA

Analysis Batch: 114645

Prep Batch: 114596

Analyte	Sample	Sample	Spike	MSD	MSD	Unit	D	%Rec	%Rec	RPD	Limit
	Result	Qualifier		Result	Qualifier						
Benzene	<0.00200	U	0.100	0.1174		mg/Kg		117	70 - 130	3	35
Toluene	<0.00200	U	0.100	0.1031		mg/Kg		103	70 - 130	6	35
Ethylbenzene	<0.00200	U	0.100	0.1060		mg/Kg		106	70 - 130	9	35
m-Xylene & p-Xylene	<0.00399	U	0.200	0.2112		mg/Kg		106	70 - 130	10	35
o-Xylene	<0.00200	U	0.100	0.1053		mg/Kg		105	70 - 130	8	35

Surrogate	MSD	MSD	Limits
	%Recovery	Qualifier	
4-Bromofluorobenzene (Surr)	104		70 - 130
1,4-Difluorobenzene (Surr)	99		70 - 130

#### Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Lab Sample ID: MB 880-114637/1-A

Client Sample ID: Method Blank

Matrix: Solid

Prep Type: Total/NA

Analysis Batch: 114940

Prep Batch: 114637

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		07/22/25 08:11	07/24/25 03:15	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		07/22/25 08:11	07/24/25 03:15	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		07/22/25 08:11	07/24/25 03:15	1

Surrogate	MB	MB	Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1-Chlorooctane	93		70 - 130	07/22/25 08:11	07/24/25 03:15	1
o-Terphenyl	88		70 - 130	07/22/25 08:11	07/24/25 03:15	1

Lab Sample ID: LCS 880-114637/2-A

Client Sample ID: Lab Control Sample

Matrix: Solid

Prep Type: Total/NA

Analysis Batch: 114940

Prep Batch: 114637

Analyte	Spike	LCS	LCS	Unit	D	%Rec	%Rec
Gasoline Range Organics (GRO)-C6-C10	1000	899.2		mg/Kg		90	70 - 130
Diesel Range Organics (Over C10-C28)	1000	1035		mg/Kg		103	70 - 130

Eurofins Carlsbad

### QC Sample Results

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed It B CTB

Job ID: 890-8478-1  
 SDG: Eddy County, NM

#### Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

**Lab Sample ID: LCS 880-114637/2-A**  
**Matrix: Solid**  
**Analysis Batch: 114940**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**  
**Prep Batch: 114637**

Surrogate	LCS		Limits
	%Recovery	Qualifier	
1-Chlorooctane	96		70 - 130
o-Terphenyl	98		70 - 130

**Lab Sample ID: LCSD 880-114637/3-A**  
**Matrix: Solid**  
**Analysis Batch: 114940**

**Client Sample ID: Lab Control Sample Dup**  
**Prep Type: Total/NA**  
**Prep Batch: 114637**

Analyte	Spike Added	LCSD		Unit	D	%Rec	%Rec		RPD	Limit
		Result	Qualifier				Limits	RPD		
Gasoline Range Organics (GRO)-C6-C10	1000	946.0		mg/Kg		95	70 - 130	5	20	
Diesel Range Organics (Over C10-C28)	1000	1015		mg/Kg		101	70 - 130	2	20	

Surrogate	LCSD		Limits
	%Recovery	Qualifier	
1-Chlorooctane	100		70 - 130
o-Terphenyl	102		70 - 130

**Lab Sample ID: 890-8478-1 MS**  
**Matrix: Solid**  
**Analysis Batch: 114940**

**Client Sample ID: HA - 1**  
**Prep Type: Total/NA**  
**Prep Batch: 114637**

Analyte	Sample Result	Sample Qualifier	Spike Added	MS		Unit	D	%Rec	%Rec	
				Result	Qualifier				Limits	RPD
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	999	860.0		mg/Kg		86	70 - 130	
Diesel Range Organics (Over C10-C28)	<50.0	U	999	872.3		mg/Kg		87	70 - 130	

Surrogate	MS		Limits
	%Recovery	Qualifier	
1-Chlorooctane	108		70 - 130
o-Terphenyl	113		70 - 130

**Lab Sample ID: 890-8478-1 MSD**  
**Matrix: Solid**  
**Analysis Batch: 114940**

**Client Sample ID: HA - 1**  
**Prep Type: Total/NA**  
**Prep Batch: 114637**

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD		Unit	D	%Rec	%Rec	
				Result	Qualifier				Limits	RPD
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	999	849.9		mg/Kg		85	70 - 130	1
Diesel Range Organics (Over C10-C28)	<50.0	U	999	804.2		mg/Kg		81	70 - 130	8

Surrogate	MSD		Limits
	%Recovery	Qualifier	
1-Chlorooctane	123		70 - 130
o-Terphenyl	112		70 - 130

### QC Sample Results

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed It B CTB

Job ID: 890-8478-1  
 SDG: Eddy County, NM

#### Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: MB 880-114661/1-A  
 Matrix: Solid  
 Analysis Batch: 114726

Client Sample ID: Method Blank  
 Prep Type: Soluble

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<10.0	U	10.0		mg/Kg			07/22/25 18:27	1

Lab Sample ID: LCS 880-114661/2-A  
 Matrix: Solid  
 Analysis Batch: 114726

Client Sample ID: Lab Control Sample  
 Prep Type: Soluble

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	250	249.9		mg/Kg		100	90 - 110

Lab Sample ID: LCSD 880-114661/3-A  
 Matrix: Solid  
 Analysis Batch: 114726

Client Sample ID: Lab Control Sample Dup  
 Prep Type: Soluble

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	250	250.0		mg/Kg		100	90 - 110	0	20

Lab Sample ID: MB 880-114666/1-A  
 Matrix: Solid  
 Analysis Batch: 114730

Client Sample ID: Method Blank  
 Prep Type: Soluble

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<10.0	U	10.0		mg/Kg			07/22/25 21:28	1

Lab Sample ID: LCS 880-114666/2-A  
 Matrix: Solid  
 Analysis Batch: 114730

Client Sample ID: Lab Control Sample  
 Prep Type: Soluble

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	250	230.4		mg/Kg		92	90 - 110

Lab Sample ID: LCSD 880-114666/3-A  
 Matrix: Solid  
 Analysis Batch: 114730

Client Sample ID: Lab Control Sample Dup  
 Prep Type: Soluble

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	250	229.8		mg/Kg		92	90 - 110	0	20

Lab Sample ID: 890-8478-3 MS  
 Matrix: Solid  
 Analysis Batch: 114730

Client Sample ID: HA - 1  
 Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	136		253	399.3		mg/Kg		104	90 - 110

Lab Sample ID: 890-8478-3 MSD  
 Matrix: Solid  
 Analysis Batch: 114730

Client Sample ID: HA - 1  
 Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	136		253	400.9		mg/Kg		105	90 - 110	0	20

Eurofins Carlsbad

### QC Sample Results

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed It B CTB

Job ID: 890-8478-1  
 SDG: Eddy County, NM

**Method: 300.0 - Anions, Ion Chromatography**

**Lab Sample ID: 890-8478-13 MS**  
**Matrix: Solid**  
**Analysis Batch: 114730**

**Client Sample ID: HA - 5**  
**Prep Type: Soluble**

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	11700	F1	5040	16130	F1	mg/Kg		89	90 - 110

**Lab Sample ID: 890-8478-13 MSD**  
**Matrix: Solid**  
**Analysis Batch: 114730**

**Client Sample ID: HA - 5**  
**Prep Type: Soluble**

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	11700	F1	5040	15770	F1	mg/Kg		82	90 - 110	2	20

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

### QC Association Summary

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed It B CTB

Job ID: 890-8478-1  
 SDG: Eddy County, NM

#### GC VOA

##### Prep Batch: 114596

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-8478-1	HA - 1	Total/NA	Solid	5035	
890-8478-2	HA - 1	Total/NA	Solid	5035	
890-8478-3	HA - 1	Total/NA	Solid	5035	
890-8478-4	HA - 2	Total/NA	Solid	5035	
890-8478-5	HA - 2	Total/NA	Solid	5035	
890-8478-6	HA - 2	Total/NA	Solid	5035	
890-8478-7	HA - 3	Total/NA	Solid	5035	
890-8478-8	HA - 3	Total/NA	Solid	5035	
890-8478-9	HA - 3	Total/NA	Solid	5035	
890-8478-10	HA - 4	Total/NA	Solid	5035	
890-8478-11	HA - 4	Total/NA	Solid	5035	
890-8478-12	HA - 4	Total/NA	Solid	5035	
890-8478-13	HA - 5	Total/NA	Solid	5035	
890-8478-14	HA - 5	Total/NA	Solid	5035	
890-8478-15	HA - 5	Total/NA	Solid	5035	
890-8478-16	HA - 5	Total/NA	Solid	5035	
890-8478-17	HA - 6	Total/NA	Solid	5035	
890-8478-18	HA - 6	Total/NA	Solid	5035	
890-8478-19	HA - 6	Total/NA	Solid	5035	
MB 880-114596/5-A	Method Blank	Total/NA	Solid	5035	
LCS 880-114596/1-A	Lab Control Sample	Total/NA	Solid	5035	
LCSD 880-114596/2-A	Lab Control Sample Dup	Total/NA	Solid	5035	
890-8478-1 MS	HA - 1	Total/NA	Solid	5035	
890-8478-1 MSD	HA - 1	Total/NA	Solid	5035	

##### Analysis Batch: 114645

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-8478-1	HA - 1	Total/NA	Solid	8021B	114596
890-8478-2	HA - 1	Total/NA	Solid	8021B	114596
890-8478-3	HA - 1	Total/NA	Solid	8021B	114596
890-8478-4	HA - 2	Total/NA	Solid	8021B	114596
890-8478-5	HA - 2	Total/NA	Solid	8021B	114596
890-8478-6	HA - 2	Total/NA	Solid	8021B	114596
890-8478-7	HA - 3	Total/NA	Solid	8021B	114596
890-8478-8	HA - 3	Total/NA	Solid	8021B	114596
890-8478-9	HA - 3	Total/NA	Solid	8021B	114596
890-8478-10	HA - 4	Total/NA	Solid	8021B	114596
890-8478-11	HA - 4	Total/NA	Solid	8021B	114596
890-8478-12	HA - 4	Total/NA	Solid	8021B	114596
890-8478-13	HA - 5	Total/NA	Solid	8021B	114596
890-8478-14	HA - 5	Total/NA	Solid	8021B	114596
890-8478-15	HA - 5	Total/NA	Solid	8021B	114596
890-8478-16	HA - 5	Total/NA	Solid	8021B	114596
890-8478-17	HA - 6	Total/NA	Solid	8021B	114596
890-8478-18	HA - 6	Total/NA	Solid	8021B	114596
890-8478-19	HA - 6	Total/NA	Solid	8021B	114596
MB 880-114596/5-A	Method Blank	Total/NA	Solid	8021B	114596
LCS 880-114596/1-A	Lab Control Sample	Total/NA	Solid	8021B	114596
LCSD 880-114596/2-A	Lab Control Sample Dup	Total/NA	Solid	8021B	114596
890-8478-1 MS	HA - 1	Total/NA	Solid	8021B	114596
890-8478-1 MSD	HA - 1	Total/NA	Solid	8021B	114596

Eurofins Carlsbad

### QC Association Summary

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed It B CTB

Job ID: 890-8478-1  
 SDG: Eddy County, NM

#### GC VOA

##### Analysis Batch: 114753

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-8478-1	HA - 1	Total/NA	Solid	Total BTEX	
890-8478-2	HA - 1	Total/NA	Solid	Total BTEX	
890-8478-3	HA - 1	Total/NA	Solid	Total BTEX	
890-8478-4	HA - 2	Total/NA	Solid	Total BTEX	
890-8478-5	HA - 2	Total/NA	Solid	Total BTEX	
890-8478-6	HA - 2	Total/NA	Solid	Total BTEX	
890-8478-7	HA - 3	Total/NA	Solid	Total BTEX	
890-8478-8	HA - 3	Total/NA	Solid	Total BTEX	
890-8478-9	HA - 3	Total/NA	Solid	Total BTEX	
890-8478-10	HA - 4	Total/NA	Solid	Total BTEX	
890-8478-11	HA - 4	Total/NA	Solid	Total BTEX	
890-8478-12	HA - 4	Total/NA	Solid	Total BTEX	
890-8478-13	HA - 5	Total/NA	Solid	Total BTEX	
890-8478-14	HA - 5	Total/NA	Solid	Total BTEX	
890-8478-15	HA - 5	Total/NA	Solid	Total BTEX	
890-8478-16	HA - 5	Total/NA	Solid	Total BTEX	
890-8478-17	HA - 6	Total/NA	Solid	Total BTEX	
890-8478-18	HA - 6	Total/NA	Solid	Total BTEX	
890-8478-19	HA - 6	Total/NA	Solid	Total BTEX	

#### GC Semi VOA

##### Prep Batch: 114637

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-8478-1	HA - 1	Total/NA	Solid	8015NM Prep	
890-8478-2	HA - 1	Total/NA	Solid	8015NM Prep	
890-8478-3	HA - 1	Total/NA	Solid	8015NM Prep	
890-8478-4	HA - 2	Total/NA	Solid	8015NM Prep	
890-8478-5	HA - 2	Total/NA	Solid	8015NM Prep	
890-8478-6	HA - 2	Total/NA	Solid	8015NM Prep	
890-8478-7	HA - 3	Total/NA	Solid	8015NM Prep	
890-8478-8	HA - 3	Total/NA	Solid	8015NM Prep	
890-8478-9	HA - 3	Total/NA	Solid	8015NM Prep	
890-8478-10	HA - 4	Total/NA	Solid	8015NM Prep	
890-8478-11	HA - 4	Total/NA	Solid	8015NM Prep	
890-8478-12	HA - 4	Total/NA	Solid	8015NM Prep	
890-8478-13	HA - 5	Total/NA	Solid	8015NM Prep	
890-8478-14	HA - 5	Total/NA	Solid	8015NM Prep	
890-8478-15	HA - 5	Total/NA	Solid	8015NM Prep	
890-8478-16	HA - 5	Total/NA	Solid	8015NM Prep	
890-8478-17	HA - 6	Total/NA	Solid	8015NM Prep	
890-8478-18	HA - 6	Total/NA	Solid	8015NM Prep	
890-8478-19	HA - 6	Total/NA	Solid	8015NM Prep	
MB 880-114637/1-A	Method Blank	Total/NA	Solid	8015NM Prep	
LCS 880-114637/2-A	Lab Control Sample	Total/NA	Solid	8015NM Prep	
LCSD 880-114637/3-A	Lab Control Sample Dup	Total/NA	Solid	8015NM Prep	
890-8478-1 MS	HA - 1	Total/NA	Solid	8015NM Prep	
890-8478-1 MSD	HA - 1	Total/NA	Solid	8015NM Prep	

Eurofins Carlsbad

## QC Association Summary

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed It B CTB

Job ID: 890-8478-1  
 SDG: Eddy County, NM

## GC Semi VOA

## Analysis Batch: 114940

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-8478-1	HA - 1	Total/NA	Solid	8015B NM	114637
890-8478-2	HA - 1	Total/NA	Solid	8015B NM	114637
890-8478-3	HA - 1	Total/NA	Solid	8015B NM	114637
890-8478-4	HA - 2	Total/NA	Solid	8015B NM	114637
890-8478-5	HA - 2	Total/NA	Solid	8015B NM	114637
890-8478-6	HA - 2	Total/NA	Solid	8015B NM	114637
890-8478-7	HA - 3	Total/NA	Solid	8015B NM	114637
890-8478-8	HA - 3	Total/NA	Solid	8015B NM	114637
890-8478-9	HA - 3	Total/NA	Solid	8015B NM	114637
890-8478-10	HA - 4	Total/NA	Solid	8015B NM	114637
890-8478-11	HA - 4	Total/NA	Solid	8015B NM	114637
890-8478-12	HA - 4	Total/NA	Solid	8015B NM	114637
890-8478-13	HA - 5	Total/NA	Solid	8015B NM	114637
890-8478-14	HA - 5	Total/NA	Solid	8015B NM	114637
890-8478-15	HA - 5	Total/NA	Solid	8015B NM	114637
890-8478-16	HA - 5	Total/NA	Solid	8015B NM	114637
890-8478-17	HA - 6	Total/NA	Solid	8015B NM	114637
890-8478-18	HA - 6	Total/NA	Solid	8015B NM	114637
890-8478-19	HA - 6	Total/NA	Solid	8015B NM	114637
MB 880-114637/1-A	Method Blank	Total/NA	Solid	8015B NM	114637
LCS 880-114637/2-A	Lab Control Sample	Total/NA	Solid	8015B NM	114637
LCSD 880-114637/3-A	Lab Control Sample Dup	Total/NA	Solid	8015B NM	114637
890-8478-1 MS	HA - 1	Total/NA	Solid	8015B NM	114637
890-8478-1 MSD	HA - 1	Total/NA	Solid	8015B NM	114637

## Analysis Batch: 115022

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-8478-1	HA - 1	Total/NA	Solid	8015 NM	
890-8478-2	HA - 1	Total/NA	Solid	8015 NM	
890-8478-3	HA - 1	Total/NA	Solid	8015 NM	
890-8478-4	HA - 2	Total/NA	Solid	8015 NM	
890-8478-5	HA - 2	Total/NA	Solid	8015 NM	
890-8478-6	HA - 2	Total/NA	Solid	8015 NM	
890-8478-7	HA - 3	Total/NA	Solid	8015 NM	
890-8478-8	HA - 3	Total/NA	Solid	8015 NM	
890-8478-9	HA - 3	Total/NA	Solid	8015 NM	
890-8478-10	HA - 4	Total/NA	Solid	8015 NM	
890-8478-11	HA - 4	Total/NA	Solid	8015 NM	
890-8478-12	HA - 4	Total/NA	Solid	8015 NM	
890-8478-13	HA - 5	Total/NA	Solid	8015 NM	
890-8478-14	HA - 5	Total/NA	Solid	8015 NM	
890-8478-15	HA - 5	Total/NA	Solid	8015 NM	
890-8478-16	HA - 5	Total/NA	Solid	8015 NM	
890-8478-17	HA - 6	Total/NA	Solid	8015 NM	
890-8478-18	HA - 6	Total/NA	Solid	8015 NM	
890-8478-19	HA - 6	Total/NA	Solid	8015 NM	

Eurofins Carlsbad

## QC Association Summary

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed It B CTB

Job ID: 890-8478-1  
 SDG: Eddy County, NM

## HPLC/IC

## Leach Batch: 114661

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-8478-1	HA - 1	Soluble	Solid	DI Leach	
890-8478-2	HA - 1	Soluble	Solid	DI Leach	
MB 880-114661/1-A	Method Blank	Soluble	Solid	DI Leach	
LCS 880-114661/2-A	Lab Control Sample	Soluble	Solid	DI Leach	
LCSD 880-114661/3-A	Lab Control Sample Dup	Soluble	Solid	DI Leach	

## Leach Batch: 114666

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-8478-3	HA - 1	Soluble	Solid	DI Leach	
890-8478-4	HA - 2	Soluble	Solid	DI Leach	
890-8478-5	HA - 2	Soluble	Solid	DI Leach	
890-8478-6	HA - 2	Soluble	Solid	DI Leach	
890-8478-7	HA - 3	Soluble	Solid	DI Leach	
890-8478-8	HA - 3	Soluble	Solid	DI Leach	
890-8478-9	HA - 3	Soluble	Solid	DI Leach	
890-8478-10	HA - 4	Soluble	Solid	DI Leach	
890-8478-11	HA - 4	Soluble	Solid	DI Leach	
890-8478-12	HA - 4	Soluble	Solid	DI Leach	
890-8478-13	HA - 5	Soluble	Solid	DI Leach	
890-8478-14	HA - 5	Soluble	Solid	DI Leach	
890-8478-15	HA - 5	Soluble	Solid	DI Leach	
890-8478-16	HA - 5	Soluble	Solid	DI Leach	
890-8478-17	HA - 6	Soluble	Solid	DI Leach	
890-8478-18	HA - 6	Soluble	Solid	DI Leach	
890-8478-19	HA - 6	Soluble	Solid	DI Leach	
MB 880-114666/1-A	Method Blank	Soluble	Solid	DI Leach	
LCS 880-114666/2-A	Lab Control Sample	Soluble	Solid	DI Leach	
LCSD 880-114666/3-A	Lab Control Sample Dup	Soluble	Solid	DI Leach	
890-8478-3 MS	HA - 1	Soluble	Solid	DI Leach	
890-8478-3 MSD	HA - 1	Soluble	Solid	DI Leach	
890-8478-13 MS	HA - 5	Soluble	Solid	DI Leach	
890-8478-13 MSD	HA - 5	Soluble	Solid	DI Leach	

## Analysis Batch: 114726

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-8478-1	HA - 1	Soluble	Solid	300.0	114661
890-8478-2	HA - 1	Soluble	Solid	300.0	114661
MB 880-114661/1-A	Method Blank	Soluble	Solid	300.0	114661
LCS 880-114661/2-A	Lab Control Sample	Soluble	Solid	300.0	114661
LCSD 880-114661/3-A	Lab Control Sample Dup	Soluble	Solid	300.0	114661

## Analysis Batch: 114730

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-8478-3	HA - 1	Soluble	Solid	300.0	114666
890-8478-4	HA - 2	Soluble	Solid	300.0	114666
890-8478-5	HA - 2	Soluble	Solid	300.0	114666
890-8478-6	HA - 2	Soluble	Solid	300.0	114666
890-8478-7	HA - 3	Soluble	Solid	300.0	114666
890-8478-8	HA - 3	Soluble	Solid	300.0	114666
890-8478-9	HA - 3	Soluble	Solid	300.0	114666
890-8478-10	HA - 4	Soluble	Solid	300.0	114666

Eurofins Carlsbad

### QC Association Summary

Client: Earth Systems Response and Restoration  
Project/Site: Nailed It B CTB

Job ID: 890-8478-1  
SDG: Eddy County, NM

#### HPLC/IC (Continued)

#### Analysis Batch: 114730 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-8478-11	HA - 4	Soluble	Solid	300.0	114666
890-8478-12	HA - 4	Soluble	Solid	300.0	114666
890-8478-13	HA - 5	Soluble	Solid	300.0	114666
890-8478-14	HA - 5	Soluble	Solid	300.0	114666
890-8478-15	HA - 5	Soluble	Solid	300.0	114666
890-8478-16	HA - 5	Soluble	Solid	300.0	114666
890-8478-17	HA - 6	Soluble	Solid	300.0	114666
890-8478-18	HA - 6	Soluble	Solid	300.0	114666
890-8478-19	HA - 6	Soluble	Solid	300.0	114666
MB 880-114666/1-A	Method Blank	Soluble	Solid	300.0	114666
LCS 880-114666/2-A	Lab Control Sample	Soluble	Solid	300.0	114666
LCSD 880-114666/3-A	Lab Control Sample Dup	Soluble	Solid	300.0	114666
890-8478-3 MS	HA - 1	Soluble	Solid	300.0	114666
890-8478-3 MSD	HA - 1	Soluble	Solid	300.0	114666
890-8478-13 MS	HA - 5	Soluble	Solid	300.0	114666
890-8478-13 MSD	HA - 5	Soluble	Solid	300.0	114666

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

### Lab Chronicle

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed It B CTB

Job ID: 890-8478-1  
 SDG: Eddy County, NM

**Client Sample ID: HA - 1**  
 Date Collected: 07/18/25 12:00  
 Date Received: 07/21/25 09:55

**Lab Sample ID: 890-8478-1**  
 Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	114596	07/21/25 12:27	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	114645	07/22/25 11:33	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			114753	07/22/25 11:33	SA	EET MID
Total/NA	Analysis	8015 NM		1			115022	07/24/25 14:29	SA	EET MID
Total/NA	Prep	8015NM Prep			10.00 g	10 mL	114637	07/22/25 08:39	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	114940	07/24/25 14:29	TKC	EET MID
Soluble	Leach	DI Leach			5.03 g	50 mL	114661	07/22/25 08:38	SI	EET MID
Soluble	Analysis	300.0		5			114726	07/22/25 20:48	CS	EET MID

**Client Sample ID: HA - 1**  
 Date Collected: 07/18/25 12:05  
 Date Received: 07/21/25 09:55

**Lab Sample ID: 890-8478-2**  
 Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.98 g	5 mL	114596	07/21/25 12:27	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	114645	07/22/25 11:54	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			114753	07/22/25 11:54	SA	EET MID
Total/NA	Analysis	8015 NM		1			115022	07/24/25 15:19	SA	EET MID
Total/NA	Prep	8015NM Prep			10.04 g	10 mL	114637	07/22/25 08:39	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	114940	07/24/25 15:19	TKC	EET MID
Soluble	Leach	DI Leach			4.95 g	50 mL	114661	07/22/25 08:38	SI	EET MID
Soluble	Analysis	300.0		1			114726	07/22/25 20:54	CS	EET MID

**Client Sample ID: HA - 1**  
 Date Collected: 07/18/25 12:10  
 Date Received: 07/21/25 09:55

**Lab Sample ID: 890-8478-3**  
 Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.95 g	5 mL	114596	07/21/25 12:27	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	114645	07/22/25 12:14	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			114753	07/22/25 12:14	SA	EET MID
Total/NA	Analysis	8015 NM		1			115022	07/24/25 15:35	SA	EET MID
Total/NA	Prep	8015NM Prep			10.02 g	10 mL	114637	07/22/25 08:39	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	114940	07/24/25 15:35	TKC	EET MID
Soluble	Leach	DI Leach			4.95 g	50 mL	114666	07/22/25 08:43	SI	EET MID
Soluble	Analysis	300.0		1			114730	07/22/25 21:51	CS	EET MID

**Client Sample ID: HA - 2**  
 Date Collected: 07/18/25 12:15  
 Date Received: 07/21/25 09:55

**Lab Sample ID: 890-8478-4**  
 Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.03 g	5 mL	114596	07/21/25 12:27	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	114645	07/22/25 12:35	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			114753	07/22/25 12:35	SA	EET MID

Eurofins Carlsbad

### Lab Chronicle

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed It B CTB

Job ID: 890-8478-1  
 SDG: Eddy County, NM

**Client Sample ID: HA - 2**

**Lab Sample ID: 890-8478-4**

Date Collected: 07/18/25 12:15

Matrix: Solid

Date Received: 07/21/25 09:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8015 NM		1			115022	07/24/25 15:52	SA	EET MID
Total/NA	Prep	8015NM Prep			10.04 g	10 mL	114637	07/22/25 08:39	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	114940	07/24/25 15:52	TKC	EET MID
Soluble	Leach	DI Leach			4.98 g	50 mL	114666	07/22/25 08:43	SI	EET MID
Soluble	Analysis	300.0		5			114730	07/22/25 22:14	CS	EET MID

**Client Sample ID: HA - 2**

**Lab Sample ID: 890-8478-5**

Date Collected: 07/18/25 12:20

Matrix: Solid

Date Received: 07/21/25 09:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	114596	07/21/25 12:27	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	114645	07/22/25 12:55	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			114753	07/22/25 12:55	SA	EET MID
Total/NA	Analysis	8015 NM		1			115022	07/24/25 16:08	SA	EET MID
Total/NA	Prep	8015NM Prep			9.98 g	10 mL	114637	07/22/25 08:39	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	114940	07/24/25 16:08	TKC	EET MID
Soluble	Leach	DI Leach			4.96 g	50 mL	114666	07/22/25 08:43	SI	EET MID
Soluble	Analysis	300.0		1			114730	07/22/25 22:22	CS	EET MID

**Client Sample ID: HA - 2**

**Lab Sample ID: 890-8478-6**

Date Collected: 07/18/25 12:25

Matrix: Solid

Date Received: 07/21/25 09:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.05 g	5 mL	114596	07/21/25 12:27	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	114645	07/22/25 13:15	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			114753	07/22/25 13:15	SA	EET MID
Total/NA	Analysis	8015 NM		1			115022	07/24/25 16:24	SA	EET MID
Total/NA	Prep	8015NM Prep			9.99 g	10 mL	114637	07/22/25 08:39	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	114940	07/24/25 16:24	TKC	EET MID
Soluble	Leach	DI Leach			4.97 g	50 mL	114666	07/22/25 08:43	SI	EET MID
Soluble	Analysis	300.0		1			114730	07/22/25 22:29	CS	EET MID

**Client Sample ID: HA - 3**

**Lab Sample ID: 890-8478-7**

Date Collected: 07/18/25 12:30

Matrix: Solid

Date Received: 07/21/25 09:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.98 g	5 mL	114596	07/21/25 12:27	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	114645	07/22/25 13:36	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			114753	07/22/25 13:36	SA	EET MID
Total/NA	Analysis	8015 NM		1			115022	07/24/25 16:41	SA	EET MID
Total/NA	Prep	8015NM Prep			10.02 g	10 mL	114637	07/22/25 08:39	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	114940	07/24/25 16:41	TKC	EET MID

Eurofins Carlsbad

### Lab Chronicle

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed It B CTB

Job ID: 890-8478-1  
 SDG: Eddy County, NM

**Client Sample ID: HA - 3**

**Lab Sample ID: 890-8478-7**

Date Collected: 07/18/25 12:30

Matrix: Solid

Date Received: 07/21/25 09:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Soluble	Leach	DI Leach			5.02 g	50 mL	114666	07/22/25 08:43	SI	EET MID
Soluble	Analysis	300.0		10			114730	07/22/25 22:37	CS	EET MID

**Client Sample ID: HA - 3**

**Lab Sample ID: 890-8478-8**

Date Collected: 07/18/25 12:35

Matrix: Solid

Date Received: 07/21/25 09:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.97 g	5 mL	114596	07/21/25 12:27	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	114645	07/22/25 13:56	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			114753	07/22/25 13:56	SA	EET MID
Total/NA	Analysis	8015 NM		1			115022	07/24/25 16:58	SA	EET MID
Total/NA	Prep	8015NM Prep			10.06 g	10 mL	114637	07/22/25 08:39	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	114940	07/24/25 16:58	TKC	EET MID
Soluble	Leach	DI Leach			4.95 g	50 mL	114666	07/22/25 08:43	SI	EET MID
Soluble	Analysis	300.0		10			114730	07/22/25 23:00	CS	EET MID

**Client Sample ID: HA - 3**

**Lab Sample ID: 890-8478-9**

Date Collected: 07/18/25 12:40

Matrix: Solid

Date Received: 07/21/25 09:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.02 g	5 mL	114596	07/21/25 12:27	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	114645	07/22/25 14:17	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			114753	07/22/25 14:17	SA	EET MID
Total/NA	Analysis	8015 NM		1			115022	07/24/25 17:14	SA	EET MID
Total/NA	Prep	8015NM Prep			10.04 g	10 mL	114637	07/22/25 08:39	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	114940	07/24/25 17:14	TKC	EET MID
Soluble	Leach	DI Leach			4.99 g	50 mL	114666	07/22/25 08:43	SI	EET MID
Soluble	Analysis	300.0		1			114730	07/22/25 23:08	CS	EET MID

**Client Sample ID: HA - 4**

**Lab Sample ID: 890-8478-10**

Date Collected: 07/18/25 12:45

Matrix: Solid

Date Received: 07/21/25 09:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.96 g	5 mL	114596	07/21/25 12:27	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	114645	07/22/25 16:00	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			114753	07/22/25 16:00	SA	EET MID
Total/NA	Analysis	8015 NM		1			115022	07/24/25 17:30	SA	EET MID
Total/NA	Prep	8015NM Prep			10.00 g	10 mL	114637	07/22/25 08:39	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	114940	07/24/25 17:30	TKC	EET MID
Soluble	Leach	DI Leach			5.02 g	50 mL	114666	07/22/25 08:43	SI	EET MID
Soluble	Analysis	300.0		1			114730	07/22/25 23:15	CS	EET MID

Eurofins Carlsbad

### Lab Chronicle

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed It B CTB

Job ID: 890-8478-1  
 SDG: Eddy County, NM

**Client Sample ID: HA - 4**

**Lab Sample ID: 890-8478-11**

Date Collected: 07/18/25 12:50

Matrix: Solid

Date Received: 07/21/25 09:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.97 g	5 mL	114596	07/21/25 12:27	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	114645	07/22/25 16:21	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			114753	07/22/25 16:21	SA	EET MID
Total/NA	Analysis	8015 NM		1			115022	07/24/25 18:03	SA	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10 mL	114637	07/22/25 08:39	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	114940	07/24/25 18:03	TKC	EET MID
Soluble	Leach	DI Leach			4.95 g	50 mL	114666	07/22/25 08:43	SI	EET MID
Soluble	Analysis	300.0		1			114730	07/22/25 23:23	CS	EET MID

**Client Sample ID: HA - 4**

**Lab Sample ID: 890-8478-12**

Date Collected: 07/18/25 12:55

Matrix: Solid

Date Received: 07/21/25 09:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.02 g	5 mL	114596	07/21/25 12:27	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	114645	07/22/25 16:41	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			114753	07/22/25 16:41	SA	EET MID
Total/NA	Analysis	8015 NM		1			115022	07/24/25 18:20	SA	EET MID
Total/NA	Prep	8015NM Prep			10.00 g	10 mL	114637	07/22/25 08:39	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	114940	07/24/25 18:20	TKC	EET MID
Soluble	Leach	DI Leach			4.97 g	50 mL	114666	07/22/25 08:43	SI	EET MID
Soluble	Analysis	300.0		1			114730	07/22/25 23:31	CS	EET MID

**Client Sample ID: HA - 5**

**Lab Sample ID: 890-8478-13**

Date Collected: 07/18/25 13:00

Matrix: Solid

Date Received: 07/21/25 09:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.03 g	5 mL	114596	07/21/25 12:27	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	114645	07/22/25 17:02	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			114753	07/22/25 17:02	SA	EET MID
Total/NA	Analysis	8015 NM		1			115022	07/24/25 18:36	SA	EET MID
Total/NA	Prep	8015NM Prep			10.05 g	10 mL	114637	07/22/25 08:39	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	114940	07/24/25 18:36	TKC	EET MID
Soluble	Leach	DI Leach			4.96 g	50 mL	114666	07/22/25 08:43	SI	EET MID
Soluble	Analysis	300.0		20			114730	07/22/25 23:38	CS	EET MID

**Client Sample ID: HA - 5**

**Lab Sample ID: 890-8478-14**

Date Collected: 07/18/25 13:05

Matrix: Solid

Date Received: 07/21/25 09:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.98 g	5 mL	114596	07/21/25 12:27	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	114645	07/22/25 17:22	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			114753	07/22/25 17:22	SA	EET MID

Eurofins Carlsbad

### Lab Chronicle

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed It B CTB

Job ID: 890-8478-1  
 SDG: Eddy County, NM

**Client Sample ID: HA - 5**

**Lab Sample ID: 890-8478-14**

Date Collected: 07/18/25 13:05

Matrix: Solid

Date Received: 07/21/25 09:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8015 NM		1			115022	07/24/25 18:52	SA	EET MID
Total/NA	Prep	8015NM Prep			10.02 g	10 mL	114637	07/22/25 08:39	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	114940	07/24/25 18:52	TKC	EET MID
Soluble	Leach	DI Leach			5.02 g	50 mL	114666	07/22/25 08:43	SI	EET MID
Soluble	Analysis	300.0		1			114730	07/23/25 00:01	CS	EET MID

**Client Sample ID: HA - 5**

**Lab Sample ID: 890-8478-15**

Date Collected: 07/18/25 13:10

Matrix: Solid

Date Received: 07/21/25 09:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	114596	07/21/25 12:27	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	114645	07/22/25 17:43	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			114753	07/22/25 17:43	SA	EET MID
Total/NA	Analysis	8015 NM		1			115022	07/24/25 19:09	SA	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10 mL	114637	07/22/25 08:39	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	114940	07/24/25 19:09	TKC	EET MID
Soluble	Leach	DI Leach			4.96 g	50 mL	114666	07/22/25 08:43	SI	EET MID
Soluble	Analysis	300.0		1			114730	07/23/25 00:09	CS	EET MID

**Client Sample ID: HA - 5**

**Lab Sample ID: 890-8478-16**

Date Collected: 07/18/25 13:15

Matrix: Solid

Date Received: 07/21/25 09:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.02 g	5 mL	114596	07/21/25 12:27	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	114645	07/22/25 18:03	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			114753	07/22/25 18:03	SA	EET MID
Total/NA	Analysis	8015 NM		1			115022	07/24/25 19:25	SA	EET MID
Total/NA	Prep	8015NM Prep			10.04 g	10 mL	114637	07/22/25 08:39	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	114940	07/24/25 19:25	TKC	EET MID
Soluble	Leach	DI Leach			4.98 g	50 mL	114666	07/22/25 08:43	SI	EET MID
Soluble	Analysis	300.0		1			114730	07/23/25 00:32	CS	EET MID

**Client Sample ID: HA - 6**

**Lab Sample ID: 890-8478-17**

Date Collected: 07/18/25 13:20

Matrix: Solid

Date Received: 07/21/25 09:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.03 g	5 mL	114596	07/21/25 12:27	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	114645	07/22/25 18:24	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			114753	07/22/25 18:24	SA	EET MID
Total/NA	Analysis	8015 NM		1			115022	07/24/25 19:42	SA	EET MID
Total/NA	Prep	8015NM Prep			10.00 g	10 mL	114637	07/22/25 08:39	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	114940	07/24/25 19:42	TKC	EET MID

Eurofins Carlsbad

### Lab Chronicle

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed It B CTB

Job ID: 890-8478-1  
 SDG: Eddy County, NM

**Client Sample ID: HA - 6**

**Lab Sample ID: 890-8478-17**

Date Collected: 07/18/25 13:20

Matrix: Solid

Date Received: 07/21/25 09:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Soluble	Leach	DI Leach			5.01 g	50 mL	114666	07/22/25 08:43	SI	EET MID
Soluble	Analysis	300.0		10			114730	07/23/25 00:39	CS	EET MID

**Client Sample ID: HA - 6**

**Lab Sample ID: 890-8478-18**

Date Collected: 07/18/25 13:25

Matrix: Solid

Date Received: 07/21/25 09:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	114596	07/21/25 12:27	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	114645	07/22/25 18:44	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			114753	07/22/25 18:44	SA	EET MID
Total/NA	Analysis	8015 NM		1			115022	07/24/25 19:58	SA	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10 mL	114637	07/22/25 08:39	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	114940	07/24/25 19:58	TKC	EET MID
Soluble	Leach	DI Leach			4.99 g	50 mL	114666	07/22/25 08:43	SI	EET MID
Soluble	Analysis	300.0		1			114730	07/23/25 00:47	CS	EET MID

**Client Sample ID: HA - 6**

**Lab Sample ID: 890-8478-19**

Date Collected: 07/18/25 13:30

Matrix: Solid

Date Received: 07/21/25 09:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.97 g	5 mL	114596	07/21/25 12:27	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	114645	07/22/25 19:04	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			114753	07/22/25 19:04	SA	EET MID
Total/NA	Analysis	8015 NM		1			115022	07/24/25 20:14	SA	EET MID
Total/NA	Prep	8015NM Prep			10.00 g	10 mL	114637	07/22/25 08:39	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	114940	07/24/25 20:14	TKC	EET MID
Soluble	Leach	DI Leach			5.02 g	50 mL	114666	07/22/25 08:43	SI	EET MID
Soluble	Analysis	300.0		1			114730	07/23/25 00:55	CS	EET MID

**Laboratory References:**

EET MID = Eurofins Midland, 1211 W. Florida Ave, Midland, TX 79701, TEL (432)704-5440

### Accreditation/Certification Summary

Client: Earth Systems Response and Restoration  
Project/Site: Nailed It B CTB

Job ID: 890-8478-1  
SDG: Eddy County, NM

#### Laboratory: Eurofins Midland

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
Texas	NELAP	T104704400	06-30-26
The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.			
Analysis Method	Prep Method	Matrix	Analyte
8015 NM		Solid	Total TPH
Total BTEX		Solid	Total BTEX

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

### Method Summary

Client: Earth Systems Response and Restoration  
Project/Site: Nailed It B CTB

Job ID: 890-8478-1  
SDG: Eddy County, NM

Method	Method Description	Protocol	Laboratory
8021B	Volatile Organic Compounds (GC)	SW846	EET MID
Total BTEX	Total BTEX Calculation	TAL SOP	EET MID
8015 NM	Diesel Range Organics (DRO) (GC)	SW846	EET MID
8015B NM	Diesel Range Organics (DRO) (GC)	SW846	EET MID
300.0	Anions, Ion Chromatography	EPA	EET MID
5035	Closed System Purge and Trap	SW846	EET MID
8015NM Prep	Microextraction	SW846	EET MID
DI Leach	Deionized Water Leaching Procedure	ASTM	EET MID

**Protocol References:**

- ASTM = ASTM International
- EPA = US Environmental Protection Agency
- SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.
- TAL SOP = TestAmerica Laboratories, Standard Operating Procedure

**Laboratory References:**

- EET MID = Eurofins Midland, 1211 W. Florida Ave, Midland, TX 79701, TEL (432)704-5440



### Sample Summary

Client: Earth Systems Response and Restoration  
Project/Site: Nailed It B CTB

Job ID: 890-8478-1  
SDG: Eddy County, NM

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Depth
890-8478-1	HA - 1	Solid	07/18/25 12:00	07/21/25 09:55	0.5
890-8478-2	HA - 1	Solid	07/18/25 12:05	07/21/25 09:55	1
890-8478-3	HA - 1	Solid	07/18/25 12:10	07/21/25 09:55	2
890-8478-4	HA - 2	Solid	07/18/25 12:15	07/21/25 09:55	0.5
890-8478-5	HA - 2	Solid	07/18/25 12:20	07/21/25 09:55	1
890-8478-6	HA - 2	Solid	07/18/25 12:25	07/21/25 09:55	2
890-8478-7	HA - 3	Solid	07/18/25 12:30	07/21/25 09:55	0.5
890-8478-8	HA - 3	Solid	07/18/25 12:35	07/21/25 09:55	1
890-8478-9	HA - 3	Solid	07/18/25 12:40	07/21/25 09:55	2
890-8478-10	HA - 4	Solid	07/18/25 12:45	07/21/25 09:55	0.5
890-8478-11	HA - 4	Solid	07/18/25 12:50	07/21/25 09:55	1
890-8478-12	HA - 4	Solid	07/18/25 12:55	07/21/25 09:55	2
890-8478-13	HA - 5	Solid	07/18/25 13:00	07/21/25 09:55	0.5
890-8478-14	HA - 5	Solid	07/18/25 13:05	07/21/25 09:55	1
890-8478-15	HA - 5	Solid	07/18/25 13:10	07/21/25 09:55	2
890-8478-16	HA - 5	Solid	07/18/25 13:15	07/21/25 09:55	3
890-8478-17	HA - 6	Solid	07/18/25 13:20	07/21/25 09:55	0.5
890-8478-18	HA - 6	Solid	07/18/25 13:25	07/21/25 09:55	1
890-8478-19	HA - 6	Solid	07/18/25 13:30	07/21/25 09:55	2

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14



Environment Testing  
Xenco

Houston, TX (281) 240-4200, Dallas, TX (214) 902-0300  
Midland, TX (432) 704-5440, San Antonio, TX (210) 509-3334  
El Paso, TX (915) 585-3443, Lubbock, TX (806) 794-1296  
Hobbs, NM (575) 392-7550, Carlsbad, NM (575) 988-3199

### Chain of Custody

Work Order No: \_\_\_\_\_

www.xenco.com Page 1 of 3

Project Manager:	Gilbert Moreno	Bill to: (if different)	
Company Name:	Earth Systems R&R	Company Name:	Earth Systems
Address:	1910 Resource Ct	Address:	
City/ State ZIP:	Carlsbad, NM, 88220	City/ State ZIP:	
Phone:	832-541-7719	Email:	gmoreno@earthsys.net

Work Order Comments	
Program:	UST/PST <input type="checkbox"/> PRP <input type="checkbox"/> Brownfields <input type="checkbox"/> RRC <input type="checkbox"/> Superfund <input type="checkbox"/>
State of Project:	
Reporting:	Level II <input type="checkbox"/> Level III <input type="checkbox"/> PST/UST <input type="checkbox"/> TRRP <input type="checkbox"/> Level IV <input type="checkbox"/>
Deliverables:	EDD <input type="checkbox"/> ADAPT <input type="checkbox"/> Other: _____

Project Name:	Nailed It B CTB	Turn Around	Pres. Code	ANALYSIS REQUEST		Preservative Codes
Project Number:	6798	<input checked="" type="checkbox"/> Routine <input type="checkbox"/> Rush				Aspirate: NO DI Water: H <sub>2</sub> O
Project Location:	Eddy County, NM	Due Date:	Routine TAT			DI: Cool L: HC SO <sub>2</sub> : H <sub>2</sub>
Sampler's Name:	Santiago Giron	TAT starts the day received by the lab, if received by 4:30pm				SO <sub>4</sub> : HP ISO <sub>4</sub> : NABIS
CCWO #:		Temp Blank:	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Wet Ice:	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Na <sub>2</sub> S <sub>2</sub> O <sub>3</sub> : NaSO <sub>3</sub>
SAMPLE RECEIPT		Samples Received Inact:	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Thermometer ID:	T110007	Zn Acetate+NaOH: Zn
Cooler Custody Seals:	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Correction Factor:	N/A	Temperature Reading:	-4.8	NaOH+Ascorbic Acid: SAPC
Sample Custody Seals:	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Temperature Reading:	N/A	Corrected Temperature:	-4.6	
Total Containers:		Corrected Temperature:				

Sample Identification	Matrix	Date Sampled	Time Sampled	Depth (feet)	Grab/Comp	# of Cont	Parameters															
							TPH -NM	Chloride-NM	BTEX-NM	Hold	24 Hr Rush											
HA-1	S	7.18.25	12:00	0.5	Grab/	1	X	X	X													
HA-1	S	7.18.25	12:05	1	Grab/	1	X	X	X													
HA-1	S	7.18.25	12:10	2	Grab/	1	X	X	X													
HA-2	S	7.18.25	12:15	0.5	Grab/	1	X	X	X													
HA-2	S	7.18.25	12:20	1	Grab/	1	X	X	X													
HA-2	S	7.18.25	12:25	2	Grab/	1	X	X	X													
HA-3	S	7.18.25	12:30	0.5	Grab/	1	X	X	X													
HA-3	S	7.18.25	12:35	1	Grab/	1	X	X	X													
HA-3	S	7.18.25	12:40	2	Grab/	1	X	X	X													

Total 200.7 / 6010    200.8 / 6020:    8RCRA 13PPM Texas 11 Al Sb As Ba Be B Cd Ca Cr Co Cu Fe Pb Mg Mn Mo Ni K Se Ag SiO<sub>2</sub> Na Sr Ti Sn U V Zn  
Hg: 1631 / 245.1 / 7470 / 7471

Circle Method(s) and Metal(s) to be analyzed

Notice: Signature of this document and relinquishment of samples constitutes a valid purchase order from client company to Eurofins Xenco, its affiliates and subcontractors. It assigns standard terms and conditions of service. Eurofins Xenco will be liable only for the cost of samples and shall not assume any responsibility for any losses or expenses incurred by the client if such losses are due to circumstances beyond the control of Eurofins Xenco. A minimum charge of \$85.00 will be applied to each project and a charge of \$5 for each sample submitted to Eurofins Xenco, but not analyzed. These terms will be enforced unless previously negotiated.

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
<i>[Signature]</i>	<i>[Signature]</i>	7/21 0955			
0		2			
3		4			
5		6			

Revised Date: 08/25/2020 Rev. 2020.2



Environment Testing  
Xenco

Houston, TX (281) 240-4200, Dallas, TX (214) 902-0300  
Midland, TX (432) 704-5440, San Antonio, TX (210) 509-3334  
El Paso, TX (915) 585-3443, Lubbock, TX (806) 794-1296  
Hobbs, NM (575) 392-7550, Carlsbad, NM (575) 988-3199

Chain of Custody

Work Order No: \_\_\_\_\_

www.xenco.com Page 2 of 3

Project Manager:	Gilbert Moreno	Bill to: (if different)	
Company Name:	Earth Systems R&R	Company Name:	Earth Systems
Address:	1910 Resource Ct.	Address:	
City, State ZIP:	Carlsbad, NM, 88220	City, State ZIP:	
Phone:	832-541-7719	Email:	gmorreno@earthsys.net

Project Name:	Nailed It B CTB	Turn Around	<input checked="" type="checkbox"/> Routine <input type="checkbox"/> Rush
Project Number:	6798	Due Date:	Routine TAT
Project Location:	Eddy County, NM	TAT starts the day received by the lab, if received by 4:30pm	
Sampler's Name:	Santiago Giron	Temp Blank:	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
CCWO #:		Wet Ice:	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>

Sample Identification	Matrix	Date Sampled	Time Sampled	Depth (feet)	Grab/Comp	# of Cont	TPH -NM	Chloride-NM	BTEX-NM	Hold	24 Hr Rush	Pres. Code	ANALYSIS REQUEST	Preservative Codes
HA-4	S	7.18.25	12:45	0.5	Grab/	1	X	X	X					None: NO DI Water: H <sub>2</sub> O
HA-4	S	7.18.25	12:50	1	Grab/	1	X	X	X					Cool: Cool MeOH: Me HCL: HC HNO <sub>3</sub> : HN H <sub>2</sub> SO <sub>4</sub> : H <sub>2</sub> NaOH: Na
HA-4	S	7.18.25	12:55	2	Grab/	1	X	X	X					H <sub>2</sub> PO <sub>4</sub> : HP NaHSO <sub>4</sub> : NABIS Na <sub>2</sub> S <sub>2</sub> O <sub>3</sub> : NaSO <sub>3</sub>
HA-5	S	7.18.25	13:00	0.5	Grab/	1	X	X	X					Zn Acetate+NaOH: Zn NaOH+Ascorbic Acid: SAPC
HA-5	S	7.18.25	13:05	1	Grab/	1	X	X	X					
HA-5	S	7.18.25	13:10	2	Grab/	1	X	X	X					
HA-5	S	7.18.25	13:15	3	Grab/	1	X	X	X					
HA-6	S	7.18.25	13:20	0.5	Grab/	1	X	X	X					
HA-6	S	7.18.25	13:25	1	Grab/	1	X	X	X					

**SAMPLE RECEIPT**

Samples Received Intact: Yes  No  Thermometer ID: \_\_\_\_\_  
 Cooler Custody Seals: Yes  No  Correction Factor: \_\_\_\_\_  
 Sample Custody Seals: Yes  No  Temperature Reading: \_\_\_\_\_  
 Total Containers: \_\_\_\_\_ Corrected Temperature: \_\_\_\_\_

Incident Number: NAPP2519532647

**Total 200.7 / 6010 200.8 / 6020:** 8RCRA 13PPM Texas 11 Al Sb As Ba Be B Cd Ca Cr Co Cu Fe Pb Mg Mn Mo Ni K Se Ag SiO<sub>2</sub> Na Sr Ti Sn U V Zn

Circle Method(s) and Metal(s) to be analyzed

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
		7/21 9:55			



Environment Testing  
Xenco

Houston, TX (281) 240-4200, Dallas, TX (214) 902-0300  
Midland, TX (432) 704-5440, San Antonio, TX (210) 509-3334  
El Paso, TX (915) 585-3443, Lubbock, TX (806) 794-1296  
Hobbs, NM (575) 392-7550, Carlsbad, NM (575) 988-3199

Chain of Custody

Work Order No: \_\_\_\_\_

www.xenco.com

Page 3 of 3

Project Manager: Gilbert Moreno  
Company Name: Earth Systems R&R  
Address: 1910 Resource Ct.  
City, State ZIP: Carlsbad, NM, 88220  
Phone: 832-541-7719  
Email: gmoreno@earthsys.net

Bill to: (if different)  
Company Name:  
Address:  
City, State ZIP:

Program:  USTR/PST  PRP  Brownfields  RRC  Superfund   
State of Project:  
Reporting: Level II  Level III  PST/UST  TRRP  Level IV   
Deliverables: EDD  ADAPT  Other:

Sample Identification	Matrix	Date Sampled	Time Sampled	Depth (feet)	Grab/Comp # of Cont	TPH -NM	Chloride-NM	BTEX-NM	Hold	24 Hr Rush	ANALYSIS REQUEST	Preservative Codes	Sample Comments
HA-6	S	7.18.25	13:30	2	1	X	X	X				None: NO DI Water: H <sub>2</sub> O Cool: Cool MeOH: Me HCL: HC HNO <sub>3</sub> : HN H <sub>2</sub> SO <sub>4</sub> : H <sub>2</sub> NaOH: Na H <sub>3</sub> PO <sub>4</sub> : HP NaHSO <sub>4</sub> : NABIS Na <sub>2</sub> S <sub>2</sub> O <sub>3</sub> : NaSO <sub>3</sub> Zn Acetate+NaOH: Zn NaOH+Ascorbic Acid: SAPC	Incident Number NAPP2519532647

Total 200.7 / 6010 200.8 / 6020: 8RCRA 13PPM Texas 11 Al Sb As Ba Be B Cd Ca Cr Co Cu Fe Pb Mg Mn Mo Ni K Se Ag SiO<sub>2</sub> Na Sr Ti Sn U V Zn  
Circle Method(s) and Metal(s) to be analyzed

Notice: Signature of this document and relinquishment of samples constitutes a valid purchase order from client company to Eurofins Xenco, its affiliates and subcontractors. It assigns standard terms and conditions of service. Eurofins Xenco will be liable only for the cost of samples and shall not assume any responsibility for any losses or expenses incurred by the client if such losses are due to circumstances beyond the control of Eurofins Xenco. A minimum charge of \$85.00 will be applied to each project and a charge of \$5 for each sample submitted to Eurofins Xenco, but not analyzed. These terms will be enforced unless previously negotiated.

Relinquished by: (Signature) \_\_\_\_\_ Received by: (Signature) \_\_\_\_\_ Date/Time: 7/21 9:55  
Relinquished by: (Signature) \_\_\_\_\_ Received by: (Signature) \_\_\_\_\_ Date/Time: \_\_\_\_\_

### Login Sample Receipt Checklist

Client: Earth Systems Response and Restoration

Job Number: 890-8478-1  
SDG Number: Eddy County, NM

**Login Number: 8478**

**List Number: 1**

**Creator: Bruns, Shannon**

**List Source: Eurofins Carlsbad**

Question	Answer	Comment
The cooler's custody seal, if present, is intact.	N/A	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

### Login Sample Receipt Checklist

Client: Earth Systems Response and Restoration

Job Number: 890-8478-1  
SDG Number: Eddy County, NM

**Login Number: 8478**  
**List Number: 2**  
**Creator: Rios, Minerva**

**List Source: Eurofins Midland**  
**List Creation: 07/22/25 08:27 AM**

Question	Answer	Comment
The cooler's custody seal, if present, is intact.	N/A	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14



Environment Testing

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

# ANALYTICAL REPORT

## PREPARED FOR

Attn: Gilbert Moreno  
 Earth Systems Response and Restoration  
 4115 South County Road 1297  
 Odessa, Texas 79765

Generated 7/25/2025 10:29:14 AM

## JOB DESCRIPTION

Nailed it B CTB  
 Eddy County, NM

## JOB NUMBER

890-8479-1




# Eurofins Carlsbad

## Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

Analytical test results meet all requirements of the associated regulatory program (i.e., NELAC (TNI), DoD, and ISO 17025) unless otherwise noted under the individual analysis.

## Authorization



Generated  
7/25/2025 10:29:14 AM

Authorized for release by  
Brianna Teel, Project Manager  
[Brianna.Teel@et.eurofinsus.com](mailto:Brianna.Teel@et.eurofinsus.com)  
(432)704-5440

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Client: Earth Systems Response and Restoration  
Project/Site: Nailed it B CTB

Laboratory Job ID: 890-8479-1  
SDG: Eddy County, NM

# Table of Contents

Cover Page . . . . .	1
Table of Contents . . . . .	3
Definitions/Glossary . . . . .	4
Case Narrative . . . . .	5
Client Sample Results . . . . .	6
Surrogate Summary . . . . .	13
QC Sample Results . . . . .	14
QC Association Summary . . . . .	19
Lab Chronicle . . . . .	22
Certification Summary . . . . .	25
Method Summary . . . . .	26
Sample Summary . . . . .	27
Chain of Custody . . . . .	28
Receipt Checklists . . . . .	29

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

## Definitions/Glossary

Client: Earth Systems Response and Restoration  
Project/Site: Nailed it B CTB

Job ID: 890-8479-1  
SDG: Eddy County, NM

## Qualifiers

## GC VOA

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

## GC Semi VOA

Qualifier	Qualifier Description
F1	MS and/or MSD recovery exceeds control limits.
S1+	Surrogate recovery exceeds control limits, high biased.
U	Indicates the analyte was analyzed for but not detected.

## HPLC/IC

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

## Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

# Case Narrative

Client: Earth Systems Response and Restoration  
Project: Nailed it B CTB

Job ID: 890-8479-1

**Job ID: 890-8479-1**

**Eurofins Carlsbad**

## Job Narrative 890-8479-1

Analytical test results meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page unless otherwise noted under the individual analysis. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable.

- Matrix QC may not be reported if insufficient sample is provided or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD may be performed, unless otherwise specified in the method.
- Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

### Receipt

The samples were received on 7/21/2025 9:59 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was -4.6°C.

### Receipt Exceptions

The following samples were received and analyzed from an unpreserved bulk soil jar: HA-7 (890-8479-1), HA-7 (890-8479-2), HA-8 (890-8479-3), HA-8 (890-8479-4), HA-9 (890-8479-5), HA-9 (890-8479-6), HA-10 (890-8479-7) and HA-10 (890-8479-8).

### GC VOA

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

### Diesel Range Organics

Method 8015MOD\_NM: The matrix spike / matrix spike duplicate (MS/MSD) recoveries for preparation batch 880-114638 and analytical batch 880-114940 were outside control limits for one or more analytes. See QC Sample Results for detail. Sample matrix interference and/or non-homogeneity are suspected because the associated laboratory control sample (LCS) recovery is within acceptance limits.

Method 8015MOD\_NM: Surrogate recovery for the following sample was outside control limits: HA-9 (890-8479-5). Evidence of matrix interferences is not obvious.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

### HPLC/IC

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Carlsbad



### Client Sample Results

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed it B CTB

Job ID: 890-8479-1  
 SDG: Eddy County, NM

**Client Sample ID: HA-7**

**Lab Sample ID: 890-8479-1**

Date Collected: 07/18/25 13:35

Matrix: Solid

Date Received: 07/21/25 09:59

Sample Depth: 0.5

**Method: SW846 8021B - Volatile Organic Compounds (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		07/21/25 12:25	07/22/25 11:36	1
Toluene	<0.00200	U	0.00200		mg/Kg		07/21/25 12:25	07/22/25 11:36	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		07/21/25 12:25	07/22/25 11:36	1
m-Xylene & p-Xylene	<0.00399	U	0.00399		mg/Kg		07/21/25 12:25	07/22/25 11:36	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		07/21/25 12:25	07/22/25 11:36	1
Xylenes, Total	<0.00399	U	0.00399		mg/Kg		07/21/25 12:25	07/22/25 11:36	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	89		70 - 130	07/21/25 12:25	07/22/25 11:36	1
1,4-Difluorobenzene (Surr)	97		70 - 130	07/21/25 12:25	07/22/25 11:36	1

**Method: TAL SOP Total BTEX - Total BTEX Calculation**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00399	U	0.00399		mg/Kg			07/22/25 11:36	1

**Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			07/24/25 20:30	1

**Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		07/22/25 08:39	07/24/25 20:30	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		07/22/25 08:39	07/24/25 20:30	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		07/22/25 08:39	07/24/25 20:30	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	97		70 - 130	07/22/25 08:39	07/24/25 20:30	1
o-Terphenyl	100		70 - 130	07/22/25 08:39	07/24/25 20:30	1

**Method: EPA 300.0 - Anions, Ion Chromatography - Soluble**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	116		10.1		mg/Kg			07/23/25 01:02	1

**Client Sample ID: HA-7**

**Lab Sample ID: 890-8479-2**

Date Collected: 07/18/25 13:40

Matrix: Solid

Date Received: 07/21/25 09:59

Sample Depth: 2

**Method: SW846 8021B - Volatile Organic Compounds (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00201	U	0.00201		mg/Kg		07/21/25 12:25	07/22/25 11:57	1
Toluene	<0.00201	U	0.00201		mg/Kg		07/21/25 12:25	07/22/25 11:57	1
Ethylbenzene	<0.00201	U	0.00201		mg/Kg		07/21/25 12:25	07/22/25 11:57	1
m-Xylene & p-Xylene	<0.00402	U	0.00402		mg/Kg		07/21/25 12:25	07/22/25 11:57	1
o-Xylene	<0.00201	U	0.00201		mg/Kg		07/21/25 12:25	07/22/25 11:57	1
Xylenes, Total	<0.00402	U	0.00402		mg/Kg		07/21/25 12:25	07/22/25 11:57	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	102		70 - 130	07/21/25 12:25	07/22/25 11:57	1

Eurofins Carlsbad

### Client Sample Results

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed it B CTB

Job ID: 890-8479-1  
 SDG: Eddy County, NM

**Client Sample ID: HA-7**

**Lab Sample ID: 890-8479-2**

Date Collected: 07/18/25 13:40

Matrix: Solid

Date Received: 07/21/25 09:59

Sample Depth: 2

**Method: SW846 8021B - Volatile Organic Compounds (GC) (Continued)**

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,4-Difluorobenzene (Surr)	97		70 - 130	07/21/25 12:25	07/22/25 11:57	1

**Method: TAL SOP Total BTEX - Total BTEX Calculation**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00402	U	0.00402		mg/Kg			07/22/25 11:57	1

**Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			07/24/25 22:38	1

**Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U F1	50.0		mg/Kg		07/22/25 08:41	07/24/25 22:38	1
Diesel Range Organics (Over C10-C28)	<50.0	U F1	50.0		mg/Kg		07/22/25 08:41	07/24/25 22:38	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		07/22/25 08:41	07/24/25 22:38	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	93		70 - 130	07/22/25 08:41	07/24/25 22:38	1
o-Terphenyl	94		70 - 130	07/22/25 08:41	07/24/25 22:38	1

**Method: EPA 300.0 - Anions, Ion Chromatography - Soluble**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	105		10.0		mg/Kg			07/23/25 01:10	1

**Client Sample ID: HA-8**

**Lab Sample ID: 890-8479-3**

Date Collected: 07/18/25 13:45

Matrix: Solid

Date Received: 07/21/25 09:59

Sample Depth: 0.5

**Method: SW846 8021B - Volatile Organic Compounds (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00202	U	0.00202		mg/Kg		07/21/25 12:25	07/22/25 12:17	1
Toluene	<0.00202	U	0.00202		mg/Kg		07/21/25 12:25	07/22/25 12:17	1
Ethylbenzene	<0.00202	U	0.00202		mg/Kg		07/21/25 12:25	07/22/25 12:17	1
m-Xylene & p-Xylene	<0.00404	U	0.00404		mg/Kg		07/21/25 12:25	07/22/25 12:17	1
o-Xylene	<0.00202	U	0.00202		mg/Kg		07/21/25 12:25	07/22/25 12:17	1
Xylenes, Total	<0.00404	U	0.00404		mg/Kg		07/21/25 12:25	07/22/25 12:17	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	92		70 - 130	07/21/25 12:25	07/22/25 12:17	1
1,4-Difluorobenzene (Surr)	98		70 - 130	07/21/25 12:25	07/22/25 12:17	1

**Method: TAL SOP Total BTEX - Total BTEX Calculation**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00404	U	0.00404		mg/Kg			07/22/25 12:17	1

**Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			07/24/25 23:25	1

Eurofins Carlsbad

### Client Sample Results

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed it B CTB

Job ID: 890-8479-1  
 SDG: Eddy County, NM

**Client Sample ID: HA-8**

**Lab Sample ID: 890-8479-3**

Date Collected: 07/18/25 13:45

Matrix: Solid

Date Received: 07/21/25 09:59

Sample Depth: 0.5

**Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	49.9		mg/Kg		07/22/25 08:41	07/24/25 23:25	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		07/22/25 08:41	07/24/25 23:25	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		07/22/25 08:41	07/24/25 23:25	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	113		70 - 130				07/22/25 08:41	07/24/25 23:25	1
o-Terphenyl	111		70 - 130				07/22/25 08:41	07/24/25 23:25	1

**Method: EPA 300.0 - Anions, Ion Chromatography - Soluble**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	63.9		9.98		mg/Kg			07/23/25 01:18	1

**Client Sample ID: HA-8**

**Lab Sample ID: 890-8479-4**

Date Collected: 07/18/25 13:50

Matrix: Solid

Date Received: 07/21/25 09:59

Sample Depth: 2

**Method: SW846 8021B - Volatile Organic Compounds (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		07/21/25 12:25	07/22/25 12:38	1
Toluene	<0.00199	U	0.00199		mg/Kg		07/21/25 12:25	07/22/25 12:38	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		07/21/25 12:25	07/22/25 12:38	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		07/21/25 12:25	07/22/25 12:38	1
o-Xylene	<0.00199	U	0.00199		mg/Kg		07/21/25 12:25	07/22/25 12:38	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		07/21/25 12:25	07/22/25 12:38	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	106		70 - 130				07/21/25 12:25	07/22/25 12:38	1
1,4-Difluorobenzene (Surr)	89		70 - 130				07/21/25 12:25	07/22/25 12:38	1

**Method: TAL SOP Total BTEX - Total BTEX Calculation**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			07/22/25 12:38	1

**Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			07/24/25 23:41	1

**Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		07/22/25 08:41	07/24/25 23:41	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		07/22/25 08:41	07/24/25 23:41	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		07/22/25 08:41	07/24/25 23:41	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	109		70 - 130				07/22/25 08:41	07/24/25 23:41	1
o-Terphenyl	108		70 - 130				07/22/25 08:41	07/24/25 23:41	1

Eurofins Carlsbad

### Client Sample Results

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed it B CTB

Job ID: 890-8479-1  
 SDG: Eddy County, NM

**Client Sample ID: HA-8**

**Lab Sample ID: 890-8479-4**

Date Collected: 07/18/25 13:50

Matrix: Solid

Date Received: 07/21/25 09:59

Sample Depth: 2

**Method: EPA 300.0 - Anions, Ion Chromatography - Soluble**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	18.4		10.1		mg/Kg			07/22/25 21:39	1

**Client Sample ID: HA-9**

**Lab Sample ID: 890-8479-5**

Date Collected: 07/18/25 13:55

Matrix: Solid

Date Received: 07/21/25 09:59

Sample Depth: 0.5

**Method: SW846 8021B - Volatile Organic Compounds (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		07/21/25 12:25	07/22/25 12:58	1
Toluene	<0.00200	U	0.00200		mg/Kg		07/21/25 12:25	07/22/25 12:58	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		07/21/25 12:25	07/22/25 12:58	1
m-Xylene & p-Xylene	<0.00399	U	0.00399		mg/Kg		07/21/25 12:25	07/22/25 12:58	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		07/21/25 12:25	07/22/25 12:58	1
Xylenes, Total	<0.00399	U	0.00399		mg/Kg		07/21/25 12:25	07/22/25 12:58	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
4-Bromofluorobenzene (Surr)	101		70 - 130				07/21/25 12:25	07/22/25 12:58	1
1,4-Difluorobenzene (Surr)	79		70 - 130				07/21/25 12:25	07/22/25 12:58	1

**Method: TAL SOP Total BTEX - Total BTEX Calculation**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00399	U	0.00399		mg/Kg			07/22/25 12:58	1

**Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.8	U	49.8		mg/Kg			07/24/25 23:57	1

**Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.8	U	49.8		mg/Kg		07/22/25 08:41	07/24/25 23:57	1
Diesel Range Organics (Over C10-C28)	<49.8	U	49.8		mg/Kg		07/22/25 08:41	07/24/25 23:57	1
Oil Range Organics (Over C28-C36)	<49.8	U	49.8		mg/Kg		07/22/25 08:41	07/24/25 23:57	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
1-Chlorooctane	135	S1+	70 - 130				07/22/25 08:41	07/24/25 23:57	1
o-Terphenyl	132	S1+	70 - 130				07/22/25 08:41	07/24/25 23:57	1

**Method: EPA 300.0 - Anions, Ion Chromatography - Soluble**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	22.0		9.98		mg/Kg			07/22/25 21:56	1

### Client Sample Results

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed it B CTB

Job ID: 890-8479-1  
 SDG: Eddy County, NM

**Client Sample ID: HA-9**

**Lab Sample ID: 890-8479-6**

Date Collected: 07/18/25 14:00

Matrix: Solid

Date Received: 07/21/25 09:59

Sample Depth: 2

**Method: SW846 8021B - Volatile Organic Compounds (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00198	U	0.00198		mg/Kg		07/21/25 12:25	07/22/25 13:19	1
Toluene	<0.00198	U	0.00198		mg/Kg		07/21/25 12:25	07/22/25 13:19	1
Ethylbenzene	<0.00198	U	0.00198		mg/Kg		07/21/25 12:25	07/22/25 13:19	1
m-Xylene & p-Xylene	<0.00396	U	0.00396		mg/Kg		07/21/25 12:25	07/22/25 13:19	1
o-Xylene	<0.00198	U	0.00198		mg/Kg		07/21/25 12:25	07/22/25 13:19	1
Xylenes, Total	<0.00396	U	0.00396		mg/Kg		07/21/25 12:25	07/22/25 13:19	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	97		70 - 130	07/21/25 12:25	07/22/25 13:19	1
1,4-Difluorobenzene (Surr)	85		70 - 130	07/21/25 12:25	07/22/25 13:19	1

**Method: TAL SOP Total BTEX - Total BTEX Calculation**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00396	U	0.00396		mg/Kg			07/22/25 13:19	1

**Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			07/25/25 00:13	1

**Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		07/22/25 08:41	07/25/25 00:13	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		07/22/25 08:41	07/25/25 00:13	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		07/22/25 08:41	07/25/25 00:13	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	111		70 - 130	07/22/25 08:41	07/25/25 00:13	1
o-Terphenyl	108		70 - 130	07/22/25 08:41	07/25/25 00:13	1

**Method: EPA 300.0 - Anions, Ion Chromatography - Soluble**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	30.9		10.1		mg/Kg			07/22/25 22:02	1

**Client Sample ID: HA-10**

**Lab Sample ID: 890-8479-7**

Date Collected: 07/18/25 14:05

Matrix: Solid

Date Received: 07/21/25 09:59

Sample Depth: 0.5

**Method: SW846 8021B - Volatile Organic Compounds (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00201	U	0.00201		mg/Kg		07/21/25 12:25	07/22/25 13:39	1
Toluene	<0.00201	U	0.00201		mg/Kg		07/21/25 12:25	07/22/25 13:39	1
Ethylbenzene	<0.00201	U	0.00201		mg/Kg		07/21/25 12:25	07/22/25 13:39	1
m-Xylene & p-Xylene	<0.00402	U	0.00402		mg/Kg		07/21/25 12:25	07/22/25 13:39	1
o-Xylene	<0.00201	U	0.00201		mg/Kg		07/21/25 12:25	07/22/25 13:39	1
Xylenes, Total	<0.00402	U	0.00402		mg/Kg		07/21/25 12:25	07/22/25 13:39	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	101		70 - 130	07/21/25 12:25	07/22/25 13:39	1

Eurofins Carlsbad

### Client Sample Results

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed it B CTB

Job ID: 890-8479-1  
 SDG: Eddy County, NM

**Client Sample ID: HA-10**

**Lab Sample ID: 890-8479-7**

Date Collected: 07/18/25 14:05

Matrix: Solid

Date Received: 07/21/25 09:59

Sample Depth: 0.5

**Method: SW846 8021B - Volatile Organic Compounds (GC) (Continued)**

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,4-Difluorobenzene (Surr)	87		70 - 130	07/21/25 12:25	07/22/25 13:39	1

**Method: TAL SOP Total BTEX - Total BTEX Calculation**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00402	U	0.00402		mg/Kg			07/22/25 13:39	1

**Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			07/25/25 00:30	1

**Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	49.9		mg/Kg		07/22/25 08:41	07/25/25 00:30	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		07/22/25 08:41	07/25/25 00:30	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		07/22/25 08:41	07/25/25 00:30	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	113		70 - 130	07/22/25 08:41	07/25/25 00:30	1
o-Terphenyl	110		70 - 130	07/22/25 08:41	07/25/25 00:30	1

**Method: EPA 300.0 - Anions, Ion Chromatography - Soluble**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	12.4		10.0		mg/Kg			07/22/25 22:08	1

**Client Sample ID: HA-10**

**Lab Sample ID: 890-8479-8**

Date Collected: 07/18/25 14:10

Matrix: Solid

Date Received: 07/21/25 09:59

Sample Depth: 2

**Method: SW846 8021B - Volatile Organic Compounds (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00201	U	0.00201		mg/Kg		07/21/25 12:25	07/22/25 14:00	1
Toluene	<0.00201	U	0.00201		mg/Kg		07/21/25 12:25	07/22/25 14:00	1
Ethylbenzene	<0.00201	U	0.00201		mg/Kg		07/21/25 12:25	07/22/25 14:00	1
m-Xylene & p-Xylene	<0.00402	U	0.00402		mg/Kg		07/21/25 12:25	07/22/25 14:00	1
o-Xylene	<0.00201	U	0.00201		mg/Kg		07/21/25 12:25	07/22/25 14:00	1
Xylenes, Total	<0.00402	U	0.00402		mg/Kg		07/21/25 12:25	07/22/25 14:00	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	94		70 - 130	07/21/25 12:25	07/22/25 14:00	1
1,4-Difluorobenzene (Surr)	94		70 - 130	07/21/25 12:25	07/22/25 14:00	1

**Method: TAL SOP Total BTEX - Total BTEX Calculation**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00402	U	0.00402		mg/Kg			07/22/25 14:00	1

**Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			07/25/25 00:46	1

Eurofins Carlsbad

### Client Sample Results

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed it B CTB

Job ID: 890-8479-1  
 SDG: Eddy County, NM

**Client Sample ID: HA-10**

**Lab Sample ID: 890-8479-8**

Date Collected: 07/18/25 14:10

Matrix: Solid

Date Received: 07/21/25 09:59

Sample Depth: 2

**Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	49.9		mg/Kg		07/22/25 08:41	07/25/25 00:46	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		07/22/25 08:41	07/25/25 00:46	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		07/22/25 08:41	07/25/25 00:46	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	117		70 - 130	07/22/25 08:41	07/25/25 00:46	1
o-Terphenyl	115		70 - 130	07/22/25 08:41	07/25/25 00:46	1

**Method: EPA 300.0 - Anions, Ion Chromatography - Soluble**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	15.7		10.0		mg/Kg			07/22/25 22:13	1

### Surrogate Summary

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed it B CTB

Job ID: 890-8479-1  
 SDG: Eddy County, NM

**Method: 8021B - Volatile Organic Compounds (GC)**

Matrix: Solid

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)	
		BFB1 (70-130)	DFBZ1 (70-130)
890-8479-1	HA-7	89	97
890-8479-1 MS	HA-7	110	98
890-8479-1 MSD	HA-7	102	104
890-8479-2	HA-7	102	97
890-8479-3	HA-8	92	98
890-8479-4	HA-8	106	89
890-8479-5	HA-9	101	79
890-8479-6	HA-9	97	85
890-8479-7	HA-10	101	87
890-8479-8	HA-10	94	94
LCS 880-114594/1-A	Lab Control Sample	109	99
LCSD 880-114594/2-A	Lab Control Sample Dup	107	99
MB 880-114594/5-A	Method Blank	87	93

**Surrogate Legend**  
 BFB = 4-Bromofluorobenzene (Surr)  
 DFBZ = 1,4-Difluorobenzene (Surr)

**Method: 8015B NM - Diesel Range Organics (DRO) (GC)**

Matrix: Solid

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)	
		1CO1 (70-130)	OTPH1 (70-130)
890-8479-1	HA-7	97	100
890-8479-2	HA-7	93	94
890-8479-2 MS	HA-7	124	105
890-8479-2 MSD	HA-7	126	106
890-8479-3	HA-8	113	111
890-8479-4	HA-8	109	108
890-8479-5	HA-9	135 S1+	132 S1+
890-8479-6	HA-9	111	108
890-8479-7	HA-10	113	110
890-8479-8	HA-10	117	115
LCS 880-114637/2-A	Lab Control Sample	96	98
LCS 880-114638/2-A	Lab Control Sample	105	113
LCSD 880-114637/3-A	Lab Control Sample Dup	100	102
LCSD 880-114638/3-A	Lab Control Sample Dup	105	112
MB 880-114637/1-A	Method Blank	93	88
MB 880-114638/1-A	Method Blank	101	99

**Surrogate Legend**  
 1CO = 1-Chlorooctane  
 OTPH = o-Terphenyl

### QC Sample Results

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed it B CTB

Job ID: 890-8479-1  
 SDG: Eddy County, NM

#### Method: 8021B - Volatile Organic Compounds (GC)

Lab Sample ID: MB 880-114594/5-A  
 Matrix: Solid  
 Analysis Batch: 114648

Client Sample ID: Method Blank  
 Prep Type: Total/NA  
 Prep Batch: 114594

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		07/21/25 12:25	07/22/25 11:14	1
Toluene	<0.00200	U	0.00200		mg/Kg		07/21/25 12:25	07/22/25 11:14	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		07/21/25 12:25	07/22/25 11:14	1
m-Xylene & p-Xylene	<0.00400	U	0.00400		mg/Kg		07/21/25 12:25	07/22/25 11:14	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		07/21/25 12:25	07/22/25 11:14	1
Xylenes, Total	<0.00400	U	0.00400		mg/Kg		07/21/25 12:25	07/22/25 11:14	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	87		70 - 130	07/21/25 12:25	07/22/25 11:14	1
1,4-Difluorobenzene (Surr)	93		70 - 130	07/21/25 12:25	07/22/25 11:14	1

Lab Sample ID: LCS 880-114594/1-A  
 Matrix: Solid  
 Analysis Batch: 114648

Client Sample ID: Lab Control Sample  
 Prep Type: Total/NA  
 Prep Batch: 114594

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	0.100	0.08753		mg/Kg		88	70 - 130
Toluene	0.100	0.08970		mg/Kg		90	70 - 130
Ethylbenzene	0.100	0.08655		mg/Kg		87	70 - 130
m-Xylene & p-Xylene	0.200	0.1841		mg/Kg		92	70 - 130
o-Xylene	0.100	0.1010		mg/Kg		101	70 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
4-Bromofluorobenzene (Surr)	109		70 - 130
1,4-Difluorobenzene (Surr)	99		70 - 130

Lab Sample ID: LCSD 880-114594/2-A  
 Matrix: Solid  
 Analysis Batch: 114648

Client Sample ID: Lab Control Sample Dup  
 Prep Type: Total/NA  
 Prep Batch: 114594

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Benzene	0.100	0.09168		mg/Kg		92	70 - 130	5	35
Toluene	0.100	0.09046		mg/Kg		90	70 - 130	1	35
Ethylbenzene	0.100	0.09604		mg/Kg		96	70 - 130	10	35
m-Xylene & p-Xylene	0.200	0.2063		mg/Kg		103	70 - 130	11	35
o-Xylene	0.100	0.08908		mg/Kg		89	70 - 130	13	35

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
4-Bromofluorobenzene (Surr)	107		70 - 130
1,4-Difluorobenzene (Surr)	99		70 - 130

Lab Sample ID: 890-8479-1 MS  
 Matrix: Solid  
 Analysis Batch: 114648

Client Sample ID: HA-7  
 Prep Type: Total/NA  
 Prep Batch: 114594

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	<0.00200	U	0.100	0.08570		mg/Kg		86	70 - 130
Toluene	<0.00200	U	0.100	0.08297		mg/Kg		83	70 - 130

Eurofins Carlsbad

### QC Sample Results

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed it B CTB

Job ID: 890-8479-1  
 SDG: Eddy County, NM

#### Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: 890-8479-1 MS

Client Sample ID: HA-7

Matrix: Solid

Prep Type: Total/NA

Analysis Batch: 114648

Prep Batch: 114594

Analyte	Sample	Sample	Spike	MS	MS	Unit	D	%Rec	%Rec
	Result	Qualifier		Result	Qualifier				
Ethylbenzene	<0.00200	U	0.100	0.07717		mg/Kg		77	70 - 130
m-Xylene & p-Xylene	<0.00399	U	0.200	0.2113		mg/Kg		106	70 - 130
o-Xylene	<0.00200	U	0.100	0.09807		mg/Kg		98	70 - 130

Surrogate	MS	MS	Limits
	%Recovery	Qualifier	
4-Bromofluorobenzene (Surr)	110		70 - 130
1,4-Difluorobenzene (Surr)	98		70 - 130

Lab Sample ID: 890-8479-1 MSD

Client Sample ID: HA-7

Matrix: Solid

Prep Type: Total/NA

Analysis Batch: 114648

Prep Batch: 114594

Analyte	Sample	Sample	Spike	MSD	MSD	Unit	D	%Rec	%Rec	RPD	Limit
	Result	Qualifier		Result	Qualifier						
Benzene	<0.00200	U	0.100	0.09708		mg/Kg		97	70 - 130	12	35
Toluene	<0.00200	U	0.100	0.1003		mg/Kg		100	70 - 130	19	35
Ethylbenzene	<0.00200	U	0.100	0.1067		mg/Kg		107	70 - 130	32	35
m-Xylene & p-Xylene	<0.00399	U	0.200	0.2256		mg/Kg		113	70 - 130	7	35
o-Xylene	<0.00200	U	0.100	0.1041		mg/Kg		104	70 - 130	6	35

Surrogate	MSD	MSD	Limits
	%Recovery	Qualifier	
4-Bromofluorobenzene (Surr)	102		70 - 130
1,4-Difluorobenzene (Surr)	104		70 - 130

#### Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Lab Sample ID: MB 880-114637/1-A

Client Sample ID: Method Blank

Matrix: Solid

Prep Type: Total/NA

Analysis Batch: 114940

Prep Batch: 114637

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		07/22/25 08:11	07/24/25 03:15	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		07/22/25 08:11	07/24/25 03:15	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		07/22/25 08:11	07/24/25 03:15	1

Surrogate	MB	MB	Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1-Chlorooctane	93		70 - 130	07/22/25 08:11	07/24/25 03:15	1
o-Terphenyl	88		70 - 130	07/22/25 08:11	07/24/25 03:15	1

Lab Sample ID: LCS 880-114637/2-A

Client Sample ID: Lab Control Sample

Matrix: Solid

Prep Type: Total/NA

Analysis Batch: 114940

Prep Batch: 114637

Analyte	Spike	LCS	LCS	Unit	D	%Rec	%Rec
Gasoline Range Organics (GRO)-C6-C10	1000	899.2		mg/Kg		90	70 - 130
Diesel Range Organics (Over C10-C28)	1000	1035		mg/Kg		103	70 - 130

Eurofins Carlsbad

### QC Sample Results

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed it B CTB

Job ID: 890-8479-1  
 SDG: Eddy County, NM

#### Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

**Lab Sample ID: LCS 880-114637/2-A**  
**Matrix: Solid**  
**Analysis Batch: 114940**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**  
**Prep Batch: 114637**

Surrogate	LCS LCS		Limits
	%Recovery	Qualifier	
1-Chlorooctane	96		70 - 130
o-Terphenyl	98		70 - 130

**Lab Sample ID: LCSD 880-114637/3-A**  
**Matrix: Solid**  
**Analysis Batch: 114940**

**Client Sample ID: Lab Control Sample Dup**  
**Prep Type: Total/NA**  
**Prep Batch: 114637**

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec		RPD	Limit
							Limits	RPD		
Gasoline Range Organics (GRO)-C6-C10	1000	946.0		mg/Kg		95	70 - 130	5	20	
Diesel Range Organics (Over C10-C28)	1000	1015		mg/Kg		101	70 - 130	2	20	

Surrogate	LCSD LCSD		Limits
	%Recovery	Qualifier	
1-Chlorooctane	100		70 - 130
o-Terphenyl	102		70 - 130

**Lab Sample ID: MB 880-114638/1-A**  
**Matrix: Solid**  
**Analysis Batch: 114940**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**  
**Prep Batch: 114638**

Analyte	MB MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		07/22/25 08:11	07/24/25 21:50	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		07/22/25 08:11	07/24/25 21:50	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		07/22/25 08:11	07/24/25 21:50	1

Surrogate	MB MB		Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1-Chlorooctane	101		70 - 130	07/22/25 08:11	07/24/25 21:50	1
o-Terphenyl	99		70 - 130	07/22/25 08:11	07/24/25 21:50	1

**Lab Sample ID: LCS 880-114638/2-A**  
**Matrix: Solid**  
**Analysis Batch: 114940**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**  
**Prep Batch: 114638**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec	
							Limits	
Gasoline Range Organics (GRO)-C6-C10	1000	1022		mg/Kg		102	70 - 130	
Diesel Range Organics (Over C10-C28)	1000	1058		mg/Kg		106	70 - 130	

Surrogate	LCS LCS		Limits
	%Recovery	Qualifier	
1-Chlorooctane	105		70 - 130
o-Terphenyl	113		70 - 130

### QC Sample Results

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed it B CTB

Job ID: 890-8479-1  
 SDG: Eddy County, NM

#### Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Lab Sample ID: LCSD 880-114638/3-A  
 Matrix: Solid  
 Analysis Batch: 114940

Client Sample ID: Lab Control Sample Dup  
 Prep Type: Total/NA  
 Prep Batch: 114638

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	Limit
Gasoline Range Organics (GRO)-C6-C10	1000	1011		mg/Kg		101	70 - 130	1	20
Diesel Range Organics (Over C10-C28)	1000	1049		mg/Kg		105	70 - 130	1	20
<b>Surrogate</b>		<b>%Recovery</b>	<b>Qualifier</b>						<b>Limits</b>
1-Chlorooctane		105							70 - 130
o-Terphenyl		112							70 - 130

Lab Sample ID: 890-8479-2 MS  
 Matrix: Solid  
 Analysis Batch: 114940

Client Sample ID: HA-7  
 Prep Type: Total/NA  
 Prep Batch: 114638

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Gasoline Range Organics (GRO)-C6-C10	<50.0	U F1	996	1555	F1	mg/Kg		156	70 - 130
Diesel Range Organics (Over C10-C28)	<50.0	U F1	996	1480	F1	mg/Kg		149	70 - 130
<b>Surrogate</b>		<b>%Recovery</b>		<b>MS</b>	<b>MS</b>				<b>Limits</b>
1-Chlorooctane		124							70 - 130
o-Terphenyl		105							70 - 130

Lab Sample ID: 890-8479-2 MSD  
 Matrix: Solid  
 Analysis Batch: 114940

Client Sample ID: HA-7  
 Prep Type: Total/NA  
 Prep Batch: 114638

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	Limit
Gasoline Range Organics (GRO)-C6-C10	<50.0	U F1	996	1624	F1	mg/Kg		163	70 - 130	4	20
Diesel Range Organics (Over C10-C28)	<50.0	U F1	996	1517	F1	mg/Kg		152	70 - 130	3	20
<b>Surrogate</b>		<b>%Recovery</b>		<b>MSD</b>	<b>MSD</b>				<b>Limits</b>		
1-Chlorooctane		126							70 - 130		
o-Terphenyl		106							70 - 130		

#### Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: MB 880-114666/1-A  
 Matrix: Solid  
 Analysis Batch: 114730

Client Sample ID: Method Blank  
 Prep Type: Soluble

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<10.0	U	10.0		mg/Kg			07/22/25 21:28	1

Eurofins Carlsbad

### QC Sample Results

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed it B CTB

Job ID: 890-8479-1  
 SDG: Eddy County, NM

#### Method: 300.0 - Anions, Ion Chromatography (Continued)

Lab Sample ID: LCS 880-114666/2-A  
 Matrix: Solid  
 Analysis Batch: 114730

Client Sample ID: Lab Control Sample  
 Prep Type: Soluble

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	250	230.4		mg/Kg		92	90 - 110

Lab Sample ID: LCSD 880-114666/3-A  
 Matrix: Solid  
 Analysis Batch: 114730

Client Sample ID: Lab Control Sample Dup  
 Prep Type: Soluble

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	250	229.8		mg/Kg		92	90 - 110	0	20

Lab Sample ID: MB 880-114731/1-A  
 Matrix: Solid  
 Analysis Batch: 114748

Client Sample ID: Method Blank  
 Prep Type: Soluble

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<10.0	U	10.0		mg/Kg			07/22/25 21:22	1

Lab Sample ID: LCS 880-114731/2-A  
 Matrix: Solid  
 Analysis Batch: 114748

Client Sample ID: Lab Control Sample  
 Prep Type: Soluble

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	250	248.3		mg/Kg		99	90 - 110

Lab Sample ID: LCSD 880-114731/3-A  
 Matrix: Solid  
 Analysis Batch: 114748

Client Sample ID: Lab Control Sample Dup  
 Prep Type: Soluble

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	250	247.7		mg/Kg		99	90 - 110	0	20

Lab Sample ID: 890-8479-4 MS  
 Matrix: Solid  
 Analysis Batch: 114748

Client Sample ID: HA-8  
 Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	18.4		252	274.2		mg/Kg		101	90 - 110

Lab Sample ID: 890-8479-4 MSD  
 Matrix: Solid  
 Analysis Batch: 114748

Client Sample ID: HA-8  
 Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	18.4		252	274.4		mg/Kg		102	90 - 110	0	20

### QC Association Summary

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed it B CTB

Job ID: 890-8479-1  
 SDG: Eddy County, NM

#### GC VOA

##### Prep Batch: 114594

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-8479-1	HA-7	Total/NA	Solid	5035	
890-8479-2	HA-7	Total/NA	Solid	5035	
890-8479-3	HA-8	Total/NA	Solid	5035	
890-8479-4	HA-8	Total/NA	Solid	5035	
890-8479-5	HA-9	Total/NA	Solid	5035	
890-8479-6	HA-9	Total/NA	Solid	5035	
890-8479-7	HA-10	Total/NA	Solid	5035	
890-8479-8	HA-10	Total/NA	Solid	5035	
MB 880-114594/5-A	Method Blank	Total/NA	Solid	5035	
LCS 880-114594/1-A	Lab Control Sample	Total/NA	Solid	5035	
LCSD 880-114594/2-A	Lab Control Sample Dup	Total/NA	Solid	5035	
890-8479-1 MS	HA-7	Total/NA	Solid	5035	
890-8479-1 MSD	HA-7	Total/NA	Solid	5035	

##### Analysis Batch: 114648

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-8479-1	HA-7	Total/NA	Solid	8021B	114594
890-8479-2	HA-7	Total/NA	Solid	8021B	114594
890-8479-3	HA-8	Total/NA	Solid	8021B	114594
890-8479-4	HA-8	Total/NA	Solid	8021B	114594
890-8479-5	HA-9	Total/NA	Solid	8021B	114594
890-8479-6	HA-9	Total/NA	Solid	8021B	114594
890-8479-7	HA-10	Total/NA	Solid	8021B	114594
890-8479-8	HA-10	Total/NA	Solid	8021B	114594
MB 880-114594/5-A	Method Blank	Total/NA	Solid	8021B	114594
LCS 880-114594/1-A	Lab Control Sample	Total/NA	Solid	8021B	114594
LCSD 880-114594/2-A	Lab Control Sample Dup	Total/NA	Solid	8021B	114594
890-8479-1 MS	HA-7	Total/NA	Solid	8021B	114594
890-8479-1 MSD	HA-7	Total/NA	Solid	8021B	114594

##### Analysis Batch: 114754

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-8479-1	HA-7	Total/NA	Solid	Total BTEX	
890-8479-2	HA-7	Total/NA	Solid	Total BTEX	
890-8479-3	HA-8	Total/NA	Solid	Total BTEX	
890-8479-4	HA-8	Total/NA	Solid	Total BTEX	
890-8479-5	HA-9	Total/NA	Solid	Total BTEX	
890-8479-6	HA-9	Total/NA	Solid	Total BTEX	
890-8479-7	HA-10	Total/NA	Solid	Total BTEX	
890-8479-8	HA-10	Total/NA	Solid	Total BTEX	

#### GC Semi VOA

##### Prep Batch: 114637

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-8479-1	HA-7	Total/NA	Solid	8015NM Prep	
MB 880-114637/1-A	Method Blank	Total/NA	Solid	8015NM Prep	
LCS 880-114637/2-A	Lab Control Sample	Total/NA	Solid	8015NM Prep	
LCSD 880-114637/3-A	Lab Control Sample Dup	Total/NA	Solid	8015NM Prep	

Eurofins Carlsbad

## QC Association Summary

Client: Earth Systems Response and Restoration  
Project/Site: Nailed it B CTB

Job ID: 890-8479-1  
SDG: Eddy County, NM

## GC Semi VOA

## Prep Batch: 114638

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-8479-2	HA-7	Total/NA	Solid	8015NM Prep	
890-8479-3	HA-8	Total/NA	Solid	8015NM Prep	
890-8479-4	HA-8	Total/NA	Solid	8015NM Prep	
890-8479-5	HA-9	Total/NA	Solid	8015NM Prep	
890-8479-6	HA-9	Total/NA	Solid	8015NM Prep	
890-8479-7	HA-10	Total/NA	Solid	8015NM Prep	
890-8479-8	HA-10	Total/NA	Solid	8015NM Prep	
MB 880-114638/1-A	Method Blank	Total/NA	Solid	8015NM Prep	
LCS 880-114638/2-A	Lab Control Sample	Total/NA	Solid	8015NM Prep	
LCSD 880-114638/3-A	Lab Control Sample Dup	Total/NA	Solid	8015NM Prep	
890-8479-2 MS	HA-7	Total/NA	Solid	8015NM Prep	
890-8479-2 MSD	HA-7	Total/NA	Solid	8015NM Prep	

## Analysis Batch: 114940

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-8479-1	HA-7	Total/NA	Solid	8015B NM	114637
890-8479-2	HA-7	Total/NA	Solid	8015B NM	114638
890-8479-3	HA-8	Total/NA	Solid	8015B NM	114638
890-8479-4	HA-8	Total/NA	Solid	8015B NM	114638
890-8479-5	HA-9	Total/NA	Solid	8015B NM	114638
890-8479-6	HA-9	Total/NA	Solid	8015B NM	114638
890-8479-7	HA-10	Total/NA	Solid	8015B NM	114638
890-8479-8	HA-10	Total/NA	Solid	8015B NM	114638
MB 880-114637/1-A	Method Blank	Total/NA	Solid	8015B NM	114637
MB 880-114638/1-A	Method Blank	Total/NA	Solid	8015B NM	114638
LCS 880-114637/2-A	Lab Control Sample	Total/NA	Solid	8015B NM	114637
LCS 880-114638/2-A	Lab Control Sample	Total/NA	Solid	8015B NM	114638
LCSD 880-114637/3-A	Lab Control Sample Dup	Total/NA	Solid	8015B NM	114637
LCSD 880-114638/3-A	Lab Control Sample Dup	Total/NA	Solid	8015B NM	114638
890-8479-2 MS	HA-7	Total/NA	Solid	8015B NM	114638
890-8479-2 MSD	HA-7	Total/NA	Solid	8015B NM	114638

## Analysis Batch: 115023

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-8479-1	HA-7	Total/NA	Solid	8015 NM	
890-8479-2	HA-7	Total/NA	Solid	8015 NM	
890-8479-3	HA-8	Total/NA	Solid	8015 NM	
890-8479-4	HA-8	Total/NA	Solid	8015 NM	
890-8479-5	HA-9	Total/NA	Solid	8015 NM	
890-8479-6	HA-9	Total/NA	Solid	8015 NM	
890-8479-7	HA-10	Total/NA	Solid	8015 NM	
890-8479-8	HA-10	Total/NA	Solid	8015 NM	

## HPLC/IC

## Leach Batch: 114666

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-8479-1	HA-7	Soluble	Solid	DI Leach	
890-8479-2	HA-7	Soluble	Solid	DI Leach	
890-8479-3	HA-8	Soluble	Solid	DI Leach	
MB 880-114666/1-A	Method Blank	Soluble	Solid	DI Leach	

Eurofins Carlsbad

## QC Association Summary

Client: Earth Systems Response and Restoration  
Project/Site: Nailed it B CTB

Job ID: 890-8479-1  
SDG: Eddy County, NM

## HPLC/IC (Continued)

## Leach Batch: 114666 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
LCS 880-114666/2-A	Lab Control Sample	Soluble	Solid	DI Leach	
LCSD 880-114666/3-A	Lab Control Sample Dup	Soluble	Solid	DI Leach	

## Analysis Batch: 114730

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-8479-1	HA-7	Soluble	Solid	300.0	114666
890-8479-2	HA-7	Soluble	Solid	300.0	114666
890-8479-3	HA-8	Soluble	Solid	300.0	114666
MB 880-114666/1-A	Method Blank	Soluble	Solid	300.0	114666
LCS 880-114666/2-A	Lab Control Sample	Soluble	Solid	300.0	114666
LCSD 880-114666/3-A	Lab Control Sample Dup	Soluble	Solid	300.0	114666

## Leach Batch: 114731

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-8479-4	HA-8	Soluble	Solid	DI Leach	
890-8479-5	HA-9	Soluble	Solid	DI Leach	
890-8479-6	HA-9	Soluble	Solid	DI Leach	
890-8479-7	HA-10	Soluble	Solid	DI Leach	
890-8479-8	HA-10	Soluble	Solid	DI Leach	
MB 880-114731/1-A	Method Blank	Soluble	Solid	DI Leach	
LCS 880-114731/2-A	Lab Control Sample	Soluble	Solid	DI Leach	
LCSD 880-114731/3-A	Lab Control Sample Dup	Soluble	Solid	DI Leach	
890-8479-4 MS	HA-8	Soluble	Solid	DI Leach	
890-8479-4 MSD	HA-8	Soluble	Solid	DI Leach	

## Analysis Batch: 114748

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-8479-4	HA-8	Soluble	Solid	300.0	114731
890-8479-5	HA-9	Soluble	Solid	300.0	114731
890-8479-6	HA-9	Soluble	Solid	300.0	114731
890-8479-7	HA-10	Soluble	Solid	300.0	114731
890-8479-8	HA-10	Soluble	Solid	300.0	114731
MB 880-114731/1-A	Method Blank	Soluble	Solid	300.0	114731
LCS 880-114731/2-A	Lab Control Sample	Soluble	Solid	300.0	114731
LCSD 880-114731/3-A	Lab Control Sample Dup	Soluble	Solid	300.0	114731
890-8479-4 MS	HA-8	Soluble	Solid	300.0	114731
890-8479-4 MSD	HA-8	Soluble	Solid	300.0	114731

### Lab Chronicle

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed it B CTB

Job ID: 890-8479-1  
 SDG: Eddy County, NM

**Client Sample ID: HA-7**

**Lab Sample ID: 890-8479-1**

Date Collected: 07/18/25 13:35

Matrix: Solid

Date Received: 07/21/25 09:59

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	114594	07/21/25 12:25	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	114648	07/22/25 11:36	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			114754	07/22/25 11:36	SA	EET MID
Total/NA	Analysis	8015 NM		1			115023	07/24/25 20:30	SA	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10 mL	114637	07/22/25 08:39	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	114940	07/24/25 20:30	TKC	EET MID
Soluble	Leach	DI Leach			4.96 g	50 mL	114666	07/22/25 08:43	SI	EET MID
Soluble	Analysis	300.0		1			114730	07/23/25 01:02	CS	EET MID

**Client Sample ID: HA-7**

**Lab Sample ID: 890-8479-2**

Date Collected: 07/18/25 13:40

Matrix: Solid

Date Received: 07/21/25 09:59

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.98 g	5 mL	114594	07/21/25 12:25	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	114648	07/22/25 11:57	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			114754	07/22/25 11:57	SA	EET MID
Total/NA	Analysis	8015 NM		1			115023	07/24/25 22:38	SA	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10 mL	114638	07/22/25 08:41	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	114940	07/24/25 22:38	TKC	EET MID
Soluble	Leach	DI Leach			4.99 g	50 mL	114666	07/22/25 08:43	SI	EET MID
Soluble	Analysis	300.0		1			114730	07/23/25 01:10	CS	EET MID

**Client Sample ID: HA-8**

**Lab Sample ID: 890-8479-3**

Date Collected: 07/18/25 13:45

Matrix: Solid

Date Received: 07/21/25 09:59

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.95 g	5 mL	114594	07/21/25 12:25	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	114648	07/22/25 12:17	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			114754	07/22/25 12:17	SA	EET MID
Total/NA	Analysis	8015 NM		1			115023	07/24/25 23:25	SA	EET MID
Total/NA	Prep	8015NM Prep			10.03 g	10 mL	114638	07/22/25 08:41	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	114940	07/24/25 23:25	TKC	EET MID
Soluble	Leach	DI Leach			5.01 g	50 mL	114666	07/22/25 08:43	SI	EET MID
Soluble	Analysis	300.0		1			114730	07/23/25 01:18	CS	EET MID

**Client Sample ID: HA-8**

**Lab Sample ID: 890-8479-4**

Date Collected: 07/18/25 13:50

Matrix: Solid

Date Received: 07/21/25 09:59

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.03 g	5 mL	114594	07/21/25 12:25	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	114648	07/22/25 12:38	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			114754	07/22/25 12:38	SA	EET MID

Eurofins Carlsbad

### Lab Chronicle

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed it B CTB

Job ID: 890-8479-1  
 SDG: Eddy County, NM

**Client Sample ID: HA-8**

**Lab Sample ID: 890-8479-4**

Date Collected: 07/18/25 13:50

Matrix: Solid

Date Received: 07/21/25 09:59

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8015 NM		1			115023	07/24/25 23:41	SA	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10 mL	114638	07/22/25 08:41	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	114940	07/24/25 23:41	TKC	EET MID
Soluble	Leach	DI Leach			4.96 g	50 mL	114731	07/22/25 12:01	SI	EET MID
Soluble	Analysis	300.0		1			114748	07/22/25 21:39	CS	EET MID

**Client Sample ID: HA-9**

**Lab Sample ID: 890-8479-5**

Date Collected: 07/18/25 13:55

Matrix: Solid

Date Received: 07/21/25 09:59

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	114594	07/21/25 12:25	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	114648	07/22/25 12:58	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			114754	07/22/25 12:58	SA	EET MID
Total/NA	Analysis	8015 NM		1			115023	07/24/25 23:57	SA	EET MID
Total/NA	Prep	8015NM Prep			10.04 g	10 mL	114638	07/22/25 08:41	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	114940	07/24/25 23:57	TKC	EET MID
Soluble	Leach	DI Leach			5.01 g	50 mL	114731	07/22/25 12:01	SI	EET MID
Soluble	Analysis	300.0		1			114748	07/22/25 21:56	CS	EET MID

**Client Sample ID: HA-9**

**Lab Sample ID: 890-8479-6**

Date Collected: 07/18/25 14:00

Matrix: Solid

Date Received: 07/21/25 09:59

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.05 g	5 mL	114594	07/21/25 12:25	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	114648	07/22/25 13:19	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			114754	07/22/25 13:19	SA	EET MID
Total/NA	Analysis	8015 NM		1			115023	07/25/25 00:13	SA	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10 mL	114638	07/22/25 08:41	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	114940	07/25/25 00:13	TKC	EET MID
Soluble	Leach	DI Leach			4.95 g	50 mL	114731	07/22/25 12:01	SI	EET MID
Soluble	Analysis	300.0		1			114748	07/22/25 22:02	CS	EET MID

**Client Sample ID: HA-10**

**Lab Sample ID: 890-8479-7**

Date Collected: 07/18/25 14:05

Matrix: Solid

Date Received: 07/21/25 09:59

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.98 g	5 mL	114594	07/21/25 12:25	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	114648	07/22/25 13:39	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			114754	07/22/25 13:39	SA	EET MID
Total/NA	Analysis	8015 NM		1			115023	07/25/25 00:30	SA	EET MID
Total/NA	Prep	8015NM Prep			10.02 g	10 mL	114638	07/22/25 08:41	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	114940	07/25/25 00:30	TKC	EET MID

Eurofins Carlsbad

### Lab Chronicle

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed it B CTB

Job ID: 890-8479-1  
 SDG: Eddy County, NM

**Client Sample ID: HA-10**

**Lab Sample ID: 890-8479-7**

Date Collected: 07/18/25 14:05

Matrix: Solid

Date Received: 07/21/25 09:59

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Soluble	Leach	DI Leach			4.98 g	50 mL	114731	07/22/25 12:01	SI	EET MID
Soluble	Analysis	300.0		1			114748	07/22/25 22:08	CS	EET MID

**Client Sample ID: HA-10**

**Lab Sample ID: 890-8479-8**

Date Collected: 07/18/25 14:10

Matrix: Solid

Date Received: 07/21/25 09:59

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.97 g	5 mL	114594	07/21/25 12:25	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	114648	07/22/25 14:00	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			114754	07/22/25 14:00	SA	EET MID
Total/NA	Analysis	8015 NM		1			115023	07/25/25 00:46	SA	EET MID
Total/NA	Prep	8015NM Prep			10.02 g	10 mL	114638	07/22/25 08:41	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	114940	07/25/25 00:46	TKC	EET MID
Soluble	Leach	DI Leach			4.99 g	50 mL	114731	07/22/25 12:01	SI	EET MID
Soluble	Analysis	300.0		1			114748	07/22/25 22:13	CS	EET MID

**Laboratory References:**

EET MID = Eurofins Midland, 1211 W. Florida Ave, Midland, TX 79701, TEL (432)704-5440

### Accreditation/Certification Summary

Client: Earth Systems Response and Restoration  
Project/Site: Nailed it B CTB

Job ID: 890-8479-1  
SDG: Eddy County, NM

#### Laboratory: Eurofins Midland

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
Texas	NELAP	T104704400	06-30-26

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

Analysis Method	Prep Method	Matrix	Analyte
8015 NM		Solid	Total TPH
Total BTEX		Solid	Total BTEX

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

### Method Summary

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed it B CTB

Job ID: 890-8479-1  
 SDG: Eddy County, NM

Method	Method Description	Protocol	Laboratory
8021B	Volatile Organic Compounds (GC)	SW846	EET MID
Total BTEX	Total BTEX Calculation	TAL SOP	EET MID
8015 NM	Diesel Range Organics (DRO) (GC)	SW846	EET MID
8015B NM	Diesel Range Organics (DRO) (GC)	SW846	EET MID
300.0	Anions, Ion Chromatography	EPA	EET MID
5035	Closed System Purge and Trap	SW846	EET MID
8015NM Prep	Microextraction	SW846	EET MID
DI Leach	Deionized Water Leaching Procedure	ASTM	EET MID

**Protocol References:**

- ASTM = ASTM International
- EPA = US Environmental Protection Agency
- SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.
- TAL SOP = TestAmerica Laboratories, Standard Operating Procedure

**Laboratory References:**

- EET MID = Eurofins Midland, 1211 W. Florida Ave, Midland, TX 79701, TEL (432)704-5440



### Sample Summary

Client: Earth Systems Response and Restoration  
Project/Site: Nailed it B CTB

Job ID: 890-8479-1  
SDG: Eddy County, NM

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Depth
890-8479-1	HA-7	Solid	07/18/25 13:35	07/21/25 09:59	0.5
890-8479-2	HA-7	Solid	07/18/25 13:40	07/21/25 09:59	2
890-8479-3	HA-8	Solid	07/18/25 13:45	07/21/25 09:59	0.5
890-8479-4	HA-8	Solid	07/18/25 13:50	07/21/25 09:59	2
890-8479-5	HA-9	Solid	07/18/25 13:55	07/21/25 09:59	0.5
890-8479-6	HA-9	Solid	07/18/25 14:00	07/21/25 09:59	2
890-8479-7	HA-10	Solid	07/18/25 14:05	07/21/25 09:59	0.5
890-8479-8	HA-10	Solid	07/18/25 14:10	07/21/25 09:59	2

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14



### Login Sample Receipt Checklist

Client: Earth Systems Response and Restoration

Job Number: 890-8479-1  
SDG Number: Eddy County, NM

**Login Number: 8479**

**List Number: 1**

**Creator: Lopez, Abraham**

**List Source: Eurofins Carlsbad**

Question	Answer	Comment
The cooler's custody seal, if present, is intact.	N/A	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	N/A	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

### Login Sample Receipt Checklist

Client: Earth Systems Response and Restoration

Job Number: 890-8479-1  
SDG Number: Eddy County, NM

**Login Number: 8479**  
**List Number: 2**  
**Creator: Rios, Minerva**

**List Source: Eurofins Midland**  
**List Creation: 07/22/25 08:24 AM**

Question	Answer	Comment
The cooler's custody seal, if present, is intact.	N/A	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14



Environment Testing

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

# ANALYTICAL REPORT

## PREPARED FOR

Attn: Gilbert Moreno  
 Earth Systems Response and Restoration  
 4115 South County Road 1297  
 Odessa, Texas 79765

Generated 7/23/2025 12:23:56 PM

## JOB DESCRIPTION

Nailed It B CTB  
 Eddy County, NM

## JOB NUMBER

890-8480-1

Eurofins Carlsbad  
 1089 N Canal St.  
 Carlsbad NM 88220

See page two for job notes and contact information.




# Eurofins Carlsbad

## Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

Analytical test results meet all requirements of the associated regulatory program (i.e., NELAC (TNI), DoD, and ISO 17025) unless otherwise noted under the individual analysis.

## Authorization



Generated  
7/23/2025 12:23:56 PM

Authorized for release by  
Brianna Teel, Project Manager  
[Brianna.Teel@et.eurofinsus.com](mailto:Brianna.Teel@et.eurofinsus.com)  
(432)704-5440

Client: Earth Systems Response and Restoration  
Project/Site: Nailed It B CTB

Laboratory Job ID: 890-8480-1  
SDG: Eddy County, NM

# Table of Contents

Cover Page . . . . .	1
Table of Contents . . . . .	3
Definitions/Glossary . . . . .	4
Case Narrative . . . . .	5
Client Sample Results . . . . .	6
Surrogate Summary . . . . .	9
QC Sample Results . . . . .	10
QC Association Summary . . . . .	13
Lab Chronicle . . . . .	15
Certification Summary . . . . .	16
Method Summary . . . . .	17
Sample Summary . . . . .	18
Chain of Custody . . . . .	19
Receipt Checklists . . . . .	20

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

## Definitions/Glossary

Client: Earth Systems Response and Restoration  
Project/Site: Nailed It B CTB

Job ID: 890-8480-1  
SDG: Eddy County, NM

## Qualifiers

## GC VOA

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

## GC Semi VOA

Qualifier	Qualifier Description
S1+	Surrogate recovery exceeds control limits, high biased.
U	Indicates the analyte was analyzed for but not detected.

## HPLC/IC

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

## Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

# Case Narrative

Client: Earth Systems Response and Restoration  
Project: Nailed It B CTB

Job ID: 890-8480-1

**Job ID: 890-8480-1**

**Eurofins Carlsbad**

## Job Narrative 890-8480-1

Analytical test results meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page unless otherwise noted under the individual analysis. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable.

- Matrix QC may not be reported if insufficient sample is provided or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD may be performed, unless otherwise specified in the method.
- Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

### Receipt

The samples were received on 7/21/2025 9:59 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was -4.6°C.

### GC VOA

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

### Diesel Range Organics

Method 8015MOD\_NM: Surrogate recovery for the following samples were outside control limits: HA-11 (890-8480-1), HA-11 (890-8480-2) and HA-11 (890-8480-3). Evidence of matrix interference is present; therefore, re-extraction and/or re-analysis was not performed.

Method 8015MOD\_NM: Surrogate recovery for the following samples were outside control limits: (LCS 880-114633/2-A) and (LCSD 880-114633/3-A). Evidence of matrix interference is present; therefore, re-extraction and/or re-analysis was not performed.

Method 8015MOD\_NM: The surrogate recovery for the blank associated with preparation batch 880-114633 and analytical batch 880-114680 was outside the upper control limits.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

### HPLC/IC

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Carlsbad



### Client Sample Results

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed It B CTB

Job ID: 890-8480-1  
 SDG: Eddy County, NM

**Client Sample ID: HA-11**

**Lab Sample ID: 890-8480-1**

Date Collected: 07/18/25 14:15

Matrix: Solid

Date Received: 07/21/25 09:59

Sample Depth: 0.5

**Method: SW846 8021B - Volatile Organic Compounds (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		07/21/25 12:25	07/22/25 16:42	1
<b>Toluene</b>	<b>0.00337</b>		0.00199		mg/Kg		07/21/25 12:25	07/22/25 16:42	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		07/21/25 12:25	07/22/25 16:42	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		07/21/25 12:25	07/22/25 16:42	1
o-Xylene	<0.00199	U	0.00199		mg/Kg		07/21/25 12:25	07/22/25 16:42	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		07/21/25 12:25	07/22/25 16:42	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
4-Bromofluorobenzene (Surr)	92		70 - 130				07/21/25 12:25	07/22/25 16:42	1
1,4-Difluorobenzene (Surr)	93		70 - 130				07/21/25 12:25	07/22/25 16:42	1

**Method: TAL SOP Total BTEX - Total BTEX Calculation**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			07/22/25 16:42	1

**Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.8	U	49.8		mg/Kg			07/22/25 18:52	1

**Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.8	U	49.8		mg/Kg		07/22/25 08:15	07/22/25 18:52	1
Diesel Range Organics (Over C10-C28)	<49.8	U	49.8		mg/Kg		07/22/25 08:15	07/22/25 18:52	1
Oil Range Organics (Over C28-C36)	<49.8	U	49.8		mg/Kg		07/22/25 08:15	07/22/25 18:52	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
1-Chlorooctane	130		70 - 130				07/22/25 08:15	07/22/25 18:52	1
o-Terphenyl	134	S1+	70 - 130				07/22/25 08:15	07/22/25 18:52	1

**Method: EPA 300.0 - Anions, Ion Chromatography - Soluble**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	4660		99.8		mg/Kg			07/22/25 22:30	10

**Client Sample ID: HA-11**

**Lab Sample ID: 890-8480-2**

Date Collected: 07/18/25 14:20

Matrix: Solid

Date Received: 07/21/25 09:59

Sample Depth: 1

**Method: SW846 8021B - Volatile Organic Compounds (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00202	U	0.00202		mg/Kg		07/21/25 12:25	07/22/25 17:03	1
Toluene	<0.00202	U	0.00202		mg/Kg		07/21/25 12:25	07/22/25 17:03	1
Ethylbenzene	<0.00202	U	0.00202		mg/Kg		07/21/25 12:25	07/22/25 17:03	1
m-Xylene & p-Xylene	<0.00403	U	0.00403		mg/Kg		07/21/25 12:25	07/22/25 17:03	1
o-Xylene	<0.00202	U	0.00202		mg/Kg		07/21/25 12:25	07/22/25 17:03	1
Xylenes, Total	<0.00403	U	0.00403		mg/Kg		07/21/25 12:25	07/22/25 17:03	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
4-Bromofluorobenzene (Surr)	94		70 - 130				07/21/25 12:25	07/22/25 17:03	1

Eurofins Carlsbad

### Client Sample Results

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed It B CTB

Job ID: 890-8480-1  
 SDG: Eddy County, NM

**Client Sample ID: HA-11**

**Lab Sample ID: 890-8480-2**

Date Collected: 07/18/25 14:20

Matrix: Solid

Date Received: 07/21/25 09:59

Sample Depth: 1

**Method: SW846 8021B - Volatile Organic Compounds (GC) (Continued)**

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,4-Difluorobenzene (Surr)	96		70 - 130	07/21/25 12:25	07/22/25 17:03	1

**Method: TAL SOP Total BTEX - Total BTEX Calculation**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00403	U	0.00403		mg/Kg			07/22/25 17:03	1

**Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			07/22/25 19:08	1

**Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		07/22/25 08:15	07/22/25 19:08	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		07/22/25 08:15	07/22/25 19:08	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		07/22/25 08:15	07/22/25 19:08	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	128		70 - 130	07/22/25 08:15	07/22/25 19:08	1
o-Terphenyl	131	S1+	70 - 130	07/22/25 08:15	07/22/25 19:08	1

**Method: EPA 300.0 - Anions, Ion Chromatography - Soluble**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	37.9		10.0		mg/Kg			07/22/25 22:36	1

**Client Sample ID: HA-11**

**Lab Sample ID: 890-8480-3**

Date Collected: 07/18/25 14:25

Matrix: Solid

Date Received: 07/21/25 09:59

Sample Depth: 2

**Method: SW846 8021B - Volatile Organic Compounds (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00201	U	0.00201		mg/Kg		07/21/25 12:25	07/22/25 17:23	1
Toluene	<0.00201	U	0.00201		mg/Kg		07/21/25 12:25	07/22/25 17:23	1
Ethylbenzene	<0.00201	U	0.00201		mg/Kg		07/21/25 12:25	07/22/25 17:23	1
m-Xylene & p-Xylene	<0.00402	U	0.00402		mg/Kg		07/21/25 12:25	07/22/25 17:23	1
o-Xylene	<0.00201	U	0.00201		mg/Kg		07/21/25 12:25	07/22/25 17:23	1
Xylenes, Total	<0.00402	U	0.00402		mg/Kg		07/21/25 12:25	07/22/25 17:23	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	102		70 - 130	07/21/25 12:25	07/22/25 17:23	1
1,4-Difluorobenzene (Surr)	84		70 - 130	07/21/25 12:25	07/22/25 17:23	1

**Method: TAL SOP Total BTEX - Total BTEX Calculation**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00402	U	0.00402		mg/Kg			07/22/25 17:23	1

**Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.8	U	49.8		mg/Kg			07/22/25 19:23	1

Eurofins Carlsbad

### Client Sample Results

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed It B CTB

Job ID: 890-8480-1  
 SDG: Eddy County, NM

**Client Sample ID: HA-11**

**Lab Sample ID: 890-8480-3**

Date Collected: 07/18/25 14:25

Matrix: Solid

Date Received: 07/21/25 09:59

Sample Depth: 2

**Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.8	U	49.8		mg/Kg		07/22/25 08:15	07/22/25 19:23	1
Diesel Range Organics (Over C10-C28)	<49.8	U	49.8		mg/Kg		07/22/25 08:15	07/22/25 19:23	1
Oil Range Organics (Over C28-C36)	<49.8	U	49.8		mg/Kg		07/22/25 08:15	07/22/25 19:23	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	130		70 - 130	07/22/25 08:15	07/22/25 19:23	1
o-Terphenyl	133	S1+	70 - 130	07/22/25 08:15	07/22/25 19:23	1

**Method: EPA 300.0 - Anions, Ion Chromatography - Soluble**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	26.0		9.98		mg/Kg			07/22/25 22:42	1

### Surrogate Summary

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed It B CTB

Job ID: 890-8480-1  
 SDG: Eddy County, NM

**Method: 8021B - Volatile Organic Compounds (GC)**

Matrix: Solid

Prep Type: Total/NA

		Percent Surrogate Recovery (Acceptance Limits)	
Lab Sample ID	Client Sample ID	BFB1 (70-130)	DFBZ1 (70-130)
890-8480-1	HA-11	92	93
890-8480-2	HA-11	94	96
890-8480-3	HA-11	102	84
LCS 880-114594/1-A	Lab Control Sample	109	99
LCSD 880-114594/2-A	Lab Control Sample Dup	107	99
MB 880-114594/5-A	Method Blank	87	93

**Surrogate Legend**  
 BFB = 4-Bromofluorobenzene (Surr)  
 DFBZ = 1,4-Difluorobenzene (Surr)

**Method: 8015B NM - Diesel Range Organics (DRO) (GC)**

Matrix: Solid

Prep Type: Total/NA

		Percent Surrogate Recovery (Acceptance Limits)	
Lab Sample ID	Client Sample ID	1CO1 (70-130)	OTPH1 (70-130)
890-8480-1	HA-11	130	134 S1+
890-8480-2	HA-11	128	131 S1+
890-8480-3	HA-11	130	133 S1+
LCS 880-114633/2-A	Lab Control Sample	131 S1+	135 S1+
LCSD 880-114633/3-A	Lab Control Sample Dup	136 S1+	140 S1+
MB 880-114633/1-A	Method Blank	118	133 S1+

**Surrogate Legend**  
 1CO = 1-Chlorooctane  
 OTPH = o-Terphenyl

### QC Sample Results

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed It B CTB

Job ID: 890-8480-1  
 SDG: Eddy County, NM

#### Method: 8021B - Volatile Organic Compounds (GC)

Lab Sample ID: MB 880-114594/5-A  
 Matrix: Solid  
 Analysis Batch: 114648

Client Sample ID: Method Blank  
 Prep Type: Total/NA  
 Prep Batch: 114594

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		07/21/25 12:25	07/22/25 11:14	1
Toluene	<0.00200	U	0.00200		mg/Kg		07/21/25 12:25	07/22/25 11:14	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		07/21/25 12:25	07/22/25 11:14	1
m-Xylene & p-Xylene	<0.00400	U	0.00400		mg/Kg		07/21/25 12:25	07/22/25 11:14	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		07/21/25 12:25	07/22/25 11:14	1
Xylenes, Total	<0.00400	U	0.00400		mg/Kg		07/21/25 12:25	07/22/25 11:14	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	87		70 - 130	07/21/25 12:25	07/22/25 11:14	1
1,4-Difluorobenzene (Surr)	93		70 - 130	07/21/25 12:25	07/22/25 11:14	1

Lab Sample ID: LCS 880-114594/1-A  
 Matrix: Solid  
 Analysis Batch: 114648

Client Sample ID: Lab Control Sample  
 Prep Type: Total/NA  
 Prep Batch: 114594

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	0.100	0.08753		mg/Kg		88	70 - 130
Toluene	0.100	0.08970		mg/Kg		90	70 - 130
Ethylbenzene	0.100	0.08655		mg/Kg		87	70 - 130
m-Xylene & p-Xylene	0.200	0.1841		mg/Kg		92	70 - 130
o-Xylene	0.100	0.1010		mg/Kg		101	70 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
4-Bromofluorobenzene (Surr)	109		70 - 130
1,4-Difluorobenzene (Surr)	99		70 - 130

Lab Sample ID: LCSD 880-114594/2-A  
 Matrix: Solid  
 Analysis Batch: 114648

Client Sample ID: Lab Control Sample Dup  
 Prep Type: Total/NA  
 Prep Batch: 114594

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Benzene	0.100	0.09168		mg/Kg		92	70 - 130	5	35
Toluene	0.100	0.09046		mg/Kg		90	70 - 130	1	35
Ethylbenzene	0.100	0.09604		mg/Kg		96	70 - 130	10	35
m-Xylene & p-Xylene	0.200	0.2063		mg/Kg		103	70 - 130	11	35
o-Xylene	0.100	0.08908		mg/Kg		89	70 - 130	13	35

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
4-Bromofluorobenzene (Surr)	107		70 - 130
1,4-Difluorobenzene (Surr)	99		70 - 130

### QC Sample Results

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed It B CTB

Job ID: 890-8480-1  
 SDG: Eddy County, NM

#### Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Lab Sample ID: MB 880-114633/1-A  
 Matrix: Solid  
 Analysis Batch: 114680

Client Sample ID: Method Blank  
 Prep Type: Total/NA  
 Prep Batch: 114633

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		07/22/25 08:10	07/22/25 03:17	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		07/22/25 08:10	07/22/25 03:17	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		07/22/25 08:10	07/22/25 03:17	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac	
1-Chlorooctane	118		70 - 130			07/22/25 08:10	07/22/25 03:17	1	
o-Terphenyl	133	S1+	70 - 130			07/22/25 08:10	07/22/25 03:17	1	

Lab Sample ID: LCS 880-114633/2-A  
 Matrix: Solid  
 Analysis Batch: 114680

Client Sample ID: Lab Control Sample  
 Prep Type: Total/NA  
 Prep Batch: 114633

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Diesel Range Organics (Over C10-C28)	1000	1194		mg/Kg		119	70 - 130
Surrogate	%Recovery	Qualifier	Limits				
1-Chlorooctane	131	S1+	70 - 130				
o-Terphenyl	135	S1+	70 - 130				

Lab Sample ID: LCSD 880-114633/3-A  
 Matrix: Solid  
 Analysis Batch: 114680

Client Sample ID: Lab Control Sample Dup  
 Prep Type: Total/NA  
 Prep Batch: 114633

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	
								RPD	Limit
Gasoline Range Organics (GRO)-C6-C10	1000	1017		mg/Kg		102	70 - 130	3	20
Diesel Range Organics (Over C10-C28)	1000	1205		mg/Kg		121	70 - 130	1	20
Surrogate	%Recovery	Qualifier	Limits						
1-Chlorooctane	136	S1+	70 - 130						
o-Terphenyl	140	S1+	70 - 130						

#### Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: MB 880-114731/1-A  
 Matrix: Solid  
 Analysis Batch: 114748

Client Sample ID: Method Blank  
 Prep Type: Soluble

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Chloride	<10.0	U	10.0		mg/Kg			07/22/25 21:22	1

Eurofins Carlsbad

### QC Sample Results

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed It B CTB

Job ID: 890-8480-1  
 SDG: Eddy County, NM

**Method: 300.0 - Anions, Ion Chromatography (Continued)**

Lab Sample ID: LCS 880-114731/2-A  
 Matrix: Solid  
 Analysis Batch: 114748

Client Sample ID: Lab Control Sample  
 Prep Type: Soluble

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	250	248.3		mg/Kg		99	90 - 110

Lab Sample ID: LCSD 880-114731/3-A  
 Matrix: Solid  
 Analysis Batch: 114748

Client Sample ID: Lab Control Sample Dup  
 Prep Type: Soluble

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	250	247.7		mg/Kg		99	90 - 110	0	20

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

## QC Association Summary

Client: Earth Systems Response and Restoration  
Project/Site: Nailed It B CTBJob ID: 890-8480-1  
SDG: Eddy County, NM

## GC VOA

## Prep Batch: 114594

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-8480-1	HA-11	Total/NA	Solid	5035	
890-8480-2	HA-11	Total/NA	Solid	5035	
890-8480-3	HA-11	Total/NA	Solid	5035	
MB 880-114594/5-A	Method Blank	Total/NA	Solid	5035	
LCS 880-114594/1-A	Lab Control Sample	Total/NA	Solid	5035	
LCSD 880-114594/2-A	Lab Control Sample Dup	Total/NA	Solid	5035	

## Analysis Batch: 114648

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-8480-1	HA-11	Total/NA	Solid	8021B	114594
890-8480-2	HA-11	Total/NA	Solid	8021B	114594
890-8480-3	HA-11	Total/NA	Solid	8021B	114594
MB 880-114594/5-A	Method Blank	Total/NA	Solid	8021B	114594
LCS 880-114594/1-A	Lab Control Sample	Total/NA	Solid	8021B	114594
LCSD 880-114594/2-A	Lab Control Sample Dup	Total/NA	Solid	8021B	114594

## Analysis Batch: 114832

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-8480-1	HA-11	Total/NA	Solid	Total BTEX	
890-8480-2	HA-11	Total/NA	Solid	Total BTEX	
890-8480-3	HA-11	Total/NA	Solid	Total BTEX	

## GC Semi VOA

## Prep Batch: 114633

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-8480-1	HA-11	Total/NA	Solid	8015NM Prep	
890-8480-2	HA-11	Total/NA	Solid	8015NM Prep	
890-8480-3	HA-11	Total/NA	Solid	8015NM Prep	
MB 880-114633/1-A	Method Blank	Total/NA	Solid	8015NM Prep	
LCS 880-114633/2-A	Lab Control Sample	Total/NA	Solid	8015NM Prep	
LCSD 880-114633/3-A	Lab Control Sample Dup	Total/NA	Solid	8015NM Prep	

## Analysis Batch: 114680

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-8480-1	HA-11	Total/NA	Solid	8015B NM	114633
890-8480-2	HA-11	Total/NA	Solid	8015B NM	114633
890-8480-3	HA-11	Total/NA	Solid	8015B NM	114633
MB 880-114633/1-A	Method Blank	Total/NA	Solid	8015B NM	114633
LCS 880-114633/2-A	Lab Control Sample	Total/NA	Solid	8015B NM	114633
LCSD 880-114633/3-A	Lab Control Sample Dup	Total/NA	Solid	8015B NM	114633

## Analysis Batch: 114823

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-8480-1	HA-11	Total/NA	Solid	8015 NM	
890-8480-2	HA-11	Total/NA	Solid	8015 NM	
890-8480-3	HA-11	Total/NA	Solid	8015 NM	

Eurofins Carlsbad

### QC Association Summary

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed It B CTB

Job ID: 890-8480-1  
 SDG: Eddy County, NM

#### HPLC/IC

##### Leach Batch: 114731

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-8480-1	HA-11	Soluble	Solid	DI Leach	
890-8480-2	HA-11	Soluble	Solid	DI Leach	
890-8480-3	HA-11	Soluble	Solid	DI Leach	
MB 880-114731/1-A	Method Blank	Soluble	Solid	DI Leach	
LCS 880-114731/2-A	Lab Control Sample	Soluble	Solid	DI Leach	
LCSD 880-114731/3-A	Lab Control Sample Dup	Soluble	Solid	DI Leach	

##### Analysis Batch: 114748

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-8480-1	HA-11	Soluble	Solid	300.0	114731
890-8480-2	HA-11	Soluble	Solid	300.0	114731
890-8480-3	HA-11	Soluble	Solid	300.0	114731
MB 880-114731/1-A	Method Blank	Soluble	Solid	300.0	114731
LCS 880-114731/2-A	Lab Control Sample	Soluble	Solid	300.0	114731
LCSD 880-114731/3-A	Lab Control Sample Dup	Soluble	Solid	300.0	114731

### Lab Chronicle

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed It B CTB

Job ID: 890-8480-1  
 SDG: Eddy County, NM

**Client Sample ID: HA-11**

**Lab Sample ID: 890-8480-1**

Date Collected: 07/18/25 14:15

Matrix: Solid

Date Received: 07/21/25 09:59

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.02 g	5 mL	114594	07/21/25 12:25	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	114648	07/22/25 16:42	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			114832	07/22/25 16:42	SA	EET MID
Total/NA	Analysis	8015 NM		1			114823	07/22/25 18:52	SA	EET MID
Total/NA	Prep	8015NM Prep			10.04 g	10 mL	114633	07/22/25 08:15	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	114680	07/22/25 18:52	TKC	EET MID
Soluble	Leach	DI Leach			5.01 g	50 mL	114731	07/22/25 12:01	SI	EET MID
Soluble	Analysis	300.0		10			114748	07/22/25 22:30	CS	EET MID

**Client Sample ID: HA-11**

**Lab Sample ID: 890-8480-2**

Date Collected: 07/18/25 14:20

Matrix: Solid

Date Received: 07/21/25 09:59

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.96 g	5 mL	114594	07/21/25 12:25	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	114648	07/22/25 17:03	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			114832	07/22/25 17:03	SA	EET MID
Total/NA	Analysis	8015 NM		1			114823	07/22/25 19:08	SA	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10 mL	114633	07/22/25 08:15	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	114680	07/22/25 19:08	TKC	EET MID
Soluble	Leach	DI Leach			4.99 g	50 mL	114731	07/22/25 12:01	SI	EET MID
Soluble	Analysis	300.0		1			114748	07/22/25 22:36	CS	EET MID

**Client Sample ID: HA-11**

**Lab Sample ID: 890-8480-3**

Date Collected: 07/18/25 14:25

Matrix: Solid

Date Received: 07/21/25 09:59

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.97 g	5 mL	114594	07/21/25 12:25	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	114648	07/22/25 17:23	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			114832	07/22/25 17:23	SA	EET MID
Total/NA	Analysis	8015 NM		1			114823	07/22/25 19:23	SA	EET MID
Total/NA	Prep	8015NM Prep			10.04 g	10 mL	114633	07/22/25 08:15	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	114680	07/22/25 19:23	TKC	EET MID
Soluble	Leach	DI Leach			5.01 g	50 mL	114731	07/22/25 12:01	SI	EET MID
Soluble	Analysis	300.0		1			114748	07/22/25 22:42	CS	EET MID

**Laboratory References:**

EET MID = Eurofins Midland, 1211 W. Florida Ave, Midland, TX 79701, TEL (432)704-5440

### Accreditation/Certification Summary

Client: Earth Systems Response and Restoration  
Project/Site: Nailed It B CTB

Job ID: 890-8480-1  
SDG: Eddy County, NM

#### Laboratory: Eurofins Midland

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
Texas	NELAP	T104704400	06-30-26

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

Analysis Method	Prep Method	Matrix	Analyte
8015 NM		Solid	Total TPH
Total BTEX		Solid	Total BTEX

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

### Method Summary

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed It B CTB

Job ID: 890-8480-1  
 SDG: Eddy County, NM

Method	Method Description	Protocol	Laboratory
8021B	Volatile Organic Compounds (GC)	SW846	EET MID
Total BTEX	Total BTEX Calculation	TAL SOP	EET MID
8015 NM	Diesel Range Organics (DRO) (GC)	SW846	EET MID
8015B NM	Diesel Range Organics (DRO) (GC)	SW846	EET MID
300.0	Anions, Ion Chromatography	EPA	EET MID
5035	Closed System Purge and Trap	SW846	EET MID
8015NM Prep	Microextraction	SW846	EET MID
DI Leach	Deionized Water Leaching Procedure	ASTM	EET MID

**Protocol References:**

- ASTM = ASTM International
- EPA = US Environmental Protection Agency
- SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.
- TAL SOP = TestAmerica Laboratories, Standard Operating Procedure

**Laboratory References:**

- EET MID = Eurofins Midland, 1211 W. Florida Ave, Midland, TX 79701, TEL (432)704-5440



### Sample Summary

Client: Earth Systems Response and Restoration  
Project/Site: Nailed It B CTB

Job ID: 890-8480-1  
SDG: Eddy County, NM

---

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Depth
890-8480-1	HA-11	Solid	07/18/25 14:15	07/21/25 09:59	0.5
890-8480-2	HA-11	Solid	07/18/25 14:20	07/21/25 09:59	1
890-8480-3	HA-11	Solid	07/18/25 14:25	07/21/25 09:59	2

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14



Environment Testing  
Xenco

Houston, TX (281) 240-4200, Dallas, TX (214) 902-0300  
Midland, TX (432) 704-5440, San Antonio, TX (210) 509-3334  
El Paso, TX (915) 585-3443, Lubbock, TX (806) 794-1296  
Hobbs, NM (575) 392-7550, Carlsbad, NM (575) 988-3199

### Chain of Custody



890-8480 Chain of Custody

www.xenco.com Page 1

Project Manager:	Gilbert Moreno	Bill to: (if different)	
Company Name:	Earth Systems R&R	Company Name:	Earth Systems
Address:	1910 Resource Ct	Address:	
City, State ZIP:	Carlsbad, NM, 88220	City, State ZIP:	
Phone:	832-541-7719	Email:	gmoreno@earthsys.net

Program: UST/PST	<input type="checkbox"/>	PRP	<input type="checkbox"/>	Brownfields	<input type="checkbox"/>	RRC	<input type="checkbox"/>	Superfund	<input type="checkbox"/>
State of Project:									
Reporting: Level II	<input type="checkbox"/>	Level III	<input type="checkbox"/>	PST/UST	<input type="checkbox"/>	TRRP	<input type="checkbox"/>	Level IV	<input type="checkbox"/>
Deliverables: EDD	<input type="checkbox"/>	ADAPT	<input type="checkbox"/>	Other:					

Project Name:	Nailed II B CTB	Turn Around	Pres. Code	ANALYSIS REQUEST	Preservative Codes
Project Number:	6798	<input checked="" type="checkbox"/> Routine <input type="checkbox"/> Rush			None: NO DI Water: H <sub>2</sub> O
Project Location:	Eddy County, NM	Due Date:	<b>Routine TAT</b>		Cool: Cool MeOH: Me
Sampler's Name:	Santiago Giron	TAT starts the day received by the lab, if received by 4:30pm			HCL: HC HNO <sub>3</sub> : HN
CCWO #:		Temp Blank:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		H <sub>2</sub> SO <sub>4</sub> : H <sub>2</sub> NaOH: Na
<b>SAMPLE RECEIPT</b>		Wet Ice:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		H <sub>3</sub> PO <sub>4</sub> : HP
Samples Received Inact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Thermometer ID:	<b>TEMP07</b>		NaHSO <sub>4</sub> : NABIS
Cooler Custody Seals:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Correction Factor:	<b>-0.2</b>		Na <sub>2</sub> S <sub>2</sub> O <sub>3</sub> : NaSO <sub>3</sub>
Sample Custody Seals:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Temperature Reading:	<b>-4.8</b>		Zn Acetate+NaOH: Zn
Total Containers:		Corrected Temperature:	<b>-4.6</b>		NaOH+Ascorbic Acid: SAPC

Sample Identification	Matrix	Date Sampled	Time Sampled	Depth (feet)	Grab/Comp	# of Cont	TPH -NM	Chloride-NM	BTEX-NM	Hold	24 Hr Rush	Sample Comments
HA-11	S	7.18.25	14:15	0.5	Grab/	1	X	X	X			Incident Number nAPP2519532647
HA-11	S	7.18.25	14:20	1	Grab/	1	X	X	X			
HA-11	S	7.18.25	14:25	2	Grab/	1	X	X	X			

Total 200.7 / 6010 200.8 / 6020: 8RCRA 13PPM Texas 11 Al Sb As Ba Be B Cd Ca Cr Co Cu Fe Pb Mg Mn Mo Ni K Se Ag SiO<sub>2</sub> Na Sr Ti Sn U V Zn  
 Circle Method(s) and Metal(s) to be analyzed

Notice: Signature of this document and relinquishment of samples constitutes a valid purchase order from client company to Eurofins Xenco, its affiliates and subcontractors. It assigns standard terms and conditions of service. Eurofins Xenco will be liable only for the cost of samples and shall not assume any responsibility for any losses or expenses incurred by the client if such losses are due to circumstances beyond the control of Eurofins Xenco. A minimum charge of \$85.00 will be applied to each project and a charge of \$5 for each sample submitted to Eurofins Xenco, but not analyzed. These terms will be enforced unless previously negotiated.

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
<i>[Signature]</i>	<i>[Signature]</i>	4:29 7/26			

### Login Sample Receipt Checklist

Client: Earth Systems Response and Restoration

Job Number: 890-8480-1  
SDG Number: Eddy County, NM

**Login Number: 8480**

**List Number: 1**

**Creator: Lopez, Abraham**

**List Source: Eurofins Carlsbad**

Question	Answer	Comment
The cooler's custody seal, if present, is intact.	N/A	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

### Login Sample Receipt Checklist

Client: Earth Systems Response and Restoration

Job Number: 890-8480-1  
SDG Number: Eddy County, NM

**Login Number: 8480**  
**List Number: 2**  
**Creator: Rios, Minerva**

**List Source: Eurofins Midland**  
**List Creation: 07/22/25 08:28 AM**

Question	Answer	Comment
The cooler's custody seal, if present, is intact.	N/A	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14



Environment Testing

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

# ANALYTICAL REPORT

## PREPARED FOR

Attn: Gilbert Moreno  
 Earth Systems Response and Restoration  
 4115 South County Road 1297  
 Odessa, Texas 79765

Generated 7/25/2025 10:29:52 AM

## JOB DESCRIPTION

Nailed It B CTB  
 Eddy County, NM

## JOB NUMBER

890-8481-1

Eurofins Carlsbad  
 1089 N Canal St.  
 Carlsbad NM 88220

See page two for job notes and contact information.




# Eurofins Carlsbad

## Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

Analytical test results meet all requirements of the associated regulatory program (i.e., NELAC (TNI), DoD, and ISO 17025) unless otherwise noted under the individual analysis.

## Authorization



Generated  
7/25/2025 10:29:52 AM

Authorized for release by  
Brianna Teel, Project Manager  
[Brianna.Teel@et.eurofinsus.com](mailto:Brianna.Teel@et.eurofinsus.com)  
(432)704-5440

Client: Earth Systems Response and Restoration  
Project/Site: Nailed It B CTB

Laboratory Job ID: 890-8481-1  
SDG: Eddy County,NM

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

# Table of Contents

Cover Page . . . . .	1
Table of Contents . . . . .	3
Definitions/Glossary . . . . .	4
Case Narrative . . . . .	5
Client Sample Results . . . . .	6
Surrogate Summary . . . . .	8
QC Sample Results . . . . .	9
QC Association Summary . . . . .	12
Lab Chronicle . . . . .	14
Certification Summary . . . . .	15
Method Summary . . . . .	16
Sample Summary . . . . .	17
Chain of Custody . . . . .	18
Receipt Checklists . . . . .	19

## Definitions/Glossary

Client: Earth Systems Response and Restoration  
Project/Site: Nailed It B CTB

Job ID: 890-8481-1  
SDG: Eddy County,NM

## Qualifiers

## GC VOA

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

## GC Semi VOA

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

## HPLC/IC

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

## Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

# Case Narrative

Client: Earth Systems Response and Restoration  
Project: Nailed It B CTB

Job ID: 890-8481-1

**Job ID: 890-8481-1**

**Eurofins Carlsbad**

## Job Narrative 890-8481-1

Analytical test results meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page unless otherwise noted under the individual analysis. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable.

- Matrix QC may not be reported if insufficient sample is provided or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD may be performed, unless otherwise specified in the method.
- Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

### Receipt

The samples were received on 7/21/2025 9:59 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was -4.6°C.

### Receipt Exceptions

The following samples were received and analyzed from an unpreserved bulk soil jar: HA - 12 (890-8481-1) and HA - 12 (890-8481-2).

### GC VOA

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

### Diesel Range Organics

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

### HPLC/IC

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Carlsbad



### Client Sample Results

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed It B CTB

Job ID: 890-8481-1  
 SDG: Eddy County,NM

**Client Sample ID: HA - 12**  
**Date Collected: 07/18/25 14:30**  
**Date Received: 07/21/25 09:59**  
**Sample Depth: 0.5**

**Lab Sample ID: 890-8481-1**  
**Matrix: Solid**

**Method: SW846 8021B - Volatile Organic Compounds (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		07/21/25 12:25	07/22/25 17:44	1
Toluene	<0.00199	U	0.00199		mg/Kg		07/21/25 12:25	07/22/25 17:44	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		07/21/25 12:25	07/22/25 17:44	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		07/21/25 12:25	07/22/25 17:44	1
o-Xylene	<0.00199	U	0.00199		mg/Kg		07/21/25 12:25	07/22/25 17:44	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		07/21/25 12:25	07/22/25 17:44	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
4-Bromofluorobenzene (Surr)	103		70 - 130				07/21/25 12:25	07/22/25 17:44	1
1,4-Difluorobenzene (Surr)	90		70 - 130				07/21/25 12:25	07/22/25 17:44	1

**Method: TAL SOP Total BTEX - Total BTEX Calculation**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			07/22/25 17:44	1

**Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			07/25/25 01:02	1

**Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		07/22/25 08:41	07/25/25 01:02	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		07/22/25 08:41	07/25/25 01:02	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		07/22/25 08:41	07/25/25 01:02	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
1-Chlorooctane	125		70 - 130				07/22/25 08:41	07/25/25 01:02	1
o-Terphenyl	124		70 - 130				07/22/25 08:41	07/25/25 01:02	1

**Method: EPA 300.0 - Anions, Ion Chromatography - Soluble**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	12.3		10.1		mg/Kg			07/22/25 22:47	1

**Client Sample ID: HA - 12**  
**Date Collected: 07/18/25 14:35**  
**Date Received: 07/21/25 09:59**  
**Sample Depth: 2**

**Lab Sample ID: 890-8481-2**  
**Matrix: Solid**

**Method: SW846 8021B - Volatile Organic Compounds (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		07/21/25 12:25	07/22/25 18:04	1
Toluene	<0.00199	U	0.00199		mg/Kg		07/21/25 12:25	07/22/25 18:04	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		07/21/25 12:25	07/22/25 18:04	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		07/21/25 12:25	07/22/25 18:04	1
o-Xylene	<0.00199	U	0.00199		mg/Kg		07/21/25 12:25	07/22/25 18:04	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		07/21/25 12:25	07/22/25 18:04	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
4-Bromofluorobenzene (Surr)	101		70 - 130				07/21/25 12:25	07/22/25 18:04	1

Eurofins Carlsbad

### Client Sample Results

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed It B CTB

Job ID: 890-8481-1  
 SDG: Eddy County,NM

**Client Sample ID: HA - 12**

**Lab Sample ID: 890-8481-2**

Date Collected: 07/18/25 14:35

Matrix: Solid

Date Received: 07/21/25 09:59

Sample Depth: 2

**Method: SW846 8021B - Volatile Organic Compounds (GC) (Continued)**

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,4-Difluorobenzene (Surr)	74		70 - 130	07/21/25 12:25	07/22/25 18:04	1

**Method: TAL SOP Total BTEX - Total BTEX Calculation**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			07/22/25 18:04	1

**Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			07/25/25 01:17	1

**Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		07/22/25 08:41	07/25/25 01:17	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		07/22/25 08:41	07/25/25 01:17	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		07/22/25 08:41	07/25/25 01:17	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	111		70 - 130	07/22/25 08:41	07/25/25 01:17	1
o-Terphenyl	111		70 - 130	07/22/25 08:41	07/25/25 01:17	1

**Method: EPA 300.0 - Anions, Ion Chromatography - Soluble**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	11.5		10.1		mg/Kg			07/22/25 22:53	1

### Surrogate Summary

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed It B CTB

Job ID: 890-8481-1  
 SDG: Eddy County,NM

**Method: 8021B - Volatile Organic Compounds (GC)**

Matrix: Solid

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)	
		BFB1 (70-130)	DFBZ1 (70-130)
890-8481-1	HA - 12	103	90
890-8481-2	HA - 12	101	74
LCS 880-114594/1-A	Lab Control Sample	109	99
LCSD 880-114594/2-A	Lab Control Sample Dup	107	99
MB 880-114594/5-A	Method Blank	87	93

**Surrogate Legend**  
 BFB = 4-Bromofluorobenzene (Surr)  
 DFBZ = 1,4-Difluorobenzene (Surr)

**Method: 8015B NM - Diesel Range Organics (DRO) (GC)**

Matrix: Solid

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)	
		1CO1 (70-130)	OTPH1 (70-130)
890-8481-1	HA - 12	125	124
890-8481-2	HA - 12	111	111
LCS 880-114638/2-A	Lab Control Sample	105	113
LCSD 880-114638/3-A	Lab Control Sample Dup	105	112
MB 880-114638/1-A	Method Blank	101	99

**Surrogate Legend**  
 1CO = 1-Chlorooctane  
 OTPH = o-Terphenyl

### QC Sample Results

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed It B CTB

Job ID: 890-8481-1  
 SDG: Eddy County,NM

#### Method: 8021B - Volatile Organic Compounds (GC)

Lab Sample ID: MB 880-114594/5-A  
 Matrix: Solid  
 Analysis Batch: 114648

Client Sample ID: Method Blank  
 Prep Type: Total/NA  
 Prep Batch: 114594

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		07/21/25 12:25	07/22/25 11:14	1
Toluene	<0.00200	U	0.00200		mg/Kg		07/21/25 12:25	07/22/25 11:14	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		07/21/25 12:25	07/22/25 11:14	1
m-Xylene & p-Xylene	<0.00400	U	0.00400		mg/Kg		07/21/25 12:25	07/22/25 11:14	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		07/21/25 12:25	07/22/25 11:14	1
Xylenes, Total	<0.00400	U	0.00400		mg/Kg		07/21/25 12:25	07/22/25 11:14	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	87		70 - 130	07/21/25 12:25	07/22/25 11:14	1
1,4-Difluorobenzene (Surr)	93		70 - 130	07/21/25 12:25	07/22/25 11:14	1

Lab Sample ID: LCS 880-114594/1-A  
 Matrix: Solid  
 Analysis Batch: 114648

Client Sample ID: Lab Control Sample  
 Prep Type: Total/NA  
 Prep Batch: 114594

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	0.100	0.08753		mg/Kg		88	70 - 130
Toluene	0.100	0.08970		mg/Kg		90	70 - 130
Ethylbenzene	0.100	0.08655		mg/Kg		87	70 - 130
m-Xylene & p-Xylene	0.200	0.1841		mg/Kg		92	70 - 130
o-Xylene	0.100	0.1010		mg/Kg		101	70 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
4-Bromofluorobenzene (Surr)	109		70 - 130
1,4-Difluorobenzene (Surr)	99		70 - 130

Lab Sample ID: LCSD 880-114594/2-A  
 Matrix: Solid  
 Analysis Batch: 114648

Client Sample ID: Lab Control Sample Dup  
 Prep Type: Total/NA  
 Prep Batch: 114594

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	Limit
Benzene	0.100	0.09168		mg/Kg		92	70 - 130	5	35
Toluene	0.100	0.09046		mg/Kg		90	70 - 130	1	35
Ethylbenzene	0.100	0.09604		mg/Kg		96	70 - 130	10	35
m-Xylene & p-Xylene	0.200	0.2063		mg/Kg		103	70 - 130	11	35
o-Xylene	0.100	0.08908		mg/Kg		89	70 - 130	13	35

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
4-Bromofluorobenzene (Surr)	107		70 - 130
1,4-Difluorobenzene (Surr)	99		70 - 130

### QC Sample Results

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed It B CTB

Job ID: 890-8481-1  
 SDG: Eddy County,NM

#### Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Lab Sample ID: MB 880-114638/1-A  
 Matrix: Solid  
 Analysis Batch: 114940

Client Sample ID: Method Blank  
 Prep Type: Total/NA  
 Prep Batch: 114638

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		07/22/25 08:11	07/24/25 21:50	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		07/22/25 08:11	07/24/25 21:50	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		07/22/25 08:11	07/24/25 21:50	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac	
1-Chlorooctane	101		70 - 130			07/22/25 08:11	07/24/25 21:50	1	
o-Terphenyl	99		70 - 130			07/22/25 08:11	07/24/25 21:50	1	

Lab Sample ID: LCS 880-114638/2-A  
 Matrix: Solid  
 Analysis Batch: 114940

Client Sample ID: Lab Control Sample  
 Prep Type: Total/NA  
 Prep Batch: 114638

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Diesel Range Organics (Over C10-C28)	1000	1058		mg/Kg		106	70 - 130
Surrogate	%Recovery	Qualifier	Limits			LCS	LCS
1-Chlorooctane	105		70 - 130				
o-Terphenyl	113		70 - 130				

Lab Sample ID: LCSD 880-114638/3-A  
 Matrix: Solid  
 Analysis Batch: 114940

Client Sample ID: Lab Control Sample Dup  
 Prep Type: Total/NA  
 Prep Batch: 114638

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	
								RPD	Limit
Gasoline Range Organics (GRO)-C6-C10	1000	1011		mg/Kg		101	70 - 130	1	20
Diesel Range Organics (Over C10-C28)	1000	1049		mg/Kg		105	70 - 130	1	20
Surrogate	%Recovery	Qualifier	Limits			LCSD	LCSD		
1-Chlorooctane	105		70 - 130						
o-Terphenyl	112		70 - 130						

#### Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: MB 880-114731/1-A  
 Matrix: Solid  
 Analysis Batch: 114748

Client Sample ID: Method Blank  
 Prep Type: Soluble

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Chloride	<10.0	U	10.0		mg/Kg			07/22/25 21:22	1

Eurofins Carlsbad

### QC Sample Results

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed It B CTB

Job ID: 890-8481-1  
 SDG: Eddy County,NM

**Method: 300.0 - Anions, Ion Chromatography (Continued)**

Lab Sample ID: LCS 880-114731/2-A  
 Matrix: Solid  
 Analysis Batch: 114748

Client Sample ID: Lab Control Sample  
 Prep Type: Soluble

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	250	248.3		mg/Kg		99	90 - 110

Lab Sample ID: LCSD 880-114731/3-A  
 Matrix: Solid  
 Analysis Batch: 114748

Client Sample ID: Lab Control Sample Dup  
 Prep Type: Soluble

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	250	247.7		mg/Kg		99	90 - 110	0	20

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

## QC Association Summary

Client: Earth Systems Response and Restoration  
Project/Site: Nailed It B CTB

Job ID: 890-8481-1  
SDG: Eddy County,NM

## GC VOA

## Prep Batch: 114594

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-8481-1	HA - 12	Total/NA	Solid	5035	
890-8481-2	HA - 12	Total/NA	Solid	5035	
MB 880-114594/5-A	Method Blank	Total/NA	Solid	5035	
LCS 880-114594/1-A	Lab Control Sample	Total/NA	Solid	5035	
LCSD 880-114594/2-A	Lab Control Sample Dup	Total/NA	Solid	5035	

## Analysis Batch: 114648

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-8481-1	HA - 12	Total/NA	Solid	8021B	114594
890-8481-2	HA - 12	Total/NA	Solid	8021B	114594
MB 880-114594/5-A	Method Blank	Total/NA	Solid	8021B	114594
LCS 880-114594/1-A	Lab Control Sample	Total/NA	Solid	8021B	114594
LCSD 880-114594/2-A	Lab Control Sample Dup	Total/NA	Solid	8021B	114594

## Analysis Batch: 114833

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-8481-1	HA - 12	Total/NA	Solid	Total BTEX	
890-8481-2	HA - 12	Total/NA	Solid	Total BTEX	

## GC Semi VOA

## Prep Batch: 114638

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-8481-1	HA - 12	Total/NA	Solid	8015NM Prep	
890-8481-2	HA - 12	Total/NA	Solid	8015NM Prep	
MB 880-114638/1-A	Method Blank	Total/NA	Solid	8015NM Prep	
LCS 880-114638/2-A	Lab Control Sample	Total/NA	Solid	8015NM Prep	
LCSD 880-114638/3-A	Lab Control Sample Dup	Total/NA	Solid	8015NM Prep	

## Analysis Batch: 114940

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-8481-1	HA - 12	Total/NA	Solid	8015B NM	114638
890-8481-2	HA - 12	Total/NA	Solid	8015B NM	114638
MB 880-114638/1-A	Method Blank	Total/NA	Solid	8015B NM	114638
LCS 880-114638/2-A	Lab Control Sample	Total/NA	Solid	8015B NM	114638
LCSD 880-114638/3-A	Lab Control Sample Dup	Total/NA	Solid	8015B NM	114638

## Analysis Batch: 115024

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-8481-1	HA - 12	Total/NA	Solid	8015 NM	
890-8481-2	HA - 12	Total/NA	Solid	8015 NM	

## HPLC/IC

## Leach Batch: 114731

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-8481-1	HA - 12	Soluble	Solid	DI Leach	
890-8481-2	HA - 12	Soluble	Solid	DI Leach	
MB 880-114731/1-A	Method Blank	Soluble	Solid	DI Leach	
LCS 880-114731/2-A	Lab Control Sample	Soluble	Solid	DI Leach	
LCSD 880-114731/3-A	Lab Control Sample Dup	Soluble	Solid	DI Leach	

Eurofins Carlsbad

### QC Association Summary

Client: Earth Systems Response and Restoration  
Project/Site: Nailed It B CTB

Job ID: 890-8481-1  
SDG: Eddy County,NM

#### HPLC/IC

#### Analysis Batch: 114748

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-8481-1	HA - 12	Soluble	Solid	300.0	114731
890-8481-2	HA - 12	Soluble	Solid	300.0	114731
MB 880-114731/1-A	Method Blank	Soluble	Solid	300.0	114731
LCS 880-114731/2-A	Lab Control Sample	Soluble	Solid	300.0	114731
LCSD 880-114731/3-A	Lab Control Sample Dup	Soluble	Solid	300.0	114731

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

### Lab Chronicle

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed It B CTB

Job ID: 890-8481-1  
 SDG: Eddy County,NM

**Client Sample ID: HA - 12**

**Lab Sample ID: 890-8481-1**

Date Collected: 07/18/25 14:30

Matrix: Solid

Date Received: 07/21/25 09:59

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.02 g	5 mL	114594	07/21/25 12:25	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	114648	07/22/25 17:44	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			114833	07/22/25 17:44	SA	EET MID
Total/NA	Analysis	8015 NM		1			115024	07/25/25 01:02	SA	EET MID
Total/NA	Prep	8015NM Prep			10.00 g	10 mL	114638	07/22/25 08:41	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	114940	07/25/25 01:02	TKC	EET MID
Soluble	Leach	DI Leach			4.96 g	50 mL	114731	07/22/25 12:01	SI	EET MID
Soluble	Analysis	300.0		1			114748	07/22/25 22:47	CS	EET MID

**Client Sample ID: HA - 12**

**Lab Sample ID: 890-8481-2**

Date Collected: 07/18/25 14:35

Matrix: Solid

Date Received: 07/21/25 09:59

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.03 g	5 mL	114594	07/21/25 12:25	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	114648	07/22/25 18:04	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			114833	07/22/25 18:04	SA	EET MID
Total/NA	Analysis	8015 NM		1			115024	07/25/25 01:17	SA	EET MID
Total/NA	Prep	8015NM Prep			10.00 g	10 mL	114638	07/22/25 08:41	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	114940	07/25/25 01:17	TKC	EET MID
Soluble	Leach	DI Leach			4.97 g	50 mL	114731	07/22/25 12:01	SI	EET MID
Soluble	Analysis	300.0		1			114748	07/22/25 22:53	CS	EET MID

**Laboratory References:**

EET MID = Eurofins Midland, 1211 W. Florida Ave, Midland, TX 79701, TEL (432)704-5440

### Accreditation/Certification Summary

Client: Earth Systems Response and Restoration  
Project/Site: Nailed It B CTB

Job ID: 890-8481-1  
SDG: Eddy County,NM

#### Laboratory: Eurofins Midland

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
Texas	NELAP	T104704400	06-30-26

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

Analysis Method	Prep Method	Matrix	Analyte
8015 NM		Solid	Total TPH
Total BTEX		Solid	Total BTEX

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

### Method Summary

Client: Earth Systems Response and Restoration  
Project/Site: Nailed It B CTB

Job ID: 890-8481-1  
SDG: Eddy County,NM

Method	Method Description	Protocol	Laboratory
8021B	Volatile Organic Compounds (GC)	SW846	EET MID
Total BTEX	Total BTEX Calculation	TAL SOP	EET MID
8015 NM	Diesel Range Organics (DRO) (GC)	SW846	EET MID
8015B NM	Diesel Range Organics (DRO) (GC)	SW846	EET MID
300.0	Anions, Ion Chromatography	EPA	EET MID
5035	Closed System Purge and Trap	SW846	EET MID
8015NM Prep	Microextraction	SW846	EET MID
DI Leach	Deionized Water Leaching Procedure	ASTM	EET MID

**Protocol References:**

ASTM = ASTM International

EPA = US Environmental Protection Agency

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

TAL SOP = TestAmerica Laboratories, Standard Operating Procedure

**Laboratory References:**

EET MID = Eurofins Midland, 1211 W. Florida Ave, Midland, TX 79701, TEL (432)704-5440



### Sample Summary

Client: Earth Systems Response and Restoration  
Project/Site: Nailed It B CTB

Job ID: 890-8481-1  
SDG: Eddy County,NM

---

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Depth
890-8481-1	HA - 12	Solid	07/18/25 14:30	07/21/25 09:59	0.5
890-8481-2	HA - 12	Solid	07/18/25 14:35	07/21/25 09:59	2

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14



Environment Testing  
Xenco

Houston, TX (281) 240-4200 Dallas, TX (214) 302-0300  
Midland, TX (432) 704-5440 San Antonio, TX (210) 509-3334  
El Paso, TX (915) 585-3443 Lubbock, TX (806) 794-1295  
Hobbs, NM (575) 392-7550 Carlsbad, NM (575) 988-3199

### Chain of Custody


Work Order No: \_\_\_\_\_

www.xenco.com Page 1 of 1

Project Manager:	Gilbert Moreno	Bill to: (if different)	
Company Name:	Earth Systems R&R	Company Name:	Earth Systems
Address:	1910 Resource Ct.	Address:	
City, State ZIP:	Carlsbad, NM, 88220	City, State ZIP:	
Phone:	832-541-7719	Email:	gmoreno@earthsys.net

Program: <input checked="" type="checkbox"/> UST/PST <input type="checkbox"/> PRP <input type="checkbox"/> Brownfields <input type="checkbox"/> RRC <input type="checkbox"/> Superfund <input type="checkbox"/> State of Project: _____	
Reporting: Level II <input type="checkbox"/> Level III <input type="checkbox"/> PST/UST <input type="checkbox"/> TRRP <input type="checkbox"/> Level IV <input type="checkbox"/>	Deliverables: EDD <input type="checkbox"/> ADAPT <input type="checkbox"/> Other: _____

Project Name:	Nailed It B CTB	Turn Around	Pres. Code	ANALYSIS REQUEST	Preservative Codes
Project Number:	6798	<input checked="" type="checkbox"/> Routine <input type="checkbox"/> Rush			None: NO DI Water: H <sub>2</sub> O
Project Location:	Eddy County, NM	Due Date:	<b>Routine TAT</b>		Cool: Cool MeOH: Me
Sampler's Name:	Santiago Giron	TAT starts the day received by the lab. # received by 4:30pm			HCL: HC HNO <sub>3</sub> : HN
CCWO #:		Temp Blank:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		H <sub>2</sub> SO <sub>4</sub> : H <sub>2</sub> NaOH: Na
<b>SAMPLE RECEIPT</b>		Thermometer ID:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		H <sub>3</sub> PO <sub>4</sub> : THP
Samples Received In tact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Correction Factor:	<i>1.02</i>		NaHSO <sub>4</sub> : NABIS
Cooler Custody Seals:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Temperature Reading:	<i>-0.2</i>		Na <sub>2</sub> S <sub>2</sub> O <sub>3</sub> : NaSO <sub>3</sub>
Sample Custody Seals:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Corrected Temperature:	<i>-0.8</i>		Zn Acetate+NaOH: Zn
Total Containers:			<i>-0.6</i>		NaOH+Ascorbic Acid: SASC



Sample Identification	Matrix	Date Sampled	Time Sampled	Depth (feet)	Grab/Comp # of Cont	TPH -NM	Chloride-NM	BTEX-NM	Hold	24 Hr Rush	Sample Comments
HA-12	S	7.18.25	14:30	0.5	Grab/ 1	X	X	X			Incident Number NAPP2519532647
HA-12	S	7.18.25	14:35	2	Grab/ 1	X	X	X			

Total 200.7 / 6010 200.8 / 6020: 8RCRA 13PPM Texas 11 Al Sb As Ba Be B Cd Ca Cr Co Cu Fe Pb Mg Mn Mo Ni K Se Ag SiO<sub>2</sub> Na Sr Ti Sn U V Zn  
Circle Method(s) and Metal(s) to be analyzed

Notice: Signature of this document and relinquishment of samples constitutes a valid purchase order from client company to Eurofins Xenco, its affiliates and sub-contractors. It assigns standard terms and conditions of service. Eurofins Xenco will be liable only for the cost of samples and shall not assume any responsibility for any losses or expenses incurred by the client if such losses are due to circumstances beyond the control of Eurofins Xenco. A minimum charge of \$85.00 will be applied to each project and a charge of \$5 for each sample submitted to Eurofins Xenco, but not analyzed. These terms will be enforced unless previously negotiated.

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
<i>[Signature]</i>	<i>[Signature]</i>	9:59 7/21			

### Login Sample Receipt Checklist

Client: Earth Systems Response and Restoration

Job Number: 890-8481-1  
SDG Number: Eddy County,NM

**Login Number: 8481**  
**List Number: 1**  
**Creator: Bruns, Shannon**

**List Source: Eurofins Carlsbad**

Question	Answer	Comment
The cooler's custody seal, if present, is intact.	N/A	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

### Login Sample Receipt Checklist

Client: Earth Systems Response and Restoration

Job Number: 890-8481-1  
SDG Number: Eddy County,NM

**Login Number: 8481**  
**List Number: 2**  
**Creator: Rios, Minerva**

**List Source: Eurofins Midland**  
**List Creation: 07/22/25 08:29 AM**

Question	Answer	Comment
The cooler's custody seal, if present, is intact.	N/A	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	False	

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14



Environment Testing

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

# ANALYTICAL REPORT

## PREPARED FOR

Attn: Gilbert Moreno  
 Earth Systems Response and Restoration  
 4115 South County Road 1297  
 Odessa, Texas 79765

Generated 2/3/2026 2:38:18 PM

## JOB DESCRIPTION

Nailed it B CTB  
 Eddy County, NM

## JOB NUMBER

890-9441-1




# Eurofins Carlsbad

## Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

Analytical test results meet all requirements of the associated regulatory program (i.e., NELAC (TNI), DoD, and ISO 17025) unless otherwise noted under the individual analysis.

## Authorization



Generated  
2/3/2026 2:38:18 PM

Authorized for release by  
Brianna Teel, Project Manager  
[Brianna.Teel@et.eurofinsus.com](mailto:Brianna.Teel@et.eurofinsus.com)  
(432)704-5440

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Client: Earth Systems Response and Restoration  
Project/Site: Nailed it B CTB

Laboratory Job ID: 890-9441-1  
SDG: Eddy County, NM

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

# Table of Contents

Cover Page . . . . .	1
Table of Contents . . . . .	3
Definitions/Glossary . . . . .	4
Case Narrative . . . . .	5
Client Sample Results . . . . .	6
Surrogate Summary . . . . .	10
QC Sample Results . . . . .	11
QC Association Summary . . . . .	14
Lab Chronicle . . . . .	16
Certification Summary . . . . .	18
Method Summary . . . . .	19
Sample Summary . . . . .	20
Chain of Custody . . . . .	21
Receipt Checklists . . . . .	22

## Definitions/Glossary

Client: Earth Systems Response and Restoration  
Project/Site: Nailed it B CTB

Job ID: 890-9441-1  
SDG: Eddy County, NM

## Qualifiers

## GC VOA

Qualifier	Qualifier Description
S1-	Surrogate recovery exceeds control limits, low biased.
U	Indicates the analyte was analyzed for but not detected.

## GC Semi VOA

Qualifier	Qualifier Description
S1+	Surrogate recovery exceeds control limits, high biased.
U	Indicates the analyte was analyzed for but not detected.

## HPLC/IC

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

## Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

## Case Narrative

Client: Earth Systems Response and Restoration  
Project: Nailed it B CTB

Job ID: 890-9441-1

**Job ID: 890-9441-1**

**Eurofins Carlsbad**

### Job Narrative 890-9441-1

The analytical test results presented in this report meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page, unless otherwise noted. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable. Regulated compliance samples (e.g. SDWA, NPDES) must comply with associated agency requirements/permits.

- Matrix-specific batch QC (e.g., MS, MSD, SD) may not be reported when insufficient sample volume is available or when site-specific QC samples are not submitted. In such cases, a Laboratory Control Sample Duplicate (LCSD) may be analyzed to provide precision data for the batch.
- For samples analyzed using surrogate and/or isotope dilution analytes, any recoveries falling outside of established acceptance criteria are re-prepared and/or re-analyzed to confirm results, unless the deviation is due to sample dilution or otherwise explained in the case narrative.

#### Receipt

The samples were received on 2/2/2026 3:28 PM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was -0.4°C.

#### Receipt Exceptions

The following samples were received and analyzed from an unpreserved bulk soil jar: SW-1 (890-9441-1), SW-2 (890-9441-2), SW-3 (890-9441-3) and SW-4 (890-9441-4).

#### GC VOA

Method 8021B: Surrogate recovery for the following sample was outside control limits: SW-4 (890-9441-4). Evidence of matrix interference is present; therefore, re-extraction and/or re-analysis was not performed.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

#### Diesel Range Organics

Method 8015B NM: Surrogate recovery for the following samples were outside control limits: SW-1 (890-9441-1) and (890-9440-A-41-A). Evidence of matrix interferences is not obvious.

Method 8015B NM: Surrogate recovery for the following samples were outside control limits: (LCS 880-130609/2-A), (890-9440-A-41-B MS) and (890-9440-A-41-C MSD). Evidence of matrix interference is present; therefore, re-extraction and/or re-analysis was not performed.

Method 8015B NM: Surrogate recovery for the following samples were outside control limits: SW-3 (890-9441-3) and SW-4 (890-9441-4). Evidence of matrix interference is present; therefore, re-extraction and/or re-analysis was not performed.

Method 8015B NM: Surrogate recovery for the following sample was outside control limits: (LCSD 880-130609/3-A). Evidence of matrix interference is present; therefore, re-extraction and/or re-analysis was not performed.

Method 8015B NM: The continuing calibration verification (CCV) associated with batch 880-130626 recovered above the upper control limit for Diesel Range Organics (Over C10-C28). The samples associated with this CCV were non-detects for the affected analytes; therefore, the data have been reported. The associated sample is:(CCV 880-130626/106).

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

#### HPLC/IC

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Carlsbad

### Client Sample Results

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed it B CTB

Job ID: 890-9441-1  
 SDG: Eddy County, NM

**Client Sample ID: SW-1**

**Lab Sample ID: 890-9441-1**

Date Collected: 02/02/26 11:25

Matrix: Solid

Date Received: 02/02/26 15:28

Sample Depth: 0-0.25

**Method: SW846 8021B - Volatile Organic Compounds (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00201	U	0.00201		mg/Kg		02/03/26 00:00	02/03/26 10:04	1
Toluene	<0.00201	U	0.00201		mg/Kg		02/03/26 00:00	02/03/26 10:04	1
Ethylbenzene	<0.00201	U	0.00201		mg/Kg		02/03/26 00:00	02/03/26 10:04	1
m-Xylene & p-Xylene	<0.00402	U	0.00402		mg/Kg		02/03/26 00:00	02/03/26 10:04	1
o-Xylene	<0.00201	U	0.00201		mg/Kg		02/03/26 00:00	02/03/26 10:04	1
Xylenes, Total	<0.00402	U	0.00402		mg/Kg		02/03/26 00:00	02/03/26 10:04	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
4-Bromofluorobenzene (Surr)	81		70 - 130				02/03/26 00:00	02/03/26 10:04	1
1,4-Difluorobenzene (Surr)	83		70 - 130				02/03/26 00:00	02/03/26 10:04	1

**Method: TAL SOP Total BTEX - Total BTEX Calculation**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00402	U	0.00402		mg/Kg			02/03/26 10:04	1

**Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.1	U	50.1		mg/Kg			02/03/26 10:29	1

**Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.1	U	50.1		mg/Kg		02/02/26 20:01	02/03/26 10:29	1
Diesel Range Organics (Over C10-C28)	<50.1	U	50.1		mg/Kg		02/02/26 20:01	02/03/26 10:29	1
Oil Range Organics (Over C28-C36)	<50.1	U	50.1		mg/Kg		02/02/26 20:01	02/03/26 10:29	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
1-Chlorooctane	132	S1+	70 - 130				02/02/26 20:01	02/03/26 10:29	1
o-Terphenyl	139	S1+	70 - 130				02/02/26 20:01	02/03/26 10:29	1

**Method: EPA 300.0 - Anions, Ion Chromatography - Soluble**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	211		101		mg/Kg			02/03/26 12:40	10

**Client Sample ID: SW-2**

**Lab Sample ID: 890-9441-2**

Date Collected: 02/02/26 11:30

Matrix: Solid

Date Received: 02/02/26 15:28

Sample Depth: 0-0.25

**Method: SW846 8021B - Volatile Organic Compounds (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00202	U	0.00202		mg/Kg		02/03/26 00:00	02/03/26 10:24	1
Toluene	<0.00202	U	0.00202		mg/Kg		02/03/26 00:00	02/03/26 10:24	1
Ethylbenzene	<0.00202	U	0.00202		mg/Kg		02/03/26 00:00	02/03/26 10:24	1
m-Xylene & p-Xylene	<0.00404	U	0.00404		mg/Kg		02/03/26 00:00	02/03/26 10:24	1
o-Xylene	<0.00202	U	0.00202		mg/Kg		02/03/26 00:00	02/03/26 10:24	1
Xylenes, Total	<0.00404	U	0.00404		mg/Kg		02/03/26 00:00	02/03/26 10:24	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
4-Bromofluorobenzene (Surr)	97		70 - 130				02/03/26 00:00	02/03/26 10:24	1

Eurofins Carlsbad

### Client Sample Results

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed it B CTB

Job ID: 890-9441-1  
 SDG: Eddy County, NM

**Client Sample ID: SW-2**

**Lab Sample ID: 890-9441-2**

Date Collected: 02/02/26 11:30

Matrix: Solid

Date Received: 02/02/26 15:28

Sample Depth: 0-0.25

**Method: SW846 8021B - Volatile Organic Compounds (GC) (Continued)**

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,4-Difluorobenzene (Surr)	100		70 - 130	02/03/26 00:00	02/03/26 10:24	1

**Method: TAL SOP Total BTEX - Total BTEX Calculation**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00404	U	0.00404		mg/Kg			02/03/26 10:24	1

**Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.8	U	49.8		mg/Kg			02/03/26 10:44	1

**Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.8	U	49.8		mg/Kg		02/02/26 20:01	02/03/26 10:44	1
Diesel Range Organics (Over C10-C28)	<49.8	U	49.8		mg/Kg		02/02/26 20:01	02/03/26 10:44	1
Oil Range Organics (Over C28-C36)	<49.8	U	49.8		mg/Kg		02/02/26 20:01	02/03/26 10:44	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	122		70 - 130	02/02/26 20:01	02/03/26 10:44	1
o-Terphenyl	129		70 - 130	02/02/26 20:01	02/03/26 10:44	1

**Method: EPA 300.0 - Anions, Ion Chromatography - Soluble**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	182		100		mg/Kg			02/03/26 12:56	10

**Client Sample ID: SW-3**

**Lab Sample ID: 890-9441-3**

Date Collected: 02/02/26 11:35

Matrix: Solid

Date Received: 02/02/26 15:28

Sample Depth: 0-0.25

**Method: SW846 8021B - Volatile Organic Compounds (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		02/03/26 00:00	02/03/26 10:45	1
Toluene	<0.00199	U	0.00199		mg/Kg		02/03/26 00:00	02/03/26 10:45	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		02/03/26 00:00	02/03/26 10:45	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		02/03/26 00:00	02/03/26 10:45	1
o-Xylene	<0.00199	U	0.00199		mg/Kg		02/03/26 00:00	02/03/26 10:45	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		02/03/26 00:00	02/03/26 10:45	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	95		70 - 130	02/03/26 00:00	02/03/26 10:45	1
1,4-Difluorobenzene (Surr)	95		70 - 130	02/03/26 00:00	02/03/26 10:45	1

**Method: TAL SOP Total BTEX - Total BTEX Calculation**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			02/03/26 10:45	1

**Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.1	U	50.1		mg/Kg			02/03/26 10:59	1

Eurofins Carlsbad

### Client Sample Results

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed it B CTB

Job ID: 890-9441-1  
 SDG: Eddy County, NM

**Client Sample ID: SW-3**

**Lab Sample ID: 890-9441-3**

Date Collected: 02/02/26 11:35

Matrix: Solid

Date Received: 02/02/26 15:28

Sample Depth: 0-0.25

**Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.1	U	50.1		mg/Kg		02/02/26 20:01	02/03/26 10:59	1
Diesel Range Organics (Over C10-C28)	<50.1	U	50.1		mg/Kg		02/02/26 20:01	02/03/26 10:59	1
Oil Range Organics (Over C28-C36)	<50.1	U	50.1		mg/Kg		02/02/26 20:01	02/03/26 10:59	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	130		70 - 130				02/02/26 20:01	02/03/26 10:59	1
o-Terphenyl	136	S1+	70 - 130				02/02/26 20:01	02/03/26 10:59	1

**Method: EPA 300.0 - Anions, Ion Chromatography - Soluble**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	24.2		10.1		mg/Kg			02/03/26 13:53	1

**Client Sample ID: SW-4**

**Lab Sample ID: 890-9441-4**

Date Collected: 02/02/26 11:40

Matrix: Solid

Date Received: 02/02/26 15:28

Sample Depth: 0-0.25

**Method: SW846 8021B - Volatile Organic Compounds (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00198	U	0.00198		mg/Kg		02/03/26 00:00	02/03/26 11:05	1
Toluene	<0.00198	U	0.00198		mg/Kg		02/03/26 00:00	02/03/26 11:05	1
Ethylbenzene	<0.00198	U	0.00198		mg/Kg		02/03/26 00:00	02/03/26 11:05	1
m-Xylene & p-Xylene	<0.00396	U	0.00396		mg/Kg		02/03/26 00:00	02/03/26 11:05	1
o-Xylene	<0.00198	U	0.00198		mg/Kg		02/03/26 00:00	02/03/26 11:05	1
Xylenes, Total	<0.00396	U	0.00396		mg/Kg		02/03/26 00:00	02/03/26 11:05	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	64	S1-	70 - 130				02/03/26 00:00	02/03/26 11:05	1
1,4-Difluorobenzene (Surr)	97		70 - 130				02/03/26 00:00	02/03/26 11:05	1

**Method: TAL SOP Total BTEX - Total BTEX Calculation**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00396	U	0.00396		mg/Kg			02/03/26 11:05	1

**Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.1	U	50.1		mg/Kg			02/03/26 11:14	1

**Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.1	U	50.1		mg/Kg		02/02/26 20:01	02/03/26 11:14	1
Diesel Range Organics (Over C10-C28)	<50.1	U	50.1		mg/Kg		02/02/26 20:01	02/03/26 11:14	1
Oil Range Organics (Over C28-C36)	<50.1	U	50.1		mg/Kg		02/02/26 20:01	02/03/26 11:14	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	129		70 - 130				02/02/26 20:01	02/03/26 11:14	1
o-Terphenyl	136	S1+	70 - 130				02/02/26 20:01	02/03/26 11:14	1

Eurofins Carlsbad

### Client Sample Results

Client: Earth Systems Response and Restoration  
Project/Site: Nailed it B CTB

Job ID: 890-9441-1  
SDG: Eddy County, NM

**Client Sample ID: SW-4**

**Lab Sample ID: 890-9441-4**

Date Collected: 02/02/26 11:40

Matrix: Solid

Date Received: 02/02/26 15:28

Sample Depth: 0-0.25

**Method: EPA 300.0 - Anions, Ion Chromatography - Soluble**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	220		50.5		mg/Kg			02/03/26 13:06	5

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

### Surrogate Summary

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed it B CTB

Job ID: 890-9441-1  
 SDG: Eddy County, NM

**Method: 8021B - Volatile Organic Compounds (GC)**

Matrix: Solid

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)	
		BFB1 (70-130)	DFBZ1 (70-130)
890-9441-1	SW-1	81	83
890-9441-2	SW-2	97	100
890-9441-3	SW-3	95	95
890-9441-4	SW-4	64 S1-	97
LCS 880-130648/1-A	Lab Control Sample	102	100
LCSD 880-130648/2-A	Lab Control Sample Dup	106	95
MB 880-130648/5-A	Method Blank	103	95

**Surrogate Legend**  
 BFB = 4-Bromofluorobenzene (Surr)  
 DFBZ = 1,4-Difluorobenzene (Surr)

**Method: 8015B NM - Diesel Range Organics (DRO) (GC)**

Matrix: Solid

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)	
		1CO1 (70-130)	OTPH1 (70-130)
890-9441-1	SW-1	132 S1+	139 S1+
890-9441-2	SW-2	122	129
890-9441-3	SW-3	130	136 S1+
890-9441-4	SW-4	129	136 S1+
LCS 880-130609/2-A	Lab Control Sample	151 S1+	137 S1+
LCSD 880-130609/3-A	Lab Control Sample Dup	120	136 S1+
MB 880-130609/1-A	Method Blank	111	113

**Surrogate Legend**  
 1CO = 1-Chlorooctane  
 OTPH = o-Terphenyl

### QC Sample Results

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed it B CTB

Job ID: 890-9441-1  
 SDG: Eddy County, NM

#### Method: 8021B - Volatile Organic Compounds (GC)

Lab Sample ID: MB 880-130648/5-A  
 Matrix: Solid  
 Analysis Batch: 130611

Client Sample ID: Method Blank  
 Prep Type: Total/NA  
 Prep Batch: 130648

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		02/03/26 00:00	02/03/26 09:21	1
Toluene	<0.00200	U	0.00200		mg/Kg		02/03/26 00:00	02/03/26 09:21	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		02/03/26 00:00	02/03/26 09:21	1
m-Xylene & p-Xylene	<0.00400	U	0.00400		mg/Kg		02/03/26 00:00	02/03/26 09:21	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		02/03/26 00:00	02/03/26 09:21	1
Xylenes, Total	<0.00400	U	0.00400		mg/Kg		02/03/26 00:00	02/03/26 09:21	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	103		70 - 130	02/03/26 00:00	02/03/26 09:21	1
1,4-Difluorobenzene (Surr)	95		70 - 130	02/03/26 00:00	02/03/26 09:21	1

Lab Sample ID: LCS 880-130648/1-A  
 Matrix: Solid  
 Analysis Batch: 130611

Client Sample ID: Lab Control Sample  
 Prep Type: Total/NA  
 Prep Batch: 130648

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	0.100	0.08851		mg/Kg		89	70 - 130
Toluene	0.100	0.09601		mg/Kg		96	70 - 130
Ethylbenzene	0.100	0.08647		mg/Kg		86	70 - 130
m-Xylene & p-Xylene	0.200	0.1791		mg/Kg		90	70 - 130
o-Xylene	0.100	0.08979		mg/Kg		90	70 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
4-Bromofluorobenzene (Surr)	102		70 - 130
1,4-Difluorobenzene (Surr)	100		70 - 130

Lab Sample ID: LCSD 880-130648/2-A  
 Matrix: Solid  
 Analysis Batch: 130611

Client Sample ID: Lab Control Sample Dup  
 Prep Type: Total/NA  
 Prep Batch: 130648

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Benzene	0.100	0.08868		mg/Kg		89	70 - 130	0	35
Toluene	0.100	0.1020		mg/Kg		102	70 - 130	6	35
Ethylbenzene	0.100	0.09479		mg/Kg		95	70 - 130	9	35
m-Xylene & p-Xylene	0.200	0.1970		mg/Kg		99	70 - 130	10	35
o-Xylene	0.100	0.09854		mg/Kg		99	70 - 130	9	35

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
4-Bromofluorobenzene (Surr)	106		70 - 130
1,4-Difluorobenzene (Surr)	95		70 - 130

### QC Sample Results

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed it B CTB

Job ID: 890-9441-1  
 SDG: Eddy County, NM

#### Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Lab Sample ID: MB 880-130609/1-A  
 Matrix: Solid  
 Analysis Batch: 130626

Client Sample ID: Method Blank  
 Prep Type: Total/NA  
 Prep Batch: 130609

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		02/02/26 20:01	02/03/26 06:21	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		02/02/26 20:01	02/03/26 06:21	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		02/02/26 20:01	02/03/26 06:21	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac	
1-Chlorooctane	111		70 - 130			02/02/26 20:01	02/03/26 06:21	1	
o-Terphenyl	113		70 - 130			02/02/26 20:01	02/03/26 06:21	1	

Lab Sample ID: LCS 880-130609/2-A  
 Matrix: Solid  
 Analysis Batch: 130626

Client Sample ID: Lab Control Sample  
 Prep Type: Total/NA  
 Prep Batch: 130609

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Diesel Range Organics (Over C10-C28)	1000	1132		mg/Kg		113	70 - 130
Surrogate	%Recovery	Qualifier	Limits				
1-Chlorooctane	151	S1+	70 - 130				
o-Terphenyl	137	S1+	70 - 130				

Lab Sample ID: LCSD 880-130609/3-A  
 Matrix: Solid  
 Analysis Batch: 130626

Client Sample ID: Lab Control Sample Dup  
 Prep Type: Total/NA  
 Prep Batch: 130609

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	
								RPD	Limit
Gasoline Range Organics (GRO)-C6-C10	1000	1121		mg/Kg		112	70 - 130	1	20
Diesel Range Organics (Over C10-C28)	1000	1203		mg/Kg		120	70 - 130	6	20
Surrogate	%Recovery	Qualifier	Limits						
1-Chlorooctane	120		70 - 130						
o-Terphenyl	136	S1+	70 - 130						

#### Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: MB 880-130619/1-A  
 Matrix: Solid  
 Analysis Batch: 130643

Client Sample ID: Method Blank  
 Prep Type: Soluble

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Chloride	<10.0	U	10.0		mg/Kg			02/03/26 10:48	1

Eurofins Carlsbad

### QC Sample Results

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed it B CTB

Job ID: 890-9441-1  
 SDG: Eddy County, NM

**Method: 300.0 - Anions, Ion Chromatography (Continued)**

Lab Sample ID: LCS 880-130619/2-A  
 Matrix: Solid  
 Analysis Batch: 130643

Client Sample ID: Lab Control Sample  
 Prep Type: Soluble

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	250	250.1		mg/Kg		100	90 - 110

Lab Sample ID: LCSD 880-130619/3-A  
 Matrix: Solid  
 Analysis Batch: 130643

Client Sample ID: Lab Control Sample Dup  
 Prep Type: Soluble

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	250	255.7		mg/Kg		102	90 - 110	2	20

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

## QC Association Summary

Client: Earth Systems Response and Restoration  
Project/Site: Nailed it B CTB

Job ID: 890-9441-1  
SDG: Eddy County, NM

## GC VOA

## Analysis Batch: 130611

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-9441-1	SW-1	Total/NA	Solid	8021B	130648
890-9441-2	SW-2	Total/NA	Solid	8021B	130648
890-9441-3	SW-3	Total/NA	Solid	8021B	130648
890-9441-4	SW-4	Total/NA	Solid	8021B	130648
MB 880-130648/5-A	Method Blank	Total/NA	Solid	8021B	130648
LCS 880-130648/1-A	Lab Control Sample	Total/NA	Solid	8021B	130648
LCSD 880-130648/2-A	Lab Control Sample Dup	Total/NA	Solid	8021B	130648

## Prep Batch: 130648

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-9441-1	SW-1	Total/NA	Solid	5035	
890-9441-2	SW-2	Total/NA	Solid	5035	
890-9441-3	SW-3	Total/NA	Solid	5035	
890-9441-4	SW-4	Total/NA	Solid	5035	
MB 880-130648/5-A	Method Blank	Total/NA	Solid	5035	
LCS 880-130648/1-A	Lab Control Sample	Total/NA	Solid	5035	
LCSD 880-130648/2-A	Lab Control Sample Dup	Total/NA	Solid	5035	

## Analysis Batch: 130672

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-9441-1	SW-1	Total/NA	Solid	Total BTEX	
890-9441-2	SW-2	Total/NA	Solid	Total BTEX	
890-9441-3	SW-3	Total/NA	Solid	Total BTEX	
890-9441-4	SW-4	Total/NA	Solid	Total BTEX	

## GC Semi VOA

## Prep Batch: 130609

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-9441-1	SW-1	Total/NA	Solid	8015NM Prep	
890-9441-2	SW-2	Total/NA	Solid	8015NM Prep	
890-9441-3	SW-3	Total/NA	Solid	8015NM Prep	
890-9441-4	SW-4	Total/NA	Solid	8015NM Prep	
MB 880-130609/1-A	Method Blank	Total/NA	Solid	8015NM Prep	
LCS 880-130609/2-A	Lab Control Sample	Total/NA	Solid	8015NM Prep	
LCSD 880-130609/3-A	Lab Control Sample Dup	Total/NA	Solid	8015NM Prep	

## Analysis Batch: 130626

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-9441-1	SW-1	Total/NA	Solid	8015B NM	130609
890-9441-2	SW-2	Total/NA	Solid	8015B NM	130609
890-9441-3	SW-3	Total/NA	Solid	8015B NM	130609
890-9441-4	SW-4	Total/NA	Solid	8015B NM	130609
MB 880-130609/1-A	Method Blank	Total/NA	Solid	8015B NM	130609
LCS 880-130609/2-A	Lab Control Sample	Total/NA	Solid	8015B NM	130609
LCSD 880-130609/3-A	Lab Control Sample Dup	Total/NA	Solid	8015B NM	130609

## Analysis Batch: 130698

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-9441-1	SW-1	Total/NA	Solid	8015 NM	
890-9441-2	SW-2	Total/NA	Solid	8015 NM	

Eurofins Carlsbad

## QC Association Summary

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed it B CTB

Job ID: 890-9441-1  
 SDG: Eddy County, NM

## GC Semi VOA (Continued)

## Analysis Batch: 130698 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-9441-3	SW-3	Total/NA	Solid	8015 NM	
890-9441-4	SW-4	Total/NA	Solid	8015 NM	

## HPLC/IC

## Leach Batch: 130619

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-9441-1	SW-1	Soluble	Solid	DI Leach	
890-9441-2	SW-2	Soluble	Solid	DI Leach	
890-9441-3	SW-3	Soluble	Solid	DI Leach	
890-9441-4	SW-4	Soluble	Solid	DI Leach	
MB 880-130619/1-A	Method Blank	Soluble	Solid	DI Leach	
LCS 880-130619/2-A	Lab Control Sample	Soluble	Solid	DI Leach	
LCSD 880-130619/3-A	Lab Control Sample Dup	Soluble	Solid	DI Leach	

## Analysis Batch: 130643

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-9441-1	SW-1	Soluble	Solid	300.0	130619
890-9441-2	SW-2	Soluble	Solid	300.0	130619
890-9441-3	SW-3	Soluble	Solid	300.0	130619
890-9441-4	SW-4	Soluble	Solid	300.0	130619
MB 880-130619/1-A	Method Blank	Soluble	Solid	300.0	130619
LCS 880-130619/2-A	Lab Control Sample	Soluble	Solid	300.0	130619
LCSD 880-130619/3-A	Lab Control Sample Dup	Soluble	Solid	300.0	130619

### Lab Chronicle

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed it B CTB

Job ID: 890-9441-1  
 SDG: Eddy County, NM

**Client Sample ID: SW-1**

**Lab Sample ID: 890-9441-1**

Date Collected: 02/02/26 11:25

Matrix: Solid

Date Received: 02/02/26 15:28

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.98 g	5 mL	130648	02/03/26 00:00	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	130611	02/03/26 10:04	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			130672	02/03/26 10:04	SA	EET MID
Total/NA	Analysis	8015 NM		1			130698	02/03/26 10:29	SA	EET MID
Total/NA	Prep	8015NM Prep			9.99 g	10.00 mL	130609	02/02/26 20:01	JN	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	130626	02/03/26 10:29	FC	EET MID
Soluble	Leach	DI Leach			4.97 g	50 mL	130619	02/03/26 08:15	SA	EET MID
Soluble	Analysis	300.0		10	0 mL	1.0 mL	130643	02/03/26 12:40	CS	EET MID

**Client Sample ID: SW-2**

**Lab Sample ID: 890-9441-2**

Date Collected: 02/02/26 11:30

Matrix: Solid

Date Received: 02/02/26 15:28

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.95 g	5 mL	130648	02/03/26 00:00	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	130611	02/03/26 10:24	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			130672	02/03/26 10:24	SA	EET MID
Total/NA	Analysis	8015 NM		1			130698	02/03/26 10:44	SA	EET MID
Total/NA	Prep	8015NM Prep			10.05 g	10.00 mL	130609	02/02/26 20:01	JN	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	130626	02/03/26 10:44	FC	EET MID
Soluble	Leach	DI Leach			4.98 g	50 mL	130619	02/03/26 08:15	SA	EET MID
Soluble	Analysis	300.0		10	0 mL	1.0 mL	130643	02/03/26 12:56	CS	EET MID

**Client Sample ID: SW-3**

**Lab Sample ID: 890-9441-3**

Date Collected: 02/02/26 11:35

Matrix: Solid

Date Received: 02/02/26 15:28

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.03 g	5 mL	130648	02/03/26 00:00	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	130611	02/03/26 10:45	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			130672	02/03/26 10:45	SA	EET MID
Total/NA	Analysis	8015 NM		1			130698	02/03/26 10:59	SA	EET MID
Total/NA	Prep	8015NM Prep			9.99 g	10.00 mL	130609	02/02/26 20:01	JN	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	130626	02/03/26 10:59	FC	EET MID
Soluble	Leach	DI Leach			4.95 g	50 mL	130619	02/03/26 08:15	SA	EET MID
Soluble	Analysis	300.0		1			130643	02/03/26 13:53	CS	EET MID

**Client Sample ID: SW-4**

**Lab Sample ID: 890-9441-4**

Date Collected: 02/02/26 11:40

Matrix: Solid

Date Received: 02/02/26 15:28

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.05 g	5 mL	130648	02/03/26 00:00	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	130611	02/03/26 11:05	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			130672	02/03/26 11:05	SA	EET MID

Eurofins Carlsbad

### Lab Chronicle

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed it B CTB

Job ID: 890-9441-1  
 SDG: Eddy County, NM

**Client Sample ID: SW-4**

**Lab Sample ID: 890-9441-4**

Date Collected: 02/02/26 11:40

Matrix: Solid

Date Received: 02/02/26 15:28

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8015 NM		1			130698	02/03/26 11:14	SA	EET MID
Total/NA	Prep	8015NM Prep			9.98 g	10.00 mL	130609	02/02/26 20:01	JN	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	130626	02/03/26 11:14	FC	EET MID
Soluble	Leach	DI Leach			4.95 g	50 mL	130619	02/03/26 08:15	SA	EET MID
Soluble	Analysis	300.0		5			130643	02/03/26 13:06	CS	EET MID

**Laboratory References:**

EET MID = Eurofins Midland, 1211 W. Florida Ave, Midland, TX 79701, TEL (432)704-5440

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

### Accreditation/Certification Summary

Client: Earth Systems Response and Restoration  
Project/Site: Nailed it B CTB

Job ID: 890-9441-1  
SDG: Eddy County, NM

#### Laboratory: Eurofins Midland

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date												
Texas	NELAP	T104704400	06-30-26												
<p>The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.</p> <table border="1"> <thead> <tr> <th>Analysis Method</th> <th>Prep Method</th> <th>Matrix</th> <th>Analyte</th> </tr> </thead> <tbody> <tr> <td>8015 NM</td> <td></td> <td>Solid</td> <td>Total TPH</td> </tr> <tr> <td>Total BTEX</td> <td></td> <td>Solid</td> <td>Total BTEX</td> </tr> </tbody> </table>				Analysis Method	Prep Method	Matrix	Analyte	8015 NM		Solid	Total TPH	Total BTEX		Solid	Total BTEX
Analysis Method	Prep Method	Matrix	Analyte												
8015 NM		Solid	Total TPH												
Total BTEX		Solid	Total BTEX												

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

### Method Summary

Client: Earth Systems Response and Restoration  
Project/Site: Nailed it B CTB

Job ID: 890-9441-1  
SDG: Eddy County, NM

Method	Method Description	Protocol	Laboratory
8021B	Volatile Organic Compounds (GC)	SW846	EET MID
Total BTEX	Total BTEX Calculation	TAL SOP	EET MID
8015 NM	Diesel Range Organics (DRO) (GC)	SW846	EET MID
8015B NM	Diesel Range Organics (DRO) (GC)	SW846	EET MID
300.0	Anions, Ion Chromatography	EPA	EET MID
5035	Closed System Purge and Trap	SW846	EET MID
8015NM Prep	Microextraction	SW846	EET MID
DI Leach	Deionized Water Leaching Procedure	ASTM	EET MID

**Protocol References:**

ASTM = ASTM International

EPA = US Environmental Protection Agency

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

TAL SOP = TestAmerica Laboratories, Standard Operating Procedure

**Laboratory References:**

EET MID = Eurofins Midland, 1211 W. Florida Ave, Midland, TX 79701, TEL (432)704-5440



### Sample Summary

Client: Earth Systems Response and Restoration  
Project/Site: Nailed it B CTB

Job ID: 890-9441-1  
SDG: Eddy County, NM

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Depth
890-9441-1	SW-1	Solid	02/02/26 11:25	02/02/26 15:28	0-0.25
890-9441-2	SW-2	Solid	02/02/26 11:30	02/02/26 15:28	0-0.25
890-9441-3	SW-3	Solid	02/02/26 11:35	02/02/26 15:28	0-0.25
890-9441-4	SW-4	Solid	02/02/26 11:40	02/02/26 15:28	0-0.25

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14



W

890-9441 Chain of Custody

www.xenco.com

# Chain of Custody

Houston, TX (281) 240-4200, Dallas, TX (214) 902-0300  
 Midland, TX (432) 704-5440, San Antonio, TX (210) 509-3334  
 EL Paso, TX (915) 585-3443, Lubbock, TX (806) 794-1296  
 Hobbs, NM (575) 392-7550, Carlsbad, NM (575) 988-3199

Environment Testing  
**Xenco**



**Work Order Comments**

Program:  UST/PST  PRP  Brownfields  RRC  Superfund

State of Project:  Level II  Level III  PST/UST  TRRP  Level IV

Reporting:  Level II  Level III  ADaPT  Other:

Deliverables:  EDD  ADaPT  Other:

Project Manager: Gilbert Moreno  
 Company Name: Earth Systems R&R  
 Address: 1910 Resource Ct.  
 City, State ZIP: Carlsbad, NM, 88220  
 Phone: 832-541-7719  
 Email: gmoreno@earthsys.net, sgiron@earthsys.net

Bill to: (if different)  
 Company Name: Earth Systems R&R  
 Address:  
 City, State ZIP:

SAMPLE RECEIPT		Turn Around		Parameters		ANALYSIS REQUEST		Preservative Codes					
Sample ID	Temp Blank	Yes	No	Wet Ice	Yes	No	Depth (feet)	Time Sampled	Date Sampled	Matrix	Sample Identification	Sample Number	Sample Comments
SW-1	Yes	No	Yes	No	Yes	No	0-0.25	11:25	2.2.26	S	SW-1	2519532647	DI Water: H <sub>2</sub> O
SW-2	No	No	No	No	No	No	0-0.25	11:30	2.2.26	S	SW-2		Cool: Cool
SW-3	Yes	No	No	No	No	No	0-0.25	11:35	2.2.26	S	SW-3		HCL: HC
SW-4	Yes	No	No	No	No	No	0-0.25	11:40	2.2.26	S	SW-4		H <sub>2</sub> SO <sub>4</sub> : H <sub>2</sub>
													H <sub>3</sub> PO <sub>4</sub> : HP
													NaHSO <sub>4</sub> : NABIS
													Na <sub>2</sub> S <sub>2</sub> O <sub>3</sub> : NaSO <sub>3</sub>
													Zn Acetate+NaOH: Zn
													NaOH+Ascorbic Acid: SAPC

**Total 200.7 / 6010 200.8 / 6020:** 8RCRA 13PPM Texas 11 Al Sb As Ba Be B Cd Ca Cr Co Cu Fe Pb Mg Mn Mo Ni K Se Ag SiO<sub>2</sub> Na Sr Ti Sn U V Zn  
 Hg: 1631 / 245.1 / 7470 / 7471

Circle Method(s) and Metal(s) to be analyzed

Notice: Signature of this document and relinquishment of samples constitutes a valid purchase order from client company to Eurofins Xenco, its affiliates and subcontractors. It assigns standard terms and conditions of service. Eurofins Xenco will be liable only for the cost of samples and shall not assume any responsibility for any losses or expenses incurred by the client if such losses are due to circumstances beyond the control of Eurofins Xenco. A minimum charge of \$85.00 will be applied to each project and a charge of \$5 for each sample submitted to Eurofins Xenco, but not analyzed. These terms will be enforced unless previously negotiated.

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
<i>Michael Benini</i>	<i>S. Sun</i>	2/20/26 2			
		4			
		6			



### Login Sample Receipt Checklist

Client: Earth Systems Response and Restoration

Job Number: 890-9441-1  
SDG Number: Eddy County, NM

**Login Number: 9441**

**List Number: 1**

**Creator: Lopez, Abraham**

**List Source: Eurofins Carlsbad**

Question	Answer	Comment
The cooler's custody seal, if present, is intact.	N/A	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

### Login Sample Receipt Checklist

Client: Earth Systems Response and Restoration

Job Number: 890-9441-1  
SDG Number: Eddy County, NM

**Login Number: 9441**  
**List Number: 2**  
**Creator: Rios, Minerva**

**List Source: Eurofins Midland**  
**List Creation: 02/02/26 08:33 PM**

Question	Answer	Comment
The cooler's custody seal, if present, is intact.	N/A	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14



Environment Testing

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

# ANALYTICAL REPORT

## PREPARED FOR

Attn: Gilbert Moreno  
 Earth Systems Response and Restoration  
 4115 South County Road 1297  
 Odessa, Texas 79765

Generated 2/3/2026 2:38:42 PM

## JOB DESCRIPTION

Nailed It B CTB  
 Eddy County, NM

## JOB NUMBER

890-9440-1




# Eurofins Carlsbad

## Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

Analytical test results meet all requirements of the associated regulatory program (i.e., NELAC (TNI), DoD, and ISO 17025) unless otherwise noted under the individual analysis.

## Authorization



Generated  
2/3/2026 2:38:42 PM

Authorized for release by  
Brianna Teel, Project Manager  
[Brianna.Teel@et.eurofinsus.com](mailto:Brianna.Teel@et.eurofinsus.com)  
(432)704-5440

Client: Earth Systems Response and Restoration  
Project/Site: Nailed It B CTB

Laboratory Job ID: 890-9440-1  
SDG: Eddy County, NM

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

# Table of Contents

Cover Page . . . . .	1
Table of Contents . . . . .	3
Definitions/Glossary . . . . .	4
Case Narrative . . . . .	5
Client Sample Results . . . . .	7
Surrogate Summary . . . . .	40
QC Sample Results . . . . .	43
QC Association Summary . . . . .	55
Lab Chronicle . . . . .	65
Certification Summary . . . . .	78
Method Summary . . . . .	79
Sample Summary . . . . .	80
Chain of Custody . . . . .	81
Receipt Checklists . . . . .	86

## Definitions/Glossary

Client: Earth Systems Response and Restoration  
Project/Site: Nailed It B CTB

Job ID: 890-9440-1  
SDG: Eddy County, NM

## Qualifiers

## GC VOA

Qualifier	Qualifier Description
F1	MS and/or MSD recovery exceeds control limits.
F2	MS/MSD RPD exceeds control limits
S1-	Surrogate recovery exceeds control limits, low biased.
S1+	Surrogate recovery exceeds control limits, high biased.
U	Indicates the analyte was analyzed for but not detected.

## GC Semi VOA

Qualifier	Qualifier Description
*+	LCS and/or LCSD is outside acceptance limits, high biased.
*1	LCS/LCSD RPD exceeds control limits.
S1+	Surrogate recovery exceeds control limits, high biased.
U	Indicates the analyte was analyzed for but not detected.

## HPLC/IC

Qualifier	Qualifier Description
F1	MS and/or MSD recovery exceeds control limits.
U	Indicates the analyte was analyzed for but not detected.

## Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Eurofins Carlsbad

## Case Narrative

Client: Earth Systems Response and Restoration  
Project: Nailed It B CTB

Job ID: 890-9440-1

**Job ID: 890-9440-1**

**Eurofins Carlsbad**

### Job Narrative 890-9440-1

The analytical test results presented in this report meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page, unless otherwise noted. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable. Regulated compliance samples (e.g. SDWA, NPDES) must comply with associated agency requirements/permits.

- Matrix-specific batch QC (e.g., MS, MSD, SD) may not be reported when insufficient sample volume is available or when site-specific QC samples are not submitted. In such cases, a Laboratory Control Sample Duplicate (LCSD) may be analyzed to provide precision data for the batch.
- For samples analyzed using surrogate and/or isotope dilution analytes, any recoveries falling outside of established acceptance criteria are re-prepared and/or re-analyzed to confirm results, unless the deviation is due to sample dilution or otherwise explained in the case narrative.

### Receipt

The samples were received on 2/2/2026 3:28 PM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was -0.4°C.

### Receipt Exceptions

The following samples were received and analyzed from an unpreserved bulk soil jar: CS - 1 (890-9440-1), CS - 2 (890-9440-2), CS - 3 (890-9440-3), CS - 4 (890-9440-4), CS - 5 (890-9440-5), CS - 6 (890-9440-6), CS - 7 (890-9440-7), CS - 8 (890-9440-8), CS - 9 (890-9440-9), CS - 10 (890-9440-10), CS - 11 (890-9440-11), CS - 12 (890-9440-12), CS - 13 (890-9440-13), CS - 14 (890-9440-14), CS - 15 (890-9440-15), CS - 16 (890-9440-16), CS - 17 (890-9440-17), CS - 18 (890-9440-18), CS - 19 (890-9440-19), CS - 20 (890-9440-20), CS - 21 (890-9440-21), CS - 22 (890-9440-22), CS - 23 (890-9440-23), CS - 24 (890-9440-24), CS - 25 (890-9440-25), CS - 26 (890-9440-26), CS - 27 (890-9440-27), CS - 28 (890-9440-28), CS - 29 (890-9440-29), CS - 30 (890-9440-30), CS - 31 (890-9440-31), CS - 32 (890-9440-32), CS - 33 (890-9440-33), CS - 34 (890-9440-34), CS - 35 (890-9440-35), CS - 36 (890-9440-36), CS - 37 (890-9440-37), CS - 38 (890-9440-38), CS - 39 (890-9440-39), CS - 40 (890-9440-40) and CS - 41 (890-9440-41).

### GC VOA

Method 8021B: The matrix spike / matrix spike duplicate (MS/MSD) recoveries for preparation batch 880-130635 and analytical batch 880-130493 were outside control limits for one or more analytes. See QC Sample Results for detail. Sample matrix interference and/or non-homogeneity are suspected because the associated laboratory control sample (LCS) recovery is within acceptance limits.

Method 8021B: The matrix spike / matrix spike duplicate (MS/MSD) recoveries for preparation batch 880-130620 and analytical batch 880-130533 were outside control limits for one or more analytes. See QC Sample Results for detail. Sample matrix interference and/or non-homogeneity are suspected because the associated laboratory control sample (LCS) recovery is within acceptance limits.

Method 8021B: Surrogate recovery for the following samples were outside control limits: CS - 2 (890-9440-2) and CS - 16 (890-9440-16). Evidence of matrix interference is present; therefore, re-extraction and/or re-analysis was not performed.

Method 8021B: Surrogate recovery for the following sample was outside the upper control limit: CS - 3 (890-9440-3). This sample did not contain any target analytes; therefore, re-extraction and/or re-analysis was not performed.

Method 8021B: The matrix spike / matrix spike duplicate (MS/MSD) recoveries and precision for preparation batch 880-130648 and analytical batch 880-130611 were outside control limits. Sample matrix interference and/or non-homogeneity are suspected because the associated laboratory control sample / laboratory sample control duplicate (LCS/LCSD) precision was within acceptance limits.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

### Diesel Range Organics

Method 8015B NM: The continuing calibration verification (CCV) associated with batch 880-130502 recovered above the upper control limit for Diesel Range Organics (Over C10-C28). The samples associated with this CCV were non-detects for the affected analytes; therefore, the data have been reported. The associated sample is:(CCV 880-130502/138).

Eurofins Carlsbad

## Case Narrative

Client: Earth Systems Response and Restoration  
Project: Nailed It B CTB

Job ID: 890-9440-1

### Job ID: 890-9440-1 (Continued)

**Eurofins Carlsbad**

Method 8015B NM: Surrogate recovery for the following sample was outside control limits: CS - 15 (890-9440-15). Evidence of matrix interferences is not obvious.

Method 8015B NM: Surrogate recovery for the following sample was outside control limits: (LCSD 880-130604/3-A). Evidence of matrix interference is present; therefore, re-extraction and/or re-analysis was not performed.

Method 8015B NM: Surrogate recovery for the following samples were outside control limits: CS - 18 (890-9440-18) and CS - 20 (890-9440-20). Evidence of matrix interferences is not obvious.

Method 8015B NM: The laboratory control sample duplicate (LCSD) associated with preparation batch 880-130604 and analytical batch 880-130502 was outside acceptance criteria. Re-extraction and/or re-analysis could not be performed; therefore, the data have been reported. The batch matrix spike/matrix spike duplicate (MS/MSD) was within acceptance limits and may be used to evaluate matrix performance.

Method 8015B NM: Surrogate recovery for the following sample was outside control limits: CS - 41 (890-9440-41). Evidence of matrix interferences is not obvious.

Method 8015B NM: Surrogate recovery for the following samples were outside control limits: (LCS 880-130609/2-A), (890-9440-A-41-B MS) and (890-9440-A-41-C MSD). Evidence of matrix interference is present; therefore, re-extraction and/or re-analysis was not performed.

Method 8015B NM: Surrogate recovery for the following sample was outside control limits: CS - 17 (890-9440-17). Evidence of matrix interference is present; therefore, re-extraction and/or re-analysis was not performed.

Method 8015B NM: Surrogate recovery for the following sample was outside control limits: (LCSD 880-130609/3-A). Evidence of matrix interference is present; therefore, re-extraction and/or re-analysis was not performed.

Method 8015B NM: The continuing calibration verification (CCV) associated with batch 880-130626 recovered above the upper control limit for Diesel Range Organics (Over C10-C28). The samples associated with this CCV were non-detects for the affected analytes; therefore, the data have been reported. The associated sample is:(CCV 880-130626/106).

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

#### HPLC/IC

Method 300.0 - Soluble: The matrix spike / matrix spike duplicate (MS/MSD) recoveries for preparation batch 880-130618 and analytical batch 880-130642 were outside control limits for one or more analytes. See QC Sample Results for detail. Sample matrix interference and/or non-homogeneity are suspected because the associated laboratory control sample (LCS) recovery is within acceptance limits.

Method 300.0 - Soluble: The matrix spike / matrix spike duplicate (MS/MSD) recoveries for preparation batch 880-130619 and analytical batch 880-130643 were outside control limits for one or more analytes. See QC Sample Results for detail. Sample matrix interference and/or non-homogeneity are suspected because the associated laboratory control sample (LCS) recovery is within acceptance limits.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Carlsbad

### Client Sample Results

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed It B CTB

Job ID: 890-9440-1  
 SDG: Eddy County, NM

**Client Sample ID: CS - 1**  
 Date Collected: 02/02/26 08:00  
 Date Received: 02/02/26 15:28  
 Sample Depth: 0.25

**Lab Sample ID: 890-9440-1**  
 Matrix: Solid

**Method: SW846 8021B - Volatile Organic Compounds (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		02/02/26 20:00	02/03/26 01:09	1
Toluene	<0.00200	U F1	0.00200		mg/Kg		02/02/26 20:00	02/03/26 01:09	1
Ethylbenzene	<0.00200	U F1	0.00200		mg/Kg		02/02/26 20:00	02/03/26 01:09	1
m-Xylene & p-Xylene	<0.00399	U F1 F2	0.00399		mg/Kg		02/02/26 20:00	02/03/26 01:09	1
o-Xylene	<0.00200	U F1 F2	0.00200		mg/Kg		02/02/26 20:00	02/03/26 01:09	1
Xylenes, Total	<0.00399	U F1 F2	0.00399		mg/Kg		02/02/26 20:00	02/03/26 01:09	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	120		70 - 130	02/02/26 20:00	02/03/26 01:09	1
1,4-Difluorobenzene (Surr)	114		70 - 130	02/02/26 20:00	02/03/26 01:09	1

**Method: TAL SOP Total BTEX - Total BTEX Calculation**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00399	U	0.00399		mg/Kg			02/03/26 01:09	1

**Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.8	U	49.8		mg/Kg			02/02/26 23:20	1

**Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.8	U	49.8		mg/Kg		02/02/26 19:52	02/02/26 23:20	1
Diesel Range Organics (Over C10-C28)	<49.8	U ** *1	49.8		mg/Kg		02/02/26 19:52	02/02/26 23:20	1
Oil Range Organics (Over C28-C36)	<49.8	U	49.8		mg/Kg		02/02/26 19:52	02/02/26 23:20	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	116		70 - 130	02/02/26 19:52	02/02/26 23:20	1
o-Terphenyl	96		70 - 130	02/02/26 19:52	02/02/26 23:20	1

**Method: EPA 300.0 - Anions, Ion Chromatography - Soluble**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	2130		101		mg/Kg			02/03/26 09:46	10

**Client Sample ID: CS - 2**  
 Date Collected: 02/02/26 08:05  
 Date Received: 02/02/26 15:28  
 Sample Depth: 0.25

**Lab Sample ID: 890-9440-2**  
 Matrix: Solid

**Method: SW846 8021B - Volatile Organic Compounds (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00201	U	0.00201		mg/Kg		02/02/26 20:00	02/03/26 01:30	1
Toluene	<0.00201	U	0.00201		mg/Kg		02/02/26 20:00	02/03/26 01:30	1
Ethylbenzene	<0.00201	U	0.00201		mg/Kg		02/02/26 20:00	02/03/26 01:30	1
m-Xylene & p-Xylene	<0.00402	U	0.00402		mg/Kg		02/02/26 20:00	02/03/26 01:30	1
o-Xylene	<0.00201	U	0.00201		mg/Kg		02/02/26 20:00	02/03/26 01:30	1
Xylenes, Total	<0.00402	U	0.00402		mg/Kg		02/02/26 20:00	02/03/26 01:30	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	35	S1-	70 - 130	02/02/26 20:00	02/03/26 01:30	1

Eurofins Carlsbad

### Client Sample Results

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed It B CTB

Job ID: 890-9440-1  
 SDG: Eddy County, NM

**Client Sample ID: CS - 2**

**Lab Sample ID: 890-9440-2**

Date Collected: 02/02/26 08:05

Matrix: Solid

Date Received: 02/02/26 15:28

Sample Depth: 0.25

**Method: SW846 8021B - Volatile Organic Compounds (GC) (Continued)**

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,4-Difluorobenzene (Surr)	105		70 - 130	02/02/26 20:00	02/03/26 01:30	1

**Method: TAL SOP Total BTEX - Total BTEX Calculation**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00402	U	0.00402		mg/Kg			02/03/26 01:30	1

**Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			02/03/26 00:02	1

**Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		02/02/26 19:52	02/03/26 00:02	1
Diesel Range Organics (Over C10-C28)	<50.0	U ** *1	50.0		mg/Kg		02/02/26 19:52	02/03/26 00:02	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		02/02/26 19:52	02/03/26 00:02	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	109		70 - 130	02/02/26 19:52	02/03/26 00:02	1
o-Terphenyl	115		70 - 130	02/02/26 19:52	02/03/26 00:02	1

**Method: EPA 300.0 - Anions, Ion Chromatography - Soluble**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	5950		199		mg/Kg			02/03/26 09:51	20

**Client Sample ID: CS - 3**

**Lab Sample ID: 890-9440-3**

Date Collected: 02/02/26 08:10

Matrix: Solid

Date Received: 02/02/26 15:28

Sample Depth: 0.25

**Method: SW846 8021B - Volatile Organic Compounds (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00202	U	0.00202		mg/Kg		02/02/26 20:00	02/03/26 01:50	1
Toluene	<0.00202	U	0.00202		mg/Kg		02/02/26 20:00	02/03/26 01:50	1
Ethylbenzene	<0.00202	U	0.00202		mg/Kg		02/02/26 20:00	02/03/26 01:50	1
m-Xylene & p-Xylene	<0.00404	U	0.00404		mg/Kg		02/02/26 20:00	02/03/26 01:50	1
o-Xylene	<0.00202	U	0.00202		mg/Kg		02/02/26 20:00	02/03/26 01:50	1
Xylenes, Total	<0.00404	U	0.00404		mg/Kg		02/02/26 20:00	02/03/26 01:50	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	141	S1+	70 - 130	02/02/26 20:00	02/03/26 01:50	1
1,4-Difluorobenzene (Surr)	113		70 - 130	02/02/26 20:00	02/03/26 01:50	1

**Method: TAL SOP Total BTEX - Total BTEX Calculation**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00404	U	0.00404		mg/Kg			02/03/26 01:50	1

**Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.1	U	50.1		mg/Kg			02/03/26 00:16	1

Eurofins Carlsbad

### Client Sample Results

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed It B CTB

Job ID: 890-9440-1  
 SDG: Eddy County, NM

**Client Sample ID: CS - 3**  
**Date Collected: 02/02/26 08:10**  
**Date Received: 02/02/26 15:28**  
**Sample Depth: 0.25**

**Lab Sample ID: 890-9440-3**  
**Matrix: Solid**

**Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.1	U	50.1		mg/Kg		02/02/26 19:52	02/03/26 00:16	1
Diesel Range Organics (Over C10-C28)	<50.1	U ** *1	50.1		mg/Kg		02/02/26 19:52	02/03/26 00:16	1
Oil Range Organics (Over C28-C36)	<50.1	U	50.1		mg/Kg		02/02/26 19:52	02/03/26 00:16	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	100		70 - 130				02/02/26 19:52	02/03/26 00:16	1
o-Terphenyl	105		70 - 130				02/02/26 19:52	02/03/26 00:16	1

**Method: EPA 300.0 - Anions, Ion Chromatography - Soluble**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	2790		99.2		mg/Kg			02/03/26 09:56	10

**Client Sample ID: CS - 4**  
**Date Collected: 02/02/26 08:15**  
**Date Received: 02/02/26 15:28**  
**Sample Depth: 0.25**

**Lab Sample ID: 890-9440-4**  
**Matrix: Solid**

**Method: SW846 8021B - Volatile Organic Compounds (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		02/02/26 20:00	02/03/26 02:11	1
Toluene	<0.00199	U	0.00199		mg/Kg		02/02/26 20:00	02/03/26 02:11	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		02/02/26 20:00	02/03/26 02:11	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		02/02/26 20:00	02/03/26 02:11	1
o-Xylene	<0.00199	U	0.00199		mg/Kg		02/02/26 20:00	02/03/26 02:11	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		02/02/26 20:00	02/03/26 02:11	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	117		70 - 130				02/02/26 20:00	02/03/26 02:11	1
1,4-Difluorobenzene (Surr)	115		70 - 130				02/02/26 20:00	02/03/26 02:11	1

**Method: TAL SOP Total BTEX - Total BTEX Calculation**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			02/03/26 02:11	1

**Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.2	U	50.2		mg/Kg			02/03/26 00:30	1

**Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.2	U	50.2		mg/Kg		02/02/26 19:52	02/03/26 00:30	1
Diesel Range Organics (Over C10-C28)	<50.2	U ** *1	50.2		mg/Kg		02/02/26 19:52	02/03/26 00:30	1
Oil Range Organics (Over C28-C36)	<50.2	U	50.2		mg/Kg		02/02/26 19:52	02/03/26 00:30	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	100		70 - 130				02/02/26 19:52	02/03/26 00:30	1
o-Terphenyl	105		70 - 130				02/02/26 19:52	02/03/26 00:30	1

Eurofins Carlsbad

### Client Sample Results

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed It B CTB

Job ID: 890-9440-1  
 SDG: Eddy County, NM

**Client Sample ID: CS - 4**

**Lab Sample ID: 890-9440-4**

Date Collected: 02/02/26 08:15

Matrix: Solid

Date Received: 02/02/26 15:28

Sample Depth: 0.25

**Method: EPA 300.0 - Anions, Ion Chromatography - Soluble**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	2700		99.8		mg/Kg			02/03/26 10:01	10

**Client Sample ID: CS - 5**

**Lab Sample ID: 890-9440-5**

Date Collected: 02/02/26 08:20

Matrix: Solid

Date Received: 02/02/26 15:28

Sample Depth: 0.25

**Method: SW846 8021B - Volatile Organic Compounds (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00198	U	0.00198		mg/Kg		02/02/26 20:00	02/03/26 02:31	1
Toluene	<0.00198	U	0.00198		mg/Kg		02/02/26 20:00	02/03/26 02:31	1
Ethylbenzene	<0.00198	U	0.00198		mg/Kg		02/02/26 20:00	02/03/26 02:31	1
m-Xylene & p-Xylene	<0.00396	U	0.00396		mg/Kg		02/02/26 20:00	02/03/26 02:31	1
o-Xylene	<0.00198	U	0.00198		mg/Kg		02/02/26 20:00	02/03/26 02:31	1
Xylenes, Total	<0.00396	U	0.00396		mg/Kg		02/02/26 20:00	02/03/26 02:31	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
4-Bromofluorobenzene (Surr)	113		70 - 130				02/02/26 20:00	02/03/26 02:31	1
1,4-Difluorobenzene (Surr)	116		70 - 130				02/02/26 20:00	02/03/26 02:31	1

**Method: TAL SOP Total BTEX - Total BTEX Calculation**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00396	U	0.00396		mg/Kg			02/03/26 02:31	1

**Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			02/03/26 00:44	1

**Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		02/02/26 19:52	02/03/26 00:44	1
Diesel Range Organics (Over C10-C28)	<50.0	U *+ *1	50.0		mg/Kg		02/02/26 19:52	02/03/26 00:44	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		02/02/26 19:52	02/03/26 00:44	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
1-Chlorooctane	107		70 - 130				02/02/26 19:52	02/03/26 00:44	1
o-Terphenyl	113		70 - 130				02/02/26 19:52	02/03/26 00:44	1

**Method: EPA 300.0 - Anions, Ion Chromatography - Soluble**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	4200		202		mg/Kg			02/03/26 10:17	20

### Client Sample Results

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed It B CTB

Job ID: 890-9440-1  
 SDG: Eddy County, NM

**Client Sample ID: CS - 6**

**Lab Sample ID: 890-9440-6**

Date Collected: 02/02/26 08:25

Matrix: Solid

Date Received: 02/02/26 15:28

Sample Depth: 0.25

**Method: SW846 8021B - Volatile Organic Compounds (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		02/02/26 20:00	02/03/26 02:51	1
Toluene	<0.00200	U	0.00200		mg/Kg		02/02/26 20:00	02/03/26 02:51	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		02/02/26 20:00	02/03/26 02:51	1
m-Xylene & p-Xylene	<0.00400	U	0.00400		mg/Kg		02/02/26 20:00	02/03/26 02:51	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		02/02/26 20:00	02/03/26 02:51	1
Xylenes, Total	<0.00400	U	0.00400		mg/Kg		02/02/26 20:00	02/03/26 02:51	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	112		70 - 130	02/02/26 20:00	02/03/26 02:51	1
1,4-Difluorobenzene (Surr)	111		70 - 130	02/02/26 20:00	02/03/26 02:51	1

**Method: TAL SOP Total BTEX - Total BTEX Calculation**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00400	U	0.00400		mg/Kg			02/03/26 02:51	1

**Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.2	U	50.2		mg/Kg			02/03/26 00:58	1

**Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.2	U	50.2		mg/Kg		02/02/26 19:52	02/03/26 00:58	1
Diesel Range Organics (Over C10-C28)	<50.2	U ** *1	50.2		mg/Kg		02/02/26 19:52	02/03/26 00:58	1
Oil Range Organics (Over C28-C36)	<50.2	U	50.2		mg/Kg		02/02/26 19:52	02/03/26 00:58	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	93		70 - 130	02/02/26 19:52	02/03/26 00:58	1
o-Terphenyl	100		70 - 130	02/02/26 19:52	02/03/26 00:58	1

**Method: EPA 300.0 - Anions, Ion Chromatography - Soluble**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	6210		199		mg/Kg			02/03/26 10:22	20

**Client Sample ID: CS - 7**

**Lab Sample ID: 890-9440-7**

Date Collected: 02/02/26 08:30

Matrix: Solid

Date Received: 02/02/26 15:28

Sample Depth: 0.25

**Method: SW846 8021B - Volatile Organic Compounds (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		02/02/26 20:00	02/03/26 03:12	1
Toluene	<0.00200	U	0.00200		mg/Kg		02/02/26 20:00	02/03/26 03:12	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		02/02/26 20:00	02/03/26 03:12	1
m-Xylene & p-Xylene	<0.00399	U	0.00399		mg/Kg		02/02/26 20:00	02/03/26 03:12	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		02/02/26 20:00	02/03/26 03:12	1
Xylenes, Total	<0.00399	U	0.00399		mg/Kg		02/02/26 20:00	02/03/26 03:12	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	91		70 - 130	02/02/26 20:00	02/03/26 03:12	1

Eurofins Carlsbad

### Client Sample Results

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed It B CTB

Job ID: 890-9440-1  
 SDG: Eddy County, NM

**Client Sample ID: CS - 7**  
 Date Collected: 02/02/26 08:30  
 Date Received: 02/02/26 15:28  
 Sample Depth: 0.25

**Lab Sample ID: 890-9440-7**  
 Matrix: Solid

**Method: SW846 8021B - Volatile Organic Compounds (GC) (Continued)**

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,4-Difluorobenzene (Surr)	108		70 - 130	02/02/26 20:00	02/03/26 03:12	1

**Method: TAL SOP Total BTEX - Total BTEX Calculation**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00399	U	0.00399		mg/Kg			02/03/26 03:12	1

**Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			02/03/26 01:12	1

**Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		02/02/26 19:52	02/03/26 01:12	1
Diesel Range Organics (Over C10-C28)	<50.0	U ** *1	50.0		mg/Kg		02/02/26 19:52	02/03/26 01:12	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		02/02/26 19:52	02/03/26 01:12	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	81		70 - 130	02/02/26 19:52	02/03/26 01:12	1
o-Terphenyl	85		70 - 130	02/02/26 19:52	02/03/26 01:12	1

**Method: EPA 300.0 - Anions, Ion Chromatography - Soluble**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	194		9.94		mg/Kg			02/03/26 10:28	1

**Client Sample ID: CS - 8**

**Lab Sample ID: 890-9440-8**

Date Collected: 02/02/26 08:35  
 Date Received: 02/02/26 15:28  
 Sample Depth: 0.25

Matrix: Solid

**Method: SW846 8021B - Volatile Organic Compounds (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00201	U	0.00201		mg/Kg		02/02/26 20:00	02/03/26 03:32	1
Toluene	<0.00201	U	0.00201		mg/Kg		02/02/26 20:00	02/03/26 03:32	1
Ethylbenzene	<0.00201	U	0.00201		mg/Kg		02/02/26 20:00	02/03/26 03:32	1
m-Xylene & p-Xylene	<0.00402	U	0.00402		mg/Kg		02/02/26 20:00	02/03/26 03:32	1
o-Xylene	<0.00201	U	0.00201		mg/Kg		02/02/26 20:00	02/03/26 03:32	1
Xylenes, Total	<0.00402	U	0.00402		mg/Kg		02/02/26 20:00	02/03/26 03:32	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	116		70 - 130	02/02/26 20:00	02/03/26 03:32	1
1,4-Difluorobenzene (Surr)	115		70 - 130	02/02/26 20:00	02/03/26 03:32	1

**Method: TAL SOP Total BTEX - Total BTEX Calculation**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00402	U	0.00402		mg/Kg			02/03/26 03:32	1

**Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.1	U	50.1		mg/Kg			02/03/26 01:27	1

Eurofins Carlsbad

### Client Sample Results

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed It B CTB

Job ID: 890-9440-1  
 SDG: Eddy County, NM

**Client Sample ID: CS - 8**

**Lab Sample ID: 890-9440-8**

Date Collected: 02/02/26 08:35

Matrix: Solid

Date Received: 02/02/26 15:28

Sample Depth: 0.25

**Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.1	U	50.1		mg/Kg		02/02/26 19:52	02/03/26 01:27	1
Diesel Range Organics (Over C10-C28)	<50.1	U ** *1	50.1		mg/Kg		02/02/26 19:52	02/03/26 01:27	1
Oil Range Organics (Over C28-C36)	<50.1	U	50.1		mg/Kg		02/02/26 19:52	02/03/26 01:27	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	109		70 - 130				02/02/26 19:52	02/03/26 01:27	1
o-Terphenyl	113		70 - 130				02/02/26 19:52	02/03/26 01:27	1

**Method: EPA 300.0 - Anions, Ion Chromatography - Soluble**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	1730		100		mg/Kg			02/03/26 10:33	10

**Client Sample ID: CS - 9**

**Lab Sample ID: 890-9440-9**

Date Collected: 02/02/26 08:40

Matrix: Solid

Date Received: 02/02/26 15:28

Sample Depth: 0.25

**Method: SW846 8021B - Volatile Organic Compounds (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00202	U	0.00202		mg/Kg		02/02/26 20:00	02/03/26 03:53	1
Toluene	<0.00202	U	0.00202		mg/Kg		02/02/26 20:00	02/03/26 03:53	1
Ethylbenzene	<0.00202	U	0.00202		mg/Kg		02/02/26 20:00	02/03/26 03:53	1
m-Xylene & p-Xylene	<0.00404	U	0.00404		mg/Kg		02/02/26 20:00	02/03/26 03:53	1
o-Xylene	<0.00202	U	0.00202		mg/Kg		02/02/26 20:00	02/03/26 03:53	1
Xylenes, Total	<0.00404	U	0.00404		mg/Kg		02/02/26 20:00	02/03/26 03:53	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	116		70 - 130				02/02/26 20:00	02/03/26 03:53	1
1,4-Difluorobenzene (Surr)	122		70 - 130				02/02/26 20:00	02/03/26 03:53	1

**Method: TAL SOP Total BTEX - Total BTEX Calculation**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00404	U	0.00404		mg/Kg			02/03/26 03:53	1

**Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.1	U	50.1		mg/Kg			02/03/26 01:40	1

**Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.1	U	50.1		mg/Kg		02/02/26 19:52	02/03/26 01:40	1
Diesel Range Organics (Over C10-C28)	<50.1	U ** *1	50.1		mg/Kg		02/02/26 19:52	02/03/26 01:40	1
Oil Range Organics (Over C28-C36)	<50.1	U	50.1		mg/Kg		02/02/26 19:52	02/03/26 01:40	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	84		70 - 130				02/02/26 19:52	02/03/26 01:40	1
o-Terphenyl	89		70 - 130				02/02/26 19:52	02/03/26 01:40	1

Eurofins Carlsbad

### Client Sample Results

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed It B CTB

Job ID: 890-9440-1  
 SDG: Eddy County, NM

**Client Sample ID: CS - 9**

**Lab Sample ID: 890-9440-9**

Date Collected: 02/02/26 08:40

Matrix: Solid

Date Received: 02/02/26 15:28

Sample Depth: 0.25

**Method: EPA 300.0 - Anions, Ion Chromatography - Soluble**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	1270		99.0		mg/Kg			02/03/26 10:38	10

**Client Sample ID: CS - 10**

**Lab Sample ID: 890-9440-10**

Date Collected: 02/02/26 08:45

Matrix: Solid

Date Received: 02/02/26 15:28

Sample Depth: 0.25

**Method: SW846 8021B - Volatile Organic Compounds (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		02/02/26 20:00	02/03/26 04:13	1
Toluene	<0.00199	U	0.00199		mg/Kg		02/02/26 20:00	02/03/26 04:13	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		02/02/26 20:00	02/03/26 04:13	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		02/02/26 20:00	02/03/26 04:13	1
o-Xylene	<0.00199	U	0.00199		mg/Kg		02/02/26 20:00	02/03/26 04:13	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		02/02/26 20:00	02/03/26 04:13	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
4-Bromofluorobenzene (Surr)	115		70 - 130				02/02/26 20:00	02/03/26 04:13	1
1,4-Difluorobenzene (Surr)	114		70 - 130				02/02/26 20:00	02/03/26 04:13	1

**Method: TAL SOP Total BTEX - Total BTEX Calculation**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			02/03/26 04:13	1

**Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			02/03/26 01:55	1

**Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		02/02/26 19:52	02/03/26 01:55	1
Diesel Range Organics (Over C10-C28)	<50.0	U *+ *1	50.0		mg/Kg		02/02/26 19:52	02/03/26 01:55	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		02/02/26 19:52	02/03/26 01:55	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
1-Chlorooctane	96		70 - 130				02/02/26 19:52	02/03/26 01:55	1
o-Terphenyl	101		70 - 130				02/02/26 19:52	02/03/26 01:55	1

**Method: EPA 300.0 - Anions, Ion Chromatography - Soluble**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	255		49.5		mg/Kg			02/03/26 10:43	5

### Client Sample Results

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed It B CTB

Job ID: 890-9440-1  
 SDG: Eddy County, NM

**Client Sample ID: CS - 11**

**Lab Sample ID: 890-9440-11**

Date Collected: 02/02/26 08:50

Matrix: Solid

Date Received: 02/02/26 15:28

Sample Depth: 0.25

**Method: SW846 8021B - Volatile Organic Compounds (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00198	U	0.00198		mg/Kg		02/02/26 20:00	02/03/26 05:47	1
Toluene	<0.00198	U	0.00198		mg/Kg		02/02/26 20:00	02/03/26 05:47	1
Ethylbenzene	<0.00198	U	0.00198		mg/Kg		02/02/26 20:00	02/03/26 05:47	1
m-Xylene & p-Xylene	<0.00396	U	0.00396		mg/Kg		02/02/26 20:00	02/03/26 05:47	1
o-Xylene	<0.00198	U	0.00198		mg/Kg		02/02/26 20:00	02/03/26 05:47	1
Xylenes, Total	<0.00396	U	0.00396		mg/Kg		02/02/26 20:00	02/03/26 05:47	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	117		70 - 130	02/02/26 20:00	02/03/26 05:47	1
1,4-Difluorobenzene (Surr)	117		70 - 130	02/02/26 20:00	02/03/26 05:47	1

**Method: TAL SOP Total BTEX - Total BTEX Calculation**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00396	U	0.00396		mg/Kg			02/03/26 05:47	1

**Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.8	U	49.8		mg/Kg			02/03/26 02:24	1

**Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.8	U	49.8		mg/Kg		02/02/26 19:52	02/03/26 02:24	1
Diesel Range Organics (Over C10-C28)	<49.8	U ** *1	49.8		mg/Kg		02/02/26 19:52	02/03/26 02:24	1
Oil Range Organics (Over C28-C36)	<49.8	U	49.8		mg/Kg		02/02/26 19:52	02/03/26 02:24	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	76		70 - 130	02/02/26 19:52	02/03/26 02:24	1
o-Terphenyl	83		70 - 130	02/02/26 19:52	02/03/26 02:24	1

**Method: EPA 300.0 - Anions, Ion Chromatography - Soluble**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	391		101		mg/Kg			02/03/26 10:59	10

**Client Sample ID: CS - 12**

**Lab Sample ID: 890-9440-12**

Date Collected: 02/02/26 08:55

Matrix: Solid

Date Received: 02/02/26 15:28

Sample Depth: 0.25

**Method: SW846 8021B - Volatile Organic Compounds (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		02/02/26 20:00	02/03/26 06:07	1
Toluene	<0.00200	U	0.00200		mg/Kg		02/02/26 20:00	02/03/26 06:07	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		02/02/26 20:00	02/03/26 06:07	1
m-Xylene & p-Xylene	<0.00399	U	0.00399		mg/Kg		02/02/26 20:00	02/03/26 06:07	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		02/02/26 20:00	02/03/26 06:07	1
Xylenes, Total	<0.00399	U	0.00399		mg/Kg		02/02/26 20:00	02/03/26 06:07	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	124		70 - 130	02/02/26 20:00	02/03/26 06:07	1

Eurofins Carlsbad

### Client Sample Results

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed It B CTB

Job ID: 890-9440-1  
 SDG: Eddy County, NM

**Client Sample ID: CS - 12**

**Lab Sample ID: 890-9440-12**

Date Collected: 02/02/26 08:55

Matrix: Solid

Date Received: 02/02/26 15:28

Sample Depth: 0.25

**Method: SW846 8021B - Volatile Organic Compounds (GC) (Continued)**

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,4-Difluorobenzene (Surr)	109		70 - 130	02/02/26 20:00	02/03/26 06:07	1

**Method: TAL SOP Total BTEX - Total BTEX Calculation**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00399	U	0.00399		mg/Kg			02/03/26 06:07	1

**Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.6	U	49.6		mg/Kg			02/03/26 02:38	1

**Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.6	U	49.6		mg/Kg		02/02/26 19:52	02/03/26 02:38	1
Diesel Range Organics (Over C10-C28)	<49.6	U ** *1	49.6		mg/Kg		02/02/26 19:52	02/03/26 02:38	1
Oil Range Organics (Over C28-C36)	<49.6	U	49.6		mg/Kg		02/02/26 19:52	02/03/26 02:38	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	92		70 - 130	02/02/26 19:52	02/03/26 02:38	1
o-Terphenyl	103		70 - 130	02/02/26 19:52	02/03/26 02:38	1

**Method: EPA 300.0 - Anions, Ion Chromatography - Soluble**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	1230		99.4		mg/Kg			02/03/26 11:04	10

**Client Sample ID: CS - 13**

**Lab Sample ID: 890-9440-13**

Date Collected: 02/02/26 09:00

Matrix: Solid

Date Received: 02/02/26 15:28

Sample Depth: 0.25

**Method: SW846 8021B - Volatile Organic Compounds (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00201	U	0.00201		mg/Kg		02/02/26 20:00	02/03/26 06:27	1
Toluene	<0.00201	U	0.00201		mg/Kg		02/02/26 20:00	02/03/26 06:27	1
Ethylbenzene	<0.00201	U	0.00201		mg/Kg		02/02/26 20:00	02/03/26 06:27	1
m-Xylene & p-Xylene	<0.00402	U	0.00402		mg/Kg		02/02/26 20:00	02/03/26 06:27	1
o-Xylene	<0.00201	U	0.00201		mg/Kg		02/02/26 20:00	02/03/26 06:27	1
Xylenes, Total	<0.00402	U	0.00402		mg/Kg		02/02/26 20:00	02/03/26 06:27	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	122		70 - 130	02/02/26 20:00	02/03/26 06:27	1
1,4-Difluorobenzene (Surr)	110		70 - 130	02/02/26 20:00	02/03/26 06:27	1

**Method: TAL SOP Total BTEX - Total BTEX Calculation**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00402	U	0.00402		mg/Kg			02/03/26 06:27	1

**Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.1	U	50.1		mg/Kg			02/03/26 02:52	1

Eurofins Carlsbad

### Client Sample Results

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed It B CTB

Job ID: 890-9440-1  
 SDG: Eddy County, NM

**Client Sample ID: CS - 13**

**Lab Sample ID: 890-9440-13**

Date Collected: 02/02/26 09:00

Matrix: Solid

Date Received: 02/02/26 15:28

Sample Depth: 0.25

**Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.1	U	50.1		mg/Kg		02/02/26 19:52	02/03/26 02:52	1
Diesel Range Organics (Over C10-C28)	<50.1	U ** *1	50.1		mg/Kg		02/02/26 19:52	02/03/26 02:52	1
Oil Range Organics (Over C28-C36)	<50.1	U	50.1		mg/Kg		02/02/26 19:52	02/03/26 02:52	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	91		70 - 130				02/02/26 19:52	02/03/26 02:52	1
o-Terphenyl	98		70 - 130				02/02/26 19:52	02/03/26 02:52	1

**Method: EPA 300.0 - Anions, Ion Chromatography - Soluble**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	2180		99.2		mg/Kg			02/03/26 11:20	10

**Client Sample ID: CS - 14**

**Lab Sample ID: 890-9440-14**

Date Collected: 02/02/26 09:05

Matrix: Solid

Date Received: 02/02/26 15:28

Sample Depth: 0.25

**Method: SW846 8021B - Volatile Organic Compounds (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00202	U	0.00202		mg/Kg		02/02/26 20:00	02/03/26 06:48	1
Toluene	<0.00202	U	0.00202		mg/Kg		02/02/26 20:00	02/03/26 06:48	1
Ethylbenzene	<0.00202	U	0.00202		mg/Kg		02/02/26 20:00	02/03/26 06:48	1
m-Xylene & p-Xylene	<0.00404	U	0.00404		mg/Kg		02/02/26 20:00	02/03/26 06:48	1
o-Xylene	<0.00202	U	0.00202		mg/Kg		02/02/26 20:00	02/03/26 06:48	1
Xylenes, Total	<0.00404	U	0.00404		mg/Kg		02/02/26 20:00	02/03/26 06:48	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	119		70 - 130				02/02/26 20:00	02/03/26 06:48	1
1,4-Difluorobenzene (Surr)	112		70 - 130				02/02/26 20:00	02/03/26 06:48	1

**Method: TAL SOP Total BTEX - Total BTEX Calculation**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00404	U	0.00404		mg/Kg			02/03/26 06:48	1

**Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			02/03/26 03:07	1

**Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		02/02/26 19:52	02/03/26 03:07	1
Diesel Range Organics (Over C10-C28)	<50.0	U ** *1	50.0		mg/Kg		02/02/26 19:52	02/03/26 03:07	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		02/02/26 19:52	02/03/26 03:07	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	99		70 - 130				02/02/26 19:52	02/03/26 03:07	1
o-Terphenyl	103		70 - 130				02/02/26 19:52	02/03/26 03:07	1

Eurofins Carlsbad

### Client Sample Results

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed It B CTB

Job ID: 890-9440-1  
 SDG: Eddy County, NM

**Client Sample ID: CS - 14**

**Lab Sample ID: 890-9440-14**

Date Collected: 02/02/26 09:05

Matrix: Solid

Date Received: 02/02/26 15:28

Sample Depth: 0.25

**Method: EPA 300.0 - Anions, Ion Chromatography - Soluble**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	2090		101		mg/Kg			02/03/26 11:25	10

**Client Sample ID: CS - 15**

**Lab Sample ID: 890-9440-15**

Date Collected: 02/02/26 09:10

Matrix: Solid

Date Received: 02/02/26 15:28

Sample Depth: 0.25

**Method: SW846 8021B - Volatile Organic Compounds (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		02/02/26 20:00	02/03/26 07:08	1
Toluene	<0.00199	U	0.00199		mg/Kg		02/02/26 20:00	02/03/26 07:08	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		02/02/26 20:00	02/03/26 07:08	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		02/02/26 20:00	02/03/26 07:08	1
o-Xylene	<0.00199	U	0.00199		mg/Kg		02/02/26 20:00	02/03/26 07:08	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		02/02/26 20:00	02/03/26 07:08	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
4-Bromofluorobenzene (Surr)	98		70 - 130				02/02/26 20:00	02/03/26 07:08	1
1,4-Difluorobenzene (Surr)	113		70 - 130				02/02/26 20:00	02/03/26 07:08	1

**Method: TAL SOP Total BTEX - Total BTEX Calculation**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			02/03/26 07:08	1

**Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			02/03/26 03:21	1

**Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		02/02/26 19:52	02/03/26 03:21	1
Diesel Range Organics (Over C10-C28)	<50.0	U *+ *1	50.0		mg/Kg		02/02/26 19:52	02/03/26 03:21	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		02/02/26 19:52	02/03/26 03:21	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
1-Chlorooctane	139	S1+	70 - 130				02/02/26 19:52	02/03/26 03:21	1
o-Terphenyl	192	S1+	70 - 130				02/02/26 19:52	02/03/26 03:21	1

**Method: EPA 300.0 - Anions, Ion Chromatography - Soluble**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	2690	F1	50.3		mg/Kg			02/03/26 09:51	5

### Client Sample Results

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed It B CTB

Job ID: 890-9440-1  
 SDG: Eddy County, NM

**Client Sample ID: CS - 16**  
**Date Collected: 02/02/26 09:15**  
**Date Received: 02/02/26 15:28**  
**Sample Depth: 0.25**

**Lab Sample ID: 890-9440-16**  
**Matrix: Solid**

**Method: SW846 8021B - Volatile Organic Compounds (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00198	U	0.00198		mg/Kg		02/02/26 20:00	02/03/26 07:28	1
Toluene	<0.00198	U	0.00198		mg/Kg		02/02/26 20:00	02/03/26 07:28	1
Ethylbenzene	<0.00198	U	0.00198		mg/Kg		02/02/26 20:00	02/03/26 07:28	1
m-Xylene & p-Xylene	<0.00396	U	0.00396		mg/Kg		02/02/26 20:00	02/03/26 07:28	1
o-Xylene	<0.00198	U	0.00198		mg/Kg		02/02/26 20:00	02/03/26 07:28	1
Xylenes, Total	<0.00396	U	0.00396		mg/Kg		02/02/26 20:00	02/03/26 07:28	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
4-Bromofluorobenzene (Surr)	65	S1-	70 - 130				02/02/26 20:00	02/03/26 07:28	1
1,4-Difluorobenzene (Surr)	82		70 - 130				02/02/26 20:00	02/03/26 07:28	1

**Method: TAL SOP Total BTEX - Total BTEX Calculation**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00396	U	0.00396		mg/Kg			02/03/26 07:28	1

**Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.8	U	49.8		mg/Kg			02/03/26 03:34	1

**Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.8	U	49.8		mg/Kg		02/02/26 19:52	02/03/26 03:34	1
Diesel Range Organics (Over C10-C28)	<49.8	U ** *1	49.8		mg/Kg		02/02/26 19:52	02/03/26 03:34	1
Oil Range Organics (Over C28-C36)	<49.8	U	49.8		mg/Kg		02/02/26 19:52	02/03/26 03:34	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
1-Chlorooctane	118		70 - 130				02/02/26 19:52	02/03/26 03:34	1
o-Terphenyl	126		70 - 130				02/02/26 19:52	02/03/26 03:34	1

**Method: EPA 300.0 - Anions, Ion Chromatography - Soluble**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	1470		101		mg/Kg			02/03/26 10:26	10

**Client Sample ID: CS - 17**  
**Date Collected: 02/02/26 09:20**  
**Date Received: 02/02/26 15:28**  
**Sample Depth: 0.25**

**Lab Sample ID: 890-9440-17**  
**Matrix: Solid**

**Method: SW846 8021B - Volatile Organic Compounds (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		02/02/26 20:00	02/03/26 07:49	1
Toluene	<0.00200	U	0.00200		mg/Kg		02/02/26 20:00	02/03/26 07:49	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		02/02/26 20:00	02/03/26 07:49	1
m-Xylene & p-Xylene	<0.00399	U	0.00399		mg/Kg		02/02/26 20:00	02/03/26 07:49	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		02/02/26 20:00	02/03/26 07:49	1
Xylenes, Total	<0.00399	U	0.00399		mg/Kg		02/02/26 20:00	02/03/26 07:49	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
4-Bromofluorobenzene (Surr)	76		70 - 130				02/02/26 20:00	02/03/26 07:49	1

Eurofins Carlsbad

### Client Sample Results

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed It B CTB

Job ID: 890-9440-1  
 SDG: Eddy County, NM

**Client Sample ID: CS - 17**

**Lab Sample ID: 890-9440-17**

Date Collected: 02/02/26 09:20

Matrix: Solid

Date Received: 02/02/26 15:28

Sample Depth: 0.25

**Method: SW846 8021B - Volatile Organic Compounds (GC) (Continued)**

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,4-Difluorobenzene (Surr)	87		70 - 130	02/02/26 20:00	02/03/26 07:49	1

**Method: TAL SOP Total BTEX - Total BTEX Calculation**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00399	U	0.00399		mg/Kg			02/03/26 07:49	1

**Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			02/03/26 11:29	1

**Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	49.9		mg/Kg		02/02/26 20:01	02/03/26 11:29	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		02/02/26 20:01	02/03/26 11:29	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		02/02/26 20:01	02/03/26 11:29	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	130		70 - 130	02/02/26 20:01	02/03/26 11:29	1
o-Terphenyl	144	S1+	70 - 130	02/02/26 20:01	02/03/26 11:29	1

**Method: EPA 300.0 - Anions, Ion Chromatography - Soluble**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	600		200		mg/Kg			02/03/26 10:06	20

**Client Sample ID: CS - 18**

**Lab Sample ID: 890-9440-18**

Date Collected: 02/02/26 09:25

Matrix: Solid

Date Received: 02/02/26 15:28

Sample Depth: 0.25

**Method: SW846 8021B - Volatile Organic Compounds (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00201	U	0.00201		mg/Kg		02/02/26 20:00	02/03/26 08:09	1
Toluene	<0.00201	U	0.00201		mg/Kg		02/02/26 20:00	02/03/26 08:09	1
Ethylbenzene	<0.00201	U	0.00201		mg/Kg		02/02/26 20:00	02/03/26 08:09	1
m-Xylene & p-Xylene	<0.00402	U	0.00402		mg/Kg		02/02/26 20:00	02/03/26 08:09	1
o-Xylene	<0.00201	U	0.00201		mg/Kg		02/02/26 20:00	02/03/26 08:09	1
Xylenes, Total	<0.00402	U	0.00402		mg/Kg		02/02/26 20:00	02/03/26 08:09	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	116		70 - 130	02/02/26 20:00	02/03/26 08:09	1
1,4-Difluorobenzene (Surr)	115		70 - 130	02/02/26 20:00	02/03/26 08:09	1

**Method: TAL SOP Total BTEX - Total BTEX Calculation**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00402	U	0.00402		mg/Kg			02/03/26 08:09	1

**Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.5	U	50.5		mg/Kg			02/03/26 04:03	1

Eurofins Carlsbad

### Client Sample Results

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed It B CTB

Job ID: 890-9440-1  
 SDG: Eddy County, NM

**Client Sample ID: CS - 18**

**Lab Sample ID: 890-9440-18**

Date Collected: 02/02/26 09:25

Matrix: Solid

Date Received: 02/02/26 15:28

Sample Depth: 0.25

**Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.5	U	50.5		mg/Kg		02/02/26 19:52	02/03/26 04:03	1
Diesel Range Organics (Over C10-C28)	<50.5	U ** *1	50.5		mg/Kg		02/02/26 19:52	02/03/26 04:03	1
Oil Range Organics (Over C28-C36)	<50.5	U	50.5		mg/Kg		02/02/26 19:52	02/03/26 04:03	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	113		70 - 130				02/02/26 19:52	02/03/26 04:03	1
o-Terphenyl	139	S1+	70 - 130				02/02/26 19:52	02/03/26 04:03	1

**Method: EPA 300.0 - Anions, Ion Chromatography - Soluble**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	4720		200		mg/Kg			02/03/26 10:13	20

**Client Sample ID: CS - 19**

**Lab Sample ID: 890-9440-19**

Date Collected: 02/02/26 09:30

Matrix: Solid

Date Received: 02/02/26 15:28

Sample Depth: 0.25

**Method: SW846 8021B - Volatile Organic Compounds (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00202	U	0.00202		mg/Kg		02/02/26 20:00	02/03/26 08:30	1
Toluene	<0.00202	U	0.00202		mg/Kg		02/02/26 20:00	02/03/26 08:30	1
Ethylbenzene	<0.00202	U	0.00202		mg/Kg		02/02/26 20:00	02/03/26 08:30	1
m-Xylene & p-Xylene	<0.00404	U	0.00404		mg/Kg		02/02/26 20:00	02/03/26 08:30	1
o-Xylene	<0.00202	U	0.00202		mg/Kg		02/02/26 20:00	02/03/26 08:30	1
Xylenes, Total	<0.00404	U	0.00404		mg/Kg		02/02/26 20:00	02/03/26 08:30	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	123		70 - 130				02/02/26 20:00	02/03/26 08:30	1
1,4-Difluorobenzene (Surr)	110		70 - 130				02/02/26 20:00	02/03/26 08:30	1

**Method: TAL SOP Total BTEX - Total BTEX Calculation**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00404	U	0.00404		mg/Kg			02/03/26 08:30	1

**Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			02/03/26 04:17	1

**Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		02/02/26 19:52	02/03/26 04:17	1
Diesel Range Organics (Over C10-C28)	<50.0	U ** *1	50.0		mg/Kg		02/02/26 19:52	02/03/26 04:17	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		02/02/26 19:52	02/03/26 04:17	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	97		70 - 130				02/02/26 19:52	02/03/26 04:17	1
o-Terphenyl	103		70 - 130				02/02/26 19:52	02/03/26 04:17	1

Eurofins Carlsbad

### Client Sample Results

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed It B CTB

Job ID: 890-9440-1  
 SDG: Eddy County, NM

**Client Sample ID: CS - 19**  
 Date Collected: 02/02/26 09:30  
 Date Received: 02/02/26 15:28  
 Sample Depth: 0.25

**Lab Sample ID: 890-9440-19**  
 Matrix: Solid

**Method: EPA 300.0 - Anions, Ion Chromatography - Soluble**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	6130		99.2		mg/Kg			02/03/26 10:19	10

**Client Sample ID: CS - 20**  
 Date Collected: 02/02/26 09:35  
 Date Received: 02/02/26 15:28  
 Sample Depth: 0.25

**Lab Sample ID: 890-9440-20**  
 Matrix: Solid

**Method: SW846 8021B - Volatile Organic Compounds (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		02/02/26 20:00	02/03/26 08:50	1
Toluene	<0.00199	U	0.00199		mg/Kg		02/02/26 20:00	02/03/26 08:50	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		02/02/26 20:00	02/03/26 08:50	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		02/02/26 20:00	02/03/26 08:50	1
o-Xylene	<0.00199	U	0.00199		mg/Kg		02/02/26 20:00	02/03/26 08:50	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		02/02/26 20:00	02/03/26 08:50	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
4-Bromofluorobenzene (Surr)	116		70 - 130				02/02/26 20:00	02/03/26 08:50	1
1,4-Difluorobenzene (Surr)	113		70 - 130				02/02/26 20:00	02/03/26 08:50	1

**Method: TAL SOP Total BTEX - Total BTEX Calculation**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			02/03/26 08:50	1

**Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			02/03/26 04:32	1

**Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		02/02/26 19:52	02/03/26 04:32	1
Diesel Range Organics (Over C10-C28)	<50.0	U *+ *1	50.0		mg/Kg		02/02/26 19:52	02/03/26 04:32	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		02/02/26 19:52	02/03/26 04:32	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
1-Chlorooctane	114		70 - 130				02/02/26 19:52	02/03/26 04:32	1
o-Terphenyl	141	S1+	70 - 130				02/02/26 19:52	02/03/26 04:32	1

**Method: EPA 300.0 - Anions, Ion Chromatography - Soluble**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	187		99.0		mg/Kg			02/03/26 10:46	10

### Client Sample Results

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed It B CTB

Job ID: 890-9440-1  
 SDG: Eddy County, NM

**Client Sample ID: CS - 21**

**Lab Sample ID: 890-9440-21**

Date Collected: 02/02/26 09:40

Matrix: Solid

Date Received: 02/02/26 15:28

Sample Depth: 0.25

**Method: SW846 8021B - Volatile Organic Compounds (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U F1	0.00200		mg/Kg		02/02/26 20:00	02/02/26 21:23	1
Toluene	<0.00200	U F1	0.00200		mg/Kg		02/02/26 20:00	02/02/26 21:23	1
Ethylbenzene	<0.00200	U F1	0.00200		mg/Kg		02/02/26 20:00	02/02/26 21:23	1
m-Xylene & p-Xylene	<0.00399	U F1	0.00399		mg/Kg		02/02/26 20:00	02/02/26 21:23	1
o-Xylene	<0.00200	U F1	0.00200		mg/Kg		02/02/26 20:00	02/02/26 21:23	1
Xylenes, Total	<0.00399	U F1	0.00399		mg/Kg		02/02/26 20:00	02/02/26 21:23	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	103		70 - 130	02/02/26 20:00	02/02/26 21:23	1
1,4-Difluorobenzene (Surr)	92		70 - 130	02/02/26 20:00	02/02/26 21:23	1

**Method: TAL SOP Total BTEX - Total BTEX Calculation**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00399	U	0.00399		mg/Kg			02/02/26 21:23	1

**Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.8	U	49.8		mg/Kg			02/02/26 23:20	1

**Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.8	U	49.8		mg/Kg		02/02/26 19:57	02/02/26 23:20	1
Diesel Range Organics (Over C10-C28)	<49.8	U	49.8		mg/Kg		02/02/26 19:57	02/02/26 23:20	1
Oil Range Organics (Over C28-C36)	<49.8	U	49.8		mg/Kg		02/02/26 19:57	02/02/26 23:20	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	112		70 - 130	02/02/26 19:57	02/02/26 23:20	1
o-Terphenyl	126		70 - 130	02/02/26 19:57	02/02/26 23:20	1

**Method: EPA 300.0 - Anions, Ion Chromatography - Soluble**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	4920		202		mg/Kg			02/03/26 10:53	20

**Client Sample ID: CS - 22**

**Lab Sample ID: 890-9440-22**

Date Collected: 02/02/26 09:45

Matrix: Solid

Date Received: 02/02/26 15:28

Sample Depth: 0.25

**Method: SW846 8021B - Volatile Organic Compounds (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00201	U	0.00201		mg/Kg		02/02/26 20:00	02/02/26 21:44	1
Toluene	<0.00201	U	0.00201		mg/Kg		02/02/26 20:00	02/02/26 21:44	1
Ethylbenzene	<0.00201	U	0.00201		mg/Kg		02/02/26 20:00	02/02/26 21:44	1
m-Xylene & p-Xylene	<0.00402	U	0.00402		mg/Kg		02/02/26 20:00	02/02/26 21:44	1
o-Xylene	<0.00201	U	0.00201		mg/Kg		02/02/26 20:00	02/02/26 21:44	1
Xylenes, Total	<0.00402	U	0.00402		mg/Kg		02/02/26 20:00	02/02/26 21:44	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	102		70 - 130	02/02/26 20:00	02/02/26 21:44	1

Eurofins Carlsbad

### Client Sample Results

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed It B CTB

Job ID: 890-9440-1  
 SDG: Eddy County, NM

**Client Sample ID: CS - 22**

**Lab Sample ID: 890-9440-22**

Date Collected: 02/02/26 09:45

Matrix: Solid

Date Received: 02/02/26 15:28

Sample Depth: 0.25

**Method: SW846 8021B - Volatile Organic Compounds (GC) (Continued)**

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,4-Difluorobenzene (Surr)	96		70 - 130	02/02/26 20:00	02/02/26 21:44	1

**Method: TAL SOP Total BTEX - Total BTEX Calculation**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00402	U	0.00402		mg/Kg			02/02/26 21:44	1

**Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.2	U	50.2		mg/Kg			02/03/26 00:02	1

**Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.2	U	50.2		mg/Kg		02/02/26 19:57	02/03/26 00:02	1
Diesel Range Organics (Over C10-C28)	<50.2	U	50.2		mg/Kg		02/02/26 19:57	02/03/26 00:02	1
Oil Range Organics (Over C28-C36)	<50.2	U	50.2		mg/Kg		02/02/26 19:57	02/03/26 00:02	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	92		70 - 130	02/02/26 19:57	02/03/26 00:02	1
o-Terphenyl	106		70 - 130	02/02/26 19:57	02/03/26 00:02	1

**Method: EPA 300.0 - Anions, Ion Chromatography - Soluble**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	2660		99.4		mg/Kg			02/03/26 11:00	10

**Client Sample ID: CS - 23**

**Lab Sample ID: 890-9440-23**

Date Collected: 02/02/26 09:50

Matrix: Solid

Date Received: 02/02/26 15:28

Sample Depth: 0.25

**Method: SW846 8021B - Volatile Organic Compounds (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00202	U	0.00202		mg/Kg		02/02/26 20:00	02/02/26 22:05	1
Toluene	<0.00202	U	0.00202		mg/Kg		02/02/26 20:00	02/02/26 22:05	1
Ethylbenzene	<0.00202	U	0.00202		mg/Kg		02/02/26 20:00	02/02/26 22:05	1
m-Xylene & p-Xylene	<0.00404	U	0.00404		mg/Kg		02/02/26 20:00	02/02/26 22:05	1
o-Xylene	<0.00202	U	0.00202		mg/Kg		02/02/26 20:00	02/02/26 22:05	1
Xylenes, Total	<0.00404	U	0.00404		mg/Kg		02/02/26 20:00	02/02/26 22:05	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	101		70 - 130	02/02/26 20:00	02/02/26 22:05	1
1,4-Difluorobenzene (Surr)	93		70 - 130	02/02/26 20:00	02/02/26 22:05	1

**Method: TAL SOP Total BTEX - Total BTEX Calculation**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00404	U	0.00404		mg/Kg			02/02/26 22:05	1

**Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			02/03/26 00:16	1

Eurofins Carlsbad

### Client Sample Results

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed It B CTB

Job ID: 890-9440-1  
 SDG: Eddy County, NM

**Client Sample ID: CS - 23**

**Lab Sample ID: 890-9440-23**

Date Collected: 02/02/26 09:50

Matrix: Solid

Date Received: 02/02/26 15:28

Sample Depth: 0.25

**Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		02/02/26 19:57	02/03/26 00:16	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		02/02/26 19:57	02/03/26 00:16	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		02/02/26 19:57	02/03/26 00:16	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	89		70 - 130				02/02/26 19:57	02/03/26 00:16	1
o-Terphenyl	106		70 - 130				02/02/26 19:57	02/03/26 00:16	1

**Method: EPA 300.0 - Anions, Ion Chromatography - Soluble**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	1400		50.0		mg/Kg			02/03/26 11:15	5

**Client Sample ID: CS - 24**

**Lab Sample ID: 890-9440-24**

Date Collected: 02/02/26 09:55

Matrix: Solid

Date Received: 02/02/26 15:28

Sample Depth: 0.25

**Method: SW846 8021B - Volatile Organic Compounds (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		02/02/26 20:00	02/02/26 22:25	1
Toluene	<0.00199	U	0.00199		mg/Kg		02/02/26 20:00	02/02/26 22:25	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		02/02/26 20:00	02/02/26 22:25	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		02/02/26 20:00	02/02/26 22:25	1
o-Xylene	<0.00199	U	0.00199		mg/Kg		02/02/26 20:00	02/02/26 22:25	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		02/02/26 20:00	02/02/26 22:25	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	102		70 - 130				02/02/26 20:00	02/02/26 22:25	1
1,4-Difluorobenzene (Surr)	95		70 - 130				02/02/26 20:00	02/02/26 22:25	1

**Method: TAL SOP Total BTEX - Total BTEX Calculation**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			02/02/26 22:25	1

**Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.1	U	50.1		mg/Kg			02/03/26 00:30	1

**Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.1	U	50.1		mg/Kg		02/02/26 19:57	02/03/26 00:30	1
Diesel Range Organics (Over C10-C28)	<50.1	U	50.1		mg/Kg		02/02/26 19:57	02/03/26 00:30	1
Oil Range Organics (Over C28-C36)	<50.1	U	50.1		mg/Kg		02/02/26 19:57	02/03/26 00:30	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	99		70 - 130				02/02/26 19:57	02/03/26 00:30	1
o-Terphenyl	113		70 - 130				02/02/26 19:57	02/03/26 00:30	1

Eurofins Carlsbad

### Client Sample Results

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed It B CTB

Job ID: 890-9440-1  
 SDG: Eddy County, NM

**Client Sample ID: CS - 24**  
 Date Collected: 02/02/26 09:55  
 Date Received: 02/02/26 15:28  
 Sample Depth: 0.25

**Lab Sample ID: 890-9440-24**  
 Matrix: Solid

**Method: EPA 300.0 - Anions, Ion Chromatography - Soluble**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	3280		99.8		mg/Kg			02/03/26 11:08	10

**Client Sample ID: CS - 25**  
 Date Collected: 02/02/26 10:00  
 Date Received: 02/02/26 15:28  
 Sample Depth: 0.25

**Lab Sample ID: 890-9440-25**  
 Matrix: Solid

**Method: SW846 8021B - Volatile Organic Compounds (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00198	U	0.00198		mg/Kg		02/02/26 20:00	02/02/26 22:46	1
Toluene	<0.00198	U	0.00198		mg/Kg		02/02/26 20:00	02/02/26 22:46	1
Ethylbenzene	<0.00198	U	0.00198		mg/Kg		02/02/26 20:00	02/02/26 22:46	1
m-Xylene & p-Xylene	<0.00396	U	0.00396		mg/Kg		02/02/26 20:00	02/02/26 22:46	1
o-Xylene	<0.00198	U	0.00198		mg/Kg		02/02/26 20:00	02/02/26 22:46	1
Xylenes, Total	<0.00396	U	0.00396		mg/Kg		02/02/26 20:00	02/02/26 22:46	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
4-Bromofluorobenzene (Surr)	104		70 - 130				02/02/26 20:00	02/02/26 22:46	1
1,4-Difluorobenzene (Surr)	94		70 - 130				02/02/26 20:00	02/02/26 22:46	1

**Method: TAL SOP Total BTEX - Total BTEX Calculation**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00396	U	0.00396		mg/Kg			02/02/26 22:46	1

**Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			02/03/26 00:44	1

**Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		02/02/26 19:57	02/03/26 00:44	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		02/02/26 19:57	02/03/26 00:44	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		02/02/26 19:57	02/03/26 00:44	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
1-Chlorooctane	100		70 - 130				02/02/26 19:57	02/03/26 00:44	1
o-Terphenyl	115		70 - 130				02/02/26 19:57	02/03/26 00:44	1

**Method: EPA 300.0 - Anions, Ion Chromatography - Soluble**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	2580	F1	99.6		mg/Kg			02/03/26 11:22	10

### Client Sample Results

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed It B CTB

Job ID: 890-9440-1  
 SDG: Eddy County, NM

**Client Sample ID: CS - 26**

**Lab Sample ID: 890-9440-26**

Date Collected: 02/02/26 10:05

Matrix: Solid

Date Received: 02/02/26 15:28

Sample Depth: 0.25

**Method: SW846 8021B - Volatile Organic Compounds (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		02/02/26 20:00	02/02/26 23:06	1
Toluene	<0.00200	U	0.00200		mg/Kg		02/02/26 20:00	02/02/26 23:06	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		02/02/26 20:00	02/02/26 23:06	1
m-Xylene & p-Xylene	<0.00400	U	0.00400		mg/Kg		02/02/26 20:00	02/02/26 23:06	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		02/02/26 20:00	02/02/26 23:06	1
Xylenes, Total	<0.00400	U	0.00400		mg/Kg		02/02/26 20:00	02/02/26 23:06	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	103		70 - 130	02/02/26 20:00	02/02/26 23:06	1
1,4-Difluorobenzene (Surr)	91		70 - 130	02/02/26 20:00	02/02/26 23:06	1

**Method: TAL SOP Total BTEX - Total BTEX Calculation**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00400	U	0.00400		mg/Kg			02/02/26 23:06	1

**Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.8	U	49.8		mg/Kg			02/03/26 00:58	1

**Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.8	U	49.8		mg/Kg		02/02/26 19:57	02/03/26 00:58	1
Diesel Range Organics (Over C10-C28)	<49.8	U	49.8		mg/Kg		02/02/26 19:57	02/03/26 00:58	1
Oil Range Organics (Over C28-C36)	<49.8	U	49.8		mg/Kg		02/02/26 19:57	02/03/26 00:58	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	93		70 - 130	02/02/26 19:57	02/03/26 00:58	1
o-Terphenyl	109		70 - 130	02/02/26 19:57	02/03/26 00:58	1

**Method: EPA 300.0 - Anions, Ion Chromatography - Soluble**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	1330		50.5		mg/Kg			02/03/26 11:42	5

**Client Sample ID: CS - 27**

**Lab Sample ID: 890-9440-27**

Date Collected: 02/02/26 10:10

Matrix: Solid

Date Received: 02/02/26 15:28

Sample Depth: 0.25

**Method: SW846 8021B - Volatile Organic Compounds (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		02/02/26 20:00	02/02/26 23:27	1
Toluene	<0.00200	U	0.00200		mg/Kg		02/02/26 20:00	02/02/26 23:27	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		02/02/26 20:00	02/02/26 23:27	1
m-Xylene & p-Xylene	<0.00399	U	0.00399		mg/Kg		02/02/26 20:00	02/02/26 23:27	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		02/02/26 20:00	02/02/26 23:27	1
Xylenes, Total	<0.00399	U	0.00399		mg/Kg		02/02/26 20:00	02/02/26 23:27	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	98		70 - 130	02/02/26 20:00	02/02/26 23:27	1

Eurofins Carlsbad

### Client Sample Results

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed It B CTB

Job ID: 890-9440-1  
 SDG: Eddy County, NM

**Client Sample ID: CS - 27**

**Lab Sample ID: 890-9440-27**

Date Collected: 02/02/26 10:10

Matrix: Solid

Date Received: 02/02/26 15:28

Sample Depth: 0.25

**Method: SW846 8021B - Volatile Organic Compounds (GC) (Continued)**

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,4-Difluorobenzene (Surr)	92		70 - 130	02/02/26 20:00	02/02/26 23:27	1

**Method: TAL SOP Total BTEX - Total BTEX Calculation**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00399	U	0.00399		mg/Kg			02/02/26 23:27	1

**Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.1	U	50.1		mg/Kg			02/03/26 01:12	1

**Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.1	U	50.1		mg/Kg		02/02/26 19:57	02/03/26 01:12	1
Diesel Range Organics (Over C10-C28)	<50.1	U	50.1		mg/Kg		02/02/26 19:57	02/03/26 01:12	1
Oil Range Organics (Over C28-C36)	<50.1	U	50.1		mg/Kg		02/02/26 19:57	02/03/26 01:12	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	102		70 - 130	02/02/26 19:57	02/03/26 01:12	1
o-Terphenyl	119		70 - 130	02/02/26 19:57	02/03/26 01:12	1

**Method: EPA 300.0 - Anions, Ion Chromatography - Soluble**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	1230		50.0		mg/Kg			02/03/26 11:48	5

**Client Sample ID: CS - 28**

**Lab Sample ID: 890-9440-28**

Date Collected: 02/02/26 10:15

Matrix: Solid

Date Received: 02/02/26 15:28

Sample Depth: 0.25

**Method: SW846 8021B - Volatile Organic Compounds (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00201	U	0.00201		mg/Kg		02/03/26 20:00	02/02/26 23:48	1
Toluene	<0.00201	U	0.00201		mg/Kg		02/03/26 20:00	02/02/26 23:48	1
Ethylbenzene	<0.00201	U	0.00201		mg/Kg		02/03/26 20:00	02/02/26 23:48	1
m-Xylene & p-Xylene	<0.00402	U	0.00402		mg/Kg		02/03/26 20:00	02/02/26 23:48	1
o-Xylene	<0.00201	U	0.00201		mg/Kg		02/03/26 20:00	02/02/26 23:48	1
Xylenes, Total	<0.00402	U	0.00402		mg/Kg		02/03/26 20:00	02/02/26 23:48	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	104		70 - 130	02/03/26 20:00	02/02/26 23:48	1
1,4-Difluorobenzene (Surr)	94		70 - 130	02/03/26 20:00	02/02/26 23:48	1

**Method: TAL SOP Total BTEX - Total BTEX Calculation**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00402	U	0.00402		mg/Kg			02/02/26 23:48	1

**Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.7	U	49.7		mg/Kg			02/03/26 01:27	1

Eurofins Carlsbad

### Client Sample Results

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed It B CTB

Job ID: 890-9440-1  
 SDG: Eddy County, NM

**Client Sample ID: CS - 28**

**Lab Sample ID: 890-9440-28**

Date Collected: 02/02/26 10:15

Matrix: Solid

Date Received: 02/02/26 15:28

Sample Depth: 0.25

**Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.7	U	49.7		mg/Kg		02/02/26 19:57	02/03/26 01:27	1
Diesel Range Organics (Over C10-C28)	<49.7	U	49.7		mg/Kg		02/02/26 19:57	02/03/26 01:27	1
Oil Range Organics (Over C28-C36)	<49.7	U	49.7		mg/Kg		02/02/26 19:57	02/03/26 01:27	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	102		70 - 130				02/02/26 19:57	02/03/26 01:27	1
o-Terphenyl	114		70 - 130				02/02/26 19:57	02/03/26 01:27	1

**Method: EPA 300.0 - Anions, Ion Chromatography - Soluble**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	539		50.0		mg/Kg			02/03/26 12:09	5

**Client Sample ID: CS - 29**

**Lab Sample ID: 890-9440-29**

Date Collected: 02/02/26 10:20

Matrix: Solid

Date Received: 02/02/26 15:28

Sample Depth: 0.25

**Method: SW846 8021B - Volatile Organic Compounds (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00202	U	0.00202		mg/Kg		02/02/26 20:00	02/03/26 00:08	1
Toluene	<0.00202	U	0.00202		mg/Kg		02/02/26 20:00	02/03/26 00:08	1
Ethylbenzene	<0.00202	U	0.00202		mg/Kg		02/02/26 20:00	02/03/26 00:08	1
m-Xylene & p-Xylene	<0.00404	U	0.00404		mg/Kg		02/02/26 20:00	02/03/26 00:08	1
o-Xylene	<0.00202	U	0.00202		mg/Kg		02/02/26 20:00	02/03/26 00:08	1
Xylenes, Total	<0.00404	U	0.00404		mg/Kg		02/02/26 20:00	02/03/26 00:08	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	89		70 - 130				02/02/26 20:00	02/03/26 00:08	1
1,4-Difluorobenzene (Surr)	87		70 - 130				02/02/26 20:00	02/03/26 00:08	1

**Method: TAL SOP Total BTEX - Total BTEX Calculation**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00404	U	0.00404		mg/Kg			02/03/26 00:08	1

**Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.6	U	49.6		mg/Kg			02/03/26 01:40	1

**Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.6	U	49.6		mg/Kg		02/02/26 19:57	02/03/26 01:40	1
Diesel Range Organics (Over C10-C28)	<49.6	U	49.6		mg/Kg		02/02/26 19:57	02/03/26 01:40	1
Oil Range Organics (Over C28-C36)	<49.6	U	49.6		mg/Kg		02/02/26 19:57	02/03/26 01:40	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	102		70 - 130				02/02/26 19:57	02/03/26 01:40	1
o-Terphenyl	115		70 - 130				02/02/26 19:57	02/03/26 01:40	1

Eurofins Carlsbad

### Client Sample Results

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed It B CTB

Job ID: 890-9440-1  
 SDG: Eddy County, NM

**Client Sample ID: CS - 29**

**Lab Sample ID: 890-9440-29**

Date Collected: 02/02/26 10:20

Matrix: Solid

Date Received: 02/02/26 15:28

Sample Depth: 0.25

**Method: EPA 300.0 - Anions, Ion Chromatography - Soluble**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	870		50.4		mg/Kg			02/03/26 12:25	5

**Client Sample ID: CS - 30**

**Lab Sample ID: 890-9440-30**

Date Collected: 02/02/26 10:25

Matrix: Solid

Date Received: 02/02/26 15:28

Sample Depth: 0.25

**Method: SW846 8021B - Volatile Organic Compounds (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		02/02/26 20:00	02/03/26 00:29	1
Toluene	<0.00199	U	0.00199		mg/Kg		02/02/26 20:00	02/03/26 00:29	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		02/02/26 20:00	02/03/26 00:29	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		02/02/26 20:00	02/03/26 00:29	1
o-Xylene	<0.00199	U	0.00199		mg/Kg		02/02/26 20:00	02/03/26 00:29	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		02/02/26 20:00	02/03/26 00:29	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
4-Bromofluorobenzene (Surr)	101		70 - 130				02/02/26 20:00	02/03/26 00:29	1
1,4-Difluorobenzene (Surr)	93		70 - 130				02/02/26 20:00	02/03/26 00:29	1

**Method: TAL SOP Total BTEX - Total BTEX Calculation**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			02/03/26 00:29	1

**Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			02/03/26 01:55	1

**Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		02/02/26 19:57	02/03/26 01:55	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		02/02/26 19:57	02/03/26 01:55	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		02/02/26 19:57	02/03/26 01:55	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
1-Chlorooctane	103		70 - 130				02/02/26 19:57	02/03/26 01:55	1
o-Terphenyl	118		70 - 130				02/02/26 19:57	02/03/26 01:55	1

**Method: EPA 300.0 - Anions, Ion Chromatography - Soluble**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	4390		99.4		mg/Kg			02/03/26 11:04	10

### Client Sample Results

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed It B CTB

Job ID: 890-9440-1  
 SDG: Eddy County, NM

**Client Sample ID: CS - 31**

**Lab Sample ID: 890-9440-31**

Date Collected: 02/02/26 10:30

Matrix: Solid

Date Received: 02/02/26 15:28

Sample Depth: 0.25

**Method: SW846 8021B - Volatile Organic Compounds (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00198	U	0.00198		mg/Kg		02/02/26 20:00	02/03/26 02:04	1
Toluene	<0.00198	U	0.00198		mg/Kg		02/02/26 20:00	02/03/26 02:04	1
Ethylbenzene	<0.00198	U	0.00198		mg/Kg		02/02/26 20:00	02/03/26 02:04	1
m-Xylene & p-Xylene	<0.00396	U	0.00396		mg/Kg		02/02/26 20:00	02/03/26 02:04	1
o-Xylene	<0.00198	U	0.00198		mg/Kg		02/02/26 20:00	02/03/26 02:04	1
Xylenes, Total	<0.00396	U	0.00396		mg/Kg		02/02/26 20:00	02/03/26 02:04	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	106		70 - 130	02/02/26 20:00	02/03/26 02:04	1
1,4-Difluorobenzene (Surr)	90		70 - 130	02/02/26 20:00	02/03/26 02:04	1

**Method: TAL SOP Total BTEX - Total BTEX Calculation**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00396	U	0.00396		mg/Kg			02/03/26 02:04	1

**Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.8	U	49.8		mg/Kg			02/03/26 02:24	1

**Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.8	U	49.8		mg/Kg		02/02/26 19:57	02/03/26 02:24	1
Diesel Range Organics (Over C10-C28)	<49.8	U	49.8		mg/Kg		02/02/26 19:57	02/03/26 02:24	1
Oil Range Organics (Over C28-C36)	<49.8	U	49.8		mg/Kg		02/02/26 19:57	02/03/26 02:24	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	106		70 - 130	02/02/26 19:57	02/03/26 02:24	1
o-Terphenyl	122		70 - 130	02/02/26 19:57	02/03/26 02:24	1

**Method: EPA 300.0 - Anions, Ion Chromatography - Soluble**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	4920		99.2		mg/Kg			02/03/26 11:20	10

**Client Sample ID: CS - 32**

**Lab Sample ID: 890-9440-32**

Date Collected: 02/02/26 10:35

Matrix: Solid

Date Received: 02/02/26 15:28

Sample Depth: 0.25

**Method: SW846 8021B - Volatile Organic Compounds (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		02/02/26 20:00	02/03/26 02:24	1
Toluene	<0.00200	U	0.00200		mg/Kg		02/02/26 20:00	02/03/26 02:24	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		02/02/26 20:00	02/03/26 02:24	1
m-Xylene & p-Xylene	<0.00399	U	0.00399		mg/Kg		02/02/26 20:00	02/03/26 02:24	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		02/02/26 20:00	02/03/26 02:24	1
Xylenes, Total	<0.00399	U	0.00399		mg/Kg		02/02/26 20:00	02/03/26 02:24	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	94		70 - 130	02/02/26 20:00	02/03/26 02:24	1

Eurofins Carlsbad

### Client Sample Results

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed It B CTB

Job ID: 890-9440-1  
 SDG: Eddy County, NM

**Client Sample ID: CS - 32**

**Lab Sample ID: 890-9440-32**

Date Collected: 02/02/26 10:35

Matrix: Solid

Date Received: 02/02/26 15:28

Sample Depth: 0.25

**Method: SW846 8021B - Volatile Organic Compounds (GC) (Continued)**

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,4-Difluorobenzene (Surr)	95		70 - 130	02/02/26 20:00	02/03/26 02:24	1

**Method: TAL SOP Total BTEX - Total BTEX Calculation**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00399	U	0.00399		mg/Kg			02/03/26 02:24	1

**Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.2	U	50.2		mg/Kg			02/03/26 02:38	1

**Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.2	U	50.2		mg/Kg		02/02/26 19:57	02/03/26 02:38	1
Diesel Range Organics (Over C10-C28)	<50.2	U	50.2		mg/Kg		02/02/26 19:57	02/03/26 02:38	1
Oil Range Organics (Over C28-C36)	<50.2	U	50.2		mg/Kg		02/02/26 19:57	02/03/26 02:38	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	87		70 - 130	02/02/26 19:57	02/03/26 02:38	1
o-Terphenyl	98		70 - 130	02/02/26 19:57	02/03/26 02:38	1

**Method: EPA 300.0 - Anions, Ion Chromatography - Soluble**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	730		49.8		mg/Kg			02/03/26 11:25	5

**Client Sample ID: CS - 33**

**Lab Sample ID: 890-9440-33**

Date Collected: 02/02/26 10:40

Matrix: Solid

Date Received: 02/02/26 15:28

Sample Depth: 0.25

**Method: SW846 8021B - Volatile Organic Compounds (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00201	U	0.00201		mg/Kg		02/02/26 20:00	02/03/26 02:45	1
Toluene	<0.00201	U	0.00201		mg/Kg		02/02/26 20:00	02/03/26 02:45	1
Ethylbenzene	<0.00201	U	0.00201		mg/Kg		02/02/26 20:00	02/03/26 02:45	1
m-Xylene & p-Xylene	<0.00402	U	0.00402		mg/Kg		02/02/26 20:00	02/03/26 02:45	1
o-Xylene	<0.00201	U	0.00201		mg/Kg		02/02/26 20:00	02/03/26 02:45	1
Xylenes, Total	<0.00402	U	0.00402		mg/Kg		02/02/26 20:00	02/03/26 02:45	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	102		70 - 130	02/02/26 20:00	02/03/26 02:45	1
1,4-Difluorobenzene (Surr)	91		70 - 130	02/02/26 20:00	02/03/26 02:45	1

**Method: TAL SOP Total BTEX - Total BTEX Calculation**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00402	U	0.00402		mg/Kg			02/03/26 02:45	1

**Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.8	U	49.8		mg/Kg			02/03/26 02:52	1

Eurofins Carlsbad

### Client Sample Results

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed It B CTB

Job ID: 890-9440-1  
 SDG: Eddy County, NM

**Client Sample ID: CS - 33**

**Lab Sample ID: 890-9440-33**

Date Collected: 02/02/26 10:40

Matrix: Solid

Date Received: 02/02/26 15:28

Sample Depth: 0.25

**Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.8	U	49.8		mg/Kg		02/02/26 19:57	02/03/26 02:52	1
Diesel Range Organics (Over C10-C28)	<49.8	U	49.8		mg/Kg		02/02/26 19:57	02/03/26 02:52	1
Oil Range Organics (Over C28-C36)	<49.8	U	49.8		mg/Kg		02/02/26 19:57	02/03/26 02:52	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	93		70 - 130				02/02/26 19:57	02/03/26 02:52	1
o-Terphenyl	107		70 - 130				02/02/26 19:57	02/03/26 02:52	1

**Method: EPA 300.0 - Anions, Ion Chromatography - Soluble**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	5000		202		mg/Kg			02/03/26 11:30	20

**Client Sample ID: CS - 34**

**Lab Sample ID: 890-9440-34**

Date Collected: 02/02/26 10:45

Matrix: Solid

Date Received: 02/02/26 15:28

Sample Depth: 0.25

**Method: SW846 8021B - Volatile Organic Compounds (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00202	U	0.00202		mg/Kg		02/02/26 20:00	02/03/26 03:05	1
Toluene	<0.00202	U	0.00202		mg/Kg		02/02/26 20:00	02/03/26 03:05	1
Ethylbenzene	<0.00202	U	0.00202		mg/Kg		02/02/26 20:00	02/03/26 03:05	1
m-Xylene & p-Xylene	<0.00404	U	0.00404		mg/Kg		02/02/26 20:00	02/03/26 03:05	1
o-Xylene	<0.00202	U	0.00202		mg/Kg		02/02/26 20:00	02/03/26 03:05	1
Xylenes, Total	<0.00404	U	0.00404		mg/Kg		02/02/26 20:00	02/03/26 03:05	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	97		70 - 130				02/02/26 20:00	02/03/26 03:05	1
1,4-Difluorobenzene (Surr)	93		70 - 130				02/02/26 20:00	02/03/26 03:05	1

**Method: TAL SOP Total BTEX - Total BTEX Calculation**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00404	U	0.00404		mg/Kg			02/03/26 03:05	1

**Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.1	U	50.1		mg/Kg			02/03/26 03:07	1

**Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.1	U	50.1		mg/Kg		02/02/26 19:57	02/03/26 03:07	1
Diesel Range Organics (Over C10-C28)	<50.1	U	50.1		mg/Kg		02/02/26 19:57	02/03/26 03:07	1
Oil Range Organics (Over C28-C36)	<50.1	U	50.1		mg/Kg		02/02/26 19:57	02/03/26 03:07	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	101		70 - 130				02/02/26 19:57	02/03/26 03:07	1
o-Terphenyl	114		70 - 130				02/02/26 19:57	02/03/26 03:07	1

Eurofins Carlsbad

### Client Sample Results

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed It B CTB

Job ID: 890-9440-1  
 SDG: Eddy County, NM

**Client Sample ID: CS - 34**  
 Date Collected: 02/02/26 10:45  
 Date Received: 02/02/26 15:28  
 Sample Depth: 0.25

**Lab Sample ID: 890-9440-34**  
 Matrix: Solid

**Method: EPA 300.0 - Anions, Ion Chromatography - Soluble**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	320		49.8		mg/Kg			02/03/26 11:36	5

**Client Sample ID: CS - 35**  
 Date Collected: 02/02/26 10:50  
 Date Received: 02/02/26 15:28  
 Sample Depth: 0.25

**Lab Sample ID: 890-9440-35**  
 Matrix: Solid

**Method: SW846 8021B - Volatile Organic Compounds (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		02/02/26 20:00	02/03/26 03:26	1
Toluene	<0.00199	U	0.00199		mg/Kg		02/02/26 20:00	02/03/26 03:26	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		02/02/26 20:00	02/03/26 03:26	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		02/02/26 20:00	02/03/26 03:26	1
o-Xylene	<0.00199	U	0.00199		mg/Kg		02/02/26 20:00	02/03/26 03:26	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		02/02/26 20:00	02/03/26 03:26	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
4-Bromofluorobenzene (Surr)	101		70 - 130				02/02/26 20:00	02/03/26 03:26	1
1,4-Difluorobenzene (Surr)	90		70 - 130				02/02/26 20:00	02/03/26 03:26	1

**Method: TAL SOP Total BTEX - Total BTEX Calculation**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			02/03/26 03:26	1

**Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.8	U	49.8		mg/Kg			02/03/26 03:21	1

**Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.8	U	49.8		mg/Kg		02/02/26 19:57	02/03/26 03:21	1
Diesel Range Organics (Over C10-C28)	<49.8	U	49.8		mg/Kg		02/02/26 19:57	02/03/26 03:21	1
Oil Range Organics (Over C28-C36)	<49.8	U	49.8		mg/Kg		02/02/26 19:57	02/03/26 03:21	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
1-Chlorooctane	89		70 - 130				02/02/26 19:57	02/03/26 03:21	1
o-Terphenyl	102		70 - 130				02/02/26 19:57	02/03/26 03:21	1

**Method: EPA 300.0 - Anions, Ion Chromatography - Soluble**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	860		99.8		mg/Kg			02/03/26 11:52	10

### Client Sample Results

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed It B CTB

Job ID: 890-9440-1  
 SDG: Eddy County, NM

**Client Sample ID: CS - 36**

**Lab Sample ID: 890-9440-36**

Date Collected: 02/02/26 10:55

Matrix: Solid

Date Received: 02/02/26 15:28

Sample Depth: 0.25

**Method: SW846 8021B - Volatile Organic Compounds (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00198	U	0.00198		mg/Kg		02/02/26 20:00	02/03/26 03:46	1
Toluene	<0.00198	U	0.00198		mg/Kg		02/02/26 20:00	02/03/26 03:46	1
Ethylbenzene	<0.00198	U	0.00198		mg/Kg		02/02/26 20:00	02/03/26 03:46	1
m-Xylene & p-Xylene	<0.00396	U	0.00396		mg/Kg		02/02/26 20:00	02/03/26 03:46	1
o-Xylene	<0.00198	U	0.00198		mg/Kg		02/02/26 20:00	02/03/26 03:46	1
Xylenes, Total	<0.00396	U	0.00396		mg/Kg		02/02/26 20:00	02/03/26 03:46	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	100		70 - 130	02/02/26 20:00	02/03/26 03:46	1
1,4-Difluorobenzene (Surr)	90		70 - 130	02/02/26 20:00	02/03/26 03:46	1

**Method: TAL SOP Total BTEX - Total BTEX Calculation**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00396	U	0.00396		mg/Kg			02/03/26 03:46	1

**Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.6	U	49.6		mg/Kg			02/03/26 03:34	1

**Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.6	U	49.6		mg/Kg		02/02/26 19:57	02/03/26 03:34	1
Diesel Range Organics (Over C10-C28)	<49.6	U	49.6		mg/Kg		02/02/26 19:57	02/03/26 03:34	1
Oil Range Organics (Over C28-C36)	<49.6	U	49.6		mg/Kg		02/02/26 19:57	02/03/26 03:34	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	98		70 - 130	02/02/26 19:57	02/03/26 03:34	1
o-Terphenyl	113		70 - 130	02/02/26 19:57	02/03/26 03:34	1

**Method: EPA 300.0 - Anions, Ion Chromatography - Soluble**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	1930		50.0		mg/Kg			02/03/26 11:57	5

**Client Sample ID: CS - 37**

**Lab Sample ID: 890-9440-37**

Date Collected: 02/02/26 11:00

Matrix: Solid

Date Received: 02/02/26 15:28

Sample Depth: 0.25

**Method: SW846 8021B - Volatile Organic Compounds (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		02/02/26 20:00	02/03/26 04:07	1
Toluene	<0.00200	U	0.00200		mg/Kg		02/02/26 20:00	02/03/26 04:07	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		02/02/26 20:00	02/03/26 04:07	1
m-Xylene & p-Xylene	<0.00399	U	0.00399		mg/Kg		02/02/26 20:00	02/03/26 04:07	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		02/02/26 20:00	02/03/26 04:07	1
Xylenes, Total	<0.00399	U	0.00399		mg/Kg		02/02/26 20:00	02/03/26 04:07	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	92		70 - 130	02/02/26 20:00	02/03/26 04:07	1

Eurofins Carlsbad

### Client Sample Results

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed It B CTB

Job ID: 890-9440-1  
 SDG: Eddy County, NM

**Client Sample ID: CS - 37**

**Lab Sample ID: 890-9440-37**

Date Collected: 02/02/26 11:00

Matrix: Solid

Date Received: 02/02/26 15:28

Sample Depth: 0.25

**Method: SW846 8021B - Volatile Organic Compounds (GC) (Continued)**

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,4-Difluorobenzene (Surr)	97		70 - 130	02/02/26 20:00	02/03/26 04:07	1

**Method: TAL SOP Total BTEX - Total BTEX Calculation**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00399	U	0.00399		mg/Kg			02/03/26 04:07	1

**Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.1	U	50.1		mg/Kg			02/03/26 03:50	1

**Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.1	U	50.1		mg/Kg		02/02/26 19:57	02/03/26 03:50	1
Diesel Range Organics (Over C10-C28)	<50.1	U	50.1		mg/Kg		02/02/26 19:57	02/03/26 03:50	1
Oil Range Organics (Over C28-C36)	<50.1	U	50.1		mg/Kg		02/02/26 19:57	02/03/26 03:50	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	79		70 - 130	02/02/26 19:57	02/03/26 03:50	1
o-Terphenyl	92		70 - 130	02/02/26 19:57	02/03/26 03:50	1

**Method: EPA 300.0 - Anions, Ion Chromatography - Soluble**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	299		50.4		mg/Kg			02/03/26 12:02	5

**Client Sample ID: CS - 38**

**Lab Sample ID: 890-9440-38**

Date Collected: 02/02/26 11:05

Matrix: Solid

Date Received: 02/02/26 15:28

Sample Depth: 0.25

**Method: SW846 8021B - Volatile Organic Compounds (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00201	U	0.00201		mg/Kg		02/02/26 20:00	02/03/26 04:27	1
Toluene	<0.00201	U	0.00201		mg/Kg		02/02/26 20:00	02/03/26 04:27	1
Ethylbenzene	<0.00201	U	0.00201		mg/Kg		02/02/26 20:00	02/03/26 04:27	1
m-Xylene & p-Xylene	<0.00402	U	0.00402		mg/Kg		02/02/26 20:00	02/03/26 04:27	1
o-Xylene	<0.00201	U	0.00201		mg/Kg		02/02/26 20:00	02/03/26 04:27	1
Xylenes, Total	<0.00402	U	0.00402		mg/Kg		02/02/26 20:00	02/03/26 04:27	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	100		70 - 130	02/02/26 20:00	02/03/26 04:27	1
1,4-Difluorobenzene (Surr)	89		70 - 130	02/02/26 20:00	02/03/26 04:27	1

**Method: TAL SOP Total BTEX - Total BTEX Calculation**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00402	U	0.00402		mg/Kg			02/03/26 04:27	1

**Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.7	U	49.7		mg/Kg			02/03/26 04:03	1

Eurofins Carlsbad

### Client Sample Results

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed It B CTB

Job ID: 890-9440-1  
 SDG: Eddy County, NM

**Client Sample ID: CS - 38**

**Lab Sample ID: 890-9440-38**

Date Collected: 02/02/26 11:05

Matrix: Solid

Date Received: 02/02/26 15:28

Sample Depth: 0.25

**Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.7	U	49.7		mg/Kg		02/02/26 19:57	02/03/26 04:03	1
Diesel Range Organics (Over C10-C28)	<49.7	U	49.7		mg/Kg		02/02/26 19:57	02/03/26 04:03	1
Oil Range Organics (Over C28-C36)	<49.7	U	49.7		mg/Kg		02/02/26 19:57	02/03/26 04:03	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	106		70 - 130				02/02/26 19:57	02/03/26 04:03	1
o-Terphenyl	121		70 - 130				02/02/26 19:57	02/03/26 04:03	1

**Method: EPA 300.0 - Anions, Ion Chromatography - Soluble**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	21.2		9.94		mg/Kg			02/03/26 13:48	1

**Client Sample ID: CS - 39**

**Lab Sample ID: 890-9440-39**

Date Collected: 02/02/26 11:10

Matrix: Solid

Date Received: 02/02/26 15:28

Sample Depth: 0.25

**Method: SW846 8021B - Volatile Organic Compounds (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00202	U	0.00202		mg/Kg		02/02/26 20:00	02/03/26 04:48	1
Toluene	<0.00202	U	0.00202		mg/Kg		02/02/26 20:00	02/03/26 04:48	1
Ethylbenzene	<0.00202	U	0.00202		mg/Kg		02/02/26 20:00	02/03/26 04:48	1
m-Xylene & p-Xylene	<0.00404	U	0.00404		mg/Kg		02/02/26 20:00	02/03/26 04:48	1
o-Xylene	<0.00202	U	0.00202		mg/Kg		02/02/26 20:00	02/03/26 04:48	1
Xylenes, Total	<0.00404	U	0.00404		mg/Kg		02/02/26 20:00	02/03/26 04:48	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	97		70 - 130				02/02/26 20:00	02/03/26 04:48	1
1,4-Difluorobenzene (Surr)	94		70 - 130				02/02/26 20:00	02/03/26 04:48	1

**Method: TAL SOP Total BTEX - Total BTEX Calculation**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00404	U	0.00404		mg/Kg			02/03/26 04:48	1

**Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.1	U	50.1		mg/Kg			02/03/26 04:17	1

**Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.1	U	50.1		mg/Kg		02/02/26 19:57	02/03/26 04:17	1
Diesel Range Organics (Over C10-C28)	<50.1	U	50.1		mg/Kg		02/02/26 19:57	02/03/26 04:17	1
Oil Range Organics (Over C28-C36)	<50.1	U	50.1		mg/Kg		02/02/26 19:57	02/03/26 04:17	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	88		70 - 130				02/02/26 19:57	02/03/26 04:17	1
o-Terphenyl	99		70 - 130				02/02/26 19:57	02/03/26 04:17	1

Eurofins Carlsbad

### Client Sample Results

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed It B CTB

Job ID: 890-9440-1  
 SDG: Eddy County, NM

**Client Sample ID: CS - 39**  
 Date Collected: 02/02/26 11:10  
 Date Received: 02/02/26 15:28  
 Sample Depth: 0.25

**Lab Sample ID: 890-9440-39**  
 Matrix: Solid

**Method: EPA 300.0 - Anions, Ion Chromatography - Soluble**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	366		99.6		mg/Kg			02/03/26 12:13	10

**Client Sample ID: CS - 40**  
 Date Collected: 02/02/26 11:15  
 Date Received: 02/02/26 15:28  
 Sample Depth: 0.25

**Lab Sample ID: 890-9440-40**  
 Matrix: Solid

**Method: SW846 8021B - Volatile Organic Compounds (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		02/02/26 20:00	02/03/26 05:08	1
Toluene	<0.00199	U	0.00199		mg/Kg		02/02/26 20:00	02/03/26 05:08	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		02/02/26 20:00	02/03/26 05:08	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		02/02/26 20:00	02/03/26 05:08	1
o-Xylene	<0.00199	U	0.00199		mg/Kg		02/02/26 20:00	02/03/26 05:08	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		02/02/26 20:00	02/03/26 05:08	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
4-Bromofluorobenzene (Surr)	105		70 - 130				02/02/26 20:00	02/03/26 05:08	1
1,4-Difluorobenzene (Surr)	96		70 - 130				02/02/26 20:00	02/03/26 05:08	1

**Method: TAL SOP Total BTEX - Total BTEX Calculation**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			02/03/26 05:08	1

**Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.8	U	49.8		mg/Kg			02/03/26 04:32	1

**Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.8	U	49.8		mg/Kg		02/02/26 19:57	02/03/26 04:32	1
Diesel Range Organics (Over C10-C28)	<49.8	U	49.8		mg/Kg		02/02/26 19:57	02/03/26 04:32	1
Oil Range Organics (Over C28-C36)	<49.8	U	49.8		mg/Kg		02/02/26 19:57	02/03/26 04:32	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
1-Chlorooctane	99		70 - 130				02/02/26 19:57	02/03/26 04:32	1
o-Terphenyl	108		70 - 130				02/02/26 19:57	02/03/26 04:32	1

**Method: EPA 300.0 - Anions, Ion Chromatography - Soluble**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	2550	F1	99.0		mg/Kg			02/03/26 12:18	10

Eurofins Carlsbad

### Client Sample Results

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed It B CTB

Job ID: 890-9440-1  
 SDG: Eddy County, NM

**Client Sample ID: CS - 41**

**Lab Sample ID: 890-9440-41**

Date Collected: 02/02/26 11:20

Matrix: Solid

Date Received: 02/02/26 15:28

Sample Depth: 0.25

**Method: SW846 8021B - Volatile Organic Compounds (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U F1 F2	0.00200		mg/Kg		02/03/26 00:00	02/03/26 09:43	1
Toluene	<0.00200	U F1 F2	0.00200		mg/Kg		02/03/26 00:00	02/03/26 09:43	1
Ethylbenzene	<0.00200	U F1 F2	0.00200		mg/Kg		02/03/26 00:00	02/03/26 09:43	1
m-Xylene & p-Xylene	<0.00399	U F1 F2	0.00399		mg/Kg		02/03/26 00:00	02/03/26 09:43	1
o-Xylene	<0.00200	U F1 F2	0.00200		mg/Kg		02/03/26 00:00	02/03/26 09:43	1
Xylenes, Total	<0.00399	U F1 F2	0.00399		mg/Kg		02/03/26 00:00	02/03/26 09:43	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	110		70 - 130	02/03/26 00:00	02/03/26 09:43	1
1,4-Difluorobenzene (Surr)	97		70 - 130	02/03/26 00:00	02/03/26 09:43	1

**Method: TAL SOP Total BTEX - Total BTEX Calculation**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00399	U	0.00399		mg/Kg			02/03/26 09:43	1

**Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.1	U	50.1		mg/Kg			02/03/26 09:46	1

**Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.1	U	50.1		mg/Kg		02/02/26 20:01	02/03/26 09:46	1
Diesel Range Organics (Over C10-C28)	<50.1	U	50.1		mg/Kg		02/02/26 20:01	02/03/26 09:46	1
Oil Range Organics (Over C28-C36)	<50.1	U	50.1		mg/Kg		02/02/26 20:01	02/03/26 09:46	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	147	S1+	70 - 130	02/02/26 20:01	02/03/26 09:46	1
o-Terphenyl	154	S1+	70 - 130	02/02/26 20:01	02/03/26 09:46	1

**Method: EPA 300.0 - Anions, Ion Chromatography - Soluble**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	3110		99.2		mg/Kg			02/03/26 12:34	10

## Surrogate Summary

Client: Earth Systems Response and Restoration  
Project/Site: Nailed It B CTB

Job ID: 890-9440-1  
SDG: Eddy County, NM

## Method: 8021B - Volatile Organic Compounds (GC)

Matrix: Solid

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)	
		BFB1 (70-130)	DFBZ1 (70-130)
890-9440-1	CS - 1	120	114
890-9440-1 MS	CS - 1	74	131 S1+
890-9440-1 MSD	CS - 1	106	105
890-9440-2	CS - 2	35 S1-	105
890-9440-3	CS - 3	141 S1+	113
890-9440-4	CS - 4	117	115
890-9440-5	CS - 5	113	116
890-9440-6	CS - 6	112	111
890-9440-7	CS - 7	91	108
890-9440-8	CS - 8	116	115
890-9440-9	CS - 9	116	122
890-9440-10	CS - 10	115	114
890-9440-11	CS - 11	117	117
890-9440-12	CS - 12	124	109
890-9440-13	CS - 13	122	110
890-9440-14	CS - 14	119	112
890-9440-15	CS - 15	98	113
890-9440-16	CS - 16	65 S1-	82
890-9440-17	CS - 17	76	87
890-9440-18	CS - 18	116	115
890-9440-19	CS - 19	123	110
890-9440-20	CS - 20	116	113
890-9440-21	CS - 21	103	92
890-9440-21 MS	CS - 21	86	92
890-9440-21 MSD	CS - 21	93	97
890-9440-22	CS - 22	102	96
890-9440-23	CS - 23	101	93
890-9440-24	CS - 24	102	95
890-9440-25	CS - 25	104	94
890-9440-26	CS - 26	103	91
890-9440-27	CS - 27	98	92
890-9440-28	CS - 28	104	94
890-9440-29	CS - 29	89	87
890-9440-30	CS - 30	101	93
890-9440-31	CS - 31	106	90
890-9440-32	CS - 32	94	95
890-9440-33	CS - 33	102	91
890-9440-34	CS - 34	97	93
890-9440-35	CS - 35	101	90
890-9440-36	CS - 36	100	90
890-9440-37	CS - 37	92	97
890-9440-38	CS - 38	100	89
890-9440-39	CS - 39	97	94
890-9440-40	CS - 40	105	96
890-9440-41	CS - 41	110	97
890-9440-41 MS	CS - 41	100	93
890-9440-41 MSD	CS - 41	82	105
LCS 880-130620/1-A	Lab Control Sample	107	105
LCS 880-130635/1-A	Lab Control Sample	96	92

Eurofins Carlsbad

## Surrogate Summary

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed It B CTB

Job ID: 890-9440-1  
 SDG: Eddy County, NM

## Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Matrix: Solid

Prep Type: Total/NA

## Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	BFB1 (70-130)	DFBZ1 (70-130)
LCS 880-130648/1-A	Lab Control Sample	102	100
LCSD 880-130620/2-A	Lab Control Sample Dup	101	107
LCSD 880-130635/2-A	Lab Control Sample Dup	90	103
LCSD 880-130648/2-A	Lab Control Sample Dup	106	95
MB 880-130484/5-A	Method Blank	100	89
MB 880-130543/5-A	Method Blank	110	104
MB 880-130620/5-A	Method Blank	112	108
MB 880-130635/5-A	Method Blank	100	88
MB 880-130648/5-A	Method Blank	103	95

## Surrogate Legend

BFB = 4-Bromofluorobenzene (Surr)

DFBZ = 1,4-Difluorobenzene (Surr)

## Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Matrix: Solid

Prep Type: Total/NA

## Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	1CO1 (70-130)	OTPH1 (70-130)
890-9440-1	CS - 1	116	96
890-9440-1 MS	CS - 1	108	101
890-9440-1 MSD	CS - 1	113	104
890-9440-2	CS - 2	109	115
890-9440-3	CS - 3	100	105
890-9440-4	CS - 4	100	105
890-9440-5	CS - 5	107	113
890-9440-6	CS - 6	93	100
890-9440-7	CS - 7	81	85
890-9440-8	CS - 8	109	113
890-9440-9	CS - 9	84	89
890-9440-10	CS - 10	96	101
890-9440-11	CS - 11	76	83
890-9440-12	CS - 12	92	103
890-9440-13	CS - 13	91	98
890-9440-14	CS - 14	99	103
890-9440-15	CS - 15	139 S1+	192 S1+
890-9440-16	CS - 16	118	126
890-9440-17	CS - 17	130	144 S1+
890-9440-18	CS - 18	113	139 S1+
890-9440-19	CS - 19	97	103
890-9440-20	CS - 20	114	141 S1+
890-9440-21	CS - 21	112	126
890-9440-21 MS	CS - 21	108	107
890-9440-21 MSD	CS - 21	122	123
890-9440-22	CS - 22	92	106
890-9440-23	CS - 23	89	106
890-9440-24	CS - 24	99	113
890-9440-25	CS - 25	100	115
890-9440-26	CS - 26	93	109
890-9440-27	CS - 27	102	119

Eurofins Carlsbad

### Surrogate Summary

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed It B CTB

Job ID: 890-9440-1  
 SDG: Eddy County, NM

**Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)**

Matrix: Solid

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)	
		1CO1 (70-130)	OTPH1 (70-130)
890-9440-28	CS - 28	102	114
890-9440-29	CS - 29	102	115
890-9440-30	CS - 30	103	118
890-9440-31	CS - 31	106	122
890-9440-32	CS - 32	87	98
890-9440-33	CS - 33	93	107
890-9440-34	CS - 34	101	114
890-9440-35	CS - 35	89	102
890-9440-36	CS - 36	98	113
890-9440-37	CS - 37	79	92
890-9440-38	CS - 38	106	121
890-9440-39	CS - 39	88	99
890-9440-40	CS - 40	99	108
890-9440-41	CS - 41	147 S1+	154 S1+
890-9440-41 MS	CS - 41	137 S1+	153 S1+
890-9440-41 MSD	CS - 41	165 S1+	153 S1+
LCS 880-130604/2-A	Lab Control Sample	129	115
LCS 880-130607/2-A	Lab Control Sample	113	112
LCS 880-130609/2-A	Lab Control Sample	151 S1+	137 S1+
LCSD 880-130604/3-A	Lab Control Sample Dup	456 S1+	449 S1+
LCSD 880-130607/3-A	Lab Control Sample Dup	113	112
LCSD 880-130609/3-A	Lab Control Sample Dup	120	136 S1+
MB 880-130604/1-A	Method Blank	108	106
MB 880-130607/1-A	Method Blank	98	107
MB 880-130609/1-A	Method Blank	111	113

**Surrogate Legend**

1CO = 1-Chlorooctane  
 OTPH = o-Terphenyl

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

## QC Sample Results

Client: Earth Systems Response and Restoration  
Project/Site: Nailed It B CTB

Job ID: 890-9440-1  
SDG: Eddy County, NM

## Method: 8021B - Volatile Organic Compounds (GC)

Lab Sample ID: MB 880-130484/5-A

Matrix: Solid

Analysis Batch: 130493

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 130484

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		02/01/26 20:00	02/02/26 03:02	1
Toluene	<0.00200	U	0.00200		mg/Kg		02/01/26 20:00	02/02/26 03:02	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		02/01/26 20:00	02/02/26 03:02	1
m-Xylene & p-Xylene	<0.00400	U	0.00400		mg/Kg		02/01/26 20:00	02/02/26 03:02	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		02/01/26 20:00	02/02/26 03:02	1
Xylenes, Total	<0.00400	U	0.00400		mg/Kg		02/01/26 20:00	02/02/26 03:02	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	100		70 - 130	02/01/26 20:00	02/02/26 03:02	1
1,4-Difluorobenzene (Surr)	89		70 - 130	02/01/26 20:00	02/02/26 03:02	1

Lab Sample ID: MB 880-130543/5-A

Matrix: Solid

Analysis Batch: 130533

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 130543

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		02/02/26 12:01	02/02/26 13:50	1
Toluene	<0.00200	U	0.00200		mg/Kg		02/02/26 12:01	02/02/26 13:50	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		02/02/26 12:01	02/02/26 13:50	1
m-Xylene & p-Xylene	<0.00400	U	0.00400		mg/Kg		02/02/26 12:01	02/02/26 13:50	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		02/02/26 12:01	02/02/26 13:50	1
Xylenes, Total	<0.00400	U	0.00400		mg/Kg		02/02/26 12:01	02/02/26 13:50	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	110		70 - 130	02/02/26 12:01	02/02/26 13:50	1
1,4-Difluorobenzene (Surr)	104		70 - 130	02/02/26 12:01	02/02/26 13:50	1

Lab Sample ID: MB 880-130620/5-A

Matrix: Solid

Analysis Batch: 130533

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 130620

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		02/02/26 20:00	02/03/26 00:48	1
Toluene	<0.00200	U	0.00200		mg/Kg		02/02/26 20:00	02/03/26 00:48	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		02/02/26 20:00	02/03/26 00:48	1
m-Xylene & p-Xylene	<0.00400	U	0.00400		mg/Kg		02/02/26 20:00	02/03/26 00:48	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		02/02/26 20:00	02/03/26 00:48	1
Xylenes, Total	<0.00400	U	0.00400		mg/Kg		02/02/26 20:00	02/03/26 00:48	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	112		70 - 130	02/02/26 20:00	02/03/26 00:48	1
1,4-Difluorobenzene (Surr)	108		70 - 130	02/02/26 20:00	02/03/26 00:48	1

Eurofins Carlsbad

### QC Sample Results

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed It B CTB

Job ID: 890-9440-1  
 SDG: Eddy County, NM

#### Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: LCS 880-130620/1-A  
 Matrix: Solid  
 Analysis Batch: 130533

Client Sample ID: Lab Control Sample  
 Prep Type: Total/NA  
 Prep Batch: 130620

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	0.100	0.09256		mg/Kg		93	70 - 130
Toluene	0.100	0.08711		mg/Kg		87	70 - 130
Ethylbenzene	0.100	0.09244		mg/Kg		92	70 - 130
m-Xylene & p-Xylene	0.200	0.1918		mg/Kg		96	70 - 130
o-Xylene	0.100	0.09852		mg/Kg		99	70 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
4-Bromofluorobenzene (Surr)	107		70 - 130
1,4-Difluorobenzene (Surr)	105		70 - 130

Lab Sample ID: LCSD 880-130620/2-A  
 Matrix: Solid  
 Analysis Batch: 130533

Client Sample ID: Lab Control Sample Dup  
 Prep Type: Total/NA  
 Prep Batch: 130620

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Benzene	0.100	0.09774		mg/Kg		98	70 - 130	5	35
Toluene	0.100	0.09262		mg/Kg		93	70 - 130	6	35
Ethylbenzene	0.100	0.09425		mg/Kg		94	70 - 130	2	35
m-Xylene & p-Xylene	0.200	0.1971		mg/Kg		99	70 - 130	3	35
o-Xylene	0.100	0.1005		mg/Kg		101	70 - 130	2	35

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
4-Bromofluorobenzene (Surr)	101		70 - 130
1,4-Difluorobenzene (Surr)	107		70 - 130

Lab Sample ID: 890-9440-1 MS  
 Matrix: Solid  
 Analysis Batch: 130533

Client Sample ID: CS - 1  
 Prep Type: Total/NA  
 Prep Batch: 130620

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	<0.00200	U	0.100	0.09091		mg/Kg		91	70 - 130
Toluene	<0.00200	U F1	0.100	0.06354	F1	mg/Kg		64	70 - 130
Ethylbenzene	<0.00200	U F1	0.100	0.06808	F1	mg/Kg		68	70 - 130
m-Xylene & p-Xylene	<0.00399	U F1 F2	0.200	0.1275	F1	mg/Kg		64	70 - 130
o-Xylene	<0.00200	U F1 F2	0.100	0.06339	F1	mg/Kg		63	70 - 130

Surrogate	MS %Recovery	MS Qualifier	Limits
4-Bromofluorobenzene (Surr)	74		70 - 130
1,4-Difluorobenzene (Surr)	131	S1+	70 - 130

Lab Sample ID: 890-9440-1 MSD  
 Matrix: Solid  
 Analysis Batch: 130533

Client Sample ID: CS - 1  
 Prep Type: Total/NA  
 Prep Batch: 130620

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Benzene	<0.00200	U	0.100	0.08857		mg/Kg		89	70 - 130	3	35
Toluene	<0.00200	U F1	0.100	0.08567		mg/Kg		86	70 - 130	30	35
Ethylbenzene	<0.00200	U F1	0.100	0.09084		mg/Kg		91	70 - 130	29	35

Eurofins Carlsbad

### QC Sample Results

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed It B CTB

Job ID: 890-9440-1  
 SDG: Eddy County, NM

#### Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: 890-9440-1 MSD

Client Sample ID: CS - 1

Matrix: Solid

Prep Type: Total/NA

Analysis Batch: 130533

Prep Batch: 130620

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
m-Xylene & p-Xylene	<0.00399	U F1 F2	0.200	0.1902	F2	mg/Kg		95	70 - 130	39	35
o-Xylene	<0.00200	U F1 F2	0.100	0.09736	F2	mg/Kg		97	70 - 130	42	35
<b>Surrogate</b>	<b>%Recovery</b>	<b>MSD Qualifier</b>	<b>MSD Limits</b>								
4-Bromofluorobenzene (Surr)	106		70 - 130								
1,4-Difluorobenzene (Surr)	105		70 - 130								

Lab Sample ID: MB 880-130635/5-A

Client Sample ID: Method Blank

Matrix: Solid

Prep Type: Total/NA

Analysis Batch: 130493

Prep Batch: 130635

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		02/02/26 20:00	02/02/26 21:02	1
Toluene	<0.00200	U	0.00200		mg/Kg		02/02/26 20:00	02/02/26 21:02	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		02/02/26 20:00	02/02/26 21:02	1
m-Xylene & p-Xylene	<0.00400	U	0.00400		mg/Kg		02/02/26 20:00	02/02/26 21:02	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		02/02/26 20:00	02/02/26 21:02	1
Xylenes, Total	<0.00400	U	0.00400		mg/Kg		02/02/26 20:00	02/02/26 21:02	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>MB Qualifier</b>	<b>MB Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
4-Bromofluorobenzene (Surr)	100		70 - 130				02/02/26 20:00	02/02/26 21:02	1
1,4-Difluorobenzene (Surr)	88		70 - 130				02/02/26 20:00	02/02/26 21:02	1

Lab Sample ID: LCS 880-130635/1-A

Client Sample ID: Lab Control Sample

Matrix: Solid

Prep Type: Total/NA

Analysis Batch: 130493

Prep Batch: 130635

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	0.100	0.08938		mg/Kg		89	70 - 130
Toluene	0.100	0.08401		mg/Kg		84	70 - 130
Ethylbenzene	0.100	0.1030		mg/Kg		103	70 - 130
m-Xylene & p-Xylene	0.200	0.1861		mg/Kg		93	70 - 130
o-Xylene	0.100	0.08958		mg/Kg		90	70 - 130
<b>Surrogate</b>	<b>%Recovery</b>	<b>LCS Qualifier</b>	<b>LCS Limits</b>				
4-Bromofluorobenzene (Surr)	96		70 - 130				
1,4-Difluorobenzene (Surr)	92		70 - 130				

Lab Sample ID: LCSD 880-130635/2-A

Client Sample ID: Lab Control Sample Dup

Matrix: Solid

Prep Type: Total/NA

Analysis Batch: 130493

Prep Batch: 130635

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Benzene	0.100	0.07891		mg/Kg		79	70 - 130	12	35
Toluene	0.100	0.08241		mg/Kg		82	70 - 130	2	35
Ethylbenzene	0.100	0.09175		mg/Kg		92	70 - 130	12	35
m-Xylene & p-Xylene	0.200	0.1699		mg/Kg		85	70 - 130	9	35
o-Xylene	0.100	0.08353		mg/Kg		84	70 - 130	7	35

Eurofins Carlsbad

### QC Sample Results

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed It B CTB

Job ID: 890-9440-1  
 SDG: Eddy County, NM

#### Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Surrogate	LCSD		Limits
	%Recovery	Qualifier	
4-Bromofluorobenzene (Surr)	90		70 - 130
1,4-Difluorobenzene (Surr)	103		70 - 130

Lab Sample ID: 890-9440-21 MS  
 Matrix: Solid  
 Analysis Batch: 130493

Client Sample ID: CS - 21  
 Prep Type: Total/NA  
 Prep Batch: 130635

Analyte	Sample	Sample	Spike	MS	MS	Unit	D	%Rec	%Rec	Limits
	Result	Qualifier	Added	Result	Qualifier					
Benzene	<0.00200	U F1	0.100	0.06660	F1	mg/Kg		67		70 - 130
Toluene	<0.00200	U F1	0.100	0.06611	F1	mg/Kg		66		70 - 130
Ethylbenzene	<0.00200	U F1	0.100	0.06904	F1	mg/Kg		69		70 - 130
m-Xylene & p-Xylene	<0.00399	U F1	0.200	0.1241	F1	mg/Kg		62		70 - 130
o-Xylene	<0.00200	U F1	0.100	0.05973	F1	mg/Kg		60		70 - 130

Surrogate	MS		Limits
	%Recovery	Qualifier	
4-Bromofluorobenzene (Surr)	86		70 - 130
1,4-Difluorobenzene (Surr)	92		70 - 130

Lab Sample ID: 890-9440-21 MSD  
 Matrix: Solid  
 Analysis Batch: 130493

Client Sample ID: CS - 21  
 Prep Type: Total/NA  
 Prep Batch: 130635

Analyte	Sample	Sample	Spike	MSD	MSD	Unit	D	%Rec	%Rec	Limits	RPD	RPD
	Result	Qualifier	Added	Result	Qualifier						Limit	Limit
Benzene	<0.00200	U F1	0.100	0.07480		mg/Kg		75		70 - 130	12	35
Toluene	<0.00200	U F1	0.100	0.07769		mg/Kg		78		70 - 130	16	35
Ethylbenzene	<0.00200	U F1	0.100	0.07508		mg/Kg		75		70 - 130	8	35
m-Xylene & p-Xylene	<0.00399	U F1	0.200	0.1239	F1	mg/Kg		62		70 - 130	0	35
o-Xylene	<0.00200	U F1	0.100	0.05986	F1	mg/Kg		60		70 - 130	0	35

Surrogate	MSD		Limits
	%Recovery	Qualifier	
4-Bromofluorobenzene (Surr)	93		70 - 130
1,4-Difluorobenzene (Surr)	97		70 - 130

Lab Sample ID: MB 880-130648/5-A  
 Matrix: Solid  
 Analysis Batch: 130611

Client Sample ID: Method Blank  
 Prep Type: Total/NA  
 Prep Batch: 130648

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Benzene	<0.00200	U	0.00200		mg/Kg		02/03/26 00:00	02/03/26 09:21	1
Toluene	<0.00200	U	0.00200		mg/Kg		02/03/26 00:00	02/03/26 09:21	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		02/03/26 00:00	02/03/26 09:21	1
m-Xylene & p-Xylene	<0.00400	U	0.00400		mg/Kg		02/03/26 00:00	02/03/26 09:21	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		02/03/26 00:00	02/03/26 09:21	1
Xylenes, Total	<0.00400	U	0.00400		mg/Kg		02/03/26 00:00	02/03/26 09:21	1

Surrogate	MB		Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
4-Bromofluorobenzene (Surr)	103		70 - 130	02/03/26 00:00	02/03/26 09:21	1
1,4-Difluorobenzene (Surr)	95		70 - 130	02/03/26 00:00	02/03/26 09:21	1

Eurofins Carlsbad

### QC Sample Results

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed It B CTB

Job ID: 890-9440-1  
 SDG: Eddy County, NM

#### Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: LCS 880-130648/1-A  
 Matrix: Solid  
 Analysis Batch: 130611

Client Sample ID: Lab Control Sample  
 Prep Type: Total/NA  
 Prep Batch: 130648

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits	
Benzene	0.100	0.08851		mg/Kg		89	70 - 130	
Toluene	0.100	0.09601		mg/Kg		96	70 - 130	
Ethylbenzene	0.100	0.08647		mg/Kg		86	70 - 130	
m-Xylene & p-Xylene	0.200	0.1791		mg/Kg		90	70 - 130	
o-Xylene	0.100	0.08979		mg/Kg		90	70 - 130	

Surrogate	LCS LCS		Limits
	%Recovery	Qualifier	
4-Bromofluorobenzene (Surr)	102		70 - 130
1,4-Difluorobenzene (Surr)	100		70 - 130

Lab Sample ID: LCSD 880-130648/2-A  
 Matrix: Solid  
 Analysis Batch: 130611

Client Sample ID: Lab Control Sample Dup  
 Prep Type: Total/NA  
 Prep Batch: 130648

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits		RPD Limit	
									RPD	Limit
Benzene	0.100	0.08868		mg/Kg		89	70 - 130	0	35	
Toluene	0.100	0.1020		mg/Kg		102	70 - 130	6	35	
Ethylbenzene	0.100	0.09479		mg/Kg		95	70 - 130	9	35	
m-Xylene & p-Xylene	0.200	0.1970		mg/Kg		99	70 - 130	10	35	
o-Xylene	0.100	0.09854		mg/Kg		99	70 - 130	9	35	

Surrogate	LCSD LCSD		Limits
	%Recovery	Qualifier	
4-Bromofluorobenzene (Surr)	106		70 - 130
1,4-Difluorobenzene (Surr)	95		70 - 130

Lab Sample ID: 890-9440-41 MS  
 Matrix: Solid  
 Analysis Batch: 130611

Client Sample ID: CS - 41  
 Prep Type: Total/NA  
 Prep Batch: 130648

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits	
Benzene	<0.00200	U F1 F2	0.100	0.05290	F1	mg/Kg		53	70 - 130	
Toluene	<0.00200	U F1 F2	0.100	0.05553	F1	mg/Kg		56	70 - 130	
Ethylbenzene	<0.00200	U F1 F2	0.100	0.05151	F1	mg/Kg		52	70 - 130	
m-Xylene & p-Xylene	<0.00399	U F1 F2	0.200	0.1011	F1	mg/Kg		51	70 - 130	
o-Xylene	<0.00200	U F1 F2	0.100	0.05245	F1	mg/Kg		52	70 - 130	

Surrogate	MS MS		Limits
	%Recovery	Qualifier	
4-Bromofluorobenzene (Surr)	100		70 - 130
1,4-Difluorobenzene (Surr)	93		70 - 130

Lab Sample ID: 890-9440-41 MSD  
 Matrix: Solid  
 Analysis Batch: 130611

Client Sample ID: CS - 41  
 Prep Type: Total/NA  
 Prep Batch: 130648

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits		RPD Limit	
											RPD	Limit
Benzene	<0.00200	U F1 F2	0.100	0.03151	F1 F2	mg/Kg		32	70 - 130	51	35	
Toluene	<0.00200	U F1 F2	0.100	0.02563	F1 F2	mg/Kg		26	70 - 130	74	35	
Ethylbenzene	<0.00200	U F1 F2	0.100	0.02356	F1 F2	mg/Kg		24	70 - 130	74	35	

Eurofins Carlsbad

### QC Sample Results

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed It B CTB

Job ID: 890-9440-1  
 SDG: Eddy County, NM

#### Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: 890-9440-41 MSD

Client Sample ID: CS - 41

Matrix: Solid

Prep Type: Total/NA

Analysis Batch: 130611

Prep Batch: 130648

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
m-Xylene & p-Xylene	<0.00399	U F1 F2	0.200	0.04353	F1 F2	mg/Kg		22	70 - 130	80	35
o-Xylene	<0.00200	U F1 F2	0.100	0.02644	F1 F2	mg/Kg		26	70 - 130	66	35
<b>Surrogate</b>	<b>%Recovery</b>	<b>MSD Qualifier</b>	<b>MSD Limits</b>								
4-Bromofluorobenzene (Surr)	82		70 - 130								
1,4-Difluorobenzene (Surr)	105		70 - 130								

#### Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Lab Sample ID: MB 880-130604/1-A

Client Sample ID: Method Blank

Matrix: Solid

Prep Type: Total/NA

Analysis Batch: 130502

Prep Batch: 130604

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		02/02/26 19:51	02/02/26 22:37	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		02/02/26 19:51	02/02/26 22:37	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		02/02/26 19:51	02/02/26 22:37	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>MB Qualifier</b>	<b>MB Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
1-Chlorooctane	108		70 - 130				02/02/26 19:51	02/02/26 22:37	1
o-Terphenyl	106		70 - 130				02/02/26 19:51	02/02/26 22:37	1

Lab Sample ID: LCS 880-130604/2-A

Client Sample ID: Lab Control Sample

Matrix: Solid

Prep Type: Total/NA

Analysis Batch: 130502

Prep Batch: 130604

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Gasoline Range Organics (GRO)-C6-C10	1000	1022		mg/Kg		102	70 - 130
Diesel Range Organics (Over C10-C28)	1000	1109		mg/Kg		111	70 - 130
<b>Surrogate</b>	<b>%Recovery</b>	<b>LCS Qualifier</b>	<b>LCS Limits</b>				
1-Chlorooctane	129		70 - 130				
o-Terphenyl	115		70 - 130				

Lab Sample ID: LCSD 880-130604/3-A

Client Sample ID: Lab Control Sample Dup

Matrix: Solid

Prep Type: Total/NA

Analysis Batch: 130502

Prep Batch: 130604

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Gasoline Range Organics (GRO)-C6-C10	1000	887.3		mg/Kg		89	70 - 130	14	20
Diesel Range Organics (Over C10-C28)	1000	3672	*+ *1	mg/Kg		367	70 - 130	107	20

Eurofins Carlsbad

### QC Sample Results

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed It B CTB

Job ID: 890-9440-1  
 SDG: Eddy County, NM

#### Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

**Lab Sample ID: LCSD 880-130604/3-A**  
**Matrix: Solid**  
**Analysis Batch: 130502**

**Client Sample ID: Lab Control Sample Dup**  
**Prep Type: Total/NA**  
**Prep Batch: 130604**

Surrogate	LCSD		Limits
	%Recovery	Qualifier	
1-Chlorooctane	456	S1+	70 - 130
o-Terphenyl	449	S1+	70 - 130

**Lab Sample ID: 890-9440-1 MS**  
**Matrix: Solid**  
**Analysis Batch: 130502**

**Client Sample ID: CS - 1**  
**Prep Type: Total/NA**  
**Prep Batch: 130604**

Analyte	Sample	Sample	Spike	MS		Unit	D	%Rec	%Rec	Limits
	Result	Qualifier		Result	Qualifier					
Gasoline Range Organics (GRO)-C6-C10	<49.8	U	1000	895.6		mg/Kg		90	70 - 130	
Diesel Range Organics (Over C10-C28)	<49.8	U ** *1	1000	966.8		mg/Kg		97	70 - 130	

Surrogate	MS		Limits
	%Recovery	Qualifier	
1-Chlorooctane	108		70 - 130
o-Terphenyl	101		70 - 130

**Lab Sample ID: 890-9440-1 MSD**  
**Matrix: Solid**  
**Analysis Batch: 130502**

**Client Sample ID: CS - 1**  
**Prep Type: Total/NA**  
**Prep Batch: 130604**

Analyte	Sample	Sample	Spike	MSD		Unit	D	%Rec	%Rec	Limits	RPD	
	Result	Qualifier		Result	Qualifier						RPD	Limit
Gasoline Range Organics (GRO)-C6-C10	<49.8	U	995	868.7		mg/Kg		87	70 - 130	3	20	
Diesel Range Organics (Over C10-C28)	<49.8	U ** *1	995	967.4		mg/Kg		97	70 - 130	0	20	

Surrogate	MSD		Limits
	%Recovery	Qualifier	
1-Chlorooctane	113		70 - 130
o-Terphenyl	104		70 - 130

**Lab Sample ID: MB 880-130607/1-A**  
**Matrix: Solid**  
**Analysis Batch: 130500**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**  
**Prep Batch: 130607**

Analyte	MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		02/02/26 19:57	02/02/26 22:37	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		02/02/26 19:57	02/02/26 22:37	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		02/02/26 19:57	02/02/26 22:37	1

Surrogate	MB		Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1-Chlorooctane	98		70 - 130	02/02/26 19:57	02/02/26 22:37	1
o-Terphenyl	107		70 - 130	02/02/26 19:57	02/02/26 22:37	1

Eurofins Carlsbad

### QC Sample Results

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed It B CTB

Job ID: 890-9440-1  
 SDG: Eddy County, NM

#### Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

**Lab Sample ID: LCS 880-130607/2-A**  
**Matrix: Solid**  
**Analysis Batch: 130500**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**  
**Prep Batch: 130607**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits	
Gasoline Range Organics (GRO)-C6-C10	1000	953.3		mg/Kg		95	70 - 130	
Diesel Range Organics (Over C10-C28)	1000	887.5		mg/Kg		89	70 - 130	
		<b>LCS</b>	<b>LCS</b>					
<b>Surrogate</b>		<b>%Recovery</b>	<b>Qualifier</b>			<b>Limits</b>		
1-Chlorooctane		113				70 - 130		
o-Terphenyl		112				70 - 130		

**Lab Sample ID: LCSD 880-130607/3-A**  
**Matrix: Solid**  
**Analysis Batch: 130500**

**Client Sample ID: Lab Control Sample Dup**  
**Prep Type: Total/NA**  
**Prep Batch: 130607**

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits		RPD Limit	
									RPD	Limit
Gasoline Range Organics (GRO)-C6-C10	1000	964.7		mg/Kg		96	70 - 130	1	20	
Diesel Range Organics (Over C10-C28)	1000	894.1		mg/Kg		89	70 - 130	1	20	
		<b>LCSD</b>	<b>LCSD</b>							
<b>Surrogate</b>		<b>%Recovery</b>	<b>Qualifier</b>			<b>Limits</b>				
1-Chlorooctane		113				70 - 130				
o-Terphenyl		112				70 - 130				

**Lab Sample ID: 890-9440-21 MS**  
**Matrix: Solid**  
**Analysis Batch: 130500**

**Client Sample ID: CS - 21**  
**Prep Type: Total/NA**  
**Prep Batch: 130607**

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits	
Gasoline Range Organics (GRO)-C6-C10	<49.8	U	1000	903.6		mg/Kg		90	70 - 130	
Diesel Range Organics (Over C10-C28)	<49.8	U	1000	809.3		mg/Kg		81	70 - 130	
		<b>MS</b>	<b>MS</b>							
<b>Surrogate</b>		<b>%Recovery</b>	<b>Qualifier</b>			<b>Limits</b>				
1-Chlorooctane		108				70 - 130				
o-Terphenyl		107				70 - 130				

**Lab Sample ID: 890-9440-21 MSD**  
**Matrix: Solid**  
**Analysis Batch: 130500**

**Client Sample ID: CS - 21**  
**Prep Type: Total/NA**  
**Prep Batch: 130607**

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits		RPD Limit	
											RPD	Limit
Gasoline Range Organics (GRO)-C6-C10	<49.8	U	1000	989.6		mg/Kg		99	70 - 130	9	20	
Diesel Range Organics (Over C10-C28)	<49.8	U	1000	952.7		mg/Kg		95	70 - 130	16	20	
		<b>MSD</b>	<b>MSD</b>									
<b>Surrogate</b>		<b>%Recovery</b>	<b>Qualifier</b>			<b>Limits</b>						
1-Chlorooctane		122				70 - 130						

Eurofins Carlsbad

### QC Sample Results

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed It B CTB

Job ID: 890-9440-1  
 SDG: Eddy County, NM

#### Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

**Lab Sample ID: 890-9440-21 MSD**  
**Matrix: Solid**  
**Analysis Batch: 130500**

**Client Sample ID: CS - 21**  
**Prep Type: Total/NA**  
**Prep Batch: 130607**

Surrogate	MSD MSD		Limits
	%Recovery	Qualifier	
<i>o</i> -Terphenyl	123		70 - 130

**Lab Sample ID: MB 880-130609/1-A**  
**Matrix: Solid**  
**Analysis Batch: 130626**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**  
**Prep Batch: 130609**

Analyte	MB MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		02/02/26 20:01	02/03/26 06:21	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		02/02/26 20:01	02/03/26 06:21	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		02/02/26 20:01	02/03/26 06:21	1

Surrogate	MB MB		Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
<i>1</i> -Chlorooctane	111		70 - 130	02/02/26 20:01	02/03/26 06:21	1
<i>o</i> -Terphenyl	113		70 - 130	02/02/26 20:01	02/03/26 06:21	1

**Lab Sample ID: LCS 880-130609/2-A**  
**Matrix: Solid**  
**Analysis Batch: 130626**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**  
**Prep Batch: 130609**

Analyte	Spike Added	LCS LCS		Unit	D	%Rec	%Rec Limits
		Result	Qualifier				
Gasoline Range Organics (GRO)-C6-C10	1000	1135		mg/Kg		114	70 - 130
Diesel Range Organics (Over C10-C28)	1000	1132		mg/Kg		113	70 - 130

Surrogate	LCS LCS		Limits
	%Recovery	Qualifier	
<i>1</i> -Chlorooctane	151	S1+	70 - 130
<i>o</i> -Terphenyl	137	S1+	70 - 130

**Lab Sample ID: LCSD 880-130609/3-A**  
**Matrix: Solid**  
**Analysis Batch: 130626**

**Client Sample ID: Lab Control Sample Dup**  
**Prep Type: Total/NA**  
**Prep Batch: 130609**

Analyte	Spike Added	LCSD LCSD		Unit	D	%Rec	%Rec Limits	RPD	
		Result	Qualifier					RPD	Limit
Gasoline Range Organics (GRO)-C6-C10	1000	1121		mg/Kg		112	70 - 130	1	20
Diesel Range Organics (Over C10-C28)	1000	1203		mg/Kg		120	70 - 130	6	20

Surrogate	LCSD LCSD		Limits
	%Recovery	Qualifier	
<i>1</i> -Chlorooctane	120		70 - 130
<i>o</i> -Terphenyl	136	S1+	70 - 130

Eurofins Carlsbad

### QC Sample Results

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed It B CTB

Job ID: 890-9440-1  
 SDG: Eddy County, NM

#### Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

**Lab Sample ID: 890-9440-41 MS**  
**Matrix: Solid**  
**Analysis Batch: 130626**

**Client Sample ID: CS - 41**  
**Prep Type: Total/NA**  
**Prep Batch: 130609**

Analyte	Sample	Sample	Spike	MS	MS	Unit	D	%Rec	%Rec	Limits
	Result	Qualifier	Added	Result	Qualifier					
Gasoline Range Organics (GRO)-C6-C10	<50.1	U	1000	922.5		mg/Kg		92		70 - 130
Diesel Range Organics (Over C10-C28)	<50.1	U	1000	998.6		mg/Kg		100		70 - 130
<b>MS MS</b>										
Surrogate	%Recovery	Qualifier	Limits							
1-Chlorooctane	137	S1+	70 - 130							
o-Terphenyl	153	S1+	70 - 130							

**Lab Sample ID: 890-9440-41 MSD**  
**Matrix: Solid**  
**Analysis Batch: 130626**

**Client Sample ID: CS - 41**  
**Prep Type: Total/NA**  
**Prep Batch: 130609**

Analyte	Sample	Sample	Spike	MSD	MSD	Unit	D	%Rec	%Rec	Limits	RPD	Limit
	Result	Qualifier	Added	Result	Qualifier							
Gasoline Range Organics (GRO)-C6-C10	<50.1	U	999	944.8		mg/Kg		95		70 - 130	2	20
Diesel Range Organics (Over C10-C28)	<50.1	U	999	949.5		mg/Kg		95		70 - 130	5	20
<b>MSD MSD</b>												
Surrogate	%Recovery	Qualifier	Limits									
1-Chlorooctane	165	S1+	70 - 130									
o-Terphenyl	153	S1+	70 - 130									

#### Method: 300.0 - Anions, Ion Chromatography

**Lab Sample ID: MB 880-130617/1-A**  
**Matrix: Solid**  
**Analysis Batch: 130632**

**Client Sample ID: Method Blank**  
**Prep Type: Soluble**

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Chloride	<10.0	U	10.0		mg/Kg			02/03/26 08:23	1

**Lab Sample ID: LCS 880-130617/2-A**  
**Matrix: Solid**  
**Analysis Batch: 130632**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Soluble**

Analyte	Spike Added	LCS	LCS	Unit	D	%Rec	%Rec	Limits
		Result	Qualifier					
Chloride	250	239.8		mg/Kg		96		90 - 110

**Lab Sample ID: LCSD 880-130617/3-A**  
**Matrix: Solid**  
**Analysis Batch: 130632**

**Client Sample ID: Lab Control Sample Dup**  
**Prep Type: Soluble**

Analyte	Spike Added	LCSD	LCSD	Unit	D	%Rec	%Rec	Limits	RPD	Limit
		Result	Qualifier							
Chloride	250	234.6		mg/Kg		94		90 - 110	2	20

Eurofins Carlsbad

### QC Sample Results

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed It B CTB

Job ID: 890-9440-1  
 SDG: Eddy County, NM

#### Method: 300.0 - Anions, Ion Chromatography (Continued)

Lab Sample ID: 890-9440-10 MS  
 Matrix: Solid  
 Analysis Batch: 130632

Client Sample ID: CS - 10  
 Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	255		1240	1504		mg/Kg		101	90 - 110

Lab Sample ID: 890-9440-10 MSD  
 Matrix: Solid  
 Analysis Batch: 130632

Client Sample ID: CS - 10  
 Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	255		1240	1492		mg/Kg		100	90 - 110	1	20

Lab Sample ID: MB 880-130618/1-A  
 Matrix: Solid  
 Analysis Batch: 130642

Client Sample ID: Method Blank  
 Prep Type: Soluble

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<10.0	U	10.0		mg/Kg			02/03/26 08:21	1

Lab Sample ID: LCS 880-130618/2-A  
 Matrix: Solid  
 Analysis Batch: 130642

Client Sample ID: Lab Control Sample  
 Prep Type: Soluble

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	250	262.2		mg/Kg		105	90 - 110

Lab Sample ID: LCSD 880-130618/3-A  
 Matrix: Solid  
 Analysis Batch: 130642

Client Sample ID: Lab Control Sample Dup  
 Prep Type: Soluble

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	250	261.3		mg/Kg		105	90 - 110	0	20

Lab Sample ID: 890-9440-15 MS  
 Matrix: Solid  
 Analysis Batch: 130642

Client Sample ID: CS - 15  
 Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	2690	F1	1260	4213	F1	mg/Kg		121	90 - 110

Lab Sample ID: 890-9440-15 MSD  
 Matrix: Solid  
 Analysis Batch: 130642

Client Sample ID: CS - 15  
 Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	2690	F1	1260	4304	F1	mg/Kg		128	90 - 110	2	20

Lab Sample ID: 890-9440-25 MS  
 Matrix: Solid  
 Analysis Batch: 130642

Client Sample ID: CS - 25  
 Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	2580	F1	2490	5519	F1	mg/Kg		118	90 - 110

Eurofins Carlsbad

### QC Sample Results

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed It B CTB

Job ID: 890-9440-1  
 SDG: Eddy County, NM

**Method: 300.0 - Anions, Ion Chromatography**

**Lab Sample ID: 890-9440-25 MSD**  
**Matrix: Solid**  
**Analysis Batch: 130642**

**Client Sample ID: CS - 25**  
**Prep Type: Soluble**

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	2580	F1	2490	5582	F1	mg/Kg		120	90 - 110	1	20

**Lab Sample ID: MB 880-130619/1-A**  
**Matrix: Solid**  
**Analysis Batch: 130643**

**Client Sample ID: Method Blank**  
**Prep Type: Soluble**

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<10.0	U	10.0		mg/Kg			02/03/26 10:48	1

**Lab Sample ID: LCS 880-130619/2-A**  
**Matrix: Solid**  
**Analysis Batch: 130643**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Soluble**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	250	250.1		mg/Kg		100	90 - 110

**Lab Sample ID: LCSD 880-130619/3-A**  
**Matrix: Solid**  
**Analysis Batch: 130643**

**Client Sample ID: Lab Control Sample Dup**  
**Prep Type: Soluble**

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	250	255.7		mg/Kg		102	90 - 110	2	20

**Lab Sample ID: 890-9440-30 MS**  
**Matrix: Solid**  
**Analysis Batch: 130643**

**Client Sample ID: CS - 30**  
**Prep Type: Soluble**

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	4390		2490	7038		mg/Kg		106	90 - 110

**Lab Sample ID: 890-9440-30 MSD**  
**Matrix: Solid**  
**Analysis Batch: 130643**

**Client Sample ID: CS - 30**  
**Prep Type: Soluble**

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	4390		2490	7139		mg/Kg		110	90 - 110	1	20

**Lab Sample ID: 890-9440-40 MS**  
**Matrix: Solid**  
**Analysis Batch: 130643**

**Client Sample ID: CS - 40**  
**Prep Type: Soluble**

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	2550	F1	2480	5589	F1	mg/Kg		123	90 - 110

**Lab Sample ID: 890-9440-40 MSD**  
**Matrix: Solid**  
**Analysis Batch: 130643**

**Client Sample ID: CS - 40**  
**Prep Type: Soluble**

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	2550	F1	2480	5695	F1	mg/Kg		127	90 - 110	2	20

Eurofins Carlsbad

### QC Association Summary

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed It B CTB

Job ID: 890-9440-1  
 SDG: Eddy County, NM

#### GC VOA

##### Prep Batch: 130484

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MB 880-130484/5-A	Method Blank	Total/NA	Solid	5035	

##### Analysis Batch: 130493

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-9440-21	CS - 21	Total/NA	Solid	8021B	130635
890-9440-22	CS - 22	Total/NA	Solid	8021B	130635
890-9440-23	CS - 23	Total/NA	Solid	8021B	130635
890-9440-24	CS - 24	Total/NA	Solid	8021B	130635
890-9440-25	CS - 25	Total/NA	Solid	8021B	130635
890-9440-26	CS - 26	Total/NA	Solid	8021B	130635
890-9440-27	CS - 27	Total/NA	Solid	8021B	130635
890-9440-28	CS - 28	Total/NA	Solid	8021B	130635
890-9440-29	CS - 29	Total/NA	Solid	8021B	130635
890-9440-30	CS - 30	Total/NA	Solid	8021B	130635
890-9440-31	CS - 31	Total/NA	Solid	8021B	130635
890-9440-32	CS - 32	Total/NA	Solid	8021B	130635
890-9440-33	CS - 33	Total/NA	Solid	8021B	130635
890-9440-34	CS - 34	Total/NA	Solid	8021B	130635
890-9440-35	CS - 35	Total/NA	Solid	8021B	130635
890-9440-36	CS - 36	Total/NA	Solid	8021B	130635
890-9440-37	CS - 37	Total/NA	Solid	8021B	130635
890-9440-38	CS - 38	Total/NA	Solid	8021B	130635
890-9440-39	CS - 39	Total/NA	Solid	8021B	130635
890-9440-40	CS - 40	Total/NA	Solid	8021B	130635
MB 880-130484/5-A	Method Blank	Total/NA	Solid	8021B	130484
MB 880-130635/5-A	Method Blank	Total/NA	Solid	8021B	130635
LCS 880-130635/1-A	Lab Control Sample	Total/NA	Solid	8021B	130635
LCS 880-130635/2-A	Lab Control Sample Dup	Total/NA	Solid	8021B	130635
890-9440-21 MS	CS - 21	Total/NA	Solid	8021B	130635
890-9440-21 MSD	CS - 21	Total/NA	Solid	8021B	130635

##### Analysis Batch: 130533

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-9440-1	CS - 1	Total/NA	Solid	8021B	130620
890-9440-2	CS - 2	Total/NA	Solid	8021B	130620
890-9440-3	CS - 3	Total/NA	Solid	8021B	130620
890-9440-4	CS - 4	Total/NA	Solid	8021B	130620
890-9440-5	CS - 5	Total/NA	Solid	8021B	130620
890-9440-6	CS - 6	Total/NA	Solid	8021B	130620
890-9440-7	CS - 7	Total/NA	Solid	8021B	130620
890-9440-8	CS - 8	Total/NA	Solid	8021B	130620
890-9440-9	CS - 9	Total/NA	Solid	8021B	130620
890-9440-10	CS - 10	Total/NA	Solid	8021B	130620
890-9440-11	CS - 11	Total/NA	Solid	8021B	130620
890-9440-12	CS - 12	Total/NA	Solid	8021B	130620
890-9440-13	CS - 13	Total/NA	Solid	8021B	130620
890-9440-14	CS - 14	Total/NA	Solid	8021B	130620
890-9440-15	CS - 15	Total/NA	Solid	8021B	130620
890-9440-16	CS - 16	Total/NA	Solid	8021B	130620
890-9440-17	CS - 17	Total/NA	Solid	8021B	130620
890-9440-18	CS - 18	Total/NA	Solid	8021B	130620

Eurofins Carlsbad

### QC Association Summary

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed It B CTB

Job ID: 890-9440-1  
 SDG: Eddy County, NM

#### GC VOA (Continued)

##### Analysis Batch: 130533 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-9440-19	CS - 19	Total/NA	Solid	8021B	130620
890-9440-20	CS - 20	Total/NA	Solid	8021B	130620
MB 880-130543/5-A	Method Blank	Total/NA	Solid	8021B	130543
MB 880-130620/5-A	Method Blank	Total/NA	Solid	8021B	130620
LCS 880-130620/1-A	Lab Control Sample	Total/NA	Solid	8021B	130620
LCSD 880-130620/2-A	Lab Control Sample Dup	Total/NA	Solid	8021B	130620
890-9440-1 MS	CS - 1	Total/NA	Solid	8021B	130620
890-9440-1 MSD	CS - 1	Total/NA	Solid	8021B	130620

##### Prep Batch: 130543

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MB 880-130543/5-A	Method Blank	Total/NA	Solid	5035	

##### Analysis Batch: 130611

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-9440-41	CS - 41	Total/NA	Solid	8021B	130648
MB 880-130648/5-A	Method Blank	Total/NA	Solid	8021B	130648
LCS 880-130648/1-A	Lab Control Sample	Total/NA	Solid	8021B	130648
LCSD 880-130648/2-A	Lab Control Sample Dup	Total/NA	Solid	8021B	130648
890-9440-41 MS	CS - 41	Total/NA	Solid	8021B	130648
890-9440-41 MSD	CS - 41	Total/NA	Solid	8021B	130648

##### Prep Batch: 130620

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-9440-1	CS - 1	Total/NA	Solid	5035	
890-9440-2	CS - 2	Total/NA	Solid	5035	
890-9440-3	CS - 3	Total/NA	Solid	5035	
890-9440-4	CS - 4	Total/NA	Solid	5035	
890-9440-5	CS - 5	Total/NA	Solid	5035	
890-9440-6	CS - 6	Total/NA	Solid	5035	
890-9440-7	CS - 7	Total/NA	Solid	5035	
890-9440-8	CS - 8	Total/NA	Solid	5035	
890-9440-9	CS - 9	Total/NA	Solid	5035	
890-9440-10	CS - 10	Total/NA	Solid	5035	
890-9440-11	CS - 11	Total/NA	Solid	5035	
890-9440-12	CS - 12	Total/NA	Solid	5035	
890-9440-13	CS - 13	Total/NA	Solid	5035	
890-9440-14	CS - 14	Total/NA	Solid	5035	
890-9440-15	CS - 15	Total/NA	Solid	5035	
890-9440-16	CS - 16	Total/NA	Solid	5035	
890-9440-17	CS - 17	Total/NA	Solid	5035	
890-9440-18	CS - 18	Total/NA	Solid	5035	
890-9440-19	CS - 19	Total/NA	Solid	5035	
890-9440-20	CS - 20	Total/NA	Solid	5035	
MB 880-130620/5-A	Method Blank	Total/NA	Solid	5035	
LCS 880-130620/1-A	Lab Control Sample	Total/NA	Solid	5035	
LCSD 880-130620/2-A	Lab Control Sample Dup	Total/NA	Solid	5035	
890-9440-1 MS	CS - 1	Total/NA	Solid	5035	
890-9440-1 MSD	CS - 1	Total/NA	Solid	5035	

## QC Association Summary

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed It B CTB

Job ID: 890-9440-1  
 SDG: Eddy County, NM

## GC VOA

## Prep Batch: 130635

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-9440-21	CS - 21	Total/NA	Solid	5035	
890-9440-22	CS - 22	Total/NA	Solid	5035	
890-9440-23	CS - 23	Total/NA	Solid	5035	
890-9440-24	CS - 24	Total/NA	Solid	5035	
890-9440-25	CS - 25	Total/NA	Solid	5035	
890-9440-26	CS - 26	Total/NA	Solid	5035	
890-9440-27	CS - 27	Total/NA	Solid	5035	
890-9440-28	CS - 28	Total/NA	Solid	5035	
890-9440-29	CS - 29	Total/NA	Solid	5035	
890-9440-30	CS - 30	Total/NA	Solid	5035	
890-9440-31	CS - 31	Total/NA	Solid	5035	
890-9440-32	CS - 32	Total/NA	Solid	5035	
890-9440-33	CS - 33	Total/NA	Solid	5035	
890-9440-34	CS - 34	Total/NA	Solid	5035	
890-9440-35	CS - 35	Total/NA	Solid	5035	
890-9440-36	CS - 36	Total/NA	Solid	5035	
890-9440-37	CS - 37	Total/NA	Solid	5035	
890-9440-38	CS - 38	Total/NA	Solid	5035	
890-9440-39	CS - 39	Total/NA	Solid	5035	
890-9440-40	CS - 40	Total/NA	Solid	5035	
MB 880-130635/5-A	Method Blank	Total/NA	Solid	5035	
LCS 880-130635/1-A	Lab Control Sample	Total/NA	Solid	5035	
LCSD 880-130635/2-A	Lab Control Sample Dup	Total/NA	Solid	5035	
890-9440-21 MS	CS - 21	Total/NA	Solid	5035	
890-9440-21 MSD	CS - 21	Total/NA	Solid	5035	

## Prep Batch: 130648

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-9440-41	CS - 41	Total/NA	Solid	5035	
MB 880-130648/5-A	Method Blank	Total/NA	Solid	5035	
LCS 880-130648/1-A	Lab Control Sample	Total/NA	Solid	5035	
LCSD 880-130648/2-A	Lab Control Sample Dup	Total/NA	Solid	5035	
890-9440-41 MS	CS - 41	Total/NA	Solid	5035	
890-9440-41 MSD	CS - 41	Total/NA	Solid	5035	

## Analysis Batch: 130664

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-9440-1	CS - 1	Total/NA	Solid	Total BTEX	
890-9440-2	CS - 2	Total/NA	Solid	Total BTEX	
890-9440-3	CS - 3	Total/NA	Solid	Total BTEX	
890-9440-4	CS - 4	Total/NA	Solid	Total BTEX	
890-9440-5	CS - 5	Total/NA	Solid	Total BTEX	
890-9440-6	CS - 6	Total/NA	Solid	Total BTEX	
890-9440-7	CS - 7	Total/NA	Solid	Total BTEX	
890-9440-8	CS - 8	Total/NA	Solid	Total BTEX	
890-9440-9	CS - 9	Total/NA	Solid	Total BTEX	
890-9440-10	CS - 10	Total/NA	Solid	Total BTEX	
890-9440-11	CS - 11	Total/NA	Solid	Total BTEX	
890-9440-12	CS - 12	Total/NA	Solid	Total BTEX	
890-9440-13	CS - 13	Total/NA	Solid	Total BTEX	
890-9440-14	CS - 14	Total/NA	Solid	Total BTEX	

Eurofins Carlsbad

### QC Association Summary

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed It B CTB

Job ID: 890-9440-1  
 SDG: Eddy County, NM

#### GC VOA (Continued)

##### Analysis Batch: 130664 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-9440-15	CS - 15	Total/NA	Solid	Total BTEX	
890-9440-16	CS - 16	Total/NA	Solid	Total BTEX	
890-9440-17	CS - 17	Total/NA	Solid	Total BTEX	
890-9440-18	CS - 18	Total/NA	Solid	Total BTEX	
890-9440-19	CS - 19	Total/NA	Solid	Total BTEX	
890-9440-20	CS - 20	Total/NA	Solid	Total BTEX	
890-9440-21	CS - 21	Total/NA	Solid	Total BTEX	
890-9440-22	CS - 22	Total/NA	Solid	Total BTEX	
890-9440-23	CS - 23	Total/NA	Solid	Total BTEX	
890-9440-24	CS - 24	Total/NA	Solid	Total BTEX	
890-9440-25	CS - 25	Total/NA	Solid	Total BTEX	
890-9440-26	CS - 26	Total/NA	Solid	Total BTEX	
890-9440-27	CS - 27	Total/NA	Solid	Total BTEX	
890-9440-28	CS - 28	Total/NA	Solid	Total BTEX	
890-9440-29	CS - 29	Total/NA	Solid	Total BTEX	
890-9440-30	CS - 30	Total/NA	Solid	Total BTEX	
890-9440-31	CS - 31	Total/NA	Solid	Total BTEX	
890-9440-32	CS - 32	Total/NA	Solid	Total BTEX	
890-9440-33	CS - 33	Total/NA	Solid	Total BTEX	
890-9440-34	CS - 34	Total/NA	Solid	Total BTEX	
890-9440-35	CS - 35	Total/NA	Solid	Total BTEX	
890-9440-36	CS - 36	Total/NA	Solid	Total BTEX	
890-9440-37	CS - 37	Total/NA	Solid	Total BTEX	
890-9440-38	CS - 38	Total/NA	Solid	Total BTEX	
890-9440-39	CS - 39	Total/NA	Solid	Total BTEX	
890-9440-40	CS - 40	Total/NA	Solid	Total BTEX	
890-9440-41	CS - 41	Total/NA	Solid	Total BTEX	

#### GC Semi VOA

##### Analysis Batch: 130500

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-9440-21	CS - 21	Total/NA	Solid	8015B NM	130607
890-9440-22	CS - 22	Total/NA	Solid	8015B NM	130607
890-9440-23	CS - 23	Total/NA	Solid	8015B NM	130607
890-9440-24	CS - 24	Total/NA	Solid	8015B NM	130607
890-9440-25	CS - 25	Total/NA	Solid	8015B NM	130607
890-9440-26	CS - 26	Total/NA	Solid	8015B NM	130607
890-9440-27	CS - 27	Total/NA	Solid	8015B NM	130607
890-9440-28	CS - 28	Total/NA	Solid	8015B NM	130607
890-9440-29	CS - 29	Total/NA	Solid	8015B NM	130607
890-9440-30	CS - 30	Total/NA	Solid	8015B NM	130607
890-9440-31	CS - 31	Total/NA	Solid	8015B NM	130607
890-9440-32	CS - 32	Total/NA	Solid	8015B NM	130607
890-9440-33	CS - 33	Total/NA	Solid	8015B NM	130607
890-9440-34	CS - 34	Total/NA	Solid	8015B NM	130607
890-9440-35	CS - 35	Total/NA	Solid	8015B NM	130607
890-9440-36	CS - 36	Total/NA	Solid	8015B NM	130607
890-9440-37	CS - 37	Total/NA	Solid	8015B NM	130607
890-9440-38	CS - 38	Total/NA	Solid	8015B NM	130607
890-9440-39	CS - 39	Total/NA	Solid	8015B NM	130607

Eurofins Carlsbad

## QC Association Summary

Client: Earth Systems Response and Restoration  
Project/Site: Nailed It B CTB

Job ID: 890-9440-1  
SDG: Eddy County, NM

## GC Semi VOA (Continued)

## Analysis Batch: 130500 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-9440-40	CS - 40	Total/NA	Solid	8015B NM	130607
MB 880-130607/1-A	Method Blank	Total/NA	Solid	8015B NM	130607
LCS 880-130607/2-A	Lab Control Sample	Total/NA	Solid	8015B NM	130607
LCSD 880-130607/3-A	Lab Control Sample Dup	Total/NA	Solid	8015B NM	130607
890-9440-21 MS	CS - 21	Total/NA	Solid	8015B NM	130607
890-9440-21 MSD	CS - 21	Total/NA	Solid	8015B NM	130607

## Analysis Batch: 130502

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-9440-1	CS - 1	Total/NA	Solid	8015B NM	130604
890-9440-2	CS - 2	Total/NA	Solid	8015B NM	130604
890-9440-3	CS - 3	Total/NA	Solid	8015B NM	130604
890-9440-4	CS - 4	Total/NA	Solid	8015B NM	130604
890-9440-5	CS - 5	Total/NA	Solid	8015B NM	130604
890-9440-6	CS - 6	Total/NA	Solid	8015B NM	130604
890-9440-7	CS - 7	Total/NA	Solid	8015B NM	130604
890-9440-8	CS - 8	Total/NA	Solid	8015B NM	130604
890-9440-9	CS - 9	Total/NA	Solid	8015B NM	130604
890-9440-10	CS - 10	Total/NA	Solid	8015B NM	130604
890-9440-11	CS - 11	Total/NA	Solid	8015B NM	130604
890-9440-12	CS - 12	Total/NA	Solid	8015B NM	130604
890-9440-13	CS - 13	Total/NA	Solid	8015B NM	130604
890-9440-14	CS - 14	Total/NA	Solid	8015B NM	130604
890-9440-15	CS - 15	Total/NA	Solid	8015B NM	130604
890-9440-16	CS - 16	Total/NA	Solid	8015B NM	130604
890-9440-18	CS - 18	Total/NA	Solid	8015B NM	130604
890-9440-19	CS - 19	Total/NA	Solid	8015B NM	130604
890-9440-20	CS - 20	Total/NA	Solid	8015B NM	130604
MB 880-130604/1-A	Method Blank	Total/NA	Solid	8015B NM	130604
LCS 880-130604/2-A	Lab Control Sample	Total/NA	Solid	8015B NM	130604
LCSD 880-130604/3-A	Lab Control Sample Dup	Total/NA	Solid	8015B NM	130604
890-9440-1 MS	CS - 1	Total/NA	Solid	8015B NM	130604
890-9440-1 MSD	CS - 1	Total/NA	Solid	8015B NM	130604

## Prep Batch: 130604

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-9440-1	CS - 1	Total/NA	Solid	8015NM Prep	
890-9440-2	CS - 2	Total/NA	Solid	8015NM Prep	
890-9440-3	CS - 3	Total/NA	Solid	8015NM Prep	
890-9440-4	CS - 4	Total/NA	Solid	8015NM Prep	
890-9440-5	CS - 5	Total/NA	Solid	8015NM Prep	
890-9440-6	CS - 6	Total/NA	Solid	8015NM Prep	
890-9440-7	CS - 7	Total/NA	Solid	8015NM Prep	
890-9440-8	CS - 8	Total/NA	Solid	8015NM Prep	
890-9440-9	CS - 9	Total/NA	Solid	8015NM Prep	
890-9440-10	CS - 10	Total/NA	Solid	8015NM Prep	
890-9440-11	CS - 11	Total/NA	Solid	8015NM Prep	
890-9440-12	CS - 12	Total/NA	Solid	8015NM Prep	
890-9440-13	CS - 13	Total/NA	Solid	8015NM Prep	
890-9440-14	CS - 14	Total/NA	Solid	8015NM Prep	
890-9440-15	CS - 15	Total/NA	Solid	8015NM Prep	

Eurofins Carlsbad

### QC Association Summary

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed It B CTB

Job ID: 890-9440-1  
 SDG: Eddy County, NM

#### GC Semi VOA (Continued)

##### Prep Batch: 130604 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-9440-16	CS - 16	Total/NA	Solid	8015NM Prep	
890-9440-18	CS - 18	Total/NA	Solid	8015NM Prep	
890-9440-19	CS - 19	Total/NA	Solid	8015NM Prep	
890-9440-20	CS - 20	Total/NA	Solid	8015NM Prep	
MB 880-130604/1-A	Method Blank	Total/NA	Solid	8015NM Prep	
LCS 880-130604/2-A	Lab Control Sample	Total/NA	Solid	8015NM Prep	
LCSD 880-130604/3-A	Lab Control Sample Dup	Total/NA	Solid	8015NM Prep	
890-9440-1 MS	CS - 1	Total/NA	Solid	8015NM Prep	
890-9440-1 MSD	CS - 1	Total/NA	Solid	8015NM Prep	

##### Prep Batch: 130607

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-9440-21	CS - 21	Total/NA	Solid	8015NM Prep	
890-9440-22	CS - 22	Total/NA	Solid	8015NM Prep	
890-9440-23	CS - 23	Total/NA	Solid	8015NM Prep	
890-9440-24	CS - 24	Total/NA	Solid	8015NM Prep	
890-9440-25	CS - 25	Total/NA	Solid	8015NM Prep	
890-9440-26	CS - 26	Total/NA	Solid	8015NM Prep	
890-9440-27	CS - 27	Total/NA	Solid	8015NM Prep	
890-9440-28	CS - 28	Total/NA	Solid	8015NM Prep	
890-9440-29	CS - 29	Total/NA	Solid	8015NM Prep	
890-9440-30	CS - 30	Total/NA	Solid	8015NM Prep	
890-9440-31	CS - 31	Total/NA	Solid	8015NM Prep	
890-9440-32	CS - 32	Total/NA	Solid	8015NM Prep	
890-9440-33	CS - 33	Total/NA	Solid	8015NM Prep	
890-9440-34	CS - 34	Total/NA	Solid	8015NM Prep	
890-9440-35	CS - 35	Total/NA	Solid	8015NM Prep	
890-9440-36	CS - 36	Total/NA	Solid	8015NM Prep	
890-9440-37	CS - 37	Total/NA	Solid	8015NM Prep	
890-9440-38	CS - 38	Total/NA	Solid	8015NM Prep	
890-9440-39	CS - 39	Total/NA	Solid	8015NM Prep	
890-9440-40	CS - 40	Total/NA	Solid	8015NM Prep	
MB 880-130607/1-A	Method Blank	Total/NA	Solid	8015NM Prep	
LCS 880-130607/2-A	Lab Control Sample	Total/NA	Solid	8015NM Prep	
LCSD 880-130607/3-A	Lab Control Sample Dup	Total/NA	Solid	8015NM Prep	
890-9440-21 MS	CS - 21	Total/NA	Solid	8015NM Prep	
890-9440-21 MSD	CS - 21	Total/NA	Solid	8015NM Prep	

##### Prep Batch: 130609

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-9440-17	CS - 17	Total/NA	Solid	8015NM Prep	
890-9440-41	CS - 41	Total/NA	Solid	8015NM Prep	
MB 880-130609/1-A	Method Blank	Total/NA	Solid	8015NM Prep	
LCS 880-130609/2-A	Lab Control Sample	Total/NA	Solid	8015NM Prep	
LCSD 880-130609/3-A	Lab Control Sample Dup	Total/NA	Solid	8015NM Prep	
890-9440-41 MS	CS - 41	Total/NA	Solid	8015NM Prep	
890-9440-41 MSD	CS - 41	Total/NA	Solid	8015NM Prep	

##### Analysis Batch: 130626

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-9440-17	CS - 17	Total/NA	Solid	8015B NM	130609

Eurofins Carlsbad

### QC Association Summary

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed It B CTB

Job ID: 890-9440-1  
 SDG: Eddy County, NM

#### GC Semi VOA (Continued)

##### Analysis Batch: 130626 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-9440-41	CS - 41	Total/NA	Solid	8015B NM	130609
MB 880-130609/1-A	Method Blank	Total/NA	Solid	8015B NM	130609
LCS 880-130609/2-A	Lab Control Sample	Total/NA	Solid	8015B NM	130609
LCSD 880-130609/3-A	Lab Control Sample Dup	Total/NA	Solid	8015B NM	130609
890-9440-41 MS	CS - 41	Total/NA	Solid	8015B NM	130609
890-9440-41 MSD	CS - 41	Total/NA	Solid	8015B NM	130609

##### Analysis Batch: 130674

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-9440-1	CS - 1	Total/NA	Solid	8015 NM	
890-9440-2	CS - 2	Total/NA	Solid	8015 NM	
890-9440-3	CS - 3	Total/NA	Solid	8015 NM	
890-9440-4	CS - 4	Total/NA	Solid	8015 NM	
890-9440-5	CS - 5	Total/NA	Solid	8015 NM	
890-9440-6	CS - 6	Total/NA	Solid	8015 NM	
890-9440-7	CS - 7	Total/NA	Solid	8015 NM	
890-9440-8	CS - 8	Total/NA	Solid	8015 NM	
890-9440-9	CS - 9	Total/NA	Solid	8015 NM	
890-9440-10	CS - 10	Total/NA	Solid	8015 NM	
890-9440-11	CS - 11	Total/NA	Solid	8015 NM	
890-9440-12	CS - 12	Total/NA	Solid	8015 NM	
890-9440-13	CS - 13	Total/NA	Solid	8015 NM	
890-9440-14	CS - 14	Total/NA	Solid	8015 NM	
890-9440-15	CS - 15	Total/NA	Solid	8015 NM	
890-9440-16	CS - 16	Total/NA	Solid	8015 NM	
890-9440-17	CS - 17	Total/NA	Solid	8015 NM	
890-9440-18	CS - 18	Total/NA	Solid	8015 NM	
890-9440-19	CS - 19	Total/NA	Solid	8015 NM	
890-9440-20	CS - 20	Total/NA	Solid	8015 NM	
890-9440-21	CS - 21	Total/NA	Solid	8015 NM	
890-9440-22	CS - 22	Total/NA	Solid	8015 NM	
890-9440-23	CS - 23	Total/NA	Solid	8015 NM	
890-9440-24	CS - 24	Total/NA	Solid	8015 NM	
890-9440-25	CS - 25	Total/NA	Solid	8015 NM	
890-9440-26	CS - 26	Total/NA	Solid	8015 NM	
890-9440-27	CS - 27	Total/NA	Solid	8015 NM	
890-9440-28	CS - 28	Total/NA	Solid	8015 NM	
890-9440-29	CS - 29	Total/NA	Solid	8015 NM	
890-9440-30	CS - 30	Total/NA	Solid	8015 NM	
890-9440-31	CS - 31	Total/NA	Solid	8015 NM	
890-9440-32	CS - 32	Total/NA	Solid	8015 NM	
890-9440-33	CS - 33	Total/NA	Solid	8015 NM	
890-9440-34	CS - 34	Total/NA	Solid	8015 NM	
890-9440-35	CS - 35	Total/NA	Solid	8015 NM	
890-9440-36	CS - 36	Total/NA	Solid	8015 NM	
890-9440-37	CS - 37	Total/NA	Solid	8015 NM	
890-9440-38	CS - 38	Total/NA	Solid	8015 NM	
890-9440-39	CS - 39	Total/NA	Solid	8015 NM	
890-9440-40	CS - 40	Total/NA	Solid	8015 NM	
890-9440-41	CS - 41	Total/NA	Solid	8015 NM	

Eurofins Carlsbad

## QC Association Summary

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed It B CTB

Job ID: 890-9440-1  
 SDG: Eddy County, NM

## HPLC/IC

## Leach Batch: 130617

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-9440-1	CS - 1	Soluble	Solid	DI Leach	
890-9440-2	CS - 2	Soluble	Solid	DI Leach	
890-9440-3	CS - 3	Soluble	Solid	DI Leach	
890-9440-4	CS - 4	Soluble	Solid	DI Leach	
890-9440-5	CS - 5	Soluble	Solid	DI Leach	
890-9440-6	CS - 6	Soluble	Solid	DI Leach	
890-9440-7	CS - 7	Soluble	Solid	DI Leach	
890-9440-8	CS - 8	Soluble	Solid	DI Leach	
890-9440-9	CS - 9	Soluble	Solid	DI Leach	
890-9440-10	CS - 10	Soluble	Solid	DI Leach	
890-9440-11	CS - 11	Soluble	Solid	DI Leach	
890-9440-12	CS - 12	Soluble	Solid	DI Leach	
890-9440-13	CS - 13	Soluble	Solid	DI Leach	
890-9440-14	CS - 14	Soluble	Solid	DI Leach	
MB 880-130617/1-A	Method Blank	Soluble	Solid	DI Leach	
LCS 880-130617/2-A	Lab Control Sample	Soluble	Solid	DI Leach	
LCS D 880-130617/3-A	Lab Control Sample Dup	Soluble	Solid	DI Leach	
890-9440-10 MS	CS - 10	Soluble	Solid	DI Leach	
890-9440-10 MSD	CS - 10	Soluble	Solid	DI Leach	

## Leach Batch: 130618

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-9440-15	CS - 15	Soluble	Solid	DI Leach	
890-9440-16	CS - 16	Soluble	Solid	DI Leach	
890-9440-17	CS - 17	Soluble	Solid	DI Leach	
890-9440-18	CS - 18	Soluble	Solid	DI Leach	
890-9440-19	CS - 19	Soluble	Solid	DI Leach	
890-9440-20	CS - 20	Soluble	Solid	DI Leach	
890-9440-21	CS - 21	Soluble	Solid	DI Leach	
890-9440-22	CS - 22	Soluble	Solid	DI Leach	
890-9440-23	CS - 23	Soluble	Solid	DI Leach	
890-9440-24	CS - 24	Soluble	Solid	DI Leach	
890-9440-25	CS - 25	Soluble	Solid	DI Leach	
890-9440-26	CS - 26	Soluble	Solid	DI Leach	
890-9440-27	CS - 27	Soluble	Solid	DI Leach	
890-9440-28	CS - 28	Soluble	Solid	DI Leach	
890-9440-29	CS - 29	Soluble	Solid	DI Leach	
MB 880-130618/1-A	Method Blank	Soluble	Solid	DI Leach	
LCS 880-130618/2-A	Lab Control Sample	Soluble	Solid	DI Leach	
LCS D 880-130618/3-A	Lab Control Sample Dup	Soluble	Solid	DI Leach	
890-9440-15 MS	CS - 15	Soluble	Solid	DI Leach	
890-9440-15 MSD	CS - 15	Soluble	Solid	DI Leach	
890-9440-25 MS	CS - 25	Soluble	Solid	DI Leach	
890-9440-25 MSD	CS - 25	Soluble	Solid	DI Leach	

## Leach Batch: 130619

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-9440-30	CS - 30	Soluble	Solid	DI Leach	
890-9440-31	CS - 31	Soluble	Solid	DI Leach	
890-9440-32	CS - 32	Soluble	Solid	DI Leach	
890-9440-33	CS - 33	Soluble	Solid	DI Leach	

Eurofins Carlsbad

## QC Association Summary

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed It B CTB

Job ID: 890-9440-1  
 SDG: Eddy County, NM

## HPLC/IC (Continued)

## Leach Batch: 130619 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-9440-34	CS - 34	Soluble	Solid	DI Leach	
890-9440-35	CS - 35	Soluble	Solid	DI Leach	
890-9440-36	CS - 36	Soluble	Solid	DI Leach	
890-9440-37	CS - 37	Soluble	Solid	DI Leach	
890-9440-38	CS - 38	Soluble	Solid	DI Leach	
890-9440-39	CS - 39	Soluble	Solid	DI Leach	
890-9440-40	CS - 40	Soluble	Solid	DI Leach	
890-9440-41	CS - 41	Soluble	Solid	DI Leach	
MB 880-130619/1-A	Method Blank	Soluble	Solid	DI Leach	
LCS 880-130619/2-A	Lab Control Sample	Soluble	Solid	DI Leach	
LCSD 880-130619/3-A	Lab Control Sample Dup	Soluble	Solid	DI Leach	
890-9440-30 MS	CS - 30	Soluble	Solid	DI Leach	
890-9440-30 MSD	CS - 30	Soluble	Solid	DI Leach	
890-9440-40 MS	CS - 40	Soluble	Solid	DI Leach	
890-9440-40 MSD	CS - 40	Soluble	Solid	DI Leach	

## Analysis Batch: 130632

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-9440-1	CS - 1	Soluble	Solid	300.0	130617
890-9440-2	CS - 2	Soluble	Solid	300.0	130617
890-9440-3	CS - 3	Soluble	Solid	300.0	130617
890-9440-4	CS - 4	Soluble	Solid	300.0	130617
890-9440-5	CS - 5	Soluble	Solid	300.0	130617
890-9440-6	CS - 6	Soluble	Solid	300.0	130617
890-9440-7	CS - 7	Soluble	Solid	300.0	130617
890-9440-8	CS - 8	Soluble	Solid	300.0	130617
890-9440-9	CS - 9	Soluble	Solid	300.0	130617
890-9440-10	CS - 10	Soluble	Solid	300.0	130617
890-9440-11	CS - 11	Soluble	Solid	300.0	130617
890-9440-12	CS - 12	Soluble	Solid	300.0	130617
890-9440-13	CS - 13	Soluble	Solid	300.0	130617
890-9440-14	CS - 14	Soluble	Solid	300.0	130617
MB 880-130617/1-A	Method Blank	Soluble	Solid	300.0	130617
LCS 880-130617/2-A	Lab Control Sample	Soluble	Solid	300.0	130617
LCSD 880-130617/3-A	Lab Control Sample Dup	Soluble	Solid	300.0	130617
890-9440-10 MS	CS - 10	Soluble	Solid	300.0	130617
890-9440-10 MSD	CS - 10	Soluble	Solid	300.0	130617

## Analysis Batch: 130642

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-9440-15	CS - 15	Soluble	Solid	300.0	130618
890-9440-16	CS - 16	Soluble	Solid	300.0	130618
890-9440-17	CS - 17	Soluble	Solid	300.0	130618
890-9440-18	CS - 18	Soluble	Solid	300.0	130618
890-9440-19	CS - 19	Soluble	Solid	300.0	130618
890-9440-20	CS - 20	Soluble	Solid	300.0	130618
890-9440-21	CS - 21	Soluble	Solid	300.0	130618
890-9440-22	CS - 22	Soluble	Solid	300.0	130618
890-9440-23	CS - 23	Soluble	Solid	300.0	130618
890-9440-24	CS - 24	Soluble	Solid	300.0	130618
890-9440-25	CS - 25	Soluble	Solid	300.0	130618

Eurofins Carlsbad

## QC Association Summary

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed It B CTB

Job ID: 890-9440-1  
 SDG: Eddy County, NM

## HPLC/IC (Continued)

## Analysis Batch: 130642 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-9440-26	CS - 26	Soluble	Solid	300.0	130618
890-9440-27	CS - 27	Soluble	Solid	300.0	130618
890-9440-28	CS - 28	Soluble	Solid	300.0	130618
890-9440-29	CS - 29	Soluble	Solid	300.0	130618
MB 880-130618/1-A	Method Blank	Soluble	Solid	300.0	130618
LCS 880-130618/2-A	Lab Control Sample	Soluble	Solid	300.0	130618
LCSD 880-130618/3-A	Lab Control Sample Dup	Soluble	Solid	300.0	130618
890-9440-15 MS	CS - 15	Soluble	Solid	300.0	130618
890-9440-15 MSD	CS - 15	Soluble	Solid	300.0	130618
890-9440-25 MS	CS - 25	Soluble	Solid	300.0	130618
890-9440-25 MSD	CS - 25	Soluble	Solid	300.0	130618

## Analysis Batch: 130643

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-9440-30	CS - 30	Soluble	Solid	300.0	130619
890-9440-31	CS - 31	Soluble	Solid	300.0	130619
890-9440-32	CS - 32	Soluble	Solid	300.0	130619
890-9440-33	CS - 33	Soluble	Solid	300.0	130619
890-9440-34	CS - 34	Soluble	Solid	300.0	130619
890-9440-35	CS - 35	Soluble	Solid	300.0	130619
890-9440-36	CS - 36	Soluble	Solid	300.0	130619
890-9440-37	CS - 37	Soluble	Solid	300.0	130619
890-9440-38	CS - 38	Soluble	Solid	300.0	130619
890-9440-39	CS - 39	Soluble	Solid	300.0	130619
890-9440-40	CS - 40	Soluble	Solid	300.0	130619
890-9440-41	CS - 41	Soluble	Solid	300.0	130619
MB 880-130619/1-A	Method Blank	Soluble	Solid	300.0	130619
LCS 880-130619/2-A	Lab Control Sample	Soluble	Solid	300.0	130619
LCSD 880-130619/3-A	Lab Control Sample Dup	Soluble	Solid	300.0	130619
890-9440-30 MS	CS - 30	Soluble	Solid	300.0	130619
890-9440-30 MSD	CS - 30	Soluble	Solid	300.0	130619
890-9440-40 MS	CS - 40	Soluble	Solid	300.0	130619
890-9440-40 MSD	CS - 40	Soluble	Solid	300.0	130619

### Lab Chronicle

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed It B CTB

Job ID: 890-9440-1  
 SDG: Eddy County, NM

**Client Sample ID: CS - 1**  
 Date Collected: 02/02/26 08:00  
 Date Received: 02/02/26 15:28

**Lab Sample ID: 890-9440-1**  
 Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	130620	02/02/26 20:00	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	130533	02/03/26 01:09	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			130664	02/03/26 01:09	SA	EET MID
Total/NA	Analysis	8015 NM		1			130674	02/02/26 23:20	SA	EET MID
Total/NA	Prep	8015NM Prep			10.04 g	10 mL	130604	02/02/26 19:52	JN	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	130502	02/02/26 23:20	FC	EET MID
Soluble	Leach	DI Leach			4.96 g	50 mL	130617	02/03/26 08:12	SA	EET MID
Soluble	Analysis	300.0		10			130632	02/03/26 09:46	CS	EET MID

**Client Sample ID: CS - 2**  
 Date Collected: 02/02/26 08:05  
 Date Received: 02/02/26 15:28

**Lab Sample ID: 890-9440-2**  
 Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.98 g	5 mL	130620	02/02/26 20:00	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	130533	02/03/26 01:30	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			130664	02/03/26 01:30	SA	EET MID
Total/NA	Analysis	8015 NM		1			130674	02/03/26 00:02	SA	EET MID
Total/NA	Prep	8015NM Prep			10.00 g	10 mL	130604	02/02/26 19:52	JN	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	130502	02/03/26 00:02	FC	EET MID
Soluble	Leach	DI Leach			5.02 g	50 mL	130617	02/03/26 08:12	SA	EET MID
Soluble	Analysis	300.0		20			130632	02/03/26 09:51	CS	EET MID

**Client Sample ID: CS - 3**  
 Date Collected: 02/02/26 08:10  
 Date Received: 02/02/26 15:28

**Lab Sample ID: 890-9440-3**  
 Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.95 g	5 mL	130620	02/02/26 20:00	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	130533	02/03/26 01:50	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			130664	02/03/26 01:50	SA	EET MID
Total/NA	Analysis	8015 NM		1			130674	02/03/26 00:16	SA	EET MID
Total/NA	Prep	8015NM Prep			9.98 g	10 mL	130604	02/02/26 19:52	JN	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	130502	02/03/26 00:16	FC	EET MID
Soluble	Leach	DI Leach			5.04 g	50 mL	130617	02/03/26 08:12	SA	EET MID
Soluble	Analysis	300.0		10			130632	02/03/26 09:56	CS	EET MID

**Client Sample ID: CS - 4**  
 Date Collected: 02/02/26 08:15  
 Date Received: 02/02/26 15:28

**Lab Sample ID: 890-9440-4**  
 Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.03 g	5 mL	130620	02/02/26 20:00	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	130533	02/03/26 02:11	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			130664	02/03/26 02:11	SA	EET MID

Eurofins Carlsbad

### Lab Chronicle

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed It B CTB

Job ID: 890-9440-1  
 SDG: Eddy County, NM

**Client Sample ID: CS - 4**

**Lab Sample ID: 890-9440-4**

Date Collected: 02/02/26 08:15

Matrix: Solid

Date Received: 02/02/26 15:28

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8015 NM		1			130674	02/03/26 00:30	SA	EET MID
Total/NA	Prep	8015NM Prep			9.97 g	10 mL	130604	02/02/26 19:52	JN	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	130502	02/03/26 00:30	FC	EET MID
Soluble	Leach	DI Leach			5.01 g	50 mL	130617	02/03/26 08:12	SA	EET MID
Soluble	Analysis	300.0		10			130632	02/03/26 10:01	CS	EET MID

**Client Sample ID: CS - 5**

**Lab Sample ID: 890-9440-5**

Date Collected: 02/02/26 08:20

Matrix: Solid

Date Received: 02/02/26 15:28

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.05 g	5 mL	130620	02/02/26 20:00	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	130533	02/03/26 02:31	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			130664	02/03/26 02:31	SA	EET MID
Total/NA	Analysis	8015 NM		1			130674	02/03/26 00:44	SA	EET MID
Total/NA	Prep	8015NM Prep			10.00 g	10 mL	130604	02/02/26 19:52	JN	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	130502	02/03/26 00:44	FC	EET MID
Soluble	Leach	DI Leach			4.96 g	50 mL	130617	02/03/26 08:12	SA	EET MID
Soluble	Analysis	300.0		20			130632	02/03/26 10:17	CS	EET MID

**Client Sample ID: CS - 6**

**Lab Sample ID: 890-9440-6**

Date Collected: 02/02/26 08:25

Matrix: Solid

Date Received: 02/02/26 15:28

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.00 g	5 mL	130620	02/02/26 20:00	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	130533	02/03/26 02:51	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			130664	02/03/26 02:51	SA	EET MID
Total/NA	Analysis	8015 NM		1			130674	02/03/26 00:58	SA	EET MID
Total/NA	Prep	8015NM Prep			9.96 g	10 mL	130604	02/02/26 19:52	JN	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	130502	02/03/26 00:58	FC	EET MID
Soluble	Leach	DI Leach			5.02 g	50 mL	130617	02/03/26 08:12	SA	EET MID
Soluble	Analysis	300.0		20			130632	02/03/26 10:22	CS	EET MID

**Client Sample ID: CS - 7**

**Lab Sample ID: 890-9440-7**

Date Collected: 02/02/26 08:30

Matrix: Solid

Date Received: 02/02/26 15:28

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	130620	02/02/26 20:00	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	130533	02/03/26 03:12	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			130664	02/03/26 03:12	SA	EET MID
Total/NA	Analysis	8015 NM		1			130674	02/03/26 01:12	SA	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10 mL	130604	02/02/26 19:52	JN	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	130502	02/03/26 01:12	FC	EET MID

Eurofins Carlsbad

### Lab Chronicle

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed It B CTB

Job ID: 890-9440-1  
 SDG: Eddy County, NM

**Client Sample ID: CS - 7**

**Lab Sample ID: 890-9440-7**

Date Collected: 02/02/26 08:30

Matrix: Solid

Date Received: 02/02/26 15:28

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Soluble	Leach	DI Leach			5.03 g	50 mL	130617	02/03/26 08:12	SA	EET MID
Soluble	Analysis	300.0		1			130632	02/03/26 10:28	CS	EET MID

**Client Sample ID: CS - 8**

**Lab Sample ID: 890-9440-8**

Date Collected: 02/02/26 08:35

Matrix: Solid

Date Received: 02/02/26 15:28

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.98 g	5 mL	130620	02/02/26 20:00	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	130533	02/03/26 03:32	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			130664	02/03/26 03:32	SA	EET MID
Total/NA	Analysis	8015 NM		1			130674	02/03/26 01:27	SA	EET MID
Total/NA	Prep	8015NM Prep			9.99 g	10 mL	130604	02/02/26 19:52	JN	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	130502	02/03/26 01:27	FC	EET MID
Soluble	Leach	DI Leach			5.00 g	50 mL	130617	02/03/26 08:12	SA	EET MID
Soluble	Analysis	300.0		10			130632	02/03/26 10:33	CS	EET MID

**Client Sample ID: CS - 9**

**Lab Sample ID: 890-9440-9**

Date Collected: 02/02/26 08:40

Matrix: Solid

Date Received: 02/02/26 15:28

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.95 g	5 mL	130620	02/02/26 20:00	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	130533	02/03/26 03:53	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			130664	02/03/26 03:53	SA	EET MID
Total/NA	Analysis	8015 NM		1			130674	02/03/26 01:40	SA	EET MID
Total/NA	Prep	8015NM Prep			9.98 g	10 mL	130604	02/02/26 19:52	JN	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	130502	02/03/26 01:40	FC	EET MID
Soluble	Leach	DI Leach			5.05 g	50 mL	130617	02/03/26 08:12	SA	EET MID
Soluble	Analysis	300.0		10			130632	02/03/26 10:38	CS	EET MID

**Client Sample ID: CS - 10**

**Lab Sample ID: 890-9440-10**

Date Collected: 02/02/26 08:45

Matrix: Solid

Date Received: 02/02/26 15:28

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.03 g	5 mL	130620	02/02/26 20:00	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	130533	02/03/26 04:13	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			130664	02/03/26 04:13	SA	EET MID
Total/NA	Analysis	8015 NM		1			130674	02/03/26 01:55	SA	EET MID
Total/NA	Prep	8015NM Prep			10.00 g	10 mL	130604	02/02/26 19:52	JN	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	130502	02/03/26 01:55	FC	EET MID
Soluble	Leach	DI Leach			5.05 g	50 mL	130617	02/03/26 08:12	SA	EET MID
Soluble	Analysis	300.0		5			130632	02/03/26 10:43	CS	EET MID

Eurofins Carlsbad

### Lab Chronicle

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed It B CTB

Job ID: 890-9440-1  
 SDG: Eddy County, NM

**Client Sample ID: CS - 11**

**Lab Sample ID: 890-9440-11**

Date Collected: 02/02/26 08:50

Matrix: Solid

Date Received: 02/02/26 15:28

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.05 g	5 mL	130620	02/02/26 20:00	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	130533	02/03/26 05:47	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			130664	02/03/26 05:47	SA	EET MID
Total/NA	Analysis	8015 NM		1			130674	02/03/26 02:24	SA	EET MID
Total/NA	Prep	8015NM Prep			10.05 g	10 mL	130604	02/02/26 19:52	JN	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	130502	02/03/26 02:24	FC	EET MID
Soluble	Leach	DI Leach			4.96 g	50 mL	130617	02/03/26 08:12	SA	EET MID
Soluble	Analysis	300.0		10			130632	02/03/26 10:59	CS	EET MID

**Client Sample ID: CS - 12**

**Lab Sample ID: 890-9440-12**

Date Collected: 02/02/26 08:55

Matrix: Solid

Date Received: 02/02/26 15:28

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	130620	02/02/26 20:00	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	130533	02/03/26 06:07	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			130664	02/03/26 06:07	SA	EET MID
Total/NA	Analysis	8015 NM		1			130674	02/03/26 02:38	SA	EET MID
Total/NA	Prep	8015NM Prep			10.08 g	10 mL	130604	02/02/26 19:52	JN	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	130502	02/03/26 02:38	FC	EET MID
Soluble	Leach	DI Leach			5.03 g	50 mL	130617	02/03/26 08:12	SA	EET MID
Soluble	Analysis	300.0		10			130632	02/03/26 11:04	CS	EET MID

**Client Sample ID: CS - 13**

**Lab Sample ID: 890-9440-13**

Date Collected: 02/02/26 09:00

Matrix: Solid

Date Received: 02/02/26 15:28

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.97 g	5 mL	130620	02/02/26 20:00	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	130533	02/03/26 06:27	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			130664	02/03/26 06:27	SA	EET MID
Total/NA	Analysis	8015 NM		1			130674	02/03/26 02:52	SA	EET MID
Total/NA	Prep	8015NM Prep			9.99 g	10 mL	130604	02/02/26 19:52	JN	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	130502	02/03/26 02:52	FC	EET MID
Soluble	Leach	DI Leach			5.04 g	50 mL	130617	02/03/26 08:12	SA	EET MID
Soluble	Analysis	300.0		10			130632	02/03/26 11:20	CS	EET MID

**Client Sample ID: CS - 14**

**Lab Sample ID: 890-9440-14**

Date Collected: 02/02/26 09:05

Matrix: Solid

Date Received: 02/02/26 15:28

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.95 g	5 mL	130620	02/02/26 20:00	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	130533	02/03/26 06:48	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			130664	02/03/26 06:48	SA	EET MID

Eurofins Carlsbad

### Lab Chronicle

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed It B CTB

Job ID: 890-9440-1  
 SDG: Eddy County, NM

**Client Sample ID: CS - 14**

**Lab Sample ID: 890-9440-14**

Date Collected: 02/02/26 09:05

Matrix: Solid

Date Received: 02/02/26 15:28

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8015 NM		1			130674	02/03/26 03:07	SA	EET MID
Total/NA	Prep	8015NM Prep			10.00 g	10 mL	130604	02/02/26 19:52	JN	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	130502	02/03/26 03:07	FC	EET MID
Soluble	Leach	DI Leach			4.97 g	50 mL	130617	02/03/26 08:12	SA	EET MID
Soluble	Analysis	300.0		10			130632	02/03/26 11:25	CS	EET MID

**Client Sample ID: CS - 15**

**Lab Sample ID: 890-9440-15**

Date Collected: 02/02/26 09:10

Matrix: Solid

Date Received: 02/02/26 15:28

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.03 g	5 mL	130620	02/02/26 20:00	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	130533	02/03/26 07:08	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			130664	02/03/26 07:08	SA	EET MID
Total/NA	Analysis	8015 NM		1			130674	02/03/26 03:21	SA	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10 mL	130604	02/02/26 19:52	JN	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	130502	02/03/26 03:21	FC	EET MID
Soluble	Leach	DI Leach			4.97 g	50 mL	130618	02/03/26 08:13	SA	EET MID
Soluble	Analysis	300.0		5			130642	02/03/26 09:51	CS	EET MID

**Client Sample ID: CS - 16**

**Lab Sample ID: 890-9440-16**

Date Collected: 02/02/26 09:15

Matrix: Solid

Date Received: 02/02/26 15:28

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.05 g	5 mL	130620	02/02/26 20:00	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	130533	02/03/26 07:28	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			130664	02/03/26 07:28	SA	EET MID
Total/NA	Analysis	8015 NM		1			130674	02/03/26 03:34	SA	EET MID
Total/NA	Prep	8015NM Prep			10.04 g	10 mL	130604	02/02/26 19:52	JN	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	130502	02/03/26 03:34	FC	EET MID
Soluble	Leach	DI Leach			4.95 g	50 mL	130618	02/03/26 08:13	SA	EET MID
Soluble	Analysis	300.0		10			130642	02/03/26 10:26	CS	EET MID

**Client Sample ID: CS - 17**

**Lab Sample ID: 890-9440-17**

Date Collected: 02/02/26 09:20

Matrix: Solid

Date Received: 02/02/26 15:28

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	130620	02/02/26 20:00	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	130533	02/03/26 07:49	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			130664	02/03/26 07:49	SA	EET MID
Total/NA	Analysis	8015 NM		1			130674	02/03/26 11:29	SA	EET MID
Total/NA	Prep	8015NM Prep			10.02 g	10.00 mL	130609	02/02/26 20:01	JN	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	130626	02/03/26 11:29	FC	EET MID

Eurofins Carlsbad

### Lab Chronicle

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed It B CTB

Job ID: 890-9440-1  
 SDG: Eddy County, NM

**Client Sample ID: CS - 17**

**Lab Sample ID: 890-9440-17**

Date Collected: 02/02/26 09:20

Matrix: Solid

Date Received: 02/02/26 15:28

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Soluble	Leach	DI Leach			5.01 g	50 mL	130618	02/03/26 08:13	SA	EET MID
Soluble	Analysis	300.0		20			130642	02/03/26 10:06	CS	EET MID

**Client Sample ID: CS - 18**

**Lab Sample ID: 890-9440-18**

Date Collected: 02/02/26 09:25

Matrix: Solid

Date Received: 02/02/26 15:28

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.98 g	5 mL	130620	02/02/26 20:00	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	130533	02/03/26 08:09	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			130664	02/03/26 08:09	SA	EET MID
Total/NA	Analysis	8015 NM		1			130674	02/03/26 04:03	SA	EET MID
Total/NA	Prep	8015NM Prep			9.90 g	10 mL	130604	02/02/26 19:52	JN	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	130502	02/03/26 04:03	FC	EET MID
Soluble	Leach	DI Leach			5.00 g	50 mL	130618	02/03/26 08:13	SA	EET MID
Soluble	Analysis	300.0		20			130642	02/03/26 10:13	CS	EET MID

**Client Sample ID: CS - 19**

**Lab Sample ID: 890-9440-19**

Date Collected: 02/02/26 09:30

Matrix: Solid

Date Received: 02/02/26 15:28

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.95 g	5 mL	130620	02/02/26 20:00	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	130533	02/03/26 08:30	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			130664	02/03/26 08:30	SA	EET MID
Total/NA	Analysis	8015 NM		1			130674	02/03/26 04:17	SA	EET MID
Total/NA	Prep	8015NM Prep			10.00 g	10 mL	130604	02/02/26 19:52	JN	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	130502	02/03/26 04:17	FC	EET MID
Soluble	Leach	DI Leach			5.04 g	50 mL	130618	02/03/26 08:13	SA	EET MID
Soluble	Analysis	300.0		10			130642	02/03/26 10:19	CS	EET MID

**Client Sample ID: CS - 20**

**Lab Sample ID: 890-9440-20**

Date Collected: 02/02/26 09:35

Matrix: Solid

Date Received: 02/02/26 15:28

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.03 g	5 mL	130620	02/02/26 20:00	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	130533	02/03/26 08:50	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			130664	02/03/26 08:50	SA	EET MID
Total/NA	Analysis	8015 NM		1			130674	02/03/26 04:32	SA	EET MID
Total/NA	Prep	8015NM Prep			10.00 g	10 mL	130604	02/02/26 19:52	JN	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	130502	02/03/26 04:32	FC	EET MID
Soluble	Leach	DI Leach			5.05 g	50 mL	130618	02/03/26 08:13	SA	EET MID
Soluble	Analysis	300.0		10			130642	02/03/26 10:46	CS	EET MID

Eurofins Carlsbad

### Lab Chronicle

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed It B CTB

Job ID: 890-9440-1  
 SDG: Eddy County, NM

**Client Sample ID: CS - 21**

**Lab Sample ID: 890-9440-21**

Date Collected: 02/02/26 09:40

Matrix: Solid

Date Received: 02/02/26 15:28

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	130635	02/02/26 20:00	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	130493	02/02/26 21:23	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			130664	02/02/26 21:23	SA	EET MID
Total/NA	Analysis	8015 NM		1			130674	02/02/26 23:20	SA	EET MID
Total/NA	Prep	8015NM Prep			10.05 g	10.00 mL	130607	02/02/26 19:57	JN	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	130500	02/02/26 23:20	FC	EET MID
Soluble	Leach	DI Leach			4.96 g	50 mL	130618	02/03/26 08:13	SA	EET MID
Soluble	Analysis	300.0		20			130642	02/03/26 10:53	CS	EET MID

**Client Sample ID: CS - 22**

**Lab Sample ID: 890-9440-22**

Date Collected: 02/02/26 09:45

Matrix: Solid

Date Received: 02/02/26 15:28

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.98 g	5 mL	130635	02/02/26 20:00	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	130493	02/02/26 21:44	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			130664	02/02/26 21:44	SA	EET MID
Total/NA	Analysis	8015 NM		1			130674	02/03/26 00:02	SA	EET MID
Total/NA	Prep	8015NM Prep			9.97 g	10.00 mL	130607	02/02/26 19:57	JN	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	130500	02/03/26 00:02	FC	EET MID
Soluble	Leach	DI Leach			5.03 g	50 mL	130618	02/03/26 08:13	SA	EET MID
Soluble	Analysis	300.0		10			130642	02/03/26 11:00	CS	EET MID

**Client Sample ID: CS - 23**

**Lab Sample ID: 890-9440-23**

Date Collected: 02/02/26 09:50

Matrix: Solid

Date Received: 02/02/26 15:28

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.95 g	5 mL	130635	02/02/26 20:00	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	130493	02/02/26 22:05	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			130664	02/02/26 22:05	SA	EET MID
Total/NA	Analysis	8015 NM		1			130674	02/03/26 00:16	SA	EET MID
Total/NA	Prep	8015NM Prep			10.00 g	10.00 mL	130607	02/02/26 19:57	JN	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	130500	02/03/26 00:16	FC	EET MID
Soluble	Leach	DI Leach			5.00 g	50 mL	130618	02/03/26 08:13	SA	EET MID
Soluble	Analysis	300.0		5			130642	02/03/26 11:15	CS	EET MID

**Client Sample ID: CS - 24**

**Lab Sample ID: 890-9440-24**

Date Collected: 02/02/26 09:55

Matrix: Solid

Date Received: 02/02/26 15:28

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.03 g	5 mL	130635	02/02/26 20:00	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	130493	02/02/26 22:25	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			130664	02/02/26 22:25	SA	EET MID

Eurofins Carlsbad

### Lab Chronicle

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed It B CTB

Job ID: 890-9440-1  
 SDG: Eddy County, NM

**Client Sample ID: CS - 24**

**Lab Sample ID: 890-9440-24**

Date Collected: 02/02/26 09:55

Matrix: Solid

Date Received: 02/02/26 15:28

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8015 NM		1			130674	02/03/26 00:30	SA	EET MID
Total/NA	Prep	8015NM Prep			9.99 g	10.00 mL	130607	02/02/26 19:57	JN	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	130500	02/03/26 00:30	FC	EET MID
Soluble	Leach	DI Leach			5.01 g	50 mL	130618	02/03/26 08:13	SA	EET MID
Soluble	Analysis	300.0		10			130642	02/03/26 11:08	CS	EET MID

**Client Sample ID: CS - 25**

**Lab Sample ID: 890-9440-25**

Date Collected: 02/02/26 10:00

Matrix: Solid

Date Received: 02/02/26 15:28

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.05 g	5 mL	130635	02/02/26 20:00	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	130493	02/02/26 22:46	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			130664	02/02/26 22:46	SA	EET MID
Total/NA	Analysis	8015 NM		1			130674	02/03/26 00:44	SA	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10.00 mL	130607	02/02/26 19:57	JN	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	130500	02/03/26 00:44	FC	EET MID
Soluble	Leach	DI Leach			5.02 g	50 mL	130618	02/03/26 08:13	SA	EET MID
Soluble	Analysis	300.0		10			130642	02/03/26 11:22	CS	EET MID

**Client Sample ID: CS - 26**

**Lab Sample ID: 890-9440-26**

Date Collected: 02/02/26 10:05

Matrix: Solid

Date Received: 02/02/26 15:28

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.00 g	5 mL	130635	02/02/26 20:00	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	130493	02/02/26 23:06	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			130664	02/02/26 23:06	SA	EET MID
Total/NA	Analysis	8015 NM		1			130674	02/03/26 00:58	SA	EET MID
Total/NA	Prep	8015NM Prep			10.05 g	10.00 mL	130607	02/02/26 19:57	JN	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	130500	02/03/26 00:58	FC	EET MID
Soluble	Leach	DI Leach			4.95 g	50 mL	130618	02/03/26 08:13	SA	EET MID
Soluble	Analysis	300.0		5			130642	02/03/26 11:42	CS	EET MID

**Client Sample ID: CS - 27**

**Lab Sample ID: 890-9440-27**

Date Collected: 02/02/26 10:10

Matrix: Solid

Date Received: 02/02/26 15:28

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	130635	02/02/26 20:00	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	130493	02/02/26 23:27	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			130664	02/02/26 23:27	SA	EET MID
Total/NA	Analysis	8015 NM		1			130674	02/03/26 01:12	SA	EET MID
Total/NA	Prep	8015NM Prep			9.99 g	10.00 mL	130607	02/02/26 19:57	JN	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	130500	02/03/26 01:12	FC	EET MID

Eurofins Carlsbad

### Lab Chronicle

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed It B CTB

Job ID: 890-9440-1  
 SDG: Eddy County, NM

**Client Sample ID: CS - 27**

**Lab Sample ID: 890-9440-27**

Date Collected: 02/02/26 10:10

Matrix: Solid

Date Received: 02/02/26 15:28

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Soluble	Leach	DI Leach			5.00 g	50 mL	130618	02/03/26 08:13	SA	EET MID
Soluble	Analysis	300.0		5			130642	02/03/26 11:48	CS	EET MID

**Client Sample ID: CS - 28**

**Lab Sample ID: 890-9440-28**

Date Collected: 02/02/26 10:15

Matrix: Solid

Date Received: 02/02/26 15:28

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8021B		1	5 mL	5 mL	130493	02/02/26 23:48	MNR	EET MID
Total/NA	Prep	5035			4.98 g	5 mL	130635	02/03/26 20:00	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			130664	02/02/26 23:48	SA	EET MID
Total/NA	Analysis	8015 NM		1			130674	02/03/26 01:27	SA	EET MID
Total/NA	Prep	8015NM Prep			10.06 g	10.00 mL	130607	02/02/26 19:57	JN	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	130500	02/03/26 01:27	FC	EET MID
Soluble	Leach	DI Leach			5.00 g	50 mL	130618	02/03/26 08:13	SA	EET MID
Soluble	Analysis	300.0		5			130642	02/03/26 12:09	CS	EET MID

**Client Sample ID: CS - 29**

**Lab Sample ID: 890-9440-29**

Date Collected: 02/02/26 10:20

Matrix: Solid

Date Received: 02/02/26 15:28

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.95 g	5 mL	130635	02/02/26 20:00	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	130493	02/03/26 00:08	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			130664	02/03/26 00:08	SA	EET MID
Total/NA	Analysis	8015 NM		1			130674	02/03/26 01:40	SA	EET MID
Total/NA	Prep	8015NM Prep			10.08 g	10.00 mL	130607	02/02/26 19:57	JN	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	130500	02/03/26 01:40	FC	EET MID
Soluble	Leach	DI Leach			4.96 g	50 mL	130618	02/03/26 08:13	SA	EET MID
Soluble	Analysis	300.0		5			130642	02/03/26 12:25	CS	EET MID

**Client Sample ID: CS - 30**

**Lab Sample ID: 890-9440-30**

Date Collected: 02/02/26 10:25

Matrix: Solid

Date Received: 02/02/26 15:28

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.03 g	5 mL	130635	02/02/26 20:00	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	130493	02/03/26 00:29	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			130664	02/03/26 00:29	SA	EET MID
Total/NA	Analysis	8015 NM		1			130674	02/03/26 01:55	SA	EET MID
Total/NA	Prep	8015NM Prep			10.00 g	10.00 mL	130607	02/02/26 19:57	JN	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	130500	02/03/26 01:55	FC	EET MID
Soluble	Leach	DI Leach			5.03 g	50 mL	130619	02/03/26 08:15	SA	EET MID
Soluble	Analysis	300.0		10			130643	02/03/26 11:04	CS	EET MID

Eurofins Carlsbad

### Lab Chronicle

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed It B CTB

Job ID: 890-9440-1  
 SDG: Eddy County, NM

**Client Sample ID: CS - 31**

**Lab Sample ID: 890-9440-31**

Date Collected: 02/02/26 10:30

Matrix: Solid

Date Received: 02/02/26 15:28

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.05 g	5 mL	130635	02/02/26 20:00	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	130493	02/03/26 02:04	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			130664	02/03/26 02:04	SA	EET MID
Total/NA	Analysis	8015 NM		1			130674	02/03/26 02:24	SA	EET MID
Total/NA	Prep	8015NM Prep			10.05 g	10.00 mL	130607	02/02/26 19:57	JN	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	130500	02/03/26 02:24	FC	EET MID
Soluble	Leach	DI Leach			5.04 g	50 mL	130619	02/03/26 08:15	SA	EET MID
Soluble	Analysis	300.0		10			130643	02/03/26 11:20	CS	EET MID

**Client Sample ID: CS - 32**

**Lab Sample ID: 890-9440-32**

Date Collected: 02/02/26 10:35

Matrix: Solid

Date Received: 02/02/26 15:28

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	130635	02/02/26 20:00	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	130493	02/03/26 02:24	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			130664	02/03/26 02:24	SA	EET MID
Total/NA	Analysis	8015 NM		1			130674	02/03/26 02:38	SA	EET MID
Total/NA	Prep	8015NM Prep			9.97 g	10.00 mL	130607	02/02/26 19:57	JN	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	130500	02/03/26 02:38	FC	EET MID
Soluble	Leach	DI Leach			5.02 g	50 mL	130619	02/03/26 08:15	SA	EET MID
Soluble	Analysis	300.0		5			130643	02/03/26 11:25	CS	EET MID

**Client Sample ID: CS - 33**

**Lab Sample ID: 890-9440-33**

Date Collected: 02/02/26 10:40

Matrix: Solid

Date Received: 02/02/26 15:28

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.97 g	5 mL	130635	02/02/26 20:00	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	130493	02/03/26 02:45	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			130664	02/03/26 02:45	SA	EET MID
Total/NA	Analysis	8015 NM		1			130674	02/03/26 02:52	SA	EET MID
Total/NA	Prep	8015NM Prep			10.05 g	10.00 mL	130607	02/02/26 19:57	JN	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	130500	02/03/26 02:52	FC	EET MID
Soluble	Leach	DI Leach			4.96 g	50 mL	130619	02/03/26 08:15	SA	EET MID
Soluble	Analysis	300.0		20			130643	02/03/26 11:30	CS	EET MID

**Client Sample ID: CS - 34**

**Lab Sample ID: 890-9440-34**

Date Collected: 02/02/26 10:45

Matrix: Solid

Date Received: 02/02/26 15:28

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.95 g	5 mL	130635	02/02/26 20:00	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	130493	02/03/26 03:05	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			130664	02/03/26 03:05	SA	EET MID

Eurofins Carlsbad

### Lab Chronicle

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed It B CTB

Job ID: 890-9440-1  
 SDG: Eddy County, NM

**Client Sample ID: CS - 34**

**Lab Sample ID: 890-9440-34**

Date Collected: 02/02/26 10:45

Matrix: Solid

Date Received: 02/02/26 15:28

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8015 NM		1			130674	02/03/26 03:07	SA	EET MID
Total/NA	Prep	8015NM Prep			9.99 g	10.00 mL	130607	02/02/26 19:57	JN	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	130500	02/03/26 03:07	FC	EET MID
Soluble	Leach	DI Leach			5.02 g	50 mL	130619	02/03/26 08:15	SA	EET MID
Soluble	Analysis	300.0		5			130643	02/03/26 11:36	CS	EET MID

**Client Sample ID: CS - 35**

**Lab Sample ID: 890-9440-35**

Date Collected: 02/02/26 10:50

Matrix: Solid

Date Received: 02/02/26 15:28

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.03 g	5 mL	130635	02/02/26 20:00	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	130493	02/03/26 03:26	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			130664	02/03/26 03:26	SA	EET MID
Total/NA	Analysis	8015 NM		1			130674	02/03/26 03:21	SA	EET MID
Total/NA	Prep	8015NM Prep			10.05 g	10.00 mL	130607	02/02/26 19:57	JN	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	130500	02/03/26 03:21	FC	EET MID
Soluble	Leach	DI Leach			5.01 g	50 mL	130619	02/03/26 08:15	SA	EET MID
Soluble	Analysis	300.0		10			130643	02/03/26 11:52	CS	EET MID

**Client Sample ID: CS - 36**

**Lab Sample ID: 890-9440-36**

Date Collected: 02/02/26 10:55

Matrix: Solid

Date Received: 02/02/26 15:28

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.05 g	5 mL	130635	02/02/26 20:00	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	130493	02/03/26 03:46	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			130664	02/03/26 03:46	SA	EET MID
Total/NA	Analysis	8015 NM		1			130674	02/03/26 03:34	SA	EET MID
Total/NA	Prep	8015NM Prep			10.08 g	10.00 mL	130607	02/02/26 19:57	JN	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	130500	02/03/26 03:34	FC	EET MID
Soluble	Leach	DI Leach			5.00 g	50 mL	130619	02/03/26 08:15	SA	EET MID
Soluble	Analysis	300.0		5			130643	02/03/26 11:57	CS	EET MID

**Client Sample ID: CS - 37**

**Lab Sample ID: 890-9440-37**

Date Collected: 02/02/26 11:00

Matrix: Solid

Date Received: 02/02/26 15:28

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	130635	02/02/26 20:00	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	130493	02/03/26 04:07	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			130664	02/03/26 04:07	SA	EET MID
Total/NA	Analysis	8015 NM		1			130674	02/03/26 03:50	SA	EET MID
Total/NA	Prep	8015NM Prep			9.99 g	10.00 mL	130607	02/02/26 19:57	JN	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	130500	02/03/26 03:50	FC	EET MID

Eurofins Carlsbad

### Lab Chronicle

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed It B CTB

Job ID: 890-9440-1  
 SDG: Eddy County, NM

**Client Sample ID: CS - 37**

**Lab Sample ID: 890-9440-37**

Date Collected: 02/02/26 11:00

Matrix: Solid

Date Received: 02/02/26 15:28

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Soluble	Leach	DI Leach			4.96 g	50 mL	130619	02/03/26 08:15	SA	EET MID
Soluble	Analysis	300.0		5			130643	02/03/26 12:02	CS	EET MID

**Client Sample ID: CS - 38**

**Lab Sample ID: 890-9440-38**

Date Collected: 02/02/26 11:05

Matrix: Solid

Date Received: 02/02/26 15:28

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.98 g	5 mL	130635	02/02/26 20:00	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	130493	02/03/26 04:27	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			130664	02/03/26 04:27	SA	EET MID
Total/NA	Analysis	8015 NM		1			130674	02/03/26 04:03	SA	EET MID
Total/NA	Prep	8015NM Prep			10.06 g	10.00 mL	130607	02/02/26 19:57	JN	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	130500	02/03/26 04:03	FC	EET MID
Soluble	Leach	DI Leach			5.03 g	50 mL	130619	02/03/26 08:15	SA	EET MID
Soluble	Analysis	300.0		1			130643	02/03/26 13:48	CS	EET MID

**Client Sample ID: CS - 39**

**Lab Sample ID: 890-9440-39**

Date Collected: 02/02/26 11:10

Matrix: Solid

Date Received: 02/02/26 15:28

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.95 g	5 mL	130635	02/02/26 20:00	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	130493	02/03/26 04:48	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			130664	02/03/26 04:48	SA	EET MID
Total/NA	Analysis	8015 NM		1			130674	02/03/26 04:17	SA	EET MID
Total/NA	Prep	8015NM Prep			9.99 g	10.00 mL	130607	02/02/26 19:57	JN	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	130500	02/03/26 04:17	FC	EET MID
Soluble	Leach	DI Leach			5.02 g	50 mL	130619	02/03/26 08:15	SA	EET MID
Soluble	Analysis	300.0		10			130643	02/03/26 12:13	CS	EET MID

**Client Sample ID: CS - 40**

**Lab Sample ID: 890-9440-40**

Date Collected: 02/02/26 11:15

Matrix: Solid

Date Received: 02/02/26 15:28

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.03 g	5 mL	130635	02/02/26 20:00	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	130493	02/03/26 05:08	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			130664	02/03/26 05:08	SA	EET MID
Total/NA	Analysis	8015 NM		1			130674	02/03/26 04:32	SA	EET MID
Total/NA	Prep	8015NM Prep			10.05 g	10.00 mL	130607	02/02/26 19:57	JN	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	130500	02/03/26 04:32	FC	EET MID
Soluble	Leach	DI Leach			5.05 g	50 mL	130619	02/03/26 08:15	SA	EET MID
Soluble	Analysis	300.0		10			130643	02/03/26 12:18	CS	EET MID

Eurofins Carlsbad

### Lab Chronicle

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed It B CTB

Job ID: 890-9440-1  
 SDG: Eddy County, NM

**Client Sample ID: CS - 41**

**Lab Sample ID: 890-9440-41**

**Date Collected: 02/02/26 11:20**

**Matrix: Solid**

**Date Received: 02/02/26 15:28**

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	130648	02/03/26 00:00	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	130611	02/03/26 09:43	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			130664	02/03/26 09:43	SA	EET MID
Total/NA	Analysis	8015 NM		1			130674	02/03/26 09:46	SA	EET MID
Total/NA	Prep	8015NM Prep			9.99 g	10.00 mL	130609	02/02/26 20:01	JN	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	130626	02/03/26 09:46	FC	EET MID
Soluble	Leach	DI Leach			5.04 g	50 mL	130619	02/03/26 08:15	SA	EET MID
Soluble	Analysis	300.0		10			130643	02/03/26 12:34	CS	EET MID

**Laboratory References:**

EET MID = Eurofins Midland, 1211 W. Florida Ave, Midland, TX 79701, TEL (432)704-5440

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

### Accreditation/Certification Summary

Client: Earth Systems Response and Restoration  
Project/Site: Nailed It B CTB

Job ID: 890-9440-1  
SDG: Eddy County, NM

#### Laboratory: Eurofins Midland

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
Texas	NELAP	T104704400	06-30-26

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

Analysis Method	Prep Method	Matrix	Analyte
8015 NM		Solid	Total TPH
Total BTEX		Solid	Total BTEX

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

### Method Summary

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed It B CTB

Job ID: 890-9440-1  
 SDG: Eddy County, NM

Method	Method Description	Protocol	Laboratory
8021B	Volatile Organic Compounds (GC)	SW846	EET MID
Total BTEX	Total BTEX Calculation	TAL SOP	EET MID
8015 NM	Diesel Range Organics (DRO) (GC)	SW846	EET MID
8015B NM	Diesel Range Organics (DRO) (GC)	SW846	EET MID
300.0	Anions, Ion Chromatography	EPA	EET MID
5035	Closed System Purge and Trap	SW846	EET MID
8015NM Prep	Microextraction	SW846	EET MID
DI Leach	Deionized Water Leaching Procedure	ASTM	EET MID

**Protocol References:**

- ASTM = ASTM International
- EPA = US Environmental Protection Agency
- SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.
- TAL SOP = TestAmerica Laboratories, Standard Operating Procedure

**Laboratory References:**

- EET MID = Eurofins Midland, 1211 W. Florida Ave, Midland, TX 79701, TEL (432)704-5440



### Sample Summary

Client: Earth Systems Response and Restoration  
 Project/Site: Nailed It B CTB

Job ID: 890-9440-1  
 SDG: Eddy County, NM

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Depth
890-9440-1	CS - 1	Solid	02/02/26 08:00	02/02/26 15:28	0.25
890-9440-2	CS - 2	Solid	02/02/26 08:05	02/02/26 15:28	0.25
890-9440-3	CS - 3	Solid	02/02/26 08:10	02/02/26 15:28	0.25
890-9440-4	CS - 4	Solid	02/02/26 08:15	02/02/26 15:28	0.25
890-9440-5	CS - 5	Solid	02/02/26 08:20	02/02/26 15:28	0.25
890-9440-6	CS - 6	Solid	02/02/26 08:25	02/02/26 15:28	0.25
890-9440-7	CS - 7	Solid	02/02/26 08:30	02/02/26 15:28	0.25
890-9440-8	CS - 8	Solid	02/02/26 08:35	02/02/26 15:28	0.25
890-9440-9	CS - 9	Solid	02/02/26 08:40	02/02/26 15:28	0.25
890-9440-10	CS - 10	Solid	02/02/26 08:45	02/02/26 15:28	0.25
890-9440-11	CS - 11	Solid	02/02/26 08:50	02/02/26 15:28	0.25
890-9440-12	CS - 12	Solid	02/02/26 08:55	02/02/26 15:28	0.25
890-9440-13	CS - 13	Solid	02/02/26 09:00	02/02/26 15:28	0.25
890-9440-14	CS - 14	Solid	02/02/26 09:05	02/02/26 15:28	0.25
890-9440-15	CS - 15	Solid	02/02/26 09:10	02/02/26 15:28	0.25
890-9440-16	CS - 16	Solid	02/02/26 09:15	02/02/26 15:28	0.25
890-9440-17	CS - 17	Solid	02/02/26 09:20	02/02/26 15:28	0.25
890-9440-18	CS - 18	Solid	02/02/26 09:25	02/02/26 15:28	0.25
890-9440-19	CS - 19	Solid	02/02/26 09:30	02/02/26 15:28	0.25
890-9440-20	CS - 20	Solid	02/02/26 09:35	02/02/26 15:28	0.25
890-9440-21	CS - 21	Solid	02/02/26 09:40	02/02/26 15:28	0.25
890-9440-22	CS - 22	Solid	02/02/26 09:45	02/02/26 15:28	0.25
890-9440-23	CS - 23	Solid	02/02/26 09:50	02/02/26 15:28	0.25
890-9440-24	CS - 24	Solid	02/02/26 09:55	02/02/26 15:28	0.25
890-9440-25	CS - 25	Solid	02/02/26 10:00	02/02/26 15:28	0.25
890-9440-26	CS - 26	Solid	02/02/26 10:05	02/02/26 15:28	0.25
890-9440-27	CS - 27	Solid	02/02/26 10:10	02/02/26 15:28	0.25
890-9440-28	CS - 28	Solid	02/02/26 10:15	02/02/26 15:28	0.25
890-9440-29	CS - 29	Solid	02/02/26 10:20	02/02/26 15:28	0.25
890-9440-30	CS - 30	Solid	02/02/26 10:25	02/02/26 15:28	0.25
890-9440-31	CS - 31	Solid	02/02/26 10:30	02/02/26 15:28	0.25
890-9440-32	CS - 32	Solid	02/02/26 10:35	02/02/26 15:28	0.25
890-9440-33	CS - 33	Solid	02/02/26 10:40	02/02/26 15:28	0.25
890-9440-34	CS - 34	Solid	02/02/26 10:45	02/02/26 15:28	0.25
890-9440-35	CS - 35	Solid	02/02/26 10:50	02/02/26 15:28	0.25
890-9440-36	CS - 36	Solid	02/02/26 10:55	02/02/26 15:28	0.25
890-9440-37	CS - 37	Solid	02/02/26 11:00	02/02/26 15:28	0.25
890-9440-38	CS - 38	Solid	02/02/26 11:05	02/02/26 15:28	0.25
890-9440-39	CS - 39	Solid	02/02/26 11:10	02/02/26 15:28	0.25
890-9440-40	CS - 40	Solid	02/02/26 11:15	02/02/26 15:28	0.25
890-9440-41	CS - 41	Solid	02/02/26 11:20	02/02/26 15:28	0.25

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14







# Chain of Custody

Houston, TX (281) 240-4200, Dallas, TX (214) 902-0300  
 Midland, TX (432) 704-5440, San Antonio, TX (210) 509-3334  
 EL Paso, TX (915) 585-3443, Lubbock, TX (806) 794-1296  
 Hobbs, NM (575) 392-7550, Carlsbad, NM (575) 988-3199

Environment Testing  
**Xenco**



Work Order No:

5  
 4 of 6 pages

www.xenco.com Page

Project Manager:	Gilbert Moreno	Bill to: (if different)	
Company Name:	Earth Systems R&R	Company Name:	Earth Systems R&R
Address:	1910 Resource Ct.	Address:	
City, State ZIP:	Carlsbad, NM, 88220	City, State ZIP:	
Phone:	832-541-7719	Email:	gmoreno@earthsys.net, sgiron@earthsys.net

Program:	<input type="checkbox"/> UST/PST <input type="checkbox"/> PRP <input type="checkbox"/> Brownfields <input type="checkbox"/> RRC <input type="checkbox"/> Superfund
State of Project:	Reporting: Level II <input type="checkbox"/> Level III <input type="checkbox"/> PST/AUST <input type="checkbox"/> TRRP <input type="checkbox"/> Level IV <input type="checkbox"/> Deliverables: EDD <input type="checkbox"/> ADaPT <input type="checkbox"/> Other:

Project Name:	Project Number:	Turn Around	Pres. Code	ANALYSIS REQUEST	Preservative Codes
Nailed It B CTB	6798	<input type="checkbox"/> Routine <input checked="" type="checkbox"/> Rush Due Date: <b>24hr Rush TAT</b> TAT starts the day received by the lab, if received by 4:30pm			None: NO DI Water: H <sub>2</sub> O Cool: Cool MeOH: Me HCL: HC HNO <sub>3</sub> : HN H <sub>2</sub> SO <sub>4</sub> : H <sub>2</sub> NaOH: Na H <sub>3</sub> PO <sub>4</sub> : HP NaHSO <sub>4</sub> : NABIS Na <sub>2</sub> S <sub>2</sub> O <sub>3</sub> : NaSO <sub>3</sub> Zn Acetate+NaOH: Zn NaOH+Ascorbic Acid: SAPC

Sample Identification	Matrix	Date Sampled	Time Sampled	Depth (feet)	Grab/Comp	Parameters		Sample Comments
						TFH -NM	BTEX-NM	
CS-28	S	2.2.26	10:15	0.25	Comp 1	X	X	
CS-29	S	2.2.26	10:20	0.25	Comp 1	X	X	
CS-30	S	2.2.26	10:25	0.25	Comp 1	X	X	
CS-31	S	2.2.26	10:30	0.25	Comp 1	X	X	
CS-32	S	2.2.26	10:35	0.25	Comp 1	X	X	
CS-33	S	2.2.26	10:40	0.25	Comp 1	X	X	
CS-34	S	2.2.26	10:45	0.25	Comp 1	X	X	
CS-35	S	2.2.26	10:50	0.25	Comp 1	X	X	
CS-36	S	2.2.26	10:55	0.25	Comp 1	X	X	

**Total 200.7 / 6010 200.8 / 6020:** 8RCRA 13PPM Texas 11 Al Sb As Ba Be B Cd Ca Cr Co Cu Fe Pb Mg Mn Mo Ni K Se Ag SiO<sub>2</sub> Na Sr Ti Sn U V Zn  
 Circle Method(s) and Metal(s) to be analyzed Hg: 1631 / 245.1 / 7470 / 7471

Notice: Signature of this document and relinquishment of samples constitutes a valid purchase order from client company to Eurofins Xenco, its affiliates and subcontractors. It assigns standard terms and conditions of service. Eurofins Xenco will be liable only for the cost of samples and shall not assume any responsibility for any losses or expenses incurred by the client if such losses are due to circumstances beyond the control of Eurofins Xenco. A minimum charge of \$85.00 will be applied to each project and a charge of \$5 for each sample submitted to Eurofins Xenco, but not analyzed. These terms will be enforced unless previously negotiated.

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
0 <i>Michael Benini</i>	<i>Gilbert Moreno</i>	2/2/26 1528			
3		4			
5		6			





### Login Sample Receipt Checklist

Client: Earth Systems Response and Restoration

Job Number: 890-9440-1  
SDG Number: Eddy County, NM

**Login Number: 9440**

**List Number: 1**

**Creator: Bruns, Shannon**

**List Source: Eurofins Carlsbad**

Question	Answer	Comment
The cooler's custody seal, if present, is intact.	N/A	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

### Login Sample Receipt Checklist

Client: Earth Systems Response and Restoration

Job Number: 890-9440-1  
SDG Number: Eddy County, NM

**Login Number: 9440**  
**List Number: 2**  
**Creator: Rios, Minerva**

**List Source: Eurofins Midland**  
**List Creation: 02/02/26 08:33 PM**

Question	Answer	Comment
The cooler's custody seal, if present, is intact.	N/A	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

QUESTIONS

Action 555825

**QUESTIONS**

Operator: Civitas Permian Operating, LLC 555 17th Street Denver, CO 80202	OGRID: 332195
	Action Number: 555825
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

**QUESTIONS**

<b>Prerequisites</b>	
Incident ID (n#)	nAPP2519532647
Incident Name	NAPP2519532647 NAILED IT B CTB @ FAPP2132241365
Incident Type	Produced Water Release
Incident Status	Remediation Closure Report Received
Incident Facility	[fAPP2132241365] NAILED IT FED COM CTB B

<b>Location of Release Source</b>	
<i>Please answer all the questions in this group.</i>	
Site Name	NAILED IT B CTB
Date Release Discovered	07/11/2025
Surface Owner	State

<b>Incident Details</b>	
<i>Please answer all the questions in this group.</i>	
Incident Type	Produced Water Release
Did this release result in a fire or is the result of a fire	No
Did this release result in any injuries	No
Has this release reached or does it have a reasonable probability of reaching a watercourse	No
Has this release endangered or does it have a reasonable probability of endangering public health	No
Has this release substantially damaged or will it substantially damage property or the environment	No
Is this release of a volume that is or may with reasonable probability be detrimental to fresh water	No

<b>Nature and Volume of Release</b>	
<i>Material(s) released, please answer all that apply below. Any calculations or specific justifications for the volumes provided should be attached to the follow-up C-141 submission.</i>	
Crude Oil Released (bbls) Details	Not answered.
Produced Water Released (bbls) Details	Cause: Equipment Failure   Pump   Produced Water   Released: 75 BBL   Recovered: 45 BBL   Lost: 30 BBL.
Is the concentration of chloride in the produced water >10,000 mg/l	Yes
Condensate Released (bbls) Details	Not answered.
Natural Gas Vented (Mcf) Details	Not answered.
Natural Gas Flared (Mcf) Details	Not answered.
Other Released Details	Not answered.
Are there additional details for the questions above (i.e. any answer containing Other, Specify, Unknown, and/or Fire, or any negative lost amounts)	Not answered.

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

QUESTIONS, Page 2

Action 555825

**QUESTIONS (continued)**

Operator: Civitas Permian Operating, LLC 555 17th Street Denver, CO 80202	OGRID: 332195
	Action Number: 555825
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

**QUESTIONS**

<b>Nature and Volume of Release (continued)</b>	
Is this a gas only submission (i.e. only significant Mcf values reported)	<b>No, according to supplied volumes this does not appear to be a "gas only" report.</b>
Was this a major release as defined by Subsection A of 19.15.29.7 NMAC	<b>Yes</b>
Reasons why this would be considered a submission for a notification of a major release	<b>From paragraph A. "Major release" determine using: (1) an unauthorized release of a volume, excluding gases, of 25 barrels or more.</b>

*With the implementation of the 19.15.27 NMAC (05/25/2021), venting and/or flaring of natural gas (i.e. gas only) are to be submitted on the C-129 form.*

**Initial Response**

*The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury.*

The source of the release has been stopped	<b>True</b>
The impacted area has been secured to protect human health and the environment	<b>True</b>
Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices	<b>True</b>
All free liquids and recoverable materials have been removed and managed appropriately	<b>True</b>
If all the actions described above have not been undertaken, explain why	<i>Not answered.</i>

*Per Paragraph (4) of Subsection B of 19.15.29.8 NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please prepare and attach a narrative of actions to date in the follow-up C-141 submission. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see Subparagraph (a) of Paragraph (5) of Subsection A of 19.15.29.11 NMAC), please prepare and attach all information needed for closure evaluation in the follow-up C-141 submission.*

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

I hereby agree and sign off to the above statement	Name: Mason Jones Title: c-Environmental Specialist Email: <a href="mailto:mjones@civiresources.com">mjones@civiresources.com</a> Date: 02/19/2026
--	---

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

QUESTIONS, Page 3

Action 555825

**QUESTIONS (continued)**

Operator: Civitas Permian Operating, LLC 555 17th Street Denver, CO 80202	OGRID: 332195
	Action Number: 555825
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

**QUESTIONS**

**Site Characterization**

Please answer all the questions in this group (only required when seeking remediation plan approval and beyond). This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

What is the shallowest depth to groundwater beneath the area affected by the release in feet below ground surface (ft bgs)	Between 100 and 500 (ft.)
What method was used to determine the depth to ground water	NM OSE iWaters Database Search
Did this release impact groundwater or surface water	No
<b>What is the minimum distance, between the closest lateral extents of the release and the following surface areas:</b>	
A continuously flowing watercourse or any other significant watercourse	Between 1000 (ft.) and ½ (mi.)
Any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)	Between 1 and 5 (mi.)
An occupied permanent residence, school, hospital, institution, or church	Greater than 5 (mi.)
A spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes	Between 1 and 5 (mi.)
Any other fresh water well or spring	Between 1 and 5 (mi.)
Incorporated municipal boundaries or a defined municipal fresh water well field	Greater than 5 (mi.)
A wetland	Between 1000 (ft.) and ½ (mi.)
A subsurface mine	Greater than 5 (mi.)
An (non-karst) unstable area	Between 1000 (ft.) and ½ (mi.)
Categorize the risk of this well / site being in a karst geology	Low
A 100-year floodplain	Between 1 and 5 (mi.)
Did the release impact areas not on an exploration, development, production, or storage site	No

**Remediation Plan**

Please answer all the questions that apply or are indicated. This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

Requesting a remediation plan approval with this submission	Yes
<i>Attach a comprehensive report demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined, pursuant to 19.15.29.11 NMAC and 19.15.29.13 NMAC.</i>	
Have the lateral and vertical extents of contamination been fully delineated	Yes
Was this release entirely contained within a lined containment area	No

**Soil Contamination Sampling:** (Provide the highest observable value for each, in milligrams per kilograms.)

Chloride (EPA 300.0 or SM4500 Cl B)	11700
TPH (GRO+DRO+MRO) (EPA SW-846 Method 8015M)	0
GRO+DRO (EPA SW-846 Method 8015M)	0
BTEX (EPA SW-846 Method 8021B or 8260B)	0
Benzene (EPA SW-846 Method 8021B or 8260B)	0

Per Subsection B of 19.15.29.11 NMAC unless the site characterization report includes completed efforts at remediation, the report must include a proposed remediation plan in accordance with 19.15.29.12 NMAC, which includes the anticipated timelines for beginning and completing the remediation.

On what estimated date will the remediation commence	01/30/2026
On what date will (or did) the final sampling or liner inspection occur	02/02/2026
On what date will (or was) the remediation complete(d)	02/09/2026
What is the estimated surface area (in square feet) that will be reclaimed	3200
What is the estimated volume (in cubic yards) that will be reclaimed	20
What is the estimated surface area (in square feet) that will be remediated	16400
What is the estimated volume (in cubic yards) that will be remediated	100

These estimated dates and measurements are recognized to be the best guess or calculation at the time of submission and may (be) change(d) over time as more remediation efforts are completed.

The OCD recognizes that proposed remediation measures may have to be minimally adjusted in accordance with the physical realities encountered during remediation. If the responsible party has any need to significantly deviate from the remediation plan proposed, then it should consult with the division to determine if another remediation plan submission is required.

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

QUESTIONS, Page 4

Action 555825

**QUESTIONS (continued)**

Operator: Civitas Permian Operating, LLC 555 17th Street Denver, CO 80202	OGRID: 332195
	Action Number: 555825
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

**QUESTIONS**

**Remediation Plan (continued)**

Please answer all the questions that apply or are indicated. This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

**This remediation will (or is expected to) utilize the following processes to remediate / reduce contaminants:**

(Select all answers below that apply.)

(Ex Situ) Excavation and <b>off-site</b> disposal (i.e. dig and haul, hydrovac, etc.)	Yes
Which OCD approved facility will be used for <b>off-site</b> disposal	Not answered.
<b>OR</b> which OCD approved well (API) will be used for <b>off-site</b> disposal	Not answered.
<b>OR</b> is the <b>off-site</b> disposal site, to be used, out-of-state	Yes
In which state is the disposal taking place	Texas
What is the name of the out-of-state facility	R360 Red Bluff
<b>OR</b> is the <b>off-site</b> disposal site, to be used, an NMED facility	Not answered.
(Ex Situ) Excavation and <b>on-site</b> remediation (i.e. On-Site Land Farms)	Not answered.
(In Situ) Soil Vapor Extraction	Not answered.
(In Situ) Chemical processing (i.e. Soil Shredding, Potassium Permanganate, etc.)	Not answered.
(In Situ) Biological processing (i.e. Microbes / Fertilizer, etc.)	Not answered.
(In Situ) Physical processing (i.e. Soil Washing, Gypsum, Disking, etc.)	Not answered.
Ground Water Abatement pursuant to 19.15.30 NMAC	Not answered.
OTHER (Non-listed remedial process)	Not answered.

Per Subsection B of 19.15.29.11 NMAC unless the site characterization report includes completed efforts at remediation, the report must include a proposed remediation plan in accordance with 19.15.29.12 NMAC, which includes the anticipated timelines for beginning and completing the remediation.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

I hereby agree and sign off to the above statement	Name: Mason Jones Title: c-Environmental Specialist Email: mjones@civiresources.com Date: 02/19/2026
--	---

The OCD recognizes that proposed remediation measures may have to be minimally adjusted in accordance with the physical realities encountered during remediation. If the responsible party has any need to significantly deviate from the remediation plan proposed, then it should consult with the division to determine if another remediation plan submission is required.

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

QUESTIONS, Page 5

Action 555825

**QUESTIONS (continued)**

Operator: Civitas Permian Operating, LLC 555 17th Street Denver, CO 80202	OGRID: 332195
	Action Number: 555825
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

**QUESTIONS**

<b>Deferral Requests Only</b>	
<i>Only answer the questions in this group if seeking a deferral upon approval this submission. Each of the following items must be confirmed as part of any request for deferral of remediation.</i>	
Requesting a deferral of the remediation closure due date with the approval of this submission	No

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

QUESTIONS, Page 6

Action 555825

**QUESTIONS (continued)**

Operator: Civitas Permian Operating, LLC 555 17th Street Denver, CO 80202	OGRID: 332195
	Action Number: 555825
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

**QUESTIONS**

<b>Sampling Event Information</b>	
Last sampling notification (C-141N) recorded	<b>547860</b>
Sampling date pursuant to Subparagraph (a) of Paragraph (1) of Subsection D of 19.15.29.12 NMAC	<b>02/02/2026</b>
What was the (estimated) number of samples that were to be gathered	<b>46</b>
What was the sampling surface area in square feet	<b>16397</b>

**Remediation Closure Request**

*Only answer the questions in this group if seeking remediation closure for this release because all remediation steps have been completed.*

Requesting a remediation closure approval with this submission	Yes
Have the lateral and vertical extents of contamination been fully delineated	Yes
Was this release entirely contained within a lined containment area	No
All areas reasonably needed for production or subsequent drilling operations have been stabilized, returned to the sites existing grade, and have a soil cover that prevents ponding of water, minimizing dust and erosion	Yes
What was the total surface area (in square feet) remediated	16400
What was the total volume (cubic yards) remediated	100
All areas not reasonably needed for production or subsequent drilling operations have been reclaimed to contain a minimum of four feet of non-waste contain earthen material with concentrations less than 600 mg/kg chlorides, 100 mg/kg TPH, 50 mg/kg BTEX, and 10 mg/kg Benzene	Yes
What was the total surface area (in square feet) reclaimed	3200
What was the total volume (in cubic yards) reclaimed	20
Summarize any additional remediation activities not included by answers (above)	The site was remediated according to Site Closure Criteria and has been backfilled with clean, locally sourced material. Civitas will reassess the Site during P&A activities and or major facility deconstruction, whichever comes first, and address soil concentrations above the reclamation requirements of 100 mg/kg for TPH and 600 mg/kg for chloride.

*The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (in .pdf format) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.*

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. The responsible party acknowledges they must substantially restore, reclaim, and re-vegetate the impacted surface area to the conditions that existed prior to the release or their final land use in accordance with 19.15.29.13 NMAC including notification to the OCD when reclamation and re-vegetation are complete.

I hereby agree and sign off to the above statement	Name: Mason Jones Title: c-Environmental Specialist Email: mjones@civiresources.com Date: 02/19/2026
--	---

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

QUESTIONS, Page 7

Action 555825

**QUESTIONS (continued)**

Operator: Civitas Permian Operating, LLC 555 17th Street Denver, CO 80202	OGRID: 332195
	Action Number: 555825
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

**QUESTIONS**

<b>Reclamation Report</b>	
<i>Only answer the questions in this group if all reclamation steps have been completed.</i>	
Requesting a reclamation approval with this submission	No

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

CONDITIONS

Action 555825

**CONDITIONS**

Operator: Civitas Permian Operating, LLC 555 17th Street Denver, CO 80202	OGRID: 332195
	Action Number: 555825
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

**CONDITIONS**

Created By	Condition	Condition Date
scwells	None	3/3/2026