



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

January 07, 2026

RYAN DICKERSON

TETRA TECH

901 WEST WALL STREET , STE 100

MIDLAND, TX 79701

RE: JAMES E #001 TUBING LINE RELEASE

Enclosed are the results of analyses for samples received by the laboratory on 01/06/26 15:33.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C25-00101. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Celey D. Keene".

Celey D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
 RYAN DICKERSON
 901 WEST WALL STREET , STE 100
 MIDLAND TX, 79701
 Fax To: (432) 682-3946

Received:	01/06/2026	Sampling Date:	01/06/2026
Reported:	01/07/2026	Sampling Type:	Soil
Project Name:	JAMES E #001 TUBING LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	212C-MD-02413	Sample Received By:	Tamara Oldaker
Project Location:	COP - EDDY COUNTY, NM		

Sample ID: NSW - 1 (H260057-01)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/06/2026	ND	1.92	96.2	2.00	0.541	
Toluene*	<0.050	0.050	01/06/2026	ND	1.98	99.1	2.00	0.247	
Ethylbenzene*	<0.050	0.050	01/06/2026	ND	2.00	99.8	2.00	0.354	
Total Xylenes*	<0.150	0.150	01/06/2026	ND	5.93	98.8	6.00	0.521	
Total BTEX	<0.300	0.300	01/06/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 101 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	01/07/2026	ND	448	112	400	3.51	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/06/2026	ND	181	90.4	200	0.688	
DRO >C10-C28*	<10.0	10.0	01/06/2026	ND	202	101	200	1.95	
EXT DRO >C28-C36	<10.0	10.0	01/06/2026	ND					

Surrogate: 1-Chlorooctane 89.2 % 52.4-130

Surrogate: 1-Chlorooctadecane 91.6 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
 RYAN DICKERSON
 901 WEST WALL STREET , STE 100
 MIDLAND TX, 79701
 Fax To: (432) 682-3946

Received:	01/06/2026	Sampling Date:	01/06/2026
Reported:	01/07/2026	Sampling Type:	Soil
Project Name:	JAMES E #001 TUBING LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	212C-MD-02413	Sample Received By:	Tamara Oldaker
Project Location:	COP - EDDY COUNTY, NM		

Sample ID: SSW - 1 (H260057-02)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/06/2026	ND	1.92	96.2	2.00	0.541	
Toluene*	<0.050	0.050	01/06/2026	ND	1.98	99.1	2.00	0.247	
Ethylbenzene*	<0.050	0.050	01/06/2026	ND	2.00	99.8	2.00	0.354	
Total Xylenes*	<0.150	0.150	01/06/2026	ND	5.93	98.8	6.00	0.521	
Total BTEX	<0.300	0.300	01/06/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 102 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	48.0	16.0	01/07/2026	ND	448	112	400	3.51	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/06/2026	ND	181	90.4	200	0.688	
DRO >C10-C28*	<10.0	10.0	01/06/2026	ND	202	101	200	1.95	
EXT DRO >C28-C36	<10.0	10.0	01/06/2026	ND					

Surrogate: 1-Chlorooctane 91.3 % 52.4-130

Surrogate: 1-Chlorooctadecane 91.7 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
 RYAN DICKERSON
 901 WEST WALL STREET , STE 100
 MIDLAND TX, 79701
 Fax To: (432) 682-3946

Received:	01/06/2026	Sampling Date:	01/06/2026
Reported:	01/07/2026	Sampling Type:	Soil
Project Name:	JAMES E #001 TUBING LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	212C-MD-02413	Sample Received By:	Tamara Oldaker
Project Location:	COP - EDDY COUNTY, NM		

Sample ID: ESW - 1 (H260057-03)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/06/2026	ND	1.92	96.2	2.00	0.541	
Toluene*	<0.050	0.050	01/06/2026	ND	1.98	99.1	2.00	0.247	
Ethylbenzene*	<0.050	0.050	01/06/2026	ND	2.00	99.8	2.00	0.354	
Total Xylenes*	<0.150	0.150	01/06/2026	ND	5.93	98.8	6.00	0.521	
Total BTEX	<0.300	0.300	01/06/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 102 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	01/07/2026	ND	448	112	400	3.51	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/06/2026	ND	181	90.4	200	0.688	
DRO >C10-C28*	<10.0	10.0	01/06/2026	ND	202	101	200	1.95	
EXT DRO >C28-C36	<10.0	10.0	01/06/2026	ND					

Surrogate: 1-Chlorooctane 84.3 % 52.4-130

Surrogate: 1-Chlorooctadecane 86.7 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
 RYAN DICKERSON
 901 WEST WALL STREET , STE 100
 MIDLAND TX, 79701
 Fax To: (432) 682-3946

Received:	01/06/2026	Sampling Date:	01/06/2026
Reported:	01/07/2026	Sampling Type:	Soil
Project Name:	JAMES E #001 TUBING LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	212C-MD-02413	Sample Received By:	Tamara Oldaker
Project Location:	COP - EDDY COUNTY, NM		

Sample ID: ESW - 2 (H260057-04)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/06/2026	ND	1.92	96.2	2.00	0.541	
Toluene*	<0.050	0.050	01/06/2026	ND	1.98	99.1	2.00	0.247	
Ethylbenzene*	<0.050	0.050	01/06/2026	ND	2.00	99.8	2.00	0.354	
Total Xylenes*	<0.150	0.150	01/06/2026	ND	5.93	98.8	6.00	0.521	
Total BTEX	<0.300	0.300	01/06/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 101 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	64.0	16.0	01/07/2026	ND	448	112	400	3.51	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/06/2026	ND	181	90.4	200	0.688	
DRO >C10-C28*	<10.0	10.0	01/06/2026	ND	202	101	200	1.95	
EXT DRO >C28-C36	<10.0	10.0	01/06/2026	ND					

Surrogate: 1-Chlorooctane 86.3 % 52.4-130

Surrogate: 1-Chlorooctadecane 89.4 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
 RYAN DICKERSON
 901 WEST WALL STREET , STE 100
 MIDLAND TX, 79701
 Fax To: (432) 682-3946

Received:	01/06/2026	Sampling Date:	01/06/2026
Reported:	01/07/2026	Sampling Type:	Soil
Project Name:	JAMES E #001 TUBING LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	212C-MD-02413	Sample Received By:	Tamara Oldaker
Project Location:	COP - EDDY COUNTY, NM		

Sample ID: ESW - 3 (H260057-05)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/06/2026	ND	1.92	96.2	2.00	0.541	
Toluene*	<0.050	0.050	01/06/2026	ND	1.98	99.1	2.00	0.247	
Ethylbenzene*	<0.050	0.050	01/06/2026	ND	2.00	99.8	2.00	0.354	
Total Xylenes*	<0.150	0.150	01/06/2026	ND	5.93	98.8	6.00	0.521	
Total BTEX	<0.300	0.300	01/06/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 101 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	112	16.0	01/07/2026	ND	448	112	400	3.51	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/06/2026	ND	181	90.4	200	0.688	
DRO >C10-C28*	<10.0	10.0	01/06/2026	ND	202	101	200	1.95	
EXT DRO >C28-C36	<10.0	10.0	01/06/2026	ND					

Surrogate: 1-Chlorooctane 82.3 % 52.4-130

Surrogate: 1-Chlorooctadecane 83.1 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
 RYAN DICKERSON
 901 WEST WALL STREET , STE 100
 MIDLAND TX, 79701
 Fax To: (432) 682-3946

Received:	01/06/2026	Sampling Date:	01/06/2026
Reported:	01/07/2026	Sampling Type:	Soil
Project Name:	JAMES E #001 TUBING LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	212C-MD-02413	Sample Received By:	Tamara Oldaker
Project Location:	COP - EDDY COUNTY, NM		

Sample ID: ESW - 4 (H260057-06)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/06/2026	ND	1.92	96.2	2.00	0.541	
Toluene*	<0.050	0.050	01/06/2026	ND	1.98	99.1	2.00	0.247	
Ethylbenzene*	<0.050	0.050	01/06/2026	ND	2.00	99.8	2.00	0.354	
Total Xylenes*	<0.150	0.150	01/06/2026	ND	5.93	98.8	6.00	0.521	
Total BTEX	<0.300	0.300	01/06/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 100 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	01/07/2026	ND	448	112	400	3.51	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/06/2026	ND	181	90.4	200	0.688	
DRO >C10-C28*	<10.0	10.0	01/06/2026	ND	202	101	200	1.95	
EXT DRO >C28-C36	<10.0	10.0	01/06/2026	ND					

Surrogate: 1-Chlorooctane 71.0 % 52.4-130

Surrogate: 1-Chlorooctadecane 73.8 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
 RYAN DICKERSON
 901 WEST WALL STREET , STE 100
 MIDLAND TX, 79701
 Fax To: (432) 682-3946

Received:	01/06/2026	Sampling Date:	01/06/2026
Reported:	01/07/2026	Sampling Type:	Soil
Project Name:	JAMES E #001 TUBING LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	212C-MD-02413	Sample Received By:	Tamara Oldaker
Project Location:	COP - EDDY COUNTY, NM		

Sample ID: ESW - 5 (H260057-07)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/06/2026	ND	1.92	96.2	2.00	0.541	
Toluene*	<0.050	0.050	01/06/2026	ND	1.98	99.1	2.00	0.247	
Ethylbenzene*	<0.050	0.050	01/06/2026	ND	2.00	99.8	2.00	0.354	
Total Xylenes*	<0.150	0.150	01/06/2026	ND	5.93	98.8	6.00	0.521	
Total BTEX	<0.300	0.300	01/06/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 103 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	01/07/2026	ND	448	112	400	3.51	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/06/2026	ND	181	90.4	200	0.688	
DRO >C10-C28*	<10.0	10.0	01/06/2026	ND	202	101	200	1.95	
EXT DRO >C28-C36	<10.0	10.0	01/06/2026	ND					

Surrogate: 1-Chlorooctane 90.2 % 52.4-130

Surrogate: 1-Chlorooctadecane 92.0 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
 RYAN DICKERSON
 901 WEST WALL STREET , STE 100
 MIDLAND TX, 79701
 Fax To: (432) 682-3946

Received:	01/06/2026	Sampling Date:	01/06/2026
Reported:	01/07/2026	Sampling Type:	Soil
Project Name:	JAMES E #001 TUBING LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	212C-MD-02413	Sample Received By:	Tamara Oldaker
Project Location:	COP - EDDY COUNTY, NM		

Sample ID: ESW - 6 (H260057-08)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/06/2026	ND	1.92	96.2	2.00	0.541	
Toluene*	<0.050	0.050	01/06/2026	ND	1.98	99.1	2.00	0.247	
Ethylbenzene*	<0.050	0.050	01/06/2026	ND	2.00	99.8	2.00	0.354	
Total Xylenes*	<0.150	0.150	01/06/2026	ND	5.93	98.8	6.00	0.521	
Total BTEX	<0.300	0.300	01/06/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 101 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	208	16.0	01/07/2026	ND	448	112	400	3.51	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/07/2026	ND	181	90.4	200	0.688	
DRO >C10-C28*	<10.0	10.0	01/07/2026	ND	202	101	200	1.95	
EXT DRO >C28-C36	<10.0	10.0	01/07/2026	ND					

Surrogate: 1-Chlorooctane 82.4 % 52.4-130

Surrogate: 1-Chlorooctadecane 83.2 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
 RYAN DICKERSON
 901 WEST WALL STREET , STE 100
 MIDLAND TX, 79701
 Fax To: (432) 682-3946

Received:	01/06/2026	Sampling Date:	01/06/2026
Reported:	01/07/2026	Sampling Type:	Soil
Project Name:	JAMES E #001 TUBING LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	212C-MD-02413	Sample Received By:	Tamara Oldaker
Project Location:	COP - EDDY COUNTY, NM		

Sample ID: ESW - 7 (H260057-09)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/06/2026	ND	1.92	96.2	2.00	0.541	
Toluene*	<0.050	0.050	01/06/2026	ND	1.98	99.1	2.00	0.247	
Ethylbenzene*	<0.050	0.050	01/06/2026	ND	2.00	99.8	2.00	0.354	
Total Xylenes*	<0.150	0.150	01/06/2026	ND	5.93	98.8	6.00	0.521	
Total BTEX	<0.300	0.300	01/06/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 102 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	192	16.0	01/07/2026	ND	448	112	400	3.51	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/07/2026	ND	181	90.4	200	0.688	
DRO >C10-C28*	<10.0	10.0	01/07/2026	ND	202	101	200	1.95	
EXT DRO >C28-C36	<10.0	10.0	01/07/2026	ND					

Surrogate: 1-Chlorooctane 94.6 % 52.4-130

Surrogate: 1-Chlorooctadecane 95.6 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
 RYAN DICKERSON
 901 WEST WALL STREET , STE 100
 MIDLAND TX, 79701
 Fax To: (432) 682-3946

Received:	01/06/2026	Sampling Date:	01/06/2026
Reported:	01/07/2026	Sampling Type:	Soil
Project Name:	JAMES E #001 TUBING LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	212C-MD-02413	Sample Received By:	Tamara Oldaker
Project Location:	COP - EDDY COUNTY, NM		

Sample ID: ESW - 8 (H260057-10)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/06/2026	ND	1.92	96.2	2.00	0.541	
Toluene*	<0.050	0.050	01/06/2026	ND	1.98	99.1	2.00	0.247	
Ethylbenzene*	<0.050	0.050	01/06/2026	ND	2.00	99.8	2.00	0.354	
Total Xylenes*	<0.150	0.150	01/06/2026	ND	5.93	98.8	6.00	0.521	
Total BTEX	<0.300	0.300	01/06/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 101 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	208	16.0	01/07/2026	ND	448	112	400	3.51	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/07/2026	ND	181	90.4	200	0.688	
DRO >C10-C28*	<10.0	10.0	01/07/2026	ND	202	101	200	1.95	
EXT DRO >C28-C36	<10.0	10.0	01/07/2026	ND					

Surrogate: 1-Chlorooctane 96.8 % 52.4-130

Surrogate: 1-Chlorooctadecane 98.9 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
 RYAN DICKERSON
 901 WEST WALL STREET , STE 100
 MIDLAND TX, 79701
 Fax To: (432) 682-3946

Received:	01/06/2026	Sampling Date:	01/06/2026
Reported:	01/07/2026	Sampling Type:	Soil
Project Name:	JAMES E #001 TUBING LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	212C-MD-02413	Sample Received By:	Tamara Oldaker
Project Location:	COP - EDDY COUNTY, NM		

Sample ID: WSW - 1 (H260057-11)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/06/2026	ND	1.92	96.2	2.00	0.541	
Toluene*	<0.050	0.050	01/06/2026	ND	1.98	99.1	2.00	0.247	
Ethylbenzene*	<0.050	0.050	01/06/2026	ND	2.00	99.8	2.00	0.354	
Total Xylenes*	<0.150	0.150	01/06/2026	ND	5.93	98.8	6.00	0.521	
Total BTEX	<0.300	0.300	01/06/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 102 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	48.0	16.0	01/07/2026	ND	448	112	400	3.51	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/07/2026	ND	181	90.4	200	0.688	
DRO >C10-C28*	<10.0	10.0	01/07/2026	ND	202	101	200	1.95	
EXT DRO >C28-C36	<10.0	10.0	01/07/2026	ND					

Surrogate: 1-Chlorooctane 87.0 % 52.4-130

Surrogate: 1-Chlorooctadecane 89.5 % 39.9-141

Cardinal Laboratories

* = Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
 RYAN DICKERSON
 901 WEST WALL STREET , STE 100
 MIDLAND TX, 79701
 Fax To: (432) 682-3946

Received:	01/06/2026	Sampling Date:	01/06/2026
Reported:	01/07/2026	Sampling Type:	Soil
Project Name:	JAMES E #001 TUBING LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	212C-MD-02413	Sample Received By:	Tamara Oldaker
Project Location:	COP - EDDY COUNTY, NM		

Sample ID: WSW - 2 (H260057-12)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/06/2026	ND	1.92	96.2	2.00	0.541	
Toluene*	<0.050	0.050	01/06/2026	ND	1.98	99.1	2.00	0.247	
Ethylbenzene*	<0.050	0.050	01/06/2026	ND	2.00	99.8	2.00	0.354	
Total Xylenes*	<0.150	0.150	01/06/2026	ND	5.93	98.8	6.00	0.521	
Total BTEX	<0.300	0.300	01/06/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 101 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	01/07/2026	ND	448	112	400	3.51	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/07/2026	ND	181	90.4	200	0.688	
DRO >C10-C28*	<10.0	10.0	01/07/2026	ND	202	101	200	1.95	
EXT DRO >C28-C36	<10.0	10.0	01/07/2026	ND					

Surrogate: 1-Chlorooctane 95.2 % 52.4-130

Surrogate: 1-Chlorooctadecane 97.3 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
 RYAN DICKERSON
 901 WEST WALL STREET , STE 100
 MIDLAND TX, 79701
 Fax To: (432) 682-3946

Received:	01/06/2026	Sampling Date:	01/06/2026
Reported:	01/07/2026	Sampling Type:	Soil
Project Name:	JAMES E #001 TUBING LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	212C-MD-02413	Sample Received By:	Tamara Oldaker
Project Location:	COP - EDDY COUNTY, NM		

Sample ID: WSW - 3 (H260057-13)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/06/2026	ND	1.92	96.2	2.00	0.541	
Toluene*	<0.050	0.050	01/06/2026	ND	1.98	99.1	2.00	0.247	
Ethylbenzene*	<0.050	0.050	01/06/2026	ND	2.00	99.8	2.00	0.354	
Total Xylenes*	<0.150	0.150	01/06/2026	ND	5.93	98.8	6.00	0.521	
Total BTEX	<0.300	0.300	01/06/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 102 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	01/07/2026	ND	448	112	400	3.51	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/07/2026	ND	181	90.4	200	0.688	
DRO >C10-C28*	<10.0	10.0	01/07/2026	ND	202	101	200	1.95	
EXT DRO >C28-C36	<10.0	10.0	01/07/2026	ND					

Surrogate: 1-Chlorooctane 94.5 % 52.4-130

Surrogate: 1-Chlorooctadecane 96.7 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
 RYAN DICKERSON
 901 WEST WALL STREET , STE 100
 MIDLAND TX, 79701
 Fax To: (432) 682-3946

Received:	01/06/2026	Sampling Date:	01/06/2026
Reported:	01/07/2026	Sampling Type:	Soil
Project Name:	JAMES E #001 TUBING LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	212C-MD-02413	Sample Received By:	Tamara Oldaker
Project Location:	COP - EDDY COUNTY, NM		

Sample ID: WSW - 4 (H260057-14)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	01/06/2026	ND	1.92	96.2	2.00	0.541		
Toluene*	<0.050	0.050	01/06/2026	ND	1.98	99.1	2.00	0.247		
Ethylbenzene*	<0.050	0.050	01/06/2026	ND	2.00	99.8	2.00	0.354		
Total Xylenes*	<0.150	0.150	01/06/2026	ND	5.93	98.8	6.00	0.521		
Total BTEX	<0.300	0.300	01/06/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 101 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	01/07/2026	ND	448	112	400	3.51		

TPH 8015M		mg/kg		Analyzed By: JF						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	01/07/2026	ND	181	90.4	200	0.688		
DRO >C10-C28*	<10.0	10.0	01/07/2026	ND	202	101	200	1.95		
EXT DRO >C28-C36	<10.0	10.0	01/07/2026	ND						

Surrogate: 1-Chlorooctane 97.6 % 52.4-130

Surrogate: 1-Chlorooctadecane 99.5 % 39.9-141

Cardinal Laboratories

* = Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
 RYAN DICKERSON
 901 WEST WALL STREET , STE 100
 MIDLAND TX, 79701
 Fax To: (432) 682-3946

Received:	01/06/2026	Sampling Date:	01/06/2026
Reported:	01/07/2026	Sampling Type:	Soil
Project Name:	JAMES E #001 TUBING LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	212C-MD-02413	Sample Received By:	Tamara Oldaker
Project Location:	COP - EDDY COUNTY, NM		

Sample ID: WSW - 5 (H260057-15)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/06/2026	ND	1.92	96.2	2.00	0.541	
Toluene*	<0.050	0.050	01/06/2026	ND	1.98	99.1	2.00	0.247	
Ethylbenzene*	<0.050	0.050	01/06/2026	ND	2.00	99.8	2.00	0.354	
Total Xylenes*	<0.150	0.150	01/06/2026	ND	5.93	98.8	6.00	0.521	
Total BTEX	<0.300	0.300	01/06/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 103 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	01/07/2026	ND	448	112	400	3.51	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/07/2026	ND	181	90.4	200	0.688	
DRO >C10-C28*	<10.0	10.0	01/07/2026	ND	202	101	200	1.95	
EXT DRO >C28-C36	<10.0	10.0	01/07/2026	ND					

Surrogate: 1-Chlorooctane 67.8 % 52.4-130

Surrogate: 1-Chlorooctadecane 66.9 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
 RYAN DICKERSON
 901 WEST WALL STREET , STE 100
 MIDLAND TX, 79701
 Fax To: (432) 682-3946

Received:	01/06/2026	Sampling Date:	01/06/2026
Reported:	01/07/2026	Sampling Type:	Soil
Project Name:	JAMES E #001 TUBING LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	212C-MD-02413	Sample Received By:	Tamara Oldaker
Project Location:	COP - EDDY COUNTY, NM		

Sample ID: WSW - 6 (H260057-16)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/06/2026	ND	1.92	96.2	2.00	0.541	
Toluene*	<0.050	0.050	01/06/2026	ND	1.98	99.1	2.00	0.247	
Ethylbenzene*	<0.050	0.050	01/06/2026	ND	2.00	99.8	2.00	0.354	
Total Xylenes*	<0.150	0.150	01/06/2026	ND	5.93	98.8	6.00	0.521	
Total BTEX	<0.300	0.300	01/06/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 102 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	01/07/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/07/2026	ND	181	90.4	200	0.688	
DRO >C10-C28*	<10.0	10.0	01/07/2026	ND	202	101	200	1.95	
EXT DRO >C28-C36	<10.0	10.0	01/07/2026	ND					

Surrogate: 1-Chlorooctane 95.1 % 52.4-130

Surrogate: 1-Chlorooctadecane 97.4 % 39.9-141

Cardinal Laboratories

* = Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
 RYAN DICKERSON
 901 WEST WALL STREET , STE 100
 MIDLAND TX, 79701
 Fax To: (432) 682-3946

Received:	01/06/2026	Sampling Date:	01/06/2026
Reported:	01/07/2026	Sampling Type:	Soil
Project Name:	JAMES E #001 TUBING LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	212C-MD-02413	Sample Received By:	Tamara Oldaker
Project Location:	COP - EDDY COUNTY, NM		

Sample ID: WSW - 7 (H260057-17)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/06/2026	ND	1.92	96.2	2.00	0.541	
Toluene*	<0.050	0.050	01/06/2026	ND	1.98	99.1	2.00	0.247	
Ethylbenzene*	<0.050	0.050	01/06/2026	ND	2.00	99.8	2.00	0.354	
Total Xylenes*	<0.150	0.150	01/06/2026	ND	5.93	98.8	6.00	0.521	
Total BTEX	<0.300	0.300	01/06/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 101 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	272	16.0	01/07/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/07/2026	ND	181	90.4	200	0.688	
DRO >C10-C28*	<10.0	10.0	01/07/2026	ND	202	101	200	1.95	
EXT DRO >C28-C36	<10.0	10.0	01/07/2026	ND					

Surrogate: 1-Chlorooctane 78.8 % 52.4-130

Surrogate: 1-Chlorooctadecane 79.2 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
 RYAN DICKERSON
 901 WEST WALL STREET , STE 100
 MIDLAND TX, 79701
 Fax To: (432) 682-3946

Received:	01/06/2026	Sampling Date:	01/06/2026
Reported:	01/07/2026	Sampling Type:	Soil
Project Name:	JAMES E #001 TUBING LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	212C-MD-02413	Sample Received By:	Tamara Oldaker
Project Location:	COP - EDDY COUNTY, NM		

Sample ID: WSW - 8 (H260057-18)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/06/2026	ND	1.92	96.2	2.00	0.541	
Toluene*	<0.050	0.050	01/06/2026	ND	1.98	99.1	2.00	0.247	
Ethylbenzene*	<0.050	0.050	01/06/2026	ND	2.00	99.8	2.00	0.354	
Total Xylenes*	<0.150	0.150	01/06/2026	ND	5.93	98.8	6.00	0.521	
Total BTEX	<0.300	0.300	01/06/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 101 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	48.0	16.0	01/07/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/07/2026	ND	181	90.4	200	0.688	
DRO >C10-C28*	<10.0	10.0	01/07/2026	ND	202	101	200	1.95	
EXT DRO >C28-C36	<10.0	10.0	01/07/2026	ND					

Surrogate: 1-Chlorooctane 82.2 % 52.4-130

Surrogate: 1-Chlorooctadecane 82.2 % 39.9-141

Cardinal Laboratories

* = Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

- QM-07 The spike recovery was outside acceptance limits for the MS and/or MSD. The batch was accepted based on acceptable LCS recovery.
ND Analyte NOT DETECTED at or above the reporting limit
RPD Relative Percent Difference
** Samples not received at proper temperature of 6°C or below.
*** Insufficient time to reach temperature.
- Chloride by SM4500Cl-B does not require samples be received at or below 6°C
Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager



CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

Company Name: Tetra Tech

Project Manager: Ryan Dickerson
Address: 8911 Capital o Texas Hwy, Suite 2310
City: Austin State: TX Zip:
Phone #: (512)565-0190 Fax #:
Project #: 212C-MD-02413 Project Owner: ConocoPhillips
Project Name: James E #001 Tubing Line Release
Project Location: Eddy County, New Mexico
Sampler Name: Andrew Garcia
FOR LAB USE ONLY
Lab I.D.:

Sample I.D.	(G)RAB OR (C)OMP.	# CONTAINERS	MATRIX						PRESERV.	SAMPLING	DATE	TIME	TPH 8015M	BTEX 8021B	Chloride SM4500Cl-B	ANALYSIS REQUEST
			GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER : ACID/BASE: ICE / COOL OTHER :								
NSW-1	C	1								1/6/2026		X	X	X		
SSW-1	C	1								1/6/2026		X	X	X		
ESW-1	C	1								1/6/2026		X	X	X		
ESW-2	C	1								1/6/2026		X	X	X		
ESW-3	C	1								1/6/2026		X	X	X		
ESW-4	C	1								1/6/2026		X	X	X		
ESW-5	C	1								1/6/2026		X	X	X		
ESW-6	C	1								1/6/2026		X	X	X		
ESW-7	C	1								1/6/2026		X	X	X		
ESW-8	C	1								1/6/2026		X	X	X		

PLEASE NOTE: Cardinal's custody and control extends only for any chain of custody samples based in contract or not, and is limited to the amount and by the date for the analysis. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for any consequential damages, including without limitation, business interruption, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated provisions or otherwise.

Relinquished By: Andrew Garcia Date: 1/6/2028 Received By: [Signature] Date: 1/6/2028

Delivered By: (Circle One) Sample - UPS - Bus - Other: Observed Temp, °C: 3.3 Corrected Temp, °C: 3.3

Sample Condition: Cool Inlet Yes No

Checked By: (Initials) V.P.

Thermometer ID: #113 Correction Factor: +0.1°C

Standard Bacteria (only) Sample Condition Cool Inlet Observed Temp, °C Yes No

Corrected Temp, °C Yes No

FORM-008 R.3.2 10/07/21

† Cardinal cannot accept verbal changes. Please email changes to cdeley.keene@cardinalabnm.com



CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Company Name: Tetra Tech
 101 East Marland, Hobbs, NM 88240
 (575) 393-2326 FAX (575) 393-2476

BILL TO

Project Manager: Ryan Dickerson
 Address: 8911 Capital o Texas Hwy, Suite 2310
 City: Austin State: TX Zip:
 Phone #: (512)565-0190 Fax #:
 Project #: 212C-MD-02413 Project Owner: ConocoPhillips
 Project Name: James E #001 Tubing Line Release
 Project Location: Eddy County, New Mexico
 Sampler Name: Andrew Garcia
 Phone #: Zip:
 Fax #:

ANALYSIS REQUEST

Lab I.D.	Sample I.D.	(G)RAB OR (C)OMP.	# CONTAINERS	MATRIX						DATE	TIME	TPH 8015M	BTEX 8021B	Chloride SM4500Cl-B	Hold
				GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER						
11	WSW-1	C 1	X						1/6/2026		X	X	X		
12	WSW-2	C 1	X						1/6/2026		X	X	X		
13	WSW-3	C 1	X						1/6/2026		X	X	X		
14	WSW-4	C 1	X						1/6/2026		X	X	X		
15	WSW-5	C 1	X						1/6/2026		X	X	X		
16	WSW-6	C 1	X						1/6/2026		X	X	X		
17	WSW-7	C 1	X						1/6/2026		X	X	X		
18	WSW-8	C 1	X						1/6/2026		X	X	X		

PLEASE NOTE: Tetra Tech and its affiliates warrant only that the analytical results reported for any data analysis conducted based on control or test shall be limited to the amount paid by the client for the analysis. All claims, including those for negligence and any other causes whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business income, business interruption, or any other damages arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Relinquished By: Andrew Garcia
 Date: 1/6/2026
 Received By: [Signature]
 Date: 1/6/2026

Delivered By: (Circle One)
 Sampler - UPS - Bus - Other:
 Observed Temp. °C: 3.3
 Corrected Temp. °C: 3.3
 Sample Condition: Cool Intact
 Checked By: [Signature]
 Turnaround Time: Rush YES 24hr, 7AT
 Thermometer ID: A13 #140
 Correction Factor: -0.5°C
 Add'l Phone #: [Blank]
 Verbal Result: Yes No
 All Results are emailed. Please provide Email address: Ryan.Dickerson@tetratech.com AND Colton.Blickstein@tetratech.com
 REMARKS:

FORM-008 R.3.2 1/00/721
 Cardinal cannot accept verbal changes. Please email changes to caley.keene@cardinalabstnm.com



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

January 08, 2026

RYAN DICKERSON

TETRA TECH

901 WEST WALL STREET , STE 100

MIDLAND, TX 79701

RE: RED RIDGE TOPSOIL PIT

Enclosed are the results of analyses for samples received by the laboratory on 01/07/26 16:31.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C25-00101. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Celey D. Keene".

Celey D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
 RYAN DICKERSON
 901 WEST WALL STREET , STE 100
 MIDLAND TX, 79701
 Fax To: (432) 682-3946

Received:	01/07/2026	Sampling Date:	01/07/2026
Reported:	01/08/2026	Sampling Type:	Soil
Project Name:	RED RIDGE TOPSOIL PIT	Sampling Condition:	Cool & Intact
Project Number:	212C-MD-02413	Sample Received By:	Tamara Oldaker
Project Location:	COP - EDDY COUNTY, NM		

Sample ID: BACKFILL - COMPOSITE (H260085-01)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/07/2026	ND	1.82	90.8	2.00	0.473	
Toluene*	<0.050	0.050	01/07/2026	ND	1.85	92.4	2.00	1.12	
Ethylbenzene*	<0.050	0.050	01/07/2026	ND	1.86	93.1	2.00	1.01	
Total Xylenes*	<0.150	0.150	01/07/2026	ND	5.51	91.8	6.00	0.923	
Total BTEX	<0.300	0.300	01/07/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 97.9 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	80.0	16.0	01/08/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/07/2026	ND	202	101	200	1.45	
DRO >C10-C28*	<10.0	10.0	01/07/2026	ND	218	109	200	2.10	
EXT DRO >C28-C36	<10.0	10.0	01/07/2026	ND					

Surrogate: 1-Chlorooctane 109 % 52.4-130

Surrogate: 1-Chlorooctadecane 105 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

- ND Analyte NOT DETECTED at or above the reporting limit
- RPD Relative Percent Difference
- ** Samples not received at proper temperature of 6°C or below.
- *** Insufficient time to reach temperature.
- Chloride by SM4500Cl-B does not require samples be received at or below 6°C
Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



101 East Marland, Hobbs, NM 88240
 (575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Company Name: Tetra Tech

Project Manager: Ryan Dickerson
 Address: 8911 Capital o Texas Hwy, Suite 2310
 City: Austin State: TX Zip: P.O. #: Company: Tetra Tech
 Phone #: (512)565-0190 Fax #: Attn: Ryan Dickerson
 Project #: 212C-MD-02413 Project Owner: ConocoPhillips Address: EMAIL
 Project Name: ~~Jamies E #001 Tubing Line Release~~ Red Ridge Topsoil City: State: Zip:
 Project Location: Eddy County, New Mexico
 Sampler Name: Andrew Garcia Phone #: Fax #:

FOR LAB USE ONLY
 Lab I.D. Sample I.D.
 BACKFILL-COMPOSITE (G)RAB OR (C)OMP.
 # CONTAINERS C 1
 MATRIX: GROUNDWATER WASTEWATER SOIL OIL SLUDGE
 OTHER: ACID/BASE: ICE / COOL OTHER: DATE TIME
 1/7/2026
 TPH 8015M BTEX 8021B Chloride SM4500CI-B

PRELIMINARY ANALYSIS REQUEST

Relinquished By: Andrew Garcia Date: 1/7/2026 Received By: [Signature] Verbal Result: Yes No Add'l Phone #: All Results are emailed. Please provide Email address: Ryan.Dickerson@tetratech.com AND Colton.Blickerstaff@tetratech.com

Relinquished By: Date: 1/08/2026 Received By: [Signature] REMARKS: Backfill composite sample collected from the Red Rich Topsoil Pit located at approximate coordinates 32.4459811, -103.9318778

Delivered By: (Circle One) Sampler - UPS - Bus - Other: Observed Temp. °C Corrected Temp. °C Sample Condition Cool Intact Yes No No Checked By: (Initials) AD

Thermometer ID #140
 Rank YES 24hr 7d
 Correction Factor +0.1°C
 Standard
 Backfill (only) Sample Condition Cool Intact Observed Temp. °C Corrected Temp. °C

FORM-008 R.3.2 1/07/21

† Cardinal cannot accept verbal changes. Please email changes to caley.keene@cardinalabnm.com



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

January 08, 2026

RYAN DICKERSON

TETRA TECH

901 WEST WALL STREET , STE 100

MIDLAND, TX 79701

RE: JAMES E #001 TUBING LINE RELEASE

Enclosed are the results of analyses for samples received by the laboratory on 01/07/26 16:31.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C25-00101. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
 RYAN DICKERSON
 901 WEST WALL STREET , STE 100
 MIDLAND TX, 79701
 Fax To: (432) 682-3946

Received:	01/07/2026	Sampling Date:	01/07/2026
Reported:	01/08/2026	Sampling Type:	Soil
Project Name:	JAMES E #001 TUBING LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	212C-MD-02413	Sample Received By:	Tamara Oldaker
Project Location:	COP - EDDY COUNTY, NM		

Sample ID: FS - 1 (H260086-01)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/07/2026	ND	1.82	90.8	2.00	0.473	
Toluene*	<0.050	0.050	01/07/2026	ND	1.85	92.4	2.00	1.12	
Ethylbenzene*	<0.050	0.050	01/07/2026	ND	1.86	93.1	2.00	1.01	
Total Xylenes*	<0.150	0.150	01/07/2026	ND	5.51	91.8	6.00	0.923	
Total BTEX	<0.300	0.300	01/07/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 98.3 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	208	16.0	01/08/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/07/2026	ND	202	101	200	1.45	
DRO >C10-C28*	<10.0	10.0	01/07/2026	ND	218	109	200	2.10	
EXT DRO >C28-C36	<10.0	10.0	01/07/2026	ND					

Surrogate: 1-Chlorooctane 94.8 % 52.4-130

Surrogate: 1-Chlorooctadecane 87.6 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
 RYAN DICKERSON
 901 WEST WALL STREET , STE 100
 MIDLAND TX, 79701
 Fax To: (432) 682-3946

Received:	01/07/2026	Sampling Date:	01/07/2026
Reported:	01/08/2026	Sampling Type:	Soil
Project Name:	JAMES E #001 TUBING LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	212C-MD-02413	Sample Received By:	Tamara Oldaker
Project Location:	COP - EDDY COUNTY, NM		

Sample ID: FS - 2 (H260086-02)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/07/2026	ND	1.82	90.8	2.00	0.473	
Toluene*	<0.050	0.050	01/07/2026	ND	1.85	92.4	2.00	1.12	
Ethylbenzene*	<0.050	0.050	01/07/2026	ND	1.86	93.1	2.00	1.01	
Total Xylenes*	<0.150	0.150	01/07/2026	ND	5.51	91.8	6.00	0.923	
Total BTEX	<0.300	0.300	01/07/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 97.2 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	1710	16.0	01/08/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/07/2026	ND	202	101	200	1.45	
DRO >C10-C28*	<10.0	10.0	01/07/2026	ND	218	109	200	2.10	
EXT DRO >C28-C36	<10.0	10.0	01/07/2026	ND					

Surrogate: 1-Chlorooctane 107 % 52.4-130

Surrogate: 1-Chlorooctadecane 102 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
 RYAN DICKERSON
 901 WEST WALL STREET , STE 100
 MIDLAND TX, 79701
 Fax To: (432) 682-3946

Received:	01/07/2026	Sampling Date:	01/07/2026
Reported:	01/08/2026	Sampling Type:	Soil
Project Name:	JAMES E #001 TUBING LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	212C-MD-02413	Sample Received By:	Tamara Oldaker
Project Location:	COP - EDDY COUNTY, NM		

Sample ID: FS - 3 (H260086-03)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/07/2026	ND	1.82	90.8	2.00	0.473	
Toluene*	<0.050	0.050	01/07/2026	ND	1.85	92.4	2.00	1.12	
Ethylbenzene*	<0.050	0.050	01/07/2026	ND	1.86	93.1	2.00	1.01	
Total Xylenes*	<0.150	0.150	01/07/2026	ND	5.51	91.8	6.00	0.923	
Total BTEX	<0.300	0.300	01/07/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 97.3 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	2280	16.0	01/08/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/07/2026	ND	202	101	200	1.45	
DRO >C10-C28*	<10.0	10.0	01/07/2026	ND	218	109	200	2.10	
EXT DRO >C28-C36	<10.0	10.0	01/07/2026	ND					

Surrogate: 1-Chlorooctane 114 % 52.4-130

Surrogate: 1-Chlorooctadecane 108 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
 RYAN DICKERSON
 901 WEST WALL STREET , STE 100
 MIDLAND TX, 79701
 Fax To: (432) 682-3946

Received:	01/07/2026	Sampling Date:	01/07/2026
Reported:	01/08/2026	Sampling Type:	Soil
Project Name:	JAMES E #001 TUBING LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	212C-MD-02413	Sample Received By:	Tamara Oldaker
Project Location:	COP - EDDY COUNTY, NM		

Sample ID: FS - 4 (H260086-04)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/07/2026	ND	1.82	90.8	2.00	0.473	
Toluene*	<0.050	0.050	01/07/2026	ND	1.85	92.4	2.00	1.12	
Ethylbenzene*	<0.050	0.050	01/07/2026	ND	1.86	93.1	2.00	1.01	
Total Xylenes*	<0.150	0.150	01/07/2026	ND	5.51	91.8	6.00	0.923	
Total BTEX	<0.300	0.300	01/07/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.8 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	2560	16.0	01/08/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/07/2026	ND	202	101	200	1.45	
DRO >C10-C28*	<10.0	10.0	01/07/2026	ND	218	109	200	2.10	
EXT DRO >C28-C36	<10.0	10.0	01/07/2026	ND					

Surrogate: 1-Chlorooctane 110 % 52.4-130

Surrogate: 1-Chlorooctadecane 104 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
 RYAN DICKERSON
 901 WEST WALL STREET , STE 100
 MIDLAND TX, 79701
 Fax To: (432) 682-3946

Received:	01/07/2026	Sampling Date:	01/07/2026
Reported:	01/08/2026	Sampling Type:	Soil
Project Name:	JAMES E #001 TUBING LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	212C-MD-02413	Sample Received By:	Tamara Oldaker
Project Location:	COP - EDDY COUNTY, NM		

Sample ID: FS - 5 (H260086-05)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/07/2026	ND	1.82	90.8	2.00	0.473	
Toluene*	<0.050	0.050	01/07/2026	ND	1.85	92.4	2.00	1.12	
Ethylbenzene*	<0.050	0.050	01/07/2026	ND	1.86	93.1	2.00	1.01	
Total Xylenes*	<0.150	0.150	01/07/2026	ND	5.51	91.8	6.00	0.923	
Total BTEX	<0.300	0.300	01/07/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 97.5 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	2120	16.0	01/08/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/07/2026	ND	202	101	200	1.45	
DRO >C10-C28*	<10.0	10.0	01/07/2026	ND	218	109	200	2.10	
EXT DRO >C28-C36	<10.0	10.0	01/07/2026	ND					

Surrogate: 1-Chlorooctane 113 % 52.4-130

Surrogate: 1-Chlorooctadecane 110 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
 RYAN DICKERSON
 901 WEST WALL STREET , STE 100
 MIDLAND TX, 79701
 Fax To: (432) 682-3946

Received:	01/07/2026	Sampling Date:	01/07/2026
Reported:	01/08/2026	Sampling Type:	Soil
Project Name:	JAMES E #001 TUBING LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	212C-MD-02413	Sample Received By:	Tamara Oldaker
Project Location:	COP - EDDY COUNTY, NM		

Sample ID: FS - 6 (H260086-06)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/07/2026	ND	1.82	90.8	2.00	0.473	
Toluene*	<0.050	0.050	01/07/2026	ND	1.85	92.4	2.00	1.12	
Ethylbenzene*	<0.050	0.050	01/07/2026	ND	1.86	93.1	2.00	1.01	
Total Xylenes*	<0.150	0.150	01/07/2026	ND	5.51	91.8	6.00	0.923	
Total BTEX	<0.300	0.300	01/07/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.9 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	4040	16.0	01/08/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/07/2026	ND	202	101	200	1.45	
DRO >C10-C28*	<10.0	10.0	01/07/2026	ND	218	109	200	2.10	
EXT DRO >C28-C36	<10.0	10.0	01/07/2026	ND					

Surrogate: 1-Chlorooctane 111 % 52.4-130

Surrogate: 1-Chlorooctadecane 106 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
 RYAN DICKERSON
 901 WEST WALL STREET , STE 100
 MIDLAND TX, 79701
 Fax To: (432) 682-3946

Received:	01/07/2026	Sampling Date:	01/07/2026
Reported:	01/08/2026	Sampling Type:	Soil
Project Name:	JAMES E #001 TUBING LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	212C-MD-02413	Sample Received By:	Tamara Oldaker
Project Location:	COP - EDDY COUNTY, NM		

Sample ID: FS - 7 (H260086-07)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/07/2026	ND	1.82	90.8	2.00	0.473	
Toluene*	<0.050	0.050	01/07/2026	ND	1.85	92.4	2.00	1.12	
Ethylbenzene*	<0.050	0.050	01/07/2026	ND	1.86	93.1	2.00	1.01	
Total Xylenes*	<0.150	0.150	01/07/2026	ND	5.51	91.8	6.00	0.923	
Total BTEX	<0.300	0.300	01/07/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.6 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	848	16.0	01/08/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/07/2026	ND	202	101	200	1.45	
DRO >C10-C28*	<10.0	10.0	01/07/2026	ND	218	109	200	2.10	
EXT DRO >C28-C36	<10.0	10.0	01/07/2026	ND					

Surrogate: 1-Chlorooctane 105 % 52.4-130

Surrogate: 1-Chlorooctadecane 100 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
 RYAN DICKERSON
 901 WEST WALL STREET , STE 100
 MIDLAND TX, 79701
 Fax To: (432) 682-3946

Received:	01/07/2026	Sampling Date:	01/07/2026
Reported:	01/08/2026	Sampling Type:	Soil
Project Name:	JAMES E #001 TUBING LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	212C-MD-02413	Sample Received By:	Tamara Oldaker
Project Location:	COP - EDDY COUNTY, NM		

Sample ID: FS - 8 (H260086-08)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/07/2026	ND	1.82	90.8	2.00	0.473	
Toluene*	<0.050	0.050	01/07/2026	ND	1.85	92.4	2.00	1.12	
Ethylbenzene*	<0.050	0.050	01/07/2026	ND	1.86	93.1	2.00	1.01	
Total Xylenes*	<0.150	0.150	01/07/2026	ND	5.51	91.8	6.00	0.923	
Total BTEX	<0.300	0.300	01/07/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.7 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	800	16.0	01/08/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/08/2026	ND	202	101	200	1.45	
DRO >C10-C28*	<10.0	10.0	01/08/2026	ND	218	109	200	2.10	
EXT DRO >C28-C36	<10.0	10.0	01/08/2026	ND					

Surrogate: 1-Chlorooctane 103 % 52.4-130

Surrogate: 1-Chlorooctadecane 97.4 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
 RYAN DICKERSON
 901 WEST WALL STREET , STE 100
 MIDLAND TX, 79701
 Fax To: (432) 682-3946

Received:	01/07/2026	Sampling Date:	01/07/2026
Reported:	01/08/2026	Sampling Type:	Soil
Project Name:	JAMES E #001 TUBING LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	212C-MD-02413	Sample Received By:	Tamara Oldaker
Project Location:	COP - EDDY COUNTY, NM		

Sample ID: FS - 9 (H260086-09)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/07/2026	ND	1.82	90.8	2.00	0.473	
Toluene*	<0.050	0.050	01/07/2026	ND	1.85	92.4	2.00	1.12	
Ethylbenzene*	<0.050	0.050	01/07/2026	ND	1.86	93.1	2.00	1.01	
Total Xylenes*	<0.150	0.150	01/07/2026	ND	5.51	91.8	6.00	0.923	
Total BTEX	<0.300	0.300	01/07/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 98.1 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	2040	16.0	01/08/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/08/2026	ND	202	101	200	1.45	
DRO >C10-C28*	<10.0	10.0	01/08/2026	ND	218	109	200	2.10	
EXT DRO >C28-C36	<10.0	10.0	01/08/2026	ND					

Surrogate: 1-Chlorooctane 109 % 52.4-130

Surrogate: 1-Chlorooctadecane 102 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
 RYAN DICKERSON
 901 WEST WALL STREET , STE 100
 MIDLAND TX, 79701
 Fax To: (432) 682-3946

Received:	01/07/2026	Sampling Date:	01/07/2026
Reported:	01/08/2026	Sampling Type:	Soil
Project Name:	JAMES E #001 TUBING LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	212C-MD-02413	Sample Received By:	Tamara Oldaker
Project Location:	COP - EDDY COUNTY, NM		

Sample ID: FS - 10 (H260086-10)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/07/2026	ND	1.82	90.8	2.00	0.473	
Toluene*	<0.050	0.050	01/07/2026	ND	1.85	92.4	2.00	1.12	
Ethylbenzene*	<0.050	0.050	01/07/2026	ND	1.86	93.1	2.00	1.01	
Total Xylenes*	<0.150	0.150	01/07/2026	ND	5.51	91.8	6.00	0.923	
Total BTEX	<0.300	0.300	01/07/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 97.2 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	1120	16.0	01/08/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/07/2026	ND	221	111	200	2.13	
DRO >C10-C28*	<10.0	10.0	01/07/2026	ND	224	112	200	8.89	
EXT DRO >C28-C36	<10.0	10.0	01/07/2026	ND					

Surrogate: 1-Chlorooctane 116 % 52.4-130

Surrogate: 1-Chlorooctadecane 112 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
 RYAN DICKERSON
 901 WEST WALL STREET , STE 100
 MIDLAND TX, 79701
 Fax To: (432) 682-3946

Received:	01/07/2026	Sampling Date:	01/07/2026
Reported:	01/08/2026	Sampling Type:	Soil
Project Name:	JAMES E #001 TUBING LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	212C-MD-02413	Sample Received By:	Tamara Oldaker
Project Location:	COP - EDDY COUNTY, NM		

Sample ID: FS - 11 (H260086-11)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/07/2026	ND	1.82	90.8	2.00	0.473	
Toluene*	<0.050	0.050	01/07/2026	ND	1.85	92.4	2.00	1.12	
Ethylbenzene*	<0.050	0.050	01/07/2026	ND	1.86	93.1	2.00	1.01	
Total Xylenes*	<0.150	0.150	01/07/2026	ND	5.51	91.8	6.00	0.923	
Total BTEX	<0.300	0.300	01/07/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 98.2 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	1600	16.0	01/08/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/07/2026	ND	221	111	200	2.13	
DRO >C10-C28*	<10.0	10.0	01/07/2026	ND	224	112	200	8.89	
EXT DRO >C28-C36	<10.0	10.0	01/07/2026	ND					

Surrogate: 1-Chlorooctane 111 % 52.4-130

Surrogate: 1-Chlorooctadecane 108 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
 RYAN DICKERSON
 901 WEST WALL STREET , STE 100
 MIDLAND TX, 79701
 Fax To: (432) 682-3946

Received:	01/07/2026	Sampling Date:	01/07/2026
Reported:	01/08/2026	Sampling Type:	Soil
Project Name:	JAMES E #001 TUBING LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	212C-MD-02413	Sample Received By:	Tamara Oldaker
Project Location:	COP - EDDY COUNTY, NM		

Sample ID: FS - 12 (H260086-12)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/07/2026	ND	1.82	90.8	2.00	0.473	
Toluene*	<0.050	0.050	01/07/2026	ND	1.85	92.4	2.00	1.12	
Ethylbenzene*	<0.050	0.050	01/07/2026	ND	1.86	93.1	2.00	1.01	
Total Xylenes*	<0.150	0.150	01/07/2026	ND	5.51	91.8	6.00	0.923	
Total BTEX	<0.300	0.300	01/07/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 97.5 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	976	16.0	01/08/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/07/2026	ND	221	111	200	2.13	
DRO >C10-C28*	<10.0	10.0	01/07/2026	ND	224	112	200	8.89	
EXT DRO >C28-C36	<10.0	10.0	01/07/2026	ND					

Surrogate: 1-Chlorooctane 109 % 52.4-130

Surrogate: 1-Chlorooctadecane 106 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
 RYAN DICKERSON
 901 WEST WALL STREET , STE 100
 MIDLAND TX, 79701
 Fax To: (432) 682-3946

Received:	01/07/2026	Sampling Date:	01/07/2026
Reported:	01/08/2026	Sampling Type:	Soil
Project Name:	JAMES E #001 TUBING LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	212C-MD-02413	Sample Received By:	Tamara Oldaker
Project Location:	COP - EDDY COUNTY, NM		

Sample ID: FS - 13 (H260086-13)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/07/2026	ND	1.82	90.8	2.00	0.473	
Toluene*	<0.050	0.050	01/07/2026	ND	1.85	92.4	2.00	1.12	
Ethylbenzene*	<0.050	0.050	01/07/2026	ND	1.86	93.1	2.00	1.01	
Total Xylenes*	<0.150	0.150	01/07/2026	ND	5.51	91.8	6.00	0.923	
Total BTEX	<0.300	0.300	01/07/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.3 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	736	16.0	01/08/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/08/2026	ND	221	111	200	2.13	
DRO >C10-C28*	<10.0	10.0	01/08/2026	ND	224	112	200	8.89	
EXT DRO >C28-C36	<10.0	10.0	01/08/2026	ND					

Surrogate: 1-Chlorooctane 112 % 52.4-130

Surrogate: 1-Chlorooctadecane 109 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
 RYAN DICKERSON
 901 WEST WALL STREET , STE 100
 MIDLAND TX, 79701
 Fax To: (432) 682-3946

Received:	01/07/2026	Sampling Date:	01/07/2026
Reported:	01/08/2026	Sampling Type:	Soil
Project Name:	JAMES E #001 TUBING LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	212C-MD-02413	Sample Received By:	Tamara Oldaker
Project Location:	COP - EDDY COUNTY, NM		

Sample ID: FS - 14 (H260086-14)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/08/2026	ND	1.82	90.8	2.00	0.473	
Toluene*	<0.050	0.050	01/08/2026	ND	1.85	92.4	2.00	1.12	
Ethylbenzene*	<0.050	0.050	01/08/2026	ND	1.86	93.1	2.00	1.01	
Total Xylenes*	<0.150	0.150	01/08/2026	ND	5.51	91.8	6.00	0.923	
Total BTEX	<0.300	0.300	01/08/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 97.7 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	1250	16.0	01/08/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/08/2026	ND	221	111	200	2.13	
DRO >C10-C28*	<10.0	10.0	01/08/2026	ND	224	112	200	8.89	
EXT DRO >C28-C36	<10.0	10.0	01/08/2026	ND					

Surrogate: 1-Chlorooctane 115 % 52.4-130

Surrogate: 1-Chlorooctadecane 112 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TETRA TECH
 RYAN DICKERSON
 901 WEST WALL STREET , STE 100
 MIDLAND TX, 79701
 Fax To: (432) 682-3946

Received:	01/07/2026	Sampling Date:	01/07/2026
Reported:	01/08/2026	Sampling Type:	Soil
Project Name:	JAMES E #001 TUBING LINE RELEASE	Sampling Condition:	Cool & Intact
Project Number:	212C-MD-02413	Sample Received By:	Tamara Oldaker
Project Location:	COP - EDDY COUNTY, NM		

Sample ID: FS - 15 (H260086-15)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/08/2026	ND	1.82	90.8	2.00	0.473	
Toluene*	<0.050	0.050	01/08/2026	ND	1.85	92.4	2.00	1.12	
Ethylbenzene*	<0.050	0.050	01/08/2026	ND	1.86	93.1	2.00	1.01	
Total Xylenes*	<0.150	0.150	01/08/2026	ND	5.51	91.8	6.00	0.923	
Total BTEX	<0.300	0.300	01/08/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 97.4 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	3920	16.0	01/08/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/08/2026	ND	221	111	200	2.13	
DRO >C10-C28*	<10.0	10.0	01/08/2026	ND	224	112	200	8.89	
EXT DRO >C28-C36	<10.0	10.0	01/08/2026	ND					

Surrogate: 1-Chlorooctane 111 % 52.4-130

Surrogate: 1-Chlorooctadecane 107 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

- ND Analyte NOT DETECTED at or above the reporting limit
- RPD Relative Percent Difference
- ** Samples not received at proper temperature of 6°C or below.
- *** Insufficient time to reach temperature.
- Chloride by SM4500Cl-B does not require samples be received at or below 6°C
Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager



CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

BILL TO

ANALYSIS REQUEST

Company Name: Tetra Tech
 Project Manager: Ryan Dickerson
 Address: 8911 Capital o Texas Hwy, Suite 2310
 City: Austin State: TX Zip:
 Phone #: (512)565-0190 Fax #:
 Project #: 212C-MD-02413 Project Owner: Corroco/Phillips
 Project Name: James E #001 Tubing Line Release
 Project Location: Eddy County, New Mexico
 Sampler Name: Andrew Garcia
 P.O. #: Company: Tetra Tech
 Attn: Ryan Dickerson
 Address: EMAIL
 City: State: Zip:
 Phone #: Fax #:

Lab I.D.	Sample I.D.	(G)RAB OR (C)OMP.	# CONTAINERS	MATRIX						PRESERV.	SAMPLING	DATE	TIME	TPH 8015M	BTEX 8021B	Chloride SM4500Cl-B
				GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :							
	1		1								1/7/2026		X	X	X	
	2		1	X							1/7/2026		X	X	X	
	3		1	X							1/7/2026		X	X	X	
	4		1	X							1/7/2026		X	X	X	
	5		1	X							1/7/2026		X	X	X	
	6		1	X							1/7/2026		X	X	X	
	7		1	X							1/7/2026		X	X	X	
	8		1	X							1/7/2026		X	X	X	
	9		1	X							1/7/2026		X	X	X	
	10		1	X							1/7/2026		X	X	X	

PLEASE NOTE: Liability and Damages: Cardinal's liability and default restrictions provided in contract or add'l. shall be limited to the amount paid by the client for the analysis. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for negligent or consequential damages including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon "ry of the above stated reasons or otherwise.

Relinquished By: Andrew Garcia
 Date: 1/7/2026
 Time: 10:31
 Received By: [Signature]
 Date: [Signature]
 Time: [Signature]

Delivered By: (Circle One)
 Sampler - UPS - Bus - Other:
 Observed Temp. °C: 44.5
 Corrected Temp. °C: 43.5
 Sample Condition:
 Cool: Yes No
 Intact: Yes No

Checked By: [Signature] (Initials)
 Verbal Result: Yes No
 All Results are emailed. Please provide Email address: Ryan.Dickerson@tetratech.com AND Cotton.Bickerstaff@tetratech.com

REMARKS:

Thermometer Type: Standard Bacterius (only) Sample Condition
 Rush YES, 24hr. TAT Cool Intact: Observed Temp. °C
 Thermometer ID #140 Yes No
 Correction Factor +0.1°C Yes No
 Corrected Temp. °C

FORM-006 R 3.2 10/07/21

† Cardinal cannot accept verbal changes. Please email changes to caley.keene@cardinalabstnm.com



CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

101 East Merland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

Company Name: Tetra Tech

BILL TO

ANALYSIS REQUEST

Project Manager: Ryan Dickerson
 Address: 8911 Capital o Texas Hwy, Suite 2310
 City: Austin State: TX Zip:
 Phone #: (512)565-0190 Fax #:
 Project #: 212C-MD-02413 Project Owner: ConocoPhillips
 Project Name: James E #001 Tubing Line Release
 Project Location: Eddy County, New Mexico
 Sampler Name: Andrew Garcia
 P.O. #: Company: Tetra Tech
 Attn: Ryan Dickerson
 Address: EMAIL
 City: State: Zip:
 Phone #: Fax #:

FOR LAB USE ONLY
 Lab I.D. Sample I.D.
 MATRIX: GROUNDWATER, WASTEWATER, SOIL, OIL, SLUDGE, OTHER: ACID/BASE, ICE / COOL, OTHER: DATE TIME

Sample I.D.	(G)RAB OR (C)OMP.	# CONTAINERS	MATRIX	PRESERV.	SAMPLING	TPH 8015M	BTEX 8021B	Chloride SM4500Cl-B
11 FS-11	C 1	1	X		1/7/2026	X	X	X
12 FS-12	C 1	1	X		1/7/2026	X	X	X
13 FS-13	C 1	1	X		1/7/2026	X	X	X
14 FS-14	C 1	1	X		1/7/2026	X	X	X
15 FS-15	C 1	1	X		1/7/2026	X	X	X

PLEASE NOTE: Labeling and Damages: Cardinal's liability and client's exclusion remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analysis. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruption, loss of use, or loss of profits incurred by client, its related entities, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Relinquished By: Andrew Garcia
 Date: 1/7/2026
 Time: 10:31
 Received By: [Signature]
 Date: [Signature]
 Time: [Signature]
 Observed Temp. °C: 4.4°C
 Corrected Temp. °C: 4.5°C
 Sample Condition: Cool Intact Yes No
 CHECKED BY: [Signature] (Initials)
 Turnaround Time: Standard Backfill (only) Sample Condition
 Ruth: YES, 24hr 1AT Cool Intact Observed Temp. °C
 Thermometer ID #140 Correction Factor +0.1°C Yes No
 Add'l Phone #: Yes No Corrected Temp. °C
 REMARKS: Verbal Result: Yes No
 All Results are emailed. Please provide Email address: Ryan.Dickerson@tetratech.com AND Colton.Bickerstaff@tetratech.com

FORM-006 R 3.2 1007/21 Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 561917

CONDITIONS

Operator: CONOCOPHILLIPS COMPANY 600 W. Illinois Avenue Midland, TX 79701	OGRID: 217817
	Action Number: 561917
	Action Type: [REPORT] Alternative Remediation Report (C-141AR)

CONDITIONS

Created By	Condition	Condition Date
michael.buchanan	Lab analytical reports for confirmation samples (dated 01/06/2026 and 01/07/2026) and chains-of-custody are received for the incident record.	3/11/2026