



209 W. McKay Street
Carlsbad, New Mexico 88220
Tel. 432-701-2159
www.ntgenvironmental.com

March 19, 2026

NMOCD Oil Conservation Division, District 2
811 S. First Street
Artesia, New Mexico 88210

**Re: Soil Remediation Closure Report and Deferral Request
Devon Energy Production Company
Bell Lake 19 CTB 3
Lea County, New Mexico
Incident ID: nAPP2528742684**

Introduction

On behalf of Devon Energy Production Company (Devon), New Tech Global Environmental, LLC (NTGE) has prepared this Soil Remediation Closure Report and Deferral Request for submittal to the New Mexico Oil Conservation Division (NMOCD) District 2 Office in Artesia, New Mexico to document site assessment sample analysis results, remedial action activities, and deferral request for incident ID: nAPP2528742684 at the Bell Lake 19 CTB 3 Facility. The site is in Unit Letter P, Section 19, of Township 24 South and Range 33 East in Lea County, New Mexico. The GPS coordinates for the release site are 32.199281° N latitude and -103.608785° W longitude. The release occurred on privately owned land. The site location with respect to the nearest town is shown on Figure 1 and the topography of the area is shown on Figure 2.

Background

New Mexico Oil Conservation Division (NMOCD) Incident # - nPRS0526636943 - On October 9, 2025, and was due to a pinhole leak, releasing approximately sixteen (16) barrels (bbls) of produced water, of which thirteen (13) bbls were recovered for a net loss of three (3) bbls of produced water. Upon discovery, all wells associated with the tank battery were shut in, the area secured, and facility secured.

Cultural Properties Protection Rule and Biological Sensitivity Areas

The area is utilized for oil and gas production, therefore the Cultural Properties Protection Rule (CCP) is not applicable for this site. Should any work need to be carried out in areas not previously disturbed by oil and gas, an archeological survey will be conducted prior to any work beginning and the results of the archeological survey will be submitted to the NMSLO once the survey is complete.

Creating a Better
Environment
For Oil & Gas
Operations

NMOCD
 March 19, 2026
 Page 2 of 3

A tabletop review for Special Plant Species potential habitat was conducted for the area. The site was not within an un-surveyed area or potential habitat of a listed species. Additionally, a Special Plant Species Survey Map is attached to this work plan.

Additionally, a tabletop review of the area was conducted to determine if the area is in Dunes Sagebrush Lizard and Lesser Prairie Chicken habitats. It was determined that the area is not located within either habitat. A map of the site location with respect to both habitats is included in this work plan. A review of the Critical Habitat Assessment Tool (CHAT) determined that the area has a CHAT score of five (5). A map depicting the CHAT score is included with this work plan.

Groundwater and Site Characterization

Based on a review of the New Mexico Office of State Engineers and USGS databases, there is a exploratory groundwater determination bore approximately 888ft to south of the release area that was drilled to a total depth of 55 ft bgs and no groundwater was present. No other receptors (playas, wetlands, waterways, lakebeds, or ordinance boundaries) are located within each specific boundary or distance from the site. According to the OCD Oil and Gas Map, the Site is located within a medium karst potential area. The site characterization documentation (NMOCD Oil and Gas Map, Points of Diversion, Significant Watercourse Map, Wetlands Map, and FEMA Map) are attached to the report.

What is the shallowest depth to groundwater beneath the area affected by the spill?	Between 51 and 75 ft.
What method was used to determin the depth to groundwater?	NM OSE iWaters Database Search
Did this spill impact groundwater or surface water?	No
What is the minimum distance, between the closest lateral extents of the release and the following surface areas:	
A continuously flowing watercourse or any other significant watercourse?	Greater than 5 mi.
Any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)?	Greater than 5 mi.
An occupied permanent residence, school, hospital, institution, or church?	Greater than 5 mi.
A spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes?	Between 1 and 5 mi.
Any other fresh water well or spring?	Greater than 5 mi.
Incorporated municipal boundaries or within a defined municipal fresh water well field?	Greater than 5 mi.
A wetland?	Greater than 5 mi.
A subsurface mine?	Greater than 5 mi.
Categorize the risk of this well / site being in karst geology	Low
A 100-year floodplain?	Greater than 5 mi.
Did the release impact areas not on an exploration, development, production, or storage site	No

NMOCD
 March 19, 2026
 Page 3 of 3

NTGE characterized the Site according to Table I, Closure Criteria for Soils Impacted by a Release, from the New Mexico Administrative Code (NMCA) Title 19, Chapter 15, Part 29, Section 12 (NMAC 19.15.29.12).

General Site Characterization and Groundwater:

Site Characterization	Average Groundwater Depth (ft)
Low Karst	51-100ft

Table 3.1 Closure Criteria for Soils Impacted by a Release (NMAC 19.15.29.12)

Regulatory Standard	Chloride	TPH (GRO+DRO+MRO)	TPH (GRO+DRO)	BTEX	Benzene
19.15.29.12 NMAC Table I Closure Criteria for Soils Impacted by a Release	20,000 mg/kg	2,500 mg/kg	1,000 mg/kg	50 mg/kg	10 mg/kg
19.15.29.13 Restoration, Reclamation and Re-Vegetation (Impacted Area 0-4 Feet)	600 mg/kg	100 mg/kg	---	50 mg/kg	10 mg/kg

Notes:
 --- = not defined

Initial Soil Delineation Assessment Summary and Findings

Soil delineation samples were collected by way of a geotechnical hand auger as well as a backhoe. Soil samples were placed directly into laboratory provided sample containers, placed on ice, and transported under proper chain-of-custody protocol to Cardinal Laboratories in Hobbs, New Mexico for analysis of benzene, toluene, ethylbenzene, and xylene (BTEX) (Method SW846 8021B), total petroleum hydrocarbon (TPH) (Method SW846 8015B), and chloride (method SM4500CL-B or EPA 300.0).

On November 2025 and December 2025, NTGE conducted site assessment activities to assess the extent of impacts at the site. NTGE installed six (6) vertical sample points (V-1 through V-6) within the release area, and eight (8) horizontal sample points (H-1 through H-8) were installed outside the release area to vertically and horizontally characterize the impacts. Vertical soil samples were collected at half foot (0.5) intervals at depths ranging from zero (0) to five and a half (5.5) ft below ground surface (bgs). Horizontal soil samples were collected from zero (0) to six (6)

NTGE Project No.: 2510594



NMOCD
March 19, 2026
Page 4 of 3

inches bgs. Analytical results indicated there were chloride concentrations above Table I Closure Criteria in V-1 through V-4 and V-6, ranging in depth from surface (0) ft bgs to five and a half (5.5) ft bgs. Analytical results indicated that all other samples collected exhibited concentrations below Table I Closure Criteria.

Analytical results are included in Table 1, while soil sample locations are shown on Figure 3. Laboratory reports containing analytical methods and chain-of-custody documents are attached to the report.

Soil Remediation Activities

After receiving and evaluating the soil boring data NTGE proposed to excavate the area of V-1, V-2, and portions of V-4 and V-6 to ensure that the impacted soil has been removed from the site. Not all of the areas represented by V-4 and V-6 could be excavated due to being under production equipment. Approximately 340 cubic yards of impacted material was excavated and transported offsite for disposal at an NMOCD approved solid waste facility.

Upon completion of the excavation, confirmation samples were collected by way of a five (5) point composite samples and represent an area no greater than 200 square feet from the bottom and the sidewalls of the excavation to comply with NMAC 19.15.23.12 and 19.15.29.13. All confirmation samples were taken to a certified laboratory and analyzed for BTEX by EPA Method 8021B, TPH by EPA Method 8015B Modified and chloride by SM4500 Cl -B or EPA 300.0. All samples exhibited concentrations below NMOCD Table I Closure Criteria with the exception of four sidewall samples (SW-3, SW-4, SW-7, and SW-8). Sidewall confirmation samples SW-3, SW-4, SW-7, and SW-8 exhibited chloride concentrations ranging from 768 mg/Kg in soil samples SW-3 and SW-8 to 11,000 mg/Kg in soil sample SW-4. The areas represented by SW-3, SW-4, SW-7, and SW-8 could not be excavated any further due to their proximity to the production equipment on site.

Deferral Request

Devon is formally requesting that remediation of the impacted soil being left in place under the production equipment be deferred until the facility is deemed no longer necessary for oil and gas production. Approximately 281 cubic yards of impacted material is being left in place under the production equipment and remediation activities would require major facility deconstruction and production loss. A map of the requested areas of deferral can be found on Figure 5.

If you have any questions regarding this work plan and deferral request, please contact us at (432)-701-2159.

Sincerely,
NTG Environmental



Michael Collier
Project Manager
NTGE Project No.: 2510594



NMOCD
March 19, 2026
Page 5 of 3


Attachments:

Figures
Tables
Site Characterization Documentation
Photographic Log
Special Species Plant Survey Map
Ecological Sites Map
Lesser Prairie Chicken and Dunes Sagebrush Lizard Habitat Map
CHAT Score Map
Laboratory Reports and Chain-of-Custody Documents

FIGURES



Document Path: C:\Users\ntg\Documents\New Tech Global\NTGE - Documents\NTGE - Projects\2025 PROJECTS\DEVON\RSC\2510594 - Bell Lake 19 CTB 3 10.9.2517- Figures\GIS\Figure 1.mxd



LEGEND

 Bell Lake 19 CTB 3

SITE LOCATION MAP
 DEVON ENERGY PRODUCTION COMPANY
 BELL LAKE 19 CTB 3
 LEA COUNTY, NEW MEXICO
 32.19700001, -103.60613


SCALE: As Shown Date: 1/6/2026 PROJECT #: 2510594


New Tech Global Environmental, LLC
 911 Regional Park Drive
 Houston, Texas 77060
 T - 281.872.9300
 F - 281.872.4521
 Web: www.ntgenviromental.com

NOTES:
 1. Base Image: ESRI Maps & Data 2013
 2. Map Projection: NAD 1983

DRAWING NUMBER:
FIGURE 1
 SHEET NUMBER:
1 of 1

Document Path: C:\Users\ntg\Documents\New Tech Global\NTGE - Documents\NTGE - Projects\2025 DEVON\IRSC\2510594 - Bell Lake 19 CTB 3 10.9.2517- Figures\GIS\Figure 2.mxd



TOPOGRAPHIC MAP
 DEVON ENERGY PRODUCTION COMPANY
 BELL LAKE 19 CTB 3
 LEA COUNTY, NEW MEXICO
 32.197100001,-103.60613


SCALE: As Shown Date: 1/6/2026 PROJECT #: 2510594


New Tech Global Environmental, LLC
 911 Regional Park Drive
 Houston, Texas 77060
 T - 281.872.9300
 F - 281.872.4521
 Web: www.ntglobal.com

NOTES:
 1. Base Image: ESRI Maps & Data 2013
 2. Map Projection: NAD 1983 UTM Zone 13N

DRAWING NUMBER:
FIGURE 2
 SHEET NUMBER:
1 of 1


Document Path: C:\Users\ntg\Documents\New Tech Global\NTGE - Documents\NTGE - Projects\2025 PROJECTS\DEVON\IRSC\2510594 - Bell Lake 19 CTB 3 10.9.25\7- Figures\GIS\Figure 3.mxd



LEGEND

Points

- Vertical Sample Point
- Horizontal Sample Point
- Release Area




SOIL ASSESSMENT MAP
 DEVON ENERGY PRODUCTION COMPANY
 BELL LAKE 19 CTB 3
 LEA COUNTY, NEW MEXICO
 32.197100001, -103.60613

NTG
 New Tech Global Environmental, LLC
 911 Regional Park Drive
 Houston, Texas 77060
 T - 281.872.9300
 F - 281.872.4521
 Web: www.ntglobal.com

NOTES:
 1. Base Image: ESRI Maps & Data 2013
 2. Map Projection: NAD 1983 UTM Zone 13N

DRAWING NUMBER:
FIGURE 3
 SHEET NUMBER:
1 of 1


Document Path: C:\Users\ntg\Documents\New Tech Global\NTGE - Documents\NTGE - Projects\2025 DEVON\IRSC\2510594 - Bell Lake 19 CTB 3 - Figures\GIS\Closure\Figure 4.mxd



LEGEND

Points

- Base Samples
- Sidewall Samples
- 4ft, Excavation





CONFORMATION SAMPLE MAP
 DEVON ENERGY PRODUCTION COMPANY
 BELL LAKE 19 CTB 3
 LEA COUNTY, NEW MEXICO
 32.197100001,-103.60613


New Tech Global Environmental, LLC
 911 Regional Park Drive
 Houston, Texas 77060
 T - 281.872.9300
 F - 281.872.4521
 Web: www.ntglobal.com

NOTES:
 1. Base Image: ESRI Maps & Data 2013
 2. Map Projection: NAD 1983 UTM Zone 13N

DRAWING NUMBER:
FIGURE 4
 SHEET NUMBER:
1 of 1

Document Path: C:\Users\ntgegis\New Tech Global\NTGE - Documents\NTGE - Projects\2025 PROJECTS\DEVON\RSC\2510594 - Bell Lake 19 CTB 3 10.9.25\7- Figures\GIS\Closure\Figure 5.mxd



LEGEND

 Area of Deferral

AREA OF DEFERRAL MAP
 DEVON ENERGY PRODUCTION COMPANY
 BELL LAKE 19 CTB 3
 LEA COUNTY, NEW MEXICO
 32.197100001,-103.60613

SCALE: As Shown Date: 3/18/2026 PROJECT #: 2510594



New Tech Global Environmental, LLC
 911 Regional Park Drive
 Houston, Texas 77060
 T - 281.872.9300
 F - 281.872.4521
 Web: www.ntglobal.com

NOTES:
 1. Base Image: ESRI Maps & Data 2013
 2. Map Projection: NAD 1983 UTM Zone 13N

DRAWING NUMBER:
FIGURE 5
 SHEET NUMBER:
1 of 1

TABLES



Table 1
Summary of Soil Analytical Data - Delineation Samples
Bell Lake 19 CTB 3
Devon Energy Production Company
Lea County, New Mexico

Sample ID	Sample Date	Depth (ft bgs)	Benzene (mg/kg)	Toluene (mg/kg)	Ethylbenzene (mg/kg)	Xylenes (mg/kg)	BTEX (mg/kg)	TPH					Chloride (mg/kg)
								GRO (C6-C10) (mg/kg)	DRO (C10-C28) (mg/kg)	GRO + DRO (mg/kg)	MRO (C28-C35) (mg/kg)	Total GRO/DRO/MRO (mg/kg)	
Table 1 Closure Criteria for Soil >100 feet Depth to Groundwater 19.15.29 NMAC													
			10 mg/kg	---	---	---	50 mg/kg	---	---	1,000 mg/kg	---	2,500 mg/kg	10,000 mg/kg
V-1	11/6/2025	0-0.5	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	16000
	11/6/2025	1-1.5	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	3320
	12/2/2025	2-2.5	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	512
	12/2/2025	3-3.5	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	592
	12/2/2025	4-4.5	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	736
V-2	12/2/2025	5-5.5	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	800
	11/6/2025	0-0.5	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	13700
	11/6/2025	1-1.5	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	5120
	11/6/2025	2-2.5	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	63.1	63.1	19.3	82.4	4640
	12/2/2025	3-3.5	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	1010
V-3	12/2/2025	4-4.5	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	352
	11/6/2025	0-0.5	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	10400
	11/6/2025	1-1.5	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	15000
	12/2/2025	2-2.5	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	1960
	12/2/2025	3-3.5	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	1250
V-4	12/2/2025	4-4.5	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	1630
	12/2/2025	5-5.5	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	176
	11/6/2025	0-0.5	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	16000
	11/6/2025	1-1.5	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	10400
	12/2/2025	2-2.5	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	6720
V-5	12/2/2025	3-3.5	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	3640
	12/2/2025	4-4.5	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	1580
	12/2/2025	5-5.5	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	2440
	11/6/2025	0-0.5	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	176
	11/6/2025	1-1.5	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	208
V-6	11/6/2025	0-0.5	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	8800
	11/6/2025	1-1.5	<0.050	0.088	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	5680
	11/6/2025	2-2.5	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	1040
	11/6/2025	3-3.5	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	960
	11/6/2025	4-4.5	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	144
H-1	11/6/2025	0-0.5	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	224
H-2	11/6/2025	0-0.5	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	320
H-3	11/6/2025	0-0.5	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	80
H-4	11/6/2025	0-0.5	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	128
H-5	11/6/2025	0-0.5	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	448
H-6	11/6/2025	0-0.5	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	160
H-7	11/6/2025	0-0.5	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	64
H-8	11/6/2025	0-0.5	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	49.2	49.2	37.4	86.6	352

Notes:
 1. Values reported in mg/kg
 2. < = Value Less Than Reporting Limit (RL)
 3. BTEX = Benzene, Toluene, Ethylbenzene, Xylenes
 4. GRO/DRO/MRO = Gasoline/Diesel/Motor Oil
 5. TPH analyses by EPA Method SW 8015 Mod.
 6. GRO/DRO/MRO - Gasoline/Diesel/Motor Oil


4. BTEX analyses by EPA Method SW 8021B
SP 1 Sample Point Excavated

7. Yellow shaded cells indicate analytical samples that exceed the NMAC 19.15.29.12 Table I Closure Criteria for the site.

8. Peach shaded cells indicate analytical samples that exceed the NMAC 19.15.29.13 Table I Closure Criteria for the site (Surface to 4 Feet Below Grade).

Table 2
Summary of Soil Analytical Data
Bell Lake 19 CTB 3
Devon Energy Production Company
Lea County, New Mexico

Sample ID	Sample Date	Depth (ft bgs)	Benzene (mg/kg)	Toluene (mg/kg)	Ethylbenzene (mg/kg)	Xylenes (mg/kg)	BTEX (mg/kg)	TPH					Chloride (mg/kg)
								GRO (C6-C10) (mg/kg)	DRO (C10-C28) (mg/kg)	GRO + DRO (mg/kg)	MRO (C28-C35) (mg/kg)	Total GRO/DRO/MRO (mg/kg)	
								Table I Closure Criteria for Soil >100 feet Depth to Groundwater 19.15.29 NMAC					
			10 mg/kg	---	---	---	50 mg/kg	---	---	1,000 mg/kg	---	2,500 mg/kg	20,000 mg/kg
Initial Assessment Samples													
CS-1	2/27/2026	4'	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	752
CS-2	2/27/2026	4'	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	816
CS-3	2/27/2026	4'	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	688
CS-4	2/27/2026	4'	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	240
CS-5	2/27/2026	4'	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	320
CS-6	2/27/2026	4'	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	80
CS-7	2/27/2026	4'	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	208
CS-8	2/27/2026	4'	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	96
CS-9	2/27/2026	4'	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	1470
CS-10	2/27/2026	4'	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	1230
CS-11	2/27/2026	4'	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	144
CS-12	2/27/2026	4'	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	176
SW-1	2/27/2026	4'	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	480
SW-2	2/27/2026	4'	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	272
SW-3	2/27/2026	4'	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	768
SW-4	2/27/2026	4'	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	12.7	12.7	<10.0	12.7	11,000
SW-5	2/27/2026	4'	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	448
SW-6	2/27/2026	4'	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	576
SW-7	2/27/2026	4'	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	3,440
SW-8	2/27/2026	4'	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	768
SW-9	2/27/2026	4'	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	496


Notes:
 Values reported in mg/kg
 Less Than Reporting Limit (RL)
 indicates Analyte Detected
 analyses by EPA Method SW 8021B
 Sample Point Excavated

- 5. TPH analyses by EPA Method SW 8015 Mod.
- 6. GRO/DRO/MRO - Gasoline/Diesel/Motor Oil
- 7. Yellow shaded cells indicate analytical samples that exceed the NMAC 19.15.29.12 Table I Closure Criteria for the site.
- 8. Peach shaded cells indicate analytical samples that exceed the NMAC 19.15.29.13 Table I Closure Criteria for the site (Surface to 4 Feet Below Grade).

SITE CHARACTERIZATION DOCUMENTATION




Karst Potential Map



11/3/2025, 1:40:11 PM

Karst Occurrence Potential PLSS Second Division
 Low PLSS First Division



BLM, OCD, New Mexico Tech, Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, © OpenStreetMap contributors, and the GIS User Community, OCD,

New Mexico Oil Conservation Division


NMOSE POD Location Map



12/18/2025, 10:02:01 AM

 Override 1

 OSE Points of Diversion




Vantor, OCD, Esri, HERE, Garmin, IPC

Point of Diversion Summary

quarters are 1=NW 2=NE 3=SW 4=SE
quarters are smallest to largest

NAD83 UTM in meters

Well Tag	POD Nbr	Q64	Q16	Q4	Sec	Tws	Rng	X	Y	Map
NA	C 04768 POD1	SW	SW	SE	19	24S	33E	631047.5	3563110.7	

* UTM location was derived from PLSS - see Help

Driller License:	1833	Driller Company:	VISION RESOURCES, INC		
Driller Name:	JASON MALEY				
Drill Start Date:	2023-12-13	Drill Finish Date:	2023-12-13	Plug Date:	2023-12-20
Log File Date:	2024-01-12	PCW Rcv Date:		Source:	
Pump Type:		Pipe Discharge Size:		Estimated Yield:	
Casing Size:		Depth Well:	55	Depth Water:	

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

11/3/25 1:33 PM MST

Point of Diversion Summary

©2024 New Mexico Office of the State Engineer, All Rights Reserved. | [Disclaimer](#) | [Contact Us](#) | [Help](#) | [Home](#) |

Map Unit Description: Berino-Cacique loamy fine sands association---Lea County, New Mexico

Lea County, New Mexico

BE—Berino-Cacique loamy fine sands association

Map Unit Setting

National map unit symbol: dmpd
Elevation: 3,000 to 3,900 feet
Mean annual precipitation: 10 to 13 inches
Mean annual air temperature: 60 to 62 degrees F
Frost-free period: 190 to 205 days
Farmland classification: Not prime farmland

Map Unit Composition

Berino and similar soils: 50 percent
Cacique and similar soils: 40 percent
Minor components: 10 percent
Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Berino

Setting

Landform: Plains
Landform position (three-dimensional): Rise
Down-slope shape: Linear
Across-slope shape: Linear
Parent material: Sandy eolian deposits derived from sedimentary rock over calcareous sandy alluvium derived from sedimentary rock

Typical profile

A - 0 to 6 inches: loamy fine sand
Btk - 6 to 60 inches: sandy clay loam

Properties and qualities

Slope: 0 to 3 percent
Depth to restrictive feature: More than 80 inches
Drainage class: Well drained
Runoff class: Low
Capacity of the most limiting layer to transmit water (Ksat): Moderately high to high (0.60 to 2.00 in/hr)
Depth to water table: More than 80 inches
Frequency of flooding: None
Frequency of ponding: None
Calcium carbonate, maximum content: 40 percent
Gypsum, maximum content: 1 percent
Maximum salinity: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)
Sodium adsorption ratio, maximum: 2.0
Available water supply, 0 to 60 inches: Moderate (about 8.7 inches)

Map Unit Description: Berino-Cacique loamy fine sands association---Lea County, New Mexico

Interpretive groups

Land capability classification (irrigated): None specified

Land capability classification (nonirrigated): 7c

Hydrologic Soil Group: B

Ecological site: R070BD003NM - Loamy Sand

Hydric soil rating: No

Description of Cacique

Setting

Landform: Plains

Landform position (three-dimensional): Rise

Down-slope shape: Linear

Across-slope shape: Linear

Parent material: Calcareous eolian deposits derived from sedimentary rock

Typical profile

A - 0 to 12 inches: loamy fine sand

Bt - 12 to 28 inches: sandy clay loam

Bkm - 28 to 38 inches: cemented material

Properties and qualities

Slope: 0 to 3 percent

Depth to restrictive feature: 20 to 40 inches to petrocalcic

Drainage class: Well drained

Runoff class: High

Capacity of the most limiting layer to transmit water (Ksat): Very low to moderately low (0.00 to 0.06 in/hr)

Depth to water table: More than 80 inches

Frequency of flooding: None

Frequency of ponding: None

Calcium carbonate, maximum content: 5 percent

Gypsum, maximum content: 1 percent

Maximum salinity: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)

Sodium adsorption ratio, maximum: 2.0

Available water supply, 0 to 60 inches: Low (about 3.6 inches)

Interpretive groups

Land capability classification (irrigated): None specified

Land capability classification (nonirrigated): 7c

Hydrologic Soil Group: C

Ecological site: R070BD004NM - Sandy

Hydric soil rating: No

Minor Components

Maljamar

Percent of map unit: 6 percent

Ecological site: R077CY028TX - Limy Upland 16-21" PZ

Hydric soil rating: No

Map Unit Description: Berino-Cacique loamy fine sands association---Lea County, New Mexico

Palomas

Percent of map unit: 4 percent

Ecological site: R070BD003NM - Loamy Sand

Hydric soil rating: No

Data Source Information

Soil Survey Area: Lea County, New Mexico

Survey Area Data: Version 22, Sep 9, 2025



1:36,112

Legend

Basemap

Query

Legend

All Layers On/Off

All Layer Transparency

Transparency slider

NM Wetlands Mapping and Classification

NM Wetlands Mapping and Classification

Legend item checkbox

Mapping Status

In Progress (Only NWI)

Not Mapped

Riparian Habitat

Hydrogeomorphic Mapping (HGM) Linears

Hydrogeomorphic Mapping (HGM)

Polygons

Landscape Position and Water Body

(LLWW) Linears

Landscape Position and Water Body

(LLWW) Polygons

Landform (LLWW)

NWI Linears

Palustrine Emergent (PEM)

Palustrine Forested (PFO)

Palustrine Rock Bottom (PRB)

Palustrine Scrub Shrub (PSS)

Palustrine Unconsolidated (PUB, PUS)

Riverine (R2, R3, R4)

NWI Polygons

Lacustrine (L1, L2)

Palustrine Aquatic Bed (PAB)

Palustrine Emergent (PEM)

Palustrine Forested (PFO)

Palustrine Rock Bottom (PRB)

Palustrine Scrub Shrub (PSS)

Palustrine Unconsolidated (PUB, PUS)



-103.609 32.199



1:36,112

Legend

Basemap

Query

Legend

All Layers On/Off

All Layer Transparency

Transparency slider

NM Wetlands Mapping and Classification

NM Wetlands Mapping and Classification

Legend toggle

Mapping Status

In Progress (Only NWI)

Not Mapped

Riparian Habitat

Hydrogeomorphic Mapping (HGM) Linears

Hydrogeomorphic Mapping (HGM)

Polygons

Landscape Position and Water Body

(LLWW) Linears

Landscape Position and Water Body

(LLWW) Polygons

Landform (LLWW)

NWI Linears

Palustrine Emergent (PEM)

Palustrine Forested (PFO)

Palustrine Rock Bottom (PRB)

Palustrine Scrub Shrub (PSS)

Palustrine Unconsolidated (PUB, PUS)

Riverine (R2, R3, R4)

NWI Polygons

Lacustrine (L1, L2)

Palustrine Aquatic Bed (PAB)

Palustrine Emergent (PEM)

Palustrine Forested (PFO)

Palustrine Rock Bottom (PRB)

Palustrine Scrub Shrub (PSS)

Palustrine Unconsolidated (PUB, PUS)



-103.609 32.199

National Flood Hazard Layer FIRMMette



103°36'50"W 32°12'13"N



1:6,000

103°36'13"W 32°11'42"N

Legend

SEE FIS REPORT FOR DETAILED LEGEND AND INDEX MAP FOR FIRM PANEL LAYOUT

SPECIAL FLOOD HAZARD AREAS		Without Base Flood Elevation (BFE) <i>Zone A, V, A99</i>
		With BFE or Depth <i>Zone AE, AO, AH, VE, AR</i>
		Regulatory Floodway
OTHER AREAS OF FLOOD HAZARD		0.2% Annual Chance Flood Hazard, Areas of 1% annual chance flood with average depth less than one foot or with drainage areas of less than one square mile <i>Zone X</i>
		Future Conditions 1% Annual Chance Flood Hazard <i>Zone X</i>
		Area with Reduced Flood Risk due to Levee. See Notes. <i>Zone X</i>
		Area with Flood Risk due to Levee <i>Zone D</i>
OTHER AREAS		NO SCREEN Area of Minimal Flood Hazard <i>Zone X</i>
		Effective LOMRs
GENERAL STRUCTURES		Area of Undetermined Flood Hazard <i>Zone D</i>
		Channel, Culvert, or Storm Sewer
		Levee, Dike, or Floodwall
OTHER FEATURES		20.2 Cross Sections with 1% Annual Chance Water Surface Elevation
		17.5 Cross Sections with 1% Annual Chance Water Surface Elevation
		Coastal Transect
		Base Flood Elevation Line (BFE)
		Limit of Study
MAP PANELS		Digital Data Available
		No Digital Data Available
		Unmapped
		The pin displayed on the map is an approximate point selected by the user and does not represent an authoritative property location.

This map complies with FEMA's standards for the use of digital flood maps if it is not void as described below. The basemap shown complies with FEMA's basemap accuracy standards

The flood hazard information is derived directly from the authoritative NFHL web services provided by FEMA. This map was exported on 11/3/2025 at 8:35 PM and does not reflect changes or amendments subsequent to this date and time. The NFHL and effective information may change or become superseded by new data over time.

This map image is void if the one or more of the following map elements do not appear: basemap imagery, flood zone labels, legend, scale bar, map creation date, community identifiers, FIRM panel number, and FIRM effective date. Map images for unmapped and unmodernized areas cannot be used for regulatory purposes.

PHOTOGRAPHIC LOG




SPECIAL SPECIES PLANT SURVEY MAP



Special Species Plant Survey Map



3/19/2026




Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, (c) OpenStreetMap contributors, and the GIS User Community, Vantor

ECOLOGICAL SITES MAP



All Ecological Sites -- Lea County, New Mexico



Soil Map may not be valid at this scale.

103° 36' 37" W

N

Map Scale: 1:1,370 if printed on A landscape (11" x 8.5") sheet.

















Map projection: Web Mercator Corner coordinates: WGS84 Edge tics: UTM Zone 13N WGS84

103° 36' 26" W

N

MAP LEGEND

- Area of Interest (AOI)**
 -  Area of Interest (AOI)
- Soils**
 - Soil Rating Polygons**
 -  R070BD003NM
 -  Not rated or not available
 - Soil Rating Lines**
 -  R070BD003NM
 -  Not rated or not available
 - Soil Rating Points**
 -  R070BD003NM
 -  Not rated or not available
- Water Features**
 -  Streams and Canals
- Transportation**
 -  Rails
 -  Interstate Highways
 -  US Routes
 -  Major Roads
 -  Local Roads
- Background**
 -  Aerial Photography

MAP INFORMATION

The soil surveys that comprise your AOI were mapped at 1:20,000.

Warning: Soil Map may not be valid at this scale.
 Enlargement of maps beyond the scale of mapping can cause misunderstanding of the detail of mapping and accuracy of soil line placement. The maps do not show the small areas of contrasting soils that could have been shown at a more detailed scale.

Please rely on the bar scale on each map sheet for map measurements.

Source of Map: Natural Resources Conservation Service
 Web Soil Survey URL:
 Coordinate System: Web Mercator (EPSG:3857)

Maps from the Web Soil Survey are based on the Web Mercator projection, which preserves direction and shape but distorts distance and area. A projection that preserves area, such as the Albers equal-area conic projection, should be used if more accurate calculations of distance or area are required.

This product is generated from the USDA-NRCS certified data as of the version date(s) listed below.

Soil Survey Area: Lea County, New Mexico
 Survey Area Data: Version 22, Sep 9, 2025

Soil map units are labeled (as space allows) for map scales 1:50,000 or larger.

Date(s) aerial images were photographed: Feb 7, 2020—May 12, 2020

The orthophoto or other base map on which the soil lines were compiled and digitized probably differs from the background imagery displayed on these maps. As a result, some minor shifting of map unit boundaries may be evident.

All Ecological Sites -- —Lea County, New Mexico

All Ecological Sites —

Map unit symbol	Map unit name	Component name (percent)	Ecological site	Acre in AOI	Percent of AOI
BE	Berino-Cacique loamy fine sands association	Berino (50%)	R070BBD003NM — Loamy Sand	6.7	100.0%
		Cacique (40%)	R070BBD004NM — Sandy		
		Maljamar (6%)	R077CY028TX — Limy Upland 16-21" PZ		
		Palomas (4%)	R070BBD003NM — Loamy Sand		
Totals for Area of Interest				6.7	100.0%




LESSER PRAIRIE CHICKEN AND DUNES SAGE BRUSH LIZARD MAP



Lesser Prairie Chicken and Dunes Sagebrush Lizard Habitat Map

Released to Imaging: 3/23/2026 2:52:23 PM


Received by OCD: 3/23/2026 9:05:42 AM



3/19/2026

Lesser Prairie Chicken Habitat

 Isolated Population Area




Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, (c) OpenStreetMap contributors, and the GIS User Community, Bureau of Land Management -

Page 34 of 123

CHAT SCORE MAP




CHAT Score Map



3/19/2026

Crucial Habitat (2024)

 4



Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, © OpenStreetMap contributors, and the GIS User Community, Sources: Esri, Vantor, Airbus DS

LABORATORY REPORTS AND CHAIN-OF-CUSTODY DOCUMENTS





PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

November 13, 2025

MICHAEL COLLIER
NTG ENVIRONMENTAL
701 TRADEWINDS BLVD. SUITE C
MIDLAND, TX 79706

RE: BELL LAKE 19 CTB 3

Enclosed are the results of analyses for samples received by the laboratory on 11/07/25 14:20.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C25-00101. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Celey D. Keene".

Celey D. Keene
Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

NTG ENVIRONMENTAL
 MICHAEL COLLIER
 701 TRADEWINDS BLVD. SUITE C
 MIDLAND TX, 79706
 Fax To:

Received:	11/07/2025	Sampling Date:	11/06/2025
Reported:	11/13/2025	Sampling Type:	Soil
Project Name:	BELL LAKE 19 CTB 3	Sampling Condition:	Cool & Intact
Project Number:	2510594	Sample Received By:	Alyssa Parras
Project Location:	LEA CO., NM		

Sample ID: V - 1 0-0.5 (H257035-01)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/10/2025	ND	1.92	96.1	2.00	1.49	
Toluene*	<0.050	0.050	11/10/2025	ND	2.11	106	2.00	4.10	
Ethylbenzene*	<0.050	0.050	11/10/2025	ND	2.22	111	2.00	4.01	
Total Xylenes*	<0.150	0.150	11/10/2025	ND	6.89	115	6.00	3.29	
Total BTEX	<0.300	0.300	11/10/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 116 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16000	16.0	11/10/2025	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/10/2025	ND	191	95.4	200	3.30	
DRO >C10-C28*	<10.0	10.0	11/10/2025	ND	213	107	200	3.14	
EXT DRO >C28-C36	<10.0	10.0	11/10/2025	ND					

Surrogate: 1-Chlorooctane 84.2 % 52.4-130

Surrogate: 1-Chlorooctadecane 77.1 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

NTG ENVIRONMENTAL
 MICHAEL COLLIER
 701 TRADEWINDS BLVD. SUITE C
 MIDLAND TX, 79706
 Fax To:

Received:	11/07/2025	Sampling Date:	11/06/2025
Reported:	11/13/2025	Sampling Type:	Soil
Project Name:	BELL LAKE 19 CTB 3	Sampling Condition:	Cool & Intact
Project Number:	2510594	Sample Received By:	Alyssa Parras
Project Location:	LEA CO., NM		

Sample ID: V - 1 1-1.5 (H257035-02)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/10/2025	ND	1.92	96.1	2.00	1.49	
Toluene*	<0.050	0.050	11/10/2025	ND	2.11	106	2.00	4.10	
Ethylbenzene*	<0.050	0.050	11/10/2025	ND	2.22	111	2.00	4.01	
Total Xylenes*	<0.150	0.150	11/10/2025	ND	6.89	115	6.00	3.29	
Total BTEX	<0.300	0.300	11/10/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 114 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	3320	16.0	11/10/2025	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/10/2025	ND	191	95.4	200	3.30	
DRO >C10-C28*	<10.0	10.0	11/10/2025	ND	213	107	200	3.14	
EXT DRO >C28-C36	<10.0	10.0	11/10/2025	ND					

Surrogate: 1-Chlorooctane 96.4 % 52.4-130

Surrogate: 1-Chlorooctadecane 86.6 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

NTG ENVIRONMENTAL
 MICHAEL COLLIER
 701 TRADEWINDS BLVD. SUITE C
 MIDLAND TX, 79706
 Fax To:

Received:	11/07/2025	Sampling Date:	11/06/2025
Reported:	11/13/2025	Sampling Type:	Soil
Project Name:	BELL LAKE 19 CTB 3	Sampling Condition:	Cool & Intact
Project Number:	2510594	Sample Received By:	Alyssa Parras
Project Location:	LEA CO., NM		

Sample ID: V - 2 0-0.5 (H257035-03)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/10/2025	ND	1.92	96.1	2.00	1.49	
Toluene*	<0.050	0.050	11/10/2025	ND	2.11	106	2.00	4.10	
Ethylbenzene*	<0.050	0.050	11/10/2025	ND	2.22	111	2.00	4.01	
Total Xylenes*	<0.150	0.150	11/10/2025	ND	6.89	115	6.00	3.29	
Total BTEX	<0.300	0.300	11/10/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 115 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	13700	16.0	11/10/2025	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/10/2025	ND	191	95.4	200	3.30	
DRO >C10-C28*	<10.0	10.0	11/10/2025	ND	213	107	200	3.14	
EXT DRO >C28-C36	<10.0	10.0	11/10/2025	ND					

Surrogate: 1-Chlorooctane 84.8 % 52.4-130

Surrogate: 1-Chlorooctadecane 77.1 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

NTG ENVIRONMENTAL
 MICHAEL COLLIER
 701 TRADEWINDS BLVD. SUITE C
 MIDLAND TX, 79706
 Fax To:

Received:	11/07/2025	Sampling Date:	11/06/2025
Reported:	11/13/2025	Sampling Type:	Soil
Project Name:	BELL LAKE 19 CTB 3	Sampling Condition:	Cool & Intact
Project Number:	2510594	Sample Received By:	Alyssa Parras
Project Location:	LEA CO., NM		

Sample ID: V - 2 1-1.5 (H257035-04)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	11/10/2025	ND	1.92	96.1	2.00	1.49		
Toluene*	<0.050	0.050	11/10/2025	ND	2.11	106	2.00	4.10		
Ethylbenzene*	<0.050	0.050	11/10/2025	ND	2.22	111	2.00	4.01		
Total Xylenes*	<0.150	0.150	11/10/2025	ND	6.89	115	6.00	3.29		
Total BTEX	<0.300	0.300	11/10/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 114 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	5120	16.0	11/10/2025	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	11/10/2025	ND	191	95.4	200	3.30		
DRO >C10-C28*	<10.0	10.0	11/10/2025	ND	213	107	200	3.14		
EXT DRO >C28-C36	<10.0	10.0	11/10/2025	ND						

Surrogate: 1-Chlorooctane 86.3 % 52.4-130

Surrogate: 1-Chlorooctadecane 78.1 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

NTG ENVIRONMENTAL
 MICHAEL COLLIER
 701 TRADEWINDS BLVD. SUITE C
 MIDLAND TX, 79706
 Fax To:

Received:	11/07/2025	Sampling Date:	11/06/2025
Reported:	11/13/2025	Sampling Type:	Soil
Project Name:	BELL LAKE 19 CTB 3	Sampling Condition:	Cool & Intact
Project Number:	2510594	Sample Received By:	Alyssa Parras
Project Location:	LEA CO., NM		

Sample ID: V - 2 2-2.5 (H257035-05)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/10/2025	ND	1.98	99.0	2.00	0.888	
Toluene*	<0.050	0.050	11/10/2025	ND	2.01	101	2.00	2.08	
Ethylbenzene*	<0.050	0.050	11/10/2025	ND	1.97	98.5	2.00	1.68	
Total Xylenes*	<0.150	0.150	11/10/2025	ND	5.89	98.1	6.00	2.02	
Total BTEX	<0.300	0.300	11/10/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 108 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	4640	16.0	11/10/2025	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/10/2025	ND	191	95.4	200	3.30	
DRO >C10-C28*	63.1	10.0	11/10/2025	ND	213	107	200	3.14	
EXT DRO >C28-C36	19.3	10.0	11/10/2025	ND					

Surrogate: 1-Chlorooctane 91.1 % 52.4-130

Surrogate: 1-Chlorooctadecane 88.6 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

NTG ENVIRONMENTAL
 MICHAEL COLLIER
 701 TRADEWINDS BLVD. SUITE C
 MIDLAND TX, 79706
 Fax To:

Received:	11/07/2025	Sampling Date:	11/06/2025
Reported:	11/13/2025	Sampling Type:	Soil
Project Name:	BELL LAKE 19 CTB 3	Sampling Condition:	Cool & Intact
Project Number:	2510594	Sample Received By:	Alyssa Parras
Project Location:	LEA CO., NM		

Sample ID: V - 3 0-0.5 (H257035-06)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/10/2025	ND	1.98	99.0	2.00	0.888	
Toluene*	<0.050	0.050	11/10/2025	ND	2.01	101	2.00	2.08	
Ethylbenzene*	<0.050	0.050	11/10/2025	ND	1.97	98.5	2.00	1.68	
Total Xylenes*	<0.150	0.150	11/10/2025	ND	5.89	98.1	6.00	2.02	
Total BTEX	<0.300	0.300	11/10/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 108 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	10400	16.0	11/10/2025	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/10/2025	ND	191	95.4	200	3.30	
DRO >C10-C28*	<10.0	10.0	11/10/2025	ND	213	107	200	3.14	
EXT DRO >C28-C36	<10.0	10.0	11/10/2025	ND					

Surrogate: 1-Chlorooctane 89.2 % 52.4-130

Surrogate: 1-Chlorooctadecane 82.4 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

NTG ENVIRONMENTAL
 MICHAEL COLLIER
 701 TRADEWINDS BLVD. SUITE C
 MIDLAND TX, 79706
 Fax To:

Received:	11/07/2025	Sampling Date:	11/06/2025
Reported:	11/13/2025	Sampling Type:	Soil
Project Name:	BELL LAKE 19 CTB 3	Sampling Condition:	Cool & Intact
Project Number:	2510594	Sample Received By:	Alyssa Parras
Project Location:	LEA CO., NM		

Sample ID: V - 3 1-1.5 (H257035-07)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/10/2025	ND	1.98	99.0	2.00	0.888	
Toluene*	<0.050	0.050	11/10/2025	ND	2.01	101	2.00	2.08	
Ethylbenzene*	<0.050	0.050	11/10/2025	ND	1.97	98.5	2.00	1.68	
Total Xylenes*	<0.150	0.150	11/10/2025	ND	5.89	98.1	6.00	2.02	
Total BTEX	<0.300	0.300	11/10/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 108 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	15000	16.0	11/10/2025	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/10/2025	ND	191	95.4	200	3.30	
DRO >C10-C28*	<10.0	10.0	11/10/2025	ND	213	107	200	3.14	
EXT DRO >C28-C36	<10.0	10.0	11/10/2025	ND					

Surrogate: 1-Chlorooctane 93.0 % 52.4-130

Surrogate: 1-Chlorooctadecane 87.7 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

NTG ENVIRONMENTAL
 MICHAEL COLLIER
 701 TRADEWINDS BLVD. SUITE C
 MIDLAND TX, 79706
 Fax To:

Received:	11/07/2025	Sampling Date:	11/06/2025
Reported:	11/13/2025	Sampling Type:	Soil
Project Name:	BELL LAKE 19 CTB 3	Sampling Condition:	Cool & Intact
Project Number:	2510594	Sample Received By:	Alyssa Parras
Project Location:	LEA CO., NM		

Sample ID: V - 4 0-0.5 (H257035-08)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/10/2025	ND	1.98	99.0	2.00	0.888	
Toluene*	<0.050	0.050	11/10/2025	ND	2.01	101	2.00	2.08	
Ethylbenzene*	<0.050	0.050	11/10/2025	ND	1.97	98.5	2.00	1.68	
Total Xylenes*	<0.150	0.150	11/10/2025	ND	5.89	98.1	6.00	2.02	
Total BTEX	<0.300	0.300	11/10/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 107 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16000	16.0	11/10/2025	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/10/2025	ND	191	95.4	200	3.30	
DRO >C10-C28*	<10.0	10.0	11/10/2025	ND	213	107	200	3.14	
EXT DRO >C28-C36	<10.0	10.0	11/10/2025	ND					

Surrogate: 1-Chlorooctane 90.8 % 52.4-130

Surrogate: 1-Chlorooctadecane 80.8 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

NTG ENVIRONMENTAL
 MICHAEL COLLIER
 701 TRADEWINDS BLVD. SUITE C
 MIDLAND TX, 79706
 Fax To:

Received:	11/07/2025	Sampling Date:	11/06/2025
Reported:	11/13/2025	Sampling Type:	Soil
Project Name:	BELL LAKE 19 CTB 3	Sampling Condition:	Cool & Intact
Project Number:	2510594	Sample Received By:	Alyssa Parras
Project Location:	LEA CO., NM		

Sample ID: V - 4 1-1.5 (H257035-09)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/10/2025	ND	1.98	99.0	2.00	0.888	
Toluene*	<0.050	0.050	11/10/2025	ND	2.01	101	2.00	2.08	
Ethylbenzene*	<0.050	0.050	11/10/2025	ND	1.97	98.5	2.00	1.68	
Total Xylenes*	<0.150	0.150	11/10/2025	ND	5.89	98.1	6.00	2.02	
Total BTEX	<0.300	0.300	11/10/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 108 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	10400	16.0	11/10/2025	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/10/2025	ND	191	95.4	200	3.30	
DRO >C10-C28*	<10.0	10.0	11/10/2025	ND	213	107	200	3.14	
EXT DRO >C28-C36	<10.0	10.0	11/10/2025	ND					

Surrogate: 1-Chlorooctane 99.3 % 52.4-130

Surrogate: 1-Chlorooctadecane 89.6 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

NTG ENVIRONMENTAL
 MICHAEL COLLIER
 701 TRADEWINDS BLVD. SUITE C
 MIDLAND TX, 79706
 Fax To:

Received:	11/07/2025	Sampling Date:	11/06/2025
Reported:	11/13/2025	Sampling Type:	Soil
Project Name:	BELL LAKE 19 CTB 3	Sampling Condition:	Cool & Intact
Project Number:	2510594	Sample Received By:	Alyssa Parras
Project Location:	LEA CO., NM		

Sample ID: V - 5 0-0.5 (H257035-10)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/10/2025	ND	1.98	99.0	2.00	0.888	
Toluene*	<0.050	0.050	11/10/2025	ND	2.01	101	2.00	2.08	
Ethylbenzene*	<0.050	0.050	11/10/2025	ND	1.97	98.5	2.00	1.68	
Total Xylenes*	<0.150	0.150	11/10/2025	ND	5.89	98.1	6.00	2.02	
Total BTEX	<0.300	0.300	11/10/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 106 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	176	16.0	11/10/2025	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/10/2025	ND	199	99.5	200	4.11	
DRO >C10-C28*	<10.0	10.0	11/10/2025	ND	204	102	200	3.72	
EXT DRO >C28-C36	<10.0	10.0	11/10/2025	ND					

Surrogate: 1-Chlorooctane 94.5 % 52.4-130

Surrogate: 1-Chlorooctadecane 89.6 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

NTG ENVIRONMENTAL
 MICHAEL COLLIER
 701 TRADEWINDS BLVD. SUITE C
 MIDLAND TX, 79706
 Fax To:

Received:	11/07/2025	Sampling Date:	11/06/2025
Reported:	11/13/2025	Sampling Type:	Soil
Project Name:	BELL LAKE 19 CTB 3	Sampling Condition:	Cool & Intact
Project Number:	2510594	Sample Received By:	Alyssa Parras
Project Location:	LEA CO., NM		

Sample ID: V - 5 1-1.5 (H257035-11)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/10/2025	ND	1.98	99.0	2.00	0.888	
Toluene*	<0.050	0.050	11/10/2025	ND	2.01	101	2.00	2.08	
Ethylbenzene*	<0.050	0.050	11/10/2025	ND	1.97	98.5	2.00	1.68	
Total Xylenes*	<0.150	0.150	11/10/2025	ND	5.89	98.1	6.00	2.02	
Total BTEX	<0.300	0.300	11/10/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 108 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	208	16.0	11/10/2025	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/10/2025	ND	199	99.5	200	4.11	
DRO >C10-C28*	<10.0	10.0	11/10/2025	ND	204	102	200	3.72	
EXT DRO >C28-C36	<10.0	10.0	11/10/2025	ND					

Surrogate: 1-Chlorooctane 101 % 52.4-130

Surrogate: 1-Chlorooctadecane 97.0 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

NTG ENVIRONMENTAL
MICHAEL COLLIER
701 TRADEWINDS BLVD. SUITE C
MIDLAND TX, 79706
Fax To:

Received: 11/07/2025
Reported: 11/13/2025
Project Name: BELL LAKE 19 CTB 3
Project Number: 2510594
Project Location: LEA CO., NM
Sampling Date: 11/06/2025
Sampling Type: Soil
Sampling Condition: Cool & Intact
Sample Received By: Alyssa Parras

Sample ID: V - 6 0-0.5 (H257035-12)

Table with columns: Analyte, Result, Reporting Limit, Analyzed, Method Blank, BS, % Recovery, True Value QC, RPD, Qualifier. Rows include Benzene*, Toluene*, Ethylbenzene*, Total Xylenes*, Total BTEX.

Surrogate: 4-Bromofluorobenzene (PID) 106 % 70.4-141

Table with columns: Analyte, Result, Reporting Limit, Analyzed, Method Blank, BS, % Recovery, True Value QC, RPD, Qualifier. Row includes Chloride, SM4500CI-B.

Table with columns: Analyte, Result, Reporting Limit, Analyzed, Method Blank, BS, % Recovery, True Value QC, RPD, Qualifier. Rows include GRO C6-C10*, DRO >C10-C28*, EXT DRO >C28-C36.

Surrogate: 1-Chlorooctane 103 % 52.4-130

Surrogate: 1-Chlorooctadecane 99.8 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses.

Handwritten signature of Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

NTG ENVIRONMENTAL
 MICHAEL COLLIER
 701 TRADEWINDS BLVD. SUITE C
 MIDLAND TX, 79706
 Fax To:

Received:	11/07/2025	Sampling Date:	11/06/2025
Reported:	11/13/2025	Sampling Type:	Soil
Project Name:	BELL LAKE 19 CTB 3	Sampling Condition:	Cool & Intact
Project Number:	2510594	Sample Received By:	Alyssa Parras
Project Location:	LEA CO., NM		

Sample ID: V - 6 1-1.5 (H257035-13)

BTEX 8021B			Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/10/2025	ND	1.98	99.0	2.00	0.888	
Toluene*	0.088	0.050	11/10/2025	ND	2.01	101	2.00	2.08	
Ethylbenzene*	<0.050	0.050	11/10/2025	ND	1.97	98.5	2.00	1.68	
Total Xylenes*	<0.150	0.150	11/10/2025	ND	5.89	98.1	6.00	2.02	
Total BTEX	<0.300	0.300	11/10/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 105 % 70.4-141

Chloride, SM4500Cl-B			Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	5680	16.0	11/10/2025	ND	416	104	400	3.77	

TPH 8015M			Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/10/2025	ND	199	99.5	200	4.11	
DRO >C10-C28*	<10.0	10.0	11/10/2025	ND	204	102	200	3.72	
EXT DRO >C28-C36	<10.0	10.0	11/10/2025	ND					

Surrogate: 1-Chlorooctane 91.2 % 52.4-130

Surrogate: 1-Chlorooctadecane 88.5 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

NTG ENVIRONMENTAL
 MICHAEL COLLIER
 701 TRADEWINDS BLVD. SUITE C
 MIDLAND TX, 79706
 Fax To:

Received:	11/07/2025	Sampling Date:	11/06/2025
Reported:	11/13/2025	Sampling Type:	Soil
Project Name:	BELL LAKE 19 CTB 3	Sampling Condition:	Cool & Intact
Project Number:	2510594	Sample Received By:	Alyssa Parras
Project Location:	LEA CO., NM		

Sample ID: V - 6 2-2.5 (H257035-14)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/10/2025	ND	1.98	99.0	2.00	0.888	
Toluene*	<0.050	0.050	11/10/2025	ND	2.01	101	2.00	2.08	
Ethylbenzene*	<0.050	0.050	11/10/2025	ND	1.97	98.5	2.00	1.68	
Total Xylenes*	<0.150	0.150	11/10/2025	ND	5.89	98.1	6.00	2.02	
Total BTEX	<0.300	0.300	11/10/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 107 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	1040	16.0	11/10/2025	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/10/2025	ND	199	99.5	200	4.11	
DRO >C10-C28*	<10.0	10.0	11/10/2025	ND	204	102	200	3.72	
EXT DRO >C28-C36	<10.0	10.0	11/10/2025	ND					

Surrogate: 1-Chlorooctane 104 % 52.4-130

Surrogate: 1-Chlorooctadecane 101 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

NTG ENVIRONMENTAL
 MICHAEL COLLIER
 701 TRADEWINDS BLVD. SUITE C
 MIDLAND TX, 79706
 Fax To:

Received:	11/07/2025	Sampling Date:	11/06/2025
Reported:	11/13/2025	Sampling Type:	Soil
Project Name:	BELL LAKE 19 CTB 3	Sampling Condition:	Cool & Intact
Project Number:	2510594	Sample Received By:	Alyssa Parras
Project Location:	LEA CO., NM		

Sample ID: V - 6 3-3.5 (H257035-15)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/10/2025	ND	1.98	99.0	2.00	0.888	
Toluene*	<0.050	0.050	11/10/2025	ND	2.01	101	2.00	2.08	
Ethylbenzene*	<0.050	0.050	11/10/2025	ND	1.97	98.5	2.00	1.68	
Total Xylenes*	<0.150	0.150	11/10/2025	ND	5.89	98.1	6.00	2.02	
Total BTEX	<0.300	0.300	11/10/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 107 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	960	16.0	11/10/2025	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/10/2025	ND	199	99.5	200	4.11	
DRO >C10-C28*	<10.0	10.0	11/10/2025	ND	204	102	200	3.72	
EXT DRO >C28-C36	<10.0	10.0	11/10/2025	ND					

Surrogate: 1-Chlorooctane 102 % 52.4-130

Surrogate: 1-Chlorooctadecane 99.0 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

NTG ENVIRONMENTAL
 MICHAEL COLLIER
 701 TRADEWINDS BLVD. SUITE C
 MIDLAND TX, 79706
 Fax To:

Received:	11/07/2025	Sampling Date:	11/06/2025
Reported:	11/13/2025	Sampling Type:	Soil
Project Name:	BELL LAKE 19 CTB 3	Sampling Condition:	Cool & Intact
Project Number:	2510594	Sample Received By:	Alyssa Parras
Project Location:	LEA CO., NM		

Sample ID: V - 6 4-4.5 (H257035-16)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/10/2025	ND	1.98	99.0	2.00	0.888	
Toluene*	<0.050	0.050	11/10/2025	ND	2.01	101	2.00	2.08	
Ethylbenzene*	<0.050	0.050	11/10/2025	ND	1.97	98.5	2.00	1.68	
Total Xylenes*	<0.150	0.150	11/10/2025	ND	5.89	98.1	6.00	2.02	
Total BTEX	<0.300	0.300	11/10/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 104 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	144	16.0	11/10/2025	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/10/2025	ND	199	99.5	200	4.11	
DRO >C10-C28*	<10.0	10.0	11/10/2025	ND	204	102	200	3.72	
EXT DRO >C28-C36	<10.0	10.0	11/10/2025	ND					

Surrogate: 1-Chlorooctane 105 % 52.4-130

Surrogate: 1-Chlorooctadecane 102 % 39.9-141

Cardinal Laboratories

* = Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

NTG ENVIRONMENTAL
 MICHAEL COLLIER
 701 TRADEWINDS BLVD. SUITE C
 MIDLAND TX, 79706
 Fax To:

Received:	11/07/2025	Sampling Date:	11/06/2025
Reported:	11/13/2025	Sampling Type:	Soil
Project Name:	BELL LAKE 19 CTB 3	Sampling Condition:	Cool & Intact
Project Number:	2510594	Sample Received By:	Alyssa Parras
Project Location:	LEA CO., NM		

Sample ID: H - 1 0-0.5 (H257035-17)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/10/2025	ND	1.98	99.0	2.00	0.888	
Toluene*	<0.050	0.050	11/10/2025	ND	2.01	101	2.00	2.08	
Ethylbenzene*	<0.050	0.050	11/10/2025	ND	1.97	98.5	2.00	1.68	
Total Xylenes*	<0.150	0.150	11/10/2025	ND	5.89	98.1	6.00	2.02	
Total BTEX	<0.300	0.300	11/10/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 104 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	224	16.0	11/10/2025	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/10/2025	ND	199	99.5	200	4.11	
DRO >C10-C28*	<10.0	10.0	11/10/2025	ND	204	102	200	3.72	
EXT DRO >C28-C36	<10.0	10.0	11/10/2025	ND					

Surrogate: 1-Chlorooctane 91.1 % 52.4-130

Surrogate: 1-Chlorooctadecane 87.0 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

NTG ENVIRONMENTAL
MICHAEL COLLIER
701 TRADEWINDS BLVD. SUITE C
MIDLAND TX, 79706
Fax To:

Received: 11/07/2025
Reported: 11/13/2025
Project Name: BELL LAKE 19 CTB 3
Project Number: 2510594
Project Location: LEA CO., NM
Sampling Date: 11/06/2025
Sampling Type: Soil
Sampling Condition: Cool & Intact
Sample Received By: Alyssa Parras

Sample ID: H - 2 0-0.5 (H257035-18)

Table with 10 columns: Analyte, Result, Reporting Limit, Analyzed, Method Blank, BS, % Recovery, True Value QC, RPD, Qualifier. Rows include Benzene*, Toluene*, Ethylbenzene*, Total Xylenes*, Total BTEX.

Surrogate: 4-Bromofluorobenzene (PID) 107% 70.4-141

Table with 10 columns: Analyte, Result, Reporting Limit, Analyzed, Method Blank, BS, % Recovery, True Value QC, RPD, Qualifier. Row includes Chloride.

Table with 10 columns: Analyte, Result, Reporting Limit, Analyzed, Method Blank, BS, % Recovery, True Value QC, RPD, Qualifier. Rows include GRO C6-C10*, DRO >C10-C28*, EXT DRO >C28-C36.

Surrogate: 1-Chlorooctane 94.4% 52.4-130

Surrogate: 1-Chlorooctadecane 88.5% 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses.

Handwritten signature of Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

NTG ENVIRONMENTAL
 MICHAEL COLLIER
 701 TRADEWINDS BLVD. SUITE C
 MIDLAND TX, 79706
 Fax To:

Received:	11/07/2025	Sampling Date:	11/06/2025
Reported:	11/13/2025	Sampling Type:	Soil
Project Name:	BELL LAKE 19 CTB 3	Sampling Condition:	Cool & Intact
Project Number:	2510594	Sample Received By:	Alyssa Parras
Project Location:	LEA CO., NM		

Sample ID: H - 3 0-0.5 (H257035-19)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/10/2025	ND	1.98	99.0	2.00	0.888	
Toluene*	<0.050	0.050	11/10/2025	ND	2.01	101	2.00	2.08	
Ethylbenzene*	<0.050	0.050	11/10/2025	ND	1.97	98.5	2.00	1.68	
Total Xylenes*	<0.150	0.150	11/10/2025	ND	5.89	98.1	6.00	2.02	
Total BTEX	<0.300	0.300	11/10/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 108 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	80.0	16.0	11/10/2025	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/10/2025	ND	199	99.5	200	4.11	
DRO >C10-C28*	<10.0	10.0	11/10/2025	ND	204	102	200	3.72	
EXT DRO >C28-C36	<10.0	10.0	11/10/2025	ND					

Surrogate: 1-Chlorooctane 90.1 % 52.4-130

Surrogate: 1-Chlorooctadecane 85.7 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

NTG ENVIRONMENTAL
MICHAEL COLLIER
701 TRADEWINDS BLVD. SUITE C
MIDLAND TX, 79706
Fax To:

Received: 11/07/2025
Reported: 11/13/2025
Project Name: BELL LAKE 19 CTB 3
Project Number: 2510594
Project Location: LEA CO., NM
Sampling Date: 11/06/2025
Sampling Type: Soil
Sampling Condition: Cool & Intact
Sample Received By: Alyssa Parras

Sample ID: H - 4 0-0.5 (H257035-20)

Table with columns: Analyte, Result, Reporting Limit, Analyzed, Method Blank, BS, % Recovery, True Value QC, RPD, Qualifier. Rows include Benzene*, Toluene*, Ethylbenzene*, Total Xylenes*, Total BTEX.

Surrogate: 4-Bromofluorobenzene (PID) 107% 70.4-141

Table for Chloride, SM4500CI-B. Columns: Analyte, Result, Reporting Limit, Analyzed, Method Blank, BS, % Recovery, True Value QC, RPD, Qualifier. Row: Chloride 128 16.0 11/10/2025 ND 432 108 400 0.00

Table for TPH 8015M. Columns: Analyte, Result, Reporting Limit, Analyzed, Method Blank, BS, % Recovery, True Value QC, RPD, Qualifier. Rows: GRO C6-C10*, DRO >C10-C28*, EXT DRO >C28-C36.

Surrogate: 1-Chlorooctane 91.5% 52.4-130

Surrogate: 1-Chlorooctadecane 87.0% 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses.

Signature of Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

NTG ENVIRONMENTAL
 MICHAEL COLLIER
 701 TRADEWINDS BLVD. SUITE C
 MIDLAND TX, 79706
 Fax To:

Received:	11/07/2025	Sampling Date:	11/06/2025
Reported:	11/13/2025	Sampling Type:	Soil
Project Name:	BELL LAKE 19 CTB 3	Sampling Condition:	Cool & Intact
Project Number:	2510594	Sample Received By:	Alyssa Parras
Project Location:	LEA CO., NM		

Sample ID: H - 5 0-0.5 (H257035-21)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/10/2025	ND	1.98	99.0	2.00	0.888	
Toluene*	<0.050	0.050	11/10/2025	ND	2.01	101	2.00	2.08	
Ethylbenzene*	<0.050	0.050	11/10/2025	ND	1.97	98.5	2.00	1.68	
Total Xylenes*	<0.150	0.150	11/10/2025	ND	5.89	98.1	6.00	2.02	
Total BTEX	<0.300	0.300	11/10/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 106 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	448	16.0	11/10/2025	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/10/2025	ND	199	99.5	200	4.11	
DRO >C10-C28*	<10.0	10.0	11/10/2025	ND	204	102	200	3.72	
EXT DRO >C28-C36	<10.0	10.0	11/10/2025	ND					

Surrogate: 1-Chlorooctane 86.5 % 52.4-130

Surrogate: 1-Chlorooctadecane 86.4 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

NTG ENVIRONMENTAL
 MICHAEL COLLIER
 701 TRADEWINDS BLVD. SUITE C
 MIDLAND TX, 79706
 Fax To:

Received: 11/07/2025
 Reported: 11/13/2025
 Project Name: BELL LAKE 19 CTB 3
 Project Number: 2510594
 Project Location: LEA CO., NM

Sampling Date: 11/06/2025
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: H - 6 0-0.5 (H257035-22)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	11/10/2025	ND	1.98	99.0	2.00	0.888		
Toluene*	<0.050	0.050	11/10/2025	ND	2.01	101	2.00	2.08		
Ethylbenzene*	<0.050	0.050	11/10/2025	ND	1.97	98.5	2.00	1.68		
Total Xylenes*	<0.150	0.150	11/10/2025	ND	5.89	98.1	6.00	2.02		
Total BTEX	<0.300	0.300	11/10/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 106 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	160	16.0	11/10/2025	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	11/10/2025	ND	199	99.5	200	4.11		
DRO >C10-C28*	<10.0	10.0	11/10/2025	ND	204	102	200	3.72		
EXT DRO >C28-C36	<10.0	10.0	11/10/2025	ND						

Surrogate: 1-Chlorooctane 95.1 % 52.4-130

Surrogate: 1-Chlorooctadecane 92.0 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

NTG ENVIRONMENTAL
 MICHAEL COLLIER
 701 TRADEWINDS BLVD. SUITE C
 MIDLAND TX, 79706
 Fax To:

Received:	11/07/2025	Sampling Date:	11/06/2025
Reported:	11/13/2025	Sampling Type:	Soil
Project Name:	BELL LAKE 19 CTB 3	Sampling Condition:	Cool & Intact
Project Number:	2510594	Sample Received By:	Alyssa Parras
Project Location:	LEA CO., NM		

Sample ID: H - 7 0-0.5 (H257035-23)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/10/2025	ND	1.98	99.0	2.00	0.888	
Toluene*	<0.050	0.050	11/10/2025	ND	2.01	101	2.00	2.08	
Ethylbenzene*	<0.050	0.050	11/10/2025	ND	1.97	98.5	2.00	1.68	
Total Xylenes*	<0.150	0.150	11/10/2025	ND	5.89	98.1	6.00	2.02	
Total BTEX	<0.300	0.300	11/10/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 105 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	64.0	16.0	11/10/2025	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/10/2025	ND	199	99.5	200	4.11	
DRO >C10-C28*	<10.0	10.0	11/10/2025	ND	204	102	200	3.72	
EXT DRO >C28-C36	<10.0	10.0	11/10/2025	ND					

Surrogate: 1-Chlorooctane 89.2 % 52.4-130

Surrogate: 1-Chlorooctadecane 84.2 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

NTG ENVIRONMENTAL
 MICHAEL COLLIER
 701 TRADEWINDS BLVD. SUITE C
 MIDLAND TX, 79706
 Fax To:

Received:	11/07/2025	Sampling Date:	11/06/2025
Reported:	11/13/2025	Sampling Type:	Soil
Project Name:	BELL LAKE 19 CTB 3	Sampling Condition:	Cool & Intact
Project Number:	2510594	Sample Received By:	Alyssa Parras
Project Location:	LEA CO., NM		

Sample ID: H - 8 0-0.5 (H257035-24)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/10/2025	ND	1.98	99.0	2.00	0.888	
Toluene*	<0.050	0.050	11/10/2025	ND	2.01	101	2.00	2.08	
Ethylbenzene*	<0.050	0.050	11/10/2025	ND	1.97	98.5	2.00	1.68	
Total Xylenes*	<0.150	0.150	11/10/2025	ND	5.89	98.1	6.00	2.02	
Total BTEX	<0.300	0.300	11/10/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 108 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	352	16.0	11/10/2025	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/10/2025	ND	199	99.5	200	4.11	
DRO >C10-C28*	49.2	10.0	11/10/2025	ND	204	102	200	3.72	
EXT DRO >C28-C36	37.4	10.0	11/10/2025	ND					

Surrogate: 1-Chlorooctane 88.6 % 52.4-130

Surrogate: 1-Chlorooctadecane 86.5 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

- ND Analyte NOT DETECTED at or above the reporting limit
- RPD Relative Percent Difference
- ** Samples not received at proper temperature of 6°C or below.
- *** Insufficient time to reach temperature.
- Chloride by SM4500Cl-B does not require samples be received at or below 6°C
Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager



Chain of Custody

Work Order No: 1857025

Page 1 of 3

Project Manager:	Michael Collier	Bill to: (if different)	
Company Name:	NTG Environmental	Company Name:	
Address:	209 W McKay St	Address:	
City, State ZIP:	Carlsbad, NM 88220	City, State ZIP:	
Phone:	432-701-2159	Email:	

Work Order Comments	
Program: UST/PST <input type="checkbox"/> PRP <input type="checkbox"/> Brownfields <input type="checkbox"/> RRC <input type="checkbox"/> Superfund <input type="checkbox"/>	
State of Project:	
Reporting Level <input type="checkbox"/> I <input type="checkbox"/> Level II <input type="checkbox"/> Level III <input type="checkbox"/> PST/UST <input type="checkbox"/> RRP <input type="checkbox"/> Level IV <input type="checkbox"/>	
Deliverables: EDD <input type="checkbox"/> ADAPT <input type="checkbox"/> Other:	

Project Name:	Bell Lake 19 CTB 3	Tum Around	Pres. Code	ANALYSIS REQUEST				Preservative Codes	
Project Number:	2510594	<input checked="" type="checkbox"/> Routine <input type="checkbox"/> Rush						None: NO DI Water: H ₂ O	
Project Location:	Lea Co, NM	Due Date:						Cool: Cool MeOH: Me	
Sampler's Name:	Lang White	TAT starts the day received by the lab, if received by 4:30pm						HCL: HC HNO ₃ : HN	
PO #:	21729693							H ₂ SO ₄ : H ₂ NaOH: Na	
SAMPLE RECEIPT	Temp Blank: Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Wet Ice: Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Thermometer ID: #140					H ₃ PO ₄ : HP	
Received Intact:	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Correction Factor: #0.5						NaHSO ₄ : NABIS	
Cooler Custody Seals:	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Temperature Reading: #76						Na ₂ S ₂ O ₅ : NaSO ₃	
Sample Custody Seals:	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Corrected Temperature: 8.0						Zn Acetate+NaOH: Zn	
Total Containers:	24							NaOH+Ascorbic Acid: SAPC	
Sample Identification	Depth (ft bgs)	Date	Time	Soil	Water	Grab/Comp	# of Cont	Parameters	Sample Comments
V-1	0-0.5	11/6/2025		X		Grab	1	X X X	
V-1	1-1.5	11/6/2025		X		Grab	1	X X X	
V-2	0-0.5	11/6/2025		X		Grab	1	X X X	
V-2	1-1.5	11/6/2025		X		Grab	1	X X X	
V-2	2-2.5	11/6/2025		X		Grab	1	X X X	
V-3	0-0.5	11/6/2025		X		Grab	1	X X X	
V-3	1-1.5	11/6/2025		X		Grab	1	X X X	
V-4	0-0.5	11/6/2025		X		Grab	1	X X X	
V-4	1-1.5	11/6/2025		X		Grab	1	X X X	
V-5	0-0.5	11/6/2025		X		Grab	1	X X X	

Additional Comments: NO LABORS - PA

Notice: Signature of this document and relinquishment of samples constitutes a valid purchase order from client company to Xenco, its affiliates and subcontractors. It assigns standard terms and conditions of service. Xenco will be liable only for the cost of samples and shall not assume any responsibility for any losses or expenses incurred by the client if such losses are due to circumstances beyond the control of Xenco. A minimum charge of \$85.00 will be applied to each project and a charge of \$5 for each sample submitted to Xenco, but not analyzed. These terms will be enforced unless previously negotiated.

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1 Lang White	Ethan Rugg	11/7/2025	2 Ethan Rugg	<u>ADAPTS</u>	11/7/25/1430
3			4		
5			6		

Revised Date: 05/01/2020 Rev. 2020.1



Chain of Custody

Work Order No: H257035

Page 2 of 3

Project Manager: Micheal Collier
 Company Name: NTG Environmental
 Address: 209 W McKay St
 City, State ZIP: Carlsbad, NM 88220
 Phone: 432-701-2159

Bill to: (if different)
 Company Name:
 Address:
 City, State ZIP:

Email:

Work Order Comments
 Program: UST/PST PRR Brownfields RRC Superfund
 State of Project:
 Reporting Level: Level II Level III PST/UST RRP Level IV
 Deliverables: EDD ADAPT Other:

Project Name: Bell Lake 19 CTB 3
 Project Number: 2510342
 Project Location: Lea Co, NM
 Sampler's Name: Lang White
 PO #: 21729693

Turn Around: Routine Rush
 Due Date: TAT starts the day received by the lab, if received by 4:30pm

Temp Blank: Yes No
 Thermometer ID: #1110
 Cooler Custody Seals: Yes No
 Correction Factor: 10.3
 Sample Custody Seals: Yes No
 Temperature Reading: 2.7
 Total Containers: 24
 Corrected Temperature: 3.0

Wet Ice: Yes No

Sample Identification	Depth (ft bgs)	Date	Time	Soil	Water	Grab/Comp	# of Cont	Parameters			Preservative Codes
								BTEX 8021B	TPH 8015M (GRO + DRO + MRO)	Chloride 4500	
V-5	1-1.5	11/6/2025		X		Grab	1	X	X	X	
V-6	0-0.5	11/6/2025		X		Grab	1	X	X	X	
V-6	1-1.5	11/6/2025		X		Grab	1	X	X	X	
V-6	2-2.5	11/6/2025		X		Grab	1	X	X	X	
V-6	3-3.5	11/6/2025		X		Grab	1	X	X	X	
V-6	4-4.5	11/6/2025		X		Grab	1	X	X	X	
H-1	0-0.5	11/6/2025		X		Grab	1	X	X	X	
H-2	0-0.5	11/6/2025		X		Grab	1	X	X	X	
H-3	0-0.5	11/6/2025		X		Grab	1	X	X	X	
H-4	0-0.5	11/6/2025		X		Grab	1	X	X	X	

Additional Comments:

Notice: Signature of this document and relinquishment of samples constitutes a valid purchase order from client company to Xenco, its affiliates and subcontractors. It assigns standard terms and conditions of service. Xenco will be liable only for the cost of samples and shall not assume any responsibility for any losses or expenses incurred by the client if such losses are due to circumstances beyond the control of Xenco. A minimum charge of \$85.00 will be applied to each project and a charge of \$5 for each sample submitted to Xenco, but not analyzed. These terms will be enforced unless previously negotiated.

Relinquished by: (Signature) Ehan Rugg
 Received by: (Signature) Ehan Rugg
 Date/Time: 11/17/2025
 Relinquished by: (Signature) Ehan Rugg
 Received by: (Signature) Ehan Rugg
 Date/Time: 11-17 2:51/14pm



Chain of Custody

Work Order No: 1857035

Page 3 of 3

Project Manager:	Michael Collier	Bill to: (if different)	
Company Name:	NTG Environmental	Company Name:	
Address:	209 W McKay St	Address:	
City, State ZIP:	Carlsbad, NM 88220	City, State ZIP:	
Phone:	432-701-2159	Email:	

Work Order Comments	
Program: UST/PST <input type="checkbox"/> PRP <input type="checkbox"/> Brownfields <input type="checkbox"/> RRC <input type="checkbox"/> Superfund <input type="checkbox"/>	
State of Project:	
Reporting Level I <input type="checkbox"/> Level II <input type="checkbox"/> Level III <input type="checkbox"/> PST/UST <input type="checkbox"/> RRP <input type="checkbox"/> Level IV <input type="checkbox"/>	
Deliverables: EDD <input type="checkbox"/> ADAPT <input type="checkbox"/> Other:	

Project Name:	Bell Lake 19 CTB 3	Turn Around		Pres. Code	
Project Number:	2510594	<input checked="" type="checkbox"/> Routine	<input type="checkbox"/> Rush		
Project Location:	Lea Co, NM	Due Date:	TAT starts the day received by the lab, if received by 4:30pm		
Sampler's Name:	Lang White	Temp Blank:	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Wet Ice:	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
PO #:	21729693	Thermometer ID:	#117D		
SAMPLE RECEIPT		Correction Factor:	+0.3%		
Received In tact:	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Temperature Reading:	8.7%		
Cooler Custody Seals:	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Corrected Temperature:	8.0%		
Sample Custody Seals:	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>				
Total Containers:	24				

Sample Identification	Depth (ft bgs)	Date	Time	Soil	Water	Grab/Comp	# of Cont	Parameters	ANALYSIS REQUEST	Preservative Codes	Sample Comments
H-5	0-0.5	11/6/2025		X		Grab	1	BTEX 8021B		None: NO	
H-6	0-0.5	11/6/2025		X		Grab	1	TPH 8015M (GRO + DRO + MRO)		Cool: Cool	
H-7	0-0.5	11/6/2025		X		Grab	1	Chloride 4500		HCL: HC	
H-8	0-0.5	11/6/2025		X		Grab	1			H ₂ SO ₄ : H ₂	

Additional Comments:

Notice: Signature of this document and relinquishment of samples constitutes a valid purchase order from client company to Xenco, its affiliates and subcontractors. It assigns standard terms and conditions of service. Xenco will be liable only for the cost of samples and shall not assume any responsibility for any losses or expenses incurred by the client if such losses are due to circumstances beyond the control of Xenco. A minimum charge of \$85.00 will be applied to each project and a charge of \$5 for each sample submitted to Xenco, but not analyzed. These terms will be enforced unless previously negotiated.

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1 Lang White	Ethan Rugg	11/7/2025	2 Ethan Rugg	<i>Ethan Rugg</i>	11-7-25/1400
3			4		
5			6		



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

December 09, 2025

MICHAEL COLLIER
NTG ENVIRONMENTAL
701 TRADEWINDS BLVD. SUITE C
MIDLAND, TX 79706

RE: BELL LAKE 19 CTB 3

Enclosed are the results of analyses for samples received by the laboratory on 12/03/25 9:44.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C25-00101. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Celey D. Keene".

Celey D. Keene
Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

NTG ENVIRONMENTAL
 MICHAEL COLLIER
 701 TRADEWINDS BLVD. SUITE C
 MIDLAND TX, 79706
 Fax To:

Received:	12/03/2025	Sampling Date:	12/02/2025
Reported:	12/09/2025	Sampling Type:	Soil
Project Name:	BELL LAKE 19 CTB 3	Sampling Condition:	Cool & Intact
Project Number:	2510594	Sample Received By:	Alyssa Parras
Project Location:	DEVON - LEA CO., NM		

Sample ID: V - 1 2-2.5' (H257515-01)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/05/2025	ND	2.00	100	2.00	6.35	
Toluene*	<0.050	0.050	12/05/2025	ND	1.96	97.8	2.00	7.16	
Ethylbenzene*	<0.050	0.050	12/05/2025	ND	1.87	93.4	2.00	6.98	
Total Xylenes*	<0.150	0.150	12/05/2025	ND	5.73	95.5	6.00	6.49	
Total BTEX	<0.300	0.300	12/05/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.5 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	512	16.0	12/03/2025	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/03/2025	ND	194	97.1	200	2.28	
DRO >C10-C28*	<10.0	10.0	12/03/2025	ND	214	107	200	1.82	
EXT DRO >C28-C36	<10.0	10.0	12/03/2025	ND					

Surrogate: 1-Chlorooctane 73.7 % 52.4-130

Surrogate: 1-Chlorooctadecane 73.8 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

NTG ENVIRONMENTAL
 MICHAEL COLLIER
 701 TRADEWINDS BLVD. SUITE C
 MIDLAND TX, 79706
 Fax To:

Received:	12/03/2025	Sampling Date:	12/02/2025
Reported:	12/09/2025	Sampling Type:	Soil
Project Name:	BELL LAKE 19 CTB 3	Sampling Condition:	Cool & Intact
Project Number:	2510594	Sample Received By:	Alyssa Parras
Project Location:	DEVON - LEA CO., NM		

Sample ID: V - 1 3-3.5' (H257515-02)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/05/2025	ND	2.00	100	2.00	6.35	
Toluene*	<0.050	0.050	12/05/2025	ND	1.96	97.8	2.00	7.16	
Ethylbenzene*	<0.050	0.050	12/05/2025	ND	1.87	93.4	2.00	6.98	
Total Xylenes*	<0.150	0.150	12/05/2025	ND	5.73	95.5	6.00	6.49	
Total BTEX	<0.300	0.300	12/05/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 93.9 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	592	16.0	12/03/2025	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/03/2025	ND	194	97.1	200	2.28	
DRO >C10-C28*	<10.0	10.0	12/03/2025	ND	214	107	200	1.82	
EXT DRO >C28-C36	<10.0	10.0	12/03/2025	ND					

Surrogate: 1-Chlorooctane 71.2 % 52.4-130

Surrogate: 1-Chlorooctadecane 68.3 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

NTG ENVIRONMENTAL
 MICHAEL COLLIER
 701 TRADEWINDS BLVD. SUITE C
 MIDLAND TX, 79706
 Fax To:

Received:	12/03/2025	Sampling Date:	12/02/2025
Reported:	12/09/2025	Sampling Type:	Soil
Project Name:	BELL LAKE 19 CTB 3	Sampling Condition:	Cool & Intact
Project Number:	2510594	Sample Received By:	Alyssa Parras
Project Location:	DEVON - LEA CO., NM		

Sample ID: V - 1 4-4.5' (H257515-03)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/05/2025	ND	2.00	100	2.00	6.35	
Toluene*	<0.050	0.050	12/05/2025	ND	1.96	97.8	2.00	7.16	
Ethylbenzene*	<0.050	0.050	12/05/2025	ND	1.87	93.4	2.00	6.98	
Total Xylenes*	<0.150	0.150	12/05/2025	ND	5.73	95.5	6.00	6.49	
Total BTEX	<0.300	0.300	12/05/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.1 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	736	16.0	12/03/2025	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/03/2025	ND	194	97.1	200	2.28	
DRO >C10-C28*	<10.0	10.0	12/03/2025	ND	214	107	200	1.82	
EXT DRO >C28-C36	<10.0	10.0	12/03/2025	ND					

Surrogate: 1-Chlorooctane 67.5 % 52.4-130

Surrogate: 1-Chlorooctadecane 64.6 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

NTG ENVIRONMENTAL
 MICHAEL COLLIER
 701 TRADEWINDS BLVD. SUITE C
 MIDLAND TX, 79706
 Fax To:

Received:	12/03/2025	Sampling Date:	12/02/2025
Reported:	12/09/2025	Sampling Type:	Soil
Project Name:	BELL LAKE 19 CTB 3	Sampling Condition:	Cool & Intact
Project Number:	2510594	Sample Received By:	Alyssa Parras
Project Location:	DEVON - LEA CO., NM		

Sample ID: V - 1 5-5.5' (H257515-04)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/05/2025	ND	2.00	100	2.00	6.35	
Toluene*	<0.050	0.050	12/05/2025	ND	1.96	97.8	2.00	7.16	
Ethylbenzene*	<0.050	0.050	12/05/2025	ND	1.87	93.4	2.00	6.98	
Total Xylenes*	<0.150	0.150	12/05/2025	ND	5.73	95.5	6.00	6.49	
Total BTEX	<0.300	0.300	12/05/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.0 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	800	16.0	12/03/2025	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/03/2025	ND	194	97.1	200	2.28	
DRO >C10-C28*	<10.0	10.0	12/03/2025	ND	214	107	200	1.82	
EXT DRO >C28-C36	<10.0	10.0	12/03/2025	ND					

Surrogate: 1-Chlorooctane 73.9 % 52.4-130

Surrogate: 1-Chlorooctadecane 73.9 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

NTG ENVIRONMENTAL
 MICHAEL COLLIER
 701 TRADEWINDS BLVD. SUITE C
 MIDLAND TX, 79706
 Fax To:

Received:	12/03/2025	Sampling Date:	12/02/2025
Reported:	12/09/2025	Sampling Type:	Soil
Project Name:	BELL LAKE 19 CTB 3	Sampling Condition:	Cool & Intact
Project Number:	2510594	Sample Received By:	Alyssa Parras
Project Location:	DEVON - LEA CO., NM		

Sample ID: V - 2 3-3.5' (H257515-05)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/05/2025	ND	2.00	100	2.00	6.35	
Toluene*	<0.050	0.050	12/05/2025	ND	1.96	97.8	2.00	7.16	
Ethylbenzene*	<0.050	0.050	12/05/2025	ND	1.87	93.4	2.00	6.98	
Total Xylenes*	<0.150	0.150	12/05/2025	ND	5.73	95.5	6.00	6.49	
Total BTEX	<0.300	0.300	12/05/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.1 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	1010	16.0	12/03/2025	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/04/2025	ND	194	97.1	200	2.28	
DRO >C10-C28*	<10.0	10.0	12/04/2025	ND	214	107	200	1.82	
EXT DRO >C28-C36	<10.0	10.0	12/04/2025	ND					

Surrogate: 1-Chlorooctane 82.6 % 52.4-130

Surrogate: 1-Chlorooctadecane 78.5 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

NTG ENVIRONMENTAL
 MICHAEL COLLIER
 701 TRADEWINDS BLVD. SUITE C
 MIDLAND TX, 79706
 Fax To:

Received:	12/03/2025	Sampling Date:	12/02/2025
Reported:	12/09/2025	Sampling Type:	Soil
Project Name:	BELL LAKE 19 CTB 3	Sampling Condition:	Cool & Intact
Project Number:	2510594	Sample Received By:	Alyssa Parras
Project Location:	DEVON - LEA CO., NM		

Sample ID: V - 2 4-4.5' (H257515-06)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/05/2025	ND	2.00	100	2.00	6.35	
Toluene*	<0.050	0.050	12/05/2025	ND	1.96	97.8	2.00	7.16	
Ethylbenzene*	<0.050	0.050	12/05/2025	ND	1.87	93.4	2.00	6.98	
Total Xylenes*	<0.150	0.150	12/05/2025	ND	5.73	95.5	6.00	6.49	
Total BTEX	<0.300	0.300	12/05/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.4 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	352	16.0	12/03/2025	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/04/2025	ND	194	97.1	200	2.28	
DRO >C10-C28*	<10.0	10.0	12/04/2025	ND	214	107	200	1.82	
EXT DRO >C28-C36	<10.0	10.0	12/04/2025	ND					

Surrogate: 1-Chlorooctane 80.4 % 52.4-130

Surrogate: 1-Chlorooctadecane 79.6 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

NTG ENVIRONMENTAL
 MICHAEL COLLIER
 701 TRADEWINDS BLVD. SUITE C
 MIDLAND TX, 79706
 Fax To:

Received:	12/03/2025	Sampling Date:	12/02/2025
Reported:	12/09/2025	Sampling Type:	Soil
Project Name:	BELL LAKE 19 CTB 3	Sampling Condition:	Cool & Intact
Project Number:	2510594	Sample Received By:	Alyssa Parras
Project Location:	DEVON - LEA CO., NM		

Sample ID: V - 3 2-2.5' (H257515-07)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/05/2025	ND	2.00	100	2.00	6.35	
Toluene*	<0.050	0.050	12/05/2025	ND	1.96	97.8	2.00	7.16	
Ethylbenzene*	<0.050	0.050	12/05/2025	ND	1.87	93.4	2.00	6.98	
Total Xylenes*	<0.150	0.150	12/05/2025	ND	5.73	95.5	6.00	6.49	
Total BTEX	<0.300	0.300	12/05/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.3 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	1960	16.0	12/03/2025	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/04/2025	ND	194	97.1	200	2.28	
DRO >C10-C28*	<10.0	10.0	12/04/2025	ND	214	107	200	1.82	
EXT DRO >C28-C36	<10.0	10.0	12/04/2025	ND					

Surrogate: 1-Chlorooctane 84.9 % 52.4-130

Surrogate: 1-Chlorooctadecane 83.3 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

NTG ENVIRONMENTAL
 MICHAEL COLLIER
 701 TRADEWINDS BLVD. SUITE C
 MIDLAND TX, 79706
 Fax To:

Received:	12/03/2025	Sampling Date:	12/02/2025
Reported:	12/09/2025	Sampling Type:	Soil
Project Name:	BELL LAKE 19 CTB 3	Sampling Condition:	Cool & Intact
Project Number:	2510594	Sample Received By:	Alyssa Parras
Project Location:	DEVON - LEA CO., NM		

Sample ID: V - 3 3-3.5' (H257515-08)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/05/2025	ND	2.00	100	2.00	6.35	
Toluene*	<0.050	0.050	12/05/2025	ND	1.96	97.8	2.00	7.16	
Ethylbenzene*	<0.050	0.050	12/05/2025	ND	1.87	93.4	2.00	6.98	
Total Xylenes*	<0.150	0.150	12/05/2025	ND	5.73	95.5	6.00	6.49	
Total BTEX	<0.300	0.300	12/05/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.8 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	1250	16.0	12/03/2025	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/04/2025	ND	194	97.1	200	2.28	
DRO >C10-C28*	<10.0	10.0	12/04/2025	ND	214	107	200	1.82	
EXT DRO >C28-C36	<10.0	10.0	12/04/2025	ND					

Surrogate: 1-Chlorooctane 90.6 % 52.4-130

Surrogate: 1-Chlorooctadecane 88.3 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

NTG ENVIRONMENTAL
 MICHAEL COLLIER
 701 TRADEWINDS BLVD. SUITE C
 MIDLAND TX, 79706
 Fax To:

Received:	12/03/2025	Sampling Date:	12/02/2025
Reported:	12/09/2025	Sampling Type:	Soil
Project Name:	BELL LAKE 19 CTB 3	Sampling Condition:	Cool & Intact
Project Number:	2510594	Sample Received By:	Alyssa Parras
Project Location:	DEVON - LEA CO., NM		

Sample ID: V - 3 4-4.5' (H257515-09)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/05/2025	ND	2.00	100	2.00	6.35	
Toluene*	<0.050	0.050	12/05/2025	ND	1.96	97.8	2.00	7.16	
Ethylbenzene*	<0.050	0.050	12/05/2025	ND	1.87	93.4	2.00	6.98	
Total Xylenes*	<0.150	0.150	12/05/2025	ND	5.73	95.5	6.00	6.49	
Total BTEX	<0.300	0.300	12/05/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 93.8 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	1630	16.0	12/03/2025	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/04/2025	ND	194	97.1	200	2.28	
DRO >C10-C28*	<10.0	10.0	12/04/2025	ND	214	107	200	1.82	
EXT DRO >C28-C36	<10.0	10.0	12/04/2025	ND					

Surrogate: 1-Chlorooctane 92.5 % 52.4-130

Surrogate: 1-Chlorooctadecane 92.0 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

NTG ENVIRONMENTAL
 MICHAEL COLLIER
 701 TRADEWINDS BLVD. SUITE C
 MIDLAND TX, 79706
 Fax To:

Received:	12/03/2025	Sampling Date:	12/02/2025
Reported:	12/09/2025	Sampling Type:	Soil
Project Name:	BELL LAKE 19 CTB 3	Sampling Condition:	Cool & Intact
Project Number:	2510594	Sample Received By:	Alyssa Parras
Project Location:	DEVON - LEA CO., NM		

Sample ID: V - 3 5-5.5' (H257515-10)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/05/2025	ND	2.00	100	2.00	6.35	
Toluene*	<0.050	0.050	12/05/2025	ND	1.96	97.8	2.00	7.16	
Ethylbenzene*	<0.050	0.050	12/05/2025	ND	1.87	93.4	2.00	6.98	
Total Xylenes*	<0.150	0.150	12/05/2025	ND	5.73	95.5	6.00	6.49	
Total BTEX	<0.300	0.300	12/05/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.3 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	176	16.0	12/03/2025	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/04/2025	ND	194	97.1	200	2.28	
DRO >C10-C28*	<10.0	10.0	12/04/2025	ND	214	107	200	1.82	
EXT DRO >C28-C36	<10.0	10.0	12/04/2025	ND					

Surrogate: 1-Chlorooctane 92.5 % 52.4-130

Surrogate: 1-Chlorooctadecane 88.7 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

NTG ENVIRONMENTAL
 MICHAEL COLLIER
 701 TRADEWINDS BLVD. SUITE C
 MIDLAND TX, 79706
 Fax To:

Received:	12/03/2025	Sampling Date:	12/02/2025
Reported:	12/09/2025	Sampling Type:	Soil
Project Name:	BELL LAKE 19 CTB 3	Sampling Condition:	Cool & Intact
Project Number:	2510594	Sample Received By:	Alyssa Parras
Project Location:	DEVON - LEA CO., NM		

Sample ID: V - 4 2-2.5' (H257515-11)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/05/2025	ND	2.00	100	2.00	6.35	
Toluene*	<0.050	0.050	12/05/2025	ND	1.96	97.8	2.00	7.16	
Ethylbenzene*	<0.050	0.050	12/05/2025	ND	1.87	93.4	2.00	6.98	
Total Xylenes*	<0.150	0.150	12/05/2025	ND	5.73	95.5	6.00	6.49	
Total BTEX	<0.300	0.300	12/05/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.8 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	6720	16.0	12/03/2025	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/04/2025	ND	194	97.1	200	2.28	
DRO >C10-C28*	<10.0	10.0	12/04/2025	ND	214	107	200	1.82	
EXT DRO >C28-C36	<10.0	10.0	12/04/2025	ND					

Surrogate: 1-Chlorooctane 87.1 % 52.4-130

Surrogate: 1-Chlorooctadecane 83.8 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

NTG ENVIRONMENTAL
 MICHAEL COLLIER
 701 TRADEWINDS BLVD. SUITE C
 MIDLAND TX, 79706
 Fax To:

Received:	12/03/2025	Sampling Date:	12/02/2025
Reported:	12/09/2025	Sampling Type:	Soil
Project Name:	BELL LAKE 19 CTB 3	Sampling Condition:	Cool & Intact
Project Number:	2510594	Sample Received By:	Alyssa Parras
Project Location:	DEVON - LEA CO., NM		

Sample ID: V - 4 3-3.5' (H257515-12)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/05/2025	ND	2.00	100	2.00	6.35	
Toluene*	<0.050	0.050	12/05/2025	ND	1.96	97.8	2.00	7.16	
Ethylbenzene*	<0.050	0.050	12/05/2025	ND	1.87	93.4	2.00	6.98	
Total Xylenes*	<0.150	0.150	12/05/2025	ND	5.73	95.5	6.00	6.49	
Total BTEX	<0.300	0.300	12/05/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.2 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	3640	16.0	12/03/2025	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/04/2025	ND	194	97.1	200	2.28	
DRO >C10-C28*	<10.0	10.0	12/04/2025	ND	214	107	200	1.82	
EXT DRO >C28-C36	<10.0	10.0	12/04/2025	ND					

Surrogate: 1-Chlorooctane 85.0 % 52.4-130

Surrogate: 1-Chlorooctadecane 81.5 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

NTG ENVIRONMENTAL
 MICHAEL COLLIER
 701 TRADEWINDS BLVD. SUITE C
 MIDLAND TX, 79706
 Fax To:

Received:	12/03/2025	Sampling Date:	12/02/2025
Reported:	12/09/2025	Sampling Type:	Soil
Project Name:	BELL LAKE 19 CTB 3	Sampling Condition:	Cool & Intact
Project Number:	2510594	Sample Received By:	Alyssa Parras
Project Location:	DEVON - LEA CO., NM		

Sample ID: V - 4 4-4.5' (H257515-13)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	12/05/2025	ND	2.00	100	2.00	6.35		
Toluene*	<0.050	0.050	12/05/2025	ND	1.96	97.8	2.00	7.16		
Ethylbenzene*	<0.050	0.050	12/05/2025	ND	1.87	93.4	2.00	6.98		
Total Xylenes*	<0.150	0.150	12/05/2025	ND	5.73	95.5	6.00	6.49		
Total BTEX	<0.300	0.300	12/05/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 93.6 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	1580	16.0	12/03/2025	ND	416	104	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	12/04/2025	ND	194	97.1	200	2.28		
DRO >C10-C28*	<10.0	10.0	12/04/2025	ND	214	107	200	1.82		
EXT DRO >C28-C36	<10.0	10.0	12/04/2025	ND						

Surrogate: 1-Chlorooctane 88.9 % 52.4-130

Surrogate: 1-Chlorooctadecane 87.1 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

NTG ENVIRONMENTAL
 MICHAEL COLLIER
 701 TRADEWINDS BLVD. SUITE C
 MIDLAND TX, 79706
 Fax To:

Received:	12/03/2025	Sampling Date:	12/02/2025
Reported:	12/09/2025	Sampling Type:	Soil
Project Name:	BELL LAKE 19 CTB 3	Sampling Condition:	Cool & Intact
Project Number:	2510594	Sample Received By:	Alyssa Parras
Project Location:	DEVON - LEA CO., NM		

Sample ID: V - 4 5-5.5' (H257515-14)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/05/2025	ND	2.00	100	2.00	6.35	
Toluene*	<0.050	0.050	12/05/2025	ND	1.96	97.8	2.00	7.16	
Ethylbenzene*	<0.050	0.050	12/05/2025	ND	1.87	93.4	2.00	6.98	
Total Xylenes*	<0.150	0.150	12/05/2025	ND	5.73	95.5	6.00	6.49	
Total BTEX	<0.300	0.300	12/05/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.6 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	2440	16.0	12/03/2025	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/04/2025	ND	194	97.1	200	2.28	
DRO >C10-C28*	<10.0	10.0	12/04/2025	ND	214	107	200	1.82	
EXT DRO >C28-C36	<10.0	10.0	12/04/2025	ND					

Surrogate: 1-Chlorooctane 88.9 % 52.4-130

Surrogate: 1-Chlorooctadecane 89.7 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

- ND Analyte NOT DETECTED at or above the reporting limit
- RPD Relative Percent Difference
- ** Samples not received at proper temperature of 6°C or below.
- *** Insufficient time to reach temperature.
- Chloride by SM4500Cl-B does not require samples be received at or below 6°C
Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



Chain of Custody

Work Order No: H 25 7515

Page 1 of 2

Project Manager:	Michael Collier	Bill to: (if different)	Chase Settle - SWK Rating
Company Name:	NTG Environmental	Company Name:	DEVON
Address:	209 W McKay St	Address:	333 West Sheridan Avenue
City, State ZIP:	Carlsbad, NM 88220	City, State ZIP:	Oklahoma City, Oklahoma, 73102-5015
Phone:	432-701-2159	Email:	

Program:	UST/PRP	PRP	Groundfields	RRC	Deepfund		
State of Project:							
Reporting Level II	<input type="checkbox"/>	Level III	<input type="checkbox"/>	ST/UST	RRP	Level IV	<input type="checkbox"/>
Deliverables:	EDD	<input type="checkbox"/>	ADAPT	<input type="checkbox"/>	Other:		

Project Name:	Project Number:	Project Location:	Sampler's Name:	PO #:	SAMPLE RECEIPT		Temp Blank:	Yes	No	Thermometer ID:	Wet Ice:	Yes	No	TAT starts the day received by the lab, if received by 4:30pm	Turn Around	Parameters	Pres. Code	ANALYSIS REQUEST	Preservative Codes	
					Received Inact:	Temp Blank:														Correction Factor:
Bell Lake 19 CTB 3	2510594	Lea Co, NM	Lang White	21729693	Yes	No									<input checked="" type="checkbox"/> Routine <input type="checkbox"/> Rush	BTEX 8021B TPH 8015M (GRO + DRO + MRO) Chloride 4500		None: NO DI Water: H ₂ O Cool: Cool MeOH: Me HCL: HC HNO ₃ : HN H ₂ SO ₄ : H ₂ NaOH: Na H ₃ PO ₄ : HP NaHSO ₄ : NABIS Na ₂ S ₂ O ₃ : NaSO ₃ Zn Acetate+NaOH: Zn NaOH+Ascorbic Acid: SAPP		
V-1	2-2.5'	12/2/2025	9:00	X																
V-1	3-3.5'	12/2/2025	9:05	X																
V-1	4-4.5'	12/2/2025	9:10	X																
V-1	5-5.5'	12/2/2025	9:15	X																
V-2	3-3.5'	12/2/2025	9:20	X																
V-2	4-4.5'	12/2/2025	9:25	X																
V-3	2-2.5'	12/2/2025	9:30	X																
V-3	3-3.5'	12/2/2025	9:35	X																
V-3	4-4.5'	12/2/2025	9:40	X																
V-3	5-5.5'	12/2/2025	9:45	X																

Additional Comments: all - 0402401K

Notice: Signature of this document and relinquishment of samples constitutes a valid purchase order from client company to Xenco, its affiliates and subcontractors. It assigns standard terms and conditions of service. Xenco will be liable only for the cost of samples and shall not assume any responsibility for any losses or expenses incurred by the client if such losses are due to circumstances beyond the control of Xenco. A minimum charge of \$95.00 will be applied to each project and a charge of \$5 for each sample submitted to Xenco, but not analyzed. These terms will be enforced unless previously negotiated.

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
Lang White	OPAWES	12.3.25/944			
3					
5					



Chain of Custody

Work Order No: H857515

Page 2 of 2

Project Manager: Micheal Collier
 Company Name: NTG Environmental
 Address: 209 W McKay St
 City, State ZIP: Carlsbad, NM 88220
 Phone: 432-701-2159

Bill to: (if different)
 Company Name: Chesette - Jim Raley
 Address: 333 West Sheridan Avenue
 City, State ZIP: Oklahoma City, Oklahoma, 73102-5015

Program: USTR/ST PRP Brownfields RRC Superfund
 State of Project: Level II Level III ST/UST RRP Level IV
 Reporting Level: EDD ADAPT Other:

Project Name: Bell Lake 19 CTB 3
 Project Number: 2510594
 Project Location: Lea Co. NM
 Sampler's Name: Lang White
 PO #: 21729693

Turn Around: Routine Rush
 Due Date: TAT starts the day received by the lab, if received by 4:30pm

Received Inact: Yes No
 Cooler Custody Seals: Yes No
 Sample Custody Seals: Yes No
 Total Containers: 14

Parameters: BTEX 8021B, TPH 8015M (GRO + DRO + MRO), Chloride 4500

Preservative Codes: None, MeOH, Me, HCL, HC, HNO3, HN, H2SO4, H2, NaOH, Na, H3PO4, HP, NaHSO4, NABIS, Na2S2O3, NaSO3, Zn Acetate+NaOH, Zn, NaOH+Ascorbic Acid, SAPC

Sample Identification	Depth (ft bgs)	Date	Time	Soil	Water	Grab/Comp	# of Cont	ANALYSIS REQUEST	Preservative Codes	Sample Comments
V-4	2-2.5'	12/2/2025	9:50	X		Grab	1	X		
V-4	3-3.5'	12/2/2025	9:55	X		Grab	1	X		
V-4	4-4.5'	12/2/2025	10:00	X		Grab	1	X		
V-4	5-5.5'	12/2/2025	10:05	X		Grab	1	X		

Additional Comments: see 0402401K

Notice: Signature of this document and relinquishment of samples constitutes a valid purchase order from client company to Xenco, its affiliates and subcontractors. It assigns standard terms and conditions of service. Xenco will be liable only for the cost of samples and shall not assume any responsibility for any losses or expenses incurred by the client if such losses are due to circumstances beyond the control of Xenco. A minimum charge of \$85.00 will be applied to each project and a charge of \$5 for each sample submitted to Xenco, but not analyzed. These terms will be enforced unless previously negotiated.

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
Lang White	<u>APR 10</u>	12-3-25/9:44			



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

March 11, 2026

MICHAEL COLLIER
NTG ENVIRONMENTAL
701 TRADEWINDS BLVD. SUITE C
MIDLAND, TX 79706

RE: BELL LAKE 19 CTB 3

Enclosed are the results of analyses for samples received by the laboratory on 02/27/26 11:22.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C25-00101. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/ga/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2 Total Haloacetic Acids (HAA-5)
Method EPA 524.2 Total Trihalomethanes (TTHM)
Method EPA 524.4 Regulated VOCs (V1, V2, V3)

Cardinal Laboratories is accredited through the State of New Mexico Environment Department for:

Method SM 9223-B Total Coliform and E. coli (Colilert MMO-MUG)
Method EPA 524.2 Regulated VOCs and Total Trihalomethanes (TTHM)
Method EPA 552.2 Total Haloacetic Acids (HAA-5)

Accreditation applies to public drinking water matrices for State of Colorado and New Mexico.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene
Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

NTG ENVIRONMENTAL 701 TRADEWINDS BLVD. SUITE C MIDLAND TX, 79706	Project: BELL LAKE 19 CTB 3 Project Number: 2510594 Project Manager: MICHAEL COLLIER Fax To:	Reported: 11-Mar-26 16:03
--	---	------------------------------

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
CS - 1	H261119-01	Soil	27-Feb-26 09:00	27-Feb-26 11:22
CS - 2	H261119-02	Soil	27-Feb-26 09:02	27-Feb-26 11:22
CS - 3	H261119-03	Soil	27-Feb-26 09:04	27-Feb-26 11:22
CS - 4	H261119-04	Soil	27-Feb-26 09:06	27-Feb-26 11:22
CS - 5	H261119-05	Soil	27-Feb-26 09:08	27-Feb-26 11:22
CS - 6	H261119-06	Soil	27-Feb-26 09:10	27-Feb-26 11:22
CS - 7	H261119-07	Soil	27-Feb-26 09:12	27-Feb-26 11:22
CS - 8	H261119-08	Soil	27-Feb-26 09:14	27-Feb-26 11:22
CS - 9	H261119-09	Soil	27-Feb-26 09:16	27-Feb-26 11:22
CS - 10	H261119-10	Soil	27-Feb-26 09:18	27-Feb-26 11:22
CS - 11	H261119-11	Soil	27-Feb-26 09:20	27-Feb-26 11:22
CS - 12	H261119-12	Soil	27-Feb-26 09:22	27-Feb-26 11:22
SW - 1	H261119-13	Soil	27-Feb-26 09:24	27-Feb-26 11:22
SW - 2	H261119-14	Soil	27-Feb-26 09:26	27-Feb-26 11:22
SW - 3	H261119-15	Soil	27-Feb-26 09:28	27-Feb-26 11:22
SW - 4	H261119-16	Soil	27-Feb-26 09:30	27-Feb-26 11:22
SW - 5	H261119-17	Soil	27-Feb-26 09:32	27-Feb-26 11:22
SW - 6	H261119-18	Soil	27-Feb-26 09:34	27-Feb-26 11:22
SW - 7	H261119-19	Soil	27-Feb-26 09:36	27-Feb-26 11:22
SW - 8	H261119-20	Soil	27-Feb-26 09:38	27-Feb-26 11:22
SW - 9	H261119-21	Soil	27-Feb-26 09:40	27-Feb-26 11:22

03/11/26 - Client changed the sample IDs (see COC). This is the revised report and will replace the one sent 03/05/26.

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

NTG ENVIRONMENTAL 701 TRADEWINDS BLVD. SUITE C MIDLAND TX, 79706	Project: BELL LAKE 19 CTB 3 Project Number: 2510594 Project Manager: MICHAEL COLLIER Fax To:	Reported: 11-Mar-26 16:03
--	---	------------------------------

**CS - 1
H261119-01 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories

Inorganic Compounds

Chloride	752		16.0	mg/kg	4	6022701	AC	27-Feb-26	4500-Cl-B	
-----------------	------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6022702	JH	27-Feb-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6022702	JH	27-Feb-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6022702	JH	27-Feb-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6022702	JH	27-Feb-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6022702	JH	27-Feb-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID)			96.3 %		70.4-141	6022702	JH	27-Feb-26	8021B	
---------------------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6022712	JF	27-Feb-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6022712	JF	27-Feb-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6022712	JF	27-Feb-26	8015B	

Surrogate: 1-Chlorooctane			93.5 %		52.4-130	6022712	JF	27-Feb-26	8015B	
---------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

Surrogate: 1-Chlorooctadecane			91.4 %		39.9-141	6022712	JF	27-Feb-26	8015B	
-------------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

NTG ENVIRONMENTAL 701 TRADEWINDS BLVD. SUITE C MIDLAND TX, 79706	Project: BELL LAKE 19 CTB 3 Project Number: 2510594 Project Manager: MICHAEL COLLIER Fax To:	Reported: 11-Mar-26 16:03
--	---	------------------------------

**CS - 2
H261119-02 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories

Inorganic Compounds

Chloride	816		16.0	mg/kg	4	6022701	AC	27-Feb-26	4500-CI-B	
-----------------	------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6022702	JH	27-Feb-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6022702	JH	27-Feb-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6022702	JH	27-Feb-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6022702	JH	27-Feb-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6022702	JH	27-Feb-26	8021B	

<i>Surrogate: 4-Bromofluorobenzene (PID)</i>			90.4 %		70.4-141	6022702	JH	27-Feb-26	8021B	
--	--	--	--------	--	----------	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6022712	JF	27-Feb-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6022712	JF	27-Feb-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6022712	JF	27-Feb-26	8015B	

<i>Surrogate: 1-Chlorooctane</i>			91.6 %		52.4-130	6022712	JF	27-Feb-26	8015B	
----------------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

<i>Surrogate: 1-Chlorooctadecane</i>			88.9 %		39.9-141	6022712	JF	27-Feb-26	8015B	
--------------------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

NTG ENVIRONMENTAL 701 TRADEWINDS BLVD. SUITE C MIDLAND TX, 79706	Project: BELL LAKE 19 CTB 3 Project Number: 2510594 Project Manager: MICHAEL COLLIER Fax To:	Reported: 11-Mar-26 16:03
--	---	------------------------------

**CS - 3
H261119-03 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories

Inorganic Compounds

Chloride	688		16.0	mg/kg	4	6022701	AC	27-Feb-26	4500-CI-B	
-----------------	------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6022702	JH	27-Feb-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6022702	JH	27-Feb-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6022702	JH	27-Feb-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6022702	JH	27-Feb-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6022702	JH	27-Feb-26	8021B	

<i>Surrogate: 4-Bromofluorobenzene (PID)</i>			97.1 %		70.4-141	6022702	JH	27-Feb-26	8021B	
--	--	--	--------	--	----------	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6022712	JF	27-Feb-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6022712	JF	27-Feb-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6022712	JF	27-Feb-26	8015B	

<i>Surrogate: 1-Chlorooctane</i>			84.1 %		52.4-130	6022712	JF	27-Feb-26	8015B	
----------------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

<i>Surrogate: 1-Chlorooctadecane</i>			86.1 %		39.9-141	6022712	JF	27-Feb-26	8015B	
--------------------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

NTG ENVIRONMENTAL 701 TRADEWINDS BLVD. SUITE C MIDLAND TX, 79706	Project: BELL LAKE 19 CTB 3 Project Number: 2510594 Project Manager: MICHAEL COLLIER Fax To:	Reported: 11-Mar-26 16:03
--	---	------------------------------

**CS - 4
H261119-04 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories

Inorganic Compounds

Chloride	240		16.0	mg/kg	4	6022701	AC	27-Feb-26	4500-CI-B	
-----------------	------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6022702	JH	27-Feb-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6022702	JH	27-Feb-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6022702	JH	27-Feb-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6022702	JH	27-Feb-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6022702	JH	27-Feb-26	8021B	

<i>Surrogate: 4-Bromofluorobenzene (PID)</i>			95.7 %		70.4-141	6022702	JH	27-Feb-26	8021B	
--	--	--	--------	--	----------	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6022712	JF	27-Feb-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6022712	JF	27-Feb-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6022712	JF	27-Feb-26	8015B	

<i>Surrogate: 1-Chlorooctane</i>			71.9 %		52.4-130	6022712	JF	27-Feb-26	8015B	
----------------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

<i>Surrogate: 1-Chlorooctadecane</i>			69.1 %		39.9-141	6022712	JF	27-Feb-26	8015B	
--------------------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

NTG ENVIRONMENTAL 701 TRADEWINDS BLVD. SUITE C MIDLAND TX, 79706	Project: BELL LAKE 19 CTB 3 Project Number: 2510594 Project Manager: MICHAEL COLLIER Fax To:	Reported: 11-Mar-26 16:03
--	---	------------------------------

**CS - 5
H261119-05 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories

Inorganic Compounds

Chloride	320		16.0	mg/kg	4	6022701	AC	27-Feb-26	4500-Cl-B	
-----------------	------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6022702	JH	27-Feb-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6022702	JH	27-Feb-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6022702	JH	27-Feb-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6022702	JH	27-Feb-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6022702	JH	27-Feb-26	8021B	

<i>Surrogate: 4-Bromofluorobenzene (PID)</i>			90.9 %		70.4-141	6022702	JH	27-Feb-26	8021B	
--	--	--	--------	--	----------	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6022712	JF	27-Feb-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6022712	JF	27-Feb-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6022712	JF	27-Feb-26	8015B	

<i>Surrogate: 1-Chlorooctane</i>			78.3 %		52.4-130	6022712	JF	27-Feb-26	8015B	
----------------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

<i>Surrogate: 1-Chlorooctadecane</i>			75.2 %		39.9-141	6022712	JF	27-Feb-26	8015B	
--------------------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

NTG ENVIRONMENTAL 701 TRADEWINDS BLVD. SUITE C MIDLAND TX, 79706	Project: BELL LAKE 19 CTB 3 Project Number: 2510594 Project Manager: MICHAEL COLLIER Fax To:	Reported: 11-Mar-26 16:03
--	---	------------------------------

**CS - 6
H261119-06 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories

Inorganic Compounds

Chloride	80.0		16.0	mg/kg	4	6022701	AC	27-Feb-26	4500-CI-B	
-----------------	-------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6022702	JH	27-Feb-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6022702	JH	27-Feb-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6022702	JH	27-Feb-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6022702	JH	27-Feb-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6022702	JH	27-Feb-26	8021B	

<i>Surrogate: 4-Bromofluorobenzene (PID)</i>			95.2 %	70.4-141		6022702	JH	27-Feb-26	8021B	
--	--	--	--------	----------	--	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6022712	JF	27-Feb-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6022712	JF	27-Feb-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6022712	JF	27-Feb-26	8015B	

<i>Surrogate: 1-Chlorooctane</i>			90.6 %	52.4-130		6022712	JF	27-Feb-26	8015B	
----------------------------------	--	--	--------	----------	--	---------	----	-----------	-------	--

<i>Surrogate: 1-Chlorooctadecane</i>			87.5 %	39.9-141		6022712	JF	27-Feb-26	8015B	
--------------------------------------	--	--	--------	----------	--	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

NTG ENVIRONMENTAL 701 TRADEWINDS BLVD. SUITE C MIDLAND TX, 79706	Project: BELL LAKE 19 CTB 3 Project Number: 2510594 Project Manager: MICHAEL COLLIER Fax To:	Reported: 11-Mar-26 16:03
--	---	------------------------------

**CS - 7
H261119-07 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories

Inorganic Compounds

Chloride	208		16.0	mg/kg	4	6022701	AC	27-Feb-26	4500-CI-B	
-----------------	------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6022702	JH	27-Feb-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6022702	JH	27-Feb-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6022702	JH	27-Feb-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6022702	JH	27-Feb-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6022702	JH	27-Feb-26	8021B	

<i>Surrogate: 4-Bromofluorobenzene (PID)</i>			93.6 %		70.4-141	6022702	JH	27-Feb-26	8021B	
--	--	--	--------	--	----------	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6022712	JF	27-Feb-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6022712	JF	27-Feb-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6022712	JF	27-Feb-26	8015B	

<i>Surrogate: 1-Chlorooctane</i>			66.5 %		52.4-130	6022712	JF	27-Feb-26	8015B	
----------------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

<i>Surrogate: 1-Chlorooctadecane</i>			63.1 %		39.9-141	6022712	JF	27-Feb-26	8015B	
--------------------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

NTG ENVIRONMENTAL 701 TRADEWINDS BLVD. SUITE C MIDLAND TX, 79706	Project: BELL LAKE 19 CTB 3 Project Number: 2510594 Project Manager: MICHAEL COLLIER Fax To:	Reported: 11-Mar-26 16:03
--	---	------------------------------

**CS - 8
H261119-08 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories

Inorganic Compounds

Chloride	96.0		16.0	mg/kg	4	6022701	AC	27-Feb-26	4500-CI-B	
-----------------	-------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6022702	JH	27-Feb-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6022702	JH	27-Feb-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6022702	JH	27-Feb-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6022702	JH	27-Feb-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6022702	JH	27-Feb-26	8021B	

<i>Surrogate: 4-Bromofluorobenzene (PID)</i>			103 %	70.4-141		6022702	JH	27-Feb-26	8021B	
--	--	--	-------	----------	--	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6022712	JF	27-Feb-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6022712	JF	27-Feb-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6022712	JF	27-Feb-26	8015B	

<i>Surrogate: 1-Chlorooctane</i>			75.3 %	52.4-130		6022712	JF	27-Feb-26	8015B	
----------------------------------	--	--	--------	----------	--	---------	----	-----------	-------	--

<i>Surrogate: 1-Chlorooctadecane</i>			73.5 %	39.9-141		6022712	JF	27-Feb-26	8015B	
--------------------------------------	--	--	--------	----------	--	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

NTG ENVIRONMENTAL 701 TRADEWINDS BLVD. SUITE C MIDLAND TX, 79706	Project: BELL LAKE 19 CTB 3 Project Number: 2510594 Project Manager: MICHAEL COLLIER Fax To:	Reported: 11-Mar-26 16:03
--	---	------------------------------

**CS - 9
H261119-09 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories

Inorganic Compounds

Chloride	1470		16.0	mg/kg	4	6022701	AC	27-Feb-26	4500-CI-B	
-----------------	-------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6022702	JH	27-Feb-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6022702	JH	27-Feb-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6022702	JH	27-Feb-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6022702	JH	27-Feb-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6022702	JH	27-Feb-26	8021B	

<i>Surrogate: 4-Bromofluorobenzene (PID)</i>			98.5 %		70.4-141	6022702	JH	27-Feb-26	8021B	
--	--	--	--------	--	----------	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6022712	JF	27-Feb-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6022712	JF	27-Feb-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6022712	JF	27-Feb-26	8015B	

<i>Surrogate: 1-Chlorooctane</i>			69.4 %		52.4-130	6022712	JF	27-Feb-26	8015B	
----------------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

<i>Surrogate: 1-Chlorooctadecane</i>			66.9 %		39.9-141	6022712	JF	27-Feb-26	8015B	
--------------------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

NTG ENVIRONMENTAL 701 TRADEWINDS BLVD. SUITE C MIDLAND TX, 79706	Project: BELL LAKE 19 CTB 3 Project Number: 2510594 Project Manager: MICHAEL COLLIER Fax To:	Reported: 11-Mar-26 16:03
--	---	------------------------------

CS - 10

H261119-10 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories

Inorganic Compounds

Chloride	1230		16.0	mg/kg	4	6022701	AC	27-Feb-26	4500-CI-B	
-----------------	-------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6022709	JH	27-Feb-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6022709	JH	27-Feb-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6022709	JH	27-Feb-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6022709	JH	27-Feb-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6022709	JH	27-Feb-26	8021B	

<i>Surrogate: 4-Bromofluorobenzene (PID)</i>			93.3 %		70.4-141	6022709	JH	27-Feb-26	8021B	
--	--	--	--------	--	----------	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6022712	JF	27-Feb-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6022712	JF	27-Feb-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6022712	JF	27-Feb-26	8015B	

<i>Surrogate: 1-Chlorooctane</i>			56.6 %		52.4-130	6022712	JF	27-Feb-26	8015B	
----------------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

<i>Surrogate: 1-Chlorooctadecane</i>			53.7 %		39.9-141	6022712	JF	27-Feb-26	8015B	
--------------------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

NTG ENVIRONMENTAL 701 TRADEWINDS BLVD. SUITE C MIDLAND TX, 79706	Project: BELL LAKE 19 CTB 3 Project Number: 2510594 Project Manager: MICHAEL COLLIER Fax To:	Reported: 11-Mar-26 16:03
--	---	------------------------------

**CS - 11
H261119-11 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories

Inorganic Compounds

Chloride	144		16.0	mg/kg	4	6022701	AC	27-Feb-26	4500-CI-B	
-----------------	------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6022709	JH	27-Feb-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6022709	JH	27-Feb-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6022709	JH	27-Feb-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6022709	JH	27-Feb-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6022709	JH	27-Feb-26	8021B	

<i>Surrogate: 4-Bromofluorobenzene (PID)</i>			92.0 %		70.4-141	6022709	JH	27-Feb-26	8021B	
--	--	--	--------	--	----------	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6022712	JF	27-Feb-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6022712	JF	27-Feb-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6022712	JF	27-Feb-26	8015B	

<i>Surrogate: 1-Chlorooctane</i>			81.0 %		52.4-130	6022712	JF	27-Feb-26	8015B	
----------------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

<i>Surrogate: 1-Chlorooctadecane</i>			78.0 %		39.9-141	6022712	JF	27-Feb-26	8015B	
--------------------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

NTG ENVIRONMENTAL 701 TRADEWINDS BLVD. SUITE C MIDLAND TX, 79706	Project: BELL LAKE 19 CTB 3 Project Number: 2510594 Project Manager: MICHAEL COLLIER Fax To:	Reported: 11-Mar-26 16:03
--	---	------------------------------

**CS - 12
H261119-12 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories

Inorganic Compounds

Chloride	176		16.0	mg/kg	4	6022701	AC	27-Feb-26	4500-CI-B	
-----------------	------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6022709	JH	27-Feb-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6022709	JH	27-Feb-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6022709	JH	27-Feb-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6022709	JH	27-Feb-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6022709	JH	27-Feb-26	8021B	

<i>Surrogate: 4-Bromofluorobenzene (PID)</i>			91.3 %		70.4-141	6022709	JH	27-Feb-26	8021B	
--	--	--	--------	--	----------	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6022712	JF	27-Feb-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6022712	JF	27-Feb-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6022712	JF	27-Feb-26	8015B	

<i>Surrogate: 1-Chlorooctane</i>			87.7 %		52.4-130	6022712	JF	27-Feb-26	8015B	
----------------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

<i>Surrogate: 1-Chlorooctadecane</i>			84.2 %		39.9-141	6022712	JF	27-Feb-26	8015B	
--------------------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

NTG ENVIRONMENTAL 701 TRADEWINDS BLVD. SUITE C MIDLAND TX, 79706	Project: BELL LAKE 19 CTB 3 Project Number: 2510594 Project Manager: MICHAEL COLLIER Fax To:	Reported: 11-Mar-26 16:03
--	---	------------------------------

SW - 1

H261119-13 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories

Inorganic Compounds

Chloride	480		16.0	mg/kg	4	6022701	AC	27-Feb-26	4500-CI-B	
-----------------	------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6022709	JH	27-Feb-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6022709	JH	27-Feb-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6022709	JH	27-Feb-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6022709	JH	27-Feb-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6022709	JH	27-Feb-26	8021B	

<i>Surrogate: 4-Bromofluorobenzene (PID)</i>			91.0 %	70.4-141		6022709	JH	27-Feb-26	8021B	
--	--	--	--------	----------	--	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6022712	JF	27-Feb-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6022712	JF	27-Feb-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6022712	JF	27-Feb-26	8015B	

<i>Surrogate: 1-Chlorooctane</i>			90.1 %	52.4-130		6022712	JF	27-Feb-26	8015B	
----------------------------------	--	--	--------	----------	--	---------	----	-----------	-------	--

<i>Surrogate: 1-Chlorooctadecane</i>			88.0 %	39.9-141		6022712	JF	27-Feb-26	8015B	
--------------------------------------	--	--	--------	----------	--	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

NTG ENVIRONMENTAL 701 TRADEWINDS BLVD. SUITE C MIDLAND TX, 79706	Project: BELL LAKE 19 CTB 3 Project Number: 2510594 Project Manager: MICHAEL COLLIER Fax To:	Reported: 11-Mar-26 16:03
--	---	------------------------------

SW - 2

H261119-14 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories

Inorganic Compounds

Chloride	272		16.0	mg/kg	4	6022701	AC	27-Feb-26	4500-Cl-B	
-----------------	------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6022709	JH	27-Feb-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6022709	JH	27-Feb-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6022709	JH	27-Feb-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6022709	JH	27-Feb-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6022709	JH	27-Feb-26	8021B	

<i>Surrogate: 4-Bromofluorobenzene (PID)</i>			92.2 %		70.4-141	6022709	JH	27-Feb-26	8021B	
--	--	--	--------	--	----------	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6022712	JF	27-Feb-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6022712	JF	27-Feb-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6022712	JF	27-Feb-26	8015B	

<i>Surrogate: 1-Chlorooctane</i>			91.1 %		52.4-130	6022712	JF	27-Feb-26	8015B	
----------------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

<i>Surrogate: 1-Chlorooctadecane</i>			88.7 %		39.9-141	6022712	JF	27-Feb-26	8015B	
--------------------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

NTG ENVIRONMENTAL 701 TRADEWINDS BLVD. SUITE C MIDLAND TX, 79706	Project: BELL LAKE 19 CTB 3 Project Number: 2510594 Project Manager: MICHAEL COLLIER Fax To:	Reported: 11-Mar-26 16:03
--	---	------------------------------

SW - 3

H261119-15 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories

Inorganic Compounds

Chloride	768		16.0	mg/kg	4	6022701	AC	27-Feb-26	4500-Cl-B	
-----------------	------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6022709	JH	27-Feb-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6022709	JH	27-Feb-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6022709	JH	27-Feb-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6022709	JH	27-Feb-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6022709	JH	27-Feb-26	8021B	

<i>Surrogate: 4-Bromofluorobenzene (PID)</i>			91.1 %		70.4-141	6022709	JH	27-Feb-26	8021B	
--	--	--	--------	--	----------	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6022712	JF	27-Feb-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6022712	JF	27-Feb-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6022712	JF	27-Feb-26	8015B	

<i>Surrogate: 1-Chlorooctane</i>			81.1 %		52.4-130	6022712	JF	27-Feb-26	8015B	
----------------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

<i>Surrogate: 1-Chlorooctadecane</i>			77.9 %		39.9-141	6022712	JF	27-Feb-26	8015B	
--------------------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

NTG ENVIRONMENTAL 701 TRADEWINDS BLVD. SUITE C MIDLAND TX, 79706	Project: BELL LAKE 19 CTB 3 Project Number: 2510594 Project Manager: MICHAEL COLLIER Fax To:	Reported: 11-Mar-26 16:03
--	---	------------------------------

**SW - 4
H261119-16 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories

Inorganic Compounds

Chloride	11000		16.0	mg/kg	4	6022708	AC	27-Feb-26	4500-Cl-B	QM-07
-----------------	--------------	--	------	-------	---	---------	----	-----------	-----------	-------

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6022709	JH	27-Feb-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6022709	JH	27-Feb-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6022709	JH	27-Feb-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6022709	JH	27-Feb-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6022709	JH	27-Feb-26	8021B	

Surrogate: 4-Bromofluorobenzene (PID) 91.1 % 70.4-141 6022709 JH 27-Feb-26 8021B

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6022712	JF	28-Feb-26	8015B	
DRO >C10-C28*	12.7		10.0	mg/kg	1	6022712	JF	28-Feb-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6022712	JF	28-Feb-26	8015B	

Surrogate: 1-Chlorooctane 85.0 % 52.4-130 6022712 JF 28-Feb-26 8015B

Surrogate: 1-Chlorooctadecane 83.2 % 39.9-141 6022712 JF 28-Feb-26 8015B

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

NTG ENVIRONMENTAL 701 TRADEWINDS BLVD. SUITE C MIDLAND TX, 79706	Project: BELL LAKE 19 CTB 3 Project Number: 2510594 Project Manager: MICHAEL COLLIER Fax To:	Reported: 11-Mar-26 16:03
--	---	------------------------------

**SW - 5
H261119-17 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories

Inorganic Compounds

Chloride	448		16.0	mg/kg	4	6022708	AC	27-Feb-26	4500-CI-B	
-----------------	------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6022709	JH	27-Feb-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6022709	JH	27-Feb-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6022709	JH	27-Feb-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6022709	JH	27-Feb-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6022709	JH	27-Feb-26	8021B	

<i>Surrogate: 4-Bromofluorobenzene (PID)</i>			92.9 %		70.4-141	6022709	JH	27-Feb-26	8021B	
--	--	--	--------	--	----------	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6022713	JF	27-Feb-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6022713	JF	27-Feb-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6022713	JF	27-Feb-26	8015B	

<i>Surrogate: 1-Chlorooctane</i>			83.4 %		52.4-130	6022713	JF	27-Feb-26	8015B	
----------------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

<i>Surrogate: 1-Chlorooctadecane</i>			86.6 %		39.9-141	6022713	JF	27-Feb-26	8015B	
--------------------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

NTG ENVIRONMENTAL 701 TRADEWINDS BLVD. SUITE C MIDLAND TX, 79706	Project: BELL LAKE 19 CTB 3 Project Number: 2510594 Project Manager: MICHAEL COLLIER Fax To:	Reported: 11-Mar-26 16:03
--	---	------------------------------

**SW - 6
H261119-18 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories

Inorganic Compounds

Chloride	576		16.0	mg/kg	4	6022708	AC	27-Feb-26	4500-CI-B	
-----------------	------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6022709	JH	27-Feb-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6022709	JH	27-Feb-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6022709	JH	27-Feb-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6022709	JH	27-Feb-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6022709	JH	27-Feb-26	8021B	

<i>Surrogate: 4-Bromofluorobenzene (PID)</i>			92.0 %		70.4-141	6022709	JH	27-Feb-26	8021B	
--	--	--	--------	--	----------	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6022713	JF	27-Feb-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6022713	JF	27-Feb-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6022713	JF	27-Feb-26	8015B	

<i>Surrogate: 1-Chlorooctane</i>			84.9 %		52.4-130	6022713	JF	27-Feb-26	8015B	
----------------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

<i>Surrogate: 1-Chlorooctadecane</i>			88.7 %		39.9-141	6022713	JF	27-Feb-26	8015B	
--------------------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

NTG ENVIRONMENTAL 701 TRADEWINDS BLVD. SUITE C MIDLAND TX, 79706	Project: BELL LAKE 19 CTB 3 Project Number: 2510594 Project Manager: MICHAEL COLLIER Fax To:	Reported: 11-Mar-26 16:03
--	---	------------------------------

SW - 7

H261119-19 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories

Inorganic Compounds

Chloride	3440		16.0	mg/kg	4	6022708	AC	27-Feb-26	4500-Cl-B	
-----------------	-------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6022709	JH	27-Feb-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6022709	JH	27-Feb-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6022709	JH	27-Feb-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6022709	JH	27-Feb-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6022709	JH	27-Feb-26	8021B	

<i>Surrogate: 4-Bromofluorobenzene (PID)</i>			92.7 %		70.4-141	6022709	JH	27-Feb-26	8021B	
--	--	--	--------	--	----------	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6022713	JF	05-Mar-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6022713	JF	05-Mar-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6022713	JF	05-Mar-26	8015B	

<i>Surrogate: 1-Chlorooctane</i>			83.5 %		52.4-130	6022713	JF	05-Mar-26	8015B	
----------------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

<i>Surrogate: 1-Chlorooctadecane</i>			79.4 %		39.9-141	6022713	JF	05-Mar-26	8015B	
--------------------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

NTG ENVIRONMENTAL 701 TRADEWINDS BLVD. SUITE C MIDLAND TX, 79706	Project: BELL LAKE 19 CTB 3 Project Number: 2510594 Project Manager: MICHAEL COLLIER Fax To:	Reported: 11-Mar-26 16:03
--	---	------------------------------

SW - 8

H261119-20 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories

Inorganic Compounds

Chloride	768		16.0	mg/kg	4	6022708	AC	27-Feb-26	4500-CI-B	
-----------------	------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6022709	JH	27-Feb-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6022709	JH	27-Feb-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6022709	JH	27-Feb-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6022709	JH	27-Feb-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6022709	JH	27-Feb-26	8021B	

<i>Surrogate: 4-Bromofluorobenzene (PID)</i>			92.9 %		70.4-141	6022709	JH	27-Feb-26	8021B	
--	--	--	--------	--	----------	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6022713	JF	27-Feb-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6022713	JF	27-Feb-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6022713	JF	27-Feb-26	8015B	

<i>Surrogate: 1-Chlorooctane</i>			79.1 %		52.4-130	6022713	JF	27-Feb-26	8015B	
----------------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

<i>Surrogate: 1-Chlorooctadecane</i>			82.9 %		39.9-141	6022713	JF	27-Feb-26	8015B	
--------------------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

NTG ENVIRONMENTAL 701 TRADEWINDS BLVD. SUITE C MIDLAND TX, 79706	Project: BELL LAKE 19 CTB 3 Project Number: 2510594 Project Manager: MICHAEL COLLIER Fax To:	Reported: 11-Mar-26 16:03
--	---	------------------------------

SW - 9

H261119-21 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories

Inorganic Compounds

Chloride	496		16.0	mg/kg	4	6022708	AC	27-Feb-26	4500-Cl-B	
-----------------	------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	6022709	JH	27-Feb-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6022709	JH	27-Feb-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6022709	JH	27-Feb-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6022709	JH	27-Feb-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6022709	JH	27-Feb-26	8021B	

<i>Surrogate: 4-Bromofluorobenzene (PID)</i>			92.5 %		70.4-141	6022709	JH	27-Feb-26	8021B	
--	--	--	--------	--	----------	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	6022713	JF	27-Feb-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6022713	JF	27-Feb-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6022713	JF	27-Feb-26	8015B	

<i>Surrogate: 1-Chlorooctane</i>			82.9 %		52.4-130	6022713	JF	27-Feb-26	8015B	
----------------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

<i>Surrogate: 1-Chlorooctadecane</i>			87.9 %		39.9-141	6022713	JF	27-Feb-26	8015B	
--------------------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

NTG ENVIRONMENTAL 701 TRADEWINDS BLVD. SUITE C MIDLAND TX, 79706	Project: BELL LAKE 19 CTB 3 Project Number: 2510594 Project Manager: MICHAEL COLLIER Fax To:	Reported: 11-Mar-26 16:03
--	---	------------------------------

Inorganic Compounds - Quality Control

Cardinal Laboratories

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 6022701 - 1:4 DI Water

Blank (6022701-BLK1)				Prepared & Analyzed: 27-Feb-26						
Chloride	ND	16.0	mg/kg							
LCS (6022701-BS1)				Prepared & Analyzed: 27-Feb-26						
Chloride	416	16.0	mg/kg	400		104	80-120			
LCS Dup (6022701-BSD1)				Prepared & Analyzed: 27-Feb-26						
Chloride	432	16.0	mg/kg	400		108	80-120	3.77	20	

Batch 6022708 - 1:4 DI Water

Blank (6022708-BLK1)				Prepared & Analyzed: 27-Feb-26						
Chloride	ND	16.0	mg/kg							
LCS (6022708-BS1)				Prepared & Analyzed: 27-Feb-26						
Chloride	416	16.0	mg/kg	400		104	80-120			
LCS Dup (6022708-BSD1)				Prepared & Analyzed: 27-Feb-26						
Chloride	432	16.0	mg/kg	400		108	80-120	3.77	20	

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

NTG ENVIRONMENTAL 701 TRADEWINDS BLVD. SUITE C MIDLAND TX, 79706	Project: BELL LAKE 19 CTB 3 Project Number: 2510594 Project Manager: MICHAEL COLLIER Fax To:	Reported: 11-Mar-26 16:03
--	---	------------------------------

Volatile Organic Compounds by EPA Method 8021 - Quality Control

Cardinal Laboratories

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 6022702 - Volatiles

Blank (6022702-BLK1)

Prepared & Analyzed: 27-Feb-26

Benzene	ND	0.050	mg/kg							
Toluene	ND	0.050	mg/kg							
Ethylbenzene	ND	0.050	mg/kg							
Total Xylenes	ND	0.150	mg/kg							
Total BTEX	ND	0.300	mg/kg							
Surrogate: 4-Bromofluorobenzene (PID)	0.0921		mg/kg	0.100		92.1	70.4-141			

LCS (6022702-BS1)

Prepared & Analyzed: 27-Feb-26

Benzene	1.92	0.050	mg/kg	2.00		96.1	71-111			
Toluene	1.90	0.050	mg/kg	2.00		94.8	75-116			
Ethylbenzene	1.93	0.050	mg/kg	2.00		96.5	74.2-119			
m,p-Xylene	3.72	0.100	mg/kg	4.00		93.1	72.5-123			
o-Xylene	1.91	0.050	mg/kg	2.00		95.4	70.5-124			
Total Xylenes	5.63	0.150	mg/kg	6.00		93.8	72.2-123			
Surrogate: 4-Bromofluorobenzene (PID)	0.0994		mg/kg	0.100		99.4	70.4-141			

LCS Dup (6022702-BSD1)

Prepared & Analyzed: 27-Feb-26

Benzene	1.88	0.050	mg/kg	2.00		93.9	71-111	2.36	17.6	
Toluene	1.80	0.050	mg/kg	2.00		90.2	75-116	4.98	14.8	
Ethylbenzene	1.88	0.050	mg/kg	2.00		94.1	74.2-119	2.56	14.2	
m,p-Xylene	3.64	0.100	mg/kg	4.00		90.9	72.5-123	2.38	13.6	
o-Xylene	1.87	0.050	mg/kg	2.00		93.3	70.5-124	2.21	13.7	
Total Xylenes	5.50	0.150	mg/kg	6.00		91.7	72.2-123	2.32	13.3	
Surrogate: 4-Bromofluorobenzene (PID)	0.102		mg/kg	0.100		102	70.4-141			

Batch 6022709 - Volatiles

Blank (6022709-BLK1)

Prepared & Analyzed: 27-Feb-26

Benzene	ND	0.050	mg/kg							
Toluene	ND	0.050	mg/kg							
Ethylbenzene	ND	0.050	mg/kg							
Total Xylenes	ND	0.150	mg/kg							

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

NTG ENVIRONMENTAL
701 TRADEWINDS BLVD. SUITE C
MIDLAND TX, 79706

Project: BELL LAKE 19 CTB 3
Project Number: 2510594
Project Manager: MICHAEL COLLIER
Fax To:

Reported:
11-Mar-26 16:03

Volatile Organic Compounds by EPA Method 8021 - Quality Control**Cardinal Laboratories**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 6022709 - Volatiles**Blank (6022709-BLK1)**

Prepared & Analyzed: 27-Feb-26

Total BTEX	ND	0.300	mg/kg							
Surrogate: 4-Bromofluorobenzene (PID)	ND		mg/kg	0.0500		91.0	70.4-141			

LCS (6022709-BS1)

Prepared & Analyzed: 27-Feb-26

Benzene	1.94	0.050	mg/kg	2.00		97.2	71-111			
Toluene	1.72	0.050	mg/kg	2.00		86.1	75-116			
Ethylbenzene	1.69	0.050	mg/kg	2.00		84.4	74.2-119			
m,p-Xylene	3.26	0.100	mg/kg	4.00		81.6	72.5-123			
o-Xylene	1.62	0.050	mg/kg	2.00		81.2	70.5-124			
Total Xylenes	4.89	0.150	mg/kg	6.00		81.5	72.2-123			
Surrogate: 4-Bromofluorobenzene (PID)	0.0446		mg/kg	0.0500		89.3	70.4-141			

LCS Dup (6022709-BSD1)

Prepared & Analyzed: 27-Feb-26

Benzene	1.96	0.050	mg/kg	2.00		97.8	71-111	0.555	17.6	
Toluene	1.72	0.050	mg/kg	2.00		86.1	75-116	0.0439	14.8	
Ethylbenzene	1.69	0.050	mg/kg	2.00		84.3	74.2-119	0.0572	14.2	
m,p-Xylene	3.26	0.100	mg/kg	4.00		81.4	72.5-123	0.201	13.6	
o-Xylene	1.63	0.050	mg/kg	2.00		81.5	70.5-124	0.332	13.7	
Total Xylenes	4.89	0.150	mg/kg	6.00		81.5	72.2-123	0.0231	13.3	
Surrogate: 4-Bromofluorobenzene (PID)	0.0448		mg/kg	0.0500		89.5	70.4-141			

Cardinal Laboratories

* = Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

NTG ENVIRONMENTAL 701 TRADEWINDS BLVD. SUITE C MIDLAND TX, 79706	Project: BELL LAKE 19 CTB 3 Project Number: 2510594 Project Manager: MICHAEL COLLIER Fax To:	Reported: 11-Mar-26 16:03
--	---	------------------------------

Petroleum Hydrocarbons by GC FID - Quality Control

Cardinal Laboratories

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 6022712 - General Prep - Organics

Blank (6022712-BLK1)		Prepared & Analyzed: 27-Feb-26								
GRO C6-C10	ND	10.0	mg/kg							
DRO >C10-C28	ND	10.0	mg/kg							
EXT DRO >C28-C36	ND	10.0	mg/kg							
Surrogate: 1-Chlorooctane	47.8		mg/kg	50.0		95.6	52.4-130			
Surrogate: 1-Chlorooctadecane	46.6		mg/kg	50.0		93.1	39.9-141			

LCS (6022712-BS1)		Prepared & Analyzed: 27-Feb-26								
GRO C6-C10	217	10.0	mg/kg	200		109	78.7-123			
DRO >C10-C28	190	10.0	mg/kg	200		95.0	74.8-123			
Total TPH C6-C28	407	10.0	mg/kg	400		102	78.6-121			
Surrogate: 1-Chlorooctane	47.5		mg/kg	50.0		94.9	52.4-130			
Surrogate: 1-Chlorooctadecane	47.1		mg/kg	50.0		94.1	39.9-141			

LCS Dup (6022712-BS1)		Prepared & Analyzed: 27-Feb-26								
GRO C6-C10	220	10.0	mg/kg	200		110	78.7-123	1.54	11.3	
DRO >C10-C28	193	10.0	mg/kg	200		96.5	74.8-123	1.50	10.9	
Total TPH C6-C28	413	10.0	mg/kg	400		103	78.6-121	1.52	10.5	
Surrogate: 1-Chlorooctane	45.8		mg/kg	50.0		91.5	52.4-130			
Surrogate: 1-Chlorooctadecane	46.0		mg/kg	50.0		91.9	39.9-141			

Batch 6022713 - General Prep - Organics

Blank (6022713-BLK1)		Prepared & Analyzed: 27-Feb-26								
GRO C6-C10	ND	10.0	mg/kg							
DRO >C10-C28	ND	10.0	mg/kg							
EXT DRO >C28-C36	ND	10.0	mg/kg							
Surrogate: 1-Chlorooctane	40.0		mg/kg	50.0		80.0	52.4-130			
Surrogate: 1-Chlorooctadecane	42.4		mg/kg	50.0		84.8	39.9-141			

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

NTG ENVIRONMENTAL 701 TRADEWINDS BLVD. SUITE C MIDLAND TX, 79706	Project: BELL LAKE 19 CTB 3 Project Number: 2510594 Project Manager: MICHAEL COLLIER Fax To:	Reported: 11-Mar-26 16:03
--	---	------------------------------

Petroleum Hydrocarbons by GC FID - Quality Control

Cardinal Laboratories

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 6022713 - General Prep - Organics

LCS (6022713-BS1)

Prepared & Analyzed: 27-Feb-26

GRO C6-C10	201	10.0	mg/kg	200		100	78.7-123			
DRO >C10-C28	190	10.0	mg/kg	200		94.8	74.8-123			
Total TPH C6-C28	391	10.0	mg/kg	400		97.6	78.6-121			
Surrogate: 1-Chlorooctane	51.8		mg/kg	50.0		104	52.4-130			
Surrogate: 1-Chlorooctadecane	47.6		mg/kg	50.0		95.2	39.9-141			

LCS Dup (6022713-BSD1)

Prepared & Analyzed: 27-Feb-26

GRO C6-C10	211	10.0	mg/kg	200		105	78.7-123	4.65	11.3	
DRO >C10-C28	198	10.0	mg/kg	200		98.8	74.8-123	4.15	10.9	
Total TPH C6-C28	408	10.0	mg/kg	400		102	78.6-121	4.41	10.5	
Surrogate: 1-Chlorooctane	48.2		mg/kg	50.0		96.4	52.4-130			
Surrogate: 1-Chlorooctadecane	47.0		mg/kg	50.0		94.1	39.9-141			

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

- QM-07 The spike recovery was outside acceptance limits for the MS and/or MSD. The batch was accepted based on acceptable LCS recovery.
- ND Analyte NOT DETECTED at or above the reporting limit
- RPD Relative Percent Difference
- ** Samples not received at proper temperature of 6°C or below.
- *** Insufficient time to reach temperature.
- Chloride by SM450Cl-B does not require samples be received at or below 6°C
Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager



Chain of Custody

Work Order No: 1461114

Page 1 of 3

Project Manager: Micheal Collier
 Company Name: NTG Environmental
 Address: 209 W McKay St
 City, State ZIP: Carlsbad, NM 88220
 Phone: 432-701-2159

Bill to: (if different)
 Company Name:
 Address:
 City, State ZIP:

Turn Around
 Routine
 Rush

Due Date: TAT starts the day received by the lab, if received by 4:30pm

Project Name: Bell Lake 19 CTB 3
 Project Number: 2510594
 Project Location: Lea Co, NM
 Sampler's Name: Ethan Rugg, Noah Marquez
 PO #: 21729693

Work Order Comments
 Program: UST/PST PRP Brownfields RRC Superfund
 State of Project:
 Reporting: Level II Level III PST/UST TRRP Level IV
 Deliverables: EDD ADAPT Other:

Sample Identification	Depth (ft bgs)	Date	Time	Soil	Water	Grab/Comp	# of Cont	ANALYSIS REQUEST				Preservative Codes
								BTEX 8021B	TPH 8015M (GRO + DRO + MRO)	Chloride 4500		
CS-1	4ft	2/27/2026	9:00	X		Comp	1	X	X	X		None: NO DI Water: H ₂ O
CS-2	4ft	2/27/2026	9:02	X		Comp	1	X	X	X		Cool: Cool MeOH: Me
CS-3	4ft	2/27/2026	9:04	X		Comp	1	X	X	X		HCL: HC HNO ₃ : HN
CS-4	4ft	2/27/2026	9:06	X		Comp	1	X	X	X		H ₂ SO ₄ : H ₂ NaOH: Na
CS-5	4ft	2/27/2026	9:08	X		Comp	1	X	X	X		H ₃ PO ₄ : HP NaHSO ₄ : NABIS
CS-6	4ft	2/27/2026	9:10	X		Comp	1	X	X	X		Na ₂ S ₂ O ₅ : NaSO ₃ Zn Acetate+NaOH: Zn
CS-7	4ft	2/27/2026	9:12	X		Comp	1	X	X	X		NaOH+Ascorbic Acid: SAPC
CS-8	4ft	2/27/2026	9:14	X		Comp	1	X	X	X		
CS-9	4ft	2/27/2026	9:16	X		Comp	1	X	X	X		
CS-10	4ft	2/27/2026	9:18	X		Comp	1	X	X	X		

Additional Comments: *Customer requested depth changes. 2/29/2026
 CS ADDITIONAL - 12/1

Notice: Signature of this document and relinquishment of samples constitutes a valid purchase order from client company to Xenco, its affiliates and subcontractors. It assigns standard terms and conditions of service. Xenco will be liable only for the cost of samples and shall not assume any responsibility for any losses or expenses incurred by the client if such losses are due to circumstances beyond the control of Xenco. A minimum charge of \$85.00 will be applied to each project and a charge of \$5 for each sample submitted to Xenco, but not analyzed. These terms will be enforced unless previously negotiated.

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
Ethan Rugg	<i>[Signature]</i>	2-27-26 11:32			



Chain of Custody

Work Order No: 14861119

Page 2 of 3

Page 31 of 32

Project Manager:	Michael Collier	Bill to: (if different)	
Company Name:	NTG Environmental	Company Name:	<u>Dawson</u>
Address:	209 W McKay St	Address:	
City, State ZIP:	Carlsbad, NM 88220	City, State ZIP:	
Phone:	432-701-2159	Email:	

Work Order Comments	
Program: UST/PST	<input type="checkbox"/> PRP <input type="checkbox"/> Brownfields <input type="checkbox"/> RRC <input type="checkbox"/> Superfund
State of Project:	
Reporting Level II	<input type="checkbox"/> Level III <input type="checkbox"/> PST/UST <input type="checkbox"/> TRRP <input type="checkbox"/> Level IV <input type="checkbox"/>
Deliverables: EDD	<input type="checkbox"/> ADAPT <input type="checkbox"/> Other:

Project Name:	Bell Lake 19 CTB 3	Turn Around	<input checked="" type="checkbox"/> Routine <input type="checkbox"/> Rush	Pres. Code	
Project Number:	2510594	Due Date:			
Project Location:	Lea Co. NM	TAT starts the day received by the lab, if received by 4:30pm			
Sampler's Name:	Ethan Rugg, Noah Marquez	Well Ice:	<input checked="" type="checkbox"/> No <input type="checkbox"/> Yes		
PO #:	21729693	Thermometer ID:	<u>140</u>		
SAMPLE RECEIPT	Temp Blank:	Correction Factor:	<u>1.012</u>		
	Received Intact:	Sample Custody Seals:	Temperature Reading:	<u>8.9°C</u>	
	Cooler Custody Seals:	Total Containers:	Corrected Temperature:	<u>3.0°C</u>	
	Sample Custody Seals:				

Sample Identification	Depth (ft bgs)	Date	Time	Soil	Water	Grab/Comp	# of Cont	ANALYSIS REQUEST	Preservative Codes	Sample Comments
CS-11	4ft	2/27/2026	9:20	X		Comp	1	BTEX 8021B	None: NO	
CS-12	4ft	2/27/2026	9:22	X		Comp	1	TPH 8015M (GRO + DRO + MRO)	DI Water: H ₂ O	
SW-1	0-0.5ft	2/27/2026	9:24	X		Comp	1	Chloride 4500	Cool: Cool	
SW-2	0-0.5ft	2/27/2026	9:26	X		Comp	1		HCL HC	MeOH: Me
SW-3	0-0.5ft	2/27/2026	9:28	X		Comp	1		HNO ₃ : HN	
SW-4	0-0.5ft	2/27/2026	9:30	X		Comp	1		H ₂ SO ₄ : H ₂	NaOH: Na
SW-5	0-0.5ft	2/27/2026	9:32	X		Comp	1		H ₃ PO ₄ : HP	
SW-6	0-0.5ft	2/27/2026	9:34	X		Comp	1		NaHSO ₄ : NABIS	
SW-7	0-0.5ft	2/27/2026	9:36	X		Comp	1		Na ₂ S ₂ O ₅ : NaSO ₅	
SW-8	0-0.5ft	2/27/2026	9:38	X		Comp	1		Zn Acetate+NaOH: Zn	
									NaOH+Ascorbic Acid: SAPC	

Additional Comments:

Notice: Signature of this document and relinquishment of samples constitutes a valid purchase order from client company to Xenco, its affiliates and subcontractors. It assigns standard terms and conditions of service. Xenco will be liable only for the cost of samples and shall not assume any responsibility for any losses or expenses incurred by the client if such losses are due to circumstances beyond the control of Xenco. A minimum charge of \$85.00 will be applied to each project and a charge of \$5 for each sample submitted to Xenco, but not analyzed. These terms will be enforced unless previously negotiated.

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
Ethan Rugg	<u>Dawson</u>	<u>8:27:36</u>			<u>11:32</u>
3					4
5					6

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS

Action 565244

QUESTIONS

Operator: DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID: 6137
	Action Number: 565244
	Action Type: [C-141] Deferral Request C-141 (C-141-v-Deferral)

QUESTIONS

Prerequisites	
Incident ID (n#)	nAPP2528742684
Incident Name	NAPP2528742684 BELL LAKE 19 CTB 3 @ FAPP2123636889
Incident Type	Produced Water Release
Incident Status	Deferral Request Received
Incident Facility	[fAPP2123636889] BELL LAKE 19 CTB 3

Location of Release Source	
<i>Please answer all the questions in this group.</i>	
Site Name	BELL LAKE 19 CTB 3
Date Release Discovered	10/09/2025
Surface Owner	State

Incident Details	
<i>Please answer all the questions in this group.</i>	
Incident Type	Produced Water Release
Did this release result in a fire or is the result of a fire	No
Did this release result in any injuries	No
Has this release reached or does it have a reasonable probability of reaching a watercourse	No
Has this release endangered or does it have a reasonable probability of endangering public health	No
Has this release substantially damaged or will it substantially damage property or the environment	No
Is this release of a volume that is or may with reasonable probability be detrimental to fresh water	No

Nature and Volume of Release	
<i>Material(s) released, please answer all that apply below. Any calculations or specific justifications for the volumes provided should be attached to the follow-up C-141 submission.</i>	
Crude Oil Released (bbls) Details	Not answered.
Produced Water Released (bbls) Details	Cause: Corrosion Flow Line - Production Produced Water Released: 16 BBL Recovered: 13 BBL Lost: 3 BBL.
Is the concentration of chloride in the produced water >10,000 mg/l	Yes
Condensate Released (bbls) Details	Not answered.
Natural Gas Vented (Mcf) Details	Not answered.
Natural Gas Flared (Mcf) Details	Not answered.
Other Released Details	Not answered.
Are there additional details for the questions above (i.e. any answer containing Other, Specify, Unknown, and/or Fire, or any negative lost amounts)	Pinhole leak allowed fluids to be released to pad surface.

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 2

Action 565244

QUESTIONS (continued)

Operator: DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID: 6137
	Action Number: 565244
	Action Type: [C-141] Deferral Request C-141 (C-141-v-Deferral)

QUESTIONS

Nature and Volume of Release (continued)	
Is this a gas only submission (i.e. only significant Mcf values reported)	No, according to supplied volumes this does not appear to be a "gas only" report.
Was this a major release as defined by Subsection A of 19.15.29.7 NMAC	No
Reasons why this would be considered a submission for a notification of a major release	<i>Unavailable.</i>

With the implementation of the 19.15.27 NMAC (05/25/2021), venting and/or flaring of natural gas (i.e. gas only) are to be submitted on the C-129 form.

Initial Response

The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury.

The source of the release has been stopped	True
The impacted area has been secured to protect human health and the environment	True
Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices	True
All free liquids and recoverable materials have been removed and managed appropriately	True
If all the actions described above have not been undertaken, explain why	<i>Not answered.</i>

Per Paragraph (4) of Subsection B of 19.15.29.8 NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please prepare and attach a narrative of actions to date in the follow-up C-141 submission. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see Subparagraph (a) of Paragraph (5) of Subsection A of 19.15.29.11 NMAC), please prepare and attach all information needed for closure evaluation in the follow-up C-141 submission.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

I hereby agree and sign off to the above statement	Name: James Raley Title: EHS Professional Email: jim.raley@dvn.com Date: 03/23/2026
--	--

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 3

Action 565244

QUESTIONS (continued)

Operator: DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID: 6137
	Action Number: 565244
	Action Type: [C-141] Deferral Request C-141 (C-141-v-Deferral)

QUESTIONS

Site Characterization

Please answer all the questions in this group (only required when seeking remediation plan approval and beyond). This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

What is the shallowest depth to groundwater beneath the area affected by the release in feet below ground surface (ft bgs)	Between 51 and 75 (ft.)
What method was used to determine the depth to ground water	NM OSE iWaters Database Search
Did this release impact groundwater or surface water	No
What is the minimum distance, between the closest lateral extents of the release and the following surface areas:	
A continuously flowing watercourse or any other significant watercourse	Greater than 5 (mi.)
Any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)	Greater than 5 (mi.)
An occupied permanent residence, school, hospital, institution, or church	Greater than 5 (mi.)
A spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes	Between 1 and 5 (mi.)
Any other fresh water well or spring	Between 1 and 5 (mi.)
Incorporated municipal boundaries or a defined municipal fresh water well field	Greater than 5 (mi.)
A wetland	Greater than 5 (mi.)
A subsurface mine	Greater than 5 (mi.)
An (non-karst) unstable area	Greater than 5 (mi.)
Categorize the risk of this well / site being in a karst geology	Low
A 100-year floodplain	Greater than 5 (mi.)
Did the release impact areas not on an exploration, development, production, or storage site	No

Remediation Plan

Please answer all the questions that apply or are indicated. This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

Requesting a remediation plan approval with this submission	Yes
<i>Attach a comprehensive report demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined, pursuant to 19.15.29.11 NMAC and 19.15.29.13 NMAC.</i>	
Have the lateral and vertical extents of contamination been fully delineated	Yes
Was this release entirely contained within a lined containment area	No

Soil Contamination Sampling: (Provide the highest observable value for each, in milligrams per kilograms.)

Chloride (EPA 300.0 or SM4500 Cl B)	16000
TPH (GRO+DRO+MRO) (EPA SW-846 Method 8015M)	82
GRO+DRO (EPA SW-846 Method 8015M)	63
BTEX (EPA SW-846 Method 8021B or 8260B)	0
Benzene (EPA SW-846 Method 8021B or 8260B)	0

Per Subsection B of 19.15.29.11 NMAC unless the site characterization report includes completed efforts at remediation, the report must include a proposed remediation plan in accordance with 19.15.29.12 NMAC, which includes the anticipated timelines for beginning and completing the remediation.

On what estimated date will the remediation commence	02/01/2026
On what date will (or did) the final sampling or liner inspection occur	11/01/2025
On what date will (or was) the remediation complete(d)	12/01/2025
What is the estimated surface area (in square feet) that will be reclaimed	0
What is the estimated volume (in cubic yards) that will be reclaimed	0
What is the estimated surface area (in square feet) that will be remediated	1536
What is the estimated volume (in cubic yards) that will be remediated	281

These estimated dates and measurements are recognized to be the best guess or calculation at the time of submission and may (be) change(d) over time as more remediation efforts are completed.

The OCD recognizes that proposed remediation measures may have to be minimally adjusted in accordance with the physical realities encountered during remediation. If the responsible party has any need to significantly deviate from the remediation plan proposed, then it should consult with the division to determine if another remediation plan submission is required.

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 4

Action 565244

QUESTIONS (continued)

Operator: DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID: 6137
	Action Number: 565244
	Action Type: [C-141] Deferral Request C-141 (C-141-v-Deferral)

QUESTIONS

Remediation Plan (continued)

Please answer all the questions that apply or are indicated. This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

This remediation will (or is expected to) utilize the following processes to remediate / reduce contaminants:

(Select all answers below that apply.)

(Ex Situ) Excavation and off-site disposal (i.e. dig and haul, hydrovac, etc.)	Yes
Which OCD approved facility will be used for off-site disposal	fEEM0112334510 HALFWAY DISPOSAL AND LANDFILL
OR which OCD approved well (API) will be used for off-site disposal	Not answered.
OR is the off-site disposal site, to be used, out-of-state	Not answered.
OR is the off-site disposal site, to be used, an NMED facility	Not answered.
(Ex Situ) Excavation and on-site remediation (i.e. On-Site Land Farms)	Not answered.
(In Situ) Soil Vapor Extraction	Not answered.
(In Situ) Chemical processing (i.e. Soil Shredding, Potassium Permanganate, etc.)	Not answered.
(In Situ) Biological processing (i.e. Microbes / Fertilizer, etc.)	Not answered.
(In Situ) Physical processing (i.e. Soil Washing, Gypsum, Disking, etc.)	Not answered.
Ground Water Abatement pursuant to 19.15.30 NMAC	Not answered.
OTHER (Non-listed remedial process)	Not answered.

Per Subsection B of 19.15.29.11 NMAC unless the site characterization report includes completed efforts at remediation, the report must include a proposed remediation plan in accordance with 19.15.29.12 NMAC, which includes the anticipated timelines for beginning and completing the remediation.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

I hereby agree and sign off to the above statement	Name: James Raley Title: EHS Professional Email: jim.raley@dvn.com Date: 03/23/2026
--	--

The OCD recognizes that proposed remediation measures may have to be minimally adjusted in accordance with the physical realities encountered during remediation. If the responsible party has any need to significantly deviate from the remediation plan proposed, then it should consult with the division to determine if another remediation plan submission is required.

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 5

Action 565244

QUESTIONS (continued)

Operator: DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID: 6137
	Action Number: 565244
	Action Type: [C-141] Deferral Request C-141 (C-141-v-Deferral)

QUESTIONS

Deferral Requests Only	
<i>Only answer the questions in this group if seeking a deferral upon approval this submission. Each of the following items must be confirmed as part of any request for deferral of remediation.</i>	
Requesting a deferral of the remediation closure due date with the approval of this submission	Yes
Have the lateral and vertical extents of contamination been fully delineated	Yes
Is the remaining contamination in areas immediately under or around production equipment where remediation could cause a major facility deconstruction	Yes
Please list or describe the production equipment and how (re)moving the equipment would cause major facility deconstruction	The impacted soils are around 3 separator vessels and the associated infrastructure.
What is the remaining surface area (in square feet) that will still need to be remediated if a deferral is granted	1536
What is the remaining volume (in cubic yards) that will still need to be remediated if a deferral is granted	281
<i>Per Paragraph (2) of Subsection C of 19.15.29.12 NMAC if contamination is located in areas immediately under or around production equipment such as production tanks, wellheads and pipelines where remediation could cause a major facility deconstruction, the remediation, restoration and reclamation may be deferred with division written approval until the equipment is removed during other operations, or when the well or facility is plugged or abandoned, whichever comes first.</i>	
Enter the facility ID (f#) on which this deferral should be granted	fAPP2123546474 RAILSPLITTER 15 CTB 6
Enter the well API (30-) on which this deferral should be granted	Not answered.
Contamination does not cause an imminent risk to human health, the environment, or groundwater	True
<i>Per Subsection B of 19.15.29.11 NMAC unless the site characterization report includes completed efforts at remediation, the report must include a proposed remediation plan in accordance with 19.15.29.12 NMAC, which includes the anticipated timelines for beginning and completing the remediation.</i>	
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.	
I hereby agree and sign off to the above statement	Name: James Raley Title: EHS Professional Email: jim.raley@dvni.com Date: 03/23/2026

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505**

QUESTIONS, Page 6

Action 565244

QUESTIONS (continued)

Operator: DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID: 6137
	Action Number: 565244
	Action Type: [C-141] Deferral Request C-141 (C-141-v-Deferral)

QUESTIONS

Sampling Event Information	
Last sampling notification (C-141N) recorded	557535
Sampling date pursuant to Subparagraph (a) of Paragraph (1) of Subsection D of 19.15.29.12 NMAC	02/27/2026
What was the (estimated) number of samples that were to be gathered	21
What was the sampling surface area in square feet	2290

Remediation Closure Request

Only answer the questions in this group if seeking remediation closure for this release because all remediation steps have been completed.

Requesting a remediation closure approval with this submission	No
--	-----------

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/oecd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 565244

CONDITIONS

Operator: DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID: 6137
	Action Number: 565244
	Action Type: [C-141] Deferral Request C-141 (C-141-v-Deferral)

CONDITIONS

Created By	Condition	Condition Date
rhamlet	Devon's deferral requests final remediation for (Incident Number NAPP2528742684) until final reclamation of the well pad/facility or major construction, whichever comes first. NTG Environmental and Devon do not believe deferral will result in imminent risk to human health, the environment, or groundwater. The impacted soil is the area designated as "Area of Deferral" on the Area of Deferral Map that is limited to areas directly underneath production equipment, where remediation would require major facility deconstruction. At this time, OCD approves this request. The Deferral Request and C-141 will be accepted for record and placed in the incident file. The release will remain open in OCD database files and reflect an open environmental issue.	3/23/2026
rhamlet	A couple quick points. Please, do not title a report "Remediation Closure Report and Deferral Request". They are completely different reports and should not be included together. It's one or the other. Also, depth to groundwater for 51-100' is 10,000 mg/kg for chlorides. Some of the tables say 20,000 mg/kg, which is incorrect for that depth to groundwater.	3/23/2026