Spill Calculation Sheet

Date & Time Of Spill >>>>>>>

Spill Location >>>>>>>>>>>>>

Porosity Factors

Caliche	0.03%	**Sand**	0.20%
Clay	0.05%	**Gravel**	0.25%
Clay \ Sand	0.15%	**Unknown**	0.25%

(Use 1.0 If No Porosity - Total Fluid)

Depth Factors (inches)

Light Mist	0.000008	**1/2**	0.041667	**7**	0.583333	**15**	1.250000
Medium Mist	0.000080	**3/4**	0.062500	**8**	0.666666	**16**	1.333333
Heavy Mist	0.000830	**1**	0.083333	**9**	0.750000	**17**	1.416667
Skim	0.002604	**2**	0.166666	**10**	0.833333	**18**	1.500000
1/12	0.006944	**3**	0.250000	**11**	0.916666	**19**	1.583333
1/16	0.005208	**4**	0.333333	**12**	1.000000	**20**	1.666667
1/8	0.010416	**5**	0.416666	**13**	1.08333		
1/4	0.020803	**6**	0.500000	**14**	1.16667		

(NOTE: For spills greater than on foot of depth use 12 inches as your depth, then multiply by the number feet of actual depth.)

Spill Calculations

Square Feet		Depth		Porosity		Volume	
	X		X		=	0	pooled fluid
0	X	0	X		=	0	pooled fluid
0	X	0	X		=	0	pooled fluid
0	X	0	X		=	0	pooled fluid
0	X	0	X		=	0	pooled fluid
0	X	0	X		=	0	pooled fluid
0	X	0	X		=	0	pooled fluid
0	X	0	X		=	0	pooled fluid
0	X	0	X		=	0	pooled fluid
0	X	0	X		=	0	pooled fluid
352	X	0.333333	X	0.03	=	0.62684697	porosity calc.
600	X	0.333333	X	0.03	=	1.06848915	porosity calc.
0	X	0	X	0	=	0	porosity calc.
0	X	0	X	0	=	0	porosity calc.
0	X	0	X	0	=	0	porosity calc.

Total Spill	1.695336126
Recovered	0
Total Less Recovered	1.695336126
H2O %	50
Total H2O	0.847668063
Total Oil	0.847668063

Water %

Tests	H2O %
Test #1	50
Test #2	50
Test #3	50
Test #4	50
Test #5	50
Total	250
Avg.	50

Site Characterization and Remediation Workplan
A-7-8 Pipeline Release
nAPP2601343850
32.4948084, -103.1582952
E-10-21S-37E

Introduction

Standard Safety and Supply (Standard) on behalf of ET Gathering & Processing, LLC. (ET) is pleased to submit this Site Characterization and Remediation Workplan. Based on the Notification of Release the spill was discovered on January 6, 2026, and was attributed to pipeline failure. There was an approximate net loss of one (1) barrel (bbls) of crude oil and one (1) MCF of natural gas. Attachment B: Figure 1 depicts the Site with respect to the nearest town and Figure 2 depicts the topographic features in the area.

Site Characterization

Based on a site characterization desktop review the area is within a Low Karst area. Furthermore, there are no receptors [significant watercourse, lakebed, playa, sinkhole, an occupied residence, school, hospital, institution, church, freshwater spring for domestic or stock watering purposes, other fresh water well/spring, municipal water boundary, wetland, subsurface mine, and/or an unstable area] within the specified distance set forth in the New Mexico Administrative Code 19.15.29.12. A groundwater determination bore (CP-02104) was drilled within a ½ mile radius of the site to a depth of fifty-five (55) feet below ground surface (bgs). The well was left open for 72hrs then gauged to determine the presence or absence of groundwater. No groundwater was encountered during the measurement event therefore the following closure criteria will be used.

	NMAC Closure Criteria Remediation and Reclamation				
depths in feet (ft)	Benzene	BTEX	TPH (GRO-DRO)	TPH (GRO-DRO-MRO)	Chloride
0-4 (ft)	10 mg/kg	50 mg/kg	---*	100 mg/kg	600 mg/kg
>4ft	10 mg/kg	50 mg/kg	1,000 mg/kg	2,500 mg/kg	10,000 mg/kg
	* value must not exceed TPH (GRP-DRO-MRO) value				

The documentation used to characterize the site can be found in the report under Attachment C: Site Characterization.

Initial Assessment

Between January 10 and January 14, 2026 Standard performed an initial assessment to characterize impacts. Nine (9) horizontal sample points (H-1 to H-9) were collected at surface (0) depth. Twenty-two (22) vertical samples points (V-1 to V-23) were collected from surface (0) to forty (forty) ft bgs in one (1) ft intervals utilizing an air rotary rig. Standard was unable to collect one sample (V-19) due to the air rotary rig experiencing mechanical failure on January 14, 2026. Soil samples were placed into lab provided containers, onto ice then transported to Cardinal in Hobbs, New Mexico, for the analysis of benzene, toluene, ethylbenzene, and xylenes (BTEX 8021B), Total Petroleum Hydrocarbons (TPH 8015M) and chloride (4500-Cl-B). Proper chain-of-custody was followed during the collection and delivery of the samples to the laboratory. Analytical results indicated that vertical and horizontal delineation was achieved.

The delineation data can be found in this report under Attachment A: Table 1 Delineation Assessment Analytical Data Table and the lab report and chain of custody can be found under Attachment E: Laboratory Analytical Method Documentation with Chain-of-Custody

The delineation sample locations are located under Attachment B: Figure 3 Delineation Assessment Map while photographs of the impacted area are under Attachment D: Photographic Log.

Proposed Remedial Action Activities

Based on the assessment performed Standard proposes the following:

- Excavate the areas of V-1 and V-3 to two (2) ft bgs
- Excavate the areas of V-2 to seven (7) ft bgs
- Excavate the areas of V-16 to four (4) ft bgs

There are approximately four hundred and eighty-four (484) cubic yards of impacted material that will be excavated and transported off to the closest approved disposal facility. The Proposed Excavation Map is located under Attachment B: Figure 4 Proposed Excavation Map

Closing

If you have any questions regarding the Site Characterization and Remediation Workplan for [nAPP2601343850] – A-7-8 Pipeline Release, please contact us at the following:

Address: 2524 Trunk St, Odessa TX 79761
Contact: 254-266-5456

Attachments

- Attachment A: Analytical Data Tables
    1. Table 1: Delineation Assessment Analytical Data Table
- Attachment B: Figures
    1. Site Location Map
    2. Topographic Map
    3. Delineation Assessment Map
    4. Proposed Excavation Map
- Attachment C: Site Characterization
    1. OCD Well map and Karst Potential
    2. OSE POD
    3. Well Log
    4. Open Environment Wetlands
    5. Wetlands Inventory
    6. National Flood Hazard Layer
- Attachment D: Photographic Documentation
- Attachment E: Laboratory Analytical Method Documentation with Chain-of-Custody

ATTACHEMENT A: ANALYTICAL DATA TABLES

Table 1: Delineation Assessment Analytical Data Table
Energy Transfer
A78 Highway Line
Lea County, New Mexico

STANDARD SAFETY & SUPPLY			Chloride	TPH Total (C6-C35)	GRO (C6-C12)	DRO (C12-C28)	GRO+DRO (C6-C28)	MRO (C28-C35)	Benzene	Toluene	Ethylbenzene	Xylenes	BTEX
Remediation and Reclamation Limits (GW 51-100ft)			10,000 mg/Kg	2,500 mg/Kg	---***	---***	1,000 mg/Kg	---****	10 mg/Kg	---*	---*	---*	50 mg/Kg
Reclamation Limits (0-4ft)			600 mg/Kg	100 mg/Kg	---**	---**	---**	---**	10 mg/Kg	---*	---*	---*	50 mg/Kg
Sample ID	Depth (ft)	Date											
V-1	0	1/14/2026	**5,760**	**16,450**	**4,440**	**10,600**	**15,040**	**1,410**	**30.0**	**173**	**112**	**222**	**536**
	1	1/14/2026	**1,520**	**723.5**	**234**	**437**	**671**	**52.5**	**1.61**	**10.8**	**10.2**	**22.6**	**45.2**
	2	1/14/2026	**112**	**29.0**	**10.9**	**18.1**	**29.0**	<10.0	<0.050	**0.272**	**0.439**	**1.13**	**1.84**
	3	1/14/2026	**32.0**	**11.0**	<10.0	**11.0**	**11.0**	<10.0	<0.050	<0.050	**0.094**	**0.172**	<0.300
	4	1/14/2026	**16.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	5	1/14/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	10	1/14/2026	**112**	**26.9**	<10.0	**26.9**	**26.9**	<10.0	<0.050	**0.096**	**0.119**	**0.307**	**0.521**
	15	1/14/2026	**32.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	20	1/14/2026	**16.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	25	1/14/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	30	1/14/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	35	1/14/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	40	1/14/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
V-2	4	1/10/2026	**3,160**	**20,830**	**7,710**	**11,800**	**19,510**	**1,320**	**68.6**	**240**	**113**	**229.0**	**651**
	5	1/10/2026	**384**	**1,495**	**368**	**965**	**1,333**	**162**	**3.01**	**18.4**	**14.4**	**32.0**	**67.8**
	10	1/10/2026	**64.0**	**84.6**	<10.0	**70.9**	**70.9**	**13.7**	**0.053**	**0.167**	**0.092**	**0.234**	**0.547**
	15	1/11/2026	**48.0**	**12.2**	<10.0	**12.2**	**12.2**	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	20	1/12/2026	**192**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	25	1/12/2026	**176**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	30	1/12/2026	**96.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	35	1/12/2026	**64.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	40	1/12/2026	**64.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
V-3	0-0.5	1/13/2026	**432**	**1,533**	**76.0**	**1,230**	**1,306**	**227**	**0.062**	**0.463**	**0.651**	**1.94**	**3.12**
	1	1/13/2026	**160**	**113.3**	**28.6**	**72.0**	**101**	**12.7**	**0.303**	**0.462**	**0.403**	**1.61**	**2.78**
	2	1/13/2026	**144**	**12.1**	**12.1**	<10.0	**12.1**	<10.0	**0.050**	**0.134**	**0.201**	**0.608**	**0.993**
	3	1/13/2026	**96.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	4	1/13/2026	**64.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	5	1/13/2026	**64.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	10	1/13/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	15	1/13/2026	**32.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	20	1/13/2026	**48.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	25	1/13/2026	**16.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	30	1/13/2026	**16.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	35	1/13/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	40	1/13/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300

Table 1: Delineation Assessment Analytical Data Table
Energy Transfer
A78 Highway Line
Lea County, New Mexico

STANDARD SAFETY & SUPPLY			Chloride	TPH Total (C6-C35)	GRO (C6-C12)	DRO (C12-C28)	GRO+DRO (C6-C28)	MRO (C28-C35)	Benzene	Toluene	Ethylbenzene	Xylenes	BTEX
Remediation and Reclamation Limits (GW 51-100ft)			10,000 mg/Kg	2,500 mg/Kg	---***	---***	1,000 mg/Kg	---****	10 mg/Kg	---*	---*	---*	50 mg/Kg
Reclamation Limits (0-4ft)			600 mg/Kg	100 mg/Kg	---**	---**	---**	---**	10 mg/Kg	---*	---*	---*	50 mg/Kg
Sample ID	Depth (ft)	Date											
V-4	4	1/10/2026	**208**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	5	1/10/2026	**160**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	10	1/10/2026	**160**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	15	1/12/2026	**112**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	20	1/12/2026	**144**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	25	1/12/2026	**144**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	30	1/12/2026	**16.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	35	1/12/2026	**32.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	40	1/12/2026	**16.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
V-5	4	1/10/2026	**64.0**	**41.8**	<10.0	**41.8**	**41.8**	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	5	1/10/2026	**112**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	10	1/10/2026	**128**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	15	1/12/2026	**192**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	20	1/12/2026	**320**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	25	1/12/2026	**448**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	30	1/12/2026	**192**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	35	1/12/2026	**96.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	40	1/12/2026	**64.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
V-6	4	1/12/2026	**128**	**17.7**	<10.0	**17.7**	**17.7**	<10.0	<0.050	**0.063**	**0.068**	**0.253**	**0.385**
	5	1/12/2026	**48.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	10	1/12/2026	**64.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	15	1/12/2026	**16.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	20	1/12/2026	**32.0**	**57.7**	<10.0	**42.6**	**42.6**	**15.1**	<0.050	<0.050	<0.050	<0.150	<0.300
	25	1/12/2026	**32.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	30	1/12/2026	**16.0**	**28.9**	<10.0	**18.9**	**18.9**	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	35	1/12/2026	**16.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	40	1/12/2026	**16.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
V-7	1-2	1/12/2026	**112**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	3	1/12/2026	**112**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	4	1/12/2026	**80.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	5	1/12/2026	**48.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	10	1/12/2026	**16.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	15	1/12/2026	**48.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	20	1/12/2026	**48.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	25	1/12/2026	**80.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	30	1/12/2026	**32.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	35	1/12/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	40	1/12/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300

Table 1: Delineation Assessment Analytical Data Table
Energy Transfer
A78 Highway Line
Lea County, New Mexico

STANDARD SAFETY & SUPPLY			Chloride	TPH Total (C6-C35)	GRO (C6-C12)	DRO (C12-C28)	GRO+DRO (C6-C28)	MRO (C28-C35)	Benzene	Toluene	Ethylbenzene	Xylenes	BTEX
Remediation and Reclamation Limits (GW 51-100ft)			10,000 mg/Kg	2,500 mg/Kg	---***	---***	1,000 mg/Kg	---****	10 mg/Kg	---*	---*	---*	50 mg/Kg
Reclamation Limits (0-4ft)			600 mg/Kg	100 mg/Kg	---**	---**	---**	---**	10 mg/Kg	---*	---*	---*	50 mg/Kg
Sample ID	Depth (ft)	Date											
V-8	0-0.5	1/13/2026	**16.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	1	1/13/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	2	1/13/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	3	1/13/2026	<16.0	**10.4**	<10.0	**10.4**	**10.4**	<10.0	<0.050	<0.050	**0.059**	**0.192**	<0.300
	4	1/13/2026	**16.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	5	1/13/2026	**16.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	10	1/13/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	15	1/13/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	20	1/13/2026	**32.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	25	1/13/2026	**64.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	30	1/13/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	35	1/13/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	40	1/13/2026	**32.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
V-9	1	1/12/2026	**128**	**77.7**	**21.1**	**46.6**	**67.7**	<10.0	<0.050	**0.201**	**0.336**	**1.16**	**1.70**
	2	1/12/2026	**32.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	3	1/12/2026	**80.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	4	1/12/2026	**48.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	5	1/12/2026	**32.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	10	1/12/2026	**64.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	15	1/12/2026	**112**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	20	1/12/2026	**144**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	25	1/12/2026	**160**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	30	1/12/2026	**96.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	35	1/12/2026	**96.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	40	1/12/2026	**48.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
V-10	0-0.5	1/13/2026	<16.0	**13.6**	<10.0	**13.6**	**13.6**	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	1	1/13/2026	<16.0	**28.7**	<10.0	**28.7**	**28.7**	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	2	1/13/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	3	1/13/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	4	1/13/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	5	1/13/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	10	1/13/2026	**16.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	15	1/13/2026	**16.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	20	1/13/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	25	1/13/2026	**16.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	30	1/13/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
V-11	3	1/10/2026	**64.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	4	1/10/2026	**64.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	5	1/10/2026	**64.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	10	1/10/2026	**32.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300

Table 1: Delineation Assessment Analytical Data Table
Energy Transfer
A78 Highway Line
Lea County, New Mexico

STANDARD SAFETY & SUPPLY			Chloride	TPH Total (C6-C35)	GRO (C6-C12)	DRO (C12-C28)	GRO+DRO (C6-C28)	MRO (C28-C35)	Benzene	Toluene	Ethylbenzene	Xylenes	BTEX
Remediation and Reclamation Limits (GW 51-100ft)			10,000 mg/Kg	2,500 mg/Kg	---***	---***	1,000 mg/Kg	---****	10 mg/Kg	---*	---*	---*	50 mg/Kg
Reclamation Limits (0-4ft)			600 mg/Kg	100 mg/Kg	---**	---**	---**	---**	10 mg/Kg	---*	---*	---*	50 mg/Kg
Sample ID	Depth (ft)	Date											
V-12	3	1/14/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	4	1/14/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	**0.120**	**0.259**	**0.075**	<0.150	**0.555**
V-13	0	1/14/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	1	1/14/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	2	1/14/2026	**32.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	3	1/14/2026	**32.0**	**13.8**	<10.0	**13.8**	**13.8**	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	4	1/14/2026	**32.0**	**16.2**	<10.0	**16.2**	**16.2**	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	5	1/14/2026	**16.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	10	1/14/2026	**32.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	15	1/14/2026	**32.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	20	1/14/2026	**64.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	25	1/14/2026	**48.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	30	1/14/2026	**32.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	35	1/14/2026	**32.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	40	1/14/2026	**16.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
V-14	0-0.5	1/13/2026	**32.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	1	1/13/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	2	1/13/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	3	1/13/2026	**48.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	4	1/13/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	5	1/13/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	10	1/13/2026	**32.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	15	1/13/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	20	1/13/2026	**32.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	25	1/13/2026	**32.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	30	1/13/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	35	1/13/2026	**32.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	40	1/13/2026	**32.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300

Table 1: Delineation Assessment Analytical Data Table
Energy Transfer
A78 Highway Line
Lea County, New Mexico

STANDARD SAFETY & SUPPLY			Chloride	TPH Total (C6-C35)	GRO (C6-C12)	DRO (C12-C28)	GRO+DRO (C6-C28)	MRO (C28-C35)	Benzene	Toluene	Ethylbenzene	Xylenes	BTEX
Remediation and Reclamation Limits (GW 51-100ft)			10,000 mg/Kg	2,500 mg/Kg	---***	---***	1,000 mg/Kg	---****	10 mg/Kg	---*	---*	---*	50 mg/Kg
Reclamation Limits (0-4ft)			600 mg/Kg	100 mg/Kg	---**	---**	---**	---**	10 mg/Kg	---*	---*	---*	50 mg/Kg
Sample ID	Depth (ft)	Date											
V-15	0-0.5	1/13/2026	**32.0**	**22.1**	<10.0	**22.1**	**22.1**	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	1	1/13/2026	**32.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	2	1/13/2026	**64.0**	**36.6**	<10.0	**36.6**	**36.6**	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	3	1/13/2026	**16.0**	**20.0**	<10.0	**20.0**	**20.0**	<10.0	<0.050	<0.050	**0.107**	**0.327**	**0.434**
	4	1/13/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	5	1/13/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	10	1/13/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	15	1/13/2026	**96.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	20	1/13/2026	**64.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	25	1/13/2026	**16.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	30	1/13/2026	**16.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	35	1/13/2026	**16.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	40	1/13/2026	**32.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
V-16	3	1/14/2026	**1,470**	**12,333**	**3,920**	**7,460**	**11,380**	**953**	**28.0**	**154**	**100**	**213**	**495**
	4	1/14/2026	**464**	**127**	**19.5**	**97.1**	**116.6**	**10.4**	<0.050	**0.382**	**0.606**	**1.68**	**2.66**
	5	1/14/2026	**96.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
V-17	0-0.5	1/13/2026	**32.0**	**12.4**	<10.0	**12.4**	**12.4**	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	1	1/13/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	2	1/13/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	3	1/13/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	4	1/13/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	5	1/13/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	10	1/13/2026	**16.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	15	1/13/2026	**48.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	20	1/13/2026	**224**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	25	1/13/2026	**272**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	30	1/13/2026	**128**	**59.5**	<10.0	**36.3**	**36.3**	**23.2**	<0.050	<0.050	<0.050	<0.150	<0.300
	34	1/13/2026	**48.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300

Table 1: Delineation Assessment Analytical Data Table
Energy Transfer
A78 Highway Line
Lea County, New Mexico

STANDARD SAFETY & SUPPLY			Chloride	TPH Total (C6-C35)	GRO (C6-C12)	DRO (C12-C28)	GRO+DRO (C6-C28)	MRO (C28-C35)	Benzene	Toluene	Ethylbenzene	Xylenes	BTEX
Remediation and Reclamation Limits (GW 51-100ft)			10,000 mg/Kg	2,500 mg/Kg	---***	---***	1,000 mg/Kg	---****	10 mg/Kg	---*	---*	---*	50 mg/Kg
Reclamation Limits (0-4ft)			600 mg/Kg	100 mg/Kg	---**	---**	---**	---**	10 mg/Kg	---*	---*	---*	50 mg/Kg
Sample ID	Depth (ft)	Date											
V-18	0-0.5	1/14/2026	**32.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	1	1/14/2026	**16.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	2	1/14/2026	**32.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	3	1/14/2026	**16.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	4	1/14/2026	**16.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	5	1/14/2026	**16.0**	**22.6**	<10.0	**22.6**	**22.6**	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	10	1/14/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	15	1/14/2026	**80.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	20	1/14/2026	**64.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	25	1/14/2026	**80.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	30	1/14/2026	**80.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	35	1/14/2026	**48.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	40	1/14/2026	**48.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
V-20	0	1/14/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	1	1/14/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	2	1/14/2026	**32.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	3	1/14/2026	**64.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	4	1/14/2026	**32.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	5	1/14/2026	**96.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	10	1/14/2026	**112**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	15	1/14/2026	**176**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	20	1/14/2026	**192**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	25	1/14/2026	**96.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	30	1/14/2026	**96.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	35	1/14/2026	**48.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	40	1/14/2026	**48.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
V-21	0	1/14/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	1	1/14/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	2	1/14/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	3	1/14/2026	**16.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	4	1/14/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	5	1/14/2026	**32.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	10	1/14/2026	**16.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	15	1/14/2026	**64.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	20	1/14/2026	**192**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	25	1/14/2026	**160**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	30	1/14/2026	**144**	**59.5**	<10.0	**36.3**	**36.3**	**23.2**	<0.050	<0.050	<0.050	<0.150	<0.300
	35	1/14/2026	**48.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	40	1/14/2026	**64.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300

Table 1: Delineation Assessment Analytical Data Table
Energy Transfer
A78 Highway Line
Lea County, New Mexico

STANDARD SAFETY & SUPPLY			Chloride	TPH Total (C6-C35)	GRO (C6-C12)	DRO (C12-C28)	GRO+DRO (C6-C28)	MRO (C28-C35)	Benzene	Toluene	Ethylbenzene	Xylenes	BTEX
Remediation and Reclamation Limits (GW 51-100ft)			10,000 mg/Kg	2,500 mg/Kg	---***	---***	1,000 mg/Kg	---****	10 mg/Kg	---*	---*	---*	50 mg/Kg
Reclamation Limits (0-4ft)			600 mg/Kg	100 mg/Kg	---**	---**	---**	---**	10 mg/Kg	---*	---*	---*	50 mg/Kg
Sample ID	Depth (ft)	Date											
V-22	0	1/14/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	1	1/14/2026	**64.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	2	1/14/2026	**80.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	3	1/14/2026	**160**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	4	1/14/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	5	1/14/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	10	1/14/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	15	1/14/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	20	1/14/2026	**32.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	25	1/14/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	30	1/14/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	35	1/14/2026	**16.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	40	1/14/2026	**16.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
V-23	0	1/14/2026	**192**	**29.5**	<10.0	**11.7**	**11.7**	**17.8**	<0.050	<0.050	<0.050	<0.150	<0.300
	1	1/14/2026	**112**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	2	1/14/2026	**64.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	3	1/14/2026	**544**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	4	1/14/2026	**416**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	5	1/14/2026	**256**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	10	1/14/2026	**48.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	15	1/14/2026	**64.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	20	1/14/2026	**64.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	**0.051**	<0.050	<0.150	<0.300
	25	1/14/2026	**32.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	30	1/14/2026	**96.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	35	1/14/2026	**64.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	40	1/14/2026	**96.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300

Table 1: Delineation Assessment Analytical Data Table
Energy Transfer
A78 Highway Line
Lea County, New Mexico

STANDARD SAFETY & SUPPLY			Chloride	TPH Total (C6-C35)	GRO (C6-C12)	DRO (C12-C28)	GRO+DRO (C6-C28)	MRO (C28-C35)	Benzene	Toluene	Ethylbenzene	Xylenes	BTEX
Remediation and Reclamation Limits (GW 51-100ft)			10,000 mg/Kg	2,500 mg/Kg	---***	---***	1,000 mg/Kg	---****	10 mg/Kg	---*	---*	---*	50 mg/Kg
Reclamation Limits (0-4ft)			600 mg/Kg	100 mg/Kg	---**	---**	---**	---**	10 mg/Kg	---*	---*	---*	50 mg/Kg
Sample ID	Depth (ft)	Date											
H-1	0-0.5'	1/10/2026	**16.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
H-2	0-0.5'	1/10/2026	**32.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
H-3	0-0.5'	1/10/2026	**96.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
H-4	0-0.5'	1/10/2026	**16.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
H-5	0-0.5'	1/10/2026	**16.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
H-6	0-0.5'	1/10/2026	**64.0**	**32.2**	<10.0	<10.0	<10.0	**32.2**	<0.050	<0.050	<0.050	<0.150	<0.300
H-7	0-0.5'	1/14/2026	**48.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
H-8	0-0.5'	1/14/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
H-9	0-0.5'	1/14/2026	**48.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300

Notes

1. mg/kg - milligram per kilogram
2. TPH - Total Petroleum Hydrocarbons
3. (CS) - Confirmation Sample
4. (SW) - Sidewall Sample
5. * Indicates Value must be equal to or less than Total BTEX
6.** Indicates that total value must be equal to or less than total TPH
7.*** Indicates that total value must be equal to or less than GRO+DRO total
8.**** Indicates that Total value must be equal or less than total TPH
9. H = Horizontal Sample
10. V= Vertical Sample
11. Remediation Limits
12. Reclamation Limits (0-4ft below ground surface)

ATTACHMENT B: FIGURES



STANDARD SAFETY & SUPPLY

A-7-8 PIPELINE RELEASE
ET GATHERING & PROCESSING, LLC

Figure 1. (Site Location Map)
Release Date: 01/06/2026
Lea County, New Mexico

01/19/2026

Coordinates: 32.4948084,-103.1582952

N



A-7-8 PIPELINE RELEASE
ET GATHERING & PROCESSING, LLC

Figure 2. (Topographic Map)
Release Date: 01/06/2026
Lea County, New Mexico

01/19/2026

Coordinates: 32.4948084,-103.1582952

N



A-7-8 PIPELINE RELEASE
ET GATHERING & PROCESSING, LLC

Figure 3. (Delineation Map)
Release Date: 01/06/2026
Lea County, New Mexico

01/19/2026

Coordinates: 32.4948084,-103.1582952

N



STANDARD SAFETY & SUPPLY

A-7-8 PIPELINE RELEASE
ET GATHERING & PROCESSING, LLC

Figure 4. (Proposed Excavation Map)
Release Date: 01/06/2026
Lea County, New Mexico

01/20/2026

Coordinates: 32.4948084,-103.1582952

N

Proposed Excavation Map

Energy Transfer
Line A-7-8 Pipeline Release
Lea County, New Mexico
32.4948363369, -103.158303725

Area of Yellow: 1,025 sqft x 7ft ~ 266 CY
Area of Blue: 1,238 sqft x 2ft ~ 92 CY
Area of Orange: 300 sqft x 4ft ~ 45 CY
Total Excavated Volume: 403 CY
Total Excavated Volume w/20% Fluff ~ 484 CY

sqft - square feet
CY - Cubic Yard



ATTACHMENT C: SITE CHARACTERIZATION

OCD Well Locations

1/9/2026, 2:21:29 PM

1:2,257

Wells - Large Scale

- Oil, Plugged
- Oil, Active
- Oil, Cancelled

Karst Occurrence Potential

- Low

- PLSS Second Division
- PLSS First Division

0 0.02 0.04 0.09 mi

0 0.04 0.07 0.15 km

BLM, OCD, New Mexico Tech, Microsoft, Vantor, OCD, BLM

New Mexico Oil Conservation Division

Received by OCD: 2/19/2026 9:21:58 AM

- POD Locations
- Open Data
- NMWRRS
- Real Time Measurements
- Acequias
- Plant List
- MRGCD Data Viewer
- Water Data
- Drought
- Aquifer Test Index
- RGIS

Released to Imaging: 3/27/2026 7:26:57 AM

Find address or place

Length 3.204 miles
Area 0.81629 square miles

State Highway 248
Dock Rd
County Road 34
State Highway 18

Vantor | clitzpatrick, mhoe@ucc.on.ca | ESRI, US Census | Esri, Esri Canada, Statistics Canada, Canada Post | Esri Community Maps Contributors, New Mexico State University, Texas Parks & Wildl... Powered by Esri

WELL RECORD & LOG

OFFICE OF THE STATE ENGINEER

www.ose.state.nm.us

1. GENERAL AND WELL LOCATION

OSE POD NO. (WELL NO.)	WELL TAG ID NO.	OSE FILE NO(S).
Pod 1		CP-02104

WELL OWNER NAME(S)	PHONE (OPTIONAL)
ET-S Permian Holdings Co. LP	(432) 238-2142

WELL OWNER MAILING ADDRESS	CITY	STATE	ZIP
303 Veterans Airpark Lane, Suite 5000	Midland	TX	79705

WELL LOCATION (FROM GPS)		DEGREES	MINUTES	SECONDS	
	LATITUDE	32	29	36.6	N
	LONGITUDE	103	09	41.2	W

* ACCURACY REQUIRED: ONE TENTH OF A SECOND
* DATUM REQUIRED: WGS 84

DESCRIPTION RELATING WELL LOCATION TO STREET ADDRESS AND COMMON LANDMARKS – PLSS (SECTION, TOWNSHJIP, RANGE) WHERE AVAILABLE

S9 T21s R37e

2. DRILLING & CASING INFORMATION

LICENSE NO.	NAME OF LICENSED DRILLER	NAME OF WELL DRILLING COMPANY
WD-1862	James Hawley	H&R Enterprises, LLC

DRILLING STARTED	DRILLING ENDED	DEPTH OF COMPLETED WELL (FT)	BORE HOLE DEPTH (FT)	DEPTH WATER FIRST ENCOUNTERED (FT)
1-12-26	1-12-26	55'	55'	N/A

COMPLETED WELL IS: ☐ ARTESIAN *add Centralizer info below ☑ DRY HOLE ☐ SHALLOW (UNCONFINED)

STATIC WATER LEVEL IN COMPLETED WELL (FT): N/A

DATE STATIC MEASURED: 1-20-26

DRILLING FLUID: ☑ AIR ☐ MUD ADDITIVES – SPECIFY:

DRILLING METHOD: ☑ ROTARY ☐ HAMMER ☐ CABLE TOOL ☐ OTHER – SPECIFY:

CHECK HERE IF PITLESS ADAPTER IS INSTALLED ☐

DEPTH (feet bgl) FROM	DEPTH (feet bgl) TO	BORE HOLE DIAM (inches)	CASING MATERIAL AND/OR GRADE (include each casing string, and note sections of screen)	CASING CONNECTION TYPE (add coupling diameter)	CASING INSIDE DIAM. (inches)	CASING WALL THICKNESS (inches)	SLOT SIZE (inches)
0'	55'	6'	No casing left in hole				

3. ANNULAR MATERIAL

DEPTH (feet bgl) FROM	DEPTH (feet bgl) TO	BORE HOLE DIAM. (inches)	LIST ANNULAR SEAL MATERIAL AND GRAVEL PACK SIZE-RANGE BY INTERVAL *(if using Centralizers for Artesian wells- indicate the spacing below)	AMOUNT (cubic feet)	METHOD OF PLACEMENT
			N/A		

FOR OSE INTERNAL USE

WR-20 WELL RECORD & LOG (Version 09/22/2022)

FILE NO.	POD NO.	TRN NO.
LOCATION	WELL TAG ID NO.	PAGE 1 OF 2

4. HYDROGEOLOGIC LOG OF WELL

DEPTH (feet bgl) FROM	DEPTH (feet bgl) TO	THICKNESS (feet)	COLOR AND TYPE OF MATERIAL ENCOUNTERED - INCLUDE WATER-BEARING CAVITIES OR FRACTURE ZONES **(attach supplemental sheets to fully describe all units)**	WATER BEARING? (YES / NO)	ESTIMATED YIELD FOR WATER-BEARING ZONES (gpm)
0'	5'	5'	Caliche	Y ✓ N	
5'	15'	10'	Sand	Y ✓ N	
15'	30'	15'	Sandy Caliche	Y ✓ N	
30'	55'	25'	Sand	Y ✓ N	
				Y N	
				Y N	
				Y N	
				Y N	
				Y N	
				Y N	
				Y N	
				Y N	
				Y N	
				Y N	
				Y N	
				Y N	
				Y N	
				Y N	
				Y N	
				Y N	
				Y N	

METHOD USED TO ESTIMATE YIELD OF WATER-BEARING STRATA:

☐ PUMP ☐ AIR LIFT ☐ BAILER ☑ OTHER – SPECIFY: DTGW Bore

TOTAL ESTIMATED WELL YIELD (gpm): 0.00

5. TEST; RIG SUPERVISION

WELL TEST — TEST RESULTS - ATTACH A COPY OF DATA COLLECTED DURING WELL TESTING, INCLUDING DISCHARGE METHOD, START TIME, END TIME, AND A TABLE SHOWING DISCHARGE AND DRAWDOWN OVER THE TESTING PERIOD.

MISCELLANEOUS INFORMATION: Depth to groundwater bore was gauged for water on 1-20-26 at the ETC A-7-8 Remediation site. DTGW bore was dry. Temporary well casing was removed, bore hole was backfilled with drill cuttings to 10' BGS. Hydrated Bentonite Hole Plug was poured from 10' BGS to surface.

PRINT NAME(S) OF DRILL RIG SUPERVISOR(S) THAT PROVIDED ONSITE SUPERVISION OF WELL CONSTRUCTION OTHER THAN LICENSEE:

Nathan Smelcer

6. SIGNATURE

THE UNDERSIGNED HEREBY CERTIFIES THAT, TO THE BEST OF HIS OR HER KNOWLEDGE AND BELIEF, THE FOREGOING IS A TRUE AND CORRECT RECORD OF THE ABOVE DESCRIBED HOLE AND THAT HE OR SHE WILL FILE THIS WELL RECORD WITH THE STATE ENGINEER AND THE PERMIT HOLDER WITHIN 30 DAYS AFTER COMPLETION OF WELL DRILLING:

James Hawley — 1-20-26

SIGNATURE OF DRILLER / PRINT SIGNEE NAME — DATE

FOR OSE INTERNAL USE — WR-20 WELL RECORD & LOG (Version 09/22/2022)

FILE NO.	POD NO.	TRN NO.
LOCATION	WELL TAG ID NO.	PAGE 2 OF 2

PLUGGING RECORD

NOTE: A Well Plugging Plan of Operations shall be approved by the State Engineer prior to plugging - 19.27.4 NMAC

I. GENERAL / WELL OWNERSHIP:

State Engineer Well Number: CP-02104 Pod 1

Well owner: ET-S Permian Holdings Co. LP Phone No.:

Mailing address: 303 Veterans Airpark Lane, Suite 5000

City: Midland State: TX Zip code: 79705

II. WELL PLUGGING INFORMATION:

1) Name of well drilling company that plugged well: H&R Enterprises, LLC

2) New Mexico Well Driller License No.: WD-1862 Expiration Date: 6/16/27

3) Well plugging activities were supervised by the following well driller(s)/rig supervisor(s):
Nathan Smelcer

4) Date well plugging began: 1-20-26 Date well plugging concluded: 1-20-26

5) GPS Well Location: Latitude: 32 deg, 29 min, 36.6 sec
Longitude: 103 deg, 09 min, 41.2 sec, WGS 84

6) Depth of well confirmed at initiation of plugging as: 55 ft below ground level (bgl),
by the following manner: well sounder

7) Static water level measured at initiation of plugging: Dry ft bgl

8) Date well plugging plan of operations was approved by the State Engineer: 1/15/26

9) Were all plugging activities consistent with an approved plugging plan? Yes If not, please describe differences between the approved plugging plan and the well as it was plugged (attach additional pages as needed):

10) Log of Plugging Activities - Label vertical scale with depths, and indicate separate plugging intervals with horizontal lines as necessary to illustrate material or methodology changes. Attach additional pages if necessary.

For each interval plugged, describe within the following columns:

Depth (ft bgl)	Plugging Material Used (include any additives used)	Volume of Material Placed (gallons)	Theoretical Volume of Borehole/ Casing (gallons)	Placement Method (tremie pipe, other)	Comments ("casing perforated first", "open annular space also plugged", etc.)
	0' - 10' Hydrated Bentonite	Approx. 15 gallons	15 gallons	Pour	
	10' - 55' Drill Cuttings	Approx. 67 gallons	67 gallons	Pour	

MULTIPLY		BY		AND OBTAIN
cubic feet	x	7.4805	=	gallons
cubic yards	x	201.97	=	gallons

III. SIGNATURE:

I, James Hawley , say that I am familiar with the rules of the Office of the State Engineer pertaining to the plugging of wells and that each and all of the statements in this Plugging Record and attachments are true to the best of my knowledge and belief.

Signature of Well Driller — Date: 1/20/26

Version: September 8, 2009
Page 2 of 2

Help Using this Tool

Legend | Basemap | Query

Legend

All Layers On/Off

All Layer Transparency

NM Wetlands Mapping and Classification

NM Wetlands Mapping and Classification

Mapping Status

Riparian Habitat

Hydrogeomorphic Mapping (HGM) Linears

- Riverine

Hydrogeomorphic Mapping (HGM) Polygons

- Depressional
- Flats
- Lacustrine Fringe
- Riverine
- Slope

Landscape Position and Water Body (LLWW) Linears

- Lentic (LE)
- Lotic RIver (LR)
- Lotic Stream (LS)
- Pond (PD)
- River (RV)
- Stream (ST)
- Terrene (TE)

Landscape Position and Water Body (LLWW) Polygons

- Lentic (LE)
- Lake (LK)
- Lotic River (LR)
- Lotic Stream (LS)
- Pond (PD)
- River (RV)
- Stream (ST)
- Terrene (TE)

Landform (LLWW)

- Basin
- Flat
- Floodplain

1:9,028



Received by OCD: 2/19/2026 9:21:58 AM

National Flood Hazard Layer FIRMette

FEMA

103°9'49"W 32°29'56"N

103°9'11"W 32°29'26"N

0 250 500 1,000 1,500 2,000 Feet

1:6,000

Basemap Imagery Source: USGS National Map 2023

Legend

SEE FIS REPORT FOR DETAILED LEGEND AND INDEX MAP FOR FIRM PANEL LAYOUT

SPECIAL FLOOD HAZARD AREAS
- Without Base Flood Elevation (BFE) *Zone A, V, A99*
- With BFE or Depth *Zone AE, AO, AH, VE, AR*
- Regulatory Floodway

OTHER AREAS OF FLOOD HAZARD
- 0.2% Annual Chance Flood Hazard, Areas of 1% annual chance flood with average depth less than one foot or with drainage areas of less than one square mile *Zone X*
- Future Conditions 1% Annual Chance Flood Hazard *Zone X*
- Area with Reduced Flood Risk due to Levee. See Notes. *Zone X*
- Area with Flood Risk due to Levee *Zone D*

OTHER AREAS
- NO SCREEN Area of Minimal Flood Hazard *Zone X*
- Effective LOMRs
- Area of Undetermined Flood Hazard *Zone D*

GENERAL STRUCTURES
- Channel, Culvert, or Storm Sewer
- Levee, Dike, or Floodwall

OTHER FEATURES
- 20.2 Cross Sections with 1% Annual Chance
- 17.5 Water Surface Elevation
- Coastal Transect
- Base Flood Elevation Line (BFE)
- Limit of Study
- Jurisdiction Boundary
- Coastal Transect Baseline
- Profile Baseline
- Hydrographic Feature

MAP PANELS
- Digital Data Available
- No Digital Data Available
- Unmapped

N

The pin displayed on the map is an approximate point selected by the user and does not represent an authoritative property location.

This map complies with FEMA's standards for the use of digital flood maps if it is not void as described below. The basemap shown complies with FEMA's basemap accuracy standards

The flood hazard information is derived directly from the authoritative NFHL web services provided by FEMA. This map was exported on 1/9/2026 at 9:18 PM and does not reflect changes or amendments subsequent to this date and time. The NFHL and effective information may change or become superseded by new data over time.

This map image is void if the one or more of the following map elements do not appear: basemap imagery, flood zone labels, legend, scale bar, map creation date, community identifiers, FIRM panel number, and FIRM effective date. Map images for unmapped and unmodernized areas cannot be used for regulatory purposes.

Released to Imaging: 3/27/2026 7:26:57 AM

Received by OCD: 2/19/2026 9:21:58 AM

U.S. Fish and Wildlife Service
National Wetlands Inventory

Highway Release Line A-7-8



January 9, 2026

Wetlands

- Estuarine and Marine Deepwater
- Estuarine and Marine Wetland
- Freshwater Emergent Wetland
- Freshwater Forested/Shrub Wetland
- Freshwater Pond
- Lake
- Other
- Riverine

This map is for general reference only. The US Fish and Wildlife Service is not responsible for the accuracy or currentness of the base data shown on this map. All wetlands related data should be used in accordance with the layer metadata found on the Wetlands Mapper web site.

Released to Imaging: 3/27/2026 7:26:57 AM

ATTACHMENT D: PHOTOGRAPHIC DOCUMENTATION

Before Photo

Aerial Imagery of Area of Concern

Area of Concern

Before Photo

Area of Concern

Area of Concern

Before Photo

Area of Concern

Area of Concern

Before Photo



Area of Concern



Area of Concern

ATTACHMENT E: LABORATORY ANALYTICAL METHOD WITH CHAIN-OF-CUSTODY

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

January 14, 2026

ETHAN SESSUMS

STANDARD SAFETY & SUPPLY

PO BOX 14987

ODESSA, TX 79764

RE: A78 HIGHWAY LINE

Enclosed are the results of analyses for samples received by the laboratory on 01/13/26 12:00.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C25-00101. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accreditated through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Celey D. Keene

Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/13/2026	Sampling Date:	01/10/2026
Reported:	01/14/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V-2 4 (H260194-01)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	**68.6**	2.00	01/14/2026	ND	1.83	91.3	2.00	5.00	
Toluene*	**240**	2.00	01/14/2026	ND	1.91	95.5	2.00	4.47	
Ethylbenzene*	**113**	2.00	01/14/2026	ND	1.94	96.8	2.00	3.80	
Total Xylenes*	**229**	6.00	01/14/2026	ND	5.73	95.6	6.00	3.73	
Total BTEX	**651**	12.0	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *116 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**3160**	16.0	01/13/2026	ND	480	120	400	14.3	

TPH 8015M mg/kg Analyzed By: JF S-06

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	**7710**	100	01/13/2026	ND	208	104	200	0.576	
DRO >C10-C28*	**11800**	100	01/13/2026	ND	193	96.6	200	3.22	
EXT DRO >C28-C36	**1320**	100	01/13/2026	ND					

Surrogate: 1-Chlorooctane *453 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *182 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/13/2026	Sampling Date:	01/10/2026
Reported:	01/14/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V-2 5 (H260194-02)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	**3.01**	0.500	01/14/2026	ND	1.83	91.3	2.00	5.00	
Toluene*	**18.4**	0.500	01/14/2026	ND	1.91	95.5	2.00	4.47	
Ethylbenzene*	**14.4**	0.500	01/14/2026	ND	1.94	96.8	2.00	3.80	
Total Xylenes*	**32.0**	1.50	01/14/2026	ND	5.73	95.6	6.00	3.73	
Total BTEX	**67.8**	3.00	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *121 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**384**	16.0	01/13/2026	ND	480	120	400	14.3	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	**368**	10.0	01/14/2026	ND	199	99.6	200	0.686	
DRO >C10-C28*	**965**	10.0	01/14/2026	ND	198	99.2	200	0.944	
EXT DRO >C28-C36	**162**	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *108 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *114 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/13/2026	Sampling Date:	01/10/2026
Reported:	01/14/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V-2 10 (H260194-07)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	**0.053**	0.050	01/14/2026	ND	1.83	91.3	2.00	5.00	
Toluene*	**0.167**	0.050	01/14/2026	ND	1.91	95.5	2.00	4.47	
Ethylbenzene*	**0.092**	0.050	01/14/2026	ND	1.94	96.8	2.00	3.80	
Total Xylenes*	**0.234**	0.150	01/14/2026	ND	5.73	95.6	6.00	3.73	
Total BTEX	**0.547**	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *101 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**64.0**	16.0	01/13/2026	ND	480	120	400	14.3	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/13/2026	ND	199	99.6	200	0.686	
DRO >C10-C28*	**70.9**	10.0	01/13/2026	ND	198	99.2	200	0.944	
EXT DRO >C28-C36	**13.7**	10.0	01/13/2026	ND					

Surrogate: 1-Chlorooctane *101 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *106 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/13/2026	Sampling Date:	01/11/2026
Reported:	01/14/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V-2 15 (H260194-12)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/13/2026	ND	1.83	91.3	2.00	5.00	
Toluene*	<0.050	0.050	01/13/2026	ND	1.91	95.5	2.00	4.47	
Ethylbenzene*	<0.050	0.050	01/13/2026	ND	1.94	96.8	2.00	3.80	
Total Xylenes*	<0.150	0.150	01/13/2026	ND	5.73	95.6	6.00	3.73	
Total BTEX	<0.300	0.300	01/13/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *102 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	01/13/2026	ND	480	120	400	14.3	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/13/2026	ND	199	99.6	200	0.686	
DRO >C10-C28*	**12.2**	10.0	01/13/2026	ND	198	99.2	200	0.944	
EXT DRO >C28-C36	<10.0	10.0	01/13/2026	ND					

Surrogate: 1-Chlorooctane *102 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *107 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/13/2026	Sampling Date:	01/12/2026
Reported:	01/14/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V-2 20 (H260194-17)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/13/2026	ND	1.83	91.3	2.00	5.00	
Toluene*	<0.050	0.050	01/13/2026	ND	1.91	95.5	2.00	4.47	
Ethylbenzene*	<0.050	0.050	01/13/2026	ND	1.94	96.8	2.00	3.80	
Total Xylenes*	<0.150	0.150	01/13/2026	ND	5.73	95.6	6.00	3.73	
Total BTEX	<0.300	0.300	01/13/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *101 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**192**	16.0	01/13/2026	ND	480	120	400	14.3	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/13/2026	ND	199	99.6	200	0.686	
DRO >C10-C28*	<10.0	10.0	01/13/2026	ND	198	99.2	200	0.944	
EXT DRO >C28-C36	<10.0	10.0	01/13/2026	ND					

Surrogate: 1-Chlorooctane *102 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *105 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/13/2026	Sampling Date:	01/12/2026
Reported:	01/14/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V-2 25 (H260194-22)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/13/2026	ND	1.83	91.3	2.00	5.00	
Toluene*	<0.050	0.050	01/13/2026	ND	1.91	95.5	2.00	4.47	
Ethylbenzene*	<0.050	0.050	01/13/2026	ND	1.94	96.8	2.00	3.80	
Total Xylenes*	<0.150	0.150	01/13/2026	ND	5.73	95.6	6.00	3.73	
Total BTEX	<0.300	0.300	01/13/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *102 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**176**	16.0	01/13/2026	ND	480	120	400	14.3	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/13/2026	ND	199	99.6	200	0.686	
DRO >C10-C28*	<10.0	10.0	01/13/2026	ND	198	99.2	200	0.944	
EXT DRO >C28-C36	<10.0	10.0	01/13/2026	ND					

Surrogate: 1-Chlorooctane *88.1 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *91.4 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/13/2026	Sampling Date:	01/12/2026
Reported:	01/14/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V-2 30 (H260194-27)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/13/2026	ND	1.83	91.3	2.00	5.00	
Toluene*	<0.050	0.050	01/13/2026	ND	1.91	95.5	2.00	4.47	
Ethylbenzene*	<0.050	0.050	01/13/2026	ND	1.94	96.8	2.00	3.80	
Total Xylenes*	<0.150	0.150	01/13/2026	ND	5.73	95.6	6.00	3.73	
Total BTEX	<0.300	0.300	01/13/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *101 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**96.0**	16.0	01/13/2026	ND	480	120	400	14.3	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/13/2026	ND	199	99.6	200	0.686	
DRO >C10-C28*	<10.0	10.0	01/13/2026	ND	198	99.2	200	0.944	
EXT DRO >C28-C36	<10.0	10.0	01/13/2026	ND					

Surrogate: 1-Chlorooctane *84.1 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *87.0 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/13/2026	Sampling Date:	01/12/2026
Reported:	01/14/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V-2 35 (H260194-32)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/13/2026	ND	1.83	91.3	2.00	5.00	
Toluene*	<0.050	0.050	01/13/2026	ND	1.91	95.5	2.00	4.47	
Ethylbenzene*	<0.050	0.050	01/13/2026	ND	1.94	96.8	2.00	3.80	
Total Xylenes*	<0.150	0.150	01/13/2026	ND	5.73	95.6	6.00	3.73	
Total BTEX	<0.300	0.300	01/13/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *101 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**64.0**	16.0	01/13/2026	ND	480	120	400	14.3	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/13/2026	ND	199	99.6	200	0.686	
DRO >C10-C28*	<10.0	10.0	01/13/2026	ND	198	99.2	200	0.944	
EXT DRO >C28-C36	<10.0	10.0	01/13/2026	ND					

Surrogate: 1-Chlorooctane *105 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *109 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/13/2026	Sampling Date:	01/12/2026
Reported:	01/14/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V-2 40 (H260194-37)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/13/2026	ND	1.83	91.3	2.00	5.00	
Toluene*	<0.050	0.050	01/13/2026	ND	1.91	95.5	2.00	4.47	
Ethylbenzene*	<0.050	0.050	01/13/2026	ND	1.94	96.8	2.00	3.80	
Total Xylenes*	<0.150	0.150	01/13/2026	ND	5.73	95.6	6.00	3.73	
Total BTEX	<0.300	0.300	01/13/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *99.7 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**64.0**	16.0	01/13/2026	ND	480	120	400	14.3	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/13/2026	ND	199	99.6	200	0.686	
DRO >C10-C28*	<10.0	10.0	01/13/2026	ND	198	99.2	200	0.944	
EXT DRO >C28-C36	<10.0	10.0	01/13/2026	ND					

Surrogate: 1-Chlorooctane *103 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *108 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/13/2026	Sampling Date:	01/10/2026
Reported:	01/14/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V-4 4 (H260194-38)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/13/2026	ND	1.83	91.3	2.00	5.00	
Toluene*	<0.050	0.050	01/13/2026	ND	1.91	95.5	2.00	4.47	
Ethylbenzene*	<0.050	0.050	01/13/2026	ND	1.94	96.8	2.00	3.80	
Total Xylenes*	<0.150	0.150	01/13/2026	ND	5.73	95.6	6.00	3.73	
Total BTEX	<0.300	0.300	01/13/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *101 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**208**	16.0	01/13/2026	ND	480	120	400	14.3	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/13/2026	ND	199	99.6	200	0.686	
DRO >C10-C28*	<10.0	10.0	01/13/2026	ND	198	99.2	200	0.944	
EXT DRO >C28-C36	<10.0	10.0	01/13/2026	ND					

Surrogate: 1-Chlorooctane *95.0 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *98.2 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/13/2026	Sampling Date:	01/10/2026
Reported:	01/14/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V-4 5 (H260194-39)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/13/2026	ND	1.83	91.3	2.00	5.00	
Toluene*	<0.050	0.050	01/13/2026	ND	1.91	95.5	2.00	4.47	
Ethylbenzene*	<0.050	0.050	01/13/2026	ND	1.94	96.8	2.00	3.80	
Total Xylenes*	<0.150	0.150	01/13/2026	ND	5.73	95.6	6.00	3.73	
Total BTEX	<0.300	0.300	01/13/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *101 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**160**	16.0	01/13/2026	ND	480	120	400	14.3	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/13/2026	ND	199	99.6	200	0.686	
DRO >C10-C28*	<10.0	10.0	01/13/2026	ND	198	99.2	200	0.944	
EXT DRO >C28-C36	<10.0	10.0	01/13/2026	ND					

Surrogate: 1-Chlorooctane *98.2 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *101 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/13/2026	Sampling Date:	01/10/2026
Reported:	01/14/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V-4 10 (H260194-44)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/13/2026	ND	2.05	103	2.00	1.06	
Toluene*	<0.050	0.050	01/13/2026	ND	1.81	90.4	2.00	7.21	
Ethylbenzene*	<0.050	0.050	01/13/2026	ND	1.98	98.8	2.00	3.34	
Total Xylenes*	<0.150	0.150	01/13/2026	ND	6.31	105	6.00	3.09	
Total BTEX	<0.300	0.300	01/13/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *103 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**160**	16.0	01/13/2026	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/13/2026	ND	199	99.6	200	0.686	
DRO >C10-C28*	<10.0	10.0	01/13/2026	ND	198	99.2	200	0.944	
EXT DRO >C28-C36	<10.0	10.0	01/13/2026	ND					

Surrogate: 1-Chlorooctane *84.3 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *86.8 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/13/2026	Sampling Date:	01/12/2026
Reported:	01/14/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V-4 15 (H260194-49)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/13/2026	ND	2.05	103	2.00	1.06	
Toluene*	<0.050	0.050	01/13/2026	ND	1.81	90.4	2.00	7.21	
Ethylbenzene*	<0.050	0.050	01/13/2026	ND	1.98	98.8	2.00	3.34	
Total Xylenes*	<0.150	0.150	01/13/2026	ND	6.31	105	6.00	3.09	
Total BTEX	<0.300	0.300	01/13/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *108 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**112**	16.0	01/13/2026	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/13/2026	ND	199	99.6	200	0.686	
DRO >C10-C28*	<10.0	10.0	01/13/2026	ND	198	99.2	200	0.944	
EXT DRO >C28-C36	<10.0	10.0	01/13/2026	ND					

Surrogate: 1-Chlorooctane *97.1 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *99.9 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/13/2026	Sampling Date:	01/12/2026
Reported:	01/14/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V-4 20 (H260194-54)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/13/2026	ND	2.05	103	2.00	1.06	
Toluene*	<0.050	0.050	01/13/2026	ND	1.81	90.4	2.00	7.21	
Ethylbenzene*	<0.050	0.050	01/13/2026	ND	1.98	98.8	2.00	3.34	
Total Xylenes*	<0.150	0.150	01/13/2026	ND	6.31	105	6.00	3.09	
Total BTEX	<0.300	0.300	01/13/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *105 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**144**	16.0	01/13/2026	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/13/2026	ND	199	99.6	200	0.686	
DRO >C10-C28*	<10.0	10.0	01/13/2026	ND	198	99.2	200	0.944	
EXT DRO >C28-C36	<10.0	10.0	01/13/2026	ND					

Surrogate: 1-Chlorooctane *93.4 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *96.4 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/13/2026	Sampling Date:	01/12/2026
Reported:	01/14/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V-4 25 (H260194-59)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/13/2026	ND	2.05	103	2.00	1.06	
Toluene*	<0.050	0.050	01/13/2026	ND	1.81	90.4	2.00	7.21	
Ethylbenzene*	<0.050	0.050	01/13/2026	ND	1.98	98.8	2.00	3.34	
Total Xylenes*	<0.150	0.150	01/13/2026	ND	6.31	105	6.00	3.09	
Total BTEX	<0.300	0.300	01/13/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *108 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**144**	16.0	01/13/2026	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/13/2026	ND	199	99.6	200	0.686	
DRO >C10-C28*	<10.0	10.0	01/13/2026	ND	198	99.2	200	0.944	
EXT DRO >C28-C36	<10.0	10.0	01/13/2026	ND					

Surrogate: 1-Chlorooctane *99.5 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *104 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/13/2026	Sampling Date:	01/12/2026
Reported:	01/14/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V-4 30 (H260194-64)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/13/2026	ND	2.05	103	2.00	1.06	
Toluene*	<0.050	0.050	01/13/2026	ND	1.81	90.4	2.00	7.21	
Ethylbenzene*	<0.050	0.050	01/13/2026	ND	1.98	98.8	2.00	3.34	
Total Xylenes*	<0.150	0.150	01/13/2026	ND	6.31	105	6.00	3.09	
Total BTEX	<0.300	0.300	01/13/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *110 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	01/13/2026	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/13/2026	ND	199	99.6	200	0.686	
DRO >C10-C28*	<10.0	10.0	01/13/2026	ND	198	99.2	200	0.944	
EXT DRO >C28-C36	<10.0	10.0	01/13/2026	ND					

Surrogate: 1-Chlorooctane *93.8 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *96.7 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/13/2026	Sampling Date:	01/12/2026
Reported:	01/14/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V-4 35 (H260194-69)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/13/2026	ND	2.05	103	2.00	1.06	
Toluene*	<0.050	0.050	01/13/2026	ND	1.81	90.4	2.00	7.21	
Ethylbenzene*	<0.050	0.050	01/13/2026	ND	1.98	98.8	2.00	3.34	
Total Xylenes*	<0.150	0.150	01/13/2026	ND	6.31	105	6.00	3.09	
Total BTEX	<0.300	0.300	01/13/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *103 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	01/13/2026	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/13/2026	ND	199	99.6	200	0.686	
DRO >C10-C28*	<10.0	10.0	01/13/2026	ND	198	99.2	200	0.944	
EXT DRO >C28-C36	<10.0	10.0	01/13/2026	ND					

Surrogate: 1-Chlorooctane *97.0 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *101 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/13/2026	Sampling Date:	01/12/2026
Reported:	01/14/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V-4 40 (H260194-74)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/13/2026	ND	2.05	103	2.00	1.06	
Toluene*	<0.050	0.050	01/13/2026	ND	1.81	90.4	2.00	7.21	
Ethylbenzene*	<0.050	0.050	01/13/2026	ND	1.98	98.8	2.00	3.34	
Total Xylenes*	<0.150	0.150	01/13/2026	ND	6.31	105	6.00	3.09	
Total BTEX	<0.300	0.300	01/13/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *108 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	01/13/2026	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/13/2026	ND	199	99.6	200	0.686	
DRO >C10-C28*	<10.0	10.0	01/13/2026	ND	198	99.2	200	0.944	
EXT DRO >C28-C36	<10.0	10.0	01/13/2026	ND					

Surrogate: 1-Chlorooctane *103 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *107 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/13/2026	Sampling Date:	01/10/2026
Reported:	01/14/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V-5 4 (H260194-75)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/13/2026	ND	2.05	103	2.00	1.06	
Toluene*	<0.050	0.050	01/13/2026	ND	1.81	90.4	2.00	7.21	
Ethylbenzene*	<0.050	0.050	01/13/2026	ND	1.98	98.8	2.00	3.34	
Total Xylenes*	<0.150	0.150	01/13/2026	ND	6.31	105	6.00	3.09	
Total BTEX	<0.300	0.300	01/13/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *106 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**64.0**	16.0	01/13/2026	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/13/2026	ND	199	99.6	200	0.686	
DRO >C10-C28*	**41.8**	10.0	01/13/2026	ND	198	99.2	200	0.944	
EXT DRO >C28-C36	<10.0	10.0	01/13/2026	ND					

Surrogate: 1-Chlorooctane *91.0 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *94.9 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/13/2026	Sampling Date:	01/10/2026
Reported:	01/14/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V-5 5 (H260194-76)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/13/2026	ND	2.05	103	2.00	1.06	
Toluene*	<0.050	0.050	01/13/2026	ND	1.81	90.4	2.00	7.21	
Ethylbenzene*	<0.050	0.050	01/13/2026	ND	1.98	98.8	2.00	3.34	
Total Xylenes*	<0.150	0.150	01/13/2026	ND	6.31	105	6.00	3.09	
Total BTEX	<0.300	0.300	01/13/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *105 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**112**	16.0	01/13/2026	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/13/2026	ND	199	99.6	200	0.686	
DRO >C10-C28*	<10.0	10.0	01/13/2026	ND	198	99.2	200	0.944	
EXT DRO >C28-C36	<10.0	10.0	01/13/2026	ND					

Surrogate: 1-Chlorooctane *104 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *108 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/13/2026	Sampling Date:	01/10/2026
Reported:	01/14/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V-5 10 (H260194-81)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/13/2026	ND	2.05	103	2.00	1.06	
Toluene*	<0.050	0.050	01/13/2026	ND	1.81	90.4	2.00	7.21	
Ethylbenzene*	<0.050	0.050	01/13/2026	ND	1.98	98.8	2.00	3.34	
Total Xylenes*	<0.150	0.150	01/13/2026	ND	6.31	105	6.00	3.09	
Total BTEX	<0.300	0.300	01/13/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *106 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**128**	16.0	01/13/2026	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/13/2026	ND	199	99.6	200	0.686	
DRO >C10-C28*	<10.0	10.0	01/13/2026	ND	198	99.2	200	0.944	
EXT DRO >C28-C36	<10.0	10.0	01/13/2026	ND					

Surrogate: 1-Chlorooctane *91.9 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *94.5 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/13/2026	Sampling Date:	01/12/2026
Reported:	01/14/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V-5 15 (H260194-86)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/13/2026	ND	2.05	103	2.00	1.06	
Toluene*	<0.050	0.050	01/13/2026	ND	1.81	90.4	2.00	7.21	
Ethylbenzene*	<0.050	0.050	01/13/2026	ND	1.98	98.8	2.00	3.34	
Total Xylenes*	<0.150	0.150	01/13/2026	ND	6.31	105	6.00	3.09	
Total BTEX	<0.300	0.300	01/13/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *106 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**192**	16.0	01/13/2026	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/13/2026	ND	192	96.2	200	1.17	
DRO >C10-C28*	<10.0	10.0	01/13/2026	ND	201	100	200	0.352	
EXT DRO >C28-C36	<10.0	10.0	01/13/2026	ND					

Surrogate: 1-Chlorooctane *91.1 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *96.3 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

S-06	The recovery of this surrogate is outside control limits due to sample dilution required from high analyte concentration and/or matrix interference's.
ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C
	Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

Page 60 of 825

STANDARD SAFETY & SUPPLY

Chain of Custody H260194

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

0402401K-all

Project Name:	A78 Highway Line	Turn Around	☐ Routine ☑ Rush
Project Number:		Due Date:	24hr
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.	
Sampler's Name:	Josh James		
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT			
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No
Samples Received Intact:	(Yes) No	Thermometer ID:	#140
Cooler Custody Seals:	Yes (No) N/A	Correction Factor:	+0.1°C
Sample Custody Seals:	(Yes) No N/A	Temperature Reading:	3.5°C
Total Containers:	243	Corrected Temperature:	3.6°C

Preservative Codes

None: NO; DI Water: H_2O; Cool: Cool; MeOH: Me; HCL: HC; HNO_3: HN; H_2SO_4: H_2; NaOH: Na; H_3PO_4: HP; $NaHSO_4$: NABIS; $Na_2S_2O_3$: $NaSO_3$; Zn Acetate+NaOH: Zn; NaOH+Ascorbic Acid: SAPC

	Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
1	V-2	4	1/10/2026		S	Grab	1	x	x	x	
2	V-2	5	1/10/2026		S	Grab	1	x	x	x	
3	V-2	6	1/10/2026		S	Grab	1	x	x	x	Hold
4	V-2	7	1/10/2026		S	Grab	1	x	x	x	Hold
5	V-2	8	1/10/2026		S	Grab	1	x	x	x	Hold
6	V-2	9	1/10/2026		S	Grab	1	x	x	x	Hold
7	V-2	10	1/10/2026		S	Grab	1	x	x	x	
8	V-2	11	1/11/2026		S	Grab	1	x	x	x	Hold
9	V-2	12	1/11/2026		S	Grab	1	x	x	x	Hold
10	V-2	13	1/11/2026		S	Grab	1	x	x	x	Hold

	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1	Josh James	Lunay Hus	1/13/26 1:00
2		Lesa	
3			
4		Tamara Hitchcock	1-13-26 1200
5			
6			

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

STANDARD SAFETY & SUPPLY

Chain of Custody

H260194

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

Project Name:	A78 Highway Line	Turn Around	
Project Number:		☐ Routine ☑ Rush	
Project Location:	Lea County, New Mexico	Due Date:	24 hr
Sampler's Name:	Josh James	TAT may vary based on lab start time.	
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT				
Temp Blank:	Yes No	Wet Ice:	Yes No	
Samples Received Intact:	Yes No	Thermometer ID:	#140	
Cooler Custody Seals:	Yes No N/A	Correction Factor:	+0.1c	
Sample Custody Seals:	Yes No N/A	Temperature Reading:	3.5c	
Total Containers:	243	Corrected Temperature:	3.6c	

Preservative Codes

None: NO; DI Water: H_2O; Cool: Cool; MeOH: Me; HCL: HC; HNO_3: HN; H_2S0_4: H_2; NaOH: Na; H_3PO_4: HP; $NaHSO_4$: NABIS; $Na_2S_2O_3$: $NaSO_3$; Zn Acetate+NaOH: Zn; NaOH+Ascorbic Acid: SAPC

	Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Pres. Code	Parameters: BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
11	V-2	14	1/11/2026		S	Grab	1		x	x	x	Kow
12	V-2	15	1/11/2026		S	Grab	1		x	x	x	
13	V-2	16	1/11/2026		S	Grab	1		x	x	x	Kow
14	V-2	17	1/11/2026		S	Grab	1		x	x	x	Kow
15	V-2	18	1/11/2026		S	Grab	1		x	x	x	Kow
16	V-2	19	1/11/2026		S	Grab	1		x	x	x	Kow
17	V-2	20	1/12/2026		S	Grab	1		x	x	x	
18	V-2	21	1/12/2026		S	Grab	1		x	x	x	Kow
19	V-2	22	1/12/2026		S	Grab	1		x	x	x	Kow
20	V-2	23	1/12/2026		S	Grab	1		x	x	x	Kow

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1 Josh James		1/13/26 11:00	2		1-13-26 1200
3			4		
5			6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

Page 62 of 825

STANDARD SAFETY & SUPPLY

Chain of Custody

H260194

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

Project Name:	A78 Highway Line	Turn Around	☐ Routine ☑ Rush
Project Number:		Due Date:	24 hr
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.	
Sampler's Name:	Josh James		
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT			
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No
Samples Received Intact:	(Yes) No	Thermometer ID:	#140
Cooler Custody Seals:	Yes (No) N/A	Correction Factor:	+0.1c
Sample Custody Seals:	(Yes) No N/A	Temperature Reading:	3.5c
Total Containers:	243	Corrected Temperature:	3.6c

Preservative Codes

None: NO; DI Water: H_2O; Cool: Cool; MeOH: Me; HCL: HC; HNO_3: HN; H_2S0_4: H_2; NaOH: Na; H_3PO_4: HP; $NaHSO_4$: NABIS; $Na_2S_2O_3$: $NaSO_3$; Zn Acetate+NaOH: Zn; NaOH+Ascorbic Acid: SAPC

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
V-2	24	1/12/2026		S	Grab	1	x	x	x	Hold
V-2	25	1/12/2026		S	Grab	1	x	x	x	
V-2	26	1/12/2026		S	Grab	1	x	x	x	Hold
V-2	27	1/12/2026		S	Grab	1	x	x	x	Hold
V-2	28	1/12/2026		S	Grab	1	x	x	x	Hold
V-2	29	1/12/2026		S	Grab	1	x	x	x	Hold
V-2	30	1/12/2026		S	Grab	1	x	x	x	
V-2	31	1/12/2026		S	Grab	1	x	x	x	Hold
V-2	32	1/12/2026		S	Grab	1	x	x	x	Hold
V-2	33	1/12/2026		S	Grab	1	x	x	x	Hold

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1 Josh James		1/13/26 11:00	2		1-13-26 1500
3			4		
5			6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

Page 63 of 825

STANDARD SAFETY & SUPPLY

Chain of Custody H260194

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

Project Name:	A78 Highway Line	Turn Around	☐ Routine ☑ Rush
Project Number:		Pres. Code	
Project Location:	Lea County, New Mexico	Due Date:	24 hr
Sampler's Name:	Josh James	TAT may vary based on lab start time.	
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT				
Temp Blank:	Yes No	Wet Ice:	Yes No	
Samples Received Intact:	Yes No	Thermometer ID:	#140	
Cooler Custody Seals:	Yes No N/A	Correction Factor:	+0.1c	
Sample Custody Seals:	Yes No N/A	Temperature Reading:	3.5c	
Total Containers:	243	Corrected Temperature:	3.6c	

Preservative Codes

None: NO; DI Water: H_2O; Cool: Cool; MeOH: Me; HCL: HC; HNO_3: HN; H_2S0_4: H_2; NaOH: Na; H_3PO_4: HP; $NaHSO_4$: NABIS; $Na_2S_2O_3$: $NaSO_3$; Zn Acetate+NaOH: Zn; NaOH+Ascorbic Acid: SAPC

	Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
31	V-2	34	1/12/2026		S	Grab	1	x	x	x	Hold
32	V-2	35	1/12/2026		S	Grab	1	x	x	x	
33	V-2	36	1/12/2026		S	Grab	1	x	x	x	Hold
34	V-2	37	1/12/2026		S	Grab	1	x	x	x	Hold
35	V-2	38	1/12/2026		S	Grab	1	x	x	x	Hold
36	V-2	39	1/12/2026		S	Grab	1	x	x	x	Hold
	V-2	40	1/12/2026		S	Grab	1	x	x	x	
	V-4	4	1/10/2026		S	Grab	1	x	x	x	
	V-4	5	1/10/2026		S	Grab	1	x	x	x	
	V-4	6	1/10/2026		S	Grab	1	x	x	x	Hold

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1 Josh James	Kenny Ken	1/13/26 11:00	2 Ke	Tamara Mitchell	1-13-26 1200
3			4		
5			6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

Page 64 of 825

Page 29 of 33

STANDARD SAFETY & SUPPLY

Chain of Custody

H260194

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

Project Name:	A78 Highway Line	Turn Around	☐ Routine ☑ Rush
Project Number:		Due Date:	24 hr
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.	
Sampler's Name:	Josh James		
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT			
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No
Samples Received Intact:	(Yes) No	Thermometer ID:	#140
Cooler Custody Seals:	Yes (No) N/A	Correction Factor:	+0.1°C
Sample Custody Seals:	(Yes) No N/A	Temperature Reading:	3.5°C
Total Containers:	243	Corrected Temperature:	3.6°C

Preservative Codes

None: NO; DI Water: H_2O; Cool: Cool; MeOH: Me; HCL: HC; HNO_3: HN; H_2S0_4: H_2; NaOH: Na; H_3PO_4: HP; $NaHSO_4$: NABIS; $Na_2S_2O_3$: $NaSO_3$; Zn Acetate+NaOH: Zn; NaOH+Ascorbic Acid: SAPC

	Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Pres. Code	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
41	V-4	7	1/10/2026		S	Grab	1		x	x	x	Hold
42	V-4	8	1/10/2026		S	Grab	1		x	x	x	Hold
43	V-4	9	1/10/2026		S	Grab	1		x	x	x	Hold
44	V-4	10	1/10/2026		S	Grab	1		x	x	x	
45	V-4	11	1/11/2026		S	Grab	1		x	x	x	Hold
46	V-4	12	1/11/2026		S	Grab	1		x	x	x	Hold
47	V-4	13	1/11/2026		S	Grab	1		x	x	x	Hold
48	V-4	14	1/11/2026		S	Grab	1		x	x	x	Hold
49	V-4	15	1/12/2026		S	Grab	1		x	x	x	
50	V-4	16	1/12/2026		S	Grab	1		x	x	x	Hold

	Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1	Josh James		1/13/26	2		1-13-26 1200
3				4		
5				6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

Page 65 of 825

STANDARD SAFETY & SUPPLY

Chain of Custody

H260194

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/
Page 6 of 25

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

Project Name:	A78 Highway Line	Turn Around	☐ Routine ☑ Rush
Project Number:		Due Date:	24 hr
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.	
Sampler's Name:	Josh James		
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT			
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No
Samples Received Intact:	(Yes) No	Thermometer ID:	#140
Cooler Custody Seals:	Yes (No) N/A	Correction Factor:	+0.1°c
Sample Custody Seals:	(Yes) No N/A	Temperature Reading:	3.5°c
Total Containers:	243	Corrected Temperature:	3.6°c

Preservative Codes

None: NO; DI Water: H_2O; Cool: Cool; MeOH: Me; HCL: HC; HNO_3: HN; H_2S0_4: H_2; NaOH: Na; H_3PO_4: HP; $NaHSO_4$: NABIS; $Na_2S_2O_3$: $NaSO_3$; Zn Acetate+NaOH: Zn; NaOH+Ascorbic Acid: SAPC

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Pres. Code	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
V-4	17	1/12/2026		S	Grab	1		x	x	x	HOLD
V-4	18	1/12/2026		S	Grab	1		x	x	x	HOLD
V-4	19	1/12/2026		S	Grab	1		x	x	x	HOLD
V-4	20	1/12/2026		S	Grab	1		x	x	x	
V-4	21	1/12/2026		S	Grab	1		x	x	x	HOLD
V-4	22	1/12/2026		S	Grab	1		x	x	x	HOLD
V-4	23	1/12/2026		S	Grab	1		x	x	x	HOLD
V-4	24	1/12/2026		S	Grab	1		x	x	x	HOLD
V-4	25	1/12/2026		S	Grab	1		x	x	x	
V-4	26	1/12/2026		S	Grab	1		x	x	x	HOLD

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1 Josh James		1/13/26 11:00	2		1-13-26 1500
3			4		
5			6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

STANDARD SAFETY & SUPPLY

Chain of Custody H260194

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

Project Name:	A78 Highway Line	Turn Around	☐ Routine ☑ Rush
Project Number:		Pres. Code	
Project Location:	Lea County, New Mexico	Due Date:	24hr
Sampler's Name:	Josh James	TAT may vary based on lab start time.	
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT			
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No
Samples Received Intact:	(Yes) No	Thermometer ID:	#146
Cooler Custody Seals:	Yes (No) N/A	Correction Factor:	+0.1c
Sample Custody Seals:	(Yes) No N/A	Temperature Reading:	3.5c
Total Containers:	243	Corrected Temperature:	3.6c

Preservative Codes

None: NO; DI Water: H_2O; Cool: Cool; MeOH: Me; HCL: HC; HNO_3: HN; H_2S0_4: H_2; NaOH: Na; H_3PO_4: HP; $NaHSO_4$: NABIS; $Na_2S_2O_3$: $NaSO_3$; Zn Acetate+NaOH: Zn; NaOH+Ascorbic Acid: SAPC

	Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
61	V-4	27	1/12/2026		S	Grab	1	x	x	x	Hold
62	V-4	28	1/12/2026		S	Grab	1	x	x	x	Hold
63	V-4	29	1/12/2026		S	Grab	1	x	x	x	Hold
64	V-4	30	1/12/2026		S	Grab	1	x	x	x	
65	V-4	31	1/12/2026		S	Grab	1	x	x	x	Hold
66	V-4	32	1/12/2026		S	Grab	1	x	x	x	Hold
67	V-4	33	1/12/2026		S	Grab	1	x	x	x	Hold
68	V-4	34	1/12/2026		S	Grab	1	x	x	x	Hold
69	V-4	35	1/12/2026		S	Grab	1	x	x	x	
70	V-4	36	1/12/2026		S	Grab	1	x	x	x	Hold

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1 Josh James		1/13/26 11:00am	2		1-13-26 1200
3			4		
5			6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

STANDARD SAFETY & SUPPLY

Chain of Custody

H2601924

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

#78- NO sample.
SRodriguez
1-13-26

Project Name:	A78 Highway Line	Turn Around	☐ Routine ☑ Rush
Project Number:		Due Date:	24 hr
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.	
Sampler's Name:	Josh James		
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT			
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No
Samples Received Intact:	(Yes) No	Thermometer ID:	#140
Cooler Custody Seals:	Yes (No) N/A	Correction Factor:	+0.1c
Sample Custody Seals:	(Yes) No N/A	Temperature Reading:	3.5c
Total Containers:	243	Corrected Temperature:	3.6c

Preservative Codes

None: NO; DI Water: H_2O; Cool: Cool; MeOH: Me; HCL: HC; HNO_3: HN; H_2S0_4: H_2; NaOH: Na; H_3PO_4: HP; $NaHSO_4$: NABIS; $Na_2S_2O_3$: $NaSO_3$; Zn Acetate+NaOH: Zn; NaOH+Ascorbic Acid: SAPC

	Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Pres. Code	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
71	V-4	37	1/12/2026		S	Grab	1		x	x	x	Hold
72	V-4	38	1/12/2026		S	Grab	1		x	x	x	Hold
73	V-4	39	1/12/2026		S	Grab	1		x	x	x	Hold
74	V-4	40	1/12/2026		S	Grab	1		x	x	x	
75	V-5	4	1/10/2026		S	Grab	1		x	x	x	~~Hold~~ ICH 1/13/26
76	V-5	5	1/10/2026		S	Grab	1		x	x	x	
77	V-5	6	1/10/2026		S	Grab	1		x	x	x	Hold
78	~~V-5~~	~~7~~	~~1/10/2026~~		~~S~~	~~Grab~~	~~1~~		x	x	x	NO SAMPLE! Hold
79	V-5	8	1/10/2026		S	Grab	1		x	x	x	Hold
80	V-5	9	1/10/2026		S	Grab	1		x	x	x	Hold

	Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1	Josh James		1/13/26 11:00	2	Tamara Wallace	1-13-26 1200
3				4		
5				6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

STANDARD SAFETY & SUPPLY

Chain of Custody

H260194

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Page 9 of 25

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

Project Name:	A78 Highway Line	Turn Around	☐ Routine ☑ Rush
Project Number:		Due Date:	24 hr
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.	
Sampler's Name:	Josh James		
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT				
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No	
Samples Received Intact:	(Yes) No	Thermometer ID:	#140	
Cooler Custody Seals:	Yes (No) N/A	Correction Factor:	+0.1c	
Sample Custody Seals:	(Yes) No N/A	Temperature Reading:	3.5c	
Total Containers:	243	Corrected Temperature:	3.6c	

Preservative Codes

None: NO; DI Water: H_2O; Cool: Cool; MeOH: Me; HCL: HC; HNO_3: HN; H_2S0_4: H_2; NaOH: Na; H_3PO_4: HP; $NaHSO_4$: NABIS; $Na_2S_2O_3$: $NaSO_3$; Zn Acetate+NaOH: Zn; NaOH+Ascorbic Acid: SAPC

	Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
81	V-5	10	1/10/2026		S	Grab	1	x	x	x	
82	V-5	11	1/12/2026		S	Grab	1	x	x	x	H2O
83	V-5	12	1/12/2026		S	Grab	1	x	x	x	↓
84	V-5	13	1/12/2026		S	Grab	1	x	x	x	↓
85	V-5	14	1/12/2026		S	Grab	1	x	x	x	↓
86	V-5	15	1/12/2026		S	Grab	1	x	x	x	↓
87	V-5	16	1/12/2026		S	Grab	1	x	x	x	H2O
88	V-5	17	1/12/2026		S	Grab	1	x	x	x	↓
89	V-5	18	1/12/2026		S	Grab	1	x	x	x	↓
90	V-5	19	1/12/2026		S	Grab	1	x	x	x	↓

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1 Josh James		1/13/26 11:00	2	Tamara Maldonado	1-13-26 1200
3			4		
5			6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

January 14, 2026

ETHAN SESSUMS

STANDARD SAFETY & SUPPLY

PO BOX 14987

ODESSA, TX 79764

RE: A78 HIGHWAY LINE

Enclosed are the results of analyses for samples received by the laboratory on 01/13/26 12:00.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C25-00101. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accreditated through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Celey D. Keene

Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/13/2026	Sampling Date:	01/12/2026
Reported:	01/14/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 5 20 (H260195-01)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/13/2026	ND	2.05	103	2.00	1.06	
Toluene*	<0.050	0.050	01/13/2026	ND	1.81	90.4	2.00	7.21	
Ethylbenzene*	<0.050	0.050	01/13/2026	ND	1.98	98.8	2.00	3.34	
Total Xylenes*	<0.150	0.150	01/13/2026	ND	6.31	105	6.00	3.09	
Total BTEX	<0.300	0.300	01/13/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *107 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**320**	16.0	01/14/2026	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/13/2026	ND	192	96.2	200	1.17	
DRO >C10-C28*	<10.0	10.0	01/13/2026	ND	201	100	200	0.352	
EXT DRO >C28-C36	<10.0	10.0	01/13/2026	ND					

Surrogate: 1-Chlorooctane *84.7 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *85.6 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/13/2026	Sampling Date:	01/12/2026
Reported:	01/14/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 5 25 (H260195-06)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/13/2026	ND	2.05	103	2.00	1.06	
Toluene*	<0.050	0.050	01/13/2026	ND	1.81	90.4	2.00	7.21	
Ethylbenzene*	<0.050	0.050	01/13/2026	ND	1.98	98.8	2.00	3.34	
Total Xylenes*	<0.150	0.150	01/13/2026	ND	6.31	105	6.00	3.09	
Total BTEX	<0.300	0.300	01/13/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *108 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**448**	16.0	01/14/2026	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/13/2026	ND	192	96.2	200	1.17	
DRO >C10-C28*	<10.0	10.0	01/13/2026	ND	201	100	200	0.352	
EXT DRO >C28-C36	<10.0	10.0	01/13/2026	ND					

Surrogate: 1-Chlorooctane *99.5 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *102 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/13/2026	Sampling Date:	01/12/2026
Reported:	01/14/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 5 30 (H260195-11)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/13/2026	ND	2.05	103	2.00	1.06	
Toluene*	<0.050	0.050	01/13/2026	ND	1.81	90.4	2.00	7.21	
Ethylbenzene*	<0.050	0.050	01/13/2026	ND	1.98	98.8	2.00	3.34	
Total Xylenes*	<0.150	0.150	01/13/2026	ND	6.31	105	6.00	3.09	
Total BTEX	<0.300	0.300	01/13/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *107 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**192**	16.0	01/14/2026	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/13/2026	ND	192	96.2	200	1.17	
DRO >C10-C28*	<10.0	10.0	01/13/2026	ND	201	100	200	0.352	
EXT DRO >C28-C36	<10.0	10.0	01/13/2026	ND					

Surrogate: 1-Chlorooctane *97.0 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *100 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/13/2026	Sampling Date:	01/12/2026
Reported:	01/14/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 5 35 (H260195-16)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/13/2026	ND	2.05	103	2.00	1.06	
Toluene*	<0.050	0.050	01/13/2026	ND	1.81	90.4	2.00	7.21	
Ethylbenzene*	<0.050	0.050	01/13/2026	ND	1.98	98.8	2.00	3.34	
Total Xylenes*	<0.150	0.150	01/13/2026	ND	6.31	105	6.00	3.09	
Total BTEX	<0.300	0.300	01/13/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *119 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**96.0**	16.0	01/14/2026	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/13/2026	ND	192	96.2	200	1.17	
DRO >C10-C28*	<10.0	10.0	01/13/2026	ND	201	100	200	0.352	
EXT DRO >C28-C36	<10.0	10.0	01/13/2026	ND					

Surrogate: 1-Chlorooctane *111 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *115 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/13/2026	Sampling Date:	01/12/2026
Reported:	01/14/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 5 40 (H260195-21)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/13/2026	ND	2.05	103	2.00	1.06	
Toluene*	<0.050	0.050	01/13/2026	ND	1.81	90.4	2.00	7.21	
Ethylbenzene*	<0.050	0.050	01/13/2026	ND	1.98	98.8	2.00	3.34	
Total Xylenes*	<0.150	0.150	01/13/2026	ND	6.31	105	6.00	3.09	
Total BTEX	<0.300	0.300	01/13/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *116 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**64.0**	16.0	01/14/2026	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/13/2026	ND	192	96.2	200	1.17	
DRO >C10-C28*	<10.0	10.0	01/13/2026	ND	201	100	200	0.352	
EXT DRO >C28-C36	<10.0	10.0	01/13/2026	ND					

Surrogate: 1-Chlorooctane *99.3 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *102 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/13/2026	Sampling Date:	01/12/2026
Reported:	01/14/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 6 4 (H260195-22)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/13/2026	ND	2.05	103	2.00	1.06	
Toluene*	**0.063**	0.050	01/13/2026	ND	1.81	90.4	2.00	7.21	
Ethylbenzene*	**0.068**	0.050	01/13/2026	ND	1.98	98.8	2.00	3.34	
Total Xylenes*	**0.253**	0.150	01/13/2026	ND	6.31	105	6.00	3.09	
Total BTEX	**0.385**	0.300	01/13/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *111 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**128**	16.0	01/14/2026	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/13/2026	ND	192	96.2	200	1.17	
DRO >C10-C28*	**17.7**	10.0	01/13/2026	ND	201	100	200	0.352	
EXT DRO >C28-C36	<10.0	10.0	01/13/2026	ND					

Surrogate: 1-Chlorooctane *102 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *103 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/13/2026	Sampling Date:	01/12/2026
Reported:	01/14/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 6 5 (H260195-23)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/13/2026	ND	2.05	103	2.00	1.06	
Toluene*	<0.050	0.050	01/13/2026	ND	1.81	90.4	2.00	7.21	
Ethylbenzene*	<0.050	0.050	01/13/2026	ND	1.98	98.8	2.00	3.34	
Total Xylenes*	<0.150	0.150	01/13/2026	ND	6.31	105	6.00	3.09	
Total BTEX	<0.300	0.300	01/13/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *109 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	01/14/2026	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/13/2026	ND	192	96.2	200	1.17	
DRO >C10-C28*	<10.0	10.0	01/13/2026	ND	201	100	200	0.352	
EXT DRO >C28-C36	<10.0	10.0	01/13/2026	ND					

Surrogate: 1-Chlorooctane *104 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *106 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/13/2026	Sampling Date:	01/12/2026
Reported:	01/14/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 6 10 (H260195-28)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/13/2026	ND	2.05	103	2.00	1.06	
Toluene*	<0.050	0.050	01/13/2026	ND	1.81	90.4	2.00	7.21	
Ethylbenzene*	<0.050	0.050	01/13/2026	ND	1.98	98.8	2.00	3.34	
Total Xylenes*	<0.150	0.150	01/13/2026	ND	6.31	105	6.00	3.09	
Total BTEX	<0.300	0.300	01/13/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *121 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**64.0**	16.0	01/14/2026	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/13/2026	ND	192	96.2	200	1.17	
DRO >C10-C28*	<10.0	10.0	01/13/2026	ND	201	100	200	0.352	
EXT DRO >C28-C36	<10.0	10.0	01/13/2026	ND					

Surrogate: 1-Chlorooctane *101 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *102 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/13/2026	Sampling Date:	01/12/2026
Reported:	01/14/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 6 15 (H260195-33)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/13/2026	ND	2.05	103	2.00	1.06	
Toluene*	<0.050	0.050	01/13/2026	ND	1.81	90.4	2.00	7.21	
Ethylbenzene*	<0.050	0.050	01/13/2026	ND	1.98	98.8	2.00	3.34	
Total Xylenes*	<0.150	0.150	01/13/2026	ND	6.31	105	6.00	3.09	
Total BTEX	<0.300	0.300	01/13/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *110 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	01/14/2026	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/13/2026	ND	192	96.2	200	1.17	
DRO >C10-C28*	<10.0	10.0	01/13/2026	ND	201	100	200	0.352	
EXT DRO >C28-C36	<10.0	10.0	01/13/2026	ND					

Surrogate: 1-Chlorooctane *106 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *108 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/13/2026	Sampling Date:	01/12/2026
Reported:	01/14/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 6 20 (H260195-38)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/13/2026	ND	1.84	92.1	2.00	0.689	
Toluene*	<0.050	0.050	01/13/2026	ND	1.82	91.1	2.00	0.361	
Ethylbenzene*	<0.050	0.050	01/13/2026	ND	1.94	96.9	2.00	0.441	
Total Xylenes*	<0.150	0.150	01/13/2026	ND	5.84	97.4	6.00	0.932	
Total BTEX	<0.300	0.300	01/13/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *82.9 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	01/14/2026	ND	448	112	400	3.51	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/13/2026	ND	192	96.2	200	1.17	
DRO >C10-C28*	**42.6**	10.0	01/13/2026	ND	201	100	200	0.352	
EXT DRO >C28-C36	**15.1**	10.0	01/13/2026	ND					

Surrogate: 1-Chlorooctane *100 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *107 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/13/2026	Sampling Date:	01/12/2026
Reported:	01/14/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 6 25 (H260195-43)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/13/2026	ND	1.84	92.1	2.00	0.689	
Toluene*	<0.050	0.050	01/13/2026	ND	1.82	91.1	2.00	0.361	
Ethylbenzene*	<0.050	0.050	01/13/2026	ND	1.94	96.9	2.00	0.441	
Total Xylenes*	<0.150	0.150	01/13/2026	ND	5.84	97.4	6.00	0.932	
Total BTEX	<0.300	0.300	01/13/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *80.9 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	01/14/2026	ND	448	112	400	3.51	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/13/2026	ND	192	96.2	200	1.17	
DRO >C10-C28*	<10.0	10.0	01/13/2026	ND	201	100	200	0.352	
EXT DRO >C28-C36	<10.0	10.0	01/13/2026	ND					

Surrogate: 1-Chlorooctane *103 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *105 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/13/2026	Sampling Date:	01/12/2026
Reported:	01/14/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 6 30 (H260195-48)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/13/2026	ND	1.84	92.1	2.00	0.689	
Toluene*	<0.050	0.050	01/13/2026	ND	1.82	91.1	2.00	0.361	
Ethylbenzene*	<0.050	0.050	01/13/2026	ND	1.94	96.9	2.00	0.441	
Total Xylenes*	<0.150	0.150	01/13/2026	ND	5.84	97.4	6.00	0.932	
Total BTEX	<0.300	0.300	01/13/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *82.4 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	01/14/2026	ND	448	112	400	3.51	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/13/2026	ND	192	96.2	200	1.17	
DRO >C10-C28*	**18.9**	10.0	01/13/2026	ND	201	100	200	0.352	
EXT DRO >C28-C36	<10.0	10.0	01/13/2026	ND					

Surrogate: 1-Chlorooctane *103 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *106 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/13/2026	Sampling Date:	01/12/2026
Reported:	01/14/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 6 35 (H260195-53)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/13/2026	ND	1.84	92.1	2.00	0.689	
Toluene*	<0.050	0.050	01/13/2026	ND	1.82	91.1	2.00	0.361	
Ethylbenzene*	<0.050	0.050	01/13/2026	ND	1.94	96.9	2.00	0.441	
Total Xylenes*	<0.150	0.150	01/13/2026	ND	5.84	97.4	6.00	0.932	
Total BTEX	<0.300	0.300	01/13/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *83.4 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	01/14/2026	ND	448	112	400	3.51	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/13/2026	ND	192	96.2	200	1.17	
DRO >C10-C28*	<10.0	10.0	01/13/2026	ND	201	100	200	0.352	
EXT DRO >C28-C36	<10.0	10.0	01/13/2026	ND					

Surrogate: 1-Chlorooctane *107 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *106 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/13/2026	Sampling Date:	01/12/2026
Reported:	01/14/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 6 40 (H260195-58)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/13/2026	ND	1.84	92.1	2.00	0.689	
Toluene*	<0.050	0.050	01/13/2026	ND	1.82	91.1	2.00	0.361	
Ethylbenzene*	<0.050	0.050	01/13/2026	ND	1.94	96.9	2.00	0.441	
Total Xylenes*	<0.150	0.150	01/13/2026	ND	5.84	97.4	6.00	0.932	
Total BTEX	<0.300	0.300	01/13/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *81.4 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	01/14/2026	ND	448	112	400	3.51	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/13/2026	ND	192	96.2	200	1.17	
DRO >C10-C28*	<10.0	10.0	01/13/2026	ND	201	100	200	0.352	
EXT DRO >C28-C36	<10.0	10.0	01/13/2026	ND					

Surrogate: 1-Chlorooctane *112 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *115 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/13/2026	Sampling Date:	01/12/2026
Reported:	01/14/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 7 1-2 (H260195-59)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/13/2026	ND	1.84	92.1	2.00	0.689	
Toluene*	<0.050	0.050	01/13/2026	ND	1.82	91.1	2.00	0.361	
Ethylbenzene*	<0.050	0.050	01/13/2026	ND	1.94	96.9	2.00	0.441	
Total Xylenes*	<0.150	0.150	01/13/2026	ND	5.84	97.4	6.00	0.932	
Total BTEX	<0.300	0.300	01/13/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *83.0 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**112**	16.0	01/14/2026	ND	448	112	400	3.51	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/13/2026	ND	192	96.2	200	1.17	
DRO >C10-C28*	<10.0	10.0	01/13/2026	ND	201	100	200	0.352	
EXT DRO >C28-C36	<10.0	10.0	01/13/2026	ND					

Surrogate: 1-Chlorooctane *95.9 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *97.4 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/13/2026	Sampling Date:	01/12/2026
Reported:	01/14/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 7 3 (H260195-60)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/13/2026	ND	1.84	92.1	2.00	0.689	
Toluene*	<0.050	0.050	01/13/2026	ND	1.82	91.1	2.00	0.361	
Ethylbenzene*	<0.050	0.050	01/13/2026	ND	1.94	96.9	2.00	0.441	
Total Xylenes*	<0.150	0.150	01/13/2026	ND	5.84	97.4	6.00	0.932	
Total BTEX	<0.300	0.300	01/13/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *81.4 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**112**	16.0	01/14/2026	ND	448	112	400	3.51	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/13/2026	ND	192	96.2	200	1.17	
DRO >C10-C28*	<10.0	10.0	01/13/2026	ND	201	100	200	0.352	
EXT DRO >C28-C36	<10.0	10.0	01/13/2026	ND					

Surrogate: 1-Chlorooctane *105 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *105 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/13/2026	Sampling Date:	01/12/2026
Reported:	01/14/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 7 4 (H260195-61)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/13/2026	ND	1.84	92.1	2.00	0.689	
Toluene*	<0.050	0.050	01/13/2026	ND	1.82	91.1	2.00	0.361	
Ethylbenzene*	<0.050	0.050	01/13/2026	ND	1.94	96.9	2.00	0.441	
Total Xylenes*	<0.150	0.150	01/13/2026	ND	5.84	97.4	6.00	0.932	
Total BTEX	<0.300	0.300	01/13/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *79.1 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**80.0**	16.0	01/14/2026	ND	448	112	400	3.51	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/13/2026	ND	192	96.2	200	1.17	
DRO >C10-C28*	<10.0	10.0	01/13/2026	ND	201	100	200	0.352	
EXT DRO >C28-C36	<10.0	10.0	01/13/2026	ND					

Surrogate: 1-Chlorooctane *104 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *106 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/13/2026	Sampling Date:	01/12/2026
Reported:	01/14/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 7 5 (H260195-62)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/13/2026	ND	1.84	92.1	2.00	0.689	
Toluene*	<0.050	0.050	01/13/2026	ND	1.82	91.1	2.00	0.361	
Ethylbenzene*	<0.050	0.050	01/13/2026	ND	1.94	96.9	2.00	0.441	
Total Xylenes*	<0.150	0.150	01/13/2026	ND	5.84	97.4	6.00	0.932	
Total BTEX	<0.300	0.300	01/13/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *78.6 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	01/14/2026	ND	448	112	400	3.51	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/13/2026	ND	192	96.2	200	1.17	
DRO >C10-C28*	<10.0	10.0	01/13/2026	ND	201	100	200	0.352	
EXT DRO >C28-C36	<10.0	10.0	01/13/2026	ND					

Surrogate: 1-Chlorooctane *103 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *102 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/13/2026	Sampling Date:	01/12/2026
Reported:	01/14/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 7 10 (H260195-67)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/13/2026	ND	1.84	92.1	2.00	0.689	
Toluene*	<0.050	0.050	01/13/2026	ND	1.82	91.1	2.00	0.361	
Ethylbenzene*	<0.050	0.050	01/13/2026	ND	1.94	96.9	2.00	0.441	
Total Xylenes*	<0.150	0.150	01/13/2026	ND	5.84	97.4	6.00	0.932	
Total BTEX	<0.300	0.300	01/13/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *80.0 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	01/14/2026	ND	448	112	400	3.51	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/13/2026	ND	192	96.2	200	1.17	
DRO >C10-C28*	<10.0	10.0	01/13/2026	ND	201	100	200	0.352	
EXT DRO >C28-C36	<10.0	10.0	01/13/2026	ND					

Surrogate: 1-Chlorooctane *102 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *104 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/13/2026	Sampling Date:	01/12/2026
Reported:	01/14/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 7 15 (H260195-73)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/13/2026	ND	1.84	92.1	2.00	0.689	
Toluene*	<0.050	0.050	01/13/2026	ND	1.82	91.1	2.00	0.361	
Ethylbenzene*	<0.050	0.050	01/13/2026	ND	1.94	96.9	2.00	0.441	
Total Xylenes*	<0.150	0.150	01/13/2026	ND	5.84	97.4	6.00	0.932	
Total BTEX	<0.300	0.300	01/13/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *81.2 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	01/14/2026	ND	448	112	400	3.51	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/13/2026	ND	206	103	200	1.73	
DRO >C10-C28*	<10.0	10.0	01/13/2026	ND	205	102	200	1.33	
EXT DRO >C28-C36	<10.0	10.0	01/13/2026	ND					

Surrogate: 1-Chlorooctane *88.2 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *87.4 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/13/2026	Sampling Date:	01/12/2026
Reported:	01/14/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 7 20 (H260195-78)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/13/2026	ND	1.84	92.1	2.00	0.689	
Toluene*	<0.050	0.050	01/13/2026	ND	1.82	91.1	2.00	0.361	
Ethylbenzene*	<0.050	0.050	01/13/2026	ND	1.94	96.9	2.00	0.441	
Total Xylenes*	<0.150	0.150	01/13/2026	ND	5.84	97.4	6.00	0.932	
Total BTEX	<0.300	0.300	01/13/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *80.2 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	01/14/2026	ND	448	112	400	3.51	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/13/2026	ND	206	103	200	1.73	
DRO >C10-C28*	<10.0	10.0	01/13/2026	ND	205	102	200	1.33	
EXT DRO >C28-C36	<10.0	10.0	01/13/2026	ND					

Surrogate: 1-Chlorooctane *94.2 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *95.4 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/13/2026	Sampling Date:	01/12/2026
Reported:	01/14/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 7 25 (H260195-83)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/13/2026	ND	1.84	92.1	2.00	0.689	
Toluene*	<0.050	0.050	01/13/2026	ND	1.82	91.1	2.00	0.361	
Ethylbenzene*	<0.050	0.050	01/13/2026	ND	1.94	96.9	2.00	0.441	
Total Xylenes*	<0.150	0.150	01/13/2026	ND	5.84	97.4	6.00	0.932	
Total BTEX	<0.300	0.300	01/13/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *80.3 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**80.0**	16.0	01/14/2026	ND	448	112	400	3.51	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/13/2026	ND	206	103	200	1.73	
DRO >C10-C28*	<10.0	10.0	01/13/2026	ND	205	102	200	1.33	
EXT DRO >C28-C36	<10.0	10.0	01/13/2026	ND					

Surrogate: 1-Chlorooctane *78.2 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *79.4 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/13/2026	Sampling Date:	01/12/2026
Reported:	01/14/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 7 30 (H260195-88)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/13/2026	ND	1.84	92.1	2.00	0.689	
Toluene*	<0.050	0.050	01/13/2026	ND	1.82	91.1	2.00	0.361	
Ethylbenzene*	<0.050	0.050	01/13/2026	ND	1.94	96.9	2.00	0.441	
Total Xylenes*	<0.150	0.150	01/13/2026	ND	5.84	97.4	6.00	0.932	
Total BTEX	<0.300	0.300	01/13/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *77.7 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	01/14/2026	ND	448	112	400	3.51	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/13/2026	ND	206	103	200	1.73	
DRO >C10-C28*	<10.0	10.0	01/13/2026	ND	205	102	200	1.33	
EXT DRO >C28-C36	<10.0	10.0	01/13/2026	ND					

Surrogate: 1-Chlorooctane *101 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *101 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C
	Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

Page 94 of 825

STANDARD SAFETY & SUPPLY

Chain of Custody H260195

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/
Page 10 of 25

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

04024011 - acd

Project Name:	A78 Highway Line	Turn Around	
Project Number:		☐ Routine ☑ Rush	
Project Location:	Lea County, New Mexico	Due Date:	24 hr
Sampler's Name:	Josh James	TAT may vary based on lab start time.	
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT			
Temp Blank:	Yes No	Wet Ice:	Yes No
Samples Received Intact:	Yes No	Thermometer ID:	#140
Cooler Custody Seals:	Yes No N/A	Correction Factor:	+0.1c
Sample Custody Seals:	Yes No N/A	Temperature Reading:	3.5c
Total Containers:	243	Corrected Temperature:	3.6c

Preservative Codes

None: NO; DI Water: H_2O; Cool: Cool; MeOH: Me; HCL: HC; HNO_3: HN; H_2S0_4: H_2; NaOH: Na; H_3PO_4: HP; $NaHSO_4$: NABIS; $Na_2S_2O_3$: $NaSO_3$; Zn Acetate+NaOH: Zn; NaOH+Ascorbic Acid: SAPC

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Pres. Code	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
V-5	20	1/12/2026		S	Grab	1		x	x	x	
V-5	21	1/12/2026		S	Grab	1		x	x	x	HOLD
V-5	22	1/12/2026		S	Grab	1		x	x	x	
V-5	23	1/12/2026		S	Grab	1		x	x	x	
V-5	24	1/12/2026		S	Grab	1		x	x	x	
V-5	25	1/12/2026		S	Grab	1		x	x	x	
V-5	26	1/12/2026		S	Grab	1		x	x	x	HOLD
V-5	27	1/12/2026		S	Grab	1		x	x	x	
V-5	28	1/12/2026		S	Grab	1		x	x	x	
V-5	29	1/12/2026		S	Grab	1		x	x	x	

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1 Josh James		1/13/26	2		1-13-26 1200
3			4		
5			6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

STANDARD SAFETY & SUPPLY

Chain of Custody

H260195

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

Project Name:	A78 Highway Line	Turn Around	☐ Routine ☑ Rush
Project Number:		Pres. Code	
Project Location:	Lea County, New Mexico	Due Date:	24hr
Sampler's Name:	Josh James	TAT may vary based on lab start time.	
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT				
Temp Blank:	Yes No	Wet Ice:	Yes No	Parameters
Samples Received Intact:	Yes No	Thermometer ID:	#140	
Cooler Custody Seals:	Yes No N/A	Correction Factor:	+0.1°C	
Sample Custody Seals:	Yes No N/A	Temperature Reading:	3.5°C	
Total Containers:	243	Corrected Temperature:	3.6°C	

Preservative Codes

None: NO; DI Water: H_2O; Cool: Cool; MeOH: Me; HCL: HC; HNO_3: HN; H_2S0_4: H_2; NaOH: Na; H_3PO_4: HP; $NaHSO_4$: NABIS; $Na_2S_2O_3$: $NaSO_3$; Zn Acetate+NaOH: Zn; NaOH+Ascorbic Acid: SAPC

	Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
11	V-5	30	1/12/2026		S	Grab	1	x	x	x	
12	V-5	31	1/12/2026		S	Grab	1	x	x	x	Hold
13	V-5	32	1/12/2026		S	Grab	1	x	x	x	
14	V-5	33	1/12/2026		S	Grab	1	x	x	x	
15	V-5	34	1/12/2026		S	Grab	1	x	x	x	
16	V-5	35	1/12/2026		S	Grab	1	x	x	x	
17	V-5	36	1/12/2026		S	Grab	1	x	x	x	Hold
18	V-5	37	1/12/2026		S	Grab	1	x	x	x	
19	V-5	38	1/12/2026		S	Grab	1	x	x	x	
20	V-5	39	1/12/2026		S	Grab	1	x	x	x	

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1 Josh James		1/13/26 11:40	2		1-13-26 1200
3			4		
5			6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

STANDARD SAFETY & SUPPLY

Chain of Custody

H260195

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

Project Name:	A78 Highway Line	Turn Around	☐ Routine ☑ Rush
Project Number:		Due Date:	24 hr
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.	
Sampler's Name:	Josh James		
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT			
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No
Samples Received Intact:	(Yes) No	Thermometer ID:	#140
Cooler Custody Seals:	Yes (No) N/A	Correction Factor:	+0.1°
Sample Custody Seals:	(Yes) No N/A	Temperature Reading:	3.5°
Total Containers:	243	Corrected Temperature:	3.6°

Preservative Codes

None: NO; DI Water: H_2O; Cool: Cool; MeOH: Me; HCL: HC; HNO_3: HN; H_2S0_4: H_2; NaOH: Na; H_3PO_4: HP; $NaHSO_4$: NABIS; $Na_2S_2O_3$: $NaSO_3$; Zn Acetate+NaOH: Zn; NaOH+Ascorbic Acid: SAPC

	Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Parameters: BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
21	V-5	40	1/12/2026		S	Grab	1	x	x	x	
22	V-6	4	1/12/2026		S	Grab	1	x	x	x	
23	V-6	5	1/12/2026		S	Grab	1	x	x	x	
24	V-6	6	1/12/2026		S	Grab	1	x	x	x	Hold
25	V-6	7	1/12/2026		S	Grab	1	x	x	x	"
26	V-6	8	1/12/2026		S	Grab	1	x	x	x	"
27	V-6	9	1/12/2026		S	Grab	1	x	x	x	"
28	V-6	10	1/12/2026		S	Grab	1	x	x	x	
29	V-6	11	1/12/2026		S	Grab	1	x	x	x	Hold
30	V-6	12	1/12/2026		S	Grab	1	x	x	x	"

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1 Josh James		1/13/26	2		1-13-26 1200
3			4		
5			6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

STANDARD SAFETY & SUPPLY

Chain of Custody

H260195

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

Project Name:	A78 Highway Line	Turn Around	☐ Routine ☑ Rush
Project Number:		Due Date:	24 hr
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.	
Sampler's Name:	Josh James		
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT				
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No	
Samples Received Intact:	(Yes) No	Thermometer ID:	#140	
Cooler Custody Seals:	Yes (No) N/A	Correction Factor:	+0.1°	
Sample Custody Seals:	(Yes) No N/A	Temperature Reading:	3.5°	
Total Containers:	243	Corrected Temperature:	3.6°	

Preservative Codes

None: NO; DI Water: H_2O; Cool: Cool; MeOH: Me; HCL: HC; HNO_3: HN; H_2S0_4: H_2; NaOH: Na; H_3PO_4: HP; $NaHSO_4$: NABIS; $Na_2S_2O_3$: $NaSO_3$; Zn Acetate+NaOH: Zn; NaOH+Ascorbic Acid: SAPC

	Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Pres. Code	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
31	V-6	13	1/12/2026		S	Grab	1		x	x	x	Hold
32	V-6	14	1/12/2026		S	Grab	1		x	x	x	↓
33	V-6	15	1/12/2026		S	Grab	1		x	x	x	
34	V-6	16	1/12/2026		S	Grab	1		x	x	x	Hold
35	V-6	17	1/12/2026		S	Grab	1		x	x	x	↓
36	V-6	18	1/12/2026		S	Grab	1		x	x	x	
37	V-6	19	1/12/2026		S	Grab	1		x	x	x	↓
38	V-6	20	1/12/2026		S	Grab	1		x	x	x	
39	V-6	21	1/12/2026		S	Grab	1		x	x	x	Hold
40	V-6	22	1/12/2026		S	Grab	1		x	x	x	↓

	Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1	Josh James		1/13/26 11:00	2		1-13-26 1300
3				4		
5				6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by: OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

STANDARD SAFETY & SUPPLY

Chain of Custody H260195

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

Project Name:	A78 Highway Line	Turn Around	☐ Routine ☑ Rush
Project Number:		Pres. Code	
Project Location:	Lea County, New Mexico	Due Date:	24 hr
Sampler's Name:	Josh James	TAT may vary based on lab start time.	
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT			
Temp Blank:	Yes No	Wet Ice:	Yes No
Samples Received Intact:	Yes No	Thermometer ID:	#140
Cooler Custody Seals:	Yes No N/A	Correction Factor:	+0.1°C
Sample Custody Seals:	Yes No N/A	Temperature Reading:	3.5°C
Total Containers:	243	Corrected Temperature:	3.6°C

Preservative Codes

None: NO; DI Water: H_2O; Cool: Cool; MeOH: Me; HCL: HC; HNO_3: HN; H_2S0_4: H_2; NaOH: Na; H_3PO_4: HP; $NaHSO_4$: NABIS; $Na_2S_2O_3$: $NaSO_3$; Zn Acetate+NaOH: Zn; NaOH+Ascorbic Acid: SAPC

ANALYSIS REQUEST

Parameters — 1/13/26

	Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
41	V-6	23	1/12/2026		S	Grab	1	x	x	x	Hold
42	V-6	24	1/12/2026		S	Grab	1	x	x	x	↓
43	V-6	25	1/12/2026		S	Grab	1	x	x	x	
44	V-6	26	1/12/2026		S	Grab	1	x	x	x	Hold
45	V-6	27	1/12/2026		S	Grab	1	x	x	x	↓
46	V-6	28	1/12/2026		S	Grab	1	x	x	x	↓
47	V-6	29	1/12/2026		S	Grab	1	x	x	x	↓
48	V-6	30	1/12/2026		S	Grab	1	x	x	x	
49	V-6	31	1/12/2026		S	Grab	1	x	x	x	Hold
50	V-6	32	1/12/2026		S	Grab	1	x	x	x	↓

	Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1	Josh James		1/13/26 11:00	2		1-13-26 1200
3				4		
5				6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:38 AM

Released to Imaging: 3/27/2026 7:26:57 AM

STANDARD SAFETY & SUPPLY

Chain of Custody

H260195

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

Project Name:	A78 Highway Line	Turn Around	☐ Routine ☑ Rush
Project Number:		Due Date:	24 hr
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.	
Sampler's Name:	Josh James		
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT				
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No	
Samples Received Intact:	(Yes) No	Thermometer ID:	#140	
Cooler Custody Seals:	Yes (No) N/A	Correction Factor:	+0.1c	
Sample Custody Seals:	(Yes) No N/A	Temperature Reading:	3.5c	
Total Containers:	243	Corrected Temperature:	3.6c	

Preservative Codes

None: NO; DI Water: H_2O; Cool: Cool; MeOH: Me; HCL: HC; HNO_3: HN; H_2S0_4: H_2; NaOH: Na; H_3PO_4: HP; $NaHSO_4$: NABIS; $Na_2S_2O_3$: $NaSO_3$; Zn Acetate+NaOH: Zn; NaOH+Ascorbic Acid: SAPC

	Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Pres. Code	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
S1	V-6	33	1/12/2026		S	Grab	1		x	x	x	H&W
S2	V-6	34	1/12/2026		S	Grab	1		x	x	x	"
S3	V-6	35	1/12/2026		S	Grab	1		x	x	x	
S4	V-6	36	1/12/2026		S	Grab	1		x	x	x	H&W
S5	V-6	37	1/12/2026		S	Grab	1		x	x	x	"
S6	V-6	38	1/12/2026		S	Grab	1		x	x	x	
S7	V-6	39	1/12/2026		S	Grab	1		x	x	x	"
S8	V-6	40	1/12/2026		S	Grab	1		x	x	x	
S9	V-7	1-2	1/12/2026		S	Grab	1		x	x	x	
S10	V-7	3	1/12/2026		S	Grab	1		x	x	x	

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1 Josh James		1/13/26 11:00	2	Tamara Whitaker	1-13-26 1200
3			4		
5			6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

STANDARD SAFETY & SUPPLY

Chain of Custody

H260195

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

Project Name:	A78 Highway Line	Turn Around	☐ Routine ☑ Rush
Project Number:		Pres. Code	
Project Location:	Lea County, New Mexico	Due Date:	24 hr
Sampler's Name:	Josh James	TAT may vary based on lab start time.	
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT			
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No
Samples Received Intact:	(Yes) No	Thermometer ID:	#140
Cooler Custody Seals:	Yes (No) N/A	Correction Factor:	+0.1°C
Sample Custody Seals:	(Yes) No N/A	Temperature Reading:	3.5°C
Total Containers:	243	Corrected Temperature:	3.6°C

Preservative Codes

None: NO; DI Water: H_2O; Cool: Cool; MeOH: Me; HCL: HC; HNO_3: HN; H_2S0_4: H_2; NaOH: Na; H_3PO_4: HP; $NaHSO_4$: NABIS; $Na_2S_2O_3$: $NaSO_3$; Zn Acetate+NaOH: Zn; NaOH+Ascorbic Acid: SAPC

	Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
61	V-7	4	1/12/2026		S	Grab	1	x	x	x	
62	V-7	5	1/12/2026		S	Grab	1	x	x	x	
63	V-7	6	1/12/2026		S	Grab	1	x	x	x	Hold
64	V-7	7	1/12/2026		S	Grab	1	x	x	x	↓
65	V-7	8	1/12/2026		S	Grab	1	x	x	x	↓
66	V-7	9	1/12/2026		S	Grab	1	x	x	x	
67	V-7	10	1/12/2026		S	Grab	1	x	x	x	
68	V-7	11	1/12/2026		S	Grab	1	x	x	x	Hold
69	V-7	12	1/12/2026		S	Grab	1	x	x	x	↓
70	V-7	13	1/12/2026		S	Grab	1	x	x	x	↓

	Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1	Josh James		1/13/26 11:40	2		1-13-26 1200
3				4		
5				6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

STANDARD SAFETY & SUPPLY

Chain of Custody H260195

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

Project Name:	A78 Highway Line	Turn Around	☐ Routine ☑ Rush
Project Number:		Pres. Code	
Project Location:	Lea County, New Mexico	Due Date:	24 hr
Sampler's Name:	Josh James	TAT may vary based on lab start time.	
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT				
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No	
Samples Received Intact:	(Yes) No	Thermometer ID:	#140	
Cooler Custody Seals:	Yes (No) N/A	Correction Factor:	+0.1°C	
Sample Custody Seals:	(Yes) No N/A	Temperature Reading:	3.5°C	
Total Containers:	243	Corrected Temperature:	3.6°C	

Preservative Codes

None: NO; DI Water: H_2O; Cool: Cool; MeOH: Me; HCL: HC; HNO_3: HN; H_2S0_4: H_2; NaOH: Na; H_3PO_4: HP; $NaHSO_4$: NABIS; $Na_2S_2O_3$: $NaSO_3$; Zn Acetate+NaOH: Zn; NaOH+Ascorbic Acid: SAPC

	Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
71	V-7	13	1/12/2026		S	Grab	1	x	x	x	Hold DUP To: 1/13/26
72	V-7	14	1/12/2026		S	Grab	1	x	x	x	
73	V-7	15	1/12/2026		S	Grab	1	x	x	x	
74	V-7	16	1/12/2026		S	Grab	1	x	x	x	Hold
75	V-7	17	1/12/2026		S	Grab	1	x	x	x	
76	V-7	18	1/12/2026		S	Grab	1	x	x	x	
77	V-7	19	1/12/2026		S	Grab	1	x	x	x	
78	V-7	20	1/12/2026		S	Grab	1	x	x	x	
79	V-7	21	1/12/2026		S	Grab	1	x	x	x	Hold
80	V-7	22	1/12/2026		S	Grab	1	x	x	x	

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1 Josh James		1/13/26 11:00	2	Tamara Chadwick	1-13-26 1200
3			4		
5			6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:38 AM

Released to Imaging: 3/27/2026 7:26:57 AM

STANDARD SAFETY & SUPPLY

Chain of Custody

H260195

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

Project Name:	A78 Highway Line	Turn Around	☐ Routine ☑ Rush
Project Number:		Due Date:	24 hr
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.	
Sampler's Name:	Josh James		
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT				
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No	
Samples Received Intact:	(Yes) No	Thermometer ID:	#140	
Cooler Custody Seals:	Yes (No) N/A	Correction Factor:	+0.1c	
Sample Custody Seals:	(Yes) No N/A	Temperature Reading:	3.5c	
Total Containers:	243	Corrected Temperature:	3.6c	

Preservative Codes

None: NO; DI Water: H_2O; Cool: Cool; MeOH: Me; HCL: HC; HNO_3: HN; H_2S0_4: H_2; NaOH: Na; H_3PO_4: HP; $NaHSO_4$: NABIS; $Na_2S_2O_3$: $NaSO_3$; Zn Acetate+NaOH: Zn; NaOH+Ascorbic Acid: SAPC

	Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
81	V-7	23	1/12/2026		S	Grab	1	x	x	x	Hold
82	V-7	24	1/12/2026		S	Grab	1	x	x	x	↓
83	V-7	25	1/12/2026		S	Grab	1	x	x	x	
84	V-7	26	1/12/2026		S	Grab	1	x	x	x	Hold
85	V-7	27	1/12/2026		S	Grab	1	x	x	x	↓
86	V-7	28	1/12/2026		S	Grab	1	x	x	x	
87	V-7	29	1/12/2026		S	Grab	1	x	x	x	↓
88	V-7	30	1/12/2026		S	Grab	1	x	x	x	
89	V-7	31	1/12/2026		S	Grab	1	x	x	x	Hold
90	V-7	32	1/12/2026		S	Grab	1	x	x	x	↓

	Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1	Josh James		1/13/26 11:00	2	Tamara Latcher	1-13-26 1200
3				4		
5				6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

January 14, 2026

ETHAN SESSUMS

STANDARD SAFETY & SUPPLY

PO BOX 14987

ODESSA, TX 79764

RE: A78 HIGHWAY LINE

Enclosed are the results of analyses for samples received by the laboratory on 01/13/26 12:00.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C25-00101. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accreditated through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Celey D. Keene

Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/13/2026	Sampling Date:	01/12/2026
Reported:	01/14/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 7 35 (H260196-03)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/13/2026	ND	1.84	92.1	2.00	0.689	
Toluene*	<0.050	0.050	01/13/2026	ND	1.82	91.1	2.00	0.361	
Ethylbenzene*	<0.050	0.050	01/13/2026	ND	1.94	96.9	2.00	0.441	
Total Xylenes*	<0.150	0.150	01/13/2026	ND	5.84	97.4	6.00	0.932	
Total BTEX	<0.300	0.300	01/13/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *81.7 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	01/14/2026	ND	448	112	400	3.51	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/13/2026	ND	206	103	200	1.73	
DRO >C10-C28*	<10.0	10.0	01/13/2026	ND	205	102	200	1.33	
EXT DRO >C28-C36	<10.0	10.0	01/13/2026	ND					

Surrogate: 1-Chlorooctane *101 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *101 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/13/2026	Sampling Date:	01/12/2026
Reported:	01/14/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 7 40 (H260196-08)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/13/2026	ND	1.84	92.1	2.00	0.689	
Toluene*	<0.050	0.050	01/13/2026	ND	1.82	91.1	2.00	0.361	
Ethylbenzene*	<0.050	0.050	01/13/2026	ND	1.94	96.9	2.00	0.441	
Total Xylenes*	<0.150	0.150	01/13/2026	ND	5.84	97.4	6.00	0.932	
Total BTEX	<0.300	0.300	01/13/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *76.9 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	01/14/2026	ND	448	112	400	3.51	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/13/2026	ND	206	103	200	1.73	
DRO >C10-C28*	<10.0	10.0	01/13/2026	ND	205	102	200	1.33	
EXT DRO >C28-C36	<10.0	10.0	01/13/2026	ND					

Surrogate: 1-Chlorooctane *104 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *106 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/13/2026	Sampling Date:	01/12/2026
Reported:	01/14/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 9 1 (H260196-09)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/13/2026	ND	1.84	92.1	2.00	0.689	
Toluene*	**0.201**	0.050	01/13/2026	ND	1.82	91.1	2.00	0.361	
Ethylbenzene*	**0.336**	0.050	01/13/2026	ND	1.94	96.9	2.00	0.441	
Total Xylenes*	**1.16**	0.150	01/13/2026	ND	5.84	97.4	6.00	0.932	
Total BTEX	**1.70**	0.300	01/13/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *85.8 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**128**	16.0	01/14/2026	ND	448	112	400	3.51	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	**21.1**	10.0	01/13/2026	ND	206	103	200	1.73	
DRO >C10-C28*	**46.6**	10.0	01/13/2026	ND	205	102	200	1.33	
EXT DRO >C28-C36	<10.0	10.0	01/13/2026	ND					

Surrogate: 1-Chlorooctane *106 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *108 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/13/2026	Sampling Date:	01/12/2026
Reported:	01/14/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 9 2 (H260196-10)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/13/2026	ND	1.84	92.1	2.00	0.689	
Toluene*	<0.050	0.050	01/13/2026	ND	1.82	91.1	2.00	0.361	
Ethylbenzene*	<0.050	0.050	01/13/2026	ND	1.94	96.9	2.00	0.441	
Total Xylenes*	<0.150	0.150	01/13/2026	ND	5.84	97.4	6.00	0.932	
Total BTEX	<0.300	0.300	01/13/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *79.1 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	01/14/2026	ND	448	112	400	3.51	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/13/2026	ND	206	103	200	1.73	
DRO >C10-C28*	<10.0	10.0	01/13/2026	ND	205	102	200	1.33	
EXT DRO >C28-C36	<10.0	10.0	01/13/2026	ND					

Surrogate: 1-Chlorooctane *102 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *103 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/13/2026	Sampling Date:	01/12/2026
Reported:	01/14/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 9 3 (H260196-11)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/13/2026	ND	1.84	92.1	2.00	0.689	
Toluene*	<0.050	0.050	01/13/2026	ND	1.82	91.1	2.00	0.361	
Ethylbenzene*	<0.050	0.050	01/13/2026	ND	1.94	96.9	2.00	0.441	
Total Xylenes*	<0.150	0.150	01/13/2026	ND	5.84	97.4	6.00	0.932	
Total BTEX	<0.300	0.300	01/13/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *80.0 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**80.0**	16.0	01/14/2026	ND	448	112	400	3.51	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/13/2026	ND	206	103	200	1.73	
DRO >C10-C28*	<10.0	10.0	01/13/2026	ND	205	102	200	1.33	
EXT DRO >C28-C36	<10.0	10.0	01/13/2026	ND					

Surrogate: 1-Chlorooctane *101 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *103 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/13/2026	Sampling Date:	01/12/2026
Reported:	01/14/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 9 4 (H260196-12)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/13/2026	ND	1.84	92.1	2.00	0.689	
Toluene*	<0.050	0.050	01/13/2026	ND	1.82	91.1	2.00	0.361	
Ethylbenzene*	<0.050	0.050	01/13/2026	ND	1.94	96.9	2.00	0.441	
Total Xylenes*	<0.150	0.150	01/13/2026	ND	5.84	97.4	6.00	0.932	
Total BTEX	<0.300	0.300	01/13/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *81.8 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	01/14/2026	ND	448	112	400	3.51	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/13/2026	ND	206	103	200	1.73	
DRO >C10-C28*	<10.0	10.0	01/13/2026	ND	205	102	200	1.33	
EXT DRO >C28-C36	<10.0	10.0	01/13/2026	ND					

Surrogate: 1-Chlorooctane *101 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *103 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/13/2026	Sampling Date:	01/12/2026
Reported:	01/14/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 9 5 (H260196-13)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	2.08	104	2.00	2.95	
Toluene*	<0.050	0.050	01/14/2026	ND	1.88	94.2	2.00	0.979	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	2.06	103	2.00	1.49	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	6.65	111	6.00	2.33	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *117 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	01/13/2026	ND	432	108	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/13/2026	ND	206	103	200	1.73	
DRO >C10-C28*	<10.0	10.0	01/13/2026	ND	205	102	200	1.33	
EXT DRO >C28-C36	<10.0	10.0	01/13/2026	ND					

Surrogate: 1-Chlorooctane *92.4 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *94.2 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/13/2026	Sampling Date:	01/12/2026
Reported:	01/14/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 9 10 (H260196-18)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	2.08	104	2.00	2.95	
Toluene*	<0.050	0.050	01/14/2026	ND	1.88	94.2	2.00	0.979	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	2.06	103	2.00	1.49	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	6.65	111	6.00	2.33	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *110 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**64.0**	16.0	01/13/2026	ND	432	108	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/13/2026	ND	206	103	200	1.73	
DRO >C10-C28*	<10.0	10.0	01/13/2026	ND	205	102	200	1.33	
EXT DRO >C28-C36	<10.0	10.0	01/13/2026	ND					

Surrogate: 1-Chlorooctane *91.0 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *91.7 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/13/2026	Sampling Date:	01/12/2026
Reported:	01/14/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 9 15 (H260196-23)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	2.08	104	2.00	2.95	
Toluene*	<0.050	0.050	01/14/2026	ND	1.88	94.2	2.00	0.979	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	2.06	103	2.00	1.49	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	6.65	111	6.00	2.33	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *109 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**112**	16.0	01/13/2026	ND	432	108	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/13/2026	ND	206	103	200	1.73	
DRO >C10-C28*	<10.0	10.0	01/13/2026	ND	205	102	200	1.33	
EXT DRO >C28-C36	<10.0	10.0	01/13/2026	ND					

Surrogate: 1-Chlorooctane *104 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *105 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/13/2026	Sampling Date:	01/12/2026
Reported:	01/14/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 9 20 (H260196-28)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	2.08	104	2.00	2.95	
Toluene*	<0.050	0.050	01/14/2026	ND	1.88	94.2	2.00	0.979	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	2.06	103	2.00	1.49	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	6.65	111	6.00	2.33	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *104 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**144**	16.0	01/13/2026	ND	432	108	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/13/2026	ND	206	103	200	1.73	
DRO >C10-C28*	<10.0	10.0	01/13/2026	ND	205	102	200	1.33	
EXT DRO >C28-C36	<10.0	10.0	01/13/2026	ND					

Surrogate: 1-Chlorooctane *102 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *105 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/13/2026	Sampling Date:	01/12/2026
Reported:	01/14/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 9 25 (H260196-33)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	2.08	104	2.00	2.95	
Toluene*	<0.050	0.050	01/14/2026	ND	1.88	94.2	2.00	0.979	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	2.06	103	2.00	1.49	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	6.65	111	6.00	2.33	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *108 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**160**	16.0	01/13/2026	ND	432	108	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/13/2026	ND	206	103	200	1.73	
DRO >C10-C28*	<10.0	10.0	01/13/2026	ND	205	102	200	1.33	
EXT DRO >C28-C36	<10.0	10.0	01/13/2026	ND					

Surrogate: 1-Chlorooctane *97.7 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *99.4 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/13/2026	Sampling Date:	01/12/2026
Reported:	01/14/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 9 30 (H260196-38)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	2.08	104	2.00	2.95	
Toluene*	<0.050	0.050	01/14/2026	ND	1.88	94.2	2.00	0.979	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	2.06	103	2.00	1.49	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	6.65	111	6.00	2.33	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *112 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**96.0**	16.0	01/13/2026	ND	432	108	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/13/2026	ND	206	103	200	1.73	
DRO >C10-C28*	<10.0	10.0	01/13/2026	ND	205	102	200	1.33	
EXT DRO >C28-C36	<10.0	10.0	01/13/2026	ND					

Surrogate: 1-Chlorooctane *102 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *105 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/13/2026	Sampling Date:	01/12/2026
Reported:	01/14/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 9 35 (H260196-43)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	2.08	104	2.00	2.95	
Toluene*	<0.050	0.050	01/14/2026	ND	1.88	94.2	2.00	0.979	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	2.06	103	2.00	1.49	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	6.65	111	6.00	2.33	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *118 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**96.0**	16.0	01/13/2026	ND	432	108	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/13/2026	ND	206	103	200	1.73	
DRO >C10-C28*	<10.0	10.0	01/13/2026	ND	205	102	200	1.33	
EXT DRO >C28-C36	<10.0	10.0	01/13/2026	ND					

Surrogate: 1-Chlorooctane *105 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *108 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/13/2026	Sampling Date:	01/12/2026
Reported:	01/14/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 9 40 (H260196-48)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	2.08	104	2.00	2.95	
Toluene*	<0.050	0.050	01/14/2026	ND	1.88	94.2	2.00	0.979	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	2.06	103	2.00	1.49	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	6.65	111	6.00	2.33	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *120 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	01/13/2026	ND	432	108	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/13/2026	ND	206	103	200	1.73	
DRO >C10-C28*	<10.0	10.0	01/13/2026	ND	205	102	200	1.33	
EXT DRO >C28-C36	<10.0	10.0	01/13/2026	ND					

Surrogate: 1-Chlorooctane *105 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *107 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/13/2026	Sampling Date:	01/10/2026
Reported:	01/14/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 11 3 (H260196-49)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	2.08	104	2.00	2.95	
Toluene*	<0.050	0.050	01/14/2026	ND	1.88	94.2	2.00	0.979	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	2.06	103	2.00	1.49	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	6.65	111	6.00	2.33	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *115 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**64.0**	16.0	01/13/2026	ND	432	108	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/13/2026	ND	206	103	200	1.73	
DRO >C10-C28*	<10.0	10.0	01/13/2026	ND	205	102	200	1.33	
EXT DRO >C28-C36	<10.0	10.0	01/13/2026	ND					

Surrogate: 1-Chlorooctane *90.3 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *91.6 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/13/2026	Sampling Date:	01/10/2026
Reported:	01/14/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 11 4 (H260196-50)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	2.08	104	2.00	2.95	
Toluene*	<0.050	0.050	01/14/2026	ND	1.88	94.2	2.00	0.979	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	2.06	103	2.00	1.49	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	6.65	111	6.00	2.33	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *118 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**64.0**	16.0	01/13/2026	ND	432	108	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/13/2026	ND	206	103	200	1.73	
DRO >C10-C28*	<10.0	10.0	01/13/2026	ND	205	102	200	1.33	
EXT DRO >C28-C36	<10.0	10.0	01/13/2026	ND					

Surrogate: 1-Chlorooctane *88.0 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *91.6 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/13/2026	Sampling Date:	01/10/2026
Reported:	01/14/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 11 5 (H260196-51)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	2.08	104	2.00	2.95	
Toluene*	<0.050	0.050	01/14/2026	ND	1.88	94.2	2.00	0.979	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	2.06	103	2.00	1.49	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	6.65	111	6.00	2.33	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *117 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**64.0**	16.0	01/13/2026	ND	432	108	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	201	101	200	15.0	
DRO >C10-C28*	<10.0	10.0	01/14/2026	ND	233	117	200	13.9	
EXT DRO >C28-C36	<10.0	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *68.9 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *69.1 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/13/2026	Sampling Date:	01/10/2026
Reported:	01/14/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 11 10 (H260196-56)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	2.08	104	2.00	2.95	
Toluene*	<0.050	0.050	01/14/2026	ND	1.88	94.2	2.00	0.979	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	2.06	103	2.00	1.49	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	6.65	111	6.00	2.33	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *119 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	01/13/2026	ND	432	108	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	201	101	200	15.0	
DRO >C10-C28*	<10.0	10.0	01/14/2026	ND	233	117	200	13.9	
EXT DRO >C28-C36	<10.0	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *78.1 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *79.4 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/13/2026	Sampling Date:	01/10/2026
Reported:	01/14/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: H - 1 (H260196-58)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	2.08	104	2.00	2.95	
Toluene*	<0.050	0.050	01/14/2026	ND	1.88	94.2	2.00	0.979	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	2.06	103	2.00	1.49	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	6.65	111	6.00	2.33	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *118 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	01/13/2026	ND	432	108	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	201	101	200	15.0	
DRO >C10-C28*	<10.0	10.0	01/14/2026	ND	233	117	200	13.9	
EXT DRO >C28-C36	<10.0	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *62.5 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *62.0 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/13/2026	Sampling Date:	01/10/2026
Reported:	01/14/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: H - 2 (H260196-59)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	2.08	104	2.00	2.95	
Toluene*	<0.050	0.050	01/14/2026	ND	1.88	94.2	2.00	0.979	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	2.06	103	2.00	1.49	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	6.65	111	6.00	2.33	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *116 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	01/13/2026	ND	432	108	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	201	101	200	15.0	
DRO >C10-C28*	<10.0	10.0	01/14/2026	ND	233	117	200	13.9	
EXT DRO >C28-C36	<10.0	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *55.0 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *55.0 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/13/2026	Sampling Date:	01/10/2026
Reported:	01/14/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: H - 3 (H260196-60)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	2.08	104	2.00	2.95	
Toluene*	<0.050	0.050	01/14/2026	ND	1.88	94.2	2.00	0.979	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	2.06	103	2.00	1.49	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	6.65	111	6.00	2.33	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *119 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**96.0**	16.0	01/13/2026	ND	432	108	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	201	101	200	15.0	
DRO >C10-C28*	<10.0	10.0	01/14/2026	ND	233	117	200	13.9	
EXT DRO >C28-C36	<10.0	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *71.7 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *71.6 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/13/2026	Sampling Date:	01/10/2026
Reported:	01/14/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: H - 4 (H260196-61)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	2.08	104	2.00	2.95	
Toluene*	<0.050	0.050	01/14/2026	ND	1.88	94.2	2.00	0.979	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	2.06	103	2.00	1.49	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	6.65	111	6.00	2.33	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *116 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	01/13/2026	ND	432	108	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	201	101	200	15.0	
DRO >C10-C28*	<10.0	10.0	01/14/2026	ND	233	117	200	13.9	
EXT DRO >C28-C36	<10.0	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *75.5 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *76.7 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/13/2026	Sampling Date:	01/10/2026
Reported:	01/14/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: H - 5 (H260196-62)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	2.08	104	2.00	2.95	
Toluene*	<0.050	0.050	01/14/2026	ND	1.88	94.2	2.00	0.979	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	2.06	103	2.00	1.49	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	6.65	111	6.00	2.33	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *120 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	01/13/2026	ND	432	108	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	201	101	200	15.0	
DRO >C10-C28*	<10.0	10.0	01/14/2026	ND	233	117	200	13.9	
EXT DRO >C28-C36	<10.0	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *68.9 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *69.5 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/13/2026	Sampling Date:	01/10/2026
Reported:	01/14/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: H - 6 (H260196-63)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	2.08	104	2.00	2.95	
Toluene*	<0.050	0.050	01/14/2026	ND	1.88	94.2	2.00	0.979	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	2.06	103	2.00	1.49	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	6.65	111	6.00	2.33	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *120 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**64.0**	16.0	01/13/2026	ND	432	108	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	201	101	200	15.0	
DRO >C10-C28*	<10.0	10.0	01/14/2026	ND	233	117	200	13.9	
EXT DRO >C28-C36	**32.2**	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *79.4 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *81.5 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

QR-04	The RPD for the BS/BSD was outside of historical limits.
ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C
	Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

Page 129 of 825

Page 27 of 33

STANDARD SAFETY & SUPPLY

Chain of Custody

H260196

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

0402401K - all

Project Name:	A78 Highway Line	Turn Around	☐ Routine ☑ Rush
Project Number:		Pres. Code	
Project Location:	Lea County, New Mexico	Due Date:	24 hr
Sampler's Name:	Josh James	TAT may vary based on lab start time.	
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT			
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No
Samples Received Intact:	(Yes) No	Thermometer ID:	#140
Cooler Custody Seals:	Yes (No) N/A	Correction Factor:	+0.1°c
Sample Custody Seals:	(Yes) No N/A	Temperature Reading:	3.5°c
Total Containers:	243	Corrected Temperature:	3.6°c

Preservative Codes

None: NO; DI Water: H_2O; Cool: Cool; MeOH: Me; HCL: HC; HNO_3: HN; H_2S0_4: H_2; NaOH: Na; H_3PO_4: HP; $NaHSO_4$: NABIS; $Na_2S_2O_3$: $NaSO_3$; Zn Acetate+NaOH: Zn; NaOH+Ascorbic Acid: SAPC

	Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
1	V-7	33	1/12/2026		S	Grab	1	x	x	x	HdW
2	V-7	34	1/12/2026		S	Grab	1	x	x	x	↓
3	V-7	35	1/12/2026		S	Grab	1	x	x	x	
4	V-7	36	1/12/2026		S	Grab	1	x	x	x	HdW
5	V-7	37	1/12/2026		S	Grab	1	x	x	x	↓
	V-7	38	1/12/2026		S	Grab	1	x	x	x	
	V-7	39	1/12/2026		S	Grab	1	x	x	x	
	V-7	40	1/12/2026		S	Grab	1	x	x	x	
	V-9	1	1/12/2026		S	Grab	1	x	x	x	
	V-9	2	1/12/2026		S	Grab	1	x	x	x	

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1 Josh James		1/13/26	2	Tamara Hobbs	1-13-26 1300
3			4		
5			6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

STANDARD SAFETY & SUPPLY

Chain of Custody

H260196

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

Project Name:	A78 Highway Line	Turn Around	☐ Routine ☑ Rush
Project Number:		Due Date:	24 hr
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.	
Sampler's Name:	Josh James		
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT			
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No
Samples Received Intact:	(Yes) No	Thermometer ID:	#140
Cooler Custody Seals:	Yes (No) N/A	Correction Factor:	+0.1c
Sample Custody Seals:	(Yes) No N/A	Temperature Reading:	3.5c
Total Containers:	243	Corrected Temperature:	3.6c

Preservative Codes

None: NO; DI Water: H_2O; Cool: Cool; MeOH: Me; HCL: HC; HNO_3: HN; H_2S0_4: H_2; NaOH: Na; H_3PO_4: HP; $NaHSO_4$: NABIS; $Na_2S_2O_3$: $NaSO_3$; Zn Acetate+NaOH: Zn; NaOH+Ascorbic Acid: SAPC

	Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Parameters: BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
11	V-9	3	1/12/2026		S	Grab	1	x	x	x	
12	V-9	4	1/12/2026		S	Grab	1	x	x	x	
13	V-9	5	1/12/2026		S	Grab	1	x	x	x	
14	V-9	6	1/12/2026		S	Grab	1	x	x	x	Kdw
15	V-9	7	1/12/2026		S	Grab	1	x	x	x	"
16	V-9	8	1/12/2026		S	Grab	1	x	x	x	
17	V-9	9	1/12/2026		S	Grab	1	x	x	x	"
18	V-9	10	1/12/2026		S	Grab	1	x	x	x	
	V-9	11	1/12/2026		S	Grab	1	x	x	x	Kdw
	V-9	12	1/12/2026		S	Grab	1	x	x	x	"

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1 Josh James		1/13/26 11:00	2	Tamara Latchford	1-13-26 1200
3			4		
5			6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

Page 131 of 825

STANDARD SAFETY & SUPPLY

Chain of Custody

H260196

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

Project Name:	A78 Highway Line	Turn Around	☐ Routine ☑ Rush
Project Number:		Due Date:	24 hr
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.	
Sampler's Name:	Josh James		
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT			
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No
Samples Received Intact:	(Yes) No	Thermometer ID:	#140
Cooler Custody Seals:	Yes (No) N/A	Correction Factor:	+0.1c
Sample Custody Seals:	(Yes) No N/A	Temperature Reading:	3.5c
Total Containers:	243	Corrected Temperature:	3.6c

Preservative Codes

None: NO; DI Water: H_2O; Cool: Cool; MeOH: Me; HCL: HC; HNO_3: HN; H_2S0_4: H_2; NaOH: Na; H_3PO_4: HP; $NaHSO_4$: NABIS; $Na_2S_2O_3$: $NaSO_3$; Zn Acetate+NaOH: Zn; NaOH+Ascorbic Acid: SAPC

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Pres. Code	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
V-9	13	1/12/2026		S	Grab	1		x	x	x	H&W
V-9	14	1/12/2026		S	Grab	1		x	x	x	"
V-9	15	1/12/2026		S	Grab	1		x	x	x	
V-9	16	1/12/2026		S	Grab	1		x	x	x	H&W
V-9	17	1/12/2026		S	Grab	1		x	x	x	"
V-9	18	1/12/2026		S	Grab	1		x	x	x	"
V-9	19	1/12/2026		S	Grab	1		x	x	x	
V-9	20	1/12/2026		S	Grab	1		x	x	x	H&W
V-9	21	1/12/2026		S	Grab	1		x	x	x	"
V-9	22	1/12/2026		S	Grab	1		x	x	x	

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1 Josh James		1/13/26 11:00	2		1-13-26 1300
3			4		
5			6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

STANDARD SAFETY & SUPPLY

Chain of Custody H260196

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

Project Name:	A78 Highway Line	Turn Around	☐ Routine ☑ Rush
Project Number:		Due Date:	24 hr
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.	
Sampler's Name:	Josh James		
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT				
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No	
Samples Received Intact:	(Yes) No	Thermometer ID:	#140	
Cooler Custody Seals:	Yes (No) N/A	Correction Factor:	+0.1°C	
Sample Custody Seals:	(Yes) No N/A	Temperature Reading:	3.5°C	
Total Containers:	243	Corrected Temperature:	3.6°C	

Preservative Codes

None: NO; DI Water: H_2O; Cool: Cool; MeOH: Me; HCL: HC; HNO_3: HN; H_2SO_4: H_2; NaOH: Na; H_3PO_4: HP; $NaHSO_4$: NABIS; $Na_2S_2O_3$: $NaSO_3$; Zn Acetate+NaOH: Zn; NaOH+Ascorbic Acid: SAPC

	Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
31	V-9	23	1/12/2026		S	Grab	1	x	x	x	Hold
32	V-9	24	1/12/2026		S	Grab	1	x	x	x	"
33	V-9	25	1/12/2026		S	Grab	1	x	x	x	
34	V-9	26	1/12/2026		S	Grab	1	x	x	x	Hold
35	V-9	27	1/12/2026		S	Grab	1	x	x	x	"
36	V-9	28	1/12/2026		S	Grab	1	x	x	x	
37	V-9	29	1/12/2026		S	Grab	1	x	x	x	"
38	V-9	30	1/12/2026		S	Grab	1	x	x	x	
39	V-9	31	1/12/2026		S	Grab	1	x	x	x	Hold
40	V-9	32	1/12/2026		S	Grab	1	x	x	x	"

	Relinquished by: (Signature)	Received by: (Signature)	Date/Time		Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1	Josh James		1/13/26 11:00	2			1-13-26 1200
3				4			
5				6			

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

STANDARD SAFETY & SUPPLY

Chain of Custody

H260196

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/
Page 23 of 25

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

Project Name:	A78 Highway Line	Turn Around	☐ Routine ☑ Rush
Project Number:		Due Date:	24 hr
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.	
Sampler's Name:	Josh James		
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT			
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No
Samples Received Intact:	(Yes) No	Thermometer ID:	#140
Cooler Custody Seals:	Yes No (N/A)	Correction Factor:	+0.1c
Sample Custody Seals:	(Yes) No N/A	Temperature Reading:	3.5c
Total Containers:	243	Corrected Temperature:	3.6c

Preservative Codes

None: NO — DI Water: H_2O
Cool: Cool — MeOH: Me
HCL: HC — HNO_3: HN
H_2S0_4: H_2 — NaOH: Na
H_3PO_4: HP
$NaHSO_4$: NABIS
$Na_2S_2O_3$: $NaSO_3$
Zn Acetate+NaOH: Zn
NaOH+Ascorbic Acid: SAPC

	Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Pres. Code	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
41	V-9	33	1/12/2026		S	Grab	1		x	x	x	Hold
42	V-9	34	1/12/2026		S	Grab	1		x	x	x	↓
43	V-9	35	1/12/2026		S	Grab	1		x	x	x	
44	V-9	36	1/12/2026		S	Grab	1		x	x	x	Hold
45	V-9	37	1/12/2026		S	Grab	1		x	x	x	↓
46	V-9	38	1/12/2026		S	Grab	1		x	x	x	
47	V-9	39	1/12/2026		S	Grab	1		x	x	x	
48	V-9	40	1/12/2026		S	Grab	1		x	x	x	
49	V-11	3	1/10/2026		S	Grab	1		x	x	x	
50	V-11	4	1/10/2026		S	Grab	1		x	x	x	

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1 Josh James		1/13/26	2	Tamara Mitchell	1-13-26 1200
3			4		
5			6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

STANDARD SAFETY & SUPPLY

Chain of Custody

H260196

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

Project Name:	A78 Highway Line	Turn Around	☐ Routine ☑ Rush
Project Number:		Due Date:	24 hr
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.	
Sampler's Name:	Josh James		
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT					
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No		
Samples Received Intact:	(Yes) No	Thermometer ID:	#140		
Cooler Custody Seals:	Yes (No) N/A	Correction Factor:	+0.1c		
Sample Custody Seals:	(Yes) No N/A	Temperature Reading:	3.5c		
Total Containers:	243	Corrected Temperature:	3.6c		

Preservative Codes

None: NO; DI Water: H_2O; Cool: Cool; MeOH: Me; HCL: HC; HNO_3: HN; H_2S0_4: H_2; NaOH: Na; H_3PO_4: HP; $NaHSO_4$: NABIS; $Na_2S_2O_3$: $NaSO_3$; Zn Acetate+NaOH: Zn; NaOH+Ascorbic Acid: SAPC

	Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Pres. Code	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
51	V-11	5	1/10/2026		S	Grab	1		x	x	x	
52	V-11	6	1/10/2026		S	Grab	1		x	x	x	Hold
53	V-11	7	1/10/2026		S	Grab	1		x	x	x	↓
54	V-11	8	1/10/2026		S	Grab	1		x	x	x	
55	V-11	9	1/10/2026		S	Grab	1		x	x	x	
56	V-11	10	1/10/2026		S	Grab	1		x	x	x	
57	V-11	11	1/10/2026		S	Grab	1		x	x	x	HSW
58	H-1		1/10/2026		S	Grab	1		x	x	x	
59	H-2		1/10/2026		S	Grab	1		x	x	x	
60	H-3		1/10/2026		S	Grab	1		x	x	x	

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1 Josh James		1/13/26 1100	2		1-13-26 12
3			4		
5			6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

STANDARD SAFETY & SUPPLY

Chain of Custody

H260196

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

Project Name:	A78 Highway Line	Turn Around	☐ Routine ☑ Rush
Project Number:		Due Date:	24 hr
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.	
Sampler's Name:	Josh James		
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT			
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No
Samples Received Intact:	(Yes) No	Thermometer ID:	#140
Cooler Custody Seals:	Yes (No) N/A	Correction Factor:	+0.1c
Sample Custody Seals:	(Yes) No N/A	Temperature Reading:	3.5c
Total Containers:	243	Corrected Temperature:	3.6c

Preservative Codes

None: NO; DI Water: H_2O; Cool: Cool; MeOH: Me; HCL: HC; HNO_3: HN; H_2S0_4: H_2; NaOH: Na; H_3PO_4: HP; $NaHSO_4$: NABIS; $Na_2S_2O_3$: $NaSO_3$; Zn Acetate+NaOH: Zn; NaOH+Ascorbic Acid: SAPC

	Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
61	H-4		1/10/2026		S	Grab	1	x	x	x	
62	H-5		1/10/2026		S	Grab	1	x	x	x	
63	H-6		1/10/2026		S	Grab	1	x	x	x	

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1 Josh James		1/13/26	2	Ramona Marshall	1-13-26 1200
3			4		
5			6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

January 15, 2026

ETHAN SESSUMS

STANDARD SAFETY & SUPPLY

PO BOX 14987

ODESSA, TX 79764

RE: A78 HIGHWAY LINE

Enclosed are the results of analyses for samples received by the laboratory on 01/14/26 13:00.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C25-00101. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accreditated through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Celey D. Keene

Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 10 0-0.5 (H260218-01)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	1.84	91.9	2.00	2.87	
Toluene*	<0.050	0.050	01/14/2026	ND	1.93	96.5	2.00	2.64	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	1.96	98.1	2.00	2.35	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	5.82	97.0	6.00	2.31	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *98.4 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	01/15/2026	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	176	87.9	200	5.42	
DRO >C10-C28*	**13.6**	10.0	01/14/2026	ND	176	88.1	200	4.87	
EXT DRO >C28-C36	<10.0	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *78.8 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *76.7 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 10 1 (H260218-02)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	1.84	91.9	2.00	2.87	
Toluene*	<0.050	0.050	01/14/2026	ND	1.93	96.5	2.00	2.64	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	1.96	98.1	2.00	2.35	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	5.82	97.0	6.00	2.31	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *98.3 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	01/15/2026	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	176	87.9	200	5.42	
DRO >C10-C28*	**28.7**	10.0	01/15/2026	ND	176	88.1	200	4.87	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *101 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *118 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 10 2 (H260218-03)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	1.84	91.9	2.00	2.87	
Toluene*	<0.050	0.050	01/14/2026	ND	1.93	96.5	2.00	2.64	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	1.96	98.1	2.00	2.35	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	5.82	97.0	6.00	2.31	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *99.9 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	01/15/2026	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	176	87.9	200	5.42	
DRO >C10-C28*	<10.0	10.0	01/14/2026	ND	176	88.1	200	4.87	
EXT DRO >C28-C36	<10.0	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *88.3 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *85.9 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 10 3 (H260218-04)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	1.84	91.9	2.00	2.87	
Toluene*	<0.050	0.050	01/14/2026	ND	1.93	96.5	2.00	2.64	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	1.96	98.1	2.00	2.35	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	5.82	97.0	6.00	2.31	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *101 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	01/15/2026	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	176	87.9	200	5.42	
DRO >C10-C28*	<10.0	10.0	01/14/2026	ND	176	88.1	200	4.87	
EXT DRO >C28-C36	<10.0	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *87.3 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *83.7 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 10 4 (H260218-05)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	1.84	91.9	2.00	2.87	
Toluene*	<0.050	0.050	01/14/2026	ND	1.93	96.5	2.00	2.64	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	1.96	98.1	2.00	2.35	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	5.82	97.0	6.00	2.31	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *99.3 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	01/15/2026	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	176	87.9	200	5.42	
DRO >C10-C28*	<10.0	10.0	01/14/2026	ND	176	88.1	200	4.87	
EXT DRO >C28-C36	<10.0	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *90.8 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *86.3 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 10 5 (H260218-06)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	1.84	91.9	2.00	2.87	
Toluene*	<0.050	0.050	01/14/2026	ND	1.93	96.5	2.00	2.64	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	1.96	98.1	2.00	2.35	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	5.82	97.0	6.00	2.31	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *99.1 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	01/15/2026	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	176	87.9	200	5.42	
DRO >C10-C28*	<10.0	10.0	01/14/2026	ND	176	88.1	200	4.87	
EXT DRO >C28-C36	<10.0	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *91.3 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *86.6 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 10 10 (H260218-11)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	1.84	91.9	2.00	2.87	
Toluene*	<0.050	0.050	01/14/2026	ND	1.93	96.5	2.00	2.64	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	1.96	98.1	2.00	2.35	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	5.82	97.0	6.00	2.31	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *98.7 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	01/15/2026	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	176	87.9	200	5.42	
DRO >C10-C28*	<10.0	10.0	01/14/2026	ND	176	88.1	200	4.87	
EXT DRO >C28-C36	<10.0	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *94.1 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *88.6 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 10 15 (H260218-16)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	1.84	91.9	2.00	2.87	
Toluene*	<0.050	0.050	01/14/2026	ND	1.93	96.5	2.00	2.64	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	1.96	98.1	2.00	2.35	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	5.82	97.0	6.00	2.31	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *99.1 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	01/15/2026	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	176	87.9	200	5.42	
DRO >C10-C28*	<10.0	10.0	01/14/2026	ND	176	88.1	200	4.87	
EXT DRO >C28-C36	<10.0	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *91.3 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *86.4 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 10 20 (H260218-21)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	2.01	101	2.00	0.470	
Toluene*	<0.050	0.050	01/14/2026	ND	2.06	103	2.00	0.411	QR-03
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	2.09	104	2.00	3.76	QR-03
Total Xylenes*	<0.150	0.150	01/14/2026	ND	6.54	109	6.00	5.02	QR-03
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *110 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	01/15/2026	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	176	87.9	200	5.42	
DRO >C10-C28*	<10.0	10.0	01/14/2026	ND	176	88.1	200	4.87	
EXT DRO >C28-C36	<10.0	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *90.3 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *83.6 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 10 25 (H260218-26)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	2.01	101	2.00	0.470	
Toluene*	<0.050	0.050	01/14/2026	ND	2.06	103	2.00	0.411	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	2.09	104	2.00	3.76	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	6.54	109	6.00	5.02	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *102 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	01/15/2026	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	176	87.9	200	5.42	
DRO >C10-C28*	<10.0	10.0	01/14/2026	ND	176	88.1	200	4.87	
EXT DRO >C28-C36	<10.0	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *91.5 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *87.1 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 10 30 (H260218-31)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	2.01	101	2.00	0.470	
Toluene*	<0.050	0.050	01/14/2026	ND	2.06	103	2.00	0.411	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	2.09	104	2.00	3.76	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	6.54	109	6.00	5.02	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *111 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	01/15/2026	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	176	87.9	200	5.42	
DRO >C10-C28*	<10.0	10.0	01/14/2026	ND	176	88.1	200	4.87	
EXT DRO >C28-C36	<10.0	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *91.7 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *87.0 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 8 0-0.5' (H260218-32)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	2.01	101	2.00	0.470	
Toluene*	<0.050	0.050	01/14/2026	ND	2.06	103	2.00	0.411	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	2.09	104	2.00	3.76	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	6.54	109	6.00	5.02	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *112 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	01/15/2026	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	176	87.9	200	5.42	
DRO >C10-C28*	<10.0	10.0	01/14/2026	ND	176	88.1	200	4.87	
EXT DRO >C28-C36	<10.0	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *88.2 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *81.8 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 8 1 (H260218-33)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	2.01	101	2.00	0.470	
Toluene*	<0.050	0.050	01/14/2026	ND	2.06	103	2.00	0.411	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	2.09	104	2.00	3.76	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	6.54	109	6.00	5.02	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *104 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	01/15/2026	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	176	87.9	200	5.42	
DRO >C10-C28*	<10.0	10.0	01/14/2026	ND	176	88.1	200	4.87	
EXT DRO >C28-C36	<10.0	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *89.3 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *84.5 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 8 2 (H260218-34)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	2.01	101	2.00	0.470	
Toluene*	<0.050	0.050	01/14/2026	ND	2.06	103	2.00	0.411	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	2.09	104	2.00	3.76	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	6.54	109	6.00	5.02	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *110 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	01/15/2026	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	176	87.9	200	5.42	
DRO >C10-C28*	<10.0	10.0	01/14/2026	ND	176	88.1	200	4.87	
EXT DRO >C28-C36	<10.0	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *84.9 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *80.3 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 8 3 (H260218-35)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	2.01	101	2.00	0.470	
Toluene*	<0.050	0.050	01/14/2026	ND	2.06	103	2.00	0.411	
Ethylbenzene*	**0.059**	0.050	01/14/2026	ND	2.09	104	2.00	3.76	
Total Xylenes*	**0.192**	0.150	01/14/2026	ND	6.54	109	6.00	5.02	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *109 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	01/15/2026	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	176	87.9	200	5.42	
DRO >C10-C28*	**10.4**	10.0	01/14/2026	ND	176	88.1	200	4.87	
EXT DRO >C28-C36	<10.0	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *80.0 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *77.5 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 8 4 (H260218-36)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	2.01	101	2.00	0.470	
Toluene*	<0.050	0.050	01/14/2026	ND	2.06	103	2.00	0.411	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	2.09	104	2.00	3.76	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	6.54	109	6.00	5.02	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *117 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	01/15/2026	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	176	87.9	200	5.42	
DRO >C10-C28*	<10.0	10.0	01/14/2026	ND	176	88.1	200	4.87	
EXT DRO >C28-C36	<10.0	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *84.6 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *79.6 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 8 5 (H260218-37)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	2.01	101	2.00	0.470	
Toluene*	<0.050	0.050	01/14/2026	ND	2.06	103	2.00	0.411	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	2.09	104	2.00	3.76	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	6.54	109	6.00	5.02	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *121 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	01/15/2026	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	192	96.0	200	0.566	QR-03
DRO >C10-C28*	<10.0	10.0	01/14/2026	ND	175	87.3	200	2.86	
EXT DRO >C28-C36	<10.0	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *75.1 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *71.3 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 8 10 (H260218-42)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	2.01	101	2.00	0.470	
Toluene*	<0.050	0.050	01/14/2026	ND	2.06	103	2.00	0.411	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	2.09	104	2.00	3.76	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	6.54	109	6.00	5.02	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *115 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	01/15/2026	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	192	96.0	200	0.566	
DRO >C10-C28*	<10.0	10.0	01/14/2026	ND	175	87.3	200	2.86	
EXT DRO >C28-C36	<10.0	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *71.5 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *67.2 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 8 15 (H260218-47)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	2.01	101	2.00	0.470	
Toluene*	<0.050	0.050	01/14/2026	ND	2.06	103	2.00	0.411	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	2.09	104	2.00	3.76	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	6.54	109	6.00	5.02	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *106 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	01/15/2026	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	192	96.0	200	0.566	
DRO >C10-C28*	<10.0	10.0	01/14/2026	ND	175	87.3	200	2.86	
EXT DRO >C28-C36	<10.0	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *78.7 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *72.8 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 8 20 (H260218-52)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	2.01	101	2.00	0.470	
Toluene*	<0.050	0.050	01/14/2026	ND	2.06	103	2.00	0.411	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	2.09	104	2.00	3.76	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	6.54	109	6.00	5.02	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *109 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	01/15/2026	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	192	96.0	200	0.566	
DRO >C10-C28*	<10.0	10.0	01/14/2026	ND	175	87.3	200	2.86	
EXT DRO >C28-C36	<10.0	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *78.9 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *71.2 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 8 25 (H260218-57)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	2.01	101	2.00	0.470	
Toluene*	<0.050	0.050	01/14/2026	ND	2.06	103	2.00	0.411	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	2.09	104	2.00	3.76	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	6.54	109	6.00	5.02	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *111 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**64.0**	16.0	01/15/2026	ND	448	112	400	7.41	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	192	96.0	200	0.566	
DRO >C10-C28*	<10.0	10.0	01/14/2026	ND	175	87.3	200	2.86	
EXT DRO >C28-C36	<10.0	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *78.3 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *72.8 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 8 30 (H260218-62)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	2.01	101	2.00	0.470	
Toluene*	<0.050	0.050	01/14/2026	ND	2.06	103	2.00	0.411	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	2.09	104	2.00	3.76	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	6.54	109	6.00	5.02	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *108 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	01/15/2026	ND	448	112	400	7.41	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	192	96.0	200	0.566	
DRO >C10-C28*	<10.0	10.0	01/14/2026	ND	175	87.3	200	2.86	
EXT DRO >C28-C36	<10.0	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *83.0 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *77.7 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 8 35 (H260218-67)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	2.01	101	2.00	0.470	
Toluene*	<0.050	0.050	01/14/2026	ND	2.06	103	2.00	0.411	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	2.09	104	2.00	3.76	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	6.54	109	6.00	5.02	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *111 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	01/15/2026	ND	448	112	400	7.41	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	192	96.0	200	0.566	
DRO >C10-C28*	<10.0	10.0	01/14/2026	ND	175	87.3	200	2.86	
EXT DRO >C28-C36	<10.0	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *88.1 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *83.1 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 8 40 (H260218-72)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	2.01	101	2.00	0.470	
Toluene*	<0.050	0.050	01/14/2026	ND	2.06	103	2.00	0.411	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	2.09	104	2.00	3.76	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	6.54	109	6.00	5.02	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *117 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	01/15/2026	ND	448	112	400	7.41	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	192	96.0	200	0.566	
DRO >C10-C28*	<10.0	10.0	01/14/2026	ND	175	87.3	200	2.86	
EXT DRO >C28-C36	<10.0	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *88.0 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *84.0 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 14 0-0.5' (H260218-73)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	2.01	101	2.00	0.470	
Toluene*	<0.050	0.050	01/14/2026	ND	2.06	103	2.00	0.411	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	2.09	104	2.00	3.76	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	6.54	109	6.00	5.02	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *109 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	01/15/2026	ND	448	112	400	7.41	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	192	96.0	200	0.566	
DRO >C10-C28*	<10.0	10.0	01/14/2026	ND	175	87.3	200	2.86	
EXT DRO >C28-C36	<10.0	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *82.0 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *75.7 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 14 1 (H260218-74)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	2.01	101	2.00	0.470	
Toluene*	<0.050	0.050	01/14/2026	ND	2.06	103	2.00	0.411	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	2.09	104	2.00	3.76	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	6.54	109	6.00	5.02	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *111 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	01/15/2026	ND	448	112	400	7.41	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	192	96.0	200	0.566	
DRO >C10-C28*	<10.0	10.0	01/14/2026	ND	175	87.3	200	2.86	
EXT DRO >C28-C36	<10.0	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *83.0 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *78.1 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 14 2 (H260218-75)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	2.01	101	2.00	0.470	
Toluene*	<0.050	0.050	01/14/2026	ND	2.06	103	2.00	0.411	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	2.09	104	2.00	3.76	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	6.54	109	6.00	5.02	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *115 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	01/15/2026	ND	448	112	400	7.41	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	192	96.0	200	0.566	
DRO >C10-C28*	<10.0	10.0	01/14/2026	ND	175	87.3	200	2.86	
EXT DRO >C28-C36	<10.0	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *89.4 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *83.3 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 14 3 (H260218-76)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	2.01	101	2.00	0.470	
Toluene*	<0.050	0.050	01/14/2026	ND	2.06	103	2.00	0.411	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	2.09	104	2.00	3.76	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	6.54	109	6.00	5.02	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *110 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	01/15/2026	ND	448	112	400	7.41	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	192	96.0	200	0.566	
DRO >C10-C28*	<10.0	10.0	01/14/2026	ND	175	87.3	200	2.86	
EXT DRO >C28-C36	<10.0	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *81.3 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *76.3 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 14 4 (H260218-77)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	1.86	92.8	2.00	0.728	
Toluene*	<0.050	0.050	01/14/2026	ND	1.82	91.2	2.00	0.507	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	1.95	97.5	2.00	0.217	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	5.81	96.8	6.00	1.00	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *80.4 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	01/15/2026	ND	448	112	400	7.41	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	192	96.0	200	0.566	
DRO >C10-C28*	<10.0	10.0	01/14/2026	ND	175	87.3	200	2.86	
EXT DRO >C28-C36	<10.0	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *80.2 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *74.4 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 14 5 (H260218-78)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	1.86	92.8	2.00	0.728	
Toluene*	<0.050	0.050	01/14/2026	ND	1.82	91.2	2.00	0.507	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	1.95	97.5	2.00	0.217	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	5.81	96.8	6.00	1.00	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *80.9 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	01/15/2026	ND	448	112	400	7.41	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	192	96.0	200	0.566	
DRO >C10-C28*	<10.0	10.0	01/14/2026	ND	175	87.3	200	2.86	
EXT DRO >C28-C36	<10.0	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *91.7 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *87.1 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 14 10 (H260218-83)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	1.86	92.8	2.00	0.728	
Toluene*	<0.050	0.050	01/14/2026	ND	1.82	91.2	2.00	0.507	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	1.95	97.5	2.00	0.217	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	5.81	96.8	6.00	1.00	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *80.7 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	01/15/2026	ND	448	112	400	7.41	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	192	96.0	200	0.566	
DRO >C10-C28*	<10.0	10.0	01/14/2026	ND	175	87.3	200	2.86	
EXT DRO >C28-C36	<10.0	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *82.9 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *80.9 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 14 15 (H260218-88)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	1.86	92.8	2.00	0.728	
Toluene*	<0.050	0.050	01/14/2026	ND	1.82	91.2	2.00	0.507	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	1.95	97.5	2.00	0.217	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	5.81	96.8	6.00	1.00	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *78.3 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	01/15/2026	ND	448	112	400	7.41	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	192	96.0	200	0.566	
DRO >C10-C28*	<10.0	10.0	01/14/2026	ND	175	87.3	200	2.86	
EXT DRO >C28-C36	<10.0	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *83.2 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *81.8 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

QR-03	The RPD value for the sample duplicate or MS/MSD was outside of QC acceptance limits due to matrix interference. QC batch accepted based on LCS and/or LCSD recovery and/or RPD values.
ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C
	Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

Page 170 of 825

H24008818

Chain of Custody

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Page 1 of

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Enron Energy Transfer
Company Name:	Standard Safety & Supply	Company Name:	
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

04024081 K - Arn

Project Name:	A78 Highway Line	Turn Around	
Project Number:		☐ Routine ☑ Rush	
Project Location:	Lea County, New Mexico	Due Date:	24h
Sampler's Name:	Connor Whitman	TAT may vary based on lab start time.	
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT				
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No	
Samples Received Intact:	(Yes) No	Thermometer ID:	#140	
Cooler Custody Seals:	Yes (No) N/A	Correction Factor:	+0.1	
Sample Custody Seals:	Yes (No) N/A	Temperature Reading:	1.4	
Total Containers:		Corrected Temperature:	1.5	

Preservative Codes

None: NO; DI Water: H_2O; Cool: Cool; MeOH: Me; HCL: HC; HNO_3: HN; H_2S0_4: H_2; NaOH: Na; H_3PO_4: HP; $NaHSO_4$: NABIS; $Na_2S_2O_3$: $NaSO_3$; Zn Acetate+NaOH: Zn; NaOH+Ascorbic Acid: SAPC

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Pres. Code	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
V-10	0-0.5	1/13/2026		S	Grab	1		X	X	X	
V-10	1	1/13/2026		S	Grab	1		X	X	X	
V-10	2	1/13/2026		S	Grab	1		X	X	X	
V-10	3	1/13/2026		S	Grab	1		X	X	X	
V-10	4	1/13/2026		S	Grab	1		X	X	X	
V-10	5	1/13/2026		S	Grab	1		X	X	X	
V-10	6	1/13/2026		S	Grab	1		X	X	X	H2O
V-10	7	1/13/2026		S	Grab	1		X	X	X	
V-10	8	1/13/2026		S	Grab	1		X	X	X	
V-10	9	1/13/2026		S	Grab	1		X	X	X	

	Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1			1/14/26 8:00	2		1.14.26 1300
3				4		
5				6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

Page 171 of 825

H240218

STANDARD SAFETY & SUPPLY

Chain of Custody

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

Project Name:	A78 Highway Line	Turn Around	
Project Number:		☐ Routine ☑ Rush	
Project Location:	Lea County, New Mexico	Due Date:	24h
Sampler's Name:	Connor Whitman	TAT may vary based on lab start time.	
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT				
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No	
Samples Received Intact:	(Yes) No	Thermometer ID:	#140	
Cooler Custody Seals:	Yes (No) N/A	Correction Factor:	+0.1	
Sample Custody Seals:	Yes (No) N/A	Temperature Reading:	1.6	
Total Containers:		Corrected Temperature:	1.7	

Preservative Codes

None: NO — DI Water: H_2O
Cool: Cool — MeOH: Me
HCL: HC — HNO_3: HN
H_2S0_4: H_2 — NaOH: Na
H_3PO_4: HP
$NaHSO_4$: NABIS
$Na_2S_2O_3$: $NaSO_3$
Zn Acetate+NaOH: Zn
NaOH+Ascorbic Acid: SAPC

	Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
11	V-10	10	1/13/2026		S	Grab	1	X	X	X	
12	V-10	11	1/13/2026		S	Grab	1	X	X	X	Hold
13	V-10	12	1/13/2026		S	Grab	1	X	X	X	↓
14	V-10	13	1/13/2026		S	Grab	1	X	X	X	
15	V-10	14	1/13/2026		S	Grab	1	X	X	X	
16	V-10	15	1/13/2026		S	Grab	1	X	X	X	
17	V-10	16	1/13/2026		S	Grab	1	X	X	X	Hold
18	V-10	17	1/13/2026		S	Grab	1	X	X	X	
19	V-10	18	1/13/2026		S	Grab	1	X	X	X	↓
20	V-10	19	1/13/2026		S	Grab	1	X	X	X	

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
		1/14/26 8:00	2		1.14.26
			4		1350
			6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

Page 172 of 825

Page 37 of 43

H2005218

Chain of Custody

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Page 3 of

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Enzson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

Project Name:	A78 Highway Line	Turn Around	☐ Routine ☑ Rush
Project Number:		Due Date:	24h
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.	
Sampler's Name:	Connor Whitman		
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT				
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No	
Samples Received Intact:	(Yes) No	Thermometer ID:	#140	
Cooler Custody Seals:	Yes (No) N/A	Correction Factor:	+0.1	
Sample Custody Seals:	Yes (No) N/A	Temperature Reading:	1.6	
Total Containers:		Corrected Temperature:	1.7	

Preservative Codes

None: NO; DI Water: H_2O; Cool: Cool; MeOH: Me; HCL: HC; HNO_3: HN; H_2S0_4: H_2; NaOH: Na; H_3PO_4: HP; $NaHSO_4$: NABIS; $Na_2S_2O_3$: $NaSO_3$; Zn Acetate+NaOH: Zn; NaOH+Ascorbic Acid: SAPC

	Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
21	V-10	20	1/13/2026		S	Grab	1	X	X	X	
22	V-10	21	1/13/2026		S	Grab	1	X	X	X	H2O
23	V-10	22	1/13/2026		S	Grab	1	X	X	X	↓
24	V-10	23	1/13/2026		S	Grab	1	X	X	X	
25	V-10	24	1/13/2026		S	Grab	1	X	X	X	
26	V-10	25	1/13/2026		S	Grab	1	X	X	X	
27	V-10	26	1/13/2026		S	Grab	1	X	X	X	H2O
28	V-10	27	1/13/2026		S	Grab	1	X	X	X	
29	V-10	28	1/13/2026		S	Grab	1	X	X	X	↓
30	V-10	29	1/13/2026		S	Grab	1	X	X	X	

	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1	[signature]	[signature]	1/14/26 8:00
2	[signature]	[signature]	1.14.26 1320
3			
4			
5			
6			

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

Page 173 of 825

H200218

Chain of Custody

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Page 4 of

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Enzsor
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

Project Name:	A78 Highway Line	Turn Around	☐ Routine ☑ Rush
Project Number:		Due Date:	24h
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.	
Sampler's Name:	Connor Whitman		
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT				
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No	
Samples Received Intact:	(Yes) No	Thermometer ID:	#140	
Cooler Custody Seals:	Yes (No) N/A	Correction Factor:	+0.1	
Sample Custody Seals:	Yes (No) N/A	Temperature Reading:	1.6	
Total Containers:		Corrected Temperature:	1.7	

ANALYSIS REQUEST

Preservative Codes

None: NO — DI Water: H_2O
Cool: Cool — MeOH: Me
HCL: HC — HNO_3: HN
H_2S0_4: H_2 — NaOH: Na
H_3PO_4: HP
$NaHSO_4$: NABIS
$Na_2S_2O_3$: $NaSO_3$
Zn Acetate+NaOH: Zn
NaOH+Ascorbic Acid: SAPC

	Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Pres. Code	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
31	V-10	30	1/13/2026		S	Grab	1		X	X	X	
32	V-8	0-0.5	1/13/2026		S	Grab	1		X	X	X	
33	V-8	1	1/13/2026		S	Grab	1		X	X	X	
34	V-8	2	1/13/2026		S	Grab	1		X	X	X	
35	V-8	3	1/13/2026		S	Grab	1		X	X	X	
36	V-8	4	1/13/2026		S	Grab	1		X	X	X	
37	V-8	5	1/13/2026		S	Grab	1		X	X	X	
38	V-8	6	1/13/2026		S	Grab	1		X	X	X	
39	V-8	7	1/13/2026		S	Grab	1		X	X	X	Hold
40	V-8	8	1/13/2026		S	Grab	1		X	X	X	

	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1			1/14/26 8:00
2			
3			
4			
5			
6			

	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1			
2		Chrystal	1-14-26 1300
4			
6			

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

Page 174 of 825

Chain of Custody

1/14/2026

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Page 5 of

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Enzsun
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

Project Name:	A78 Highway Line	Turn Around	
Project Number:		☐ Routine ☑ Rush	
Project Location:	Lea County, New Mexico	Due Date:	24h
Sampler's Name:	Connor Whitman	TAT may vary based on lab start time.	
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT				
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No	
Samples Received Intact:	(Yes) No	Thermometer ID:	#140	
Cooler Custody Seals:	Yes No N/A	Correction Factor:	+0.1	
Sample Custody Seals:	Yes (No) N/A	Temperature Reading:	1.6	
Total Containers:		Corrected Temperature:	1.7	

Preservative Codes

None: NO — DI Water: H_2O
Cool: Cool — MeOH: Me
HCL: HC — HNO_3: HN
H_2S0_4: H_2 — NaOH: Na
H_3PO_4: HP
$NaHSO_4$: NABIS
$Na_2S_2O_3$: $NaSO_3$
Zn Acetate+NaOH: Zn
NaOH+Ascorbic Acid: SAPC

Sample Identification		Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
41	V-8	9	1/13/2026		S	Grab	1	X	X	X	Hold
42	V-8	10	1/13/2026		S	Grab	1	X	X	X	
43	V-8	11	1/13/2026		S	Grab	1	X	X	X	Hold
44	V-8	12	1/13/2026		S	Grab	1	X	X	X	
45	V-8	13	1/13/2026		S	Grab	1	X	X	X	
46	V-8	14	1/13/2026		S	Grab	1	X	X	X	
47	V-8	15	1/13/2026		S	Grab	1	X	X	X	
48	V-8	16	1/13/2026		S	Grab	1	X	X	X	
49	V-8	17	1/13/2026		S	Grab	1	X	X	X	Hold
50	V-8	18	1/13/2026		S	Grab	1	X	X	X	

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
		1/14/26 8:00	2		1-13-26
			4		1300
			6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

Page 175 of 825

H260218

Chain of Custody

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Page 6 of

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Enzson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

Project Name:	A78 Highway Line	Turn Around	☐ Routine ☑ Rush
Project Number:		Due Date:	24h
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.	
Sampler's Name:	Connor Whitman		
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT				
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No	
Samples Received Intact:	(Yes) No	Thermometer ID:	#140	
Cooler Custody Seals:	Yes No N/A	Correction Factor:	+0.1	
Sample Custody Seals:	Yes (No) N/A	Temperature Reading:	1.6	
Total Containers:		Corrected Temperature:	1.7	

Preservative Codes

None: NO — DI Water: H_2O
Cool: Cool — MeOH: Me
HCL: HC — HNO_3: HN
H_2S0_4: H_2 — NaOH: Na
H_3PO_4: HP
$NaHSO_4$: NABIS
$Na_2S_2O_3$: $NaSO_3$
Zn Acetate+NaOH: Zn
NaOH+Ascorbic Acid: SAPC

Sample Identification		Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Pres. Code	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
51	V-8	19	1/13/2026		S	Grab	1		X	X	X	H&W
52	V-8	20	1/13/2026		S	Grab	1		X	X	X	
53	V-8	21	1/13/2026		S	Grab	1		X	X	X	H&W
54	V-8	22	1/13/2026		S	Grab	1		X	X	X	
55	V-8	23	1/13/2026		S	Grab	1		X	X	X	
56	V-8	24	1/13/2026		S	Grab	1		X	X	X	
57	V-8	25	1/13/2026		S	Grab	1		X	X	X	
58	V-8	26	1/13/2026		S	Grab	1		X	X	X	
59	V-8	27	1/13/2026		S	Grab	1		X	X	X	H&W
60	V-8	28	1/13/2026		S	Grab	1		X	X	X	

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
		1/14/26 8:00	2		1.14.26
			4		1300
			6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

Page 176 of 825

H200218

Chain of Custody

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Page 7 of

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Enerson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

Project Name:	A78 Highway Line	Turn Around	☐ Routine ☑ Rush
Project Number:			
Project Location:	Lea County, New Mexico	Due Date:	24h
Sampler's Name:	Connor Whitman		TAT may vary based on lab start time.
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT				
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No	
Samples Received Intact:	(Yes) No	Thermometer ID:	#140	
Cooler Custody Seals:	Yes (No) N/A	Correction Factor:	+0.1°	
Sample Custody Seals:	Yes (No) N/A	Temperature Reading:	1.6°	
Total Containers:		Corrected Temperature:	1.7°	

Preservative Codes

None: NO — DI Water: H_2O
Cool: Cool — MeOH: Me
HCL: HC — HNO_3: HN
H_2S0_4: H_2 — NaOH: Na
H_3PO_4: HP
$NaHSO_4$: NABIS
$Na_2S_2O_3$: $NaSO_3$
Zn Acetate+NaOH: Zn
NaOH+Ascorbic Acid: SAPC

Sample Identification		Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Pres. Code	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
01	V-8	29	1/13/2026		S	Grab	1		X	X	X	Hold
02	V-8	30	1/13/2026		S	Grab	1		X	X	X	
03	V-8	31	1/13/2026		S	Grab	1		X	X	X	Hold
04	V-8	32	1/13/2026		S	Grab	1		X	X	X	
05	V-8	33	1/13/2026		S	Grab	1		X	X	X	
06	V-8	34	1/13/2026		S	Grab	1		X	X	X	
07	V-8	35	1/13/2026		S	Grab	1		X	X	X	Run
08	V-8	36	1/13/2026		S	Grab	1		X	X	X	Hold
09	V-8	37	1/13/2026		S	Grab	1		X	X	X	
10	V-8	38	1/13/2026		S	Grab	1		X	X	X	

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
		1/14/26 8:00	2		1.14.26
			4		1300
			6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

Page 177 of 825

1-14-26 18

Chain of Custody

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Page 8 of

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Enersh
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

Project Name:	A78 Highway Line	Turn Around	
Project Number:		☐ Routine ☑ Rush	
Project Location:	Lea County, New Mexico	Due Date:	24h
Sampler's Name:	Connor Whitman	TAT may vary based on lab start time.	
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT				
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No	
Samples Received Intact:	(Yes) No	Thermometer ID:	#140	
Cooler Custody Seals:	Yes No N/A	Correction Factor:	+0.1	
Sample Custody Seals:	Yes (No) N/A	Temperature Reading:	1.6	
Total Containers:		Corrected Temperature:	1.7	

ANALYSIS REQUEST

Preservative Codes

None: NO — DI Water: H_2O
Cool: Cool — MeOH: Me
HCL: HC — HNO_3: HN
H_2S0_4: H_2 — NaOH: Na
H_3PO_4: HP
$NaHSO_4$: NABIS
$Na_2S_2O_3$: $NaSO_3$
Zn Acetate+NaOH: Zn
NaOH+Ascorbic Acid: SAPC

	Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
71	V-8	39	1/13/2026		S	Grab	1	X	X	X	Hold
72	V-8	40	1/13/2026		S	Grab	1	X	X	X	
73	V-14	0-0.5	1/13/2026		S	Grab	1	X	X	X	
74	V-14	1	1/13/2026		S	Grab	1	X	X	X	
75	V-14	2	1/13/2026		S	Grab	1	X	X	X	
76	V-14	3	1/13/2026		S	Grab	1	X	X	X	
77	V-14	4	1/13/2026		S	Grab	1	X	X	X	
78	V-14	5	1/13/2026		S	Grab	1	X	X	X	
79	V-14	6	1/13/2026		S	Grab	1	X	X	X	
80	V-14	7	1/13/2026		S	Grab	1	X	X	X	Hold

	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1			1/14/26 8:00
2			1.14.26
3			1300
4			
5			
6			

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

Page 178 of 825

H260218

Chain of Custody

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Page 9 of

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Enzson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

Project Name:	A78 Highway Line	Turn Around	☐ Routine ☑ Rush
Project Number:		Pres. Code	
Project Location:	Lea County, New Mexico	Due Date:	24h
Sampler's Name:	Connor Whitman		TAT may vary based on lab start time.
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT				
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No	Parameters
Samples Received Intact:	(Yes) No	Thermometer ID:	#140	
Cooler Custody Seals:	Yes (No) N/A	Correction Factor:	+0.1	
Sample Custody Seals:	Yes (No) N/A	Temperature Reading:	1.6	
Total Containers:		Corrected Temperature:	1.7	

ANALYSIS REQUEST

Preservative Codes

None: NO — DI Water: H_2O
Cool: Cool — MeOH: Me
HCL: HC — HNO_3: HN
H_2S0_4: H_2 — NaOH: Na
H_3PO_4: HP
$NaHSO_4$: NABIS
$Na_2S_2O_3$: $NaSO_3$
Zn Acetate+NaOH: Zn
NaOH+Ascorbic Acid: SAPC

	Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
81	V-14	8	1/13/2026		S	Grab	1	X	X	X	H&W
82	V-14	9	1/13/2026		S	Grab	1	X	X	X	↓
83	V-14	10	1/13/2026		S	Grab	1	X	X	X	
84	V-14	11	1/13/2026		S	Grab	1	X	X	X	H&W
85	V-14	12	1/13/2026		S	Grab	1	X	X	X	
86	V-14	13	1/13/2026		S	Grab	1	X	X	X	
87	V-14	14	1/13/2026		S	Grab	1	X	X	X	
88	V-14	15	1/13/2026		S	Grab	1	X	X	X	
89	V-14	16	1/13/2026		S	Grab	1	X	X	X	
90	V-14	17	1/13/2026		S	Grab	1	X	X	X	H&W

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
		1/14/26 8:00	2		1.14.26
			4		1305
			6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

January 15, 2026

ETHAN SESSUMS

STANDARD SAFETY & SUPPLY

PO BOX 14987

ODESSA, TX 79764

RE: A78 HIGHWAY LINE

Enclosed are the results of analyses for samples received by the laboratory on 01/14/26 13:00.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C25-00101. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accreditated through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Celey D. Keene

Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 14 20 (H260219-03)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	1.86	92.8	2.00	0.728	
Toluene*	<0.050	0.050	01/14/2026	ND	1.82	91.2	2.00	0.507	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	1.95	97.5	2.00	0.217	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	5.81	96.8	6.00	1.00	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *78.3 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	01/15/2026	ND	448	112	400	7.41	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	192	96.0	200	0.566	
DRO >C10-C28*	<10.0	10.0	01/14/2026	ND	175	87.3	200	2.86	
EXT DRO >C28-C36	<10.0	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *77.3 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *72.9 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 14 25 (H260219-08)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	1.86	92.8	2.00	0.728	
Toluene*	<0.050	0.050	01/14/2026	ND	1.82	91.2	2.00	0.507	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	1.95	97.5	2.00	0.217	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	5.81	96.8	6.00	1.00	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *79.8 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	01/15/2026	ND	448	112	400	7.41	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	192	96.0	200	0.566	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	175	87.3	200	2.86	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *90.6 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *87.6 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 14 30 (H260219-13)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	1.86	92.8	2.00	0.728	
Toluene*	<0.050	0.050	01/14/2026	ND	1.82	91.2	2.00	0.507	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	1.95	97.5	2.00	0.217	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	5.81	96.8	6.00	1.00	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *78.8 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	01/15/2026	ND	448	112	400	7.41	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	192	96.0	200	0.566	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	175	87.3	200	2.86	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *101 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *97.6 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 14 35 (H260219-18)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	1.86	92.8	2.00	0.728	
Toluene*	<0.050	0.050	01/14/2026	ND	1.82	91.2	2.00	0.507	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	1.95	97.5	2.00	0.217	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	5.81	96.8	6.00	1.00	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *76.8 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	01/15/2026	ND	448	112	400	7.41	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	192	96.0	200	0.566	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	175	87.3	200	2.86	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *87.2 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *81.8 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 14 40 (H260219-23)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	1.86	92.8	2.00	0.728	
Toluene*	<0.050	0.050	01/14/2026	ND	1.82	91.2	2.00	0.507	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	1.95	97.5	2.00	0.217	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	5.81	96.8	6.00	1.00	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *79.5 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	01/15/2026	ND	448	112	400	7.41	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	202	101	200	6.18	
DRO >C10-C28*	<10.0	10.0	01/14/2026	ND	178	89.2	200	7.33	
EXT DRO >C28-C36	<10.0	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *69.4 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *59.8 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 3 0-0.5 (H260219-24)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	**0.062**	0.050	01/15/2026	ND	1.86	92.8	2.00	0.728	
Toluene*	**0.463**	0.050	01/15/2026	ND	1.82	91.2	2.00	0.507	
Ethylbenzene*	**0.651**	0.050	01/15/2026	ND	1.95	97.5	2.00	0.217	
Total Xylenes*	**1.94**	0.150	01/15/2026	ND	5.81	96.8	6.00	1.00	
Total BTEX	**3.12**	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *120 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**432**	16.0	01/15/2026	ND	448	112	400	7.41	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	**76.0**	10.0	01/15/2026	ND	202	101	200	6.18	
DRO >C10-C28*	**1230**	10.0	01/15/2026	ND	178	89.2	200	7.33	
EXT DRO >C28-C36	**227**	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *80.1 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *93.4 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 3 1 (H260219-25)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	**0.303**	0.050	01/14/2026	ND	1.86	92.8	2.00	0.728	
Toluene*	**0.462**	0.050	01/14/2026	ND	1.82	91.2	2.00	0.507	
Ethylbenzene*	**0.403**	0.050	01/14/2026	ND	1.95	97.5	2.00	0.217	
Total Xylenes*	**1.61**	0.150	01/14/2026	ND	5.81	96.8	6.00	1.00	
Total BTEX	**2.78**	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *84.3 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**160**	16.0	01/15/2026	ND	448	112	400	7.41	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	**28.6**	10.0	01/14/2026	ND	202	101	200	6.18	
DRO >C10-C28*	**72.0**	10.0	01/14/2026	ND	178	89.2	200	7.33	
EXT DRO >C28-C36	**12.7**	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *73.7 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *67.4 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 3 2 (H260219-26)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	**0.050**	0.050	01/14/2026	ND	1.86	92.8	2.00	0.728	
Toluene*	**0.134**	0.050	01/14/2026	ND	1.82	91.2	2.00	0.507	
Ethylbenzene*	**0.201**	0.050	01/14/2026	ND	1.95	97.5	2.00	0.217	
Total Xylenes*	**0.608**	0.150	01/14/2026	ND	5.81	96.8	6.00	1.00	
Total BTEX	**0.993**	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *79.5 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**144**	16.0	01/15/2026	ND	448	112	400	7.41	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	**12.1**	10.0	01/14/2026	ND	202	101	200	6.18	
DRO >C10-C28*	<10.0	10.0	01/14/2026	ND	178	89.2	200	7.33	
EXT DRO >C28-C36	<10.0	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *77.5 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *67.2 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 3 3 (H260219-27)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	1.86	92.8	2.00	0.728	
Toluene*	<0.050	0.050	01/14/2026	ND	1.82	91.2	2.00	0.507	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	1.95	97.5	2.00	0.217	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	5.81	96.8	6.00	1.00	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *78.3 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**96.0**	16.0	01/15/2026	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	202	101	200	6.18	
DRO >C10-C28*	<10.0	10.0	01/14/2026	ND	178	89.2	200	7.33	
EXT DRO >C28-C36	<10.0	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *74.7 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *64.0 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 3 4 (H260219-28)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	1.86	92.8	2.00	0.728	
Toluene*	<0.050	0.050	01/14/2026	ND	1.82	91.2	2.00	0.507	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	1.95	97.5	2.00	0.217	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	5.81	96.8	6.00	1.00	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *77.0 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**64.0**	16.0	01/15/2026	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	202	101	200	6.18	
DRO >C10-C28*	<10.0	10.0	01/14/2026	ND	178	89.2	200	7.33	
EXT DRO >C28-C36	<10.0	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *73.7 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *63.4 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 3 5 (H260219-29)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	1.86	92.8	2.00	0.728	
Toluene*	<0.050	0.050	01/14/2026	ND	1.82	91.2	2.00	0.507	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	1.95	97.5	2.00	0.217	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	5.81	96.8	6.00	1.00	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *76.8 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**64.0**	16.0	01/15/2026	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	202	101	200	6.18	
DRO >C10-C28*	<10.0	10.0	01/14/2026	ND	178	89.2	200	7.33	
EXT DRO >C28-C36	<10.0	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *73.0 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *62.3 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 3 20 (H260219-34)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	1.86	92.8	2.00	0.728	
Toluene*	<0.050	0.050	01/15/2026	ND	1.82	91.2	2.00	0.507	
Ethylbenzene*	<0.050	0.050	01/15/2026	ND	1.95	97.5	2.00	0.217	
Total Xylenes*	<0.150	0.150	01/15/2026	ND	5.81	96.8	6.00	1.00	
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *78.4 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	01/15/2026	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	202	101	200	6.18	
DRO >C10-C28*	<10.0	10.0	01/14/2026	ND	178	89.2	200	7.33	
EXT DRO >C28-C36	<10.0	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *80.9 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *69.6 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 3 25 (H260219-39)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	1.86	92.8	2.00	0.728	
Toluene*	<0.050	0.050	01/15/2026	ND	1.82	91.2	2.00	0.507	
Ethylbenzene*	<0.050	0.050	01/15/2026	ND	1.95	97.5	2.00	0.217	
Total Xylenes*	<0.150	0.150	01/15/2026	ND	5.81	96.8	6.00	1.00	
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *76.6 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	01/15/2026	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	202	101	200	6.18	
DRO >C10-C28*	<10.0	10.0	01/14/2026	ND	178	89.2	200	7.33	
EXT DRO >C28-C36	<10.0	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *81.2 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *68.9 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 3 30 (H260219-44)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	1.86	92.8	2.00	0.728	
Toluene*	<0.050	0.050	01/15/2026	ND	1.82	91.2	2.00	0.507	
Ethylbenzene*	<0.050	0.050	01/15/2026	ND	1.95	97.5	2.00	0.217	
Total Xylenes*	<0.150	0.150	01/15/2026	ND	5.81	96.8	6.00	1.00	
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *80.8 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	01/15/2026	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	202	101	200	6.18	
DRO >C10-C28*	<10.0	10.0	01/14/2026	ND	178	89.2	200	7.33	
EXT DRO >C28-C36	<10.0	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *80.2 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *68.1 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 3 35 (H260219-49)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	1.86	92.8	2.00	0.728	
Toluene*	<0.050	0.050	01/15/2026	ND	1.82	91.2	2.00	0.507	
Ethylbenzene*	<0.050	0.050	01/15/2026	ND	1.95	97.5	2.00	0.217	
Total Xylenes*	<0.150	0.150	01/15/2026	ND	5.81	96.8	6.00	1.00	
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *78.6 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	01/15/2026	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	202	101	200	6.18	
DRO >C10-C28*	<10.0	10.0	01/14/2026	ND	178	89.2	200	7.33	
EXT DRO >C28-C36	<10.0	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *79.9 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *69.9 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 3 40 (H260219-54)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	1.86	92.8	2.00	0.728	
Toluene*	<0.050	0.050	01/15/2026	ND	1.82	91.2	2.00	0.507	
Ethylbenzene*	<0.050	0.050	01/15/2026	ND	1.95	97.5	2.00	0.217	
Total Xylenes*	<0.150	0.150	01/15/2026	ND	5.81	96.8	6.00	1.00	
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *77.1 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	01/15/2026	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	202	101	200	6.18	
DRO >C10-C28*	<10.0	10.0	01/14/2026	ND	178	89.2	200	7.33	
EXT DRO >C28-C36	<10.0	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *65.2 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *54.8 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 15 0-0.5 (H260219-55)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	1.86	92.8	2.00	3.68	
Toluene*	<0.050	0.050	01/14/2026	ND	1.96	97.8	2.00	3.49	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	1.98	99.1	2.00	3.70	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	5.87	97.9	6.00	3.64	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *97.4 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	01/15/2026	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	202	101	200	6.18	
DRO >C10-C28*	**22.1**	10.0	01/14/2026	ND	178	89.2	200	7.33	
EXT DRO >C28-C36	<10.0	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *66.1 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *57.0 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 15 1 (H260219-56)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	1.86	92.8	2.00	3.68	
Toluene*	<0.050	0.050	01/14/2026	ND	1.96	97.8	2.00	3.49	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	1.98	99.1	2.00	3.70	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	5.87	97.9	6.00	3.64	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *98.3 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	01/15/2026	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	202	101	200	6.18	
DRO >C10-C28*	<10.0	10.0	01/14/2026	ND	178	89.2	200	7.33	
EXT DRO >C28-C36	<10.0	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *64.5 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *54.7 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 15 2 (H260219-57)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	1.86	92.8	2.00	3.68	
Toluene*	<0.050	0.050	01/14/2026	ND	1.96	97.8	2.00	3.49	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	1.98	99.1	2.00	3.70	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	5.87	97.9	6.00	3.64	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *98.5 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**64.0**	16.0	01/15/2026	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	202	101	200	6.18	
DRO >C10-C28*	**36.6**	10.0	01/14/2026	ND	178	89.2	200	7.33	
EXT DRO >C28-C36	<10.0	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *66.3 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *57.5 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 15 3 (H260219-58)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	1.86	92.8	2.00	3.68	
Toluene*	<0.050	0.050	01/14/2026	ND	1.96	97.8	2.00	3.49	
Ethylbenzene*	**0.107**	0.050	01/14/2026	ND	1.98	99.1	2.00	3.70	
Total Xylenes*	**0.327**	0.150	01/14/2026	ND	5.87	97.9	6.00	3.64	
Total BTEX	**0.434**	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *102 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	01/15/2026	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	202	101	200	6.18	
DRO >C10-C28*	**20.0**	10.0	01/14/2026	ND	178	89.2	200	7.33	
EXT DRO >C28-C36	<10.0	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *63.1 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *54.0 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 15 4 (H260219-59)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	1.86	92.8	2.00	3.68	
Toluene*	<0.050	0.050	01/14/2026	ND	1.96	97.8	2.00	3.49	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	1.98	99.1	2.00	3.70	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	5.87	97.9	6.00	3.64	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *101 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	01/15/2026	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	202	101	200	6.18	
DRO >C10-C28*	<10.0	10.0	01/14/2026	ND	178	89.2	200	7.33	
EXT DRO >C28-C36	<10.0	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *65.6 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *54.8 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 15 5 (H260219-60)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	1.86	92.8	2.00	3.68	
Toluene*	<0.050	0.050	01/14/2026	ND	1.96	97.8	2.00	3.49	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	1.98	99.1	2.00	3.70	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	5.87	97.9	6.00	3.64	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *101 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	01/15/2026	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	202	101	200	6.18	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	178	89.2	200	7.33	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *62.9 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *52.5 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 15 10 (H260219-65)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	1.86	92.8	2.00	3.68	
Toluene*	<0.050	0.050	01/14/2026	ND	1.96	97.8	2.00	3.49	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	1.98	99.1	2.00	3.70	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	5.87	97.9	6.00	3.64	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *100 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	01/15/2026	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	202	101	200	6.18	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	178	89.2	200	7.33	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *64.7 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *54.3 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 15 15 (H260219-70)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	1.86	92.8	2.00	3.68	
Toluene*	<0.050	0.050	01/14/2026	ND	1.96	97.8	2.00	3.49	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	1.98	99.1	2.00	3.70	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	5.87	97.9	6.00	3.64	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *101 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**96.0**	16.0	01/15/2026	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	202	101	200	6.18	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	178	89.2	200	7.33	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *74.4 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *63.0 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 15 20 (H260219-75)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	1.86	92.8	2.00	3.68	
Toluene*	<0.050	0.050	01/14/2026	ND	1.96	97.8	2.00	3.49	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	1.98	99.1	2.00	3.70	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	5.87	97.9	6.00	3.64	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *99.5 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**64.0**	16.0	01/15/2026	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	183	91.5	200	7.29	
DRO >C10-C28*	<10.0	10.0	01/14/2026	ND	187	93.4	200	7.45	
EXT DRO >C28-C36	<10.0	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *90.6 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *87.5 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 15 25 (H260219-80)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	1.86	92.8	2.00	3.68	
Toluene*	<0.050	0.050	01/14/2026	ND	1.96	97.8	2.00	3.49	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	1.98	99.1	2.00	3.70	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	5.87	97.9	6.00	3.64	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *97.7 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	01/15/2026	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	183	91.5	200	7.29	
DRO >C10-C28*	<10.0	10.0	01/14/2026	ND	187	93.4	200	7.45	
EXT DRO >C28-C36	<10.0	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *87.8 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *84.9 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 15 30 (H260219-85)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	1.86	92.8	2.00	3.68	
Toluene*	<0.050	0.050	01/14/2026	ND	1.96	97.8	2.00	3.49	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	1.98	99.1	2.00	3.70	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	5.87	97.9	6.00	3.64	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *99.7 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	01/15/2026	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	183	91.5	200	7.29	
DRO >C10-C28*	<10.0	10.0	01/14/2026	ND	187	93.4	200	7.45	
EXT DRO >C28-C36	<10.0	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *93.9 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *92.4 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 15 35 (H260219-90)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	1.86	92.8	2.00	3.68	
Toluene*	<0.050	0.050	01/14/2026	ND	1.96	97.8	2.00	3.49	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	1.98	99.1	2.00	3.70	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	5.87	97.9	6.00	3.64	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *98.2 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	01/15/2026	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	183	91.5	200	7.29	
DRO >C10-C28*	<10.0	10.0	01/14/2026	ND	187	93.4	200	7.45	
EXT DRO >C28-C36	<10.0	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *93.8 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *93.0 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

QR-03	The RPD value for the sample duplicate or MS/MSD was outside of QC acceptance limits due to matrix interference. QC batch accepted based on LCS and/or LCSD recovery and/or RPD values.
ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C
	Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

STANDARD SAFETY & SUPPLY

Chain of Custody

H260219

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/
Page 1 of 0

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

0402401K

Project Name:	A78 Highway Line	Turn Around	☐ Routine ☑ Rush
Project Number:		Pres. Code	
Project Location:	Lea County, New Mexico	Due Date:	24h
Sampler's Name:	Connor Whitman	TAT may vary based on lab start time.	
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT				
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No	
Samples Received Intact:	(Yes) No	Thermometer ID:	140	
Cooler Custody Seals:	Yes (No) N/A	Correction Factor:	+0.1°	
Sample Custody Seals:	Yes (No) N/A	Temperature Reading:	1.4°	
Total Containers:		Corrected Temperature:	1.5°	

Preservative Codes

None: NO; DI Water: H_2O; Cool: Cool; MeOH: Me; HCL: HC; HNO_3: HN; H_2S0_4: H_2; NaOH: Na; H_3PO_4: HP; $NaHSO_4$: NABIS; $Na_2S_2O_3$: $NaSO_3$; Zn Acetate+NaOH: Zn; NaOH+Ascorbic Acid: SAPC

Sample Identification		Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
1	V-14	18	1/13/2026		S	Grab	1	X	X	X	Hold
2	V-14	19	1/13/2026		S	Grab	1	X	X	X	↓
3	V-14	20	1/13/2026		S	Grab	1	X	X	X	
4	V-14	21	1/13/2026		S	Grab	1	X	X	X	Hold
5	V-14	22	1/13/2026		S	Grab	1	X	X	X	↓
6	V-14	23	1/13/2026		S	Grab	1	X	X	X	
7	V-14	24	1/13/2026		S	Grab	1	X	X	X	
8	V-14	25	1/13/2026		S	Grab	1	X	X	X	
9	V-14	26	1/13/2026		S	Grab	1	X	X	X	Hold
10	V-14	27	1/13/2026		S	Grab	1	X	X	X	↓

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1		1/14/26 8:00	2		1-14-26 1300
3			4		
5			6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

STANDARD SAFETY & SUPPLY

Chain of Custody

H260219

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Page 1 of 1

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Enson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

040240K

Project Name:	A78 Highway Line	Turn Around	☐ Routine ☑ Rush
Project Number:			
Project Location:	Lea County, New Mexico	Due Date:	24h
Sampler's Name:	Connor Whitman	TAT may vary based on lab start time.	
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT				
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No	
Samples Received Intact:	(Yes) No	Thermometer ID:	140	
Cooler Custody Seals:	Yes (No) N/A	Correction Factor:	+0.1	
Sample Custody Seals:	Yes (No) N/A	Temperature Reading:	1.6	
Total Containers:		Corrected Temperature:	1.7	

Preservative Codes

None: NO; DI Water: H_2O; Cool: Cool; MeOH: Me; HCL: HC; HNO_3: HN; H_2S0_4: H_2; NaOH: Na; H_3PO_4: HP; $NaHSO_4$: NABIS; $Na_2S_2O_3$: $NaSO_3$; Zn Acetate+NaOH: Zn; NaOH+Ascorbic Acid: SAPC

Sample Identification		Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Pres. Code	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
11	V-14	28	1/13/2026		S	Grab	1		X	X	X	H&W
12	V-14	29	1/13/2026		S	Grab	1		X	X	X	↓
13	V-14	30	1/13/2026		S	Grab	1		X	X	X	
14	V-14	31	1/13/2026		S	Grab	1		X	X	X	H&W
15	V-14	32	1/13/2026		S	Grab	1		X	X	X	↓
16	V-14	33	1/13/2026		S	Grab	1		X	X	X	
17	V-14	34	1/13/2026		S	Grab	1		X	X	X	↓
18	V-14	35	1/13/2026		S	Grab	1		X	X	X	
19	V-14	36	1/13/2026		S	Grab	1		X	X	X	H&W
20	V-14	37	1/13/2026		S	Grab	1		X	X	X	↓

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1		1/14/26 8:00	2	S Rodriguez	1.14.26 1300
3			4		
5			6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

Page 211 of 825

STANDARD SAFETY & SUPPLY

Chain of Custody H260219

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Page 12 of

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Enzsen
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

040240 1K

Project Name:	A78 Highway Line	Turn Around	☐ Routine ☑ Rush
Project Number:		Due Date:	24h
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.	
Sampler's Name:	Connor Whitman		
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT				
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No	
Samples Received Intact:	(Yes) No	Thermometer ID:	140	
Cooler Custody Seals:	Yes (No) N/A	Correction Factor:	+0.1c	
Sample Custody Seals:	Yes (No) N/A	Temperature Reading:	1.6c	
Total Containers:		Corrected Temperature:	1.7c	

Preservative Codes

None: NO — DI Water: H_2O
Cool: Cool — MeOH: Me
HCL: HC — HNO_3: HN
H_2S0_4: H_2 — NaOH: Na
H_3PO_4: HP
$NaHSO_4$: NABIS
$Na_2S_2O_3$: $NaSO_3$
Zn Acetate+NaOH: Zn
NaOH+Ascorbic Acid: SAPC

Sample Identification		Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Parameters: BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
21	V-14	38	1/13/2026		S	Grab	1	X	X	X	H&W
22	V-14	39	1/13/2026		S	Grab	1	X	X	X	↓
23	V-14	40	1/13/2026		S	Grab	1	X	X	X	
24	V-3	0-0.5	1/13/2026		S	Grab	1	X	X	X	
25	V-3	1	1/13/2026		S	Grab	1	X	X	X	
26	V-3	2	1/13/2026		S	Grab	1	X	X	X	
27	V-3	3	1/13/2026		S	Grab	1	X	X	X	
28	V-3	4	1/13/2026		S	Grab	1	X	X	X	
29	V-3	5	1/13/2026		S	Grab	1	X	X	X	
30	V-3	6	1/13/2026		S	Grab	1	X	X	X	H&W

	Relinquished by: (Signature)	Received by: (Signature)	Date/Time		Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1			1/14/26 8:00	2		Rodriguez	1-14-26 1300
3				4			
5				6			

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

Page 212 of 825

STANDARD SAFETY & SUPPLY

Chain of Custody

H260219

Dean Enerson

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Project Manager:	Ethan Sessums	Bill to: (if different)	~~Dean Energy~~ ICH 1/14/26
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

04024011K

Project Name:	A78 Highway Line	Turn Around	☐ Routine ☑ Rush
Project Number:		Due Date:	24h
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.	
Sampler's Name:	Connor Whitman		
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT				
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No	
Samples Received Intact:	(Yes) No	Thermometer ID:	140	
Cooler Custody Seals:	Yes (No) N/A	Correction Factor:	+0.1c	
Sample Custody Seals:	Yes (No) N/A	Temperature Reading:	1.6c	
Total Containers:		Corrected Temperature:	1.7c	

Preservative Codes

None: NO; DI Water: H_2O; Cool: Cool; MeOH: Me; HCL: HC; HNO_3: HN; H_2S0_4: H_2; NaOH: Na; H_3PO_4: HP; $NaHSO_4$: NABIS; $Na_2S_2O_3$: $NaSO_3$; Zn Acetate+NaOH: Zn; NaOH+Ascorbic Acid: SAPC

Sample Identification		Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Pres. Code	Parameters: BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
31	V-3	17	1/13/2026		S	Grab	1		X	X	X	H&W
32	V-3	18	1/13/2026		S	Grab	1		X	X	X	↓
33	V-3	19	1/13/2026		S	Grab	1		X	X	X	
34	V-3	20	1/13/2026		S	Grab	1		X	X	X	
35	V-3	21	1/13/2026		S	Grab	1		X	X	X	H&W
36	V-3	22	1/13/2026		S	Grab	1		X	X	X	↓
37	V-3	23	1/13/2026		S	Grab	1		X	X	X	
38	V-3	24	1/13/2026		S	Grab	1		X	X	X	
39	V-3	25	1/13/2026		S	Grab	1		X	X	X	
40	V-3	26	1/13/2026		S	Grab	1		X	X	X	H&W

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1		1/14/26 8:20	2		1.14.26 1300
3			4		
5			6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

Page 213 of 825

STANDARD SAFETY & SUPPLY

Chain of Custody H260219

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Page 1 of 1

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Enzsun Energy Transfer
Company Name:	Standard Safety & Supply	Company Name:	
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

0402401K

Project Name:	A78 Highway Line	Turn Around	☐ Routine ☑ Rush
Project Number:		Due Date:	24h
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.	
Sampler's Name:	Connor Whitman		
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT			
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No
Samples Received Intact:	(Yes) No	Thermometer ID:	140
Cooler Custody Seals:	Yes (No) N/A	Correction Factor:	+0.1°
Sample Custody Seals:	Yes (No) N/A	Temperature Reading:	1.6°
Total Containers:		Corrected Temperature:	1.7°

Preservative Codes

None: NO; DI Water: H_2O; Cool: Cool; MeOH: Me; HCL: HC; HNO_3: HN; H_2S0_4: H_2; NaOH: Na; H_3PO_4: HP; $NaHSO_4$: NABIS; $Na_2S_2O_3$: $NaSO_3$; Zn Acetate+NaOH: Zn; NaOH+Ascorbic Acid: SAPC

Sample Identification		Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Pres. Code	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
41	V-3	27	1/13/2026		S	Grab	1		X	X	X	Hold
42	V-3	28	1/13/2026		S	Grab	1		X	X	X	↓
43	V-3	29	1/13/2026		S	Grab	1		X	X	X	
44	V-3	30	1/13/2026		S	Grab	1		X	X	X	
45	V-3	31	1/13/2026		S	Grab	1		X	X	X	Hold
46	V-3	32	1/13/2026		S	Grab	1		X	X	X	↓
47	V-3	33	1/13/2026		S	Grab	1		X	X	X	
48	V-3	34	1/13/2026		S	Grab	1		X	X	X	
49	V-3	35	1/13/2026		S	Grab	1		X	X	X	
50	V-3	36	1/13/2026		S	Grab	1		X	X	X	Hold

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
		1/14/26 8:00	2		1.14.26 1300
			4		
			6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

STANDARD SAFETY & SUPPLY

Chain of Custody

H260219

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/
Page 1 of

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Enerson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

04024011L

Project Name:	A78 Highway Line	Turn Around	☐ Routine ☑ Rush
Project Number:		Due Date:	24h
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.	
Sampler's Name:	Connor Whitman		
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT				
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No	
Samples Received Intact:	(Yes) No	Thermometer ID:	140	
Cooler Custody Seals:	Yes No (N/A)	Correction Factor:	+0.1c	
Sample Custody Seals:	Yes (No) N/A	Temperature Reading:	1.6c	
Total Containers:		Corrected Temperature:	1.7c	

Preservative Codes

None: NO; DI Water: H_2O; Cool: Cool; MeOH: Me; HCL: HC; HNO_3: HN; H_2S0_4: H_2; NaOH: Na; H_3PO_4: HP; $NaHSO_4$: NABIS; $Na_2S_2O_3$: $NaSO_3$; Zn Acetate+NaOH: Zn; NaOH+Ascorbic Acid: SAPC

Sample Identification		Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Pres. Code	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
S1	V-3	37	1/13/2026		S	Grab	1		X	X	X	H2O
S2	V-3	38	1/13/2026		S	Grab	1		X	X	X	"
S3	V-3	39	1/13/2026		S	Grab	1		X	X	X	
S4	V-3	40	1/13/2026		S	Grab	1		X	X	X	
S5	V-15	0-0.5	1/13/2026		S	Grab	1		X	X	X	
S6	V-15	1	1/13/2026		S	Grab	1		X	X	X	
S7	V-15	2	1/13/2026		S	Grab	1		X	X	X	
S8	V-15	3	1/13/2026		S	Grab	1		X	X	X	
S9	V-15	4	1/13/2026		S	Grab	1		X	X	X	
S10	V-15	5	1/13/2026		S	Grab	1		X	X	X	

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1		1/14/26	2		1.14.26 1300
3			4		
5			6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

STANDARD SAFETY & SUPPLY

Chain of Custody H260219

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/
Page 1 of 2

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Enzsen Energy Transfer
Company Name:	Standard Safety & Supply	Company Name:	
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

0402401K

Project Name:	A78 Highway Line	Turn Around	Routine ☐ Rush ☑
Project Number:		Due Date:	24h
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.	
Sampler's Name:	Connor Whitman		
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT				
Temp Blank:	Yes No	Wet Ice:	Yes No	
Samples Received Intact:	Yes No	Thermometer ID:	140	
Cooler Custody Seals:	Yes No N/A	Correction Factor:	+0.1c	
Sample Custody Seals:	Yes No N/A	Temperature Reading:	1.1c	
Total Containers:		Corrected Temperature:	1.2c	

Preservative Codes

None: NO — DI Water: H_2O
Cool: Cool — MeOH: Me
HCL: HC — HNO_3: HN
H_2S0_4: H_2 — NaOH: Na
H_3PO_4: HP
$NaHSO_4$: NABIS
$Na_2S_2O_3$: $NaSO_3$
Zn Acetate+NaOH: Zn
NaOH+Ascorbic Acid: SAPC

Sample Identification		Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
61	V-15	6	1/13/2026		S	Grab	1	X	X	X	H&W
62	V-15	7	1/13/2026		S	Grab	1	X	X	X	↓
63	V-15	8	1/13/2026		S	Grab	1	X	X	X	
64	V-15	9	1/13/2026		S	Grab	1	X	X	X	
65	V-15	10	1/13/2026		S	Grab	1	X	X	X	H&W
66	V-15	11	1/13/2026		S	Grab	1	X	X	X	↓
67	V-15	12	1/13/2026		S	Grab	1	X	X	X	
68	V-15	13	1/13/2026		S	Grab	1	X	X	X	
69	V-15	14	1/13/2026		S	Grab	1	X	X	X	
70	V-15	15	1/13/2026		S	Grab	1	X	X	X	

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1		1/14/26	2		1-14-26 1300
3			4		
5			6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

STANDARD SAFETY & SUPPLY

Chain of Custody

H260219

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Page 1 of 2

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Enzsen
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

0402401K

Project Name:	A78 Highway Line	Turn Around	☐ Routine ☑ Rush
Project Number:		Pres. Code	
Project Location:	Lea County, New Mexico	Due Date:	24h
Sampler's Name:	Connor Whitman	TAT may vary based on lab start time.	
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT				
Temp Blank:	Yes No	Wet Ice:	Yes No	
Samples Received Intact:	Yes No	Thermometer ID:	140	
Cooler Custody Seals:	Yes No N/A	Correction Factor:	+0.1	
Sample Custody Seals:	Yes No N/A	Temperature Reading:	1.4	
Total Containers:		Corrected Temperature:	1.5	

Preservative Codes

None: NO — DI Water: H_2O
Cool: Cool — MeOH: Me
HCL: HC — HNO_3: HN
H_2S0_4: H_2 — NaOH: Na
H_3PO_4: HP
$NaHSO_4$: NABIS
$Na_2S_2O_3$: $NaSO_3$
Zn Acetate+NaOH: Zn
NaOH+Ascorbic Acid: SAPC

Sample Identification		Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
71	V-15	16	1/13/2026		S	Grab	1	X	X	X	H&W
72	V-15	17	1/13/2026		S	Grab	1	X	X	X	↓
73	V-15	18	1/13/2026		S	Grab	1	X	X	X	
74	V-15	19	1/13/2026		S	Grab	1	X	X	X	
75	V-15	20	1/13/2026		S	Grab	1	X	X	X	
76	V-15	21	1/13/2026		S	Grab	1	X	X	X	H&W
77	V-15	22	1/13/2026		S	Grab	1	X	X	X	↓
78	V-15	23	1/13/2026		S	Grab	1	X	X	X	
79	V-15	24	1/13/2026		S	Grab	1	X	X	X	
80	V-15	25	1/13/2026		S	Grab	1	X	X	X	

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1		1/14/26 8:00	2	Rodriguez	1-14-26 1300
3			4		
5			6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

Page 217 of 825

STANDARD SAFETY & SUPPLY

Chain of Custody

H260219

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/
Page 1 of 8

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Enzsun
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

0402401K

Project Name:	A78 Highway Line	Turn Around	Routine / Rush
Project Number:		Due Date:	24h
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.	
Sampler's Name:	Connor Whitman		
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT				
Temp Blank:	Yes / No	Wet Ice:	Yes / No	
Samples Received Intact:	Yes / No	Thermometer ID:	140	
Cooler Custody Seals:	Yes / No / N/A	Correction Factor:	+0.1°	
Sample Custody Seals:	Yes / No / N/A	Temperature Reading:	1.4°	
Total Containers:		Corrected Temperature:	1.5°	

Preservative Codes

None: NO; DI Water: H_2O; Cool: Cool; MeOH: Me; HCL: HC; HNO_3: HN; H_2S0_4: H_2; NaOH: Na; H_3PO_4: HP; $NaHSO_4$: NABIS; $Na_2S_2O_3$: $NaSO_3$; Zn Acetate+NaOH: Zn; NaOH+Ascorbic Acid: SAPC

Sample Identification		Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Pres. Code	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
S1	V-15	26	1/13/2026		S	Grab	1		X	X	X	Hold
S2	V-15	27	1/13/2026		S	Grab	1		X	X	X	↓
S3	V-15	28	1/13/2026		S	Grab	1		X	X	X	
S4	V-15	29	1/13/2026		S	Grab	1		X	X	X	
S5	V-15	30	1/13/2026		S	Grab	1		X	X	X	
S6	V-15	31	1/13/2026		S	Grab	1		X	X	X	Hold
S7	V-15	32	1/13/2026		S	Grab	1		X	X	X	↓
S8	V-15	33	1/13/2026		S	Grab	1		X	X	X	
S9	V-15	34	1/13/2026		S	Grab	1		X	X	X	
S10	V-15	35	1/13/2026		S	Grab	1		X	X	X	

	Relinquished by: (Signature)	Received by: (Signature)	Date/Time		Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1			1/14/26 8:00	2		Shad Rigney	1-14-26 1300
3				4			
5				6			

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

January 15, 2026

ETHAN SESSUMS

STANDARD SAFETY & SUPPLY

PO BOX 14987

ODESSA, TX 79764

RE: A78 HIGHWAY LINE

Enclosed are the results of analyses for samples received by the laboratory on 01/14/26 13:00.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C25-00101. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accreditated through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Celey D. Keene

Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 15 40 (H260220-05)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	1.86	92.8	2.00	3.68	
Toluene*	<0.050	0.050	01/14/2026	ND	1.96	97.8	2.00	3.49	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	1.98	99.1	2.00	3.70	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	5.87	97.9	6.00	3.64	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *100 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	01/15/2026	ND	416	104	400	7.41	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	183	91.5	200	7.29	
DRO >C10-C28*	<10.0	10.0	01/14/2026	ND	187	93.4	200	7.45	
EXT DRO >C28-C36	<10.0	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *92.4 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *91.0 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 17 0-0.5' (H260220-06)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	1.86	92.8	2.00	3.68	
Toluene*	<0.050	0.050	01/14/2026	ND	1.96	97.8	2.00	3.49	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	1.98	99.1	2.00	3.70	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	5.87	97.9	6.00	3.64	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *98.5 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	01/15/2026	ND	416	104	400	7.41	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	183	91.5	200	7.29	
DRO >C10-C28*	**12.4**	10.0	01/14/2026	ND	187	93.4	200	7.45	
EXT DRO >C28-C36	<10.0	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *87.7 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *88.3 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 17 1 (H260220-07)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	1.86	92.8	2.00	3.68	
Toluene*	<0.050	0.050	01/14/2026	ND	1.96	97.8	2.00	3.49	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	1.98	99.1	2.00	3.70	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	5.87	97.9	6.00	3.64	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *99.8 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	01/15/2026	ND	416	104	400	7.41	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	183	91.5	200	7.29	
DRO >C10-C28*	<10.0	10.0	01/14/2026	ND	187	93.4	200	7.45	
EXT DRO >C28-C36	<10.0	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *87.8 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *88.0 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 17 2 (H260220-08)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	1.86	92.8	2.00	3.68	
Toluene*	<0.050	0.050	01/14/2026	ND	1.96	97.8	2.00	3.49	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	1.98	99.1	2.00	3.70	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	5.87	97.9	6.00	3.64	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *98.4 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	01/15/2026	ND	416	104	400	7.41	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	183	91.5	200	7.29	
DRO >C10-C28*	<10.0	10.0	01/14/2026	ND	187	93.4	200	7.45	
EXT DRO >C28-C36	<10.0	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *89.2 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *87.0 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 17 3 (H260220-09)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	1.86	92.8	2.00	3.68	
Toluene*	<0.050	0.050	01/15/2026	ND	1.96	97.8	2.00	3.49	
Ethylbenzene*	<0.050	0.050	01/15/2026	ND	1.98	99.1	2.00	3.70	
Total Xylenes*	<0.150	0.150	01/15/2026	ND	5.87	97.9	6.00	3.64	
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *99.2 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	01/15/2026	ND	416	104	400	7.41	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	183	91.5	200	7.29	
DRO >C10-C28*	<10.0	10.0	01/14/2026	ND	187	93.4	200	7.45	
EXT DRO >C28-C36	<10.0	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *91.4 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *89.5 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 17 4 (H260220-10)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	1.86	92.8	2.00	3.68	
Toluene*	<0.050	0.050	01/15/2026	ND	1.96	97.8	2.00	3.49	
Ethylbenzene*	<0.050	0.050	01/15/2026	ND	1.98	99.1	2.00	3.70	
Total Xylenes*	<0.150	0.150	01/15/2026	ND	5.87	97.9	6.00	3.64	
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *98.9 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	01/15/2026	ND	416	104	400	7.41	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	183	91.5	200	7.29	
DRO >C10-C28*	<10.0	10.0	01/14/2026	ND	187	93.4	200	7.45	
EXT DRO >C28-C36	<10.0	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *88.5 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *89.5 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 17 5 (H260220-11)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	1.86	92.8	2.00	3.68	
Toluene*	<0.050	0.050	01/15/2026	ND	1.96	97.8	2.00	3.49	
Ethylbenzene*	<0.050	0.050	01/15/2026	ND	1.98	99.1	2.00	3.70	
Total Xylenes*	<0.150	0.150	01/15/2026	ND	5.87	97.9	6.00	3.64	
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *99.1 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	01/15/2026	ND	416	104	400	7.41	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	183	91.5	200	7.29	
DRO >C10-C28*	<10.0	10.0	01/14/2026	ND	187	93.4	200	7.45	
EXT DRO >C28-C36	<10.0	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *83.6 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *84.2 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 17 10 (H260220-16)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	1.86	92.8	2.00	3.68	
Toluene*	<0.050	0.050	01/15/2026	ND	1.96	97.8	2.00	3.49	
Ethylbenzene*	<0.050	0.050	01/15/2026	ND	1.98	99.1	2.00	3.70	
Total Xylenes*	<0.150	0.150	01/15/2026	ND	5.87	97.9	6.00	3.64	
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *99.3 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	01/15/2026	ND	416	104	400	7.41	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	183	91.5	200	7.29	
DRO >C10-C28*	<10.0	10.0	01/14/2026	ND	187	93.4	200	7.45	
EXT DRO >C28-C36	<10.0	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *94.3 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *95.0 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 17 15 (H260220-21)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	2.06	103	2.00	0.675	
Toluene*	<0.050	0.050	01/15/2026	ND	1.97	98.3	2.00	6.70	
Ethylbenzene*	<0.050	0.050	01/15/2026	ND	2.05	102	2.00	8.11	
Total Xylenes*	<0.150	0.150	01/15/2026	ND	6.37	106	6.00	8.32	QM-07
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *123 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	01/15/2026	ND	416	104	400	7.41	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	183	91.5	200	7.29	
DRO >C10-C28*	<10.0	10.0	01/14/2026	ND	187	93.4	200	7.45	
EXT DRO >C28-C36	<10.0	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *93.6 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *92.8 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 17 20 (H260220-26)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	2.06	103	2.00	0.675	
Toluene*	<0.050	0.050	01/15/2026	ND	1.97	98.3	2.00	6.70	
Ethylbenzene*	<0.050	0.050	01/15/2026	ND	2.05	102	2.00	8.11	
Total Xylenes*	<0.150	0.150	01/15/2026	ND	6.37	106	6.00	8.32	
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *113 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**224**	16.0	01/15/2026	ND	416	104	400	7.41	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	183	91.5	200	7.29	
DRO >C10-C28*	<10.0	10.0	01/14/2026	ND	187	93.4	200	7.45	
EXT DRO >C28-C36	<10.0	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *93.5 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *93.2 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 17 25 (H260220-31)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	2.06	103	2.00	0.675	
Toluene*	<0.050	0.050	01/15/2026	ND	1.97	98.3	2.00	6.70	
Ethylbenzene*	<0.050	0.050	01/15/2026	ND	2.05	102	2.00	8.11	
Total Xylenes*	<0.150	0.150	01/15/2026	ND	6.37	106	6.00	8.32	
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *116 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**272**	16.0	01/15/2026	ND	416	104	400	7.41	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	183	91.5	200	7.29	
DRO >C10-C28*	<10.0	10.0	01/14/2026	ND	187	93.4	200	7.45	
EXT DRO >C28-C36	<10.0	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *95.9 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *95.7 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 17 30 (H260220-36)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	2.06	103	2.00	0.675	
Toluene*	<0.050	0.050	01/15/2026	ND	1.97	98.3	2.00	6.70	
Ethylbenzene*	<0.050	0.050	01/15/2026	ND	2.05	102	2.00	8.11	
Total Xylenes*	<0.150	0.150	01/15/2026	ND	6.37	106	6.00	8.32	
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *112 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**128**	16.0	01/15/2026	ND	416	104	400	7.41	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	183	91.5	200	7.29	
DRO >C10-C28*	**36.3**	10.0	01/14/2026	ND	187	93.4	200	7.45	
EXT DRO >C28-C36	**23.2**	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *94.0 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *94.2 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 17 34 (H260220-40)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	2.06	103	2.00	0.675	
Toluene*	<0.050	0.050	01/15/2026	ND	1.97	98.3	2.00	6.70	
Ethylbenzene*	<0.050	0.050	01/15/2026	ND	2.05	102	2.00	8.11	
Total Xylenes*	<0.150	0.150	01/15/2026	ND	6.37	106	6.00	8.32	
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *109 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	01/15/2026	ND	416	104	400	7.41	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	183	91.5	200	7.29	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	187	93.4	200	7.45	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *94.6 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *95.6 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

QM-07	The spike recovery was outside acceptance limits for the MS and/or MSD. The batch was accepted based on acceptable LCS recovery.
ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C
	Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

STANDARD SAFETY & SUPPLY

Chain of Custody

H260220

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Page 1 of 1

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

0402401K - all

Project Name:	A78 Highway Line	Turn Around	☐ Routine ☑ Rush
Project Number:		Pres. Code	
Project Location:	Lea County, New Mexico	Due Date:	24h
Sampler's Name:	Connor Whitman	TAT may vary based on lab start time.	
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT				
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No	
Samples Received Intact:	(Yes) No	Thermometer ID:	#140	
Cooler Custody Seals:	Yes (No) N/A	Correction Factor:	+0.1°c	
Sample Custody Seals:	Yes (No) N/A	Temperature Reading:	1.6°c	
Total Containers:		Corrected Temperature:	1.7°c	

Preservative Codes

None: NO; DI Water: H_2O; Cool: Cool; MeOH: Me; HCL: HC; HNO_3: HN; H_2S0_4: H_2; NaOH: Na; H_3PO_4: HP; $NaHSO_4$: NABIS; $Na_2S_2O_3$: $NaSO_3$; Zn Acetate+NaOH: Zn; NaOH+Ascorbic Acid: SAPC

	Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
1	V-15	36	1/13/2026		S	Grab	1	X	X	X	H2O
2	V-15	37	1/13/2026		S	Grab	1	X	X	X	
3	V-15	38	1/13/2026		S	Grab	1	X	X	X	
4	V-15	39	1/13/2026		S	Grab	1	X	X	X	
5	V-15	40	1/13/2026		S	Grab	1	X	X	X	
6	V-17	0-0.5	1/13/2026		S	Grab	1	X	X	X	
7	V-17	1	1/13/2026		S	Grab	1	X	X	X	
8	V-17	2	1/13/2026		S	Grab	1	X	X	X	
9	V-17	3	1/13/2026		S	Grab	1	X	X	X	
10	V-17	4	1/13/2026		S	Grab	1	X	X	X	

	Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1			1/14/26 8:00	2		1-14-26 1300
3				4		
5				6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

STANDARD SAFETY & SUPPLY

Chain of Custody H260220

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/
Page 2 of

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Enexus Energy Transfer
Company Name:	Standard Safety & Supply	Company Name:	
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

Project Name:	A78 Highway Line	Turn Around	
Project Number:		☐ Routine ☑ Rush	
Project Location:	Lea County, New Mexico	Due Date:	24h
Sampler's Name:	Connor Whitman	TAT may vary based on lab start time.	
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT				
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No	
Samples Received Intact:	(Yes) No	Thermometer ID:	#140	
Cooler Custody Seals:	Yes (No) N/A	Correction Factor:	+0.1°	
Sample Custody Seals:	Yes (No) N/A	Temperature Reading:	1.6°	
Total Containers:		Corrected Temperature:	1.7°	

Preservative Codes

None: NO; DI Water: H_2O; Cool: Cool; MeOH: Me; HCL: HC; HNO_3: HN; H_2S0_4: H_2; NaOH: Na; H_3PO_4: HP; $NaHSO_4$: NABIS; $Na_2S_2O_3$: $NaSO_3$; Zn Acetate+NaOH: Zn; NaOH+Ascorbic Acid: SAPC

	Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Pres. Code	Parameters: BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
11	V-17	5	1/13/2026		S	Grab	1		X	X	X	
12	V-17	6	1/13/2026		S	Grab	1		X	X	X	H2O
13	V-17	7	1/13/2026		S	Grab	1		X	X	X	
14	V-17	8	1/13/2026		S	Grab	1		X	X	X	
15	V-17	9	1/13/2026		S	Grab	1		X	X	X	
16	V-17	10	1/13/2026		S	Grab	1		X	X	X	
17	V-17	11	1/13/2026		S	Grab	1		X	X	X	H2O
18	V-17	12	1/13/2026		S	Grab	1		X	X	X	
19	V-17	13	1/13/2026		S	Grab	1		X	X	X	
20	V-17	14	1/13/2026		S	Grab	1		X	X	X	

	Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1			1/14/26 8:00	2		1-14-26 1300
3				4		
5				6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

CARDINAL Laboratories

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

C-26029-GL-2130017)

Company Name:	Standard Safety & Supply
Project Manager:	Ethan Sessums
Address:	2425 Trunk St
City:	Odessa State: TX Zip: 79761
Phone #:	254-266-5456 Fax #:
Project #:	Project Owner: Energy Transfer
Project Name:	ATS Highway line
Project Location:	Lea Co, NM
Sampler Name:	Connor Whitman

BILL TO

P.O. #:	
Company:	Energy Transfer
Attn:	Dawn Erickson
Address:	
City:	
State:	Zip:
Phone #:	
Fax #:	

ANALYSIS REQUEST

FOR LAB USE ONLY Lab I.D.	Sample I.D.		(G)RAB OR (C)OMP.	# CONTAINERS	MATRIX: GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER:	PRESERV.: ACID/BASE:	ICE / COOL	OTHER:	SAMPLING: DATE	TIME	BTEX 8021B	TPH 8015M	Chloride 4500 Cl-B	Hold
H260220																			
21	V-17	15	G	1			X					X		1/13/26					
22		16																	X
23		17																	X
24		18																	X
25		19																	X
26		20																	X
27		21																	X
28		22																	X
29		23																	X
30		24																	X

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequental damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Relinquished By: CW	Date: 1/14/26 Time: 8:00	Received By:	
Relinquished By:	Date: 1-14-26 Time: 1300	Received By: Tamara Oldaker	
Delivered By: (Circle One) Sampler - UPS - Bus - Other:	Observed Temp. °C 1.6 Corrected Temp. °C 1.7	Sample Condition Cool: Yes / No Intact: Yes / No	CHECKED BY: (Initials)

Verbal Result: ☐ Yes ☐ No Add'l Phone #:
All Results are emailed. Please provide Email address:

REMARKS: 0402401K

Turnaround Time: Standard ☐ Rush ☑
Thermometer ID #140 Correction Factor +0.3°C 24 +0.1c 1/14/26

Bacteria (only) Sample Condition: Cool ☐ Yes ☐ No Intact ☐ Yes ☐ No Observed Temp. °C Corrected Temp. °C

FORM-006 R 3.0 02/12/25

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

STANDARD SAFETY & SUPPLY

Chain of Custody

H260220

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Page 2 of 2

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Enron Energy Transfer
Company Name:	Standard Safety & Supply	Company Name:	
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

Project Name:	A78 Highway Line	Turn Around	☐ Routine ☑ Rush
Project Number:		Pres. Code	
Project Location:	Lea County, New Mexico	Due Date:	24h
Sampler's Name:	Connor Whitman	TAT may vary based on lab start time.	
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT				
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No	
Samples Received Intact:	(Yes) No	Thermometer ID:	#140	
Cooler Custody Seals:	Yes (No) N/A	Correction Factor:	+0.1°c	
Sample Custody Seals:	Yes (No) N/A	Temperature Reading:	1.6°c	
Total Containers:		Corrected Temperature:	1.7°c	

Preservative Codes

None: NO; DI Water: H_2O; Cool: Cool; MeOH: Me; HCL: HC; HNO_3: HN; H_2S0_4: H_2; NaOH: Na; H_3PO_4: HP; $NaHSO_4$: NABIS; $Na_2S_2O_3$: $NaSO_3$; Zn Acetate+NaOH: Zn; NaOH+Ascorbic Acid: SAPC

Sample Identification		Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Parameters: BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
31	V-17	25	1/13/2026		S	Grab	1	X	X	X	
32	V-17	26	1/13/2026		S	Grab	1	X	X	X	H2W
33	V-17	27	1/13/2026		S	Grab	1	X	X	X	↓
34	V-17	28	1/13/2026		S	Grab	1	X	X	X	
35	V-17	29	1/13/2026		S	Grab	1	X	X	X	
36	V-17	30	1/13/2026		S	Grab	1	X	X	X	
37	V-17	31	1/13/2026		S	Grab	1	X	X	X	H2W
38	V-17	32	1/13/2026		S	Grab	1	X	X	X	↓
39	V-17	33	1/13/2026		S	Grab	1	X	X	X	
40	V-17	34	1/13/2026		S	Grab	1	X	X	X	

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1		1/14/26 8:00	2		1-14-26 13
3			4		
5			6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

January 15, 2026

ETHAN SESSUMS

STANDARD SAFETY & SUPPLY

PO BOX 14987

ODESSA, TX 79764

RE: A78 HIGHWAY LINE

Enclosed are the results of analyses for samples received by the laboratory on 01/14/26 13:00.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C25-00101. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accreditated through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Celey D. Keene

Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 3 10 (H260223-04)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	2.06	103	2.00	0.675	
Toluene*	<0.050	0.050	01/15/2026	ND	1.97	98.3	2.00	6.70	
Ethylbenzene*	<0.050	0.050	01/15/2026	ND	2.05	102	2.00	8.11	
Total Xylenes*	<0.150	0.150	01/15/2026	ND	6.37	106	6.00	8.32	
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *119 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	01/15/2026	ND	432	108	400	3.64	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	186	93.0	200	1.69	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	216	108	200	7.99	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *71.8 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *69.0 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 3 15 (H260223-09)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	2.06	103	2.00	0.675	
Toluene*	<0.050	0.050	01/15/2026	ND	1.97	98.3	2.00	6.70	
Ethylbenzene*	<0.050	0.050	01/15/2026	ND	2.05	102	2.00	8.11	
Total Xylenes*	<0.150	0.150	01/15/2026	ND	6.37	106	6.00	8.32	
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *121 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	01/15/2026	ND	432	108	400	3.64	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	186	93.0	200	1.69	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	216	108	200	7.99	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *79.1 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *77.2 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

QM-07	The spike recovery was outside acceptance limits for the MS and/or MSD. The batch was accepted based on acceptable LCS recovery.
ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C
	Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

Page 241 of 825

H260223

Page 5 of 5

Chain of Custody

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Page of

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

CLS - 040340 1K

Project Name:	A78 Highway Line	Turn Around	
Project Number:		☐ Routine ☑ Rush	
Project Location:	Lea County, New Mexico	Due Date:	24h
Sampler's Name:	Connor Whitman	TAT may vary based on lab start time.	
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT				
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No	
Samples Received Intact:	(Yes) No	Thermometer ID:	#140	
Cooler Custody Seals:	Yes No N/A	Correction Factor:	+0.1	
Sample Custody Seals:	Yes (No) N/A	Temperature Reading:	1.6	
Total Containers:		Corrected Temperature:	1.7	

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
1 V-3	7	1/13/2026		S	Grab	1	X	X	X	Hold
2 V-3	8	1/13/2026		S	Grab	1	X	X	X	Hold
3 V-3	9	1/13/2026		S	Grab	1	X	X	X	Hold
4 V-3	10	1/13/2026		S	Grab	1	X	X	X	
5 V-3	11	1/13/2026		S	Grab	1	X	X	X	Hold
6 V-3	12	1/13/2026		S	Grab	1	X	X	X	Hold
7 V-3	13	1/13/2026		S	Grab	1	X	X	X	Hold
8 V-3	14	1/13/2026		S	Grab	1	X	X	X	Hold
9 V-3	15	1/13/2026		S	Grab	1	X	X	X	
10 V-3	16	1/13/2026		S	Grab	1	X	X	X	Hold

Preservative Codes

None: NO — DI Water: H_2O
Cool: Cool — MeOH: Me
HCL: HC — HNO_3: HN
H_2S0_4: H_2 — NaOH: Na
H_3PO_4: HP
$NaHSO_4$: NABIS
$Na_2S_2O_3$: $NaSO_3$
Zn Acetate+NaOH: Zn
NaOH+Ascorbic Acid: SAPC

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
Connor Whitman	Kenny Han	1/14/2026 8:00	2. Kenny Han	Apaua	1-14-26
			4		1300
			6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

January 16, 2026

ETHAN SESSUMS

STANDARD SAFETY & SUPPLY

PO BOX 14987

ODESSA, TX 79764

RE: A78 HIGHWAY LINE

Enclosed are the results of analyses for samples received by the laboratory on 01/15/26 11:40.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C25-00101. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accreditated through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Celey D. Keene

Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 1 0 (H260251-01)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	**30.0**	5.00	01/15/2026	ND	1.84	92.2	2.00	2.96	QM-07, QR-03
Toluene*	**173**	5.00	01/15/2026	ND	1.91	95.5	2.00	2.53	QM-07
Ethylbenzene*	**112**	5.00	01/15/2026	ND	1.93	96.3	2.00	2.49	QM-07
Total Xylenes*	**222**	15.0	01/15/2026	ND	5.72	95.3	6.00	2.56	QM-07
Total BTEX	**536**	30.0	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *109 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**5760**	16.0	01/16/2026	ND	480	120	400	6.90	

TPH 8015M mg/kg Analyzed By: JF S-06

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	**4440**	50.0	01/15/2026	ND	194	96.8	200	1.69	
DRO >C10-C28*	**10600**	50.0	01/15/2026	ND	190	94.8	200	0.447	
EXT DRO >C28-C36	**1410**	50.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *451 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *197 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 1 1 (H260251-02)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	**1.61**	1.00	01/15/2026	ND	1.84	92.2	2.00	2.96	
Toluene*	**10.8**	1.00	01/15/2026	ND	1.91	95.5	2.00	2.53	
Ethylbenzene*	**10.2**	1.00	01/15/2026	ND	1.93	96.3	2.00	2.49	
Total Xylenes*	**22.6**	3.00	01/15/2026	ND	5.72	95.3	6.00	2.56	
Total BTEX	**45.2**	6.00	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *108 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**1520**	16.0	01/16/2026	ND	480	120	400	6.90	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	**234**	10.0	01/15/2026	ND	194	96.8	200	1.69	
DRO >C10-C28*	**437**	10.0	01/15/2026	ND	190	94.8	200	0.447	
EXT DRO >C28-C36	**52.5**	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *111 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *113 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 1 2 (H260251-03)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	1.84	92.2	2.00	2.96	
Toluene*	**0.272**	0.050	01/15/2026	ND	1.91	95.5	2.00	2.53	
Ethylbenzene*	**0.439**	0.050	01/15/2026	ND	1.93	96.3	2.00	2.49	
Total Xylenes*	**1.13**	0.150	01/15/2026	ND	5.72	95.3	6.00	2.56	
Total BTEX	**1.84**	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *105 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**112**	16.0	01/16/2026	ND	480	120	400	6.90	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	**10.9**	10.0	01/15/2026	ND	194	96.8	200	1.69	
DRO >C10-C28*	**18.1**	10.0	01/15/2026	ND	190	94.8	200	0.447	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *106 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *105 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 1 3 (H260251-04)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	1.84	92.2	2.00	2.96	
Toluene*	<0.050	0.050	01/15/2026	ND	1.91	95.5	2.00	2.53	
Ethylbenzene*	**0.094**	0.050	01/15/2026	ND	1.93	96.3	2.00	2.49	
Total Xylenes*	**0.172**	0.150	01/15/2026	ND	5.72	95.3	6.00	2.56	
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *98.8 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	01/16/2026	ND	480	120	400	6.90	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	194	96.8	200	1.69	
DRO >C10-C28*	**11.0**	10.0	01/15/2026	ND	190	94.8	200	0.447	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *101 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *100 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 1 4 (H260251-05)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	1.84	92.2	2.00	2.96	
Toluene*	<0.050	0.050	01/15/2026	ND	1.91	95.5	2.00	2.53	
Ethylbenzene*	<0.050	0.050	01/15/2026	ND	1.93	96.3	2.00	2.49	
Total Xylenes*	<0.150	0.150	01/15/2026	ND	5.72	95.3	6.00	2.56	
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *97.8 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	01/16/2026	ND	480	120	400	6.90	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	194	96.8	200	1.69	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	190	94.8	200	0.447	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *106 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *103 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 1 5 (H260251-06)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	1.84	92.2	2.00	2.96	
Toluene*	<0.050	0.050	01/15/2026	ND	1.91	95.5	2.00	2.53	
Ethylbenzene*	<0.050	0.050	01/15/2026	ND	1.93	96.3	2.00	2.49	
Total Xylenes*	<0.150	0.150	01/15/2026	ND	5.72	95.3	6.00	2.56	
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *98.3 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	01/16/2026	ND	480	120	400	6.90	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	194	96.8	200	1.69	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	190	94.8	200	0.447	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *103 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *100 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 1 10 (H260251-11)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	1.84	92.2	2.00	2.96	
Toluene*	**0.096**	0.050	01/15/2026	ND	1.91	95.5	2.00	2.53	
Ethylbenzene*	**0.119**	0.050	01/15/2026	ND	1.93	96.3	2.00	2.49	
Total Xylenes*	**0.307**	0.150	01/15/2026	ND	5.72	95.3	6.00	2.56	
Total BTEX	**0.521**	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *100 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**112**	16.0	01/16/2026	ND	480	120	400	6.90	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	194	96.8	200	1.69	
DRO >C10-C28*	**26.9**	10.0	01/15/2026	ND	190	94.8	200	0.447	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *99.6 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *100 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 1 15 (H260251-16)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	1.84	92.2	2.00	2.96	
Toluene*	<0.050	0.050	01/15/2026	ND	1.91	95.5	2.00	2.53	
Ethylbenzene*	<0.050	0.050	01/15/2026	ND	1.93	96.3	2.00	2.49	
Total Xylenes*	<0.150	0.150	01/15/2026	ND	5.72	95.3	6.00	2.56	
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *97.3 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	01/16/2026	ND	480	120	400	6.90	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	194	96.8	200	1.69	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	190	94.8	200	0.447	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *105 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *102 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 1 20 (H260251-21)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	1.84	92.2	2.00	2.96	
Toluene*	<0.050	0.050	01/15/2026	ND	1.91	95.5	2.00	2.53	
Ethylbenzene*	<0.050	0.050	01/15/2026	ND	1.93	96.3	2.00	2.49	
Total Xylenes*	<0.150	0.150	01/15/2026	ND	5.72	95.3	6.00	2.56	
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *98.5 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	01/16/2026	ND	480	120	400	6.90	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	194	96.8	200	1.69	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	190	94.8	200	0.447	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *103 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *99.3 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 1 25 (H260251-26)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	1.84	92.2	2.00	2.96	
Toluene*	<0.050	0.050	01/15/2026	ND	1.91	95.5	2.00	2.53	
Ethylbenzene*	<0.050	0.050	01/15/2026	ND	1.93	96.3	2.00	2.49	
Total Xylenes*	<0.150	0.150	01/15/2026	ND	5.72	95.3	6.00	2.56	
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *98.1 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	01/16/2026	ND	480	120	400	6.90	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	194	96.8	200	1.69	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	190	94.8	200	0.447	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *101 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *97.4 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 1 30 (H260251-31)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	1.84	92.2	2.00	2.96	
Toluene*	<0.050	0.050	01/15/2026	ND	1.91	95.5	2.00	2.53	
Ethylbenzene*	<0.050	0.050	01/15/2026	ND	1.93	96.3	2.00	2.49	
Total Xylenes*	<0.150	0.150	01/15/2026	ND	5.72	95.3	6.00	2.56	
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *98.1 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	01/16/2026	ND	480	120	400	6.90	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	194	96.8	200	1.69	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	190	94.8	200	0.447	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *102 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *101 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 1 35 (H260251-36)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	1.84	92.2	2.00	2.96	
Toluene*	<0.050	0.050	01/15/2026	ND	1.91	95.5	2.00	2.53	
Ethylbenzene*	<0.050	0.050	01/15/2026	ND	1.93	96.3	2.00	2.49	
Total Xylenes*	<0.150	0.150	01/15/2026	ND	5.72	95.3	6.00	2.56	
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *98.7 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	01/16/2026	ND	480	120	400	6.90	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	194	96.8	200	1.69	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	190	94.8	200	0.447	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *107 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *104 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 1 40 (H260251-41)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	1.89	94.7	2.00	3.36	QM-07
Toluene*	<0.050	0.050	01/15/2026	ND	2.00	100	2.00	0.864	QM-07, QR-03
Ethylbenzene*	<0.050	0.050	01/15/2026	ND	2.15	108	2.00	0.463	QM-07
Total Xylenes*	<0.150	0.150	01/15/2026	ND	6.75	113	6.00	1.68	QM-07
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *121 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	01/16/2026	ND	480	120	400	6.90	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	190	95.1	200	5.22	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	176	88.1	200	10.1	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *105 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *109 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 22 0 (H260251-42)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	1.89	94.7	2.00	3.36	
Toluene*	<0.050	0.050	01/15/2026	ND	2.00	100	2.00	0.864	
Ethylbenzene*	<0.050	0.050	01/15/2026	ND	2.15	108	2.00	0.463	
Total Xylenes*	<0.150	0.150	01/15/2026	ND	6.75	113	6.00	1.68	
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *113 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	01/16/2026	ND	480	120	400	6.90	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	190	95.1	200	5.22	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	176	88.1	200	10.1	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *98.9 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *101 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 22 1 (H260251-43)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	1.89	94.7	2.00	3.36	
Toluene*	<0.050	0.050	01/15/2026	ND	2.00	100	2.00	0.864	
Ethylbenzene*	<0.050	0.050	01/15/2026	ND	2.15	108	2.00	0.463	
Total Xylenes*	<0.150	0.150	01/15/2026	ND	6.75	113	6.00	1.68	
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *118 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**64.0**	16.0	01/16/2026	ND	400	100	400	7.69	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	190	95.1	200	5.22	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	176	88.1	200	10.1	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *95.4 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *97.0 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 22 2 (H260251-44)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	1.89	94.7	2.00	3.36	
Toluene*	<0.050	0.050	01/15/2026	ND	2.00	100	2.00	0.864	
Ethylbenzene*	<0.050	0.050	01/15/2026	ND	2.15	108	2.00	0.463	
Total Xylenes*	<0.150	0.150	01/15/2026	ND	6.75	113	6.00	1.68	
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *118 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**80.0**	16.0	01/16/2026	ND	400	100	400	7.69	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	190	95.1	200	5.22	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	176	88.1	200	10.1	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *105 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *113 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 22 3 (H260251-45)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	1.89	94.7	2.00	3.36	
Toluene*	<0.050	0.050	01/15/2026	ND	2.00	100	2.00	0.864	
Ethylbenzene*	<0.050	0.050	01/15/2026	ND	2.15	108	2.00	0.463	
Total Xylenes*	<0.150	0.150	01/15/2026	ND	6.75	113	6.00	1.68	
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *117 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**160**	16.0	01/16/2026	ND	400	100	400	7.69	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	190	95.1	200	5.22	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	176	88.1	200	10.1	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *62.1 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *64.1 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 22 4 (H260251-46)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	1.89	94.7	2.00	3.36	
Toluene*	<0.050	0.050	01/15/2026	ND	2.00	100	2.00	0.864	
Ethylbenzene*	<0.050	0.050	01/15/2026	ND	2.15	108	2.00	0.463	
Total Xylenes*	<0.150	0.150	01/15/2026	ND	6.75	113	6.00	1.68	
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *125 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	01/16/2026	ND	400	100	400	7.69	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	190	95.1	200	5.22	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	176	88.1	200	10.1	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *86.7 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *87.1 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 22 5 (H260251-47)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	1.89	94.7	2.00	3.36	
Toluene*	<0.050	0.050	01/15/2026	ND	2.00	100	2.00	0.864	
Ethylbenzene*	<0.050	0.050	01/15/2026	ND	2.15	108	2.00	0.463	
Total Xylenes*	<0.150	0.150	01/15/2026	ND	6.75	113	6.00	1.68	
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *122 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	01/16/2026	ND	400	100	400	7.69	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	190	95.1	200	5.22	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	176	88.1	200	10.1	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *87.5 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *91.7 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 22 10 (H260251-52)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	1.89	94.7	2.00	3.36	
Toluene*	<0.050	0.050	01/15/2026	ND	2.00	100	2.00	0.864	
Ethylbenzene*	<0.050	0.050	01/15/2026	ND	2.15	108	2.00	0.463	
Total Xylenes*	<0.150	0.150	01/15/2026	ND	6.75	113	6.00	1.68	
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *120 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	01/16/2026	ND	400	100	400	7.69	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	190	95.1	200	5.22	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	176	88.1	200	10.1	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *86.3 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *88.6 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 22 15 (H260251-57)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	1.89	94.7	2.00	3.36	
Toluene*	<0.050	0.050	01/15/2026	ND	2.00	100	2.00	0.864	
Ethylbenzene*	<0.050	0.050	01/15/2026	ND	2.15	108	2.00	0.463	
Total Xylenes*	<0.150	0.150	01/15/2026	ND	6.75	113	6.00	1.68	
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *121 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	01/16/2026	ND	400	100	400	7.69	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	190	95.1	200	5.22	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	176	88.1	200	10.1	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *93.8 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *98.9 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 22 20 (H260251-62)

BTEX 8021B mg/kg **Analyzed By: JH**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	1.89	94.7	2.00	3.36	
Toluene*	<0.050	0.050	01/15/2026	ND	2.00	100	2.00	0.864	
Ethylbenzene*	<0.050	0.050	01/15/2026	ND	2.15	108	2.00	0.463	
Total Xylenes*	<0.150	0.150	01/15/2026	ND	6.75	113	6.00	1.68	
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *115 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg **Analyzed By: KH**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	01/16/2026	ND	400	100	400	7.69	

TPH 8015M mg/kg **Analyzed By: JF**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	190	95.1	200	5.22	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	176	88.1	200	10.1	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *96.3 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *97.9 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 22 25 (H260251-67)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	1.89	94.7	2.00	3.36	
Toluene*	<0.050	0.050	01/15/2026	ND	2.00	100	2.00	0.864	
Ethylbenzene*	<0.050	0.050	01/15/2026	ND	2.15	108	2.00	0.463	
Total Xylenes*	<0.150	0.150	01/15/2026	ND	6.75	113	6.00	1.68	
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *118 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	01/16/2026	ND	400	100	400	7.69	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	190	95.1	200	5.22	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	176	88.1	200	10.1	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *82.3 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *83.5 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 22 30 (H260251-72)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	1.89	94.7	2.00	3.36	
Toluene*	<0.050	0.050	01/15/2026	ND	2.00	100	2.00	0.864	
Ethylbenzene*	<0.050	0.050	01/15/2026	ND	2.15	108	2.00	0.463	
Total Xylenes*	<0.150	0.150	01/15/2026	ND	6.75	113	6.00	1.68	
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *118 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	01/16/2026	ND	400	100	400	7.69	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	190	95.1	200	5.22	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	176	88.1	200	10.1	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *82.0 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *82.3 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 22 35 (H260251-77)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	1.89	94.7	2.00	3.36	
Toluene*	<0.050	0.050	01/15/2026	ND	2.00	100	2.00	0.864	
Ethylbenzene*	<0.050	0.050	01/15/2026	ND	2.15	108	2.00	0.463	
Total Xylenes*	<0.150	0.150	01/15/2026	ND	6.75	113	6.00	1.68	
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *116 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	01/16/2026	ND	400	100	400	7.69	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	190	95.1	200	5.22	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	176	88.1	200	10.1	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *96.0 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *97.5 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 22 40 (H260251-82)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	1.89	94.7	2.00	3.36	
Toluene*	<0.050	0.050	01/15/2026	ND	2.00	100	2.00	0.864	
Ethylbenzene*	<0.050	0.050	01/15/2026	ND	2.15	108	2.00	0.463	
Total Xylenes*	<0.150	0.150	01/15/2026	ND	6.75	113	6.00	1.68	
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *120 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	01/16/2026	ND	400	100	400	7.69	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	190	95.1	200	5.22	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	176	88.1	200	10.1	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *98.5 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *101 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 13 0 (H260251-83)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	1.89	94.7	2.00	3.36	
Toluene*	<0.050	0.050	01/15/2026	ND	2.00	100	2.00	0.864	
Ethylbenzene*	<0.050	0.050	01/15/2026	ND	2.15	108	2.00	0.463	
Total Xylenes*	<0.150	0.150	01/15/2026	ND	6.75	113	6.00	1.68	
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *122 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	01/16/2026	ND	400	100	400	7.69	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	190	95.1	200	5.22	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	176	88.1	200	10.1	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *97.0 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *99.3 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 13 1 (H260251-84)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	1.89	94.7	2.00	3.36	
Toluene*	<0.050	0.050	01/15/2026	ND	2.00	100	2.00	0.864	
Ethylbenzene*	<0.050	0.050	01/15/2026	ND	2.15	108	2.00	0.463	
Total Xylenes*	<0.150	0.150	01/15/2026	ND	6.75	113	6.00	1.68	
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *114 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	01/16/2026	ND	400	100	400	7.69	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	190	95.1	200	5.22	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	176	88.1	200	10.1	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *83.9 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *85.3 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 13 2 (H260251-85)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	1.89	94.7	2.00	3.36	
Toluene*	<0.050	0.050	01/15/2026	ND	2.00	100	2.00	0.864	
Ethylbenzene*	<0.050	0.050	01/15/2026	ND	2.15	108	2.00	0.463	
Total Xylenes*	<0.150	0.150	01/15/2026	ND	6.75	113	6.00	1.68	
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *124 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	01/16/2026	ND	400	100	400	7.69	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	190	95.1	200	5.22	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	176	88.1	200	10.1	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *89.7 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *91.7 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 13 3 (H260251-86)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	1.89	94.7	2.00	3.36	
Toluene*	<0.050	0.050	01/15/2026	ND	2.00	100	2.00	0.864	
Ethylbenzene*	<0.050	0.050	01/15/2026	ND	2.15	108	2.00	0.463	
Total Xylenes*	<0.150	0.150	01/15/2026	ND	6.75	113	6.00	1.68	
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *122 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	01/16/2026	ND	400	100	400	7.69	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	190	95.1	200	5.22	
DRO >C10-C28*	**13.8**	10.0	01/15/2026	ND	176	88.1	200	10.1	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *74.5 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *74.8 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 13 4 (H260251-87)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	1.89	94.7	2.00	3.36	
Toluene*	<0.050	0.050	01/15/2026	ND	2.00	100	2.00	0.864	
Ethylbenzene*	<0.050	0.050	01/15/2026	ND	2.15	108	2.00	0.463	
Total Xylenes*	<0.150	0.150	01/15/2026	ND	6.75	113	6.00	1.68	
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *111 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	01/16/2026	ND	400	100	400	7.69	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/16/2026	ND	190	95.1	200	5.22	
DRO >C10-C28*	**16.2**	10.0	01/16/2026	ND	176	88.1	200	10.1	
EXT DRO >C28-C36	<10.0	10.0	01/16/2026	ND					

Surrogate: 1-Chlorooctane *86.6 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *87.3 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 13 5 (H260251-88)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	1.89	94.7	2.00	3.36	
Toluene*	<0.050	0.050	01/15/2026	ND	2.00	100	2.00	0.864	
Ethylbenzene*	<0.050	0.050	01/15/2026	ND	2.15	108	2.00	0.463	
Total Xylenes*	<0.150	0.150	01/15/2026	ND	6.75	113	6.00	1.68	
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *121 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	01/16/2026	ND	400	100	400	7.69	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/16/2026	ND	190	95.1	200	5.22	
DRO >C10-C28*	<10.0	10.0	01/16/2026	ND	176	88.1	200	10.1	
EXT DRO >C28-C36	<10.0	10.0	01/16/2026	ND					

Surrogate: 1-Chlorooctane *96.9 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *99.4 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

S-06	The recovery of this surrogate is outside control limits due to sample dilution required from high analyte concentration and/or matrix interference's.
S-05	The surrogate recovery is outside of lab established statistical control limits but still within method limits. Data is not adversely affected.
QR-03	The RPD value for the sample duplicate or MS/MSD was outside of QC acceptance limits due to matrix interference. QC batch accepted based on LCS and/or LCSD recovery and/or RPD values.
QM-07	The spike recovery was outside acceptance limits for the MS and/or MSD. The batch was accepted based on acceptable LCS recovery.
ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C
	Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

Page 276 of 825

STANDARD SAFETY & SUPPLY

Chain of Custody

H260251

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Page 1 of 30

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericcson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	CarlsbadOffice@standardtx.com

Work Order Comments

0402401K - all

Project Name:	A78 Highway Line	Turn Around	☐ Routine ☑ Rush
Project Number:		Due Date:	24h
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.	
Sampler's Name:	Connor Whitman		
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT			
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No
Samples Received Intact:	(Yes) No	Thermometer ID:	#140
Cooler Custody Seals:	Yes (No) N/A	Correction Factor:	+0.1c
Sample Custody Seals:	Yes (No) N/A	Temperature Reading:	-3.2c
Total Containers:		Corrected Temperature:	-3.1c

Preservative Codes

None: NO; DI Water: H_2O; Cool: Cool; MeOH: Me; HCL: HC; HNO_3: HN; H_2S0_4: H_2; NaOH: Na; H_3PO_4: HP; $NaHSO_4$: NABIS; $Na_2S_2O_3$: $NaSO_3$; Zn Acetate+NaOH: Zn; NaOH+Ascorbic Acid: SAPC

Sample Identification		Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Pres. Code	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
1	V-1	0	1/14/2026		S	Grab	1		X	X	X	
2	V-1	1	1/14/2026		S	Grab	1		X	X	X	
3	V-1	2	1/14/2026		S	Grab	1		X	X	X	
4	V-1	3	1/14/2026		S	Grab	1		X	X	X	
5	V-1	4	1/14/2026		S	Grab	1		X	X	X	
6	V-1	5	1/14/2026		S	Grab	1		X	X	X	
7	V-1	6	1/14/2026		S	Grab	1		X	X	X	Hold
8	V-1	7	1/14/2026		S	Grab	1		X	X	X	Hold
9	V-1	8	1/14/2026		S	Grab	1		X	X	X	Hold
10	V-1	9	1/14/2026		S	Grab	1		X	X	X	Hold

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1		1-15-26 1140	2		
3			4		
5			6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

STANDARD SAFETY & SUPPLY

Chain of Custody

H260251

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Page 2 of 19

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericcson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	CarlsbadOffice@standardtx.com

Work Order Comments

0402401K-all

Project Name:	A78 Highway Line	Turn Around	☐ Routine ☑ Rush
Project Number:		Due Date:	24h
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.	
Sampler's Name:	Connor Whitman		
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT			
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No
Samples Received Intact:	(Yes) No	Thermometer ID:	#140
Cooler Custody Seals:	Yes (No) N/A	Correction Factor:	+0.1°
Sample Custody Seals:	Yes (No) N/A	Temperature Reading:	3.2°
Total Containers:		Corrected Temperature:	3.1°

Preservative Codes

None: NO; DI Water: H_2O; Cool: Cool; MeOH: Me; HCL: HC; HNO_3: HN; H_2S0_4: H_2; NaOH: Na; H_3PO_4: HP; $NaHSO_4$: NABIS; $Na_2S_2O_3$: $NaSO_3$; Zn Acetate+NaOH: Zn; NaOH+Ascorbic Acid: SAPC

Sample Identification		Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Pres. Code	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
11	V-1	10	1/14/2026		S	Grab	1		X	X	X	
12	V-1	11	1/14/2026		S	Grab	1		X	X	X	Hold
13	V-1	12	1/14/2026		S	Grab	1		X	X	X	Hold
14	V-1	13	1/14/2026		S	Grab	1		X	X	X	Hold
15	V-1	14	1/14/2026		S	Grab	1		X	X	X	Hold
16	V-1	15	1/14/2026		S	Grab	1		X	X	X	
17	V-1	16	1/14/2026		S	Grab	1		X	X	X	Hold
18	V-1	17	1/14/2026		S	Grab	1		X	X	X	Hold
19	V-1	18	1/14/2026		S	Grab	1		X	X	X	Hold
20	V-1	19	1/14/2026		S	Grab	1		X	X	X	Hold

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1	Tamara Oldaker	1-15-26 1140	2		
3			4		
5			6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

STANDARD SAFETY & SUPPLY

Chain of Custody

H260251

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Page 3 of 30

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericcson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	CarlsbadOffice@standardtx.com

Work Order Comments

0402401K

Project Name:	A78 Highway Line	Turn Around	☐ Routine ☑ Rush
Project Number:		Due Date:	24h
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.	
Sampler's Name:	Connor Whitman		
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT			
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No
Samples Received Intact:	(Yes) No	Thermometer ID:	#140
Cooler Custody Seals:	Yes (No) N/A	Correction Factor:	+0.1c
Sample Custody Seals:	Yes (No) N/A	Temperature Reading:	-3.2c
Total Containers:		Corrected Temperature:	-3.1c

Preservative Codes

None: NO; DI Water: H_2O; Cool: Cool; MeOH: Me; HCL: HC; HNO_3: HN; H_2S0_4: H_2; NaOH: Na; H_3PO_4: HP; $NaHSO_4$: NABIS; $Na_2S_2O_3$: $NaSO_3$; Zn Acetate+NaOH: Zn; NaOH+Ascorbic Acid: SAPC

	Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
21	V-1	20	1/14/2026		S	Grab	1	X	X	X	
22	V-1	21	1/14/2026		S	Grab	1	X	X	X	Hold
23	V-1	22	1/14/2026		S	Grab	1	X	X	X	Hold
24	V-1	23	1/14/2026		S	Grab	1	X	X	X	Hold
25	V-1	24	1/14/2026		S	Grab	1	X	X	X	Hold
26	V-1	25	1/14/2026		S	Grab	1	X	X	X	
27	V-1	26	1/14/2026		S	Grab	1	X	X	X	Hold
28	V-1	27	1/14/2026		S	Grab	1	X	X	X	Hold
29	V-1	28	1/14/2026		S	Grab	1	X	X	X	Hold
30	V-1	29	1/14/2026		S	Grab	1	X	X	X	Hold

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1	Tamara Alldaffer	1-15-26 1140	2		
3			4		
5			6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

STANDARD SAFETY & SUPPLY

Chain of Custody

H260251

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Page 4 of 30

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericcson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	CarlsbadOffice@standardtx.com

Work Order Comments

04024014

Project Name:	A78 Highway Line	Turn Around	☐ Routine ☑ Rush
Project Number:		Due Date:	24h
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.	
Sampler's Name:	Connor Whitman		
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT				
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No	
Samples Received Intact:	(Yes) No	Thermometer ID:	#140	
Cooler Custody Seals:	Yes (No) N/A	Correction Factor:	+0.1c	
Sample Custody Seals:	Yes (No) N/A	Temperature Reading:	-3.2c	
Total Containers:		Corrected Temperature:	-3.1c	

Preservative Codes

None: NO; DI Water: H_2O; Cool: Cool; MeOH: Me; HCL: HC; HNO_3: HN; H_2S0_4: H_2; NaOH: Na; H_3PO_4: HP; $NaHSO_4$: NABIS; $Na_2S_2O_3$: $NaSO_3$; Zn Acetate+NaOH: Zn; NaOH+Ascorbic Acid: SAPC

Sample Identification		Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
31	V-1	30	1/14/2026		S	Grab	1	X	X	X	
32	V-1	31	1/14/2026		S	Grab	1	X	X	X	Hold
33	V-1	32	1/14/2026		S	Grab	1	X	X	X	Hold
34	V-1	33	1/14/2026		S	Grab	1	X	X	X	Hold
35	V-1	34	1/14/2026		S	Grab	1	X	X	X	Hold
36	V-1	35	1/14/2026		S	Grab	1	X	X	X	
37	V-1	36	1/14/2026		S	Grab	1	X	X	X	Hold
38	V-1	37	1/14/2026		S	Grab	1	X	X	X	Hold
39	V-1	38	1/14/2026		S	Grab	1	X	X	X	Hold
40	V-1	39	1/14/2026		S	Grab	1	X	X	X	Hold

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1	Tamara Alldredge	1-15-26 1140	2		
3			4		
5			6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

STANDARD SAFETY & SUPPLY

Chain of Custody

H260251

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Page 5 of 30

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericcson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	CarlsbadOffice@standardtx.com

Work Order Comments

04024014

Project Name:	A78 Highway Line	Turn Around	☐ Routine ☑ Rush
Project Number:		Due Date:	24h
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.	
Sampler's Name:	Connor Whitman		
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT				
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No	
Samples Received Intact:	(Yes) No	Thermometer ID:	#140	
Cooler Custody Seals:	Yes (No) N/A	Correction Factor:	+0.1c	
Sample Custody Seals:	Yes (No) N/A	Temperature Reading:	-3.2c	
Total Containers:		Corrected Temperature:	-3.1c	

Sample Identification		Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
41	V-1	40	1/14/2026		S	Grab	1	X	X	X	
42	V-22	0	1/14/2026		S	Grab	1	X	X	X	
43	V-22	1	1/14/2026		S	Grab	1	X	X	X	
44	V-22	2	1/14/2026		S	Grab	1	X	X	X	
45	V-22	3	1/14/2026		S	Grab	1	X	X	X	
46	V-22	4	1/14/2026		S	Grab	1	X	X	X	
47	V-22	5	1/14/2026		S	Grab	1	X	X	X	
48	V-22	6	1/14/2026		S	Grab	1	X	X	X	Hold
49	V-22	7	1/14/2026		S	Grab	1	X	X	X	Hold
50	V-22	8	1/14/2026		S	Grab	1	X	X	X	Hold

Preservative Codes

None: NO — DI Water: H_2O
Cool: Cool — MeOH: Me
HCL: HC — HNO_3: HN
H_2S0_4: H_2 — NaOH: Na
H_3PO_4: HP
$NaHSO_4$: NABIS
$Na_2S_2O_3$: $NaSO_3$
Zn Acetate+NaOH: Zn
NaOH+Ascorbic Acid: SAPC

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1	Tamara Maldonado	1-15-26 1140	2		
3			4		
5			6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

STANDARD SAFETY & SUPPLY

Chain of Custody

H260251

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/
Page 1 of 19

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericcson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	CarlsbadOffice@standardtx.com

Work Order Comments

0402401K

Project Name:	A78 Highway Line	Turn Around	☐ Routine ☑ Rush
Project Number:		Pres. Code	
Project Location:	Lea County, New Mexico	Due Date:	24h
Sampler's Name:	Connor Whitman	TAT may vary based on lab start time.	
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT			
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No
Samples Received Intact:	(Yes) No	Thermometer ID:	#140
Cooler Custody Seals:	Yes (No) N/A	Correction Factor:	+0.1°C
Sample Custody Seals:	Yes (No) N/A	Temperature Reading:	-3.2°
Total Containers:		Corrected Temperature:	-3.1°C

Preservative Codes

None: NO; DI Water: H_2O; Cool: Cool; MeOH: Me; HCL: HC; HNO_3: HN; H_2S0_4: H_2; NaOH: Na; H_3PO_4: HP; $NaHSO_4$: NABIS; $Na_2S_2O_3$: $NaSO_3$; Zn Acetate+NaOH: Zn; NaOH+Ascorbic Acid: SAPC

Sample Identification		Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
51	V-22	9	1/14/2026		S	Grab	1	X	X	X	Hold
52	V-22	10	1/14/2026		S	Grab	1	X	X	X	
53	V-22	11	1/14/2026		S	Grab	1	X	X	X	Hold
54	V-22	12	1/14/2026		S	Grab	1	X	X	X	Hold
55	V-22	13	1/14/2026		S	Grab	1	X	X	X	Hold
56	V-22	14	1/14/2026		S	Grab	1	X	X	X	Hold
57	V-22	15	1/14/2026		S	Grab	1	X	X	X	
58	V-22	16	1/14/2026		S	Grab	1	X	X	X	Hold
59	V-22	17	1/14/2026		S	Grab	1	X	X	X	Hold
60	V-22	18	1/14/2026		S	Grab	1	X	X	X	Hold

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1	Tamara Wilder	1-15-26 1140	2		
3			4		
5			6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

STANDARD SAFETY & SUPPLY

Chain of Custody H260251

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/
Page 1 of 30

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericcson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	CarlsbadOffice@standardtx.com

Work Order Comments

040240IK

Project Name:	A78 Highway Line	Turn Around	☐ Routine ☑ Rush
Project Number:		Due Date:	24h
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.	
Sampler's Name:	Connor Whitman		
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT				
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No	
Samples Received Intact:	(Yes) No	Thermometer ID:	#140	
Cooler Custody Seals:	Yes (No) N/A	Correction Factor:	+0.1c°	
Sample Custody Seals:	Yes (No) N/A	Temperature Reading:	-3.2c°	
Total Containers:		Corrected Temperature:	-3.1c°	

Preservative Codes

None: NO; DI Water: H_2O; Cool: Cool; MeOH: Me; HCL: HC; HNO_3: HN; H_2S0_4: H_2; NaOH: Na; H_3PO_4: HP; $NaHSO_4$: NABIS; $Na_2S_2O_3$: $NaSO_3$; Zn Acetate+NaOH: Zn; NaOH+Ascorbic Acid: SAPC

Sample Identification		Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Pres. Code	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
61	V-22	19	1/14/2026		S	Grab	1		X	X	X	Hold
62	V-22	20	1/14/2026		S	Grab	1		X	X	X	
63	V-22	21	1/14/2026		S	Grab	1		X	X	X	Hold
64	V-22	22	1/14/2026		S	Grab	1		X	X	X	Hold
65	V-22	23	1/14/2026		S	Grab	1		X	X	X	Hold
66	V-22	24	1/14/2026		S	Grab	1		X	X	X	Hold
67	V-22	25	1/14/2026		S	Grab	1		X	X	X	
68	V-22	26	1/14/2026		S	Grab	1		X	X	X	Hold
69	V-22	27	1/14/2026		S	Grab	1		X	X	X	Hold
70	V-22	28	1/14/2026		S	Grab	1		X	X	X	Hold

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1		1-15-26 1140	2		
3			4		
5			6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

STANDARD SAFETY & SUPPLY

Chain of Custody H260251

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Page 8 of 30

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericcson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	CarlsbadOffice@standardtx.com

Work Order Comments

0402401K

Project Name:	A78 Highway Line	Turn Around	☐ Routine ☑ Rush
Project Number:		Pres. Code	
Project Location:	Lea County, New Mexico	Due Date:	24h
Sampler's Name:	Connor Whitman	TAT may vary based on lab start time.	
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT			
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No
Samples Received Intact:	(Yes) No	Thermometer ID:	#140
Cooler Custody Seals:	Yes (No) N/A	Correction Factor:	+0.1°
Sample Custody Seals:	Yes (No) N/A	Temperature Reading:	-3.2°
Total Containers:	8	Corrected Temperature:	-3.1°

Preservative Codes

None: NO; DI Water: H_2O; Cool: Cool; MeOH: Me; HCL: HC; HNO_3: HN; H_2S0_4: H_2; NaOH: Na; H_3PO_4: HP; $NaHSO_4$: NABIS; $Na_2S_2O_3$: $NaSO_3$; Zn Acetate+NaOH: Zn; NaOH+Ascorbic Acid: SAPC

Sample Identification		Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
71	V-22	29	1/14/2026		S	Grab	1	X	X	X	Hold
72	V-22	30	1/14/2026		S	Grab	1	X	X	X	
73	V-22	31	1/14/2026		S	Grab	1	X	X	X	Hold
74	V-22	32	1/14/2026		S	Grab	1	X	X	X	Hold
75	V-22	33	1/14/2026		S	Grab	1	X	X	X	Hold
76	V-22	34	1/14/2026		S	Grab	1	X	X	X	Hold
77	V-22	35	1/14/2026		S	Grab	1	X	X	X	
78	V-22	36	1/14/2026		S	Grab	1	X	X	X	Hold
79	V-22	37	1/14/2026		S	Grab	1	X	X	X	Hold
80	V-22	38	1/14/2026		S	Grab	1	X	X	X	Hold

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1	Tamara Whitlock	1-15-26 1140	2		
3			4		
5			6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

STANDARD SAFETY & SUPPLY

Chain of Custody

H260251

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Page 1 of 30

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericcson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	CarlsbadOffice@standardtx.com

Work Order Comments

0402401K - all

Project Name:	A78 Highway Line	Turn Around	☐ Routine ☑ Rush
Project Number:		Due Date:	24h
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.	
Sampler's Name:	Connor Whitman		
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT			
Temp Blank:	Yes No	Wet Ice:	Yes No
Samples Received Intact:	Yes No	Thermometer ID:	#140
Cooler Custody Seals:	Yes No N/A	Correction Factor:	+0.1°
Sample Custody Seals:	Yes No N/A	Temperature Reading:	-3.2°
Total Containers:		Corrected Temperature:	-3.1°

Preservative Codes

None: NO; DI Water: H_2O; Cool: Cool; MeOH: Me; HCL: HC; HNO_3: HN; H_2S0_4: H_2; NaOH: Na; H_3PO_4: HP; $NaHSO_4$: NABIS; $Na_2S_2O_3$: $NaSO_3$; Zn Acetate+NaOH: Zn; NaOH+Ascorbic Acid: SAPC

	Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Parameters: BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
81	V-22	39	1/14/2026		S	Grab	1	X	X	X	Hold
82	V-22	40	1/14/2026		S	Grab	1	X	X	X	
83	V-13	0	1/14/2026		S	Grab	1	X	X	X	
84	V-13	1	1/14/2026		S	Grab	1	X	X	X	
85	V-13	2	1/14/2026		S	Grab	1	X	X	X	
86	V-13	3	1/14/2026		S	Grab	1	X	X	X	
87	V-13	4	1/14/2026		S	Grab	1	X	X	X	
88	V-13	5	1/14/2026		S	Grab	1	X	X	X	
89	V-13	6	1/14/2026		S	Grab	1	X	X	X	Hold
90	V-13	7	1/14/2026		S	Grab	1	X	X	X	Hold

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1	Tamara Wallace	1-15-26 1140	2		
3			4		
5			6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

January 16, 2026

ETHAN SESSUMS

STANDARD SAFETY & SUPPLY

PO BOX 14987

ODESSA, TX 79764

RE: A78 HIGHWAY LINE

Enclosed are the results of analyses for samples received by the laboratory on 01/15/26 11:40.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C25-00101. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accreditated through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Celey D. Keene

Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 13 10 (H260252-03)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	1.77	88.7	2.00	0.735	
Toluene*	<0.050	0.050	01/15/2026	ND	1.75	87.4	2.00	1.97	
Ethylbenzene*	<0.050	0.050	01/15/2026	ND	1.87	93.4	2.00	1.99	
Total Xylenes*	<0.150	0.150	01/15/2026	ND	5.65	94.1	6.00	1.69	
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *84.9 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	01/16/2026	ND	400	100	400	7.69	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	209	104	200	7.04	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	197	98.5	200	8.26	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *87.3 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *85.0 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 13 15 (H260252-08)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	1.77	88.7	2.00	0.735	
Toluene*	<0.050	0.050	01/15/2026	ND	1.75	87.4	2.00	1.97	
Ethylbenzene*	<0.050	0.050	01/15/2026	ND	1.87	93.4	2.00	1.99	
Total Xylenes*	<0.150	0.150	01/15/2026	ND	5.65	94.1	6.00	1.69	
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *85.3 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	01/16/2026	ND	400	100	400	7.69	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	209	104	200	7.04	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	197	98.5	200	8.26	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *87.9 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *85.3 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 13 20 (H260252-13)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	1.77	88.7	2.00	0.735	
Toluene*	<0.050	0.050	01/15/2026	ND	1.75	87.4	2.00	1.97	
Ethylbenzene*	<0.050	0.050	01/15/2026	ND	1.87	93.4	2.00	1.99	
Total Xylenes*	<0.150	0.150	01/15/2026	ND	5.65	94.1	6.00	1.69	
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *81.5 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**64.0**	16.0	01/16/2026	ND	448	112	400	3.51	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	209	104	200	7.04	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	197	98.5	200	8.26	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *74.5 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *73.2 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 13 25 (H260252-18)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	1.77	88.7	2.00	0.735	
Toluene*	<0.050	0.050	01/15/2026	ND	1.75	87.4	2.00	1.97	
Ethylbenzene*	<0.050	0.050	01/15/2026	ND	1.87	93.4	2.00	1.99	
Total Xylenes*	<0.150	0.150	01/15/2026	ND	5.65	94.1	6.00	1.69	
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *82.2 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	01/16/2026	ND	448	112	400	3.51	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	209	104	200	7.04	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	197	98.5	200	8.26	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *90.2 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *88.5 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 13 30 (H260252-23)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	1.77	88.7	2.00	0.735	
Toluene*	<0.050	0.050	01/15/2026	ND	1.75	87.4	2.00	1.97	
Ethylbenzene*	<0.050	0.050	01/15/2026	ND	1.87	93.4	2.00	1.99	
Total Xylenes*	<0.150	0.150	01/15/2026	ND	5.65	94.1	6.00	1.69	
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *83.1 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	01/16/2026	ND	448	112	400	3.51	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	209	104	200	7.04	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	197	98.5	200	8.26	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *87.4 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *85.4 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 13 35 (H260252-28)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	1.77	88.7	2.00	0.735	
Toluene*	<0.050	0.050	01/15/2026	ND	1.75	87.4	2.00	1.97	
Ethylbenzene*	<0.050	0.050	01/15/2026	ND	1.87	93.4	2.00	1.99	
Total Xylenes*	<0.150	0.150	01/15/2026	ND	5.65	94.1	6.00	1.69	
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *84.9 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	01/16/2026	ND	448	112	400	3.51	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	209	104	200	7.04	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	197	98.5	200	8.26	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *96.9 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *96.9 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 13 40 (H260252-33)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	1.77	88.7	2.00	0.735	
Toluene*	<0.050	0.050	01/15/2026	ND	1.75	87.4	2.00	1.97	
Ethylbenzene*	<0.050	0.050	01/15/2026	ND	1.87	93.4	2.00	1.99	
Total Xylenes*	<0.150	0.150	01/15/2026	ND	5.65	94.1	6.00	1.69	
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *81.9 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	01/16/2026	ND	448	112	400	3.51	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	209	104	200	7.04	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	197	98.5	200	8.26	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *97.8 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *96.4 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 21 0 (H260252-34)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	1.77	88.7	2.00	0.735	
Toluene*	<0.050	0.050	01/15/2026	ND	1.75	87.4	2.00	1.97	
Ethylbenzene*	<0.050	0.050	01/15/2026	ND	1.87	93.4	2.00	1.99	
Total Xylenes*	<0.150	0.150	01/15/2026	ND	5.65	94.1	6.00	1.69	
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *84.8 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	01/16/2026	ND	448	112	400	3.51	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	209	104	200	7.04	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	197	98.5	200	8.26	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *94.0 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *91.4 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 21 1 (H260252-35)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	1.77	88.7	2.00	0.735	
Toluene*	<0.050	0.050	01/15/2026	ND	1.75	87.4	2.00	1.97	
Ethylbenzene*	<0.050	0.050	01/15/2026	ND	1.87	93.4	2.00	1.99	
Total Xylenes*	<0.150	0.150	01/15/2026	ND	5.65	94.1	6.00	1.69	
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *83.3 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	01/16/2026	ND	448	112	400	3.51	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	209	104	200	7.04	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	197	98.5	200	8.26	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *99.0 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *96.7 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 21 2 (H260252-36)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	1.77	88.7	2.00	0.735	
Toluene*	<0.050	0.050	01/15/2026	ND	1.75	87.4	2.00	1.97	
Ethylbenzene*	<0.050	0.050	01/15/2026	ND	1.87	93.4	2.00	1.99	
Total Xylenes*	<0.150	0.150	01/15/2026	ND	5.65	94.1	6.00	1.69	
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *82.7 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	01/16/2026	ND	448	112	400	3.51	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	209	104	200	7.04	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	197	98.5	200	8.26	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *98.7 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *97.6 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 21 3 (H260252-37)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	1.77	88.7	2.00	0.735	
Toluene*	<0.050	0.050	01/15/2026	ND	1.75	87.4	2.00	1.97	
Ethylbenzene*	<0.050	0.050	01/15/2026	ND	1.87	93.4	2.00	1.99	
Total Xylenes*	<0.150	0.150	01/15/2026	ND	5.65	94.1	6.00	1.69	
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *83.8 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	01/16/2026	ND	448	112	400	3.51	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	209	104	200	7.04	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	197	98.5	200	8.26	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *67.4 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *66.7 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 21 4 (H260252-38)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/16/2026	ND	1.77	88.7	2.00	0.735	
Toluene*	<0.050	0.050	01/16/2026	ND	1.75	87.4	2.00	1.97	
Ethylbenzene*	<0.050	0.050	01/16/2026	ND	1.87	93.4	2.00	1.99	
Total Xylenes*	<0.150	0.150	01/16/2026	ND	5.65	94.1	6.00	1.69	
Total BTEX	<0.300	0.300	01/16/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *85.4 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	01/16/2026	ND	448	112	400	3.51	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	209	104	200	7.04	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	197	98.5	200	8.26	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *88.3 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *86.9 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 21 5 (H260252-39)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/16/2026	ND	1.77	88.7	2.00	0.735	
Toluene*	<0.050	0.050	01/16/2026	ND	1.75	87.4	2.00	1.97	
Ethylbenzene*	<0.050	0.050	01/16/2026	ND	1.87	93.4	2.00	1.99	
Total Xylenes*	<0.150	0.150	01/16/2026	ND	5.65	94.1	6.00	1.69	
Total BTEX	<0.300	0.300	01/16/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *82.1 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	01/16/2026	ND	448	112	400	3.51	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	209	104	200	7.04	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	197	98.5	200	8.26	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *74.1 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *73.0 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 21 10 (H260252-44)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/16/2026	ND	1.77	88.7	2.00	0.735	
Toluene*	<0.050	0.050	01/16/2026	ND	1.75	87.4	2.00	1.97	
Ethylbenzene*	<0.050	0.050	01/16/2026	ND	1.87	93.4	2.00	1.99	
Total Xylenes*	<0.150	0.150	01/16/2026	ND	5.65	94.1	6.00	1.69	
Total BTEX	<0.300	0.300	01/16/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *83.0 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	01/16/2026	ND	448	112	400	3.51	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	209	104	200	7.04	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	197	98.5	200	8.26	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *91.1 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *90.6 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 21 15 (H260252-49)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/16/2026	ND	1.77	88.7	2.00	0.735	
Toluene*	<0.050	0.050	01/16/2026	ND	1.75	87.4	2.00	1.97	
Ethylbenzene*	<0.050	0.050	01/16/2026	ND	1.87	93.4	2.00	1.99	
Total Xylenes*	<0.150	0.150	01/16/2026	ND	5.65	94.1	6.00	1.69	
Total BTEX	<0.300	0.300	01/16/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *85.1 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**64.0**	16.0	01/16/2026	ND	448	112	400	3.51	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	209	104	200	7.04	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	197	98.5	200	8.26	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *89.3 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *90.6 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 21 20 (H260252-54)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/16/2026	ND	1.77	88.7	2.00	0.735	
Toluene*	<0.050	0.050	01/16/2026	ND	1.75	87.4	2.00	1.97	
Ethylbenzene*	<0.050	0.050	01/16/2026	ND	1.87	93.4	2.00	1.99	
Total Xylenes*	<0.150	0.150	01/16/2026	ND	5.65	94.1	6.00	1.69	
Total BTEX	<0.300	0.300	01/16/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *83.6 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**192**	16.0	01/16/2026	ND	448	112	400	3.51	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	209	104	200	7.04	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	197	98.5	200	8.26	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *89.6 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *86.6 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 21 25 (H260252-59)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/16/2026	ND	1.77	88.7	2.00	0.735	
Toluene*	<0.050	0.050	01/16/2026	ND	1.75	87.4	2.00	1.97	
Ethylbenzene*	<0.050	0.050	01/16/2026	ND	1.87	93.4	2.00	1.99	
Total Xylenes*	<0.150	0.150	01/16/2026	ND	5.65	94.1	6.00	1.69	
Total BTEX	<0.300	0.300	01/16/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *83.2 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**160**	16.0	01/16/2026	ND	448	112	400	3.51	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	209	104	200	7.04	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	197	98.5	200	8.26	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *86.0 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *84.6 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 21 30 (H260252-64)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/16/2026	ND	1.77	88.7	2.00	0.735	
Toluene*	<0.050	0.050	01/16/2026	ND	1.75	87.4	2.00	1.97	
Ethylbenzene*	<0.050	0.050	01/16/2026	ND	1.87	93.4	2.00	1.99	
Total Xylenes*	<0.150	0.150	01/16/2026	ND	5.65	94.1	6.00	1.69	
Total BTEX	<0.300	0.300	01/16/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *81.4 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**144**	16.0	01/16/2026	ND	448	112	400	3.51	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	209	104	200	7.04	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	197	98.5	200	8.26	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *84.2 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *82.6 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 21 35 (H260252-69)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/16/2026	ND	1.77	88.7	2.00	0.735	
Toluene*	<0.050	0.050	01/16/2026	ND	1.75	87.4	2.00	1.97	
Ethylbenzene*	<0.050	0.050	01/16/2026	ND	1.87	93.4	2.00	1.99	
Total Xylenes*	<0.150	0.150	01/16/2026	ND	5.65	94.1	6.00	1.69	
Total BTEX	<0.300	0.300	01/16/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *82.7 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	01/16/2026	ND	448	112	400	3.51	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	209	104	200	7.04	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	197	98.5	200	8.26	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *82.9 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *79.4 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 21 40 (H260252-74)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/16/2026	ND	1.77	88.7	2.00	0.735	
Toluene*	<0.050	0.050	01/16/2026	ND	1.75	87.4	2.00	1.97	
Ethylbenzene*	<0.050	0.050	01/16/2026	ND	1.87	93.4	2.00	1.99	
Total Xylenes*	<0.150	0.150	01/16/2026	ND	5.65	94.1	6.00	1.69	
Total BTEX	<0.300	0.300	01/16/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *80.1 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**64.0**	16.0	01/16/2026	ND	448	112	400	3.51	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	209	104	200	7.04	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	197	98.5	200	8.26	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *77.9 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *76.8 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 20 0 (H260252-75)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	1.81	90.5	2.00	0.229	
Toluene*	<0.050	0.050	01/15/2026	ND	1.88	94.0	2.00	0.982	
Ethylbenzene*	<0.050	0.050	01/15/2026	ND	1.90	94.8	2.00	1.41	
Total Xylenes*	<0.150	0.150	01/15/2026	ND	5.62	93.7	6.00	1.52	
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *97.8 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	01/16/2026	ND	448	112	400	3.51	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	212	106	200	0.831	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	190	95.1	200	0.129	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *88.7 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *83.8 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 20 1 (H260252-76)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	1.81	90.5	2.00	0.229	
Toluene*	<0.050	0.050	01/15/2026	ND	1.88	94.0	2.00	0.982	
Ethylbenzene*	<0.050	0.050	01/15/2026	ND	1.90	94.8	2.00	1.41	
Total Xylenes*	<0.150	0.150	01/15/2026	ND	5.62	93.7	6.00	1.52	
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *96.9 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	01/16/2026	ND	448	112	400	3.51	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	212	106	200	0.831	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	190	95.1	200	0.129	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *105 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *99.1 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 20 2 (H260252-77)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	1.81	90.5	2.00	0.229	
Toluene*	<0.050	0.050	01/15/2026	ND	1.88	94.0	2.00	0.982	
Ethylbenzene*	<0.050	0.050	01/15/2026	ND	1.90	94.8	2.00	1.41	
Total Xylenes*	<0.150	0.150	01/15/2026	ND	5.62	93.7	6.00	1.52	
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *97.2 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	01/16/2026	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	212	106	200	0.831	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	190	95.1	200	0.129	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *97.4 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *91.5 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 20 3 (H260252-78)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	1.81	90.5	2.00	0.229	
Toluene*	<0.050	0.050	01/15/2026	ND	1.88	94.0	2.00	0.982	
Ethylbenzene*	<0.050	0.050	01/15/2026	ND	1.90	94.8	2.00	1.41	
Total Xylenes*	<0.150	0.150	01/15/2026	ND	5.62	93.7	6.00	1.52	
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *96.6 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**64.0**	16.0	01/16/2026	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	212	106	200	0.831	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	190	95.1	200	0.129	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *74.5 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *70.7 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 20 4 (H260252-79)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	1.81	90.5	2.00	0.229	
Toluene*	<0.050	0.050	01/15/2026	ND	1.88	94.0	2.00	0.982	
Ethylbenzene*	<0.050	0.050	01/15/2026	ND	1.90	94.8	2.00	1.41	
Total Xylenes*	<0.150	0.150	01/15/2026	ND	5.62	93.7	6.00	1.52	
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *96.7 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	01/16/2026	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	212	106	200	0.831	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	190	95.1	200	0.129	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *98.5 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *93.0 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 20 5 (H260252-80)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	1.81	90.5	2.00	0.229	
Toluene*	<0.050	0.050	01/15/2026	ND	1.88	94.0	2.00	0.982	
Ethylbenzene*	<0.050	0.050	01/15/2026	ND	1.90	94.8	2.00	1.41	
Total Xylenes*	<0.150	0.150	01/15/2026	ND	5.62	93.7	6.00	1.52	
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *96.9 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**96.0**	16.0	01/16/2026	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	212	106	200	0.831	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	190	95.1	200	0.129	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *102 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *94.1 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 20 10 (H260252-85)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	1.81	90.5	2.00	0.229	
Toluene*	<0.050	0.050	01/15/2026	ND	1.88	94.0	2.00	0.982	
Ethylbenzene*	<0.050	0.050	01/15/2026	ND	1.90	94.8	2.00	1.41	
Total Xylenes*	<0.150	0.150	01/15/2026	ND	5.62	93.7	6.00	1.52	
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *97.3 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**112**	16.0	01/16/2026	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	212	106	200	0.831	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	190	95.1	200	0.129	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *106 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *99.9 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 20 15 (H260252-90)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	1.81	90.5	2.00	0.229	
Toluene*	<0.050	0.050	01/15/2026	ND	1.88	94.0	2.00	0.982	
Ethylbenzene*	<0.050	0.050	01/15/2026	ND	1.90	94.8	2.00	1.41	
Total Xylenes*	<0.150	0.150	01/15/2026	ND	5.62	93.7	6.00	1.52	
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *97.1 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**176**	16.0	01/16/2026	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	212	106	200	0.831	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	190	95.1	200	0.129	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *97.5 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *90.6 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

S-05	The surrogate recovery is outside of lab established statistical control limits but still within method limits. Data is not adversely affected.
ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C
	Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

Page 315 of 825

STANDARD SAFETY & SUPPLY

Chain of Custody

H26052

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Page 1 of 30

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericcson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	CarlsbadOffice@standardtx.com

Work Order Comments

0402401K

Project Name:	A78 Highway Line	Turn Around	☐ Routine ☑ Rush
Project Number:		Pres. Code	
Project Location:	Lea County, New Mexico	Due Date:	24h
Sampler's Name:	Connor Whitman	TAT may vary based on lab start time.	
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT				
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No	
Samples Received Intact:	(Yes) No	Thermometer ID:	#140	
Cooler Custody Seals:	Yes (No) N/A	Correction Factor:	+0.1c	
Sample Custody Seals:	Yes (No) N/A	Temperature Reading:	-3.2c	
Total Containers:		Corrected Temperature:	-3.1c	

Parameters

ANALYSIS REQUEST

Sample Identification		Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
1	V-13	8	1/14/2026		S	Grab	1	X	X	X	Hold
2	V-13	9	1/14/2026		S	Grab	1	X	X	X	Hold
3	V-13	10	1/14/2026		S	Grab	1	X	X	X	
4	V-13	11	1/14/2026		S	Grab	1	X	X	X	Hold
5	V-13	12	1/14/2026		S	Grab	1	X	X	X	Hold
6	V-13	13	1/14/2026		S	Grab	1	X	X	X	Hold
7	V-13	14	1/14/2026		S	Grab	1	X	X	X	Hold
8	V-13	15	1/14/2026		S	Grab	1	X	X	X	
9	V-13	16	1/14/2026		S	Grab	1	X	X	X	Hold
10	V-13	17	1/14/2026		S	Grab	1	X	X	X	Hold

Preservative Codes

None: NO — DI Water: H_2O
Cool: Cool — MeOH: Me
HCL: HC — HNO_3: HN
H_2S0_4: H_2 — NaOH: Na
H_3PO_4: HP
$NaHSO_4$: NABIS
$Na_2S_2O_3$: $NaSO_3$
Zn Acetate+NaOH: Zn
NaOH+Ascorbic Acid: SAPC

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1	Tamara Maldonado	1-15-26 1140	2		
3			4		
5			6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

Page 316 of 825

STANDARD SAFETY & SUPPLY

Chain of Custody

H260252

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Page 1 of 3

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericcson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	CarlsbadOffice@standardtx.com

Work Order Comments

04024011K

Project Name:	A78 Highway Line	Turn Around	☐ Routine ☑ Rush
Project Number:		Pres. Code	
Project Location:	Lea County, New Mexico	Due Date:	24h
Sampler's Name:	Connor Whitman	TAT may vary based on lab start time.	
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT				
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No	
Samples Received Intact:	(Yes) No	Thermometer ID:	#140	
Cooler Custody Seals:	Yes (No) N/A	Correction Factor:	+0.1c	
Sample Custody Seals:	Yes (No) N/A	Temperature Reading:	-3.2c	
Total Containers:		Corrected Temperature:	-3.1c	

Preservative Codes

None: NO; DI Water: H_2O; Cool: Cool; MeOH: Me; HCL: HC; HNO_3: HN; H_2S0_4: H_2; NaOH: Na; H_3PO_4: HP; $NaHSO_4$: NABIS; $Na_2S_2O_3$: $NaSO_3$; Zn Acetate+NaOH: Zn; NaOH+Ascorbic Acid: SAPC

	Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
11	V-13	18	1/14/2026		S	Grab	1	X	X	X	Hold
12	V-13	19	1/14/2026		S	Grab	1	X	X	X	Hold
13	V-13	20	1/14/2026		S	Grab	1	X	X	X	
14	V-13	21	1/14/2026		S	Grab	1	X	X	X	Hold
15	V-13	22	1/14/2026		S	Grab	1	X	X	X	Hold
16	V-13	23	1/14/2026		S	Grab	1	X	X	X	Hold
17	V-13	24	1/14/2026		S	Grab	1	X	X	X	Hold
18	V-13	25	1/14/2026		S	Grab	1	X	X	X	
19	V-13	26	1/14/2026		S	Grab	1	X	X	X	Hold
20	V-13	27	1/14/2026		S	Grab	1	X	X	X	Hold

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1	Tamara Maldonado	1-15-26 1140	2		
3			4		
5			6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

Page 317 of 825

STANDARD SAFETY & SUPPLY

Chain of Custody

H260252

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Page 8 of 30 12

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericcson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	CarlsbadOffice@standardtx.com

Work Order Comments

040240IK - all

Project Name:	A78 Highway Line	Turn Around	☐ Routine ☑ Rush
Project Number:			
Project Location:	Lea County, New Mexico	Due Date:	24h
Sampler's Name:	Connor Whitman	TAT may vary based on lab start time.	
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT				
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No	
Samples Received Intact:	(Yes) No	Thermometer ID:	#140	
Cooler Custody Seals:	Yes (No) N/A	Correction Factor:	+0.1c	
Sample Custody Seals:	Yes (No) N/A	Temperature Reading:	-3.2c	
Total Containers:		Corrected Temperature:	-3.1c	

Preservative Codes

None: NO; DI Water: H_2O; Cool: Cool; MeOH: Me; HCL: HC; HNO_3: HN; H_2S0_4: H_2; NaOH: Na; H_3PO_4: HP; $NaHSO_4$: NABIS; $Na_2S_2O_3$: $NaSO_3$; Zn Acetate+NaOH: Zn; NaOH+Ascorbic Acid: SAPC

Sample Identification		Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Pres. Code	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
21	V-13	28	1/14/2026		S	Grab	1		X	X	X	Hold
22	V-13	29	1/14/2026		S	Grab	1		X	X	X	Hold
23	V-13	30	1/14/2026		S	Grab	1		X	X	X	
24	V-13	31	1/14/2026		S	Grab	1		X	X	X	Hold
25	V-13	32	1/14/2026		S	Grab	1		X	X	X	Hold
26	V-13	33	1/14/2026		S	Grab	1		X	X	X	Hold
27	V-13	34	1/14/2026		S	Grab	1		X	X	X	Hold
28	V-13	35	1/14/2026		S	Grab	1		X	X	X	
29	V-13	36	1/14/2026		S	Grab	1		X	X	X	Hold
30	V-13	37	1/14/2026		S	Grab	1		X	X	X	Hold

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1	Tamara Oldaker	1-15-26 1140	2		
3			4		
5			6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

Page 318 of 825

STANDARD SAFETY & SUPPLY

Chain of Custody

H260252

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/
Page 12 of 30

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericcson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	CarlsbadOffice@standardtx.com

Work Order Comments

0402401K

Project Name:	A78 Highway Line	Turn Around	☐ Routine ☑ Rush
Project Number:		Pres. Code	
Project Location:	Lea County, New Mexico	Due Date:	24h
Sampler's Name:	Connor Whitman	TAT may vary based on lab start time.	
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT			
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No
Samples Received Intact:	(Yes) No	Thermometer ID:	#140
Cooler Custody Seals:	Yes (No) N/A	Correction Factor:	+0.3°C
Sample Custody Seals:	Yes (No) N/A	Temperature Reading:	-3.2°C
Total Containers:		Corrected Temperature:	-3.1°C

Parameters — ANALYSIS REQUEST — 1/15/26

Sample Identification		Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
31	V-13	38	1/14/2026		S	Grab	1	X	X	X	Hold
32	V-13	39	1/14/2026		S	Grab	1	X	X	X	Hold
33	V-13	40	1/14/2026		S	Grab	1	X	X	X	
34	V-21	0	1/14/2026		S	Grab	1	X	X	X	
35	V-21	1	1/14/2026		S	Grab	1	X	X	X	
36	V-21	2	1/14/2026		S	Grab	1	X	X	X	
37	V-21	3	1/14/2026		S	Grab	1	X	X	X	
38	V-21	4	1/14/2026		S	Grab	1	X	X	X	
39	V-21	5	1/14/2026		S	Grab	1	X	X	X	
40	V-21	6	1/14/2026		S	Grab	1	X	X	X	Hold

Preservative Codes

None: NO — DI Water: H_2O
Cool: Cool — MeOH: Me
HCL: HC — HNO_3: HN
H_2S0_4: H_2 — NaOH: Na
H_3PO_4: HP
$NaHSO_4$: NABIS
$Na_2S_2O_3$: $NaSO_3$
Zn Acetate+NaOH: Zn
NaOH+Ascorbic Acid: SAPC

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1	Tamara Hildebrand	1-15-26 1140	2		
3			4		
5			6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

Page 319 of 825

STANDARD SAFETY & SUPPLY

Chain of Custody

H240252

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericcson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	CarlsbadOffice@standardtx.com

Work Order Comments

04024011

Project Name:	A78 Highway Line	Turn Around	☐ Routine ☑ Rush
Project Number:		Pres. Code	
Project Location:	Lea County, New Mexico	Due Date:	24h
Sampler's Name:	Connor Whitman		TAT may vary based on lab start time.
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT			
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No
Samples Received Intact:	(Yes) No	Thermometer ID:	#140
Cooler Custody Seals:	Yes (No) N/A	Correction Factor:	+0.1°C
Sample Custody Seals:	Yes (No) N/A	Temperature Reading:	-3.2°C
Total Containers:		Corrected Temperature:	-3.1°C

Preservative Codes

None: NO; DI Water: H_2O; Cool: Cool; MeOH: Me; HCL: HC; HNO_3: HN; H_2S0_4: H_2; NaOH: Na; H_3PO_4: HP; $NaHSO_4$: NABIS; $Na_2S_2O_3$: $NaSO_3$; Zn Acetate+NaOH: Zn; NaOH+Ascorbic Acid: SAPC

Sample Identification		Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
41	V-21	7	1/14/2026		S	Grab	1	X	X	X	Hold
42	V-21	8	1/14/2026		S	Grab	1	X	X	X	Hold
43	V-21	9	1/14/2026		S	Grab	1	X	X	X	Hold
44	V-21	10	1/14/2026		S	Grab	1	X	X	X	
45	V-21	11	1/14/2026		S	Grab	1	X	X	X	Hold
46	V-21	12	1/14/2026		S	Grab	1	X	X	X	Hold
47	V-21	13	1/14/2026		S	Grab	1	X	X	X	Hold
48	V-21	14	1/14/2026		S	Grab	1	X	X	X	Hold
49	V-21	15	1/14/2026		S	Grab	1	X	X	X	
50	V-21	16	1/14/2026		S	Grab	1	X	X	X	Hold

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1	Tamara Wilder	1-15-26 1140	2		
3			4		
5			6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

Page 320 of 825

STANDARD SAFETY & SUPPLY

Chain of Custody

H260252

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/
Page 15 of 30

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericcson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	CarlsbadOffice@standardtx.com

Work Order Comments

0402401K

Project Name:	A78 Highway Line	Turn Around	☐ Routine ☑ Rush
Project Number:			
Project Location:	Lea County, New Mexico	Due Date:	24h
Sampler's Name:	Connor Whitman	TAT may vary based on lab start time.	
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT				
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No	
Samples Received Intact:	(Yes) No	Thermometer ID:	#140	
Cooler Custody Seals:	Yes (No) N/A	Correction Factor:	+0.1°	
Sample Custody Seals:	Yes (No) N/A	Temperature Reading:	-3.2°	
Total Containers:		Corrected Temperature:	-3.1°	

Preservative Codes

None: NO; DI Water: H_2O; Cool: Cool; MeOH: Me; HCL: HC; HNO_3: HN; H_2S0_4: H_2; NaOH: Na; H_3PO_4: HP; $NaHSO_4$: NABIS; $Na_2S_2O_3$: $NaSO_3$; Zn Acetate+NaOH: Zn; NaOH+Ascorbic Acid: SAPC

Sample Identification		Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
51	V-21	17	1/14/2026		S	Grab	1	X	X	X	Hold
52	V-21	18	1/14/2026		S	Grab	1	X	X	X	Hold
53	V-21	19	1/14/2026		S	Grab	1	X	X	X	Hold
54	V-21	20	1/14/2026		S	Grab	1	X	X	X	
55	V-21	21	1/14/2026		S	Grab	1	X	X	X	Hold
56	V-21	22	1/14/2026		S	Grab	1	X	X	X	Hold
57	V-21	23	1/14/2026		S	Grab	1	X	X	X	Hold
58	V-21	24	1/14/2026		S	Grab	1	X	X	X	Hold
59	V-21	25	1/14/2026		S	Grab	1	X	X	X	
60	V-21	26	1/14/2026		S	Grab	1	X	X	X	Hold

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1	Tamara Whitaker	1-15-26 1140	2		
3			4		
5			6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM
Released to Imaging: 3/27/2026 7:26:57 AM

Page 321 of 825

STANDARD SAFETY & SUPPLY

Chain of Custody

H260252

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericcson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	CarlsbadOffice@standardtx.com

Work Order Comments

0402401K

Project Name:	A78 Highway Line	Turn Around	☐ Routine ☑ Rush
Project Number:			
Project Location:	Lea County, New Mexico	Due Date:	24h
Sampler's Name:	Connor Whitman	TAT may vary based on lab start time.	
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT	Temp Blank: Yes (No)	Wet Ice:	(Yes) No
Samples Received Intact:	(Yes) No	Thermometer ID:	#140
Cooler Custody Seals:	Yes (No) N/A	Correction Factor:	+0.1c
Sample Custody Seals:	Yes (No) N/A	Temperature Reading:	-3.2c
Total Containers:		Corrected Temperature:	-3.1c

Preservative Codes

None: NO; DI Water: H_2O; Cool: Cool; MeOH: Me; HCL: HC; HNO_3: HN; H_2S0_4: H_2; NaOH: Na; H_3PO_4: HP; $NaHSO_4$: NABIS; $Na_2S_2O_3$: $NaSO_3$; Zn Acetate+NaOH: Zn; NaOH+Ascorbic Acid: SAPC

Sample Identification		Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Parameters: BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
61	V-21	27	1/14/2026		S	Grab	1	X	X	X	Hold
62	V-21	28	1/14/2026		S	Grab	1	X	X	X	Hold
63	V-21	29	1/14/2026		S	Grab	1	X	X	X	Hold
64	V-21	30	1/14/2026		S	Grab	1	X	X	X	
65	V-21	31	1/14/2026		S	Grab	1	X	X	X	Hold
66	V-21	32	1/14/2026		S	Grab	1	X	X	X	Hold
67	V-21	33	1/14/2026		S	Grab	1	X	X	X	Hold
68	V-21	34	1/14/2026		S	Grab	1	X	X	X	Hold
69	V-21	35	1/14/2026		S	Grab	1	X	X	X	
70	V-21	36	1/14/2026		S	Grab	1	X	X	X	Hold

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1	Tamara Latchford	1-15-26 1140	2		
3			4		
5			6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

Page 322 of 825

STANDARD SAFETY & SUPPLY

Chain of Custody H260252

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/
Page 17 of 30

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericcson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	CarlsbadOffice@standardtx.com

Work Order Comments
0402401K

Project Name:	A79 Highway Line	Turn Around	☐ Routine ☑ Rush
Project Number:		Due Date:	24h
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.	
Sampler's Name:	Connor Whitman		
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT				
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No	
Samples Received Intact:	(Yes) No	Thermometer ID:	#140	
Cooler Custody Seals:	Yes (No) N/A	Correction Factor:	+0.1c	
Sample Custody Seals:	Yes (No) N/A	Temperature Reading:	-3.2c	
Total Containers:		Corrected Temperature:	-3.1c	

Preservative Codes
None: NO; DI Water: H_2O; Cool: Cool; MeOH: Me; HCL: HC; HNO_3: HN; H_2S0_4: H_2; NaOH: Na; H_3PO_4: HP; $NaHSO_4$: NABIS; $Na_2S_2O_3$: $NaSO_3$; Zn Acetate+NaOH: Zn; NaOH+Ascorbic Acid: SAPC

Sample Identification		Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Pres. Code	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
71	V-21	37	1/14/2026		S	Grab	1		X	X	X	Hold
72	V-21	38	1/14/2026		S	Grab	1		X	X	X	Hold
73	V-21	39	1/14/2026		S	Grab	1		X	X	X	Hold
74	V-21	40	1/14/2026		S	Grab	1		X	X	X	
75	V-20	0	1/14/2026		S	Grab	1		X	X	X	
76	V-20	1	1/14/2026		S	Grab	1		X	X	X	
77	V-20	2	1/14/2026		S	Grab	1		X	X	X	
78	V-20	3	1/14/2026		S	Grab	1		X	X	X	
79	V-20	4	1/14/2026		S	Grab	1		X	X	X	
80	V-20	5	1/14/2026		S	Grab	1		X	X	X	

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1	Tamara Mitchell	1-15-26 1140	2		
3			4		
5			6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM
Released to Imaging: 3/27/2026 7:26:57 AM

Page 323 of 825

STANDARD SAFETY & SUPPLY

Chain of Custody H260252

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericcson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	CarlsbadOffice@standardtx.com

Work Order Comments

0402401K

Project Name:	A78 Highway Line	Turn Around	Routine ☐ Rush ☑
Project Number:			
Project Location:	Lea County, New Mexico	Due Date:	24h
Sampler's Name:	Connor Whitman	TAT may vary based on lab start time.	
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT			
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No
Samples Received Intact:	(Yes) No	Thermometer ID:	#140
Cooler Custody Seals:	Yes (No) N/A	Correction Factor:	+0.1°C
Sample Custody Seals:	Yes (No) N/A	Temperature Reading:	-3.2°C
Total Containers:		Corrected Temperature:	-3.1°C

Preservative Codes

None: NO — DI Water: H_2O
Cool: Cool — MeOH: Me
HCL: HC — HNO_3: HN
H_2S0_4: H_2 — NaOH: Na
H_3PO_4: HP
$NaHSO_4$: NABIS
$Na_2S_2O_3$: $NaSO_3$
Zn Acetate+NaOH: Zn
NaOH+Ascorbic Acid: SAPC

Sample Identification		Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
81	V-20	6	1/14/2026		S	Grab	1	X	X	X	Hold
82	V-20	7	1/14/2026		S	Grab	1	X	X	X	Hold
83	V-20	8	1/14/2026		S	Grab	1	X	X	X	Hold
84	V-20	9	1/14/2026		S	Grab	1	X	X	X	Hold
85	V-20	10	1/14/2026		S	Grab	1	X	X	X	
86	V-20	11	1/14/2026		S	Grab	1	X	X	X	Hold
87	V-20	12	1/14/2026		S	Grab	1	X	X	X	Hold
88	V-20	13	1/14/2026		S	Grab	1	X	X	X	Hold
89	V-20	14	1/14/2026		S	Grab	1	X	X	X	Hold
90	V-20	15	1/14/2026		S	Grab	1	X	X	X	

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1	Jennifer Medrano	1-15-26 1140	2		
3			4		
5			6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM
Released to Imaging: 3/27/2026 7:26:57 AM

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

January 16, 2026

ETHAN SESSUMS

STANDARD SAFETY & SUPPLY

PO BOX 14987

ODESSA, TX 79764

RE: A78 HIGHWAY LINE

Enclosed are the results of analyses for samples received by the laboratory on 01/15/26 11:40.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C25-00101. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accreditated through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Celey D. Keene

Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 20 20 (H260253-05)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	1.81	90.5	2.00	0.229	
Toluene*	<0.050	0.050	01/15/2026	ND	1.88	94.0	2.00	0.982	
Ethylbenzene*	<0.050	0.050	01/15/2026	ND	1.90	94.8	2.00	1.41	
Total Xylenes*	<0.150	0.150	01/15/2026	ND	5.62	93.7	6.00	1.52	
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *96.1 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**192**	16.0	01/16/2026	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	212	106	200	0.831	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	190	95.1	200	0.129	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *97.0 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *90.3 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 20 25 (H260253-10)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	1.81	90.5	2.00	0.229	
Toluene*	<0.050	0.050	01/15/2026	ND	1.88	94.0	2.00	0.982	
Ethylbenzene*	<0.050	0.050	01/15/2026	ND	1.90	94.8	2.00	1.41	
Total Xylenes*	<0.150	0.150	01/15/2026	ND	5.62	93.7	6.00	1.52	
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *96.3 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**96.0**	16.0	01/16/2026	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	212	106	200	0.831	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	190	95.1	200	0.129	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *97.6 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *92.7 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 20 30 (H260253-15)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	1.81	90.5	2.00	0.229	
Toluene*	<0.050	0.050	01/15/2026	ND	1.88	94.0	2.00	0.982	
Ethylbenzene*	<0.050	0.050	01/15/2026	ND	1.90	94.8	2.00	1.41	
Total Xylenes*	<0.150	0.150	01/15/2026	ND	5.62	93.7	6.00	1.52	
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *96.9 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**96.0**	16.0	01/16/2026	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	212	106	200	0.831	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	190	95.1	200	0.129	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *104 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *98.4 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 20 35 (H260253-20)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	1.81	90.5	2.00	0.229	
Toluene*	<0.050	0.050	01/15/2026	ND	1.88	94.0	2.00	0.982	
Ethylbenzene*	<0.050	0.050	01/15/2026	ND	1.90	94.8	2.00	1.41	
Total Xylenes*	<0.150	0.150	01/15/2026	ND	5.62	93.7	6.00	1.52	
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *96.7 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	01/16/2026	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	212	106	200	0.831	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	190	95.1	200	0.129	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *91.6 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *85.3 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 20 40 (H260253-25)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	1.81	90.5	2.00	0.229	
Toluene*	<0.050	0.050	01/15/2026	ND	1.88	94.0	2.00	0.982	
Ethylbenzene*	<0.050	0.050	01/15/2026	ND	1.90	94.8	2.00	1.41	
Total Xylenes*	<0.150	0.150	01/15/2026	ND	5.62	93.7	6.00	1.52	
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *95.9 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	01/16/2026	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	212	106	200	0.831	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	190	95.1	200	0.129	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *97.3 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *94.8 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 23 0 (H260253-26)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	1.81	90.5	2.00	0.229	
Toluene*	<0.050	0.050	01/15/2026	ND	1.88	94.0	2.00	0.982	
Ethylbenzene*	<0.050	0.050	01/15/2026	ND	1.90	94.8	2.00	1.41	
Total Xylenes*	<0.150	0.150	01/15/2026	ND	5.62	93.7	6.00	1.52	
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *97.6 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**192**	16.0	01/16/2026	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	212	106	200	0.831	
DRO >C10-C28*	**11.7**	10.0	01/15/2026	ND	190	95.1	200	0.129	
EXT DRO >C28-C36	**17.8**	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *102 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *97.5 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 23 1 (H260253-27)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	1.81	90.5	2.00	0.229	
Toluene*	<0.050	0.050	01/15/2026	ND	1.88	94.0	2.00	0.982	
Ethylbenzene*	<0.050	0.050	01/15/2026	ND	1.90	94.8	2.00	1.41	
Total Xylenes*	<0.150	0.150	01/15/2026	ND	5.62	93.7	6.00	1.52	
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *97.8 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**112**	16.0	01/16/2026	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	212	106	200	0.831	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	190	95.1	200	0.129	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *103 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *100 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 23 2 (H260253-28)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/16/2026	ND	1.81	90.5	2.00	0.229	
Toluene*	<0.050	0.050	01/16/2026	ND	1.88	94.0	2.00	0.982	
Ethylbenzene*	<0.050	0.050	01/16/2026	ND	1.90	94.8	2.00	1.41	
Total Xylenes*	<0.150	0.150	01/16/2026	ND	5.62	93.7	6.00	1.52	
Total BTEX	<0.300	0.300	01/16/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *95.7 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**64.0**	16.0	01/16/2026	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	212	106	200	0.831	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	190	95.1	200	0.129	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *103 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *97.7 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 23 3 (H260253-29)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/16/2026	ND	1.81	90.5	2.00	0.229	
Toluene*	<0.050	0.050	01/16/2026	ND	1.88	94.0	2.00	0.982	
Ethylbenzene*	<0.050	0.050	01/16/2026	ND	1.90	94.8	2.00	1.41	
Total Xylenes*	<0.150	0.150	01/16/2026	ND	5.62	93.7	6.00	1.52	
Total BTEX	<0.300	0.300	01/16/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *96.5 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**544**	16.0	01/16/2026	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	212	106	200	0.831	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	190	95.1	200	0.129	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *95.1 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *89.1 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 23 4 (H260253-30)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/16/2026	ND	1.81	90.5	2.00	0.229	
Toluene*	<0.050	0.050	01/16/2026	ND	1.88	94.0	2.00	0.982	
Ethylbenzene*	<0.050	0.050	01/16/2026	ND	1.90	94.8	2.00	1.41	
Total Xylenes*	<0.150	0.150	01/16/2026	ND	5.62	93.7	6.00	1.52	
Total BTEX	<0.300	0.300	01/16/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *95.8 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**416**	16.0	01/16/2026	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	212	106	200	0.831	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	190	95.1	200	0.129	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *97.2 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *91.7 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 23 5 (H260253-31)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/16/2026	ND	1.81	90.5	2.00	0.229	
Toluene*	<0.050	0.050	01/16/2026	ND	1.88	94.0	2.00	0.982	
Ethylbenzene*	<0.050	0.050	01/16/2026	ND	1.90	94.8	2.00	1.41	
Total Xylenes*	<0.150	0.150	01/16/2026	ND	5.62	93.7	6.00	1.52	
Total BTEX	<0.300	0.300	01/16/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *95.9 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**256**	16.0	01/16/2026	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	212	106	200	0.831	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	190	95.1	200	0.129	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *97.8 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *91.7 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 23 10 (H260253-36)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/16/2026	ND	1.81	90.5	2.00	0.229	
Toluene*	<0.050	0.050	01/16/2026	ND	1.88	94.0	2.00	0.982	
Ethylbenzene*	<0.050	0.050	01/16/2026	ND	1.90	94.8	2.00	1.41	
Total Xylenes*	<0.150	0.150	01/16/2026	ND	5.62	93.7	6.00	1.52	
Total BTEX	<0.300	0.300	01/16/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *97.5 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	01/16/2026	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	212	106	200	0.831	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	190	95.1	200	0.129	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *103 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *96.2 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 23 15 (H260253-41)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/16/2026	ND	1.93	96.6	2.00	4.58	
Toluene*	<0.050	0.050	01/16/2026	ND	1.81	90.4	2.00	11.3	
Ethylbenzene*	<0.050	0.050	01/16/2026	ND	2.01	101	2.00	10.9	
Total Xylenes*	<0.150	0.150	01/16/2026	ND	6.34	106	6.00	11.3	
Total BTEX	<0.300	0.300	01/16/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *127 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**64.0**	16.0	01/16/2026	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	179	89.6	200	4.50	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	204	102	200	4.49	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *94.3 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *95.6 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 23 20 (H260253-46)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/16/2026	ND	1.93	96.6	2.00	4.58	
Toluene*	**0.051**	0.050	01/16/2026	ND	1.81	90.4	2.00	11.3	
Ethylbenzene*	<0.050	0.050	01/16/2026	ND	2.01	101	2.00	10.9	
Total Xylenes*	<0.150	0.150	01/16/2026	ND	6.34	106	6.00	11.3	
Total BTEX	<0.300	0.300	01/16/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *114 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**64.0**	16.0	01/16/2026	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	179	89.6	200	4.50	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	204	102	200	4.49	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *83.1 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *83.4 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 23 25 (H260253-51)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/16/2026	ND	1.93	96.6	2.00	4.58	
Toluene*	<0.050	0.050	01/16/2026	ND	1.81	90.4	2.00	11.3	
Ethylbenzene*	<0.050	0.050	01/16/2026	ND	2.01	101	2.00	10.9	
Total Xylenes*	<0.150	0.150	01/16/2026	ND	6.34	106	6.00	11.3	
Total BTEX	<0.300	0.300	01/16/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *120 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	01/16/2026	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	179	89.6	200	4.50	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	204	102	200	4.49	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *71.4 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *72.3 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 23 30 (H260253-56)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/16/2026	ND	1.93	96.6	2.00	4.58	
Toluene*	<0.050	0.050	01/16/2026	ND	1.81	90.4	2.00	11.3	
Ethylbenzene*	<0.050	0.050	01/16/2026	ND	2.01	101	2.00	10.9	
Total Xylenes*	<0.150	0.150	01/16/2026	ND	6.34	106	6.00	11.3	
Total BTEX	<0.300	0.300	01/16/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *123 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**96.0**	16.0	01/16/2026	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	179	89.6	200	4.50	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	204	102	200	4.49	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *74.9 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *75.7 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 23 35 (H260253-61)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/16/2026	ND	1.93	96.6	2.00	4.58	
Toluene*	<0.050	0.050	01/16/2026	ND	1.81	90.4	2.00	11.3	
Ethylbenzene*	<0.050	0.050	01/16/2026	ND	2.01	101	2.00	10.9	
Total Xylenes*	<0.150	0.150	01/16/2026	ND	6.34	106	6.00	11.3	
Total BTEX	<0.300	0.300	01/16/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *119 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**64.0**	16.0	01/16/2026	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	179	89.6	200	4.50	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	204	102	200	4.49	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *81.2 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *83.5 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 23 40 (H260253-66)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/16/2026	ND	1.93	96.6	2.00	4.58	
Toluene*	<0.050	0.050	01/16/2026	ND	1.81	90.4	2.00	11.3	
Ethylbenzene*	<0.050	0.050	01/16/2026	ND	2.01	101	2.00	10.9	
Total Xylenes*	<0.150	0.150	01/16/2026	ND	6.34	106	6.00	11.3	
Total BTEX	<0.300	0.300	01/16/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *121 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**96.0**	16.0	01/16/2026	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	179	89.6	200	4.50	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	204	102	200	4.49	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *87.7 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *91.0 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 18 0 (H260253-67)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/16/2026	ND	1.93	96.6	2.00	4.58	
Toluene*	<0.050	0.050	01/16/2026	ND	1.81	90.4	2.00	11.3	
Ethylbenzene*	<0.050	0.050	01/16/2026	ND	2.01	101	2.00	10.9	
Total Xylenes*	<0.150	0.150	01/16/2026	ND	6.34	106	6.00	11.3	
Total BTEX	<0.300	0.300	01/16/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *124 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	01/16/2026	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	179	89.6	200	4.50	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	204	102	200	4.49	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *87.2 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *90.3 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 18 1 (H260253-68)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/16/2026	ND	1.93	96.6	2.00	4.58	
Toluene*	<0.050	0.050	01/16/2026	ND	1.81	90.4	2.00	11.3	
Ethylbenzene*	<0.050	0.050	01/16/2026	ND	2.01	101	2.00	10.9	
Total Xylenes*	<0.150	0.150	01/16/2026	ND	6.34	106	6.00	11.3	
Total BTEX	<0.300	0.300	01/16/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *107 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	01/16/2026	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	179	89.6	200	4.50	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	204	102	200	4.49	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *75.1 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *76.7 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 18 2 (H260253-69)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/16/2026	ND	1.93	96.6	2.00	4.58	
Toluene*	<0.050	0.050	01/16/2026	ND	1.81	90.4	2.00	11.3	
Ethylbenzene*	<0.050	0.050	01/16/2026	ND	2.01	101	2.00	10.9	
Total Xylenes*	<0.150	0.150	01/16/2026	ND	6.34	106	6.00	11.3	
Total BTEX	<0.300	0.300	01/16/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *116 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	01/16/2026	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	179	89.6	200	4.50	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	204	102	200	4.49	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *80.4 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *83.3 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 18 3 (H260253-70)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/16/2026	ND	1.93	96.6	2.00	4.58	
Toluene*	<0.050	0.050	01/16/2026	ND	1.81	90.4	2.00	11.3	
Ethylbenzene*	<0.050	0.050	01/16/2026	ND	2.01	101	2.00	10.9	
Total Xylenes*	<0.150	0.150	01/16/2026	ND	6.34	106	6.00	11.3	
Total BTEX	<0.300	0.300	01/16/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *117 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	01/16/2026	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	179	89.6	200	4.50	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	204	102	200	4.49	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *85.1 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *88.1 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 18 4 (H260253-71)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/16/2026	ND	1.93	96.6	2.00	4.58	
Toluene*	<0.050	0.050	01/16/2026	ND	1.81	90.4	2.00	11.3	
Ethylbenzene*	<0.050	0.050	01/16/2026	ND	2.01	101	2.00	10.9	
Total Xylenes*	<0.150	0.150	01/16/2026	ND	6.34	106	6.00	11.3	
Total BTEX	<0.300	0.300	01/16/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *121 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	01/16/2026	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	179	89.6	200	4.50	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	204	102	200	4.49	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *85.2 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *89.0 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 18 5 (H260253-72)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/16/2026	ND	1.93	96.6	2.00	4.58	
Toluene*	<0.050	0.050	01/16/2026	ND	1.81	90.4	2.00	11.3	
Ethylbenzene*	<0.050	0.050	01/16/2026	ND	2.01	101	2.00	10.9	
Total Xylenes*	<0.150	0.150	01/16/2026	ND	6.34	106	6.00	11.3	
Total BTEX	<0.300	0.300	01/16/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *116 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	01/16/2026	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	179	89.6	200	4.50	
DRO >C10-C28*	**22.6**	10.0	01/15/2026	ND	204	102	200	4.49	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *88.9 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *92.0 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 18 10 (H260253-77)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/16/2026	ND	1.93	96.6	2.00	4.58	
Toluene*	<0.050	0.050	01/16/2026	ND	1.81	90.4	2.00	11.3	
Ethylbenzene*	<0.050	0.050	01/16/2026	ND	2.01	101	2.00	10.9	
Total Xylenes*	<0.150	0.150	01/16/2026	ND	6.34	106	6.00	11.3	
Total BTEX	<0.300	0.300	01/16/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *126 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	01/16/2026	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	179	89.6	200	4.50	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	204	102	200	4.49	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *76.7 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *78.9 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 18 15 (H260253-82)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/16/2026	ND	1.93	96.6	2.00	4.58	
Toluene*	<0.050	0.050	01/16/2026	ND	1.81	90.4	2.00	11.3	
Ethylbenzene*	<0.050	0.050	01/16/2026	ND	2.01	101	2.00	10.9	
Total Xylenes*	<0.150	0.150	01/16/2026	ND	6.34	106	6.00	11.3	
Total BTEX	<0.300	0.300	01/16/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *123 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**80.0**	16.0	01/16/2026	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	179	89.6	200	4.50	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	204	102	200	4.49	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *77.9 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *78.7 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 18 20 (H260253-87)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/16/2026	ND	1.93	96.6	2.00	4.58	
Toluene*	<0.050	0.050	01/16/2026	ND	1.81	90.4	2.00	11.3	
Ethylbenzene*	<0.050	0.050	01/16/2026	ND	2.01	101	2.00	10.9	
Total Xylenes*	<0.150	0.150	01/16/2026	ND	6.34	106	6.00	11.3	
Total BTEX	<0.300	0.300	01/16/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *121 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**64.0**	16.0	01/16/2026	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	179	89.6	200	4.50	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	204	102	200	4.49	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *86.3 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *86.9 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

S-05	The surrogate recovery is outside of lab established statistical control limits but still within method limits. Data is not adversely affected.
ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C
	Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

Page 353 of 825

STANDARD SAFETY & SUPPLY

Chain of Custody

H260253

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/
Page 19 of 30

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericcson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	CarlsbadOffice@standardtx.com

Work Order Comments

0402401K

Project Name:	A75 Highway Line	Turn Around	☐ Routine ☑ Rush
Project Number:		Due Date:	24h
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.	
Sampler's Name:	Connor Whitmen		
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT			
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No
Samples Received Intact:	(Yes) No	Thermometer ID:	#140
Cooler Custody Seals:	Yes (No) N/A	Correction Factor:	+0.1c
Sample Custody Seals:	Yes (No) N/A	Temperature Reading:	-3.2c
Total Containers:		Corrected Temperature:	-3.1c

Preservative Codes

None: NO; DI Water: H_2O; Cool: Cool; MeOH: Me; HCL: HC; HNO_3: HN; H_2S0_4: H_2; NaOH: Na; H_3PO_4: HP; $NaHSO_4$: NABIS; $Na_2S_2O_3$: $NaSO_3$; Zn Acetate+NaOH: Zn; NaOH+Ascorbic Acid: SAPC

Sample Identification		Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Parameters: BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
1	V-20	16	1/14/2026		S	Grab	1	X	X	X	Hold
2	V-20	17	1/14/2026		S	Grab	1	X	X	X	Hold
3	V-20	18	1/14/2026		S	Grab	1	X	X	X	Hold
4	V-20	19	1/14/2026		S	Grab	1	X	X	X	Hold
5	V-20	20	1/14/2026		S	Grab	1	X	X	X	
6	V-20	21	1/14/2026		S	Grab	1	X	X	X	Hold
7	V-20	22	1/14/2026		S	Grab	1	X	X	X	Hold
8	V-20	23	1/14/2026		S	Grab	1	X	X	X	Hold
9	V-20	24	1/14/2026		S	Grab	1	X	X	X	Hold
10	V-20	25	1/14/2026		S	Grab	1	X	X	X	Hold

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1	Nevara Ulloa	1-15-26 1140	2		
3			4		
5			6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

Page 354 of 825

STANDARD SAFETY & SUPPLY

Chain of Custody

H260253

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericcson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	CarlsbadOffice@standardtx.com

Work Order Comments 20

0402401H-ael

Project Name:	A78 Highway Line	Turn Around	☐ Routine ☑ Rush
Project Number:		Due Date:	24h
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.	
Sampler's Name:	Connor Whitman		
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT			
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No
Samples Received Intact:	(Yes) No	Thermometer ID:	#140
Cooler Custody Seals:	Yes (No) N/A	Correction Factor:	+0.1°c
Sample Custody Seals:	Yes (No) N/A	Temperature Reading:	-3.2°c
Total Containers:		Corrected Temperature:	-3.1°c

Preservative Codes

None: NO; DI Water: H_2O; Cool: Cool; MeOH: Me; HCL: HC; HNO_3: HN; H_2SO_4: H_2; NaOH: Na; H_3PO_4: HP; $NaHSO_4$: NABIS; $Na_2S_2O_3$: $NaSO_3$; Zn Acetate+NaOH: Zn; NaOH+Ascorbic Acid: SAPC

Sample Identification		Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Pres. Code	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
11	V-20	26	1/14/2026		S	Grab	1		X	X	X	Hold
12	V-20	27	1/14/2026		S	Grab	1		X	X	X	Hold
13	V-20	28	1/14/2026		S	Grab	1		X	X	X	Hold
14	V-20	29	1/14/2026		S	Grab	1		X	X	X	Hold
15	V-20	30	1/14/2026		S	Grab	1		X	X	X	
16	V-20	31	1/14/2026		S	Grab	1		X	X	X	Hold
17	V-20	32	1/14/2026		S	Grab	1		X	X	X	Hold
18	V-20	33	1/14/2026		S	Grab	1		X	X	X	Hold
19	V-20	34	1/14/2026		S	Grab	1		X	X	X	Hold
20	V-20	35	1/14/2026		S	Grab	1		X	X	X	Hold

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1	Tamara Oldaker	1-15-26 1140	2		
3			4		
5			6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

Page 355 of 825

STANDARD SAFETY & SUPPLY

Chain of Custody

H260253

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/
Page 2 of 30

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericcson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	CarlsbadOffice@standardtx.com

Work Order Comments 21

0402401K

Project Name:	A78 Highway Line	Turn Around	☐ Routine ☑ Rush
Project Number:		Due Date:	24h
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.	
Sampler's Name:	Connor Whitman		
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT			
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No
Samples Received Intact:	(Yes) No	Thermometer ID:	#140
Cooler Custody Seals:	Yes (No) N/A	Correction Factor:	+0.1°C
Sample Custody Seals:	Yes (No) N/A	Temperature Reading:	-3.2°C
Total Containers:		Corrected Temperature:	-3.1°C

Preservative Codes

None: NO; DI Water: H_2O; Cool: Cool; MeOH: Me; HCL: HC; HNO_3: HN; H_2S0_4: H_2; NaOH: Na; H_3PO_4: HP; $NaHSO_4$: NABIS; $Na_2S_2O_3$: $NaSO_3$; Zn Acetate+NaOH: Zn; NaOH+Ascorbic Acid: SAPC

Sample Identification		Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Pres. Code	Parameters: BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
21	V-20	36	1/14/2026		S	Grab	1		X	X	X	Hold
22	V-20	37	1/14/2026		S	Grab	1		X	X	X	Hold
23	V-20	38	1/14/2026		S	Grab	1		X	X	X	Hold
24	V-20	39	1/14/2026		S	Grab	1		X	X	X	Hold
25	V-20	40	1/14/2026		S	Grab	1		X	X	X	
26	V-23	0	1/14/2026		S	Grab	1		X	X	X	
27	V-23	1	1/14/2026		S	Grab	1		X	X	X	
28	V-23	2	1/14/2026		S	Grab	1		X	X	X	
29	V-23	3	1/14/2026		S	Grab	1		X	X	X	
30	V-23	4	1/14/2026		S	Grab	1		X	X	X	

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1	Tamara Whitaker	1-15-26 1140	2		
3			4		
5			6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM
Released to Imaging: 3/27/2026 7:26:57 AM

Page 356 of 825

STANDARD SAFETY & SUPPLY

Chain of Custody H260253

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/
Page 1 of 10

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericcson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	CarlsbadOffice@standardtx.com

Work Order Comments 22

0402401K

Project Name:	A78 Highway Line	Turn Around	Routine ☑ Rush
Project Number:		Due Date:	24h
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.	
Sampler's Name:	Connor Whitman		
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT			
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No
Samples Received Intact:	(Yes) No	Thermometer ID:	#140
Cooler Custody Seals:	Yes (No) N/A	Correction Factor:	+0.1c
Sample Custody Seals:	Yes (No) N/A	Temperature Reading:	-3.2c
Total Containers:		Corrected Temperature:	-3.1c

Preservative Codes

None: NO	DI Water: H_2O
Cool: Cool	MeOH: Me
HCL: HC	HNO_3: HN
H_2S0_4: H_2	NaOH: Na
H_3PO_4: HP	
$NaHSO_4$: NABIS	
$Na_2S_2O_3$: $NaSO_3$	
Zn Acetate+NaOH: Zn	
NaOH+Ascorbic Acid: SAPC	

Sample Identification		Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
31	V-23	5	1/14/2026		S	Grab	1	X	X	X	
32	V-23	6	1/14/2026		S	Grab	1	X	X	X	Hold
33	V-23	7	1/14/2026		S	Grab	1	X	X	X	Hold
34	V-23	8	1/14/2026		S	Grab	1	X	X	X	Hold
35	V-23	9	1/14/2026		S	Grab	1	X	X	X	Hold
36	V-23	10	1/14/2026		S	Grab	1	X	X	X	
37	V-23	11	1/14/2026		S	Grab	1	X	X	X	Hold
38	V-23	12	1/14/2026		S	Grab	1	X	X	X	Hold
39	V-23	13	1/14/2026		S	Grab	1	X	X	X	Hold
40	V-23	14	1/14/2026		S	Grab	1	X	X	X	Hold

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1	Tamara Whitman	1-15-26 1140	2		
3			4		
5			6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

Page 357 of 825

STANDARD SAFETY & SUPPLY

Chain of Custody H260253

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericcson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	CarlsbadOffice@standardtx.com

Work Order Comments

04024014

Project Name:	A78 Highway Line	Turn Around	Routine ☐ Rush ☑
Project Number:		Due Date:	24h
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.	
Sampler's Name:	Connor Whitman		
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT			
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No
Samples Received Intact:	(Yes) No	Thermometer ID:	#140
Cooler Custody Seals:	Yes (No) N/A	Correction Factor:	+0.1°C
Sample Custody Seals:	Yes (No) N/A	Temperature Reading:	-3.2°C
Total Containers:		Corrected Temperature:	-3.1°C

Preservative Codes

None: NO; DI Water: H_2O; Cool: Cool; MeOH: Me; HCL: HC; HNO_3: HN; H_2SO_4: H_2; NaOH: Na; H_3PO_4: HP; $NaHSO_4$: NABIS; $Na_2S_2O_3$: $NaSO_3$; Zn Acetate+NaOH: Zn; NaOH+Ascorbic Acid: SAPC

Sample Identification		Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
41	V-23	15	1/14/2026		S	Grab	1	X	X	X	
42	V-23	16	1/14/2026		S	Grab	1	X	X	X	Hold
43	V-23	17	1/14/2026		S	Grab	1	X	X	X	Hold
44	V-23	18	1/14/2026		S	Grab	1	X	X	X	Hold
45	V-23	19	1/14/2026		S	Grab	1	X	X	X	Hold
46	V-23	20	1/14/2026		S	Grab	1	X	X	X	
47	V-23	21	1/14/2026		S	Grab	1	X	X	X	Hold
48	V-23	22	1/14/2026		S	Grab	1	X	X	X	Hold
49	V-23	23	1/14/2026		S	Grab	1	X	X	X	Hold
50	V-23	24	1/14/2026		S	Grab	1	X	X	X	Hold

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1	Tamara Wilder	1-15-26 1140	2		
3			4		
5			6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

Page 358 of 825

STANDARD SAFETY & SUPPLY

Chain of Custody H260253

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/
Page 24 of 30

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericcson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	CarlsbadOffice@standardtx.com

Work Order Comments
0402401K

Project Name:	A75 Highway Line	Turn Around	☐ Routine ☑ Rush
Project Number:		Due Date:	24h
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.	
Sampler's Name:	Connor Whitman		
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT			
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No
Samples Received Intact:	(Yes) No	Thermometer ID:	#140
Cooler Custody Seals:	Yes (No) N/A	Correction Factor:	+0.1°C
Sample Custody Seals:	Yes (No) N/A	Temperature Reading:	-3.2°C
Total Containers:		Corrected Temperature:	-3.1°C

Preservative Codes
None: NO; DI Water: H_2O; Cool: Cool; MeOH: Me; HCL: HC; HNO_3: HN; H_2SO_4: H_2; NaOH: Na; H_3PO_4: HP; $NaHSO_4$: NABIS; $Na_2S_2O_3$: $NaSO_3$; Zn Acetate+NaOH: Zn; NaOH+Ascorbic Acid: SAPC

	Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Pres. Code	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
51	V-23	25	1/14/2026		S	Grab	1		X	X	X	
52	V-23	26	1/14/2026		S	Grab	1		X	X	X	Hold
53	V-23	27	1/14/2026		S	Grab	1		X	X	X	Hold
54	V-23	28	1/14/2026		S	Grab	1		X	X	X	Hold
55	V-23	29	1/14/2026		S	Grab	1		X	X	X	Hold
56	V-23	30	1/14/2026		S	Grab	1		X	X	X	
57	V-23	31	1/14/2026		S	Grab	1		X	X	X	Hold
58	V-23	32	1/14/2026		S	Grab	1		X	X	X	Hold
59	V-23	33	1/14/2026		S	Grab	1		X	X	X	Hold
60	V-23	34	1/14/2026		S	Grab	1		X	X	X	Hold

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1	Tamara Wilder	1-15-26 1140	4		
3			6		
5					

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM
Released to Imaging: 3/27/2026 7:26:57 AM

Page 359 of 825

STANDARD SAFETY & SUPPLY

Chain of Custody H260253

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/
Page 25 of 30

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericcson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	CarlsbadOffice@standardtx.com

Work Order Comments 25

04024014

Project Name:	A78 Highway Line	Turn Around	Routine ☐ Rush ☑
Project Number:		Due Date:	24h
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.	
Sampler's Name:	Connor Whitman		
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT			
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No
Samples Received Intact:	(Yes) No	Thermometer ID:	#140
Cooler Custody Seals:	Yes (No) N/A	Correction Factor:	+0.1c
Sample Custody Seals:	Yes (No) N/A	Temperature Reading:	-3.2c
Total Containers:		Corrected Temperature:	-3.1c

Preservative Codes

None: NO; DI Water: H_2O; Cool: Cool; MeOH: Me; HCL: HC; HNO_3: HN; H_2SO_4: H_2; NaOH: Na; H_3PO_4: HP; $NaHSO_4$: NABIS; $Na_2S_2O_3$: $NaSO_3$; Zn Acetate+NaOH: Zn; NaOH+Ascorbic Acid: SAPC

	Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Comp	# of Cont	Parameters: BTEX 8021B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
61	V-23	35	1/14/2026		S	Grab	1	X	X	X	
62	V-23	36	1/14/2026		S	Grab	1	X	X	X	Hold
63	V-23	37	1/14/2026		S	Grab	1	X	X	X	Hold
64	V-23	38	1/14/2026		S	Grab	1	X	X	X	Hold
65	V-23	39	1/14/2026		S	Grab	1	X	X	X	Hold
66	V-23	40	1/14/2026		S	Grab	1	X	X	X	
67	V-18	0	1/14/2026		S	Grab	1	X	X	X	
68	V-18	1	1/14/2026		S	Grab	1	X	X	X	
69	V-18	2	1/14/2026		S	Grab	1	X	X	X	
70	V-18	3	1/14/2026		S	Grab	1	X	X	X	

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1	Tamara Valdez	1-15-26 1140	2		
3			4		
5			6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM
Released to Imaging: 3/27/2026 7:26:57 AM

Page 360 of 825

STANDARD SAFETY & SUPPLY

Chain of Custody H260253

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericcson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	CarlsbadOffice@standardtx.com

Work Order Comments

0402401K

Project Name:	A78 Highway Line	Turn Around	☐ Routine ☑ Rush
Project Number:		Due Date:	24h
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.	
Sampler's Name:	Connor Whitman		
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT			
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No
Samples Received Intact:	(Yes) No	Thermometer ID:	#140
Cooler Custody Seals:	Yes (No) N/A	Correction Factor:	+0.1c
Sample Custody Seals:	Yes (No) N/A	Temperature Reading:	-3.2c
Total Containers:		Corrected Temperature:	-3.1c

Preservative Codes

None: NO; DI Water: H_2O; Cool: Cool; MeOH: Me; HCL: HC; HNO_3: HN; H_2SO_4: H_2; NaOH: Na; H_3PO_4: HP; $NaHSO_4$: NABIS; $Na_2S_2O_3$: $NaSO_3$; Zn Acetate+NaOH: Zn; NaOH+Ascorbic Acid: SAPC

Sample Identification		Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Pres. Code	BTEX 6012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
71	V-18	4	1/14/2026		S	Grab	1		X	X	X	
72	V-18	5	1/14/2026		S	Grab	1		X	X	X	
73	V-18	6	1/14/2026		S	Grab	1		X	X	X	Hold
74	V-18	7	1/14/2026		S	Grab	1		X	X	X	Hold
75	V-18	8	1/14/2026		S	Grab	1		X	X	X	Hold
76	V-18	9	1/14/2026		S	Grab	1		X	X	X	Hold
77	V-18	10	1/14/2026		S	Grab	1		X	X	X	
78	V-18	11	1/14/2026		S	Grab	1		X	X	X	Hold
79	V-18	12	1/14/2026		S	Grab	1		X	X	X	Hold
80	V-18	13	1/14/2026		S	Grab	1		X	X	X	Hold

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1	Tamara Oldaker	1-15-26 1140	2		
3			4		
5			6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

Page 361 of 825

STANDARD SAFETY & SUPPLY

Chain of Custody H260253

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericcson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	CarlsbadOffice@standardtx.com

Work Order Comments

04024014

Project Name:	A76 Highway Line	Turn Around	Routine ☐ Rush ☑
Project Number:		Due Date:	24h
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.	
Sampler's Name:	Connor Whitman		
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT			
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No
Samples Received Intact:	(Yes) No	Thermometer ID:	#140
Cooler Custody Seals:	Yes (No) N/A	Correction Factor:	+0.1°C
Sample Custody Seals:	Yes (No) N/A	Temperature Reading:	-3.2°C
Total Containers:		Corrected Temperature:	-3.1°C

Preservative Codes

None: NO; DI Water: H_2O; Cool: Cool; MeOH: Me; HCL: HC; HNO_3: HN; H_2SO_4: H_2; NaOH: Na; H_3PO_4: HP; $NaHSO_4$: NABIS; $Na_2S_2O_3$: $NaSO_3$; Zn Acetate+NaOH: Zn; NaOH+Ascorbic Acid: SAPC

Sample Identification		Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Pres. Code	BTEX 8021B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
81	V-18	14	1/14/2026		S	Grab	1		X	X	X	Hold
82	V-18	15	1/14/2026		S	Grab	1		X	X	X	
83	V-18	16	1/14/2026		S	Grab	1		X	X	X	Hold
84	V-18	17	1/14/2026		S	Grab	1		X	X	X	Hold
85	V-18	18	1/14/2026		S	Grab	1		X	X	X	Hold
86	V-18	19	1/14/2026		S	Grab	1		X	X	X	Hold
87	V-18	20	1/14/2026		S	Grab	1		X	X	X	
88	V-18	21	1/14/2026		S	Grab	1		X	X	X	Hold
89	V-18	22	1/14/2026		S	Grab	1		X	X	X	Hold
90	V-18	23	1/14/2026		S	Grab	1		X	X	X	Hold

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1	Tamara Rodriguez	1-15-26 1140	2		
3			4		
5			6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

January 16, 2026

ETHAN SESSUMS

STANDARD SAFETY & SUPPLY

PO BOX 14987

ODESSA, TX 79764

RE: A78 HIGHWAY LINE

Enclosed are the results of analyses for samples received by the laboratory on 01/15/26 11:40.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C25-00101. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accreditated through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Celey D. Keene

Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 18 25 (H260254-02)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/16/2026	ND	1.93	96.6	2.00	4.58	
Toluene*	<0.050	0.050	01/16/2026	ND	1.81	90.4	2.00	11.3	
Ethylbenzene*	<0.050	0.050	01/16/2026	ND	2.01	101	2.00	10.9	
Total Xylenes*	<0.150	0.150	01/16/2026	ND	6.34	106	6.00	11.3	
Total BTEX	<0.300	0.300	01/16/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *125 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**80.0**	16.0	01/16/2026	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	179	89.6	200	4.50	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	204	102	200	4.49	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *93.4 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *95.7 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 18 30 (H260254-07)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/16/2026	ND	1.93	96.6	2.00	4.58	
Toluene*	<0.050	0.050	01/16/2026	ND	1.81	90.4	2.00	11.3	
Ethylbenzene*	<0.050	0.050	01/16/2026	ND	2.01	101	2.00	10.9	
Total Xylenes*	<0.150	0.150	01/16/2026	ND	6.34	106	6.00	11.3	
Total BTEX	<0.300	0.300	01/16/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *117 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**80.0**	16.0	01/16/2026	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	179	89.6	200	4.50	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	204	102	200	4.49	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *91.9 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *92.8 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 18 35 (H260254-12)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/16/2026	ND	1.93	96.6	2.00	4.58	
Toluene*	<0.050	0.050	01/16/2026	ND	1.81	90.4	2.00	11.3	
Ethylbenzene*	<0.050	0.050	01/16/2026	ND	2.01	101	2.00	10.9	
Total Xylenes*	<0.150	0.150	01/16/2026	ND	6.34	106	6.00	11.3	
Total BTEX	<0.300	0.300	01/16/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *115 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	01/16/2026	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	179	89.6	200	4.50	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	204	102	200	4.49	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *91.0 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *93.5 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 18 40 (H260254-17)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/16/2026	ND	1.93	96.6	2.00	4.58	
Toluene*	<0.050	0.050	01/16/2026	ND	1.81	90.4	2.00	11.3	
Ethylbenzene*	<0.050	0.050	01/16/2026	ND	2.01	101	2.00	10.9	
Total Xylenes*	<0.150	0.150	01/16/2026	ND	6.34	106	6.00	11.3	
Total BTEX	<0.300	0.300	01/16/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *121 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	01/16/2026	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	179	89.6	200	4.50	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	204	102	200	4.49	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *89.5 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *90.3 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 12 3 (H260254-18)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/16/2026	ND	1.93	96.6	2.00	4.58	
Toluene*	<0.050	0.050	01/16/2026	ND	1.81	90.4	2.00	11.3	
Ethylbenzene*	<0.050	0.050	01/16/2026	ND	2.01	101	2.00	10.9	
Total Xylenes*	<0.150	0.150	01/16/2026	ND	6.34	106	6.00	11.3	
Total BTEX	<0.300	0.300	01/16/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *117 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	01/16/2026	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	179	89.6	200	4.50	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	204	102	200	4.49	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *104 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *106 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 12 4 (H260254-19)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	**0.120**	0.050	01/16/2026	ND	1.75	87.7	2.00	2.65	
Toluene*	**0.259**	0.050	01/16/2026	ND	1.82	91.0	2.00	3.08	
Ethylbenzene*	**0.075**	0.050	01/16/2026	ND	1.84	91.9	2.00	3.17	
Total Xylenes*	<0.150	0.150	01/16/2026	ND	5.45	90.8	6.00	3.15	
Total BTEX	**0.555**	0.300	01/16/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *97.5 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	01/16/2026	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	182	90.9	200	3.19	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	173	86.4	200	0.289	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *101 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *107 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 16 3 (H260254-20)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	**28.0**	5.00	01/16/2026	ND	1.75	87.7	2.00	2.65	
Toluene*	**154**	5.00	01/16/2026	ND	1.82	91.0	2.00	3.08	
Ethylbenzene*	**100**	5.00	01/16/2026	ND	1.84	91.9	2.00	3.17	
Total Xylenes*	**213**	15.0	01/16/2026	ND	5.45	90.8	6.00	3.15	
Total BTEX	**495**	30.0	01/16/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *111 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**1470**	16.0	01/16/2026	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: JF S-06

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	**3920**	50.0	01/16/2026	ND	182	90.9	200	3.19	
DRO >C10-C28*	**7460**	50.0	01/16/2026	ND	173	86.4	200	0.289	
EXT DRO >C28-C36	**953**	50.0	01/16/2026	ND					

Surrogate: 1-Chlorooctane *451 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *186 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 16 4 (H260254-21)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/16/2026	ND	1.75	87.7	2.00	2.65	
Toluene*	**0.382**	0.050	01/16/2026	ND	1.82	91.0	2.00	3.08	
Ethylbenzene*	**0.606**	0.050	01/16/2026	ND	1.84	91.9	2.00	3.17	
Total Xylenes*	**1.68**	0.150	01/16/2026	ND	5.45	90.8	6.00	3.15	
Total BTEX	**2.66**	0.300	01/16/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *111 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**464**	16.0	01/16/2026	ND	448	112	400	3.64	QM-07

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	**19.5**	10.0	01/15/2026	ND	182	90.9	200	3.19	
DRO >C10-C28*	**97.1**	10.0	01/15/2026	ND	173	86.4	200	0.289	
EXT DRO >C28-C36	**10.4**	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *97.7 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *105 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 16 5 (H260254-22)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/16/2026	ND	1.75	87.7	2.00	2.65	
Toluene*	<0.050	0.050	01/16/2026	ND	1.82	91.0	2.00	3.08	
Ethylbenzene*	<0.050	0.050	01/16/2026	ND	1.84	91.9	2.00	3.17	
Total Xylenes*	<0.150	0.150	01/16/2026	ND	5.45	90.8	6.00	3.15	
Total BTEX	<0.300	0.300	01/16/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *98.6 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**96.0**	16.0	01/16/2026	ND	448	112	400	3.64	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	182	90.9	200	3.19	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	173	86.4	200	0.289	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *103 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *106 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: H - 7 0-0.5' (H260254-23)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/16/2026	ND	1.75	87.7	2.00	2.65	
Toluene*	<0.050	0.050	01/16/2026	ND	1.82	91.0	2.00	3.08	
Ethylbenzene*	<0.050	0.050	01/16/2026	ND	1.84	91.9	2.00	3.17	
Total Xylenes*	<0.150	0.150	01/16/2026	ND	5.45	90.8	6.00	3.15	
Total BTEX	<0.300	0.300	01/16/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *96.5 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	01/16/2026	ND	448	112	400	3.64	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	182	90.9	200	3.19	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	173	86.4	200	0.289	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *97.4 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *103 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: H - 8 0-0.5' (H260254-24)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/16/2026	ND	1.75	87.7	2.00	2.65	
Toluene*	<0.050	0.050	01/16/2026	ND	1.82	91.0	2.00	3.08	
Ethylbenzene*	<0.050	0.050	01/16/2026	ND	1.84	91.9	2.00	3.17	
Total Xylenes*	<0.150	0.150	01/16/2026	ND	5.45	90.8	6.00	3.15	
Total BTEX	<0.300	0.300	01/16/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *96.1 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	01/16/2026	ND	448	112	400	3.64	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	182	90.9	200	3.19	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	173	86.4	200	0.289	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *99.5 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *101 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: H - 9 0-0.5' (H260254-25)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/16/2026	ND	1.75	87.7	2.00	2.65	
Toluene*	<0.050	0.050	01/16/2026	ND	1.82	91.0	2.00	3.08	
Ethylbenzene*	<0.050	0.050	01/16/2026	ND	1.84	91.9	2.00	3.17	
Total Xylenes*	<0.150	0.150	01/16/2026	ND	5.45	90.8	6.00	3.15	
Total BTEX	<0.300	0.300	01/16/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *96.4 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	01/16/2026	ND	448	112	400	3.64	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	182	90.9	200	3.19	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	173	86.4	200	0.289	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *108 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *108 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

S-06	The recovery of this surrogate is outside control limits due to sample dilution required from high analyte concentration and/or matrix interference's.
QM-07	The spike recovery was outside acceptance limits for the MS and/or MSD. The batch was accepted based on acceptable LCS recovery.
ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C
	Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

Page 376 of 825

STANDARD SAFETY & SUPPLY

Chain of Custody

H260254

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Page 28 of 30

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericcson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	CarlsbadOffice@standardtx.com

Work Order Comments

0402401K

Project Name:	A78 Highway Line	Turn Around	Routine ☐ Rush ☑
Project Number:		Due Date:	24h
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.	
Sampler's Name:	Connor Whitmen		
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT				
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No	
Samples Received Intact:	(Yes) No	Thermometer ID:	#140	
Cooler Custody Seals:	Yes (No) N/A	Correction Factor:	+0.1c	
Sample Custody Seals:	Yes (No) N/A	Temperature Reading:	-3.2c	
Total Containers:		Corrected Temperature:	-3.1c	

	Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Comp	# of Cont	Parameters: BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
1	V-18	24	1/14/2026		S	Grab	1	X	X	X	Hold
2	V-18	25	1/14/2026		S	Grab	1	X	X	X	
3	V-18	26	1/14/2026		S	Grab	1	X	X	X	Hold
4	V-18	27	1/14/2026		S	Grab	1	X	X	X	Hold
5	V-18	28	1/14/2026		S	Grab	1	X	X	X	Hold
6	V-18	29	1/14/2026		S	Grab	1	X	X	X	Hold
7	V-18	30	1/14/2026		S	Grab	1	X	X	X	
8	V-18	31	1/14/2026		S	Grab	1	X	X	X	Hold
9	V-18	32	1/14/2026		S	Grab	1	X	X	X	Hold
10	V-18	33	1/14/2026		S	Grab	1	X	X	X	Hold

Preservative Codes

None: NO — DI Water: H_2O
Cool: Cool — MeOH: Me
HCL: HC — HNO_3: HN
H_2SO_4: H_2 — NaOH: Na
H_3PO_4: HP
$NaHSO_4$: NABIS
$Na_2S_2O_3$: $NaSO_3$
Zn Acetate+NaOH: Zn
NaOH+Ascorbic Acid: SAPC

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1	Tamara Latchford	1-15-26 1140	2		
3			4		
5			6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

STANDARD SAFETY & SUPPLY

Chain of Custody

H260254

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Page 29 of 30

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericcson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	CarlsbadOffice@standardtx.com
Project Name:	475 Highway Line	Turn Around	☐ Routine ☑ Rush
Project Number:		Due Date:	24h
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.	
Sampler's Name:	Connor Whitman		
PO #:	C-26029-GL-21300171		

Work Order Comments: 29

0402401K

SAMPLE RECEIPT				
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No	
Samples Received Intact:	(Yes) No	Thermometer ID:	#140	
Cooler Custody Seals:	Yes (No) N/A	Correction Factor:	+0.1c	
Sample Custody Seals:	Yes (No) N/A	Temperature Reading:	-3.2c	
Total Containers:		Corrected Temperature:	-3.1c	

Sample Identification		Depth	Date Sampled	Time Sampled	Matrix	Grab Comp	# of Cont	Parameters: BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
11	V-18	34	1/14/2026		S	Grab	1	X	X	X	Hold
12	V-18	35	1/14/2026		S	Grab	1	X	X	X	
13	V-18	36	1/14/2026		S	Grab	1	X	X	X	Hold
14	V-18	37	1/14/2026		S	Grab	1	X	X	X	Hold
15	V-18	38	1/14/2026		S	Grab	1	X	X	X	Hold
16	V-18	39	1/14/2026		S	Grab	1	X	X	X	Hold
17	V-18	40	1/14/2026		S	Grab	1	X	X	X	
18	V-12	3	1/14/2026		S	Grab	1	X	X	X	
19	V-12	4	1/14/2026		S	Grab	1	X	X	X	
20	V-16	3	1/14/2026		S	Grab	1	X	X	X	

Preservative Codes

None: NO — DI Water: H_2O
Cool: Cool — MeOH: Me
HCL: HC — HNO_3: HN
H_2SO_4: H_2 — NaOH: Na
H_3PO_4: HP
$NaHSO_4$: NABIS
$Na_2S_2O_3$: $NaSO_3$
Zn Acetate+NaOH: Zn
NaOH+Ascorbic Acid: SAPC

	Relinquished by: (Signature)	Received by: (Signature)	Date/Time		Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1		Tamara Wadsworth	1-15-26 1140	2			
3				4			
5				6			

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

Page 378 of 825

STANDARD SAFETY & SUPPLY

Chain of Custody

H260254

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Page 30 of 30

Project Manager:	Ethan Sessums	Bill to (if different)	Dean Ericcson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	CarlsbadOffice@standardtx.com
Project Name:	A78 Highway Line	Turn Around	☐ Routine ☑ Rush
Project Number:		Due Date:	24h
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.	
Sampler's Name:	Connor Whitmen		
PO #:	C-26029-GL-21300171		

Work Order Comments: 04024014

SAMPLE RECEIPT

Temp Blank:	Yes (No)	Wet Ice:	(Yes) No
Samples Received Intact:	(Yes) No	Thermometer ID:	#140
Cooler Custody Seals:	Yes (No) N/A	Correction Factor:	+0.1°C
Sample Custody Seals:	Yes (No) N/A	Temperature Reading:	-3.2°C
Total Containers:		Corrected Temperature:	-3.1°C

	Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Comp	# of Cont	BTEX 8021B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300
21	V-16	4	1/14/2026		S	Grab	1	X	X	X
22	V-16	5	1/14/2026		S	Grab	1	X	X	X
23	H-7	0-0.5	1/14/2026		S	Grab	1	X	X	X
24	H-8	0-0.5	1/14/2026		S	Grab	1	X	X	X
25	H-9	0-0.5	1/14/2026		S	Grab	1	X	X	X

Parameters — Pres. Code

ANALYSIS REQUEST

Preservative Codes

None: NO — DI Water: H_2O
Cool: Cool — MeOH: Me
HCL: HC — HNO_3: HN
H_2SO_4: H_2 — NaOH: Na
H_3PO_4: HP
$NaHSO_4$: NABIS
$Na_2S_2O_3$: $NaSO_3$
Zn Acetate+NaOH: Zn
NaOH+Ascorbic Acid: SAPC

Sample Comments

Relinquished by: (Signature)	Received by: (Signature)	Date/Time
	Tamara Valdez	1-15-26 1140

	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
2			
4			
6			

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

Site Characterization, Remediation Report, and Variance Request
A-7-8 Pipeline Release
nAPP2601343850
32.4948084, -103.1582952
E-10-21S-37E

Introduction

Standard Safety and Supply (Standard) on behalf of ET Gathering & Processing, LLC. (ET) is pleased to submit this Site Characterization, Remediation Report, and Variance Request. Based on the Notification of Release the spill was discovered on January 6, 2026, and was attributed to pipeline failure. There was an approximate net loss of one (1.71) barrel (bbls) of crude oil and one (1.316) MCF of natural gas. Attachment B: Figure 1 depicts the Site with respect to the nearest town and Figure 2 depicts the topographic features in the area.

Site Characterization

Based on a site characterization desktop review the area is within a Low Karst area. There is one (1) known fresh water USGS well (322939103093901) within 1,000 ft of the site. There are no other receptors [significant watercourse, lakebed, playa, sinkhole, an occupied residence, school, hospital, institution, church, freshwater spring for domestic or stock watering purposes, municipal water boundary, wetland, subsurface mine, and/or an unstable area] within the specified distance set forth in the New Mexico Administrative Code 19.15.29.12. A groundwater determination bore (CP-02104) was drilled within a ½ mile radius of the site to a depth of fifty-five (55) feet below ground surface (bgs). The well was left open for 72 hours then gauged to determine the presence or absence of groundwater. No groundwater was encountered during the measurement event. Based on the site characterization the following closure criteria will be utilized.

	NMAC Closure Criteria Remediation and Reclamation				
depths in feet (ft)	Benzene	BTEX	TPH (GRO-DRO)	TPH (GRO-DRO-MRO)	Chloride
0-Max depth (ft)	10 mg/kg	50 mg/kg	---*	100 mg/kg	600 mg/kg
	* value must not exceed TPH (GRP-DRO-MRO) value				

The documentation used to characterize the site can be found in the report under Attachment C: Site Characterization.

Initial Assessment

Between January 10th and January 14th, 2026, Standard performed an initial assessment to characterize impacts. Nine (9) horizontal sample points (H-1 to H-9) were collected at surface (0) depth. Twenty-three (23) vertical samples points (V-1 to V-23) were collected from surface (0) to forty (forty) ft bgs in one (1) ft intervals utilizing an air rotary rig. Standard was unable to collect one sample (V-19) due to the air rotary rig experiencing mechanical failure on January 14, 2026. Soil samples were placed into lab provided containers, onto ice then transported to Cardinal in Hobbs, New Mexico, for the analysis of benzene, toluene, ethylbenzene, and xylenes (BTEX 8021B), Total Petroleum Hydrocarbons (TPH 8015M) and chloride (4500-Cl-B). Proper chain-of-custody was followed during the collection and delivery of the samples to the laboratory. Analytical results indicated that vertical and horizontal delineation was achieved.

The delineation data can be found in this report under Attachment A: Table 1 Delineation Assessment Analytical Data Table and the lab report and chain of custody can be found under Attachment E: Laboratory Analytical Method Documentation with Chain-of-Custody

The delineation sample locations are located under Attachment B: Figure 3 Delineation Assessment Map while photographs of the impacted area are under Attachment D: Photographic Log.

Remedial Action Activities and Confirmation Sampling

Standard began remedial actions at the Site on January 21st, 2026, to remove the impacted soils identified in previous delineation efforts.

On January 30th, 2026, Standard was onsite to perform a confirmation sampling event where fifteen (15) base samples (CS-1 to CS-15) and eighteen (18) sidewall samples (SW-1 to SW-18) were collected. Soil samples were jarred in lab provided containers, placed on ice then

transported under proper chain-of-custody to Cardinal Laboratories in Hobbs, New Mexico for the analysis of BTEX, TPH, and chloride. Analytical results indicated that five (5) composite confirmation samples SW-4, SW-6 SW-7, SW-10 and SW-11 exceeded closure criteria for the Site for total TPH concentration.

Following the receipt of the laboratory data, the excavation was expanded in areas represented by side wall samples SW-4, SW-7, SW-10 and SW-11. On February 4th, 2026, Standard was onsite to perform a confirmation sampling event where five (5) sidewall samples (SW-4, SW-6, SW-7, SW-10 and SW-11) were collected from the extended excavation. Soil samples were jarred in lab provided containers, placed on ice then transported under proper chain-of-custody to Cardinal Laboratories in Hobbs, New Mexico for the analysis of BTEX, TPH, and chloride. Analytical results indicated that all samples were below closure criteria for the Site.

Soil samples were collected as a five-point composite and represented an area no greater than 200 square feet. There was one thousand and forty (1,040) cubic yards of impacted material that was excavated and hauled off to the closest approved disposal facility.

Per 19.15.29.12D (2) NMAC, the composite sample of a material used for backfill (B1) was collected on January 28th, 2026, prior to any backfilling operations. The soil sample was analyzed for BTEX, TPH, and chloride concentrations. Analytical results indicated that the backfill material sample was below all constituent of concern concentrations.

For the backfill process on New Mexico State Road 248, in accordance with NMDOT requirements, suitable backfill material was placed in approximate 3-foot lifts. Each lift was water-packed to achieve optimal moisture content, followed by compaction using vibrating steel machinery and a road roller to ensure proper density and stability, fully supporting the subsequent pavement restoration performed by Hamilton (James Hamilton Construction Co.).

The confirmation sampling data can be found in this report under Attachment A: Table 2 Confirmation Sampling Analytical Data Table and the lab report and chain of custody can be found under Attachment E: Laboratory Analytical Method Documentation with Chain-of-Custody. The confirmation sample locations are located under Attachment B: Figure 4 Confirmation Sampling Map while photographs of the excavation area are under Attachment D: Photographic Log.

Variance Request

Pursuant to 19.15.29.14, on behalf of the operator, this letter formally requests a variance to allow a final closure of this incident without reclamation actions at the Site. The release has

occurred within NMDOT's right of way (ROW) for, New Mexico State Road 248, and following the completion of all remediation activities in regard to this release, the road was fully paved and restored to acceptable driving conditions meeting NMDOT standards.

Confirmation sampling indicated there were no contaminants left at the area of the release and the restoration of New Mexico State Road 248 removes the need to restore the surface to its background state.

Closing

If you have any questions regarding the Site Characterization, Remediation Report, and Variance Request for [nAPP2601343850] – A-7-8 Pipeline Release, please contact us at the following:

Address: 2524 Trunk St, Odessa TX 79761
Contact: 254-266-5456

Attachments

- Attachment A: Analytical Data Tables
    1. Table 1: Delineation Assessment Analytical Data Table
    2. Table 2: Confirmation Sampling Analytical Data Table
- Attachment B: Figures
    1. Site Location Map
    2. Topographic Map
    3. Delineation Assessment Map
    4. Confirmation Sampling Map
- Attachment C: Site Characterization
    1. OCD Well map and Karst Potential
    2. OSE POD
    3. Well Log
    4. Open Environment Wetlands
    5. Wetlands Inventory
    6. National Flood Hazard Layer
- Attachment D: Photographic Documentation
- Attachment E: Laboratory Analytical Method Documentation with Chain-of-Custody

ATTACHMENT A: ANALYTICAL DATA TABLES

Table 1: Delineation Assessment Analytical Data Table
Energy Transfer
A78 Highway Line
Lea County, New Mexico

STANDARD SAFETY & SUPPLY			Chloride	TPH Total (C6-C35)	GRO (C6-C12)	DRO (C12-C28)	GRO+DRO (C6-C28)	MRO (C28-C35)	Benzene	Toluene	Ethylbenzene	Xylenes	BTEX
Remediation (GW< 50ft) and/or Reclamation Limits			600 mg/Kg	100 mg/Kg	---**	---**	---**	---**	10 mg/Kg	---*	---*	---*	50 mg/Kg
Sample ID	Depth (ft)	Date											
V-1	0	1/14/2026	5,760	16,450	4,440	10,600	15,040	1,410	30.0	173	112	222	536
	1	1/14/2026	1,520	723.5	234	437	671	52.5	1.61	10.8	10.2	22.6	45.2
	2	1/14/2026	112	29.0	10.9	18.1	29.0	<10.0	<0.050	0.272	0.439	1.13	1.84
	3	1/14/2026	32.0	11.0	<10.0	11.0	11.0	<10.0	<0.050	<0.050	0.094	0.172	<0.300
	4	1/14/2026	16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	5	1/14/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	10	1/14/2026	112	26.9	<10.0	26.9	26.9	<10.0	<0.050	0.096	0.119	0.307	0.521
	15	1/14/2026	32.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	20	1/14/2026	16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	25	1/14/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	30	1/14/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	35	1/14/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	40	1/14/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
V-2	4	1/10/2026	3,160	20,830	7,710	11,800	19,510	1,320	68.6	240	113	229.0	651
	5	1/10/2026	384	1,495	368	965	1,333	162	3.01	18.4	14.4	32.0	67.8
	6	1/10/2026	416	4,034	1,110	2,600	3,710	324	6.67	36.6	25.6	54.8	124
	7	1/10/2026	272	1,148	159	865	1,024	124	0.158	3.80	7.45	18.3	29.7
	8	1/10/2026	320	232.1	33.2	182	215.2	16.9	0.115	0.417	0.500	1.53	2.57
	9	1/10/2026	144	362.5	41.5	288	329.5	33.0	<0.050	0.155	0.323	1.11	1.59
	10	1/10/2026	64.0	84.6	<10.0	70.9	70.9	13.7	0.053	0.167	0.092	0.234	0.547
	15	1/11/2026	48.0	12.2	<10.0	12.2	12.2	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	20	1/12/2026	192	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	25	1/12/2026	176	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	30	1/12/2026	96.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	35	1/12/2026	64.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	40	1/12/2026	64.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
V-3	0-0.5	1/13/2026	432	1,533	76.0	1,230	1,306	227	0.062	0.463	0.651	1.94	3.12
	1	1/13/2026	160	113.3	28.6	72.0	101	12.7	0.303	0.462	0.403	1.61	2.78
	2	1/13/2026	144	12.1	12.1	<10.0	12.1	<10.0	0.050	0.134	0.201	0.608	0.993
	3	1/13/2026	96.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	4	1/13/2026	64.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	5	1/13/2026	64.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	10	1/13/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	15	1/13/2026	32.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	20	1/13/2026	48.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	25	1/13/2026	16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	30	1/13/2026	16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	35	1/13/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	40	1/13/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300

Table 1: Delineation Assessment Analytical Data Table
Energy Transfer
A78 Highway Line
Lea County, New Mexico

STANDARD SAFETY & SUPPLY			Chloride	TPH Total (C6-C35)	GRO (C6-C12)	DRO (C12-C28)	GRO+DRO (C6-C28)	MRO (C28-C35)	Benzene	Toluene	Ethylbenzene	Xylenes	BTEX
Remediation (GW< 50ft) and/or Reclamation Limits			600 mg/Kg	100 mg/Kg	---**	---**	---**	---**	10 mg/Kg	---*	---*	---*	50 mg/Kg
Sample ID	Depth (ft)	Date											
V-4	4	1/10/2026	**208**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	5	1/10/2026	**160**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	10	1/10/2026	**160**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	15	1/12/2026	**112**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	20	1/12/2026	**144**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	25	1/12/2026	**144**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	30	1/12/2026	**16.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	35	1/12/2026	**32.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	40	1/12/2026	**16.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
V-5	4	1/10/2026	**64.0**	**41.8**	<10.0	**41.8**	**41.8**	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	5	1/10/2026	**112**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	10	1/10/2026	**128**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	15	1/12/2026	**192**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	20	1/12/2026	**320**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	25	1/12/2026	**448**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	30	1/12/2026	**192**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	35	1/12/2026	**96.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	40	1/12/2026	**64.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
V-6	4	1/12/2026	**128**	**17.7**	<10.0	**17.7**	**17.7**	<10.0	<0.050	**0.063**	**0.068**	**0.253**	**0.385**
	5	1/12/2026	**48.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	10	1/12/2026	**64.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	15	1/12/2026	**16.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	20	1/12/2026	**32.0**	**57.7**	<10.0	**42.6**	**42.6**	**15.1**	<0.050	<0.050	<0.050	<0.150	<0.300
	25	1/12/2026	**32.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	30	1/12/2026	**16.0**	**28.9**	<10.0	**18.9**	**18.9**	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	35	1/12/2026	**16.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	40	1/12/2026	**16.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
V-7	1-2	1/12/2026	**112**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	3	1/12/2026	**112**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	4	1/12/2026	**80.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	5	1/12/2026	**48.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	10	1/12/2026	**16.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	15	1/12/2026	**48.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	20	1/12/2026	**48.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	25	1/12/2026	**80.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	30	1/12/2026	**32.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	35	1/12/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	40	1/12/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
V-8	0-0.5	1/13/2026	**16.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	1	1/13/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	2	1/13/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300

Table 1: Delineation Assessment Analytical Data Table
Energy Transfer
A78 Highway Line
Lea County, New Mexico

STANDARD SAFETY & SUPPLY			Chloride	TPH Total (C6-C35)	GRO (C6-C12)	DRO (C12-C28)	GRO+DRO (C6-C28)	MRO (C28-C35)	Benzene	Toluene	Ethylbenzene	Xylenes	BTEX
Remediation (GW< 50ft) and/or Reclamation Limits			600 mg/Kg	100 mg/Kg	---**	---**	---**	---**	10 mg/Kg	---*	---*	---*	50 mg/Kg
Sample ID	Depth (ft)	Date											
V-8	3	1/13/2026	<16.0	**10.4**	<10.0	**10.4**	**10.4**	<10.0	<0.050	<0.050	**0.059**	**0.192**	<0.300
	4	1/13/2026	**16.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	5	1/13/2026	**16.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	10	1/13/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	15	1/13/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	20	1/13/2026	**32.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	25	1/13/2026	**64.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	30	1/13/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	35	1/13/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	40	1/13/2026	**32.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
V-9	1	1/12/2026	**128**	**67.7**	**21.1**	**46.6**	**67.7**	<10.0	<0.050	**0.201**	**0.336**	**1.16**	**1.70**
	2	1/12/2026	**32.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	3	1/12/2026	**80.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	4	1/12/2026	**48.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	5	1/12/2026	**32.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	10	1/12/2026	**64.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	15	1/12/2026	**112**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	20	1/12/2026	**144**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	25	1/12/2026	**160**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	30	1/12/2026	**96.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	35	1/12/2026	**96.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	40	1/12/2026	**48.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
V-10	0-0.5	1/13/2026	<16.0	**13.6**	<10.0	**13.6**	**13.6**	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	1	1/13/2026	<16.0	**28.7**	<10.0	**28.7**	**28.7**	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	2	1/13/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	3	1/13/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	4	1/13/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	5	1/13/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	10	1/13/2026	**16.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	15	1/13/2026	**16.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	20	1/13/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	25	1/13/2026	**16.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	30	1/13/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
V-11	3	1/10/2026	**64.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	4	1/10/2026	**64.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	5	1/10/2026	**64.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	10	1/10/2026	**32.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
V-12	3	1/14/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	4	1/14/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	**0.120**	**0.259**	**0.075**	<0.150	**0.555**

Table 1: Delineation Assessment Analytical Data Table
Energy Transfer
A78 Highway Line
Lea County, New Mexico

STANDARD SAFETY & SUPPLY			Chloride	TPH Total (C6-C35)	GRO (C6-C12)	DRO (C12-C28)	GRO+DRO (C6-C28)	MRO (C28-C35)	Benzene	Toluene	Ethylbenzene	Xylenes	BTEX
Remediation (GW< 50ft) and/or Reclamation Limits			600 mg/Kg	100 mg/Kg	---**	---**	---**	---**	10 mg/Kg	---*	---*	---*	50 mg/Kg
Sample ID	Depth (ft)	Date											
V-13	0	1/14/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	1	1/14/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	2	1/14/2026	**32.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	3	1/14/2026	**32.0**	**13.8**	<10.0	**13.8**	**13.8**	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	4	1/14/2026	**32.0**	**16.2**	<10.0	**16.2**	**16.2**	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	5	1/14/2026	**16.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	10	1/14/2026	**32.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	15	1/14/2026	**32.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	20	1/14/2026	**64.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	25	1/14/2026	**48.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	30	1/14/2026	**32.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	35	1/14/2026	**32.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	40	1/14/2026	**16.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
V-14	0-0.5	1/13/2026	**32.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	1	1/13/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	2	1/13/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	3	1/13/2026	**48.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	4	1/13/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	5	1/13/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	10	1/13/2026	**32.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	15	1/13/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	20	1/13/2026	**32.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	25	1/13/2026	**32.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	30	1/13/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	35	1/13/2026	**32.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	40	1/13/2026	**32.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
V-15	0-0.5	1/13/2026	**32.0**	**22.1**	<10.0	**22.1**	**22.1**	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	1	1/13/2026	**32.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	2	1/13/2026	**64.0**	**36.6**	<10.0	**36.6**	**36.6**	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	3	1/13/2026	**16.0**	**20.0**	<10.0	**20.0**	**20.0**	<10.0	<0.050	<0.050	**0.107**	**0.327**	**0.434**
	4	1/13/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	5	1/13/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	10	1/13/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	15	1/13/2026	**96.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	20	1/13/2026	**64.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	25	1/13/2026	**16.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	30	1/13/2026	**16.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	35	1/13/2026	**16.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	40	1/13/2026	**32.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300

Table 1: Delineation Assessment Analytical Data Table
Energy Transfer
A78 Highway Line
Lea County, New Mexico

STANDARD SAFETY & SUPPLY			Chloride	TPH Total (C6-C35)	GRO (C6-C12)	DRO (C12-C28)	GRO+DRO (C6-C28)	MRO (C28-C35)	Benzene	Toluene	Ethylbenzene	Xylenes	BTEX
Remediation (GW< 50ft) and/or Reclamation Limits			600 mg/Kg	100 mg/Kg	---**	---**	---**	---**	10 mg/Kg	---*	---*	---*	50 mg/Kg
Sample ID	Depth (ft)	Date											
V-16	3	1/14/2026	**1,470**	**12,333**	**3,920**	**7,460**	**11,380**	**953**	**28.0**	**154**	**100**	**213**	**495**
	4	1/14/2026	**464**	**127**	**19.5**	**97.1**	**116.6**	**10.4**	<0.050	**0.382**	**0.606**	**1.68**	**2.66**
	5	1/14/2026	**96.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
V-17	0-0.5	1/13/2026	**32.0**	**12.4**	<10.0	**12.4**	**12.4**	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	1	1/13/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	2	1/13/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	3	1/13/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	4	1/13/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	5	1/13/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	10	1/13/2026	**16.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	15	1/13/2026	**48.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	20	1/13/2026	**224**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	25	1/13/2026	**272**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	30	1/13/2026	**128**	**59.5**	<10.0	**36.3**	**36.3**	**23.2**	<0.050	<0.050	<0.050	<0.150	<0.300
	34	1/13/2026	**48.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
V-18	0-0.5	1/14/2026	**32.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	1	1/14/2026	**16.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	2	1/14/2026	**32.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	3	1/14/2026	**16.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	4	1/14/2026	**16.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	5	1/14/2026	**16.0**	**22.6**	<10.0	**22.6**	**22.6**	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	10	1/14/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	15	1/14/2026	**80.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	20	1/14/2026	**64.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	25	1/14/2026	**80.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	30	1/14/2026	**80.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	35	1/14/2026	**48.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	40	1/14/2026	**48.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
V-20	0	1/14/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	1	1/14/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	2	1/14/2026	**32.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	3	1/14/2026	**64.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	4	1/14/2026	**32.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	5	1/14/2026	**96.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	10	1/14/2026	**112**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	15	1/14/2026	**176**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	20	1/14/2026	**192**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	25	1/14/2026	**96.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	30	1/14/2026	**96.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	35	1/14/2026	**48.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	40	1/14/2026	**48.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300

Table 1: Delineation Assessment Analytical Data Table
Energy Transfer
A78 Highway Line
Lea County, New Mexico

STANDARD SAFETY & SUPPLY			Chloride	TPH Total (C6-C35)	GRO (C6-C12)	DRO (C12-C28)	GRO+DRO (C6-C28)	MRO (C28-C35)	Benzene	Toluene	Ethylbenzene	Xylenes	BTEX
Remediation (GW< 50ft) and/or Reclamation Limits			600 mg/Kg	100 mg/Kg	---**	---**	---**	---**	10 mg/Kg	---*	---*	---*	50 mg/Kg
Sample ID	Depth (ft)	Date											
V-21	0	1/14/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	1	1/14/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	2	1/14/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	3	1/14/2026	**16.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	4	1/14/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	5	1/14/2026	**32.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	10	1/14/2026	**16.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	15	1/14/2026	**64.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	20	1/14/2026	**192**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	25	1/14/2026	**160**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	30	1/14/2026	**144**	**59.5**	<10.0	**36.3**	**36.3**	**23.2**	<0.050	<0.050	<0.050	<0.150	<0.300
	35	1/14/2026	**48.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	40	1/14/2026	**64.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
V-22	0	1/14/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	1	1/14/2026	**64.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	2	1/14/2026	**80.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	3	1/14/2026	**160**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	4	1/14/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	5	1/14/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	10	1/14/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	15	1/14/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	20	1/14/2026	**32.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	25	1/14/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	30	1/14/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	35	1/14/2026	**16.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	40	1/14/2026	**16.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
V-23	0	1/14/2026	**192**	**29.5**	<10.0	**11.7**	**11.7**	**17.8**	<0.050	<0.050	<0.050	<0.150	<0.300
	1	1/14/2026	**112**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	2	1/14/2026	**64.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	3	1/14/2026	**544**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	4	1/14/2026	**416**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	5	1/14/2026	**256**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	10	1/14/2026	**48.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	15	1/14/2026	**64.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	20	1/14/2026	**64.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	**0.051**	<0.050	<0.150	<0.300
	25	1/14/2026	**32.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	30	1/14/2026	**96.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	35	1/14/2026	**64.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	40	1/14/2026	**96.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
H-1	0-0.5'	1/10/2026	**16.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
H-2	0-0.5'	1/10/2026	**32.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300

Table 1: Delineation Assessment Analytical Data Table
Energy Transfer
A78 Highway Line
Lea County, New Mexico

STANDARD SAFETY & SUPPLY			Chloride	TPH Total (C6-C35)	GRO (C6-C12)	DRO (C12-C28)	GRO+DRO (C6-C28)	MRO (C28-C35)	Benzene	Toluene	Ethylbenzene	Xylenes	BTEX
Remediation (GW< 50ft) and/or Reclamation Limits			600 mg/Kg	100 mg/Kg	---**	---**	---**	---**	10 mg/Kg	---*	---*	---*	50 mg/Kg
Sample ID	Depth (ft)	Date											
H-3	0-0.5'	1/10/2026	**96.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
H-4	0-0.5'	1/10/2026	**16.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
H-5	0-0.5'	1/10/2026	**16.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
H-6	0-0.5'	1/10/2026	**64.0**	**32.2**	<10.0	<10.0	<10.0	**32.2**	<0.050	<0.050	<0.050	<0.150	<0.300
H-7	0-0.5'	1/14/2026	**48.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
H-8	0-0.5'	1/14/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
H-9	0-0.5'	1/14/2026	**48.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300

Notes

1. mg/kg - milligram per kilogram
2. TPH - Total Petroleum Hydrocarbons
3. (CS) - Confirmation Sample
4. (SW) - Sidewall Sample
5. * Indicates Value must be equal to or less than Total BTEX
6.** Indicates that total value must be equal to or less than total TPH
7.*** Indicates that total value must be equal to or less than GRO+DRO total
8.**** Indicates that Total value must be equal or less than total TPH
9. H = Horizontal Sample
10. V= Vertical Sample
11. Remediation Limits
12. Reclamation Limits (0-4ft below ground surface)

Table 2: Confirmation Assessment Analytical Data Table
Energy Transfer
A-7-8 Highway Line
Lea County, New Mexico

STANDARD SAFETY & SUPPLY			Chloride	TPH Total (C6-C35)	GRO (C6-C12)	DRO (C12-C28)	GRO+DRO (C6-C28)	MRO (C28-C35)	Benzene	Toluene	Ethylbenzene	Xylenes	BTEX
Remediation (GW <50ft)			600 mg/Kg	100 mg/Kg	---**	---**	---**	---**	10 mg/Kg	---*	---*	---*	50 mg/Kg
Sample ID	Depth (ft)	Date											
CS-1	2	1/30/2026	**112**	**57.0**	<10.0	**57.0**	**57.0**	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-2	2	1/30/2026	**64.0**	**17.8**	<10.0	**17.8**	**17.8**	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-3	2	1/30/2026	**48.0**	**14.2**	<10.0	**14.2**	**14.2**	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-4	2	1/30/2026	**64.0**	**28.4**	<10.0	**28.4**	**28.4**	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-5	10	1/30/2026	**64.0**	**16.7**	<10.0	**16.7**	**16.7**	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-6	10	1/30/2026	**16.0**	**35.2**	<10.0	**35.2**	**35.2**	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-7	10	1/30/2026	**48.0**	**10.8**	<10.0	**10.8**	**10.8**	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-8	10	1/30/2026	**64.0**	**22.0**	<10.0	**22.0**	**22.0**	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-9	10	1/30/2026	**64.0**	**24.6**	<10.0	**24.6**	**24.6**	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-10	10	1/30/2026	**32.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-11	2	1/30/2026	**64.0**	**20.4**	<10.0	**20.4**	**20.4**	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-12	2	1/30/2026	**48.0**	**67.9**	<10.0	**57.2**	**57.2**	**10.7**	<0.050	<0.050	<0.050	<0.150	<0.300
CS-13	2	1/30/2026	**64.0**	**22.0**	<10.0	**22.0**	**22.0**	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-14	5	1/30/2026	**80.0**	**69.3**	<10.0	**69.3**	**69.3**	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-15	5	1/30/2026	**48.0**	**64.6**	<10.0	**64.6**	**64.6**	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
SW-1	0-2	1/30/2026	**80.0**	**30.0**	<10.0	**30.0**	**30.0**	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
SW-2	0-2	1/30/2026	**48.0**	**58.9**	<10.0	**58.9**	**58.9**	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
SW-3	0-2	1/30/2026	**48.0**	**31.7**	<10.0	**31.7**	**31.7**	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
SW-4	~~2-10'~~	~~1/30/2026~~	~~**96.0**~~	~~**108.0**~~	~~<10.0~~	~~**108**~~	~~**108.0**~~	~~<10.0~~	~~<0.050~~	~~<0.050~~	~~<0.050~~	~~<0.150~~	~~<0.300~~
	2-10'	2/4/2026	<16	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
SW-5	2-10'	1/30/2026	**48.0**	**29.9**	<10.0	**29.9**	**29.9**	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
SW-6	~~0-10~~	~~1/30/2026~~	~~**112**~~	~~**123.3**~~	~~<10.0~~	~~**112**~~	~~**112.0**~~	~~**11.3**~~	~~<0.050~~	~~<0.050~~	~~<0.050~~	~~<0.150~~	~~<0.300~~
	0-10	2/4/2026	<16	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
SW-7	~~0-10~~	~~1/30/2026~~	~~**96.0**~~	~~**108.1**~~	~~<10.0~~	~~**96.4**~~	~~**96.4**~~	~~**11.7**~~	~~<0.050~~	~~<0.050~~	~~<0.050~~	~~<0.150~~	~~<0.300~~
	0-10	2/4/2026	<16	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
SW-8	0-10	1/30/2026	**112**	**78.8**	<10.0	**78.8**	**78.8**	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
SW-9	0-10	1/30/2026	**128**	**62.2**	<10.0	**62.2**	**62.2**	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300

Table 2: Confirmation Assessment Analytical Data Table
Energy Transfer
A-7-8 Highway Line
Lea County, New Mexico

STANDARD SAFETY & SUPPLY			Chloride	TPH Total (C6-C35)	GRO (C6-C12)	DRO (C12-C28)	GRO+DRO (C6-C28)	MRO (C28-C35)	Benzene	Toluene	Ethylbenzene	Xylenes	BTEX
Remediation (GW <50ft)			600 mg/Kg	100 mg/Kg	---**	---**	---**	---**	10 mg/Kg	---*	---*	---*	50 mg/Kg
Sample ID	Depth (ft)	Date											
SW-10	~~2-10'~~	~~1/30/2026~~	**~~112~~**	**~~168.8~~**	~~<10.0~~	**~~145~~**	**~~145.0~~**	**~~23.8~~**	~~<0.050~~	~~<0.050~~	~~<0.050~~	~~<0.150~~	~~<0.300~~
	2-10'	2/4/2026	<16	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
SW-11	~~2-10'~~	~~1/30/2026~~	**~~112~~**	**~~209.7~~**	~~<10.0~~	**~~182~~**	**~~182.0~~**	**~~27.7~~**	~~<0.050~~	~~<0.050~~	~~<0.050~~	~~<0.150~~	~~<0.300~~
	2-10'	2/4/2026	<16	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
SW-12	0-2	1/30/2026	**80.0**	**63.4**	<10.0	**63.4**	**63.4**	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
SW-13	0-2	1/30/2026	**48.0**	**37.4**	<10.0	**37.4**	**37.4**	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
SW-14	0-2	1/30/2026	**64.0**	**13.0**	<10.0	**13**	**13.0**	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
SW-15	0-5	1/30/2026	**48.0**	**12.4**	<10.0	**12.4**	**12.4**	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
SW-16	0-5	1/30/2026	**96.0**	**33.2**	<10.0	**33.2**	**33.2**	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
SW-17	0-5	1/30/2026	**80.0**	**42.3**	<10.0	**42.3**	**42.3**	<10.0	<0.050	**0.084**	**0.086**	**0.287**	**0.457**
SW-18	0-5	1/30/2026	**80.0**	**45.1**	<10.0	**45.1**	**45.1**	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
B1	Surface	1/28/2026	<16	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300

Notes

1. mg/kg - milligram per kilogram
2. TPH - Total Petroleum Hydrocarbons
3. (CS) - Confirmation Sample
4. (SW) - Sidewall Sample
5. * Indicates Value must be equal to or less than Total BTEX
6.** Indicates that total value must be equal to or less than total TPH
7.*** Indicates that total value must be equal to or less than GRO+DRO total
8.**** Indicates that Total value must be equal or less than total TPH
9. H = Horizontal Sample
10. V= Vertical Sample
11. Remediation Limits
12. Reclamation Limits (0-4ft below ground surface)

ATTACHMENT B: FIGURES

A-7-8 PIPELINE RELEASE
ET GATHERING & PROCESSING, LLC

Figure 1: (Site Location Map)
Lea County, New Mexico

2/9/2026

N

Coordinates: 32.4948084° N, -103.1582952° W

Scale: 1:90,000



A-7-8 PIPELINE RELEASE
ET GATHERING & PROCESSING, LLC

Figure 2: (Topographic Map)
Lea County, New Mexico

2/9/2026

N

Coordinates: 32.4948084° N, -103.1582952° W

Scale: 1:90,000



STANDARD SAFETY & SUPPLY

A-7-8 PIPELINE RELEASE
ET GATHERING & PROCESSING, LLC

Figure 3. (Delineation Map)
Release Date: 01/06/2026
Lea County, New Mexico

01/19/2026

Coordinates: 32.4948084,-103.1582952

N



STANDARD SAFETY & SUPPLY

A-7-8 PIPELINE RELEASE
ET GATHERING & PROCESSING, LLC

Figure 4: (Confirmation Sampling Map)
Lea County, New Mexico

2/9/2026

N

Coordinates: 32.4948084° N, -103.1582952° W

Scale: 1:350

ATTACHMENT C: SITE CHARACTERIZATION

OCD Well Locations

1/9/2026, 2:21:29 PM

Wells - Large Scale

- Oil, Plugged
- Oil, Active
- Oil, Cancelled

Karst Occurrence Potential

- Low

- PLSS Second Division
- PLSS First Division

1:2,257

0 0.02 0.04 0.09 mi

0 0.04 0.07 0.15 km

BLM, OCD, New Mexico Tech, Microsoft, Vantor, OCD, BLM

New Mexico Oil Conservation Division

Received by OCD: 2/19/2026 9:21:58 AM

National Flood Hazard Layer FIRMette

FEMA

103°9'49"W 32°29'56"N

103°9'11"W 32°29'26"N

0 250 500 1,000 1,500 2,000 Feet

1:6,000

Basemap Imagery Source: USGS National Map 2023

Legend

SEE FIS REPORT FOR DETAILED LEGEND AND INDEX MAP FOR FIRM PANEL LAYOUT

SPECIAL FLOOD HAZARD AREAS
- Without Base Flood Elevation (BFE) *Zone A, V, A99*
- With BFE or Depth *Zone AE, AO, AH, VE, AR*
- Regulatory Floodway

OTHER AREAS OF FLOOD HAZARD
- 0.2% Annual Chance Flood Hazard, Areas of 1% annual chance flood with average depth less than one foot or with drainage areas of less than one square mile *Zone X*
- Future Conditions 1% Annual Chance Flood Hazard *Zone X*
- Area with Reduced Flood Risk due to Levee. See Notes. *Zone X*
- Area with Flood Risk due to Levee *Zone D*

OTHER AREAS
- NO SCREEN Area of Minimal Flood Hazard *Zone X*
- Effective LOMRs
- Area of Undetermined Flood Hazard *Zone D*

GENERAL STRUCTURES
- Channel, Culvert, or Storm Sewer
- Levee, Dike, or Floodwall

OTHER FEATURES
- 20.2 Cross Sections with 1% Annual Chance
- 17.5 Water Surface Elevation
- Coastal Transect
- Base Flood Elevation Line (BFE)
- Limit of Study
- Jurisdiction Boundary
- Coastal Transect Baseline
- Profile Baseline
- Hydrographic Feature

MAP PANELS
- Digital Data Available
- No Digital Data Available
- Unmapped

N

The pin displayed on the map is an approximate point selected by the user and does not represent an authoritative property location.

This map complies with FEMA's standards for the use of digital flood maps if it is not void as described below. The basemap shown complies with FEMA's basemap accuracy standards

The flood hazard information is derived directly from the authoritative NFHL web services provided by FEMA. This map was exported on 1/9/2026 at 9:18 PM and does not reflect changes or amendments subsequent to this date and time. The NFHL and effective information may change or become superseded by new data over time.

This map image is void if the one or more of the following map elements do not appear: basemap imagery, flood zone labels, legend, scale bar, map creation date, community identifiers, FIRM panel number, and FIRM effective date. Map images for unmapped and unmodernized areas cannot be used for regulatory purposes.

Released to Imaging: 3/27/2026 7:26:57 AM

Help Using this Tool

Legend | Basemap | Query

Legend

All Layers On/Off

All Layer Transparency

NM Wetlands Mapping and Classification

NM Wetlands Mapping and Classification

Mapping Status

Riparian Habitat

Hydrogeomorphic Mapping (HGM) Linears

- Riverine

Hydrogeomorphic Mapping (HGM) Polygons

- Depressional
- Flats
- Lacustrine Fringe
- Riverine
- Slope

Landscape Position and Water Body (LLWW) Linears

- Lentic (LE)
- Lotic RIver (LR)
- Lotic Stream (LS)
- Pond (PD)
- River (RV)
- Stream (ST)
- Terrene (TE)

Landscape Position and Water Body (LLWW) Polygons

- Lentic (LE)
- Lake (LK)
- Lotic River (LR)
- Lotic Stream (LS)
- Pond (PD)
- River (RV)
- Stream (ST)
- Terrene (TE)

Landform (LLWW)

- Basin
- Flat
- Floodplain

1:9,028



Received by OCD: 2/19/2026 9:21:58 AM

U.S. Fish and Wildlife Service
National Wetlands Inventory

Highway Release Line A-7-8



January 9, 2026

Wetlands

- Estuarine and Marine Deepwater
- Estuarine and Marine Wetland
- Freshwater Emergent Wetland
- Freshwater Forested/Shrub Wetland
- Freshwater Pond
- Lake
- Other
- Riverine

This map is for general reference only. The US Fish and Wildlife Service is not responsible for the accuracy or currentness of the base data shown on this map. All wetlands related data should be used in accordance with the layer metadata found on the Wetlands Mapper web site.

National Wetlands Inventory (NWI)
This page was produced by the NWI mapper

Released to Imaging: 3/27/2026 7:26:57 AM

Soil Map—Lea County, New Mexico
(Highway Release Line A-7-8)



Map Scale: 1:2,230 if printed on A landscape (11" x 8.5") sheet.

N

Meters
0 30 60 120 180

Feet
0 100 200 400 600

Map projection: Web Mercator Corner coordinates: WGS84 Edge tics: UTM Zone 13N WGS84

Received by OCD: 2/19/2026 9:21:58 AM

Soil Map—Lea County, New Mexico
(Highway Release Line A-7-8)

MAP LEGEND

Area of Interest (AOI)
- Area of Interest (AOI)

Soils
- Soil Map Unit Polygons
- Soil Map Unit Lines
- Soil Map Unit Points

Special Point Features
- Blowout
- Borrow Pit
- Clay Spot
- Closed Depression
- Gravel Pit
- Gravelly Spot
- Landfill
- Lava Flow
- Marsh or swamp
- Mine or Quarry
- Miscellaneous Water
- Perennial Water
- Rock Outcrop
- Saline Spot
- Sandy Spot
- Severely Eroded Spot
- Sinkhole
- Slide or Slip
- Sodic Spot
- Spoil Area
- Stony Spot
- Very Stony Spot
- Wet Spot
- Other
- Special Line Features

Water Features
- Streams and Canals

Transportation
- Rails
- Interstate Highways
- US Routes
- Major Roads
- Local Roads

Background
- Aerial Photography

MAP INFORMATION

The soil surveys that comprise your AOI were mapped at 1:20,000.

Warning: Soil Map may not be valid at this scale.

Enlargement of maps beyond the scale of mapping can cause misunderstanding of the detail of mapping and accuracy of soil line placement. The maps do not show the small areas of contrasting soils that could have been shown at a more detailed scale.

Please rely on the bar scale on each map sheet for map measurements.

Source of Map: Natural Resources Conservation Service
Web Soil Survey URL:
Coordinate System: Web Mercator (EPSG:3857)

Maps from the Web Soil Survey are based on the Web Mercator projection, which preserves direction and shape but distorts distance and area. A projection that preserves area, such as the Albers equal-area conic projection, should be used if more accurate calculations of distance or area are required.

This product is generated from the USDA-NRCS certified data as of the version date(s) listed below.

Soil Survey Area: Lea County, New Mexico
Survey Area Data: Version 22, Sep 9, 2025

Soil map units are labeled (as space allows) for map scales 1:50,000 or larger.

Date(s) aerial images were photographed: Jan 18, 2020—Feb 17, 2020

The orthophoto or other base map on which the soil lines were compiled and digitized probably differs from the background imagery displayed on these maps. As a result, some minor shifting of map unit boundaries may be evident.

Released to Imaging: 3/27/2026 7:26:57 AM

Received by OCD: 2/19/2026 9:21:58 AM

Map Unit Legend

Map Unit Symbol	Map Unit Name	Acres in AOI	Percent of AOI
BF	Berino-Cacique fine sandy loams association	1.8	12.3%
SE	Simona fine sandy loam, 0 to 3 percent slopes	13.0	87.7%
Totals for Area of Interest		**14.8**	**100.0%**

Released to Imaging: 3/27/2026 7:26:57 AM

Received by OCD: 2/19/2026 9:21:58 AM

POD Locations

Open Data

NMWRRS

Real Time Measurements

Acequias

Plant List

MRGCD Data Viewer

Water Data

Drought

Aquifer Test Index

RGIS

Released to Imaging: 3/27/2026 7:26:57 AM



WELL RECORD & LOG

OFFICE OF THE STATE ENGINEER

www.ose.state.nm.us

1. GENERAL AND WELL LOCATION

OSE POD NO. (WELL NO.)	WELL TAG ID NO.	OSE FILE NO(S).
Pod 1		CP-02104

WELL OWNER NAME(S)	PHONE (OPTIONAL)
ET-S Permian Holdings Co. LP	(432) 238-2142

WELL OWNER MAILING ADDRESS	CITY	STATE	ZIP
303 Veterans Airpark Lane, Suite 5000	Midland	TX	79705

WELL LOCATION (FROM GPS)		DEGREES	MINUTES	SECONDS	
	LATITUDE	32	29	36.6	N
	LONGITUDE	103	09	41.2	W

* ACCURACY REQUIRED: ONE TENTH OF A SECOND
* DATUM REQUIRED: WGS 84

DESCRIPTION RELATING WELL LOCATION TO STREET ADDRESS AND COMMON LANDMARKS – PLSS (SECTION, TOWNSHIP, RANGE) WHERE AVAILABLE

S9 T21s R37e

2. DRILLING & CASING INFORMATION

LICENSE NO.	NAME OF LICENSED DRILLER	NAME OF WELL DRILLING COMPANY
WD-1862	James Hawley	H&R Enterprises, LLC

DRILLING STARTED	DRILLING ENDED	DEPTH OF COMPLETED WELL (FT)	BORE HOLE DEPTH (FT)	DEPTH WATER FIRST ENCOUNTERED (FT)
1-12-26	1-12-26	55'	55'	N/A

COMPLETED WELL IS: ☐ ARTESIAN *add Centralizer info below ☑ DRY HOLE ☐ SHALLOW (UNCONFINED)

STATIC WATER LEVEL IN COMPLETED WELL (FT): N/A

DATE STATIC MEASURED: 1-20-26

DRILLING FLUID: ☑ AIR ☐ MUD ADDITIVES – SPECIFY:

DRILLING METHOD: ☑ ROTARY ☐ HAMMER ☐ CABLE TOOL ☐ OTHER – SPECIFY:

CHECK HERE IF PITLESS ADAPTER IS INSTALLED ☐

DEPTH (feet bgl) FROM	DEPTH (feet bgl) TO	BORE HOLE DIAM (inches)	CASING MATERIAL AND/OR GRADE (include each casing string, and note sections of screen)	CASING CONNECTION TYPE (add coupling diameter)	CASING INSIDE DIAM. (inches)	CASING WALL THICKNESS (inches)	SLOT SIZE (inches)
0'	55'	6'	No casing left in hole				

3. ANNULAR MATERIAL

DEPTH (feet bgl) FROM	DEPTH (feet bgl) TO	BORE HOLE DIAM. (inches)	LIST ANNULAR SEAL MATERIAL AND GRAVEL PACK SIZE-RANGE BY INTERVAL *(if using Centralizers for Artesian wells- indicate the spacing below)	AMOUNT (cubic feet)	METHOD OF PLACEMENT
			N/A		

FOR OSE INTERNAL USE

WR-20 WELL RECORD & LOG (Version 09/22/2022)

FILE NO.	POD NO.	TRN NO.
LOCATION	WELL TAG ID NO.	PAGE 1 OF 2

4. HYDROGEOLOGIC LOG OF WELL

DEPTH (feet bgl) FROM	DEPTH (feet bgl) TO	THICKNESS (feet)	COLOR AND TYPE OF MATERIAL ENCOUNTERED - INCLUDE WATER-BEARING CAVITIES OR FRACTURE ZONES (attach supplemental sheets to fully describe all units)	WATER BEARING? (YES / NO)	ESTIMATED YIELD FOR WATER-BEARING ZONES (gpm)
0'	5'	5'	Caliche	Y ✓ N	
5'	15'	10'	Sand	Y ✓ N	
15'	30'	15'	Sandy Caliche	Y ✓ N	
30'	55'	25'	Sand	Y ✓ N	
				Y N	
				Y N	
				Y N	
				Y N	
				Y N	
				Y N	
				Y N	
				Y N	
				Y N	
				Y N	
				Y N	
				Y N	
				Y N	
				Y N	
				Y N	
				Y N	

METHOD USED TO ESTIMATE YIELD OF WATER-BEARING STRATA:

☐ PUMP ☐ AIR LIFT ☐ BAILER ☑ OTHER – SPECIFY: DTGW Bore

TOTAL ESTIMATED WELL YIELD (gpm): 0.00

5. TEST; RIG SUPERVISION

WELL TEST — TEST RESULTS - ATTACH A COPY OF DATA COLLECTED DURING WELL TESTING, INCLUDING DISCHARGE METHOD, START TIME, END TIME, AND A TABLE SHOWING DISCHARGE AND DRAWDOWN OVER THE TESTING PERIOD.

MISCELLANEOUS INFORMATION: Depth to groundwater bore was gauged for water on 1-20-26 at the ETC A-7-8 Remediation site. DTGW bore was dry. Temporary well casing was removed, bore hole was backfilled with drill cuttings to 10' BGS. Hydrated Bentonite Hole Plug was poured from 10' BGS to surface.

PRINT NAME(S) OF DRILL RIG SUPERVISOR(S) THAT PROVIDED ONSITE SUPERVISION OF WELL CONSTRUCTION OTHER THAN LICENSEE:

Nathan Smelcer

6. SIGNATURE

THE UNDERSIGNED HEREBY CERTIFIES THAT, TO THE BEST OF HIS OR HER KNOWLEDGE AND BELIEF, THE FOREGOING IS A TRUE AND CORRECT RECORD OF THE ABOVE DESCRIBED HOLE AND THAT HE OR SHE WILL FILE THIS WELL RECORD WITH THE STATE ENGINEER AND THE PERMIT HOLDER WITHIN 30 DAYS AFTER COMPLETION OF WELL DRILLING:

James Hawley — 1-20-26

SIGNATURE OF DRILLER / PRINT SIGNEE NAME — DATE

FOR OSE INTERNAL USE — WR-20 WELL RECORD & LOG (Version 09/22/2022)

FILE NO.	POD NO.	TRN NO.
LOCATION	WELL TAG ID NO.	PAGE 2 OF 2

PLUGGING RECORD

NOTE: A Well Plugging Plan of Operations shall be approved by the State Engineer prior to plugging - 19.27.4 NMAC

I. GENERAL / WELL OWNERSHIP:

State Engineer Well Number: CP-02104 Pod 1

Well owner: ET-S Permian Holdings Co. LP Phone No.: _____

Mailing address: 303 Veterans Airpark Lane, Suite 5000

City: Midland State: TX Zip code: 79705

II. WELL PLUGGING INFORMATION:

1) Name of well drilling company that plugged well: H&R Enterprises, LLC

2) New Mexico Well Driller License No.: WD-1862 Expiration Date: 6/16/27

3) Well plugging activities were supervised by the following well driller(s)/rig supervisor(s): Nathan Smelcer

4) Date well plugging began: 1-20-26 Date well plugging concluded: 1-20-26

5) GPS Well Location: Latitude: 32 deg, 29 min, 36.6 sec
Longitude: 103 deg, 09 min, 41.2 sec, WGS 84

6) Depth of well confirmed at initiation of plugging as: 55 ft below ground level (bgl), by the following manner: well sounder

7) Static water level measured at initiation of plugging: Dry ft bgl

8) Date well plugging plan of operations was approved by the State Engineer: 1/15/26

9) Were all plugging activities consistent with an approved plugging plan? Yes If not, please describe differences between the approved plugging plan and the well as it was plugged (attach additional pages as needed):

10) Log of Plugging Activities - Label vertical scale with depths, and indicate separate plugging intervals with horizontal lines as necessary to illustrate material or methodology changes. Attach additional pages if necessary.

For each interval plugged, describe within the following columns:

Depth (ft bgl)	Plugging Material Used (include any additives used)	Volume of Material Placed (gallons)	Theoretical Volume of Borehole/ Casing (gallons)	Placement Method (tremie pipe, other)	Comments ("casing perforated first", "open annular space also plugged", etc.)
	0' - 10' Hydrated Bentonite	Approx. 15 gallons	15 gallons	Pour	
	10' - 55' Drill Cuttings	Approx. 67 gallons	67 gallons	Pour	

MULTIPLY		BY		AND OBTAIN
cubic feet	x	7.4805	=	gallons
cubic yards	x	201.97	=	gallons

III. SIGNATURE:

I, James Hawley, say that I am familiar with the rules of the Office of the State Engineer pertaining to the plugging of wells and that each and all of the statements in this Plugging Record and attachments are true to the best of my knowledge and belief.

Signature of Well Driller — Date: 1/20/26

Version: September 8, 2009
Page 2 of 2

ATTACHMENT D: PHOTOGRAPHIC DOCUMENTATION

Photo Log



Aerial Imagery of Area of Concern

Area of Concern

Photo Log

Area of Concern

Area of Concern

Photo Log



Area of Concern

Area of Concern

Photo Log

Area of Concern



Area of Concern

Photo Log

Delineation Borehole

Delineation Borehole

Photo Log

Confirmation Sampling

Confirmation Sampling

Photo Log

Confirmation Sampling

Confirmation Sampling

Photo Log



Excavation Activities

Excavation Activities

Photo Log

Excavation Activities

Excavation Activities

Photo Log

Road Restoration

Road Restoration

ATTACHMENT E: LABORATORY ANALYTICAL METHOD WITH CHAIN-OF-CUSTODY

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

January 14, 2026

ETHAN SESSUMS

STANDARD SAFETY & SUPPLY

PO BOX 14987

ODESSA, TX 79764

RE: A78 HIGHWAY LINE

Enclosed are the results of analyses for samples received by the laboratory on 01/13/26 12:00.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C25-00101. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accreditated through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Celey D. Keene

Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/13/2026	Sampling Date:	01/10/2026
Reported:	01/14/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V-2 4 (H260194-01)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	**68.6**	2.00	01/14/2026	ND	1.83	91.3	2.00	5.00	
Toluene*	**240**	2.00	01/14/2026	ND	1.91	95.5	2.00	4.47	
Ethylbenzene*	**113**	2.00	01/14/2026	ND	1.94	96.8	2.00	3.80	
Total Xylenes*	**229**	6.00	01/14/2026	ND	5.73	95.6	6.00	3.73	
Total BTEX	**651**	12.0	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *116 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**3160**	16.0	01/13/2026	ND	480	120	400	14.3	

TPH 8015M mg/kg Analyzed By: JF S-06

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	**7710**	100	01/13/2026	ND	208	104	200	0.576	
DRO >C10-C28*	**11800**	100	01/13/2026	ND	193	96.6	200	3.22	
EXT DRO >C28-C36	**1320**	100	01/13/2026	ND					

Surrogate: 1-Chlorooctane *453 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *182 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/13/2026	Sampling Date:	01/10/2026
Reported:	01/14/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V-2 5 (H260194-02)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	**3.01**	0.500	01/14/2026	ND	1.83	91.3	2.00	5.00	
Toluene*	**18.4**	0.500	01/14/2026	ND	1.91	95.5	2.00	4.47	
Ethylbenzene*	**14.4**	0.500	01/14/2026	ND	1.94	96.8	2.00	3.80	
Total Xylenes*	**32.0**	1.50	01/14/2026	ND	5.73	95.6	6.00	3.73	
Total BTEX	**67.8**	3.00	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *121 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**384**	16.0	01/13/2026	ND	480	120	400	14.3	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	**368**	10.0	01/14/2026	ND	199	99.6	200	0.686	
DRO >C10-C28*	**965**	10.0	01/14/2026	ND	198	99.2	200	0.944	
EXT DRO >C28-C36	**162**	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *108 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *114 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/13/2026	Sampling Date:	01/10/2026
Reported:	01/14/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V-2 10 (H260194-07)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	**0.053**	0.050	01/14/2026	ND	1.83	91.3	2.00	5.00	
Toluene*	**0.167**	0.050	01/14/2026	ND	1.91	95.5	2.00	4.47	
Ethylbenzene*	**0.092**	0.050	01/14/2026	ND	1.94	96.8	2.00	3.80	
Total Xylenes*	**0.234**	0.150	01/14/2026	ND	5.73	95.6	6.00	3.73	
Total BTEX	**0.547**	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *101 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**64.0**	16.0	01/13/2026	ND	480	120	400	14.3	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/13/2026	ND	199	99.6	200	0.686	
DRO >C10-C28*	**70.9**	10.0	01/13/2026	ND	198	99.2	200	0.944	
EXT DRO >C28-C36	**13.7**	10.0	01/13/2026	ND					

Surrogate: 1-Chlorooctane *101 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *106 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/13/2026	Sampling Date:	01/11/2026
Reported:	01/14/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V-2 15 (H260194-12)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/13/2026	ND	1.83	91.3	2.00	5.00	
Toluene*	<0.050	0.050	01/13/2026	ND	1.91	95.5	2.00	4.47	
Ethylbenzene*	<0.050	0.050	01/13/2026	ND	1.94	96.8	2.00	3.80	
Total Xylenes*	<0.150	0.150	01/13/2026	ND	5.73	95.6	6.00	3.73	
Total BTEX	<0.300	0.300	01/13/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *102 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	01/13/2026	ND	480	120	400	14.3	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/13/2026	ND	199	99.6	200	0.686	
DRO >C10-C28*	**12.2**	10.0	01/13/2026	ND	198	99.2	200	0.944	
EXT DRO >C28-C36	<10.0	10.0	01/13/2026	ND					

Surrogate: 1-Chlorooctane *102 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *107 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/13/2026	Sampling Date:	01/12/2026
Reported:	01/14/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V-2 20 (H260194-17)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/13/2026	ND	1.83	91.3	2.00	5.00	
Toluene*	<0.050	0.050	01/13/2026	ND	1.91	95.5	2.00	4.47	
Ethylbenzene*	<0.050	0.050	01/13/2026	ND	1.94	96.8	2.00	3.80	
Total Xylenes*	<0.150	0.150	01/13/2026	ND	5.73	95.6	6.00	3.73	
Total BTEX	<0.300	0.300	01/13/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *101 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**192**	16.0	01/13/2026	ND	480	120	400	14.3	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/13/2026	ND	199	99.6	200	0.686	
DRO >C10-C28*	<10.0	10.0	01/13/2026	ND	198	99.2	200	0.944	
EXT DRO >C28-C36	<10.0	10.0	01/13/2026	ND					

Surrogate: 1-Chlorooctane *102 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *105 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/13/2026	Sampling Date:	01/12/2026
Reported:	01/14/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V-2 25 (H260194-22)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/13/2026	ND	1.83	91.3	2.00	5.00	
Toluene*	<0.050	0.050	01/13/2026	ND	1.91	95.5	2.00	4.47	
Ethylbenzene*	<0.050	0.050	01/13/2026	ND	1.94	96.8	2.00	3.80	
Total Xylenes*	<0.150	0.150	01/13/2026	ND	5.73	95.6	6.00	3.73	
Total BTEX	<0.300	0.300	01/13/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *102 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**176**	16.0	01/13/2026	ND	480	120	400	14.3	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/13/2026	ND	199	99.6	200	0.686	
DRO >C10-C28*	<10.0	10.0	01/13/2026	ND	198	99.2	200	0.944	
EXT DRO >C28-C36	<10.0	10.0	01/13/2026	ND					

Surrogate: 1-Chlorooctane *88.1 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *91.4 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/13/2026	Sampling Date:	01/12/2026
Reported:	01/14/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V-2 30 (H260194-27)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/13/2026	ND	1.83	91.3	2.00	5.00	
Toluene*	<0.050	0.050	01/13/2026	ND	1.91	95.5	2.00	4.47	
Ethylbenzene*	<0.050	0.050	01/13/2026	ND	1.94	96.8	2.00	3.80	
Total Xylenes*	<0.150	0.150	01/13/2026	ND	5.73	95.6	6.00	3.73	
Total BTEX	<0.300	0.300	01/13/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *101 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**96.0**	16.0	01/13/2026	ND	480	120	400	14.3	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/13/2026	ND	199	99.6	200	0.686	
DRO >C10-C28*	<10.0	10.0	01/13/2026	ND	198	99.2	200	0.944	
EXT DRO >C28-C36	<10.0	10.0	01/13/2026	ND					

Surrogate: 1-Chlorooctane *84.1 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *87.0 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/13/2026	Sampling Date:	01/12/2026
Reported:	01/14/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V-2 35 (H260194-32)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/13/2026	ND	1.83	91.3	2.00	5.00	
Toluene*	<0.050	0.050	01/13/2026	ND	1.91	95.5	2.00	4.47	
Ethylbenzene*	<0.050	0.050	01/13/2026	ND	1.94	96.8	2.00	3.80	
Total Xylenes*	<0.150	0.150	01/13/2026	ND	5.73	95.6	6.00	3.73	
Total BTEX	<0.300	0.300	01/13/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *101 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**64.0**	16.0	01/13/2026	ND	480	120	400	14.3	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/13/2026	ND	199	99.6	200	0.686	
DRO >C10-C28*	<10.0	10.0	01/13/2026	ND	198	99.2	200	0.944	
EXT DRO >C28-C36	<10.0	10.0	01/13/2026	ND					

Surrogate: 1-Chlorooctane *105 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *109 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/13/2026	Sampling Date:	01/12/2026
Reported:	01/14/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V-2 40 (H260194-37)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/13/2026	ND	1.83	91.3	2.00	5.00	
Toluene*	<0.050	0.050	01/13/2026	ND	1.91	95.5	2.00	4.47	
Ethylbenzene*	<0.050	0.050	01/13/2026	ND	1.94	96.8	2.00	3.80	
Total Xylenes*	<0.150	0.150	01/13/2026	ND	5.73	95.6	6.00	3.73	
Total BTEX	<0.300	0.300	01/13/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *99.7 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**64.0**	16.0	01/13/2026	ND	480	120	400	14.3	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/13/2026	ND	199	99.6	200	0.686	
DRO >C10-C28*	<10.0	10.0	01/13/2026	ND	198	99.2	200	0.944	
EXT DRO >C28-C36	<10.0	10.0	01/13/2026	ND					

Surrogate: 1-Chlorooctane *103 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *108 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/13/2026	Sampling Date:	01/10/2026
Reported:	01/14/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V-4 4 (H260194-38)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/13/2026	ND	1.83	91.3	2.00	5.00	
Toluene*	<0.050	0.050	01/13/2026	ND	1.91	95.5	2.00	4.47	
Ethylbenzene*	<0.050	0.050	01/13/2026	ND	1.94	96.8	2.00	3.80	
Total Xylenes*	<0.150	0.150	01/13/2026	ND	5.73	95.6	6.00	3.73	
Total BTEX	<0.300	0.300	01/13/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *101 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**208**	16.0	01/13/2026	ND	480	120	400	14.3	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/13/2026	ND	199	99.6	200	0.686	
DRO >C10-C28*	<10.0	10.0	01/13/2026	ND	198	99.2	200	0.944	
EXT DRO >C28-C36	<10.0	10.0	01/13/2026	ND					

Surrogate: 1-Chlorooctane *95.0 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *98.2 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/13/2026	Sampling Date:	01/10/2026
Reported:	01/14/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V-4 5 (H260194-39)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/13/2026	ND	1.83	91.3	2.00	5.00	
Toluene*	<0.050	0.050	01/13/2026	ND	1.91	95.5	2.00	4.47	
Ethylbenzene*	<0.050	0.050	01/13/2026	ND	1.94	96.8	2.00	3.80	
Total Xylenes*	<0.150	0.150	01/13/2026	ND	5.73	95.6	6.00	3.73	
Total BTEX	<0.300	0.300	01/13/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *101 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**160**	16.0	01/13/2026	ND	480	120	400	14.3	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/13/2026	ND	199	99.6	200	0.686	
DRO >C10-C28*	<10.0	10.0	01/13/2026	ND	198	99.2	200	0.944	
EXT DRO >C28-C36	<10.0	10.0	01/13/2026	ND					

Surrogate: 1-Chlorooctane *98.2 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *101 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/13/2026	Sampling Date:	01/10/2026
Reported:	01/14/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V-4 10 (H260194-44)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/13/2026	ND	2.05	103	2.00	1.06	
Toluene*	<0.050	0.050	01/13/2026	ND	1.81	90.4	2.00	7.21	
Ethylbenzene*	<0.050	0.050	01/13/2026	ND	1.98	98.8	2.00	3.34	
Total Xylenes*	<0.150	0.150	01/13/2026	ND	6.31	105	6.00	3.09	
Total BTEX	<0.300	0.300	01/13/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *103 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**160**	16.0	01/13/2026	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/13/2026	ND	199	99.6	200	0.686	
DRO >C10-C28*	<10.0	10.0	01/13/2026	ND	198	99.2	200	0.944	
EXT DRO >C28-C36	<10.0	10.0	01/13/2026	ND					

Surrogate: 1-Chlorooctane *84.3 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *86.8 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/13/2026	Sampling Date:	01/12/2026
Reported:	01/14/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V-4 15 (H260194-49)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/13/2026	ND	2.05	103	2.00	1.06	
Toluene*	<0.050	0.050	01/13/2026	ND	1.81	90.4	2.00	7.21	
Ethylbenzene*	<0.050	0.050	01/13/2026	ND	1.98	98.8	2.00	3.34	
Total Xylenes*	<0.150	0.150	01/13/2026	ND	6.31	105	6.00	3.09	
Total BTEX	<0.300	0.300	01/13/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *108 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**112**	16.0	01/13/2026	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/13/2026	ND	199	99.6	200	0.686	
DRO >C10-C28*	<10.0	10.0	01/13/2026	ND	198	99.2	200	0.944	
EXT DRO >C28-C36	<10.0	10.0	01/13/2026	ND					

Surrogate: 1-Chlorooctane *97.1 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *99.9 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/13/2026	Sampling Date:	01/12/2026
Reported:	01/14/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V-4 20 (H260194-54)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/13/2026	ND	2.05	103	2.00	1.06	
Toluene*	<0.050	0.050	01/13/2026	ND	1.81	90.4	2.00	7.21	
Ethylbenzene*	<0.050	0.050	01/13/2026	ND	1.98	98.8	2.00	3.34	
Total Xylenes*	<0.150	0.150	01/13/2026	ND	6.31	105	6.00	3.09	
Total BTEX	<0.300	0.300	01/13/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *105 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**144**	16.0	01/13/2026	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/13/2026	ND	199	99.6	200	0.686	
DRO >C10-C28*	<10.0	10.0	01/13/2026	ND	198	99.2	200	0.944	
EXT DRO >C28-C36	<10.0	10.0	01/13/2026	ND					

Surrogate: 1-Chlorooctane *93.4 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *96.4 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/13/2026	Sampling Date:	01/12/2026
Reported:	01/14/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V-4 25 (H260194-59)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/13/2026	ND	2.05	103	2.00	1.06	
Toluene*	<0.050	0.050	01/13/2026	ND	1.81	90.4	2.00	7.21	
Ethylbenzene*	<0.050	0.050	01/13/2026	ND	1.98	98.8	2.00	3.34	
Total Xylenes*	<0.150	0.150	01/13/2026	ND	6.31	105	6.00	3.09	
Total BTEX	<0.300	0.300	01/13/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *108 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**144**	16.0	01/13/2026	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/13/2026	ND	199	99.6	200	0.686	
DRO >C10-C28*	<10.0	10.0	01/13/2026	ND	198	99.2	200	0.944	
EXT DRO >C28-C36	<10.0	10.0	01/13/2026	ND					

Surrogate: 1-Chlorooctane *99.5 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *104 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/13/2026	Sampling Date:	01/12/2026
Reported:	01/14/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V-4 30 (H260194-64)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/13/2026	ND	2.05	103	2.00	1.06	
Toluene*	<0.050	0.050	01/13/2026	ND	1.81	90.4	2.00	7.21	
Ethylbenzene*	<0.050	0.050	01/13/2026	ND	1.98	98.8	2.00	3.34	
Total Xylenes*	<0.150	0.150	01/13/2026	ND	6.31	105	6.00	3.09	
Total BTEX	<0.300	0.300	01/13/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *110 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	01/13/2026	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/13/2026	ND	199	99.6	200	0.686	
DRO >C10-C28*	<10.0	10.0	01/13/2026	ND	198	99.2	200	0.944	
EXT DRO >C28-C36	<10.0	10.0	01/13/2026	ND					

Surrogate: 1-Chlorooctane *93.8 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *96.7 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/13/2026	Sampling Date:	01/12/2026
Reported:	01/14/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V-4 35 (H260194-69)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/13/2026	ND	2.05	103	2.00	1.06	
Toluene*	<0.050	0.050	01/13/2026	ND	1.81	90.4	2.00	7.21	
Ethylbenzene*	<0.050	0.050	01/13/2026	ND	1.98	98.8	2.00	3.34	
Total Xylenes*	<0.150	0.150	01/13/2026	ND	6.31	105	6.00	3.09	
Total BTEX	<0.300	0.300	01/13/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *103 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	01/13/2026	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/13/2026	ND	199	99.6	200	0.686	
DRO >C10-C28*	<10.0	10.0	01/13/2026	ND	198	99.2	200	0.944	
EXT DRO >C28-C36	<10.0	10.0	01/13/2026	ND					

Surrogate: 1-Chlorooctane *97.0 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *101 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/13/2026	Sampling Date:	01/12/2026
Reported:	01/14/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V-4 40 (H260194-74)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/13/2026	ND	2.05	103	2.00	1.06	
Toluene*	<0.050	0.050	01/13/2026	ND	1.81	90.4	2.00	7.21	
Ethylbenzene*	<0.050	0.050	01/13/2026	ND	1.98	98.8	2.00	3.34	
Total Xylenes*	<0.150	0.150	01/13/2026	ND	6.31	105	6.00	3.09	
Total BTEX	<0.300	0.300	01/13/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *108 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	01/13/2026	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/13/2026	ND	199	99.6	200	0.686	
DRO >C10-C28*	<10.0	10.0	01/13/2026	ND	198	99.2	200	0.944	
EXT DRO >C28-C36	<10.0	10.0	01/13/2026	ND					

Surrogate: 1-Chlorooctane *103 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *107 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/13/2026	Sampling Date:	01/10/2026
Reported:	01/14/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V-5 4 (H260194-75)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/13/2026	ND	2.05	103	2.00	1.06	
Toluene*	<0.050	0.050	01/13/2026	ND	1.81	90.4	2.00	7.21	
Ethylbenzene*	<0.050	0.050	01/13/2026	ND	1.98	98.8	2.00	3.34	
Total Xylenes*	<0.150	0.150	01/13/2026	ND	6.31	105	6.00	3.09	
Total BTEX	<0.300	0.300	01/13/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *106 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**64.0**	16.0	01/13/2026	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/13/2026	ND	199	99.6	200	0.686	
DRO >C10-C28*	**41.8**	10.0	01/13/2026	ND	198	99.2	200	0.944	
EXT DRO >C28-C36	<10.0	10.0	01/13/2026	ND					

Surrogate: 1-Chlorooctane *91.0 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *94.9 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/13/2026	Sampling Date:	01/10/2026
Reported:	01/14/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V-5 5 (H260194-76)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/13/2026	ND	2.05	103	2.00	1.06	
Toluene*	<0.050	0.050	01/13/2026	ND	1.81	90.4	2.00	7.21	
Ethylbenzene*	<0.050	0.050	01/13/2026	ND	1.98	98.8	2.00	3.34	
Total Xylenes*	<0.150	0.150	01/13/2026	ND	6.31	105	6.00	3.09	
Total BTEX	<0.300	0.300	01/13/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *105 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**112**	16.0	01/13/2026	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/13/2026	ND	199	99.6	200	0.686	
DRO >C10-C28*	<10.0	10.0	01/13/2026	ND	198	99.2	200	0.944	
EXT DRO >C28-C36	<10.0	10.0	01/13/2026	ND					

Surrogate: 1-Chlorooctane *104 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *108 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/13/2026	Sampling Date:	01/10/2026
Reported:	01/14/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V-5 10 (H260194-81)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/13/2026	ND	2.05	103	2.00	1.06	
Toluene*	<0.050	0.050	01/13/2026	ND	1.81	90.4	2.00	7.21	
Ethylbenzene*	<0.050	0.050	01/13/2026	ND	1.98	98.8	2.00	3.34	
Total Xylenes*	<0.150	0.150	01/13/2026	ND	6.31	105	6.00	3.09	
Total BTEX	<0.300	0.300	01/13/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *106 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**128**	16.0	01/13/2026	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/13/2026	ND	199	99.6	200	0.686	
DRO >C10-C28*	<10.0	10.0	01/13/2026	ND	198	99.2	200	0.944	
EXT DRO >C28-C36	<10.0	10.0	01/13/2026	ND					

Surrogate: 1-Chlorooctane *91.9 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *94.5 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/13/2026	Sampling Date:	01/12/2026
Reported:	01/14/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V-5 15 (H260194-86)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/13/2026	ND	2.05	103	2.00	1.06	
Toluene*	<0.050	0.050	01/13/2026	ND	1.81	90.4	2.00	7.21	
Ethylbenzene*	<0.050	0.050	01/13/2026	ND	1.98	98.8	2.00	3.34	
Total Xylenes*	<0.150	0.150	01/13/2026	ND	6.31	105	6.00	3.09	
Total BTEX	<0.300	0.300	01/13/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *106 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**192**	16.0	01/13/2026	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/13/2026	ND	192	96.2	200	1.17	
DRO >C10-C28*	<10.0	10.0	01/13/2026	ND	201	100	200	0.352	
EXT DRO >C28-C36	<10.0	10.0	01/13/2026	ND					

Surrogate: 1-Chlorooctane *91.1 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *96.3 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

S-06	The recovery of this surrogate is outside control limits due to sample dilution required from high analyte concentration and/or matrix interference's.
ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C
	Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

Page 448 of 825

STANDARD SAFETY & SUPPLY

Chain of Custody H260194

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

0402401K-all

Project Name:	A78 Highway Line	Turn Around	☐ Routine ☑ Rush
Project Number:		Due Date:	24hr
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.	
Sampler's Name:	Josh James		
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT			
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No
Samples Received Intact:	(Yes) No	Thermometer ID:	#140
Cooler Custody Seals:	Yes (No) N/A	Correction Factor:	+0.1°C
Sample Custody Seals:	(Yes) No N/A	Temperature Reading:	3.5°C
Total Containers:	243	Corrected Temperature:	3.6°C

Preservative Codes

None: NO; DI Water: H_2O; Cool: Cool; MeOH: Me; HCL: HC; HNO_3: HN; H_2SO_4: H_2; NaOH: Na; H_3PO_4: HP; $NaHSO_4$: NABIS; $Na_2S_2O_3$: $NaSO_3$; Zn Acetate+NaOH: Zn; NaOH+Ascorbic Acid: SAPC

	Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
1	V-2	4	1/10/2026		S	Grab	1	x	x	x	
2	V-2	5	1/10/2026		S	Grab	1	x	x	x	
3	V-2	6	1/10/2026		S	Grab	1	x	x	x	Hold
4	V-2	7	1/10/2026		S	Grab	1	x	x	x	Hold
5	V-2	8	1/10/2026		S	Grab	1	x	x	x	Hold
	V-2	9	1/10/2026		S	Grab	1	x	x	x	Hold
	V-2	10	1/10/2026		S	Grab	1	x	x	x	
	V-2	11	1/11/2026		S	Grab	1	x	x	x	Hold
	V-2	12	1/11/2026		S	Grab	1	x	x	x	Hold
	V-2	13	1/11/2026		S	Grab	1	x	x	x	Hold

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1 Josh James	Lucy Hun	1/13/26 1:00	2 Lesa	Tamara Hitchcock	1-13-26 1200
3			4		
5			6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

STANDARD SAFETY & SUPPLY

Chain of Custody

H260194

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

Project Name:	A78 Highway Line	Turn Around	
Project Number:		☐ Routine ☑ Rush	
Project Location:	Lea County, New Mexico	Due Date:	24 hr
Sampler's Name:	Josh James	TAT may vary based on lab start time.	
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT				
Temp Blank:	Yes No	Wet Ice:	Yes No	
Samples Received Intact:	Yes No	Thermometer ID:	#140	
Cooler Custody Seals:	Yes No N/A	Correction Factor:	+0.1c	
Sample Custody Seals:	Yes No N/A	Temperature Reading:	3.5c	
Total Containers:	243	Corrected Temperature:	3.6c	

Preservative Codes

None: NO; DI Water: H_2O; Cool: Cool; MeOH: Me; HCL: HC; HNO_3: HN; H_2S0_4: H_2; NaOH: Na; H_3PO_4: HP; $NaHSO_4$: NABIS; $Na_2S_2O_3$: $NaSO_3$; Zn Acetate+NaOH: Zn; NaOH+Ascorbic Acid: SAPC

	Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Pres. Code	Parameters: BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
11	V-2	14	1/11/2026		S	Grab	1		x	x	x	Kow
12	V-2	15	1/11/2026		S	Grab	1		x	x	x	
13	V-2	16	1/11/2026		S	Grab	1		x	x	x	Kow
14	V-2	17	1/11/2026		S	Grab	1		x	x	x	Kow
15	V-2	18	1/11/2026		S	Grab	1		x	x	x	Kow
16	V-2	19	1/11/2026		S	Grab	1		x	x	x	Kow
17	V-2	20	1/12/2026		S	Grab	1		x	x	x	
18	V-2	21	1/12/2026		S	Grab	1		x	x	x	Kow
19	V-2	22	1/12/2026		S	Grab	1		x	x	x	Kow
20	V-2	23	1/12/2026		S	Grab	1		x	x	x	Kow

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1 Josh James		1/13/26 11:00	2		1-13-26 1200
3			4		
5			6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

Page 450 of 825

Page 27 of 33

STANDARD SAFETY & SUPPLY

Chain of Custody

H260194

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

Project Name:	A78 Highway Line	Turn Around	☐ Routine ☑ Rush
Project Number:		Due Date:	24 hr
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.	
Sampler's Name:	Josh James		
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT			
Temp Blank:	Yes No	Wet Ice:	Yes No
Samples Received Intact:	Yes No	Thermometer ID:	#140
Cooler Custody Seals:	Yes No N/A	Correction Factor:	+0.1c
Sample Custody Seals:	Yes No N/A	Temperature Reading:	3.5c
Total Containers:	243	Corrected Temperature:	3.6c

Preservative Codes

None: NO; DI Water: H_2O; Cool: Cool; MeOH: Me; HCL: HC; HNO_3: HN; H_2S0_4: H_2; NaOH: Na; H_3PO_4: HP; $NaHSO_4$: NABIS; $Na_2S_2O_3$: $NaSO_3$; Zn Acetate+NaOH: Zn; NaOH+Ascorbic Acid: SAPC

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
V-2	24	1/12/2026		S	Grab	1	x	x	x	Hold
V-2	25	1/12/2026		S	Grab	1	x	x	x	
V-2	26	1/12/2026		S	Grab	1	x	x	x	Hold
V-2	27	1/12/2026		S	Grab	1	x	x	x	Hold
V-2	28	1/12/2026		S	Grab	1	x	x	x	Hold
V-2	29	1/12/2026		S	Grab	1	x	x	x	Hold
V-2	30	1/12/2026		S	Grab	1	x	x	x	
V-2	31	1/12/2026		S	Grab	1	x	x	x	Hold
V-2	32	1/12/2026		S	Grab	1	x	x	x	Hold
V-2	33	1/12/2026		S	Grab	1	x	x	x	Hold

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1 Josh James		1/13/26 11:00	2		1-13-26 1500
3			4		
5			6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

Page 451 of 825

Page 28 of 33

STANDARD SAFETY & SUPPLY

Chain of Custody H260194

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

Project Name:	A78 Highway Line	Turn Around	☐ Routine ☑ Rush
Project Number:		Pres. Code	
Project Location:	Lea County, New Mexico	Due Date:	24 hr
Sampler's Name:	Josh James	TAT may vary based on lab start time.	
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT				
Temp Blank:	Yes No	Wet Ice:	Yes No	
Samples Received Intact:	Yes No	Thermometer ID:	#140	
Cooler Custody Seals:	Yes No N/A	Correction Factor:	+0.1c	
Sample Custody Seals:	Yes No N/A	Temperature Reading:	3.5c	
Total Containers:	243	Corrected Temperature:	3.6c	

Preservative Codes

None: NO; DI Water: H_2O; Cool: Cool; MeOH: Me; HCL: HC; HNO_3: HN; H_2S0_4: H_2; NaOH: Na; H_3PO_4: HP; $NaHSO_4$: NABIS; $Na_2S_2O_3$: $NaSO_3$; Zn Acetate+NaOH: Zn; NaOH+Ascorbic Acid: SAPC

	Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
31	V-2	34	1/12/2026		S	Grab	1	x	x	x	Hold
32	V-2	35	1/12/2026		S	Grab	1	x	x	x	
33	V-2	36	1/12/2026		S	Grab	1	x	x	x	Hold
34	V-2	37	1/12/2026		S	Grab	1	x	x	x	Hold
35	V-2	38	1/12/2026		S	Grab	1	x	x	x	Hold
36	V-2	39	1/12/2026		S	Grab	1	x	x	x	Hold
	V-2	40	1/12/2026		S	Grab	1	x	x	x	
	V-4	4	1/10/2026		S	Grab	1	x	x	x	
	V-4	5	1/10/2026		S	Grab	1	x	x	x	
	V-4	6	1/10/2026		S	Grab	1	x	x	x	Hold

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1 Josh James	Kenny Hun	1/13/26 11:00	2	Tamara Latham	1-13-26 1200
3			4		
5			6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

Page 452 of 825

STANDARD SAFETY & SUPPLY

Chain of Custody

H260194

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

Project Name:	A78 Highway Line	Turn Around	☐ Routine ☑ Rush
Project Number:		Due Date:	24 hr
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.	
Sampler's Name:	Josh James		
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT			
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No
Samples Received Intact:	(Yes) No	Thermometer ID:	#140
Cooler Custody Seals:	Yes (No) N/A	Correction Factor:	+0.1°C
Sample Custody Seals:	(Yes) No N/A	Temperature Reading:	3.5°C
Total Containers:	243	Corrected Temperature:	3.6°C

Preservative Codes

None: NO; DI Water: H_2O; Cool: Cool; MeOH: Me; HCL: HC; HNO_3: HN; H_2S0_4: H_2; NaOH: Na; H_3PO_4: HP; $NaHSO_4$: NABIS; $Na_2S_2O_3$: $NaSO_3$; Zn Acetate+NaOH: Zn; NaOH+Ascorbic Acid: SAPC

	Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Parameters: BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
41	V-4	7	1/10/2026		S	Grab	1	x	x	x	Hold
42	V-4	8	1/10/2026		S	Grab	1	x	x	x	Hold
43	V-4	9	1/10/2026		S	Grab	1	x	x	x	Hold
44	V-4	10	1/10/2026		S	Grab	1	x	x	x	
45	V-4	11	1/11/2026		S	Grab	1	x	x	x	Hold
46	V-4	12	1/11/2026		S	Grab	1	x	x	x	Hold
47	V-4	13	1/11/2026		S	Grab	1	x	x	x	Hold
48	V-4	14	1/11/2026		S	Grab	1	x	x	x	Hold
49	V-4	15	1/12/2026		S	Grab	1	x	x	x	
50	V-4	16	1/12/2026		S	Grab	1	x	x	x	Hold

	Relinquished by: (Signature)	Received by: (Signature)	Date/Time		Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1	Josh James		1/13/26	2		Tamara Wallace	1-13-26 1200
3				4			
5				6			

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

STANDARD SAFETY & SUPPLY

Chain of Custody

H260194

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/
Page 6 of 25

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

Project Name:	A78 Highway Line	Turn Around	
Project Number:		☐ Routine ☑ Rush	
Project Location:	Lea County, New Mexico	Due Date:	24 hr
Sampler's Name:	Josh James	TAT may vary based on lab start time.	
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT			
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No
Samples Received Intact:	(Yes) No	Thermometer ID:	#140
Cooler Custody Seals:	Yes (No) N/A	Correction Factor:	+0.1°c
Sample Custody Seals:	(Yes) No N/A	Temperature Reading:	3.5°c
Total Containers:	243	Corrected Temperature:	3.6°c

Preservative Codes

None: NO; DI Water: H_2O; Cool: Cool; MeOH: Me; HCL: HC; HNO_3: HN; H_2S0_4: H_2; NaOH: Na; H_3PO_4: HP; $NaHSO_4$: NABIS; $Na_2S_2O_3$: $NaSO_3$; Zn Acetate+NaOH: Zn; NaOH+Ascorbic Acid: SAPC

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Pres. Code	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
V-4	17	1/12/2026		S	Grab	1		x	x	x	HOLD
V-4	18	1/12/2026		S	Grab	1		x	x	x	HOLD
V-4	19	1/12/2026		S	Grab	1		x	x	x	HOLD
V-4	20	1/12/2026		S	Grab	1		x	x	x	
V-4	21	1/12/2026		S	Grab	1		x	x	x	HOLD
V-4	22	1/12/2026		S	Grab	1		x	x	x	HOLD
V-4	23	1/12/2026		S	Grab	1		x	x	x	HOLD
V-4	24	1/12/2026		S	Grab	1		x	x	x	HOLD
V-4	25	1/12/2026		S	Grab	1		x	x	x	
V-4	26	1/12/2026		S	Grab	1		x	x	x	HOLD

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1 Josh James		1/13/26 11:00	2		1-13-26 1500
3			4		
5			6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

Page 454 of 825

STANDARD SAFETY & SUPPLY

Chain of Custody H260194

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

Project Name:	A78 Highway Line	Turn Around	☐ Routine ☑ Rush
Project Number:		Pres. Code	
Project Location:	Lea County, New Mexico	Due Date:	24hr
Sampler's Name:	Josh James	TAT may vary based on lab start time.	
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT			
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No
Samples Received Intact:	(Yes) No	Thermometer ID:	#146
Cooler Custody Seals:	Yes (No) N/A	Correction Factor:	+0.1c
Sample Custody Seals:	(Yes) No N/A	Temperature Reading:	3.5c
Total Containers:	243	Corrected Temperature:	3.6c

Preservative Codes

None: NO; DI Water: H_2O; Cool: Cool; MeOH: Me; HCL: HC; HNO_3: HN; H_2S0_4: H_2; NaOH: Na; H_3PO_4: HP; $NaHSO_4$: NABIS; $Na_2S_2O_3$: $NaSO_3$; Zn Acetate+NaOH: Zn; NaOH+Ascorbic Acid: SAPC

	Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
61	V-4	27	1/12/2026		S	Grab	1	x	x	x	Hold
62	V-4	28	1/12/2026		S	Grab	1	x	x	x	Hold
63	V-4	29	1/12/2026		S	Grab	1	x	x	x	Hold
64	V-4	30	1/12/2026		S	Grab	1	x	x	x	
65	V-4	31	1/12/2026		S	Grab	1	x	x	x	Hold
66	V-4	32	1/12/2026		S	Grab	1	x	x	x	Hold
67	V-4	33	1/12/2026		S	Grab	1	x	x	x	Hold
68	V-4	34	1/12/2026		S	Grab	1	x	x	x	Hold
69	V-4	35	1/12/2026		S	Grab	1	x	x	x	
70	V-4	36	1/12/2026		S	Grab	1	x	x	x	Hold

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1 Josh James		1/13/26 11:00am	2		1-13-26 1200
3			4		
5			6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

STANDARD SAFETY & SUPPLY

Chain of Custody

H260194

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

#78- NO sample.
SRodriguez
1-13-26

Project Name:	A78 Highway Line	Turn Around	
Project Number:		☐ Routine ☑ Rush	
Project Location:	Lea County, New Mexico	Due Date:	24 hr
Sampler's Name:	Josh James	TAT may vary based on lab start time.	
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT			
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No
Samples Received Intact:	(Yes) No	Thermometer ID:	#140
Cooler Custody Seals:	Yes (No) N/A	Correction Factor:	+0.1c
Sample Custody Seals:	(Yes) No N/A	Temperature Reading:	3.5c
Total Containers:	243	Corrected Temperature:	3.6c

Preservative Codes

None: NO; DI Water: H_2O; Cool: Cool; MeOH: Me; HCL: HC; HNO_3: HN; H_2SO_4: H_2; NaOH: Na; H_3PO_4: HP; $NaHSO_4$: NABIS; $Na_2S_2O_3$: $NaSO_3$; Zn Acetate+NaOH: Zn; NaOH+Ascorbic Acid: SAPC

	Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Pres. Code	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
71	V-4	37	1/12/2026		S	Grab	1		x	x	x	Hold
72	V-4	38	1/12/2026		S	Grab	1		x	x	x	Hold
73	V-4	39	1/12/2026		S	Grab	1		x	x	x	Hold
74	V-4	40	1/12/2026		S	Grab	1		x	x	x	
75	V-5	4	1/10/2026		S	Grab	1		x	x	x	~~Hold~~ ICH 1/13/26
76	V-5	5	1/10/2026		S	Grab	1		x	x	x	
77	V-5	6	1/10/2026		S	Grab	1		x	x	x	Hold
78	~~V-5~~	~~7~~	~~1/10/2026~~		~~S~~	~~Grab~~	~~1~~		x	x	x	NO SAMPLE! Hold
79	V-5	8	1/10/2026		S	Grab	1		x	x	x	Hold
80	V-5	9	1/10/2026		S	Grab	1		x	x	x	Hold

	Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1	Josh James		1/13/26 11:00	2	Tamara Maddox	1-13-26 1200
3				4		
5				6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

STANDARD SAFETY & SUPPLY

Chain of Custody

H260194

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Page 9 of 25

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

Project Name:	A78 Highway Line	Turn Around	☐ Routine ☑ Rush
Project Number:		Pres. Code	
Project Location:	Lea County, New Mexico	Due Date:	24 hr
Sampler's Name:	Josh James	TAT may vary based on lab start time.	
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT				
Temp Blank:	Yes No	Wet Ice:	Yes No	
Samples Received Intact:	Yes No	Thermometer ID:	#140	
Cooler Custody Seals:	Yes No N/A	Correction Factor:	+0.1c	
Sample Custody Seals:	Yes No N/A	Temperature Reading:	3.5c	
Total Containers:	243	Corrected Temperature:	3.6c	

Preservative Codes

None: NO — DI Water: H_2O
Cool: Cool — MeOH: Me
HCL: HC — HNO_3: HN
H_2SO_4: H_2 — NaOH: Na
H_3PO_4: HP
$NaHSO_4$: NABIS
$Na_2S_2O_3$: $NaSO_3$
Zn Acetate+NaOH: Zn
NaOH+Ascorbic Acid: SAPC

	Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
81	V-5	10	1/10/2026		S	Grab	1	x	x	x	
82	V-5	11	1/12/2026		S	Grab	1	x	x	x	H&W
83	V-5	12	1/12/2026		S	Grab	1	x	x	x	↓
84	V-5	13	1/12/2026		S	Grab	1	x	x	x	
85	V-5	14	1/12/2026		S	Grab	1	x	x	x	
86	V-5	15	1/12/2026		S	Grab	1	x	x	x	
87	V-5	16	1/12/2026		S	Grab	1	x	x	x	H&W
88	V-5	17	1/12/2026		S	Grab	1	x	x	x	↓
89	V-5	18	1/12/2026		S	Grab	1	x	x	x	
90	V-5	19	1/12/2026		S	Grab	1	x	x	x	

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1 Josh James		1/13/26 11:00	2	Tamara Maldonado	1-13-26 1200
3			4		
5			6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

January 14, 2026

ETHAN SESSUMS

STANDARD SAFETY & SUPPLY

PO BOX 14987

ODESSA, TX 79764

RE: A78 HIGHWAY LINE

Enclosed are the results of analyses for samples received by the laboratory on 01/13/26 12:00.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C25-00101. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accreditated through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Celey D. Keene

Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/13/2026	Sampling Date:	01/12/2026
Reported:	01/14/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 5 20 (H260195-01)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/13/2026	ND	2.05	103	2.00	1.06	
Toluene*	<0.050	0.050	01/13/2026	ND	1.81	90.4	2.00	7.21	
Ethylbenzene*	<0.050	0.050	01/13/2026	ND	1.98	98.8	2.00	3.34	
Total Xylenes*	<0.150	0.150	01/13/2026	ND	6.31	105	6.00	3.09	
Total BTEX	<0.300	0.300	01/13/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *107 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**320**	16.0	01/14/2026	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/13/2026	ND	192	96.2	200	1.17	
DRO >C10-C28*	<10.0	10.0	01/13/2026	ND	201	100	200	0.352	
EXT DRO >C28-C36	<10.0	10.0	01/13/2026	ND					

Surrogate: 1-Chlorooctane *84.7 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *85.6 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/13/2026	Sampling Date:	01/12/2026
Reported:	01/14/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 5 25 (H260195-06)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/13/2026	ND	2.05	103	2.00	1.06	
Toluene*	<0.050	0.050	01/13/2026	ND	1.81	90.4	2.00	7.21	
Ethylbenzene*	<0.050	0.050	01/13/2026	ND	1.98	98.8	2.00	3.34	
Total Xylenes*	<0.150	0.150	01/13/2026	ND	6.31	105	6.00	3.09	
Total BTEX	<0.300	0.300	01/13/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *108 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**448**	16.0	01/14/2026	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/13/2026	ND	192	96.2	200	1.17	
DRO >C10-C28*	<10.0	10.0	01/13/2026	ND	201	100	200	0.352	
EXT DRO >C28-C36	<10.0	10.0	01/13/2026	ND					

Surrogate: 1-Chlorooctane *99.5 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *102 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/13/2026	Sampling Date:	01/12/2026
Reported:	01/14/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 5 30 (H260195-11)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/13/2026	ND	2.05	103	2.00	1.06	
Toluene*	<0.050	0.050	01/13/2026	ND	1.81	90.4	2.00	7.21	
Ethylbenzene*	<0.050	0.050	01/13/2026	ND	1.98	98.8	2.00	3.34	
Total Xylenes*	<0.150	0.150	01/13/2026	ND	6.31	105	6.00	3.09	
Total BTEX	<0.300	0.300	01/13/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *107 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**192**	16.0	01/14/2026	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/13/2026	ND	192	96.2	200	1.17	
DRO >C10-C28*	<10.0	10.0	01/13/2026	ND	201	100	200	0.352	
EXT DRO >C28-C36	<10.0	10.0	01/13/2026	ND					

Surrogate: 1-Chlorooctane *97.0 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *100 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/13/2026	Sampling Date:	01/12/2026
Reported:	01/14/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 5 35 (H260195-16)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/13/2026	ND	2.05	103	2.00	1.06	
Toluene*	<0.050	0.050	01/13/2026	ND	1.81	90.4	2.00	7.21	
Ethylbenzene*	<0.050	0.050	01/13/2026	ND	1.98	98.8	2.00	3.34	
Total Xylenes*	<0.150	0.150	01/13/2026	ND	6.31	105	6.00	3.09	
Total BTEX	<0.300	0.300	01/13/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *119 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**96.0**	16.0	01/14/2026	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/13/2026	ND	192	96.2	200	1.17	
DRO >C10-C28*	<10.0	10.0	01/13/2026	ND	201	100	200	0.352	
EXT DRO >C28-C36	<10.0	10.0	01/13/2026	ND					

Surrogate: 1-Chlorooctane *111 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *115 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/13/2026	Sampling Date:	01/12/2026
Reported:	01/14/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 5 40 (H260195-21)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/13/2026	ND	2.05	103	2.00	1.06	
Toluene*	<0.050	0.050	01/13/2026	ND	1.81	90.4	2.00	7.21	
Ethylbenzene*	<0.050	0.050	01/13/2026	ND	1.98	98.8	2.00	3.34	
Total Xylenes*	<0.150	0.150	01/13/2026	ND	6.31	105	6.00	3.09	
Total BTEX	<0.300	0.300	01/13/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *116 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**64.0**	16.0	01/14/2026	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/13/2026	ND	192	96.2	200	1.17	
DRO >C10-C28*	<10.0	10.0	01/13/2026	ND	201	100	200	0.352	
EXT DRO >C28-C36	<10.0	10.0	01/13/2026	ND					

Surrogate: 1-Chlorooctane *99.3 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *102 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/13/2026	Sampling Date:	01/12/2026
Reported:	01/14/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 6 4 (H260195-22)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/13/2026	ND	2.05	103	2.00	1.06	
Toluene*	**0.063**	0.050	01/13/2026	ND	1.81	90.4	2.00	7.21	
Ethylbenzene*	**0.068**	0.050	01/13/2026	ND	1.98	98.8	2.00	3.34	
Total Xylenes*	**0.253**	0.150	01/13/2026	ND	6.31	105	6.00	3.09	
Total BTEX	**0.385**	0.300	01/13/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *111 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**128**	16.0	01/14/2026	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/13/2026	ND	192	96.2	200	1.17	
DRO >C10-C28*	**17.7**	10.0	01/13/2026	ND	201	100	200	0.352	
EXT DRO >C28-C36	<10.0	10.0	01/13/2026	ND					

Surrogate: 1-Chlorooctane *102 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *103 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/13/2026	Sampling Date:	01/12/2026
Reported:	01/14/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 6 5 (H260195-23)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/13/2026	ND	2.05	103	2.00	1.06	
Toluene*	<0.050	0.050	01/13/2026	ND	1.81	90.4	2.00	7.21	
Ethylbenzene*	<0.050	0.050	01/13/2026	ND	1.98	98.8	2.00	3.34	
Total Xylenes*	<0.150	0.150	01/13/2026	ND	6.31	105	6.00	3.09	
Total BTEX	<0.300	0.300	01/13/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *109 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	01/14/2026	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/13/2026	ND	192	96.2	200	1.17	
DRO >C10-C28*	<10.0	10.0	01/13/2026	ND	201	100	200	0.352	
EXT DRO >C28-C36	<10.0	10.0	01/13/2026	ND					

Surrogate: 1-Chlorooctane *104 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *106 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/13/2026	Sampling Date:	01/12/2026
Reported:	01/14/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 6 10 (H260195-28)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/13/2026	ND	2.05	103	2.00	1.06	
Toluene*	<0.050	0.050	01/13/2026	ND	1.81	90.4	2.00	7.21	
Ethylbenzene*	<0.050	0.050	01/13/2026	ND	1.98	98.8	2.00	3.34	
Total Xylenes*	<0.150	0.150	01/13/2026	ND	6.31	105	6.00	3.09	
Total BTEX	<0.300	0.300	01/13/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *121 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**64.0**	16.0	01/14/2026	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/13/2026	ND	192	96.2	200	1.17	
DRO >C10-C28*	<10.0	10.0	01/13/2026	ND	201	100	200	0.352	
EXT DRO >C28-C36	<10.0	10.0	01/13/2026	ND					

Surrogate: 1-Chlorooctane *101 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *102 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/13/2026	Sampling Date:	01/12/2026
Reported:	01/14/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 6 15 (H260195-33)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/13/2026	ND	2.05	103	2.00	1.06	
Toluene*	<0.050	0.050	01/13/2026	ND	1.81	90.4	2.00	7.21	
Ethylbenzene*	<0.050	0.050	01/13/2026	ND	1.98	98.8	2.00	3.34	
Total Xylenes*	<0.150	0.150	01/13/2026	ND	6.31	105	6.00	3.09	
Total BTEX	<0.300	0.300	01/13/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *110 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	01/14/2026	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/13/2026	ND	192	96.2	200	1.17	
DRO >C10-C28*	<10.0	10.0	01/13/2026	ND	201	100	200	0.352	
EXT DRO >C28-C36	<10.0	10.0	01/13/2026	ND					

Surrogate: 1-Chlorooctane *106 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *108 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/13/2026	Sampling Date:	01/12/2026
Reported:	01/14/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 6 20 (H260195-38)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/13/2026	ND	1.84	92.1	2.00	0.689	
Toluene*	<0.050	0.050	01/13/2026	ND	1.82	91.1	2.00	0.361	
Ethylbenzene*	<0.050	0.050	01/13/2026	ND	1.94	96.9	2.00	0.441	
Total Xylenes*	<0.150	0.150	01/13/2026	ND	5.84	97.4	6.00	0.932	
Total BTEX	<0.300	0.300	01/13/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *82.9 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	01/14/2026	ND	448	112	400	3.51	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/13/2026	ND	192	96.2	200	1.17	
DRO >C10-C28*	**42.6**	10.0	01/13/2026	ND	201	100	200	0.352	
EXT DRO >C28-C36	**15.1**	10.0	01/13/2026	ND					

Surrogate: 1-Chlorooctane *100 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *107 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/13/2026	Sampling Date:	01/12/2026
Reported:	01/14/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 6 25 (H260195-43)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/13/2026	ND	1.84	92.1	2.00	0.689	
Toluene*	<0.050	0.050	01/13/2026	ND	1.82	91.1	2.00	0.361	
Ethylbenzene*	<0.050	0.050	01/13/2026	ND	1.94	96.9	2.00	0.441	
Total Xylenes*	<0.150	0.150	01/13/2026	ND	5.84	97.4	6.00	0.932	
Total BTEX	<0.300	0.300	01/13/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *80.9 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	01/14/2026	ND	448	112	400	3.51	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/13/2026	ND	192	96.2	200	1.17	
DRO >C10-C28*	<10.0	10.0	01/13/2026	ND	201	100	200	0.352	
EXT DRO >C28-C36	<10.0	10.0	01/13/2026	ND					

Surrogate: 1-Chlorooctane *103 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *105 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/13/2026	Sampling Date:	01/12/2026
Reported:	01/14/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 6 30 (H260195-48)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/13/2026	ND	1.84	92.1	2.00	0.689	
Toluene*	<0.050	0.050	01/13/2026	ND	1.82	91.1	2.00	0.361	
Ethylbenzene*	<0.050	0.050	01/13/2026	ND	1.94	96.9	2.00	0.441	
Total Xylenes*	<0.150	0.150	01/13/2026	ND	5.84	97.4	6.00	0.932	
Total BTEX	<0.300	0.300	01/13/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *82.4 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	01/14/2026	ND	448	112	400	3.51	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/13/2026	ND	192	96.2	200	1.17	
DRO >C10-C28*	**18.9**	10.0	01/13/2026	ND	201	100	200	0.352	
EXT DRO >C28-C36	<10.0	10.0	01/13/2026	ND					

Surrogate: 1-Chlorooctane *103 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *106 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/13/2026	Sampling Date:	01/12/2026
Reported:	01/14/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 6 35 (H260195-53)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/13/2026	ND	1.84	92.1	2.00	0.689	
Toluene*	<0.050	0.050	01/13/2026	ND	1.82	91.1	2.00	0.361	
Ethylbenzene*	<0.050	0.050	01/13/2026	ND	1.94	96.9	2.00	0.441	
Total Xylenes*	<0.150	0.150	01/13/2026	ND	5.84	97.4	6.00	0.932	
Total BTEX	<0.300	0.300	01/13/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *83.4 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	01/14/2026	ND	448	112	400	3.51	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/13/2026	ND	192	96.2	200	1.17	
DRO >C10-C28*	<10.0	10.0	01/13/2026	ND	201	100	200	0.352	
EXT DRO >C28-C36	<10.0	10.0	01/13/2026	ND					

Surrogate: 1-Chlorooctane *107 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *106 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/13/2026	Sampling Date:	01/12/2026
Reported:	01/14/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 6 40 (H260195-58)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/13/2026	ND	1.84	92.1	2.00	0.689	
Toluene*	<0.050	0.050	01/13/2026	ND	1.82	91.1	2.00	0.361	
Ethylbenzene*	<0.050	0.050	01/13/2026	ND	1.94	96.9	2.00	0.441	
Total Xylenes*	<0.150	0.150	01/13/2026	ND	5.84	97.4	6.00	0.932	
Total BTEX	<0.300	0.300	01/13/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *81.4 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	01/14/2026	ND	448	112	400	3.51	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/13/2026	ND	192	96.2	200	1.17	
DRO >C10-C28*	<10.0	10.0	01/13/2026	ND	201	100	200	0.352	
EXT DRO >C28-C36	<10.0	10.0	01/13/2026	ND					

Surrogate: 1-Chlorooctane *112 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *115 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/13/2026	Sampling Date:	01/12/2026
Reported:	01/14/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 7 1-2 (H260195-59)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/13/2026	ND	1.84	92.1	2.00	0.689	
Toluene*	<0.050	0.050	01/13/2026	ND	1.82	91.1	2.00	0.361	
Ethylbenzene*	<0.050	0.050	01/13/2026	ND	1.94	96.9	2.00	0.441	
Total Xylenes*	<0.150	0.150	01/13/2026	ND	5.84	97.4	6.00	0.932	
Total BTEX	<0.300	0.300	01/13/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *83.0 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**112**	16.0	01/14/2026	ND	448	112	400	3.51	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/13/2026	ND	192	96.2	200	1.17	
DRO >C10-C28*	<10.0	10.0	01/13/2026	ND	201	100	200	0.352	
EXT DRO >C28-C36	<10.0	10.0	01/13/2026	ND					

Surrogate: 1-Chlorooctane *95.9 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *97.4 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/13/2026	Sampling Date:	01/12/2026
Reported:	01/14/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 7 3 (H260195-60)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/13/2026	ND	1.84	92.1	2.00	0.689	
Toluene*	<0.050	0.050	01/13/2026	ND	1.82	91.1	2.00	0.361	
Ethylbenzene*	<0.050	0.050	01/13/2026	ND	1.94	96.9	2.00	0.441	
Total Xylenes*	<0.150	0.150	01/13/2026	ND	5.84	97.4	6.00	0.932	
Total BTEX	<0.300	0.300	01/13/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *81.4 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**112**	16.0	01/14/2026	ND	448	112	400	3.51	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/13/2026	ND	192	96.2	200	1.17	
DRO >C10-C28*	<10.0	10.0	01/13/2026	ND	201	100	200	0.352	
EXT DRO >C28-C36	<10.0	10.0	01/13/2026	ND					

Surrogate: 1-Chlorooctane *105 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *105 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/13/2026	Sampling Date:	01/12/2026
Reported:	01/14/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 7 4 (H260195-61)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/13/2026	ND	1.84	92.1	2.00	0.689	
Toluene*	<0.050	0.050	01/13/2026	ND	1.82	91.1	2.00	0.361	
Ethylbenzene*	<0.050	0.050	01/13/2026	ND	1.94	96.9	2.00	0.441	
Total Xylenes*	<0.150	0.150	01/13/2026	ND	5.84	97.4	6.00	0.932	
Total BTEX	<0.300	0.300	01/13/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *79.1 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**80.0**	16.0	01/14/2026	ND	448	112	400	3.51	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/13/2026	ND	192	96.2	200	1.17	
DRO >C10-C28*	<10.0	10.0	01/13/2026	ND	201	100	200	0.352	
EXT DRO >C28-C36	<10.0	10.0	01/13/2026	ND					

Surrogate: 1-Chlorooctane *104 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *106 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/13/2026	Sampling Date:	01/12/2026
Reported:	01/14/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 7 5 (H260195-62)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/13/2026	ND	1.84	92.1	2.00	0.689	
Toluene*	<0.050	0.050	01/13/2026	ND	1.82	91.1	2.00	0.361	
Ethylbenzene*	<0.050	0.050	01/13/2026	ND	1.94	96.9	2.00	0.441	
Total Xylenes*	<0.150	0.150	01/13/2026	ND	5.84	97.4	6.00	0.932	
Total BTEX	<0.300	0.300	01/13/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *78.6 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	01/14/2026	ND	448	112	400	3.51	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/13/2026	ND	192	96.2	200	1.17	
DRO >C10-C28*	<10.0	10.0	01/13/2026	ND	201	100	200	0.352	
EXT DRO >C28-C36	<10.0	10.0	01/13/2026	ND					

Surrogate: 1-Chlorooctane *103 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *102 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/13/2026	Sampling Date:	01/12/2026
Reported:	01/14/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 7 10 (H260195-67)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/13/2026	ND	1.84	92.1	2.00	0.689	
Toluene*	<0.050	0.050	01/13/2026	ND	1.82	91.1	2.00	0.361	
Ethylbenzene*	<0.050	0.050	01/13/2026	ND	1.94	96.9	2.00	0.441	
Total Xylenes*	<0.150	0.150	01/13/2026	ND	5.84	97.4	6.00	0.932	
Total BTEX	<0.300	0.300	01/13/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *80.0 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	01/14/2026	ND	448	112	400	3.51	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/13/2026	ND	192	96.2	200	1.17	
DRO >C10-C28*	<10.0	10.0	01/13/2026	ND	201	100	200	0.352	
EXT DRO >C28-C36	<10.0	10.0	01/13/2026	ND					

Surrogate: 1-Chlorooctane *102 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *104 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/13/2026	Sampling Date:	01/12/2026
Reported:	01/14/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 7 15 (H260195-73)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/13/2026	ND	1.84	92.1	2.00	0.689	
Toluene*	<0.050	0.050	01/13/2026	ND	1.82	91.1	2.00	0.361	
Ethylbenzene*	<0.050	0.050	01/13/2026	ND	1.94	96.9	2.00	0.441	
Total Xylenes*	<0.150	0.150	01/13/2026	ND	5.84	97.4	6.00	0.932	
Total BTEX	<0.300	0.300	01/13/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *81.2 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	01/14/2026	ND	448	112	400	3.51	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/13/2026	ND	206	103	200	1.73	
DRO >C10-C28*	<10.0	10.0	01/13/2026	ND	205	102	200	1.33	
EXT DRO >C28-C36	<10.0	10.0	01/13/2026	ND					

Surrogate: 1-Chlorooctane *88.2 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *87.4 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/13/2026	Sampling Date:	01/12/2026
Reported:	01/14/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 7 20 (H260195-78)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/13/2026	ND	1.84	92.1	2.00	0.689	
Toluene*	<0.050	0.050	01/13/2026	ND	1.82	91.1	2.00	0.361	
Ethylbenzene*	<0.050	0.050	01/13/2026	ND	1.94	96.9	2.00	0.441	
Total Xylenes*	<0.150	0.150	01/13/2026	ND	5.84	97.4	6.00	0.932	
Total BTEX	<0.300	0.300	01/13/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *80.2 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	01/14/2026	ND	448	112	400	3.51	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/13/2026	ND	206	103	200	1.73	
DRO >C10-C28*	<10.0	10.0	01/13/2026	ND	205	102	200	1.33	
EXT DRO >C28-C36	<10.0	10.0	01/13/2026	ND					

Surrogate: 1-Chlorooctane *94.2 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *95.4 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/13/2026	Sampling Date:	01/12/2026
Reported:	01/14/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 7 25 (H260195-83)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/13/2026	ND	1.84	92.1	2.00	0.689	
Toluene*	<0.050	0.050	01/13/2026	ND	1.82	91.1	2.00	0.361	
Ethylbenzene*	<0.050	0.050	01/13/2026	ND	1.94	96.9	2.00	0.441	
Total Xylenes*	<0.150	0.150	01/13/2026	ND	5.84	97.4	6.00	0.932	
Total BTEX	<0.300	0.300	01/13/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *80.3 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**80.0**	16.0	01/14/2026	ND	448	112	400	3.51	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/13/2026	ND	206	103	200	1.73	
DRO >C10-C28*	<10.0	10.0	01/13/2026	ND	205	102	200	1.33	
EXT DRO >C28-C36	<10.0	10.0	01/13/2026	ND					

Surrogate: 1-Chlorooctane *78.2 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *79.4 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/13/2026	Sampling Date:	01/12/2026
Reported:	01/14/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 7 30 (H260195-88)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/13/2026	ND	1.84	92.1	2.00	0.689	
Toluene*	<0.050	0.050	01/13/2026	ND	1.82	91.1	2.00	0.361	
Ethylbenzene*	<0.050	0.050	01/13/2026	ND	1.94	96.9	2.00	0.441	
Total Xylenes*	<0.150	0.150	01/13/2026	ND	5.84	97.4	6.00	0.932	
Total BTEX	<0.300	0.300	01/13/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *77.7 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	01/14/2026	ND	448	112	400	3.51	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/13/2026	ND	206	103	200	1.73	
DRO >C10-C28*	<10.0	10.0	01/13/2026	ND	205	102	200	1.33	
EXT DRO >C28-C36	<10.0	10.0	01/13/2026	ND					

Surrogate: 1-Chlorooctane *101 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *101 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C
	Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

Page 482 of 825

STANDARD SAFETY & SUPPLY

Chain of Custody

H260195

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

04024011 - acd

Project Name:	A78 Highway Line	Turn Around	
Project Number:		☐ Routine ☑ Rush	
Project Location:	Lea County, New Mexico	Due Date:	24 hr
Sampler's Name:	Josh James	TAT may vary based on lab start time.	
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT				
Temp Blank:	Yes No	Wet Ice:	Yes No	
Samples Received Intact:	Yes No	Thermometer ID:	#140	
Cooler Custody Seals:	Yes No N/A	Correction Factor:	+0.1c	
Sample Custody Seals:	Yes No N/A	Temperature Reading:	3.5c	
Total Containers:	243	Corrected Temperature:	3.6c	

Preservative Codes

None: NO; DI Water: H_2O; Cool: Cool; MeOH: Me; HCL: HC; HNO_3: HN; H_2S0_4: H_2; NaOH: Na; H_3PO_4: HP; $NaHSO_4$: NABIS; $Na_2S_2O_3$: $NaSO_3$; Zn Acetate+NaOH: Zn; NaOH+Ascorbic Acid: SAPC

	Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Parameters: BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
1	V-5	20	1/12/2026		S	Grab	1	x	x	x	
2	V-5	21	1/12/2026		S	Grab	1	x	x	x	Hold
3	V-5	22	1/12/2026		S	Grab	1	x	x	x	
4	V-5	23	1/12/2026		S	Grab	1	x	x	x	
5	V-5	24	1/12/2026		S	Grab	1	x	x	x	
6	V-5	25	1/12/2026		S	Grab	1	x	x	x	
7	V-5	26	1/12/2026		S	Grab	1	x	x	x	Hold
8	V-5	27	1/12/2026		S	Grab	1	x	x	x	
9	V-5	28	1/12/2026		S	Grab	1	x	x	x	
10	V-5	29	1/12/2026		S	Grab	1	x	x	x	

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1 Josh James		1/13/26	2		1-13-26 1200
3			4		
5			6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

STANDARD SAFETY & SUPPLY

Chain of Custody

H260195

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

Project Name:	A78 Highway Line	Turn Around	☐ Routine ☑ Rush
Project Number:		Due Date:	24hr
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.	
Sampler's Name:	Josh James		
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT				
Temp Blank:	Yes No	Wet Ice:	Yes No	
Samples Received Intact:	Yes No	Thermometer ID:	#140	
Cooler Custody Seals:	Yes No N/A	Correction Factor:	+0.1°C	
Sample Custody Seals:	Yes No N/A	Temperature Reading:	3.5°C	
Total Containers:	243	Corrected Temperature:	3.6°C	

Preservative Codes

None: NO; DI Water: H_2O; Cool: Cool; MeOH: Me; HCL: HC; HNO_3: HN; H_2S0_4: H_2; NaOH: Na; H_3PO_4: HP; $NaHSO_4$: NABIS; $Na_2S_2O_3$: $NaSO_3$; Zn Acetate+NaOH: Zn; NaOH+Ascorbic Acid: SAPC

	Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
11	V-5	30	1/12/2026		S	Grab	1	x	x	x	
12	V-5	31	1/12/2026		S	Grab	1	x	x	x	Hold
13	V-5	32	1/12/2026		S	Grab	1	x	x	x	
14	V-5	33	1/12/2026		S	Grab	1	x	x	x	
15	V-5	34	1/12/2026		S	Grab	1	x	x	x	
16	V-5	35	1/12/2026		S	Grab	1	x	x	x	
17	V-5	36	1/12/2026		S	Grab	1	x	x	x	Hold
18	V-5	37	1/12/2026		S	Grab	1	x	x	x	
19	V-5	38	1/12/2026		S	Grab	1	x	x	x	
20	V-5	39	1/12/2026		S	Grab	1	x	x	x	

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1 Josh James		1/13/26 11:40	2	Tamara Whitaker	1-13-26 1200
3			4		
5			6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

STANDARD SAFETY & SUPPLY

Chain of Custody

H260195

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

Project Name:	A78 Highway Line	Turn Around	☐ Routine ☑ Rush
Project Number:		Due Date:	24 hr
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.	
Sampler's Name:	Josh James		
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT			
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No
Samples Received Intact:	(Yes) No	Thermometer ID:	#140
Cooler Custody Seals:	Yes (No) N/A	Correction Factor:	+0.1°
Sample Custody Seals:	(Yes) No N/A	Temperature Reading:	3.5°
Total Containers:	243	Corrected Temperature:	3.6°

Preservative Codes

None: NO; DI Water: H_2O; Cool: Cool; MeOH: Me; HCL: HC; HNO_3: HN; H_2S0_4: H_2; NaOH: Na; H_3PO_4: HP; $NaHSO_4$: NABIS; $Na_2S_2O_3$: $NaSO_3$; Zn Acetate+NaOH: Zn; NaOH+Ascorbic Acid: SAPC

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Pres. Code	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
V-5	40	1/12/2026		S	Grab	1		x	x	x	
V-6	4	1/12/2026		S	Grab	1		x	x	x	
V-6	5	1/12/2026		S	Grab	1		x	x	x	
V-6	6	1/12/2026		S	Grab	1		x	x	x	H&W
V-6	7	1/12/2026		S	Grab	1		x	x	x	"
V-6	8	1/12/2026		S	Grab	1		x	x	x	"
V-6	9	1/12/2026		S	Grab	1		x	x	x	"
V-6	10	1/12/2026		S	Grab	1		x	x	x	
V-6	11	1/12/2026		S	Grab	1		x	x	x	H&W
V-6	12	1/12/2026		S	Grab	1		x	x	x	"

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1 Josh James		1/13/26	2		1-13-26 1200
3			4		
5			6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

STANDARD SAFETY & SUPPLY

Chain of Custody

H260195

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

Project Name:	A78 Highway Line	Turn Around	☐ Routine ☑ Rush
Project Number:		Due Date:	24 hr
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.	
Sampler's Name:	Josh James		
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT				
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No	
Samples Received Intact:	(Yes) No	Thermometer ID:	#140	
Cooler Custody Seals:	Yes (No) N/A	Correction Factor:	+0.1°	
Sample Custody Seals:	(Yes) No N/A	Temperature Reading:	3.5°	
Total Containers:	243	Corrected Temperature:	3.6°	

Preservative Codes

None: NO; DI Water: H_2O; Cool: Cool; MeOH: Me; HCL: HC; HNO_3: HN; H_2S0_4: H_2; NaOH: Na; H_3PO_4: HP; $NaHSO_4$: NABIS; $Na_2S_2O_3$: $NaSO_3$; Zn Acetate+NaOH: Zn; NaOH+Ascorbic Acid: SAPC

	Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Pres. Code	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
31	V-6	13	1/12/2026		S	Grab	1		x	x	x	Hold
32	V-6	14	1/12/2026		S	Grab	1		x	x	x	↓
33	V-6	15	1/12/2026		S	Grab	1		x	x	x	
34	V-6	16	1/12/2026		S	Grab	1		x	x	x	Hold
35	V-6	17	1/12/2026		S	Grab	1		x	x	x	↓
36	V-6	18	1/12/2026		S	Grab	1		x	x	x	
37	V-6	19	1/12/2026		S	Grab	1		x	x	x	↓
38	V-6	20	1/12/2026		S	Grab	1		x	x	x	
39	V-6	21	1/12/2026		S	Grab	1		x	x	x	Hold
40	V-6	22	1/12/2026		S	Grab	1		x	x	x	↓

	Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1	Josh James		1/13/26 11:00	2		1-13-26 1300
3				4		
5				6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

STANDARD SAFETY & SUPPLY

Chain of Custody

H260195

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

Project Name:	A78 Highway Line	Turn Around	☐ Routine ☑ Rush
Project Number:		Pres. Code	
Project Location:	Lea County, New Mexico	Due Date:	24 hr
Sampler's Name:	Josh James	TAT may vary based on lab start time.	
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT			
Temp Blank:	Yes No	Wet Ice:	Yes No
Samples Received Intact:	Yes No	Thermometer ID:	#140
Cooler Custody Seals:	Yes No N/A	Correction Factor:	+0.1°C
Sample Custody Seals:	Yes No N/A	Temperature Reading:	3.5°C
Total Containers:	243	Corrected Temperature:	3.6°C

Parameters 1/13/26

Preservative Codes

None: NO — DI Water: H_2O
Cool: Cool — MeOH: Me
HCL: HC — HNO_3: HN
H_2S0_4: H_2 — NaOH: Na
H_3PO_4: HP
$NaHSO_4$: NABIS
$Na_2S_2O_3$: $NaSO_3$
Zn Acetate+NaOH: Zn
NaOH+Ascorbic Acid: SAPC

	Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
41	V-6	23	1/12/2026		S	Grab	1	x	x	x	Hold
42	V-6	24	1/12/2026		S	Grab	1	x	x	x	↓
43	V-6	25	1/12/2026		S	Grab	1	x	x	x	
44	V-6	26	1/12/2026		S	Grab	1	x	x	x	Hold
45	V-6	27	1/12/2026		S	Grab	1	x	x	x	↓
46	V-6	28	1/12/2026		S	Grab	1	x	x	x	↓
47	V-6	29	1/12/2026		S	Grab	1	x	x	x	↓
48	V-6	30	1/12/2026		S	Grab	1	x	x	x	
49	V-6	31	1/12/2026		S	Grab	1	x	x	x	Hold
50	V-6	32	1/12/2026		S	Grab	1	x	x	x	↓

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1 Josh James		1/13/26 11:00	2		1-13-26 1200
3			4		
5			6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:38 AM

Released to Imaging: 3/27/2026 7:26:57 AM

STANDARD SAFETY & SUPPLY

Chain of Custody

H260195

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

Project Name:	A78 Highway Line	Turn Around	☐ Routine ☑ Rush
Project Number:		Due Date:	24 hr
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.	
Sampler's Name:	Josh James		
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT				
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No	
Samples Received Intact:	(Yes) No	Thermometer ID:	#140	
Cooler Custody Seals:	Yes (No) N/A	Correction Factor:	+0.1c	
Sample Custody Seals:	(Yes) No N/A	Temperature Reading:	3.5c	
Total Containers:	243	Corrected Temperature:	3.6c	

Preservative Codes

None: NO; DI Water: H_2O; Cool: Cool; MeOH: Me; HCL: HC; HNO_3: HN; H_2S0_4: H_2; NaOH: Na; H_3PO_4: HP; $NaHSO_4$: NABIS; $Na_2S_2O_3$: $NaSO_3$; Zn Acetate+NaOH: Zn; NaOH+Ascorbic Acid: SAPC

	Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Pres. Code	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
S1	V-6	33	1/12/2026		S	Grab	1		x	x	x	H&W
S2	V-6	34	1/12/2026		S	Grab	1		x	x	x	"
S3	V-6	35	1/12/2026		S	Grab	1		x	x	x	
S4	V-6	36	1/12/2026		S	Grab	1		x	x	x	H&W
S5	V-6	37	1/12/2026		S	Grab	1		x	x	x	"
S6	V-6	38	1/12/2026		S	Grab	1		x	x	x	"
S7	V-6	39	1/12/2026		S	Grab	1		x	x	x	"
S8	V-6	40	1/12/2026		S	Grab	1		x	x	x	
S9	V-7	1-2	1/12/2026		S	Grab	1		x	x	x	
S10	V-7	3	1/12/2026		S	Grab	1		x	x	x	

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1 Josh James		1/13/26 11:00	2	Tamara Whitaker	1-13-26 1200
3			4		
5			6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

STANDARD SAFETY & SUPPLY

Chain of Custody

H260195

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

Project Name:	A78 Highway Line	Turn Around	☐ Routine ☑ Rush
Project Number:		Due Date:	24 hr
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.	
Sampler's Name:	Josh James		
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT			
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No
Samples Received Intact:	(Yes) No	Thermometer ID:	#140
Cooler Custody Seals:	Yes (No) N/A	Correction Factor:	+0.1°C
Sample Custody Seals:	(Yes) No N/A	Temperature Reading:	3.5°C
Total Containers:	243	Corrected Temperature:	3.6°C

Preservative Codes

None: NO; DI Water: H_2O; Cool: Cool; MeOH: Me; HCL: HC; HNO_3: HN; H_2S0_4: H_2; NaOH: Na; H_3PO_4: HP; $NaHSO_4$: NABIS; $Na_2S_2O_3$: $NaSO_3$; Zn Acetate+NaOH: Zn; NaOH+Ascorbic Acid: SAPC

	Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Pres. Code	Parameters: BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
61	V-7	4	1/12/2026		S	Grab	1		x	x	x	
62	V-7	5	1/12/2026		S	Grab	1		x	x	x	
63	V-7	6	1/12/2026		S	Grab	1		x	x	x	Hold
64	V-7	7	1/12/2026		S	Grab	1		x	x	x	↓
65	V-7	8	1/12/2026		S	Grab	1		x	x	x	↓
66	V-7	9	1/12/2026		S	Grab	1		x	x	x	
67	V-7	10	1/12/2026		S	Grab	1		x	x	x	
68	V-7	11	1/12/2026		S	Grab	1		x	x	x	Hold
69	V-7	12	1/12/2026		S	Grab	1		x	x	x	↓
70	V-7	13	1/12/2026		S	Grab	1		x	x	x	↓

	Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1	Josh James		1/13/26 11:40	2	Tamara Hitchcock	1-13-26 1200
3				4		
5				6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

STANDARD SAFETY & SUPPLY

Chain of Custody H260195

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/
Page 17 of 25

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

Project Name:	A78 Highway Line	Turn Around	
Project Number:		☐ Routine ☑ Rush	
Project Location:	Lea County, New Mexico	Due Date:	24 hr
Sampler's Name:	Josh James	TAT may vary based on lab start time.	
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT				
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No	
Samples Received Intact:	(Yes) No	Thermometer ID:	#140	
Cooler Custody Seals:	Yes (No) N/A	Correction Factor:	+0.1c°	
Sample Custody Seals:	(Yes) No N/A	Temperature Reading:	3.5c°	
Total Containers:	243	Corrected Temperature:	3.6c°	

ANALYSIS REQUEST

Preservative Codes

None: NO; DI Water: H_2O; Cool: Cool; MeOH: Me; HCL: HC; HNO_3: HN; H_2S0_4: H_2; NaOH: Na; H_3PO_4: HP; $NaHSO_4$: NABIS; $Na_2S_2O_3$: $NaSO_3$; Zn Acetate+NaOH: Zn; NaOH+Ascorbic Acid: SAPC

	Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Pres. Code	Parameters: BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
71	V-7	13	1/12/2026		S	Grab	1		x	x	x	Hold DUP To: 1/13/26
72	V-7	14	1/12/2026		S	Grab	1		x	x	x	
73	V-7	15	1/12/2026		S	Grab	1		x	x	x	
74	V-7	16	1/12/2026		S	Grab	1		x	x	x	Hold
75	V-7	17	1/12/2026		S	Grab	1		x	x	x	
76	V-7	18	1/12/2026		S	Grab	1		x	x	x	
77	V-7	19	1/12/2026		S	Grab	1		x	x	x	
78	V-7	20	1/12/2026		S	Grab	1		x	x	x	
79	V-7	21	1/12/2026		S	Grab	1		x	x	x	Hold
80	V-7	22	1/12/2026		S	Grab	1		x	x	x	

	Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1	Josh James		1/13/26 11:00	2	Tamara Oldaker	1-13-26 1200
3				4		
5				6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:38 AM

Released to Imaging: 3/27/2026 7:26:57 AM

STANDARD SAFETY & SUPPLY

Chain of Custody

H260195

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

Project Name:	A78 Highway Line	Turn Around	☐ Routine ☑ Rush
Project Number:		Due Date:	24 hr
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.	
Sampler's Name:	Josh James		
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT				
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No	
Samples Received Intact:	(Yes) No	Thermometer ID:	#140	
Cooler Custody Seals:	Yes (No) N/A	Correction Factor:	+0.1c	
Sample Custody Seals:	(Yes) No N/A	Temperature Reading:	3.5c	
Total Containers:	243	Corrected Temperature:	3.6c	

Preservative Codes

None: NO; DI Water: H_2O; Cool: Cool; MeOH: Me; HCL: HC; HNO_3: HN; H_2S0_4: H_2; NaOH: Na; H_3PO_4: HP; $NaHSO_4$: NABIS; $Na_2S_2O_3$: $NaSO_3$; Zn Acetate+NaOH: Zn; NaOH+Ascorbic Acid: SAPC

	Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
81	V-7	23	1/12/2026		S	Grab	1	x	x	x	Hold
82	V-7	24	1/12/2026		S	Grab	1	x	x	x	↓
83	V-7	25	1/12/2026		S	Grab	1	x	x	x	
84	V-7	26	1/12/2026		S	Grab	1	x	x	x	Hold
85	V-7	27	1/12/2026		S	Grab	1	x	x	x	↓
86	V-7	28	1/12/2026		S	Grab	1	x	x	x	
87	V-7	29	1/12/2026		S	Grab	1	x	x	x	↓
88	V-7	30	1/12/2026		S	Grab	1	x	x	x	
89	V-7	31	1/12/2026		S	Grab	1	x	x	x	Hold
90	V-7	32	1/12/2026		S	Grab	1	x	x	x	↓

	Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1	Josh James		1/13/26 11:00	2		1-13-26 1200
3				4		
5				6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

January 14, 2026

ETHAN SESSUMS

STANDARD SAFETY & SUPPLY

PO BOX 14987

ODESSA, TX 79764

RE: A78 HIGHWAY LINE

Enclosed are the results of analyses for samples received by the laboratory on 01/13/26 12:00.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C25-00101. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accreditated through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Celey D. Keene

Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/13/2026	Sampling Date:	01/12/2026
Reported:	01/14/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 7 35 (H260196-03)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/13/2026	ND	1.84	92.1	2.00	0.689	
Toluene*	<0.050	0.050	01/13/2026	ND	1.82	91.1	2.00	0.361	
Ethylbenzene*	<0.050	0.050	01/13/2026	ND	1.94	96.9	2.00	0.441	
Total Xylenes*	<0.150	0.150	01/13/2026	ND	5.84	97.4	6.00	0.932	
Total BTEX	<0.300	0.300	01/13/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *81.7 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	01/14/2026	ND	448	112	400	3.51	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/13/2026	ND	206	103	200	1.73	
DRO >C10-C28*	<10.0	10.0	01/13/2026	ND	205	102	200	1.33	
EXT DRO >C28-C36	<10.0	10.0	01/13/2026	ND					

Surrogate: 1-Chlorooctane *101 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *101 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/13/2026	Sampling Date:	01/12/2026
Reported:	01/14/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 7 40 (H260196-08)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/13/2026	ND	1.84	92.1	2.00	0.689	
Toluene*	<0.050	0.050	01/13/2026	ND	1.82	91.1	2.00	0.361	
Ethylbenzene*	<0.050	0.050	01/13/2026	ND	1.94	96.9	2.00	0.441	
Total Xylenes*	<0.150	0.150	01/13/2026	ND	5.84	97.4	6.00	0.932	
Total BTEX	<0.300	0.300	01/13/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *76.9 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	01/14/2026	ND	448	112	400	3.51	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/13/2026	ND	206	103	200	1.73	
DRO >C10-C28*	<10.0	10.0	01/13/2026	ND	205	102	200	1.33	
EXT DRO >C28-C36	<10.0	10.0	01/13/2026	ND					

Surrogate: 1-Chlorooctane *104 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *106 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/13/2026	Sampling Date:	01/12/2026
Reported:	01/14/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 9 1 (H260196-09)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/13/2026	ND	1.84	92.1	2.00	0.689	
Toluene*	**0.201**	0.050	01/13/2026	ND	1.82	91.1	2.00	0.361	
Ethylbenzene*	**0.336**	0.050	01/13/2026	ND	1.94	96.9	2.00	0.441	
Total Xylenes*	**1.16**	0.150	01/13/2026	ND	5.84	97.4	6.00	0.932	
Total BTEX	**1.70**	0.300	01/13/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *85.8 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**128**	16.0	01/14/2026	ND	448	112	400	3.51	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	**21.1**	10.0	01/13/2026	ND	206	103	200	1.73	
DRO >C10-C28*	**46.6**	10.0	01/13/2026	ND	205	102	200	1.33	
EXT DRO >C28-C36	<10.0	10.0	01/13/2026	ND					

Surrogate: 1-Chlorooctane *106 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *108 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/13/2026	Sampling Date:	01/12/2026
Reported:	01/14/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 9 2 (H260196-10)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/13/2026	ND	1.84	92.1	2.00	0.689	
Toluene*	<0.050	0.050	01/13/2026	ND	1.82	91.1	2.00	0.361	
Ethylbenzene*	<0.050	0.050	01/13/2026	ND	1.94	96.9	2.00	0.441	
Total Xylenes*	<0.150	0.150	01/13/2026	ND	5.84	97.4	6.00	0.932	
Total BTEX	<0.300	0.300	01/13/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *79.1 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	01/14/2026	ND	448	112	400	3.51	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/13/2026	ND	206	103	200	1.73	
DRO >C10-C28*	<10.0	10.0	01/13/2026	ND	205	102	200	1.33	
EXT DRO >C28-C36	<10.0	10.0	01/13/2026	ND					

Surrogate: 1-Chlorooctane *102 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *103 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/13/2026	Sampling Date:	01/12/2026
Reported:	01/14/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 9 3 (H260196-11)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/13/2026	ND	1.84	92.1	2.00	0.689	
Toluene*	<0.050	0.050	01/13/2026	ND	1.82	91.1	2.00	0.361	
Ethylbenzene*	<0.050	0.050	01/13/2026	ND	1.94	96.9	2.00	0.441	
Total Xylenes*	<0.150	0.150	01/13/2026	ND	5.84	97.4	6.00	0.932	
Total BTEX	<0.300	0.300	01/13/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *80.0 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**80.0**	16.0	01/14/2026	ND	448	112	400	3.51	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/13/2026	ND	206	103	200	1.73	
DRO >C10-C28*	<10.0	10.0	01/13/2026	ND	205	102	200	1.33	
EXT DRO >C28-C36	<10.0	10.0	01/13/2026	ND					

Surrogate: 1-Chlorooctane *101 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *103 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/13/2026	Sampling Date:	01/12/2026
Reported:	01/14/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 9 4 (H260196-12)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/13/2026	ND	1.84	92.1	2.00	0.689	
Toluene*	<0.050	0.050	01/13/2026	ND	1.82	91.1	2.00	0.361	
Ethylbenzene*	<0.050	0.050	01/13/2026	ND	1.94	96.9	2.00	0.441	
Total Xylenes*	<0.150	0.150	01/13/2026	ND	5.84	97.4	6.00	0.932	
Total BTEX	<0.300	0.300	01/13/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *81.8 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	01/14/2026	ND	448	112	400	3.51	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/13/2026	ND	206	103	200	1.73	
DRO >C10-C28*	<10.0	10.0	01/13/2026	ND	205	102	200	1.33	
EXT DRO >C28-C36	<10.0	10.0	01/13/2026	ND					

Surrogate: 1-Chlorooctane *101 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *103 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/13/2026	Sampling Date:	01/12/2026
Reported:	01/14/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 9 5 (H260196-13)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	2.08	104	2.00	2.95	
Toluene*	<0.050	0.050	01/14/2026	ND	1.88	94.2	2.00	0.979	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	2.06	103	2.00	1.49	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	6.65	111	6.00	2.33	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *117 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	01/13/2026	ND	432	108	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/13/2026	ND	206	103	200	1.73	
DRO >C10-C28*	<10.0	10.0	01/13/2026	ND	205	102	200	1.33	
EXT DRO >C28-C36	<10.0	10.0	01/13/2026	ND					

Surrogate: 1-Chlorooctane *92.4 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *94.2 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/13/2026	Sampling Date:	01/12/2026
Reported:	01/14/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 9 10 (H260196-18)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	2.08	104	2.00	2.95	
Toluene*	<0.050	0.050	01/14/2026	ND	1.88	94.2	2.00	0.979	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	2.06	103	2.00	1.49	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	6.65	111	6.00	2.33	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *110 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**64.0**	16.0	01/13/2026	ND	432	108	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/13/2026	ND	206	103	200	1.73	
DRO >C10-C28*	<10.0	10.0	01/13/2026	ND	205	102	200	1.33	
EXT DRO >C28-C36	<10.0	10.0	01/13/2026	ND					

Surrogate: 1-Chlorooctane *91.0 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *91.7 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/13/2026	Sampling Date:	01/12/2026
Reported:	01/14/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 9 15 (H260196-23)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	2.08	104	2.00	2.95	
Toluene*	<0.050	0.050	01/14/2026	ND	1.88	94.2	2.00	0.979	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	2.06	103	2.00	1.49	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	6.65	111	6.00	2.33	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *109 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**112**	16.0	01/13/2026	ND	432	108	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/13/2026	ND	206	103	200	1.73	
DRO >C10-C28*	<10.0	10.0	01/13/2026	ND	205	102	200	1.33	
EXT DRO >C28-C36	<10.0	10.0	01/13/2026	ND					

Surrogate: 1-Chlorooctane *104 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *105 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/13/2026	Sampling Date:	01/12/2026
Reported:	01/14/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 9 20 (H260196-28)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	2.08	104	2.00	2.95	
Toluene*	<0.050	0.050	01/14/2026	ND	1.88	94.2	2.00	0.979	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	2.06	103	2.00	1.49	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	6.65	111	6.00	2.33	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *104 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**144**	16.0	01/13/2026	ND	432	108	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/13/2026	ND	206	103	200	1.73	
DRO >C10-C28*	<10.0	10.0	01/13/2026	ND	205	102	200	1.33	
EXT DRO >C28-C36	<10.0	10.0	01/13/2026	ND					

Surrogate: 1-Chlorooctane *102 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *105 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/13/2026	Sampling Date:	01/12/2026
Reported:	01/14/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 9 25 (H260196-33)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	2.08	104	2.00	2.95	
Toluene*	<0.050	0.050	01/14/2026	ND	1.88	94.2	2.00	0.979	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	2.06	103	2.00	1.49	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	6.65	111	6.00	2.33	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *108 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**160**	16.0	01/13/2026	ND	432	108	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/13/2026	ND	206	103	200	1.73	
DRO >C10-C28*	<10.0	10.0	01/13/2026	ND	205	102	200	1.33	
EXT DRO >C28-C36	<10.0	10.0	01/13/2026	ND					

Surrogate: 1-Chlorooctane *97.7 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *99.4 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/13/2026	Sampling Date:	01/12/2026
Reported:	01/14/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 9 30 (H260196-38)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	2.08	104	2.00	2.95	
Toluene*	<0.050	0.050	01/14/2026	ND	1.88	94.2	2.00	0.979	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	2.06	103	2.00	1.49	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	6.65	111	6.00	2.33	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *112 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**96.0**	16.0	01/13/2026	ND	432	108	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/13/2026	ND	206	103	200	1.73	
DRO >C10-C28*	<10.0	10.0	01/13/2026	ND	205	102	200	1.33	
EXT DRO >C28-C36	<10.0	10.0	01/13/2026	ND					

Surrogate: 1-Chlorooctane *102 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *105 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/13/2026	Sampling Date:	01/12/2026
Reported:	01/14/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 9 35 (H260196-43)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	2.08	104	2.00	2.95	
Toluene*	<0.050	0.050	01/14/2026	ND	1.88	94.2	2.00	0.979	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	2.06	103	2.00	1.49	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	6.65	111	6.00	2.33	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *118 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**96.0**	16.0	01/13/2026	ND	432	108	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/13/2026	ND	206	103	200	1.73	
DRO >C10-C28*	<10.0	10.0	01/13/2026	ND	205	102	200	1.33	
EXT DRO >C28-C36	<10.0	10.0	01/13/2026	ND					

Surrogate: 1-Chlorooctane *105 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *108 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/13/2026	Sampling Date:	01/12/2026
Reported:	01/14/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 9 40 (H260196-48)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	2.08	104	2.00	2.95	
Toluene*	<0.050	0.050	01/14/2026	ND	1.88	94.2	2.00	0.979	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	2.06	103	2.00	1.49	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	6.65	111	6.00	2.33	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *120 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	01/13/2026	ND	432	108	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/13/2026	ND	206	103	200	1.73	
DRO >C10-C28*	<10.0	10.0	01/13/2026	ND	205	102	200	1.33	
EXT DRO >C28-C36	<10.0	10.0	01/13/2026	ND					

Surrogate: 1-Chlorooctane *105 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *107 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/13/2026	Sampling Date:	01/10/2026
Reported:	01/14/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 11 3 (H260196-49)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	2.08	104	2.00	2.95	
Toluene*	<0.050	0.050	01/14/2026	ND	1.88	94.2	2.00	0.979	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	2.06	103	2.00	1.49	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	6.65	111	6.00	2.33	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *115 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**64.0**	16.0	01/13/2026	ND	432	108	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/13/2026	ND	206	103	200	1.73	
DRO >C10-C28*	<10.0	10.0	01/13/2026	ND	205	102	200	1.33	
EXT DRO >C28-C36	<10.0	10.0	01/13/2026	ND					

Surrogate: 1-Chlorooctane *90.3 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *91.6 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/13/2026	Sampling Date:	01/10/2026
Reported:	01/14/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 11 4 (H260196-50)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	2.08	104	2.00	2.95	
Toluene*	<0.050	0.050	01/14/2026	ND	1.88	94.2	2.00	0.979	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	2.06	103	2.00	1.49	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	6.65	111	6.00	2.33	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *118 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**64.0**	16.0	01/13/2026	ND	432	108	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/13/2026	ND	206	103	200	1.73	
DRO >C10-C28*	<10.0	10.0	01/13/2026	ND	205	102	200	1.33	
EXT DRO >C28-C36	<10.0	10.0	01/13/2026	ND					

Surrogate: 1-Chlorooctane *88.0 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *91.6 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/13/2026	Sampling Date:	01/10/2026
Reported:	01/14/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 11 5 (H260196-51)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	2.08	104	2.00	2.95	
Toluene*	<0.050	0.050	01/14/2026	ND	1.88	94.2	2.00	0.979	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	2.06	103	2.00	1.49	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	6.65	111	6.00	2.33	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *117 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**64.0**	16.0	01/13/2026	ND	432	108	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	201	101	200	15.0	
DRO >C10-C28*	<10.0	10.0	01/14/2026	ND	233	117	200	13.9	
EXT DRO >C28-C36	<10.0	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *68.9 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *69.1 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/13/2026	Sampling Date:	01/10/2026
Reported:	01/14/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 11 10 (H260196-56)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	2.08	104	2.00	2.95	
Toluene*	<0.050	0.050	01/14/2026	ND	1.88	94.2	2.00	0.979	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	2.06	103	2.00	1.49	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	6.65	111	6.00	2.33	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *119 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	01/13/2026	ND	432	108	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	201	101	200	15.0	
DRO >C10-C28*	<10.0	10.0	01/14/2026	ND	233	117	200	13.9	
EXT DRO >C28-C36	<10.0	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *78.1 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *79.4 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/13/2026	Sampling Date:	01/10/2026
Reported:	01/14/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: H - 1 (H260196-58)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	2.08	104	2.00	2.95	
Toluene*	<0.050	0.050	01/14/2026	ND	1.88	94.2	2.00	0.979	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	2.06	103	2.00	1.49	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	6.65	111	6.00	2.33	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *118 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	01/13/2026	ND	432	108	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	201	101	200	15.0	
DRO >C10-C28*	<10.0	10.0	01/14/2026	ND	233	117	200	13.9	
EXT DRO >C28-C36	<10.0	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *62.5 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *62.0 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/13/2026	Sampling Date:	01/10/2026
Reported:	01/14/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: H - 2 (H260196-59)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	2.08	104	2.00	2.95	
Toluene*	<0.050	0.050	01/14/2026	ND	1.88	94.2	2.00	0.979	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	2.06	103	2.00	1.49	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	6.65	111	6.00	2.33	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *116 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	01/13/2026	ND	432	108	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	201	101	200	15.0	
DRO >C10-C28*	<10.0	10.0	01/14/2026	ND	233	117	200	13.9	
EXT DRO >C28-C36	<10.0	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *55.0 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *55.0 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/13/2026	Sampling Date:	01/10/2026
Reported:	01/14/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: H - 3 (H260196-60)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	2.08	104	2.00	2.95	
Toluene*	<0.050	0.050	01/14/2026	ND	1.88	94.2	2.00	0.979	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	2.06	103	2.00	1.49	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	6.65	111	6.00	2.33	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *119 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**96.0**	16.0	01/13/2026	ND	432	108	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	201	101	200	15.0	
DRO >C10-C28*	<10.0	10.0	01/14/2026	ND	233	117	200	13.9	
EXT DRO >C28-C36	<10.0	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *71.7 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *71.6 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/13/2026	Sampling Date:	01/10/2026
Reported:	01/14/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: H - 4 (H260196-61)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	2.08	104	2.00	2.95	
Toluene*	<0.050	0.050	01/14/2026	ND	1.88	94.2	2.00	0.979	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	2.06	103	2.00	1.49	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	6.65	111	6.00	2.33	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *116 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	01/13/2026	ND	432	108	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	201	101	200	15.0	
DRO >C10-C28*	<10.0	10.0	01/14/2026	ND	233	117	200	13.9	
EXT DRO >C28-C36	<10.0	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *75.5 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *76.7 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/13/2026	Sampling Date:	01/10/2026
Reported:	01/14/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: H - 5 (H260196-62)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	2.08	104	2.00	2.95	
Toluene*	<0.050	0.050	01/14/2026	ND	1.88	94.2	2.00	0.979	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	2.06	103	2.00	1.49	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	6.65	111	6.00	2.33	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *120 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	01/13/2026	ND	432	108	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	201	101	200	15.0	
DRO >C10-C28*	<10.0	10.0	01/14/2026	ND	233	117	200	13.9	
EXT DRO >C28-C36	<10.0	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *68.9 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *69.5 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/13/2026	Sampling Date:	01/10/2026
Reported:	01/14/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: H - 6 (H260196-63)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	2.08	104	2.00	2.95	
Toluene*	<0.050	0.050	01/14/2026	ND	1.88	94.2	2.00	0.979	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	2.06	103	2.00	1.49	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	6.65	111	6.00	2.33	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *120 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**64.0**	16.0	01/13/2026	ND	432	108	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	201	101	200	15.0	
DRO >C10-C28*	<10.0	10.0	01/14/2026	ND	233	117	200	13.9	
EXT DRO >C28-C36	**32.2**	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *79.4 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *81.5 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

QR-04	The RPD for the BS/BSD was outside of historical limits.
ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C
	Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

Page 517 of 825

Page 27 of 33

STANDARD SAFETY & SUPPLY

Chain of Custody

H260196

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

0402401K - all

Project Name:	A78 Highway Line	Turn Around	Routine ☐ Rush ☑
Project Number:		Due Date:	24 hr
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.	
Sampler's Name:	Josh James		
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT			
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No
Samples Received Intact:	(Yes) No	Thermometer ID:	#140
Cooler Custody Seals:	Yes (No) N/A	Correction Factor:	+0.1°c
Sample Custody Seals:	(Yes) No N/A	Temperature Reading:	3.5°c
Total Containers:	243	Corrected Temperature:	3.6°c

Preservative Codes

None: NO; DI Water: H_2O; Cool: Cool; MeOH: Me; HCL: HC; HNO_3: HN; H_2SO_4: H_2; NaOH: Na; H_3PO_4: HP; $NaHSO_4$: NABIS; $Na_2S_2O_3$: $NaSO_3$; Zn Acetate+NaOH: Zn; NaOH+Ascorbic Acid: SAPC

	Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
1	V-7	33	1/12/2026		S	Grab	1	x	x	x	HdW
2	V-7	34	1/12/2026		S	Grab	1	x	x	x	↓
3	V-7	35	1/12/2026		S	Grab	1	x	x	x	
4	V-7	36	1/12/2026		S	Grab	1	x	x	x	HdW
5	V-7	37	1/12/2026		S	Grab	1	x	x	x	↓
	V-7	38	1/12/2026		S	Grab	1	x	x	x	
	V-7	39	1/12/2026		S	Grab	1	x	x	x	
	V-7	40	1/12/2026		S	Grab	1	x	x	x	
	V-9	1	1/12/2026		S	Grab	1	x	x	x	
	V-9	2	1/12/2026		S	Grab	1	x	x	x	

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1 Josh James		1/13/26	2	Tamara Hobbs	1-13-26 1300
3			4		
5			6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

STANDARD SAFETY & SUPPLY

Chain of Custody

H260196

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Page 20 of 25

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

Project Name:	A78 Highway Line	Turn Around	☐ Routine ☑ Rush
Project Number:		Due Date:	24 hr
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.	
Sampler's Name:	Josh James		
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT			
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No
Samples Received Intact:	(Yes) No	Thermometer ID:	#140
Cooler Custody Seals:	Yes (No) N/A	Correction Factor:	+0.1c
Sample Custody Seals:	(Yes) No N/A	Temperature Reading:	3.5c
Total Containers:	243	Corrected Temperature:	3.6c

Preservative Codes

None: NO; DI Water: H_2O; Cool: Cool; MeOH: Me; HCL: HC; HNO_3: HN; H_2S0_4: H_2; NaOH: Na; H_3PO_4: HP; $NaHSO_4$: NABIS; $Na_2S_2O_3$: $NaSO_3$; Zn Acetate+NaOH: Zn; NaOH+Ascorbic Acid: SAPC

	Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Parameters: BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
11	V-9	3	1/12/2026		S	Grab	1	x	x	x	
12	V-9	4	1/12/2026		S	Grab	1	x	x	x	
13	V-9	5	1/12/2026		S	Grab	1	x	x	x	
14	V-9	6	1/12/2026		S	Grab	1	x	x	x	Hold
15	V-9	7	1/12/2026		S	Grab	1	x	x	x	"
16	V-9	8	1/12/2026		S	Grab	1	x	x	x	"
17	V-9	9	1/12/2026		S	Grab	1	x	x	x	"
18	V-9	10	1/12/2026		S	Grab	1	x	x	x	"
	V-9	11	1/12/2026		S	Grab	1	x	x	x	Hold
	V-9	12	1/12/2026		S	Grab	1	x	x	x	"

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1 Josh James		1/13/26 11:00	2	Tamara Latham	1-13-26 1200
3			4		
5			6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

Page 519 of 825

STANDARD SAFETY & SUPPLY

Chain of Custody

H260196

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

Project Name:	A78 Highway Line	Turn Around	☐ Routine ☑ Rush
Project Number:		Due Date:	24 hr
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.	
Sampler's Name:	Josh James		
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT			
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No
Samples Received Intact:	(Yes) No	Thermometer ID:	#140
Cooler Custody Seals:	Yes (No) N/A	Correction Factor:	+0.1c
Sample Custody Seals:	(Yes) No N/A	Temperature Reading:	3.5c
Total Containers:	243	Corrected Temperature:	3.6c

Preservative Codes

None: NO; DI Water: H_2O; Cool: Cool; MeOH: Me; HCL: HC; HNO_3: HN; H_2S0_4: H_2; NaOH: Na; H_3PO_4: HP; $NaHSO_4$: NABIS; $Na_2S_2O_3$: $NaSO_3$; Zn Acetate+NaOH: Zn; NaOH+Ascorbic Acid: SAPC

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Pres. Code	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
V-9	13	1/12/2026		S	Grab	1		x	x	x	H&W
V-9	14	1/12/2026		S	Grab	1		x	x	x	"
V-9	15	1/12/2026		S	Grab	1		x	x	x	
V-9	16	1/12/2026		S	Grab	1		x	x	x	H&W
V-9	17	1/12/2026		S	Grab	1		x	x	x	"
V-9	18	1/12/2026		S	Grab	1		x	x	x	"
V-9	19	1/12/2026		S	Grab	1		x	x	x	
V-9	20	1/12/2026		S	Grab	1		x	x	x	H&W
V-9	21	1/12/2026		S	Grab	1		x	x	x	"
V-9	22	1/12/2026		S	Grab	1		x	x	x	

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1 Josh James		1/13/26 11:00	2		1-13-26 1300
3			4		
5			6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

STANDARD SAFETY & SUPPLY

Chain of Custody H260196

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

Project Name:	A78 Highway Line	Turn Around	☐ Routine ☑ Rush
Project Number:		Due Date:	24 hr
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.	
Sampler's Name:	Josh James		
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT				
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No	
Samples Received Intact:	(Yes) No	Thermometer ID:	#140	
Cooler Custody Seals:	Yes (No) N/A	Correction Factor:	+0.1°C	
Sample Custody Seals:	(Yes) No N/A	Temperature Reading:	3.5°C	
Total Containers:	243	Corrected Temperature:	3.6°C	

Preservative Codes

None: NO; DI Water: H_2O; Cool: Cool; MeOH: Me; HCL: HC; HNO_3: HN; H_2SO_4: H_2; NaOH: Na; H_3PO_4: HP; $NaHSO_4$: NABIS; $Na_2S_2O_3$: $NaSO_3$; Zn Acetate+NaOH: Zn; NaOH+Ascorbic Acid: SAPC

	Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
31	V-9	23	1/12/2026		S	Grab	1	x	x	x	Hold
32	V-9	24	1/12/2026		S	Grab	1	x	x	x	"
33	V-9	25	1/12/2026		S	Grab	1	x	x	x	
34	V-9	26	1/12/2026		S	Grab	1	x	x	x	Hold
35	V-9	27	1/12/2026		S	Grab	1	x	x	x	"
36	V-9	28	1/12/2026		S	Grab	1	x	x	x	
37	V-9	29	1/12/2026		S	Grab	1	x	x	x	"
38	V-9	30	1/12/2026		S	Grab	1	x	x	x	
39	V-9	31	1/12/2026		S	Grab	1	x	x	x	Hold
40	V-9	32	1/12/2026		S	Grab	1	x	x	x	"

	Relinquished by: (Signature)	Received by: (Signature)	Date/Time		Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1	Josh James		1/13/26 11:00	2			1-13-26 1200
3				4			
5				6			

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

STANDARD SAFETY & SUPPLY

Chain of Custody

H260196

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

Project Name:	A78 Highway Line	Turn Around	☐ Routine ☑ Rush
Project Number:		Due Date:	24 hr
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.	
Sampler's Name:	Josh James		
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT			
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No
Samples Received Intact:	(Yes) No	Thermometer ID:	#140
Cooler Custody Seals:	Yes No N/A	Correction Factor:	+0.1c
Sample Custody Seals:	(Yes) No N/A	Temperature Reading:	3.5c
Total Containers:	243	Corrected Temperature:	3.6c

Preservative Codes

None: NO — DI Water: H_2O
Cool: Cool — MeOH: Me
HCL: HC — HNO_3: HN
H_2S0_4: H_2 — NaOH: Na
H_3PO_4: HP
$NaHSO_4$: NABIS
$Na_2S_2O_3$: $NaSO_3$
Zn Acetate+NaOH: Zn
NaOH+Ascorbic Acid: SAPC

	Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
41	V-9	33	1/12/2026		S	Grab	1	x	x	x	Hold
42	V-9	34	1/12/2026		S	Grab	1	x	x	x	↓
43	V-9	35	1/12/2026		S	Grab	1	x	x	x	
44	V-9	36	1/12/2026		S	Grab	1	x	x	x	Hold
45	V-9	37	1/12/2026		S	Grab	1	x	x	x	↓
46	V-9	38	1/12/2026		S	Grab	1	x	x	x	
47	V-9	39	1/12/2026		S	Grab	1	x	x	x	
48	V-9	40	1/12/2026		S	Grab	1	x	x	x	
49	V-11	3	1/10/2026		S	Grab	1	x	x	x	
50	V-11	4	1/10/2026		S	Grab	1	x	x	x	

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1 Josh James		1/13/26	2		1-13-26 1200
3			4		
5			6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/2/2026 7:26:57 AM

STANDARD SAFETY & SUPPLY

Chain of Custody

H260196

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

Project Name:	A78 Highway Line	Turn Around	☐ Routine ☑ Rush
Project Number:		Due Date:	24 hr
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.	
Sampler's Name:	Josh James		
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT			
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No
Samples Received Intact:	(Yes) No	Thermometer ID:	#140
Cooler Custody Seals:	Yes (No) N/A	Correction Factor:	+0.1°c
Sample Custody Seals:	(Yes) No N/A	Temperature Reading:	3.5°c
Total Containers:	243	Corrected Temperature:	3.6°c

Preservative Codes

None: NO; DI Water: H_2O; Cool: Cool; MeOH: Me; HCL: HC; HNO_3: HN; H_2S0_4: H_2; NaOH: Na; H_3PO_4: HP; $NaHSO_4$: NABIS; $Na_2S_2O_3$: $NaSO_3$; Zn Acetate+NaOH: Zn; NaOH+Ascorbic Acid: SAPC

	Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
51	V-11	5	1/10/2026		S	Grab	1	x	x	x	
52	V-11	6	1/10/2026		S	Grab	1	x	x	x	Hold
53	V-11	7	1/10/2026		S	Grab	1	x	x	x	↓
54	V-11	8	1/10/2026		S	Grab	1	x	x	x	
55	V-11	9	1/10/2026		S	Grab	1	x	x	x	
56	V-11	10	1/10/2026		S	Grab	1	x	x	x	
57	V-11	11	1/10/2026		S	Grab	1	x	x	x	Hold
58	H-1		1/10/2026		S	Grab	1	x	x	x	
59	H-2		1/10/2026		S	Grab	1	x	x	x	
60	H-3		1/10/2026		S	Grab	1	x	x	x	

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1 Josh James		1/13/26 1100	2		1-13-26 12
3			4		
5			6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

STANDARD SAFETY & SUPPLY

Chain of Custody

H260196

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

Project Name:	A78 Highway Line	Turn Around	☐ Routine ☑ Rush
Project Number:		Due Date:	24 hr
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.	
Sampler's Name:	Josh James		
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT			
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No
Samples Received Intact:	(Yes) No	Thermometer ID:	#140
Cooler Custody Seals:	Yes (No) N/A	Correction Factor:	+0.1c
Sample Custody Seals:	(Yes) No N/A	Temperature Reading:	3.5c
Total Containers:	243	Corrected Temperature:	3.6c

Preservative Codes

None: NO; DI Water: H_2O; Cool: Cool; MeOH: Me; HCL: HC; HNO_3: HN; H_2S0_4: H_2; NaOH: Na; H_3PO_4: HP; $NaHSO_4$: NABIS; $Na_2S_2O_3$: $NaSO_3$; Zn Acetate+NaOH: Zn; NaOH+Ascorbic Acid: SAPC

	Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
61	H-4		1/10/2026		S	Grab	1	x	x	x	
62	H-5		1/10/2026		S	Grab	1	x	x	x	
63	H-6		1/10/2026		S	Grab	1	x	x	x	

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1 Josh James		1/13/26	2		1-13-26 1200
3			4		
5			6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

January 15, 2026

ETHAN SESSUMS

STANDARD SAFETY & SUPPLY

PO BOX 14987

ODESSA, TX 79764

RE: A78 HIGHWAY LINE

Enclosed are the results of analyses for samples received by the laboratory on 01/14/26 13:00.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C25-00101. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accreditated through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Celey D. Keene

Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 10 0-0.5 (H260218-01)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	1.84	91.9	2.00	2.87	
Toluene*	<0.050	0.050	01/14/2026	ND	1.93	96.5	2.00	2.64	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	1.96	98.1	2.00	2.35	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	5.82	97.0	6.00	2.31	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *98.4 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	01/15/2026	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	176	87.9	200	5.42	
DRO >C10-C28*	**13.6**	10.0	01/14/2026	ND	176	88.1	200	4.87	
EXT DRO >C28-C36	<10.0	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *78.8 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *76.7 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 10 1 (H260218-02)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	1.84	91.9	2.00	2.87	
Toluene*	<0.050	0.050	01/14/2026	ND	1.93	96.5	2.00	2.64	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	1.96	98.1	2.00	2.35	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	5.82	97.0	6.00	2.31	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *98.3 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	01/15/2026	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	176	87.9	200	5.42	
DRO >C10-C28*	**28.7**	10.0	01/15/2026	ND	176	88.1	200	4.87	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *101 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *118 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 10 2 (H260218-03)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	1.84	91.9	2.00	2.87	
Toluene*	<0.050	0.050	01/14/2026	ND	1.93	96.5	2.00	2.64	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	1.96	98.1	2.00	2.35	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	5.82	97.0	6.00	2.31	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *99.9 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	01/15/2026	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	176	87.9	200	5.42	
DRO >C10-C28*	<10.0	10.0	01/14/2026	ND	176	88.1	200	4.87	
EXT DRO >C28-C36	<10.0	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *88.3 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *85.9 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 10 3 (H260218-04)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	1.84	91.9	2.00	2.87	
Toluene*	<0.050	0.050	01/14/2026	ND	1.93	96.5	2.00	2.64	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	1.96	98.1	2.00	2.35	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	5.82	97.0	6.00	2.31	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *101 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	01/15/2026	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	176	87.9	200	5.42	
DRO >C10-C28*	<10.0	10.0	01/14/2026	ND	176	88.1	200	4.87	
EXT DRO >C28-C36	<10.0	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *87.3 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *83.7 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 10 4 (H260218-05)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	1.84	91.9	2.00	2.87	
Toluene*	<0.050	0.050	01/14/2026	ND	1.93	96.5	2.00	2.64	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	1.96	98.1	2.00	2.35	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	5.82	97.0	6.00	2.31	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *99.3 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	01/15/2026	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	176	87.9	200	5.42	
DRO >C10-C28*	<10.0	10.0	01/14/2026	ND	176	88.1	200	4.87	
EXT DRO >C28-C36	<10.0	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *90.8 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *86.3 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 10 5 (H260218-06)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	1.84	91.9	2.00	2.87	
Toluene*	<0.050	0.050	01/14/2026	ND	1.93	96.5	2.00	2.64	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	1.96	98.1	2.00	2.35	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	5.82	97.0	6.00	2.31	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *99.1 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	01/15/2026	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	176	87.9	200	5.42	
DRO >C10-C28*	<10.0	10.0	01/14/2026	ND	176	88.1	200	4.87	
EXT DRO >C28-C36	<10.0	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *91.3 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *86.6 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 10 10 (H260218-11)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	1.84	91.9	2.00	2.87	
Toluene*	<0.050	0.050	01/14/2026	ND	1.93	96.5	2.00	2.64	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	1.96	98.1	2.00	2.35	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	5.82	97.0	6.00	2.31	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *98.7 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	01/15/2026	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	176	87.9	200	5.42	
DRO >C10-C28*	<10.0	10.0	01/14/2026	ND	176	88.1	200	4.87	
EXT DRO >C28-C36	<10.0	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *94.1 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *88.6 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 10 15 (H260218-16)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	1.84	91.9	2.00	2.87	
Toluene*	<0.050	0.050	01/14/2026	ND	1.93	96.5	2.00	2.64	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	1.96	98.1	2.00	2.35	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	5.82	97.0	6.00	2.31	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *99.1 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	01/15/2026	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	176	87.9	200	5.42	
DRO >C10-C28*	<10.0	10.0	01/14/2026	ND	176	88.1	200	4.87	
EXT DRO >C28-C36	<10.0	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *91.3 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *86.4 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 10 20 (H260218-21)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	2.01	101	2.00	0.470	
Toluene*	<0.050	0.050	01/14/2026	ND	2.06	103	2.00	0.411	QR-03
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	2.09	104	2.00	3.76	QR-03
Total Xylenes*	<0.150	0.150	01/14/2026	ND	6.54	109	6.00	5.02	QR-03
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *110 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	01/15/2026	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	176	87.9	200	5.42	
DRO >C10-C28*	<10.0	10.0	01/14/2026	ND	176	88.1	200	4.87	
EXT DRO >C28-C36	<10.0	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *90.3 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *83.6 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 10 25 (H260218-26)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	2.01	101	2.00	0.470	
Toluene*	<0.050	0.050	01/14/2026	ND	2.06	103	2.00	0.411	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	2.09	104	2.00	3.76	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	6.54	109	6.00	5.02	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *102 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	01/15/2026	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	176	87.9	200	5.42	
DRO >C10-C28*	<10.0	10.0	01/14/2026	ND	176	88.1	200	4.87	
EXT DRO >C28-C36	<10.0	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *91.5 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *87.1 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 10 30 (H260218-31)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	2.01	101	2.00	0.470	
Toluene*	<0.050	0.050	01/14/2026	ND	2.06	103	2.00	0.411	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	2.09	104	2.00	3.76	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	6.54	109	6.00	5.02	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *111 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	01/15/2026	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	176	87.9	200	5.42	
DRO >C10-C28*	<10.0	10.0	01/14/2026	ND	176	88.1	200	4.87	
EXT DRO >C28-C36	<10.0	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *91.7 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *87.0 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 8 0-0.5' (H260218-32)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	2.01	101	2.00	0.470	
Toluene*	<0.050	0.050	01/14/2026	ND	2.06	103	2.00	0.411	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	2.09	104	2.00	3.76	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	6.54	109	6.00	5.02	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *112 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	01/15/2026	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	176	87.9	200	5.42	
DRO >C10-C28*	<10.0	10.0	01/14/2026	ND	176	88.1	200	4.87	
EXT DRO >C28-C36	<10.0	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *88.2 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *81.8 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 8 1 (H260218-33)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	2.01	101	2.00	0.470	
Toluene*	<0.050	0.050	01/14/2026	ND	2.06	103	2.00	0.411	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	2.09	104	2.00	3.76	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	6.54	109	6.00	5.02	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *104 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	01/15/2026	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	176	87.9	200	5.42	
DRO >C10-C28*	<10.0	10.0	01/14/2026	ND	176	88.1	200	4.87	
EXT DRO >C28-C36	<10.0	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *89.3 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *84.5 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 8 2 (H260218-34)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	2.01	101	2.00	0.470	
Toluene*	<0.050	0.050	01/14/2026	ND	2.06	103	2.00	0.411	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	2.09	104	2.00	3.76	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	6.54	109	6.00	5.02	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *110 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	01/15/2026	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	176	87.9	200	5.42	
DRO >C10-C28*	<10.0	10.0	01/14/2026	ND	176	88.1	200	4.87	
EXT DRO >C28-C36	<10.0	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *84.9 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *80.3 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 8 3 (H260218-35)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	2.01	101	2.00	0.470	
Toluene*	<0.050	0.050	01/14/2026	ND	2.06	103	2.00	0.411	
Ethylbenzene*	**0.059**	0.050	01/14/2026	ND	2.09	104	2.00	3.76	
Total Xylenes*	**0.192**	0.150	01/14/2026	ND	6.54	109	6.00	5.02	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *109 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	01/15/2026	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	176	87.9	200	5.42	
DRO >C10-C28*	**10.4**	10.0	01/14/2026	ND	176	88.1	200	4.87	
EXT DRO >C28-C36	<10.0	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *80.0 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *77.5 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 8 4 (H260218-36)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	2.01	101	2.00	0.470	
Toluene*	<0.050	0.050	01/14/2026	ND	2.06	103	2.00	0.411	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	2.09	104	2.00	3.76	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	6.54	109	6.00	5.02	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *117 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	01/15/2026	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	176	87.9	200	5.42	
DRO >C10-C28*	<10.0	10.0	01/14/2026	ND	176	88.1	200	4.87	
EXT DRO >C28-C36	<10.0	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *84.6 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *79.6 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 8 5 (H260218-37)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	2.01	101	2.00	0.470	
Toluene*	<0.050	0.050	01/14/2026	ND	2.06	103	2.00	0.411	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	2.09	104	2.00	3.76	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	6.54	109	6.00	5.02	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *121 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	01/15/2026	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	192	96.0	200	0.566	QR-03
DRO >C10-C28*	<10.0	10.0	01/14/2026	ND	175	87.3	200	2.86	
EXT DRO >C28-C36	<10.0	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *75.1 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *71.3 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 8 10 (H260218-42)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	2.01	101	2.00	0.470	
Toluene*	<0.050	0.050	01/14/2026	ND	2.06	103	2.00	0.411	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	2.09	104	2.00	3.76	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	6.54	109	6.00	5.02	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *115 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	01/15/2026	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	192	96.0	200	0.566	
DRO >C10-C28*	<10.0	10.0	01/14/2026	ND	175	87.3	200	2.86	
EXT DRO >C28-C36	<10.0	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *71.5 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *67.2 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 8 15 (H260218-47)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	2.01	101	2.00	0.470	
Toluene*	<0.050	0.050	01/14/2026	ND	2.06	103	2.00	0.411	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	2.09	104	2.00	3.76	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	6.54	109	6.00	5.02	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *106 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	01/15/2026	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	192	96.0	200	0.566	
DRO >C10-C28*	<10.0	10.0	01/14/2026	ND	175	87.3	200	2.86	
EXT DRO >C28-C36	<10.0	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *78.7 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *72.8 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 8 20 (H260218-52)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	2.01	101	2.00	0.470	
Toluene*	<0.050	0.050	01/14/2026	ND	2.06	103	2.00	0.411	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	2.09	104	2.00	3.76	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	6.54	109	6.00	5.02	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *109 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	01/15/2026	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	192	96.0	200	0.566	
DRO >C10-C28*	<10.0	10.0	01/14/2026	ND	175	87.3	200	2.86	
EXT DRO >C28-C36	<10.0	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *78.9 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *71.2 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 8 25 (H260218-57)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	2.01	101	2.00	0.470	
Toluene*	<0.050	0.050	01/14/2026	ND	2.06	103	2.00	0.411	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	2.09	104	2.00	3.76	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	6.54	109	6.00	5.02	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *111 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**64.0**	16.0	01/15/2026	ND	448	112	400	7.41	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	192	96.0	200	0.566	
DRO >C10-C28*	<10.0	10.0	01/14/2026	ND	175	87.3	200	2.86	
EXT DRO >C28-C36	<10.0	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *78.3 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *72.8 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 8 30 (H260218-62)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	2.01	101	2.00	0.470	
Toluene*	<0.050	0.050	01/14/2026	ND	2.06	103	2.00	0.411	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	2.09	104	2.00	3.76	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	6.54	109	6.00	5.02	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *108 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	01/15/2026	ND	448	112	400	7.41	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	192	96.0	200	0.566	
DRO >C10-C28*	<10.0	10.0	01/14/2026	ND	175	87.3	200	2.86	
EXT DRO >C28-C36	<10.0	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *83.0 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *77.7 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 8 35 (H260218-67)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	2.01	101	2.00	0.470	
Toluene*	<0.050	0.050	01/14/2026	ND	2.06	103	2.00	0.411	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	2.09	104	2.00	3.76	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	6.54	109	6.00	5.02	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *111 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	01/15/2026	ND	448	112	400	7.41	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	192	96.0	200	0.566	
DRO >C10-C28*	<10.0	10.0	01/14/2026	ND	175	87.3	200	2.86	
EXT DRO >C28-C36	<10.0	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *88.1 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *83.1 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 8 40 (H260218-72)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	2.01	101	2.00	0.470	
Toluene*	<0.050	0.050	01/14/2026	ND	2.06	103	2.00	0.411	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	2.09	104	2.00	3.76	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	6.54	109	6.00	5.02	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *117 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	01/15/2026	ND	448	112	400	7.41	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	192	96.0	200	0.566	
DRO >C10-C28*	<10.0	10.0	01/14/2026	ND	175	87.3	200	2.86	
EXT DRO >C28-C36	<10.0	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *88.0 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *84.0 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 14 0-0.5' (H260218-73)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	2.01	101	2.00	0.470	
Toluene*	<0.050	0.050	01/14/2026	ND	2.06	103	2.00	0.411	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	2.09	104	2.00	3.76	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	6.54	109	6.00	5.02	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *109 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	01/15/2026	ND	448	112	400	7.41	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	192	96.0	200	0.566	
DRO >C10-C28*	<10.0	10.0	01/14/2026	ND	175	87.3	200	2.86	
EXT DRO >C28-C36	<10.0	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *82.0 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *75.7 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 14 1 (H260218-74)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	2.01	101	2.00	0.470	
Toluene*	<0.050	0.050	01/14/2026	ND	2.06	103	2.00	0.411	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	2.09	104	2.00	3.76	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	6.54	109	6.00	5.02	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *111 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	01/15/2026	ND	448	112	400	7.41	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	192	96.0	200	0.566	
DRO >C10-C28*	<10.0	10.0	01/14/2026	ND	175	87.3	200	2.86	
EXT DRO >C28-C36	<10.0	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *83.0 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *78.1 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 14 2 (H260218-75)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	2.01	101	2.00	0.470	
Toluene*	<0.050	0.050	01/14/2026	ND	2.06	103	2.00	0.411	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	2.09	104	2.00	3.76	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	6.54	109	6.00	5.02	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *115 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	01/15/2026	ND	448	112	400	7.41	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	192	96.0	200	0.566	
DRO >C10-C28*	<10.0	10.0	01/14/2026	ND	175	87.3	200	2.86	
EXT DRO >C28-C36	<10.0	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *89.4 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *83.3 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 14 3 (H260218-76)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	2.01	101	2.00	0.470	
Toluene*	<0.050	0.050	01/14/2026	ND	2.06	103	2.00	0.411	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	2.09	104	2.00	3.76	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	6.54	109	6.00	5.02	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *110 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	01/15/2026	ND	448	112	400	7.41	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	192	96.0	200	0.566	
DRO >C10-C28*	<10.0	10.0	01/14/2026	ND	175	87.3	200	2.86	
EXT DRO >C28-C36	<10.0	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *81.3 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *76.3 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 14 4 (H260218-77)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	1.86	92.8	2.00	0.728	
Toluene*	<0.050	0.050	01/14/2026	ND	1.82	91.2	2.00	0.507	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	1.95	97.5	2.00	0.217	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	5.81	96.8	6.00	1.00	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *80.4 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	01/15/2026	ND	448	112	400	7.41	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	192	96.0	200	0.566	
DRO >C10-C28*	<10.0	10.0	01/14/2026	ND	175	87.3	200	2.86	
EXT DRO >C28-C36	<10.0	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *80.2 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *74.4 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 14 5 (H260218-78)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	1.86	92.8	2.00	0.728	
Toluene*	<0.050	0.050	01/14/2026	ND	1.82	91.2	2.00	0.507	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	1.95	97.5	2.00	0.217	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	5.81	96.8	6.00	1.00	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *80.9 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	01/15/2026	ND	448	112	400	7.41	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	192	96.0	200	0.566	
DRO >C10-C28*	<10.0	10.0	01/14/2026	ND	175	87.3	200	2.86	
EXT DRO >C28-C36	<10.0	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *91.7 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *87.1 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 14 10 (H260218-83)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	1.86	92.8	2.00	0.728	
Toluene*	<0.050	0.050	01/14/2026	ND	1.82	91.2	2.00	0.507	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	1.95	97.5	2.00	0.217	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	5.81	96.8	6.00	1.00	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *80.7 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	01/15/2026	ND	448	112	400	7.41	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	192	96.0	200	0.566	
DRO >C10-C28*	<10.0	10.0	01/14/2026	ND	175	87.3	200	2.86	
EXT DRO >C28-C36	<10.0	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *82.9 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *80.9 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 14 15 (H260218-88)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	1.86	92.8	2.00	0.728	
Toluene*	<0.050	0.050	01/14/2026	ND	1.82	91.2	2.00	0.507	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	1.95	97.5	2.00	0.217	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	5.81	96.8	6.00	1.00	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *78.3 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	01/15/2026	ND	448	112	400	7.41	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	192	96.0	200	0.566	
DRO >C10-C28*	<10.0	10.0	01/14/2026	ND	175	87.3	200	2.86	
EXT DRO >C28-C36	<10.0	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *83.2 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *81.8 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

QR-03	The RPD value for the sample duplicate or MS/MSD was outside of QC acceptance limits due to matrix interference. QC batch accepted based on LCS and/or LCSD recovery and/or RPD values.
ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C
	Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

H24008218

Chain of Custody

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Page 1 of

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Enzsn
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

04024081 K - Arz

Project Name:	A78 Highway Line	Turn Around	
Project Number:		☐ Routine ☑ Rush	
Project Location:	Lea County, New Mexico	Due Date:	24h
Sampler's Name:	Connor Whitman	TAT may vary based on lab start time.	
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT				
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No	
Samples Received Intact:	(Yes) No	Thermometer ID:	#140	
Cooler Custody Seals:	Yes No N/A	Correction Factor:	+0.1	
Sample Custody Seals:	Yes (No) N/A	Temperature Reading:	1.4	
Total Containers:		Corrected Temperature:	1.5	

Preservative Codes

None: NO — DI Water: H_2O
Cool: Cool — MeOH: Me
HCL: HC — HNO_3: HN
H_2S0_4: H_2 — NaOH: Na
H_3PO_4: HP
$NaHSO_4$: NABIS
$Na_2S_2O_3$: $NaSO_3$
Zn Acetate+NaOH: Zn
NaOH+Ascorbic Acid: SAPC

	Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
1	V-10	0-0.5	1/13/2026		S	Grab	1	X	X	X	
2	V-10	1	1/13/2026		S	Grab	1	X	X	X	
3	V-10	2	1/13/2026		S	Grab	1	X	X	X	
4	V-10	3	1/13/2026		S	Grab	1	X	X	X	
5	V-10	4	1/13/2026		S	Grab	1	X	X	X	
6	V-10	5	1/13/2026		S	Grab	1	X	X	X	
7	V-10	6	1/13/2026		S	Grab	1	X	X	X	H2O
8	V-10	7	1/13/2026		S	Grab	1	X	X	X	
9	V-10	8	1/13/2026		S	Grab	1	X	X	X	
10	V-10	9	1/13/2026		S	Grab	1	X	X	X	

	Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1		K	1/14/26 8:00	2 K		1 14 800
3				4		1300
5				6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

Page 559 of 825

H240218

STANDARD SAFETY & SUPPLY

Chain of Custody

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Page 2 of

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

Project Name:	A78 Highway Line	Turn Around	
Project Number:		☐ Routine ☑ Rush	
Project Location:	Lea County, New Mexico	Due Date:	24h
Sampler's Name:	Connor Whitman	TAT may vary based on lab start time.	
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT				
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No	
Samples Received Intact:	(Yes) No	Thermometer ID:	#140	
Cooler Custody Seals:	Yes (No) N/A	Correction Factor:	+0.1	
Sample Custody Seals:	Yes (No) N/A	Temperature Reading:	1.6	
Total Containers:		Corrected Temperature:	1.7	

ANALYSIS REQUEST

Preservative Codes

None: NO — DI Water: H_2O
Cool: Cool — MeOH: Me
HCL: HC — HNO_3: HN
H_2S0_4: H_2 — NaOH: Na
H_3PO_4: HP
$NaHSO_4$: NABIS
$Na_2S_2O_3$: $NaSO_3$
Zn Acetate+NaOH: Zn
NaOH+Ascorbic Acid: SAPC

	Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Pres. Code	Parameters: BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
11	V-10	10	1/13/2026		S	Grab	1		X	X	X	
12	V-10	11	1/13/2026		S	Grab	1		X	X	X	Hold
13	V-10	12	1/13/2026		S	Grab	1		X	X	X	↓
14	V-10	13	1/13/2026		S	Grab	1		X	X	X	
15	V-10	14	1/13/2026		S	Grab	1		X	X	X	
16	V-10	15	1/13/2026		S	Grab	1		X	X	X	
17	V-10	16	1/13/2026		S	Grab	1		X	X	X	Hold
18	V-10	17	1/13/2026		S	Grab	1		X	X	X	
19	V-10	18	1/13/2026		S	Grab	1		X	X	X	↓
20	V-10	19	1/13/2026		S	Grab	1		X	X	X	

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
		1/14/26 8:00	2		1.14.26
			4		1350
			6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

Page 560 of 825

H200518

Chain of Custody

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Page 3 of

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Enzson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

Project Name:	A78 Highway Line	Turn Around	☐ Routine ☑ Rush
Project Number:		Due Date:	24h
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.	
Sampler's Name:	Connor Whitman		
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT				
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No	
Samples Received Intact:	(Yes) No	Thermometer ID:	#140	
Cooler Custody Seals:	Yes (No) N/A	Correction Factor:	+0.1	
Sample Custody Seals:	Yes (No) N/A	Temperature Reading:	1.6	
Total Containers:		Corrected Temperature:	1.7	

Preservative Codes

None: NO; DI Water: H_2O; Cool: Cool; MeOH: Me; HCL: HC; HNO_3: HN; H_2S0_4: H_2; NaOH: Na; H_3PO_4: HP; $NaHSO_4$: NABIS; $Na_2S_2O_3$: $NaSO_3$; Zn Acetate+NaOH: Zn; NaOH+Ascorbic Acid: SAPC

	Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
21	V-10	20	1/13/2026		S	Grab	1	X	X	X	
22	V-10	21	1/13/2026		S	Grab	1	X	X	X	HdW
23	V-10	22	1/13/2026		S	Grab	1	X	X	X	↓
24	V-10	23	1/13/2026		S	Grab	1	X	X	X	
25	V-10	24	1/13/2026		S	Grab	1	X	X	X	
26	V-10	25	1/13/2026		S	Grab	1	X	X	X	
27	V-10	26	1/13/2026		S	Grab	1	X	X	X	HdW
28	V-10	27	1/13/2026		S	Grab	1	X	X	X	
29	V-10	28	1/13/2026		S	Grab	1	X	X	X	↓
30	V-10	29	1/13/2026		S	Grab	1	X	X	X	

	Relinquished by: (Signature)	Received by: (Signature)	Date/Time		Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1	[signature]	[signature]	1/14/26 8:00	2	[signature]	[signature]	1.14.26 1320
3				4			
5				6			

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

Page 561 of 825

H200218

Chain of Custody

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Page 4 of

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Enzsor
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

Project Name:	A78 Highway Line	Turn Around	☐ Routine ☑ Rush
Project Number:		Due Date:	24h
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.	
Sampler's Name:	Connor Whitman		
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT				
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No	
Samples Received Intact:	(Yes) No	Thermometer ID:	#140	
Cooler Custody Seals:	Yes (No) N/A	Correction Factor:	+0.1	
Sample Custody Seals:	Yes (No) N/A	Temperature Reading:	1.6	
Total Containers:		Corrected Temperature:	1.7	

ANALYSIS REQUEST

Preservative Codes

None: NO — DI Water: H_2O
Cool: Cool — MeOH: Me
HCL: HC — HNO_3: HN
H_2S0_4: H_2 — NaOH: Na
H_3PO_4: HP
$NaHSO_4$: NABIS
$Na_2S_2O_3$: $NaSO_3$
Zn Acetate+NaOH: Zn
NaOH+Ascorbic Acid: SAPC

	Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Parameters: BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
31	V-10	30	1/13/2026		S	Grab	1	X	X	X	
32	V-8	0-0.5	1/13/2026		S	Grab	1	X	X	X	
33	V-8	1	1/13/2026		S	Grab	1	X	X	X	
34	V-8	2	1/13/2026		S	Grab	1	X	X	X	
35	V-8	3	1/13/2026		S	Grab	1	X	X	X	
36	V-8	4	1/13/2026		S	Grab	1	X	X	X	
37	V-8	5	1/13/2026		S	Grab	1	X	X	X	
38	V-8	6	1/13/2026		S	Grab	1	X	X	X	
39	V-8	7	1/13/2026		S	Grab	1	X	X	X	Hold
40	V-8	8	1/13/2026		S	Grab	1	X	X	X	

	Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1			1/14/26 8:00	2		1-14-26
3				4		1300
5				6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

Page 562 of 825

Chain of Custody

1/14/2026

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Page 5 of

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Enzsun
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

Project Name:	A78 Highway Line	Turn Around	
Project Number:		☐ Routine ☑ Rush	
Project Location:	Lea County, New Mexico	Due Date:	24h
Sampler's Name:	Connor Whitman	TAT may vary based on lab start time.	
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT				
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No	
Samples Received Intact:	(Yes) No	Thermometer ID:	#140	
Cooler Custody Seals:	Yes No N/A	Correction Factor:	+0.1	
Sample Custody Seals:	Yes (No) N/A	Temperature Reading:	1.6	
Total Containers:		Corrected Temperature:	1.7	

Preservative Codes

None: NO — DI Water: H_2O
Cool: Cool — MeOH: Me
HCL: HC — HNO_3: HN
H_2S0_4: H_2 — NaOH: Na
H_3PO_4: HP
$NaHSO_4$: NABIS
$Na_2S_2O_3$: $NaSO_3$
Zn Acetate+NaOH: Zn
NaOH+Ascorbic Acid: SAPC

Sample Identification		Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
41	V-8	9	1/13/2026		S	Grab	1	X	X	X	HOLD
42	V-8	10	1/13/2026		S	Grab	1	X	X	X	
43	V-8	11	1/13/2026		S	Grab	1	X	X	X	HOLD
44	V-8	12	1/13/2026		S	Grab	1	X	X	X	
45	V-8	13	1/13/2026		S	Grab	1	X	X	X	
46	V-8	14	1/13/2026		S	Grab	1	X	X	X	
47	V-8	15	1/13/2026		S	Grab	1	X	X	X	
48	V-8	16	1/13/2026		S	Grab	1	X	X	X	
49	V-8	17	1/13/2026		S	Grab	1	X	X	X	HOLD
50	V-8	18	1/13/2026		S	Grab	1	X	X	X	

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
		1/14/26 8:00	2		1-13-26
			4		1300
			6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

Page 563 of 825

H260218

Chain of Custody

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Page 6 of

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Enzson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

Project Name:	A78 Highway Line	Turn Around	☐ Routine ☑ Rush
Project Number:		Due Date:	24h
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.	
Sampler's Name:	Connor Whitman		
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT			
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No
Samples Received Intact:	(Yes) No	Thermometer ID:	#140
Cooler Custody Seals:	Yes No N/A	Correction Factor:	+0.1°
Sample Custody Seals:	Yes (No) N/A	Temperature Reading:	1.6°
Total Containers:		Corrected Temperature:	1.7°

Preservative Codes

None: NO — DI Water: H_2O
Cool: Cool — MeOH: Me
HCL: HC — HNO_3: HN
H_2S0_4: H_2 — NaOH: Na
H_3PO_4: HP
$NaHSO_4$: NABIS
$Na_2S_2O_3$: $NaSO_3$
Zn Acetate+NaOH: Zn
NaOH+Ascorbic Acid: SAPC

Sample Identification		Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
51	V-8	19	1/13/2026		S	Grab	1	X	X	X	H&W
52	V-8	20	1/13/2026		S	Grab	1	X	X	X	
53	V-8	21	1/13/2026		S	Grab	1	X	X	X	H&W
54	V-8	22	1/13/2026		S	Grab	1	X	X	X	
55	V-8	23	1/13/2026		S	Grab	1	X	X	X	
56	V-8	24	1/13/2026		S	Grab	1	X	X	X	
57	V-8	25	1/13/2026		S	Grab	1	X	X	X	
58	V-8	26	1/13/2026		S	Grab	1	X	X	X	
59	V-8	27	1/13/2026		S	Grab	1	X	X	X	H&W
60	V-8	28	1/13/2026		S	Grab	1	X	X	X	

	Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1			1/14/26 8:00	2		1.14.26
3				4		1300
5				6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

H200218

Chain of Custody

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Page 7 of

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Enerson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

Project Name:	A78 Highway Line	Turn Around	☐ Routine ☑ Rush
Project Number:			
Project Location:	Lea County, New Mexico	Due Date:	24h
Sampler's Name:	Connor Whitman	TAT may vary based on lab start time.	
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT				
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No	
Samples Received Intact:	(Yes) No	Thermometer ID:	#140	
Cooler Custody Seals:	Yes (No) N/A	Correction Factor:	+0.1°	
Sample Custody Seals:	Yes (No) N/A	Temperature Reading:	1.6°	
Total Containers:		Corrected Temperature:	1.7°	

ANALYSIS REQUEST

Preservative Codes

None: NO — DI Water: H_2O
Cool: Cool — MeOH: Me
HCL: HC — HNO_3: HN
H_2S0_4: H_2 — NaOH: Na
H_3PO_4: HP
$NaHSO_4$: NABIS
$Na_2S_2O_3$: $NaSO_3$
Zn Acetate+NaOH: Zn
NaOH+Ascorbic Acid: SAPC

Sample Identification		Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Pres. Code	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
01	V-8	29	1/13/2026		S	Grab	1		X	X	X	Hold
02	V-8	30	1/13/2026		S	Grab	1		X	X	X	
03	V-8	31	1/13/2026		S	Grab	1		X	X	X	Hold
04	V-8	32	1/13/2026		S	Grab	1		X	X	X	
05	V-8	33	1/13/2026		S	Grab	1		X	X	X	
06	V-8	34	1/13/2026		S	Grab	1		X	X	X	
07	V-8	35	1/13/2026		S	Grab	1		X	X	X	RUN
08	V-8	36	1/13/2026		S	Grab	1		X	X	X	Hold
09	V-8	37	1/13/2026		S	Grab	1		X	X	X	
10	V-8	38	1/13/2026		S	Grab	1		X	X	X	

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
		1/14/26 8:00	2		1.14.26
			4		1300
			6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

Page 565 of 825

1-14-26 18

STANDARD SAFETY & SUPPLY

Chain of Custody

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Page 8 of

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Enzsn
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

Project Name:	A78 Highway Line	Turn Around	
Project Number:		☐ Routine ☑ Rush	
Project Location:	Lea County, New Mexico	Due Date:	24h
Sampler's Name:	Connor Whitman	TAT may vary based on lab start time.	
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT				
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No	
Samples Received Intact:	(Yes) No	Thermometer ID:	#140	
Cooler Custody Seals:	Yes No N/A	Correction Factor:	+0.1	
Sample Custody Seals:	Yes (No) N/A	Temperature Reading:	1.6	
Total Containers:		Corrected Temperature:	1.7	

Preservative Codes

None: NO — DI Water: H_2O
Cool: Cool — MeOH: Me
HCL: HC — HNO_3: HN
H_2S0_4: H_2 — NaOH: Na
H_3PO_4: HP
$NaHSO_4$: NABIS
$Na_2S_2O_3$: $NaSO_3$
Zn Acetate+NaOH: Zn
NaOH+Ascorbic Acid: SAPC

	Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
71	V-8	39	1/13/2026		S	Grab	1	X	X	X	Hold
72	V-8	40	1/13/2026		S	Grab	1	X	X	X	
73	V-14	0-0.5	1/13/2026		S	Grab	1	X	X	X	
74	V-14	1	1/13/2026		S	Grab	1	X	X	X	
75	V-14	2	1/13/2026		S	Grab	1	X	X	X	
76	V-14	3	1/13/2026		S	Grab	1	X	X	X	
77	V-14	4	1/13/2026		S	Grab	1	X	X	X	
78	V-14	5	1/13/2026		S	Grab	1	X	X	X	
79	V-14	6	1/13/2026		S	Grab	1	X	X	X	
80	V-14	7	1/13/2026		S	Grab	1	X	X	X	Hold

	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1			1/14/26 8:00
2			
3			
4			
5			
6			

Relinquished by: (Signature)	Received by: (Signature)	Date/Time
		1-14-26
		1300

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

Page 566 of 825

H260218

Chain of Custody

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Page 9 of

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Enzson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

Project Name:	A78 Highway Line	Turn Around	☐ Routine ☑ Rush
Project Number:		Pres. Code	
Project Location:	Lea County, New Mexico	Due Date:	24h
Sampler's Name:	Connor Whitman		TAT may vary based on lab start time.
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT				
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No	Parameters
Samples Received Intact:	(Yes) No	Thermometer ID:	#140	
Cooler Custody Seals:	Yes (No) N/A	Correction Factor:	+0.1	
Sample Custody Seals:	Yes (No) N/A	Temperature Reading:	1.6	
Total Containers:		Corrected Temperature:	1.7	

ANALYSIS REQUEST

Preservative Codes

None: NO — DI Water: H_2O
Cool: Cool — MeOH: Me
HCL: HC — HNO_3: HN
H_2S0_4: H_2 — NaOH: Na
H_3PO_4: HP
$NaHSO_4$: NABIS
$Na_2S_2O_3$: $NaSO_3$
Zn Acetate+NaOH: Zn
NaOH+Ascorbic Acid: SAPC

	Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
81	V-14	8	1/13/2026		S	Grab	1	X	X	X	H&W
82	V-14	9	1/13/2026		S	Grab	1	X	X	X	↓
83	V-14	10	1/13/2026		S	Grab	1	X	X	X	
84	V-14	11	1/13/2026		S	Grab	1	X	X	X	H&W
85	V-14	12	1/13/2026		S	Grab	1	X	X	X	
86	V-14	13	1/13/2026		S	Grab	1	X	X	X	
87	V-14	14	1/13/2026		S	Grab	1	X	X	X	
88	V-14	15	1/13/2026		S	Grab	1	X	X	X	
89	V-14	16	1/13/2026		S	Grab	1	X	X	X	
90	V-14	17	1/13/2026		S	Grab	1	X	X	X	H&W ↓

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
		1/14/26 8:00	2		1.14.26
			4		1305
			6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

January 15, 2026

ETHAN SESSUMS

STANDARD SAFETY & SUPPLY

PO BOX 14987

ODESSA, TX 79764

RE: A78 HIGHWAY LINE

Enclosed are the results of analyses for samples received by the laboratory on 01/14/26 13:00.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C25-00101. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accreditated through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Celey D. Keene

Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 14 20 (H260219-03)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	1.86	92.8	2.00	0.728	
Toluene*	<0.050	0.050	01/14/2026	ND	1.82	91.2	2.00	0.507	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	1.95	97.5	2.00	0.217	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	5.81	96.8	6.00	1.00	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *78.3 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	01/15/2026	ND	448	112	400	7.41	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	192	96.0	200	0.566	
DRO >C10-C28*	<10.0	10.0	01/14/2026	ND	175	87.3	200	2.86	
EXT DRO >C28-C36	<10.0	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *77.3 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *72.9 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 14 25 (H260219-08)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	1.86	92.8	2.00	0.728	
Toluene*	<0.050	0.050	01/14/2026	ND	1.82	91.2	2.00	0.507	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	1.95	97.5	2.00	0.217	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	5.81	96.8	6.00	1.00	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *79.8 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	01/15/2026	ND	448	112	400	7.41	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	192	96.0	200	0.566	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	175	87.3	200	2.86	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *90.6 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *87.6 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 14 30 (H260219-13)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	1.86	92.8	2.00	0.728	
Toluene*	<0.050	0.050	01/14/2026	ND	1.82	91.2	2.00	0.507	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	1.95	97.5	2.00	0.217	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	5.81	96.8	6.00	1.00	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *78.8 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	01/15/2026	ND	448	112	400	7.41	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	192	96.0	200	0.566	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	175	87.3	200	2.86	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *101 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *97.6 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 14 35 (H260219-18)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	1.86	92.8	2.00	0.728	
Toluene*	<0.050	0.050	01/14/2026	ND	1.82	91.2	2.00	0.507	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	1.95	97.5	2.00	0.217	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	5.81	96.8	6.00	1.00	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *76.8 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	01/15/2026	ND	448	112	400	7.41	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	192	96.0	200	0.566	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	175	87.3	200	2.86	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *87.2 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *81.8 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 14 40 (H260219-23)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	1.86	92.8	2.00	0.728	
Toluene*	<0.050	0.050	01/14/2026	ND	1.82	91.2	2.00	0.507	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	1.95	97.5	2.00	0.217	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	5.81	96.8	6.00	1.00	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *79.5 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	01/15/2026	ND	448	112	400	7.41	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	202	101	200	6.18	
DRO >C10-C28*	<10.0	10.0	01/14/2026	ND	178	89.2	200	7.33	
EXT DRO >C28-C36	<10.0	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *69.4 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *59.8 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 3 0-0.5 (H260219-24)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	**0.062**	0.050	01/15/2026	ND	1.86	92.8	2.00	0.728	
Toluene*	**0.463**	0.050	01/15/2026	ND	1.82	91.2	2.00	0.507	
Ethylbenzene*	**0.651**	0.050	01/15/2026	ND	1.95	97.5	2.00	0.217	
Total Xylenes*	**1.94**	0.150	01/15/2026	ND	5.81	96.8	6.00	1.00	
Total BTEX	**3.12**	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *120 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**432**	16.0	01/15/2026	ND	448	112	400	7.41	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	**76.0**	10.0	01/15/2026	ND	202	101	200	6.18	
DRO >C10-C28*	**1230**	10.0	01/15/2026	ND	178	89.2	200	7.33	
EXT DRO >C28-C36	**227**	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *80.1 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *93.4 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 3 1 (H260219-25)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	**0.303**	0.050	01/14/2026	ND	1.86	92.8	2.00	0.728	
Toluene*	**0.462**	0.050	01/14/2026	ND	1.82	91.2	2.00	0.507	
Ethylbenzene*	**0.403**	0.050	01/14/2026	ND	1.95	97.5	2.00	0.217	
Total Xylenes*	**1.61**	0.150	01/14/2026	ND	5.81	96.8	6.00	1.00	
Total BTEX	**2.78**	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *84.3 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**160**	16.0	01/15/2026	ND	448	112	400	7.41	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	**28.6**	10.0	01/14/2026	ND	202	101	200	6.18	
DRO >C10-C28*	**72.0**	10.0	01/14/2026	ND	178	89.2	200	7.33	
EXT DRO >C28-C36	**12.7**	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *73.7 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *67.4 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 3 2 (H260219-26)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	**0.050**	0.050	01/14/2026	ND	1.86	92.8	2.00	0.728	
Toluene*	**0.134**	0.050	01/14/2026	ND	1.82	91.2	2.00	0.507	
Ethylbenzene*	**0.201**	0.050	01/14/2026	ND	1.95	97.5	2.00	0.217	
Total Xylenes*	**0.608**	0.150	01/14/2026	ND	5.81	96.8	6.00	1.00	
Total BTEX	**0.993**	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *79.5 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**144**	16.0	01/15/2026	ND	448	112	400	7.41	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	**12.1**	10.0	01/14/2026	ND	202	101	200	6.18	
DRO >C10-C28*	<10.0	10.0	01/14/2026	ND	178	89.2	200	7.33	
EXT DRO >C28-C36	<10.0	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *77.5 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *67.2 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 3 3 (H260219-27)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	1.86	92.8	2.00	0.728	
Toluene*	<0.050	0.050	01/14/2026	ND	1.82	91.2	2.00	0.507	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	1.95	97.5	2.00	0.217	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	5.81	96.8	6.00	1.00	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *78.3 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**96.0**	16.0	01/15/2026	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	202	101	200	6.18	
DRO >C10-C28*	<10.0	10.0	01/14/2026	ND	178	89.2	200	7.33	
EXT DRO >C28-C36	<10.0	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *74.7 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *64.0 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 3 4 (H260219-28)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	1.86	92.8	2.00	0.728	
Toluene*	<0.050	0.050	01/14/2026	ND	1.82	91.2	2.00	0.507	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	1.95	97.5	2.00	0.217	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	5.81	96.8	6.00	1.00	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *77.0 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**64.0**	16.0	01/15/2026	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	202	101	200	6.18	
DRO >C10-C28*	<10.0	10.0	01/14/2026	ND	178	89.2	200	7.33	
EXT DRO >C28-C36	<10.0	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *73.7 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *63.4 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 3 5 (H260219-29)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	1.86	92.8	2.00	0.728	
Toluene*	<0.050	0.050	01/14/2026	ND	1.82	91.2	2.00	0.507	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	1.95	97.5	2.00	0.217	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	5.81	96.8	6.00	1.00	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *76.8 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**64.0**	16.0	01/15/2026	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	202	101	200	6.18	
DRO >C10-C28*	<10.0	10.0	01/14/2026	ND	178	89.2	200	7.33	
EXT DRO >C28-C36	<10.0	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *73.0 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *62.3 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 3 20 (H260219-34)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	1.86	92.8	2.00	0.728	
Toluene*	<0.050	0.050	01/15/2026	ND	1.82	91.2	2.00	0.507	
Ethylbenzene*	<0.050	0.050	01/15/2026	ND	1.95	97.5	2.00	0.217	
Total Xylenes*	<0.150	0.150	01/15/2026	ND	5.81	96.8	6.00	1.00	
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *78.4 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	01/15/2026	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	202	101	200	6.18	
DRO >C10-C28*	<10.0	10.0	01/14/2026	ND	178	89.2	200	7.33	
EXT DRO >C28-C36	<10.0	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *80.9 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *69.6 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 3 25 (H260219-39)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	1.86	92.8	2.00	0.728	
Toluene*	<0.050	0.050	01/15/2026	ND	1.82	91.2	2.00	0.507	
Ethylbenzene*	<0.050	0.050	01/15/2026	ND	1.95	97.5	2.00	0.217	
Total Xylenes*	<0.150	0.150	01/15/2026	ND	5.81	96.8	6.00	1.00	
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *76.6 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	01/15/2026	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	202	101	200	6.18	
DRO >C10-C28*	<10.0	10.0	01/14/2026	ND	178	89.2	200	7.33	
EXT DRO >C28-C36	<10.0	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *81.2 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *68.9 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 3 30 (H260219-44)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	1.86	92.8	2.00	0.728	
Toluene*	<0.050	0.050	01/15/2026	ND	1.82	91.2	2.00	0.507	
Ethylbenzene*	<0.050	0.050	01/15/2026	ND	1.95	97.5	2.00	0.217	
Total Xylenes*	<0.150	0.150	01/15/2026	ND	5.81	96.8	6.00	1.00	
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *80.8 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	01/15/2026	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	202	101	200	6.18	
DRO >C10-C28*	<10.0	10.0	01/14/2026	ND	178	89.2	200	7.33	
EXT DRO >C28-C36	<10.0	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *80.2 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *68.1 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 3 35 (H260219-49)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	1.86	92.8	2.00	0.728	
Toluene*	<0.050	0.050	01/15/2026	ND	1.82	91.2	2.00	0.507	
Ethylbenzene*	<0.050	0.050	01/15/2026	ND	1.95	97.5	2.00	0.217	
Total Xylenes*	<0.150	0.150	01/15/2026	ND	5.81	96.8	6.00	1.00	
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *78.6 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	01/15/2026	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	202	101	200	6.18	
DRO >C10-C28*	<10.0	10.0	01/14/2026	ND	178	89.2	200	7.33	
EXT DRO >C28-C36	<10.0	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *79.9 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *69.9 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 3 40 (H260219-54)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	1.86	92.8	2.00	0.728	
Toluene*	<0.050	0.050	01/15/2026	ND	1.82	91.2	2.00	0.507	
Ethylbenzene*	<0.050	0.050	01/15/2026	ND	1.95	97.5	2.00	0.217	
Total Xylenes*	<0.150	0.150	01/15/2026	ND	5.81	96.8	6.00	1.00	
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *77.1 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	01/15/2026	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	202	101	200	6.18	
DRO >C10-C28*	<10.0	10.0	01/14/2026	ND	178	89.2	200	7.33	
EXT DRO >C28-C36	<10.0	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *65.2 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *54.8 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 15 0-0.5 (H260219-55)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	1.86	92.8	2.00	3.68	
Toluene*	<0.050	0.050	01/14/2026	ND	1.96	97.8	2.00	3.49	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	1.98	99.1	2.00	3.70	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	5.87	97.9	6.00	3.64	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *97.4 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	01/15/2026	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	202	101	200	6.18	
DRO >C10-C28*	**22.1**	10.0	01/14/2026	ND	178	89.2	200	7.33	
EXT DRO >C28-C36	<10.0	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *66.1 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *57.0 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 15 1 (H260219-56)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	1.86	92.8	2.00	3.68	
Toluene*	<0.050	0.050	01/14/2026	ND	1.96	97.8	2.00	3.49	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	1.98	99.1	2.00	3.70	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	5.87	97.9	6.00	3.64	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *98.3 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	01/15/2026	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	202	101	200	6.18	
DRO >C10-C28*	<10.0	10.0	01/14/2026	ND	178	89.2	200	7.33	
EXT DRO >C28-C36	<10.0	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *64.5 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *54.7 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 15 2 (H260219-57)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	1.86	92.8	2.00	3.68	
Toluene*	<0.050	0.050	01/14/2026	ND	1.96	97.8	2.00	3.49	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	1.98	99.1	2.00	3.70	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	5.87	97.9	6.00	3.64	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *98.5 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**64.0**	16.0	01/15/2026	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	202	101	200	6.18	
DRO >C10-C28*	**36.6**	10.0	01/14/2026	ND	178	89.2	200	7.33	
EXT DRO >C28-C36	<10.0	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *66.3 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *57.5 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 15 3 (H260219-58)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	1.86	92.8	2.00	3.68	
Toluene*	<0.050	0.050	01/14/2026	ND	1.96	97.8	2.00	3.49	
Ethylbenzene*	**0.107**	0.050	01/14/2026	ND	1.98	99.1	2.00	3.70	
Total Xylenes*	**0.327**	0.150	01/14/2026	ND	5.87	97.9	6.00	3.64	
Total BTEX	**0.434**	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *102 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	01/15/2026	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	202	101	200	6.18	
DRO >C10-C28*	**20.0**	10.0	01/14/2026	ND	178	89.2	200	7.33	
EXT DRO >C28-C36	<10.0	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *63.1 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *54.0 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 15 4 (H260219-59)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	1.86	92.8	2.00	3.68	
Toluene*	<0.050	0.050	01/14/2026	ND	1.96	97.8	2.00	3.49	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	1.98	99.1	2.00	3.70	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	5.87	97.9	6.00	3.64	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *101 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	01/15/2026	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	202	101	200	6.18	
DRO >C10-C28*	<10.0	10.0	01/14/2026	ND	178	89.2	200	7.33	
EXT DRO >C28-C36	<10.0	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *65.6 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *54.8 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 15 5 (H260219-60)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	1.86	92.8	2.00	3.68	
Toluene*	<0.050	0.050	01/14/2026	ND	1.96	97.8	2.00	3.49	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	1.98	99.1	2.00	3.70	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	5.87	97.9	6.00	3.64	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *101 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	01/15/2026	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	202	101	200	6.18	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	178	89.2	200	7.33	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *62.9 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *52.5 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 15 10 (H260219-65)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	1.86	92.8	2.00	3.68	
Toluene*	<0.050	0.050	01/14/2026	ND	1.96	97.8	2.00	3.49	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	1.98	99.1	2.00	3.70	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	5.87	97.9	6.00	3.64	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *100 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	01/15/2026	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	202	101	200	6.18	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	178	89.2	200	7.33	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *64.7 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *54.3 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 15 15 (H260219-70)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	1.86	92.8	2.00	3.68	
Toluene*	<0.050	0.050	01/14/2026	ND	1.96	97.8	2.00	3.49	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	1.98	99.1	2.00	3.70	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	5.87	97.9	6.00	3.64	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *101 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**96.0**	16.0	01/15/2026	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	202	101	200	6.18	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	178	89.2	200	7.33	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *74.4 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *63.0 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 15 20 (H260219-75)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	1.86	92.8	2.00	3.68	
Toluene*	<0.050	0.050	01/14/2026	ND	1.96	97.8	2.00	3.49	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	1.98	99.1	2.00	3.70	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	5.87	97.9	6.00	3.64	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *99.5 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**64.0**	16.0	01/15/2026	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	183	91.5	200	7.29	
DRO >C10-C28*	<10.0	10.0	01/14/2026	ND	187	93.4	200	7.45	
EXT DRO >C28-C36	<10.0	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *90.6 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *87.5 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 15 25 (H260219-80)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	1.86	92.8	2.00	3.68	
Toluene*	<0.050	0.050	01/14/2026	ND	1.96	97.8	2.00	3.49	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	1.98	99.1	2.00	3.70	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	5.87	97.9	6.00	3.64	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *97.7 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	01/15/2026	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	183	91.5	200	7.29	
DRO >C10-C28*	<10.0	10.0	01/14/2026	ND	187	93.4	200	7.45	
EXT DRO >C28-C36	<10.0	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *87.8 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *84.9 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 15 30 (H260219-85)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	1.86	92.8	2.00	3.68	
Toluene*	<0.050	0.050	01/14/2026	ND	1.96	97.8	2.00	3.49	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	1.98	99.1	2.00	3.70	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	5.87	97.9	6.00	3.64	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *99.7 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	01/15/2026	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	183	91.5	200	7.29	
DRO >C10-C28*	<10.0	10.0	01/14/2026	ND	187	93.4	200	7.45	
EXT DRO >C28-C36	<10.0	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *93.9 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *92.4 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 15 35 (H260219-90)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	1.86	92.8	2.00	3.68	
Toluene*	<0.050	0.050	01/14/2026	ND	1.96	97.8	2.00	3.49	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	1.98	99.1	2.00	3.70	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	5.87	97.9	6.00	3.64	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *98.2 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	01/15/2026	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	183	91.5	200	7.29	
DRO >C10-C28*	<10.0	10.0	01/14/2026	ND	187	93.4	200	7.45	
EXT DRO >C28-C36	<10.0	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *93.8 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *93.0 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

QR-03	The RPD value for the sample duplicate or MS/MSD was outside of QC acceptance limits due to matrix interference. QC batch accepted based on LCS and/or LCSD recovery and/or RPD values.
ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C
	Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

STANDARD SAFETY & SUPPLY

Chain of Custody

H260219

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/
Page 1 of 0

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

0402401K

Project Name:	A78 Highway Line	Turn Around	☐ Routine ☑ Rush
Project Number:		Pres. Code	
Project Location:	Lea County, New Mexico	Due Date:	24h
Sampler's Name:	Connor Whitman	TAT may vary based on lab start time.	
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT				
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No	
Samples Received Intact:	(Yes) No	Thermometer ID:	140	
Cooler Custody Seals:	Yes (No) N/A	Correction Factor:	+0.1	
Sample Custody Seals:	Yes (No) N/A	Temperature Reading:	1.4	
Total Containers:		Corrected Temperature:	1.5	

Preservative Codes

None: NO — DI Water: H_2O
Cool: Cool — MeOH: Me
HCL: HC — HNO_3: HN
H_2S0_4: H_2 — NaOH: Na
H_3PO_4: HP
$NaHSO_4$: NABIS
$Na_2S_2O_3$: $NaSO_3$
Zn Acetate+NaOH: Zn
NaOH+Ascorbic Acid: SAPC

	Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
1	V-14	18	1/13/2026		S	Grab	1	X	X	X	Hold
2	V-14	19	1/13/2026		S	Grab	1	X	X	X	↓
3	V-14	20	1/13/2026		S	Grab	1	X	X	X	
4	V-14	21	1/13/2026		S	Grab	1	X	X	X	Hold
5	V-14	22	1/13/2026		S	Grab	1	X	X	X	↓
6	V-14	23	1/13/2026		S	Grab	1	X	X	X	
7	V-14	24	1/13/2026		S	Grab	1	X	X	X	
8	V-14	25	1/13/2026		S	Grab	1	X	X	X	
9	V-14	26	1/13/2026		S	Grab	1	X	X	X	Hold
10	V-14	27	1/13/2026		S	Grab	1	X	X	X	↓

	Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1			1/14/26 8:00	2	Rod Rigney	1-14-26 1300
3				4		
5				6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

STANDARD SAFETY & SUPPLY

Chain of Custody

H260219

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Page 1 of

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Enson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

040240K

Project Name:	A78 Highway Line	Turn Around	☐ Routine ☑ Rush
Project Number:			
Project Location:	Lea County, New Mexico	Due Date:	24h
Sampler's Name:	Connor Whitman	TAT may vary based on lab start time.	
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT				
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No	
Samples Received Intact:	(Yes) No	Thermometer ID:	140	
Cooler Custody Seals:	Yes (No) N/A	Correction Factor:	+0.1	
Sample Custody Seals:	Yes (No) N/A	Temperature Reading:	1.6	
Total Containers:		Corrected Temperature:	1.7	

Preservative Codes

None: NO; DI Water: H_2O; Cool: Cool; MeOH: Me; HCL: HC; HNO_3: HN; H_2S0_4: H_2; NaOH: Na; H_3PO_4: HP; $NaHSO_4$: NABIS; $Na_2S_2O_3$: $NaSO_3$; Zn Acetate+NaOH: Zn; NaOH+Ascorbic Acid: SAPC

Sample Identification		Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Pres. Code	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
11	V-14	28	1/13/2026		S	Grab	1		X	X	X	Hold
12	V-14	29	1/13/2026		S	Grab	1		X	X	X	↓
13	V-14	30	1/13/2026		S	Grab	1		X	X	X	
14	V-14	31	1/13/2026		S	Grab	1		X	X	X	Hold
15	V-14	32	1/13/2026		S	Grab	1		X	X	X	↓
16	V-14	33	1/13/2026		S	Grab	1		X	X	X	
17	V-14	34	1/13/2026		S	Grab	1		X	X	X	↓
18	V-14	35	1/13/2026		S	Grab	1		X	X	X	
19	V-14	36	1/13/2026		S	Grab	1		X	X	X	Hold
20	V-14	37	1/13/2026		S	Grab	1		X	X	X	↓

	Relinquished by: (Signature)	Received by: (Signature)	Date/Time		Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1			1/14/26 8:00	2		Rodriguez	1-14-26 1300
3				4			
5				6			

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

Page 599 of 825

STANDARD SAFETY & SUPPLY

Chain of Custody H260219

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Page 12 of

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Enzsen
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

040240 1K

Project Name:	A78 Highway Line	Turn Around	☐ Routine ☑ Rush
Project Number:		Due Date:	24h
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.	
Sampler's Name:	Connor Whitman		
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT				
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No	
Samples Received Intact:	(Yes) No	Thermometer ID:	140	
Cooler Custody Seals:	Yes (No) N/A	Correction Factor:	+0.1c	
Sample Custody Seals:	Yes (No) N/A	Temperature Reading:	1.6c	
Total Containers:		Corrected Temperature:	1.7c	

Preservative Codes

None: NO — DI Water: H_2O
Cool: Cool — MeOH: Me
HCL: HC — HNO_3: HN
H_2S0_4: H_2 — NaOH: Na
H_3PO_4: HP
$NaHSO_4$: NABIS
$Na_2S_2O_3$: $NaSO_3$
Zn Acetate+NaOH: Zn
NaOH+Ascorbic Acid: SAPC

Sample Identification		Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
21	V-14	38	1/13/2026		S	Grab	1	X	X	X	H&W
22	V-14	39	1/13/2026		S	Grab	1	X	X	X	↓
23	V-14	40	1/13/2026		S	Grab	1	X	X	X	
24	V-3	0-0.5	1/13/2026		S	Grab	1	X	X	X	
25	V-3	1	1/13/2026		S	Grab	1	X	X	X	
26	V-3	2	1/13/2026		S	Grab	1	X	X	X	
27	V-3	3	1/13/2026		S	Grab	1	X	X	X	
28	V-3	4	1/13/2026		S	Grab	1	X	X	X	
29	V-3	5	1/13/2026		S	Grab	1	X	X	X	
30	V-3	6	1/13/2026		S	Grab	1	X	X	X	H&W

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1		1/14/26 8:00	2		1-14-26 1300
3			4		
5			6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

STANDARD SAFETY & SUPPLY

Chain of Custody

H260219

Dean Enexsan

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Page 13 of

Project Manager:	Ethan Sessums	Bill to: (if different)	~~Dean Energy~~ ICH 1/14/26
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

04024011K

Project Name:	A78 Highway Line	Turn Around	Routine ☑ Rush
Project Number:		Due Date:	24h
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.	
Sampler's Name:	Connor Whitman		
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT				
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No	
Samples Received Intact:	(Yes) No	Thermometer ID:	140	
Cooler Custody Seals:	Yes (No) N/A	Correction Factor:	+0.1c	
Sample Custody Seals:	Yes (No) N/A	Temperature Reading:	1.6c	
Total Containers:		Corrected Temperature:	1.7c	

Preservative Codes

None: NO; DI Water: H_2O; Cool: Cool; MeOH: Me; HCL: HC; HNO_3: HN; H_2S0_4: H_2; NaOH: Na; H_3PO_4: HP; $NaHSO_4$: NABIS; $Na_2S_2O_3$: $NaSO_3$; Zn Acetate+NaOH: Zn; NaOH+Ascorbic Acid: SAPC

Sample Identification		Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Pres. Code	Parameters: BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
31	V-3	17	1/13/2026		S	Grab	1		X	X	X	H&W
32	V-3	18	1/13/2026		S	Grab	1		X	X	X	↓
33	V-3	19	1/13/2026		S	Grab	1		X	X	X	
34	V-3	20	1/13/2026		S	Grab	1		X	X	X	
35	V-3	21	1/13/2026		S	Grab	1		X	X	X	H&W
36	V-3	22	1/13/2026		S	Grab	1		X	X	X	↓
37	V-3	23	1/13/2026		S	Grab	1		X	X	X	
38	V-3	24	1/13/2026		S	Grab	1		X	X	X	
39	V-3	25	1/13/2026		S	Grab	1		X	X	X	
40	V-3	26	1/13/2026		S	Grab	1		X	X	X	H&W

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1		1/14/26 8:20	2		1.14.26 1300
3			4		
5			6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

Page 601 of 825

STANDARD SAFETY & SUPPLY

Chain of Custody H260219

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Page 1 of

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Enzsun
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

0402401K

Project Name:	A78 Highway Line	Turn Around	☐ Routine ☑ Rush
Project Number:		Due Date:	24h
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.	
Sampler's Name:	Connor Whitman		
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT			
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No
Samples Received Intact:	(Yes) No	Thermometer ID:	140
Cooler Custody Seals:	Yes (No) N/A	Correction Factor:	+0.1°
Sample Custody Seals:	Yes (No) N/A	Temperature Reading:	1.6°
Total Containers:		Corrected Temperature:	1.7°

Preservative Codes

None: NO; DI Water: H_2O; Cool: Cool; MeOH: Me; HCL: HC; HNO_3: HN; H_2S0_4: H_2; NaOH: Na; H_3PO_4: HP; $NaHSO_4$: NABIS; $Na_2S_2O_3$: $NaSO_3$; Zn Acetate+NaOH: Zn; NaOH+Ascorbic Acid: SAPC

Sample Identification		Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Parameters: BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
41	V-3	27	1/13/2026		S	Grab	1	X	X	X	Hold
42	V-3	28	1/13/2026		S	Grab	1	X	X	X	↓
43	V-3	29	1/13/2026		S	Grab	1	X	X	X	
44	V-3	30	1/13/2026		S	Grab	1	X	X	X	
45	V-3	31	1/13/2026		S	Grab	1	X	X	X	Hold
46	V-3	32	1/13/2026		S	Grab	1	X	X	X	↓
47	V-3	33	1/13/2026		S	Grab	1	X	X	X	
48	V-3	34	1/13/2026		S	Grab	1	X	X	X	
49	V-3	35	1/13/2026		S	Grab	1	X	X	X	
50	V-3	36	1/13/2026		S	Grab	1	X	X	X	Hold

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
		1/14/26 8:00	2		1.14.26 1300
			4		
			6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

STANDARD SAFETY & SUPPLY

Chain of Custody

H260219

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Page 1 of

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Enerson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

04024011L

Project Name:	A78 Highway Line	Turn Around	Routine ☐ Rush ☑
Project Number:		Due Date:	24h
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.	
Sampler's Name:	Connor Whitman		
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT				
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No	
Samples Received Intact:	(Yes) No	Thermometer ID:	140	
Cooler Custody Seals:	Yes No (N/A)	Correction Factor:	+0.1c	
Sample Custody Seals:	Yes (No) N/A	Temperature Reading:	1.6c	
Total Containers:		Corrected Temperature:	1.7c	

Preservative Codes

None: NO; DI Water: H_2O; Cool: Cool; MeOH: Me; HCL: HC; HNO_3: HN; H_2S0_4: H_2; NaOH: Na; H_3PO_4: HP; $NaHSO_4$: NABIS; $Na_2S_2O_3$: $NaSO_3$; Zn Acetate+NaOH: Zn; NaOH+Ascorbic Acid: SAPC

Sample Identification		Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Pres. Code	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
S1	V-3	37	1/13/2026		S	Grab	1		X	X	X	H2O
S2	V-3	38	1/13/2026		S	Grab	1		X	X	X	"
S3	V-3	39	1/13/2026		S	Grab	1		X	X	X	
S4	V-3	40	1/13/2026		S	Grab	1		X	X	X	
S5	V-15	0-0.5	1/13/2026		S	Grab	1		X	X	X	
S6	V-15	1	1/13/2026		S	Grab	1		X	X	X	
S7	V-15	2	1/13/2026		S	Grab	1		X	X	X	
S8	V-15	3	1/13/2026		S	Grab	1		X	X	X	
S9	V-15	4	1/13/2026		S	Grab	1		X	X	X	
S10	V-15	5	1/13/2026		S	Grab	1		X	X	X	

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1		1/14/26	2		1.14.26 1300
3			4		
5			6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

Page 603 of 825

STANDARD SAFETY & SUPPLY

Chain of Custody H260219

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Page 1 of

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Enzsen Energy Transfer
Company Name:	Standard Safety & Supply	Company Name:	
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

0402401K

Project Name:	A78 Highway Line	Turn Around	☐ Routine ☑ Rush
Project Number:		Due Date:	24h
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.	
Sampler's Name:	Connor Whitman		
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT				
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No	
Samples Received Intact:	(Yes) No	Thermometer ID:	140	
Cooler Custody Seals:	Yes (No) N/A	Correction Factor:	+0.1c	
Sample Custody Seals:	Yes (No) N/A	Temperature Reading:	1-10:	
Total Containers:		Corrected Temperature:	1.7c	

Preservative Codes

None: NO; DI Water: H_2O; Cool: Cool; MeOH: Me; HCL: HC; HNO_3: HN; H_2S0_4: H_2; NaOH: Na; H_3PO_4: HP; $NaHSO_4$: NABIS; $Na_2S_2O_3$: $NaSO_3$; Zn Acetate+NaOH: Zn; NaOH+Ascorbic Acid: SAPC

Sample Identification		Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
61	V-15	6	1/13/2026		S	Grab	1	X	X	X	H&W
62	V-15	7	1/13/2026		S	Grab	1	X	X	X	↓
63	V-15	8	1/13/2026		S	Grab	1	X	X	X	
64	V-15	9	1/13/2026		S	Grab	1	X	X	X	
65	V-15	10	1/13/2026		S	Grab	1	X	X	X	H&W
66	V-15	11	1/13/2026		S	Grab	1	X	X	X	↓
67	V-15	12	1/13/2026		S	Grab	1	X	X	X	
68	V-15	13	1/13/2026		S	Grab	1	X	X	X	
69	V-15	14	1/13/2026		S	Grab	1	X	X	X	
70	V-15	15	1/13/2026		S	Grab	1	X	X	X	

	Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1			1/14/26	2	Rodriguez	1-14-26 1300
3				4		
5				6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

STANDARD SAFETY & SUPPLY

Chain of Custody

H260219

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Page 1 of 2

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Enzsen
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

0402401K

Project Name:	A78 Highway Line	Turn Around	☐ Routine ☑ Rush
Project Number:		Due Date:	24h
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.	
Sampler's Name:	Connor Whitman		
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT				
Temp Blank:	Yes No	Wet Ice:	Yes No	
Samples Received Intact:	Yes No	Thermometer ID:	140	
Cooler Custody Seals:	Yes No N/A	Correction Factor:	+0.1	
Sample Custody Seals:	Yes No N/A	Temperature Reading:	1.4	
Total Containers:		Corrected Temperature:	1.5	

Preservative Codes

None: NO — DI Water: H_2O
Cool: Cool — MeOH: Me
HCL: HC — HNO_3: HN
H_2S0_4: H_2 — NaOH: Na
H_3PO_4: HP
$NaHSO_4$: NABIS
$Na_2S_2O_3$: $NaSO_3$
Zn Acetate+NaOH: Zn
NaOH+Ascorbic Acid: SAPC

Sample Identification		Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Pres. Code	Parameters: BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
71	V-15	16	1/13/2026		S	Grab	1		X	X	X	H&W
72	V-15	17	1/13/2026		S	Grab	1		X	X	X	
73	V-15	18	1/13/2026		S	Grab	1		X	X	X	
74	V-15	19	1/13/2026		S	Grab	1		X	X	X	
75	V-15	20	1/13/2026		S	Grab	1		X	X	X	
76	V-15	21	1/13/2026		S	Grab	1		X	X	X	H&W
77	V-15	22	1/13/2026		S	Grab	1		X	X	X	
78	V-15	23	1/13/2026		S	Grab	1		X	X	X	
79	V-15	24	1/13/2026		S	Grab	1		X	X	X	
80	V-15	25	1/13/2026		S	Grab	1		X	X	X	

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1		1/14/26 8:00	2	Rodriguez	1-14-26 1300
3			4		
5			6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

Page 605 of 825

STANDARD SAFETY & SUPPLY

Chain of Custody

H260219

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Page 1 of 8

Project Manager:	Ethan Sessums	Bill to: (if different)	Dawn Enzsun
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

0402401K

Project Name:	A78 Highway Line	Turn Around	Routine / Rush
Project Number:		Due Date:	24h
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.	
Sampler's Name:	Connor Whitman		
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT				
Temp Blank:	Yes / No	Wet Ice:	Yes / No	
Samples Received Intact:	Yes / No	Thermometer ID:	140	
Cooler Custody Seals:	Yes / No / N/A	Correction Factor:	+0.1	
Sample Custody Seals:	Yes / No / N/A	Temperature Reading:	1.4	
Total Containers:		Corrected Temperature:	1.5	

Preservative Codes

None: NO; DI Water: H_2O; Cool: Cool; MeOH: Me; HCL: HC; HNO_3: HN; H_2S0_4: H_2; NaOH: Na; H_3PO_4: HP; $NaHSO_4$: NABIS; $Na_2S_2O_3$: $NaSO_3$; Zn Acetate+NaOH: Zn; NaOH+Ascorbic Acid: SAPC

Sample Identification		Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Pres. Code	Parameters: BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
S1	V-15	26	1/13/2026		S	Grab	1		X	X	X	Hold
S2	V-15	27	1/13/2026		S	Grab	1		X	X	X	
S3	V-15	28	1/13/2026		S	Grab	1		X	X	X	
S4	V-15	29	1/13/2026		S	Grab	1		X	X	X	
S5	V-15	30	1/13/2026		S	Grab	1		X	X	X	
S6	V-15	31	1/13/2026		S	Grab	1		X	X	X	Hold
S7	V-15	32	1/13/2026		S	Grab	1		X	X	X	
S8	V-15	33	1/13/2026		S	Grab	1		X	X	X	
S9	V-15	34	1/13/2026		S	Grab	1		X	X	X	
S10	V-15	35	1/13/2026		S	Grab	1		X	X	X	

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1		1/14/26 8:00	2		1-14-26 1300
3			4		
5			6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

January 15, 2026

ETHAN SESSUMS

STANDARD SAFETY & SUPPLY

PO BOX 14987

ODESSA, TX 79764

RE: A78 HIGHWAY LINE

Enclosed are the results of analyses for samples received by the laboratory on 01/14/26 13:00.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C25-00101. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accreditated through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Celey D. Keene

Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 15 40 (H260220-05)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	1.86	92.8	2.00	3.68	
Toluene*	<0.050	0.050	01/14/2026	ND	1.96	97.8	2.00	3.49	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	1.98	99.1	2.00	3.70	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	5.87	97.9	6.00	3.64	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *100 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	01/15/2026	ND	416	104	400	7.41	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	183	91.5	200	7.29	
DRO >C10-C28*	<10.0	10.0	01/14/2026	ND	187	93.4	200	7.45	
EXT DRO >C28-C36	<10.0	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *92.4 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *91.0 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 17 0-0.5' (H260220-06)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	1.86	92.8	2.00	3.68	
Toluene*	<0.050	0.050	01/14/2026	ND	1.96	97.8	2.00	3.49	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	1.98	99.1	2.00	3.70	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	5.87	97.9	6.00	3.64	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *98.5 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	01/15/2026	ND	416	104	400	7.41	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	183	91.5	200	7.29	
DRO >C10-C28*	**12.4**	10.0	01/14/2026	ND	187	93.4	200	7.45	
EXT DRO >C28-C36	<10.0	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *87.7 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *88.3 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 17 1 (H260220-07)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	1.86	92.8	2.00	3.68	
Toluene*	<0.050	0.050	01/14/2026	ND	1.96	97.8	2.00	3.49	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	1.98	99.1	2.00	3.70	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	5.87	97.9	6.00	3.64	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *99.8 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	01/15/2026	ND	416	104	400	7.41	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	183	91.5	200	7.29	
DRO >C10-C28*	<10.0	10.0	01/14/2026	ND	187	93.4	200	7.45	
EXT DRO >C28-C36	<10.0	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *87.8 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *88.0 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 17 2 (H260220-08)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/14/2026	ND	1.86	92.8	2.00	3.68	
Toluene*	<0.050	0.050	01/14/2026	ND	1.96	97.8	2.00	3.49	
Ethylbenzene*	<0.050	0.050	01/14/2026	ND	1.98	99.1	2.00	3.70	
Total Xylenes*	<0.150	0.150	01/14/2026	ND	5.87	97.9	6.00	3.64	
Total BTEX	<0.300	0.300	01/14/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *98.4 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	01/15/2026	ND	416	104	400	7.41	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	183	91.5	200	7.29	
DRO >C10-C28*	<10.0	10.0	01/14/2026	ND	187	93.4	200	7.45	
EXT DRO >C28-C36	<10.0	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *89.2 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *87.0 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 17 3 (H260220-09)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	1.86	92.8	2.00	3.68	
Toluene*	<0.050	0.050	01/15/2026	ND	1.96	97.8	2.00	3.49	
Ethylbenzene*	<0.050	0.050	01/15/2026	ND	1.98	99.1	2.00	3.70	
Total Xylenes*	<0.150	0.150	01/15/2026	ND	5.87	97.9	6.00	3.64	
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *99.2 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	01/15/2026	ND	416	104	400	7.41	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	183	91.5	200	7.29	
DRO >C10-C28*	<10.0	10.0	01/14/2026	ND	187	93.4	200	7.45	
EXT DRO >C28-C36	<10.0	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *91.4 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *89.5 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 17 4 (H260220-10)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	1.86	92.8	2.00	3.68	
Toluene*	<0.050	0.050	01/15/2026	ND	1.96	97.8	2.00	3.49	
Ethylbenzene*	<0.050	0.050	01/15/2026	ND	1.98	99.1	2.00	3.70	
Total Xylenes*	<0.150	0.150	01/15/2026	ND	5.87	97.9	6.00	3.64	
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *98.9 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	01/15/2026	ND	416	104	400	7.41	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	183	91.5	200	7.29	
DRO >C10-C28*	<10.0	10.0	01/14/2026	ND	187	93.4	200	7.45	
EXT DRO >C28-C36	<10.0	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *88.5 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *89.5 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 17 5 (H260220-11)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	1.86	92.8	2.00	3.68	
Toluene*	<0.050	0.050	01/15/2026	ND	1.96	97.8	2.00	3.49	
Ethylbenzene*	<0.050	0.050	01/15/2026	ND	1.98	99.1	2.00	3.70	
Total Xylenes*	<0.150	0.150	01/15/2026	ND	5.87	97.9	6.00	3.64	
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *99.1 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	01/15/2026	ND	416	104	400	7.41	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	183	91.5	200	7.29	
DRO >C10-C28*	<10.0	10.0	01/14/2026	ND	187	93.4	200	7.45	
EXT DRO >C28-C36	<10.0	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *83.6 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *84.2 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 17 10 (H260220-16)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	1.86	92.8	2.00	3.68	
Toluene*	<0.050	0.050	01/15/2026	ND	1.96	97.8	2.00	3.49	
Ethylbenzene*	<0.050	0.050	01/15/2026	ND	1.98	99.1	2.00	3.70	
Total Xylenes*	<0.150	0.150	01/15/2026	ND	5.87	97.9	6.00	3.64	
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *99.3 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	01/15/2026	ND	416	104	400	7.41	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	183	91.5	200	7.29	
DRO >C10-C28*	<10.0	10.0	01/14/2026	ND	187	93.4	200	7.45	
EXT DRO >C28-C36	<10.0	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *94.3 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *95.0 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 17 15 (H260220-21)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	2.06	103	2.00	0.675	
Toluene*	<0.050	0.050	01/15/2026	ND	1.97	98.3	2.00	6.70	
Ethylbenzene*	<0.050	0.050	01/15/2026	ND	2.05	102	2.00	8.11	
Total Xylenes*	<0.150	0.150	01/15/2026	ND	6.37	106	6.00	8.32	QM-07
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *123 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	01/15/2026	ND	416	104	400	7.41	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	183	91.5	200	7.29	
DRO >C10-C28*	<10.0	10.0	01/14/2026	ND	187	93.4	200	7.45	
EXT DRO >C28-C36	<10.0	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *93.6 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *92.8 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 17 20 (H260220-26)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	2.06	103	2.00	0.675	
Toluene*	<0.050	0.050	01/15/2026	ND	1.97	98.3	2.00	6.70	
Ethylbenzene*	<0.050	0.050	01/15/2026	ND	2.05	102	2.00	8.11	
Total Xylenes*	<0.150	0.150	01/15/2026	ND	6.37	106	6.00	8.32	
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *113 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**224**	16.0	01/15/2026	ND	416	104	400	7.41	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	183	91.5	200	7.29	
DRO >C10-C28*	<10.0	10.0	01/14/2026	ND	187	93.4	200	7.45	
EXT DRO >C28-C36	<10.0	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *93.5 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *93.2 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 17 25 (H260220-31)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	2.06	103	2.00	0.675	
Toluene*	<0.050	0.050	01/15/2026	ND	1.97	98.3	2.00	6.70	
Ethylbenzene*	<0.050	0.050	01/15/2026	ND	2.05	102	2.00	8.11	
Total Xylenes*	<0.150	0.150	01/15/2026	ND	6.37	106	6.00	8.32	
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *116 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**272**	16.0	01/15/2026	ND	416	104	400	7.41	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	183	91.5	200	7.29	
DRO >C10-C28*	<10.0	10.0	01/14/2026	ND	187	93.4	200	7.45	
EXT DRO >C28-C36	<10.0	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *95.9 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *95.7 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 17 30 (H260220-36)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	2.06	103	2.00	0.675	
Toluene*	<0.050	0.050	01/15/2026	ND	1.97	98.3	2.00	6.70	
Ethylbenzene*	<0.050	0.050	01/15/2026	ND	2.05	102	2.00	8.11	
Total Xylenes*	<0.150	0.150	01/15/2026	ND	6.37	106	6.00	8.32	
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *112 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**128**	16.0	01/15/2026	ND	416	104	400	7.41	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/14/2026	ND	183	91.5	200	7.29	
DRO >C10-C28*	**36.3**	10.0	01/14/2026	ND	187	93.4	200	7.45	
EXT DRO >C28-C36	**23.2**	10.0	01/14/2026	ND					

Surrogate: 1-Chlorooctane *94.0 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *94.2 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 17 34 (H260220-40)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	2.06	103	2.00	0.675	
Toluene*	<0.050	0.050	01/15/2026	ND	1.97	98.3	2.00	6.70	
Ethylbenzene*	<0.050	0.050	01/15/2026	ND	2.05	102	2.00	8.11	
Total Xylenes*	<0.150	0.150	01/15/2026	ND	6.37	106	6.00	8.32	
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *109 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	01/15/2026	ND	416	104	400	7.41	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	183	91.5	200	7.29	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	187	93.4	200	7.45	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *94.6 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *95.6 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

QM-07	The spike recovery was outside acceptance limits for the MS and/or MSD. The batch was accepted based on acceptable LCS recovery.
ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C
	Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

STANDARD SAFETY & SUPPLY

Chain of Custody

H260220

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Page 1 of 1

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

0402401K - all

Project Name:	A78 Highway Line	Turn Around	☐ Routine ☑ Rush
Project Number:			
Project Location:	Lea County, New Mexico	Due Date:	24h
Sampler's Name:	Connor Whitman	TAT may vary based on lab start time.	
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT				
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No	
Samples Received Intact:	(Yes) No	Thermometer ID:	#140	
Cooler Custody Seals:	Yes (No) N/A	Correction Factor:	+0.1°c	
Sample Custody Seals:	Yes (No) N/A	Temperature Reading:	1.6°c	
Total Containers:		Corrected Temperature:	1.7°c	

Preservative Codes

None: NO; DI Water: H_2O; Cool: Cool; MeOH: Me; HCL: HC; HNO_3: HN; H_2S0_4: H_2; NaOH: Na; H_3PO_4: HP; $NaHSO_4$: NABIS; $Na_2S_2O_3$: $NaSO_3$; Zn Acetate+NaOH: Zn; NaOH+Ascorbic Acid: SAPC

	Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Pres. Code	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
1	V-15	36	1/13/2026		S	Grab	1		X	X	X	H&V
2	V-15	37	1/13/2026		S	Grab	1		X	X	X	↓
3	V-15	38	1/13/2026		S	Grab	1		X	X	X	
4	V-15	39	1/13/2026		S	Grab	1		X	X	X	
5	V-15	40	1/13/2026		S	Grab	1		X	X	X	
6	V-17	0-0.5	1/13/2026		S	Grab	1		X	X	X	
7	V-17	1	1/13/2026		S	Grab	1		X	X	X	
8	V-17	2	1/13/2026		S	Grab	1		X	X	X	
9	V-17	3	1/13/2026		S	Grab	1		X	X	X	
10	V-17	4	1/13/2026		S	Grab	1		X	X	X	

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1		1/14/26 8:00	2		1-14-26 1300
3			4		
5			6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

STANDARD SAFETY & SUPPLY

Chain of Custody H260220

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/
Page 2 of

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Enexus Energy Transfer
Company Name:	Standard Safety & Supply	Company Name:	
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

Project Name:	A78 Highway Line	Turn Around	
Project Number:		☐ Routine ☑ Rush	
Project Location:	Lea County, New Mexico	Due Date:	24h
Sampler's Name:	Connor Whitman	TAT may vary based on lab start time.	
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT				
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No	
Samples Received Intact:	(Yes) No	Thermometer ID:	#140	
Cooler Custody Seals:	Yes (No) N/A	Correction Factor:	+0.1°	
Sample Custody Seals:	Yes (No) N/A	Temperature Reading:	1.6°	
Total Containers:		Corrected Temperature:	1.7°	

Preservative Codes

None: NO — DI Water: H_2O
Cool: Cool — MeOH: Me
HCL: HC — HNO_3: HN
H_2S0_4: H_2 — NaOH: Na
H_3PO_4: HP
$NaHSO_4$: NABIS
$Na_2S_2O_3$: $NaSO_3$
Zn Acetate+NaOH: Zn
NaOH+Ascorbic Acid: SAPC

	Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
11	V-17	5	1/13/2026		S	Grab	1	X	X	X	
12	V-17	6	1/13/2026		S	Grab	1	X	X	X	H2O ↓
13	V-17	7	1/13/2026		S	Grab	1	X	X	X	
14	V-17	8	1/13/2026		S	Grab	1	X	X	X	
15	V-17	9	1/13/2026		S	Grab	1	X	X	X	
16	V-17	10	1/13/2026		S	Grab	1	X	X	X	
17	V-17	11	1/13/2026		S	Grab	1	X	X	X	H2O ↓
18	V-17	12	1/13/2026		S	Grab	1	X	X	X	
19	V-17	13	1/13/2026		S	Grab	1	X	X	X	
20	V-17	14	1/13/2026		S	Grab	1	X	X	X	

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1		1/14/26 8:00	2		1-14-26 1300
3			4		
5			6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

CARDINAL Laboratories

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

C-26029-GL-21300171

Company Name:	Standard Safety & Supply
Project Manager:	Ethan Sessums
Address:	2425 Trunk St
City:	Odessa State: TX Zip: 79761
Phone #:	254-266-5456 Fax #:
Project #:	Project Owner: Energy Transfer
Project Name:	ATS Highway line
Project Location:	Lea Co, NM
Sampler Name:	Connor Whitman

BILL TO

P.O. #:	
Company:	Energy Transfer
Attn:	Dawn Emerson
Address:	
City:	
State:	Zip:
Phone #:	
Fax #:	

ANALYSIS REQUEST

FOR LAB USE ONLY Lab I.D.	Sample I.D.		(G)RAB OR (C)OMP.	# CONTAINERS	MATRIX: GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :	PRESERV.: ACID/BASE:	ICE / COOL	OTHER :	SAMPLING: DATE	TIME	BTEX 8021B	TPH 8015M	Chloride 4500 Cl-B	Hold
H260220																			
21	V-17	15	G	1			X					X		1/13/26					
22		16																	X
23		17																	X
24		18																	X
25		19																	X
26		20																	
27		21																	X
28		22																	X
29		23																	X
30		24																	X

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequental damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Relinquished By: CW	Date: 1/14/26 Time: 8:00	Received By:	
Relinquished By:	Date: 1-14-26 Time: 1300	Received By: Tamara Oldaker	
Delivered By: (Circle One) Sampler - UPS - Bus - Other:	Observed Temp. °C 1.6 Corrected Temp. °C 1.7	Sample Condition Cool: Yes / No Intact: Yes / No	CHECKED BY: (Initials)

Verbal Result: ☐ Yes ☐ No Add'l Phone #:
All Results are emailed. Please provide Email address:

REMARKS: 040240 1K

Turnaround Time: Standard ☐ Rush ☑
Thermometer ID #140 Correction Factor +0.3°C 24 +0.1c 1/14/26

Bacteria (only) Sample Condition: Cool ☐ Yes ☐ No Intact ☐ Yes ☐ No Observed Temp. °C Corrected Temp. °C

FORM-006 R 3.0 02/12/25

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

STANDARD SAFETY & SUPPLY

Chain of Custody

H260220

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Page 2 of 2

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Enron Energy Transfer
Company Name:	Standard Safety & Supply	Company Name:	
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

Project Name:	A78 Highway Line	Turn Around	☐ Routine ☑ Rush
Project Number:		Due Date:	24h
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.	
Sampler's Name:	Connor Whitman		
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT				
Temp Blank:	Yes No	Wet Ice:	Yes No	
Samples Received Intact:	Yes No	Thermometer ID:	#140	
Cooler Custody Seals:	Yes No N/A	Correction Factor:	+0.1°c	
Sample Custody Seals:	Yes No N/A	Temperature Reading:	1.6°c	
Total Containers:		Corrected Temperature:	1.7°c	

Preservative Codes

None: NO; DI Water: H_2O; Cool: Cool; MeOH: Me; HCL: HC; HNO_3: HN; H_2S0_4: H_2; NaOH: Na; H_3PO_4: HP; $NaHSO_4$: NABIS; $Na_2S_2O_3$: $NaSO_3$; Zn Acetate+NaOH: Zn; NaOH+Ascorbic Acid: SAPC

Sample Identification		Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Pres. Code	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
31	V-17	25	1/13/2026		S	Grab	1		X	X	X	
32	V-17	26	1/13/2026		S	Grab	1		X	X	X	H&W
33	V-17	27	1/13/2026		S	Grab	1		X	X	X	↓
34	V-17	28	1/13/2026		S	Grab	1		X	X	X	
35	V-17	29	1/13/2026		S	Grab	1		X	X	X	
36	V-17	30	1/13/2026		S	Grab	1		X	X	X	
37	V-17	31	1/13/2026		S	Grab	1		X	X	X	H&W
38	V-17	32	1/13/2026		S	Grab	1		X	X	X	↓
39	V-17	33	1/13/2026		S	Grab	1		X	X	X	
40	V-17	34	1/13/2026		S	Grab	1		X	X	X	

	Relinquished by: (Signature)	Received by: (Signature)	Date/Time		Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1			1/14/26 8:00	2			1-14-26 13
3				4			
5				6			

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

January 15, 2026

ETHAN SESSUMS

STANDARD SAFETY & SUPPLY

PO BOX 14987

ODESSA, TX 79764

RE: A78 HIGHWAY LINE

Enclosed are the results of analyses for samples received by the laboratory on 01/14/26 13:00.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C25-00101. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accreditated through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Celey D. Keene

Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 3 10 (H260223-04)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	2.06	103	2.00	0.675	
Toluene*	<0.050	0.050	01/15/2026	ND	1.97	98.3	2.00	6.70	
Ethylbenzene*	<0.050	0.050	01/15/2026	ND	2.05	102	2.00	8.11	
Total Xylenes*	<0.150	0.150	01/15/2026	ND	6.37	106	6.00	8.32	
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *119 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	01/15/2026	ND	432	108	400	3.64	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	186	93.0	200	1.69	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	216	108	200	7.99	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *71.8 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *69.0 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/14/2026	Sampling Date:	01/13/2026
Reported:	01/15/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 3 15 (H260223-09)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	2.06	103	2.00	0.675	
Toluene*	<0.050	0.050	01/15/2026	ND	1.97	98.3	2.00	6.70	
Ethylbenzene*	<0.050	0.050	01/15/2026	ND	2.05	102	2.00	8.11	
Total Xylenes*	<0.150	0.150	01/15/2026	ND	6.37	106	6.00	8.32	
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *121 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	01/15/2026	ND	432	108	400	3.64	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	186	93.0	200	1.69	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	216	108	200	7.99	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *79.1 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *77.2 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

QM-07	The spike recovery was outside acceptance limits for the MS and/or MSD. The batch was accepted based on acceptable LCS recovery.
ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C
	Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

Page 629 of 825

H260223

Page 5 of 5

Chain of Custody

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Page of

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

CLS - 040340 1K

Project Name:	A78 Highway Line	Turn Around	
Project Number:		☐ Routine ☑ Rush	
Project Location:	Lea County, New Mexico	Due Date:	24h
Sampler's Name:	Connor Whitman	TAT may vary based on lab start time.	
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT				
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No	
Samples Received Intact:	(Yes) No	Thermometer ID:	#140	
Cooler Custody Seals:	Yes No (N/A)	Correction Factor:	+0.1	
Sample Custody Seals:	Yes (No) N/A	Temperature Reading:	1.6	
Total Containers:		Corrected Temperature:	1.7	

ANALYSIS REQUEST

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Pres. Code	Parameters: BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
1 V-3	7	1/13/2026		S	Grab	1		X	X	X	Hold
2 V-3	8	1/13/2026		S	Grab	1		X	X	X	Hold
3 V-3	9	1/13/2026		S	Grab	1		X	X	X	Hold
4 V-3	10	1/13/2026		S	Grab	1		X	X	X	
5 V-3	11	1/13/2026		S	Grab	1		X	X	X	Hold
6 V-3	12	1/13/2026		S	Grab	1		X	X	X	Hold
7 V-3	13	1/13/2026		S	Grab	1		X	X	X	Hold
8 V-3	14	1/13/2026		S	Grab	1		X	X	X	Hold
9 V-3	15	1/13/2026		S	Grab	1		X	X	X	
10 V-3	16	1/13/2026		S	Grab	1		X	X	X	Hold

Preservative Codes

None: NO — DI Water: H_2O
Cool: Cool — MeOH: Me
HCL: HC — HNO_3: HN
H_2S0_4: H_2 — NaOH: Na
H_3PO_4: HP
$NaHSO_4$: NABIS
$Na_2S_2O_3$: $NaSO_3$
Zn Acetate+NaOH: Zn
NaOH+Ascorbic Acid: SAPC

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
Connor Whitman	Kenny Han	1/14/2026 8:00	2. Kenny Han	Apaua	1-14-26
			4		1300
			6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

January 16, 2026

ETHAN SESSUMS

STANDARD SAFETY & SUPPLY

PO BOX 14987

ODESSA, TX 79764

RE: A78 HIGHWAY LINE

Enclosed are the results of analyses for samples received by the laboratory on 01/15/26 11:40.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C25-00101. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accreditated through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Celey D. Keene

Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 1 0 (H260251-01)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	**30.0**	5.00	01/15/2026	ND	1.84	92.2	2.00	2.96	QM-07, QR-03
Toluene*	**173**	5.00	01/15/2026	ND	1.91	95.5	2.00	2.53	QM-07
Ethylbenzene*	**112**	5.00	01/15/2026	ND	1.93	96.3	2.00	2.49	QM-07
Total Xylenes*	**222**	15.0	01/15/2026	ND	5.72	95.3	6.00	2.56	QM-07
Total BTEX	**536**	30.0	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *109 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**5760**	16.0	01/16/2026	ND	480	120	400	6.90	

TPH 8015M mg/kg Analyzed By: JF S-06

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	**4440**	50.0	01/15/2026	ND	194	96.8	200	1.69	
DRO >C10-C28*	**10600**	50.0	01/15/2026	ND	190	94.8	200	0.447	
EXT DRO >C28-C36	**1410**	50.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *451 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *197 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 1 1 (H260251-02)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	**1.61**	1.00	01/15/2026	ND	1.84	92.2	2.00	2.96	
Toluene*	**10.8**	1.00	01/15/2026	ND	1.91	95.5	2.00	2.53	
Ethylbenzene*	**10.2**	1.00	01/15/2026	ND	1.93	96.3	2.00	2.49	
Total Xylenes*	**22.6**	3.00	01/15/2026	ND	5.72	95.3	6.00	2.56	
Total BTEX	**45.2**	6.00	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *108 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**1520**	16.0	01/16/2026	ND	480	120	400	6.90	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	**234**	10.0	01/15/2026	ND	194	96.8	200	1.69	
DRO >C10-C28*	**437**	10.0	01/15/2026	ND	190	94.8	200	0.447	
EXT DRO >C28-C36	**52.5**	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *111 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *113 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 1 2 (H260251-03)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	1.84	92.2	2.00	2.96	
Toluene*	**0.272**	0.050	01/15/2026	ND	1.91	95.5	2.00	2.53	
Ethylbenzene*	**0.439**	0.050	01/15/2026	ND	1.93	96.3	2.00	2.49	
Total Xylenes*	**1.13**	0.150	01/15/2026	ND	5.72	95.3	6.00	2.56	
Total BTEX	**1.84**	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *105 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**112**	16.0	01/16/2026	ND	480	120	400	6.90	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	**10.9**	10.0	01/15/2026	ND	194	96.8	200	1.69	
DRO >C10-C28*	**18.1**	10.0	01/15/2026	ND	190	94.8	200	0.447	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *106 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *105 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 1 3 (H260251-04)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	1.84	92.2	2.00	2.96	
Toluene*	<0.050	0.050	01/15/2026	ND	1.91	95.5	2.00	2.53	
Ethylbenzene*	**0.094**	0.050	01/15/2026	ND	1.93	96.3	2.00	2.49	
Total Xylenes*	**0.172**	0.150	01/15/2026	ND	5.72	95.3	6.00	2.56	
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *98.8 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	01/16/2026	ND	480	120	400	6.90	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	194	96.8	200	1.69	
DRO >C10-C28*	**11.0**	10.0	01/15/2026	ND	190	94.8	200	0.447	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *101 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *100 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 1 4 (H260251-05)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	1.84	92.2	2.00	2.96	
Toluene*	<0.050	0.050	01/15/2026	ND	1.91	95.5	2.00	2.53	
Ethylbenzene*	<0.050	0.050	01/15/2026	ND	1.93	96.3	2.00	2.49	
Total Xylenes*	<0.150	0.150	01/15/2026	ND	5.72	95.3	6.00	2.56	
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *97.8 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	01/16/2026	ND	480	120	400	6.90	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	194	96.8	200	1.69	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	190	94.8	200	0.447	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *106 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *103 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 1 5 (H260251-06)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	1.84	92.2	2.00	2.96	
Toluene*	<0.050	0.050	01/15/2026	ND	1.91	95.5	2.00	2.53	
Ethylbenzene*	<0.050	0.050	01/15/2026	ND	1.93	96.3	2.00	2.49	
Total Xylenes*	<0.150	0.150	01/15/2026	ND	5.72	95.3	6.00	2.56	
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *98.3 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	01/16/2026	ND	480	120	400	6.90	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	194	96.8	200	1.69	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	190	94.8	200	0.447	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *103 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *100 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 1 10 (H260251-11)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	1.84	92.2	2.00	2.96	
Toluene*	**0.096**	0.050	01/15/2026	ND	1.91	95.5	2.00	2.53	
Ethylbenzene*	**0.119**	0.050	01/15/2026	ND	1.93	96.3	2.00	2.49	
Total Xylenes*	**0.307**	0.150	01/15/2026	ND	5.72	95.3	6.00	2.56	
Total BTEX	**0.521**	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *100 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**112**	16.0	01/16/2026	ND	480	120	400	6.90	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	194	96.8	200	1.69	
DRO >C10-C28*	**26.9**	10.0	01/15/2026	ND	190	94.8	200	0.447	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *99.6 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *100 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 1 15 (H260251-16)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	1.84	92.2	2.00	2.96	
Toluene*	<0.050	0.050	01/15/2026	ND	1.91	95.5	2.00	2.53	
Ethylbenzene*	<0.050	0.050	01/15/2026	ND	1.93	96.3	2.00	2.49	
Total Xylenes*	<0.150	0.150	01/15/2026	ND	5.72	95.3	6.00	2.56	
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *97.3 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	01/16/2026	ND	480	120	400	6.90	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	194	96.8	200	1.69	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	190	94.8	200	0.447	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *105 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *102 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 1 20 (H260251-21)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	1.84	92.2	2.00	2.96	
Toluene*	<0.050	0.050	01/15/2026	ND	1.91	95.5	2.00	2.53	
Ethylbenzene*	<0.050	0.050	01/15/2026	ND	1.93	96.3	2.00	2.49	
Total Xylenes*	<0.150	0.150	01/15/2026	ND	5.72	95.3	6.00	2.56	
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *98.5 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	01/16/2026	ND	480	120	400	6.90	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	194	96.8	200	1.69	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	190	94.8	200	0.447	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *103 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *99.3 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 1 25 (H260251-26)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	1.84	92.2	2.00	2.96	
Toluene*	<0.050	0.050	01/15/2026	ND	1.91	95.5	2.00	2.53	
Ethylbenzene*	<0.050	0.050	01/15/2026	ND	1.93	96.3	2.00	2.49	
Total Xylenes*	<0.150	0.150	01/15/2026	ND	5.72	95.3	6.00	2.56	
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *98.1 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	01/16/2026	ND	480	120	400	6.90	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	194	96.8	200	1.69	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	190	94.8	200	0.447	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *101 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *97.4 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 1 30 (H260251-31)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	1.84	92.2	2.00	2.96	
Toluene*	<0.050	0.050	01/15/2026	ND	1.91	95.5	2.00	2.53	
Ethylbenzene*	<0.050	0.050	01/15/2026	ND	1.93	96.3	2.00	2.49	
Total Xylenes*	<0.150	0.150	01/15/2026	ND	5.72	95.3	6.00	2.56	
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *98.1 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	01/16/2026	ND	480	120	400	6.90	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	194	96.8	200	1.69	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	190	94.8	200	0.447	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *102 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *101 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 1 35 (H260251-36)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	1.84	92.2	2.00	2.96	
Toluene*	<0.050	0.050	01/15/2026	ND	1.91	95.5	2.00	2.53	
Ethylbenzene*	<0.050	0.050	01/15/2026	ND	1.93	96.3	2.00	2.49	
Total Xylenes*	<0.150	0.150	01/15/2026	ND	5.72	95.3	6.00	2.56	
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *98.7 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	01/16/2026	ND	480	120	400	6.90	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	194	96.8	200	1.69	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	190	94.8	200	0.447	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *107 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *104 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 1 40 (H260251-41)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	1.89	94.7	2.00	3.36	QM-07
Toluene*	<0.050	0.050	01/15/2026	ND	2.00	100	2.00	0.864	QM-07, QR-03
Ethylbenzene*	<0.050	0.050	01/15/2026	ND	2.15	108	2.00	0.463	QM-07
Total Xylenes*	<0.150	0.150	01/15/2026	ND	6.75	113	6.00	1.68	QM-07
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *121 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	01/16/2026	ND	480	120	400	6.90	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	190	95.1	200	5.22	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	176	88.1	200	10.1	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *105 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *109 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 22 0 (H260251-42)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	1.89	94.7	2.00	3.36	
Toluene*	<0.050	0.050	01/15/2026	ND	2.00	100	2.00	0.864	
Ethylbenzene*	<0.050	0.050	01/15/2026	ND	2.15	108	2.00	0.463	
Total Xylenes*	<0.150	0.150	01/15/2026	ND	6.75	113	6.00	1.68	
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *113 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	01/16/2026	ND	480	120	400	6.90	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	190	95.1	200	5.22	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	176	88.1	200	10.1	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *98.9 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *101 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 22 1 (H260251-43)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	1.89	94.7	2.00	3.36	
Toluene*	<0.050	0.050	01/15/2026	ND	2.00	100	2.00	0.864	
Ethylbenzene*	<0.050	0.050	01/15/2026	ND	2.15	108	2.00	0.463	
Total Xylenes*	<0.150	0.150	01/15/2026	ND	6.75	113	6.00	1.68	
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *118 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**64.0**	16.0	01/16/2026	ND	400	100	400	7.69	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	190	95.1	200	5.22	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	176	88.1	200	10.1	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *95.4 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *97.0 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 22 2 (H260251-44)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	1.89	94.7	2.00	3.36	
Toluene*	<0.050	0.050	01/15/2026	ND	2.00	100	2.00	0.864	
Ethylbenzene*	<0.050	0.050	01/15/2026	ND	2.15	108	2.00	0.463	
Total Xylenes*	<0.150	0.150	01/15/2026	ND	6.75	113	6.00	1.68	
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *118 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**80.0**	16.0	01/16/2026	ND	400	100	400	7.69	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	190	95.1	200	5.22	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	176	88.1	200	10.1	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *105 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *113 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 22 3 (H260251-45)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	1.89	94.7	2.00	3.36	
Toluene*	<0.050	0.050	01/15/2026	ND	2.00	100	2.00	0.864	
Ethylbenzene*	<0.050	0.050	01/15/2026	ND	2.15	108	2.00	0.463	
Total Xylenes*	<0.150	0.150	01/15/2026	ND	6.75	113	6.00	1.68	
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *117 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**160**	16.0	01/16/2026	ND	400	100	400	7.69	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	190	95.1	200	5.22	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	176	88.1	200	10.1	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *62.1 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *64.1 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 22 4 (H260251-46)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	1.89	94.7	2.00	3.36	
Toluene*	<0.050	0.050	01/15/2026	ND	2.00	100	2.00	0.864	
Ethylbenzene*	<0.050	0.050	01/15/2026	ND	2.15	108	2.00	0.463	
Total Xylenes*	<0.150	0.150	01/15/2026	ND	6.75	113	6.00	1.68	
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *125 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	01/16/2026	ND	400	100	400	7.69	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	190	95.1	200	5.22	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	176	88.1	200	10.1	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *86.7 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *87.1 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 22 5 (H260251-47)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	1.89	94.7	2.00	3.36	
Toluene*	<0.050	0.050	01/15/2026	ND	2.00	100	2.00	0.864	
Ethylbenzene*	<0.050	0.050	01/15/2026	ND	2.15	108	2.00	0.463	
Total Xylenes*	<0.150	0.150	01/15/2026	ND	6.75	113	6.00	1.68	
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *122 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	01/16/2026	ND	400	100	400	7.69	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	190	95.1	200	5.22	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	176	88.1	200	10.1	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *87.5 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *91.7 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 22 10 (H260251-52)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	1.89	94.7	2.00	3.36	
Toluene*	<0.050	0.050	01/15/2026	ND	2.00	100	2.00	0.864	
Ethylbenzene*	<0.050	0.050	01/15/2026	ND	2.15	108	2.00	0.463	
Total Xylenes*	<0.150	0.150	01/15/2026	ND	6.75	113	6.00	1.68	
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *120 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	01/16/2026	ND	400	100	400	7.69	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	190	95.1	200	5.22	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	176	88.1	200	10.1	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *86.3 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *88.6 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 22 15 (H260251-57)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	1.89	94.7	2.00	3.36	
Toluene*	<0.050	0.050	01/15/2026	ND	2.00	100	2.00	0.864	
Ethylbenzene*	<0.050	0.050	01/15/2026	ND	2.15	108	2.00	0.463	
Total Xylenes*	<0.150	0.150	01/15/2026	ND	6.75	113	6.00	1.68	
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *121 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	01/16/2026	ND	400	100	400	7.69	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	190	95.1	200	5.22	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	176	88.1	200	10.1	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *93.8 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *98.9 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 22 20 (H260251-62)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	1.89	94.7	2.00	3.36	
Toluene*	<0.050	0.050	01/15/2026	ND	2.00	100	2.00	0.864	
Ethylbenzene*	<0.050	0.050	01/15/2026	ND	2.15	108	2.00	0.463	
Total Xylenes*	<0.150	0.150	01/15/2026	ND	6.75	113	6.00	1.68	
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *115 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	01/16/2026	ND	400	100	400	7.69	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	190	95.1	200	5.22	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	176	88.1	200	10.1	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *96.3 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *97.9 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 22 25 (H260251-67)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	1.89	94.7	2.00	3.36	
Toluene*	<0.050	0.050	01/15/2026	ND	2.00	100	2.00	0.864	
Ethylbenzene*	<0.050	0.050	01/15/2026	ND	2.15	108	2.00	0.463	
Total Xylenes*	<0.150	0.150	01/15/2026	ND	6.75	113	6.00	1.68	
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *118 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	01/16/2026	ND	400	100	400	7.69	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	190	95.1	200	5.22	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	176	88.1	200	10.1	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *82.3 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *83.5 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 22 30 (H260251-72)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	1.89	94.7	2.00	3.36	
Toluene*	<0.050	0.050	01/15/2026	ND	2.00	100	2.00	0.864	
Ethylbenzene*	<0.050	0.050	01/15/2026	ND	2.15	108	2.00	0.463	
Total Xylenes*	<0.150	0.150	01/15/2026	ND	6.75	113	6.00	1.68	
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *118 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	01/16/2026	ND	400	100	400	7.69	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	190	95.1	200	5.22	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	176	88.1	200	10.1	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *82.0 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *82.3 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 22 35 (H260251-77)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	1.89	94.7	2.00	3.36	
Toluene*	<0.050	0.050	01/15/2026	ND	2.00	100	2.00	0.864	
Ethylbenzene*	<0.050	0.050	01/15/2026	ND	2.15	108	2.00	0.463	
Total Xylenes*	<0.150	0.150	01/15/2026	ND	6.75	113	6.00	1.68	
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *116 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	01/16/2026	ND	400	100	400	7.69	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	190	95.1	200	5.22	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	176	88.1	200	10.1	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *96.0 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *97.5 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 22 40 (H260251-82)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	1.89	94.7	2.00	3.36	
Toluene*	<0.050	0.050	01/15/2026	ND	2.00	100	2.00	0.864	
Ethylbenzene*	<0.050	0.050	01/15/2026	ND	2.15	108	2.00	0.463	
Total Xylenes*	<0.150	0.150	01/15/2026	ND	6.75	113	6.00	1.68	
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *120 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	01/16/2026	ND	400	100	400	7.69	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	190	95.1	200	5.22	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	176	88.1	200	10.1	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *98.5 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *101 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 13 0 (H260251-83)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	1.89	94.7	2.00	3.36	
Toluene*	<0.050	0.050	01/15/2026	ND	2.00	100	2.00	0.864	
Ethylbenzene*	<0.050	0.050	01/15/2026	ND	2.15	108	2.00	0.463	
Total Xylenes*	<0.150	0.150	01/15/2026	ND	6.75	113	6.00	1.68	
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *122 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	01/16/2026	ND	400	100	400	7.69	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	190	95.1	200	5.22	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	176	88.1	200	10.1	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *97.0 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *99.3 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 13 1 (H260251-84)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	1.89	94.7	2.00	3.36	
Toluene*	<0.050	0.050	01/15/2026	ND	2.00	100	2.00	0.864	
Ethylbenzene*	<0.050	0.050	01/15/2026	ND	2.15	108	2.00	0.463	
Total Xylenes*	<0.150	0.150	01/15/2026	ND	6.75	113	6.00	1.68	
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *114 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	01/16/2026	ND	400	100	400	7.69	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	190	95.1	200	5.22	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	176	88.1	200	10.1	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *83.9 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *85.3 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 13 2 (H260251-85)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	1.89	94.7	2.00	3.36	
Toluene*	<0.050	0.050	01/15/2026	ND	2.00	100	2.00	0.864	
Ethylbenzene*	<0.050	0.050	01/15/2026	ND	2.15	108	2.00	0.463	
Total Xylenes*	<0.150	0.150	01/15/2026	ND	6.75	113	6.00	1.68	
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *124 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	01/16/2026	ND	400	100	400	7.69	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	190	95.1	200	5.22	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	176	88.1	200	10.1	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *89.7 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *91.7 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 13 3 (H260251-86)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	1.89	94.7	2.00	3.36	
Toluene*	<0.050	0.050	01/15/2026	ND	2.00	100	2.00	0.864	
Ethylbenzene*	<0.050	0.050	01/15/2026	ND	2.15	108	2.00	0.463	
Total Xylenes*	<0.150	0.150	01/15/2026	ND	6.75	113	6.00	1.68	
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *122 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	01/16/2026	ND	400	100	400	7.69	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	190	95.1	200	5.22	
DRO >C10-C28*	**13.8**	10.0	01/15/2026	ND	176	88.1	200	10.1	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *74.5 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *74.8 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 13 4 (H260251-87)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	1.89	94.7	2.00	3.36	
Toluene*	<0.050	0.050	01/15/2026	ND	2.00	100	2.00	0.864	
Ethylbenzene*	<0.050	0.050	01/15/2026	ND	2.15	108	2.00	0.463	
Total Xylenes*	<0.150	0.150	01/15/2026	ND	6.75	113	6.00	1.68	
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *111 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	01/16/2026	ND	400	100	400	7.69	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/16/2026	ND	190	95.1	200	5.22	
DRO >C10-C28*	**16.2**	10.0	01/16/2026	ND	176	88.1	200	10.1	
EXT DRO >C28-C36	<10.0	10.0	01/16/2026	ND					

Surrogate: 1-Chlorooctane *86.6 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *87.3 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 13 5 (H260251-88)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	1.89	94.7	2.00	3.36	
Toluene*	<0.050	0.050	01/15/2026	ND	2.00	100	2.00	0.864	
Ethylbenzene*	<0.050	0.050	01/15/2026	ND	2.15	108	2.00	0.463	
Total Xylenes*	<0.150	0.150	01/15/2026	ND	6.75	113	6.00	1.68	
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *121 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	01/16/2026	ND	400	100	400	7.69	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/16/2026	ND	190	95.1	200	5.22	
DRO >C10-C28*	<10.0	10.0	01/16/2026	ND	176	88.1	200	10.1	
EXT DRO >C28-C36	<10.0	10.0	01/16/2026	ND					

Surrogate: 1-Chlorooctane *96.9 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *99.4 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

S-06	The recovery of this surrogate is outside control limits due to sample dilution required from high analyte concentration and/or matrix interference's.
S-05	The surrogate recovery is outside of lab established statistical control limits but still within method limits. Data is not adversely affected.
QR-03	The RPD value for the sample duplicate or MS/MSD was outside of QC acceptance limits due to matrix interference. QC batch accepted based on LCS and/or LCSD recovery and/or RPD values.
QM-07	The spike recovery was outside acceptance limits for the MS and/or MSD. The batch was accepted based on acceptable LCS recovery.
ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C
	Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

STANDARD SAFETY & SUPPLY

Chain of Custody

H260251

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Page 1 of 30

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericcson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	CarlsbadOffice@standardtx.com

Work Order Comments

0402401K - all

Project Name:	A78 Highway Line	Turn Around	☐ Routine ☑ Rush
Project Number:		Due Date:	24h
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.	
Sampler's Name:	Connor Whitman		
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT			
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No
Samples Received Intact:	(Yes) No	Thermometer ID:	#140
Cooler Custody Seals:	Yes (No) N/A	Correction Factor:	+0.1c
Sample Custody Seals:	Yes (No) N/A	Temperature Reading:	-3.2c
Total Containers:		Corrected Temperature:	-3.1c

Preservative Codes

None: NO; DI Water: H_2O; Cool: Cool; MeOH: Me; HCL: HC; HNO_3: HN; H_2S0_4: H_2; NaOH: Na; H_3PO_4: HP; $NaHSO_4$: NABIS; $Na_2S_2O_3$: $NaSO_3$; Zn Acetate+NaOH: Zn; NaOH+Ascorbic Acid: SAPC

Sample Identification		Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Pres. Code	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
1	V-1	0	1/14/2026		S	Grab	1		X	X	X	
2	V-1	1	1/14/2026		S	Grab	1		X	X	X	
3	V-1	2	1/14/2026		S	Grab	1		X	X	X	
4	V-1	3	1/14/2026		S	Grab	1		X	X	X	
5	V-1	4	1/14/2026		S	Grab	1		X	X	X	
6	V-1	5	1/14/2026		S	Grab	1		X	X	X	
7	V-1	6	1/14/2026		S	Grab	1		X	X	X	Hold
8	V-1	7	1/14/2026		S	Grab	1		X	X	X	Hold
9	V-1	8	1/14/2026		S	Grab	1		X	X	X	Hold
10	V-1	9	1/14/2026		S	Grab	1		X	X	X	Hold

ANALYSIS REQUEST

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1		1-15-26 1140	2		
3			4		
5			6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

STANDARD SAFETY & SUPPLY

Chain of Custody

H260251

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Page 2 of 3

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericcson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	CarlsbadOffice@standardtx.com

Work Order Comments

0402401K-all

Project Name:	A78 Highway Line	Turn Around	☐ Routine ☑ Rush
Project Number:		Due Date:	24h
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.	
Sampler's Name:	Connor Whitman		
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT			
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No
Samples Received Intact:	(Yes) No	Thermometer ID:	#140
Cooler Custody Seals:	Yes (No) N/A	Correction Factor:	+0.1°
Sample Custody Seals:	Yes (No) N/A	Temperature Reading:	3.2°
Total Containers:		Corrected Temperature:	3.1°

Preservative Codes

None: NO; DI Water: H_2O; Cool: Cool; MeOH: Me; HCL: HC; HNO_3: HN; H_2S0_4: H_2; NaOH: Na; H_3PO_4: HP; $NaHSO_4$: NABIS; $Na_2S_2O_3$: $NaSO_3$; Zn Acetate+NaOH: Zn; NaOH+Ascorbic Acid: SAPC

Sample Identification		Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Pres. Code	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
11	V-1	10	1/14/2026		S	Grab	1		X	X	X	
12	V-1	11	1/14/2026		S	Grab	1		X	X	X	Hold
13	V-1	12	1/14/2026		S	Grab	1		X	X	X	Hold
14	V-1	13	1/14/2026		S	Grab	1		X	X	X	Hold
15	V-1	14	1/14/2026		S	Grab	1		X	X	X	Hold
16	V-1	15	1/14/2026		S	Grab	1		X	X	X	
17	V-1	16	1/14/2026		S	Grab	1		X	X	X	Hold
18	V-1	17	1/14/2026		S	Grab	1		X	X	X	Hold
19	V-1	18	1/14/2026		S	Grab	1		X	X	X	Hold
20	V-1	19	1/14/2026		S	Grab	1		X	X	X	Hold

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1	Tamara Oldaker	1-15-26 1140	2		
3			4		
5			6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

STANDARD SAFETY & SUPPLY

Chain of Custody

H260251

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Page 3 of 30

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericcson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	CarlsbadOffice@standardtx.com

Work Order Comments

0402401K

Project Name:	A78 Highway Line	Turn Around	☐ Routine ☑ Rush
Project Number:		Due Date:	24h
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.	
Sampler's Name:	Connor Whitman		
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT			
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No
Samples Received Intact:	(Yes) No	Thermometer ID:	#140
Cooler Custody Seals:	Yes (No) N/A	Correction Factor:	+0.1c
Sample Custody Seals:	Yes (No) N/A	Temperature Reading:	-3.2c
Total Containers:		Corrected Temperature:	-3.1c

Preservative Codes

None: NO; DI Water: H_2O; Cool: Cool; MeOH: Me; HCL: HC; HNO_3: HN; H_2S0_4: H_2; NaOH: Na; H_3PO_4: HP; $NaHSO_4$: NABIS; $Na_2S_2O_3$: $NaSO_3$; Zn Acetate+NaOH: Zn; NaOH+Ascorbic Acid: SAPC

	Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Pres. Code	Parameters: BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
21	V-1	20	1/14/2026		S	Grab	1		X	X	X	
22	V-1	21	1/14/2026		S	Grab	1		X	X	X	Hold
23	V-1	22	1/14/2026		S	Grab	1		X	X	X	Hold
24	V-1	23	1/14/2026		S	Grab	1		X	X	X	Hold
25	V-1	24	1/14/2026		S	Grab	1		X	X	X	Hold
26	V-1	25	1/14/2026		S	Grab	1		X	X	X	
27	V-1	26	1/14/2026		S	Grab	1		X	X	X	Hold
28	V-1	27	1/14/2026		S	Grab	1		X	X	X	Hold
29	V-1	28	1/14/2026		S	Grab	1		X	X	X	Hold
30	V-1	29	1/14/2026		S	Grab	1		X	X	X	Hold

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1	Tamara Alldaffer	1-15-26 1140	2		
3			4		
5			6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

STANDARD SAFETY & SUPPLY

Chain of Custody

H260251

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Page 4 of 30

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericcson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	CarlsbadOffice@standardtx.com

Work Order Comments

04024014

Project Name:	A78 Highway Line	Turn Around	☐ Routine ☑ Rush
Project Number:		Due Date:	24h
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.	
Sampler's Name:	Connor Whitman		
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT				
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No	
Samples Received Intact:	(Yes) No	Thermometer ID:	#140	
Cooler Custody Seals:	Yes (No) N/A	Correction Factor:	+0.1c	
Sample Custody Seals:	Yes (No) N/A	Temperature Reading:	-3.2c	
Total Containers:		Corrected Temperature:	-3.1c	

Preservative Codes

None: NO; DI Water: H_2O; Cool: Cool; MeOH: Me; HCL: HC; HNO_3: HN; H_2S0_4: H_2; NaOH: Na; H_3PO_4: HP; $NaHSO_4$: NABIS; $Na_2S_2O_3$: $NaSO_3$; Zn Acetate+NaOH: Zn; NaOH+Ascorbic Acid: SAPC

Sample Identification		Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
31	V-1	30	1/14/2026		S	Grab	1	X	X	X	
32	V-1	31	1/14/2026		S	Grab	1	X	X	X	Hold
33	V-1	32	1/14/2026		S	Grab	1	X	X	X	Hold
34	V-1	33	1/14/2026		S	Grab	1	X	X	X	Hold
35	V-1	34	1/14/2026		S	Grab	1	X	X	X	Hold
36	V-1	35	1/14/2026		S	Grab	1	X	X	X	
37	V-1	36	1/14/2026		S	Grab	1	X	X	X	Hold
38	V-1	37	1/14/2026		S	Grab	1	X	X	X	Hold
39	V-1	38	1/14/2026		S	Grab	1	X	X	X	Hold
40	V-1	39	1/14/2026		S	Grab	1	X	X	X	Hold

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1	Tamara Gilbert	1-15-26 1140	2		
3			4		
5			6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

STANDARD SAFETY & SUPPLY

Chain of Custody

H260251

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Page 5 of 30

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericcson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	CarlsbadOffice@standardtx.com

Work Order Comments

04024014

Project Name:	A78 Highway Line	Turn Around	☐ Routine ☑ Rush
Project Number:		Due Date:	24h
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.	
Sampler's Name:	Connor Whitman		
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT				
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No	
Samples Received Intact:	(Yes) No	Thermometer ID:	#140	
Cooler Custody Seals:	Yes (No) N/A	Correction Factor:	+0.1°	
Sample Custody Seals:	Yes (No) N/A	Temperature Reading:	-3.2°	
Total Containers:		Corrected Temperature:	-3.1°	

Preservative Codes

None: NO; DI Water: H_2O; Cool: Cool; MeOH: Me; HCL: HC; HNO_3: HN; H_2S0_4: H_2; NaOH: Na; H_3PO_4: HP; $NaHSO_4$: NABIS; $Na_2S_2O_3$: $NaSO_3$; Zn Acetate+NaOH: Zn; NaOH+Ascorbic Acid: SAPC

Sample Identification		Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Pres. Code	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
41	V-1	40	1/14/2026		S	Grab	1		X	X	X	
42	V-22	0	1/14/2026		S	Grab	1		X	X	X	
43	V-22	1	1/14/2026		S	Grab	1		X	X	X	
44	V-22	2	1/14/2026		S	Grab	1		X	X	X	
45	V-22	3	1/14/2026		S	Grab	1		X	X	X	
46	V-22	4	1/14/2026		S	Grab	1		X	X	X	
47	V-22	5	1/14/2026		S	Grab	1		X	X	X	
48	V-22	6	1/14/2026		S	Grab	1		X	X	X	Hold
49	V-22	7	1/14/2026		S	Grab	1		X	X	X	Hold
50	V-22	8	1/14/2026		S	Grab	1		X	X	X	Hold

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1	Tamara Whitaker	1-15-26 1140	2		
3			4		
5			6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

STANDARD SAFETY & SUPPLY

Chain of Custody

H260251

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/
Page 1 of 19

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericcson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	CarlsbadOffice@standardtx.com

Work Order Comments

0402401K

Project Name:	A78 Highway Line	Turn Around	☐ Routine ☑ Rush
Project Number:			
Project Location:	Lea County, New Mexico	Due Date:	24h
Sampler's Name:	Connor Whitman	TAT may vary based on lab start time.	
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT			
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No
Samples Received Intact:	(Yes) No	Thermometer ID:	#140
Cooler Custody Seals:	Yes (No) N/A	Correction Factor:	+0.1°C
Sample Custody Seals:	Yes (No) N/A	Temperature Reading:	-3.2°
Total Containers:		Corrected Temperature:	-3.1°C

Preservative Codes

None: NO; DI Water: H_2O; Cool: Cool; MeOH: Me; HCL: HC; HNO_3: HN; H_2S0_4: H_2; NaOH: Na; H_3PO_4: HP; $NaHSO_4$: NABIS; $Na_2S_2O_3$: $NaSO_3$; Zn Acetate+NaOH: Zn; NaOH+Ascorbic Acid: SAPC

Sample Identification		Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Pres. Code	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
51	V-22	9	1/14/2026		S	Grab	1		X	X	X	Hold
52	V-22	10	1/14/2026		S	Grab	1		X	X	X	
53	V-22	11	1/14/2026		S	Grab	1		X	X	X	Hold
54	V-22	12	1/14/2026		S	Grab	1		X	X	X	Hold
55	V-22	13	1/14/2026		S	Grab	1		X	X	X	Hold
56	V-22	14	1/14/2026		S	Grab	1		X	X	X	Hold
57	V-22	15	1/14/2026		S	Grab	1		X	X	X	
58	V-22	16	1/14/2026		S	Grab	1		X	X	X	Hold
59	V-22	17	1/14/2026		S	Grab	1		X	X	X	Hold
60	V-22	18	1/14/2026		S	Grab	1		X	X	X	Hold

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1	Tamara Wilbanks	1-15-26 1140	2		
3			4		
5			6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

STANDARD SAFETY & SUPPLY

Chain of Custody

H260251

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Page 1 of 30

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericcson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	CarlsbadOffice@standardtx.com

Work Order Comments

040240IK

Project Name:	A78 Highway Line	Turn Around	☐ Routine ☑ Rush
Project Number:			
Project Location:	Lea County, New Mexico	Due Date:	24h
Sampler's Name:	Connor Whitman	TAT may vary based on lab start time.	
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT				
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No	
Samples Received Intact:	(Yes) No	Thermometer ID:	#140	
Cooler Custody Seals:	Yes (No) N/A	Correction Factor:	+0.1c°	
Sample Custody Seals:	Yes (No) N/A	Temperature Reading:	-3.2c°	
Total Containers:		Corrected Temperature:	-3.1c°	

Preservative Codes

None: NO; DI Water: H_2O; Cool: Cool; MeOH: Me; HCL: HC; HNO_3: HN; H_2S0_4: H_2; NaOH: Na; H_3PO_4: HP; $NaHSO_4$: NABIS; $Na_2S_2O_3$: $NaSO_3$; Zn Acetate+NaOH: Zn; NaOH+Ascorbic Acid: SAPC

Sample Identification		Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Pres. Code	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
61	V-22	19	1/14/2026		S	Grab	1		X	X	X	Hold
62	V-22	20	1/14/2026		S	Grab	1		X	X	X	
63	V-22	21	1/14/2026		S	Grab	1		X	X	X	Hold
64	V-22	22	1/14/2026		S	Grab	1		X	X	X	Hold
65	V-22	23	1/14/2026		S	Grab	1		X	X	X	Hold
66	V-22	24	1/14/2026		S	Grab	1		X	X	X	Hold
67	V-22	25	1/14/2026		S	Grab	1		X	X	X	
68	V-22	26	1/14/2026		S	Grab	1		X	X	X	Hold
69	V-22	27	1/14/2026		S	Grab	1		X	X	X	Hold
70	V-22	28	1/14/2026		S	Grab	1		X	X	X	Hold

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1		1-15-26 1140	2		
3			4		
5			6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

STANDARD SAFETY & SUPPLY

Chain of Custody H260251

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Page 8 of 30

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericcson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	CarlsbadOffice@standardtx.com

Work Order Comments

0402401K

Project Name:	A78 Highway Line	Turn Around	☐ Routine ☑ Rush
Project Number:		Pres. Code	
Project Location:	Lea County, New Mexico	Due Date:	24h
Sampler's Name:	Connor Whitman	TAT may vary based on lab start time.	
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT			
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No
Samples Received Intact:	(Yes) No	Thermometer ID:	#140
Cooler Custody Seals:	Yes (No) N/A	Correction Factor:	+0.1°
Sample Custody Seals:	Yes (No) N/A	Temperature Reading:	-3.2°
Total Containers:	8	Corrected Temperature:	-3.1°

Preservative Codes

None: NO; DI Water: H_2O; Cool: Cool; MeOH: Me; HCL: HC; HNO_3: HN; H_2S0_4: H_2; NaOH: Na; H_3PO_4: HP; $NaHSO_4$: NABIS; $Na_2S_2O_3$: $NaSO_3$; Zn Acetate+NaOH: Zn; NaOH+Ascorbic Acid: SAPC

Sample Identification		Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
71	V-22	29	1/14/2026		S	Grab	1	X	X	X	Hold
72	V-22	30	1/14/2026		S	Grab	1	X	X	X	
73	V-22	31	1/14/2026		S	Grab	1	X	X	X	Hold
74	V-22	32	1/14/2026		S	Grab	1	X	X	X	Hold
75	V-22	33	1/14/2026		S	Grab	1	X	X	X	Hold
76	V-22	34	1/14/2026		S	Grab	1	X	X	X	Hold
77	V-22	35	1/14/2026		S	Grab	1	X	X	X	
78	V-22	36	1/14/2026		S	Grab	1	X	X	X	Hold
79	V-22	37	1/14/2026		S	Grab	1	X	X	X	Hold
80	V-22	38	1/14/2026		S	Grab	1	X	X	X	Hold

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1	Tamara Whitaker	1-15-26 1140	2		
3			4		
5			6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

STANDARD SAFETY & SUPPLY

Chain of Custody

H260251

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Page 1 of 30

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericcson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	CarlsbadOffice@standardtx.com

Work Order Comments

0402401K - all

Project Name:	A78 Highway Line	Turn Around	☐ Routine ☑ Rush
Project Number:		Due Date:	24h
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.	
Sampler's Name:	Connor Whitman		
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT			
Temp Blank:	Yes No	Wet Ice:	Yes No
Samples Received Intact:	Yes No	Thermometer ID:	#140
Cooler Custody Seals:	Yes No N/A	Correction Factor:	+0.1°C
Sample Custody Seals:	Yes No N/A	Temperature Reading:	-3.2°C
Total Containers:		Corrected Temperature:	-3.1°C

Preservative Codes

None: NO; DI Water: H_2O; Cool: Cool; MeOH: Me; HCL: HC; HNO_3: HN; H_2S0_4: H_2; NaOH: Na; H_3PO_4: HP; $NaHSO_4$: NABIS; $Na_2S_2O_3$: $NaSO_3$; Zn Acetate+NaOH: Zn; NaOH+Ascorbic Acid: SAPC

Sample Identification		Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Pres. Code	Parameters: BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
81	V-22	39	1/14/2026		S	Grab	1		X	X	X	Hold
82	V-22	40	1/14/2026		S	Grab	1		X	X	X	
83	V-13	0	1/14/2026		S	Grab	1		X	X	X	
84	V-13	1	1/14/2026		S	Grab	1		X	X	X	
85	V-13	2	1/14/2026		S	Grab	1		X	X	X	
86	V-13	3	1/14/2026		S	Grab	1		X	X	X	
87	V-13	4	1/14/2026		S	Grab	1		X	X	X	
88	V-13	5	1/14/2026		S	Grab	1		X	X	X	
89	V-13	6	1/14/2026		S	Grab	1		X	X	X	Hold
90	V-13	7	1/14/2026		S	Grab	1		X	X	X	Hold

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1	Tamara Wallace	1-15-26 1140	2		
3			4		
5			6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

January 16, 2026

ETHAN SESSUMS

STANDARD SAFETY & SUPPLY

PO BOX 14987

ODESSA, TX 79764

RE: A78 HIGHWAY LINE

Enclosed are the results of analyses for samples received by the laboratory on 01/15/26 11:40.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C25-00101. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accreditated through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Celey D. Keene

Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 13 10 (H260252-03)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	1.77	88.7	2.00	0.735	
Toluene*	<0.050	0.050	01/15/2026	ND	1.75	87.4	2.00	1.97	
Ethylbenzene*	<0.050	0.050	01/15/2026	ND	1.87	93.4	2.00	1.99	
Total Xylenes*	<0.150	0.150	01/15/2026	ND	5.65	94.1	6.00	1.69	
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *84.9 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	01/16/2026	ND	400	100	400	7.69	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	209	104	200	7.04	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	197	98.5	200	8.26	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *87.3 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *85.0 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 13 15 (H260252-08)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	1.77	88.7	2.00	0.735	
Toluene*	<0.050	0.050	01/15/2026	ND	1.75	87.4	2.00	1.97	
Ethylbenzene*	<0.050	0.050	01/15/2026	ND	1.87	93.4	2.00	1.99	
Total Xylenes*	<0.150	0.150	01/15/2026	ND	5.65	94.1	6.00	1.69	
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *85.3 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	01/16/2026	ND	400	100	400	7.69	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	209	104	200	7.04	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	197	98.5	200	8.26	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *87.9 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *85.3 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 13 20 (H260252-13)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	1.77	88.7	2.00	0.735	
Toluene*	<0.050	0.050	01/15/2026	ND	1.75	87.4	2.00	1.97	
Ethylbenzene*	<0.050	0.050	01/15/2026	ND	1.87	93.4	2.00	1.99	
Total Xylenes*	<0.150	0.150	01/15/2026	ND	5.65	94.1	6.00	1.69	
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *81.5 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**64.0**	16.0	01/16/2026	ND	448	112	400	3.51	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	209	104	200	7.04	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	197	98.5	200	8.26	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *74.5 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *73.2 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 13 25 (H260252-18)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	1.77	88.7	2.00	0.735	
Toluene*	<0.050	0.050	01/15/2026	ND	1.75	87.4	2.00	1.97	
Ethylbenzene*	<0.050	0.050	01/15/2026	ND	1.87	93.4	2.00	1.99	
Total Xylenes*	<0.150	0.150	01/15/2026	ND	5.65	94.1	6.00	1.69	
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *82.2 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	01/16/2026	ND	448	112	400	3.51	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	209	104	200	7.04	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	197	98.5	200	8.26	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *90.2 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *88.5 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 13 30 (H260252-23)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	1.77	88.7	2.00	0.735	
Toluene*	<0.050	0.050	01/15/2026	ND	1.75	87.4	2.00	1.97	
Ethylbenzene*	<0.050	0.050	01/15/2026	ND	1.87	93.4	2.00	1.99	
Total Xylenes*	<0.150	0.150	01/15/2026	ND	5.65	94.1	6.00	1.69	
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *83.1 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	01/16/2026	ND	448	112	400	3.51	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	209	104	200	7.04	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	197	98.5	200	8.26	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *87.4 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *85.4 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 13 35 (H260252-28)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	1.77	88.7	2.00	0.735	
Toluene*	<0.050	0.050	01/15/2026	ND	1.75	87.4	2.00	1.97	
Ethylbenzene*	<0.050	0.050	01/15/2026	ND	1.87	93.4	2.00	1.99	
Total Xylenes*	<0.150	0.150	01/15/2026	ND	5.65	94.1	6.00	1.69	
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *84.9 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	01/16/2026	ND	448	112	400	3.51	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	209	104	200	7.04	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	197	98.5	200	8.26	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *96.9 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *96.9 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 13 40 (H260252-33)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	1.77	88.7	2.00	0.735	
Toluene*	<0.050	0.050	01/15/2026	ND	1.75	87.4	2.00	1.97	
Ethylbenzene*	<0.050	0.050	01/15/2026	ND	1.87	93.4	2.00	1.99	
Total Xylenes*	<0.150	0.150	01/15/2026	ND	5.65	94.1	6.00	1.69	
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *81.9 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	01/16/2026	ND	448	112	400	3.51	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	209	104	200	7.04	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	197	98.5	200	8.26	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *97.8 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *96.4 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 21 0 (H260252-34)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	1.77	88.7	2.00	0.735	
Toluene*	<0.050	0.050	01/15/2026	ND	1.75	87.4	2.00	1.97	
Ethylbenzene*	<0.050	0.050	01/15/2026	ND	1.87	93.4	2.00	1.99	
Total Xylenes*	<0.150	0.150	01/15/2026	ND	5.65	94.1	6.00	1.69	
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *84.8 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	01/16/2026	ND	448	112	400	3.51	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	209	104	200	7.04	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	197	98.5	200	8.26	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *94.0 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *91.4 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 21 1 (H260252-35)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	1.77	88.7	2.00	0.735	
Toluene*	<0.050	0.050	01/15/2026	ND	1.75	87.4	2.00	1.97	
Ethylbenzene*	<0.050	0.050	01/15/2026	ND	1.87	93.4	2.00	1.99	
Total Xylenes*	<0.150	0.150	01/15/2026	ND	5.65	94.1	6.00	1.69	
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *83.3 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	01/16/2026	ND	448	112	400	3.51	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	209	104	200	7.04	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	197	98.5	200	8.26	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *99.0 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *96.7 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 21 2 (H260252-36)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	1.77	88.7	2.00	0.735	
Toluene*	<0.050	0.050	01/15/2026	ND	1.75	87.4	2.00	1.97	
Ethylbenzene*	<0.050	0.050	01/15/2026	ND	1.87	93.4	2.00	1.99	
Total Xylenes*	<0.150	0.150	01/15/2026	ND	5.65	94.1	6.00	1.69	
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *82.7 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	01/16/2026	ND	448	112	400	3.51	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	209	104	200	7.04	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	197	98.5	200	8.26	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *98.7 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *97.6 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 21 3 (H260252-37)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	1.77	88.7	2.00	0.735	
Toluene*	<0.050	0.050	01/15/2026	ND	1.75	87.4	2.00	1.97	
Ethylbenzene*	<0.050	0.050	01/15/2026	ND	1.87	93.4	2.00	1.99	
Total Xylenes*	<0.150	0.150	01/15/2026	ND	5.65	94.1	6.00	1.69	
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *83.8 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	01/16/2026	ND	448	112	400	3.51	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	209	104	200	7.04	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	197	98.5	200	8.26	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *67.4 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *66.7 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 21 4 (H260252-38)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/16/2026	ND	1.77	88.7	2.00	0.735	
Toluene*	<0.050	0.050	01/16/2026	ND	1.75	87.4	2.00	1.97	
Ethylbenzene*	<0.050	0.050	01/16/2026	ND	1.87	93.4	2.00	1.99	
Total Xylenes*	<0.150	0.150	01/16/2026	ND	5.65	94.1	6.00	1.69	
Total BTEX	<0.300	0.300	01/16/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *85.4 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	01/16/2026	ND	448	112	400	3.51	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	209	104	200	7.04	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	197	98.5	200	8.26	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *88.3 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *86.9 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 21 5 (H260252-39)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/16/2026	ND	1.77	88.7	2.00	0.735	
Toluene*	<0.050	0.050	01/16/2026	ND	1.75	87.4	2.00	1.97	
Ethylbenzene*	<0.050	0.050	01/16/2026	ND	1.87	93.4	2.00	1.99	
Total Xylenes*	<0.150	0.150	01/16/2026	ND	5.65	94.1	6.00	1.69	
Total BTEX	<0.300	0.300	01/16/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *82.1 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	01/16/2026	ND	448	112	400	3.51	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	209	104	200	7.04	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	197	98.5	200	8.26	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *74.1 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *73.0 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 21 10 (H260252-44)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/16/2026	ND	1.77	88.7	2.00	0.735	
Toluene*	<0.050	0.050	01/16/2026	ND	1.75	87.4	2.00	1.97	
Ethylbenzene*	<0.050	0.050	01/16/2026	ND	1.87	93.4	2.00	1.99	
Total Xylenes*	<0.150	0.150	01/16/2026	ND	5.65	94.1	6.00	1.69	
Total BTEX	<0.300	0.300	01/16/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *83.0 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	01/16/2026	ND	448	112	400	3.51	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	209	104	200	7.04	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	197	98.5	200	8.26	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *91.1 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *90.6 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 21 15 (H260252-49)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/16/2026	ND	1.77	88.7	2.00	0.735	
Toluene*	<0.050	0.050	01/16/2026	ND	1.75	87.4	2.00	1.97	
Ethylbenzene*	<0.050	0.050	01/16/2026	ND	1.87	93.4	2.00	1.99	
Total Xylenes*	<0.150	0.150	01/16/2026	ND	5.65	94.1	6.00	1.69	
Total BTEX	<0.300	0.300	01/16/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *85.1 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**64.0**	16.0	01/16/2026	ND	448	112	400	3.51	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	209	104	200	7.04	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	197	98.5	200	8.26	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *89.3 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *90.6 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 21 20 (H260252-54)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/16/2026	ND	1.77	88.7	2.00	0.735	
Toluene*	<0.050	0.050	01/16/2026	ND	1.75	87.4	2.00	1.97	
Ethylbenzene*	<0.050	0.050	01/16/2026	ND	1.87	93.4	2.00	1.99	
Total Xylenes*	<0.150	0.150	01/16/2026	ND	5.65	94.1	6.00	1.69	
Total BTEX	<0.300	0.300	01/16/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *83.6 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**192**	16.0	01/16/2026	ND	448	112	400	3.51	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	209	104	200	7.04	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	197	98.5	200	8.26	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *89.6 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *86.6 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 21 25 (H260252-59)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/16/2026	ND	1.77	88.7	2.00	0.735	
Toluene*	<0.050	0.050	01/16/2026	ND	1.75	87.4	2.00	1.97	
Ethylbenzene*	<0.050	0.050	01/16/2026	ND	1.87	93.4	2.00	1.99	
Total Xylenes*	<0.150	0.150	01/16/2026	ND	5.65	94.1	6.00	1.69	
Total BTEX	<0.300	0.300	01/16/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *83.2 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**160**	16.0	01/16/2026	ND	448	112	400	3.51	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	209	104	200	7.04	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	197	98.5	200	8.26	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *86.0 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *84.6 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 21 30 (H260252-64)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/16/2026	ND	1.77	88.7	2.00	0.735	
Toluene*	<0.050	0.050	01/16/2026	ND	1.75	87.4	2.00	1.97	
Ethylbenzene*	<0.050	0.050	01/16/2026	ND	1.87	93.4	2.00	1.99	
Total Xylenes*	<0.150	0.150	01/16/2026	ND	5.65	94.1	6.00	1.69	
Total BTEX	<0.300	0.300	01/16/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *81.4 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**144**	16.0	01/16/2026	ND	448	112	400	3.51	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	209	104	200	7.04	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	197	98.5	200	8.26	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *84.2 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *82.6 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 21 35 (H260252-69)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/16/2026	ND	1.77	88.7	2.00	0.735	
Toluene*	<0.050	0.050	01/16/2026	ND	1.75	87.4	2.00	1.97	
Ethylbenzene*	<0.050	0.050	01/16/2026	ND	1.87	93.4	2.00	1.99	
Total Xylenes*	<0.150	0.150	01/16/2026	ND	5.65	94.1	6.00	1.69	
Total BTEX	<0.300	0.300	01/16/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *82.7 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	01/16/2026	ND	448	112	400	3.51	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	209	104	200	7.04	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	197	98.5	200	8.26	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *82.9 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *79.4 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 21 40 (H260252-74)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/16/2026	ND	1.77	88.7	2.00	0.735	
Toluene*	<0.050	0.050	01/16/2026	ND	1.75	87.4	2.00	1.97	
Ethylbenzene*	<0.050	0.050	01/16/2026	ND	1.87	93.4	2.00	1.99	
Total Xylenes*	<0.150	0.150	01/16/2026	ND	5.65	94.1	6.00	1.69	
Total BTEX	<0.300	0.300	01/16/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *80.1 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**64.0**	16.0	01/16/2026	ND	448	112	400	3.51	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	209	104	200	7.04	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	197	98.5	200	8.26	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *77.9 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *76.8 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 20 0 (H260252-75)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	1.81	90.5	2.00	0.229	
Toluene*	<0.050	0.050	01/15/2026	ND	1.88	94.0	2.00	0.982	
Ethylbenzene*	<0.050	0.050	01/15/2026	ND	1.90	94.8	2.00	1.41	
Total Xylenes*	<0.150	0.150	01/15/2026	ND	5.62	93.7	6.00	1.52	
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *97.8 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	01/16/2026	ND	448	112	400	3.51	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	212	106	200	0.831	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	190	95.1	200	0.129	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *88.7 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *83.8 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 20 1 (H260252-76)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	1.81	90.5	2.00	0.229	
Toluene*	<0.050	0.050	01/15/2026	ND	1.88	94.0	2.00	0.982	
Ethylbenzene*	<0.050	0.050	01/15/2026	ND	1.90	94.8	2.00	1.41	
Total Xylenes*	<0.150	0.150	01/15/2026	ND	5.62	93.7	6.00	1.52	
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *96.9 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	01/16/2026	ND	448	112	400	3.51	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	212	106	200	0.831	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	190	95.1	200	0.129	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *105 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *99.1 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 20 2 (H260252-77)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	1.81	90.5	2.00	0.229	
Toluene*	<0.050	0.050	01/15/2026	ND	1.88	94.0	2.00	0.982	
Ethylbenzene*	<0.050	0.050	01/15/2026	ND	1.90	94.8	2.00	1.41	
Total Xylenes*	<0.150	0.150	01/15/2026	ND	5.62	93.7	6.00	1.52	
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *97.2 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	01/16/2026	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	212	106	200	0.831	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	190	95.1	200	0.129	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *97.4 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *91.5 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 20 3 (H260252-78)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	1.81	90.5	2.00	0.229	
Toluene*	<0.050	0.050	01/15/2026	ND	1.88	94.0	2.00	0.982	
Ethylbenzene*	<0.050	0.050	01/15/2026	ND	1.90	94.8	2.00	1.41	
Total Xylenes*	<0.150	0.150	01/15/2026	ND	5.62	93.7	6.00	1.52	
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *96.6 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**64.0**	16.0	01/16/2026	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	212	106	200	0.831	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	190	95.1	200	0.129	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *74.5 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *70.7 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 20 4 (H260252-79)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	1.81	90.5	2.00	0.229	
Toluene*	<0.050	0.050	01/15/2026	ND	1.88	94.0	2.00	0.982	
Ethylbenzene*	<0.050	0.050	01/15/2026	ND	1.90	94.8	2.00	1.41	
Total Xylenes*	<0.150	0.150	01/15/2026	ND	5.62	93.7	6.00	1.52	
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *96.7 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	01/16/2026	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	212	106	200	0.831	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	190	95.1	200	0.129	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *98.5 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *93.0 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 20 5 (H260252-80)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	1.81	90.5	2.00	0.229	
Toluene*	<0.050	0.050	01/15/2026	ND	1.88	94.0	2.00	0.982	
Ethylbenzene*	<0.050	0.050	01/15/2026	ND	1.90	94.8	2.00	1.41	
Total Xylenes*	<0.150	0.150	01/15/2026	ND	5.62	93.7	6.00	1.52	
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *96.9 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**96.0**	16.0	01/16/2026	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	212	106	200	0.831	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	190	95.1	200	0.129	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *102 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *94.1 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 20 10 (H260252-85)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	1.81	90.5	2.00	0.229	
Toluene*	<0.050	0.050	01/15/2026	ND	1.88	94.0	2.00	0.982	
Ethylbenzene*	<0.050	0.050	01/15/2026	ND	1.90	94.8	2.00	1.41	
Total Xylenes*	<0.150	0.150	01/15/2026	ND	5.62	93.7	6.00	1.52	
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *97.3 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**112**	16.0	01/16/2026	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	212	106	200	0.831	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	190	95.1	200	0.129	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *106 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *99.9 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 20 15 (H260252-90)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	1.81	90.5	2.00	0.229	
Toluene*	<0.050	0.050	01/15/2026	ND	1.88	94.0	2.00	0.982	
Ethylbenzene*	<0.050	0.050	01/15/2026	ND	1.90	94.8	2.00	1.41	
Total Xylenes*	<0.150	0.150	01/15/2026	ND	5.62	93.7	6.00	1.52	
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *97.1 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**176**	16.0	01/16/2026	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	212	106	200	0.831	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	190	95.1	200	0.129	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *97.5 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *90.6 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

S-05	The surrogate recovery is outside of lab established statistical control limits but still within method limits. Data is not adversely affected.
ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C
	Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

Page 703 of 825

STANDARD SAFETY & SUPPLY

Chain of Custody

H26052

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Page 1 of 30

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericcson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	CarlsbadOffice@standardtx.com

Work Order Comments

0402401K

Project Name:	A78 Highway Line	Turn Around	☐ Routine ☑ Rush
Project Number:		Pres. Code	
Project Location:	Lea County, New Mexico	Due Date:	24h
Sampler's Name:	Connor Whitman	TAT may vary based on lab start time.	
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT				
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No	
Samples Received Intact:	(Yes) No	Thermometer ID:	#140	
Cooler Custody Seals:	Yes (No) N/A	Correction Factor:	+0.1c	
Sample Custody Seals:	Yes (No) N/A	Temperature Reading:	-3.2c	
Total Containers:		Corrected Temperature:	-3.1c	

Parameters

ANALYSIS REQUEST

Sample Identification		Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
1	V-13	8	1/14/2026		S	Grab	1	X	X	X	Hold
2	V-13	9	1/14/2026		S	Grab	1	X	X	X	Hold
3	V-13	10	1/14/2026		S	Grab	1	X	X	X	
4	V-13	11	1/14/2026		S	Grab	1	X	X	X	Hold
5	V-13	12	1/14/2026		S	Grab	1	X	X	X	Hold
6	V-13	13	1/14/2026		S	Grab	1	X	X	X	Hold
7	V-13	14	1/14/2026		S	Grab	1	X	X	X	Hold
8	V-13	15	1/14/2026		S	Grab	1	X	X	X	
9	V-13	16	1/14/2026		S	Grab	1	X	X	X	Hold
10	V-13	17	1/14/2026		S	Grab	1	X	X	X	Hold

Preservative Codes

None: NO — DI Water: H_2O
Cool: Cool — MeOH: Me
HCL: HC — HNO_3: HN
H_2S0_4: H_2 — NaOH: Na
H_3PO_4: HP
$NaHSO_4$: NABIS
$Na_2S_2O_3$: $NaSO_3$
Zn Acetate+NaOH: Zn
NaOH+Ascorbic Acid: SAPC

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1	Tamara Maldonado	1-15-26 1140	2		
3			4		
5			6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

Page 704 of 825

STANDARD SAFETY & SUPPLY

Chain of Custody

H260252

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Page 1 of 3

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericcson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	CarlsbadOffice@standardtx.com

Work Order Comments

04024011K

Project Name:	A78 Highway Line	Turn Around	☐ Routine ☑ Rush
Project Number:		Pres. Code	
Project Location:	Lea County, New Mexico	Due Date:	24h
Sampler's Name:	Connor Whitman	TAT may vary based on lab start time.	
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT			
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No
Samples Received Intact:	(Yes) No	Thermometer ID:	#140
Cooler Custody Seals:	Yes (No) N/A	Correction Factor:	+0.1c
Sample Custody Seals:	Yes (No) N/A	Temperature Reading:	-3.2c
Total Containers:		Corrected Temperature:	-3.1c

Preservative Codes

None: NO; DI Water: H_2O; Cool: Cool; MeOH: Me; HCL: HC; HNO_3: HN; H_2S0_4: H_2; NaOH: Na; H_3PO_4: HP; $NaHSO_4$: NABIS; $Na_2S_2O_3$: $NaSO_3$; Zn Acetate+NaOH: Zn; NaOH+Ascorbic Acid: SAPC

Sample Identification		Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
11	V-13	18	1/14/2026		S	Grab	1	X	X	X	Hold
12	V-13	19	1/14/2026		S	Grab	1	X	X	X	Hold
13	V-13	20	1/14/2026		S	Grab	1	X	X	X	
14	V-13	21	1/14/2026		S	Grab	1	X	X	X	Hold
15	V-13	22	1/14/2026		S	Grab	1	X	X	X	Hold
16	V-13	23	1/14/2026		S	Grab	1	X	X	X	Hold
17	V-13	24	1/14/2026		S	Grab	1	X	X	X	Hold
18	V-13	25	1/14/2026		S	Grab	1	X	X	X	
19	V-13	26	1/14/2026		S	Grab	1	X	X	X	Hold
20	V-13	27	1/14/2026		S	Grab	1	X	X	X	Hold

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1	Tamara Maldonado	1-15-26 1140	2		
3			4		
5			6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM
Released to Imaging: 3/27/2026 7:26:57 AM

Page 705 of 825

STANDARD SAFETY & SUPPLY

Chain of Custody

H260252

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Page 8 of 30 12

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericcson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	CarlsbadOffice@standardtx.com

Work Order Comments

040240IK - all

Project Name:	A78 Highway Line	Turn Around	☐ Routine ☑ Rush
Project Number:			
Project Location:	Lea County, New Mexico	Due Date:	24h
Sampler's Name:	Connor Whitman	TAT may vary based on lab start time.	
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT				
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No	
Samples Received Intact:	(Yes) No	Thermometer ID:	#140	
Cooler Custody Seals:	Yes (No) N/A	Correction Factor:	+0.1c	
Sample Custody Seals:	Yes (No) N/A	Temperature Reading:	-3.2c	
Total Containers:		Corrected Temperature:	-3.1c	

Preservative Codes

None: NO; DI Water: H_2O; Cool: Cool; MeOH: Me; HCL: HC; HNO_3: HN; H_2S0_4: H_2; NaOH: Na; H_3PO_4: HP; $NaHSO_4$: NABIS; $Na_2S_2O_3$: $NaSO_3$; Zn Acetate+NaOH: Zn; NaOH+Ascorbic Acid: SAPC

Sample Identification		Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Pres. Code	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
21	V-13	28	1/14/2026		S	Grab	1		X	X	X	Hold
22	V-13	29	1/14/2026		S	Grab	1		X	X	X	Hold
23	V-13	30	1/14/2026		S	Grab	1		X	X	X	
24	V-13	31	1/14/2026		S	Grab	1		X	X	X	Hold
25	V-13	32	1/14/2026		S	Grab	1		X	X	X	Hold
26	V-13	33	1/14/2026		S	Grab	1		X	X	X	Hold
27	V-13	34	1/14/2026		S	Grab	1		X	X	X	Hold
28	V-13	35	1/14/2026		S	Grab	1		X	X	X	
29	V-13	36	1/14/2026		S	Grab	1		X	X	X	Hold
30	V-13	37	1/14/2026		S	Grab	1		X	X	X	Hold

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1	Tamara Oldaker	1-15-26 1140			
3			4		
5			6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

Page 706 of 825

STANDARD SAFETY & SUPPLY

Chain of Custody

H260252

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/
Page 12 of 30

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericcson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	CarlsbadOffice@standardtx.com

Work Order Comments

0402401K

Project Name:	A78 Highway Line	Turn Around	☐ Routine ☑ Rush
Project Number:		Due Date:	24h
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.	
Sampler's Name:	Connor Whitman		
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT				
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No	
Samples Received Intact:	(Yes) No	Thermometer ID:	#140	
Cooler Custody Seals:	Yes (No) N/A	Correction Factor:	+0.3°C	
Sample Custody Seals:	Yes (No) N/A	Temperature Reading:	-3.2°C	
Total Containers:		Corrected Temperature:	-3.1°C	

Pres. Code: X 1/15/26

ANALYSIS REQUEST — Parameters

Preservative Codes

None: NO — DI Water: H_2O
Cool: Cool — MeOH: Me
HCL: HC — HNO_3: HN
H_2S0_4: H_2 — NaOH: Na
H_3PO_4: HP
$NaHSO_4$: NABIS
$Na_2S_2O_3$: $NaSO_3$
Zn Acetate+NaOH: Zn
NaOH+Ascorbic Acid: SAPC

	Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
31	V-13	38	1/14/2026		S	Grab	1	X	X	X	Hold
32	V-13	39	1/14/2026		S	Grab	1	X	X	X	Hold
33	V-13	40	1/14/2026		S	Grab	1	X	X	X	
34	V-21	0	1/14/2026		S	Grab	1	X	X	X	
35	V-21	1	1/14/2026		S	Grab	1	X	X	X	
36	V-21	2	1/14/2026		S	Grab	1	X	X	X	
37	V-21	3	1/14/2026		S	Grab	1	X	X	X	
38	V-21	4	1/14/2026		S	Grab	1	X	X	X	
39	V-21	5	1/14/2026		S	Grab	1	X	X	X	
40	V-21	6	1/14/2026		S	Grab	1	X	X	X	Hold

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1	Tamara Hildebrand	1-15-26 1140	2		
3			4		
5			6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM
Released to Imaging: 3/27/2026 7:26:57 AM

Page 707 of 825

STANDARD SAFETY & SUPPLY

Chain of Custody

H202752

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericcson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	CarlsbadOffice@standardtx.com

Work Order Comments

04024011

Project Name:	A78 Highway Line	Turn Around	Routine ☐ Rush ☑
Project Number:		Due Date:	24h
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.	
Sampler's Name:	Connor Whitman		
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT			
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No
Samples Received Intact:	(Yes) No	Thermometer ID:	#140
Cooler Custody Seals:	Yes (No) N/A	Correction Factor:	+0.1°C
Sample Custody Seals:	Yes (No) N/A	Temperature Reading:	-3.2°C
Total Containers:		Corrected Temperature:	-3.1°C

Preservative Codes

None: NO; DI Water: H_2O; Cool: Cool; MeOH: Me; HCL: HC; HNO_3: HN; H_2S0_4: H_2; NaOH: Na; H_3PO_4: HP; $NaHSO_4$: NABIS; $Na_2S_2O_3$: $NaSO_3$; Zn Acetate+NaOH: Zn; NaOH+Ascorbic Acid: SAPC

Sample Identification		Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Parameters: BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
41	V-21	7	1/14/2026		S	Grab	1	X	X	X	Hold
42	V-21	8	1/14/2026		S	Grab	1	X	X	X	Hold
43	V-21	9	1/14/2026		S	Grab	1	X	X	X	Hold
44	V-21	10	1/14/2026		S	Grab	1	X	X	X	
45	V-21	11	1/14/2026		S	Grab	1	X	X	X	Hold
46	V-21	12	1/14/2026		S	Grab	1	X	X	X	Hold
47	V-21	13	1/14/2026		S	Grab	1	X	X	X	Hold
48	V-21	14	1/14/2026		S	Grab	1	X	X	X	Hold
49	V-21	15	1/14/2026		S	Grab	1	X	X	X	
50	V-21	16	1/14/2026		S	Grab	1	X	X	X	Hold

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1	Tamara Wilder	1-15-26 1140	2		
3			4		
5			6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

Page 708 of 825

STANDARD SAFETY & SUPPLY

Chain of Custody

H260252

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/
Page 15 of 30

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericcson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	CarlsbadOffice@standardtx.com

Work Order Comments

0402401K

Project Name:	A78 Highway Line	Turn Around	☐ Routine ☑ Rush
Project Number:			
Project Location:	Lea County, New Mexico	Due Date:	24h
Sampler's Name:	Connor Whitman	TAT may vary based on lab start time.	
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT				
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No	
Samples Received Intact:	(Yes) No	Thermometer ID:	#140	
Cooler Custody Seals:	Yes (No) N/A	Correction Factor:	+0.1°	
Sample Custody Seals:	Yes (No) N/A	Temperature Reading:	-3.2°	
Total Containers:		Corrected Temperature:	-3.1°	

Preservative Codes

None: NO; DI Water: H_2O; Cool: Cool; MeOH: Me; HCL: HC; HNO_3: HN; H_2S0_4: H_2; NaOH: Na; H_3PO_4: HP; $NaHSO_4$: NABIS; $Na_2S_2O_3$: $NaSO_3$; Zn Acetate+NaOH: Zn; NaOH+Ascorbic Acid: SAPC

Sample Identification		Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
51	V-21	17	1/14/2026		S	Grab	1	X	X	X	Hold
52	V-21	18	1/14/2026		S	Grab	1	X	X	X	Hold
53	V-21	19	1/14/2026		S	Grab	1	X	X	X	Hold
54	V-21	20	1/14/2026		S	Grab	1	X	X	X	
55	V-21	21	1/14/2026		S	Grab	1	X	X	X	Hold
56	V-21	22	1/14/2026		S	Grab	1	X	X	X	Hold
57	V-21	23	1/14/2026		S	Grab	1	X	X	X	Hold
58	V-21	24	1/14/2026		S	Grab	1	X	X	X	Hold
59	V-21	25	1/14/2026		S	Grab	1	X	X	X	
60	V-21	26	1/14/2026		S	Grab	1	X	X	X	Hold

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1	Tamara Whitaker	1-15-26 1140	2		
3			4		
5			6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM
Released to Imaging: 3/27/2026 7:26:57 AM

Page 709 of 825

STANDARD SAFETY & SUPPLY

Chain of Custody

H260252

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericcson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	CarlsbadOffice@standardtx.com

Work Order Comments

0402401K

Project Name:	A78 Highway Line	Turn Around	☐ Routine ☑ Rush
Project Number:			
Project Location:	Lea County, New Mexico	Due Date:	24h
Sampler's Name:	Connor Whitman	TAT may vary based on lab start time.	
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT	Temp Blank: Yes (No)	Wet Ice:	(Yes) No
Samples Received Intact:	(Yes) No	Thermometer ID:	#140
Cooler Custody Seals:	Yes (No) N/A	Correction Factor:	+0.1c
Sample Custody Seals:	Yes (No) N/A	Temperature Reading:	-3.2c
Total Containers:		Corrected Temperature:	-3.1c

Preservative Codes

None: NO; DI Water: H_2O; Cool: Cool; MeOH: Me; HCL: HC; HNO_3: HN; H_2S0_4: H_2; NaOH: Na; H_3PO_4: HP; $NaHSO_4$: NABIS; $Na_2S_2O_3$: $NaSO_3$; Zn Acetate+NaOH: Zn; NaOH+Ascorbic Acid: SAPC

Sample Identification		Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Parameters: BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
61	V-21	27	1/14/2026		S	Grab	1	X	X	X	Hold
62	V-21	28	1/14/2026		S	Grab	1	X	X	X	Hold
63	V-21	29	1/14/2026		S	Grab	1	X	X	X	Hold
64	V-21	30	1/14/2026		S	Grab	1	X	X	X	
65	V-21	31	1/14/2026		S	Grab	1	X	X	X	Hold
66	V-21	32	1/14/2026		S	Grab	1	X	X	X	Hold
67	V-21	33	1/14/2026		S	Grab	1	X	X	X	Hold
68	V-21	34	1/14/2026		S	Grab	1	X	X	X	Hold
69	V-21	35	1/14/2026		S	Grab	1	X	X	X	
70	V-21	36	1/14/2026		S	Grab	1	X	X	X	Hold

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1	Tamara Latchford	1-15-26 1140	2		
3			4		
5			6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

Page 710 of 825

STANDARD SAFETY & SUPPLY

Chain of Custody H260252

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/
Page 17 of 30

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericcson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	CarlsbadOffice@standardtx.com

Work Order Comments
0402401K

Project Name:	A79 Highway Line	Turn Around	☐ Routine ☑ Rush
Project Number:		Due Date:	24h
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.	
Sampler's Name:	Connor Whitman		
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT				
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No	
Samples Received Intact:	(Yes) No	Thermometer ID:	#140	
Cooler Custody Seals:	Yes (No) N/A	Correction Factor:	+0.1c	
Sample Custody Seals:	Yes (No) N/A	Temperature Reading:	-3.2c	
Total Containers:		Corrected Temperature:	-3.1c	

Preservative Codes
None: NO; DI Water: H_2O; Cool: Cool; MeOH: Me; HCL: HC; HNO_3: HN; H_2S0_4: H_2; NaOH: Na; H_3PO_4: HP; $NaHSO_4$: NABIS; $Na_2S_2O_3$: $NaSO_3$; Zn Acetate+NaOH: Zn; NaOH+Ascorbic Acid: SAPC

Sample Identification		Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Pres. Code	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
71	V-21	37	1/14/2026		S	Grab	1		X	X	X	Hold
72	V-21	38	1/14/2026		S	Grab	1		X	X	X	Hold
73	V-21	39	1/14/2026		S	Grab	1		X	X	X	Hold
74	V-21	40	1/14/2026		S	Grab	1		X	X	X	
75	V-20	0	1/14/2026		S	Grab	1		X	X	X	
76	V-20	1	1/14/2026		S	Grab	1		X	X	X	
77	V-20	2	1/14/2026		S	Grab	1		X	X	X	
78	V-20	3	1/14/2026		S	Grab	1		X	X	X	
79	V-20	4	1/14/2026		S	Grab	1		X	X	X	
80	V-20	5	1/14/2026		S	Grab	1		X	X	X	

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1	Tamara Mitchell	1-15-26 1140	2		
3			4		
5			6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM
Released to Imaging: 3/27/2026 7:26:57 AM

Page 711 of 825

STANDARD SAFETY & SUPPLY

Chain of Custody

H260252

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericcson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	CarlsbadOffice@standardtx.com

Work Order Comments

0402401K

Project Name:	A78 Highway Line	Turn Around	Routine ☐ Rush ☑
Project Number:			
Project Location:	Lea County, New Mexico	Due Date:	24h
Sampler's Name:	Connor Whitman	TAT may vary based on lab start time.	
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT			
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No
Samples Received Intact:	(Yes) No	Thermometer ID:	#140
Cooler Custody Seals:	Yes (No) N/A	Correction Factor:	+0.1°C
Sample Custody Seals:	Yes (No) N/A	Temperature Reading:	-3.2°C
Total Containers:		Corrected Temperature:	-3.1°C

Preservative Codes

None: NO — DI Water: H_2O
Cool: Cool — MeOH: Me
HCL: HC — HNO_3: HN
H_2S0_4: H_2 — NaOH: Na
H_3PO_4: HP
$NaHSO_4$: NABIS
$Na_2S_2O_3$: $NaSO_3$
Zn Acetate+NaOH: Zn
NaOH+Ascorbic Acid: SAPC

Sample Identification		Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Pres. Code	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
81	V-20	6	1/14/2026		S	Grab	1		X	X	X	Hold
82	V-20	7	1/14/2026		S	Grab	1		X	X	X	Hold
83	V-20	8	1/14/2026		S	Grab	1		X	X	X	Hold
84	V-20	9	1/14/2026		S	Grab	1		X	X	X	Hold
85	V-20	10	1/14/2026		S	Grab	1		X	X	X	
86	V-20	11	1/14/2026		S	Grab	1		X	X	X	Hold
87	V-20	12	1/14/2026		S	Grab	1		X	X	X	Hold
88	V-20	13	1/14/2026		S	Grab	1		X	X	X	Hold
89	V-20	14	1/14/2026		S	Grab	1		X	X	X	Hold
90	V-20	15	1/14/2026		S	Grab	1		X	X	X	

ANALYSIS REQUEST

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1	Jennifer Medrano	1-15-26 1140	2		
3			4		
5			6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

January 16, 2026

ETHAN SESSUMS

STANDARD SAFETY & SUPPLY

PO BOX 14987

ODESSA, TX 79764

RE: A78 HIGHWAY LINE

Enclosed are the results of analyses for samples received by the laboratory on 01/15/26 11:40.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C25-00101. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accreditated through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Celey D. Keene

Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 20 20 (H260253-05)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	1.81	90.5	2.00	0.229	
Toluene*	<0.050	0.050	01/15/2026	ND	1.88	94.0	2.00	0.982	
Ethylbenzene*	<0.050	0.050	01/15/2026	ND	1.90	94.8	2.00	1.41	
Total Xylenes*	<0.150	0.150	01/15/2026	ND	5.62	93.7	6.00	1.52	
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *96.1 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**192**	16.0	01/16/2026	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	212	106	200	0.831	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	190	95.1	200	0.129	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *97.0 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *90.3 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 20 25 (H260253-10)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	1.81	90.5	2.00	0.229	
Toluene*	<0.050	0.050	01/15/2026	ND	1.88	94.0	2.00	0.982	
Ethylbenzene*	<0.050	0.050	01/15/2026	ND	1.90	94.8	2.00	1.41	
Total Xylenes*	<0.150	0.150	01/15/2026	ND	5.62	93.7	6.00	1.52	
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *96.3 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**96.0**	16.0	01/16/2026	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	212	106	200	0.831	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	190	95.1	200	0.129	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *97.6 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *92.7 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 20 30 (H260253-15)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	1.81	90.5	2.00	0.229	
Toluene*	<0.050	0.050	01/15/2026	ND	1.88	94.0	2.00	0.982	
Ethylbenzene*	<0.050	0.050	01/15/2026	ND	1.90	94.8	2.00	1.41	
Total Xylenes*	<0.150	0.150	01/15/2026	ND	5.62	93.7	6.00	1.52	
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *96.9 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**96.0**	16.0	01/16/2026	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	212	106	200	0.831	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	190	95.1	200	0.129	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *104 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *98.4 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 20 35 (H260253-20)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	1.81	90.5	2.00	0.229	
Toluene*	<0.050	0.050	01/15/2026	ND	1.88	94.0	2.00	0.982	
Ethylbenzene*	<0.050	0.050	01/15/2026	ND	1.90	94.8	2.00	1.41	
Total Xylenes*	<0.150	0.150	01/15/2026	ND	5.62	93.7	6.00	1.52	
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *96.7 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	01/16/2026	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	212	106	200	0.831	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	190	95.1	200	0.129	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *91.6 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *85.3 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 20 40 (H260253-25)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	1.81	90.5	2.00	0.229	
Toluene*	<0.050	0.050	01/15/2026	ND	1.88	94.0	2.00	0.982	
Ethylbenzene*	<0.050	0.050	01/15/2026	ND	1.90	94.8	2.00	1.41	
Total Xylenes*	<0.150	0.150	01/15/2026	ND	5.62	93.7	6.00	1.52	
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *95.9 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	01/16/2026	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	212	106	200	0.831	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	190	95.1	200	0.129	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *97.3 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *94.8 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 23 0 (H260253-26)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	1.81	90.5	2.00	0.229	
Toluene*	<0.050	0.050	01/15/2026	ND	1.88	94.0	2.00	0.982	
Ethylbenzene*	<0.050	0.050	01/15/2026	ND	1.90	94.8	2.00	1.41	
Total Xylenes*	<0.150	0.150	01/15/2026	ND	5.62	93.7	6.00	1.52	
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *97.6 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**192**	16.0	01/16/2026	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	212	106	200	0.831	
DRO >C10-C28*	**11.7**	10.0	01/15/2026	ND	190	95.1	200	0.129	
EXT DRO >C28-C36	**17.8**	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *102 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *97.5 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 23 1 (H260253-27)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/15/2026	ND	1.81	90.5	2.00	0.229	
Toluene*	<0.050	0.050	01/15/2026	ND	1.88	94.0	2.00	0.982	
Ethylbenzene*	<0.050	0.050	01/15/2026	ND	1.90	94.8	2.00	1.41	
Total Xylenes*	<0.150	0.150	01/15/2026	ND	5.62	93.7	6.00	1.52	
Total BTEX	<0.300	0.300	01/15/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *97.8 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**112**	16.0	01/16/2026	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	212	106	200	0.831	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	190	95.1	200	0.129	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *103 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *100 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 23 2 (H260253-28)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/16/2026	ND	1.81	90.5	2.00	0.229	
Toluene*	<0.050	0.050	01/16/2026	ND	1.88	94.0	2.00	0.982	
Ethylbenzene*	<0.050	0.050	01/16/2026	ND	1.90	94.8	2.00	1.41	
Total Xylenes*	<0.150	0.150	01/16/2026	ND	5.62	93.7	6.00	1.52	
Total BTEX	<0.300	0.300	01/16/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *95.7 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**64.0**	16.0	01/16/2026	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	212	106	200	0.831	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	190	95.1	200	0.129	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *103 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *97.7 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 23 3 (H260253-29)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/16/2026	ND	1.81	90.5	2.00	0.229	
Toluene*	<0.050	0.050	01/16/2026	ND	1.88	94.0	2.00	0.982	
Ethylbenzene*	<0.050	0.050	01/16/2026	ND	1.90	94.8	2.00	1.41	
Total Xylenes*	<0.150	0.150	01/16/2026	ND	5.62	93.7	6.00	1.52	
Total BTEX	<0.300	0.300	01/16/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *96.5 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**544**	16.0	01/16/2026	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	212	106	200	0.831	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	190	95.1	200	0.129	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *95.1 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *89.1 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 23 4 (H260253-30)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/16/2026	ND	1.81	90.5	2.00	0.229	
Toluene*	<0.050	0.050	01/16/2026	ND	1.88	94.0	2.00	0.982	
Ethylbenzene*	<0.050	0.050	01/16/2026	ND	1.90	94.8	2.00	1.41	
Total Xylenes*	<0.150	0.150	01/16/2026	ND	5.62	93.7	6.00	1.52	
Total BTEX	<0.300	0.300	01/16/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *95.8 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**416**	16.0	01/16/2026	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	212	106	200	0.831	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	190	95.1	200	0.129	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *97.2 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *91.7 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 23 5 (H260253-31)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/16/2026	ND	1.81	90.5	2.00	0.229	
Toluene*	<0.050	0.050	01/16/2026	ND	1.88	94.0	2.00	0.982	
Ethylbenzene*	<0.050	0.050	01/16/2026	ND	1.90	94.8	2.00	1.41	
Total Xylenes*	<0.150	0.150	01/16/2026	ND	5.62	93.7	6.00	1.52	
Total BTEX	<0.300	0.300	01/16/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *95.9 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**256**	16.0	01/16/2026	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	212	106	200	0.831	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	190	95.1	200	0.129	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *97.8 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *91.7 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 23 10 (H260253-36)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/16/2026	ND	1.81	90.5	2.00	0.229	
Toluene*	<0.050	0.050	01/16/2026	ND	1.88	94.0	2.00	0.982	
Ethylbenzene*	<0.050	0.050	01/16/2026	ND	1.90	94.8	2.00	1.41	
Total Xylenes*	<0.150	0.150	01/16/2026	ND	5.62	93.7	6.00	1.52	
Total BTEX	<0.300	0.300	01/16/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *97.5 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	01/16/2026	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	212	106	200	0.831	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	190	95.1	200	0.129	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *103 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *96.2 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 23 15 (H260253-41)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/16/2026	ND	1.93	96.6	2.00	4.58	
Toluene*	<0.050	0.050	01/16/2026	ND	1.81	90.4	2.00	11.3	
Ethylbenzene*	<0.050	0.050	01/16/2026	ND	2.01	101	2.00	10.9	
Total Xylenes*	<0.150	0.150	01/16/2026	ND	6.34	106	6.00	11.3	
Total BTEX	<0.300	0.300	01/16/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *127 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**64.0**	16.0	01/16/2026	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	179	89.6	200	4.50	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	204	102	200	4.49	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *94.3 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *95.6 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 23 20 (H260253-46)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/16/2026	ND	1.93	96.6	2.00	4.58	
Toluene*	**0.051**	0.050	01/16/2026	ND	1.81	90.4	2.00	11.3	
Ethylbenzene*	<0.050	0.050	01/16/2026	ND	2.01	101	2.00	10.9	
Total Xylenes*	<0.150	0.150	01/16/2026	ND	6.34	106	6.00	11.3	
Total BTEX	<0.300	0.300	01/16/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *114 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**64.0**	16.0	01/16/2026	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	179	89.6	200	4.50	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	204	102	200	4.49	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *83.1 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *83.4 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 23 25 (H260253-51)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/16/2026	ND	1.93	96.6	2.00	4.58	
Toluene*	<0.050	0.050	01/16/2026	ND	1.81	90.4	2.00	11.3	
Ethylbenzene*	<0.050	0.050	01/16/2026	ND	2.01	101	2.00	10.9	
Total Xylenes*	<0.150	0.150	01/16/2026	ND	6.34	106	6.00	11.3	
Total BTEX	<0.300	0.300	01/16/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *120 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	01/16/2026	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	179	89.6	200	4.50	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	204	102	200	4.49	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *71.4 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *72.3 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 23 30 (H260253-56)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/16/2026	ND	1.93	96.6	2.00	4.58	
Toluene*	<0.050	0.050	01/16/2026	ND	1.81	90.4	2.00	11.3	
Ethylbenzene*	<0.050	0.050	01/16/2026	ND	2.01	101	2.00	10.9	
Total Xylenes*	<0.150	0.150	01/16/2026	ND	6.34	106	6.00	11.3	
Total BTEX	<0.300	0.300	01/16/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *123 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**96.0**	16.0	01/16/2026	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	179	89.6	200	4.50	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	204	102	200	4.49	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *74.9 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *75.7 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 23 35 (H260253-61)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/16/2026	ND	1.93	96.6	2.00	4.58	
Toluene*	<0.050	0.050	01/16/2026	ND	1.81	90.4	2.00	11.3	
Ethylbenzene*	<0.050	0.050	01/16/2026	ND	2.01	101	2.00	10.9	
Total Xylenes*	<0.150	0.150	01/16/2026	ND	6.34	106	6.00	11.3	
Total BTEX	<0.300	0.300	01/16/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *119 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**64.0**	16.0	01/16/2026	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	179	89.6	200	4.50	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	204	102	200	4.49	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *81.2 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *83.5 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 23 40 (H260253-66)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/16/2026	ND	1.93	96.6	2.00	4.58	
Toluene*	<0.050	0.050	01/16/2026	ND	1.81	90.4	2.00	11.3	
Ethylbenzene*	<0.050	0.050	01/16/2026	ND	2.01	101	2.00	10.9	
Total Xylenes*	<0.150	0.150	01/16/2026	ND	6.34	106	6.00	11.3	
Total BTEX	<0.300	0.300	01/16/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *121 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**96.0**	16.0	01/16/2026	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	179	89.6	200	4.50	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	204	102	200	4.49	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *87.7 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *91.0 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 18 0 (H260253-67)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/16/2026	ND	1.93	96.6	2.00	4.58	
Toluene*	<0.050	0.050	01/16/2026	ND	1.81	90.4	2.00	11.3	
Ethylbenzene*	<0.050	0.050	01/16/2026	ND	2.01	101	2.00	10.9	
Total Xylenes*	<0.150	0.150	01/16/2026	ND	6.34	106	6.00	11.3	
Total BTEX	<0.300	0.300	01/16/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *124 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	01/16/2026	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	179	89.6	200	4.50	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	204	102	200	4.49	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *87.2 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *90.3 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 18 1 (H260253-68)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/16/2026	ND	1.93	96.6	2.00	4.58	
Toluene*	<0.050	0.050	01/16/2026	ND	1.81	90.4	2.00	11.3	
Ethylbenzene*	<0.050	0.050	01/16/2026	ND	2.01	101	2.00	10.9	
Total Xylenes*	<0.150	0.150	01/16/2026	ND	6.34	106	6.00	11.3	
Total BTEX	<0.300	0.300	01/16/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *107 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	01/16/2026	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	179	89.6	200	4.50	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	204	102	200	4.49	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *75.1 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *76.7 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 18 2 (H260253-69)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/16/2026	ND	1.93	96.6	2.00	4.58	
Toluene*	<0.050	0.050	01/16/2026	ND	1.81	90.4	2.00	11.3	
Ethylbenzene*	<0.050	0.050	01/16/2026	ND	2.01	101	2.00	10.9	
Total Xylenes*	<0.150	0.150	01/16/2026	ND	6.34	106	6.00	11.3	
Total BTEX	<0.300	0.300	01/16/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *116 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	01/16/2026	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	179	89.6	200	4.50	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	204	102	200	4.49	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *80.4 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *83.3 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 18 3 (H260253-70)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/16/2026	ND	1.93	96.6	2.00	4.58	
Toluene*	<0.050	0.050	01/16/2026	ND	1.81	90.4	2.00	11.3	
Ethylbenzene*	<0.050	0.050	01/16/2026	ND	2.01	101	2.00	10.9	
Total Xylenes*	<0.150	0.150	01/16/2026	ND	6.34	106	6.00	11.3	
Total BTEX	<0.300	0.300	01/16/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *117 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	01/16/2026	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	179	89.6	200	4.50	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	204	102	200	4.49	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *85.1 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *88.1 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 18 4 (H260253-71)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/16/2026	ND	1.93	96.6	2.00	4.58	
Toluene*	<0.050	0.050	01/16/2026	ND	1.81	90.4	2.00	11.3	
Ethylbenzene*	<0.050	0.050	01/16/2026	ND	2.01	101	2.00	10.9	
Total Xylenes*	<0.150	0.150	01/16/2026	ND	6.34	106	6.00	11.3	
Total BTEX	<0.300	0.300	01/16/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *121 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	01/16/2026	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	179	89.6	200	4.50	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	204	102	200	4.49	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *85.2 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *89.0 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 18 5 (H260253-72)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/16/2026	ND	1.93	96.6	2.00	4.58	
Toluene*	<0.050	0.050	01/16/2026	ND	1.81	90.4	2.00	11.3	
Ethylbenzene*	<0.050	0.050	01/16/2026	ND	2.01	101	2.00	10.9	
Total Xylenes*	<0.150	0.150	01/16/2026	ND	6.34	106	6.00	11.3	
Total BTEX	<0.300	0.300	01/16/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *116 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	01/16/2026	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	179	89.6	200	4.50	
DRO >C10-C28*	**22.6**	10.0	01/15/2026	ND	204	102	200	4.49	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *88.9 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *92.0 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 18 10 (H260253-77)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/16/2026	ND	1.93	96.6	2.00	4.58	
Toluene*	<0.050	0.050	01/16/2026	ND	1.81	90.4	2.00	11.3	
Ethylbenzene*	<0.050	0.050	01/16/2026	ND	2.01	101	2.00	10.9	
Total Xylenes*	<0.150	0.150	01/16/2026	ND	6.34	106	6.00	11.3	
Total BTEX	<0.300	0.300	01/16/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *126 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	01/16/2026	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	179	89.6	200	4.50	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	204	102	200	4.49	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *76.7 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *78.9 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 18 15 (H260253-82)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/16/2026	ND	1.93	96.6	2.00	4.58	
Toluene*	<0.050	0.050	01/16/2026	ND	1.81	90.4	2.00	11.3	
Ethylbenzene*	<0.050	0.050	01/16/2026	ND	2.01	101	2.00	10.9	
Total Xylenes*	<0.150	0.150	01/16/2026	ND	6.34	106	6.00	11.3	
Total BTEX	<0.300	0.300	01/16/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *123 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**80.0**	16.0	01/16/2026	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	179	89.6	200	4.50	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	204	102	200	4.49	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *77.9 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *78.7 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 18 20 (H260253-87)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/16/2026	ND	1.93	96.6	2.00	4.58	
Toluene*	<0.050	0.050	01/16/2026	ND	1.81	90.4	2.00	11.3	
Ethylbenzene*	<0.050	0.050	01/16/2026	ND	2.01	101	2.00	10.9	
Total Xylenes*	<0.150	0.150	01/16/2026	ND	6.34	106	6.00	11.3	
Total BTEX	<0.300	0.300	01/16/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *121 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**64.0**	16.0	01/16/2026	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	179	89.6	200	4.50	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	204	102	200	4.49	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *86.3 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *86.9 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

S-05	The surrogate recovery is outside of lab established statistical control limits but still within method limits. Data is not adversely affected.
ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C
	Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

Page 741 of 825

STANDARD SAFETY & SUPPLY

Chain of Custody

H260253

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/
Page 19 of 30

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericcson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	CarlsbadOffice@standardtx.com

Work Order Comments

0402401K

Project Name:	A75 Highway Line	Turn Around	☐ Routine ☑ Rush
Project Number:		Due Date:	24h
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.	
Sampler's Name:	Connor Whitmen		
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT			
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No
Samples Received Intact:	(Yes) No	Thermometer ID:	#140
Cooler Custody Seals:	Yes (No) N/A	Correction Factor:	+0.1c
Sample Custody Seals:	Yes (No) N/A	Temperature Reading:	-3.2c
Total Containers:		Corrected Temperature:	-3.1c

Preservative Codes

None: NO; DI Water: H_2O; Cool: Cool; MeOH: Me; HCL: HC; HNO_3: HN; H_2S0_4: H_2; NaOH: Na; H_3PO_4: HP; $NaHSO_4$: NABIS; $Na_2S_2O_3$: $NaSO_3$; Zn Acetate+NaOH: Zn; NaOH+Ascorbic Acid: SAPC

Sample Identification		Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Parameters: BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
1	V-20	16	1/14/2026		S	Grab	1	X	X	X	Hold
2	V-20	17	1/14/2026		S	Grab	1	X	X	X	Hold
3	V-20	18	1/14/2026		S	Grab	1	X	X	X	Hold
4	V-20	19	1/14/2026		S	Grab	1	X	X	X	Hold
5	V-20	20	1/14/2026		S	Grab	1	X	X	X	
6	V-20	21	1/14/2026		S	Grab	1	X	X	X	Hold
7	V-20	22	1/14/2026		S	Grab	1	X	X	X	Hold
8	V-20	23	1/14/2026		S	Grab	1	X	X	X	Hold
9	V-20	24	1/14/2026		S	Grab	1	X	X	X	Hold
10	V-20	25	1/14/2026		S	Grab	1	X	X	X	Hold

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1	Nevara Ulloa	1-15-26 1140	2		
3			4		
5			6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

Page 742 of 825

STANDARD SAFETY & SUPPLY

Chain of Custody

H260253

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericcson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	CarlsbadOffice@standardtx.com

Work Order Comments 20

0402401K-ael

Project Name:	A78 Highway Line	Turn Around	☐ Routine ☑ Rush
Project Number:		Due Date:	24h
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.	
Sampler's Name:	Connor Whitman		
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT			
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No
Samples Received Intact:	(Yes) No	Thermometer ID:	#140
Cooler Custody Seals:	Yes (No) N/A	Correction Factor:	+0.1°C
Sample Custody Seals:	Yes (No) N/A	Temperature Reading:	-3.2°
Total Containers:		Corrected Temperature:	-3.1°C

Preservative Codes

None: NO; DI Water: H_2O; Cool: Cool; MeOH: Me; HCL: HC; HNO_3: HN; H_2SO_4: H_2; NaOH: Na; H_3PO_4: HP; $NaHSO_4$: NABIS; $Na_2S_2O_3$: $NaSO_3$; Zn Acetate+NaOH: Zn; NaOH+Ascorbic Acid: SAPC

Sample Identification		Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Pres. Code	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
11	V-20	26	1/14/2026		S	Grab	1		X	X	X	Hold
12	V-20	27	1/14/2026		S	Grab	1		X	X	X	Hold
13	V-20	28	1/14/2026		S	Grab	1		X	X	X	Hold
14	V-20	29	1/14/2026		S	Grab	1		X	X	X	Hold
15	V-20	30	1/14/2026		S	Grab	1		X	X	X	
16	V-20	31	1/14/2026		S	Grab	1		X	X	X	Hold
17	V-20	32	1/14/2026		S	Grab	1		X	X	X	Hold
18	V-20	33	1/14/2026		S	Grab	1		X	X	X	Hold
19	V-20	34	1/14/2026		S	Grab	1		X	X	X	Hold
20	V-20	35	1/14/2026		S	Grab	1		X	X	X	Hold

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1	Tamara Oldaker	1-15-26 1140	2		
3			4		
5			6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

Page 743 of 825

STANDARD SAFETY & SUPPLY

Chain of Custody

H260253

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/
Page 2 of 30

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericcson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	CarlsbadOffice@standardtx.com

Work Order Comments 21

0402401K

Project Name:	A78 Highway Line	Turn Around	☐ Routine ☑ Rush
Project Number:		Due Date:	24h
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.	
Sampler's Name:	Connor Whitman		
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT			
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No
Samples Received Intact:	(Yes) No	Thermometer ID:	#140
Cooler Custody Seals:	Yes (No) N/A	Correction Factor:	+0.1°C
Sample Custody Seals:	Yes (No) N/A	Temperature Reading:	-3.2°C
Total Containers:		Corrected Temperature:	-3.1°C

Preservative Codes

None: NO; DI Water: H_2O; Cool: Cool; MeOH: Me; HCL: HC; HNO_3: HN; H_2S0_4: H_2; NaOH: Na; H_3PO_4: HP; $NaHSO_4$: NABIS; $Na_2S_2O_3$: $NaSO_3$; Zn Acetate+NaOH: Zn; NaOH+Ascorbic Acid: SAPC

Sample Identification		Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Pres. Code	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
21	V-20	36	1/14/2026		S	Grab	1		X	X	X	Hold
22	V-20	37	1/14/2026		S	Grab	1		X	X	X	Hold
23	V-20	38	1/14/2026		S	Grab	1		X	X	X	Hold
24	V-20	39	1/14/2026		S	Grab	1		X	X	X	Hold
25	V-20	40	1/14/2026		S	Grab	1		X	X	X	
26	V-23	0	1/14/2026		S	Grab	1		X	X	X	
27	V-23	1	1/14/2026		S	Grab	1		X	X	X	
28	V-23	2	1/14/2026		S	Grab	1		X	X	X	
29	V-23	3	1/14/2026		S	Grab	1		X	X	X	
30	V-23	4	1/14/2026		S	Grab	1		X	X	X	

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1	Tamara Whitaker	1-15-26 1140	2		
3			4		
5			6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM
Released to Imaging: 3/27/2026 7:26:57 AM

Page 744 of 825

STANDARD SAFETY & SUPPLY

Chain of Custody H260253

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/
Page 1 of 10

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericcson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	CarlsbadOffice@standardtx.com

Work Order Comments 22

04024014

Project Name:	A78 Highway Line	Turn Around	Routine ☑ Rush
Project Number:		Due Date:	24h
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.	
Sampler's Name:	Connor Whitman		
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT			
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No
Samples Received Intact:	(Yes) No	Thermometer ID:	#140
Cooler Custody Seals:	Yes (No) N/A	Correction Factor:	+0.1c
Sample Custody Seals:	Yes (No) N/A	Temperature Reading:	-3.2c
Total Containers:		Corrected Temperature:	-3.1c

Preservative Codes

None: NO; DI Water: H_2O; Cool: Cool; MeOH: Me; HCL: HC; HNO_3: HN; H_2SO_4: H_2; NaOH: Na; H_3PO_4: HP; $NaHSO_4$: NABIS; $Na_2S_2O_3$: $NaSO_3$; Zn Acetate+NaOH: Zn; NaOH+Ascorbic Acid: SAPC

Sample Identification		Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
31	V-23	5	1/14/2026		S	Grab	1	X	X	X	
32	V-23	6	1/14/2026		S	Grab	1	X	X	X	Hold
33	V-23	7	1/14/2026		S	Grab	1	X	X	X	Hold
34	V-23	8	1/14/2026		S	Grab	1	X	X	X	Hold
35	V-23	9	1/14/2026		S	Grab	1	X	X	X	Hold
36	V-23	10	1/14/2026		S	Grab	1	X	X	X	
37	V-23	11	1/14/2026		S	Grab	1	X	X	X	Hold
38	V-23	12	1/14/2026		S	Grab	1	X	X	X	Hold
39	V-23	13	1/14/2026		S	Grab	1	X	X	X	Hold
40	V-23	14	1/14/2026		S	Grab	1	X	X	X	Hold

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1	Tamara Whitman	1-15-26 1140	2		
3			4		
5			6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM
Released to Imaging: 3/27/2026 7:26:57 AM

Page 745 of 825

STANDARD SAFETY & SUPPLY

Chain of Custody H260253

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericcson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	CarlsbadOffice@standardtx.com

Work Order Comments

04024017

Project Name:	A78 Highway Line	Turn Around	☐ Routine ☑ Rush
Project Number:		Due Date:	24h
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.	
Sampler's Name:	Connor Whitman		
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT			
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No
Samples Received Intact:	(Yes) No	Thermometer ID:	#140
Cooler Custody Seals:	Yes (No) N/A	Correction Factor:	+0.1°C
Sample Custody Seals:	Yes (No) N/A	Temperature Reading:	-3.2°C
Total Containers:		Corrected Temperature:	-3.1°C

Preservative Codes

None: NO; DI Water: H_2O; Cool: Cool; MeOH: Me; HCL: HC; HNO_3: HN; H_2SO_4: H_2; NaOH: Na; H_3PO_4: HP; $NaHSO_4$: NABIS; $Na_2S_2O_3$: $NaSO_3$; Zn Acetate+NaOH: Zn; NaOH+Ascorbic Acid: SAPC

Sample Identification		Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
41	V-23	15	1/14/2026		S	Grab	1	X	X	X	
42	V-23	16	1/14/2026		S	Grab	1	X	X	X	Hold
43	V-23	17	1/14/2026		S	Grab	1	X	X	X	Hold
44	V-23	18	1/14/2026		S	Grab	1	X	X	X	Hold
45	V-23	19	1/14/2026		S	Grab	1	X	X	X	Hold
46	V-23	20	1/14/2026		S	Grab	1	X	X	X	
47	V-23	21	1/14/2026		S	Grab	1	X	X	X	Hold
48	V-23	22	1/14/2026		S	Grab	1	X	X	X	Hold
49	V-23	23	1/14/2026		S	Grab	1	X	X	X	Hold
50	V-23	24	1/14/2026		S	Grab	1	X	X	X	Hold

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1	Tamara Wilder	1-15-26 1140	2		
3			4		
5			6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

STANDARD SAFETY & SUPPLY

Chain of Custody H260253

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/
Page 24 of 30

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericcson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	CarlsbadOffice@standardtx.com

Work Order Comments
0402401K

Project Name:	A75 Highway Line	Turn Around	☐ Routine ☑ Rush
Project Number:		Due Date:	24h
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.	
Sampler's Name:	Connor Whitman		
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT			
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No
Samples Received Intact:	(Yes) No	Thermometer ID:	#140
Cooler Custody Seals:	Yes (No) N/A	Correction Factor:	+0.1°C
Sample Custody Seals:	Yes (No) N/A	Temperature Reading:	-3.2°C
Total Containers:		Corrected Temperature:	-3.1°C

Preservative Codes
None: NO; DI Water: H_2O; Cool: Cool; MeOH: Me; HCL: HC; HNO_3: HN; H_2SO_4: H_2; NaOH: Na; H_3PO_4: HP; $NaHSO_4$: NABIS; $Na_2S_2O_3$: $NaSO_3$; Zn Acetate+NaOH: Zn; NaOH+Ascorbic Acid: SAPC

	Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
51	V-23	25	1/14/2026		S	Grab	1	X	X	X	
52	V-23	26	1/14/2026		S	Grab	1	X	X	X	Hold
53	V-23	27	1/14/2026		S	Grab	1	X	X	X	Hold
54	V-23	28	1/14/2026		S	Grab	1	X	X	X	Hold
55	V-23	29	1/14/2026		S	Grab	1	X	X	X	Hold
56	V-23	30	1/14/2026		S	Grab	1	X	X	X	
57	V-23	31	1/14/2026		S	Grab	1	X	X	X	Hold
58	V-23	32	1/14/2026		S	Grab	1	X	X	X	Hold
59	V-23	33	1/14/2026		S	Grab	1	X	X	X	Hold
60	V-23	34	1/14/2026		S	Grab	1	X	X	X	Hold

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1	Tamara Waldrop	1-15-26 1140	4		
3			6		
5					

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM
Released to Imaging: 3/27/2026 7:26:57 AM

STANDARD SAFETY & SUPPLY

Chain of Custody H260253

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/
Page 25 of 30

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericcson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	CarlsbadOffice@standardtx.com

Work Order Comments 25

04024014

Project Name:	A78 Highway Line	Turn Around	Routine ☐ Rush ☑
Project Number:		Due Date:	24h
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.	
Sampler's Name:	Connor Whitman		
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT			
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No
Samples Received Intact:	(Yes) No	Thermometer ID:	#140
Cooler Custody Seals:	Yes (No) N/A	Correction Factor:	+0.1c
Sample Custody Seals:	Yes (No) N/A	Temperature Reading:	-3.2c
Total Containers:		Corrected Temperature:	-3.1c

Preservative Codes

None: NO; DI Water: H_2O; Cool: Cool; MeOH: Me; HCL: HC; HNO_3: HN; H_2SO_4: H_2; NaOH: Na; H_3PO_4: HP; $NaHSO_4$: NABIS; $Na_2S_2O_3$: $NaSO_3$; Zn Acetate+NaOH: Zn; NaOH+Ascorbic Acid: SAPC

Sample Identification		Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Pres. Code	Parameters: BTEX 8021B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
61	V-23	35	1/14/2026		S	Grab	1		X	X	X	
62	V-23	36	1/14/2026		S	Grab	1		X	X	X	Hold
63	V-23	37	1/14/2026		S	Grab	1		X	X	X	Hold
64	V-23	38	1/14/2026		S	Grab	1		X	X	X	Hold
65	V-23	39	1/14/2026		S	Grab	1		X	X	X	Hold
66	V-23	40	1/14/2026		S	Grab	1		X	X	X	
67	V-18	0	1/14/2026		S	Grab	1		X	X	X	
68	V-18	1	1/14/2026		S	Grab	1		X	X	X	
69	V-18	2	1/14/2026		S	Grab	1		X	X	X	
70	V-18	3	1/14/2026		S	Grab	1		X	X	X	

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1	Tamara Valdez	1-15-26 1140	2		
3			4		
5			6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM
Released to Imaging: 3/27/2026 7:26:57 AM

Page 748 of 825

STANDARD SAFETY & SUPPLY

Chain of Custody H260253

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericcson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	CarlsbadOffice@standardtx.com

Work Order Comments

0402401K

Project Name:	A78 Highway Line	Turn Around	Routine ☐ Rush ☑
Project Number:		Due Date:	24h
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.	
Sampler's Name:	Connor Whitman		
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT			
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No
Samples Received Intact:	(Yes) No	Thermometer ID:	#140
Cooler Custody Seals:	Yes (No) N/A	Correction Factor:	+0.1c
Sample Custody Seals:	Yes (No) N/A	Temperature Reading:	-3.2c
Total Containers:		Corrected Temperature:	-3.1c

Preservative Codes

None: NO; DI Water: H_2O; Cool: Cool; MeOH: Me; HCL: HC; HNO_3: HN; H_2SO_4: H_2; NaOH: Na; H_3PO_4: HP; $NaHSO_4$: NABIS; $Na_2S_2O_3$: $NaSO_3$; Zn Acetate+NaOH: Zn; NaOH+Ascorbic Acid: SAPC

Sample Identification		Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Pres. Code	BTEX 6012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
71	V-18	4	1/14/2026		S	Grab	1		X	X	X	
72	V-18	5	1/14/2026		S	Grab	1		X	X	X	
73	V-18	6	1/14/2026		S	Grab	1		X	X	X	Hold
74	V-18	7	1/14/2026		S	Grab	1		X	X	X	Hold
75	V-18	8	1/14/2026		S	Grab	1		X	X	X	Hold
76	V-18	9	1/14/2026		S	Grab	1		X	X	X	Hold
77	V-18	10	1/14/2026		S	Grab	1		X	X	X	
78	V-18	11	1/14/2026		S	Grab	1		X	X	X	Hold
79	V-18	12	1/14/2026		S	Grab	1		X	X	X	Hold
80	V-18	13	1/14/2026		S	Grab	1		X	X	X	Hold

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1	Tamara Oldaker	1-15-26 1140	2		
3			4		
5			6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

Page 749 of 825

STANDARD SAFETY & SUPPLY

Chain of Custody H260253

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/
Page 29 of 30

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericcson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	CarlsbadOffice@standardtx.com

Work Order Comments
0402401K

Project Name:	A76 Highway Line	Turn Around	☐ Routine ☑ Rush
Project Number:		Due Date:	24h
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.	
Sampler's Name:	Connor Whitman		
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT			
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No
Samples Received Intact:	(Yes) No	Thermometer ID:	#140
Cooler Custody Seals:	Yes (No) N/A	Correction Factor:	+0.1°C
Sample Custody Seals:	Yes (No) N/A	Temperature Reading:	-3.2°C
Total Containers:		Corrected Temperature:	-3.1°C

Preservative Codes
None: NO; DI Water: H_2O; Cool: Cool; MeOH: Me; HCL: HC; HNO_3: HN; H_2SO_4: H_2; NaOH: Na; H_3PO_4: HP; $NaHSO_4$: NABIS; $Na_2S_2O_3$: $NaSO_3$; Zn Acetate+NaOH: Zn; NaOH+Ascorbic Acid: SAPC

	Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	BTEX 8021B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
81	V-18	14	1/14/2026		S	Grab	1	X	X	X	Hold
82	V-18	15	1/14/2026		S	Grab	1	X	X	X	
83	V-18	16	1/14/2026		S	Grab	1	X	X	X	Hold
84	V-18	17	1/14/2026		S	Grab	1	X	X	X	Hold
85	V-18	18	1/14/2026		S	Grab	1	X	X	X	Hold
86	V-18	19	1/14/2026		S	Grab	1	X	X	X	Hold
87	V-18	20	1/14/2026		S	Grab	1	X	X	X	
88	V-18	21	1/14/2026		S	Grab	1	X	X	X	Hold
89	V-18	22	1/14/2026		S	Grab	1	X	X	X	Hold
90	V-18	23	1/14/2026		S	Grab	1	X	X	X	Hold

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1	Tamara Rodriguez	1-15-26 1140	2		
3			4		
5			6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM
Released to Imaging: 3/27/2026 7:26:57 AM

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

January 16, 2026

ETHAN SESSUMS

STANDARD SAFETY & SUPPLY

PO BOX 14987

ODESSA, TX 79764

RE: A78 HIGHWAY LINE

Enclosed are the results of analyses for samples received by the laboratory on 01/15/26 11:40.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C25-00101. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accreditated through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Celey D. Keene

Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 18 25 (H260254-02)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/16/2026	ND	1.93	96.6	2.00	4.58	
Toluene*	<0.050	0.050	01/16/2026	ND	1.81	90.4	2.00	11.3	
Ethylbenzene*	<0.050	0.050	01/16/2026	ND	2.01	101	2.00	10.9	
Total Xylenes*	<0.150	0.150	01/16/2026	ND	6.34	106	6.00	11.3	
Total BTEX	<0.300	0.300	01/16/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *125 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**80.0**	16.0	01/16/2026	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	179	89.6	200	4.50	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	204	102	200	4.49	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *93.4 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *95.7 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 18 30 (H260254-07)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/16/2026	ND	1.93	96.6	2.00	4.58	
Toluene*	<0.050	0.050	01/16/2026	ND	1.81	90.4	2.00	11.3	
Ethylbenzene*	<0.050	0.050	01/16/2026	ND	2.01	101	2.00	10.9	
Total Xylenes*	<0.150	0.150	01/16/2026	ND	6.34	106	6.00	11.3	
Total BTEX	<0.300	0.300	01/16/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *117 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**80.0**	16.0	01/16/2026	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	179	89.6	200	4.50	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	204	102	200	4.49	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *91.9 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *92.8 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 18 35 (H260254-12)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/16/2026	ND	1.93	96.6	2.00	4.58	
Toluene*	<0.050	0.050	01/16/2026	ND	1.81	90.4	2.00	11.3	
Ethylbenzene*	<0.050	0.050	01/16/2026	ND	2.01	101	2.00	10.9	
Total Xylenes*	<0.150	0.150	01/16/2026	ND	6.34	106	6.00	11.3	
Total BTEX	<0.300	0.300	01/16/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *115 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	01/16/2026	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	179	89.6	200	4.50	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	204	102	200	4.49	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *91.0 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *93.5 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 18 40 (H260254-17)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/16/2026	ND	1.93	96.6	2.00	4.58	
Toluene*	<0.050	0.050	01/16/2026	ND	1.81	90.4	2.00	11.3	
Ethylbenzene*	<0.050	0.050	01/16/2026	ND	2.01	101	2.00	10.9	
Total Xylenes*	<0.150	0.150	01/16/2026	ND	6.34	106	6.00	11.3	
Total BTEX	<0.300	0.300	01/16/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *121 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	01/16/2026	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	179	89.6	200	4.50	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	204	102	200	4.49	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *89.5 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *90.3 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 12 3 (H260254-18)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/16/2026	ND	1.93	96.6	2.00	4.58	
Toluene*	<0.050	0.050	01/16/2026	ND	1.81	90.4	2.00	11.3	
Ethylbenzene*	<0.050	0.050	01/16/2026	ND	2.01	101	2.00	10.9	
Total Xylenes*	<0.150	0.150	01/16/2026	ND	6.34	106	6.00	11.3	
Total BTEX	<0.300	0.300	01/16/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *117 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	01/16/2026	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	179	89.6	200	4.50	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	204	102	200	4.49	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *104 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *106 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 12 4 (H260254-19)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	**0.120**	0.050	01/16/2026	ND	1.75	87.7	2.00	2.65	
Toluene*	**0.259**	0.050	01/16/2026	ND	1.82	91.0	2.00	3.08	
Ethylbenzene*	**0.075**	0.050	01/16/2026	ND	1.84	91.9	2.00	3.17	
Total Xylenes*	<0.150	0.150	01/16/2026	ND	5.45	90.8	6.00	3.15	
Total BTEX	**0.555**	0.300	01/16/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *97.5 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	01/16/2026	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	182	90.9	200	3.19	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	173	86.4	200	0.289	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *101 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *107 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 16 3 (H260254-20)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	**28.0**	5.00	01/16/2026	ND	1.75	87.7	2.00	2.65	
Toluene*	**154**	5.00	01/16/2026	ND	1.82	91.0	2.00	3.08	
Ethylbenzene*	**100**	5.00	01/16/2026	ND	1.84	91.9	2.00	3.17	
Total Xylenes*	**213**	15.0	01/16/2026	ND	5.45	90.8	6.00	3.15	
Total BTEX	**495**	30.0	01/16/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *111 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**1470**	16.0	01/16/2026	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: JF S-06

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	**3920**	50.0	01/16/2026	ND	182	90.9	200	3.19	
DRO >C10-C28*	**7460**	50.0	01/16/2026	ND	173	86.4	200	0.289	
EXT DRO >C28-C36	**953**	50.0	01/16/2026	ND					

Surrogate: 1-Chlorooctane *451 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *186 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 16 4 (H260254-21)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/16/2026	ND	1.75	87.7	2.00	2.65	
Toluene*	**0.382**	0.050	01/16/2026	ND	1.82	91.0	2.00	3.08	
Ethylbenzene*	**0.606**	0.050	01/16/2026	ND	1.84	91.9	2.00	3.17	
Total Xylenes*	**1.68**	0.150	01/16/2026	ND	5.45	90.8	6.00	3.15	
Total BTEX	**2.66**	0.300	01/16/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *111 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**464**	16.0	01/16/2026	ND	448	112	400	3.64	QM-07

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	**19.5**	10.0	01/15/2026	ND	182	90.9	200	3.19	
DRO >C10-C28*	**97.1**	10.0	01/15/2026	ND	173	86.4	200	0.289	
EXT DRO >C28-C36	**10.4**	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *97.7 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *105 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: V - 16 5 (H260254-22)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/16/2026	ND	1.75	87.7	2.00	2.65	
Toluene*	<0.050	0.050	01/16/2026	ND	1.82	91.0	2.00	3.08	
Ethylbenzene*	<0.050	0.050	01/16/2026	ND	1.84	91.9	2.00	3.17	
Total Xylenes*	<0.150	0.150	01/16/2026	ND	5.45	90.8	6.00	3.15	
Total BTEX	<0.300	0.300	01/16/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *98.6 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**96.0**	16.0	01/16/2026	ND	448	112	400	3.64	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	182	90.9	200	3.19	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	173	86.4	200	0.289	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *103 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *106 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: H - 7 0-0.5' (H260254-23)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/16/2026	ND	1.75	87.7	2.00	2.65	
Toluene*	<0.050	0.050	01/16/2026	ND	1.82	91.0	2.00	3.08	
Ethylbenzene*	<0.050	0.050	01/16/2026	ND	1.84	91.9	2.00	3.17	
Total Xylenes*	<0.150	0.150	01/16/2026	ND	5.45	90.8	6.00	3.15	
Total BTEX	<0.300	0.300	01/16/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *96.5 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	01/16/2026	ND	448	112	400	3.64	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	182	90.9	200	3.19	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	173	86.4	200	0.289	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *97.4 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *103 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: H - 8 0-0.5' (H260254-24)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/16/2026	ND	1.75	87.7	2.00	2.65	
Toluene*	<0.050	0.050	01/16/2026	ND	1.82	91.0	2.00	3.08	
Ethylbenzene*	<0.050	0.050	01/16/2026	ND	1.84	91.9	2.00	3.17	
Total Xylenes*	<0.150	0.150	01/16/2026	ND	5.45	90.8	6.00	3.15	
Total BTEX	<0.300	0.300	01/16/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *96.1 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	01/16/2026	ND	448	112	400	3.64	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	182	90.9	200	3.19	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	173	86.4	200	0.289	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *99.5 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *101 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/15/2026	Sampling Date:	01/14/2026
Reported:	01/16/2026	Sampling Type:	Soil
Project Name:	A78 HIGHWAY LINE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NM		

Sample ID: H - 9 0-0.5' (H260254-25)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/16/2026	ND	1.75	87.7	2.00	2.65	
Toluene*	<0.050	0.050	01/16/2026	ND	1.82	91.0	2.00	3.08	
Ethylbenzene*	<0.050	0.050	01/16/2026	ND	1.84	91.9	2.00	3.17	
Total Xylenes*	<0.150	0.150	01/16/2026	ND	5.45	90.8	6.00	3.15	
Total BTEX	<0.300	0.300	01/16/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *96.4 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	01/16/2026	ND	448	112	400	3.64	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/15/2026	ND	182	90.9	200	3.19	
DRO >C10-C28*	<10.0	10.0	01/15/2026	ND	173	86.4	200	0.289	
EXT DRO >C28-C36	<10.0	10.0	01/15/2026	ND					

Surrogate: 1-Chlorooctane *108 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *108 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

S-06	The recovery of this surrogate is outside control limits due to sample dilution required from high analyte concentration and/or matrix interference's.
QM-07	The spike recovery was outside acceptance limits for the MS and/or MSD. The batch was accepted based on acceptable LCS recovery.
ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C
	Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

Page 764 of 825

STANDARD SAFETY & SUPPLY

Chain of Custody

H260254

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericcson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	CarlsbadOffice@standardtx.com

Work Order Comments

0402401K

Project Name:	A78 Highway Line	Turn Around	☐ Routine ☑ Rush
Project Number:		Due Date:	24h
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.	
Sampler's Name:	Connor Whitmen		
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT				
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No	
Samples Received Intact:	(Yes) No	Thermometer ID:	#140	
Cooler Custody Seals:	Yes (No) N/A	Correction Factor:	+0.1c	
Sample Custody Seals:	Yes (No) N/A	Temperature Reading:	-3.2c	
Total Containers:		Corrected Temperature:	-3.1c	

Sample Identification		Depth	Date Sampled	Time Sampled	Matrix	Grab Comp	# of Cont	Pres. Code	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
1	V-18	24	1/14/2026		S	Grab	1		X	X	X	Hold
2	V-18	25	1/14/2026		S	Grab	1		X	X	X	
3	V-18	26	1/14/2026		S	Grab	1		X	X	X	Hold
4	V-18	27	1/14/2026		S	Grab	1		X	X	X	Hold
5	V-18	28	1/14/2026		S	Grab	1		X	X	X	Hold
6	V-18	29	1/14/2026		S	Grab	1		X	X	X	Hold
7	V-18	30	1/14/2026		S	Grab	1		X	X	X	
8	V-18	31	1/14/2026		S	Grab	1		X	X	X	Hold
9	V-18	32	1/14/2026		S	Grab	1		X	X	X	Hold
10	V-18	33	1/14/2026		S	Grab	1		X	X	X	Hold

Analysis Request

Preservative Codes

None: NO — DI Water: H_2O
Cool: Cool — MeOH: Me
HCL: HC — HNO_3: HN
H_2SO_4: H_2 — NaOH: Na
H_3PO_4: HP
$NaHSO_4$: NABIS
$Na_2S_2O_3$: $NaSO_3$
Zn Acetate+NaOH: Zn
NaOH+Ascorbic Acid: SAPC

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1	Tamara Latchford	1-15-26 1140	2		
3			4		
5			6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

Page 765 of 825

STANDARD SAFETY & SUPPLY

Chain of Custody

H260254

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Page 29 of 30

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericcson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	CarlsbadOffice@standardtx.com

Work Order Comments: 29

0402401K

Project Name:	475 Highway Line	Turn Around	Routine ☑ Rush
Project Number:		Due Date:	24h
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.	
Sampler's Name:	Connor Whitman		
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT				
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No	
Samples Received Intact:	(Yes) No	Thermometer ID:	#140	
Cooler Custody Seals:	Yes (No) N/A	Correction Factor:	+0.1C	
Sample Custody Seals:	Yes (No) N/A	Temperature Reading:	-3.2C	
Total Containers:		Corrected Temperature:	-3.1C	

Sample Identification		Depth	Date Sampled	Time Sampled	Matrix	Grab Comp	# of Cont	Pres. Code	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
11	V-18	34	1/14/2026		S	Grab	1		X	X	X	Hold
12	V-18	35	1/14/2026		S	Grab	1		X	X	X	
13	V-18	36	1/14/2026		S	Grab	1		X	X	X	Hold
14	V-18	37	1/14/2026		S	Grab	1		X	X	X	Hold
15	V-18	38	1/14/2026		S	Grab	1		X	X	X	Hold
16	V-18	39	1/14/2026		S	Grab	1		X	X	X	Hold
17	V-18	40	1/14/2026		S	Grab	1		X	X	X	
18	V-12	3	1/14/2026		S	Grab	1		X	X	X	
19	V-12	4	1/14/2026		S	Grab	1		X	X	X	
20	V-16	3	1/14/2026		S	Grab	1		X	X	X	

Preservative Codes

None: NO — DI Water: H_2O
Cool: Cool — MeOH: Me
HCL: HC — HNO_3: HN
H_2SO_4: H_2 — NaOH: Na
H_3PO_4: HP
$NaHSO_4$: NABIS
$Na_2S_2O_3$: $NaSO_3$
Zn Acetate+NaOH: Zn
NaOH+Ascorbic Acid: SAPC

	Relinquished by: (Signature)	Received by: (Signature)	Date/Time		Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1		Tamara Wadsack	1-15-26 1140	2			
3				4			
5				6			

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

Page 766 of 825

STANDARD SAFETY & SUPPLY

Chain of Custody

H260254

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Page 30 of 30

Project Manager:	Ethan Sessums	Bill to (if different)	Dean Ericcson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	CarlsbadOffice@standardtx.com

Work Order Comments: 0402401K

Project Name:	A78 Highway Line	Turn Around	Routine ☑ Rush
Project Number:		Due Date:	24h
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.	
Sampler's Name:	Connor Whitmen		
PO #:	C-26029-GL-21300171		

SAMPLE RECEIPT

Temp Blank:	Yes No	Wet Ice:	Yes No
Samples Received Intact:	Yes No	Thermometer ID:	#140
Cooler Custody Seals:	Yes No N/A	Correction Factor:	+0.1°C
Sample Custody Seals:	Yes No N/A	Temperature Reading:	-3.2°C
Total Containers:		Corrected Temperature:	-3.1°C

ANALYSIS REQUEST

Sample Identification		Depth	Date Sampled	Time Sampled	Matrix	Grab Comp	# of Cont	Pres. Code	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300
21	V-16	4	1/14/2026		S	Grab	1		X	X	X
22	V-16	5	1/14/2026		S	Grab	1		X	X	X
23	H-7	0-0.5	1/14/2026		S	Grab	1		X	X	X
24	H-8	0-0.5	1/14/2026		S	Grab	1		X	X	X
25	H-9	0-0.5	1/14/2026		S	Grab	1		X	X	X

Parameters

Preservative Codes

None: NO — DI Water: H_2O
Cool: Cool — MeOH: Me
HCL: HC — HNO_3: HN
H_2SO_4: H_2 — NaOH: Na
H_3PO_4: HP
$NaHSO_4$: NABIS
$Na_2S_2O_3$: $NaSO_3$
Zn Acetate+NaOH: Zn
NaOH+Ascorbic Acid: SAPC

Sample Comments

Relinquished by: (Signature)	Received by: (Signature)	Date/Time
	Tamara Valdez	1-15-26 1140

Relinquished by: (Signature)	Received by: (Signature)	Date/Time
2		
4		
6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

January 29, 2026

ETHAN SESSUMS

STANDARD SAFETY & SUPPLY

PO BOX 14987

ODESSA, TX 79764

RE: BACKFILL FOR LINE A-7-8

Enclosed are the results of analyses for samples received by the laboratory on 01/28/26 13:31.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C25-00101. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accreditated through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Celey D. Keene

Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/28/2026	Sampling Date:	01/28/2026
Reported:	01/29/2026	Sampling Type:	Soil
Project Name:	BACKFILL FOR LINE A-7-8	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	ETC		

Sample ID: B1 (H260498-01)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/28/2026	ND	1.92	96.0	2.00	0.492	
Toluene*	<0.050	0.050	01/28/2026	ND	1.82	91.2	2.00	0.185	
Ethylbenzene*	<0.050	0.050	01/28/2026	ND	1.81	90.6	2.00	0.960	
Total Xylenes*	<0.150	0.150	01/28/2026	ND	5.39	89.8	6.00	1.03	
Total BTEX	<0.300	0.300	01/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *96.6 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	01/28/2026	ND	432	108	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/28/2026	ND	227	114	200	1.88	
DRO >C10-C28*	<10.0	10.0	01/28/2026	ND	207	104	200	0.661	
EXT DRO >C28-C36	<10.0	10.0	01/28/2026	ND					

Surrogate: 1-Chlorooctane *87.6 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *80.3 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

QM-07	The spike recovery was outside acceptance limits for the MS and/or MSD. The batch was accepted based on acceptable LCS recovery.
ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C
	Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

C-2629-GL-21300171

Company Name:	Standard Safety & Supply
Project Manager:	Ethan Sessums
Address:	2524 Trunk ST
City:	Odessa State: TX Zip: 79762
Phone #:	Fax #:
Project #:	Project Owner: Energy Transfer
Project Name:	Backfill for line A-7-8
Project Location:	
Sampler Name:	Kenny Heun

BILL TO

P.O. #:	
Company:	Energy Transfer
Attn:	Dean Enerson
Address:	
City:	
State:	Zip:
Phone #:	
Fax #:	

ANALYSIS REQUEST

FOR LAB USE ONLY Lab I.D.	Sample I.D.	(G)RAB OR (C)OMP.	# CONTAINERS	MATRIX: GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER:	PRESERV.: ACID/BASE:	ICE / COOL	OTHER:	SAMPLING: DATE	TIME	BTEX	TPH	Chloride
H2600498-1	B1	C	1			X					X		1/28		X	X	X

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequental damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

04024O1K

Relinquished By:	Date: 1/28/2026 Time: 1331	Received By: SRodriguez	Verbal Result: ☐ Yes ☐ No Add'l Phone #:
Relinquished By:	Date: Time:	Received By:	All Results are emailed. Please provide Email address:
			REMARKS:

Delivered By: (Circle One)	Observed Temp. °C 4.1c	Sample Condition Cool Yes / No	Intact Yes / No	CHECKED BY: (Initials)	Turnaround Time: Standard ☐ Rush ☑ 24hr
Sampler - UPS - Bus - Other:	Corrected Temp. °C 4.2c			SR	Thermometer ID #140 Correction Factor +0.3°C

Bacteria (only) Sample Condition: Cool ☐ Yes ☐ No Intact ☐ Yes ☐ No Observed Temp. °C Corrected Temp. °C

FORM-006 R 3.0 02/12/23

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

February 04, 2026

ETHAN SESSUMS

STANDARD SAFETY & SUPPLY

PO BOX 14987

ODESSA, TX 79764

RE: LINE A-7-8

Enclosed are the results of analyses for samples received by the laboratory on 02/04/26 8:51.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C25-00101. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accreditated through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Celey D. Keene

Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	02/04/2026	Sampling Date:	02/04/2026
Reported:	02/04/2026	Sampling Type:	Soil
Project Name:	LINE A-7-8	Sampling Condition:	Cool & Intact
Project Number:	NOT GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC- LEA CO NM		

Sample ID: SW - 4 (H260627-01)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	02/04/2026	ND	2.02	101	2.00	3.18	
Toluene*	<0.050	0.050	02/04/2026	ND	1.88	94.2	2.00	2.73	
Ethylbenzene*	<0.050	0.050	02/04/2026	ND	1.87	93.5	2.00	2.68	
Total Xylenes*	<0.150	0.150	02/04/2026	ND	5.54	92.3	6.00	2.72	
Total BTEX	<0.300	0.300	02/04/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *97.5 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	02/04/2026	ND	400	100	400	7.69	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/04/2026	ND	183	91.7	200	3.44	
DRO >C10-C28*	<10.0	10.0	02/04/2026	ND	196	98.1	200	1.83	
EXT DRO >C28-C36	<10.0	10.0	02/04/2026	ND					

Surrogate: 1-Chlorooctane *98.8 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *109 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	02/04/2026	Sampling Date:	02/04/2026
Reported:	02/04/2026	Sampling Type:	Soil
Project Name:	LINE A-7-8	Sampling Condition:	Cool & Intact
Project Number:	NOT GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC- LEA CO NM		

Sample ID: SW - 6 (H260627-02)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	02/04/2026	ND	2.02	101	2.00	3.18	
Toluene*	<0.050	0.050	02/04/2026	ND	1.88	94.2	2.00	2.73	
Ethylbenzene*	<0.050	0.050	02/04/2026	ND	1.87	93.5	2.00	2.68	
Total Xylenes*	<0.150	0.150	02/04/2026	ND	5.54	92.3	6.00	2.72	
Total BTEX	<0.300	0.300	02/04/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *96.5 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	02/04/2026	ND	400	100	400	7.69	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/04/2026	ND	183	91.7	200	3.44	
DRO >C10-C28*	<10.0	10.0	02/04/2026	ND	196	98.1	200	1.83	
EXT DRO >C28-C36	<10.0	10.0	02/04/2026	ND					

Surrogate: 1-Chlorooctane *122 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *136 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	02/04/2026	Sampling Date:	02/04/2026
Reported:	02/04/2026	Sampling Type:	Soil
Project Name:	LINE A-7-8	Sampling Condition:	Cool & Intact
Project Number:	NOT GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC- LEA CO NM		

Sample ID: SW - 7 (H260627-03)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	02/04/2026	ND	2.02	101	2.00	3.18	
Toluene*	<0.050	0.050	02/04/2026	ND	1.88	94.2	2.00	2.73	
Ethylbenzene*	<0.050	0.050	02/04/2026	ND	1.87	93.5	2.00	2.68	
Total Xylenes*	<0.150	0.150	02/04/2026	ND	5.54	92.3	6.00	2.72	
Total BTEX	<0.300	0.300	02/04/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *98.8 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	02/04/2026	ND	400	100	400	7.69	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/04/2026	ND	183	91.7	200	3.44	
DRO >C10-C28*	<10.0	10.0	02/04/2026	ND	196	98.1	200	1.83	
EXT DRO >C28-C36	<10.0	10.0	02/04/2026	ND					

Surrogate: 1-Chlorooctane *111 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *113 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	02/04/2026	Sampling Date:	02/04/2026
Reported:	02/04/2026	Sampling Type:	Soil
Project Name:	LINE A-7-8	Sampling Condition:	Cool & Intact
Project Number:	NOT GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC- LEA CO NM		

Sample ID: SW - 10 (H260627-04)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	02/04/2026	ND	2.02	101	2.00	3.18	
Toluene*	<0.050	0.050	02/04/2026	ND	1.88	94.2	2.00	2.73	
Ethylbenzene*	<0.050	0.050	02/04/2026	ND	1.87	93.5	2.00	2.68	
Total Xylenes*	<0.150	0.150	02/04/2026	ND	5.54	92.3	6.00	2.72	
Total BTEX	<0.300	0.300	02/04/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *97.9 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	02/04/2026	ND	400	100	400	7.69	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/04/2026	ND	196	98.2	200	6.09	
DRO >C10-C28*	<10.0	10.0	02/04/2026	ND	202	101	200	3.91	
EXT DRO >C28-C36	<10.0	10.0	02/04/2026	ND					

Surrogate: 1-Chlorooctane *126 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *130 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	02/04/2026	Sampling Date:	02/04/2026
Reported:	02/04/2026	Sampling Type:	Soil
Project Name:	LINE A-7-8	Sampling Condition:	Cool & Intact
Project Number:	NOT GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC- LEA CO NM		

Sample ID: SW - 11 (H260627-05)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	02/04/2026	ND	2.02	101	2.00	3.18	
Toluene*	<0.050	0.050	02/04/2026	ND	1.88	94.2	2.00	2.73	
Ethylbenzene*	<0.050	0.050	02/04/2026	ND	1.87	93.5	2.00	2.68	
Total Xylenes*	<0.150	0.150	02/04/2026	ND	5.54	92.3	6.00	2.72	
Total BTEX	<0.300	0.300	02/04/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *97.9 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	02/04/2026	ND	400	100	400	7.69	

TPH 8015M mg/kg Analyzed By: JF S-04

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/04/2026	ND	196	98.2	200	6.09	
DRO >C10-C28*	<10.0	10.0	02/04/2026	ND	202	101	200	3.91	
EXT DRO >C28-C36	<10.0	10.0	02/04/2026	ND					

Surrogate: 1-Chlorooctane *131 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *135 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

S-04	The surrogate recovery for this sample is outside of established control limits due to a sample matrix effect.
ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C
	Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

Page 778 of 825

CARDINAL Laboratories
101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

C-26029-GL-21300171

Company Name:	Standard Safety & Supply	**BILL TO**	
Project Manager:	Ethan Sessums	P.O. #:	
Address:		Company:	Energy Transfer
City:	State: Zip:	Attn:	Dean Ericson
Phone #:	Fax #:	Address:	
Project #:	Project Owner:	City:	
Project Name:	Line A-7-8 Pipeline Release	State: Zip:	
Project Location:	Lea Co, NM	Phone #:	
Sampler Name:	Kenny Klein	Fax #:	

FOR LAB USE ONLY Lab I.D.	Sample I.D.	(G)RAB OR (C)OMP	# CONTAINERS	MATRIX: GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER:	PRESERV: ACID/BASE:	ICE / COOL	OTHER:	SAMPLING: DATE	TIME	BTEX	TPH	Chloride
H260627																	
1	SW-4	C	1			X					X		2/4	8:00am			
2	SW-6													8:01			
3	SW-7													8:02			
4	SW-10													8:03			
5	SW-11													8:04			

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequental damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

0402401K

Relinquished By:	Date: 2/4/26 Time: 0851	Received By:	Verbal Result: ☐ Yes ☐ No Add'l Phone #:
Relinquished By:	Date: Time:	Received By:	All Results are emailed. Please provide Email address:
Delivered By: (Circle One) Sampler - UPS - Bus - Other:	Observed Temp. °C 2.3 Corrected Temp. °C 2.4	Sample Condition Cool: ☑ Yes ☐ No Intact: ☑ Yes ☐ No	CHECKED BY: (Initials)

REMARKS:

Turnaround Time: Standard ☐ Rush ☑ Same day

Thermometer ID #140 Correction Factor +0.3°C

Bacteria (only) Sample Condition: Cool ☐ Yes ☐ No Intact ☐ Yes ☐ No Observed Temp. °C Corrected Temp. °C

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

FORM-006 R 3.6 02/12/23

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

January 30, 2026

ETHAN SESSUMS

STANDARD SAFETY & SUPPLY

PO BOX 14987

ODESSA, TX 79764

RE: LINE A-7-8

Enclosed are the results of analyses for samples received by the laboratory on 01/30/26 11:03.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C25-00101. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accreditated through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Celey D. Keene

Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/30/2026	Sampling Date:	01/30/2026
Reported:	01/30/2026	Sampling Type:	Soil
Project Name:	LINE A-7-8	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC- LEA CO NM		

Sample ID: CS - 1 (H260540-01)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/30/2026	ND	1.95	97.5	2.00	1.52	
Toluene*	<0.050	0.050	01/30/2026	ND	1.84	91.8	2.00	1.23	
Ethylbenzene*	<0.050	0.050	01/30/2026	ND	1.81	90.4	2.00	0.296	
Total Xylenes*	<0.150	0.150	01/30/2026	ND	5.39	89.8	6.00	0.229	
Total BTEX	<0.300	0.300	01/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *98.7 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**112**	16.0	01/30/2026	ND	400	100	400	3.92	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/30/2026	ND	177	88.7	200	2.10	
DRO >C10-C28*	**57.0**	10.0	01/30/2026	ND	168	84.0	200	11.7	
EXT DRO >C28-C36	<10.0	10.0	01/30/2026	ND					

Surrogate: 1-Chlorooctane *90.2 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *91.6 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/30/2026	Sampling Date:	01/30/2026
Reported:	01/30/2026	Sampling Type:	Soil
Project Name:	LINE A-7-8	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC- LEA CO NM		

Sample ID: CS - 2 (H260540-02)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/30/2026	ND	1.95	97.5	2.00	1.52	
Toluene*	<0.050	0.050	01/30/2026	ND	1.84	91.8	2.00	1.23	
Ethylbenzene*	<0.050	0.050	01/30/2026	ND	1.81	90.4	2.00	0.296	
Total Xylenes*	<0.150	0.150	01/30/2026	ND	5.39	89.8	6.00	0.229	
Total BTEX	<0.300	0.300	01/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *97.5 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**64.0**	16.0	01/30/2026	ND	400	100	400	3.92	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/30/2026	ND	177	88.7	200	2.10	
DRO >C10-C28*	**17.8**	10.0	01/30/2026	ND	168	84.0	200	11.7	
EXT DRO >C28-C36	<10.0	10.0	01/30/2026	ND					

Surrogate: 1-Chlorooctane *88.2 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *89.0 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/30/2026	Sampling Date:	01/30/2026
Reported:	01/30/2026	Sampling Type:	Soil
Project Name:	LINE A-7-8	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC- LEA CO NM		

Sample ID: CS - 3 (H260540-03)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/30/2026	ND	1.95	97.5	2.00	1.52	
Toluene*	<0.050	0.050	01/30/2026	ND	1.84	91.8	2.00	1.23	
Ethylbenzene*	<0.050	0.050	01/30/2026	ND	1.81	90.4	2.00	0.296	
Total Xylenes*	<0.150	0.150	01/30/2026	ND	5.39	89.8	6.00	0.229	
Total BTEX	<0.300	0.300	01/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *96.0 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	01/30/2026	ND	400	100	400	3.92	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/30/2026	ND	177	88.7	200	2.10	
DRO >C10-C28*	**14.2**	10.0	01/30/2026	ND	168	84.0	200	11.7	
EXT DRO >C28-C36	<10.0	10.0	01/30/2026	ND					

Surrogate: 1-Chlorooctane *89.0 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *91.9 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/30/2026	Sampling Date:	01/30/2026
Reported:	01/30/2026	Sampling Type:	Soil
Project Name:	LINE A-7-8	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC- LEA CO NM		

Sample ID: CS - 4 (H260540-04)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/30/2026	ND	1.95	97.5	2.00	1.52	
Toluene*	<0.050	0.050	01/30/2026	ND	1.84	91.8	2.00	1.23	
Ethylbenzene*	<0.050	0.050	01/30/2026	ND	1.81	90.4	2.00	0.296	
Total Xylenes*	<0.150	0.150	01/30/2026	ND	5.39	89.8	6.00	0.229	
Total BTEX	<0.300	0.300	01/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *97.1 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**64.0**	16.0	01/30/2026	ND	400	100	400	3.92	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/30/2026	ND	177	88.7	200	2.10	
DRO >C10-C28*	**28.4**	10.0	01/30/2026	ND	168	84.0	200	11.7	
EXT DRO >C28-C36	<10.0	10.0	01/30/2026	ND					

Surrogate: 1-Chlorooctane *92.5 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *95.5 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/30/2026	Sampling Date:	01/30/2026
Reported:	01/30/2026	Sampling Type:	Soil
Project Name:	LINE A-7-8	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC- LEA CO NM		

Sample ID: CS - 5 (H260540-05)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/30/2026	ND	1.95	97.5	2.00	1.52	
Toluene*	<0.050	0.050	01/30/2026	ND	1.84	91.8	2.00	1.23	
Ethylbenzene*	<0.050	0.050	01/30/2026	ND	1.81	90.4	2.00	0.296	
Total Xylenes*	<0.150	0.150	01/30/2026	ND	5.39	89.8	6.00	0.229	
Total BTEX	<0.300	0.300	01/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *97.9 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**64.0**	16.0	01/30/2026	ND	400	100	400	3.92	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/30/2026	ND	177	88.7	200	2.10	
DRO >C10-C28*	**16.7**	10.0	01/30/2026	ND	168	84.0	200	11.7	
EXT DRO >C28-C36	<10.0	10.0	01/30/2026	ND					

Surrogate: 1-Chlorooctane *90.4 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *92.0 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/30/2026	Sampling Date:	01/30/2026
Reported:	01/30/2026	Sampling Type:	Soil
Project Name:	LINE A-7-8	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC- LEA CO NM		

Sample ID: CS - 6 (H260540-06)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/30/2026	ND	1.95	97.5	2.00	1.52	
Toluene*	<0.050	0.050	01/30/2026	ND	1.84	91.8	2.00	1.23	
Ethylbenzene*	<0.050	0.050	01/30/2026	ND	1.81	90.4	2.00	0.296	
Total Xylenes*	<0.150	0.150	01/30/2026	ND	5.39	89.8	6.00	0.229	
Total BTEX	<0.300	0.300	01/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *96.6 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	01/30/2026	ND	400	100	400	3.92	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/30/2026	ND	177	88.7	200	2.10	
DRO >C10-C28*	**35.2**	10.0	01/30/2026	ND	168	84.0	200	11.7	
EXT DRO >C28-C36	<10.0	10.0	01/30/2026	ND					

Surrogate: 1-Chlorooctane *91.8 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *93.9 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/30/2026	Sampling Date:	01/30/2026
Reported:	01/30/2026	Sampling Type:	Soil
Project Name:	LINE A-7-8	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC- LEA CO NM		

Sample ID: CS - 7 (H260540-07)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/30/2026	ND	1.95	97.5	2.00	1.52	
Toluene*	<0.050	0.050	01/30/2026	ND	1.84	91.8	2.00	1.23	
Ethylbenzene*	<0.050	0.050	01/30/2026	ND	1.81	90.4	2.00	0.296	
Total Xylenes*	<0.150	0.150	01/30/2026	ND	5.39	89.8	6.00	0.229	
Total BTEX	<0.300	0.300	01/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *97.2 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	01/30/2026	ND	400	100	400	3.92	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/30/2026	ND	177	88.7	200	2.10	
DRO >C10-C28*	**10.8**	10.0	01/30/2026	ND	168	84.0	200	11.7	
EXT DRO >C28-C36	<10.0	10.0	01/30/2026	ND					

Surrogate: 1-Chlorooctane *88.9 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *90.1 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/30/2026	Sampling Date:	01/30/2026
Reported:	01/30/2026	Sampling Type:	Soil
Project Name:	LINE A-7-8	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC- LEA CO NM		

Sample ID: CS - 8 (H260540-08)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/30/2026	ND	1.95	97.5	2.00	1.52	
Toluene*	<0.050	0.050	01/30/2026	ND	1.84	91.8	2.00	1.23	
Ethylbenzene*	<0.050	0.050	01/30/2026	ND	1.81	90.4	2.00	0.296	
Total Xylenes*	<0.150	0.150	01/30/2026	ND	5.39	89.8	6.00	0.229	
Total BTEX	<0.300	0.300	01/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *95.9 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**64.0**	16.0	01/30/2026	ND	400	100	400	3.92	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/30/2026	ND	177	88.7	200	2.10	
DRO >C10-C28*	**22.0**	10.0	01/30/2026	ND	168	84.0	200	11.7	
EXT DRO >C28-C36	<10.0	10.0	01/30/2026	ND					

Surrogate: 1-Chlorooctane *93.7 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *94.0 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/30/2026	Sampling Date:	01/30/2026
Reported:	01/30/2026	Sampling Type:	Soil
Project Name:	LINE A-7-8	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC- LEA CO NM		

Sample ID: CS - 9 (H260540-09)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/30/2026	ND	1.95	97.5	2.00	1.52	
Toluene*	<0.050	0.050	01/30/2026	ND	1.84	91.8	2.00	1.23	
Ethylbenzene*	<0.050	0.050	01/30/2026	ND	1.81	90.4	2.00	0.296	
Total Xylenes*	<0.150	0.150	01/30/2026	ND	5.39	89.8	6.00	0.229	
Total BTEX	<0.300	0.300	01/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *96.6 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**64.0**	16.0	01/30/2026	ND	432	108	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/30/2026	ND	177	88.7	200	2.10	
DRO >C10-C28*	**24.6**	10.0	01/30/2026	ND	168	84.0	200	11.7	
EXT DRO >C28-C36	<10.0	10.0	01/30/2026	ND					

Surrogate: 1-Chlorooctane *93.7 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *95.1 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/30/2026	Sampling Date:	01/30/2026
Reported:	01/30/2026	Sampling Type:	Soil
Project Name:	LINE A-7-8	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC- LEA CO NM		

Sample ID: CS - 10 (H260540-10)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/30/2026	ND	1.95	97.5	2.00	1.52	
Toluene*	<0.050	0.050	01/30/2026	ND	1.84	91.8	2.00	1.23	
Ethylbenzene*	<0.050	0.050	01/30/2026	ND	1.81	90.4	2.00	0.296	
Total Xylenes*	<0.150	0.150	01/30/2026	ND	5.39	89.8	6.00	0.229	
Total BTEX	<0.300	0.300	01/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *96.1 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	01/30/2026	ND	432	108	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/30/2026	ND	177	88.7	200	2.10	
DRO >C10-C28*	<10.0	10.0	01/30/2026	ND	168	84.0	200	11.7	
EXT DRO >C28-C36	<10.0	10.0	01/30/2026	ND					

Surrogate: 1-Chlorooctane *92.7 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *94.5 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/30/2026	Sampling Date:	01/30/2026
Reported:	01/30/2026	Sampling Type:	Soil
Project Name:	LINE A-7-8	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC- LEA CO NM		

Sample ID: CS - 11 (H260540-11)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/30/2026	ND	1.95	97.5	2.00	1.52	
Toluene*	<0.050	0.050	01/30/2026	ND	1.84	91.8	2.00	1.23	
Ethylbenzene*	<0.050	0.050	01/30/2026	ND	1.81	90.4	2.00	0.296	
Total Xylenes*	<0.150	0.150	01/30/2026	ND	5.39	89.8	6.00	0.229	
Total BTEX	<0.300	0.300	01/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *95.2 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**64.0**	16.0	01/30/2026	ND	432	108	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/30/2026	ND	190	94.9	200	3.31	
DRO >C10-C28*	**20.4**	10.0	01/30/2026	ND	190	95.1	200	4.25	
EXT DRO >C28-C36	<10.0	10.0	01/30/2026	ND					

Surrogate: 1-Chlorooctane *103 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *103 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/30/2026	Sampling Date:	01/30/2026
Reported:	01/30/2026	Sampling Type:	Soil
Project Name:	LINE A-7-8	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC- LEA CO NM		

Sample ID: CS - 12 (H260540-12)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/30/2026	ND	1.95	97.5	2.00	1.52	
Toluene*	<0.050	0.050	01/30/2026	ND	1.84	91.8	2.00	1.23	
Ethylbenzene*	<0.050	0.050	01/30/2026	ND	1.81	90.4	2.00	0.296	
Total Xylenes*	<0.150	0.150	01/30/2026	ND	5.39	89.8	6.00	0.229	
Total BTEX	<0.300	0.300	01/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *97.0 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	01/30/2026	ND	432	108	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/30/2026	ND	190	94.9	200	3.31	
DRO >C10-C28*	**57.2**	10.0	01/30/2026	ND	190	95.1	200	4.25	
EXT DRO >C28-C36	**10.7**	10.0	01/30/2026	ND					

Surrogate: 1-Chlorooctane *104 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *104 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/30/2026	Sampling Date:	01/30/2026
Reported:	01/30/2026	Sampling Type:	Soil
Project Name:	LINE A-7-8	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC- LEA CO NM		

Sample ID: CS - 13 (H260540-13)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/30/2026	ND	2.13	106	2.00	5.15	QM-07
Toluene*	<0.050	0.050	01/30/2026	ND	2.12	106	2.00	8.26	QM-07
Ethylbenzene*	<0.050	0.050	01/30/2026	ND	2.24	112	2.00	12.8	QM-07
Total Xylenes*	<0.150	0.150	01/30/2026	ND	6.84	114	6.00	13.0	
Total BTEX	<0.300	0.300	01/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *115 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**64.0**	16.0	01/30/2026	ND	432	108	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/30/2026	ND	190	94.9	200	3.31	
DRO >C10-C28*	**22.0**	10.0	01/30/2026	ND	190	95.1	200	4.25	
EXT DRO >C28-C36	<10.0	10.0	01/30/2026	ND					

Surrogate: 1-Chlorooctane *105 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *104 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/30/2026	Sampling Date:	01/30/2026
Reported:	01/30/2026	Sampling Type:	Soil
Project Name:	LINE A-7-8	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC- LEA CO NM		

Sample ID: CS - 14 (H260540-14)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/30/2026	ND	2.13	106	2.00	5.15	
Toluene*	<0.050	0.050	01/30/2026	ND	2.12	106	2.00	8.26	
Ethylbenzene*	<0.050	0.050	01/30/2026	ND	2.24	112	2.00	12.8	
Total Xylenes*	<0.150	0.150	01/30/2026	ND	6.84	114	6.00	13.0	
Total BTEX	<0.300	0.300	01/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *112 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**80.0**	16.0	01/30/2026	ND	432	108	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/30/2026	ND	190	94.9	200	3.31	
DRO >C10-C28*	**69.3**	10.0	01/30/2026	ND	190	95.1	200	4.25	
EXT DRO >C28-C36	<10.0	10.0	01/30/2026	ND					

Surrogate: 1-Chlorooctane *103 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *103 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/30/2026	Sampling Date:	01/30/2026
Reported:	01/30/2026	Sampling Type:	Soil
Project Name:	LINE A-7-8	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC- LEA CO NM		

Sample ID: CS - 15 (H260540-15)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/30/2026	ND	2.13	106	2.00	5.15	
Toluene*	<0.050	0.050	01/30/2026	ND	2.12	106	2.00	8.26	
Ethylbenzene*	<0.050	0.050	01/30/2026	ND	2.24	112	2.00	12.8	
Total Xylenes*	<0.150	0.150	01/30/2026	ND	6.84	114	6.00	13.0	
Total BTEX	<0.300	0.300	01/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *112 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	01/30/2026	ND	432	108	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/30/2026	ND	190	94.9	200	3.31	
DRO >C10-C28*	**61.6**	10.0	01/30/2026	ND	190	95.1	200	4.25	
EXT DRO >C28-C36	<10.0	10.0	01/30/2026	ND					

Surrogate: 1-Chlorooctane *105 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *106 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/30/2026	Sampling Date:	01/30/2026
Reported:	01/30/2026	Sampling Type:	Soil
Project Name:	LINE A-7-8	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC- LEA CO NM		

Sample ID: SW - 1 (H260540-16)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/30/2026	ND	2.13	106	2.00	5.15	
Toluene*	<0.050	0.050	01/30/2026	ND	2.12	106	2.00	8.26	
Ethylbenzene*	<0.050	0.050	01/30/2026	ND	2.24	112	2.00	12.8	
Total Xylenes*	<0.150	0.150	01/30/2026	ND	6.84	114	6.00	13.0	
Total BTEX	<0.300	0.300	01/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *116 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**80.0**	16.0	01/30/2026	ND	432	108	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/30/2026	ND	190	94.9	200	3.31	
DRO >C10-C28*	**30.0**	10.0	01/30/2026	ND	190	95.1	200	4.25	
EXT DRO >C28-C36	<10.0	10.0	01/30/2026	ND					

Surrogate: 1-Chlorooctane *98.2 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *97.7 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/30/2026	Sampling Date:	01/30/2026
Reported:	01/30/2026	Sampling Type:	Soil
Project Name:	LINE A-7-8	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC- LEA CO NM		

Sample ID: SW - 2 (H260540-17)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/30/2026	ND	2.13	106	2.00	5.15	
Toluene*	<0.050	0.050	01/30/2026	ND	2.12	106	2.00	8.26	
Ethylbenzene*	<0.050	0.050	01/30/2026	ND	2.24	112	2.00	12.8	
Total Xylenes*	<0.150	0.150	01/30/2026	ND	6.84	114	6.00	13.0	
Total BTEX	<0.300	0.300	01/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *111 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	01/30/2026	ND	432	108	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/30/2026	ND	190	94.9	200	3.31	
DRO >C10-C28*	**58.9**	10.0	01/30/2026	ND	190	95.1	200	4.25	
EXT DRO >C28-C36	<10.0	10.0	01/30/2026	ND					

Surrogate: 1-Chlorooctane *105 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *106 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/30/2026	Sampling Date:	01/30/2026
Reported:	01/30/2026	Sampling Type:	Soil
Project Name:	LINE A-7-8	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC- LEA CO NM		

Sample ID: SW - 3 (H260540-18)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/30/2026	ND	2.13	106	2.00	5.15	
Toluene*	<0.050	0.050	01/30/2026	ND	2.12	106	2.00	8.26	
Ethylbenzene*	<0.050	0.050	01/30/2026	ND	2.24	112	2.00	12.8	
Total Xylenes*	<0.150	0.150	01/30/2026	ND	6.84	114	6.00	13.0	
Total BTEX	<0.300	0.300	01/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *116 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	01/30/2026	ND	432	108	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/30/2026	ND	190	94.9	200	3.31	
DRO >C10-C28*	**31.7**	10.0	01/30/2026	ND	190	95.1	200	4.25	
EXT DRO >C28-C36	<10.0	10.0	01/30/2026	ND					

Surrogate: 1-Chlorooctane *103 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *103 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/30/2026	Sampling Date:	01/30/2026
Reported:	01/30/2026	Sampling Type:	Soil
Project Name:	LINE A-7-8	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC- LEA CO NM		

Sample ID: SW - 4 (H260540-19)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/30/2026	ND	2.13	106	2.00	5.15	
Toluene*	<0.050	0.050	01/30/2026	ND	2.12	106	2.00	8.26	
Ethylbenzene*	<0.050	0.050	01/30/2026	ND	2.24	112	2.00	12.8	
Total Xylenes*	<0.150	0.150	01/30/2026	ND	6.84	114	6.00	13.0	
Total BTEX	<0.300	0.300	01/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *106 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**96.0**	16.0	01/30/2026	ND	432	108	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/30/2026	ND	190	94.9	200	3.31	
DRO >C10-C28*	**108**	10.0	01/30/2026	ND	190	95.1	200	4.25	
EXT DRO >C28-C36	<10.0	10.0	01/30/2026	ND					

Surrogate: 1-Chlorooctane *102 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *104 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/30/2026	Sampling Date:	01/30/2026
Reported:	01/30/2026	Sampling Type:	Soil
Project Name:	LINE A-7-8	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC- LEA CO NM		

Sample ID: SW - 5 (H260540-20)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/30/2026	ND	2.13	106	2.00	5.15	
Toluene*	<0.050	0.050	01/30/2026	ND	2.12	106	2.00	8.26	
Ethylbenzene*	<0.050	0.050	01/30/2026	ND	2.24	112	2.00	12.8	
Total Xylenes*	<0.150	0.150	01/30/2026	ND	6.84	114	6.00	13.0	
Total BTEX	<0.300	0.300	01/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *114 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	01/30/2026	ND	432	108	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/30/2026	ND	190	94.9	200	3.31	
DRO >C10-C28*	**29.9**	10.0	01/30/2026	ND	190	95.1	200	4.25	
EXT DRO >C28-C36	<10.0	10.0	01/30/2026	ND					

Surrogate: 1-Chlorooctane *111 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *111 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/30/2026	Sampling Date:	01/30/2026
Reported:	01/30/2026	Sampling Type:	Soil
Project Name:	LINE A-7-8	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC- LEA CO NM		

Sample ID: SW - 6 (H260540-21)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/30/2026	ND	2.13	106	2.00	5.15	
Toluene*	<0.050	0.050	01/30/2026	ND	2.12	106	2.00	8.26	
Ethylbenzene*	<0.050	0.050	01/30/2026	ND	2.24	112	2.00	12.8	
Total Xylenes*	<0.150	0.150	01/30/2026	ND	6.84	114	6.00	13.0	
Total BTEX	<0.300	0.300	01/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *115 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**112**	16.0	01/30/2026	ND	432	108	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/30/2026	ND	183	91.3	200	0.920	
DRO >C10-C28*	**112**	10.0	01/30/2026	ND	212	106	200	2.44	
EXT DRO >C28-C36	**11.3**	10.0	01/30/2026	ND					

Surrogate: 1-Chlorooctane *81.3 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *82.8 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/30/2026	Sampling Date:	01/30/2026
Reported:	01/30/2026	Sampling Type:	Soil
Project Name:	LINE A-7-8	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC- LEA CO NM		

Sample ID: SW - 7 (H260540-22)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/30/2026	ND	2.13	106	2.00	5.15	
Toluene*	<0.050	0.050	01/30/2026	ND	2.12	106	2.00	8.26	
Ethylbenzene*	<0.050	0.050	01/30/2026	ND	2.24	112	2.00	12.8	
Total Xylenes*	<0.150	0.150	01/30/2026	ND	6.84	114	6.00	13.0	
Total BTEX	<0.300	0.300	01/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *112 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**96.0**	16.0	01/30/2026	ND	432	108	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/30/2026	ND	183	91.3	200	0.920	
DRO >C10-C28*	**96.4**	10.0	01/30/2026	ND	212	106	200	2.44	
EXT DRO >C28-C36	**11.7**	10.0	01/30/2026	ND					

Surrogate: 1-Chlorooctane *88.9 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *90.3 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/30/2026	Sampling Date:	01/30/2026
Reported:	01/30/2026	Sampling Type:	Soil
Project Name:	LINE A-7-8	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC- LEA CO NM		

Sample ID: SW - 8 (H260540-23)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/30/2026	ND	2.13	106	2.00	5.15	
Toluene*	<0.050	0.050	01/30/2026	ND	2.12	106	2.00	8.26	
Ethylbenzene*	<0.050	0.050	01/30/2026	ND	2.24	112	2.00	12.8	
Total Xylenes*	<0.150	0.150	01/30/2026	ND	6.84	114	6.00	13.0	
Total BTEX	<0.300	0.300	01/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *118 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**112**	16.0	01/30/2026	ND	432	108	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/30/2026	ND	183	91.3	200	0.920	
DRO >C10-C28*	**78.8**	10.0	01/30/2026	ND	212	106	200	2.44	
EXT DRO >C28-C36	<10.0	10.0	01/30/2026	ND					

Surrogate: 1-Chlorooctane *91.5 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *92.4 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/30/2026	Sampling Date:	01/30/2026
Reported:	01/30/2026	Sampling Type:	Soil
Project Name:	LINE A-7-8	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC- LEA CO NM		

Sample ID: SW - 9 (H260540-24)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/30/2026	ND	2.13	106	2.00	5.15	
Toluene*	<0.050	0.050	01/30/2026	ND	2.12	106	2.00	8.26	
Ethylbenzene*	<0.050	0.050	01/30/2026	ND	2.24	112	2.00	12.8	
Total Xylenes*	<0.150	0.150	01/30/2026	ND	6.84	114	6.00	13.0	
Total BTEX	<0.300	0.300	01/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *117 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**128**	16.0	01/30/2026	ND	432	108	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/30/2026	ND	183	91.3	200	0.920	
DRO >C10-C28*	**62.2**	10.0	01/30/2026	ND	212	106	200	2.44	
EXT DRO >C28-C36	<10.0	10.0	01/30/2026	ND					

Surrogate: 1-Chlorooctane *88.8 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *89.3 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/30/2026	Sampling Date:	01/30/2026
Reported:	01/30/2026	Sampling Type:	Soil
Project Name:	LINE A-7-8	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC- LEA CO NM		

Sample ID: SW - 10 (H260540-25)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/30/2026	ND	2.01	100	2.00	3.44	
Toluene*	<0.050	0.050	01/30/2026	ND	2.13	106	2.00	4.14	
Ethylbenzene*	<0.050	0.050	01/30/2026	ND	2.19	110	2.00	4.60	QM-07
Total Xylenes*	<0.150	0.150	01/30/2026	ND	6.33	106	6.00	4.52	
Total BTEX	<0.300	0.300	01/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *108 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**112**	16.0	01/30/2026	ND	432	108	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/30/2026	ND	183	91.3	200	0.920	
DRO >C10-C28*	**145**	10.0	01/30/2026	ND	212	106	200	2.44	
EXT DRO >C28-C36	**23.8**	10.0	01/30/2026	ND					

Surrogate: 1-Chlorooctane *89.5 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *92.5 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/30/2026	Sampling Date:	01/30/2026
Reported:	01/30/2026	Sampling Type:	Soil
Project Name:	LINE A-7-8	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC- LEA CO NM		

Sample ID: SW - 11 (H260540-26)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/30/2026	ND	2.01	100	2.00	3.44	
Toluene*	<0.050	0.050	01/30/2026	ND	2.13	106	2.00	4.14	
Ethylbenzene*	<0.050	0.050	01/30/2026	ND	2.19	110	2.00	4.60	
Total Xylenes*	<0.150	0.150	01/30/2026	ND	6.33	106	6.00	4.52	
Total BTEX	<0.300	0.300	01/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *103 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**112**	16.0	01/30/2026	ND	432	108	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/30/2026	ND	183	91.3	200	0.920	
DRO >C10-C28*	**182**	10.0	01/30/2026	ND	212	106	200	2.44	
EXT DRO >C28-C36	**27.7**	10.0	01/30/2026	ND					

Surrogate: 1-Chlorooctane *93.5 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *93.8 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/30/2026	Sampling Date:	01/30/2026
Reported:	01/30/2026	Sampling Type:	Soil
Project Name:	LINE A-7-8	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC- LEA CO NM		

Sample ID: SW - 12 (H260540-27)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/30/2026	ND	2.01	100	2.00	3.44	
Toluene*	<0.050	0.050	01/30/2026	ND	2.13	106	2.00	4.14	
Ethylbenzene*	<0.050	0.050	01/30/2026	ND	2.19	110	2.00	4.60	
Total Xylenes*	<0.150	0.150	01/30/2026	ND	6.33	106	6.00	4.52	
Total BTEX	<0.300	0.300	01/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *114 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**80.0**	16.0	01/30/2026	ND	432	108	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/30/2026	ND	183	91.3	200	0.920	
DRO >C10-C28*	**63.4**	10.0	01/30/2026	ND	212	106	200	2.44	
EXT DRO >C28-C36	<10.0	10.0	01/30/2026	ND					

Surrogate: 1-Chlorooctane *93.7 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *96.3 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/30/2026	Sampling Date:	01/30/2026
Reported:	01/30/2026	Sampling Type:	Soil
Project Name:	LINE A-7-8	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC- LEA CO NM		

Sample ID: SW - 13 (H260540-28)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/30/2026	ND	2.01	100	2.00	3.44	
Toluene*	<0.050	0.050	01/30/2026	ND	2.13	106	2.00	4.14	
Ethylbenzene*	<0.050	0.050	01/30/2026	ND	2.19	110	2.00	4.60	
Total Xylenes*	<0.150	0.150	01/30/2026	ND	6.33	106	6.00	4.52	
Total BTEX	<0.300	0.300	01/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *101 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	01/30/2026	ND	432	108	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/30/2026	ND	183	91.3	200	0.920	
DRO >C10-C28*	**37.4**	10.0	01/30/2026	ND	212	106	200	2.44	
EXT DRO >C28-C36	<10.0	10.0	01/30/2026	ND					

Surrogate: 1-Chlorooctane *90.9 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *91.4 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/30/2026	Sampling Date:	01/30/2026
Reported:	01/30/2026	Sampling Type:	Soil
Project Name:	LINE A-7-8	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC- LEA CO NM		

Sample ID: SW - 14 (H260540-29)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/30/2026	ND	2.01	100	2.00	3.44	
Toluene*	<0.050	0.050	01/30/2026	ND	2.13	106	2.00	4.14	
Ethylbenzene*	<0.050	0.050	01/30/2026	ND	2.19	110	2.00	4.60	
Total Xylenes*	<0.150	0.150	01/30/2026	ND	6.33	106	6.00	4.52	
Total BTEX	<0.300	0.300	01/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *107 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	01/30/2026	ND	400	100	400	3.92	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/30/2026	ND	183	91.3	200	0.920	
DRO >C10-C28*	**13.0**	10.0	01/30/2026	ND	212	106	200	2.44	
EXT DRO >C28-C36	<10.0	10.0	01/30/2026	ND					

Surrogate: 1-Chlorooctane *87.6 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *87.6 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/30/2026	Sampling Date:	01/30/2026
Reported:	01/30/2026	Sampling Type:	Soil
Project Name:	LINE A-7-8	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC- LEA CO NM		

Sample ID: SW - 15 (H260540-30)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/30/2026	ND	2.01	100	2.00	3.44	
Toluene*	<0.050	0.050	01/30/2026	ND	2.13	106	2.00	4.14	
Ethylbenzene*	<0.050	0.050	01/30/2026	ND	2.19	110	2.00	4.60	
Total Xylenes*	<0.150	0.150	01/30/2026	ND	6.33	106	6.00	4.52	
Total BTEX	<0.300	0.300	01/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *96.0 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	01/30/2026	ND	400	100	400	3.92	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/30/2026	ND	183	91.3	200	0.920	
DRO >C10-C28*	**12.4**	10.0	01/30/2026	ND	212	106	200	2.44	
EXT DRO >C28-C36	<10.0	10.0	01/30/2026	ND					

Surrogate: 1-Chlorooctane *86.9 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *85.7 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/30/2026	Sampling Date:	01/30/2026
Reported:	01/30/2026	Sampling Type:	Soil
Project Name:	LINE A-7-8	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC- LEA CO NM		

Sample ID: SW - 16 (H260540-31)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/30/2026	ND	2.01	100	2.00	3.44	
Toluene*	<0.050	0.050	01/30/2026	ND	2.13	106	2.00	4.14	
Ethylbenzene*	<0.050	0.050	01/30/2026	ND	2.19	110	2.00	4.60	
Total Xylenes*	<0.150	0.150	01/30/2026	ND	6.33	106	6.00	4.52	
Total BTEX	<0.300	0.300	01/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *104 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**96.0**	16.0	01/30/2026	ND	400	100	400	3.92	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/30/2026	ND	198	98.9	200	2.26	
DRO >C10-C28*	**33.2**	10.0	01/30/2026	ND	186	93.0	200	1.06	
EXT DRO >C28-C36	<10.0	10.0	01/30/2026	ND					

Surrogate: 1-Chlorooctane *110 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *129 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/30/2026	Sampling Date:	01/30/2026
Reported:	01/30/2026	Sampling Type:	Soil
Project Name:	LINE A-7-8	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC- LEA CO NM		

Sample ID: SW - 17 (H260540-32)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/30/2026	ND	2.01	100	2.00	3.44	
Toluene*	**0.084**	0.050	01/30/2026	ND	2.13	106	2.00	4.14	
Ethylbenzene*	**0.086**	0.050	01/30/2026	ND	2.19	110	2.00	4.60	
Total Xylenes*	**0.287**	0.150	01/30/2026	ND	6.33	106	6.00	4.52	
Total BTEX	**0.457**	0.300	01/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *116 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**80.0**	16.0	01/30/2026	ND	400	100	400	3.92	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/30/2026	ND	198	98.9	200	2.26	
DRO >C10-C28*	**42.3**	10.0	01/30/2026	ND	186	93.0	200	1.06	
EXT DRO >C28-C36	<10.0	10.0	01/30/2026	ND					

Surrogate: 1-Chlorooctane *112 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *132 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/30/2026	Sampling Date:	01/30/2026
Reported:	01/30/2026	Sampling Type:	Soil
Project Name:	LINE A-7-8	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC- LEA CO NM		

Sample ID: SW - 18 (H260540-33)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/30/2026	ND	2.01	100	2.00	3.44	
Toluene*	<0.050	0.050	01/30/2026	ND	2.13	106	2.00	4.14	
Ethylbenzene*	<0.050	0.050	01/30/2026	ND	2.19	110	2.00	4.60	
Total Xylenes*	<0.150	0.150	01/30/2026	ND	6.33	106	6.00	4.52	
Total BTEX	<0.300	0.300	01/30/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *99.3 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**80.0**	16.0	01/30/2026	ND	400	100	400	3.92	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/30/2026	ND	198	98.9	200	2.26	
DRO >C10-C28*	**45.1**	10.0	01/30/2026	ND	186	93.0	200	1.06	
EXT DRO >C28-C36	<10.0	10.0	01/30/2026	ND					

Surrogate: 1-Chlorooctane *114 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *134 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

S-05	The surrogate recovery is outside of lab established statistical control limits but still within method limits. Data is not adversely affected.
QR-04	The RPD for the BS/BSD was outside of historical limits.
QM-07	The spike recovery was outside acceptance limits for the MS and/or MSD. The batch was accepted based on acceptable LCS recovery.
ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C
	Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

C-26029-GL-21300171

Company Name:	Standard Safety & Supply
Project Manager:	Ethan Sessums
Address:	
City:	State: Zip:
Phone #:	Fax #:
Project #:	Project Owner:
Project Name:	Line A-7-8
Project Location:	Lea Co, NM
Sampler Name:	Jonny Ken

BILL TO

P.O. #:	
Company:	Energy Transfer
Attn:	Dean Enerson
Address:	
City:	
State: Zip:	
Phone #:	
Fax #:	

ANALYSIS REQUEST

BTEX
TPH
Chlorides

FOR LAB USE ONLY Lab I.D.	Sample I.D.	(G)RAB OR (C)OMP.	# CONTAINERS	MATRIX: GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER:	PRESERV.: ACID/BASE:	ICE / COOL	OTHER:	SAMPLING: DATE	TIME
H260540														
1	CS-1	C	1			X					X		1/30	
2	CS-2													
3	CS-3													
4	CS-4													
5	CS-5													
6	CS-6													
7	CS-7													
8	CS-8													
9	CS-9													
10	CS-10													

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

04024401K

Relinquished By:	Date: 1-30-26	Received By:	
Relinquished By:	Time: 1103	Received By:	
	Date:		
	Time:		

Verbal Result: ☐ Yes ☐ No Add'l Phone #:
All Results are emailed. Please provide Email address:

REMARKS:

Delivered By: (Circle One)	Observed Temp. °C 1.3	Sample Condition Cool: ☑ Yes ☐ No	Intact: ☑ Yes ☐ No	CHECKED BY: (Initials)
Sampler - UPS - Bus - Other:	Corrected Temp. °C 1.2			

Turnaround Time: Standard ☐ Rush ☑ Same day
Thermometer ID #140
Correction Factor +0.3°C +0.1

Bacteria (only) Sample Condition
Cool: ☐ Yes ☐ No Intact: ☐ Yes ☐ No Observed Temp. °C
Corrected Temp. °C

FORM-000 R 3.0 02/12/25

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

CARDINAL Laboratories

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

C-26029-GL-213001?

Company Name:	Standard Safety & Supply
Project Manager:	Ethan Sessums
Address:	
City:	State: Zip:
Phone #:	Fax #:
Project #:	Project Owner:
Project Name:	Line A-7-8
Project Location:	Lea Co, NM
Sampler Name:	Kenny Han

BILL TO

P.O. #:	
Company:	Energy Hunter
Attn:	Dean Enzsen
Address:	
City:	
State: Zip:	
Phone #:	
Fax #:	

ANALYSIS REQUEST

FOR LAB USE ONLY Lab I.D.	Sample I.D.	(G)RAB OR (C)OMP.	# CONTAINERS	MATRIX: GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER:	PRESERV.: ACID/BASE:	ICE / COOL	OTHER:	SAMPLING: DATE	TIME	BTEX	TPH	Chloride
H260540																	
11	CS-11	C	1			X					X		1/30				
12	CS-12																
13	CS-13																
14	CS-14																
15	CS-15																
16	SW-1																
17	SW-2																
18	SW-3																
19	SW-4																
20	SW-5																

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequental damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

04034401M

Relinquished By:	Date: 1-30-24	Received By:	Verbal Result: ☐ Yes ☐ No Add'l Phone #:
	Time: 1103		All Results are emailed. Please provide Email address:
Relinquished By:	Date:	Received By:	REMARKS:
	Time:		

Delivered By: (Circle One)	Observed Temp. °C 1.3	Sample Condition: Cool ☑ Yes ☐ No; Intact ☑ Yes ☐ No	CHECKED BY: (Initials)	Turnaround Time: Standard ☐ Rush ☑
Sampler - UPS - Bus - Other:	Corrected Temp. °C 1.2			Thermometer ID #140 Correction Factor +0.3°C

Bacteria (only) Sample Condition: Cool ☐ Yes ☐ No; Intact ☐ Yes ☐ No; Observed Temp. °C; Corrected Temp. °C

Same day

FORM-006 R 3.6 02/12/25

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

CARDINAL Laboratories

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

C-26029-GL-213001 71

Company Name:	Standard Safety & Supply	**BILL TO** P.O. #:	
Project Manager:	Ethan Sessions	Company:	Energy Transfer
Address:		Attn:	Dean Enlow
City:	State: Zip:	Address:	
Phone #:	Fax #:	City:	
Project #:	Project Owner:	State: Zip:	
Project Name:	Line A-> -8	Phone #:	
Project Location:	Lea Co, NM	Fax #:	
Sampler Name:	Kenny Horn		

FOR LAB USE ONLY Lab I.D.	Sample I.D.	(G)RAB OR (C)OMP.	# CONTAINERS	MATRIX: GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER:	PRESERV.: ACID/BASE:	ICE / COOL	OTHER:	SAMPLING: DATE	TIME	ANALYSIS REQUEST: BTEX	TPH	Chlorides
H260540																	
21	SW-6	C	1			X					X		1/30				
22	SW-7																
23	SW-8																
24	SW-9																
25	SW-10																
26	SW-11																
27	SW-12																
28	SW-13																
29	SW-14																
30	SW-15																

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

0402401K

Relinquished By:	Date: 1-30-24	Received By:	Verbal Result: ☐ Yes ☐ No Add'l Phone #:
	Time: 1103		All Results are emailed. Please provide Email address:
Relinquished By:	Date:	Received By:	REMARKS:
	Time:		
Delivered By: (Circle One)	Observed Temp. °C -1.3	Sample Condition: Cool ☑ Yes ☐ No; Intact ☑ Yes ☐ No	CHECKED BY: (Initials)
Sampler - UPS - Bus - Other:	Corrected Temp. °C -1.2		

Turnaround Time: Standard ☐ Rush ☑ Same day

Thermometer ID #140
Correction Factor +0.3°C +0.1

Bacteria (only) Sample Condition: Cool ☐ Yes ☐ No; Intact ☐ Yes ☐ No; Observed Temp. °C; Corrected Temp. °C

FORM-006 R 3.0 02/12/25

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

CARDINAL Laboratories

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

C-26029-GL-21300171

Company Name:	Standard Safety & Supply	**BILL TO** P.O. #:	KM-V30
Project Manager:	Ethan Sessum	Company:	~~Dean~~ Energy Partners
Address:		Attn:	Dean Fresen
City:	State: Zip:	Address:	
Phone #:	Fax #:	City:	
Project #:	Project Owner:	State: Zip:	
Project Name:	Line A-7-8	Phone #:	
Project Location:	Lea Co, NM	Fax #:	
Sampler Name:	Kenny Hay		

FOR LAB USE ONLY Lab I.D.	Sample I.D.	(G)RAB OR (C)OMP.	# CONTAINERS	MATRIX: GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER:	PRESERV.: ACID/BASE:	ICE / COOL	OTHER:	SAMPLING: DATE	TIME	ANALYSIS REQUEST: BTEX	TPH	Chloride
H260540																	
31	SW-16	C	1			X					X		1/30				
32	SW-17																
33	SW-18																

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Relinquished By:	Date: 1-30-24	Received By:	Verbal Result: ☐ Yes ☐ No Add'l Phone #:
	Time: 1103		All Results are emailed. Please provide Email address:
Relinquished By:	Date:	Received By:	REMARKS:
	Time:		

Delivered By: (Circle One)	Observed Temp. °C 1.3	Sample Condition Cool: ☑ Yes ☐ No	Intact: ☑ Yes ☐ No	CHECKED BY: (Initials)
Sampler - UPS - Bus - Other:	Corrected Temp. °C 1.2			

Turnaround Time: Standard ☐ Rush ☑ Same Day

Thermometer ID #140
Correction Factor ~~+0.3°C~~ +0.1

Bacteria (only) Sample Condition
Cool: ☐ Yes ☐ No Intact: ☐ Yes ☐ No
Observed Temp. °C
Corrected Temp. °C

FORM-006 R 3.6 02/12/23

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

Received by OCD: 2/19/2026 9:21:58 AM

Released to Imaging: 3/27/2026 7:26:57 AM

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS

Action 555900

QUESTIONS

Operator: ET Gathering & Processing, LLC 1025 Bounds Rd Loving, NM 88256	OGRID: 371183
	Action Number: 555900
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

QUESTIONS

Prerequisites	
Incident ID (n#)	**nAPP2601343850**
Incident Name	**NAPP2601343850 A-7-8 PIPELINE RELEASE @ E-10-21S-37E 1935N 400W**
Incident Type	**Release Other**
Incident Status	**Remediation Closure Report Received**

Location of Release Source *Please answer all the questions in this group.*	
Site Name	A-7-8 PIPELINE RELEASE
Date Release Discovered	01/06/2026
Surface Owner	State

Incident Details *Please answer all the questions in this group.*	
Incident Type	Release Other
Did this release result in a fire or is the result of a fire	No
Did this release result in any injuries	No
Has this release reached or does it have a reasonable probability of reaching a watercourse	No
Has this release endangered or does it have a reasonable probability of endangering public health	No
Has this release substantially damaged or will it substantially damage property or the environment	Yes
Is this release of a volume that is or may with reasonable probability be detrimental to fresh water	No

Nature and Volume of Release *Material(s) released, please answer all that apply below. Any calculations or specific justifications for the volumes provided should be attached to the follow-up C-141 submission.*	
Crude Oil Released (bbls) Details	Cause: Other | Pipeline (Any) | Crude Oil | Released: 1 BBL | Recovered: 0 BBL | Lost: 1 BBL.
Produced Water Released (bbls) Details	Cause: Other | Pipeline (Any) | Produced Water | Released: 0 BBL | Recovered: 0 BBL | Lost: 0 BBL.
Is the concentration of chloride in the produced water >10,000 mg/l	No
Condensate Released (bbls) Details	*Not answered.*
Natural Gas Vented (Mcf) Details	Cause: Other | Pipeline (Any) | Natural Gas Vented | Released: 1 MCF | Recovered: 0 MCF | Lost: 1 MCF.
Natural Gas Flared (Mcf) Details	*Not answered.*
Other Released Details	*Not answered.*
Are there additional details for the questions above (i.e. any answer containing Other, Specify, Unknown, and/or Fire, or any negative lost amounts)	Cause is undetermined this time

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS (continued)

Operator: ET Gathering & Processing, LLC 1025 Bounds Rd Loving, NM 88256	OGRID: 371183
	Action Number: 555900
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

QUESTIONS

Nature and Volume of Release (continued)	
Is this a gas only submission (i.e. only significant Mcf values reported)	**Yes, according to supplied volumes this will be treated as a "gas only" report.**
Was this a major release as defined by Subsection A of 19.15.29.7 NMAC	**Yes**
Reasons why this would be considered a submission for a notification of a major release	**From paragraph A. "Major release" determine using:** **(2) an unauthorized release of a volume that:** **(d) substantially damages property or the environment.**

With the implementation of the 19.15.27 NMAC (05/25/2021), venting and/or flaring of natural gas (i.e. gas only) are to be submitted on the C-129 form.

Initial Response	
The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury.	
The source of the release has been stopped	True
The impacted area has been secured to protect human health and the environment	True
Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices	True
All free liquids and recoverable materials have been removed and managed appropriately	True
If all the actions described above have not been undertaken, explain why	*Not answered.*

Per Paragraph (4) of Subsection B of 19.15.29.8 NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please prepare and attach a narrative of actions to date in the follow-up C-141 submission. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see Subparagraph (a) of Paragraph (5) of Subsection A of 19.15.29.11 NMAC), please prepare and attach all information needed for closure evaluation in the follow-up C-141 submission.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

I hereby agree and sign off to the above statement	Name: Dean Ericson Title: Sr. Environmental Specialist Email: dean.ericson@energytransfer.com Date: 02/19/2026

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS (continued)

Operator: ET Gathering & Processing, LLC 1025 Bounds Rd Loving, NM 88256	OGRID: 371183
	Action Number: 555900
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

QUESTIONS

Site Characterization	
Please answer all the questions in this group (only required when seeking remediation plan approval and beyond). This information must be provided to the appropriate district office no later than 90 days after the release discovery date.	
What is the shallowest depth to groundwater beneath the area affected by the release in feet below ground surface (ft bgs)	Between 51 and 75 (ft.)
What method was used to determine the depth to ground water	Direct Measurement
Did this release impact groundwater or surface water	No
What is the minimum distance, between the closest lateral extents of the release and the following surface areas:	
A continuously flowing watercourse or any other significant watercourse	Greater than 5 (mi.)
Any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)	Between 1 and 5 (mi.)
An occupied permanent residence, school, hospital, institution, or church	Between ½ and 1 (mi.)
A spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes	Between ½ and 1 (mi.)
Any other fresh water well or spring	Between ½ and 1 (mi.)
Incorporated municipal boundaries or a defined municipal fresh water well field	Between 1 and 5 (mi.)
A wetland	Between 1 and 5 (mi.)
A subsurface mine	Greater than 5 (mi.)
An (non-karst) unstable area	Greater than 5 (mi.)
Categorize the risk of this well / site being in a karst geology	Low
A 100-year floodplain	Between 1 and 5 (mi.)
Did the release impact areas not on an exploration, development, production, or storage site	Yes

Remediation Plan		
Please answer all the questions that apply or are indicated. This information must be provided to the appropriate district office no later than 90 days after the release discovery date.		
Requesting a remediation plan approval with this submission		Yes
Attach a comprehensive report demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined, pursuant to 19.15.29.11 NMAC and 19.15.29.13 NMAC.		
Have the lateral and vertical extents of contamination been fully delineated		Yes
Was this release entirely contained within a lined containment area		No
Soil Contamination Sampling: (Provide the highest observable value for each, in milligrams per kilograms.)		
Chloride	(EPA 300.0 or SM4500 Cl B)	5760
TPH (GRO+DRO+MRO)	(EPA SW-846 Method 8015M)	20830
GRO+DRO	(EPA SW-846 Method 8015M)	11800
BTEX	(EPA SW-846 Method 8021B or 8260B)	651
Benzene	(EPA SW-846 Method 8021B or 8260B)	68.6
Per Subsection B of 19.15.29.11 NMAC unless the site characterization report includes completed efforts at remediation, the report must include a proposed remediation plan in accordance with 19.15.29.12 NMAC, which includes the anticipated timelines for beginning and completing the remediation.		
On what estimated date will the remediation commence		01/21/2026
On what date will (or did) the final sampling or liner inspection occur		02/04/2026
On what date will (or was) the remediation complete(d)		02/06/2026
What is the estimated surface area (in square feet) that will be reclaimed		0
What is the estimated volume (in cubic yards) that will be reclaimed		0
What is the estimated surface area (in square feet) that will be remediated		2600
What is the estimated volume (in cubic yards) that will be remediated		634
These estimated dates and measurements are recognized to be the best guess or calculation at the time of submission and may (be) change(d) over time as more remediation efforts are completed.		
The OCD recognizes that proposed remediation measures may have to be minimally adjusted in accordance with the physical realities encountered during remediation. If the responsible party has any need to significantly deviate from the remediation plan proposed, then it should consult with the division to determine if another remediation plan submission is required.		

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS (continued)

Operator: ET Gathering & Processing, LLC 1025 Bounds Rd Loving, NM 88256	OGRID: 371183
	Action Number: 555900
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

QUESTIONS

Remediation Plan (continued)	
Please answer all the questions that apply or are indicated. This information must be provided to the appropriate district office no later than 90 days after the release discovery date.	
This remediation will (or is expected to) utilize the following processes to remediate / reduce contaminants:	
(Select all answers below that apply.)	
(Ex Situ) Excavation and **off-site** disposal (i.e. dig and haul, hydrovac, etc.)	Yes
Which OCD approved facility will be used for **off-site** disposal	fJEG1635837006 SUNDANCE WEST
OR which OCD approved well (API) will be used for **off-site** disposal	*Not answered.*
OR is the **off-site** disposal site, to be used, out-of-state	No
OR is the **off-site** disposal site, to be used, an NMED facility	No
(Ex Situ) Excavation and **on-site** remediation (i.e. On-Site Land Farms)	No
(In Situ) Soil Vapor Extraction	No
(In Situ) Chemical processing (i.e. Soil Shredding, Potassium Permanganate, etc.)	No
(In Situ) Biological processing (i.e. Microbes / Fertilizer, etc.)	No
(In Situ) Physical processing (i.e. Soil Washing, Gypsum, Disking, etc.)	No
Ground Water Abatement pursuant to 19.15.30 NMAC	No
OTHER (Non-listed remedial process)	No
Per Subsection B of 19.15.29.11 NMAC unless the site characterization report includes completed efforts at remediation, the report must include a proposed remediation plan in accordance with 19.15.29.12 NMAC, which includes the anticipated timelines for beginning and completing the remediation.	
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.	
I hereby agree and sign off to the above statement	Name: Dean Ericson Title: Sr. Environmental Specialist Email: dean.ericson@energytransfer.com Date: 02/19/2026
The OCD recognizes that proposed remediation measures may have to be minimally adjusted in accordance with the physical realities encountered during remediation. If the responsible party has any need to significantly deviate from the remediation plan proposed, then it should consult with the division to determine if another remediation plan submission is required.	

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS (continued)

Operator: ET Gathering & Processing, LLC 1025 Bounds Rd Loving, NM 88256	OGRID: 371183
	Action Number: 555900
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

QUESTIONS

Deferral Requests Only *Only answer the questions in this group if seeking a deferral upon approval this submission. Each of the following items must be confirmed as part of any request for deferral of remediation.*	
Requesting a deferral of the remediation closure due date with the approval of this submission	No

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS (continued)

Operator: ET Gathering & Processing, LLC 1025 Bounds Rd Loving, NM 88256	OGRID: 371183
	Action Number: 555900
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

QUESTIONS

Sampling Event Information	
Last sampling notification (C-141N) recorded	**548727**
Sampling date pursuant to Subparagraph (a) of Paragraph (1) of Subsection D of 19.15.29.12 NMAC	**02/04/2026**
What was the (estimated) number of samples that were to be gathered	**5**
What was the sampling surface area in square feet	**1000**

Remediation Closure Request	
Only answer the questions in this group if seeking remediation closure for this release because all remediation steps have been completed.	
Requesting a remediation closure approval with this submission	Yes
Have the lateral and vertical extents of contamination been fully delineated	**Yes**
Was this release entirely contained within a lined containment area	**No**
All areas reasonably needed for production or subsequent drilling operations have been stabilized, returned to the sites existing grade, and have a soil cover that prevents ponding of water, minimizing dust and erosion	Yes
What was the total surface area (in square feet) remediated	2600
What was the total volume (cubic yards) remediated	1040
All areas not reasonably needed for production or subsequent drilling operations have been reclaimed to contain a minimum of four feet of non-waste contain earthen material with concentrations less than 600 mg/kg chlorides, 100 mg/kg TPH, 50 mg/kg BTEX, and 10 mg/kg Benzene	Yes
What was the total surface area (in square feet) reclaimed	0
What was the total volume (in cubic yards) reclaimed	0
Summarize any additional remediation activities not included by answers (above)	Additional material was hauled to disposal after the underground line removal was completed

The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (in .pdf format) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. The responsible party acknowledges they must substantially restore, reclaim, and re-vegetate the impacted surface area to the conditions that existed prior to the release or their final land use in accordance with 19.15.29.13 NMAC including notification to the OCD when reclamation and re-vegetation are complete.

I hereby agree and sign off to the above statement	Name: Dean Ericson Title: Sr. Environmental Specialist Email: dean.ericson@energytransfer.com Date: 02/19/2026

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS (continued)

Operator: ET Gathering & Processing, LLC 1025 Bounds Rd Loving, NM 88256	OGRID: 371183
	Action Number: 555900
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

QUESTIONS

Reclamation Report	
Only answer the questions in this group if all reclamation steps have been completed.	
Requesting a reclamation approval with this submission	No

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Operator:	OGRID:
ET Gathering & Processing, LLC 1025 Bounds Rd Loving, NM 88256	371183
	Action Number: 555900
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

CONDITIONS

Created By	Condition	Condition Date
nvelez	None	3/27/2026