



SITE INFORMATION

Closure Report
Convoy Booster Release
Lea County, New Mexico
Incident ID: NAPP2415666595
Unit O Sec 28 T24S R33E
32.183611°, -103.576709°

Produced Water Release
Point of Release: Pump-Bearing Failure
Release Date: 03/19/2024
Volume Released: 150 barrels of Produced Water
Volume Recovered: 130 barrels of Produced Water

CARMONA RESOURCES



Prepared for:
EOG Resources, Inc
5509 Champions Dr.
Midland, TX 79706

Prepared by:
Carmona Resources, LLC
310 West Wall Street
Suite 500
Midland, Texas 79701

TABLE OF CONTENTS

1.0 SITE INFORMATION AND BACKGROUND

2.0 SITE CHARACTERIZATION AND GROUNDWATER

3.0 NMAC REGULATORY CRITERIA

4.0 SITE ASSESSMENT ACTIVITIES

5.0 REMEDIATION ACTIVITIES

6.0 RECLAMATION ACTIVITIES

7.0 CONCLUSIONS

FIGURES

FIGURE 1	OVERVIEW	FIGURE 2	TOPOGRAPHIC
FIGURE 3	SAMPLE LOCATION	FIGURE 4A/4B	EXCAVATION
FIGURE 5	RECLAMATION		

APPENDICES

APPENDIX A	TABLES
APPENDIX B	PHOTOS
APPENDIX C	NMOC/NMSLO CORRESPONDENCE
APPENDIX D	SITE CHARACTERIZATION AND GROUNDWATER
APPENDIX E	LABORATORY REPORTS
APPENDIX F	BIOLOGICAL/CULTURAL DESKTOP REVIEW
APPENDIX G	RECLAMATION CRITERIA



February 12, 2026

New Mexico Oil Conservation Division
1220 South St, Francis Drive
Santa Fe, NM 87505

**Re: Closure Report
Convoy Booster Release
EOG Resources, Inc
Incident ID: NAPP2415666595
Site Location: Unit O, S28, T24S, R33E
(Lat 32.183611°, Long -103.576709°)
Lea County, New Mexico**

To whom it may concern:

On behalf of EOG Resources, Inc. (EOG), Carmona Resources, LLC has prepared this letter to document site activities for the Convoy Booster Release. The site is located at 32.183611°, -103.576709° within Unit O, S28, T24S, R33E, in Lea County, New Mexico (Figures 1 and 2).

1.0 Site Information and Background

Based on the initial C-141 obtained from the New Mexico Oil Conservation Division (NMOCD), the release was discovered from a pump-bearing failure on March 19, 2024. It released one hundred fifty (150) barrels of produced water, with one hundred thirty (130) barrels recovered. The release occurred on the pipeline right of way and in the pasture. Refer to Figure 3 for the spill area. The Notice of Release form is attached in Appendix C.

2.0 Site Characterization and Groundwater

The site is located within a low karst area. Based on a review of the New Mexico Office of State Engineers and USGS databases, one known water source is within a 0.50-mile radius of the location. The well is located approximately 0.39 miles Southeast of the site in S28, T24S, R33E, and was drilled in 1890. The well has a reported depth to groundwater of 70' below ground surface (ft bgs).

The site location is more than 1,000 feet away from the nearest freshwater well or spring and does not lie within a 100-year floodplain. There are no continuously flowing watercourses that run near the site location. The closest one would be the Pecos River, which is greater than 5 miles away. No lakebeds, sinkholes, or playa lakes are within 200 feet of the site either. The nearest seasonal water path is an intermittent dry wash that is approximately 1.15 miles Northeast of the site. Refer to Appendix D for the highlighted OSE blue lines that are approximately 1 to 5 miles away from the site. The site is not located within 300 feet of an occupied permanent residence, school, hospital, institution, or church. All domestic residential areas are greater than 5 miles away. There are also no springs, private or domestic, that are within 500 feet of the site location. A copy of the associated Summary report is attached in Appendix D.

Cultural and Biological Compliance:

Site activities did go beyond the previously disturbed areas designated for oil and gas activities. Compliance with the CPP Rule was maintained throughout the entire work process. In adherence to the CPP rule, an ARMS survey was conducted on March 21, 2024. Even though the findings were negative, compliance with the CPP Rule was maintained throughout the remediation and reclamation process. See Appendix C for the arch survey cover sheet. After further review, the site does fall within a biologically sensitive area for the Lesser Prairie Chicken population. Though it is rated a CHAT Level-6 area, the adjacent surroundings serve as suitable habitat for the critical species. Therefore, Carmona Resources determined that remediation and reclamation activities would not affect the LPC population within this crucial area. Per the NMDGF (New Mexico Department of Game and Fish), areas with '*sand sage used for nesting habitat*' was avoided to comply with LPC management practices enforced by the NMDGF. The NMDGF also states that '*any construction activities in proximity of leks during early morning lekking periods (3:00 AM – 9:00 AM) during lekking season (Feb 15-May 15)*' should be avoided. That said, work activities were not affected due to

310 West Wall Street, Suite 500
Midland, Texas 79701
432.813.1992



the start date of the remediation and reclamation of this site. For good measure, EOG still complied with Lesser Prairie Chicken management practices enforced by the NMDGF by not commencing any work until 9:00 AM local time. See Appendix F for further details explained in the biological desktop review.

3.0 NMAC Regulatory Criteria

Per the NMOCD regulatory criteria established in 19.15.29.12 NMAC, the following criteria were utilized in assessing the site.

- Benzene: 10 milligrams per kilogram (mg/kg).
- Benzene, toluene, ethylbenzene, and total xylenes (BTEX): 50 mg/kg.
- TPH: 100 mg/kg (GRO + DRO + MRO).
- Chloride: 600 mg/kg.

4.0 Site Assessment Activities

Soil Assessment

On March 21, 2024, Carmona Resources, LLC performed site assessment activities to evaluate soil impacts stemming from the release. Five (5) soil samples (S-1 through S-5) and seven (7) horizontal samples (H-1 through H-7) were advanced to depths ranging from the surface to 3' bgs inside and surrounding the release area to assess the vertical and horizontal extent of the contamination. See Figure 3 for the sample locations. For chemical analysis, the soil samples were collected and placed directly into laboratory-provided sample containers, stored on ice, and transported under the proper chain-of-custody protocol to Cardinal Laboratories in Hobbs, New Mexico. The samples were analyzed for total petroleum hydrocarbons (TPH) by EPA method 8015, modified benzene, toluene, ethylbenzene, and xylenes (BTEX) by EPA Method 8021B, and chloride by EPA method 4500. The laboratory reports, including analytical methods, results, and chain-of-custody documents, are attached in Appendix E.

Vertical Delineation

Vertical delineation was achieved for S-2, S-4, and S-5. The areas of S-1 and S-3 were not vertically delineated due to a dense, cemented geological formation at 3' bgs. Mechanical equipment was utilized during the remediation activities to break through and remove the impacted material. Refer to Table 1 for the analytical results.

Horizontal Delineation

All areas were below the regulatory limits for benzene, total BTEX, TPH, and chloride concentrations. Refer to Table 1.

5.0 Remediation Activities

Carmona Resources personnel were on site to guide the remediation activities, collect confirmation samples, and document backfill activities. Before collecting composite confirmation samples, the NMOCD division office and the NMSLO per ECO (Environmental Compliance Office) requirements were both notified on January 16, 2026, and January 23, 2026, per Subsection D of 19.15.29.12 NMAC. See Appendix C for the correspondence. A total of thirty-three (33) floor confirmation samples (CS-1 through CS-33), and twenty-nine (29) sidewall samples (SW-1 through SW-29) were collected every 200 square feet to ensure the proper removal of the contaminated soils. All samples were analyzed for TPH analysis by EPA method 8015 modified, BTEX by EPA Method 8021B, and chloride by EPA method 4500. Copies of laboratory analysis and chain-of-custody documentation are included in Appendix E. The excavation depths and confirmation sample locations are shown in Figures 4A & 4B.

All final confirmation samples met the regulatory requirements for TPH, BTEX, and chloride. Refer to Table 2.

Before the excavation was backfilled, a composite sample of the backfill material was collected and sent off for laboratory analysis to ensure the material was clean per NMOCD regulatory criteria. See Table 2 for the results.

310 West Wall Street, Suite 500
Midland, Texas 79701
432.813.1992



Once the remediation activities were completed, the excavated areas were backfilled with clean material to surface grade. Approximately 13,260 square feet and 1,750 cubic yards of material were excavated and transported offsite for proper disposal.

6.0 Reclamation Activities

On January 30, 2026, the proposed reclamation area was leveled out to surface grade and harrowed to minimize dust and erosion. The reclamation areas were then seeded via tractor drill with a depth regulator with the appropriate pounds of pure live seed per acre. The surrounding topsoil was raked onto the seed to aid the vegetation process. The seed mixture used for reseeding was the NMSLO Sandy seed mixture. After seeding, all areas were watered appropriately. Approximately 5,213 square feet of area was reclaimed. See Figure 5 for the reclamation area map and Appendix G for the soil survey.

Site inspections will assess the revegetation progress and evaluate the site for primary or secondary noxious weeds. If noxious weeds are identified, the NMOCD and the NMSLO will be contacted promptly to determine an effective eradication method. If the site does not display signs of revegetation after one growing season, the area will be reseeded as deemed appropriate by both respective agencies.

7.0 Conclusions

Based on the assessment results and the final analytical data, no further actions are required at the site. EOG formally requests the closure of this incident. If you have any questions regarding this report or need additional information, please contact us at 432-813-1992.

Sincerely,
Carmona Resources, LLC


Stephen Reyes
Environmental Engineer

Conner Moehring
Environmental Manager

FIGURES

CARMONA RESOURCES






OVERVIEW MAP
EOG RESOURCES
CONVOY BOOSTER RELEASE
LEA COUNTY, NEW MEXICO
32.183611°, -103.576709°




FIGURE 1



TOPOGRAPHIC MAP
EOG RESOURCES
CONVOY BOOSTER RELEASE
LEA COUNTY, NEW MEXICO
32.183611°, -103.576709°




FIGURE 2



SAMPLE LOCATION MAP
EOG RESOURCES
CONVOY BOOSTER RELEASE
LEA COUNTY, NEW MEXICO
32.183611°, -103.576709°



FIGURE 3




EXCAVATION MAP
EOG RESOURCES
CONVOY BOOSTER RELEASE
LEA COUNTY, NEW MEXICO
32.183611°, -103.576709°



FIGURE 4A



<p>EXCAVATION MAP EOG RESOURCES CONVOY BOOSTER RELEASE LEA COUNTY, NEW MEXICO 32.183611°, -103.576709°</p>	<p>CARMONA RESOURCES </p>	<p>FIGURE 4B</p>
--	--	------------------



RECLAMATION MAP
EOG RESOURCES
CONVOY BOOSTER RELEASE
LEA COUNTY, NEW MEXICO
32.183611°, -103.576709°



FIGURE 5

APPENDIX A

CARMONA RESOURCES



Table 1
EOG Resources
Convoy Booster Release
Lea County, New Mexico

Sample ID	Date	Depth (ft)	TPH (mg/kg)				Benzene (mg/kg)	Toluene (mg/kg)	Ethlybenzene (mg/kg)	Xylene (mg/kg)	Total BTEX (mg/kg)	Chloride (mg/kg)
			GRO	DRO	MRO	Total						
S-1	3/21/2024	0-1.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	10,400
	"	1.5	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	6,160
	"	2.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	4,880
	"	3.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	3,520
S-2	3/21/2024	0-1.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	1,800
	"	1.5	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	960
	"	2.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	496
	"	3.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	304
S-3	3/21/2024	0-1.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	2,920
	"	1.5	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	2,000
	"	2.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	1,020
	"	3.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	944
S-4	3/21/2024	0-1.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	704
	"	1.5	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	704
	"	2.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	656
	"	3.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	496
S-5	3/21/2024	0-1.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	544
	"	1.5	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	496
	"	2.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	432
	"	3.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	432
Regulatory Criteria^A						100 mg/kg	10 mg/kg				50 mg/kg	600 mg/kg

(-) Not Analyzed

^A – Table 1 - 19.15.29 NMAC

mg/kg - milligram per kilogram

TPH- Total Petroleum Hydrocarbons

ft-feet

(S) Sample Point

Removed

**Table 1
EOG Resources
Convoy Booster Release
Lea County, New Mexico**

Sample ID	Date	Depth (ft)	TPH (mg/kg)				Benzene (mg/kg)	Toluene (mg/kg)	Ethylbenzene (mg/kg)	Xylene (mg/kg)	Total BTEX (mg/kg)	Chloride (mg/kg)
			GRO	DRO	MRO	Total						
H-1	3/21/2024	0-0.5	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	32.0
H-2	3/21/2024	0-0.5	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	80.0
H-3	3/21/2024	0-0.5	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	96.0
H-4	3/21/2024	0-0.5	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	64.0
H-5	3/21/2024	0-0.5	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	32.0
H-6	3/21/2024	0-0.5	<10.0	10.1	<10.0	10.1	<0.050	<0.050	<0.050	<0.150	<0.300	48.0
H-7	3/21/2024	0-0.5	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	64.0
<i>Regulatory Criteria^A</i>						100 mg/kg	10 mg/kg				50 mg/kg	600 mg/kg

(-) Not Analyzed

^A – Table 1 - 19.15.29 NMAC

mg/kg - milligram per kilogram

TPH- Total Petroleum Hydrocarbons

ft-feet

(H) Horizontal Sample

Table 2
EOG Resources
Convoy Booster Release
Lea County, New Mexico

Sample ID	Date	Depth (ft)	TPH (mg/kg)				Benzene (mg/kg)	Toluene (mg/kg)	Ethlybenzene (mg/kg)	Xylene (mg/kg)	Total BTEX (mg/kg)	Chloride (mg/kg)
			GRO	DRO	MRO	Total						
CS-1	1/21/2026	4'	<10.0	11.9	<10.0	11.9	<0.050	<0.050	<0.050	<0.150	<0.300	48.0
CS-2	1/21/2026	4'	<10.0	11.3	<10.0	11.3	<0.050	<0.050	<0.050	<0.150	<0.300	48.0
CS-3	1/21/2026	4'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	48.0
CS-4	1/21/2026	4'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	48.0
CS-5	1/21/2026	4'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	48.0
CS-6	1/21/2026	4'	<10.0	12.5	<10.0	12.5	<0.050	<0.050	<0.050	<0.150	<0.300	48.0
CS-7	1/21/2026	2'	<10.0	35.5	<10.0	35.5	<0.050	<0.050	<0.050	<0.150	<0.300	128
CS-8	1/21/2026	2'	<10.0	67.0	<10.0	67.0	<0.050	<0.050	<0.050	<0.150	<0.300	112
CS-9	1/21/2026	2'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	48.0
CS-10	1/21/2026	2'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	48.0
CS-11	1/21/2026	2'	<10.0	31.1	<10.0	31.1	<0.050	<0.050	<0.050	<0.150	<0.300	48.0
CS-12	1/21/2026	2'	<10.0	10.4	<10.0	10.4	<0.050	<0.050	<0.050	<0.150	<0.300	48.0
CS-13	1/21/2026	2'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	48.0
CS-14	1/21/2026	2'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	48.0
CS-15	1/27/2026	4'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	144
CS-16	1/27/2026	4'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	192
Regulatory Criteria^A						100 mg/kg	10 mg/kg				50 mg/kg	600 mg/kg

(-) Not Analyzed
^A - Table 1 - 19.15.29 NMAC
 mg/kg - milligram per kilogram
 TPH - Total Petroleum Hydrocarbons
 ft - feet
 (CS) Confirmation Sample

Table 2
EOG Resources
Convoy Booster Release
Lea County, New Mexico

Sample ID	Date	Depth (ft)	TPH (mg/kg)				Benzene (mg/kg)	Toluene (mg/kg)	Ethlybenzene (mg/kg)	Xylene (mg/kg)	Total BTEX (mg/kg)	Chloride (mg/kg)
			GRO	DRO	MRO	Total						
CS-17	1/27/2026	4'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	192
CS-18	1/27/2026	4'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	192
CS-19	1/27/2026	3'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	160
CS-20	1/27/2026	3'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	160
CS-21	1/27/2026	3'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	176
CS-22	1/27/2026	3'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	144
CS-23	1/27/2026	3'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	160
CS-24	1/27/2026	3'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	160
CS-25	1/27/2026	3'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	160
CS-26	1/27/2026	3'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	144
CS-27	1/27/2026	3'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	176
CS-28	1/27/2026	3'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	144
CS-29	1/27/2026	3'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	176
CS-30	1/27/2026	3'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	160
CS-31	1/27/2026	3'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	176
CS-32	1/27/2026	3'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	144
CS-33	1/27/2026	3'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	192
<i>Regulatory Criteria</i> ^A						100 mg/kg	10 mg/kg				50 mg/kg	600 mg/kg

(-) Not Analyzed

^A - Table 1 - 19.15.29 NMAC
 mg/kg - milligram per kilogram

TPH - Total Petroleum Hydrocarbons
 ft - feet

(CS) Confirmation Sample

Table 2
EOG Resources
Convoy Booster Release
Lea County, New Mexico

Sample ID	Date	Depth (ft)	TPH (mg/kg)				Benzene (mg/kg)	Toluene (mg/kg)	Ethlybenzene (mg/kg)	Xylene (mg/kg)	Total BTEX (mg/kg)	Chloride (mg/kg)
			GRO	DRO	MRO	Total						
SW-1	1/21/2026	4'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	32.0
SW-2	1/21/2026	4'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	32.0
SW-3	1/21/2026	4'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	16.0
SW-4	1/21/2026	4'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	16.0
SW-5	1/21/2026	4'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	32.0
SW-6	1/21/2026	4'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	32.0
SW-7	1/21/2026	4'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	32.0
SW-8	1/21/2026	4'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	32.0
SW-9	1/21/2026	2'	<10.0	35.1	<10.0	35.1	<0.050	<0.050	<0.050	<0.150	<0.300	128
SW-10	1/21/2026	2'	<10.0	47.2	<10.0	47.2	<0.050	<0.050	<0.050	<0.150	<0.300	128
SW-11	1/21/2026	2'	<10.0	31.4	<10.0	31.4	<0.050	<0.050	<0.050	<0.150	<0.300	176
SW-12	1/21/2026	2'	<10.0	31.9	<10.0	31.9	<0.050	<0.050	<0.050	<0.150	<0.300	112
SW-13	1/21/2026	2'	<10.0	46.6	<10.0	46.6	<0.050	<0.050	<0.050	<0.150	<0.300	144
SW-14	1/21/2026	2'	<10.0	25.8	<10.0	25.8	<0.050	<0.050	<0.050	<0.150	<0.300	128
Regulatory Criteria^A						100 mg/kg	10 mg/kg				50 mg/kg	600 mg/kg

(-) Not Analyzed
^A - Table 1 - 19.15.29 NMAC
 mg/kg - milligram per kilogram
 TPH - Total Petroleum Hydrocarbons
 ft - feet
 (SW) Sidewall Sample

Table 2
EOG Resources
Convoy Booster Release
Lea County, New Mexico

Sample ID	Date	Depth (ft)	TPH (mg/kg)				Benzene (mg/kg)	Toluene (mg/kg)	Ethlybenzene (mg/kg)	Xylene (mg/kg)	Total BTEX (mg/kg)	Chloride (mg/kg)
			GRO	DRO	MRO	Total						
SW-15	1/21/2026	2'	<10.0	61.8	<10.0	61.8	<0.050	<0.050	<0.050	<0.050	<0.300	128
SW-16	1/21/2026	2'	<10.0	23.4	<10.0	23.4	<0.050	<0.050	<0.050	<0.050	<0.300	112
SW-17	1/21/2026	2'	<10.0	34.9	<10.0	34.9	<0.050	<0.050	<0.050	<0.050	<0.300	128.0
SW-18	1/21/2026	2'	<10.0	32.7	<10.0	32.7	<0.050	<0.050	<0.050	<0.050	<0.300	112
SW-19	1/21/2026	2'	<10.0	35.4	<10.0	35.4	<0.050	<0.050	<0.050	<0.050	<0.300	112
SW-20	1/27/2026	4'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.050	<0.300	160
SW-21	1/27/2026	4'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.050	<0.300	192
SW-22	1/27/2026	4'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.050	<0.300	192
SW-23	1/27/2026	4'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.050	<0.300	192
SW-24	1/27/2026	4'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.050	<0.300	208
SW-25	1/27/2026	4'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.050	<0.300	192
SW-26	1/27/2026	3'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	160
SW-27	1/27/2026	3'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	176
SW-28	1/27/2026	3'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	176
SW-29	1/27/2026	3'	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	176
Backfill	1/26/2026	-	<49.9	<49.9	<49.9	<49.9	<0.00198	<0.00198	<0.00198	<0.00396	<0.00396	<9.94
Regulatory Criteria^A						100 mg/kg	10 mg/kg				50 mg/kg	600 mg/kg

(-) Not Analyzed

^A - Table 1 - 19.15.29 NMAC

mg/kg - milligram per kilogram

TPH - Total Petroleum Hydrocarbons

ft - feet

(SW) Sidewall Sample

APPENDIX B

CARMONA RESOURCES



PHOTOGRAPHIC LOG

EOG Resources, Inc


Photograph No. 1

Facility: Convoy Booster Release

County: Lea County, New Mexico

Description:

View Southwest of excavated area.



Photograph No. 2

Facility: Convoy Booster Release

County: Lea County, New Mexico

Description:

View West of excavated area.



Photograph No. 3

Facility: Convoy Booster Release

County: Lea County, New Mexico

Description:

View West of excavated area.



PHOTOGRAPHIC LOG

EOG Resources, Inc

Photograph No. 4

Facility: Convoy Booster Release

County: Lea County, New Mexico

Description:
View West of excavated area.



Photograph No. 5

Facility: Convoy Booster Release

County: Lea County, New Mexico

Description:
View South, area of S-5.



Photograph No. 6

Facility: Convoy Booster Release

County: Lea County, New Mexico

Description:
View Northeast, area of S-3.



PHOTOGRAPHIC LOG

EOG Resources, Inc

Photograph No. 7

Facility: Convoy Booster Release

County: Lea County, New Mexico

Description:
View West of excavated area.



Photograph No. 8

Facility: Convoy Booster Release

County: Lea County, New Mexico

Description:
View East of backfilled area.



Photograph No. 9

Facility: Convoy Booster Release

County: Lea County, New Mexico

Description:
View Northeast of backfilled area.



PHOTOGRAPHIC LOG


EOG Resources, Inc

Photograph No. 10

Facility: Convoy Booster Release

County: Lea County, New Mexico

Description:
View South of backfilled area.



Photograph No. 11

Facility: Convoy Booster Release

County: Lea County, New Mexico

Description:
View North of backfilled area.



Photograph No. 12

Facility: Convoy Booster Release

County: Lea County, New Mexico

Description:
View Southwest area of reclamation.



PHOTOGRAPHIC LOG

EOG Resources, Inc

Photograph No. 13

Facility: Convoy Booster Release

County: Lea County, New Mexico

Description:
View Northeast area of reclamation.




Photograph No. 14

Facility: Convoy Booster Release

County: Lea County, New Mexico

Description:
View Southwest area of reclamation.



APPENDIX C

CARMONA RESOURCES



District I
 1625 N. French Dr., Hobbs, NM 88240
 Phone:(575) 393-6161 Fax:(575) 393-0720
District II
 811 S. First St., Artesia, NM 88210
 Phone:(575) 748-1283 Fax:(575) 748-9720
District III
 1000 Rio Brazos Rd., Aztec, NM 87410
 Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
 1220 S. St Francis Dr., Santa Fe, NM 87505
 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS

Action 350862

QUESTIONS

Operator: EOG RESOURCES INC 5509 Champions Drive Midland, TX 79706	OGRID: 7377
	Action Number: 350862
	Action Type: [NOTIFY] Notification Of Release (NOR)

QUESTIONS

Location of Release Source	
<i>Please answer all the questions in this group.</i>	
Site Name	Convoy Booster
Date Release Discovered	03/19/2024
Surface Owner	State

Incident Details	
<i>Please answer all the questions in this group.</i>	
Incident Type	Produced Water Release
Did this release result in a fire or is the result of a fire	No
Did this release result in any injuries	No
Has this release reached or does it have a reasonable probability of reaching a watercourse	No
Has this release endangered or does it have a reasonable probability of endangering public health	No
Has this release substantially damaged or will it substantially damage property or the environment	No
Is this release of a volume that is or may with reasonable probability be detrimental to fresh water	No

Nature and Volume of Release	
<i>Material(s) released, please answer all that apply below. Any calculations or specific justifications for the volumes provided should be attached to the follow-up C-141 submission.</i>	
Crude Oil Released (bbls) Details	Not answered.
Produced Water Released (bbls) Details	Cause: Equipment Failure Pump Produced Water Released: 150 BBL Recovered: 130 BBL Lost: 20 BBL.
Is the concentration of chloride in the produced water >10,000 mg/l	Yes
Condensate Released (bbls) Details	Not answered.
Natural Gas Vented (Mcf) Details	Not answered.
Natural Gas Flared (Mcf) Details	Not answered.
Other Released Details	Not answered.
Are there additional details for the questions above (i.e. any answer containing Other, Specify, Unknown, and/or Fire, or any negative lost amounts)	Not answered.

District I
 1625 N. French Dr., Hobbs, NM 88240
 Phone:(575) 393-6161 Fax:(575) 393-0720
District II
 811 S. First St., Artesia, NM 88210
 Phone:(575) 748-1283 Fax:(575) 748-9720
District III
 1000 Rio Brazos Rd., Aztec, NM 87410
 Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
 1220 S. St Francis Dr., Santa Fe, NM 87505
 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 2

Action 350862

QUESTIONS (continued)

Operator: EOG RESOURCES INC 5509 Champions Drive Midland, TX 79706	OGRID: 7377
	Action Number: 350862
	Action Type: [NOTIFY] Notification Of Release (NOR)

QUESTIONS

Nature and Volume of Release (continued)	
Is this a gas only submission (i.e. only significant Mcf values reported)	No, according to supplied volumes this does not appear to be a "gas only" report.
Was this a major release as defined by Subsection A of 19.15.29.7 NMAC	Yes
Reasons why this would be considered a submission for a notification of a major release	From paragraph A. "Major release" determine using: (1) an unauthorized release of a volume, excluding gases, of 25 barrels or more.
<i>With the implementation of the 19.15.27 NMAC (05/25/2021), venting and/or flaring of natural gas (i.e. gas only) are to be submitted on the C-129 form.</i>	

Initial Response

The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury.

The source of the release has been stopped	True
The impacted area has been secured to protect human health and the environment	True
Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices	True
All free liquids and recoverable materials have been removed and managed appropriately	True
If all the actions described above have not been undertaken, explain why	Not answered.

Per Paragraph 4 of Subsection B of 19.15.29.8 NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please prepare and attach a narrative of actions to date in the follow-up C-141 submission. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see 19.15.29.11(A)(5)(a) NMAC), please prepare and attach all information needed for closure evaluation in the follow-up C-141 submission.

District I
 1625 N. French Dr., Hobbs, NM 88240
 Phone:(575) 393-6161 Fax:(575) 393-0720
District II
 811 S. First St., Artesia, NM 88210
 Phone:(575) 748-1283 Fax:(575) 748-9720
District III
 1000 Rio Brazos Rd., Aztec, NM 87410
 Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
 1220 S. St Francis Dr., Santa Fe, NM 87505
 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS
 Action 350862

ACKNOWLEDGMENTS

Operator: EOG RESOURCES INC 5509 Champions Drive Midland, TX 79706	OGRID: 7377
	Action Number: 350862
	Action Type: [NOTIFY] Notification Of Release (NOR)

ACKNOWLEDGMENTS

<input checked="" type="checkbox"/>	I acknowledge that I am authorized to submit notification of a release on behalf of my operator.
<input checked="" type="checkbox"/>	I acknowledge that upon submitting this application, I will be creating a new incident file (assigned to my operator) to track the notification(s) and corrective action(s) for a release, pursuant to NMAC 19.15.29.
<input checked="" type="checkbox"/>	I acknowledge that creating a new incident file will require my operator to file subsequent submission(s) of form "C-141, Application for administrative approval of a release notification and corrective action", pursuant to NMAC 19.15.29.
<input checked="" type="checkbox"/>	I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment.
<input checked="" type="checkbox"/>	I acknowledge the fact that the acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment.
<input checked="" type="checkbox"/>	I acknowledge the fact that, in addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

District I
 1625 N. French Dr., Hobbs, NM 88240
 Phone:(575) 393-6161 Fax:(575) 393-0720
District II
 811 S. First St., Artesia, NM 88210
 Phone:(575) 748-1283 Fax:(575) 748-9720
District III
 1000 Rio Brazos Rd., Aztec, NM 87410
 Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
 1220 S. St Francis Dr., Santa Fe, NM 87505
 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 350862

CONDITIONS

Operator: EOG RESOURCES INC 5509 Champions Drive Midland, TX 79706	OGRID: 7377
	Action Number: 350862
	Action Type: [NOTIFY] Notification Of Release (NOR)

CONDITIONS

Created By	Condition	Condition Date
todd wells	When submitting future reports regarding this release, please submit the calculations used or specific justification for the volumes reported on the initial C-141.	6/4/2024

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural
Resources Department

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-141
Revised August 24, 2018
Submit to appropriate OCD District office

Incident ID	nAPP2415666595
District RP	
Facility ID	
Application ID	

Release Notification

Responsible Party

Responsible Party EOG Resources	OGRID 7377
Contact Name Todd Wells	Contact Telephone 432-686-3613
Contact email Todd_Wells@eogresources.com	Incident # (assigned by OCD) nAPP2415666595
Contact mailing address 5509 Champions Drive Midland, TX 79706	

Location of Release Source

Latitude 32.183611 Longitude -103.576709
(NAD 83 in decimal degrees to 5 decimal places)

Site Name Convoy Booster	Site Type SWD Transfer Line
Date Release Discovered 3/19/2024	API# (if applicable)

Unit Letter	Section	Township	Range	County
O	28	24S	33E	Lea

Surface Owner: State Federal Tribal Private (Name: _____)

Nature and Volume of Release

Material(s) Released (Select all that apply and attach calculations or specific justification for the volumes provided below)

<input type="checkbox"/> Crude Oil	Volume Released (bbls)	Volume Recovered (bbls)
<input checked="" type="checkbox"/> Produced Water	Volume Released (bbls) 150	Volume Recovered (bbls) 130
	Is the concentration of dissolved chloride in the produced water >10,000 mg/l?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
<input type="checkbox"/> Condensate	Volume Released (bbls)	Volume Recovered (bbls)
<input type="checkbox"/> Natural Gas	Volume Released (Mcf)	Volume Recovered (Mcf)
<input type="checkbox"/> Other (describe)	Volume/Weight Released (provide units)	Volume/Weight Recovered (provide units)

The pump bearings failed at the Convoy Booster causing produced water to be released into the ROW and in the pasture.

State of New Mexico
Oil Conservation Division

Page 2

Incident ID	
District RP	
Facility ID	
Application ID	

Was this a major release as defined by 19.15.29.7(A) NMAC? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	If YES, for what reason(s) does the responsible party consider this a major release? Greater than 25 bbls
If YES, was immediate notice given to the OCD? By whom? To whom? When and by what means (phone, email, etc)? Yes, James Kennedy email notification to OCD.enviro@emnrd.nm.gov , 3/20/2024.	

Initial Response

The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury

<input checked="" type="checkbox"/> The source of the release has been stopped. <input checked="" type="checkbox"/> The impacted area has been secured to protect human health and the environment. <input checked="" type="checkbox"/> Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices. <input checked="" type="checkbox"/> All free liquids and recoverable materials have been removed and managed appropriately.
If all the actions described above have <u>not</u> been undertaken, explain why:
Per 19.15.29.8 B. (4) NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please attach a narrative of actions to date. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see 19.15.29.11(A)(5)(a) NMAC), please attach all information needed for closure evaluation.
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.
Printed Name: <u>Todd Wells</u> Title: <u>Environmental Specialist</u> Signature: <u>Todd Wells</u> Date: <u>6/4/2024</u> email: <u>Todd_Wells@eogresources.com</u> Telephone: <u>(432) 686-3613</u>
<u>OCD Only</u> Received by: _____ Date: _____

Incident ID	
District RP	
Facility ID	
Application ID	

Site Assessment/Characterization

This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

What is the shallowest depth to groundwater beneath the area affected by the release?	_____ (ft bgs)
Did this release impact groundwater or surface water?	<input type="checkbox"/> Yes <input type="checkbox"/> No
Are the lateral extents of the release within 300 feet of a continuously flowing watercourse or any other significant watercourse?	<input type="checkbox"/> Yes <input type="checkbox"/> No
Are the lateral extents of the release within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)?	<input type="checkbox"/> Yes <input type="checkbox"/> No
Are the lateral extents of the release within 300 feet of an occupied permanent residence, school, hospital, institution, or church?	<input type="checkbox"/> Yes <input type="checkbox"/> No
Are the lateral extents of the release within 500 horizontal feet of a spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes?	<input type="checkbox"/> Yes <input type="checkbox"/> No
Are the lateral extents of the release within 1000 feet of any other fresh water well or spring?	<input type="checkbox"/> Yes <input type="checkbox"/> No
Are the lateral extents of the release within incorporated municipal boundaries or within a defined municipal fresh water well field?	<input type="checkbox"/> Yes <input type="checkbox"/> No
Are the lateral extents of the release within 300 feet of a wetland?	<input type="checkbox"/> Yes <input type="checkbox"/> No
Are the lateral extents of the release overlying a subsurface mine?	<input type="checkbox"/> Yes <input type="checkbox"/> No
Are the lateral extents of the release overlying an unstable area such as karst geology?	<input type="checkbox"/> Yes <input type="checkbox"/> No
Are the lateral extents of the release within a 100-year floodplain?	<input type="checkbox"/> Yes <input type="checkbox"/> No
Did the release impact areas not on an exploration, development, production, or storage site?	<input type="checkbox"/> Yes <input type="checkbox"/> No

Attach a comprehensive report (electronic submittals in .pdf format are preferred) demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined. Refer to 19.15.29.11 NMAC for specifics.

Characterization Report Checklist: *Each of the following items must be included in the report.*

- Scaled site map showing impacted area, surface features, subsurface features, delineation points, and monitoring wells.
- Field data
- Data table of soil contaminant concentration data
- Depth to water determination
- Determination of water sources and significant watercourses within ½-mile of the lateral extents of the release
- Boring or excavation logs
- Photographs including date and GIS information
- Topographic/Aerial maps
- Laboratory data including chain of custody

If the site characterization report does not include completed efforts at remediation of the release, the report must include a proposed remediation plan. That plan must include the estimated volume of material to be remediated, the proposed remediation technique, proposed sampling plan and methods, anticipated timelines for beginning and completing the remediation. The closure criteria for a release are contained in Table 1 of 19.15.29.12 NMAC, however, use of the table is modified by site- and release-specific parameters.

State of New Mexico
Oil Conservation Division

Page 4

Incident ID	
District RP	
Facility ID	
Application ID	

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Printed Name: _____ Title: _____

Signature: _____ Date: _____

email: _____ Telephone: _____

OCD Only

Received by: _____ Date: _____

Incident ID	
District RP	
Facility ID	
Application ID	

Remediation Plan

Remediation Plan Checklist: *Each of the following items must be included in the plan.*

- Detailed description of proposed remediation technique
- Scaled sitemap with GPS coordinates showing delineation points
- Estimated volume of material to be remediated
- Closure criteria is to Table 1 specifications subject to 19.15.29.12(C)(4) NMAC
- Proposed schedule for remediation (note if remediation plan timeline is more than 90 days OCD approval is required)

Deferral Requests Only: *Each of the following items must be confirmed as part of any request for deferral of remediation.*

- Contamination must be in areas immediately under or around production equipment where remediation could cause a major facility deconstruction.
- Extents of contamination must be fully delineated.
- Contamination does not cause an imminent risk to human health, the environment, or groundwater.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Printed Name: _____ Title: _____

Signature: _____ Date: _____

email: _____ Telephone: _____

OCD Only

Received by: _____ Date: _____

- Approved Approved with Attached Conditions of Approval Denied Deferral Approved

Signature: _____ Date: _____

Incident ID	
District RP	
Facility ID	
Application ID	

Closure

The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (electronic submittals in .pdf format are preferred) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.

Closure Report Attachment Checklist: *Each of the following items must be included in the closure report.*

- A scaled site and sampling diagram as described in 19.15.29.11 NMAC
- Photographs of the remediated site prior to backfill or photos of the liner integrity if applicable (Note: appropriate OCD District office must be notified 2 days prior to liner inspection)
- Laboratory analyses of final sampling (Note: appropriate ODC District office must be notified 2 days prior to final sampling)
- Description of remediation activities

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. The responsible party acknowledges they must substantially restore, reclaim, and re-vegetate the impacted surface area to the conditions that existed prior to the release or their final land use in accordance with 19.15.29.13 NMAC including notification to the OCD when reclamation and re-vegetation are complete.

Printed Name: _____ Title: _____

Signature: _____ Date: _____

email: _____ Telephone: _____

OCD Only

Received by: _____ Date: _____

Closure approval by the OCD does not relieve the responsible party of liability should their operations have failed to adequately investigate and remediate contamination that poses a threat to groundwater, surface water, human health, or the environment nor does not relieve the responsible party of compliance with any other federal, state, or local laws and/or regulations.

Closure Approved by: _____ Date: _____

Printed Name: _____ Title: _____

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505**

QUESTIONS

Action 543935

QUESTIONS

Operator: EOG RESOURCES INC 5509 Champions Drive Midland, TX 79706	OGRID: 7377
	Action Number: 543935
	Action Type: [NOTIFY] Notification Of Sampling (C-141N)

QUESTIONS

Prerequisites	
Incident ID (n#)	nAPP2415666595
Incident Name	NAPP2415666595 CONVOY BOOSTER @ O-28-24S-33E
Incident Type	Produced Water Release
Incident Status	Remediation Plan Approved

Location of Release Source	
Site Name	CONVOY BOOSTER
Date Release Discovered	03/19/2024
Surface Owner	State

Sampling Event General Information	
<i>Please answer all the questions in this group.</i>	
What is the sampling surface area in square feet	6,120
What is the estimated number of samples that will be gathered	31
Sampling date pursuant to Subparagraph (a) of Paragraph (1) of Subsection D of 19.15.29.12 NMAC	01/21/2026
Time sampling will commence	11:00 AM
Please provide any information necessary for observers to contact samplers	Sampler Information: Carmona Resources – 432-813-6823
Please provide any information necessary for navigation to sampling site	Driving Directions – 32.181946, -103.576073

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/oecd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 543935

CONDITIONS

Operator: EOG RESOURCES INC 5509 Champions Drive Midland, TX 79706	OGRID: 7377
	Action Number: 543935
	Action Type: [NOTIFY] Notification Of Sampling (C-141N)

CONDITIONS

Created By	Condition	Condition Date
todd wells	Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation closure samples not being accepted.	1/16/2026
todd wells	If confirmation sampling is going to take place over multiple days, individual C-141N applications must be submitted for each sampling date. Date ranges are not currently accepted on the C-141N application.	1/16/2026

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505**

QUESTIONS

Action 545757

QUESTIONS

Operator: EOG RESOURCES INC 5509 Champions Drive Midland, TX 79706	OGRID: 7377
	Action Number: 545757
	Action Type: [NOTIFY] Notification Of Sampling (C-141N)

QUESTIONS

Prerequisites	
Incident ID (n#)	nAPP2415666595
Incident Name	NAPP2415666595 CONVOY BOOSTER @ O-28-24S-33E
Incident Type	Produced Water Release
Incident Status	Remediation Plan Approved

Location of Release Source	
Site Name	CONVOY BOOSTER
Date Release Discovered	03/19/2024
Surface Owner	State

Sampling Event General Information	
<i>Please answer all the questions in this group.</i>	
What is the sampling surface area in square feet	8,706
What is the estimated number of samples that will be gathered	41
Sampling date pursuant to Subparagraph (a) of Paragraph (1) of Subsection D of 19.15.29.12 NMAC	01/27/2026
Time sampling will commence	10:00 AM
Please provide any information necessary for observers to contact samplers	Sampler Information: Carmona Resources – 432-813-6823
Please provide any information necessary for navigation to sampling site	Driving Directions – 32.181946, -103.576073

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/oecd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 545757

CONDITIONS

Operator: EOG RESOURCES INC 5509 Champions Drive Midland, TX 79706	OGRID: 7377
	Action Number: 545757
	Action Type: [NOTIFY] Notification Of Sampling (C-141N)

CONDITIONS

Created By	Condition	Condition Date
todd wells	Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation closure samples not being accepted.	1/23/2026
todd wells	If confirmation sampling is going to take place over multiple days, individual C-141N applications must be submitted for each sampling date. Date ranges are not currently accepted on the C-141N application.	1/23/2026



EOG - Convoy Booster - nAPP2415666595 - Confirmation Sampling Notification

From Stephen Reyes <SReyes@carmonaresources.com>

Date Fri 1/23/2026 9:46 AM

To eco@nmslo.gov <eco@nmslo.gov>

Cc Conner Moehring <Cmoehring@carmonaresources.com>; Ivan Ramos <Iramos@carmonaresources.com>;
Todd Wells <todd_wells@eogresources.com>; Bill Smith <bill_smith@eogresources.com>

Good morning,

On behalf of EOG Resources, we are submitting a confirmation sampling notification to the NMSLO that is in line with the NMOCD sampling notification. The confirmation sampling is to take place on January 27, 2026, at approximately 10:00 AM (Mountain Time). The site is located at 32.181946, -103.576073.

Please call if you have any questions or need any additional information

Stephen Reyes
310 West Wall Street, Suite 500
Midland TX, 79701
M: 432-813-9652
Sreyes@carmonaresources.com
www.carmonaresources.com

APPENDIX D

CARMONA RESOURCES




Nearest water well

EOG Resources

Legend

-  0.39 Miles
-  0.50 Mile Radius
-  0.73 Miles
-  1.11 Miles
-  1.58 Miles
-  1.59 Miles
-  Convoy Booster
-  Groundwater Determination Bore
-  NMSEO Water Well
-  USGS Water Well



100' GWDB - Drilled 2023

75' GWDB - 2013

Convoy Booster

70' - Drilled 1890

94.35' - Drilled 1996

118.81' - Drilled 2013




Low Karst

EOG Resources

Legend

- Convoy Booster
- Low



Convoy Booster





New Mexico Office of the State Engineer

Water Column/Average Depth to Water

(A CLW##### in the POD suffix indicates the POD has been replaced & no longer serves a water right file.)

(R=POD has been replaced, O=orphaned, C=the file is closed)

(quarters are 1=NW 2=NE 3=SW 4=SE)
(quarters are smallest to largest)

(NAD83 UTM in meters)

(In feet)

POD Number	POD Sub-Code	basin	County	Q 64	Q 16	Q 4	Sec	Tws	Rng	X	Y	Distance	Depth Well	Depth Water	Water Column
C 02310	CUB	LE		2	4	2	33	24S	33E	634420	3560893	625	120	70	50
C 02311	CUB	LE		2	3	2	33	24S	33E	634391	3560877	633	120	70	50
C 02563	CUB	LE		1	4	2	33	24S	33E	634639	3560923*	696	120		
C 02564	CUB	LE		2	4	2	33	24S	33E	634839	3560923*	828	120		
C 02890	C	LE		2	4	29	24S	33E	633114	3562012*		1237	500		
C 04708 POD1	CUB	LE		1	3	4	21	24S	33E	634149	3563262	1773	100		
C 03600 POD4	CUB	LE		3	3	1	26	24S	33E	636617	3562293	2511			
C 03600 POD7	CUB	LE		3	1	3	26	24S	33E	636726	3561968	2534			
C 02312	CUB	LE		1	2	1	05	25S	33E	632292	3559772	2596	150	90	60
C 03603 POD5	CUB	LE		3	3	2	35	24S	33E	636745	3560767	2610			
C 03603 POD3	CUB	LE		4	1	1	35	24S	33E	636890	3561092	2682			
C 03603 POD6	CUB	LE		3	1	3	35	24S	33E	636749	3560447	2720			
C 04339 POD1	CUB	LE		1	3	3	23	24S	33E	636525	3563309	2921	47		
C 04339 POD2	CUB	LE		2	3	3	23	24S	33E	636789	3563315	3136			
C 04339 POD8	CUB	LE		1	1	3	23	24S	33E	636519	3563681	3162	30		
C 03603 POD2	CUB	LE		3	1	2	35	24S	33E	637384	3561167	3163			
C 03600 POD6	CUB	LE		3	1	4	26	24S	33E	637383	3562026	3190			
C 02430	CUB	LE		3	3	3	16	24S	33E	633377	3564732*	3352	643	415	228
C 04339 POD7	CUB	LE		4	4	2	23	24S	33E	636473	3564011	3368	43		
C 03600 POD1	CUB	LE		2	2	1	26	24S	33E	637275	3563023	3401			
C 02431	CUB	LE		4	4	4	17	24S	33E	633175	3564728*	3406	525	415	110
C 02432	CUB	LE		4	4	4	17	24S	33E	633175	3564728*	3406	640	415	225
C 04339 POD3	CUB	LE		2	4	3	23	24S	33E	637273	3563323	3545	38		
C 04339 POD4	CUB	LE		2	4	3	23	24S	33E	637273	3563323	3545	47		
C 04768 POD1	CUB	LE		3	3	4	19	24S	33E	631048	3563110	3577	55		
C 03603 POD1	CUB	LE		3	2	2	35	24S	33E	637805	3561225	3577			

*UTM location was derived from PLSS - see Help

(A CLW##### in the POD suffix indicates the POD has been replaced & no longer serves a water right file.)

(R=POD has been replaced, O=orphaned, C=the file is closed)

(quarters are 1=NW 2=NE 3=SW 4=SE)

(quarters are smallest to largest) (NAD83 UTM in meters)

(In feet)

POD Number	POD Sub-Code	basin	County	Q 6	Q 4	Q 16	4	Sec	Tws	Rng	X	Y	Distance	Depth Well	Depth Water	Water Column
C 03600 POD3	CUB	LE		3	4	2	26	24S	33E		637784	3562340	3647			
C 03600 POD5	CUB	LE		3	2	4	26	24S	33E		637857	3562020	3658			
C 03603 POD4	CUB	LE		3	2	4	35	24S	33E		637789	3560461	3698			
C 04339 POD5	CUB	LE		2	3	4	23	24S	33E		637580	3563328	3813	54		
C 03601 POD4	CUB	LE		3	3	3	24	24S	33E		638162	3561375	3926			
C 04339 POD10	CUB	LE		4	1	4	23	24S	33E		637688	3563503	3994	49		

Average Depth to Water: **245 feet**

Minimum Depth: **70 feet**

Maximum Depth: **415 feet**

Record Count: 32

UTMNAD83 Radius Search (in meters):

Easting (X): 634237.28

Northing (Y): 3561491.85

Radius: 4000

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.



New Mexico Office of the State Engineer Point of Diversion Summary

Well Tag	POD Number	(quarters are 1=NW 2=NE 3=SW 4=SE)				(NAD83 UTM in meters)			
		Q64	Q16	Q4	Sec	Tws	Rng	X	Y
NA	C 02310	2	4	2	33	24S	33E	634420	3560893

Driller License:		Driller Company:	
Driller Name:	UNKNOWN		
Drill Start Date:	01/01/1890	Drill Finish Date:	12/31/1890
Log File Date:		PCW Rcv Date:	
Pump Type:		Pipe Discharge Size:	
Casing Size:	8.50	Depth Well:	120 feet
		Plug Date:	
		Source:	
		Estimated Yield:	60 GPM
		Depth Water:	70 feet

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

4/3/24 8:00 AM

POINT OF DIVERSION SUMMARY



USGS Home
Contact USGS
Search USGS

National Water Information System: Web Interface

USGS Water Resources

Data Category: Geographic Area:

Click to hide News Bulletins

- Explore the [NEW USGS National Water Dashboard](#) interactive map to access real-time water data from over 13,500 stations nationwide.
- [Full News](#)

Groundwater levels for New Mexico

Click to hide state-specific text

I Important: [Next Generation Monitoring Location Page](#)

Search Results -- 1 sites found

Agency code = usgs
 site_no list =

- 321017103343201

Minimum number of levels = 1
[Save file of selected sites](#) to local disk for future upload

USGS 321017103343201 24S.33E.33.23231

Lea County, New Mexico
 Latitude 32°10'17", Longitude 103°34'32" NAD27
 Land-surface elevation 3,475 feet above NAVD88
 This well is completed in the Other aquifers (N9999OTHER) national aquifer.
 This well is completed in the Ogallala Formation (121OGLL) local aquifer.

Output formats

Table of data
Tab-separated data
Graph of data
Reselect period

Date	Time	Water-level date-time accuracy	Parameter code	Water level, feet below land surface	Water level, feet above specific vertical datum	Referenced vertical datum	Status	Method of measurement	Measuring agency	Source of measurement
1954-03-17			D 62610		3380.19	NGVD29	1	Z		
1954-03-17			D 62611		3381.85	NAVD88	1	Z		
1954-03-17			D 72019	93.15			1	Z		
1976-01-22			D 62610		3381.29	NGVD29	1	Z		
1976-01-22			D 62611		3382.95	NAVD88	1	Z		
1976-01-22			D 72019	92.05			1	Z		
1981-03-20			D 62610		3380.53	NGVD29	1	Z		
1981-03-20			D 62611		3382.19	NAVD88	1	Z		
1981-03-20			D 72019	92.81			1	Z		
1986-03-11			D 62610		3378.77	NGVD29	1	Z		
1986-03-11			D 62611		3380.43	NAVD88	1	Z		
1986-03-11			D 72019	94.57			1	Z		
1991-06-06			D 62610		3378.72	NGVD29	1	Z		
1991-06-06			D 62611		3380.38	NAVD88	1	Z		
1991-06-06			D 72019	94.62			1	Z		

4/5/24, 6:43 AM

Date	Time	Water-level date-time accuracy	Parameter code	Water level, feet below land surface	Water level, feet above specific vertical datum	Referenced vertical datum	Status	Method of measurement	Measuring agency	Source of measurement
1996-03-01			D	62610	3378.99	NGVD29	1		S	
1996-03-01			D	62611	3380.65	NAVD88	1		S	
1996-03-01			D	72019	94.35		1		S	

Explanation

Section	Code	Description
Water-level date-time accuracy	D	Date is accurate to the Day
Parameter code	62610	Groundwater level above NGVD 1929, feet
Parameter code	62611	Groundwater level above NAVD 1988, feet
Parameter code	72019	Depth to water level, feet below land surface
Referenced vertical datum	NAVD88	North American Vertical Datum of 1988
Referenced vertical datum	NGVD29	National Geodetic Vertical Datum of 1929
Status	1	Static
Method of measurement	S	Steel-tape measurement.
Method of measurement	Z	Other.
Measuring agency		Not determined
Source of measurement		Not determined
Water-level approval status	A	Approved for publication -- Processing and review completed.

[Questions or Comments](#)

[Automated retrievals](#)

[Help](#)

[Data Tips](#)

[Explanation of terms](#)

[Subscribe for system changes](#)

[News](#)

Accessibility FOIA Privacy Policies and Notices

[U.S. Department of the Interior](#) | [U.S. Geological Survey](#)

Title: Groundwater for New Mexico: Water Levels

URL: <https://nwis.waterdata.usgs.gov/nm/nwis/gwlevels?>



Page Contact Information: [New Mexico Water Data Maintainer](#)

Page Last Modified: 2024-04-03 09:42:50 EDT

0.39 0.33 nadww01



WELL RECORD & LOG

OFFICE OF THE STATE ENGINEER

www.ose.state.nm.us

STATE ENGINEER OFFICE
ROSWELL

2013 JAN 30 P 11:01

1. GENERAL AND WELL LOCATION	OSE POD NUMBER (WELL NUMBER) BH 23				OSE FILE NUMBER(S) C3600; 518382					
	WELL OWNER NAME(S) INTERCONTINENTAL POTASH CORP				PHONE (OPTIONAL)					
	WELL OWNER MAILING ADDRESS 600 W. BENDER BLVD.				CITY HOBBS		STATE NM		ZIP 88240	
	WELL LOCATION (FROM GPS)		DEGREES 32		MINUTES 11		SECONDS 9.4		N	
		LONGITUDE 103		32		58.6		W		
* ACCURACY REQUIRED: ONE TENTH OF A SECOND										
* DATUM REQUIRED: WGS 84										
DESCRIPTION RELATING WELL LOCATION TO STREET ADDRESS AND COMMON LANDMARKS - PLSS (SECTION, TOWNSHIP, RANGE) WHERE AVAILABLE T24S; R 33E; SECTION 26										

2. DRILLING & CASING INFORMATION	LICENSE NUMBER WD-1186		NAME OF LICENSED DRILLER RODNEY HAMMER			NAME OF WELL DRILLING COMPANY ENVIRO-DRILL, INC.								
	DRILLING STARTED 01-08-13		DRILLING ENDED 01-09-13		DEPTH OF COMPLETED WELL (FT)		BORE HOLE DEPTH (FT) 75'		DEPTH WATER FIRST ENCOUNTERED (FT) N/A					
	COMPLETED WELL IS: <input type="radio"/> ARTESIAN <input checked="" type="radio"/> DRY HOLE <input type="radio"/> SHALLOW (UNCONFINED)								STATIC WATER LEVEL IN COMPLETED WELL (FT)					
	DRILLING FLUID: <input type="radio"/> AIR <input type="radio"/> MUD ADDITIVES - SPECIFY:													
	DRILLING METHOD: <input type="radio"/> ROTARY <input type="radio"/> HAMMER <input type="radio"/> CABLE TOOL <input checked="" type="radio"/> OTHER - SPECIFY: AUGER													
	DEPTH (feet bgl)		BORE HOLE DIAM (inches)		CASING MATERIAL AND/OR GRADE (include each casing string, and note sections of screen)			CASING CONNECTION TYPE		CASING INSIDE DIAM. (inches)		CASING WALL THICKNESS (inches)		SLOT SIZE (inches)
	FROM	TO												
	0	75	8"		N/A		N/A		N/A		N/A		N/A	

3. ANNULAR MATERIAL	DEPTH (feet bgl)		BORE HOLE DIAM. (inches)		LIST ANNULAR SEAL MATERIAL AND GRAVEL PACK SIZE-RANGE BY INTERVAL			AMOUNT (cubic feet)		METHOD OF PLACEMENT	
	FROM	TO									


FOR OSE INTERNAL USE

WR-20 WELL RECORD & LOG (Version 06/08/2012)

FILE NUMBER C-3600	POD NUMBER 7	TRN NUMBER 518382
LOCATION T24S-R33E-Sec 26. 313		PAGE 1 OF 2

4. HYDROGEOLOGIC LOG OF WELL	DEPTH (feet bgl)		THICKNESS (feet)	COLOR AND TYPE OF MATERIAL ENCOUNTERED - INCLUDE WATER-BEARING CAVITIES OR FRACTURE ZONES (attach supplemental sheets to fully describe all units)	WATER BEARING? (YES / NO)	ESTIMATED YIELD FOR WATER- BEARING ZONES (gpm)
	FROM	TO				
	0	2	2	BROWN SILTY SAND, LOOSE	<input type="radio"/> Y <input checked="" type="radio"/> N	N/A
	2	24	22	CALICHE WHITE SILTY SAND, VERY DENSE	<input type="radio"/> Y <input checked="" type="radio"/> N	N/A
	24	66	42	RED SILTY SAND, VERY DENSE	<input type="radio"/> Y <input checked="" type="radio"/> N	N/A
	66	75	9	SHALE GREEN SILTY SAND	<input type="radio"/> Y <input checked="" type="radio"/> N	N/A
					<input type="radio"/> Y <input type="radio"/> N	
					<input type="radio"/> Y <input type="radio"/> N	
					<input type="radio"/> Y <input type="radio"/> N	
					<input type="radio"/> Y <input type="radio"/> N	
					<input type="radio"/> Y <input type="radio"/> N	
					<input type="radio"/> Y <input type="radio"/> N	
					<input type="radio"/> Y <input type="radio"/> N	
					<input type="radio"/> Y <input type="radio"/> N	
					<input type="radio"/> Y <input type="radio"/> N	
					<input type="radio"/> Y <input type="radio"/> N	
					<input type="radio"/> Y <input type="radio"/> N	
					<input type="radio"/> Y <input type="radio"/> N	
					<input type="radio"/> Y <input type="radio"/> N	
					<input type="radio"/> Y <input type="radio"/> N	
					<input type="radio"/> Y <input type="radio"/> N	
					<input type="radio"/> Y <input type="radio"/> N	
					<input type="radio"/> Y <input type="radio"/> N	
					<input type="radio"/> Y <input type="radio"/> N	
					<input type="radio"/> Y <input type="radio"/> N	
					<input type="radio"/> Y <input type="radio"/> N	
					<input type="radio"/> Y <input type="radio"/> N	
					<input type="radio"/> Y <input type="radio"/> N	
					<input type="radio"/> Y <input type="radio"/> N	
					<input type="radio"/> Y <input type="radio"/> N	
					<input type="radio"/> Y <input type="radio"/> N	
METHOD USED TO ESTIMATE YIELD OF WATER-BEARING STRATA: <input type="radio"/> PUMP					TOTAL ESTIMATED	
<input type="radio"/> AIR LIFT <input type="radio"/> BAILER <input type="radio"/> OTHER - SPECIFY:					WELL YIELD (gpm):	

5. TEST, RIG SUPERVISION	WELL TEST	TEST RESULTS - ATTACH A COPY OF DATA COLLECTED DURING WELL TESTING, INCLUDING DISCHARGE METHOD, START TIME, END TIME, AND A TABLE SHOWING DISCHARGE AND DRAWDOWN OVER THE TESTING PERIOD.
	MISCELLANEOUS INFORMATION:	
PRINT NAME(S) OF DRILL RIG SUPERVISOR(S) THAT PROVIDED ONSITE SUPERVISION OF WELL CONSTRUCTION OTHER THAN LICENSEE:		


6. SIGNATURE	THE UNDERSIGNED HEREBY CERTIFIES THAT, TO THE BEST OF HIS OR HER KNOWLEDGE AND BELIEF, THE FOREGOING IS A TRUE AND CORRECT RECORD OF THE ABOVE DESCRIBED HOLE AND THAT HE OR SHE WILL FILE THIS WELL RECORD WITH THE STATE ENGINEER AND THE PERMIT HOLDER WITHIN 20 DAYS AFTER COMPLETION OF WELL DRILLING:		
	 SIGNATURE OF DRILLER / PRINT SIGNEE NAME	Rodney Hammer DATE	1-23-13 DATE

1 2013 JAN 10 P
 STATE ENGINEER
 ROSWELL OFFICE

FOR OSE INTERNAL USE		WR-20 WELL RECORD & LOG (Version 06/08/2012)	
FILE NUMBER	C-3600	POD NUMBER	7
LOCATION	T24S - R33E - Sec 26.313	TRN NUMBER	
			PAGE 2 OF 2

Date	Time	? Water-level date-time accuracy	? Parameter code	Water level, feet below land surface	Water level, feet above specific vertical datum	Referenced vertical datum	? S
				Groundwater	New Mexico	GO	

Click to hide News Bulletins

- Explore the [NEW USGS National Water Dashboard](#) interactive map to access real-time water data from over 13,500 stations nationwide.
- [Full News](#) 

Groundwater levels for New Mexico

Click to hide state-specific text

 Important: [Next Generation Monitoring Location Page](#)

Search Results -- 1 sites found

Agency code = usgs
site_no list =

- 320956103353801

Minimum number of levels = 1
[Save file of selected sites](#) to local disk for future upload

USGS 320956103353801 25S.33E.05.12122

Lea County, New Mexico
 Latitude 32°09'59.4", Longitude 103°35'47.2" NAD83
 Land-surface elevation 3,473.00 feet above NGVD29
 This well is completed in the Other aquifers (N9999OTHER) national aquifer.
 This well is completed in the Santa Rosa Sandstone (231SNRS) local aquifer.

Output formats

Table of data
Tab-separated data
Graph of data
Reselect period

Date	Time	? Water-level date-time accuracy	? Parameter code	Water level, feet below land surface	Water level, feet above specific vertical datum	Referenced vertical datum	? Status	? Method of measurement	? Measuring agency	? Source measur
1981-03-25			D 62610		3365.17	NGVD29	1	Z		
1981-03-25			D 62611		3366.84	NAVD88	1	Z		
1981-03-25			D 72019	107.83			1	Z		
1986-03-12			D 62610		3363.66	NGVD29	1	Z		
1986-03-12			D 62611		3365.33	NAVD88	1	Z		
1986-03-12			D 72019	109.34			1	Z		
1991-06-06			D 62610		3365.42	NGVD29	1	Z		
1991-06-06			D 62611		3367.09	NAVD88	1	Z		
1991-06-06			D 72019	107.58			1	Z		
1996-03-07			D 62610		3364.11	NGVD29	P	S		
1996-03-07			D 62611		3365.78	NAVD88	P	S		
1996-03-07			D 72019	108.89			P	S		
2013-01-17	16:00 UTC		m 62610		3354.19	NGVD29	P	S	USGS	
2013-01-17	16:00 UTC		m 62611		3355.86	NAVD88	P	S	USGS	
2013-01-17	16:00 UTC		m 72019	118.81			P	S	USGS	

Date	Time	?	?	Water level, feet below land surface	Water level, feet above specific vertical datum	Referenced vertical datum	?
Water-level date-time accuracy		m	Date is accurate to the minute				S
Parameter code		62610	Groundwater level above NGVD 1929, feet				
Parameter code		62611	Groundwater level above NAVD 1988, feet				
Parameter code		72019	Depth to water level, feet below land surface				
Referenced vertical datum		NAVD88	North American Vertical Datum of 1988				
Referenced vertical datum		NGVD29	National Geodetic Vertical Datum of 1929				
Status		1	Static				
Status		P	Pumping				
Method of measurement		S	Steel-tape measurement.				
Method of measurement		Z	Other.				
Measuring agency			Not determined				
Measuring agency		USGS	U.S. Geological Survey				
Source of measurement			Not determined				
Source of measurement		S	Measured by personnel of reporting agency.				
Water-level approval status		A	Approved for publication -- Processing and review completed.				

- [Questions or Comments](#)
- [Automated retrievals](#)
- [Help](#)
- [Data Tips](#)
- [Explanation of terms](#)
- [Subscribe for system changes](#)
- [News](#)


[Accessibility](#)
 [FOIA](#)
 [Privacy](#)
 [Policies and Notices](#)

[U.S. Department of the Interior](#) | [U.S. Geological Survey](#)
Title: Groundwater for New Mexico: Water Levels
URL: <https://nwis.waterdata.usgs.gov/nm/nwis/gwlevels?>



Page Contact Information: [New Mexico Water Data Maintainer](#)
 Page Last Modified: 2024-04-03 10:03:48 EDT
 0.29 0.25 nadww01


FEMA National Flood Hazard Layer (NFHL)



FEMA flood layer

Maxar | Esri Community Maps Contributors, Texas Parks & Wildlife, © OpenStreetMap, Microsoft, CONANP, Esri, TomTom, Garmin, SafeGraph, GeoTechnologies, Inc, METI/NASA, USGS, EPA, NPS, US Census Bureau, USDA, USFWS


Convoy Booster



4/3/2024, 8:19:56 AM

— OSE Streams

1:36,112



Esri, NASA, NGA, USGS, FEMA, Texas Parks & Wildlife,
 CONANP, Esri, TomTom, Garmin, SafeGraph,
 GeoTechnologies, Inc, METI/NASA, USGS, EPA, NPS,
 US Census Bureau, USDA, USFWS, NM OSE

APPENDIX E

CARMONA RESOURCES





PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

March 28, 2024

CONNER MOEHRING
CARMONA RESOURCES
310 W WALL ST, SUITE 500
MIDLAND, TX 79701

RE: CONVOY BOOSTER RELEASE

Enclosed are the results of analyses for samples received by the laboratory on 03/25/24 11:35.

Cardinal Laboratories is accredited through Texas NELAP under certificate number T104704398-23-16. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene
Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

CARMONA RESOURCES
 CONNER MOEHRING
 310 W WALL ST, SUITE 500
 MIDLAND TX, 79701
 Fax To:

Received:	03/25/2024	Sampling Date:	03/21/2024
Reported:	03/28/2024	Sampling Type:	Soil
Project Name:	CONVOY BOOSTER RELEASE	Sampling Condition:	Cool & Intact
Project Number:	2313	Sample Received By:	Tamara Oldaker
Project Location:	EOG - LEA COUNTY, NEW MEXICO		

Sample ID: H - 1 (0-0.5') (H241538-01)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/26/2024	ND	2.10	105	2.00	3.69	
Toluene*	<0.050	0.050	03/26/2024	ND	2.34	117	2.00	8.39	
Ethylbenzene*	<0.050	0.050	03/26/2024	ND	2.48	124	2.00	9.01	
Total Xylenes*	<0.150	0.150	03/26/2024	ND	7.58	126	6.00	9.38	
Total BTEX	<0.300	0.300	03/26/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 112 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	32.0	16.0	03/27/2024	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/26/2024	ND	206	103	200	0.789	
DRO >C10-C28*	<10.0	10.0	03/26/2024	ND	202	101	200	1.09	
EXT DRO >C28-C36	<10.0	10.0	03/26/2024	ND					

Surrogate: 1-Chlorooctane 78.4 % 48.2-134

Surrogate: 1-Chlorooctadecane 72.7 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

CARMONA RESOURCES
 CONNER MOEHRING
 310 W WALL ST, SUITE 500
 MIDLAND TX, 79701
 Fax To:

Received:	03/25/2024	Sampling Date:	03/21/2024
Reported:	03/28/2024	Sampling Type:	Soil
Project Name:	CONVOY BOOSTER RELEASE	Sampling Condition:	Cool & Intact
Project Number:	2313	Sample Received By:	Tamara Oldaker
Project Location:	EOG - LEA COUNTY, NEW MEXICO		

Sample ID: H - 2 (0-0.5') (H241538-02)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/26/2024	ND	2.10	105	2.00	3.69	
Toluene*	<0.050	0.050	03/26/2024	ND	2.34	117	2.00	8.39	
Ethylbenzene*	<0.050	0.050	03/26/2024	ND	2.48	124	2.00	9.01	
Total Xylenes*	<0.150	0.150	03/26/2024	ND	7.58	126	6.00	9.38	
Total BTEX	<0.300	0.300	03/26/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 108 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	80.0	16.0	03/27/2024	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/26/2024	ND	206	103	200	0.789	
DRO >C10-C28*	<10.0	10.0	03/26/2024	ND	202	101	200	1.09	
EXT DRO >C28-C36	<10.0	10.0	03/26/2024	ND					

Surrogate: 1-Chlorooctane 91.5 % 48.2-134

Surrogate: 1-Chlorooctadecane 82.5 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

CARMONA RESOURCES
 CONNER MOEHRING
 310 W WALL ST, SUITE 500
 MIDLAND TX, 79701
 Fax To:

Received:	03/25/2024	Sampling Date:	03/21/2024
Reported:	03/28/2024	Sampling Type:	Soil
Project Name:	CONVOY BOOSTER RELEASE	Sampling Condition:	Cool & Intact
Project Number:	2313	Sample Received By:	Tamara Oldaker
Project Location:	EOG - LEA COUNTY, NEW MEXICO		

Sample ID: H - 3 (0-0.5') (H241538-03)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/26/2024	ND	2.10	105	2.00	3.69	
Toluene*	<0.050	0.050	03/26/2024	ND	2.34	117	2.00	8.39	
Ethylbenzene*	<0.050	0.050	03/26/2024	ND	2.48	124	2.00	9.01	
Total Xylenes*	<0.150	0.150	03/26/2024	ND	7.58	126	6.00	9.38	
Total BTEX	<0.300	0.300	03/26/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 110 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	96.0	16.0	03/27/2024	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/26/2024	ND	206	103	200	0.789	
DRO >C10-C28*	<10.0	10.0	03/26/2024	ND	202	101	200	1.09	
EXT DRO >C28-C36	<10.0	10.0	03/26/2024	ND					

Surrogate: 1-Chlorooctane 95.8 % 48.2-134

Surrogate: 1-Chlorooctadecane 87.2 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

CARMONA RESOURCES
 CONNER MOEHRING
 310 W WALL ST, SUITE 500
 MIDLAND TX, 79701
 Fax To:

Received:	03/25/2024	Sampling Date:	03/21/2024
Reported:	03/28/2024	Sampling Type:	Soil
Project Name:	CONVOY BOOSTER RELEASE	Sampling Condition:	Cool & Intact
Project Number:	2313	Sample Received By:	Tamara Oldaker
Project Location:	EOG - LEA COUNTY, NEW MEXICO		

Sample ID: H - 4 (0-0.5') (H241538-04)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/26/2024	ND	2.10	105	2.00	3.69	
Toluene*	<0.050	0.050	03/26/2024	ND	2.34	117	2.00	8.39	
Ethylbenzene*	<0.050	0.050	03/26/2024	ND	2.48	124	2.00	9.01	
Total Xylenes*	<0.150	0.150	03/26/2024	ND	7.58	126	6.00	9.38	
Total BTEX	<0.300	0.300	03/26/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 105 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	64.0	16.0	03/27/2024	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/26/2024	ND	206	103	200	0.789	
DRO >C10-C28*	<10.0	10.0	03/26/2024	ND	202	101	200	1.09	
EXT DRO >C28-C36	<10.0	10.0	03/26/2024	ND					

Surrogate: 1-Chlorooctane 102 % 48.2-134

Surrogate: 1-Chlorooctadecane 93.0 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

CARMONA RESOURCES
 CONNER MOEHRING
 310 W WALL ST, SUITE 500
 MIDLAND TX, 79701
 Fax To:

Received:	03/25/2024	Sampling Date:	03/21/2024
Reported:	03/28/2024	Sampling Type:	Soil
Project Name:	CONVOY BOOSTER RELEASE	Sampling Condition:	Cool & Intact
Project Number:	2313	Sample Received By:	Tamara Oldaker
Project Location:	EOG - LEA COUNTY, NEW MEXICO		

Sample ID: H - 5 (0-0.5') (H241538-05)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/26/2024	ND	2.10	105	2.00	3.69	
Toluene*	<0.050	0.050	03/26/2024	ND	2.34	117	2.00	8.39	
Ethylbenzene*	<0.050	0.050	03/26/2024	ND	2.48	124	2.00	9.01	
Total Xylenes*	<0.150	0.150	03/26/2024	ND	7.58	126	6.00	9.38	
Total BTEX	<0.300	0.300	03/26/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 116 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	32.0	16.0	03/27/2024	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/26/2024	ND	206	103	200	0.789	
DRO >C10-C28*	<10.0	10.0	03/26/2024	ND	202	101	200	1.09	
EXT DRO >C28-C36	<10.0	10.0	03/26/2024	ND					

Surrogate: 1-Chlorooctane 98.1 % 48.2-134

Surrogate: 1-Chlorooctadecane 87.6 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

CARMONA RESOURCES
 CONNER MOEHRING
 310 W WALL ST, SUITE 500
 MIDLAND TX, 79701
 Fax To:

Received:	03/25/2024	Sampling Date:	03/21/2024
Reported:	03/28/2024	Sampling Type:	Soil
Project Name:	CONVOY BOOSTER RELEASE	Sampling Condition:	Cool & Intact
Project Number:	2313	Sample Received By:	Tamara Oldaker
Project Location:	EOG - LEA COUNTY, NEW MEXICO		

Sample ID: H - 6 (0-0.5') (H241538-06)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/26/2024	ND	2.10	105	2.00	3.69	
Toluene*	<0.050	0.050	03/26/2024	ND	2.34	117	2.00	8.39	
Ethylbenzene*	<0.050	0.050	03/26/2024	ND	2.48	124	2.00	9.01	
Total Xylenes*	<0.150	0.150	03/26/2024	ND	7.58	126	6.00	9.38	
Total BTEX	<0.300	0.300	03/26/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 117 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	48.0	16.0	03/27/2024	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/26/2024	ND	206	103	200	0.789	
DRO >C10-C28*	10.1	10.0	03/26/2024	ND	202	101	200	1.09	
EXT DRO >C28-C36	<10.0	10.0	03/26/2024	ND					

Surrogate: 1-Chlorooctane 72.3 % 48.2-134

Surrogate: 1-Chlorooctadecane 62.9 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

CARMONA RESOURCES
 CONNER MOEHRING
 310 W WALL ST, SUITE 500
 MIDLAND TX, 79701
 Fax To:

Received:	03/25/2024	Sampling Date:	03/21/2024
Reported:	03/28/2024	Sampling Type:	Soil
Project Name:	CONVOY BOOSTER RELEASE	Sampling Condition:	Cool & Intact
Project Number:	2313	Sample Received By:	Tamara Oldaker
Project Location:	EOG - LEA COUNTY, NEW MEXICO		

Sample ID: H - 7 (0-0.5') (H241538-07)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/26/2024	ND	2.10	105	2.00	3.69	
Toluene*	<0.050	0.050	03/26/2024	ND	2.34	117	2.00	8.39	
Ethylbenzene*	<0.050	0.050	03/26/2024	ND	2.48	124	2.00	9.01	
Total Xylenes*	<0.150	0.150	03/26/2024	ND	7.58	126	6.00	9.38	
Total BTEX	<0.300	0.300	03/26/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 121 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	64.0	16.0	03/27/2024	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/26/2024	ND	206	103	200	0.789	
DRO >C10-C28*	<10.0	10.0	03/26/2024	ND	202	101	200	1.09	
EXT DRO >C28-C36	<10.0	10.0	03/26/2024	ND					

Surrogate: 1-Chlorooctane 68.0 % 48.2-134

Surrogate: 1-Chlorooctadecane 62.0 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

- QM-07 The spike recovery was outside acceptance limits for the MS and/or MSD. The batch was accepted based on acceptable LCS recovery.
- BS-3 Blank spike recovery outside of lab established statistical limits, but still within method limits. Data is not adversely affected.
- ND Analyte NOT DETECTED at or above the reporting limit
- RPD Relative Percent Difference
- ** Samples not received at proper temperature of 6°C or below.
- *** Insufficient time to reach temperature.
- Chloride by SM4500Cl-B does not require samples be received at or below 6°C
Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager

Chain of Custody

Work Order No:

HA41538

Page 1 of 1

Project Manager:	Conner Moehring	Bill to: (if different)	Todd Wells
Company Name:	Carmona Resources	Company Name:	EOG Resources
Address:	310 W Wall St Ste 500	Address:	5509 Champions Dr
City, State ZIP:	Midland, TX 79701	City, State ZIP:	Midland, Tx 79706
Phone:	(432) 813-6823	Email:	Todd Wells@eogresources.com

Program: UST/PST	<input type="checkbox"/> PRP	<input type="checkbox"/> Brownfields	<input type="checkbox"/> RRC	<input type="checkbox"/> Pertund
State of Project:				
Reporting Level:	Level II <input type="checkbox"/>	Level III <input type="checkbox"/>	ST/UST <input type="checkbox"/>	RRP <input type="checkbox"/>
Level IV <input type="checkbox"/>				
Deliverables:	EDD <input type="checkbox"/>	ADAPT <input type="checkbox"/>	Other: <input type="checkbox"/>	

Project Name:	Convoy Booster Release		Turn Around	Pres. Code	ANALYSIS REQUEST										Preservative Codes			
Project Number:	2313	<input type="checkbox"/> Routine	<input checked="" type="checkbox"/> Rush														None: NO	DI Water: H ₂ O
Project Location:	Lea County, New Mexico	Due Date:	72 Hours														Cool: Cool	MeOH: Me
Sampler's Name:	MM																HCL: HC	HNO ₃ : HN
PO #:																	H ₂ SO ₄ : H ₂	NaOH: Na
SAMPLE RECEIPT	Temp Blank:	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	Thermometer ID:	Wet Ice:	Yes	No	Parameters									H ₃ PO ₄ : HP	
Received Intact:		<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	Correction Factor:		140		BTEX 8021B									NaHSO ₄ : NABIS	
Cooler Custody Seals:		<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	Temperature Reading:		-0.2 nd		TPH 8015M (GRO + DRO + MRO)									Na ₂ S ₂ O ₃ : NASO ₃	
Sample Custody Seals:		<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	Corrected Temperature:				Chloride 4500									Zn Acetate+NaOH: Zn	
Total Containers:		2															NaOH+Ascorbic Acid: SAPC	

Sample Identification	Date	Soil	Water	Grab/Comp	# of Cont	ANALYSIS REQUEST										Sample Comments			
H-1 (0-0.5')	3/21/2024	X		G	1	X	X	X											
H-2 (0-0.5')	3/21/2024	X		G	1	X	X	X											
H-3 (0-0.5')	3/21/2024	X		G	1	X	X	X											
H-4 (0-0.5')	3/21/2024	X		G	1	X	X	X											
H-5 (0-0.5')	3/21/2024	X		G	1	X	X	X											
H-6 (0-0.5')	3/21/2024	X		G	1	X	X	X											
H-7 (0-0.5')	3/21/2024	X		G	1	X	X	X											

Comments: Email to Mike Carmona / mcarmona@carmonaresources.com and Conner Moehring / cmoehring@carmonaresources.com

Relinquished by: (Signature)	<i>Muhammad Al</i>	Date/Time	3/21/24 11:35	Received by: (Signature)	<i>Jawana</i>	Date/Time	
------------------------------	--------------------	-----------	---------------	--------------------------	---------------	-----------	--



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

March 28, 2024

CONNER MOEHRING

CARMONA RESOURCES

310 W WALL ST, SUITE 500

MIDLAND, TX 79701

RE: CONVOY BOOSTER RELEASE

Enclosed are the results of analyses for samples received by the laboratory on 03/25/24 11:35.

Cardinal Laboratories is accredited through Texas NELAP under certificate number T104704398-23-16. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Celey D. Keene".

Celey D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

CARMONA RESOURCES
 CONNER MOEHRING
 310 W WALL ST, SUITE 500
 MIDLAND TX, 79701
 Fax To:

Received:	03/25/2024	Sampling Date:	03/21/2024
Reported:	03/28/2024	Sampling Type:	Soil
Project Name:	CONVOY BOOSTER RELEASE	Sampling Condition:	Cool & Intact
Project Number:	2313	Sample Received By:	Tamara Oldaker
Project Location:	EOG - LEA COUNTY, NEW MEXICO		

Sample ID: S - 1 (0-1.0') (H241537-01)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/26/2024	ND	2.18	109	2.00	0.733	
Toluene*	<0.050	0.050	03/26/2024	ND	2.18	109	2.00	0.206	
Ethylbenzene*	<0.050	0.050	03/26/2024	ND	2.12	106	2.00	0.398	
Total Xylenes*	<0.150	0.150	03/26/2024	ND	6.40	107	6.00	0.538	
Total BTEX	<0.300	0.300	03/26/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 104 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: CT					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	10400	16.0	03/27/2024	ND	432	108	400	3.77	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/26/2024	ND	209	104	200	2.79	
DRO >C10-C28*	<10.0	10.0	03/26/2024	ND	213	107	200	5.26	
EXT DRO >C28-C36	<10.0	10.0	03/26/2024	ND					

Surrogate: 1-Chlorooctane 78.8 % 48.2-134

Surrogate: 1-Chlorooctadecane 86.6 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

CARMONA RESOURCES
 CONNER MOEHRING
 310 W WALL ST, SUITE 500
 MIDLAND TX, 79701
 Fax To:

Received:	03/25/2024	Sampling Date:	03/21/2024
Reported:	03/28/2024	Sampling Type:	Soil
Project Name:	CONVOY BOOSTER RELEASE	Sampling Condition:	Cool & Intact
Project Number:	2313	Sample Received By:	Tamara Oldaker
Project Location:	EOG - LEA COUNTY, NEW MEXICO		

Sample ID: S - 1 (1.5') (H241537-02)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/26/2024	ND	2.18	109	2.00	0.733	
Toluene*	<0.050	0.050	03/26/2024	ND	2.18	109	2.00	0.206	
Ethylbenzene*	<0.050	0.050	03/26/2024	ND	2.12	106	2.00	0.398	
Total Xylenes*	<0.150	0.150	03/26/2024	ND	6.40	107	6.00	0.538	
Total BTEX	<0.300	0.300	03/26/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 103 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: CT					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	6160	16.0	03/27/2024	ND	432	108	400	3.77	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/26/2024	ND	209	104	200	2.79	
DRO >C10-C28*	<10.0	10.0	03/26/2024	ND	213	107	200	5.26	
EXT DRO >C28-C36	<10.0	10.0	03/26/2024	ND					

Surrogate: 1-Chlorooctane 113 % 48.2-134

Surrogate: 1-Chlorooctadecane 127 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

CARMONA RESOURCES
 CONNER MOEHRING
 310 W WALL ST, SUITE 500
 MIDLAND TX, 79701
 Fax To:

Received:	03/25/2024	Sampling Date:	03/21/2024
Reported:	03/28/2024	Sampling Type:	Soil
Project Name:	CONVOY BOOSTER RELEASE	Sampling Condition:	Cool & Intact
Project Number:	2313	Sample Received By:	Tamara Oldaker
Project Location:	EOG - LEA COUNTY, NEW MEXICO		

Sample ID: S - 1 (2.0') (H241537-03)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	03/26/2024	ND	2.18	109	2.00	0.733		
Toluene*	<0.050	0.050	03/26/2024	ND	2.18	109	2.00	0.206		
Ethylbenzene*	<0.050	0.050	03/26/2024	ND	2.12	106	2.00	0.398		
Total Xylenes*	<0.150	0.150	03/26/2024	ND	6.40	107	6.00	0.538		
Total BTEX	<0.300	0.300	03/26/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 104 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: CT						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	4880	16.0	03/27/2024	ND	432	108	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	03/26/2024	ND	209	104	200	2.79		
DRO >C10-C28*	<10.0	10.0	03/26/2024	ND	213	107	200	5.26		
EXT DRO >C28-C36	<10.0	10.0	03/26/2024	ND						

Surrogate: 1-Chlorooctane 86.9 % 48.2-134

Surrogate: 1-Chlorooctadecane 97.0 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

CARMONA RESOURCES
 CONNER MOEHRING
 310 W WALL ST, SUITE 500
 MIDLAND TX, 79701
 Fax To:

Received:	03/25/2024	Sampling Date:	03/21/2024
Reported:	03/28/2024	Sampling Type:	Soil
Project Name:	CONVOY BOOSTER RELEASE	Sampling Condition:	Cool & Intact
Project Number:	2313	Sample Received By:	Tamara Oldaker
Project Location:	EOG - LEA COUNTY, NEW MEXICO		

Sample ID: S - 1 (3.0') (H241537-04)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/26/2024	ND	2.18	109	2.00	0.733	
Toluene*	<0.050	0.050	03/26/2024	ND	2.18	109	2.00	0.206	
Ethylbenzene*	<0.050	0.050	03/26/2024	ND	2.12	106	2.00	0.398	
Total Xylenes*	<0.150	0.150	03/26/2024	ND	6.40	107	6.00	0.538	
Total BTEX	<0.300	0.300	03/26/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 103 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: CT					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	3520	16.0	03/27/2024	ND	432	108	400	3.77	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/26/2024	ND	209	104	200	2.79	
DRO >C10-C28*	<10.0	10.0	03/26/2024	ND	213	107	200	5.26	
EXT DRO >C28-C36	<10.0	10.0	03/26/2024	ND					

Surrogate: 1-Chlorooctane 91.0 % 48.2-134

Surrogate: 1-Chlorooctadecane 101 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

CARMONA RESOURCES
 CONNER MOEHRING
 310 W WALL ST, SUITE 500
 MIDLAND TX, 79701
 Fax To:

Received:	03/25/2024	Sampling Date:	03/21/2024
Reported:	03/28/2024	Sampling Type:	Soil
Project Name:	CONVOY BOOSTER RELEASE	Sampling Condition:	Cool & Intact
Project Number:	2313	Sample Received By:	Tamara Oldaker
Project Location:	EOG - LEA COUNTY, NEW MEXICO		

Sample ID: S - 2 (0-1.0') (H241537-05)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/26/2024	ND	2.18	109	2.00	0.733	
Toluene*	<0.050	0.050	03/26/2024	ND	2.18	109	2.00	0.206	
Ethylbenzene*	<0.050	0.050	03/26/2024	ND	2.12	106	2.00	0.398	
Total Xylenes*	<0.150	0.150	03/26/2024	ND	6.40	107	6.00	0.538	
Total BTEX	<0.300	0.300	03/26/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 103 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: CT					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	1800	16.0	03/27/2024	ND	432	108	400	3.77	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/26/2024	ND	209	104	200	2.79	
DRO >C10-C28*	<10.0	10.0	03/26/2024	ND	213	107	200	5.26	
EXT DRO >C28-C36	<10.0	10.0	03/26/2024	ND					

Surrogate: 1-Chlorooctane 93.6 % 48.2-134

Surrogate: 1-Chlorooctadecane 104 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

CARMONA RESOURCES
 CONNER MOEHRING
 310 W WALL ST, SUITE 500
 MIDLAND TX, 79701
 Fax To:

Received:	03/25/2024	Sampling Date:	03/21/2024
Reported:	03/28/2024	Sampling Type:	Soil
Project Name:	CONVOY BOOSTER RELEASE	Sampling Condition:	Cool & Intact
Project Number:	2313	Sample Received By:	Tamara Oldaker
Project Location:	EOG - LEA COUNTY, NEW MEXICO		

Sample ID: S - 2 (1.5') (H241537-06)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/26/2024	ND	2.18	109	2.00	0.733	
Toluene*	<0.050	0.050	03/26/2024	ND	2.18	109	2.00	0.206	
Ethylbenzene*	<0.050	0.050	03/26/2024	ND	2.12	106	2.00	0.398	
Total Xylenes*	<0.150	0.150	03/26/2024	ND	6.40	107	6.00	0.538	
Total BTEX	<0.300	0.300	03/26/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 103 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: CT					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	960	16.0	03/27/2024	ND	432	108	400	3.77	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/26/2024	ND	209	104	200	2.79	
DRO >C10-C28*	<10.0	10.0	03/26/2024	ND	213	107	200	5.26	
EXT DRO >C28-C36	<10.0	10.0	03/26/2024	ND					

Surrogate: 1-Chlorooctane 83.6 % 48.2-134

Surrogate: 1-Chlorooctadecane 91.5 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

CARMONA RESOURCES
 CONNER MOEHRING
 310 W WALL ST, SUITE 500
 MIDLAND TX, 79701
 Fax To:

Received:	03/25/2024	Sampling Date:	03/21/2024
Reported:	03/28/2024	Sampling Type:	Soil
Project Name:	CONVOY BOOSTER RELEASE	Sampling Condition:	Cool & Intact
Project Number:	2313	Sample Received By:	Tamara Oldaker
Project Location:	EOG - LEA COUNTY, NEW MEXICO		

Sample ID: S - 2 (2.0') (H241537-07)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	03/26/2024	ND	2.18	109	2.00	0.733		
Toluene*	<0.050	0.050	03/26/2024	ND	2.18	109	2.00	0.206		
Ethylbenzene*	<0.050	0.050	03/26/2024	ND	2.12	106	2.00	0.398		
Total Xylenes*	<0.150	0.150	03/26/2024	ND	6.40	107	6.00	0.538		
Total BTEX	<0.300	0.300	03/26/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 104 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: CT						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	496	16.0	03/27/2024	ND	432	108	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	03/26/2024	ND	209	104	200	2.79		
DRO >C10-C28*	<10.0	10.0	03/26/2024	ND	213	107	200	5.26		
EXT DRO >C28-C36	<10.0	10.0	03/26/2024	ND						

Surrogate: 1-Chlorooctane 95.0 % 48.2-134

Surrogate: 1-Chlorooctadecane 104 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

CARMONA RESOURCES
 CONNER MOEHRING
 310 W WALL ST, SUITE 500
 MIDLAND TX, 79701
 Fax To:

Received:	03/25/2024	Sampling Date:	03/21/2024
Reported:	03/28/2024	Sampling Type:	Soil
Project Name:	CONVOY BOOSTER RELEASE	Sampling Condition:	Cool & Intact
Project Number:	2313	Sample Received By:	Tamara Oldaker
Project Location:	EOG - LEA COUNTY, NEW MEXICO		

Sample ID: S - 2 (3.0') (H241537-08)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/26/2024	ND	2.18	109	2.00	0.733	
Toluene*	<0.050	0.050	03/26/2024	ND	2.18	109	2.00	0.206	
Ethylbenzene*	<0.050	0.050	03/26/2024	ND	2.12	106	2.00	0.398	
Total Xylenes*	<0.150	0.150	03/26/2024	ND	6.40	107	6.00	0.538	
Total BTEX	<0.300	0.300	03/26/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 103 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: CT					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	304	16.0	03/27/2024	ND	432	108	400	3.77	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/26/2024	ND	209	104	200	2.79	
DRO >C10-C28*	<10.0	10.0	03/26/2024	ND	213	107	200	5.26	
EXT DRO >C28-C36	<10.0	10.0	03/26/2024	ND					

Surrogate: 1-Chlorooctane 97.0 % 48.2-134

Surrogate: 1-Chlorooctadecane 105 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

CARMONA RESOURCES
 CONNER MOEHRING
 310 W WALL ST, SUITE 500
 MIDLAND TX, 79701
 Fax To:

Received:	03/25/2024	Sampling Date:	03/21/2024
Reported:	03/28/2024	Sampling Type:	Soil
Project Name:	CONVOY BOOSTER RELEASE	Sampling Condition:	Cool & Intact
Project Number:	2313	Sample Received By:	Tamara Oldaker
Project Location:	EOG - LEA COUNTY, NEW MEXICO		

Sample ID: S - 3 (0-1.0') (H241537-09)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	03/26/2024	ND	2.18	109	2.00	0.733		
Toluene*	<0.050	0.050	03/26/2024	ND	2.18	109	2.00	0.206		
Ethylbenzene*	<0.050	0.050	03/26/2024	ND	2.12	106	2.00	0.398		
Total Xylenes*	<0.150	0.150	03/26/2024	ND	6.40	107	6.00	0.538		
Total BTEX	<0.300	0.300	03/26/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 103 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: CT						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	2920	16.0	03/27/2024	ND	432	108	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	03/26/2024	ND	209	104	200	2.79		
DRO >C10-C28*	<10.0	10.0	03/26/2024	ND	213	107	200	5.26		
EXT DRO >C28-C36	<10.0	10.0	03/26/2024	ND						

Surrogate: 1-Chlorooctane 85.2 % 48.2-134

Surrogate: 1-Chlorooctadecane 91.5 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

CARMONA RESOURCES
 CONNER MOEHRING
 310 W WALL ST, SUITE 500
 MIDLAND TX, 79701
 Fax To:

Received:	03/25/2024	Sampling Date:	03/21/2024
Reported:	03/28/2024	Sampling Type:	Soil
Project Name:	CONVOY BOOSTER RELEASE	Sampling Condition:	Cool & Intact
Project Number:	2313	Sample Received By:	Tamara Oldaker
Project Location:	EOG - LEA COUNTY, NEW MEXICO		

Sample ID: S - 3 (1.5') (H241537-10)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/26/2024	ND	2.18	109	2.00	0.733	
Toluene*	<0.050	0.050	03/26/2024	ND	2.18	109	2.00	0.206	
Ethylbenzene*	<0.050	0.050	03/26/2024	ND	2.12	106	2.00	0.398	
Total Xylenes*	<0.150	0.150	03/26/2024	ND	6.40	107	6.00	0.538	
Total BTEX	<0.300	0.300	03/26/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 103 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: CT					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	2000	16.0	03/27/2024	ND	432	108	400	3.77	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/26/2024	ND	209	104	200	2.79	
DRO >C10-C28*	<10.0	10.0	03/26/2024	ND	213	107	200	5.26	
EXT DRO >C28-C36	<10.0	10.0	03/26/2024	ND					

Surrogate: 1-Chlorooctane 84.0 % 48.2-134

Surrogate: 1-Chlorooctadecane 92.0 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

CARMONA RESOURCES
 CONNER MOEHRING
 310 W WALL ST, SUITE 500
 MIDLAND TX, 79701
 Fax To:

Received:	03/25/2024	Sampling Date:	03/21/2024
Reported:	03/28/2024	Sampling Type:	Soil
Project Name:	CONVOY BOOSTER RELEASE	Sampling Condition:	Cool & Intact
Project Number:	2313	Sample Received By:	Tamara Oldaker
Project Location:	EOG - LEA COUNTY, NEW MEXICO		

Sample ID: S - 3 (2.0') (H241537-11)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	03/26/2024	ND	2.18	109	2.00	0.733		
Toluene*	<0.050	0.050	03/26/2024	ND	2.18	109	2.00	0.206		
Ethylbenzene*	<0.050	0.050	03/26/2024	ND	2.12	106	2.00	0.398		
Total Xylenes*	<0.150	0.150	03/26/2024	ND	6.40	107	6.00	0.538		
Total BTEX	<0.300	0.300	03/26/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 103 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: CT						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	1020	16.0	03/27/2024	ND	432	108	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	03/26/2024	ND	209	104	200	2.79		
DRO >C10-C28*	<10.0	10.0	03/26/2024	ND	213	107	200	5.26		
EXT DRO >C28-C36	<10.0	10.0	03/26/2024	ND						

Surrogate: 1-Chlorooctane 81.0 % 48.2-134

Surrogate: 1-Chlorooctadecane 86.5 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

CARMONA RESOURCES
 CONNER MOEHRING
 310 W WALL ST, SUITE 500
 MIDLAND TX, 79701
 Fax To:

Received:	03/25/2024	Sampling Date:	03/21/2024
Reported:	03/28/2024	Sampling Type:	Soil
Project Name:	CONVOY BOOSTER RELEASE	Sampling Condition:	Cool & Intact
Project Number:	2313	Sample Received By:	Tamara Oldaker
Project Location:	EOG - LEA COUNTY, NEW MEXICO		

Sample ID: S - 3 (3.0') (H241537-12)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/26/2024	ND	2.18	109	2.00	0.733	
Toluene*	<0.050	0.050	03/26/2024	ND	2.18	109	2.00	0.206	
Ethylbenzene*	<0.050	0.050	03/26/2024	ND	2.12	106	2.00	0.398	
Total Xylenes*	<0.150	0.150	03/26/2024	ND	6.40	107	6.00	0.538	
Total BTEX	<0.300	0.300	03/26/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 104 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: CT					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	944	16.0	03/27/2024	ND	432	108	400	3.77	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/26/2024	ND	209	104	200	2.79	
DRO >C10-C28*	<10.0	10.0	03/26/2024	ND	213	107	200	5.26	
EXT DRO >C28-C36	<10.0	10.0	03/26/2024	ND					

Surrogate: 1-Chlorooctane 113 % 48.2-134

Surrogate: 1-Chlorooctadecane 125 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

CARMONA RESOURCES
 CONNER MOEHRING
 310 W WALL ST, SUITE 500
 MIDLAND TX, 79701
 Fax To:

Received:	03/25/2024	Sampling Date:	03/21/2024
Reported:	03/28/2024	Sampling Type:	Soil
Project Name:	CONVOY BOOSTER RELEASE	Sampling Condition:	Cool & Intact
Project Number:	2313	Sample Received By:	Tamara Oldaker
Project Location:	EOG - LEA COUNTY, NEW MEXICO		

Sample ID: S - 4 (0-1.0') (H241537-13)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/26/2024	ND	2.18	109	2.00	0.733	
Toluene*	<0.050	0.050	03/26/2024	ND	2.18	109	2.00	0.206	
Ethylbenzene*	<0.050	0.050	03/26/2024	ND	2.12	106	2.00	0.398	
Total Xylenes*	<0.150	0.150	03/26/2024	ND	6.40	107	6.00	0.538	
Total BTEX	<0.300	0.300	03/26/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 104 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: CT					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	704	16.0	03/27/2024	ND	432	108	400	3.77	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/26/2024	ND	209	104	200	2.79	
DRO >C10-C28*	<10.0	10.0	03/26/2024	ND	213	107	200	5.26	
EXT DRO >C28-C36	<10.0	10.0	03/26/2024	ND					

Surrogate: 1-Chlorooctane 86.3 % 48.2-134

Surrogate: 1-Chlorooctadecane 95.9 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

CARMONA RESOURCES
 CONNER MOEHRING
 310 W WALL ST, SUITE 500
 MIDLAND TX, 79701
 Fax To:

Received:	03/25/2024	Sampling Date:	03/21/2024
Reported:	03/28/2024	Sampling Type:	Soil
Project Name:	CONVOY BOOSTER RELEASE	Sampling Condition:	Cool & Intact
Project Number:	2313	Sample Received By:	Tamara Oldaker
Project Location:	EOG - LEA COUNTY, NEW MEXICO		

Sample ID: S - 4 (1.5') (H241537-14)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/26/2024	ND	2.18	109	2.00	0.733	
Toluene*	<0.050	0.050	03/26/2024	ND	2.18	109	2.00	0.206	
Ethylbenzene*	<0.050	0.050	03/26/2024	ND	2.12	106	2.00	0.398	
Total Xylenes*	<0.150	0.150	03/26/2024	ND	6.40	107	6.00	0.538	
Total BTEX	<0.300	0.300	03/26/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 103 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: CT					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	704	16.0	03/27/2024	ND	432	108	400	3.77	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/27/2024	ND	209	104	200	2.79	
DRO >C10-C28*	<10.0	10.0	03/27/2024	ND	213	107	200	5.26	
EXT DRO >C28-C36	<10.0	10.0	03/27/2024	ND					

Surrogate: 1-Chlorooctane 87.3 % 48.2-134

Surrogate: 1-Chlorooctadecane 97.0 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

CARMONA RESOURCES
 CONNER MOEHRING
 310 W WALL ST, SUITE 500
 MIDLAND TX, 79701
 Fax To:

Received:	03/25/2024	Sampling Date:	03/21/2024
Reported:	03/28/2024	Sampling Type:	Soil
Project Name:	CONVOY BOOSTER RELEASE	Sampling Condition:	Cool & Intact
Project Number:	2313	Sample Received By:	Tamara Oldaker
Project Location:	EOG - LEA COUNTY, NEW MEXICO		

Sample ID: S - 4 (2.0') (H241537-15)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	03/26/2024	ND	2.18	109	2.00	0.733		
Toluene*	<0.050	0.050	03/26/2024	ND	2.18	109	2.00	0.206		
Ethylbenzene*	<0.050	0.050	03/26/2024	ND	2.12	106	2.00	0.398		
Total Xylenes*	<0.150	0.150	03/26/2024	ND	6.40	107	6.00	0.538		
Total BTEX	<0.300	0.300	03/26/2024	ND						

Surrogate: 4-Bromofluorobenzene (PID) 104 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: CT						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	656	16.0	03/27/2024	ND	432	108	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	03/27/2024	ND	209	104	200	2.79		
DRO >C10-C28*	<10.0	10.0	03/27/2024	ND	213	107	200	5.26		
EXT DRO >C28-C36	<10.0	10.0	03/27/2024	ND						

Surrogate: 1-Chlorooctane 86.7 % 48.2-134

Surrogate: 1-Chlorooctadecane 97.5 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

CARMONA RESOURCES
 CONNER MOEHRING
 310 W WALL ST, SUITE 500
 MIDLAND TX, 79701
 Fax To:

Received:	03/25/2024	Sampling Date:	03/21/2024
Reported:	03/28/2024	Sampling Type:	Soil
Project Name:	CONVOY BOOSTER RELEASE	Sampling Condition:	Cool & Intact
Project Number:	2313	Sample Received By:	Tamara Oldaker
Project Location:	EOG - LEA COUNTY, NEW MEXICO		

Sample ID: S - 4 (3.0') (H241537-16)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/26/2024	ND	2.18	109	2.00	0.733	
Toluene*	<0.050	0.050	03/26/2024	ND	2.18	109	2.00	0.206	
Ethylbenzene*	<0.050	0.050	03/26/2024	ND	2.12	106	2.00	0.398	
Total Xylenes*	<0.150	0.150	03/26/2024	ND	6.40	107	6.00	0.538	
Total BTEX	<0.300	0.300	03/26/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 104 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: CT					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	496	16.0	03/27/2024	ND	432	108	400	3.77	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/27/2024	ND	209	104	200	2.79	
DRO >C10-C28*	<10.0	10.0	03/27/2024	ND	213	107	200	5.26	
EXT DRO >C28-C36	<10.0	10.0	03/27/2024	ND					

Surrogate: 1-Chlorooctane 104 % 48.2-134

Surrogate: 1-Chlorooctadecane 114 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

CARMONA RESOURCES
 CONNER MOEHRING
 310 W WALL ST, SUITE 500
 MIDLAND TX, 79701
 Fax To:

Received:	03/25/2024	Sampling Date:	03/21/2024
Reported:	03/28/2024	Sampling Type:	Soil
Project Name:	CONVOY BOOSTER RELEASE	Sampling Condition:	Cool & Intact
Project Number:	2313	Sample Received By:	Tamara Oldaker
Project Location:	EOG - LEA COUNTY, NEW MEXICO		

Sample ID: S - 5 (0-1.0') (H241537-17)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/26/2024	ND	2.18	109	2.00	0.733	
Toluene*	<0.050	0.050	03/26/2024	ND	2.18	109	2.00	0.206	
Ethylbenzene*	<0.050	0.050	03/26/2024	ND	2.12	106	2.00	0.398	
Total Xylenes*	<0.150	0.150	03/26/2024	ND	6.40	107	6.00	0.538	
Total BTEX	<0.300	0.300	03/26/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 104 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: CT					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	544	16.0	03/27/2024	ND	432	108	400	3.77	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/27/2024	ND	209	104	200	2.79	
DRO >C10-C28*	<10.0	10.0	03/27/2024	ND	213	107	200	5.26	
EXT DRO >C28-C36	<10.0	10.0	03/27/2024	ND					

Surrogate: 1-Chlorooctane 89.9 % 48.2-134

Surrogate: 1-Chlorooctadecane 97.0 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

CARMONA RESOURCES
 CONNER MOEHRING
 310 W WALL ST, SUITE 500
 MIDLAND TX, 79701
 Fax To:

Received:	03/25/2024	Sampling Date:	03/21/2024
Reported:	03/28/2024	Sampling Type:	Soil
Project Name:	CONVOY BOOSTER RELEASE	Sampling Condition:	Cool & Intact
Project Number:	2313	Sample Received By:	Tamara Oldaker
Project Location:	EOG - LEA COUNTY, NEW MEXICO		

Sample ID: S - 5 (1.5') (H241537-18)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/26/2024	ND	2.18	109	2.00	0.733	
Toluene*	<0.050	0.050	03/26/2024	ND	2.18	109	2.00	0.206	
Ethylbenzene*	<0.050	0.050	03/26/2024	ND	2.12	106	2.00	0.398	
Total Xylenes*	<0.150	0.150	03/26/2024	ND	6.40	107	6.00	0.538	
Total BTEX	<0.300	0.300	03/26/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 103 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: CT					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	496	16.0	03/27/2024	ND	432	108	400	3.77	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/27/2024	ND	209	104	200	2.79	
DRO >C10-C28*	<10.0	10.0	03/27/2024	ND	213	107	200	5.26	
EXT DRO >C28-C36	<10.0	10.0	03/27/2024	ND					

Surrogate: 1-Chlorooctane 102 % 48.2-134

Surrogate: 1-Chlorooctadecane 107 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

CARMONA RESOURCES
 CONNER MOEHRING
 310 W WALL ST, SUITE 500
 MIDLAND TX, 79701
 Fax To:

Received:	03/25/2024	Sampling Date:	03/21/2024
Reported:	03/28/2024	Sampling Type:	Soil
Project Name:	CONVOY BOOSTER RELEASE	Sampling Condition:	Cool & Intact
Project Number:	2313	Sample Received By:	Tamara Oldaker
Project Location:	EOG - LEA COUNTY, NEW MEXICO		

Sample ID: S - 5 (2.0') (H241537-19)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/26/2024	ND	2.18	109	2.00	0.733	
Toluene*	<0.050	0.050	03/26/2024	ND	2.18	109	2.00	0.206	
Ethylbenzene*	<0.050	0.050	03/26/2024	ND	2.12	106	2.00	0.398	
Total Xylenes*	<0.150	0.150	03/26/2024	ND	6.40	107	6.00	0.538	
Total BTEX	<0.300	0.300	03/26/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 104 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: CT					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	432	16.0	03/27/2024	ND	432	108	400	3.77	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/27/2024	ND	209	104	200	2.79	
DRO >C10-C28*	<10.0	10.0	03/27/2024	ND	213	107	200	5.26	
EXT DRO >C28-C36	<10.0	10.0	03/27/2024	ND					

Surrogate: 1-Chlorooctane 97.6 % 48.2-134

Surrogate: 1-Chlorooctadecane 105 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

CARMONA RESOURCES
 CONNER MOEHRING
 310 W WALL ST, SUITE 500
 MIDLAND TX, 79701
 Fax To:

Received:	03/25/2024	Sampling Date:	03/21/2024
Reported:	03/28/2024	Sampling Type:	Soil
Project Name:	CONVOY BOOSTER RELEASE	Sampling Condition:	Cool & Intact
Project Number:	2313	Sample Received By:	Tamara Oldaker
Project Location:	EOG - LEA COUNTY, NEW MEXICO		

Sample ID: S - 5 (2.5') (H241537-20)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/26/2024	ND	2.18	109	2.00	0.733	
Toluene*	<0.050	0.050	03/26/2024	ND	2.18	109	2.00	0.206	
Ethylbenzene*	<0.050	0.050	03/26/2024	ND	2.12	106	2.00	0.398	
Total Xylenes*	<0.150	0.150	03/26/2024	ND	6.40	107	6.00	0.538	
Total BTEX	<0.300	0.300	03/26/2024	ND					

Surrogate: 4-Bromofluorobenzene (PID) 104 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	432	16.0	03/27/2024	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/27/2024	ND	209	104	200	2.79	
DRO >C10-C28*	<10.0	10.0	03/27/2024	ND	213	107	200	5.26	
EXT DRO >C28-C36	<10.0	10.0	03/27/2024	ND					

Surrogate: 1-Chlorooctane 99.8 % 48.2-134

Surrogate: 1-Chlorooctadecane 109 % 49.1-148

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

- ND Analyte NOT DETECTED at or above the reporting limit
- RPD Relative Percent Difference
- ** Samples not received at proper temperature of 6°C or below.
- *** Insufficient time to reach temperature.
- Chloride by SM4500Cl-B does not require samples be received at or below 6°C
Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

Chain of Custody

Work Order No: 1041537

Page 1 of 2

Project Manager:	Conner Moehring	Bill to: (if different)	Todd Wells
Company Name:	Carmona Resources	Company Name:	EOG Resources
Address:	310 W Wall St Ste 500	Address:	5509 Champions Dr
City, State ZIP:	Midland, TX 79701	City, State ZIP:	Midland, Tx 79706
Phone:	(432) 813-6823	Email:	Todd Wells@eogresources.com

Work Order Comments	
Program: UST/PST <input type="checkbox"/> PRP <input type="checkbox"/> Ironfields <input type="checkbox"/> JRC <input type="checkbox"/> Iperfund <input type="checkbox"/>	
State of Project:	
Reporting Level II <input type="checkbox"/> Level III <input type="checkbox"/> ST/UST <input type="checkbox"/> RRP <input type="checkbox"/> Level IV <input type="checkbox"/>	
Deliverables: EDD <input type="checkbox"/> ADAPT <input type="checkbox"/> Other:	

Project Name:	Convoy Booster Release	Turn Around		Pres. Code	ANALYSIS REQUEST			Preservative Codes
		<input type="checkbox"/> Routine	<input checked="" type="checkbox"/> Rush		Due Date:	BTEX 8021B	TPH 8015M (GRO + DRO + MRO)	
Project Number:	2313							None: NO DI Water: H ₂ O
Project Location:	Lea County, New Mexico							Cool: Cool MeOH: Me
Sampler's Name:	MM							HCL: HC HNO ₃ : HN
PO #:								H ₂ SO ₄ : H ₂ NaOH: Na
SAMPLE RECEIPT	Temp Blank:	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Thermometer ID:	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Well Ice:	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>		H ₃ PO ₄ : HP
Received Intact:	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	N/A	Correction Factor:	N/A				NaHSO ₄ : NABIS
Cooler Custody Seals:	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>		Temperature Reading:					Na ₂ S ₂ O ₃ : NaSO ₃
Sample Custody Seals:	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>		Corrected Temperature:					Zn Acetate+NaOH: Zn
Total Containers:	20							NaOH+Ascorbic Acid: SAPC
Sample Identification		Date	Soil	Water	Grab/Comp	# of Cont	Sample Comments	
1	S-1 (0-1.0')	3/21/2024	X		G	1	X	
2	S-1 (1.5')	3/21/2024	X		G	1	X	
3	S-1 (2.0')	3/21/2024	X		G	1	X	
4	S-1 (3.0')	3/21/2024	X		G	1	X	
5	S-2 (0-1.0')	3/21/2024	X		G	1	X	
6	S-2 (1.5')	3/21/2024	X		G	1	X	
7	S-2 (2.0')	3/21/2024	X		G	1	X	
8	S-2 (3.0')	3/21/2024	X		G	1	X	
9	S-3 (0-1.0')	3/21/2024	X		G	1	X	
10	S-3 (1.5')	3/21/2024	X		G	1	X	

Comments: Email to Mike Carmona / mcarmona@carmonaresources.com and Conner Moehring / Cmoehring@carmonaresources.com

Relinquished by: (Signature)	<i>Michael Wells</i>	Date/Time	3/25/24/11:35
Received by: (Signature)	<i>Shirley Wells</i>	Date/Time	



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

January 28, 2026

CONNER MOEHRING
CARMONA RESOURCES
310 W WALL ST, SUITE 500
MIDLAND, TX 79701

RE: CONVOY BOOSTER RELEASE

Enclosed are the results of analyses for samples received by the laboratory on 01/27/26 13:22.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C25-00101. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Celey D. Keene".

Celey D. Keene
Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

CARMONA RESOURCES
 CONNER MOEHRING
 310 W WALL ST, SUITE 500
 MIDLAND TX, 79701
 Fax To:

Received:	01/27/2026	Sampling Date:	01/27/2026
Reported:	01/28/2026	Sampling Type:	Soil
Project Name:	CONVOY BOOSTER RELEASE	Sampling Condition:	Cool & Intact
Project Number:	2313	Sample Received By:	Tamara Oldaker
Project Location:	EOG - LEA COUNTY, NEW MEXICO		

Sample ID: CS - 15 (4') (H260482-01)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/27/2026	ND	2.23	112	2.00	2.77	
Toluene*	<0.050	0.050	01/27/2026	ND	2.26	113	2.00	1.00	
Ethylbenzene*	<0.050	0.050	01/27/2026	ND	2.38	119	2.00	4.57	
Total Xylenes*	<0.150	0.150	01/27/2026	ND	7.23	121	6.00	5.78	
Total BTEX	<0.300	0.300	01/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 113 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	144	16.0	01/27/2026	ND	416	104	400	3.92	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/27/2026	ND	178	88.9	200	9.47	
DRO >C10-C28*	<10.0	10.0	01/27/2026	ND	197	98.6	200	9.19	
EXT DRO >C28-C36	<10.0	10.0	01/27/2026	ND					

Surrogate: 1-Chlorooctane 94.8 % 52.4-130

Surrogate: 1-Chlorooctadecane 92.7 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

CARMONA RESOURCES
 CONNER MOEHRING
 310 W WALL ST, SUITE 500
 MIDLAND TX, 79701
 Fax To:

Received:	01/27/2026	Sampling Date:	01/27/2026
Reported:	01/28/2026	Sampling Type:	Soil
Project Name:	CONVOY BOOSTER RELEASE	Sampling Condition:	Cool & Intact
Project Number:	2313	Sample Received By:	Tamara Oldaker
Project Location:	EOG - LEA COUNTY, NEW MEXICO		

Sample ID: CS - 16 (4') (H260482-02)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/27/2026	ND	2.23	112	2.00	2.77	
Toluene*	<0.050	0.050	01/27/2026	ND	2.26	113	2.00	1.00	
Ethylbenzene*	<0.050	0.050	01/27/2026	ND	2.38	119	2.00	4.57	
Total Xylenes*	<0.150	0.150	01/27/2026	ND	7.23	121	6.00	5.78	
Total BTEX	<0.300	0.300	01/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 112 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	192	16.0	01/27/2026	ND	416	104	400	3.92	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/27/2026	ND	178	88.9	200	9.47	
DRO >C10-C28*	<10.0	10.0	01/27/2026	ND	197	98.6	200	9.19	
EXT DRO >C28-C36	<10.0	10.0	01/27/2026	ND					

Surrogate: 1-Chlorooctane 98.4 % 52.4-130

Surrogate: 1-Chlorooctadecane 97.6 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

CARMONA RESOURCES
 CONNER MOEHRING
 310 W WALL ST, SUITE 500
 MIDLAND TX, 79701
 Fax To:

Received:	01/27/2026	Sampling Date:	01/27/2026
Reported:	01/28/2026	Sampling Type:	Soil
Project Name:	CONVOY BOOSTER RELEASE	Sampling Condition:	Cool & Intact
Project Number:	2313	Sample Received By:	Tamara Oldaker
Project Location:	EOG - LEA COUNTY, NEW MEXICO		

Sample ID: CS - 17 (4') (H260482-03)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/27/2026	ND	2.23	112	2.00	2.77	
Toluene*	<0.050	0.050	01/27/2026	ND	2.26	113	2.00	1.00	
Ethylbenzene*	<0.050	0.050	01/27/2026	ND	2.38	119	2.00	4.57	
Total Xylenes*	<0.150	0.150	01/27/2026	ND	7.23	121	6.00	5.78	
Total BTEX	<0.300	0.300	01/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 112 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	192	16.0	01/27/2026	ND	416	104	400	3.92	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/27/2026	ND	178	88.9	200	9.47	
DRO >C10-C28*	<10.0	10.0	01/27/2026	ND	197	98.6	200	9.19	
EXT DRO >C28-C36	<10.0	10.0	01/27/2026	ND					

Surrogate: 1-Chlorooctane 101 % 52.4-130

Surrogate: 1-Chlorooctadecane 99.6 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

CARMONA RESOURCES
 CONNER MOEHRING
 310 W WALL ST, SUITE 500
 MIDLAND TX, 79701
 Fax To:

Received:	01/27/2026	Sampling Date:	01/27/2026
Reported:	01/28/2026	Sampling Type:	Soil
Project Name:	CONVOY BOOSTER RELEASE	Sampling Condition:	Cool & Intact
Project Number:	2313	Sample Received By:	Tamara Oldaker
Project Location:	EOG - LEA COUNTY, NEW MEXICO		

Sample ID: CS - 18 (4') (H260482-04)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/27/2026	ND	2.23	112	2.00	2.77	
Toluene*	<0.050	0.050	01/27/2026	ND	2.26	113	2.00	1.00	
Ethylbenzene*	<0.050	0.050	01/27/2026	ND	2.38	119	2.00	4.57	
Total Xylenes*	<0.150	0.150	01/27/2026	ND	7.23	121	6.00	5.78	
Total BTEX	<0.300	0.300	01/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 111 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	192	16.0	01/27/2026	ND	416	104	400	3.92	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/27/2026	ND	224	112	200	0.396	
DRO >C10-C28*	<10.0	10.0	01/27/2026	ND	196	98.0	200	1.68	
EXT DRO >C28-C36	<10.0	10.0	01/27/2026	ND					

Surrogate: 1-Chlorooctane 122 % 52.4-130

Surrogate: 1-Chlorooctadecane 116 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

CARMONA RESOURCES
 CONNER MOEHRING
 310 W WALL ST, SUITE 500
 MIDLAND TX, 79701
 Fax To:

Received:	01/27/2026	Sampling Date:	01/27/2026
Reported:	01/28/2026	Sampling Type:	Soil
Project Name:	CONVOY BOOSTER RELEASE	Sampling Condition:	Cool & Intact
Project Number:	2313	Sample Received By:	Tamara Oldaker
Project Location:	EOG - LEA COUNTY, NEW MEXICO		

Sample ID: CS - 19 (3') (H260482-05)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/27/2026	ND	2.23	112	2.00	2.77	
Toluene*	<0.050	0.050	01/27/2026	ND	2.26	113	2.00	1.00	
Ethylbenzene*	<0.050	0.050	01/27/2026	ND	2.38	119	2.00	4.57	
Total Xylenes*	<0.150	0.150	01/27/2026	ND	7.23	121	6.00	5.78	
Total BTEX	<0.300	0.300	01/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 114 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	160	16.0	01/27/2026	ND	416	104	400	3.92	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/27/2026	ND	224	112	200	0.396	
DRO >C10-C28*	<10.0	10.0	01/27/2026	ND	196	98.0	200	1.68	
EXT DRO >C28-C36	<10.0	10.0	01/27/2026	ND					

Surrogate: 1-Chlorooctane 122 % 52.4-130

Surrogate: 1-Chlorooctadecane 117 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

CARMONA RESOURCES
 CONNER MOEHRING
 310 W WALL ST, SUITE 500
 MIDLAND TX, 79701
 Fax To:

Received:	01/27/2026	Sampling Date:	01/27/2026
Reported:	01/28/2026	Sampling Type:	Soil
Project Name:	CONVOY BOOSTER RELEASE	Sampling Condition:	Cool & Intact
Project Number:	2313	Sample Received By:	Tamara Oldaker
Project Location:	EOG - LEA COUNTY, NEW MEXICO		

Sample ID: CS - 20 (3') (H260482-06)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/27/2026	ND	2.23	112	2.00	2.77	
Toluene*	<0.050	0.050	01/27/2026	ND	2.26	113	2.00	1.00	
Ethylbenzene*	<0.050	0.050	01/27/2026	ND	2.38	119	2.00	4.57	
Total Xylenes*	<0.150	0.150	01/27/2026	ND	7.23	121	6.00	5.78	
Total BTEX	<0.300	0.300	01/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 112 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	160	16.0	01/27/2026	ND	416	104	400	3.92	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/27/2026	ND	224	112	200	0.396	
DRO >C10-C28*	<10.0	10.0	01/27/2026	ND	196	98.0	200	1.68	
EXT DRO >C28-C36	<10.0	10.0	01/27/2026	ND					

Surrogate: 1-Chlorooctane 120 % 52.4-130

Surrogate: 1-Chlorooctadecane 115 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

CARMONA RESOURCES
 CONNER MOEHRING
 310 W WALL ST, SUITE 500
 MIDLAND TX, 79701
 Fax To:

Received:	01/27/2026	Sampling Date:	01/27/2026
Reported:	01/28/2026	Sampling Type:	Soil
Project Name:	CONVOY BOOSTER RELEASE	Sampling Condition:	Cool & Intact
Project Number:	2313	Sample Received By:	Tamara Oldaker
Project Location:	EOG - LEA COUNTY, NEW MEXICO		

Sample ID: CS - 21 (3') (H260482-07)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/27/2026	ND	2.23	112	2.00	2.77	
Toluene*	<0.050	0.050	01/27/2026	ND	2.26	113	2.00	1.00	
Ethylbenzene*	<0.050	0.050	01/27/2026	ND	2.38	119	2.00	4.57	
Total Xylenes*	<0.150	0.150	01/27/2026	ND	7.23	121	6.00	5.78	
Total BTEX	<0.300	0.300	01/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 108 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	176	16.0	01/27/2026	ND	416	104	400	3.92	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/27/2026	ND	224	112	200	0.396	
DRO >C10-C28*	<10.0	10.0	01/27/2026	ND	196	98.0	200	1.68	
EXT DRO >C28-C36	<10.0	10.0	01/27/2026	ND					

Surrogate: 1-Chlorooctane 121 % 52.4-130

Surrogate: 1-Chlorooctadecane 114 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

CARMONA RESOURCES
 CONNER MOEHRING
 310 W WALL ST, SUITE 500
 MIDLAND TX, 79701
 Fax To:

Received:	01/27/2026	Sampling Date:	01/27/2026
Reported:	01/28/2026	Sampling Type:	Soil
Project Name:	CONVOY BOOSTER RELEASE	Sampling Condition:	Cool & Intact
Project Number:	2313	Sample Received By:	Tamara Oldaker
Project Location:	EOG - LEA COUNTY, NEW MEXICO		

Sample ID: CS - 22 (3') (H260482-08)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/27/2026	ND	2.23	112	2.00	2.77	
Toluene*	<0.050	0.050	01/27/2026	ND	2.26	113	2.00	1.00	
Ethylbenzene*	<0.050	0.050	01/27/2026	ND	2.38	119	2.00	4.57	
Total Xylenes*	<0.150	0.150	01/27/2026	ND	7.23	121	6.00	5.78	
Total BTEX	<0.300	0.300	01/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 107 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	144	16.0	01/27/2026	ND	416	104	400	3.92	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/27/2026	ND	224	112	200	0.396	
DRO >C10-C28*	<10.0	10.0	01/27/2026	ND	196	98.0	200	1.68	
EXT DRO >C28-C36	<10.0	10.0	01/27/2026	ND					

Surrogate: 1-Chlorooctane 116 % 52.4-130

Surrogate: 1-Chlorooctadecane 111 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

CARMONA RESOURCES
 CONNER MOEHRING
 310 W WALL ST, SUITE 500
 MIDLAND TX, 79701
 Fax To:

Received:	01/27/2026	Sampling Date:	01/27/2026
Reported:	01/28/2026	Sampling Type:	Soil
Project Name:	CONVOY BOOSTER RELEASE	Sampling Condition:	Cool & Intact
Project Number:	2313	Sample Received By:	Tamara Oldaker
Project Location:	EOG - LEA COUNTY, NEW MEXICO		

Sample ID: CS - 23 (3') (H260482-09)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/27/2026	ND	2.23	112	2.00	2.77	
Toluene*	<0.050	0.050	01/27/2026	ND	2.26	113	2.00	1.00	
Ethylbenzene*	<0.050	0.050	01/27/2026	ND	2.38	119	2.00	4.57	
Total Xylenes*	<0.150	0.150	01/27/2026	ND	7.23	121	6.00	5.78	
Total BTEX	<0.300	0.300	01/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 111 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	160	16.0	01/27/2026	ND	416	104	400	3.92	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/27/2026	ND	224	112	200	0.396	
DRO >C10-C28*	<10.0	10.0	01/27/2026	ND	196	98.0	200	1.68	
EXT DRO >C28-C36	<10.0	10.0	01/27/2026	ND					

Surrogate: 1-Chlorooctane 118 % 52.4-130

Surrogate: 1-Chlorooctadecane 113 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

CARMONA RESOURCES
 CONNER MOEHRING
 310 W WALL ST, SUITE 500
 MIDLAND TX, 79701
 Fax To:

Received:	01/27/2026	Sampling Date:	01/27/2026
Reported:	01/28/2026	Sampling Type:	Soil
Project Name:	CONVOY BOOSTER RELEASE	Sampling Condition:	Cool & Intact
Project Number:	2313	Sample Received By:	Tamara Oldaker
Project Location:	EOG - LEA COUNTY, NEW MEXICO		

Sample ID: CS - 24 (3') (H260482-10)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/27/2026	ND	2.23	112	2.00	2.77	
Toluene*	<0.050	0.050	01/27/2026	ND	2.26	113	2.00	1.00	
Ethylbenzene*	<0.050	0.050	01/27/2026	ND	2.38	119	2.00	4.57	
Total Xylenes*	<0.150	0.150	01/27/2026	ND	7.23	121	6.00	5.78	
Total BTEX	<0.300	0.300	01/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 112 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	160	16.0	01/27/2026	ND	416	104	400	3.92	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/27/2026	ND	224	112	200	0.396	
DRO >C10-C28*	<10.0	10.0	01/27/2026	ND	196	98.0	200	1.68	
EXT DRO >C28-C36	<10.0	10.0	01/27/2026	ND					

Surrogate: 1-Chlorooctane 119 % 52.4-130

Surrogate: 1-Chlorooctadecane 111 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

CARMONA RESOURCES
 CONNER MOEHRING
 310 W WALL ST, SUITE 500
 MIDLAND TX, 79701
 Fax To:

Received:	01/27/2026	Sampling Date:	01/27/2026
Reported:	01/28/2026	Sampling Type:	Soil
Project Name:	CONVOY BOOSTER RELEASE	Sampling Condition:	Cool & Intact
Project Number:	2313	Sample Received By:	Tamara Oldaker
Project Location:	EOG - LEA COUNTY, NEW MEXICO		

Sample ID: CS - 25 (3') (H260482-11)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	01/27/2026	ND	2.23	112	2.00	2.77		
Toluene*	<0.050	0.050	01/27/2026	ND	2.26	113	2.00	1.00		
Ethylbenzene*	<0.050	0.050	01/27/2026	ND	2.38	119	2.00	4.57		
Total Xylenes*	<0.150	0.150	01/27/2026	ND	7.23	121	6.00	5.78		
Total BTEX	<0.300	0.300	01/27/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 111 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	160	16.0	01/27/2026	ND	416	104	400	3.92		

TPH 8015M		mg/kg		Analyzed By: JF						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	01/27/2026	ND	224	112	200	0.396		
DRO >C10-C28*	<10.0	10.0	01/27/2026	ND	196	98.0	200	1.68		
EXT DRO >C28-C36	<10.0	10.0	01/27/2026	ND						

Surrogate: 1-Chlorooctane 104 % 52.4-130

Surrogate: 1-Chlorooctadecane 98.6 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

CARMONA RESOURCES
 CONNER MOEHRING
 310 W WALL ST, SUITE 500
 MIDLAND TX, 79701
 Fax To:

Received:	01/27/2026	Sampling Date:	01/27/2026
Reported:	01/28/2026	Sampling Type:	Soil
Project Name:	CONVOY BOOSTER RELEASE	Sampling Condition:	Cool & Intact
Project Number:	2313	Sample Received By:	Tamara Oldaker
Project Location:	EOG - LEA COUNTY, NEW MEXICO		

Sample ID: CS - 26 (3') (H260482-12)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/27/2026	ND	2.23	112	2.00	2.77	
Toluene*	<0.050	0.050	01/27/2026	ND	2.26	113	2.00	1.00	
Ethylbenzene*	<0.050	0.050	01/27/2026	ND	2.38	119	2.00	4.57	
Total Xylenes*	<0.150	0.150	01/27/2026	ND	7.23	121	6.00	5.78	
Total BTEX	<0.300	0.300	01/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 113 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	144	16.0	01/27/2026	ND	416	104	400	3.92	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/27/2026	ND	224	112	200	0.396	
DRO >C10-C28*	<10.0	10.0	01/27/2026	ND	196	98.0	200	1.68	
EXT DRO >C28-C36	<10.0	10.0	01/27/2026	ND					

Surrogate: 1-Chlorooctane 113 % 52.4-130

Surrogate: 1-Chlorooctadecane 107 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

CARMONA RESOURCES
 CONNER MOEHRING
 310 W WALL ST, SUITE 500
 MIDLAND TX, 79701
 Fax To:

Received:	01/27/2026	Sampling Date:	01/27/2026
Reported:	01/28/2026	Sampling Type:	Soil
Project Name:	CONVOY BOOSTER RELEASE	Sampling Condition:	Cool & Intact
Project Number:	2313	Sample Received By:	Tamara Oldaker
Project Location:	EOG - LEA COUNTY, NEW MEXICO		

Sample ID: CS - 27 (3') (H260482-13)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/27/2026	ND	2.23	112	2.00	2.77	
Toluene*	<0.050	0.050	01/27/2026	ND	2.26	113	2.00	1.00	
Ethylbenzene*	<0.050	0.050	01/27/2026	ND	2.38	119	2.00	4.57	
Total Xylenes*	<0.150	0.150	01/27/2026	ND	7.23	121	6.00	5.78	
Total BTEX	<0.300	0.300	01/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 113 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	176	16.0	01/27/2026	ND	416	104	400	3.92	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/27/2026	ND	224	112	200	0.396	
DRO >C10-C28*	<10.0	10.0	01/27/2026	ND	196	98.0	200	1.68	
EXT DRO >C28-C36	<10.0	10.0	01/27/2026	ND					

Surrogate: 1-Chlorooctane 114 % 52.4-130

Surrogate: 1-Chlorooctadecane 107 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

CARMONA RESOURCES
 CONNER MOEHRING
 310 W WALL ST, SUITE 500
 MIDLAND TX, 79701
 Fax To:

Received:	01/27/2026	Sampling Date:	01/27/2026
Reported:	01/28/2026	Sampling Type:	Soil
Project Name:	CONVOY BOOSTER RELEASE	Sampling Condition:	Cool & Intact
Project Number:	2313	Sample Received By:	Tamara Oldaker
Project Location:	EOG - LEA COUNTY, NEW MEXICO		

Sample ID: CS - 28 (3') (H260482-14)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/27/2026	ND	2.23	112	2.00	2.77	
Toluene*	<0.050	0.050	01/27/2026	ND	2.26	113	2.00	1.00	
Ethylbenzene*	<0.050	0.050	01/27/2026	ND	2.38	119	2.00	4.57	
Total Xylenes*	<0.150	0.150	01/27/2026	ND	7.23	121	6.00	5.78	
Total BTEX	<0.300	0.300	01/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 109 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	144	16.0	01/27/2026	ND	416	104	400	3.92	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/27/2026	ND	224	112	200	0.396	
DRO >C10-C28*	<10.0	10.0	01/27/2026	ND	196	98.0	200	1.68	
EXT DRO >C28-C36	<10.0	10.0	01/27/2026	ND					

Surrogate: 1-Chlorooctane 118 % 52.4-130

Surrogate: 1-Chlorooctadecane 112 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

CARMONA RESOURCES
 CONNER MOEHRING
 310 W WALL ST, SUITE 500
 MIDLAND TX, 79701
 Fax To:

Received:	01/27/2026	Sampling Date:	01/27/2026
Reported:	01/28/2026	Sampling Type:	Soil
Project Name:	CONVOY BOOSTER RELEASE	Sampling Condition:	Cool & Intact
Project Number:	2313	Sample Received By:	Tamara Oldaker
Project Location:	EOG - LEA COUNTY, NEW MEXICO		

Sample ID: CS - 29 (3') (H260482-15)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/27/2026	ND	2.23	112	2.00	2.77	
Toluene*	<0.050	0.050	01/27/2026	ND	2.26	113	2.00	1.00	
Ethylbenzene*	<0.050	0.050	01/27/2026	ND	2.38	119	2.00	4.57	
Total Xylenes*	<0.150	0.150	01/27/2026	ND	7.23	121	6.00	5.78	
Total BTEX	<0.300	0.300	01/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 111 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	176	16.0	01/27/2026	ND	416	104	400	3.92	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/27/2026	ND	224	112	200	0.396	
DRO >C10-C28*	<10.0	10.0	01/27/2026	ND	196	98.0	200	1.68	
EXT DRO >C28-C36	<10.0	10.0	01/27/2026	ND					

Surrogate: 1-Chlorooctane 115 % 52.4-130

Surrogate: 1-Chlorooctadecane 109 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

CARMONA RESOURCES
 CONNER MOEHRING
 310 W WALL ST, SUITE 500
 MIDLAND TX, 79701
 Fax To:

Received:	01/27/2026	Sampling Date:	01/27/2026
Reported:	01/28/2026	Sampling Type:	Soil
Project Name:	CONVOY BOOSTER RELEASE	Sampling Condition:	Cool & Intact
Project Number:	2313	Sample Received By:	Tamara Oldaker
Project Location:	EOG - LEA COUNTY, NEW MEXICO		

Sample ID: CS - 30 (3') (H260482-16)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/27/2026	ND	2.23	112	2.00	2.77	
Toluene*	<0.050	0.050	01/27/2026	ND	2.26	113	2.00	1.00	
Ethylbenzene*	<0.050	0.050	01/27/2026	ND	2.38	119	2.00	4.57	
Total Xylenes*	<0.150	0.150	01/27/2026	ND	7.23	121	6.00	5.78	
Total BTEX	<0.300	0.300	01/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 107 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	160	16.0	01/27/2026	ND	416	104	400	3.92	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/27/2026	ND	224	112	200	0.396	
DRO >C10-C28*	<10.0	10.0	01/27/2026	ND	196	98.0	200	1.68	
EXT DRO >C28-C36	<10.0	10.0	01/27/2026	ND					

Surrogate: 1-Chlorooctane 122 % 52.4-130

Surrogate: 1-Chlorooctadecane 115 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

CARMONA RESOURCES
 CONNER MOEHRING
 310 W WALL ST, SUITE 500
 MIDLAND TX, 79701
 Fax To:

Received:	01/27/2026	Sampling Date:	01/27/2026
Reported:	01/28/2026	Sampling Type:	Soil
Project Name:	CONVOY BOOSTER RELEASE	Sampling Condition:	Cool & Intact
Project Number:	2313	Sample Received By:	Tamara Oldaker
Project Location:	EOG - LEA COUNTY, NEW MEXICO		

Sample ID: CS - 31 (3') (H260482-17)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/27/2026	ND	2.23	112	2.00	2.77	
Toluene*	<0.050	0.050	01/27/2026	ND	2.26	113	2.00	1.00	
Ethylbenzene*	<0.050	0.050	01/27/2026	ND	2.38	119	2.00	4.57	
Total Xylenes*	<0.150	0.150	01/27/2026	ND	7.23	121	6.00	5.78	
Total BTEX	<0.300	0.300	01/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 110 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	176	16.0	01/27/2026	ND	416	104	400	3.92	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/27/2026	ND	224	112	200	0.396	
DRO >C10-C28*	<10.0	10.0	01/27/2026	ND	196	98.0	200	1.68	
EXT DRO >C28-C36	<10.0	10.0	01/27/2026	ND					

Surrogate: 1-Chlorooctane 117 % 52.4-130

Surrogate: 1-Chlorooctadecane 111 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

CARMONA RESOURCES
 CONNER MOEHRING
 310 W WALL ST, SUITE 500
 MIDLAND TX, 79701
 Fax To:

Received:	01/27/2026	Sampling Date:	01/27/2026
Reported:	01/28/2026	Sampling Type:	Soil
Project Name:	CONVOY BOOSTER RELEASE	Sampling Condition:	Cool & Intact
Project Number:	2313	Sample Received By:	Tamara Oldaker
Project Location:	EOG - LEA COUNTY, NEW MEXICO		

Sample ID: CS - 32 (3') (H260482-18)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/27/2026	ND	2.23	112	2.00	2.77	
Toluene*	<0.050	0.050	01/27/2026	ND	2.26	113	2.00	1.00	
Ethylbenzene*	<0.050	0.050	01/27/2026	ND	2.38	119	2.00	4.57	
Total Xylenes*	<0.150	0.150	01/27/2026	ND	7.23	121	6.00	5.78	
Total BTEX	<0.300	0.300	01/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 118 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	144	16.0	01/27/2026	ND	416	104	400	3.92	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/27/2026	ND	224	112	200	0.396	
DRO >C10-C28*	<10.0	10.0	01/27/2026	ND	196	98.0	200	1.68	
EXT DRO >C28-C36	<10.0	10.0	01/27/2026	ND					

Surrogate: 1-Chlorooctane 121 % 52.4-130

Surrogate: 1-Chlorooctadecane 114 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

CARMONA RESOURCES
 CONNER MOEHRING
 310 W WALL ST, SUITE 500
 MIDLAND TX, 79701
 Fax To:

Received:	01/27/2026	Sampling Date:	01/27/2026
Reported:	01/28/2026	Sampling Type:	Soil
Project Name:	CONVOY BOOSTER RELEASE	Sampling Condition:	Cool & Intact
Project Number:	2313	Sample Received By:	Tamara Oldaker
Project Location:	EOG - LEA COUNTY, NEW MEXICO		

Sample ID: CS - 33 (3') (H260482-19)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/27/2026	ND	2.23	112	2.00	2.77	
Toluene*	<0.050	0.050	01/27/2026	ND	2.26	113	2.00	1.00	
Ethylbenzene*	<0.050	0.050	01/27/2026	ND	2.38	119	2.00	4.57	
Total Xylenes*	<0.150	0.150	01/27/2026	ND	7.23	121	6.00	5.78	
Total BTEX	<0.300	0.300	01/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 112 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	192	16.0	01/27/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/27/2026	ND	224	112	200	0.396	
DRO >C10-C28*	<10.0	10.0	01/27/2026	ND	196	98.0	200	1.68	
EXT DRO >C28-C36	<10.0	10.0	01/27/2026	ND					

Surrogate: 1-Chlorooctane 122 % 52.4-130

Surrogate: 1-Chlorooctadecane 115 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

CARMONA RESOURCES
 CONNER MOEHRING
 310 W WALL ST, SUITE 500
 MIDLAND TX, 79701
 Fax To:

Received:	01/27/2026	Sampling Date:	01/27/2026
Reported:	01/28/2026	Sampling Type:	Soil
Project Name:	CONVOY BOOSTER RELEASE	Sampling Condition:	Cool & Intact
Project Number:	2313	Sample Received By:	Tamara Oldaker
Project Location:	EOG - LEA COUNTY, NEW MEXICO		

Sample ID: SW - 20 (4') (H260482-20)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/27/2026	ND	2.23	112	2.00	2.77	
Toluene*	<0.050	0.050	01/27/2026	ND	2.26	113	2.00	1.00	
Ethylbenzene*	<0.050	0.050	01/27/2026	ND	2.38	119	2.00	4.57	
Total Xylenes*	<0.150	0.150	01/27/2026	ND	7.23	121	6.00	5.78	
Total BTEX	<0.300	0.300	01/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 112 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	160	16.0	01/27/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/27/2026	ND	224	112	200	0.396	
DRO >C10-C28*	<10.0	10.0	01/27/2026	ND	196	98.0	200	1.68	
EXT DRO >C28-C36	<10.0	10.0	01/27/2026	ND					

Surrogate: 1-Chlorooctane 119 % 52.4-130

Surrogate: 1-Chlorooctadecane 113 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

CARMONA RESOURCES
 CONNER MOEHRING
 310 W WALL ST, SUITE 500
 MIDLAND TX, 79701
 Fax To:

Received:	01/27/2026	Sampling Date:	01/27/2026
Reported:	01/28/2026	Sampling Type:	Soil
Project Name:	CONVOY BOOSTER RELEASE	Sampling Condition:	Cool & Intact
Project Number:	2313	Sample Received By:	Tamara Oldaker
Project Location:	EOG - LEA COUNTY, NEW MEXICO		

Sample ID: SW - 21 (4') (H260482-21)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/27/2026	ND	1.92	96.0	2.00	1.39	
Toluene*	<0.050	0.050	01/27/2026	ND	1.80	90.0	2.00	2.29	
Ethylbenzene*	<0.050	0.050	01/27/2026	ND	1.78	88.9	2.00	1.56	
Total Xylenes*	<0.150	0.150	01/27/2026	ND	5.27	87.9	6.00	1.73	
Total BTEX	<0.300	0.300	01/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 98.3 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	192	16.0	01/27/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/27/2026	ND	224	112	200	0.396	
DRO >C10-C28*	<10.0	10.0	01/27/2026	ND	196	98.0	200	1.68	
EXT DRO >C28-C36	<10.0	10.0	01/27/2026	ND					

Surrogate: 1-Chlorooctane 118 % 52.4-130

Surrogate: 1-Chlorooctadecane 110 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

CARMONA RESOURCES
 CONNER MOEHRING
 310 W WALL ST, SUITE 500
 MIDLAND TX, 79701
 Fax To:

Received:	01/27/2026	Sampling Date:	01/27/2026
Reported:	01/28/2026	Sampling Type:	Soil
Project Name:	CONVOY BOOSTER RELEASE	Sampling Condition:	Cool & Intact
Project Number:	2313	Sample Received By:	Tamara Oldaker
Project Location:	EOG - LEA COUNTY, NEW MEXICO		

Sample ID: SW - 22 (4') (H260482-22)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/27/2026	ND	1.92	96.0	2.00	1.39	
Toluene*	<0.050	0.050	01/27/2026	ND	1.80	90.0	2.00	2.29	
Ethylbenzene*	<0.050	0.050	01/27/2026	ND	1.78	88.9	2.00	1.56	
Total Xylenes*	<0.150	0.150	01/27/2026	ND	5.27	87.9	6.00	1.73	
Total BTEX	<0.300	0.300	01/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 97.8 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	192	16.0	01/27/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/27/2026	ND	224	112	200	0.396	
DRO >C10-C28*	<10.0	10.0	01/27/2026	ND	196	98.0	200	1.68	
EXT DRO >C28-C36	<10.0	10.0	01/27/2026	ND					

Surrogate: 1-Chlorooctane 117 % 52.4-130

Surrogate: 1-Chlorooctadecane 110 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

CARMONA RESOURCES
 CONNER MOEHRING
 310 W WALL ST, SUITE 500
 MIDLAND TX, 79701
 Fax To:

Received:	01/27/2026	Sampling Date:	01/27/2026
Reported:	01/28/2026	Sampling Type:	Soil
Project Name:	CONVOY BOOSTER RELEASE	Sampling Condition:	Cool & Intact
Project Number:	2313	Sample Received By:	Tamara Oldaker
Project Location:	EOG - LEA COUNTY, NEW MEXICO		

Sample ID: SW - 23 (4') (H260482-23)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/27/2026	ND	1.92	96.0	2.00	1.39	
Toluene*	<0.050	0.050	01/27/2026	ND	1.80	90.0	2.00	2.29	
Ethylbenzene*	<0.050	0.050	01/27/2026	ND	1.78	88.9	2.00	1.56	
Total Xylenes*	<0.150	0.150	01/27/2026	ND	5.27	87.9	6.00	1.73	
Total BTEX	<0.300	0.300	01/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 97.0 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	192	16.0	01/27/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/28/2026	ND	224	112	200	0.396	
DRO >C10-C28*	<10.0	10.0	01/28/2026	ND	196	98.0	200	1.68	
EXT DRO >C28-C36	<10.0	10.0	01/28/2026	ND					

Surrogate: 1-Chlorooctane 114 % 52.4-130

Surrogate: 1-Chlorooctadecane 107 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

CARMONA RESOURCES
 CONNER MOEHRING
 310 W WALL ST, SUITE 500
 MIDLAND TX, 79701
 Fax To:

Received:	01/27/2026	Sampling Date:	01/27/2026
Reported:	01/28/2026	Sampling Type:	Soil
Project Name:	CONVOY BOOSTER RELEASE	Sampling Condition:	Cool & Intact
Project Number:	2313	Sample Received By:	Tamara Oldaker
Project Location:	EOG - LEA COUNTY, NEW MEXICO		

Sample ID: SW - 24 (4') (H260482-24)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/27/2026	ND	1.92	96.0	2.00	1.39	
Toluene*	<0.050	0.050	01/27/2026	ND	1.80	90.0	2.00	2.29	
Ethylbenzene*	<0.050	0.050	01/27/2026	ND	1.78	88.9	2.00	1.56	
Total Xylenes*	<0.150	0.150	01/27/2026	ND	5.27	87.9	6.00	1.73	
Total BTEX	<0.300	0.300	01/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.1 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	208	16.0	01/27/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/27/2026	ND	212	106	200	0.165	
DRO >C10-C28*	<10.0	10.0	01/27/2026	ND	193	96.4	200	4.13	
EXT DRO >C28-C36	<10.0	10.0	01/27/2026	ND					

Surrogate: 1-Chlorooctane 105 % 52.4-130

Surrogate: 1-Chlorooctadecane 103 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

CARMONA RESOURCES
 CONNER MOEHRING
 310 W WALL ST, SUITE 500
 MIDLAND TX, 79701
 Fax To:

Received:	01/27/2026	Sampling Date:	01/27/2026
Reported:	01/28/2026	Sampling Type:	Soil
Project Name:	CONVOY BOOSTER RELEASE	Sampling Condition:	Cool & Intact
Project Number:	2313	Sample Received By:	Tamara Oldaker
Project Location:	EOG - LEA COUNTY, NEW MEXICO		

Sample ID: SW - 25 (4') (H260482-25)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/27/2026	ND	1.92	96.0	2.00	1.39	
Toluene*	<0.050	0.050	01/27/2026	ND	1.80	90.0	2.00	2.29	
Ethylbenzene*	<0.050	0.050	01/27/2026	ND	1.78	88.9	2.00	1.56	
Total Xylenes*	<0.150	0.150	01/27/2026	ND	5.27	87.9	6.00	1.73	
Total BTEX	<0.300	0.300	01/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 97.7 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	192	16.0	01/27/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/27/2026	ND	212	106	200	0.165	
DRO >C10-C28*	<10.0	10.0	01/27/2026	ND	193	96.4	200	4.13	
EXT DRO >C28-C36	<10.0	10.0	01/27/2026	ND					

Surrogate: 1-Chlorooctane 103 % 52.4-130

Surrogate: 1-Chlorooctadecane 103 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

CARMONA RESOURCES
 CONNER MOEHRING
 310 W WALL ST, SUITE 500
 MIDLAND TX, 79701
 Fax To:

Received:	01/27/2026	Sampling Date:	01/27/2026
Reported:	01/28/2026	Sampling Type:	Soil
Project Name:	CONVOY BOOSTER RELEASE	Sampling Condition:	Cool & Intact
Project Number:	2313	Sample Received By:	Tamara Oldaker
Project Location:	EOG - LEA COUNTY, NEW MEXICO		

Sample ID: SW - 26 (3') (H260482-26)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/27/2026	ND	1.92	96.0	2.00	1.39	
Toluene*	<0.050	0.050	01/27/2026	ND	1.80	90.0	2.00	2.29	
Ethylbenzene*	<0.050	0.050	01/27/2026	ND	1.78	88.9	2.00	1.56	
Total Xylenes*	<0.150	0.150	01/27/2026	ND	5.27	87.9	6.00	1.73	
Total BTEX	<0.300	0.300	01/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.6 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	160	16.0	01/27/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/27/2026	ND	212	106	200	0.165	
DRO >C10-C28*	<10.0	10.0	01/27/2026	ND	193	96.4	200	4.13	
EXT DRO >C28-C36	<10.0	10.0	01/27/2026	ND					

Surrogate: 1-Chlorooctane 98.7 % 52.4-130

Surrogate: 1-Chlorooctadecane 97.1 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

CARMONA RESOURCES
 CONNER MOEHRING
 310 W WALL ST, SUITE 500
 MIDLAND TX, 79701
 Fax To:

Received:	01/27/2026	Sampling Date:	01/27/2026
Reported:	01/28/2026	Sampling Type:	Soil
Project Name:	CONVOY BOOSTER RELEASE	Sampling Condition:	Cool & Intact
Project Number:	2313	Sample Received By:	Tamara Oldaker
Project Location:	EOG - LEA COUNTY, NEW MEXICO		

Sample ID: SW - 27 (3') (H260482-27)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	01/27/2026	ND	1.92	96.0	2.00	1.39		
Toluene*	<0.050	0.050	01/27/2026	ND	1.80	90.0	2.00	2.29		
Ethylbenzene*	<0.050	0.050	01/27/2026	ND	1.78	88.9	2.00	1.56		
Total Xylenes*	<0.150	0.150	01/27/2026	ND	5.27	87.9	6.00	1.73		
Total BTEX	<0.300	0.300	01/27/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 97.5 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	176	16.0	01/27/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	01/27/2026	ND	212	106	200	0.165		
DRO >C10-C28*	<10.0	10.0	01/27/2026	ND	193	96.4	200	4.13		
EXT DRO >C28-C36	<10.0	10.0	01/27/2026	ND						

Surrogate: 1-Chlorooctane 101 % 52.4-130

Surrogate: 1-Chlorooctadecane 99.8 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

CARMONA RESOURCES
 CONNER MOEHRING
 310 W WALL ST, SUITE 500
 MIDLAND TX, 79701
 Fax To:

Received:	01/27/2026	Sampling Date:	01/27/2026
Reported:	01/28/2026	Sampling Type:	Soil
Project Name:	CONVOY BOOSTER RELEASE	Sampling Condition:	Cool & Intact
Project Number:	2313	Sample Received By:	Tamara Oldaker
Project Location:	EOG - LEA COUNTY, NEW MEXICO		

Sample ID: SW - 28 (3') (H260482-28)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/27/2026	ND	1.92	96.0	2.00	1.39	
Toluene*	<0.050	0.050	01/27/2026	ND	1.80	90.0	2.00	2.29	
Ethylbenzene*	<0.050	0.050	01/27/2026	ND	1.78	88.9	2.00	1.56	
Total Xylenes*	<0.150	0.150	01/27/2026	ND	5.27	87.9	6.00	1.73	
Total BTEX	<0.300	0.300	01/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 97.3 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	176	16.0	01/27/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/27/2026	ND	212	106	200	0.165	
DRO >C10-C28*	<10.0	10.0	01/27/2026	ND	193	96.4	200	4.13	
EXT DRO >C28-C36	<10.0	10.0	01/27/2026	ND					

Surrogate: 1-Chlorooctane 101 % 52.4-130

Surrogate: 1-Chlorooctadecane 99.2 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

CARMONA RESOURCES
 CONNER MOEHRING
 310 W WALL ST, SUITE 500
 MIDLAND TX, 79701
 Fax To:

Received:	01/27/2026	Sampling Date:	01/27/2026
Reported:	01/28/2026	Sampling Type:	Soil
Project Name:	CONVOY BOOSTER RELEASE	Sampling Condition:	Cool & Intact
Project Number:	2313	Sample Received By:	Tamara Oldaker
Project Location:	EOG - LEA COUNTY, NEW MEXICO		

Sample ID: SW - 29 (3') (H260482-29)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	01/28/2026	ND	1.92	96.0	2.00	1.39		
Toluene*	<0.050	0.050	01/28/2026	ND	1.80	90.0	2.00	2.29		
Ethylbenzene*	<0.050	0.050	01/28/2026	ND	1.78	88.9	2.00	1.56		
Total Xylenes*	<0.150	0.150	01/28/2026	ND	5.27	87.9	6.00	1.73		
Total BTEX	<0.300	0.300	01/28/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 97.8 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	176	16.0	01/27/2026	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: JF						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	01/27/2026	ND	212	106	200	0.165		
DRO >C10-C28*	<10.0	10.0	01/27/2026	ND	193	96.4	200	4.13		
EXT DRO >C28-C36	<10.0	10.0	01/27/2026	ND						

Surrogate: 1-Chlorooctane 100 % 52.4-130

Surrogate: 1-Chlorooctadecane 99.3 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

- S-05 The surrogate recovery is outside of lab established statistical control limits but still within method limits. Data is not adversely affected.
S-04 The surrogate recovery for this sample is outside of established control limits due to a sample matrix effect.
BS-3 Blank spike recovery outside of lab established statistical limits, but still within method limits. Data is not adversely affected.
ND Analyte NOT DETECTED at or above the reporting limit
RPD Relative Percent Difference
** Samples not received at proper temperature of 6°C or below.
*** Insufficient time to reach temperature.
- Chloride by SM4500Cl-B does not require samples be received at or below 6°C
Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service.

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager

Chain of Custody

Work Order No:

4360482

Page 1 of 3

Project Manager:	Conner Moehring	Bill to: (if different)	Todd Wells
Company Name:	Carmona Resources	Company Name:	EOG Resources
Address:	310 W Wall St Ste 500	Address:	5509 Champions Dr
City, State ZIP:	Midland, TX 79701	City, State ZIP:	Midland, TX 79706
Phone:	(432) 813-6823	Email:	Todd Wells@eogresources.com

Work Order Comments	
Program: UST/PST	<input type="checkbox"/> PRP <input type="checkbox"/> Brownfields <input type="checkbox"/> RC <input type="checkbox"/> Pertund
State of Project:	
Reporting Level: Level II	<input type="checkbox"/> Level III <input type="checkbox"/> ST/UST <input type="checkbox"/> RRP <input type="checkbox"/> Level IV
Deliverables: EDD	<input type="checkbox"/> ADAPT <input type="checkbox"/> Other:

Project Name:	Convoy Booster Release	Turn Around	<input type="checkbox"/> Routine <input checked="" type="checkbox"/> Rush	Press. Code		ANALYSIS REQUEST	Preservative Codes
Project Number:	2313	Due Date:	24 Hours				None: NO Cool: Cool HCL: HC H ₂ SO ₄ : H ₂ H ₃ PO ₄ : HP NaHSO ₄ : NABIS Na ₂ S ₂ O ₃ : NaSO ₃ Zn Acetate+NaOH: Zn NaOH+Ascorbic Acid: SAPC
Project Location:	Lea County, New Mexico						
Sampler's Name:	JM						
PO #:							
SAMPLE RECEIPT	Temp Blank: Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Thermometer ID:	Wet Ice: Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>				
Received Intact:	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Correction Factor:					
Cooler Custody Seals:	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Temperature Reading:					
Sample Custody Seals:	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Corrected Temperature:					
Total Containers:							

Sample Identification	Date	Soil	Water	Grab/Comp	# of Cont	Parameters	Sample Comments
1 CS-15 (4)	1/27/2026	X		Comp	1	BTEX 8021B	
2 CS-16 (4)	1/27/2026	X		Comp	1	TPH 8015M (GRO + DRO + MRO)	
3 CS-17 (4)	1/27/2026	X		Comp	1	Chloride 4500	
4 CS-18 (4)	1/27/2026	X		Comp	1		
5 CS-19 (3)	1/27/2026	X		Comp	1		
6 CS-20 (3)	1/27/2026	X		Comp	1		
7 CS-21 (3)	1/27/2026	X		Comp	1		
8 CS-22 (3)	1/27/2026	X		Comp	1		
9 CS-23 (3)	1/27/2026	X		Comp	1		
10 CS-24 (3)	1/27/2026	X		Comp	1		

Comments: Email to Mike Carmona / mcarmona@carmonarresources.com and Conner Moehring / cmoehring@carmonarresources.com

0402401K

Relinquished by: (Signature)	Date/Time	Received by: (Signature)	Date/Time
			1:37:20 1/30/26

Chain of Custody

Work Order No: 19160482

Page 2 of 3

Project Manager:	Conner Moehring	Bill to: (if different)	Todd Wells
Company Name:	Carmona Resources	Company Name:	EOG Resources
Address:	310 W Wall St Ste 500 Midland, TX 79701	Address:	5509 Champions Dr Midland, Tx 79706
City, State ZIP:	Midland, TX 79701	City, State ZIP:	Midland, Tx 79706
Phone:	(432) 813-6823	Email:	Todd Wells@eogresources.com

Program: <input checked="" type="checkbox"/> US/PTST <input type="checkbox"/> PRP <input type="checkbox"/> Brownfields <input type="checkbox"/> RC <input type="checkbox"/> Pertund	
State of Project: <input type="checkbox"/> Level II <input type="checkbox"/> Level III <input type="checkbox"/> ST/UST <input type="checkbox"/> RRP <input type="checkbox"/> Level IV	
Reporting Level: <input type="checkbox"/> Level II <input type="checkbox"/> Level III <input type="checkbox"/> ST/UST <input type="checkbox"/> RRP <input type="checkbox"/> Level IV	
Deliverables: <input type="checkbox"/> EDD <input type="checkbox"/> ADaPT <input type="checkbox"/> Other:	

Project Name:	Convoy Booster Release	Turn Around	Parameters	ANALYSIS REQUEST	Preservative Codes
Project Number:	2313	<input type="checkbox"/> Routine <input checked="" type="checkbox"/> Rush	BTEX 8021B		None: NO
Project Location:	Lea County, New Mexico	Due Date:	TPH 8015M (GRO + DRO + MRO)		Cool: Cool
Sampler's Name:	JM		Chloride 4500		DI Water: H ₂ O
PO #:					MeOH: Me
SAMPLE RECEIPT	Temp Blank: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Wet Ice: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No			HCL: HC
Received In tact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Thermometer ID:			H ₂ SO ₄ : H ₂
Cooler Custody Seals:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Correction Factor:			H ₃ PO ₄ : HP
Sample Custody Seals:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Temperature Reading:			NaHSO ₄ : NABIS
Total Containers:		Corrected Temperature:			Na ₂ S ₂ O ₅ : NaSO ₃

Sample Identification	Date	Soil	Water	Grab/Comp	# of Cont	Sample Comments
11 CS-25 (3)	1/27/2026	X		Comp	1	
12 CS-26 (3)	1/27/2026	X		Comp	1	
13 CS-27 (3)	1/27/2026	X		Comp	1	
14 CS-28 (3)	1/27/2026	X		Comp	1	
15 CS-29 (3)	1/27/2026	X		Comp	1	
16 CS-30 (3)	1/27/2026	X		Comp	1	
17 CS-31 (3)	1/27/2026	X		Comp	1	
18 CS-32 (3)	1/27/2026	X		Comp	1	
19 CS-33 (3)	1/27/2026	X		Comp	1	
20 SW-20 (4)	1/27/2026	X		Comp	1	

Comments: Email to Mike Carmona / Mcarmona@carmonaresources.com and Conner Moehring / Cmoehring@carmonaresources.com

0402401K

Relinquished by: (Signature)	Date/Time	Received by: (Signature)	Date/Time
			1-27-26
			1:32

Chain of Custody

Work Order No:

4200482

Page 3 of 3

Project Manager:	Conner Moehring	Bill to: (if different)	Todd Wells
Company Name:	Carmona Resources	Company Name:	EOG Resources
Address:	310 W Wall St Ste 500	Address:	5509 Champions Dr
City, State ZIP:	Midland, TX 79701	City, State ZIP:	Midland, TX 79706
Phone:	(432) 813-6823	Email:	Todd.Wells@eogresources.com

Work Order Comments	
Program: UST/PST	<input type="checkbox"/> PRP <input type="checkbox"/> Rowfields <input type="checkbox"/> JRC <input type="checkbox"/> Pertund
State of Project:	
Reporting Level:	<input type="checkbox"/> Level II <input type="checkbox"/> Level III <input type="checkbox"/> ST/UST <input type="checkbox"/> RRP <input type="checkbox"/> Level IV
Deliverables:	EDD <input type="checkbox"/> ADAPT <input type="checkbox"/> Other:

Project Name:	Convoy Booster Release	Turn Around	<input type="checkbox"/> Routine <input checked="" type="checkbox"/> Rush	Pass. Code		ANALYSIS REQUEST	Preservative Codes
Project Number:	2313	Due Date:	24 Hours				None: NO DI Water: H ₂ O Cool: Cool HCL: HC HNO ₃ : HN H ₂ SO ₄ : H ₂ H ₃ PO ₄ : HP NaHSO ₄ : NABIS Na ₂ S ₂ O ₅ : NaSO ₃ Zn Acetate+NaOH: Zn NaOH+Ascorbic Acid: SAPC
Project Location:	Lea County, New Mexico	Wet Ice:	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>				
Sampler's Name:	JM	Temp Blank:	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>				
PO #:		Thermometer ID:	#1146				
SAMPLE RECEIPT		Correction Factor:	10.1%				
Received In tact:	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Temperature Reading:	5.8:				
Coder Custody Seals:	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Corrected Temperature:	5.9:				
Sample Custody Seals:	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>						
Total Containers:							

Sample Identification	Date	Soil	Water	Grab/Comp	# of Cont	Parameters	Sample Comments
21 SW-21 (4)	1/27/2026	X		Comp	1	BTEX 8021B	
22 SW-22 (4)	1/27/2026	X		Comp	1	TPH 8015M (GRO + DRO + MRO)	
23 SW-23 (4)	1/27/2026	X		Comp	1	Chloride 4500	
24 SW-24 (4)	1/27/2026	X		Comp	1		
25 SW-25 (4)	1/27/2026	X		Comp	1		
26 SW-26 (3)	1/27/2026	X		Comp	1		
27 SW-27 (3)	1/27/2026	X		Comp	1		
28 SW-28 (3)	1/27/2026	X		Comp	1		
29 SW-29 (3)	1/27/2026	X		Comp	1		

Comments: Email to Mike Carmona / Mcarmona@carmonaresources.com and Conner Moehring / Cmoehring@carmonaresources.com

04024012

Relinquished by: (Signature)	Date/Time	Received by: (Signature)	Date/Time
<i>[Signature]</i>		<i>[Signature]</i>	1/27/26 <i>1320</i>



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

January 22, 2026

CONNER MOEHRING
CARMONA RESOURCES
310 W WALL ST, SUITE 500
MIDLAND, TX 79701

RE: CONVOY BOOSTER RELEASE

Enclosed are the results of analyses for samples received by the laboratory on 01/21/26 13:03.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C25-00101. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Celey D. Keene".

Celey D. Keene
Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

CARMONA RESOURCES
 CONNER MOEHRING
 310 W WALL ST, SUITE 500
 MIDLAND TX, 79701
 Fax To:

Received:	01/21/2026	Sampling Date:	01/21/2026
Reported:	01/22/2026	Sampling Type:	Soil
Project Name:	CONVOY BOOSTER RELEASE	Sampling Condition:	Cool & Intact
Project Number:	2313	Sample Received By:	Alyssa Parras
Project Location:	EOG - LEA COUNTY, NEW MEXICO		

Sample ID: CS - 1 (4') (H260387-01)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/21/2026	ND	1.90	95.1	2.00	0.994	
Toluene*	<0.050	0.050	01/21/2026	ND	1.94	97.2	2.00	0.444	
Ethylbenzene*	<0.050	0.050	01/21/2026	ND	1.94	96.9	2.00	0.604	
Total Xylenes*	<0.150	0.150	01/21/2026	ND	5.74	95.7	6.00	0.476	
Total BTEX	<0.300	0.300	01/21/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.9 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	48.0	16.0	01/22/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/21/2026	ND	173	86.5	200	1.17	
DRO >C10-C28*	11.9	10.0	01/21/2026	ND	176	87.8	200	0.342	
EXT DRO >C28-C36	<10.0	10.0	01/21/2026	ND					

Surrogate: 1-Chlorooctane 104 % 52.4-130

Surrogate: 1-Chlorooctadecane 105 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

CARMONA RESOURCES
 CONNER MOEHRING
 310 W WALL ST, SUITE 500
 MIDLAND TX, 79701
 Fax To:

Received:	01/21/2026	Sampling Date:	01/21/2026
Reported:	01/22/2026	Sampling Type:	Soil
Project Name:	CONVOY BOOSTER RELEASE	Sampling Condition:	Cool & Intact
Project Number:	2313	Sample Received By:	Alyssa Parras
Project Location:	EOG - LEA COUNTY, NEW MEXICO		

Sample ID: CS - 2 (4') (H260387-02)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/21/2026	ND	1.90	95.1	2.00	0.994	
Toluene*	<0.050	0.050	01/21/2026	ND	1.94	97.2	2.00	0.444	
Ethylbenzene*	<0.050	0.050	01/21/2026	ND	1.94	96.9	2.00	0.604	
Total Xylenes*	<0.150	0.150	01/21/2026	ND	5.74	95.7	6.00	0.476	
Total BTEX	<0.300	0.300	01/21/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.6 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	48.0	16.0	01/22/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/21/2026	ND	173	86.5	200	1.17	
DRO >C10-C28*	11.3	10.0	01/21/2026	ND	176	87.8	200	0.342	
EXT DRO >C28-C36	<10.0	10.0	01/21/2026	ND					

Surrogate: 1-Chlorooctane 115 % 52.4-130

Surrogate: 1-Chlorooctadecane 117 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

CARMONA RESOURCES
 CONNER MOEHRING
 310 W WALL ST, SUITE 500
 MIDLAND TX, 79701
 Fax To:

Received:	01/21/2026	Sampling Date:	01/21/2026
Reported:	01/22/2026	Sampling Type:	Soil
Project Name:	CONVOY BOOSTER RELEASE	Sampling Condition:	Cool & Intact
Project Number:	2313	Sample Received By:	Alyssa Parras
Project Location:	EOG - LEA COUNTY, NEW MEXICO		

Sample ID: CS - 3 (4') (H260387-03)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/21/2026	ND	1.90	95.1	2.00	0.994	
Toluene*	<0.050	0.050	01/21/2026	ND	1.94	97.2	2.00	0.444	
Ethylbenzene*	<0.050	0.050	01/21/2026	ND	1.94	96.9	2.00	0.604	
Total Xylenes*	<0.150	0.150	01/21/2026	ND	5.74	95.7	6.00	0.476	
Total BTEX	<0.300	0.300	01/21/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.6 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	48.0	16.0	01/22/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/21/2026	ND	173	86.5	200	1.17	
DRO >C10-C28*	<10.0	10.0	01/21/2026	ND	176	87.8	200	0.342	
EXT DRO >C28-C36	<10.0	10.0	01/21/2026	ND					

Surrogate: 1-Chlorooctane 112 % 52.4-130

Surrogate: 1-Chlorooctadecane 114 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

CARMONA RESOURCES
 CONNER MOEHRING
 310 W WALL ST, SUITE 500
 MIDLAND TX, 79701
 Fax To:

Received:	01/21/2026	Sampling Date:	01/21/2026
Reported:	01/22/2026	Sampling Type:	Soil
Project Name:	CONVOY BOOSTER RELEASE	Sampling Condition:	Cool & Intact
Project Number:	2313	Sample Received By:	Alyssa Parras
Project Location:	EOG - LEA COUNTY, NEW MEXICO		

Sample ID: CS - 4 (4') (H260387-04)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/21/2026	ND	1.90	95.1	2.00	0.994	
Toluene*	<0.050	0.050	01/21/2026	ND	1.94	97.2	2.00	0.444	
Ethylbenzene*	<0.050	0.050	01/21/2026	ND	1.94	96.9	2.00	0.604	
Total Xylenes*	<0.150	0.150	01/21/2026	ND	5.74	95.7	6.00	0.476	
Total BTEX	<0.300	0.300	01/21/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.0 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	48.0	16.0	01/22/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/21/2026	ND	173	86.5	200	1.17	
DRO >C10-C28*	<10.0	10.0	01/21/2026	ND	176	87.8	200	0.342	
EXT DRO >C28-C36	<10.0	10.0	01/21/2026	ND					

Surrogate: 1-Chlorooctane 110 % 52.4-130

Surrogate: 1-Chlorooctadecane 112 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

CARMONA RESOURCES
 CONNER MOEHRING
 310 W WALL ST, SUITE 500
 MIDLAND TX, 79701
 Fax To:

Received:	01/21/2026	Sampling Date:	01/21/2026
Reported:	01/22/2026	Sampling Type:	Soil
Project Name:	CONVOY BOOSTER RELEASE	Sampling Condition:	Cool & Intact
Project Number:	2313	Sample Received By:	Alyssa Parras
Project Location:	EOG - LEA COUNTY, NEW MEXICO		

Sample ID: CS - 5 (4') (H260387-05)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/21/2026	ND	1.90	95.1	2.00	0.994	
Toluene*	<0.050	0.050	01/21/2026	ND	1.94	97.2	2.00	0.444	
Ethylbenzene*	<0.050	0.050	01/21/2026	ND	1.94	96.9	2.00	0.604	
Total Xylenes*	<0.150	0.150	01/21/2026	ND	5.74	95.7	6.00	0.476	
Total BTEX	<0.300	0.300	01/21/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.0 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	48.0	16.0	01/22/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/21/2026	ND	173	86.5	200	1.17	
DRO >C10-C28*	<10.0	10.0	01/21/2026	ND	176	87.8	200	0.342	
EXT DRO >C28-C36	<10.0	10.0	01/21/2026	ND					

Surrogate: 1-Chlorooctane 102 % 52.4-130

Surrogate: 1-Chlorooctadecane 104 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

CARMONA RESOURCES
 CONNER MOEHRING
 310 W WALL ST, SUITE 500
 MIDLAND TX, 79701
 Fax To:

Received:	01/21/2026	Sampling Date:	01/21/2026
Reported:	01/22/2026	Sampling Type:	Soil
Project Name:	CONVOY BOOSTER RELEASE	Sampling Condition:	Cool & Intact
Project Number:	2313	Sample Received By:	Alyssa Parras
Project Location:	EOG - LEA COUNTY, NEW MEXICO		

Sample ID: CS - 6 (4') (H260387-06)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/21/2026	ND	1.90	95.1	2.00	0.994	
Toluene*	<0.050	0.050	01/21/2026	ND	1.94	97.2	2.00	0.444	
Ethylbenzene*	<0.050	0.050	01/21/2026	ND	1.94	96.9	2.00	0.604	
Total Xylenes*	<0.150	0.150	01/21/2026	ND	5.74	95.7	6.00	0.476	
Total BTEX	<0.300	0.300	01/21/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.2 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	48.0	16.0	01/22/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/21/2026	ND	173	86.5	200	1.17	
DRO >C10-C28*	12.5	10.0	01/21/2026	ND	176	87.8	200	0.342	
EXT DRO >C28-C36	<10.0	10.0	01/21/2026	ND					

Surrogate: 1-Chlorooctane 98.5 % 52.4-130

Surrogate: 1-Chlorooctadecane 99.0 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

CARMONA RESOURCES
 CONNER MOEHRING
 310 W WALL ST, SUITE 500
 MIDLAND TX, 79701
 Fax To:

Received:	01/21/2026	Sampling Date:	01/21/2026
Reported:	01/22/2026	Sampling Type:	Soil
Project Name:	CONVOY BOOSTER RELEASE	Sampling Condition:	Cool & Intact
Project Number:	2313	Sample Received By:	Alyssa Parras
Project Location:	EOG - LEA COUNTY, NEW MEXICO		

Sample ID: CS - 7 (2') (H260387-07)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/21/2026	ND	1.90	95.1	2.00	0.994	
Toluene*	<0.050	0.050	01/21/2026	ND	1.94	97.2	2.00	0.444	
Ethylbenzene*	<0.050	0.050	01/21/2026	ND	1.94	96.9	2.00	0.604	
Total Xylenes*	<0.150	0.150	01/21/2026	ND	5.74	95.7	6.00	0.476	
Total BTEX	<0.300	0.300	01/21/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.8 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	128	16.0	01/22/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/21/2026	ND	173	86.5	200	1.17	
DRO >C10-C28*	35.5	10.0	01/21/2026	ND	176	87.8	200	0.342	
EXT DRO >C28-C36	<10.0	10.0	01/21/2026	ND					

Surrogate: 1-Chlorooctane 106 % 52.4-130

Surrogate: 1-Chlorooctadecane 107 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

CARMONA RESOURCES
 CONNER MOEHRING
 310 W WALL ST, SUITE 500
 MIDLAND TX, 79701
 Fax To:

Received:	01/21/2026	Sampling Date:	01/21/2026
Reported:	01/22/2026	Sampling Type:	Soil
Project Name:	CONVOY BOOSTER RELEASE	Sampling Condition:	Cool & Intact
Project Number:	2313	Sample Received By:	Alyssa Parras
Project Location:	EOG - LEA COUNTY, NEW MEXICO		

Sample ID: CS - 8 (2') (H260387-08)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/21/2026	ND	1.90	95.1	2.00	0.994	
Toluene*	<0.050	0.050	01/21/2026	ND	1.94	97.2	2.00	0.444	
Ethylbenzene*	<0.050	0.050	01/21/2026	ND	1.94	96.9	2.00	0.604	
Total Xylenes*	<0.150	0.150	01/21/2026	ND	5.74	95.7	6.00	0.476	
Total BTEX	<0.300	0.300	01/21/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.4 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	112	16.0	01/22/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/21/2026	ND	173	86.5	200	1.17	
DRO >C10-C28*	67.0	10.0	01/21/2026	ND	176	87.8	200	0.342	
EXT DRO >C28-C36	<10.0	10.0	01/21/2026	ND					

Surrogate: 1-Chlorooctane 104 % 52.4-130

Surrogate: 1-Chlorooctadecane 107 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

CARMONA RESOURCES
 CONNER MOEHRING
 310 W WALL ST, SUITE 500
 MIDLAND TX, 79701
 Fax To:

Received:	01/21/2026	Sampling Date:	01/21/2026
Reported:	01/22/2026	Sampling Type:	Soil
Project Name:	CONVOY BOOSTER RELEASE	Sampling Condition:	Cool & Intact
Project Number:	2313	Sample Received By:	Alyssa Parras
Project Location:	EOG - LEA COUNTY, NEW MEXICO		

Sample ID: CS - 9 (2') (H260387-09)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	01/21/2026	ND	1.90	95.1	2.00	0.994		
Toluene*	<0.050	0.050	01/21/2026	ND	1.94	97.2	2.00	0.444		
Ethylbenzene*	<0.050	0.050	01/21/2026	ND	1.94	96.9	2.00	0.604		
Total Xylenes*	<0.150	0.150	01/21/2026	ND	5.74	95.7	6.00	0.476		
Total BTEX	<0.300	0.300	01/21/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 95.6 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	48.0	16.0	01/22/2026	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	01/21/2026	ND	173	86.5	200	1.17		
DRO >C10-C28*	<10.0	10.0	01/21/2026	ND	176	87.8	200	0.342		
EXT DRO >C28-C36	<10.0	10.0	01/21/2026	ND						

Surrogate: 1-Chlorooctane 106 % 52.4-130

Surrogate: 1-Chlorooctadecane 107 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

CARMONA RESOURCES
 CONNER MOEHRING
 310 W WALL ST, SUITE 500
 MIDLAND TX, 79701
 Fax To:

Received:	01/21/2026	Sampling Date:	01/21/2026
Reported:	01/22/2026	Sampling Type:	Soil
Project Name:	CONVOY BOOSTER RELEASE	Sampling Condition:	Cool & Intact
Project Number:	2313	Sample Received By:	Alyssa Parras
Project Location:	EOG - LEA COUNTY, NEW MEXICO		

Sample ID: CS - 10 (2') (H260387-10)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/21/2026	ND	1.90	95.1	2.00	0.994	
Toluene*	<0.050	0.050	01/21/2026	ND	1.94	97.2	2.00	0.444	
Ethylbenzene*	<0.050	0.050	01/21/2026	ND	1.94	96.9	2.00	0.604	
Total Xylenes*	<0.150	0.150	01/21/2026	ND	5.74	95.7	6.00	0.476	
Total BTEX	<0.300	0.300	01/21/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.5 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	48.0	16.0	01/22/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/21/2026	ND	173	86.5	200	1.17	
DRO >C10-C28*	<10.0	10.0	01/21/2026	ND	176	87.8	200	0.342	
EXT DRO >C28-C36	<10.0	10.0	01/21/2026	ND					

Surrogate: 1-Chlorooctane 109 % 52.4-130

Surrogate: 1-Chlorooctadecane 110 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

CARMONA RESOURCES
 CONNER MOEHRING
 310 W WALL ST, SUITE 500
 MIDLAND TX, 79701
 Fax To:

Received:	01/21/2026	Sampling Date:	01/21/2026
Reported:	01/22/2026	Sampling Type:	Soil
Project Name:	CONVOY BOOSTER RELEASE	Sampling Condition:	Cool & Intact
Project Number:	2313	Sample Received By:	Alyssa Parras
Project Location:	EOG - LEA COUNTY, NEW MEXICO		

Sample ID: CS - 11 (2') (H260387-11)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/21/2026	ND	1.90	95.1	2.00	0.994	
Toluene*	<0.050	0.050	01/21/2026	ND	1.94	97.2	2.00	0.444	
Ethylbenzene*	<0.050	0.050	01/21/2026	ND	1.94	96.9	2.00	0.604	
Total Xylenes*	<0.150	0.150	01/21/2026	ND	5.74	95.7	6.00	0.476	
Total BTEX	<0.300	0.300	01/21/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.9 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	48.0	16.0	01/22/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/21/2026	ND	173	86.5	200	1.17	
DRO >C10-C28*	31.1	10.0	01/21/2026	ND	176	87.8	200	0.342	
EXT DRO >C28-C36	<10.0	10.0	01/21/2026	ND					

Surrogate: 1-Chlorooctane 98.3 % 52.4-130

Surrogate: 1-Chlorooctadecane 99.7 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

CARMONA RESOURCES
 CONNER MOEHRING
 310 W WALL ST, SUITE 500
 MIDLAND TX, 79701
 Fax To:

Received:	01/21/2026	Sampling Date:	01/21/2026
Reported:	01/22/2026	Sampling Type:	Soil
Project Name:	CONVOY BOOSTER RELEASE	Sampling Condition:	Cool & Intact
Project Number:	2313	Sample Received By:	Alyssa Parras
Project Location:	EOG - LEA COUNTY, NEW MEXICO		

Sample ID: CS - 12 (2') (H260387-12)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	01/21/2026	ND	1.90	95.1	2.00	0.994		
Toluene*	<0.050	0.050	01/21/2026	ND	1.94	97.2	2.00	0.444		
Ethylbenzene*	<0.050	0.050	01/21/2026	ND	1.94	96.9	2.00	0.604		
Total Xylenes*	<0.150	0.150	01/21/2026	ND	5.74	95.7	6.00	0.476		
Total BTEX	<0.300	0.300	01/21/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 96.4 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	48.0	16.0	01/22/2026	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	01/21/2026	ND	173	86.5	200	1.17		
DRO >C10-C28*	10.4	10.0	01/21/2026	ND	176	87.8	200	0.342		
EXT DRO >C28-C36	<10.0	10.0	01/21/2026	ND						

Surrogate: 1-Chlorooctane 107 % 52.4-130

Surrogate: 1-Chlorooctadecane 108 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

CARMONA RESOURCES
 CONNER MOEHRING
 310 W WALL ST, SUITE 500
 MIDLAND TX, 79701
 Fax To:

Received:	01/21/2026	Sampling Date:	01/21/2026
Reported:	01/22/2026	Sampling Type:	Soil
Project Name:	CONVOY BOOSTER RELEASE	Sampling Condition:	Cool & Intact
Project Number:	2313	Sample Received By:	Alyssa Parras
Project Location:	EOG - LEA COUNTY, NEW MEXICO		

Sample ID: CS - 13 (2') (H260387-13)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/21/2026	ND	1.90	95.1	2.00	0.994	
Toluene*	<0.050	0.050	01/21/2026	ND	1.94	97.2	2.00	0.444	
Ethylbenzene*	<0.050	0.050	01/21/2026	ND	1.94	96.9	2.00	0.604	
Total Xylenes*	<0.150	0.150	01/21/2026	ND	5.74	95.7	6.00	0.476	
Total BTEX	<0.300	0.300	01/21/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.8 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	48.0	16.0	01/22/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/21/2026	ND	173	86.5	200	1.17	
DRO >C10-C28*	<10.0	10.0	01/21/2026	ND	176	87.8	200	0.342	
EXT DRO >C28-C36	<10.0	10.0	01/21/2026	ND					

Surrogate: 1-Chlorooctane 105 % 52.4-130

Surrogate: 1-Chlorooctadecane 105 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

CARMONA RESOURCES
 CONNER MOEHRING
 310 W WALL ST, SUITE 500
 MIDLAND TX, 79701
 Fax To:

Received:	01/21/2026	Sampling Date:	01/21/2026
Reported:	01/22/2026	Sampling Type:	Soil
Project Name:	CONVOY BOOSTER RELEASE	Sampling Condition:	Cool & Intact
Project Number:	2313	Sample Received By:	Alyssa Parras
Project Location:	EOG - LEA COUNTY, NEW MEXICO		

Sample ID: CS - 14 (2') (H260387-14)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	01/21/2026	ND	2.09	105	2.00	4.73		
Toluene*	<0.050	0.050	01/21/2026	ND	2.00	100	2.00	7.37		
Ethylbenzene*	<0.050	0.050	01/21/2026	ND	2.13	106	2.00	5.02		
Total Xylenes*	<0.150	0.150	01/21/2026	ND	6.56	109	6.00	5.27		
Total BTEX	<0.300	0.300	01/21/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 111 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	48.0	16.0	01/22/2026	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	01/21/2026	ND	173	86.5	200	1.17		
DRO >C10-C28*	<10.0	10.0	01/21/2026	ND	176	87.8	200	0.342		
EXT DRO >C28-C36	<10.0	10.0	01/21/2026	ND						

Surrogate: 1-Chlorooctane 108 % 52.4-130

Surrogate: 1-Chlorooctadecane 108 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

CARMONA RESOURCES
 CONNER MOEHRING
 310 W WALL ST, SUITE 500
 MIDLAND TX, 79701
 Fax To:

Received:	01/21/2026	Sampling Date:	01/21/2026
Reported:	01/22/2026	Sampling Type:	Soil
Project Name:	CONVOY BOOSTER RELEASE	Sampling Condition:	Cool & Intact
Project Number:	2313	Sample Received By:	Alyssa Parras
Project Location:	EOG - LEA COUNTY, NEW MEXICO		

Sample ID: SW - 1 (4') (H260387-15)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/21/2026	ND	2.09	105	2.00	4.73	
Toluene*	<0.050	0.050	01/21/2026	ND	2.00	100	2.00	7.37	
Ethylbenzene*	<0.050	0.050	01/21/2026	ND	2.13	106	2.00	5.02	
Total Xylenes*	<0.150	0.150	01/21/2026	ND	6.56	109	6.00	5.27	
Total BTEX	<0.300	0.300	01/21/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 112 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	32.0	16.0	01/22/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/21/2026	ND	185	92.5	200	2.73	
DRO >C10-C28*	<10.0	10.0	01/21/2026	ND	174	87.0	200	0.697	
EXT DRO >C28-C36	<10.0	10.0	01/21/2026	ND					

Surrogate: 1-Chlorooctane 78.1 % 52.4-130

Surrogate: 1-Chlorooctadecane 82.7 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

CARMONA RESOURCES
 CONNER MOEHRING
 310 W WALL ST, SUITE 500
 MIDLAND TX, 79701
 Fax To:

Received:	01/21/2026	Sampling Date:	01/21/2026
Reported:	01/22/2026	Sampling Type:	Soil
Project Name:	CONVOY BOOSTER RELEASE	Sampling Condition:	Cool & Intact
Project Number:	2313	Sample Received By:	Alyssa Parras
Project Location:	EOG - LEA COUNTY, NEW MEXICO		

Sample ID: SW - 2 (4') (H260387-16)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/21/2026	ND	2.09	105	2.00	4.73	
Toluene*	<0.050	0.050	01/21/2026	ND	2.00	100	2.00	7.37	
Ethylbenzene*	<0.050	0.050	01/21/2026	ND	2.13	106	2.00	5.02	
Total Xylenes*	<0.150	0.150	01/21/2026	ND	6.56	109	6.00	5.27	
Total BTEX	<0.300	0.300	01/21/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 108 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	32.0	16.0	01/22/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/21/2026	ND	185	92.5	200	2.73	
DRO >C10-C28*	<10.0	10.0	01/21/2026	ND	174	87.0	200	0.697	
EXT DRO >C28-C36	<10.0	10.0	01/21/2026	ND					

Surrogate: 1-Chlorooctane 82.8 % 52.4-130

Surrogate: 1-Chlorooctadecane 86.9 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

CARMONA RESOURCES
 CONNER MOEHRING
 310 W WALL ST, SUITE 500
 MIDLAND TX, 79701
 Fax To:

Received:	01/21/2026	Sampling Date:	01/21/2026
Reported:	01/22/2026	Sampling Type:	Soil
Project Name:	CONVOY BOOSTER RELEASE	Sampling Condition:	Cool & Intact
Project Number:	2313	Sample Received By:	Alyssa Parras
Project Location:	EOG - LEA COUNTY, NEW MEXICO		

Sample ID: SW - 3 (4') (H260387-17)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/21/2026	ND	2.09	105	2.00	4.73	
Toluene*	<0.050	0.050	01/21/2026	ND	2.00	100	2.00	7.37	
Ethylbenzene*	<0.050	0.050	01/21/2026	ND	2.13	106	2.00	5.02	
Total Xylenes*	<0.150	0.150	01/21/2026	ND	6.56	109	6.00	5.27	
Total BTEX	<0.300	0.300	01/21/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 109 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	32.0	16.0	01/22/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/21/2026	ND	185	92.5	200	2.73	
DRO >C10-C28*	<10.0	10.0	01/21/2026	ND	174	87.0	200	0.697	
EXT DRO >C28-C36	<10.0	10.0	01/21/2026	ND					

Surrogate: 1-Chlorooctane 84.0 % 52.4-130

Surrogate: 1-Chlorooctadecane 90.5 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

CARMONA RESOURCES
 CONNER MOEHRING
 310 W WALL ST, SUITE 500
 MIDLAND TX, 79701
 Fax To:

Received:	01/21/2026	Sampling Date:	01/21/2026
Reported:	01/22/2026	Sampling Type:	Soil
Project Name:	CONVOY BOOSTER RELEASE	Sampling Condition:	Cool & Intact
Project Number:	2313	Sample Received By:	Alyssa Parras
Project Location:	EOG - LEA COUNTY, NEW MEXICO		

Sample ID: SW - 4 (4') (H260387-18)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/21/2026	ND	2.09	105	2.00	4.73	
Toluene*	<0.050	0.050	01/21/2026	ND	2.00	100	2.00	7.37	
Ethylbenzene*	<0.050	0.050	01/21/2026	ND	2.13	106	2.00	5.02	
Total Xylenes*	<0.150	0.150	01/21/2026	ND	6.56	109	6.00	5.27	
Total BTEX	<0.300	0.300	01/21/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 113 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	01/22/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/21/2026	ND	185	92.5	200	2.73	
DRO >C10-C28*	<10.0	10.0	01/21/2026	ND	174	87.0	200	0.697	
EXT DRO >C28-C36	<10.0	10.0	01/21/2026	ND					

Surrogate: 1-Chlorooctane 85.2 % 52.4-130

Surrogate: 1-Chlorooctadecane 90.8 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

CARMONA RESOURCES
 CONNER MOEHRING
 310 W WALL ST, SUITE 500
 MIDLAND TX, 79701
 Fax To:

Received:	01/21/2026	Sampling Date:	01/21/2026
Reported:	01/22/2026	Sampling Type:	Soil
Project Name:	CONVOY BOOSTER RELEASE	Sampling Condition:	Cool & Intact
Project Number:	2313	Sample Received By:	Alyssa Parras
Project Location:	EOG - LEA COUNTY, NEW MEXICO		

Sample ID: SW - 5 (4') (H260387-19)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/21/2026	ND	2.09	105	2.00	4.73	
Toluene*	<0.050	0.050	01/21/2026	ND	2.00	100	2.00	7.37	
Ethylbenzene*	<0.050	0.050	01/21/2026	ND	2.13	106	2.00	5.02	
Total Xylenes*	<0.150	0.150	01/21/2026	ND	6.56	109	6.00	5.27	
Total BTEX	<0.300	0.300	01/21/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 106 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	32.0	16.0	01/22/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/21/2026	ND	185	92.5	200	2.73	
DRO >C10-C28*	<10.0	10.0	01/21/2026	ND	174	87.0	200	0.697	
EXT DRO >C28-C36	<10.0	10.0	01/21/2026	ND					

Surrogate: 1-Chlorooctane 87.4 % 52.4-130

Surrogate: 1-Chlorooctadecane 91.0 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

CARMONA RESOURCES
 CONNER MOEHRING
 310 W WALL ST, SUITE 500
 MIDLAND TX, 79701
 Fax To:

Received:	01/21/2026	Sampling Date:	01/21/2026
Reported:	01/22/2026	Sampling Type:	Soil
Project Name:	CONVOY BOOSTER RELEASE	Sampling Condition:	Cool & Intact
Project Number:	2313	Sample Received By:	Alyssa Parras
Project Location:	EOG - LEA COUNTY, NEW MEXICO		

Sample ID: SW - 6 (4') (H260387-20)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/21/2026	ND	2.09	105	2.00	4.73	
Toluene*	<0.050	0.050	01/21/2026	ND	2.00	100	2.00	7.37	
Ethylbenzene*	<0.050	0.050	01/21/2026	ND	2.13	106	2.00	5.02	
Total Xylenes*	<0.150	0.150	01/21/2026	ND	6.56	109	6.00	5.27	
Total BTEX	<0.300	0.300	01/21/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 110 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	32.0	16.0	01/22/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/22/2026	ND	185	92.5	200	2.73	
DRO >C10-C28*	<10.0	10.0	01/22/2026	ND	174	87.0	200	0.697	
EXT DRO >C28-C36	<10.0	10.0	01/22/2026	ND					

Surrogate: 1-Chlorooctane 88.2 % 52.4-130

Surrogate: 1-Chlorooctadecane 94.2 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

CARMONA RESOURCES
 CONNER MOEHRING
 310 W WALL ST, SUITE 500
 MIDLAND TX, 79701
 Fax To:

Received:	01/21/2026	Sampling Date:	01/21/2026
Reported:	01/22/2026	Sampling Type:	Soil
Project Name:	CONVOY BOOSTER RELEASE	Sampling Condition:	Cool & Intact
Project Number:	2313	Sample Received By:	Alyssa Parras
Project Location:	EOG - LEA COUNTY, NEW MEXICO		

Sample ID: SW - 7 (4') (H260387-21)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/21/2026	ND	2.09	105	2.00	4.73	
Toluene*	<0.050	0.050	01/21/2026	ND	2.00	100	2.00	7.37	
Ethylbenzene*	<0.050	0.050	01/21/2026	ND	2.13	106	2.00	5.02	
Total Xylenes*	<0.150	0.150	01/21/2026	ND	6.56	109	6.00	5.27	
Total BTEX	<0.300	0.300	01/21/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 106 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	32.0	16.0	01/22/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/22/2026	ND	185	92.5	200	2.73	
DRO >C10-C28*	<10.0	10.0	01/22/2026	ND	174	87.0	200	0.697	
EXT DRO >C28-C36	<10.0	10.0	01/22/2026	ND					

Surrogate: 1-Chlorooctane 84.3 % 52.4-130

Surrogate: 1-Chlorooctadecane 86.7 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

CARMONA RESOURCES
 CONNER MOEHRING
 310 W WALL ST, SUITE 500
 MIDLAND TX, 79701
 Fax To:

Received:	01/21/2026	Sampling Date:	01/21/2026
Reported:	01/22/2026	Sampling Type:	Soil
Project Name:	CONVOY BOOSTER RELEASE	Sampling Condition:	Cool & Intact
Project Number:	2313	Sample Received By:	Alyssa Parras
Project Location:	EOG - LEA COUNTY, NEW MEXICO		

Sample ID: SW - 8 (4') (H260387-22)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/21/2026	ND	2.09	105	2.00	4.73	
Toluene*	<0.050	0.050	01/21/2026	ND	2.00	100	2.00	7.37	
Ethylbenzene*	<0.050	0.050	01/21/2026	ND	2.13	106	2.00	5.02	
Total Xylenes*	<0.150	0.150	01/21/2026	ND	6.56	109	6.00	5.27	
Total BTEX	<0.300	0.300	01/21/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 101 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	32.0	16.0	01/22/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/22/2026	ND	185	92.5	200	2.73	
DRO >C10-C28*	<10.0	10.0	01/22/2026	ND	174	87.0	200	0.697	
EXT DRO >C28-C36	<10.0	10.0	01/22/2026	ND					

Surrogate: 1-Chlorooctane 84.8 % 52.4-130

Surrogate: 1-Chlorooctadecane 88.7 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

CARMONA RESOURCES
 CONNER MOEHRING
 310 W WALL ST, SUITE 500
 MIDLAND TX, 79701
 Fax To:

Received:	01/21/2026	Sampling Date:	01/21/2026
Reported:	01/22/2026	Sampling Type:	Soil
Project Name:	CONVOY BOOSTER RELEASE	Sampling Condition:	Cool & Intact
Project Number:	2313	Sample Received By:	Alyssa Parras
Project Location:	EOG - LEA COUNTY, NEW MEXICO		

Sample ID: SW - 9 (2') (H260387-23)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/21/2026	ND	2.09	105	2.00	4.73	
Toluene*	<0.050	0.050	01/21/2026	ND	2.00	100	2.00	7.37	
Ethylbenzene*	<0.050	0.050	01/21/2026	ND	2.13	106	2.00	5.02	
Total Xylenes*	<0.150	0.150	01/21/2026	ND	6.56	109	6.00	5.27	
Total BTEX	<0.300	0.300	01/21/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 108 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	128	16.0	01/22/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/22/2026	ND	185	92.5	200	2.73	
DRO >C10-C28*	35.1	10.0	01/22/2026	ND	174	87.0	200	0.697	
EXT DRO >C28-C36	<10.0	10.0	01/22/2026	ND					

Surrogate: 1-Chlorooctane 85.7 % 52.4-130

Surrogate: 1-Chlorooctadecane 89.3 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

CARMONA RESOURCES
 CONNER MOEHRING
 310 W WALL ST, SUITE 500
 MIDLAND TX, 79701
 Fax To:

Received:	01/21/2026	Sampling Date:	01/21/2026
Reported:	01/22/2026	Sampling Type:	Soil
Project Name:	CONVOY BOOSTER RELEASE	Sampling Condition:	Cool & Intact
Project Number:	2313	Sample Received By:	Alyssa Parras
Project Location:	EOG - LEA COUNTY, NEW MEXICO		

Sample ID: SW - 10 (2') (H260387-24)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/21/2026	ND	2.09	105	2.00	4.73	
Toluene*	<0.050	0.050	01/21/2026	ND	2.00	100	2.00	7.37	
Ethylbenzene*	<0.050	0.050	01/21/2026	ND	2.13	106	2.00	5.02	
Total Xylenes*	<0.150	0.150	01/21/2026	ND	6.56	109	6.00	5.27	
Total BTEX	<0.300	0.300	01/21/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 112 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	128	16.0	01/22/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/22/2026	ND	185	92.5	200	2.73	
DRO >C10-C28*	47.2	10.0	01/22/2026	ND	174	87.0	200	0.697	
EXT DRO >C28-C36	<10.0	10.0	01/22/2026	ND					

Surrogate: 1-Chlorooctane 89.7 % 52.4-130

Surrogate: 1-Chlorooctadecane 97.4 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

CARMONA RESOURCES
 CONNER MOEHRING
 310 W WALL ST, SUITE 500
 MIDLAND TX, 79701
 Fax To:

Received:	01/21/2026	Sampling Date:	01/21/2026
Reported:	01/22/2026	Sampling Type:	Soil
Project Name:	CONVOY BOOSTER RELEASE	Sampling Condition:	Cool & Intact
Project Number:	2313	Sample Received By:	Alyssa Parras
Project Location:	EOG - LEA COUNTY, NEW MEXICO		

Sample ID: SW - 11 (2') (H260387-25)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/21/2026	ND	2.09	105	2.00	4.73	
Toluene*	<0.050	0.050	01/21/2026	ND	2.00	100	2.00	7.37	
Ethylbenzene*	<0.050	0.050	01/21/2026	ND	2.13	106	2.00	5.02	
Total Xylenes*	<0.150	0.150	01/21/2026	ND	6.56	109	6.00	5.27	
Total BTEX	<0.300	0.300	01/21/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 107 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	176	16.0	01/22/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/22/2026	ND	185	92.5	200	2.73	
DRO >C10-C28*	31.4	10.0	01/22/2026	ND	174	87.0	200	0.697	
EXT DRO >C28-C36	<10.0	10.0	01/22/2026	ND					

Surrogate: 1-Chlorooctane 81.4 % 52.4-130

Surrogate: 1-Chlorooctadecane 86.1 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

CARMONA RESOURCES
 CONNER MOEHRING
 310 W WALL ST, SUITE 500
 MIDLAND TX, 79701
 Fax To:

Received:	01/21/2026	Sampling Date:	01/21/2026
Reported:	01/22/2026	Sampling Type:	Soil
Project Name:	CONVOY BOOSTER RELEASE	Sampling Condition:	Cool & Intact
Project Number:	2313	Sample Received By:	Alyssa Parras
Project Location:	EOG - LEA COUNTY, NEW MEXICO		

Sample ID: SW - 12 (2') (H260387-26)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/21/2026	ND	2.09	105	2.00	4.73	
Toluene*	<0.050	0.050	01/21/2026	ND	2.00	100	2.00	7.37	
Ethylbenzene*	<0.050	0.050	01/21/2026	ND	2.13	106	2.00	5.02	
Total Xylenes*	<0.150	0.150	01/21/2026	ND	6.56	109	6.00	5.27	
Total BTEX	<0.300	0.300	01/21/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 105 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	112	16.0	01/22/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/22/2026	ND	185	92.5	200	2.73	
DRO >C10-C28*	31.9	10.0	01/22/2026	ND	174	87.0	200	0.697	
EXT DRO >C28-C36	<10.0	10.0	01/22/2026	ND					

Surrogate: 1-Chlorooctane 82.7 % 52.4-130

Surrogate: 1-Chlorooctadecane 90.2 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

CARMONA RESOURCES
 CONNER MOEHRING
 310 W WALL ST, SUITE 500
 MIDLAND TX, 79701
 Fax To:

Received:	01/21/2026	Sampling Date:	01/21/2026
Reported:	01/22/2026	Sampling Type:	Soil
Project Name:	CONVOY BOOSTER RELEASE	Sampling Condition:	Cool & Intact
Project Number:	2313	Sample Received By:	Alyssa Parras
Project Location:	EOG - LEA COUNTY, NEW MEXICO		

Sample ID: SW - 13 (2') (H260387-27)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/21/2026	ND	2.09	105	2.00	4.73	
Toluene*	<0.050	0.050	01/21/2026	ND	2.00	100	2.00	7.37	
Ethylbenzene*	<0.050	0.050	01/21/2026	ND	2.13	106	2.00	5.02	
Total Xylenes*	<0.150	0.150	01/21/2026	ND	6.56	109	6.00	5.27	
Total BTEX	<0.300	0.300	01/21/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 107 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	144	16.0	01/22/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/22/2026	ND	185	92.5	200	2.73	
DRO >C10-C28*	46.6	10.0	01/22/2026	ND	174	87.0	200	0.697	
EXT DRO >C28-C36	<10.0	10.0	01/22/2026	ND					

Surrogate: 1-Chlorooctane 74.2 % 52.4-130

Surrogate: 1-Chlorooctadecane 78.7 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

CARMONA RESOURCES
 CONNER MOEHRING
 310 W WALL ST, SUITE 500
 MIDLAND TX, 79701
 Fax To:

Received:	01/21/2026	Sampling Date:	01/21/2026
Reported:	01/22/2026	Sampling Type:	Soil
Project Name:	CONVOY BOOSTER RELEASE	Sampling Condition:	Cool & Intact
Project Number:	2313	Sample Received By:	Alyssa Parras
Project Location:	EOG - LEA COUNTY, NEW MEXICO		

Sample ID: SW - 14 (2') (H260387-28)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/21/2026	ND	2.09	105	2.00	4.73	
Toluene*	<0.050	0.050	01/21/2026	ND	2.00	100	2.00	7.37	
Ethylbenzene*	<0.050	0.050	01/21/2026	ND	2.13	106	2.00	5.02	
Total Xylenes*	<0.150	0.150	01/21/2026	ND	6.56	109	6.00	5.27	
Total BTEX	<0.300	0.300	01/21/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 107 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	128	16.0	01/22/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/22/2026	ND	185	92.5	200	2.73	
DRO >C10-C28*	25.8	10.0	01/22/2026	ND	174	87.0	200	0.697	
EXT DRO >C28-C36	<10.0	10.0	01/22/2026	ND					

Surrogate: 1-Chlorooctane 78.5 % 52.4-130

Surrogate: 1-Chlorooctadecane 83.2 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

CARMONA RESOURCES
 CONNER MOEHRING
 310 W WALL ST, SUITE 500
 MIDLAND TX, 79701
 Fax To:

Received:	01/21/2026	Sampling Date:	01/21/2026
Reported:	01/22/2026	Sampling Type:	Soil
Project Name:	CONVOY BOOSTER RELEASE	Sampling Condition:	Cool & Intact
Project Number:	2313	Sample Received By:	Alyssa Parras
Project Location:	EOG - LEA COUNTY, NEW MEXICO		

Sample ID: SW - 15 (2') (H260387-29)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/21/2026	ND	2.09	105	2.00	4.73	
Toluene*	<0.050	0.050	01/21/2026	ND	2.00	100	2.00	7.37	
Ethylbenzene*	<0.050	0.050	01/21/2026	ND	2.13	106	2.00	5.02	
Total Xylenes*	<0.150	0.150	01/21/2026	ND	6.56	109	6.00	5.27	
Total BTEX	<0.300	0.300	01/21/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 109 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	128	16.0	01/22/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/22/2026	ND	185	92.5	200	2.73	
DRO >C10-C28*	61.8	10.0	01/22/2026	ND	174	87.0	200	0.697	
EXT DRO >C28-C36	<10.0	10.0	01/22/2026	ND					

Surrogate: 1-Chlorooctane 85.4 % 52.4-130

Surrogate: 1-Chlorooctadecane 98.3 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

CARMONA RESOURCES
 CONNER MOEHRING
 310 W WALL ST, SUITE 500
 MIDLAND TX, 79701
 Fax To:

Received:	01/21/2026	Sampling Date:	01/21/2026
Reported:	01/22/2026	Sampling Type:	Soil
Project Name:	CONVOY BOOSTER RELEASE	Sampling Condition:	Cool & Intact
Project Number:	2313	Sample Received By:	Alyssa Parras
Project Location:	EOG - LEA COUNTY, NEW MEXICO		

Sample ID: SW - 16 (2') (H260387-30)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/21/2026	ND	2.09	105	2.00	4.73	
Toluene*	<0.050	0.050	01/21/2026	ND	2.00	100	2.00	7.37	
Ethylbenzene*	<0.050	0.050	01/21/2026	ND	2.13	106	2.00	5.02	
Total Xylenes*	<0.150	0.150	01/21/2026	ND	6.56	109	6.00	5.27	
Total BTEX	<0.300	0.300	01/21/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 104 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	112	16.0	01/22/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/22/2026	ND	185	92.5	200	2.73	
DRO >C10-C28*	23.4	10.0	01/22/2026	ND	174	87.0	200	0.697	
EXT DRO >C28-C36	<10.0	10.0	01/22/2026	ND					

Surrogate: 1-Chlorooctane 79.6 % 52.4-130

Surrogate: 1-Chlorooctadecane 86.6 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

CARMONA RESOURCES
 CONNER MOEHRING
 310 W WALL ST, SUITE 500
 MIDLAND TX, 79701
 Fax To:

Received:	01/21/2026	Sampling Date:	01/21/2026
Reported:	01/22/2026	Sampling Type:	Soil
Project Name:	CONVOY BOOSTER RELEASE	Sampling Condition:	Cool & Intact
Project Number:	2313	Sample Received By:	Alyssa Parras
Project Location:	EOG - LEA COUNTY, NEW MEXICO		

Sample ID: SW - 17 (2') (H260387-31)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/21/2026	ND	2.09	105	2.00	4.73	
Toluene*	<0.050	0.050	01/21/2026	ND	2.00	100	2.00	7.37	
Ethylbenzene*	<0.050	0.050	01/21/2026	ND	2.13	106	2.00	5.02	
Total Xylenes*	<0.150	0.150	01/21/2026	ND	6.56	109	6.00	5.27	
Total BTEX	<0.300	0.300	01/21/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 105 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	128	16.0	01/22/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/22/2026	ND	185	92.5	200	2.73	
DRO >C10-C28*	34.9	10.0	01/22/2026	ND	174	87.0	200	0.697	
EXT DRO >C28-C36	<10.0	10.0	01/22/2026	ND					

Surrogate: 1-Chlorooctane 71.0 % 52.4-130

Surrogate: 1-Chlorooctadecane 79.5 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

CARMONA RESOURCES
 CONNER MOEHRING
 310 W WALL ST, SUITE 500
 MIDLAND TX, 79701
 Fax To:

Received:	01/21/2026	Sampling Date:	01/21/2026
Reported:	01/22/2026	Sampling Type:	Soil
Project Name:	CONVOY BOOSTER RELEASE	Sampling Condition:	Cool & Intact
Project Number:	2313	Sample Received By:	Alyssa Parras
Project Location:	EOG - LEA COUNTY, NEW MEXICO		

Sample ID: SW - 18 (2') (H260387-32)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/21/2026	ND	2.09	105	2.00	4.73	
Toluene*	<0.050	0.050	01/21/2026	ND	2.00	100	2.00	7.37	
Ethylbenzene*	<0.050	0.050	01/21/2026	ND	2.13	106	2.00	5.02	
Total Xylenes*	<0.150	0.150	01/21/2026	ND	6.56	109	6.00	5.27	
Total BTEX	<0.300	0.300	01/21/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 110 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	112	16.0	01/22/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/22/2026	ND	185	92.5	200	2.73	
DRO >C10-C28*	32.7	10.0	01/22/2026	ND	174	87.0	200	0.697	
EXT DRO >C28-C36	<10.0	10.0	01/22/2026	ND					

Surrogate: 1-Chlorooctane 81.2 % 52.4-130

Surrogate: 1-Chlorooctadecane 90.1 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

CARMONA RESOURCES
 CONNER MOEHRING
 310 W WALL ST, SUITE 500
 MIDLAND TX, 79701
 Fax To:

Received:	01/21/2026	Sampling Date:	01/21/2026
Reported:	01/22/2026	Sampling Type:	Soil
Project Name:	CONVOY BOOSTER RELEASE	Sampling Condition:	Cool & Intact
Project Number:	2313	Sample Received By:	Alyssa Parras
Project Location:	EOG - LEA COUNTY, NEW MEXICO		

Sample ID: SW - 19 (2') (H260387-33)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	01/21/2026	ND	2.09	105	2.00	4.73		
Toluene*	<0.050	0.050	01/21/2026	ND	2.00	100	2.00	7.37		
Ethylbenzene*	<0.050	0.050	01/21/2026	ND	2.13	106	2.00	5.02		
Total Xylenes*	<0.150	0.150	01/21/2026	ND	6.56	109	6.00	5.27		
Total BTEX	<0.300	0.300	01/21/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 111 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	112	16.0	01/22/2026	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	01/22/2026	ND	185	92.5	200	2.73		
DRO >C10-C28*	35.4	10.0	01/22/2026	ND	174	87.0	200	0.697		
EXT DRO >C28-C36	<10.0	10.0	01/22/2026	ND						

Surrogate: 1-Chlorooctane 82.3 % 52.4-130

Surrogate: 1-Chlorooctadecane 90.1 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

- ND Analyte NOT DETECTED at or above the reporting limit
- RPD Relative Percent Difference
- ** Samples not received at proper temperature of 6°C or below.
- *** Insufficient time to reach temperature.
- Chloride by SM4500Cl-B does not require samples be received at or below 6°C
Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager

Chain of Custody

Work Order No: HAL00357

Page 1 of 4

Project Manager:	Conner Moehring	Bill to: (if different)	Todd Wells
Company Name:	Carmona Resources	Company Name:	EOG Resources
Address:	310 W Wall St Ste 500	Address:	5509 Champions Dr
City, State ZIP:	Midland, TX 79701	City, State ZIP:	Midland, TX 79706
Phone:	(432) 813-6823	Email:	Todd.Wells@eogresources.com

Program:	UST/PST	<input type="checkbox"/> PRP	<input type="checkbox"/> Brownfields	<input type="checkbox"/> RC	<input type="checkbox"/> Jperfund
State of Project:	Reporting Level II	<input type="checkbox"/> Level III	<input type="checkbox"/> ST/UST	<input type="checkbox"/> RRP	<input type="checkbox"/> Level IV
Deliverables:	EDD	<input type="checkbox"/>	ADAPT	<input type="checkbox"/>	Other:

Project Name:	Convoy Booster Release	Turn Around	<input type="checkbox"/> Routine	<input checked="" type="checkbox"/> Rush	Pres. Code	
Project Number:	2313	Due Date:	24 Hours			
Project Location:	Lea County, New Mexico					
Sampler's Name:	JM					
PO #:						
SAMPLE RECEIPT	Temp Blank:	Yes <input checked="" type="checkbox"/> No	Wet Ice:	Yes <input checked="" type="checkbox"/> No	Parameters	
Received Infract:	Yes <input checked="" type="checkbox"/> No	Thermometer ID:	140		BTX 8021B	
Cooler Custody Seals:	Yes <input checked="" type="checkbox"/> No	Correction Factor:	10%		TPH 8015M (GRO + DRO + MRO)	
Sample Custody Seals:	Yes <input checked="" type="checkbox"/> No	Temperature Reading:	4.3		Chloride 4500	
Total Contaminants:	Yes <input checked="" type="checkbox"/> No	Corrected Temperature:	4.4			

Sample Identification	Date	Soil	Water	Grab/Comp	# of Cont	ANALYSIS REQUEST	Preservative Codes	Sample Comments
CS-1 (4)	1/21/2026	X		Comp	1	X X X X	None: NO Cool: Cool HCL: HC H ₂ SO ₄ : H ₂	DI Water, H ₂ O MeOH: Me HNO ₃ : HN NaOH: Na
CS-2 (4)	1/21/2026	X		Comp	1	X X X X	H ₃ PO ₄ : HP NaHSO ₄ : NABIS Na ₂ S ₂ O ₅ : NASO ₅	
CS-3 (4)	1/21/2026	X		Comp	1	X X X X	Zn Acetate+NaOH: Zn NaOH+Ascorbic Acid: SAPC	
CS-4 (4)	1/21/2026	X		Comp	1	X X X X		
CS-5 (4)	1/21/2026	X		Comp	1	X X X X		
CS-6 (4)	1/21/2026	X		Comp	1	X X X X		
CS-7 (2)	1/21/2026	X		Comp	1	X X X X		
CS-8 (2)	1/21/2026	X		Comp	1	X X X X		
CS-9 (2)	1/21/2026	X		Comp	1	X X X X		
CS-10 (2)	1/21/2026	X		Comp	1	X X X X		

Comments: Email to Mike Carmona / Mcarmona@carmonaresources.com and Conner Moehring / Cmoehring@carmonaresources.com

040911K

Relinquished by: (Signature)

Date/Time

Received by: (Signature)

Date/Time

oparva

1-31-2026

1303



Environment Testing

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

ANALYTICAL REPORT

PREPARED FOR

Attn: Conner Moehring
 Carmona Resources
 310 W Wall St
 Ste 500
 Midland, Texas 79701

Generated 1/31/2026 3:38:44 PM

JOB DESCRIPTION

Lex Pipeline Riser
 3022

JOB NUMBER

880-67459-1

Eurofins Midland
 1211 W. Florida Ave
 Midland TX 79701



Eurofins Midland

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

Analytical test results meet all requirements of the associated regulatory program (i.e., NELAC (TNI), DoD, and ISO 17025) unless otherwise noted under the individual analysis.

Authorization



Generated
1/31/2026 3:38:44 PM

Authorized for release by
Jessica Kramer, Project Manager
Jessica.Kramer@et.eurofinsus.com
(432)704-5440

Client: Carmona Resources
Project/Site: Lex Pipeline Riser

Laboratory Job ID: 880-67459-1
SDG: 3022

Table of Contents

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	5
Client Sample Results	6
Surrogate Summary	7
QC Sample Results	8
QC Association Summary	12
Lab Chronicle	14
Certification Summary	15
Method Summary	16
Sample Summary	17
Chain of Custody	18
Receipt Checklists	19

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Definitions/Glossary

Client: Carmona Resources
Project/Site: Lex Pipeline Riser

Job ID: 880-67459-1
SDG: 3022

Qualifiers

GC VOA

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

GC Semi VOA

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

HPLC/IC

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: Carmona Resources
Project: Lex Pipeline Riser

Job ID: 880-67459-1

Job ID: 880-67459-1

Eurofins Midland

Job Narrative 880-67459-1

The analytical test results presented in this report meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page, unless otherwise noted. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable. Regulated compliance samples (e.g. SDWA, NPDES) must comply with associated agency requirements/permits.

- Matrix-specific batch QC (e.g., MS, MSD, SD) may not be reported when insufficient sample volume is available or when site-specific QC samples are not submitted. In such cases, a Laboratory Control Sample Duplicate (LCSD) may be analyzed to provide precision data for the batch.
- For samples analyzed using surrogate and/or isotope dilution analytes, any recoveries falling outside of established acceptance criteria are re-prepared and/or re-analyzed to confirm results, unless the deviation is due to sample dilution or otherwise explained in the case narrative.

Receipt

The sample was received on 1/27/2026 2:43 PM. Unless otherwise noted below, the sample arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 5.0°C.

GC VOA

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Diesel Range Organics

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

HPLC/IC

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Midland



Client Sample Results

Client: Carmona Resources
 Project/Site: Lex Pipeline Riser

Job ID: 880-67459-1
 SDG: 3022

Client Sample ID: Backfill

Lab Sample ID: 880-67459-1

Date Collected: 01/26/26 00:00

Matrix: Solid

Date Received: 01/27/26 14:43

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00198	U	0.00198		mg/Kg		01/29/26 15:44	01/30/26 17:03	1
Toluene	<0.00198	U	0.00198		mg/Kg		01/29/26 15:44	01/30/26 17:03	1
Ethylbenzene	<0.00198	U	0.00198		mg/Kg		01/29/26 15:44	01/30/26 17:03	1
m,p-Xylenes	<0.00396	U	0.00396		mg/Kg		01/29/26 15:44	01/30/26 17:03	1
o-Xylene	<0.00198	U	0.00198		mg/Kg		01/29/26 15:44	01/30/26 17:03	1
Xylenes, Total	<0.00396	U	0.00396		mg/Kg		01/29/26 15:44	01/30/26 17:03	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	104		70 - 130	01/29/26 15:44	01/30/26 17:03	1
1,4-Difluorobenzene (Surr)	82		70 - 130	01/29/26 15:44	01/30/26 17:03	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00396	U	0.00396		mg/Kg			01/30/26 17:03	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			01/28/26 22:53	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	49.9		mg/Kg		01/28/26 08:37	01/28/26 22:53	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		01/28/26 08:37	01/28/26 22:53	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		01/28/26 08:37	01/28/26 22:53	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane (Surr)	82		70 - 130	01/28/26 08:37	01/28/26 22:53	1
o-Terphenyl (Surr)	82		70 - 130	01/28/26 08:37	01/28/26 22:53	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<9.94	U	9.94		mg/Kg			01/28/26 09:44	1

Surrogate Summary

Client: Carmona Resources
Project/Site: Lex Pipeline Riser

Job ID: 880-67459-1
SDG: 3022

Method: 8021B - Volatile Organic Compounds (GC)

Matrix: Solid

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	BFB1	DFBZ1
		(70-130)	(70-130)
880-67459-1	Backfill	104	82
880-67562-A-41-E MS	Matrix Spike	106	86
880-67562-A-41-F MSD	Matrix Spike Duplicate	110	91
LCS 880-130302/1-A	Lab Control Sample	107	88
LCSD 880-130302/2-A	Lab Control Sample Dup	103	80
MB 880-130302/5-A	Method Blank	112	76

Surrogate Legend

BFB = 4-Bromofluorobenzene (Surr)

DFBZ = 1,4-Difluorobenzene (Surr)

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Matrix: Solid

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	1CO1	OTPH1
		(70-130)	(70-130)
880-67459-1	Backfill	82	82
880-67459-1 MS	Backfill	117	100
880-67459-1 MSD	Backfill	118	102
LCS 880-130035/2-A	Lab Control Sample	93	88
LCSD 880-130035/3-A	Lab Control Sample Dup	93	87
MB 880-130035/1-A	Method Blank	102	100

Surrogate Legend

1CO = 1-Chlorooctane (Surr)

OTPH = o-Terphenyl (Surr)

QC Sample Results

Client: Carmona Resources
 Project/Site: Lex Pipeline Riser

Job ID: 880-67459-1
 SDG: 3022

Method: 8021B - Volatile Organic Compounds (GC)

Lab Sample ID: MB 880-130302/5-A
 Matrix: Solid
 Analysis Batch: 130325

Client Sample ID: Method Blank
 Prep Type: Total/NA
 Prep Batch: 130302

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		01/29/26 15:44	01/30/26 11:00	1
Toluene	<0.00200	U	0.00200		mg/Kg		01/29/26 15:44	01/30/26 11:00	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		01/29/26 15:44	01/30/26 11:00	1
m,p-Xylenes	<0.00400	U	0.00400		mg/Kg		01/29/26 15:44	01/30/26 11:00	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		01/29/26 15:44	01/30/26 11:00	1
Xylenes, Total	<0.00400	U	0.00400		mg/Kg		01/29/26 15:44	01/30/26 11:00	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	112		70 - 130	01/29/26 15:44	01/30/26 11:00	1
1,4-Difluorobenzene (Surr)	76		70 - 130	01/29/26 15:44	01/30/26 11:00	1

Lab Sample ID: LCS 880-130302/1-A
 Matrix: Solid
 Analysis Batch: 130325

Client Sample ID: Lab Control Sample
 Prep Type: Total/NA
 Prep Batch: 130302

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	0.100	0.1030		mg/Kg		103	70 - 130
Toluene	0.100	0.1052		mg/Kg		105	70 - 130
Ethylbenzene	0.100	0.09927		mg/Kg		99	70 - 130
m,p-Xylenes	0.200	0.1979		mg/Kg		99	70 - 130
o-Xylene	0.100	0.1021		mg/Kg		102	70 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
4-Bromofluorobenzene (Surr)	107		70 - 130
1,4-Difluorobenzene (Surr)	88		70 - 130

Lab Sample ID: LCSD 880-130302/2-A
 Matrix: Solid
 Analysis Batch: 130325

Client Sample ID: Lab Control Sample Dup
 Prep Type: Total/NA
 Prep Batch: 130302

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Benzene	0.100	0.1078		mg/Kg		108	70 - 130	5	35
Toluene	0.100	0.1060		mg/Kg		106	70 - 130	1	35
Ethylbenzene	0.100	0.09655		mg/Kg		97	70 - 130	3	35
m,p-Xylenes	0.200	0.1945		mg/Kg		97	70 - 130	2	35
o-Xylene	0.100	0.09950		mg/Kg		100	70 - 130	3	35

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
4-Bromofluorobenzene (Surr)	103		70 - 130
1,4-Difluorobenzene (Surr)	80		70 - 130

Lab Sample ID: 880-67562-A-41-E MS
 Matrix: Solid
 Analysis Batch: 130325

Client Sample ID: Matrix Spike
 Prep Type: Total/NA
 Prep Batch: 130302

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	<0.00200	U	0.100	0.1073		mg/Kg		107	70 - 130
Toluene	<0.00200	U	0.100	0.1110		mg/Kg		111	70 - 130

Eurofins Midland

QC Sample Results

Client: Carmona Resources
 Project/Site: Lex Pipeline Riser

Job ID: 880-67459-1
 SDG: 3022

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: 880-67562-A-41-E MS
 Matrix: Solid
 Analysis Batch: 130325

Client Sample ID: Matrix Spike
 Prep Type: Total/NA
 Prep Batch: 130302

Analyte	Sample	Sample	Spike	MS	MS	Unit	D	%Rec	%Rec
	Result	Qualifier		Added	Result				
Ethylbenzene	<0.00200	U	0.100	0.1024		mg/Kg		102	70 - 130
m,p-Xylenes	<0.00399	U	0.200	0.2077		mg/Kg		104	70 - 130
o-Xylene	<0.00200	U	0.100	0.1063		mg/Kg		106	70 - 130

Surrogate	MS	MS	Limits
	%Recovery	Qualifier	
4-Bromofluorobenzene (Surr)	106		70 - 130
1,4-Difluorobenzene (Surr)	86		70 - 130

Lab Sample ID: 880-67562-A-41-F MSD
 Matrix: Solid
 Analysis Batch: 130325

Client Sample ID: Matrix Spike Duplicate
 Prep Type: Total/NA
 Prep Batch: 130302

Analyte	Sample	Sample	Spike	MSD	MSD	Unit	D	%Rec	%Rec	RPD	Limit
	Result	Qualifier		Added	Result						
Benzene	<0.00200	U	0.100	0.1180		mg/Kg		118	70 - 130	9	35
Toluene	<0.00200	U	0.100	0.1170		mg/Kg		117	70 - 130	5	35
Ethylbenzene	<0.00200	U	0.100	0.1099		mg/Kg		110	70 - 130	7	35
m,p-Xylenes	<0.00399	U	0.200	0.2302		mg/Kg		115	70 - 130	10	35
o-Xylene	<0.00200	U	0.100	0.1154		mg/Kg		115	70 - 130	8	35

Surrogate	MSD	MSD	Limits
	%Recovery	Qualifier	
4-Bromofluorobenzene (Surr)	110		70 - 130
1,4-Difluorobenzene (Surr)	91		70 - 130

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Lab Sample ID: MB 880-130035/1-A
 Matrix: Solid
 Analysis Batch: 130057

Client Sample ID: Method Blank
 Prep Type: Total/NA
 Prep Batch: 130035

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		01/28/26 08:36	01/28/26 22:10	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		01/28/26 08:36	01/28/26 22:10	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		01/28/26 08:36	01/28/26 22:10	1

Surrogate	MB	MB	Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1-Chlorooctane (Surr)	102		70 - 130	01/28/26 08:36	01/28/26 22:10	1
o-Terphenyl (Surr)	100		70 - 130	01/28/26 08:36	01/28/26 22:10	1

Lab Sample ID: LCS 880-130035/2-A
 Matrix: Solid
 Analysis Batch: 130057

Client Sample ID: Lab Control Sample
 Prep Type: Total/NA
 Prep Batch: 130035

Analyte	Spike	LCS	LCS	Unit	D	%Rec	%Rec
Gasoline Range Organics (GRO)-C6-C10	1000	737.4		mg/Kg		74	70 - 130
Diesel Range Organics (Over C10-C28)	1000	932.3		mg/Kg		93	70 - 130

Eurofins Midland

QC Sample Results

Client: Carmona Resources
 Project/Site: Lex Pipeline Riser

Job ID: 880-67459-1
 SDG: 3022

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Lab Sample ID: LCS 880-130035/2-A
Matrix: Solid
Analysis Batch: 130057

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 130035

Surrogate	LCS		Limits
	%Recovery	Qualifier	
1-Chlorooctane (Surr)	93		70 - 130
o-Terphenyl (Surr)	88		70 - 130

Lab Sample ID: LCSD 880-130035/3-A
Matrix: Solid
Analysis Batch: 130057

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: 130035

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec		RPD	Limit
							Limits	RPD		
Gasoline Range Organics (GRO)-C6-C10	1000	767.9		mg/Kg		77	70 - 130	4		20
Diesel Range Organics (Over C10-C28)	1000	915.5		mg/Kg		92	70 - 130	2		20

Surrogate	LCSD		Limits
	%Recovery	Qualifier	
1-Chlorooctane (Surr)	93		70 - 130
o-Terphenyl (Surr)	87		70 - 130

Lab Sample ID: 880-67459-1 MS
Matrix: Solid
Analysis Batch: 130057

Client Sample ID: Backfill
Prep Type: Total/NA
Prep Batch: 130035

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec	
									Limits	RPD
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	999	826.1		mg/Kg		83	70 - 130	
Diesel Range Organics (Over C10-C28)	<49.9	U	999	899.1		mg/Kg		90	70 - 130	

Surrogate	MS		Limits
	%Recovery	Qualifier	
1-Chlorooctane (Surr)	117		70 - 130
o-Terphenyl (Surr)	100		70 - 130

Lab Sample ID: 880-67459-1 MSD
Matrix: Solid
Analysis Batch: 130057

Client Sample ID: Backfill
Prep Type: Total/NA
Prep Batch: 130035

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec		RPD	Limit
									Limits	RPD		
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	999	827.6		mg/Kg		83	70 - 130	0		20
Diesel Range Organics (Over C10-C28)	<49.9	U	999	918.0		mg/Kg		92	70 - 130	2		20

Surrogate	MSD		Limits
	%Recovery	Qualifier	
1-Chlorooctane (Surr)	118		70 - 130
o-Terphenyl (Surr)	102		70 - 130

QC Sample Results

Client: Carmona Resources
 Project/Site: Lex Pipeline Riser

Job ID: 880-67459-1
 SDG: 3022

Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: MB 880-130007/1-A
 Matrix: Solid
 Analysis Batch: 130008

Client Sample ID: Method Blank
 Prep Type: Soluble

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<10.0	U	10.0		mg/Kg			01/28/26 09:29	1

Lab Sample ID: LCS 880-130007/2-A
 Matrix: Solid
 Analysis Batch: 130008

Client Sample ID: Lab Control Sample
 Prep Type: Soluble

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	250	240.3		mg/Kg		96	90 - 110

Lab Sample ID: LCSD 880-130007/3-A
 Matrix: Solid
 Analysis Batch: 130008

Client Sample ID: Lab Control Sample Dup
 Prep Type: Soluble

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	250	239.6		mg/Kg		96	90 - 110	0	20

Lab Sample ID: 880-67459-1 MS
 Matrix: Solid
 Analysis Batch: 130008

Client Sample ID: Backfill
 Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	<9.94	U	249	250.0		mg/Kg		98	90 - 110

Lab Sample ID: 880-67459-1 MSD
 Matrix: Solid
 Analysis Batch: 130008

Client Sample ID: Backfill
 Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	<9.94	U	249	250.5		mg/Kg		98	90 - 110	0	20

QC Association Summary

Client: Carmona Resources
 Project/Site: Lex Pipeline Riser

Job ID: 880-67459-1
 SDG: 3022

GC VOA

Prep Batch: 130302

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-67459-1	Backfill	Total/NA	Solid	5035	
MB 880-130302/5-A	Method Blank	Total/NA	Solid	5035	
LCS 880-130302/1-A	Lab Control Sample	Total/NA	Solid	5035	
LCSD 880-130302/2-A	Lab Control Sample Dup	Total/NA	Solid	5035	
880-67562-A-41-E MS	Matrix Spike	Total/NA	Solid	5035	
880-67562-A-41-F MSD	Matrix Spike Duplicate	Total/NA	Solid	5035	

Analysis Batch: 130325

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-67459-1	Backfill	Total/NA	Solid	8021B	130302
MB 880-130302/5-A	Method Blank	Total/NA	Solid	8021B	130302
LCS 880-130302/1-A	Lab Control Sample	Total/NA	Solid	8021B	130302
LCSD 880-130302/2-A	Lab Control Sample Dup	Total/NA	Solid	8021B	130302
880-67562-A-41-E MS	Matrix Spike	Total/NA	Solid	8021B	130302
880-67562-A-41-F MSD	Matrix Spike Duplicate	Total/NA	Solid	8021B	130302

Analysis Batch: 130472

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-67459-1	Backfill	Total/NA	Solid	Total BTEX	

GC Semi VOA

Prep Batch: 130035

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-67459-1	Backfill	Total/NA	Solid	8015NM Prep	
MB 880-130035/1-A	Method Blank	Total/NA	Solid	8015NM Prep	
LCS 880-130035/2-A	Lab Control Sample	Total/NA	Solid	8015NM Prep	
LCSD 880-130035/3-A	Lab Control Sample Dup	Total/NA	Solid	8015NM Prep	
880-67459-1 MS	Backfill	Total/NA	Solid	8015NM Prep	
880-67459-1 MSD	Backfill	Total/NA	Solid	8015NM Prep	

Analysis Batch: 130057

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-67459-1	Backfill	Total/NA	Solid	8015B NM	130035
MB 880-130035/1-A	Method Blank	Total/NA	Solid	8015B NM	130035
LCS 880-130035/2-A	Lab Control Sample	Total/NA	Solid	8015B NM	130035
LCSD 880-130035/3-A	Lab Control Sample Dup	Total/NA	Solid	8015B NM	130035
880-67459-1 MS	Backfill	Total/NA	Solid	8015B NM	130035
880-67459-1 MSD	Backfill	Total/NA	Solid	8015B NM	130035

Analysis Batch: 130255

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-67459-1	Backfill	Total/NA	Solid	8015 NM	

HPLC/IC

Leach Batch: 130007

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-67459-1	Backfill	Soluble	Solid	DI Leach	
MB 880-130007/1-A	Method Blank	Soluble	Solid	DI Leach	
LCS 880-130007/2-A	Lab Control Sample	Soluble	Solid	DI Leach	
LCSD 880-130007/3-A	Lab Control Sample Dup	Soluble	Solid	DI Leach	

Eurofins Midland

QC Association Summary

Client: Carmona Resources
 Project/Site: Lex Pipeline Riser

Job ID: 880-67459-1
 SDG: 3022

HPLC/IC (Continued)

Leach Batch: 130007 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-67459-1 MS	Backfill	Soluble	Solid	DI Leach	
880-67459-1 MSD	Backfill	Soluble	Solid	DI Leach	

Analysis Batch: 130008

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-67459-1	Backfill	Soluble	Solid	300.0	130007
MB 880-130007/1-A	Method Blank	Soluble	Solid	300.0	130007
LCS 880-130007/2-A	Lab Control Sample	Soluble	Solid	300.0	130007
LCSD 880-130007/3-A	Lab Control Sample Dup	Soluble	Solid	300.0	130007
880-67459-1 MS	Backfill	Soluble	Solid	300.0	130007
880-67459-1 MSD	Backfill	Soluble	Solid	300.0	130007

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Lab Chronicle

Client: Carmona Resources
 Project/Site: Lex Pipeline Riser

Job ID: 880-67459-1
 SDG: 3022

Client Sample ID: Backfill
Date Collected: 01/26/26 00:00
Date Received: 01/27/26 14:43

Lab Sample ID: 880-67459-1
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.05 g	5 mL	130302	01/29/26 15:44	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	130325	01/30/26 17:03	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			130472	01/30/26 17:03	AJ	EET MID
Total/NA	Analysis	8015 NM		1			130255	01/28/26 22:53	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.03 g	10.00 mL	130035	01/28/26 08:37	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	130057	01/28/26 22:53	AJ	EET MID
Soluble	Leach	DI Leach			5.03 g	50 mL	130007	01/27/26 15:59	SA	EET MID
Soluble	Analysis	300.0		1			130008	01/28/26 09:44	CS	EET MID

Laboratory References:

EET MID = Eurofins Midland, 1211 W. Florida Ave, Midland, TX 79701, TEL (432)704-5440

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Accreditation/Certification Summary

Client: Carmona Resources
Project/Site: Lex Pipeline Riser

Job ID: 880-67459-1
SDG: 3022

Laboratory: Eurofins Midland

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
Texas	NELAP	T104704400	06-30-26

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

Analysis Method	Prep Method	Matrix	Analyte
8015 NM		Solid	Total TPH
Total BTEX		Solid	Total BTEX

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Method Summary

Client: Carmona Resources
 Project/Site: Lex Pipeline Riser

Job ID: 880-67459-1
 SDG: 3022

Method	Method Description	Protocol	Laboratory
8021B	Volatile Organic Compounds (GC)	SW846	EET MID
Total BTEX	Total BTEX Calculation	TAL SOP	EET MID
8015 NM	Diesel Range Organics (DRO) (GC)	SW846	EET MID
8015B NM	Diesel Range Organics (DRO) (GC)	SW846	EET MID
300.0	Anions, Ion Chromatography	EPA	EET MID
5035	Closed System Purge and Trap	SW846	EET MID
8015NM Prep	Microextraction	SW846	EET MID
DI Leach	Deionized Water Leaching Procedure	ASTM	EET MID

Protocol References:

- ASTM = ASTM International
- EPA = US Environmental Protection Agency
- SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.
- TAL SOP = TestAmerica Laboratories, Standard Operating Procedure

Laboratory References:

- EET MID = Eurofins Midland, 1211 W. Florida Ave, Midland, TX 79701, TEL (432)704-5440



Sample Summary

Client: Carmona Resources
Project/Site: Lex Pipeline Riser

Job ID: 880-67459-1
SDG: 3022

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Sample Origin
880-67459-1	Backfill	Solid	01/26/26 00:00	01/27/26 14:43	New Mexico

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Login Sample Receipt Checklist

Client: Carmona Resources

Job Number: 880-67459-1

SDG Number: 3022

Login Number: 67459

List Number: 1

Creator: Dyal, Erica

List Source: Eurofins Midland

Question	Answer	Comment
The cooler's custody seal, if present, is intact.	N/A	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	N/A	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

APPENDIX F

CARMONA RESOURCES



IPaC

U.S. Fish & Wildlife Service

IPaC resource list

This report is an automatically generated list of species and other resources such as critical habitat (collectively referred to as *trust resources*) under the U.S. Fish and Wildlife Service's (USFWS) jurisdiction that are known or expected to be on or near the project area referenced below. The list may also include trust resources that occur outside of the project area, but that could potentially be directly or indirectly affected by activities in the project area. However, determining the likelihood and extent of effects a project may have on trust resources typically requires gathering additional site-specific (e.g., vegetation/species surveys) and project-specific (e.g., magnitude and timing of proposed activities) information.

Below is a summary of the project information you provided and contact information for the USFWS office(s) with jurisdiction in the defined project area. Please read the introduction to each section that follows (Endangered Species, Migratory Birds, USFWS Facilities, and NWI Wetlands) for additional information applicable to the trust resources addressed in that section.

Project information

NAME

EOG - Convoy Booster

LOCATION

Lea County, New Mexico



DESCRIPTION

None

Local office

New Mexico Ecological Services Field Office

☎ (505) 346-2525

📅 (505) 346-2542

2105 Osuna Road Ne

Albuquerque, NM 87113-1001

NOT FOR CONSULTATION

Endangered species

This resource list is for informational purposes only and does not constitute an analysis of project level impacts.

The primary information used to generate this list is the known or expected range of each species. Additional areas of influence (AOI) for species are also considered. An AOI includes areas outside of the species range if the species could be indirectly affected by activities in that area (e.g., placing a dam upstream of a fish population even if that fish does not occur at the dam site, may indirectly impact the species by reducing or eliminating water flow downstream). Because species can move, and site conditions can change, the species on this list are not guaranteed to be found on or near the project area. To fully determine any potential effects to species, additional site-specific and project-specific information is often required.

Section 7 of the Endangered Species Act **requires** Federal agencies to "request of the Secretary information whether any species which is listed or proposed to be listed may be present in the area of such proposed action" for any project that is conducted, permitted, funded, or licensed by any Federal agency. A letter from the local office and a species list which fulfills this requirement can **only** be obtained by requesting an official species list from either the Regulatory Review section in IPaC (see directions below) or from the local field office directly.

For project evaluations that require USFWS concurrence/review, please return to the IPaC website and request an official species list by doing the following:

1. Log in to IPaC.
2. Go to your My Projects list.
3. Click PROJECT HOME for this project.
4. Click REQUEST SPECIES LIST.

Listed species¹ and their critical habitats are managed by the [Ecological Services Program](#) of the U.S. Fish and Wildlife Service (USFWS) and the fisheries division of the National Oceanic and Atmospheric Administration (NOAA Fisheries²).

Species and critical habitats under the sole responsibility of NOAA Fisheries are **not** shown on this list. Please contact [NOAA Fisheries](#) for [species under their jurisdiction](#).

1. Species listed under the [Endangered Species Act](#) are threatened or endangered; IPaC also shows species that are candidates, or proposed, for listing. See the [listing status page](#) for more information. IPaC only shows species that are regulated by USFWS (see FAQ).
2. [NOAA Fisheries](#), also known as the National Marine Fisheries Service (NMFS), is an office of the National Oceanic and Atmospheric Administration within the Department of Commerce.

The following species are potentially affected by activities in this location:

Birds

NAME	STATUS
Lesser Prairie-chicken <i>Tympanuchus pallidicinctus</i> No critical habitat has been designated for this species. https://ecos.fws.gov/ecp/species/1924	Endangered
Northern Aplomado Falcon <i>Falco femoralis septentrionalis</i> No critical habitat has been designated for this species. https://ecos.fws.gov/ecp/species/1923	EXPN

Insects

NAME	STATUS
Monarch Butterfly <i>Danaus plexippus</i> Wherever found There is proposed critical habitat for this species. Your location does not overlap the critical habitat. https://ecos.fws.gov/ecp/species/9743	Proposed Threatened

Critical habitats

Potential effects to critical habitat(s) in this location must be analyzed along with the endangered species themselves.

There are no critical habitats at this location.

You are still required to determine if your project(s) may have effects on all above listed species.

Bald & Golden Eagles

Bald and Golden Eagles are protected under the Bald and Golden Eagle Protection Act ² and the Migratory Bird Treaty Act (MBTA) ¹. Any person or organization who plans or conducts activities that may result in impacts to Bald or Golden Eagles, or their nests, should follow appropriate regulations and implement required avoidance and minimization measures, as described in the various links on this page.

The [data](#) in this location indicates that no eagles have been observed in this area. This does not mean eagles are not present in your project area, especially if the area is difficult to survey. Please review the 'Steps to Take When No Results Are Returned' section of the [Supplemental Information on Migratory Birds and Eagles document](#) to determine if your project is in a poorly surveyed area. If it is, you may need to rely on other resources to determine if eagles may be present (e.g. your local FWS field office, state surveys, your own surveys).

Additional information can be found using the following links:

- Eagle Management <https://www.fws.gov/program/eagle-management>
- Measures for avoiding and minimizing impacts to birds <https://www.fws.gov/library/collections/avoiding-and-minimizing-incident-take-migratory-birds>
- Nationwide avoidance and minimization measures for birds <https://www.fws.gov/sites/default/files/documents/nationwide-standard-conservation-measures.pdf>
- Supplemental Information for Migratory Birds and Eagles in IPaC <https://www.fws.gov/media/supplemental-information-migratory-birds-and-bald-and-golden-eagles-may-occur-project-action>

Bald and Golden Eagle information is not available at this time

Bald & Golden Eagles FAQs

What does IPaC use to generate the potential presence of bald and golden eagles in my specified location?

The potential for eagle presence is derived from data provided by the [Avian Knowledge Network \(AKN\)](#). The AKN data is based on a growing collection of [survey, banding, and citizen science datasets](#) and is queried and filtered to return a list of those birds reported as occurring in the 10km grid cell(s) which your project intersects, and that have been identified as warranting special attention because they are an eagle ([Bald and Golden Eagle Protection Act](#) requirements may apply).

Proper interpretation and use of your eagle report

On the graphs provided, please look carefully at the survey effort (indicated by the black vertical line) and for the existence of the "no data" indicator (a red horizontal line). A high survey effort is the key component. If the survey effort is high, then the probability of presence score can be viewed as more dependable. In contrast, a low survey effort line or no data line (red horizontal) means a lack of data and, therefore, a lack of certainty about presence of the species. This list is not perfect; it is simply a starting point for identifying what birds have the potential to be in your project area, when they might be there, and if they might be breeding (which means nests might be present). The list and associated information help you know what to look for to confirm presence and helps guide you in knowing when to implement avoidance and minimization measures to eliminate or reduce potential impacts from your project activities or get the appropriate permits should presence be confirmed.

How do I know if eagles are breeding, wintering, or migrating in my area?

To see what part of a particular bird's range your project area falls within (i.e. breeding, wintering, migrating, or resident), you may query your location using the [RAIL Tool](#) and view the range maps provided for birds in your area at the bottom of the profiles provided for each bird in your results. If an eagle on your IPaC migratory bird species list has a breeding season associated with it (indicated by yellow vertical bars on the phenology graph in your "IPaC PROBABILITY OF PRESENCE SUMMARY" at the top of your results list), there may be nests present at some point within the timeframe specified. If "Breeds elsewhere" is indicated, then the bird likely does not breed in your project area.

Interpreting the Probability of Presence Graphs

Each green bar represents the bird's relative probability of presence in the 10km grid cell(s) your project overlaps during a particular week of the year. A taller bar indicates a higher probability of species presence. The survey effort can be used to establish a level of confidence in the presence score.

How is the probability of presence score calculated? The calculation is done in three steps:

The probability of presence for each week is calculated as the number of survey events in the week where the species was detected divided by the total number of survey events for that week. For example, if in week 12 there were 20 survey events and the Spotted Towhee was found in 5 of them, the probability of presence of the Spotted Towhee in week 12 is 0.25.

To properly present the pattern of presence across the year, the relative probability of presence is calculated. This is the probability of presence divided by the maximum probability of presence across all weeks. For example, imagine the probability of presence in week 20 for the Spotted Towhee is 0.05, and that the probability of presence at week 12 (0.25) is the maximum of any week of the year. The relative probability of presence on week 12 is $0.25/0.25 = 1$; at week 20 it is $0.05/0.25 = 0.2$.

The relative probability of presence calculated in the previous step undergoes a statistical conversion so that all possible values fall between 0 and 10, inclusive. This is the probability of presence score.

Breeding Season ()

Yellow bars denote a very liberal estimate of the time-frame inside which the bird breeds across its entire range. If there are no yellow bars shown for a bird, it does not breed in your project area.

Survey Effort ()

Vertical black lines superimposed on probability of presence bars indicate the number of surveys performed for that species in the 10km grid cell(s) your project area overlaps.

No Data ()

A week is marked as having no data if there were no survey events for that week.

Survey Timeframe

Surveys from only the last 10 years are used in order to ensure delivery of currently relevant information. The exception to this is areas off the Atlantic coast, where bird returns are based on all years of available data, since data in these areas is currently much more sparse.

Migratory birds

The Migratory Bird Treaty Act (MBTA) ¹ prohibits the take (including killing, capturing, selling, trading, and transport) of protected migratory bird species without prior [authorization](#) by the Department of Interior U.S. Fish and Wildlife Service (FWS). The incidental take of migratory birds

is the injury or death of birds that results from, but is not the purpose, of an activity. The FWS interprets the MBTA to prohibit incidental take.

1. The [Migratory Birds Treaty Act](#) of 1918.
2. The [Bald and Golden Eagle Protection Act](#) of 1940.

Additional information can be found using the following links:

- Eagle Management <https://www.fws.gov/program/eagle-management>
- Measures for avoiding and minimizing impacts to birds
<https://www.fws.gov/library/collections/avoiding-and-minimizing-incidental-take-migratory-birds>
- Nationwide avoidance and minimization measures for birds
- Supplemental Information for Migratory Birds and Eagles in IPaC
<https://www.fws.gov/media/supplemental-information-migratory-birds-and-bald-and-golden-eagles-may-occur-project-action>

Migratory bird information is not available at this time

Migratory Bird FAQs

Tell me more about avoidance and minimization measures I can implement to avoid or minimize impacts to migratory birds.

[Nationwide Avoidance & Minimization Measures for Birds](#) describes measures that can help avoid and minimize impacts to all birds at any location year-round. When birds may be breeding in the area, identifying the locations of any active nests and avoiding their destruction is one of the most effective ways to minimize impacts. To see when birds are most likely to occur and breed in your project area, view the Probability of Presence Summary. [Additional measures](#) or [permits](#) may be advisable depending on the type of activity you are conducting and the type of infrastructure or bird species present on your project site.

What does IPaC use to generate the list of migratory birds that potentially occur in my specified location?

The Migratory Bird Resource List is comprised of [Birds of Conservation Concern \(BCC\)](#) and other species that may warrant special attention in your project location, such as those listed under the Endangered Species Act or the [Bald and Golden Eagle Protection Act](#) and those species marked as "Vulnerable". See the FAQ "What are the levels of concern for migratory birds?" for more information on the levels of concern covered in the IPaC migratory bird species list.

The migratory bird list generated for your project is derived from data provided by the [Avian Knowledge Network \(AKN\)](#). The AKN data is based on a growing collection of [survey, banding, and citizen science datasets](#) and is queried and filtered to return a list of those birds reported as occurring in the 10km grid cell(s) with which your project intersects. These species have been identified as warranting special attention because they are BCC species in that area, an eagle ([Bald and Golden Eagle Protection Act](#) requirements may apply), or a species that has a particular vulnerability to offshore activities or development.

Again, the Migratory Bird Resource list includes only a subset of birds that may occur in your project area. It is not representative of all birds that may occur in your project area. To get a list of all birds potentially present in your project area, and to verify survey effort when no results present, please visit the [Rapid Avian Information Locator \(RAIL\) Tool](#).

Why are subspecies showing up on my list?

Subspecies profiles are included on the list of species present in your project area because observations in the AKN for **the species** are being detected. If the species are present, that means that the subspecies may also be present. If a subspecies shows up on your list, you may need to rely on other resources to determine if that subspecies may be present (e.g. your local FWS field office, state surveys, your own surveys).

What does IPaC use to generate the probability of presence graphs for the migratory birds potentially occurring in my specified location?

The probability of presence graphs associated with your migratory bird list are based on data provided by the [Avian Knowledge Network \(AKN\)](#). This data is derived from a growing collection of [survey, banding, and citizen science datasets](#).

Probability of presence data is continuously being updated as new and better information becomes available. To learn more about how the probability of presence graphs are produced and how to interpret them, go to the Probability of Presence Summary and then click on the "Tell me about these graphs" link.

How do I know if a bird is breeding, wintering, or migrating in my area?

To see what part of a particular bird's range your project area falls within (i.e. breeding, wintering, migrating, or resident), you may query your location using the [RAIL Tool](#) and view the range maps provided for birds in your area at the bottom of the profiles provided for each bird in your results. If a bird on your IPaC migratory bird species list has a breeding season associated with it (indicated by yellow vertical bars on the phenology graph in your "IPaC PROBABILITY OF PRESENCE SUMMARY" at the top of your results list), there may be nests present at some point within the timeframe specified. If "Breeds elsewhere" is indicated, then the bird likely does not breed in your project area.

What are the levels of concern for migratory birds?

Migratory birds delivered through IPaC fall into the following distinct categories of concern:

1. "BCC Rangewide" birds are [Birds of Conservation Concern](#) (BCC) that are of concern throughout their range anywhere within the USA (including Hawaii, the Pacific Islands, Puerto Rico, and the Virgin Islands);
2. "BCC - BCR" birds are BCCs that are of concern only in particular Bird Conservation Regions (BCRs) in the continental USA; and
3. "Non-BCC - Vulnerable" birds are not BCC species in your project area, but appear on your list either because of the [Bald and Golden Eagle Protection Act](#) requirements (for eagles) or (for non-eagles) potential susceptibilities in offshore areas from certain types of development or activities (e.g. offshore energy development or longline fishing).

Although it is important to avoid and minimize impacts to all birds, efforts should be made, in particular, to avoid and minimize impacts to the birds on this list, especially BCC species. For more information on avoidance and minimization measures you can implement to help avoid and minimize migratory bird impacts, please see the FAQ "Tell me more about avoidance and minimization measures I can implement to avoid or minimize impacts to migratory birds".

Details about birds that are potentially affected by offshore projects

For additional details about the relative occurrence and abundance of both individual bird species and groups of bird species within your project area off the Atlantic Coast, please visit the [Northeast Ocean Data Portal](#). The Portal also offers data and information about other taxa besides birds that may be helpful to you in your project review. Alternately, you may download the bird model results files underlying the portal maps through the [NOAA NCCOS Integrative Statistical Modeling and Predictive Mapping of Marine Bird Distributions and Abundance on the Atlantic Outer Continental Shelf](#) project webpage.

Proper interpretation and use of your migratory bird report

The migratory bird list generated is not a list of all birds in your project area, only a subset of birds of priority concern. To learn more about how your list is generated and see options for identifying what other birds may be in your project area, please see the FAQ "What does IPaC use to generate the migratory birds potentially occurring in my specified location". Please be aware this report provides the "probability of presence" of birds within the 10 km grid cell(s) that overlap your project; not your exact project footprint. On the graphs provided, please look carefully at the survey effort (indicated by the black vertical line) and for the existence of the "no data" indicator (a red horizontal line). A high survey effort is the key component. If the survey effort is high, then the probability of presence score can be viewed as more dependable. In contrast, a low survey effort bar or no data bar means a lack of data and, therefore, a lack of certainty about presence of the species. This list does not represent all birds present in your project area. It is simply a starting point for identifying what birds of concern have the potential to be in your project area, when they might be there, and if they might be breeding (which means nests might be present). The list and associated information help you know what to look for to confirm presence and helps guide implementation of avoidance and minimization measures to eliminate or reduce potential impacts from your project activities, should presence be confirmed. To learn more about avoidance and minimization measures, visit the FAQ "Tell me about avoidance and minimization measures I can implement to avoid or minimize impacts to migratory birds".

Interpreting the Probability of Presence Graphs

Each green bar represents the bird's relative probability of presence in the 10km grid cell(s) your project overlaps during a particular week of the year. A taller bar indicates a higher probability of species presence. The survey effort can be used to establish a level of confidence in the presence score.

How is the probability of presence score calculated? The calculation is done in three steps:

The probability of presence for each week is calculated as the number of survey events in the week where the species was detected divided by the total number of survey events for that week. For example, if in week 12 there were 20 survey events and the Spotted Towhee was found in 5 of them, the probability of presence of the Spotted Towhee in week 12 is 0.25.

To properly present the pattern of presence across the year, the relative probability of presence is calculated. This is the probability of presence divided by the maximum probability of presence across all weeks. For example, imagine the probability of presence in week 20 for the Spotted Towhee is 0.05, and that the probability of presence at week 12 (0.25) is the maximum of any week of the year. The relative probability of presence on week 12 is $0.25/0.25 = 1$; at week 20 it is $0.05/0.25 = 0.2$.

The relative probability of presence calculated in the previous step undergoes a statistical conversion so that all possible values fall between 0 and 10, inclusive. This is the probability of presence score.

Breeding Season ()

Yellow bars denote a very liberal estimate of the time-frame inside which the bird breeds across its entire range. If there are no yellow bars shown for a bird, it does not breed in your project area.

Survey Effort ()

Vertical black lines superimposed on probability of presence bars indicate the number of surveys performed for that species in the 10km grid cell(s) your project area overlaps.

No Data ()

A week is marked as having no data if there were no survey events for that week.

Survey Timeframe

Surveys from only the last 10 years are used in order to ensure delivery of currently relevant information. The exception to this is areas off the Atlantic coast, where bird returns are based on all years of available data, since data in these areas is currently much more sparse.

Facilities

National Wildlife Refuge lands

Any activity proposed on lands managed by the [National Wildlife Refuge](#) system must undergo a 'Compatibility Determination' conducted by the Refuge. Please contact the individual Refuges to discuss any questions or concerns.

There are no refuge lands at this location.

Fish hatcheries

There are no fish hatcheries at this location.

Wetlands in the National Wetlands Inventory (NWI)

Impacts to [NWI wetlands](#) and other aquatic habitats may be subject to regulation under Section 404 of the Clean Water Act, or other State/Federal statutes.

For more information please contact the Regulatory Program of the local [U.S. Army Corps of Engineers District](#).

This location did not intersect any wetlands mapped by NWI.

NOTE: This initial screening does **not** replace an on-site delineation to determine whether wetlands occur. Additional information on the NWI data is provided below.

Data limitations

The Service's objective of mapping wetlands and deepwater habitats is to produce reconnaissance level information on the location, type and size of these resources. The maps are prepared from the analysis of high altitude imagery. Wetlands are identified based on vegetation, visible hydrology and geography. A margin of error is inherent in the use of imagery; thus, detailed on-the-ground inspection of any particular site may result in revision of the wetland boundaries or classification established through image analysis.

The accuracy of image interpretation depends on the quality of the imagery, the experience of the image analysts, the amount and quality of the collateral data and the amount of ground truth verification work conducted. Metadata should be consulted to determine the date of the source imagery used and any mapping problems.

Wetlands or other mapped features may have changed since the date of the imagery or field work. There may be occasional differences in polygon boundaries or classifications between the information depicted on the map and the actual conditions on site.

Data exclusions

Certain wetland habitats are excluded from the National mapping program because of the limitations of aerial imagery as the primary data source used to detect wetlands. These habitats include seagrasses or submerged aquatic vegetation that are found in the intertidal and subtidal zones of estuaries and nearshore coastal waters. Some deepwater reef communities (coral or tubercid worm reefs) have also been excluded from the inventory. These habitats, because of their depth, go undetected by aerial imagery.

Data precautions

Federal, state, and local regulatory agencies with jurisdiction over wetlands may define and describe wetlands in a different manner than that used in this inventory. There is no attempt, in either the design or products of this inventory, to define the limits of proprietary jurisdiction of any Federal, state, or local government or to establish the geographical scope of the regulatory programs of government agencies. Persons intending to engage in activities involving modifications within or adjacent to wetland areas should seek the advice of appropriate Federal, state, or local agencies concerning specified agency regulatory programs and proprietary jurisdictions that may affect such activities.





U.S. Fish and Wildlife Service
National Wetlands Inventory




EOG - Convoy Booster






April 28, 2025

Wetlands


-  Estuarine and Marine Deepwater
-  Estuarine and Marine Wetland

-  Freshwater Emergent Wetland
-  Freshwater Forested/Shrub Wetland
-  Freshwater Pond

-  Lake
-  Other
-  Riverine



This map is for general reference only. The US Fish and Wildlife Service is not responsible for the accuracy or currentness of the base data shown on this map. All wetlands related data should be used in accordance with the layer metadata found on the Wetlands Mapper web site.

EOG - Convoy Booster




April 28, 2025

NMCHAT_2022update_20230126




Source: Esri, Maxar, Earthstar Geographics, and the GIS User Community, Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, © OpenStreetMap

EOG - Convoy Booster



4/28/2025

Potential Habitat (Planning Area Only)

 Scheer's beehive cactus

Lesser Prairie Chicken Habitat

 Isolated Population Area

World Imagery

Low Resolution 15m Imagery


High Resolution 60cm Imagery

High Resolution 30cm Imagery

Citations

9.6m Resolution Metadata

1:42,928



Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, (c) OpenStreetMap contributors, and the GIS User Community, Source: Esri, Maxar, Earthstar

BEST MANAGEMENT PRACTICES FOR LESSER PRAIRIE-CHICKEN IN NEW MEXICO

Background and Identification of Interaction with Wind Development

Lesser prairie-chicken (*Tympanuchus pallidicinctus*) is a species that is found in the southern Great Plains, including parts of Colorado, Kansas, New Mexico, Oklahoma, and Texas.¹ This species has experienced dramatic population declines throughout much of its range due to widespread conversion of native prairie to other land use, particularly agricultural and oil and gas energy development.¹ This species has been found to be “warranted but precluded” for protection under the Endangered Species Act by the United States Fish and Wildlife Service.

Lesser prairie-chickens rarely fly high enough to be at risk for collision with wind turbines; however, these prairie grouse are sensitive to habitat alteration, the presence of manmade vertical structures, and noise in its habitat. Research has shown that lesser prairie-chickens locate their nest sites further from buildings, transmission lines, and improved roads than would be expected at random.² Researchers in Oklahoma used radio telemetry to demonstrate that both greater and lesser prairie-chickens avoided crossing beneath overhead powerlines.³

Lesser prairie-chickens require large blocks of grassland, sandsage, or shinnery oak habitat to meet all of their life history requirements.⁴ Mating takes place at relatively open areas (e.g., low visual obstruction and low horizontal cover) of the prairies (called leks) where males congregate to perform a courtship dance. After mating, females will make a nest in appropriate habitat near the lek site.⁵ Appropriate nest sites have high visual obstruction and horizontal cover for concealing brooding hens. Once the chicks have hatched, they move to another part of the prairie with high amounts of bare ground for foraging, but with some residual cover for hiding from predators. Winter habitat requirements are different from other times of the year. In winter, lesser prairie-chickens require areas with high food potential including areas with seeds, residual vegetation, and waste grain. Management guidelines for lesser prairie-chickens recommend maintaining large continuous blocks of grassland for breeding habitat (4,942 acres or $\geq 2,000$ ha).⁴ Studies have suggested that the presence of vertical structures and noise can fragment large blocks of grassland, making them less suitable for lesser prairie-chickens.

State of the Science

Presently, little is known about how wind energy developments affect lesser prairie-chicken and their habitat. Areas within eastern New Mexico are currently being monitored for suitability as wind energy sites. These developments include the turbine to harness the energy, as well as access to the sites, and transmission line connections to substations or other existing power grids. Physical disturbance affected by the construction of turbines, turbine noise, and physical movement of turbines during operation have the potential to disturb nesting lesser prairie-chicken.² The effects of habitat fragmentation may indirectly affect local lesser prairie-chicken populations by decreasing the area of habitat available for nesting and brood-rearing.⁵ It is predicted that nesting and brood-rearing hens will avoid large wind turbines by at least a one-mile radius.² Fragmentation and changes in habitat structure may increase the amount of edge, which serve as lanes for terrestrial predators,⁶ and are consequently avoided by nesting prairie grouse.⁵ In addition to the effects of habitat fragmentation, prairie grouse avoidance of vertical structures⁷ and human disturbance activities may further impact lesser prairie-chicken movements and habitat use.

Best Management Practices

Conduct surveys in suitable habitat on the proposed development site and within a reasonable radius to determine presence of lesser prairie-chicken. Consult New Mexico Department of Game and Fish (NMDGF) for appropriate survey methods. Current information on locations of lesser prairie-chicken may be obtained from NMDGF and Natural Heritage New Mexico.

1. Development of proposed wind generation projects within known current range of lesser prairie-chicken should be done in close consultation with NMDGF and other appropriate wildlife agencies.

Avoid

Avoid placing wind energy development in the interior (as opposed to edge) of a large block of intact prairie within historic lesser prairie-chicken range. Where practical, place turbines on lands already altered or cultivated (such as agriculture or developed oilfields), and away from areas of intact and healthy native grasslands.

Minimize

1. Conducting site construction of wind development areas in proximity of leks outside of the breeding season (Feb 15 – July 1) may reduce habitat abandonment, in conjunction with construction and maintenance timing determined in consultation with NMDGF.⁸
2. Avoid construction activities in proximity of leks during early morning lekking periods (3:00am – 9:00am) during lekking season (Feb 15 – May 15).
3. The Federal Advisory Committee Draft Recommendations for wind energy development recommend the following: “To reduce avian collisions, place low and medium voltage connecting power lines associated with the wind energy development underground to the extent possible, unless burial of the lines is prohibitively expensive (e.g., where shallow bedrock exists) or where greater adverse impacts to biological resources would result: a. Overhead lines may be acceptable if sited away from high bird crossing locations, to the extent practicable, such as between roosting and feeding areas or between lakes, rivers, prairie grouse and sage grouse leks, and nesting habitats...” (Chapter 3, page 44; Draft Recommendations 3/2010).⁹
 - Burying these power lines will reduce the incidence of mortality of lesser prairie-chicken related to raptor predation by reducing perch availability.
4. Using a minimum amount of fencing will reduce the risk of collision-related mortality.

Conservation offsets (Mitigation)

Mitigation efforts that can benefit lesser prairie-chickens include the following:

1. Remove invasive woody vegetation such as mesquite (*Prosopis glandulosa*) in occupied lesser prairie-chicken habitat. Maintain or enhance native woody vegetation such as shinnery oak (*Quercus havardii*) or sand sage (*Artemisia filifolia*) used for nesting habitat. If woody vegetation is removed from an area adjacent to lesser prairie-chicken populations and the cleared area is maintained with periodic burning, populations can be maintained.
2. CRP – Companies may work with landowners adjacent to blocks of occupied habitat to purchase easements, replace CRP-like grasslands with native grasses, and provide for continued maintenance. Coordinate with NMDGF or Natural Resources Conservation Service regarding beneficial seed mixes.
3. CRP – Much existing CRP is low quality lesser prairie-chicken habitat because a sufficient diversity and abundance of forbs is not present. In many cases, interseeding native forbs and/or disturbance of decadent CRP may increase diversity. Plots receiving these treatments also should be secured indefinitely through an organization that specializes in easements or is a land trust, and ongoing maintenance provided.
4. Work with landowners within occupied lesser prairie-chicken habitat to implement a more wildlife-friendly long-term management plan (i.e., greater than 10 years) with a strategy to maintain the habitat in the long term. The plan should specify vegetation

conditions desired and allow ranchers to use their expertise in adjusting stocking rates, grazing system, and fire frequency to meet those conditions. Most of the rangelands within lesser prairie-chicken range are managed poorly for this species and implementation of range management plans could substantially improve lesser prairie-chicken populations.

5. Degraded rangeland within lesser prairie-chicken range may be purchased and restored to suitable habitat equivalent to the amount disturbed by the wind energy development. During acquisition, preference should be given to larger contiguous tracts and/or tracts that adjoin unfragmented habitats currently occupied by lesser prairie-chicken. An endowment should be created for each of these properties to provide the monetary resources required for regular management activities including tree removal, wildlife-friendly grazing, and periodic burning.
6. Install fence markers along fences that cross through occupied habitat in proximity of active leks.


Acknowledgments

This BMP was originally developed by the Colorado Renewables Conservation Collaborative. The BMP was adapted for New Mexico by Grant Beauprez, Biologist, New Mexico Dept. of Game and Fish. The final document was developed through the collaborative process of the NM WWC.

Additional Information and Resources Consulted

1. Collaborative Conservation Strategies for the Lesser Prairie-chicken and Sand Dune Lizard in New Mexico. Findings and Recommendations of the New Mexico LPC/SDL Working Group. 2005.
2. Robel, R.J., J. A. Harrington, Jr., C. A. Hagen, J. C. Pitman and R. R. Reker. 2004. Effect of energy development and human activity on the use of sand sagebrush habitat by lesser prairie-chickens in southwest Kansas. Transactions of the North American Wildlife and Natural Resources Conference 68.
3. Pruett, C. L., M. A. Patten and D. H. Wolfe. 2009. Avoidance behavior by prairie grouse: implications for wind energy development. Conservation Biology 23:1253-1259.
4. Hagen, C. A., B. E. Jamison, K. M. Giesen and T. Z. Riley. 2004. Guidelines for managing lesser prairie-chicken populations and their habitats. Wildlife Society Bulletin 32:69-82.
5. Pitman, J. C., C. A. Hagen, R. J. Robel, T. M. Loughin, and R. D. Applegate. 2005. Location and success of lesser prairie-chicken nests in relation to vegetation and human disturbance. Journal of Wildlife Management 69:1259-1269.
6. Kuehl, A. K. and W. R. Clark. 2002. Predator activity related to landscape features in northern Iowa. Journal of Wildlife Management 66:1224-1234.
7. Manes, R., S. A. Harmon, B. K. Overseer and R. D. Applegate. 2004. Wind energy and wildlife in the Great Plains: identification of concerns and ways to alleviate them. Proceedings of the Great Plains Wind Power and Wildlife Workshop, March 19-20, 2003, Kansas City, Missouri, USA.
8. New Mexico Department of Game and Fish. 2004. Impacts of Wind Energy Development on Wildlife.
http://www.wildlife.state.nm.us/conservation/habitat_handbook/documents/WindEnergyGuidelines.htm

Figure 1. Lesser Prairie-chicken historic and current range in New Mexico with core habitat delineated in red.




APPENDIX G


CARMONA RESOURCES



Soil Map—Lea County, New Mexico




Soil Map may not be valid at this scale.




Soil Map—Lea County, New Mexico


MAP LEGEND

Area of Interest (AOI)

 Area of Interest (AOI)




















Soils







 Soil Map Unit Polygons

 Soil Map Unit Lines


 Soil Map Unit Points

Special Point Features






-  Blowout
-  Borrow Pit
-  Clay Spot
-  Closed Depression
-  Gravel Pit
-  Gravelly Spot
-  Landfill
-  Lava Flow
-  Marsh or swamp
-  Mine or Quarry
-  Miscellaneous Water
-  Perennial Water
-  Rock Outcrop
-  Saline Spot
-  Sandy Spot
-  Severely Eroded Spot
-  Sinkhole
-  Slide or Slip
-  Sodic Spot

-  Spoil Area
-  Stony Spot
-  Very Stony Spot
-  Wet Spot
-  Other
-  Special Line Features


Water Features

 Streams and Canals

Transportation

-  Rails
-  Interstate Highways
-  US Routes
-  Major Roads
-  Local Roads

Background

 Aerial Photography

MAP INFORMATION

The soil surveys that comprise your AOI were mapped at 1:20,000.

Warning: Soil Map may not be valid at this scale.
 Enlargement of maps beyond the scale of mapping can cause misunderstanding of the detail of mapping and accuracy of soil line placement. The maps do not show the small areas of contrasting soils that could have been shown at a more detailed scale.

Please rely on the bar scale on each map sheet for map measurements.

Source of Map: Natural Resources Conservation Service
 Web Soil Survey URL:
 Coordinate System: Web Mercator (EPSG:3857)

Maps from the Web Soil Survey are based on the Web Mercator projection, which preserves direction and shape but distorts distance and area. A projection that preserves area, such as the Albers equal-area conic projection, should be used if more accurate calculations of distance or area are required.

This product is generated from the USDA-NRCS certified data as of the version date(s) listed below.

Soil Survey Area: Lea County, New Mexico
 Survey Area Data: Version 20, Sep 6, 2023

Soil map units are labeled (as space allows) for map scales 1:50,000 or larger.

Date(s) aerial images were photographed: Feb 7, 2020—May 12, 2020

The orthophoto or other base map on which the soil lines were compiled and digitized probably differs from the background imagery displayed on these maps. As a result, some minor shifting of map unit boundaries may be evident.

Map Unit Legend

Map Unit Symbol	Map Unit Name	Acres in AOI	Percent of AOI
PY	Pyote soils and Dune land	0.9	100.0%
Totals for Area of Interest		0.9	100.0%

Map Unit Description: Pyote soils and Dune land---Lea County, New Mexico

Lea County, New Mexico

PY—Pyote soils and Dune land

Map Unit Setting

National map unit symbol: dmqr

Elevation: 3,000 to 4,400 feet

Mean annual precipitation: 10 to 15 inches

Mean annual air temperature: 60 to 64 degrees F

Frost-free period: 190 to 220 days

Farmland classification: Not prime farmland

Map Unit Composition

Pyote and similar soils: 46 percent

Dune land: 44 percent

Minor components: 10 percent

Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Pyote

Setting

Landform: Depressions

Landform position (two-dimensional): Footslope

Landform position (three-dimensional): Base slope

Down-slope shape: Concave

Across-slope shape: Concave

Parent material: Sandy eolian deposits derived from sedimentary rock

Typical profile

A - 0 to 30 inches: fine sand

Bt - 30 to 60 inches: fine sandy loam

Properties and qualities

Slope: 0 to 3 percent

Depth to restrictive feature: More than 80 inches

Drainage class: Well drained

Runoff class: Negligible

Capacity of the most limiting layer to transmit water (Ksat): High
(2.00 to 6.00 in/hr)

Depth to water table: More than 80 inches

Frequency of flooding: None

Frequency of ponding: None

Calcium carbonate, maximum content: 5 percent

Gypsum, maximum content: 1 percent

Maximum salinity: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)

Sodium adsorption ratio, maximum: 2.0

Available water supply, 0 to 60 inches: Low (about 5.1 inches)

Map Unit Description: Pyote soils and Dune land---Lea County, New Mexico

Interpretive groups

Land capability classification (irrigated): 6e
Land capability classification (nonirrigated): 7s
Hydrologic Soil Group: A
Ecological site: R070BD003NM - Loamy Sand
Hydric soil rating: No

Description of Dune Land

Setting

Landform: Dunes
Landform position (two-dimensional): Backslope, shoulder
Landform position (three-dimensional): Side slope
Down-slope shape: Convex, linear
Across-slope shape: Convex
Parent material: Sandy eolian deposits derived from sedimentary rock

Typical profile

A - 0 to 6 inches: fine sand
C - 6 to 60 inches: fine sand

Interpretive groups

Land capability classification (irrigated): None specified
Land capability classification (nonirrigated): 8
Hydrologic Soil Group: A
Hydric soil rating: No

Minor Components

Kermit

Percent of map unit: 5 percent
Ecological site: R070BC022NM - Sandhills
Hydric soil rating: No

Maljamar, fine sand

Percent of map unit: 3 percent
Ecological site: R070BD003NM - Loamy Sand
Hydric soil rating: No

Wink

Percent of map unit: 2 percent
Ecological site: R070BD003NM - Loamy Sand
Hydric soil rating: No

Data Source Information

Soil Survey Area: Lea County, New Mexico
Survey Area Data: Version 20, Sep 6, 2023

NMSLO Seed Mix**Sandy (S)****SANDY (S) SITES SEED MIXTURE:**

COMMON NAME	VARIETY	APPLICATION RATE (PLS/Acre)	DRILL BOX
Grasses:			
Sand bluestem	Elida, VNS, So.	2.0	F
Little bluestem	Cimarron, Pastura	3.0	F
Black grama	VNS, Southern	1.0	D
Sand dropseed	VNS, Southern	4.0	S
Plains bristlegrass	VNS, Southern	2.0	D
Forbs:			
Firewheel (Gaillardia)	VNS, Southern	1.0	D
Annual Sunflower	VNS, Southern	1.0	D
Shrubs:			
Fourwing Saltbush	VNS, Southern	1.0	F
Total PLS/acre		16.0	

S = Small seed drill box, D = Standard seed drill box, F = Fluffy seed drill box
VNS = Variety Not Stated, PLS = Pure Live Seed

- Seed mixes should be provided in bags separating seed types into the three categories: small (S), standard (D) and fluffy (F).
- VNS, Southern – Seed should be from a southern latitude collection of this species.
- Double seed application rate for broadcast or hydroseeding.
- If one species is not available, contact the SLO for an approved substitute; alternatively the SLO may require other species proportionately increased.
- Additional information on these seed species can be found on the USDA Plants Database website at <http://plants.usda.gov>.



Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS

Action 556509

QUESTIONS

Operator: EOG RESOURCES INC 5509 Champions Drive Midland, TX 79706	OGRID: 7377
	Action Number: 556509
	Action Type: [C-141] Reclamation Report C-141 (C-141-v-Reclamation)

QUESTIONS

Prerequisites	
Incident ID (n#)	nAPP2415666595
Incident Name	NAPP2415666595 CONVOY BOOSTER @ O-28-24S-33E
Incident Type	Produced Water Release
Incident Status	Reclamation Report Received

Location of Release Source	
<i>Please answer all the questions in this group.</i>	
Site Name	CONVOY BOOSTER
Date Release Discovered	03/19/2024
Surface Owner	State

Incident Details	
<i>Please answer all the questions in this group.</i>	
Incident Type	Produced Water Release
Did this release result in a fire or is the result of a fire	No
Did this release result in any injuries	No
Has this release reached or does it have a reasonable probability of reaching a watercourse	No
Has this release endangered or does it have a reasonable probability of endangering public health	No
Has this release substantially damaged or will it substantially damage property or the environment	No
Is this release of a volume that is or may with reasonable probability be detrimental to fresh water	No

Nature and Volume of Release	
<i>Material(s) released, please answer all that apply below. Any calculations or specific justifications for the volumes provided should be attached to the follow-up C-141 submission.</i>	
Crude Oil Released (bbls) Details	Not answered.
Produced Water Released (bbls) Details	Cause: Equipment Failure Pump Produced Water Released: 150 BBL Recovered: 130 BBL Lost: 20 BBL.
Is the concentration of chloride in the produced water >10,000 mg/l	Yes
Condensate Released (bbls) Details	Not answered.
Natural Gas Vented (Mcf) Details	Not answered.
Natural Gas Flared (Mcf) Details	Not answered.
Other Released Details	Not answered.
Are there additional details for the questions above (i.e. any answer containing Other, Specify, Unknown, and/or Fire, or any negative lost amounts)	Not answered.

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 2

Action 556509

QUESTIONS (continued)

Operator: EOG RESOURCES INC 5509 Champions Drive Midland, TX 79706	OGRID: 7377
	Action Number: 556509
	Action Type: [C-141] Reclamation Report C-141 (C-141-v-Reclamation)

QUESTIONS

Nature and Volume of Release (continued)	
Is this a gas only submission (i.e. only significant Mcf values reported)	No, according to supplied volumes this does not appear to be a "gas only" report.
Was this a major release as defined by Subsection A of 19.15.29.7 NMAC	Yes
Reasons why this would be considered a submission for a notification of a major release	From paragraph A. "Major release" determine using: (1) an unauthorized release of a volume, excluding gases, of 25 barrels or more.

With the implementation of the 19.15.27 NMAC (05/25/2021), venting and/or flaring of natural gas (i.e. gas only) are to be submitted on the C-129 form.

Initial Response

The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury.

The source of the release has been stopped	True
The impacted area has been secured to protect human health and the environment	True
Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices	True
All free liquids and recoverable materials have been removed and managed appropriately	True
If all the actions described above have not been undertaken, explain why	Not answered.

Per Paragraph (4) of Subsection B of 19.15.29.8 NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please prepare and attach a narrative of actions to date in the follow-up C-141 submission. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see Subparagraph (a) of Paragraph (5) of Subsection A of 19.15.29.11 NMAC), please prepare and attach all information needed for closure evaluation in the follow-up C-141 submission.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

I hereby agree and sign off to the above statement	Name: Todd Wells Title: Safety and Environmental Specialist Email: Todd_Wells@eogresources.com Date: 02/21/2026
--	--

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 3

Action 556509

QUESTIONS (continued)

Operator: EOG RESOURCES INC 5509 Champions Drive Midland, TX 79706	OGRID: 7377
	Action Number: 556509
	Action Type: [C-141] Reclamation Report C-141 (C-141-v-Reclamation)

QUESTIONS

Site Characterization
Please answer all the questions in this group (only required when seeking remediation plan approval and beyond). This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

What is the shallowest depth to groundwater beneath the area affected by the release in feet below ground surface (ft bgs)	Between 51 and 75 (ft.)
What method was used to determine the depth to ground water	NM OSE iWaters Database Search
Did this release impact groundwater or surface water	No
What is the minimum distance, between the closest lateral extents of the release and the following surface areas:	
A continuously flowing watercourse or any other significant watercourse	Between 1/2 and 1 (mi.)
Any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)	Between 1/2 and 1 (mi.)
An occupied permanent residence, school, hospital, institution, or church	Greater than 5 (mi.)
A spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes	Between 1/2 and 1 (mi.)
Any other fresh water well or spring	Greater than 5 (mi.)
Incorporated municipal boundaries or a defined municipal fresh water well field	Greater than 5 (mi.)
A wetland	Greater than 5 (mi.)
A subsurface mine	Greater than 5 (mi.)
An (non-karst) unstable area	Greater than 5 (mi.)
Categorize the risk of this well / site being in a karst geology	Low
A 100-year floodplain	Greater than 5 (mi.)
Did the release impact areas not on an exploration, development, production, or storage site	Yes

Remediation Plan
Please answer all the questions that apply or are indicated. This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

Requesting a remediation plan approval with this submission	Yes
<i>Attach a comprehensive report demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined, pursuant to 19.15.29.11 NMAC and 19.15.29.13 NMAC.</i>	
Have the lateral and vertical extents of contamination been fully delineated	Yes
Was this release entirely contained within a lined containment area	No

Soil Contamination Sampling: (Provide the highest observable value for each, in milligrams per kilograms.)

Chloride (EPA 300.0 or SM4500 Cl B)	10400
TPH (GRO+DRO+MRO) (EPA SW-846 Method 8015M)	0
GRO+DRO (EPA SW-846 Method 8015M)	0
BTEX (EPA SW-846 Method 8021B or 8260B)	0
Benzene (EPA SW-846 Method 8021B or 8260B)	0

Per Subsection B of 19.15.29.11 NMAC unless the site characterization report includes completed efforts at remediation, the report must include a proposed remediation plan in accordance with 19.15.29.12 NMAC, which includes the anticipated timelines for beginning and completing the remediation.

On what estimated date will the remediation commence	01/14/2026
On what date will (or did) the final sampling or liner inspection occur	01/27/2026
On what date will (or was) the remediation complete(d)	01/30/2026
What is the estimated surface area (in square feet) that will be reclaimed	5213
What is the estimated volume (in cubic yards) that will be reclaimed	35
What is the estimated surface area (in square feet) that will be remediated	13260
What is the estimated volume (in cubic yards) that will be remediated	1750

These estimated dates and measurements are recognized to be the best guess or calculation at the time of submission and may (be) change(d) over time as more remediation efforts are completed.
The OCD recognizes that proposed remediation measures may have to be minimally adjusted in accordance with the physical realities encountered during remediation. If the responsible party has any need to significantly deviate from the remediation plan proposed, then it should consult with the division to determine if another remediation plan submission is required.

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 4

Action 556509

QUESTIONS (continued)

Operator: EOG RESOURCES INC 5509 Champions Drive Midland, TX 79706	OGRID: 7377
	Action Number: 556509
	Action Type: [C-141] Reclamation Report C-141 (C-141-v-Reclamation)

QUESTIONS

Remediation Plan (continued)

Please answer all the questions that apply or are indicated. This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

This remediation will (or is expected to) utilize the following processes to remediate / reduce contaminants:

(Select all answers below that apply.)

(Ex Situ) Excavation and off-site disposal (i.e. dig and haul, hydrovac, etc.)	Yes
Which OCD approved facility will be used for off-site disposal	fJEG1635837366 OWL LANDFILL JAL
OR which OCD approved well (API) will be used for off-site disposal	Not answered.
OR is the off-site disposal site, to be used, out-of-state	No
OR is the off-site disposal site, to be used, an NMED facility	No
(Ex Situ) Excavation and on-site remediation (i.e. On-Site Land Farms)	No
(In Situ) Soil Vapor Extraction	No
(In Situ) Chemical processing (i.e. Soil Shredding, Potassium Permanganate, etc.)	No
(In Situ) Biological processing (i.e. Microbes / Fertilizer, etc.)	No
(In Situ) Physical processing (i.e. Soil Washing, Gypsum, Disking, etc.)	No
Ground Water Abatement pursuant to 19.15.30 NMAC	No
OTHER (Non-listed remedial process)	No

Per Subsection B of 19.15.29.11 NMAC unless the site characterization report includes completed efforts at remediation, the report must include a proposed remediation plan in accordance with 19.15.29.12 NMAC, which includes the anticipated timelines for beginning and completing the remediation.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

I hereby agree and sign off to the above statement	Name: Todd Wells Title: Safety and Environmental Specialist Email: Todd_Wells@eogresources.com Date: 02/21/2026
--	--

The OCD recognizes that proposed remediation measures may have to be minimally adjusted in accordance with the physical realities encountered during remediation. If the responsible party has any need to significantly deviate from the remediation plan proposed, then it should consult with the division to determine if another remediation plan submission is required.

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 5

Action 556509

QUESTIONS (continued)

Operator: EOG RESOURCES INC 5509 Champions Drive Midland, TX 79706	OGRID: 7377
	Action Number: 556509
	Action Type: [C-141] Reclamation Report C-141 (C-141-v-Reclamation)

QUESTIONS

Deferral Requests Only	
<i>Only answer the questions in this group if seeking a deferral upon approval this submission. Each of the following items must be confirmed as part of any request for deferral of remediation.</i>	
Requesting a deferral of the remediation closure due date with the approval of this submission	No

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 6

Action 556509

QUESTIONS (continued)

Operator: EOG RESOURCES INC 5509 Champions Drive Midland, TX 79706	OGRID: 7377
	Action Number: 556509
	Action Type: [C-141] Reclamation Report C-141 (C-141-v-Reclamation)

QUESTIONS

Sampling Event Information	
Last sampling notification (C-141N) recorded	545757
Sampling date pursuant to Subparagraph (a) of Paragraph (1) of Subsection D of 19.15.29.12 NMAC	01/27/2026
What was the (estimated) number of samples that were to be gathered	41
What was the sampling surface area in square feet	8706

Remediation Closure Request	
<i>Only answer the questions in this group if seeking remediation closure for this release because all remediation steps have been completed.</i>	
Requesting a remediation closure approval with this submission	Yes
Have the lateral and vertical extents of contamination been fully delineated	Yes
Was this release entirely contained within a lined containment area	No
All areas reasonably needed for production or subsequent drilling operations have been stabilized, returned to the sites existing grade, and have a soil cover that prevents ponding of water, minimizing dust and erosion	Yes
What was the total surface area (in square feet) remediated	13260
What was the total volume (cubic yards) remediated	1750
All areas not reasonably needed for production or subsequent drilling operations have been reclaimed to contain a minimum of four feet of non-waste contain earthen material with concentrations less than 600 mg/kg chlorides, 100 mg/kg TPH, 50 mg/kg BTEX, and 10 mg/kg Benzene	Yes
What was the total surface area (in square feet) reclaimed	5213
What was the total volume (in cubic yards) reclaimed	35
Summarize any additional remediation activities not included by answers (above)	na

The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (in .pdf format) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. The responsible party acknowledges they must substantially restore, reclaim, and re-vegetate the impacted surface area to the conditions that existed prior to the release or their final land use in accordance with 19.15.29.13 NMAC including notification to the OCD when reclamation and re-vegetation are complete.

I hereby agree and sign off to the above statement	Name: Todd Wells Title: Safety and Environmental Specialist Email: Todd_Wells@eogresources.com Date: 02/21/2026
--	--

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505**

QUESTIONS, Page 7

Action 556509

QUESTIONS (continued)

Operator: EOG RESOURCES INC 5509 Champions Drive Midland, TX 79706	OGRID: 7377
	Action Number: 556509
	Action Type: [C-141] Reclamation Report C-141 (C-141-v-Reclamation)

QUESTIONS

Reclamation Report

Only answer the questions in this group if all reclamation steps have been completed.

Requesting a reclamation approval with this submission	Yes
What was the total reclamation surface area (in square feet) for this site	5213
What was the total volume of replacement material (in cubic yards) for this site	35

Per Paragraph (1) of Subsection D of 19.15.29.13 NMAC the reclamation must contain a minimum of four feet of non-waste containing, uncontaminated, earthen material with chloride concentrations less than 600 mg/kg as analyzed by EPA Method 300.0, or other test methods approved by the division. The soil cover must include a top layer, which is either the background thickness of topsoil or one foot of suitable material to establish vegetation at the site, whichever is greater.

Is the soil top layer complete and is it suitable material to establish vegetation	Yes
On what (estimated) date will (or was) the reseeded commence(d)	01/30/2026

Summarize any additional reclamation activities not included by answers (above)	NMSLO sandy seed mixture used to reseed the reclamation area
---	--

The responsible party must attach information demonstrating they have complied with all applicable reclamation requirements and any conditions or directives of the OCD. This demonstration should be in the form of attachments (in .pdf format) including a scaled site map, any proposed reseeded plans or relevant field notes, photographs of reclaimed area, and a narrative of the reclamation activities. Refer to 19.15.29.13 NMAC.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. The responsible party acknowledges they must substantially restore, reclaim, and re-vegetate the impacted surface area to the conditions that existed prior to the release or their final land use in accordance with 19.15.29.13 NMAC including notification to the OCD when reclamation and re-vegetation are complete.

I hereby agree and sign off to the above statement	Name: Todd Wells Title: Safety and Environmental Specialist Email: Todd_Wells@eogresources.com Date: 02/21/2026
--	--

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 8

Action 556509

QUESTIONS (continued)

Operator: EOG RESOURCES INC 5509 Champions Drive Midland, TX 79706	OGRID: 7377
	Action Number: 556509
	Action Type: [C-141] Reclamation Report C-141 (C-141-v-Reclamation)

QUESTIONS

Revegetation Report	
<i>Only answer the questions in this group if all surface restoration, reclamation and re-vegetation obligations have been satisfied.</i>	
Requesting a restoration complete approval with this submission	No
<i>Per Paragraph (4) of Subsection (D) of 19.15.29.13 NMAC for any major or minor release containing liquids, the responsible party must notify the division when reclamation and re-vegetation are complete.</i>	

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 556509

CONDITIONS

Operator: EOG RESOURCES INC 5509 Champions Drive Midland, TX 79706	OGRID: 7377
	Action Number: 556509
	Action Type: [C-141] Reclamation Report C-141 (C-141-v-Reclamation)

CONDITIONS

Created By	Condition	Condition Date
nvelez	Remediation closure and reclamation report approved, release resolved. Pending re-vegetation report.	3/31/2026