

Spill Calculation Sheet

Date & Time Of Spill >>>>>>

Spill Location >>>>>>>>>>

Porosity Factors

Caliche	0.03%	Sand	0.20%
Clay	0.05%	Gravel	0.25%
Clay \ Sand	0.15%	Unknown	0.25%
(Use 1.0 If No Porosity - Total Fluid)			

Depth Factors (inches)

Light Mist	0.000008	1/2	0.041667	7	0.583333	15	1.250000
Medium Mist	0.000080	3/4	0.062500	8	0.666666	16	1.333333
Heavy Mist	0.000830	1	0.083333	9	0.750000	17	1.416667
Skim	0.002604	2	0.166666	10	0.833333	18	1.500000
1/12	0.006944	3	0.250000	11	0.916666	19	1.583333
1/16	0.005208	4	0.333333	12	1.000000	20	1.666667
1/8	0.010416	5	0.416666	13	1.083333		
1/4	0.020803	6	0.500000	14	1.166667		

(NOTE: For spills greater than on foot of depth
use 12 inches as your depth, then multiply by the
number feet of actual depth.)

Spill Calculations

Square Feet	X	Depth	X	Porosity	=	Volume
	X		X		=	0 pooled fluid
0	X	0	X		=	0 pooled fluid
0	X	0	X		=	0 pooled fluid
0	X	0	X		=	0 pooled fluid
0	X	0	X		=	0 pooled fluid
0	X	0	X		=	0 pooled fluid
0	X	0	X		=	0 pooled fluid
0	X	0	X		=	0 pooled fluid
0	X	0	X		=	0 pooled fluid
0	X	0	X		=	0 pooled fluid
25	X	48.000000	X	0.05	=	10.6849022 porosity calc.
1750	X	0.500000	X	0.05	=	7.79107455 porosity calc.
240	X	0.333333	X	0.05	=	0.71231969 porosity calc.
620	X	0.333333	X	0.05	=	1.84015921 porosity calc.
0	X	0	X	0	=	0 porosity calc.

Total Spill	21.02845568
Recovered	0
Total Less Recovered	21.02845568
H2O %	70
Total H2O	14.71991897
Total Oil	6.308536703

Water %

Tests	H2O %
Test #1	70
Test #2	70
Test #3	70
Test #4	70
Test #5	70
Total	350
Avg.	70

Standard Safety and Supply

<https://standardtx.com/>

Site Characterization and Remediation Workplan

Trunk O Pipeline

nAPP2602028948

32.1100353, -103.2070114

N-19-25S-37E

Introduction

Standard Safety and Supply (Standard) on behalf of ET Gathering & Processing, LLC (Energy Transfer) is pleased to submit this Site Characterization and Remediation Workplan. Based on the Notification of Release the spill was discovered on January 18th, 2026, and was attributed to a pipeline failure. There was an approximate net loss of six (6) barrels (bbls) of crude oil, net loss of fifteen (15) barrels (bbls) of produced water and net loss of two (2) thousand of cubic feet (Mcf) of natural gas. Attachment B: Figure 1 depicts the Site with respect to the nearest town and Figure 2 depicts the topographic features in the area.

Site Characterization

Based on a site characterization desktop review the area is within a Low Karst area. There is one (1) known registered groundwater OSE boring (CP-01307-POD1) within 1,000 ft (feet) of the site used for industrial, commercial and irrigation purposes with groundwater measured at 213 feet below ground surface (ft bgs). There are no other receptors [significant watercourse, lakebed, playa, sinkhole, an occupied residence, school, hospital, institution, church, municipal water boundary, wetland, subsurface mine, and/or an unstable area] within the specified distance set forth in the New Mexico Administrative Code 19.15.29.12. Based on the site characterization the following closure criteria will be utilized:

	NMAC Closure Criteria Remediation and Reclamation				
depths in feet (ft)	Benzene	BTEX	TPH (GRO-DRO)	TPH (GRO-DRO-MRO)	Chloride
0-Max depth (ft)	10 mg/kg	50mg/kg	---*	100 mg/kg	600 mg/kg
	* value must not exceed TPH (GRP-DRO-MRO) value				



Standard Safety and Supply

<https://standardtx.com/>

The documentation used to characterize the site can be found in the report under Attachment C: Site Characterization.

Initial Assessment

On February 12th and 13th, 2026, Standard performed an initial assessment to characterize impacts. Four (4) horizontal sample points (H-1 to H-4) were collected at a depth of half a foot (0.5) ft bgs. Six (6) vertical samples points (V-1 to V-6) were collected from surface (0) to fifteen (15) ft bgs in one (1) ft intervals. Five-point composite samples were collected every two hundred (200) square feet from the base (i.e., S-1 through S-6) and side walls (i.e., W-1 through W-7) of existing southwest excavation in the area that had been uncovered to perform repairs on the pipeline. Three (3) composite samples (i.e., B-1 through B-3) were collected from the excavated material on site (approximately, 250 cubic yards) to determine if it is acceptable for backfill. Each composite backfill sample represents no more than a hundred (100) cubic yards (CY) of excavated material. On February 17th, 2026, five-point composite samples were collected every two hundred (200) square feet from the base (i.e., S-8 and S-9) and side walls (i.e., W-9 through W-11) of existing northwest excavation in the area that had been excavated to perform repairs on the pipeline.

Soil samples were placed into lab provided containers, onto ice then transported to Cardinal Laboratories in Hobbs, New Mexico, for the analysis of benzene, toluene, ethylbenzene, and xylenes (BTEX 8021B), Total Petroleum Hydrocarbons (TPH 8015M) and chloride (4500 CL-B). Proper chain-of-custody was followed during the collection and delivery of the samples to the laboratory. Analytical results indicated that vertical and horizontal delineation were not achieved due to TPH impacts identified at the deepest sample intervals (i.e., V-5, S-1, S-2, S-3, S-5, S-8 and W-11).

On February 18th and February 26th, 2025, Standard returned to the site to continue with vertical and horizontal delineation of the release. Five (5) new vertical delineation sample points (V-7 to V-11) were collected from surface (0) to fourteen (14) ft bgs in one (1) ft intervals. One (1) vertical sample point (V-5) was re-installed at twelve (12) ft bgs. Soil samples were submitted to Cardinal for the analysis of BTEX, TPH, and chloride. Analytical results indicated that complete vertical and horizontal delineation was achieved.

The delineation data and excavation sampling data can be found in this report under Attachment A: Table 1 Delineation Assessment Analytical Data Table, and the lab report and chain of custody can be found under Attachment E: Laboratory Analytical Method Documentation with Chain-of-Custody

The sample locations are located under Attachment B: Figure 3 Delineation Assessment Map while photographs of the impacted area are under Attachment D: Photographic Log.



Standard Safety and Supply

<https://standardtx.com/>

Proposed Remedial Action Activities

Based on the assessment performed Standard proposes the following:

- Excavate the area of V-2 to two (2) ft bgs
- Excavate the areas of V-3, V-5 and V-7 to twelve (12) ft bgs
- Perform a half a foot (0.5) ft surface scrape in the areas of V-1, V-4, V-6, S-4, S-6, S-7, S-9
- Excavate the areas of S-1, S-2, S-3, S-5, S-8 and W-11 to seven (7) ft bgs
- Transport approximately one hundred (100) cubic yards of impacted material represented by sample point B-3 to disposal facility.

There are approximately five hundred and sixty-four (564) cubic yards of impacted material that will be excavated and hauled off to the closest approved disposal facility. The Proposed Excavation Map is located under Attachment B: Figure 4 Proposed Excavation Map

Closing

If you have any questions regarding the Site Characterization and Remediation Workplan for [nAPP2602028948] – Trunk O Pipeline, please contact us at the following:

Address: 2524 Trunk St, Odessa TX 79761

Contact: 432-653-0393



Standard Safety and Supply

<https://standardtx.com/>

Attachments

- Attachment A: Analytical Data Tables
 1. Table 1: Delineation Assessment Analytical Data Table
- Attachment B: Figures
 1. Site Location Map
 2. Topographic Map
 3. Delineation Assessment Map
 4. Proposed Excavation Map
- Attachment C: Site Characterization
 1. OCD Well map and Karst Potential
 2. OSE POD
 3. Well Log
 4. Open Environment Wetlands
 5. Wetlands Inventory
 6. National Flood Hazard Layer
- Attachment D: Photographic Documentation
- Attachment E: Laboratory Analytical Method Documentation with Chain-of-Custody



Standard Safety and Supply

<https://standardtx.com/>



ATTACHMENT A: ANALYTICAL DATA TABLES



Table 1: Delineation Assessment Analytical Data Table

Energy Transfer
Trunk O Pipeline Release
Lea County, New Mexico

			Chloride	TPH Total (C6-C35)	GRO (C6-C12)	DRO (C12-C28)	GRO+DRO (C6-C28)	MRO (C28-C35)	Benzene	Toluene	Ethylbenzene	Xylenes	BTEX
Remediation (GW <50ft)			600 mg/Kg	100 mg/Kg	---	---	---	---	10 mg/Kg	---	---	---	50 mg/Kg
Sample ID	Depth (ft)	Date											
H-1	0.5	2/12/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
H-2	0.5	2/12/2026	32.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
H-3	0.5	2/12/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
H-4	0.5	2/12/2026	32.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
V-1	0.5	2/12/2026	32.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
V-1	1	2/12/2026	16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
V-2	0.5	2/12/2026	16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	1	2/12/2026	<16.0	210.3	<10.0	182	182	28.3	<0.050	<0.050	<0.050	<0.150	<0.300
	2	2/12/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	3	2/12/2026	32.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	4	2/12/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	5	2/12/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	6	2/12/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	7	2/12/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
V-3	8	2/12/2026	16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	7	2/12/2026	2,320	1,383	148	1,070	1,218	165	0.261	3.35	1.87	6.39	11.9
	8	2/12/2026	96.0	320.6	14.3	260	274.3	46.3	<0.050	0.307	0.292	1.28	1.88
	9	2/12/2026	160	379.6	22.2	301	323.2	56.4	0.063	0.959	0.406	1.8	3.23
	10	2/12/2026	464	3,089	255	2,410	2,665	424	0.396	3.99	1.47	5.74	11.6
	11	2/12/2026	96.0	179.4	<10.0	147	147	32.4	<0.050	0.054	<0.050	0.196	<0.300
V-4	12	2/12/2026	48.0	53.7	<10.0	52.5	52.5	1.2	<0.050	0.082	<0.050	<0.150	<0.300
	0.5	2/13/2026	32.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	1	2/13/2026	16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	2	2/13/2026	16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	3	2/13/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	4	2/13/2026	16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	5	2/13/2026	16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	6	2/13/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	7	2/13/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	8	2/13/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
V-5	9	2/13/2026	32.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	10	2/13/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	6.5	2/12/2026	592	2,534	323	2,020	2,343	191	<0.050	0.096	0.098	0.612	0.807
	7	2/12/2026	96.0	253.1	14.7	216	230.7	22.4	<0.050	0.096	0.098	0.612	0.807
	8	2/12/2026	<16.0	18.2	<10.0	18.2	18.2	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	9	2/12/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	10	2/13/2026	48.0	98.8	<10.0	98.8	98.8	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	11	2/13/2026	80.0	151.9	<10.0	139	139	12.9	<0.050	<0.050	<0.050	<0.150	<0.300
	12	2/26/2026	32.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300

Table 1: Delineation Assessment Analytical Data Table

Energy Transfer
Trunk O Pipeline Release
Lea County, New Mexico

			Chloride	TPH Total (C6-C35)	GRO (C6-C12)	DRO (C12-C28)	GRO+DRO (C6-C28)	MRO (C28-C35)	Benzene	Toluene	Ethylbenzene	Xylenes	BTEX
Remediation (GW <50ft)			600 mg/Kg	100 mg/Kg	---	---	---	---	10 mg/Kg	---	---	---	50 mg/Kg
Sample ID	Depth (ft)	Date											
V-6	6.5	2/13/2026	32.0	40.8	<10.0	40.8	40.8	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	7	2/13/2026	<16.0	41.2	<10.0	41.2	41.2	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	8	2/13/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	9	2/13/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	10	2/13/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	11	2/13/2026	16.0	15.6	<10.0	15.6	15.6	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	12	2/13/2026	16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	13	2/13/2026	16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
V-7	6.5	2/18/2026	<16.0	207.4	<10.0	190	190	17.4	<0.050	0.051	<0.050	0.188	0.239
	7	2/18/2026	<16.0	22.3	<10.0	22.3	22.3	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	8	2/18/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	9	2/18/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	10	2/18/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	11	2/18/2026	<16.0	147.5	<10.0	128	128	19.5	<0.050	<0.050	<0.050	<0.150	<0.300
	12	2/18/2026	<16.0	14.6	<10.0	14.6	14.6	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	13	2/18/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
V-8	7	2/26/2026	<16.0	18.2	<10.0	18.2	18.2	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
V-9	7	2/26/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
V-10	7	2/26/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
V-11	0-6"	2/26/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	1	2/26/2026	32.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	2	2/26/2026	32.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	3	2/26/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	4	2/26/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	5	2/26/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
S - 1	6	2/12/2026	<16.0	950.1	13.1	819	832.1	118	<0.050	<0.050	<0.050	0.241	<0.300
S - 2	6	2/12/2026	736	3,665	<10.0	3,180	3,180	485	<0.050	<0.050	<0.050	<0.150	<0.300
S - 3	6	2/12/2026	80.0	583	<10.0	483	483	100	<0.050	<0.050	<0.050	<0.150	<0.300
S - 4	6	2/12/2026	16.0	15.3	<10.0	15.3	15.3	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
S - 5	6	2/12/2026	114	111.9	<10.0	100	100	11.9	<0.050	<0.050	<0.050	<0.150	<0.300
S - 6	6	2/12/2026	96.0	33.2	<10.0	33.2	33.2	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
S - 7	6	2/12/2026	48.0	77.1	<10.0	77.1	77.1	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
S - 8	6	2/17/2026	48.0	314.4	<10.0	248	248	66.4	<0.050	<0.050	<0.050	<0.150	<0.300
S - 9	6	2/17/2026	48.0	96.1	<10.0	79.3	79.3	16.8	<0.050	<0.050	<0.050	<0.150	<0.300
W - 1	0-6	2/13/2026	<16.0	26.1	<10.0	26.1	26.1	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
W - 2	0-6	2/13/2026	16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
W - 3	0-6	2/13/2026	32.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300

Table 1: Delineation Assessment Analytical Data Table

Energy Transfer
Trunk O Pipeline Release
Lea County, New Mexico

			Chloride	TPH Total (C6-C35)	GRO (C6-C12)	DRO (C12-C28)	GRO+DRO (C6-C28)	MRO (C28-C35)	Benzene	Toluene	Ethylbenzene	Xylenes	BTEX
Remediation (GW <50ft)			600 mg/Kg	100 mg/Kg	---	---	---	---	10 mg/Kg	---	---	---	50 mg/Kg
Sample ID	Depth (ft)	Date											
W -4	0-6	2/13/2026	16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
W -5	0-6	2/13/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
W -6	0-6	2/13/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
W -7	0-6	2/13/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
W -8	0-6	2/13/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
W -9	0-6	2/17/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
W -10	0-6	2/17/2026	16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
W -11	0-6	2/17/2026	176	372.4	<10.0	316	316	56.4	<0.050	<0.050	<0.050	<0.150	<0.300
B-1	Surface	2/12/2026	32.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
B-2	Surface	2/12/2026	<16.0	13.1	<10.0	13.1	13.1	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
B-3	Surface	2/12/2026	384	848.4	11.4	708	719.4	129	<0.050	0.184	0.155	0.629	0.967

Notes

1. mg/kg - milligram per kilogram
2. TPH - Total Petroleum Hydrocarbons
3. (CS) - Confirmation Sample
4. (SW) - Sidewall Sample
5. * Indicates Value must be equal to or less than Total BTEX

- 6.** Indicates that total value must be equal to or less than total TPH
- 7.*** Indicates that total value must be equal to or less than GRO+DRO total
- 8.**** Indicates that Total value must be equal or less than total TPH
9. H = Horizontal Sample
10. V= Vertical Sample

11. Remediation Limits

12. Reclamation Limits (0-4ft below ground surface)

13. S = Base Composite Sample
14. W = Sidewall Composite Sample
15. B = Composite Backfill Sample


Standard Safety and Supply

<https://standardtx.com/>




ATTACHMENT B: FIGURES









TRUNK O PIPELINE ET GATHERING & PROCESSING, LLC




Figure 3. (Delineation Assessment Map)
Release Date: 01/18/2026
Lea County, New Mexico

Coordinates: 32.1100353, -103.2070114



03/03/2026



TRUNK O PIPELINE ET GATHERING & PROCESSING, LLC



Figure 4. (Proposed Excavation Map)
Release Date: 01/18/2026
Lea County, New Mexico

Coordinates: 32.1100353, -103.2070114



03/03/2026

Proposed Excavation Map

Energy Transfer
Trunk O Pipeline
Lea County, New Mexico
32.1100353,-103.2070114

Area of Green: 660 sqft x 12 ft ~ 293 CY
Area of Grey: 1,578 sqft x 0.5 ft ~ 35 CY
Area of Red: 552 sqft x 1 ft ~ 20 CY
Area of Orange: 130 sqft x 2 ft ~ 10 CY
Area of Yellow: 44 sqft x 7 ft ~ 11 CY
Backfill on-site: ~100 CY

Total Excavated Volume: 469 CY
Total Excavated Volume w/ 20% Fluff ~ 564 CY

Legend

-  0.5 ft Surface Scrape
-  12 ft bgs Excavation
-  2 ft bgs Excavation
-  7 ft bgs (1 ft) Excavation
-  7 ft bgs Excavation
-  Backfill haul-off (~100 yards)
-  Backfill Sample Point
-  Base Composite Sample Point
-  Horizontal Delineation Sample Point
-  Side Wall Composite Sample Point
-  Trunk - O Line
-  Vertical Delineation Sample Point



Google Earth

Standard Safety and Supply

<https://standardtx.com/>




ATTACHMENT C: SITE CHARACTERIZATION



National Flood Hazard Layer FIRMMette



103°12'44"W 32°6'51"N



0 250 500 1,000 1,500 2,000 Feet

1:6,000

103°12'7"W 32°6'21"N

Released to Imaging: 4/25/2026 2:36:48 AM

Basemap Imagery Source: USGS National Map 2023

Legend

SEE FIS REPORT FOR DETAILED LEGEND AND INDEX MAP FOR FIRM PANEL LAYOUT

SPECIAL FLOOD HAZARD AREAS		Without Base Flood Elevation (BFE) Zone A, V, A99
		With BFE or Depth Zone AE, AO, AH, VE, AR
OTHER AREAS OF FLOOD HAZARD		0.2% Annual Chance Flood Hazard, Areas of 1% annual chance flood with average depth less than one foot or with drainage areas of less than one square mile Zone X
		Future Conditions 1% Annual Chance Flood Hazard Zone X
		Area with Reduced Flood Risk due to Levee. See Notes. Zone X
		Area with Flood Risk due to Levee Zone D
OTHER AREAS		NO SCREEN Area of Minimal Flood Hazard Zone X
		Effective LOMRs
GENERAL STRUCTURES		Channel, Culvert, or Storm Sewer
		Levee, Dike, or Floodwall
OTHER FEATURES		20.2 Cross Sections with 1% Annual Chance Water Surface Elevation
		17.5 Cross Sections with 1% Annual Chance Water Surface Elevation
		Coastal Transect
		Base Flood Elevation Line (BFE)
		Limit of Study
		Jurisdiction Boundary
MAP PANELS		Digital Data Available
		No Digital Data Available
		Unmapped




The pin displayed on the map is an approximate point selected by the user and does not represent an authoritative property location.

This map complies with FEMA's standards for the use of digital flood maps if it is not void as described below. The basemap shown complies with FEMA's basemap accuracy standards

The flood hazard information is derived directly from the authoritative NFHL web services provided by FEMA. This map was exported on 1/19/2026 at 8:42 PM and does not reflect changes or amendments subsequent to this date and time. The NFHL and effective information may change or become superseded by new data over time.

This map image is void if the one or more of the following map elements do not appear: basemap imagery, flood zone labels, legend, scale bar, map creation date, community identifiers, FIRM panel number, and FIRM effective date. Map images for unmapped and unmodernized areas cannot be used for regulatory purposes.



Trunk O Release



January 19, 2026

Wetlands

-  Estuarine and Marine Deepwater
-  Estuarine and Marine Wetland

-  Freshwater Emergent Wetland
-  Freshwater Forested/Shrub Wetland
-  Freshwater Pond

-  Lake
-  Other
-  Riverine

This map is for general reference only. The US Fish and Wildlife Service is not responsible for the accuracy or currentness of the base data shown on this map. All wetlands related data should be used in accordance with the layer metadata found on the Wetlands Mapper web site.

Trunk 0 Release - NMOCD Well and Karst Map



1/19/2026, 1:43:08 PM

Wells - Large Scale

Oil, Active

Salt Water Injection, Cancelled

Gas, Active

Oil, Plugged

Gas, Plugged

Karst Occurrence Potential

Low

1:4,514

BLM, OCD, New Mexico Tech, Vantor, Esri, HERE,
Garmin, iPC

Legend

Basemap

Query

1:18,056

Legend

All Layers On/Off

All Layer Transparency

NM Wetlands Mapping and Classification

NM Wetlands Mapping and Classification

Mapping Status

Riparian Habitat

Hydrogeomorphic Mapping (HGM) Linears

Riverine

Hydrogeomorphic Mapping (HGM) Polygons

Depressional

Flats

Lacustrine Fringe

Riverine

Slope

Landscape Position and Water Body (LLWW) Linears

Lentic (LE)

Lotic Rİver (LR)

Lotic Stream (LS)

Pond (PD)

River (RV)

Stream (ST)

Terrene (TE)

Landscape Position and Water Body (LLWW) Polygons

Lentic (LE)

Lake (LK)

Lotic River (LR)

Lotic Stream (LS)

Pond (PD)

River (RV)

Stream (ST)


Terrene (TE)

Landform (LLWW)

Basin

Flat

Floodplain





POD Locations

Open Data

NMWRRS

Real Time Measurements

Acequias

Plant List


MRGCD Data Viewer

Water Data

Drought

Aquifer Test Index

RGIS





WELL RECORD & LOG

OFFICE OF THE STATE ENGINEER


www.ose.state.nm.us

1. GENERAL AND WELL LOCATION	OSE POD NUMBER (WELL NUMBER) CP-1307-POD1				OSE FILE NUMBER(S)			
	WELL OWNER NAME(S) Greg Fulfer				PHONE (OPTIONAL) 575-631-0522			
	WELL OWNER MAILING ADDRESS P.O. Box 1227				CITY Jal			
					STATE NM			
					ZIP 88452			
2. DRILLING & CASING INFORMATION	WELL LOCATION (FROM GPS)		DEGREES 32	MINUTES 06	SECONDS 29.5308	N	* ACCURACY REQUIRED: ONE TENTH OF A SECOND	
			LONGITUDE 103	12	26.3952	W	* DATUM REQUIRED: WGS 84	
	DESCRIPTION RELATING WELL LOCATION TO STREET ADDRESS AND COMMON LANDMARKS - PLSS (SECTION, TOWNSHIP, RANGE) WHERE AVAILABLE							
3. ANNULAR MATERIAL	LICENSE NUMBER WD1706		NAME OF LICENSED DRILLER Bryce J Wallace				NAME OF WELL DRILLING COMPANY Elite Drillers Corporation	
	DRILLING STARTED 4/30/17		DRILLING ENDED 5/2/17		DEPTH OF COMPLETED WELL (FT) 440		BORE HOLE DEPTH (FT) 12.25	
							DEPTH WATER FIRST ENCOUNTERED (FT) 230	
	COMPLETED WELL IS:		☒ ARTESIAN ☐ DRY HOLE ☐ SHALLOW (UNCONFINED)					
	DRILLING FLUID:		☒ AIR ☐ MUD ADDITIVES - SPECIFY:					
	DRILLING METHOD:		☒ ROTARY ☐ HAMMER ☐ CABLE TOOL ☐ OTHER - SPECIFY:					
	DEPTH (feet bgl)		BORE HOLE DIAM. (inches)	CASING MATERIAL AND/OR GRADE (include each casing string, and note sections of screen)	CASING CONNECTION TYPE	CASING INSIDE DIAM. (inches)	CASING WALL THICKNESS (inches)	SLOT SIZE (inches)
	FROM	TO						
	0	20	17.5	A53 Grade B Steel		12.27	.188	
	+2	240	12.25	A53 Grade B Steel	Weld	6.065	.28	
240	440	12.25	SDR 21 PVC	Spline connection	6.0	SDR 21	.032	
DEPTH (feet bgl)		BORE HOLE DIAM. (inches)	LIST ANNULAR SEAL MATERIAL AND GRAVEL PACK SIZE-RANGE BY INTERVAL	AMOUNT (cubic feet)	METHOD OF PLACEMENT			
FROM	TO							
0	228	12.25	Neat Portland Cement Type 1/11	128	Tremie			
228	440		8/16 silica sand	112	Pour			
0	20	17.5	Neat Portland Cement Type 1/11	17	Slurry & pour			

FOR OSE INTERNAL USE

WR-20 WELL RECORD & LOG (Version 10/29/15)

FILE NUMBER	CP-1307	POD NUMBER	1	TRN NUMBER	604519
LOCATION	Aggro	25S.37E.30.211			PAGE 1 OF 2

4. HYDROGEOLOGIC LOG OF WELL						
DEPTH (feet bgl)		THICKNESS (feet)	COLOR AND TYPE OF MATERIAL ENCOUNTERED - INCLUDE WATER-BEARING CAVITIES OR FRACTURE ZONES (attach supplemental sheets to fully describe all units)	WATER BEARING? (YES / NO)	ESTIMATED YIELD FOR WATER- BEARING ZONES (gpm)	
FROM	TO					
0	30	30	Sand and caliche.	Y ✓ N		
30	60	30	Red Sandstone.	Y ✓ N		
60	100	40	Tan sandstone and gravel.	Y ✓ N		
100	160	60	Red sandstone, gravel, with red clay.	Y ✓ N		
160	330	170	Red sandstone with red clay. 230'	✓ Y N	15.00	
330	410	80	Grey sandstone. 350'	✓ Y N	50.00	
410	440	30	Red clay.	Y ✓ N		
				Y N		
				Y N		
				Y N		
				Y N		
				Y N		
				Y N		
				Y N		
				Y N		
				Y N		
				Y N		
				Y N		
				Y N		
METHOD USED TO ESTIMATE YIELD OF WATER-BEARING STRATA:				TOTAL ESTIMATED WELL YIELD (gpm): 65.00		
☐ PUMP ☒ AIR LIFT ☐ BAILER ☐ OTHER – SPECIFY:						
5. TEST; RIG SUPERVISION						
WELL TEST		TEST RESULTS - ATTACH A COPY OF DATA COLLECTED DURING WELL TESTING, INCLUDING DISCHARGE METHOD, START TIME, END TIME, AND A TABLE SHOWING DISCHARGE AND DRAWDOWN OVER THE TESTING PERIOD.				
MISCELLANEOUS INFORMATION:						
PRINT NAME(S) OF DRILL RIG SUPERVISOR(S) THAT PROVIDED ONSITE SUPERVISION OF WELL CONSTRUCTION OTHER THAN LICENSEE: Bryce J Wallace						
6. SIGNATURE						
THE UNDERSIGNED HEREBY CERTIFIES THAT, TO THE BEST OF HIS OR HER KNOWLEDGE AND BELIEF, THE FOREGOING IS A TRUE AND CORRECT RECORD OF THE ABOVE DESCRIBED HOLE AND THAT HE OR SHE WILL FILE THIS WELL RECORD WITH THE STATE ENGINEER AND THE PERMIT HOLDER WITHIN 20 DAYS AFTER COMPLETION OF WELL DRILLING:						
 SIGNATURE OF DRILLER / PRINT SIGNEE NAME				Bryce J Wallace DATE 6/1/17		

FOR OSE INTERNAL USE		WR-20 WELL RECORD & LOG (Version: 10/29/2015)	
FILE NUMBER	CP-1307	POD NUMBER	1
LOCATION	Agrop	TRN NUMBER	604519
		255.37E.30.211	PAGE 2 OF 2

Memorandum To Files: CP-1307-POD1

From: Catherine Goetz /s/

Subject: Drilling records for Well CP-1307-POD1

Date: November 9, 2017

ym 11-20-17
QC/IMAGE

Attached is drilling information pertaining to the construction of Artesian Well CP-1307-POD1.

Please collect the following information for the Fulfer Jal CP-1307 POD1 well:

Name of person recording info: Bryce Wallace

GENERAL INFO:

GPS coordinates of well: N 32 06 29.5308 W 103 12 26.3952

Total Depth of initial borehole and diameter 440ft. – 12 ¼"

Cement Applied to Borehole – brief description of back-plugging and dates (this will close-out the phase one part of the project) – N/A

Total depth of reamed hole (include how tag was determined) and diameter – 440ft. – 12 ¼" – drill pipe

Total Depth of Well – 440ft.

Static water level – 213ft.

CASING:

Date: 5/1/17

Casing composition/grade/ID/OD - #53 Grade B steel; 6.005 ID; 6 5/8 OD

Screen composition/grade/ID/OD – SDR 21 PVC .032; 6.0 6 5/8"

Photos of casing and screen – Already sent in.

Tally sheet N/A

Receipt or Bill of Laden showing materials used – well casing, screen, centralizers – Already sent in.

Location of centralizers: 420', 380', 320', 260', 200', 140', 80', 40', 10'

Photo of a double-beaded weld: See attached.

Welding company used: Jorge Soto Welding

STATE ENGINEER OFFICE
ROSWELL, NEW MEXICO
2017 JUL - 7 AM 10:35

FILTER PACK:

Date: 5/1/17

Sand type 8-16 silica sand

Begin time/date application of filter pack: 2:30pm 5/1/17

End time/date application of filter pack: 5:30pm 5/1/17

Interval (include how determined, eg tagged with tremie pipe, etc): 212': Tagged with trimmie.

BENTONITE: N/A

Date:

Type

Method of application

Begin time/date application of bentonite

End time/date application of bentonite

Interval (include how determined, eg tagged with tremie pipe, etc)

STATE ENGINEER OFFICE
ROSWELL, NEW MEXICO
2017 JUL -7 AM 10:35

CEMENT:

Date: 5/2/17

Cement type: Portland 1/11

Additives: N/A

Mixed onsite or batch: Onsite

Cement Density: 15.2 pounds per gallon

Method of application (e.g. pumping rate, tremie diameter) 28 GPM per batch – Trimmie – 1 ½" pipe.

Tremie set depth: 210'

Begin time/date application of cement: 5/1/17 8:00am

End time/date and volume of cement circulating to surface: 5/1/17 1:00pm

Photo of cement circulating to surface

Density of cement as returns to surface: 14.3 pounds per gallon.

Density of cement and time as continue pumping cement: 14.3 pounds per gallon – 15.1 pounds per gallon.

(Record until cement density correlates to the density of cement applied)

End time/date of pumping cement: 5/1/17 1:30pm

Photo of final cement circulating to surface

Interval of cement: 228'

Total Volume of cement applied downhole: 128 cubic feet

How much drop in cement upon settling (tag depth and time/date): 6" 2:30 pm


If dropped, how much additional cement applied: None.

If something does not go according to plan – document written and with photos as needed

2018 JUN -7 AM 10:35

STATE ENGINEER OFFICE
ROSWELL, NEW MEXICO





STATE ENGINEER OFFICE
ROSWELL, NEW MEXICO

2017 JUL -7 AM 10:35

Standard Safety and Supply

<https://standardtx.com/>



ATTACHMENT D: PHOTOGRAPHIC DOCUMENTATION



Photo Log



Aerial Imagery of Area of Concern



Area of Concern



Photo Log



Area of Concern



Area of Concern



Photo Log



Area of Concern




Area of Concern



Photo Log



Area of Concern



Area of Concern



Standard Safety and Supply

<https://standardtx.com/>



ATTACHMENT E: LABORATORY ANALYTICAL METHOD WITH CHAIN- OF-CUSTODY





PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

February 19, 2026

ETHAN SESSUMS

STANDARD SAFETY & SUPPLY

PO BOX 14987

ODESSA, TX 79764

RE: TRUNK O

Enclosed are the results of analyses for samples received by the laboratory on 02/16/26 11:22.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C25-00101. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Celey D. Keene". The signature is written in a cursive, flowing style.

Celey D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 02/16/2026
 Reported: 02/19/2026
 Project Name: TRUNK O
 Project Number: NOT GIVEN
 Project Location: ETC-LEA COUNTY, NEW MEXICO

Sampling Date: 02/12/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: S - 1 (H260912-01)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	02/17/2026	ND	2.10	105	2.00	0.428	
Toluene*	<0.050	0.050	02/17/2026	ND	2.08	104	2.00	1.01	
Ethylbenzene*	<0.050	0.050	02/17/2026	ND	2.24	112	2.00	4.94	
Total Xylenes*	0.241	0.150	02/17/2026	ND	6.97	116	6.00	5.50	
Total BTX	<0.300	0.300	02/17/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 115 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	02/17/2026	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	13.1	10.0	02/17/2026	ND	180	89.8	200	1.25	
DRO >C10-C28*	819	10.0	02/17/2026	ND	193	96.6	200	0.890	
EXT DRO >C28-C36	118	10.0	02/17/2026	ND					

Surrogate: 1-Chlorooctane 69.5 % 52.4-130

Surrogate: 1-Chlorooctadecane 88.2 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 02/16/2026
 Reported: 02/19/2026
 Project Name: TRUNK O
 Project Number: NOT GIVEN
 Project Location: ETC-LEA COUNTY, NEW MEXICO

Sampling Date: 02/12/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: S - 2 (H260912-02)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	02/18/2026	ND	2.10	105	2.00	0.428	
Toluene*	<0.050	0.050	02/18/2026	ND	2.08	104	2.00	1.01	
Ethylbenzene*	<0.050	0.050	02/18/2026	ND	2.24	112	2.00	4.94	
Total Xylenes*	<0.150	0.150	02/18/2026	ND	6.97	116	6.00	5.50	
Total BTEX	<0.300	0.300	02/18/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 112 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	736	16.0	02/17/2026	ND	480	120	400	0.00	QM-07	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<50.0	50.0	02/17/2026	ND	180	89.8	200	1.25	
DRO >C10-C28*	3180	50.0	02/17/2026	ND	193	96.6	200	0.890	
EXT DRO >C28-C36	485	50.0	02/17/2026	ND					

Surrogate: 1-Chlorooctane 86.9 % 52.4-130

Surrogate: 1-Chlorooctadecane 110 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 02/16/2026
 Reported: 02/19/2026
 Project Name: TRUNK O
 Project Number: NOT GIVEN
 Project Location: ETC-LEA COUNTY, NEW MEXICO

Sampling Date: 02/12/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: S - 3 (H260912-03)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	02/17/2026	ND	2.10	105	2.00	0.428	
Toluene*	<0.050	0.050	02/17/2026	ND	2.08	104	2.00	1.01	
Ethylbenzene*	<0.050	0.050	02/17/2026	ND	2.24	112	2.00	4.94	
Total Xylenes*	<0.150	0.150	02/17/2026	ND	6.97	116	6.00	5.50	
Total BTEX	<0.300	0.300	02/17/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 118 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	80.0	16.0	02/17/2026	ND	480	120	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/17/2026	ND	180	89.8	200	1.25	
DRO >C10-C28*	483	10.0	02/17/2026	ND	193	96.6	200	0.890	
EXT DRO >C28-C36	100	10.0	02/17/2026	ND					

Surrogate: 1-Chlorooctane 76.3 % 52.4-130

Surrogate: 1-Chlorooctadecane 82.1 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 02/16/2026
 Reported: 02/19/2026
 Project Name: TRUNK O
 Project Number: NOT GIVEN
 Project Location: ETC-LEA COUNTY, NEW MEXICO

Sampling Date: 02/12/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: S - 4 (H260912-04)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	02/17/2026	ND	2.10	105	2.00	0.428	
Toluene*	<0.050	0.050	02/17/2026	ND	2.08	104	2.00	1.01	
Ethylbenzene*	<0.050	0.050	02/17/2026	ND	2.24	112	2.00	4.94	
Total Xylenes*	<0.150	0.150	02/17/2026	ND	6.97	116	6.00	5.50	
Total BTEX	<0.300	0.300	02/17/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 120 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	02/17/2026	ND	480	120	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/17/2026	ND	180	89.8	200	1.25	
DRO >C10-C28*	15.3	10.0	02/17/2026	ND	193	96.6	200	0.890	
EXT DRO >C28-C36	<10.0	10.0	02/17/2026	ND					

Surrogate: 1-Chlorooctane 75.2 % 52.4-130

Surrogate: 1-Chlorooctadecane 72.0 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 02/16/2026
 Reported: 02/19/2026
 Project Name: TRUNK O
 Project Number: NOT GIVEN
 Project Location: ETC-LEA COUNTY, NEW MEXICO

Sampling Date: 02/12/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: S - 5 (H260912-05)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	02/17/2026	ND	2.10	105	2.00	0.428	
Toluene*	<0.050	0.050	02/17/2026	ND	2.08	104	2.00	1.01	
Ethylbenzene*	<0.050	0.050	02/17/2026	ND	2.24	112	2.00	4.94	
Total Xylenes*	<0.150	0.150	02/17/2026	ND	6.97	116	6.00	5.50	
Total BTX	<0.300	0.300	02/17/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 124 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	144	16.0	02/17/2026	ND	480	120	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/17/2026	ND	180	89.8	200	1.25	
DRO >C10-C28*	100	10.0	02/17/2026	ND	193	96.6	200	0.890	
EXT DRO >C28-C36	11.9	10.0	02/17/2026	ND					

Surrogate: 1-Chlorooctane 73.8 % 52.4-130

Surrogate: 1-Chlorooctadecane 73.5 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 02/16/2026
 Reported: 02/19/2026
 Project Name: TRUNK O
 Project Number: NOT GIVEN
 Project Location: ETC-LEA COUNTY, NEW MEXICO

Sampling Date: 02/12/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: S - 6 (H260912-06)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	02/17/2026	ND	2.10	105	2.00	0.428	
Toluene*	<0.050	0.050	02/17/2026	ND	2.08	104	2.00	1.01	
Ethylbenzene*	<0.050	0.050	02/17/2026	ND	2.24	112	2.00	4.94	
Total Xylenes*	<0.150	0.150	02/17/2026	ND	6.97	116	6.00	5.50	
Total BTEX	<0.300	0.300	02/17/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 121 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	96.0	16.0	02/17/2026	ND	480	120	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/17/2026	ND	180	89.8	200	1.25	
DRO >C10-C28*	33.2	10.0	02/17/2026	ND	193	96.6	200	0.890	
EXT DRO >C28-C36	<10.0	10.0	02/17/2026	ND					

Surrogate: 1-Chlorooctane 71.2 % 52.4-130

Surrogate: 1-Chlorooctadecane 69.4 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 02/16/2026
 Reported: 02/19/2026
 Project Name: TRUNK O
 Project Number: NOT GIVEN
 Project Location: ETC-LEA COUNTY, NEW MEXICO

Sampling Date: 02/12/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: S - 7 (H260912-07)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	02/17/2026	ND	2.10	105	2.00	0.428	
Toluene*	<0.050	0.050	02/17/2026	ND	2.08	104	2.00	1.01	
Ethylbenzene*	<0.050	0.050	02/17/2026	ND	2.24	112	2.00	4.94	
Total Xylenes*	<0.150	0.150	02/17/2026	ND	6.97	116	6.00	5.50	
Total BTEX	<0.300	0.300	02/17/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 121 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	48.0	16.0	02/17/2026	ND	480	120	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/17/2026	ND	180	89.8	200	1.25	
DRO >C10-C28*	77.1	10.0	02/17/2026	ND	193	96.6	200	0.890	
EXT DRO >C28-C36	<10.0	10.0	02/17/2026	ND					

Surrogate: 1-Chlorooctane 71.1 % 52.4-130

Surrogate: 1-Chlorooctadecane 68.9 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 02/16/2026
 Reported: 02/19/2026
 Project Name: TRUNK O
 Project Number: NOT GIVEN
 Project Location: ETC-LEA COUNTY, NEW MEXICO

Sampling Date: 02/13/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: W - 1 (H260912-08)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	02/17/2026	ND	2.10	105	2.00	0.428	
Toluene*	<0.050	0.050	02/17/2026	ND	2.08	104	2.00	1.01	
Ethylbenzene*	<0.050	0.050	02/17/2026	ND	2.24	112	2.00	4.94	
Total Xylenes*	<0.150	0.150	02/17/2026	ND	6.97	116	6.00	5.50	
Total BTX	<0.300	0.300	02/17/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 121 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	02/17/2026	ND	480	120	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/17/2026	ND	180	89.8	200	1.25	
DRO >C10-C28*	26.1	10.0	02/17/2026	ND	193	96.6	200	0.890	
EXT DRO >C28-C36	<10.0	10.0	02/17/2026	ND					

Surrogate: 1-Chlorooctane 73.6 % 52.4-130

Surrogate: 1-Chlorooctadecane 72.5 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 02/16/2026
 Reported: 02/19/2026
 Project Name: TRUNK O
 Project Number: NOT GIVEN
 Project Location: ETC-LEA COUNTY, NEW MEXICO

Sampling Date: 02/13/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: W - 2 (H260912-09)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	02/17/2026	ND	2.10	105	2.00	0.428	
Toluene*	<0.050	0.050	02/17/2026	ND	2.08	104	2.00	1.01	
Ethylbenzene*	<0.050	0.050	02/17/2026	ND	2.24	112	2.00	4.94	
Total Xylenes*	<0.150	0.150	02/17/2026	ND	6.97	116	6.00	5.50	
Total BTEX	<0.300	0.300	02/17/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 117 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	02/17/2026	ND	480	120	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/17/2026	ND	180	89.8	200	1.25	
DRO >C10-C28*	<10.0	10.0	02/17/2026	ND	193	96.6	200	0.890	
EXT DRO >C28-C36	<10.0	10.0	02/17/2026	ND					

Surrogate: 1-Chlorooctane 74.4 % 52.4-130

Surrogate: 1-Chlorooctadecane 70.9 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 02/16/2026
 Reported: 02/19/2026
 Project Name: TRUNK O
 Project Number: NOT GIVEN
 Project Location: ETC-LEA COUNTY, NEW MEXICO

Sampling Date: 02/13/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: W - 3 (H260912-10)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	02/17/2026	ND	2.10	105	2.00	0.428	
Toluene*	<0.050	0.050	02/17/2026	ND	2.08	104	2.00	1.01	
Ethylbenzene*	<0.050	0.050	02/17/2026	ND	2.24	112	2.00	4.94	
Total Xylenes*	<0.150	0.150	02/17/2026	ND	6.97	116	6.00	5.50	
Total BTEX	<0.300	0.300	02/17/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 120 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	32.0	16.0	02/17/2026	ND	480	120	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/17/2026	ND	180	89.8	200	1.25	
DRO >C10-C28*	<10.0	10.0	02/17/2026	ND	193	96.6	200	0.890	
EXT DRO >C28-C36	<10.0	10.0	02/17/2026	ND					

Surrogate: 1-Chlorooctane 76.1 % 52.4-130

Surrogate: 1-Chlorooctadecane 74.2 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 02/16/2026
 Reported: 02/19/2026
 Project Name: TRUNK O
 Project Number: NOT GIVEN
 Project Location: ETC-LEA COUNTY, NEW MEXICO

Sampling Date: 02/13/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: W - 4 (H260912-11)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	02/17/2026	ND	2.10	105	2.00	0.428	
Toluene*	<0.050	0.050	02/17/2026	ND	2.08	104	2.00	1.01	
Ethylbenzene*	<0.050	0.050	02/17/2026	ND	2.24	112	2.00	4.94	
Total Xylenes*	<0.150	0.150	02/17/2026	ND	6.97	116	6.00	5.50	
Total BTX	<0.300	0.300	02/17/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 115 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	02/17/2026	ND	480	120	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/17/2026	ND	180	89.8	200	1.25	
DRO >C10-C28*	<10.0	10.0	02/17/2026	ND	193	96.6	200	0.890	
EXT DRO >C28-C36	<10.0	10.0	02/17/2026	ND					

Surrogate: 1-Chlorooctane 77.5 % 52.4-130

Surrogate: 1-Chlorooctadecane 73.8 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 02/16/2026
 Reported: 02/19/2026
 Project Name: TRUNK O
 Project Number: NOT GIVEN
 Project Location: ETC-LEA COUNTY, NEW MEXICO

Sampling Date: 02/13/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: W - 5 (H260912-12)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	02/17/2026	ND	1.92	96.1	2.00	1.13		
Toluene*	<0.050	0.050	02/17/2026	ND	1.76	88.1	2.00	0.792		
Ethylbenzene*	<0.050	0.050	02/17/2026	ND	1.76	88.0	2.00	0.497		
Total Xylenes*	<0.150	0.150	02/17/2026	ND	5.20	86.6	6.00	0.219		
Total BTEx	<0.300	0.300	02/17/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 94.5 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	02/17/2026	ND	480	120	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/17/2026	ND	180	89.8	200	1.25	
DRO >C10-C28*	<10.0	10.0	02/17/2026	ND	193	96.6	200	0.890	
EXT DRO >C28-C36	<10.0	10.0	02/17/2026	ND					

Surrogate: 1-Chlorooctane 70.3 % 52.4-130

Surrogate: 1-Chlorooctadecane 67.1 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 02/16/2026
 Reported: 02/19/2026
 Project Name: TRUNK O
 Project Number: NOT GIVEN
 Project Location: ETC-LEA COUNTY, NEW MEXICO

Sampling Date: 02/13/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: W - 6 (H260912-13)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	02/17/2026	ND	1.92	96.1	2.00	1.13		
Toluene*	<0.050	0.050	02/17/2026	ND	1.76	88.1	2.00	0.792		
Ethylbenzene*	<0.050	0.050	02/17/2026	ND	1.76	88.0	2.00	0.497		
Total Xylenes*	<0.150	0.150	02/17/2026	ND	5.20	86.6	6.00	0.219		
Total BTEx	<0.300	0.300	02/17/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 93.9 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	02/17/2026	ND	480	120	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/17/2026	ND	180	89.8	200	1.25	
DRO >C10-C28*	<10.0	10.0	02/17/2026	ND	193	96.6	200	0.890	
EXT DRO >C28-C36	<10.0	10.0	02/17/2026	ND					

Surrogate: 1-Chlorooctane 74.2 % 52.4-130

Surrogate: 1-Chlorooctadecane 72.9 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 02/16/2026
 Reported: 02/19/2026
 Project Name: TRUNK O
 Project Number: NOT GIVEN
 Project Location: ETC-LEA COUNTY, NEW MEXICO

Sampling Date: 02/13/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: W - 7 (H260912-14)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	02/17/2026	ND	1.92	96.1	2.00	1.13	
Toluene*	<0.050	0.050	02/17/2026	ND	1.76	88.1	2.00	0.792	
Ethylbenzene*	<0.050	0.050	02/17/2026	ND	1.76	88.0	2.00	0.497	
Total Xylenes*	<0.150	0.150	02/17/2026	ND	5.20	86.6	6.00	0.219	
Total BTEX	<0.300	0.300	02/17/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 93.9 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	02/17/2026	ND	480	120	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/17/2026	ND	180	89.8	200	1.25	
DRO >C10-C28*	<10.0	10.0	02/17/2026	ND	193	96.6	200	0.890	
EXT DRO >C28-C36	<10.0	10.0	02/17/2026	ND					

Surrogate: 1-Chlorooctane 76.3 % 52.4-130

Surrogate: 1-Chlorooctadecane 72.8 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 02/16/2026
 Reported: 02/19/2026
 Project Name: TRUNK O
 Project Number: NOT GIVEN
 Project Location: ETC-LEA COUNTY, NEW MEXICO

Sampling Date: 02/13/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: W - 8 (H260912-15)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	02/17/2026	ND	1.92	96.1	2.00	1.13	
Toluene*	<0.050	0.050	02/17/2026	ND	1.76	88.1	2.00	0.792	
Ethylbenzene*	<0.050	0.050	02/17/2026	ND	1.76	88.0	2.00	0.497	
Total Xylenes*	<0.150	0.150	02/17/2026	ND	5.20	86.6	6.00	0.219	
Total BTEx	<0.300	0.300	02/17/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.9 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	02/17/2026	ND	480	120	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/17/2026	ND	180	89.8	200	1.25	
DRO >C10-C28*	<10.0	10.0	02/17/2026	ND	193	96.6	200	0.890	
EXT DRO >C28-C36	<10.0	10.0	02/17/2026	ND					

Surrogate: 1-Chlorooctane 71.4 % 52.4-130

Surrogate: 1-Chlorooctadecane 68.7 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 02/16/2026
 Reported: 02/19/2026
 Project Name: TRUNK O
 Project Number: NOT GIVEN
 Project Location: ETC-LEA COUNTY, NEW MEXICO

Sampling Date: 02/12/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: B - 1 (H260912-16)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	02/17/2026	ND	1.92	96.1	2.00	1.13	
Toluene*	<0.050	0.050	02/17/2026	ND	1.76	88.1	2.00	0.792	
Ethylbenzene*	<0.050	0.050	02/17/2026	ND	1.76	88.0	2.00	0.497	
Total Xylenes*	<0.150	0.150	02/17/2026	ND	5.20	86.6	6.00	0.219	
Total BTEX	<0.300	0.300	02/17/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 93.0 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	32.0	16.0	02/17/2026	ND	480	120	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/17/2026	ND	205	102	200	3.57	
DRO >C10-C28*	<10.0	10.0	02/17/2026	ND	187	93.4	200	5.37	
EXT DRO >C28-C36	<10.0	10.0	02/17/2026	ND					

Surrogate: 1-Chlorooctane 76.9 % 52.4-130

Surrogate: 1-Chlorooctadecane 77.8 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 02/16/2026
 Reported: 02/19/2026
 Project Name: TRUNK O
 Project Number: NOT GIVEN
 Project Location: ETC-LEA COUNTY, NEW MEXICO

Sampling Date: 02/12/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: B - 2 (H260912-17)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	02/17/2026	ND	1.92	96.1	2.00	1.13	
Toluene*	<0.050	0.050	02/17/2026	ND	1.76	88.1	2.00	0.792	
Ethylbenzene*	<0.050	0.050	02/17/2026	ND	1.76	88.0	2.00	0.497	
Total Xylenes*	<0.150	0.150	02/17/2026	ND	5.20	86.6	6.00	0.219	
Total BTEx	<0.300	0.300	02/17/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 93.6 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	02/17/2026	ND	480	120	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/17/2026	ND	205	102	200	3.57	
DRO >C10-C28*	13.1	10.0	02/17/2026	ND	187	93.4	200	5.37	
EXT DRO >C28-C36	<10.0	10.0	02/17/2026	ND					

Surrogate: 1-Chlorooctane 78.4 % 52.4-130

Surrogate: 1-Chlorooctadecane 77.9 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 02/16/2026
 Reported: 02/19/2026
 Project Name: TRUNK O
 Project Number: NOT GIVEN
 Project Location: ETC-LEA COUNTY, NEW MEXICO

Sampling Date: 02/12/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: B - 3 (H260912-18)

BTX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	02/17/2026	ND	1.92	96.1	2.00	1.13		
Toluene*	0.184	0.050	02/17/2026	ND	1.76	88.1	2.00	0.792		
Ethylbenzene*	0.155	0.050	02/17/2026	ND	1.76	88.0	2.00	0.497		
Total Xylenes*	0.629	0.150	02/17/2026	ND	5.20	86.6	6.00	0.219		
Total BTX	0.967	0.300	02/17/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 95.7 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	384	16.0	02/17/2026	ND	480	120	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF				S-04	
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	11.4	10.0	02/17/2026	ND	205	102	200	3.57	
DRO >C10-C28*	708	10.0	02/17/2026	ND	187	93.4	200	5.37	
EXT DRO >C28-C36	129	10.0	02/17/2026	ND					

Surrogate: 1-Chlorooctane 90.6 % 52.4-130

Surrogate: 1-Chlorooctadecane 152 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

Notes and Definitions

S-04	The surrogate recovery for this sample is outside of established control limits due to a sample matrix effect.
QM-07	The spike recovery was outside acceptance limits for the MS and/or MSD. The batch was accepted based on acceptable LCS recovery.
ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

A handwritten signature in black ink, appearing to read "Celey D. Keene".

Celey D. Keene, Lab Director/Quality Manager



Chain of Custody

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Main Office: 2524 Trunk Street, Odessa Texas 79761
 Contact: (432) 653-0393
<https://standardtx.com/>
 Page 1 of 2

Work Order Comments

0402401K

H400912

Project Information				Turn Around		Parameters			ANALYSIS REQUEST										Preservative Codes		Sample Comments		
Project Name:	Project Number:	Project Location:	Sample's Name:	Temp Blank:	Yes	No	Wet Ice:	Yes	No	Press. Code											None: NO	DI Water: H ₂ O	
Trunk O		Lea County, New Mexico	Connor Whitman	Thermometer ID:	Yes	No		Yes	No												Cool: Cool	MeOH: Me	
			C-26029-GL-21300171	Correction Factor:	Yes	No															HCL: HC	HNO ₃ : HN	
				Temperature Reading:	Yes	No															H ₂ SO ₄ : H ₂	NaOH: Na	
				Corrected Temperature:																	H ₃ PO ₄ : HP		
																					NaHSO ₄ : NABIS		
																					Na ₂ S ₂ O ₃ : NaSO ₃		
																					Zn Acetate+NaOH: Zn		
																					NaOH+Ascorbic Acid: SAPC		
Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont																	
S-1		2/12/2026		Soil	Com	1	X	X	X	X													
S-2		2/12/2026		Soil	Com	1	X	X	X	X													
S-3		2/12/2026		Soil	Com	1	X	X	X	X													
S-4		2/12/2026		Soil	Com	1	X	X	X	X													
S-5		2/12/2026		Soil	Com	1	X	X	X	X													
S-6		2/12/2026		Soil	Com	1	X	X	X	X													
S-7		2/12/2026		Soil	Com	1	X	X	X	X													
W-1		2/13/2026		Soil	Com	1	X	X	X	X													
W-2		2/13/2026		Soil	Com	1	X	X	X	X													
W-3		2/13/2026		Soil	Com	1	X	X	X	X													
Relinquished by: (Signature)				Received by: (Signature)				Date/Time				Relinquished by: (Signature)				Received by: (Signature)				Date/Time			
<i>[Signature]</i>				<i>[Signature]</i>				2-10-26 1:32															
1				3				4				5				6							
3				4				5				6				7							
5				6				7				8				9							
5				6				7				8				9							

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



Chain of Custody

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Main Office: 2524 Trunk Street, Odessa Texas 79761	
Contact: (432) 653-0393	
https://standardtx.com/	
Page 2 of 2	
Work Order Comments	
0402401C 1400912	

Project Information				Turn Around		Parameters		ANALYSIS REQUEST										Preservative Codes	
Project Name:	Trunk O	☒ Routine	☐ Rush	Due Date:	5 day	Pres. Code													
Project Number:	Lea County, New Mexico			TAT may vary based on lab start time.															
Project Location:	Connor Whitman																		
Sampler's Name:	C-26029-GL-21300171																		
PO #:																			
SAMPLE RECEIPT		Temp Blank:	Yes ☒ No ☐	Wet Ice:	Yes ☒ No ☐														
Samples Received Intact:	Yes ☒ No ☐	Thermometer ID:																	
Cooler Custody Seals:	Yes ☒ No ☐	Correction Factor:																	
Sample Custody Seals:	Yes ☒ No ☐	Temperature Reading:																	
Total Containers:		Corrected Temperature:																	
Sample Identification		Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont											Sample Comments	
W-4			2/13/2026		Soil	Com	1	X	X	X							11		
W-5			2/13/2026		Soil	Com	1	X	X	X							12		
W-6			2/13/2026		Soil	Com	1	X	X	X							13		
W-7			2/13/2026		Soil	Com	1	X	X	X							14		
W-8			2/13/2026		Soil	Com	1	X	X	X							15		
B-1			2/12/2026		Soil	Com	1	X	X	X							16		
B-2			2/12/2026		Soil	Com	1	X	X	X							17		
B-3			2/12/2026		Soil	Com	1	X	X	X							18		
Relinquished by: (Signature)		Received by: (Signature)		Date/Time		Relinquished by: (Signature)		Received by: (Signature)		Date/Time									
1 <i>the</i>		2 <i>Skatinsky</i>		2-10-2010 1:32		3													
3						4													
5						6													

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

February 19, 2026

ETHAN SESSUMS

STANDARD SAFETY & SUPPLY

PO BOX 14987

ODESSA, TX 79764

RE: TRUNK O

Enclosed are the results of analyses for samples received by the laboratory on 02/16/26 11:22.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C25-00101. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Celey D. Keene". The signature is written in a cursive style with a large, stylized 'C' and 'K'.

Celey D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 02/16/2026
 Reported: 02/19/2026
 Project Name: TRUNK O
 Project Number: NOT GIVEN
 Project Location: ETC-LEA COUNTY, NEW MEXICO

Sampling Date: 02/12/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: V - 1 0.5 (H260913-01)

BTX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	02/17/2026	ND	1.92	96.1	2.00	1.13		
Toluene*	<0.050	0.050	02/17/2026	ND	1.76	88.1	2.00	0.792		
Ethylbenzene*	<0.050	0.050	02/17/2026	ND	1.76	88.0	2.00	0.497		
Total Xylenes*	<0.150	0.150	02/17/2026	ND	5.20	86.6	6.00	0.219		
Total BTX	<0.300	0.300	02/17/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 93.7 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	32.0	16.0	02/17/2026	ND	480	120	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/17/2026	ND	205	102	200	3.57	
DRO >C10-C28*	<10.0	10.0	02/17/2026	ND	187	93.4	200	5.37	
EXT DRO >C28-C36	<10.0	10.0	02/17/2026	ND					

Surrogate: 1-Chlorooctane 83.9 % 52.4-130

Surrogate: 1-Chlorooctadecane 84.9 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 02/16/2026
 Reported: 02/19/2026
 Project Name: TRUNK O
 Project Number: NOT GIVEN
 Project Location: ETC-LEA COUNTY, NEW MEXICO

Sampling Date: 02/12/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: V - 1 1 (H260913-02)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	02/17/2026	ND	1.92	96.1	2.00	1.13		
Toluene*	<0.050	0.050	02/17/2026	ND	1.76	88.1	2.00	0.792		
Ethylbenzene*	<0.050	0.050	02/17/2026	ND	1.76	88.0	2.00	0.497		
Total Xylenes*	<0.150	0.150	02/17/2026	ND	5.20	86.6	6.00	0.219		
Total BTEX	<0.300	0.300	02/17/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 93.8 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	02/17/2026	ND	480	120	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/17/2026	ND	205	102	200	3.57	
DRO >C10-C28*	<10.0	10.0	02/17/2026	ND	187	93.4	200	5.37	
EXT DRO >C28-C36	<10.0	10.0	02/17/2026	ND					

Surrogate: 1-Chlorooctane 84.8 % 52.4-130

Surrogate: 1-Chlorooctadecane 86.6 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 02/16/2026
 Reported: 02/19/2026
 Project Name: TRUNK O
 Project Number: NOT GIVEN
 Project Location: ETC-LEA COUNTY, NEW MEXICO

Sampling Date: 02/12/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: V - 2 0.5 (H260913-03)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	02/17/2026	ND	1.92	96.1	2.00	1.13	
Toluene*	<0.050	0.050	02/17/2026	ND	1.76	88.1	2.00	0.792	
Ethylbenzene*	<0.050	0.050	02/17/2026	ND	1.76	88.0	2.00	0.497	
Total Xylenes*	<0.150	0.150	02/17/2026	ND	5.20	86.6	6.00	0.219	
Total BTEX	<0.300	0.300	02/17/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.5 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	02/17/2026	ND	480	120	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/17/2026	ND	205	102	200	3.57	
DRO >C10-C28*	<10.0	10.0	02/17/2026	ND	187	93.4	200	5.37	
EXT DRO >C28-C36	<10.0	10.0	02/17/2026	ND					

Surrogate: 1-Chlorooctane 85.0 % 52.4-130

Surrogate: 1-Chlorooctadecane 85.9 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 02/16/2026
 Reported: 02/19/2026
 Project Name: TRUNK O
 Project Number: NOT GIVEN
 Project Location: ETC-LEA COUNTY, NEW MEXICO

Sampling Date: 02/12/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: V - 2 1 (H260913-04)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	02/17/2026	ND	1.92	96.1	2.00	1.13		
Toluene*	<0.050	0.050	02/17/2026	ND	1.76	88.1	2.00	0.792		
Ethylbenzene*	<0.050	0.050	02/17/2026	ND	1.76	88.0	2.00	0.497		
Total Xylenes*	<0.150	0.150	02/17/2026	ND	5.20	86.6	6.00	0.219		
Total BTEX	<0.300	0.300	02/17/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 94.6 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	02/17/2026	ND	432	108	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/17/2026	ND	205	102	200	3.57	
DRO >C10-C28*	182	10.0	02/17/2026	ND	187	93.4	200	5.37	
EXT DRO >C28-C36	28.3	10.0	02/17/2026	ND					

Surrogate: 1-Chlorooctane 83.8 % 52.4-130

Surrogate: 1-Chlorooctadecane 90.5 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 02/16/2026
 Reported: 02/19/2026
 Project Name: TRUNK O
 Project Number: NOT GIVEN
 Project Location: ETC-LEA COUNTY, NEW MEXICO

Sampling Date: 02/12/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: V - 2 2 (H260913-05)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	02/17/2026	ND	1.92	96.1	2.00	1.13	
Toluene*	<0.050	0.050	02/17/2026	ND	1.76	88.1	2.00	0.792	
Ethylbenzene*	<0.050	0.050	02/17/2026	ND	1.76	88.0	2.00	0.497	
Total Xylenes*	<0.150	0.150	02/17/2026	ND	5.20	86.6	6.00	0.219	
Total BTEX	<0.300	0.300	02/17/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 93.0 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	02/17/2026	ND	432	108	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/17/2026	ND	205	102	200	3.57	
DRO >C10-C28*	<10.0	10.0	02/17/2026	ND	187	93.4	200	5.37	
EXT DRO >C28-C36	<10.0	10.0	02/17/2026	ND					

Surrogate: 1-Chlorooctane 83.5 % 52.4-130

Surrogate: 1-Chlorooctadecane 84.1 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 02/16/2026
 Reported: 02/19/2026
 Project Name: TRUNK O
 Project Number: NOT GIVEN
 Project Location: ETC-LEA COUNTY, NEW MEXICO

Sampling Date: 02/12/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: V - 2 3 (H260913-06)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	02/17/2026	ND	1.92	96.1	2.00	1.13	
Toluene*	<0.050	0.050	02/17/2026	ND	1.76	88.1	2.00	0.792	
Ethylbenzene*	<0.050	0.050	02/17/2026	ND	1.76	88.0	2.00	0.497	
Total Xylenes*	<0.150	0.150	02/17/2026	ND	5.20	86.6	6.00	0.219	
Total BTEX	<0.300	0.300	02/17/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 93.8 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	32.0	16.0	02/17/2026	ND	432	108	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/17/2026	ND	205	102	200	3.57	
DRO >C10-C28*	<10.0	10.0	02/17/2026	ND	187	93.4	200	5.37	
EXT DRO >C28-C36	<10.0	10.0	02/17/2026	ND					

Surrogate: 1-Chlorooctane 81.1 % 52.4-130

Surrogate: 1-Chlorooctadecane 84.2 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 02/16/2026
 Reported: 02/19/2026
 Project Name: TRUNK O
 Project Number: NOT GIVEN
 Project Location: ETC-LEA COUNTY, NEW MEXICO

Sampling Date: 02/12/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: V - 2 4 (H260913-07)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	02/17/2026	ND	1.92	96.1	2.00	1.13	
Toluene*	<0.050	0.050	02/17/2026	ND	1.76	88.1	2.00	0.792	
Ethylbenzene*	<0.050	0.050	02/17/2026	ND	1.76	88.0	2.00	0.497	
Total Xylenes*	<0.150	0.150	02/17/2026	ND	5.20	86.6	6.00	0.219	
Total BTEX	<0.300	0.300	02/17/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.3 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	02/17/2026	ND	432	108	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/17/2026	ND	205	102	200	3.57	
DRO >C10-C28*	<10.0	10.0	02/17/2026	ND	187	93.4	200	5.37	
EXT DRO >C28-C36	<10.0	10.0	02/17/2026	ND					

Surrogate: 1-Chlorooctane 85.0 % 52.4-130

Surrogate: 1-Chlorooctadecane 85.9 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 02/16/2026
 Reported: 02/19/2026
 Project Name: TRUNK O
 Project Number: NOT GIVEN
 Project Location: ETC-LEA COUNTY, NEW MEXICO

Sampling Date: 02/12/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: V - 2 5 (H260913-08)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	02/17/2026	ND	1.92	96.1	2.00	1.13		
Toluene*	<0.050	0.050	02/17/2026	ND	1.76	88.1	2.00	0.792		
Ethylbenzene*	<0.050	0.050	02/17/2026	ND	1.76	88.0	2.00	0.497		
Total Xylenes*	<0.150	0.150	02/17/2026	ND	5.20	86.6	6.00	0.219		
Total BTEX	<0.300	0.300	02/17/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 93.7 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	02/17/2026	ND	432	108	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/17/2026	ND	205	102	200	3.57	
DRO >C10-C28*	<10.0	10.0	02/17/2026	ND	187	93.4	200	5.37	
EXT DRO >C28-C36	<10.0	10.0	02/17/2026	ND					

Surrogate: 1-Chlorooctane 76.9 % 52.4-130

Surrogate: 1-Chlorooctadecane 75.6 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 02/16/2026
 Reported: 02/19/2026
 Project Name: TRUNK O
 Project Number: NOT GIVEN
 Project Location: ETC-LEA COUNTY, NEW MEXICO

Sampling Date: 02/12/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: V - 2 6 (H260913-09)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	02/17/2026	ND	1.92	96.1	2.00	1.13		
Toluene*	<0.050	0.050	02/17/2026	ND	1.76	88.1	2.00	0.792		
Ethylbenzene*	<0.050	0.050	02/17/2026	ND	1.76	88.0	2.00	0.497		
Total Xylenes*	<0.150	0.150	02/17/2026	ND	5.20	86.6	6.00	0.219		
Total BTEX	<0.300	0.300	02/17/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 93.1 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	02/17/2026	ND	432	108	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/17/2026	ND	205	102	200	3.57	
DRO >C10-C28*	<10.0	10.0	02/17/2026	ND	187	93.4	200	5.37	
EXT DRO >C28-C36	<10.0	10.0	02/17/2026	ND					

Surrogate: 1-Chlorooctane 81.4 % 52.4-130

Surrogate: 1-Chlorooctadecane 80.9 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 02/16/2026
 Reported: 02/19/2026
 Project Name: TRUNK O
 Project Number: NOT GIVEN
 Project Location: ETC-LEA COUNTY, NEW MEXICO

Sampling Date: 02/12/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: V - 2 7 (H260913-10)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	02/17/2026	ND	1.92	96.1	2.00	1.13		
Toluene*	<0.050	0.050	02/17/2026	ND	1.76	88.1	2.00	0.792		
Ethylbenzene*	<0.050	0.050	02/17/2026	ND	1.76	88.0	2.00	0.497		
Total Xylenes*	<0.150	0.150	02/17/2026	ND	5.20	86.6	6.00	0.219		
Total BTEX	<0.300	0.300	02/17/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 94.6 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	02/17/2026	ND	432	108	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/17/2026	ND	205	102	200	3.57	
DRO >C10-C28*	<10.0	10.0	02/17/2026	ND	187	93.4	200	5.37	
EXT DRO >C28-C36	<10.0	10.0	02/17/2026	ND					

Surrogate: 1-Chlorooctane 81.4 % 52.4-130

Surrogate: 1-Chlorooctadecane 81.5 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 02/16/2026
 Reported: 02/19/2026
 Project Name: TRUNK O
 Project Number: NOT GIVEN
 Project Location: ETC-LEA COUNTY, NEW MEXICO

Sampling Date: 02/12/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: V - 2 8 (H260913-11)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	02/17/2026	ND	1.92	96.1	2.00	1.13		
Toluene*	<0.050	0.050	02/17/2026	ND	1.76	88.1	2.00	0.792		
Ethylbenzene*	<0.050	0.050	02/17/2026	ND	1.76	88.0	2.00	0.497		
Total Xylenes*	<0.150	0.150	02/17/2026	ND	5.20	86.6	6.00	0.219		
Total BTEX	<0.300	0.300	02/17/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 94.4 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	02/17/2026	ND	432	108	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/17/2026	ND	205	102	200	3.57	
DRO >C10-C28*	<10.0	10.0	02/17/2026	ND	187	93.4	200	5.37	
EXT DRO >C28-C36	<10.0	10.0	02/17/2026	ND					

Surrogate: 1-Chlorooctane 80.6 % 52.4-130

Surrogate: 1-Chlorooctadecane 81.0 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 02/16/2026
 Reported: 02/19/2026
 Project Name: TRUNK O
 Project Number: NOT GIVEN
 Project Location: ETC-LEA COUNTY, NEW MEXICO

Sampling Date: 02/12/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: V - 3 7 (H260913-12)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	0.261	0.050	02/17/2026	ND	1.92	96.1	2.00	1.13	
Toluene*	3.35	0.050	02/17/2026	ND	1.76	88.1	2.00	0.792	
Ethylbenzene*	1.87	0.050	02/17/2026	ND	1.76	88.0	2.00	0.497	
Total Xylenes*	6.39	0.150	02/17/2026	ND	5.20	86.6	6.00	0.219	
Total BTEX	11.9	0.300	02/17/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 125 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	2320	16.0	02/17/2026	ND	432	108	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF				S-04	
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	148	10.0	02/17/2026	ND	205	102	200	3.57	
DRO >C10-C28*	1070	10.0	02/17/2026	ND	187	93.4	200	5.37	
EXT DRO >C28-C36	165	10.0	02/17/2026	ND					

Surrogate: 1-Chlorooctane 110 % 52.4-130

Surrogate: 1-Chlorooctadecane 188 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 02/16/2026
 Reported: 02/19/2026
 Project Name: TRUNK O
 Project Number: NOT GIVEN
 Project Location: ETC-LEA COUNTY, NEW MEXICO

Sampling Date: 02/12/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: V - 3 8 (H260913-13)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	02/17/2026	ND	1.92	96.1	2.00	1.13	
Toluene*	0.307	0.050	02/17/2026	ND	1.76	88.1	2.00	0.792	
Ethylbenzene*	0.292	0.050	02/17/2026	ND	1.76	88.0	2.00	0.497	
Total Xylenes*	1.28	0.150	02/17/2026	ND	5.20	86.6	6.00	0.219	
Total BTEX	1.88	0.300	02/17/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 103 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	96.0	16.0	02/17/2026	ND	432	108	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	14.3	10.0	02/17/2026	ND	205	102	200	3.57	
DRO >C10-C28*	260	10.0	02/17/2026	ND	187	93.4	200	5.37	
EXT DRO >C28-C36	46.3	10.0	02/17/2026	ND					

Surrogate: 1-Chlorooctane 92.3 % 52.4-130

Surrogate: 1-Chlorooctadecane 96.8 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 02/16/2026
 Reported: 02/19/2026
 Project Name: TRUNK O
 Project Number: NOT GIVEN
 Project Location: ETC-LEA COUNTY, NEW MEXICO

Sampling Date: 02/12/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: V - 3 9 (H260913-14)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	0.063	0.050	02/17/2026	ND	1.88	94.0	2.00	21.2	QM-07, QR-03
Toluene*	0.959	0.050	02/17/2026	ND	2.21	111	2.00	9.80	
Ethylbenzene*	0.406	0.050	02/17/2026	ND	2.19	109	2.00	16.8	
Total Xylenes*	1.80	0.150	02/17/2026	ND	6.24	104	6.00	18.6	
Total BTEX	3.23	0.300	02/17/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 97.4 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	160	16.0	02/17/2026	ND	432	108	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	22.2	10.0	02/17/2026	ND	205	102	200	3.57	
DRO >C10-C28*	301	10.0	02/17/2026	ND	187	93.4	200	5.37	
EXT DRO >C28-C36	56.4	10.0	02/17/2026	ND					

Surrogate: 1-Chlorooctane 92.4 % 52.4-130

Surrogate: 1-Chlorooctadecane 94.7 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 02/16/2026
 Reported: 02/19/2026
 Project Name: TRUNK O
 Project Number: NOT GIVEN
 Project Location: ETC-LEA COUNTY, NEW MEXICO

Sampling Date: 02/12/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: V - 3 10 (H260913-15)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	0.396	0.050	02/17/2026	ND	1.88	94.0	2.00	21.2	
Toluene*	3.99	0.050	02/17/2026	ND	2.21	111	2.00	9.80	
Ethylbenzene*	1.47	0.050	02/17/2026	ND	2.19	109	2.00	16.8	
Total Xylenes*	5.74	0.150	02/17/2026	ND	6.24	104	6.00	18.6	
Total BTEX	11.6	0.300	02/17/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 86.3 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	464	16.0	02/17/2026	ND	432	108	400	3.77		

TPH 8015M	mg/kg		Analyzed By: JF					S-06	
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	255	50.0	02/17/2026	ND	205	102	200	3.57	
DRO >C10-C28*	2410	50.0	02/17/2026	ND	187	93.4	200	5.37	
EXT DRO >C28-C36	424	50.0	02/17/2026	ND					

Surrogate: 1-Chlorooctane 118 % 52.4-130

Surrogate: 1-Chlorooctadecane 231 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 02/16/2026
 Reported: 02/19/2026
 Project Name: TRUNK O
 Project Number: NOT GIVEN
 Project Location: ETC-LEA COUNTY, NEW MEXICO

Sampling Date: 02/12/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: V - 3 11 (H260913-16)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	02/17/2026	ND	1.88	94.0	2.00	21.2		
Toluene*	0.054	0.050	02/17/2026	ND	2.21	111	2.00	9.80		
Ethylbenzene*	<0.050	0.050	02/17/2026	ND	2.19	109	2.00	16.8		
Total Xylenes*	0.196	0.150	02/17/2026	ND	6.24	104	6.00	18.6		
Total BTEX	<0.300	0.300	02/17/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 101 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	96.0	16.0	02/17/2026	ND	432	108	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/17/2026	ND	205	102	200	3.57	
DRO >C10-C28*	147	10.0	02/17/2026	ND	187	93.4	200	5.37	
EXT DRO >C28-C36	32.4	10.0	02/17/2026	ND					

Surrogate: 1-Chlorooctane 83.5 % 52.4-130

Surrogate: 1-Chlorooctadecane 89.2 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 02/16/2026
 Reported: 02/19/2026
 Project Name: TRUNK O
 Project Number: NOT GIVEN
 Project Location: ETC-LEA COUNTY, NEW MEXICO

Sampling Date: 02/12/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: V - 3 12 (H260913-17)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	02/17/2026	ND	1.88	94.0	2.00	21.2	
Toluene*	0.082	0.050	02/17/2026	ND	2.21	111	2.00	9.80	
Ethylbenzene*	<0.050	0.050	02/17/2026	ND	2.19	109	2.00	16.8	
Total Xylenes*	<0.150	0.150	02/17/2026	ND	6.24	104	6.00	18.6	
Total BTEX	<0.300	0.300	02/17/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 110 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	48.0	16.0	02/17/2026	ND	432	108	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/17/2026	ND	205	102	200	3.57	
DRO >C10-C28*	52.5	10.0	02/17/2026	ND	187	93.4	200	5.37	
EXT DRO >C28-C36	12.2	10.0	02/17/2026	ND					

Surrogate: 1-Chlorooctane 80.1 % 52.4-130

Surrogate: 1-Chlorooctadecane 84.3 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 02/16/2026
 Reported: 02/19/2026
 Project Name: TRUNK O
 Project Number: NOT GIVEN
 Project Location: ETC-LEA COUNTY, NEW MEXICO

Sampling Date: 02/12/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: V - 5 6.5 (H260913-18)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	0.118	0.050	02/17/2026	ND	1.88	94.0	2.00	21.2	
Toluene*	4.74	0.050	02/17/2026	ND	2.21	111	2.00	9.80	
Ethylbenzene*	2.71	0.050	02/17/2026	ND	2.19	109	2.00	16.8	
Total Xylenes*	11.8	0.150	02/17/2026	ND	6.24	104	6.00	18.6	
Total BTEX	19.4	0.300	02/17/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 111 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	592	16.0	02/17/2026	ND	432	108	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	323	50.0	02/17/2026	ND	215	107	200	0.506	QM-07
DRO >C10-C28*	2020	50.0	02/17/2026	ND	209	104	200	2.09	QM-07
EXT DRO >C28-C36	191	50.0	02/17/2026	ND					

Surrogate: 1-Chlorooctane 92.4 % 52.4-130

Surrogate: 1-Chlorooctadecane 119 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 02/16/2026
 Reported: 02/19/2026
 Project Name: TRUNK O
 Project Number: NOT GIVEN
 Project Location: ETC-LEA COUNTY, NEW MEXICO

Sampling Date: 02/12/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: V - 5 7 (H260913-19)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	02/17/2026	ND	1.88	94.0	2.00	21.2	
Toluene*	0.096	0.050	02/17/2026	ND	2.21	111	2.00	9.80	
Ethylbenzene*	0.098	0.050	02/17/2026	ND	2.19	109	2.00	16.8	
Total Xylenes*	0.612	0.150	02/17/2026	ND	6.24	104	6.00	18.6	
Total BTEX	0.807	0.300	02/17/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 99.4 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	96.0	16.0	02/17/2026	ND	432	108	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	14.7	10.0	02/17/2026	ND	215	107	200	0.506	
DRO >C10-C28*	216	10.0	02/17/2026	ND	209	104	200	2.09	
EXT DRO >C28-C36	22.4	10.0	02/17/2026	ND					

Surrogate: 1-Chlorooctane 72.0 % 52.4-130

Surrogate: 1-Chlorooctadecane 71.3 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 02/16/2026
 Reported: 02/19/2026
 Project Name: TRUNK O
 Project Number: NOT GIVEN
 Project Location: ETC-LEA COUNTY, NEW MEXICO

Sampling Date: 02/12/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: V - 5 8 (H260913-20)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	02/17/2026	ND	1.88	94.0	2.00	21.2	
Toluene*	<0.050	0.050	02/17/2026	ND	2.21	111	2.00	9.80	
Ethylbenzene*	<0.050	0.050	02/17/2026	ND	2.19	109	2.00	16.8	
Total Xylenes*	<0.150	0.150	02/17/2026	ND	6.24	104	6.00	18.6	
Total BTEX	<0.300	0.300	02/17/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 101 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	02/17/2026	ND	432	108	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/17/2026	ND	215	107	200	0.506	
DRO >C10-C28*	18.2	10.0	02/17/2026	ND	209	104	200	2.09	
EXT DRO >C28-C36	<10.0	10.0	02/17/2026	ND					

Surrogate: 1-Chlorooctane 79.6 % 52.4-130

Surrogate: 1-Chlorooctadecane 77.2 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 02/16/2026
 Reported: 02/19/2026
 Project Name: TRUNK O
 Project Number: NOT GIVEN
 Project Location: ETC-LEA COUNTY, NEW MEXICO

Sampling Date: 02/12/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: V - 5 9 (H260913-21)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	02/17/2026	ND	1.88	94.0	2.00	21.2	
Toluene*	<0.050	0.050	02/17/2026	ND	2.21	111	2.00	9.80	
Ethylbenzene*	<0.050	0.050	02/17/2026	ND	2.19	109	2.00	16.8	
Total Xylenes*	<0.150	0.150	02/17/2026	ND	6.24	104	6.00	18.6	
Total BTEx	<0.300	0.300	02/17/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 89.1 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	02/17/2026	ND	432	108	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/17/2026	ND	215	107	200	0.506	
DRO >C10-C28*	<10.0	10.0	02/17/2026	ND	209	104	200	2.09	
EXT DRO >C28-C36	<10.0	10.0	02/17/2026	ND					

Surrogate: 1-Chlorooctane 83.4 % 52.4-130

Surrogate: 1-Chlorooctadecane 80.1 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 02/16/2026
 Reported: 02/19/2026
 Project Name: TRUNK O
 Project Number: NOT GIVEN
 Project Location: ETC-LEA COUNTY, NEW MEXICO

Sampling Date: 02/12/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: H - 1 0.5 (H260913-22)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	02/17/2026	ND	1.88	94.0	2.00	21.2	
Toluene*	<0.050	0.050	02/17/2026	ND	2.21	111	2.00	9.80	
Ethylbenzene*	<0.050	0.050	02/17/2026	ND	2.19	109	2.00	16.8	
Total Xylenes*	<0.150	0.150	02/17/2026	ND	6.24	104	6.00	18.6	
Total BTEX	<0.300	0.300	02/17/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 102 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	02/17/2026	ND	432	108	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/17/2026	ND	215	107	200	0.506	
DRO >C10-C28*	<10.0	10.0	02/17/2026	ND	209	104	200	2.09	
EXT DRO >C28-C36	<10.0	10.0	02/17/2026	ND					

Surrogate: 1-Chlorooctane 80.8 % 52.4-130

Surrogate: 1-Chlorooctadecane 76.4 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 02/16/2026
 Reported: 02/19/2026
 Project Name: TRUNK O
 Project Number: NOT GIVEN
 Project Location: ETC-LEA COUNTY, NEW MEXICO

Sampling Date: 02/12/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: H - 2 0.5 (H260913-23)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	02/17/2026	ND	1.88	94.0	2.00	21.2	
Toluene*	<0.050	0.050	02/17/2026	ND	2.21	111	2.00	9.80	
Ethylbenzene*	<0.050	0.050	02/17/2026	ND	2.19	109	2.00	16.8	
Total Xylenes*	<0.150	0.150	02/17/2026	ND	6.24	104	6.00	18.6	
Total BTEx	<0.300	0.300	02/17/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 98.9 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	32.0	16.0	02/17/2026	ND	432	108	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/17/2026	ND	215	107	200	0.506	
DRO >C10-C28*	<10.0	10.0	02/17/2026	ND	209	104	200	2.09	
EXT DRO >C28-C36	<10.0	10.0	02/17/2026	ND					

Surrogate: 1-Chlorooctane 79.7 % 52.4-130

Surrogate: 1-Chlorooctadecane 75.9 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 02/16/2026
 Reported: 02/19/2026
 Project Name: TRUNK O
 Project Number: NOT GIVEN
 Project Location: ETC-LEA COUNTY, NEW MEXICO

Sampling Date: 02/12/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: H - 3 0.5 (H260913-24)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	02/17/2026	ND	1.88	94.0	2.00	21.2		
Toluene*	<0.050	0.050	02/17/2026	ND	2.21	111	2.00	9.80		
Ethylbenzene*	<0.050	0.050	02/17/2026	ND	2.19	109	2.00	16.8		
Total Xylenes*	<0.150	0.150	02/17/2026	ND	6.24	104	6.00	18.6		
Total BTEx	<0.300	0.300	02/17/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 101 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	02/17/2026	ND	416	104	400	10.9		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/17/2026	ND	215	107	200	0.506	
DRO >C10-C28*	<10.0	10.0	02/17/2026	ND	209	104	200	2.09	
EXT DRO >C28-C36	<10.0	10.0	02/17/2026	ND					

Surrogate: 1-Chlorooctane 80.7 % 52.4-130

Surrogate: 1-Chlorooctadecane 76.3 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 02/16/2026
 Reported: 02/19/2026
 Project Name: TRUNK O
 Project Number: NOT GIVEN
 Project Location: ETC-LEA COUNTY, NEW MEXICO

Sampling Date: 02/12/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: H - 4 0.5 (H260913-25)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	02/17/2026	ND	1.88	94.0	2.00	21.2		
Toluene*	<0.050	0.050	02/17/2026	ND	2.21	111	2.00	9.80		
Ethylbenzene*	<0.050	0.050	02/17/2026	ND	2.19	109	2.00	16.8		
Total Xylenes*	<0.150	0.150	02/17/2026	ND	6.24	104	6.00	18.6		
Total BTEx	<0.300	0.300	02/17/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 98.6 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	32.0	16.0	02/17/2026	ND	416	104	400	10.9		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/17/2026	ND	215	107	200	0.506	
DRO >C10-C28*	<10.0	10.0	02/17/2026	ND	209	104	200	2.09	
EXT DRO >C28-C36	<10.0	10.0	02/17/2026	ND					

Surrogate: 1-Chlorooctane 82.2 % 52.4-130

Surrogate: 1-Chlorooctadecane 78.9 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 02/16/2026
 Reported: 02/19/2026
 Project Name: TRUNK O
 Project Number: NOT GIVEN
 Project Location: ETC-LEA COUNTY, NEW MEXICO

Sampling Date: 02/13/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: V - 5 10 (H260913-26)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	02/17/2026	ND	1.88	94.0	2.00	21.2	
Toluene*	<0.050	0.050	02/17/2026	ND	2.21	111	2.00	9.80	
Ethylbenzene*	<0.050	0.050	02/17/2026	ND	2.19	109	2.00	16.8	
Total Xylenes*	<0.150	0.150	02/17/2026	ND	6.24	104	6.00	18.6	
Total BTX	<0.300	0.300	02/17/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 107 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	48.0	16.0	02/17/2026	ND	416	104	400	10.9		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/17/2026	ND	215	107	200	0.506	
DRO >C10-C28*	98.8	10.0	02/17/2026	ND	209	104	200	2.09	
EXT DRO >C28-C36	<10.0	10.0	02/17/2026	ND					

Surrogate: 1-Chlorooctane 82.2 % 52.4-130

Surrogate: 1-Chlorooctadecane 81.5 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 02/16/2026
 Reported: 02/19/2026
 Project Name: TRUNK O
 Project Number: NOT GIVEN
 Project Location: ETC-LEA COUNTY, NEW MEXICO

Sampling Date: 02/13/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: V - 5 11 (H260913-27)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	02/17/2026	ND	1.88	94.0	2.00	21.2		
Toluene*	<0.050	0.050	02/17/2026	ND	2.21	111	2.00	9.80		
Ethylbenzene*	<0.050	0.050	02/17/2026	ND	2.19	109	2.00	16.8		
Total Xylenes*	<0.150	0.150	02/17/2026	ND	6.24	104	6.00	18.6		
Total BTEX	<0.300	0.300	02/17/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 97.4 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	80.0	16.0	02/17/2026	ND	416	104	400	10.9		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/17/2026	ND	215	107	200	0.506	
DRO >C10-C28*	139	10.0	02/17/2026	ND	209	104	200	2.09	
EXT DRO >C28-C36	12.9	10.0	02/17/2026	ND					

Surrogate: 1-Chlorooctane 79.9 % 52.4-130

Surrogate: 1-Chlorooctadecane 80.9 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 02/16/2026
 Reported: 02/19/2026
 Project Name: TRUNK O
 Project Number: NOT GIVEN
 Project Location: ETC-LEA COUNTY, NEW MEXICO

Sampling Date: 02/13/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: V - 4 0.5 (H260913-28)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	02/17/2026	ND	1.88	94.0	2.00	21.2	
Toluene*	<0.050	0.050	02/17/2026	ND	2.21	111	2.00	9.80	
Ethylbenzene*	<0.050	0.050	02/17/2026	ND	2.19	109	2.00	16.8	
Total Xylenes*	<0.150	0.150	02/17/2026	ND	6.24	104	6.00	18.6	
Total BTEX	<0.300	0.300	02/17/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 99.6 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	32.0	16.0	02/17/2026	ND	416	104	400	10.9	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/17/2026	ND	215	107	200	0.506	
DRO >C10-C28*	<10.0	10.0	02/17/2026	ND	209	104	200	2.09	
EXT DRO >C28-C36	<10.0	10.0	02/17/2026	ND					

Surrogate: 1-Chlorooctane 79.2 % 52.4-130

Surrogate: 1-Chlorooctadecane 75.5 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 02/16/2026
 Reported: 02/19/2026
 Project Name: TRUNK O
 Project Number: NOT GIVEN
 Project Location: ETC-LEA COUNTY, NEW MEXICO

Sampling Date: 02/13/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: V - 4 1 (H260913-29)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	02/17/2026	ND	1.88	94.0	2.00	21.2		
Toluene*	<0.050	0.050	02/17/2026	ND	2.21	111	2.00	9.80		
Ethylbenzene*	<0.050	0.050	02/17/2026	ND	2.19	109	2.00	16.8		
Total Xylenes*	<0.150	0.150	02/17/2026	ND	6.24	104	6.00	18.6		
Total BTEx	<0.300	0.300	02/17/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 108 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	02/17/2026	ND	416	104	400	10.9		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/17/2026	ND	215	107	200	0.506	
DRO >C10-C28*	<10.0	10.0	02/17/2026	ND	209	104	200	2.09	
EXT DRO >C28-C36	<10.0	10.0	02/17/2026	ND					

Surrogate: 1-Chlorooctane 79.7 % 52.4-130

Surrogate: 1-Chlorooctadecane 75.8 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 02/16/2026
 Reported: 02/19/2026
 Project Name: TRUNK O
 Project Number: NOT GIVEN
 Project Location: ETC-LEA COUNTY, NEW MEXICO

Sampling Date: 02/13/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: V - 4 2 (H260913-30)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	02/17/2026	ND	1.88	94.0	2.00	21.2	
Toluene*	<0.050	0.050	02/17/2026	ND	2.21	111	2.00	9.80	
Ethylbenzene*	<0.050	0.050	02/17/2026	ND	2.19	109	2.00	16.8	
Total Xylenes*	<0.150	0.150	02/17/2026	ND	6.24	104	6.00	18.6	
Total BTEX	<0.300	0.300	02/17/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 105 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	02/17/2026	ND	416	104	400	10.9	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/17/2026	ND	215	107	200	0.506	
DRO >C10-C28*	<10.0	10.0	02/17/2026	ND	209	104	200	2.09	
EXT DRO >C28-C36	<10.0	10.0	02/17/2026	ND					

Surrogate: 1-Chlorooctane 85.3 % 52.4-130

Surrogate: 1-Chlorooctadecane 84.0 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 02/16/2026
 Reported: 02/19/2026
 Project Name: TRUNK O
 Project Number: NOT GIVEN
 Project Location: ETC-LEA COUNTY, NEW MEXICO

Sampling Date: 02/13/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: V - 4 3 (H260913-31)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	02/17/2026	ND	1.88	94.0	2.00	21.2	
Toluene*	<0.050	0.050	02/17/2026	ND	2.21	111	2.00	9.80	
Ethylbenzene*	<0.050	0.050	02/17/2026	ND	2.19	109	2.00	16.8	
Total Xylenes*	<0.150	0.150	02/17/2026	ND	6.24	104	6.00	18.6	
Total BTEx	<0.300	0.300	02/17/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 104 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	02/17/2026	ND	416	104	400	10.9		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/17/2026	ND	215	107	200	0.506	
DRO >C10-C28*	<10.0	10.0	02/17/2026	ND	209	104	200	2.09	
EXT DRO >C28-C36	<10.0	10.0	02/17/2026	ND					

Surrogate: 1-Chlorooctane 75.7 % 52.4-130

Surrogate: 1-Chlorooctadecane 72.2 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 02/16/2026
 Reported: 02/19/2026
 Project Name: TRUNK O
 Project Number: NOT GIVEN
 Project Location: ETC-LEA COUNTY, NEW MEXICO

Sampling Date: 02/13/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: V - 4 4 (H260913-32)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	02/17/2026	ND	1.88	94.0	2.00	21.2	
Toluene*	<0.050	0.050	02/17/2026	ND	2.21	111	2.00	9.80	
Ethylbenzene*	<0.050	0.050	02/17/2026	ND	2.19	109	2.00	16.8	
Total Xylenes*	<0.150	0.150	02/17/2026	ND	6.24	104	6.00	18.6	
Total BTEx	<0.300	0.300	02/17/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 107 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	02/17/2026	ND	416	104	400	10.9		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/17/2026	ND	215	107	200	0.506	
DRO >C10-C28*	<10.0	10.0	02/17/2026	ND	209	104	200	2.09	
EXT DRO >C28-C36	<10.0	10.0	02/17/2026	ND					

Surrogate: 1-Chlorooctane 77.7 % 52.4-130

Surrogate: 1-Chlorooctadecane 72.0 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 02/16/2026
 Reported: 02/19/2026
 Project Name: TRUNK O
 Project Number: NOT GIVEN
 Project Location: ETC-LEA COUNTY, NEW MEXICO

Sampling Date: 02/13/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: V - 4 5 (H260913-33)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	02/17/2026	ND	1.88	94.0	2.00	21.2	
Toluene*	<0.050	0.050	02/17/2026	ND	2.21	111	2.00	9.80	
Ethylbenzene*	<0.050	0.050	02/17/2026	ND	2.19	109	2.00	16.8	
Total Xylenes*	<0.150	0.150	02/17/2026	ND	6.24	104	6.00	18.6	
Total BTEx	<0.300	0.300	02/17/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.3 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	02/17/2026	ND	416	104	400	10.9		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/17/2026	ND	215	107	200	0.506	
DRO >C10-C28*	<10.0	10.0	02/17/2026	ND	209	104	200	2.09	
EXT DRO >C28-C36	<10.0	10.0	02/17/2026	ND					

Surrogate: 1-Chlorooctane 81.6 % 52.4-130

Surrogate: 1-Chlorooctadecane 76.8 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 02/16/2026
 Reported: 02/19/2026
 Project Name: TRUNK O
 Project Number: NOT GIVEN
 Project Location: ETC-LEA COUNTY, NEW MEXICO

Sampling Date: 02/13/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: V - 4 6 (H260913-34)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	02/17/2026	ND	2.10	105	2.00	7.43		
Toluene*	<0.050	0.050	02/17/2026	ND	2.06	103	2.00	8.53		
Ethylbenzene*	<0.050	0.050	02/17/2026	ND	2.18	109	2.00	9.59		
Total Xylenes*	<0.150	0.150	02/17/2026	ND	6.45	107	6.00	10.1		
Total BTEX	<0.300	0.300	02/17/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 110 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	02/17/2026	ND	416	104	400	10.9		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/17/2026	ND	215	107	200	0.506	
DRO >C10-C28*	<10.0	10.0	02/17/2026	ND	209	104	200	2.09	
EXT DRO >C28-C36	<10.0	10.0	02/17/2026	ND					

Surrogate: 1-Chlorooctane 80.3 % 52.4-130

Surrogate: 1-Chlorooctadecane 75.9 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 02/16/2026
 Reported: 02/19/2026
 Project Name: TRUNK O
 Project Number: NOT GIVEN
 Project Location: ETC-LEA COUNTY, NEW MEXICO

Sampling Date: 02/13/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: V - 4 7 (H260913-35)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	02/17/2026	ND	2.10	105	2.00	7.43		
Toluene*	<0.050	0.050	02/17/2026	ND	2.06	103	2.00	8.53		
Ethylbenzene*	<0.050	0.050	02/17/2026	ND	2.18	109	2.00	9.59		
Total Xylenes*	<0.150	0.150	02/17/2026	ND	6.45	107	6.00	10.1		
Total BTEx	<0.300	0.300	02/17/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 103 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	02/17/2026	ND	416	104	400	10.9		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/17/2026	ND	215	107	200	0.506	
DRO >C10-C28*	<10.0	10.0	02/17/2026	ND	209	104	200	2.09	
EXT DRO >C28-C36	<10.0	10.0	02/17/2026	ND					

Surrogate: 1-Chlorooctane 79.9 % 52.4-130

Surrogate: 1-Chlorooctadecane 76.0 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 02/16/2026
 Reported: 02/19/2026
 Project Name: TRUNK O
 Project Number: NOT GIVEN
 Project Location: ETC-LEA COUNTY, NEW MEXICO

Sampling Date: 02/13/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: V - 4 8 (H260913-36)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	02/17/2026	ND	2.10	105	2.00	7.43		
Toluene*	<0.050	0.050	02/17/2026	ND	2.06	103	2.00	8.53		
Ethylbenzene*	<0.050	0.050	02/17/2026	ND	2.18	109	2.00	9.59		
Total Xylenes*	<0.150	0.150	02/17/2026	ND	6.45	107	6.00	10.1		
Total BTEx	<0.300	0.300	02/17/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 111 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	02/17/2026	ND	416	104	400	10.9		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/17/2026	ND	215	107	200	0.506	
DRO >C10-C28*	<10.0	10.0	02/17/2026	ND	209	104	200	2.09	
EXT DRO >C28-C36	<10.0	10.0	02/17/2026	ND					

Surrogate: 1-Chlorooctane 79.7 % 52.4-130

Surrogate: 1-Chlorooctadecane 74.7 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 02/16/2026
 Reported: 02/19/2026
 Project Name: TRUNK O
 Project Number: NOT GIVEN
 Project Location: ETC-LEA COUNTY, NEW MEXICO

Sampling Date: 02/13/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: V - 4 9 (H260913-37)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	02/17/2026	ND	2.10	105	2.00	7.43		
Toluene*	<0.050	0.050	02/17/2026	ND	2.06	103	2.00	8.53		
Ethylbenzene*	<0.050	0.050	02/17/2026	ND	2.18	109	2.00	9.59		
Total Xylenes*	<0.150	0.150	02/17/2026	ND	6.45	107	6.00	10.1		
Total BTEx	<0.300	0.300	02/17/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 109 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	32.0	16.0	02/17/2026	ND	416	104	400	10.9		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/17/2026	ND	215	107	200	0.506	
DRO >C10-C28*	<10.0	10.0	02/17/2026	ND	209	104	200	2.09	
EXT DRO >C28-C36	<10.0	10.0	02/17/2026	ND					

Surrogate: 1-Chlorooctane 83.2 % 52.4-130

Surrogate: 1-Chlorooctadecane 78.3 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 02/16/2026
 Reported: 02/19/2026
 Project Name: TRUNK O
 Project Number: NOT GIVEN
 Project Location: ETC-LEA COUNTY, NEW MEXICO

Sampling Date: 02/13/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: V - 4 10 (H260913-38)

BTX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	02/17/2026	ND	2.10	105	2.00	7.43		
Toluene*	<0.050	0.050	02/17/2026	ND	2.06	103	2.00	8.53		
Ethylbenzene*	<0.050	0.050	02/17/2026	ND	2.18	109	2.00	9.59		
Total Xylenes*	<0.150	0.150	02/17/2026	ND	6.45	107	6.00	10.1		
Total BTX	<0.300	0.300	02/17/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 105 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	02/17/2026	ND	416	104	400	10.9		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/17/2026	ND	213	106	200	0.203	
DRO >C10-C28*	<10.0	10.0	02/17/2026	ND	203	101	200	1.11	
EXT DRO >C28-C36	<10.0	10.0	02/17/2026	ND					

Surrogate: 1-Chlorooctane 83.9 % 52.4-130

Surrogate: 1-Chlorooctadecane 77.9 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 02/16/2026
 Reported: 02/19/2026
 Project Name: TRUNK O
 Project Number: NOT GIVEN
 Project Location: ETC-LEA COUNTY, NEW MEXICO

Sampling Date: 02/13/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: V - 6 6.5 (H260913-39)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	02/17/2026	ND	2.10	105	2.00	7.43	
Toluene*	<0.050	0.050	02/17/2026	ND	2.06	103	2.00	8.53	
Ethylbenzene*	<0.050	0.050	02/17/2026	ND	2.18	109	2.00	9.59	
Total Xylenes*	<0.150	0.150	02/17/2026	ND	6.45	107	6.00	10.1	
Total BTEX	<0.300	0.300	02/17/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 108 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	32.0	16.0	02/17/2026	ND	416	104	400	10.9	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/17/2026	ND	213	106	200	0.203	
DRO >C10-C28*	40.8	10.0	02/17/2026	ND	203	101	200	1.11	
EXT DRO >C28-C36	<10.0	10.0	02/17/2026	ND					

Surrogate: 1-Chlorooctane 76.7 % 52.4-130

Surrogate: 1-Chlorooctadecane 71.0 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 02/16/2026
 Reported: 02/19/2026
 Project Name: TRUNK O
 Project Number: NOT GIVEN
 Project Location: ETC-LEA COUNTY, NEW MEXICO

Sampling Date: 02/13/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: V - 6 7 (H260913-40)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	02/17/2026	ND	2.10	105	2.00	7.43		
Toluene*	<0.050	0.050	02/17/2026	ND	2.06	103	2.00	8.53		
Ethylbenzene*	<0.050	0.050	02/17/2026	ND	2.18	109	2.00	9.59		
Total Xylenes*	<0.150	0.150	02/17/2026	ND	6.45	107	6.00	10.1		
Total BTEx	<0.300	0.300	02/17/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 92.5 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	02/17/2026	ND	416	104	400	10.9		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/17/2026	ND	213	106	200	0.203	
DRO >C10-C28*	41.2	10.0	02/17/2026	ND	203	101	200	1.11	
EXT DRO >C28-C36	<10.0	10.0	02/17/2026	ND					

Surrogate: 1-Chlorooctane 78.9 % 52.4-130

Surrogate: 1-Chlorooctadecane 76.1 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 02/16/2026
 Reported: 02/19/2026
 Project Name: TRUNK O
 Project Number: NOT GIVEN
 Project Location: ETC-LEA COUNTY, NEW MEXICO

Sampling Date: 02/13/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: V - 6 8 (H260913-41)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	02/17/2026	ND	2.10	105	2.00	7.43		
Toluene*	<0.050	0.050	02/17/2026	ND	2.06	103	2.00	8.53		
Ethylbenzene*	<0.050	0.050	02/17/2026	ND	2.18	109	2.00	9.59		
Total Xylenes*	<0.150	0.150	02/17/2026	ND	6.45	107	6.00	10.1		
Total BTEx	<0.300	0.300	02/17/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 94.6 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	02/17/2026	ND	416	104	400	10.9		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/17/2026	ND	213	106	200	0.203	
DRO >C10-C28*	<10.0	10.0	02/17/2026	ND	203	101	200	1.11	
EXT DRO >C28-C36	<10.0	10.0	02/17/2026	ND					

Surrogate: 1-Chlorooctane 86.2 % 52.4-130

Surrogate: 1-Chlorooctadecane 81.3 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 02/16/2026
 Reported: 02/19/2026
 Project Name: TRUNK O
 Project Number: NOT GIVEN
 Project Location: ETC-LEA COUNTY, NEW MEXICO

Sampling Date: 02/13/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: V - 6 9 (H260913-42)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	02/17/2026	ND	2.10	105	2.00	7.43	
Toluene*	<0.050	0.050	02/17/2026	ND	2.06	103	2.00	8.53	
Ethylbenzene*	<0.050	0.050	02/17/2026	ND	2.18	109	2.00	9.59	
Total Xylenes*	<0.150	0.150	02/17/2026	ND	6.45	107	6.00	10.1	
Total BTX	<0.300	0.300	02/17/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 92.2 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	02/17/2026	ND	416	104	400	10.9		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/17/2026	ND	213	106	200	0.203	
DRO >C10-C28*	<10.0	10.0	02/17/2026	ND	203	101	200	1.11	
EXT DRO >C28-C36	<10.0	10.0	02/17/2026	ND					

Surrogate: 1-Chlorooctane 87.6 % 52.4-130

Surrogate: 1-Chlorooctadecane 82.0 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 02/16/2026
 Reported: 02/19/2026
 Project Name: TRUNK O
 Project Number: NOT GIVEN
 Project Location: ETC-LEA COUNTY, NEW MEXICO

Sampling Date: 02/13/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: V - 6 10 (H260913-43)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	02/17/2026	ND	2.10	105	2.00	7.43		
Toluene*	<0.050	0.050	02/17/2026	ND	2.06	103	2.00	8.53		
Ethylbenzene*	<0.050	0.050	02/17/2026	ND	2.18	109	2.00	9.59		
Total Xylenes*	<0.150	0.150	02/17/2026	ND	6.45	107	6.00	10.1		
Total BTEX	<0.300	0.300	02/17/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 96.0 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	02/17/2026	ND	416	104	400	10.9		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/17/2026	ND	213	106	200	0.203	
DRO >C10-C28*	<10.0	10.0	02/17/2026	ND	203	101	200	1.11	
EXT DRO >C28-C36	<10.0	10.0	02/17/2026	ND					

Surrogate: 1-Chlorooctane 90.1 % 52.4-130

Surrogate: 1-Chlorooctadecane 86.7 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 02/16/2026
 Reported: 02/19/2026
 Project Name: TRUNK O
 Project Number: NOT GIVEN
 Project Location: ETC-LEA COUNTY, NEW MEXICO

Sampling Date: 02/13/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: V - 6 11 (H260913-44)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	02/17/2026	ND	2.10	105	2.00	7.43		
Toluene*	<0.050	0.050	02/17/2026	ND	2.06	103	2.00	8.53		
Ethylbenzene*	<0.050	0.050	02/17/2026	ND	2.18	109	2.00	9.59		
Total Xylenes*	<0.150	0.150	02/17/2026	ND	6.45	107	6.00	10.1		
Total BTEX	<0.300	0.300	02/17/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 113 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	02/17/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/17/2026	ND	213	106	200	0.203	
DRO >C10-C28*	15.6	10.0	02/17/2026	ND	203	101	200	1.11	
EXT DRO >C28-C36	<10.0	10.0	02/17/2026	ND					

Surrogate: 1-Chlorooctane 85.2 % 52.4-130

Surrogate: 1-Chlorooctadecane 82.8 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 02/16/2026
 Reported: 02/19/2026
 Project Name: TRUNK O
 Project Number: NOT GIVEN
 Project Location: ETC-LEA COUNTY, NEW MEXICO

Sampling Date: 02/13/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: V - 6 12 (H260913-45)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	02/17/2026	ND	2.10	105	2.00	7.43	
Toluene*	<0.050	0.050	02/17/2026	ND	2.06	103	2.00	8.53	
Ethylbenzene*	<0.050	0.050	02/17/2026	ND	2.18	109	2.00	9.59	
Total Xylenes*	<0.150	0.150	02/17/2026	ND	6.45	107	6.00	10.1	
Total BTX	<0.300	0.300	02/17/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.1 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	02/17/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/17/2026	ND	213	106	200	0.203	
DRO >C10-C28*	<10.0	10.0	02/17/2026	ND	203	101	200	1.11	
EXT DRO >C28-C36	<10.0	10.0	02/17/2026	ND					

Surrogate: 1-Chlorooctane 88.2 % 52.4-130

Surrogate: 1-Chlorooctadecane 81.3 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 02/16/2026
 Reported: 02/19/2026
 Project Name: TRUNK O
 Project Number: NOT GIVEN
 Project Location: ETC-LEA COUNTY, NEW MEXICO

Sampling Date: 02/13/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: V - 6 13 (H260913-46)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	02/17/2026	ND	2.10	105	2.00	7.43	
Toluene*	<0.050	0.050	02/17/2026	ND	2.06	103	2.00	8.53	
Ethylbenzene*	<0.050	0.050	02/17/2026	ND	2.18	109	2.00	9.59	
Total Xylenes*	<0.150	0.150	02/17/2026	ND	6.45	107	6.00	10.1	
Total BTX	<0.300	0.300	02/17/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 92.9 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	02/17/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/17/2026	ND	213	106	200	0.203	
DRO >C10-C28*	<10.0	10.0	02/17/2026	ND	203	101	200	1.11	
EXT DRO >C28-C36	<10.0	10.0	02/17/2026	ND					

Surrogate: 1-Chlorooctane 87.0 % 52.4-130

Surrogate: 1-Chlorooctadecane 84.2 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 02/16/2026
 Reported: 02/19/2026
 Project Name: TRUNK O
 Project Number: NOT GIVEN
 Project Location: ETC-LEA COUNTY, NEW MEXICO

Sampling Date: 02/13/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: V - 6 14 (H260913-47)

BTX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	02/17/2026	ND	2.10	105	2.00	7.43		
Toluene*	<0.050	0.050	02/17/2026	ND	2.06	103	2.00	8.53		
Ethylbenzene*	<0.050	0.050	02/17/2026	ND	2.18	109	2.00	9.59		
Total Xylenes*	<0.150	0.150	02/17/2026	ND	6.45	107	6.00	10.1		
Total BTX	<0.300	0.300	02/17/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 95.1 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	32.0	16.0	02/17/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/17/2026	ND	213	106	200	0.203	
DRO >C10-C28*	<10.0	10.0	02/17/2026	ND	203	101	200	1.11	
EXT DRO >C28-C36	<10.0	10.0	02/17/2026	ND					

Surrogate: 1-Chlorooctane 88.3 % 52.4-130

Surrogate: 1-Chlorooctadecane 84.1 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 02/16/2026
 Reported: 02/19/2026
 Project Name: TRUNK O
 Project Number: NOT GIVEN
 Project Location: ETC-LEA COUNTY, NEW MEXICO

Sampling Date: 02/13/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: V - 6 15 (H260913-48)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	02/17/2026	ND	2.10	105	2.00	7.43		
Toluene*	<0.050	0.050	02/17/2026	ND	2.06	103	2.00	8.53		
Ethylbenzene*	<0.050	0.050	02/17/2026	ND	2.18	109	2.00	9.59		
Total Xylenes*	<0.150	0.150	02/17/2026	ND	6.45	107	6.00	10.1		
Total BTEx	<0.300	0.300	02/17/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 96.4 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	02/17/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/17/2026	ND	213	106	200	0.203	
DRO >C10-C28*	<10.0	10.0	02/17/2026	ND	203	101	200	1.11	
EXT DRO >C28-C36	<10.0	10.0	02/17/2026	ND					

Surrogate: 1-Chlorooctane 84.3 % 52.4-130

Surrogate: 1-Chlorooctadecane 81.6 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

Notes and Definitions

S-06	The recovery of this surrogate is outside control limits due to sample dilution required from high analyte concentration and/or matrix interference's.
S-04	The surrogate recovery for this sample is outside of established control limits due to a sample matrix effect.
QR-04	The RPD for the BS/BSD was outside of historical limits.
QR-03	The RPD value for the sample duplicate or MS/MSD was outside of QC acceptance limits due to matrix interference. QC batch accepted based on LCS and/or LCSD recovery and/or RPD values.
QM-07	The spike recovery was outside acceptance limits for the MS and/or MSD. The batch was accepted based on acceptable LCS recovery.
BS-3	Blank spike recovery outside of lab established statistical limits, but still within method limits. Data is not adversely affected.
ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



Chain of Custody


Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/
Page 1 of 6
Work Order Comments
0402401K #1400913

Project Name:	Trunk O	Turn Around	☒ Routine ☐ Rush	Due Date:	5 day
Project Number:					
Project Location:	Lea County, New Mexico				
Sampler's Name:	Connor Whitman				
PO #:	C-26029-GL-21300171				
SAMPLE RECEIPT	Temp Blank:	Yes ☒ No ☐	Wet Ice:	Yes ☒ No ☐	
Samples Received In/Out:	Yes ☒ No ☐	Thermometer ID:			
Cooler Custody Seals:	Yes ☒ No ☐	Correction Factor:			
Sample Custody Seals:	Yes ☒ No ☐	Temperature Reading:			
Total Containers:		Corrected Temperature:			

OCD: 4/23/2026 10:13:33 AM												
Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	BTEX	TPH	8	Chlor		Sample Comments
V-1	0.5	2/12/2026		Soil	Grab	1	X	X	X	X		1
V-1	1	2/12/2026		Soil	Grab	1	X	X	X	X		2
V-2	0.5	2/12/2026		Soil	Grab	1	X	X	X	X		3
V-2	1	2/12/2026		Soil	Grab	1	X	X	X	X		4
V-2	2	2/12/2026		Soil	Grab	1	X	X	X	X		5
V-2	3	2/12/2026		Soil	Grab	1	X	X	X	X		6
V-2	4	2/12/2026		Soil	Grab	1	X	X	X	X		7
V-2	5	2/12/2026		Soil	Grab	1	X	X	X	X		8
V-2	6	2/12/2026		Soil	Grab	1	X	X	X	X		9
V-2	7	2/12/2026		Soil	Grab	1	X	X	X	X		10
Relinquished by: (Signature)		Received by: (Signature)		Date/Time		Relinquished by: (Signature)		Received by: (Signature)		Date/Time		
[Signature]		[Signature]		2-10-26 11:33								

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



Main Office: 2524 Trunk Street, Odessa Texas 79761

Contact: (432) 653-0393

<https://standardtx.com/>

Page 2 of 6

Page 52 of 56

Work Order Comments

#260913

Work Order Comments	F
#2600913 0403401K	

[illegible][illegible]

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed.



Chain of Custody

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Main Office: 2524 Trunk Street, Odessa Texas 79761
 Contact: (432) 653-0393
<https://standardtx.com/>
 Page 3 of 6

Work Order Comments

0402401K
 15100913

Turn Around				Pres. Code	ANALYSIS REQUEST										Preservative Codes		
☒ Routine	☐ Rush	Due Date:	5 day												None: NO	DI Water: H ₂ O	
Project Name: Trunk O															Cool: Cool	MeOH: Me	
Project Number:															HCL: HC	HNO ₃ : HN	
Project Location: Lea County, New Mexico															H ₂ SO ₄ : H ₂	NaOH: Na	
Sampler's Name: Connor Whitman															H ₃ PO ₄ : HP		
PO #: C-26029-GL-21300171															NaHSO ₄ : NABIS		
SAMPLE RECEIPT				Temp Blank: Yes ☒ No ☐	Thermometer ID: 140											Na ₂ S ₂ O ₃ : NaSO ₃	
Samples Received Intact: Yes ☒ No ☐				Correction Factor: +0.1C											Zn Acetate+NaOH: Zn		
Cooler Custody Seals: Yes ☒ No ☐				Temperature Reading: -3.2C											NaOH+Ascorbic Acid: SAPC		
Sample Custody Seals: Yes ☒ No ☐				Corrected Temperature: -3.1C													
Total Containers:																	
Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont											Sample Comments
V-5	9	2/12/2026		Soil	Grab	1	X	X	X	X					21		
H-1	0.5	2/12/2026		Soil	Grab	1	X	X	X	X					22		
H-2	0.5	2/12/2026		Soil	Grab	1	X	X	X	X					23		
H-3	0.5	2/12/2026		Soil	Grab	1	X	X	X	X					24		
H-4	0.5	2/12/2026		Soil	Grab	1	X	X	X	X					25		
Relinquished by: (Signature) Received by: (Signature) Date/Time Relinquished by: (Signature) Received by: (Signature) Date/Time																	
1 <i>[Signature]</i> <i>Standard Safety & Supply</i> 2/10/26 11:30 3																	
3																	
5																	

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



Chain of Custody

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Main Office: 2524 Trunk Street, Odessa Texas 79761
 Contact: (432) 653-0393
<https://standardtx.com/>
 Page 4 of 6

Work Order Comments

H200913

0402401K

Turn Around				ANALYSIS REQUEST				Preservative Codes				
Project Name:	Trunk O	☒ Routine	☐ Rush	Pres. Code								
Project Number:		Due Date:	5 day									
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.										
Sampler's Name:	Connor Whitman											
PO #:	C-26029-GL-21300171											
SAMPLE RECEIPT	Temp Blank:	Yes ☒ No ☐	Well Ice:	Yes ☒ No ☐								
Samples Received Intact:	Yes ☒ No ☐	Thermometer ID:	140									
Cooler Custody Seals:	Yes ☒ No ☐	Correction Factor:	10.1									
Sample Custody Seals:	Yes ☒ No ☐	Temperature Reading:	3.2									
Total Containers:	Corrected Temperature:		-3.12									
Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Parameters					Sample Comments
V-5	10	2/13/2026		Soil	Grab	1	X	X	X	X		24
V-5	11	2/13/2026		Soil	Grab	1	X	X	X	X		27
V-4	0.5	2/13/2026		Soil	Grab	1	X	X	X	X		28
V-4	1	2/13/2026		Soil	Grab	1	X	X	X	X		29
V-4	2	2/13/2026		Soil	Grab	1	X	X	X	X		30
V-4	3	2/13/2026		Soil	Grab	1	X	X	X	X		31
V-4	4	2/13/2026		Soil	Grab	1	X	X	X	X		32
V-4	5	2/13/2026		Soil	Grab	1	X	X	X	X		33
V-4	6	2/13/2026		Soil	Grab	1	X	X	X	X		34
V-4	7	2/13/2026		Soil	Grab	1	X	X	X	X		35
Relinquished by: (Signature)		Received by: (Signature)		Date/Time		Relinquished by: (Signature)		Received by: (Signature)		Date/Time		
[Signature]		[Signature]		2-10-26 11:27								

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



Chain of Custody

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
<https://standardtx.com/>
Page 5 of 6

Work Order Comments

0402401K

H800913

Project Name:	Trunk O	Turn Around	☒ Routine ☐ Rush	Pres. Code	ANALYSIS REQUEST										Preservative Codes		
Project Number:		Due Date:	5 day												None: NO	DI Water: H ₂ O	
Project Location:	Lea County, New Mexico	TAT may vary based on lab start time.													Cool: Cool	MeOH: Me	
Sampler's Name:	Connor Whitman														HCL: HC	HNO ₃ : HN	
PO #:	C-26029-GL-21300171														H ₂ SO ₄ : H ₂	NaOH: Na	
SAMPLE RECEIPT	Temp Blank:	Yes	No	Wet Ice:	Yes	No									H ₃ PO ₄ : HP		
Samples Received Intact:	Yes	No	Thermometer ID:												NaHSO ₄ : NABIS		
Cooler Custody Seals:	Yes	No	Correction Factor:												Na ₂ S ₂ O ₃ : NaSO ₃		
Sample Custody Seals:	Yes	No	Temperature Reading:												Zn Acetate+NaOH: Zn		
Total Containers:			Corrected Temperature:												NaOH+Ascorbic Acid: SAPC		
Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont											Sample Comments
V-4	8	2/13/2026		Soil	Grab	1	X	X	X	X						346	
V-4	9	2/13/2026		Soil	Grab	1	X	X	X	X						37	
V-4	10	2/13/2026		Soil	Grab	1	X	X	X	X						38	
V-6	6.5	2/13/2026		Soil	Grab	1	X	X	X	X						39	
V-6	7	2/13/2026		Soil	Grab	1	X	X	X	X						40	
V-6	8	2/13/2026		Soil	Grab	1	X	X	X	X						41	
V-6	9	2/13/2026		Soil	Grab	1	X	X	X	X						42	
V-6	10	2/13/2026		Soil	Grab	1	X	X	X	X						43	
V-6	11	2/13/2026		Soil	Grab	1	X	X	X	X						44	
V-6	12	2/13/2026		Soil	Grab	1	X	X	X	X						45	
Relinquished by: (Signature)	Received by: (Signature)		Date/Time	Relinquished by: (Signature)		Received by: (Signature)		Date/Time									
1	[Signature]		2/13/2026 11:22														
3																	
5																	

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



Work Order Comments

#200913

04024014

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/
Page 6 of 6
Work Order Comments
TH000913
04024014

Project Name:	Trunk O	Turn Around		Pres. Code	ANALYSIS REQUEST								Preservative Codes		
Project Number:		☒ Routine	☐ Rush											None: NO	DI Water: H ₂ O
Project Location:	Lea County, New Mexico	Due Date:		5 day										Cool: Cool	MeOH: Me
Sampler's Name:	Connor Whitman			TAT may vary based on lab start time.										HCl: HC	HNO ₃ : HN
PO #:	C-26029-GI-21300171													H ₂ SO ₄ : H ₂	NaOH: Na
SAMPLE RECEIPT	Temp Blank:	Yes ☒ No ☐	Wet Ice:	Yes ☒ No ☐									H ₃ PO ₄ : HP		
Samples Received Intact:	Yes ☒ No ☐	Thermometer ID:		140									NaHSO ₄ : NABIS		
Cooler Custody Seals:	Yes ☒ No ☐	Correction Factor:		+0.1°									Na ₂ S ₂ O ₃ : NaSO ₃		
Sample Custody Seals:	Yes ☒ No ☐	N/A	Temperature Reading:										Zn Acetate+NaOH: Zn		
Total Containers:		Corrected Temperature:											NaOH+Ascorbic Acid: SAPC		
Parameters															
8012B															
015M (GRO-DRO-MRO)															
de 4500 or EPA 300															

[illegible]

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed.



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

February 24, 2026

ETHAN SESSUMS

STANDARD SAFETY & SUPPLY

PO BOX 14987

ODESSA, TX 79764

RE: TRUNK O RELEASE

Enclosed are the results of analyses for samples received by the laboratory on 02/18/26 12:56.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C25-00101. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Celey D. Keene". The signature is written in a cursive, flowing style.

Celey D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 02/18/2026
 Reported: 02/24/2026
 Project Name: TRUNK O RELEASE
 Project Number: ETC
 Project Location: LEA COUNTY, NEW MEXICO

Sampling Date: 02/18/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: V-7 @ 6.5' (H260951-01)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	02/19/2026	ND	2.05	102	2.00	2.16	
Toluene*	0.051	0.050	02/19/2026	ND	2.06	103	2.00	4.50	
Ethylbenzene*	<0.050	0.050	02/19/2026	ND	2.18	109	2.00	5.86	
Total Xylenes*	0.188	0.150	02/19/2026	ND	6.51	108	6.00	5.71	
Total BTX	<0.300	0.300	02/19/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 113 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	02/19/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/18/2026	ND	237	118	200	3.12	
DRO >C10-C28*	190	10.0	02/18/2026	ND	231	115	200	3.07	
EXT DRO >C28-C36	17.4	10.0	02/18/2026	ND					

Surrogate: 1-Chlorooctane 85.6 % 52.4-130

Surrogate: 1-Chlorooctadecane 85.9 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 02/18/2026
 Reported: 02/24/2026
 Project Name: TRUNK O RELEASE
 Project Number: ETC
 Project Location: LEA COUNTY, NEW MEXICO

Sampling Date: 02/18/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: V-7 @ 7' (H260951-02)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	02/19/2026	ND	2.05	102	2.00	2.16		
Toluene*	<0.050	0.050	02/19/2026	ND	2.06	103	2.00	4.50		
Ethylbenzene*	<0.050	0.050	02/19/2026	ND	2.18	109	2.00	5.86		
Total Xylenes*	<0.150	0.150	02/19/2026	ND	6.51	108	6.00	5.71		
Total BTEX	<0.300	0.300	02/19/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 118 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	02/19/2026	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/18/2026	ND	237	118	200	3.12	
DRO >C10-C28*	22.3	10.0	02/18/2026	ND	231	115	200	3.07	
EXT DRO >C28-C36	<10.0	10.0	02/18/2026	ND					

Surrogate: 1-Chlorooctane 82.1 % 52.4-130

Surrogate: 1-Chlorooctadecane 78.7 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 02/18/2026
 Reported: 02/24/2026
 Project Name: TRUNK O RELEASE
 Project Number: ETC
 Project Location: LEA COUNTY, NEW MEXICO

Sampling Date: 02/18/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: V-7 @ 8' (H260951-03)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	02/19/2026	ND	2.05	102	2.00	2.16		
Toluene*	<0.050	0.050	02/19/2026	ND	2.06	103	2.00	4.50		
Ethylbenzene*	<0.050	0.050	02/19/2026	ND	2.18	109	2.00	5.86		
Total Xylenes*	<0.150	0.150	02/19/2026	ND	6.51	108	6.00	5.71		
Total BTEX	<0.300	0.300	02/19/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 112 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	02/19/2026	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/18/2026	ND	237	118	200	3.12	
DRO >C10-C28*	<10.0	10.0	02/18/2026	ND	231	115	200	3.07	
EXT DRO >C28-C36	<10.0	10.0	02/18/2026	ND					

Surrogate: 1-Chlorooctane 72.9 % 52.4-130

Surrogate: 1-Chlorooctadecane 69.0 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 02/18/2026
 Reported: 02/24/2026
 Project Name: TRUNK O RELEASE
 Project Number: ETC
 Project Location: LEA COUNTY, NEW MEXICO

Sampling Date: 02/18/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: V-7 @ 9' (H260951-04)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	02/19/2026	ND	2.05	102	2.00	2.16		
Toluene*	<0.050	0.050	02/19/2026	ND	2.06	103	2.00	4.50		
Ethylbenzene*	<0.050	0.050	02/19/2026	ND	2.18	109	2.00	5.86		
Total Xylenes*	<0.150	0.150	02/19/2026	ND	6.51	108	6.00	5.71		
Total BTEx	<0.300	0.300	02/19/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 121 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	02/19/2026	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/18/2026	ND	237	118	200	3.12	
DRO >C10-C28*	<10.0	10.0	02/18/2026	ND	231	115	200	3.07	
EXT DRO >C28-C36	<10.0	10.0	02/18/2026	ND					

Surrogate: 1-Chlorooctane 80.4 % 52.4-130

Surrogate: 1-Chlorooctadecane 76.0 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 02/18/2026
 Reported: 02/24/2026
 Project Name: TRUNK O RELEASE
 Project Number: ETC
 Project Location: LEA COUNTY, NEW MEXICO

Sampling Date: 02/18/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: V-7 @ 10' (H260951-05)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	02/19/2026	ND	2.05	102	2.00	2.16		
Toluene*	<0.050	0.050	02/19/2026	ND	2.06	103	2.00	4.50		
Ethylbenzene*	<0.050	0.050	02/19/2026	ND	2.18	109	2.00	5.86		
Total Xylenes*	<0.150	0.150	02/19/2026	ND	6.51	108	6.00	5.71		
Total BTEX	<0.300	0.300	02/19/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 116 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	02/19/2026	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/18/2026	ND	237	118	200	3.12	
DRO >C10-C28*	<10.0	10.0	02/18/2026	ND	231	115	200	3.07	
EXT DRO >C28-C36	<10.0	10.0	02/18/2026	ND					

Surrogate: 1-Chlorooctane 81.9 % 52.4-130

Surrogate: 1-Chlorooctadecane 77.0 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 02/18/2026
 Reported: 02/24/2026
 Project Name: TRUNK O RELEASE
 Project Number: ETC
 Project Location: LEA COUNTY, NEW MEXICO

Sampling Date: 02/18/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: V-7 @ 11' (H260951-06)

BTX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	02/19/2026	ND	2.05	102	2.00	2.16		
Toluene*	<0.050	0.050	02/19/2026	ND	2.06	103	2.00	4.50		
Ethylbenzene*	<0.050	0.050	02/19/2026	ND	2.18	109	2.00	5.86		
Total Xylenes*	<0.150	0.150	02/19/2026	ND	6.51	108	6.00	5.71		
Total BTX	<0.300	0.300	02/19/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 112 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	02/19/2026	ND	416	104	400	3.92		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/18/2026	ND	237	118	200	3.12	
DRO >C10-C28*	128	10.0	02/18/2026	ND	231	115	200	3.07	
EXT DRO >C28-C36	19.5	10.0	02/18/2026	ND					

Surrogate: 1-Chlorooctane 80.3 % 52.4-130

Surrogate: 1-Chlorooctadecane 78.7 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 02/18/2026
 Reported: 02/24/2026
 Project Name: TRUNK O RELEASE
 Project Number: ETC
 Project Location: LEA COUNTY, NEW MEXICO

Sampling Date: 02/18/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: V-7 @ 12' (H260951-07)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	02/19/2026	ND	2.05	102	2.00	2.16	
Toluene*	<0.050	0.050	02/19/2026	ND	2.06	103	2.00	4.50	
Ethylbenzene*	<0.050	0.050	02/19/2026	ND	2.18	109	2.00	5.86	
Total Xylenes*	<0.150	0.150	02/19/2026	ND	6.51	108	6.00	5.71	
Total BTX	<0.300	0.300	02/19/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 111 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	02/19/2026	ND	416	104	400	3.92		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/18/2026	ND	237	118	200	3.12	
DRO >C10-C28*	14.6	10.0	02/18/2026	ND	231	115	200	3.07	
EXT DRO >C28-C36	<10.0	10.0	02/18/2026	ND					

Surrogate: 1-Chlorooctane 83.2 % 52.4-130

Surrogate: 1-Chlorooctadecane 78.6 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 02/18/2026
 Reported: 02/24/2026
 Project Name: TRUNK O RELEASE
 Project Number: ETC
 Project Location: LEA COUNTY, NEW MEXICO

Sampling Date: 02/18/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: V-7 @ 13' (H260951-08)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	02/19/2026	ND	2.05	102	2.00	2.16		
Toluene*	<0.050	0.050	02/19/2026	ND	2.06	103	2.00	4.50		
Ethylbenzene*	<0.050	0.050	02/19/2026	ND	2.18	109	2.00	5.86		
Total Xylenes*	<0.150	0.150	02/19/2026	ND	6.51	108	6.00	5.71		
Total BTEX	<0.300	0.300	02/19/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 110 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	02/19/2026	ND	416	104	400	3.92		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/18/2026	ND	237	118	200	3.12	
DRO >C10-C28*	<10.0	10.0	02/18/2026	ND	231	115	200	3.07	
EXT DRO >C28-C36	<10.0	10.0	02/18/2026	ND					

Surrogate: 1-Chlorooctane 81.7 % 52.4-130

Surrogate: 1-Chlorooctadecane 75.4 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 02/18/2026
 Reported: 02/24/2026
 Project Name: TRUNK O RELEASE
 Project Number: ETC
 Project Location: LEA COUNTY, NEW MEXICO

Sampling Date: 02/18/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Alyssa Parras

Sample ID: V-7 @ 14' (H260951-09)

BTX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	02/19/2026	ND	2.05	102	2.00	2.16		
Toluene*	<0.050	0.050	02/19/2026	ND	2.06	103	2.00	4.50		
Ethylbenzene*	<0.050	0.050	02/19/2026	ND	2.18	109	2.00	5.86		
Total Xylenes*	<0.150	0.150	02/19/2026	ND	6.51	108	6.00	5.71		
Total BTX	<0.300	0.300	02/19/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 114 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	02/19/2026	ND	416	104	400	3.92		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/18/2026	ND	237	118	200	3.12	
DRO >C10-C28*	69.0	10.0	02/18/2026	ND	231	115	200	3.07	
EXT DRO >C28-C36	<10.0	10.0	02/18/2026	ND					

Surrogate: 1-Chlorooctane 79.7 % 52.4-130

Surrogate: 1-Chlorooctadecane 75.4 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

- ND Analyte NOT DETECTED at or above the reporting limit
- RPD Relative Percent Difference
- ** Samples not received at proper temperature of 6°C or below.
- *** Insufficient time to reach temperature.
- Chloride by SM4500Cl-B does not require samples be received at or below 6°C
Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

A handwritten signature in black ink, appearing to read "C. D. Keene".

Celey D. Keene, Lab Director/Quality Manager



CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Pg 1 of 1

FORM-006 R 3.7 01/06/26



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

February 24, 2026

ETHAN SESSUMS

STANDARD SAFETY & SUPPLY

PO BOX 14987

ODESSA, TX 79764

RE: TRUNK O

Enclosed are the results of analyses for samples received by the laboratory on 02/18/26 15:26.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C25-00101. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Celey D. Keene". The signature is written in a cursive, flowing style.

Celey D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	02/18/2026	Sampling Date:	02/17/2026
Reported:	02/24/2026	Sampling Type:	Soil
Project Name:	TRUNK O	Sampling Condition:	Cool & Intact
Project Number:	NOT GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NEW MEXICO		

Sample ID: S - 8 (H260960-01)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	02/19/2026	ND	1.98	98.9	2.00	3.71	
Toluene*	<0.050	0.050	02/19/2026	ND	1.77	88.3	2.00	2.27	
Ethylbenzene*	<0.050	0.050	02/19/2026	ND	1.73	86.7	2.00	1.91	
Total Xylenes*	<0.150	0.150	02/19/2026	ND	5.05	84.2	6.00	1.95	
Total BTEx	<0.300	0.300	02/19/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 92.4 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	48.0	16.0	02/19/2026	ND	416	104	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/19/2026	ND	239	119	200	2.41	
DRO >C10-C28*	248	10.0	02/19/2026	ND	209	104	200	2.78	
EXT DRO >C28-C36	66.4	10.0	02/19/2026	ND					

Surrogate: 1-Chlorooctane 90.0 % 52.4-130

Surrogate: 1-Chlorooctadecane 85.3 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 02/18/2026
 Reported: 02/24/2026
 Project Name: TRUNK O
 Project Number: NOT GIVEN
 Project Location: ETC-LEA COUNTY, NEW MEXICO

Sampling Date: 02/17/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: S - 9 (H260960-02)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	02/19/2026	ND	1.98	98.9	2.00	3.71	
Toluene*	<0.050	0.050	02/19/2026	ND	1.77	88.3	2.00	2.27	
Ethylbenzene*	<0.050	0.050	02/19/2026	ND	1.73	86.7	2.00	1.91	
Total Xylenes*	<0.150	0.150	02/19/2026	ND	5.05	84.2	6.00	1.95	
Total BTX	<0.300	0.300	02/19/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 91.5 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	48.0	16.0	02/19/2026	ND	416	104	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/19/2026	ND	239	119	200	2.41	
DRO >C10-C28*	79.3	10.0	02/19/2026	ND	209	104	200	2.78	
EXT DRO >C28-C36	16.8	10.0	02/19/2026	ND					

Surrogate: 1-Chlorooctane 78.9 % 52.4-130

Surrogate: 1-Chlorooctadecane 76.0 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	02/18/2026	Sampling Date:	02/17/2026
Reported:	02/24/2026	Sampling Type:	Soil
Project Name:	TRUNK O	Sampling Condition:	Cool & Intact
Project Number:	NOT GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NEW MEXICO		

Sample ID: W - 9 (H260960-03)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	02/19/2026	ND	1.98	98.9	2.00	3.71		
Toluene*	<0.050	0.050	02/19/2026	ND	1.77	88.3	2.00	2.27		
Ethylbenzene*	<0.050	0.050	02/19/2026	ND	1.73	86.7	2.00	1.91		
Total Xylenes*	<0.150	0.150	02/19/2026	ND	5.05	84.2	6.00	1.95		
Total BTEx	<0.300	0.300	02/19/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 92.1 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	02/19/2026	ND	416	104	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/19/2026	ND	239	119	200	2.41	
DRO >C10-C28*	<10.0	10.0	02/19/2026	ND	209	104	200	2.78	
EXT DRO >C28-C36	<10.0	10.0	02/19/2026	ND					

Surrogate: 1-Chlorooctane 86.5 % 52.4-130

Surrogate: 1-Chlorooctadecane 84.3 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 02/18/2026
 Reported: 02/24/2026
 Project Name: TRUNK O
 Project Number: NOT GIVEN
 Project Location: ETC-LEA COUNTY, NEW MEXICO

Sampling Date: 02/17/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: W - 10 (H260960-04)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	02/19/2026	ND	1.98	98.9	2.00	3.71	
Toluene*	<0.050	0.050	02/19/2026	ND	1.77	88.3	2.00	2.27	
Ethylbenzene*	<0.050	0.050	02/19/2026	ND	1.73	86.7	2.00	1.91	
Total Xylenes*	<0.150	0.150	02/19/2026	ND	5.05	84.2	6.00	1.95	
Total BTEX	<0.300	0.300	02/19/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 92.7 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	02/19/2026	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/19/2026	ND	239	119	200	2.41	
DRO >C10-C28*	<10.0	10.0	02/19/2026	ND	209	104	200	2.78	
EXT DRO >C28-C36	<10.0	10.0	02/19/2026	ND					

Surrogate: 1-Chlorooctane 83.4 % 52.4-130

Surrogate: 1-Chlorooctadecane 81.1 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	02/18/2026	Sampling Date:	02/17/2026
Reported:	02/24/2026	Sampling Type:	Soil
Project Name:	TRUNK O	Sampling Condition:	Cool & Intact
Project Number:	NOT GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	ETC-LEA COUNTY, NEW MEXICO		

Sample ID: W - 11 (H260960-05)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	02/19/2026	ND	1.98	98.9	2.00	3.71	
Toluene*	<0.050	0.050	02/19/2026	ND	1.77	88.3	2.00	2.27	
Ethylbenzene*	<0.050	0.050	02/19/2026	ND	1.73	86.7	2.00	1.91	
Total Xylenes*	<0.150	0.150	02/19/2026	ND	5.05	84.2	6.00	1.95	
Total BTEX	<0.300	0.300	02/19/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 91.7 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	176	16.0	02/19/2026	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/19/2026	ND	239	119	200	2.41	
DRO >C10-C28*	316	10.0	02/19/2026	ND	209	104	200	2.78	
EXT DRO >C28-C36	56.4	10.0	02/19/2026	ND					

Surrogate: 1-Chlorooctane 85.7 % 52.4-130

Surrogate: 1-Chlorooctadecane 84.7 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

QR-03	The RPD value for the sample duplicate or MS/MSD was outside of QC acceptance limits due to matrix interference. QC batch accepted based on LCS and/or LCSD recovery and/or RPD values.
QM-07	The spike recovery was outside acceptance limits for the MS and/or MSD. The batch was accepted based on acceptable LCS recovery.
ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

A handwritten signature in black ink, appearing to read "Celey D. Keene".

Celey D. Keene, Lab Director/Quality Manager



Chain of Custody

H260960

Main Office: 2524 Trunk Street, Odessa Texas 79761

Contact: (432) 653-0393

<https://standardtx.com/>

Page 1 of 1

Page 8 of 8

Work Order Comments

Project Manager:	Ethan Sessums	Bill to: (if different)	Dean Ericson
Company Name:	Standard Safety & Supply	Company Name:	Energy Transfer
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

04024015-aer

Project Name:	Trunk O	Turn Around	☒ Routine ☐ Rush	Pres. Code	ANALYSIS REQUEST										Preservative Codes		
Project Number:															None: NO DI Water: H ₂ O		
Project Location:	Lea County, New Mexico	Due Date:	5 day												Cool: Cool MeOH: Me		
Sampler's Name:	Connor Whitman	TAT may vary based on lab start time.													HCL: HC HNO ₃ : HN		
PO #:	C-26029-GL-21300171														H ₂ SO ₄ : H ₂ NaOH: Na		
SAMPLE RECEIPT	Temp Blank:	Yes	No	Wet Ice:	Yes	No											H ₃ PO ₄ : HP
Samples Received Intact:	Yes	No	Thermometer ID:	#148											NaHSO ₄ : NABIS		
Cooler Custody Seals:	Yes	No	Correction Factor:	10.1%											Na ₂ S ₂ O ₃ : NaSO ₃		
Sample Custody Seals:	Yes	No	Temperature Reading:	5.4%											Zn Acetate+NaOH: Zn		
Total Containers:		Corrected Temperature:	55%											NaOH+Ascorbic Acid: SAPC			

Sample Identification		Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	BTX 800			TPH 800			Chloride			Sample Comments																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
1	S-8		2/17/2026		Soil	Com	1	X	X	X																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														</



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

March 02, 2026

ETHAN SESSUMS

STANDARD SAFETY & SUPPLY

PO BOX 14987

ODESSA, TX 79764

RE: TRUNK O

Enclosed are the results of analyses for samples received by the laboratory on 02/26/26 13:19.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C25-00101. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Celey D. Keene". The signature is written in a cursive, flowing style.

Celey D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 02/26/2026
 Reported: 03/02/2026
 Project Name: TRUNK O
 Project Number: NOT GIVEN
 Project Location: ETC-LEA COUNTY, NEW MEXICO

Sampling Date: 02/26/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: V-5 12' (H261103-01)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	02/27/2026	ND	1.98	99.1	2.00	1.15	
Toluene*	<0.050	0.050	02/27/2026	ND	1.85	92.4	2.00	0.274	
Ethylbenzene*	<0.050	0.050	02/27/2026	ND	1.78	88.8	2.00	0.907	
Total Xylenes*	<0.150	0.150	02/27/2026	ND	5.46	91.0	6.00	0.0853	
Total BTEX	<0.300	0.300	02/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 112 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	32.0	16.0	02/27/2026	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/26/2026	ND	207	103	200	2.20	
DRO >C10-C28*	<10.0	10.0	02/26/2026	ND	206	103	200	2.79	
EXT DRO >C28-C36	<10.0	10.0	02/26/2026	ND					

Surrogate: 1-Chlorooctane 78.0 % 52.4-130

Surrogate: 1-Chlorooctadecane 74.5 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 02/26/2026
 Reported: 03/02/2026
 Project Name: TRUNK O
 Project Number: NOT GIVEN
 Project Location: ETC-LEA COUNTY, NEW MEXICO

Sampling Date: 02/26/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: V-8 7' (H261103-03)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	02/27/2026	ND	1.98	99.1	2.00	1.15	
Toluene*	<0.050	0.050	02/27/2026	ND	1.85	92.4	2.00	0.274	
Ethylbenzene*	<0.050	0.050	02/27/2026	ND	1.78	88.8	2.00	0.907	
Total Xylenes*	<0.150	0.150	02/27/2026	ND	5.46	91.0	6.00	0.0853	
Total BTEX	<0.300	0.300	02/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 107 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	02/27/2026	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/26/2026	ND	207	103	200	2.20	
DRO >C10-C28*	18.2	10.0	02/26/2026	ND	206	103	200	2.79	
EXT DRO >C28-C36	<10.0	10.0	02/26/2026	ND					

Surrogate: 1-Chlorooctane 82.2 % 52.4-130

Surrogate: 1-Chlorooctadecane 79.4 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 02/26/2026
 Reported: 03/02/2026
 Project Name: TRUNK O
 Project Number: NOT GIVEN
 Project Location: ETC-LEA COUNTY, NEW MEXICO

Sampling Date: 02/26/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: V-9 7' (H261103-05)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	02/27/2026	ND	1.98	99.1	2.00	1.15	
Toluene*	<0.050	0.050	02/27/2026	ND	1.85	92.4	2.00	0.274	
Ethylbenzene*	<0.050	0.050	02/27/2026	ND	1.78	88.8	2.00	0.907	
Total Xylenes*	<0.150	0.150	02/27/2026	ND	5.46	91.0	6.00	0.0853	
Total BTEX	<0.300	0.300	02/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 113 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	02/27/2026	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/26/2026	ND	207	103	200	2.20	
DRO >C10-C28*	<10.0	10.0	02/26/2026	ND	206	103	200	2.79	
EXT DRO >C28-C36	<10.0	10.0	02/26/2026	ND					

Surrogate: 1-Chlorooctane 77.9 % 52.4-130

Surrogate: 1-Chlorooctadecane 74.8 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 02/26/2026
 Reported: 03/02/2026
 Project Name: TRUNK O
 Project Number: NOT GIVEN
 Project Location: ETC-LEA COUNTY, NEW MEXICO

Sampling Date: 02/26/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: V-10 7' (H261103-07)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	02/27/2026	ND	1.98	99.1	2.00	1.15		
Toluene*	<0.050	0.050	02/27/2026	ND	1.85	92.4	2.00	0.274		
Ethylbenzene*	<0.050	0.050	02/27/2026	ND	1.78	88.8	2.00	0.907		
Total Xylenes*	<0.150	0.150	02/27/2026	ND	5.46	91.0	6.00	0.0853		
Total BTEX	<0.300	0.300	02/27/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 106 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	02/27/2026	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/26/2026	ND	208	104	200	1.20	
DRO >C10-C28*	<10.0	10.0	02/26/2026	ND	205	102	200	3.73	
EXT DRO >C28-C36	<10.0	10.0	02/26/2026	ND					

Surrogate: 1-Chlorooctane 80.6 % 52.4-130

Surrogate: 1-Chlorooctadecane 85.2 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 02/26/2026
 Reported: 03/02/2026
 Project Name: TRUNK O
 Project Number: NOT GIVEN
 Project Location: ETC-LEA COUNTY, NEW MEXICO

Sampling Date: 02/26/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: V-11 0-6" (H261103-10)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	02/27/2026	ND	1.98	99.1	2.00	1.15		
Toluene*	<0.050	0.050	02/27/2026	ND	1.85	92.4	2.00	0.274		
Ethylbenzene*	<0.050	0.050	02/27/2026	ND	1.78	88.8	2.00	0.907		
Total Xylenes*	<0.150	0.150	02/27/2026	ND	5.46	91.0	6.00	0.0853		
Total BTEX	<0.300	0.300	02/27/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 113 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	02/27/2026	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/26/2026	ND	208	104	200	1.20	
DRO >C10-C28*	<10.0	10.0	02/26/2026	ND	205	102	200	3.73	
EXT DRO >C28-C36	<10.0	10.0	02/26/2026	ND					

Surrogate: 1-Chlorooctane 76.4 % 52.4-130

Surrogate: 1-Chlorooctadecane 82.2 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 02/26/2026
 Reported: 03/02/2026
 Project Name: TRUNK O
 Project Number: NOT GIVEN
 Project Location: ETC-LEA COUNTY, NEW MEXICO

Sampling Date: 02/26/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: V-11 1' (H261103-11)

BTX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	02/27/2026	ND	1.98	99.1	2.00	1.15		
Toluene*	<0.050	0.050	02/27/2026	ND	1.85	92.4	2.00	0.274		
Ethylbenzene*	<0.050	0.050	02/27/2026	ND	1.78	88.8	2.00	0.907		
Total Xylenes*	<0.150	0.150	02/27/2026	ND	5.46	91.0	6.00	0.0853		
Total BTX	<0.300	0.300	02/27/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 108 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	32.0	16.0	02/27/2026	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/26/2026	ND	208	104	200	1.20	
DRO >C10-C28*	<10.0	10.0	02/26/2026	ND	205	102	200	3.73	
EXT DRO >C28-C36	<10.0	10.0	02/26/2026	ND					

Surrogate: 1-Chlorooctane 76.4 % 52.4-130

Surrogate: 1-Chlorooctadecane 81.7 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 02/26/2026
 Reported: 03/02/2026
 Project Name: TRUNK O
 Project Number: NOT GIVEN
 Project Location: ETC-LEA COUNTY, NEW MEXICO

Sampling Date: 02/26/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: V-11 2' (H261103-12)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	02/27/2026	ND	1.98	99.1	2.00	1.15		
Toluene*	<0.050	0.050	02/27/2026	ND	1.85	92.4	2.00	0.274		
Ethylbenzene*	<0.050	0.050	02/27/2026	ND	1.78	88.8	2.00	0.907		
Total Xylenes*	<0.150	0.150	02/27/2026	ND	5.46	91.0	6.00	0.0853		
Total BTEX	<0.300	0.300	02/27/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 113 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	32.0	16.0	02/27/2026	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/26/2026	ND	208	104	200	1.20	
DRO >C10-C28*	<10.0	10.0	02/26/2026	ND	205	102	200	3.73	
EXT DRO >C28-C36	<10.0	10.0	02/26/2026	ND					

Surrogate: 1-Chlorooctane 83.5 % 52.4-130

Surrogate: 1-Chlorooctadecane 88.2 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 02/26/2026
 Reported: 03/02/2026
 Project Name: TRUNK O
 Project Number: NOT GIVEN
 Project Location: ETC-LEA COUNTY, NEW MEXICO

Sampling Date: 02/26/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: V-11 3' (H261103-13)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	02/27/2026	ND	1.92	96.1	2.00	2.36		
Toluene*	<0.050	0.050	02/27/2026	ND	1.90	94.8	2.00	4.98		
Ethylbenzene*	<0.050	0.050	02/27/2026	ND	1.93	96.5	2.00	2.56		
Total Xylenes*	<0.150	0.150	02/27/2026	ND	5.63	93.8	6.00	2.32		
Total BTEX	<0.300	0.300	02/27/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 92.4 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	02/27/2026	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/26/2026	ND	208	104	200	1.20	
DRO >C10-C28*	<10.0	10.0	02/26/2026	ND	205	102	200	3.73	
EXT DRO >C28-C36	<10.0	10.0	02/26/2026	ND					

Surrogate: 1-Chlorooctane 84.2 % 52.4-130

Surrogate: 1-Chlorooctadecane 90.6 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 02/26/2026
 Reported: 03/02/2026
 Project Name: TRUNK O
 Project Number: NOT GIVEN
 Project Location: ETC-LEA COUNTY, NEW MEXICO

Sampling Date: 02/26/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: V-11 4' (H261103-14)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	02/27/2026	ND	1.92	96.1	2.00	2.36		
Toluene*	<0.050	0.050	02/27/2026	ND	1.90	94.8	2.00	4.98		
Ethylbenzene*	<0.050	0.050	02/27/2026	ND	1.93	96.5	2.00	2.56		
Total Xylenes*	<0.150	0.150	02/27/2026	ND	5.63	93.8	6.00	2.32		
Total BTEX	<0.300	0.300	02/27/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 95.1 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	02/27/2026	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/26/2026	ND	208	104	200	1.20	
DRO >C10-C28*	<10.0	10.0	02/26/2026	ND	205	102	200	3.73	
EXT DRO >C28-C36	<10.0	10.0	02/26/2026	ND					

Surrogate: 1-Chlorooctane 77.7 % 52.4-130

Surrogate: 1-Chlorooctadecane 83.4 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 02/26/2026
 Reported: 03/02/2026
 Project Name: TRUNK O
 Project Number: NOT GIVEN
 Project Location: ETC-LEA COUNTY, NEW MEXICO

Sampling Date: 02/26/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: V-11 5' (H261103-15)

BTX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	02/27/2026	ND	1.92	96.1	2.00	2.36		
Toluene*	<0.050	0.050	02/27/2026	ND	1.90	94.8	2.00	4.98		
Ethylbenzene*	<0.050	0.050	02/27/2026	ND	1.93	96.5	2.00	2.56		
Total Xylenes*	<0.150	0.150	02/27/2026	ND	5.63	93.8	6.00	2.32		
Total BTX	<0.300	0.300	02/27/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 91.4 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	02/27/2026	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/26/2026	ND	208	104	200	1.20	
DRO >C10-C28*	<10.0	10.0	02/26/2026	ND	205	102	200	3.73	
EXT DRO >C28-C36	<10.0	10.0	02/26/2026	ND					

Surrogate: 1-Chlorooctane 83.2 % 52.4-130

Surrogate: 1-Chlorooctadecane 90.2 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received: 02/26/2026
 Reported: 03/02/2026
 Project Name: TRUNK O
 Project Number: NOT GIVEN
 Project Location: ETC-LEA COUNTY, NEW MEXICO

Sampling Date: 02/26/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: V-11 6' (H261103-16)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	02/27/2026	ND	1.92	96.1	2.00	2.36		
Toluene*	<0.050	0.050	02/27/2026	ND	1.90	94.8	2.00	4.98		
Ethylbenzene*	<0.050	0.050	02/27/2026	ND	1.93	96.5	2.00	2.56		
Total Xylenes*	<0.150	0.150	02/27/2026	ND	5.63	93.8	6.00	2.32		
Total BTEX	<0.300	0.300	02/27/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 101 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	02/27/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/26/2026	ND	208	104	200	1.20	
DRO >C10-C28*	<10.0	10.0	02/26/2026	ND	205	102	200	3.73	
EXT DRO >C28-C36	<10.0	10.0	02/26/2026	ND					

Surrogate: 1-Chlorooctane 81.5 % 52.4-130

Surrogate: 1-Chlorooctadecane 89.0 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

QM-07	The spike recovery was outside acceptance limits for the MS and/or MSD. The batch was accepted based on acceptable LCS recovery.
ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

A handwritten signature in black ink, appearing to read "Caley D. Keene".

Caley D. Keene, Lab Director/Quality Manager



101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

C-26029-GL-21300171

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Company Name: Standard Safety & Supply						P.O. #: [blank]					
Project Manager: Ethan Sessums						Company: Energy Transfer					
Address:						Attn: Dean Finson					
City: Oleska State: TX Zip: 79761						Address:					
Phone #:						City:					
Fax #:						State: Zip:					
Project #:						Phone #:					
Project Location: Leach Co., NM						Fax #:					
Sample Name: Lenny Huan						SAMPLING					
FOR LAB USE ONLY											
Lab I.D.						Sample I.D.					
H2O103						U-5					
2						V-8					
3						V-a					
4						V-10					
5						V-11					
6											
7											
8											
9											
10											
(G)RAB OR (C)OMP.						# CONTAINERS					
GROUNDWATER						WASTEWATER					
SOIL						SLUDGE					
OTHER :						ACID/BASE:					
ICE / COOL						OTHER :					
DATE						TIME					
BTEX						TPH					
Chloride						HOLD					

PLEASE NOTE: Liability and Damages: Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort shall be limited to the amount paid by the client for the analysis. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless presented in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Relinquished By: [Signature] Date: 2/24/2024 Time: 1319 Received By: Speediequary
Reinquinshed By: [Signature] Date: [blank] Time: [blank] Received By: [blank]

Delivered By: (Circle One)
Sampler - UPS - Bus - Other:
Observed Temp. °C Corrected Temp. °C Sample Condition Cool Intact Yes No Checked BY: (Initials)
Turnaround Time: +0.1 hr Standard Rush Bacteria (only) Sample Condition Observed Temp. °C Corrected Temp. °C
Thermometer ID #140 Correction Factor +0.3°C
☒ Add'l Phone #:
All Results are emailed. Please provide Email address:

REMARKS: 824 HR RUSH ORDER.
3/2/20 Speediequary

+ Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com



101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

C-26029-GL-21300171

BILL TO

ANALYSIS REQUEST

Company Name: <u>Stanford Safety Supply</u>		P.O. #: <u>✓</u>	
Project Manager: <u>Elmer Sevens</u>		Company: <u>Energy Transfer</u>	
Address:		Attn: <u>Dean Engstrom</u>	
City: <u>Oessa</u> State: <u>TX</u> Zip: <u>79761</u>		Address:	
Phone #: _____ Fax #: _____		City: _____	
Project #: _____ Project Owner: <u>Energy Transfer</u>		State: _____ Zip: _____	
Project Name: <u>Trunk 0</u>		Phone #: _____	
Project Location: <u>La Col NM</u>		Fax #: _____	
Sampler Name: <u>Kenny Han</u>		PRESERV	
FOR LAB USE ONLY		SAMPLING	
Lab I.D. <u>H261103</u>	Sample I.D. <u>U-11</u>	(G)RAB OR (C)OMP. <u>✓</u>	
1 2 3 4 5 6		# CONTAINERS <u>1</u>	
GROUNDWATER		WASTEWATER	
SOIL		OIL	
SLUDGE		OTHER:	
ACID/BASE:		ICE / COOL <u>✓</u>	
OTHER:		DATE <u>2/26</u> TIME _____	
DATE <u>2/26</u> TIME _____		BTEX	
TPH		Chloride	
Relinquished By: <u>✓</u>		Date: <u>2/26/2006</u> Time: <u>1319</u>	
Relinquished By: <u>✓</u>		Received By: <u>Speedington</u>	
Delivered By: (Circle One) _____		Observed Temp. °C <u>-0.3</u>	
Sampler - UPS - Bus - Other: _____		Corrected Temp. °C <u>-0.2</u>	
Turnaround Time: <u>10:12</u>		Standard <u>✓</u> Rush <u>✓</u>	
Thermometer ID #140		Bacteria (only) <u>✓</u>	
Correction Factor <u>0.3°C</u>		Cool Intact <u>✓</u>	
Corrected Temp. °C _____		Observed Temp. °C _____	
Corrected Temp. °C _____		Sample Condition <u>✓</u>	
PEMARKS: <u>3/4 the rush called 3/8/06 Speedington</u>		CHECKED BY: <u>✓</u> (Initials)	
Verbal Result: ☐ Yes ☐ No ☐ Add'l Phone #:		All Results are emailed. Please provide Email address:	

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS

Action 578500

QUESTIONS

Operator: ET Gathering & Processing, LLC 1025 Bounds Rd Loving, NM 88256	OGRID: 371183
	Action Number: 578500
	Action Type: [C-141] Site Char./Remediation Plan C-141 (C-141-v-Plan)

QUESTIONS

Prerequisites	
Incident ID (n#)	nAPP2602028948
Incident Name	NAPP2602028948 TRUNK O PIPELINE @ N-19-25S-37E 628S 1053W
Incident Type	Release Other
Incident Status	Remediation Plan Received

Location of Release Source

Please answer all the questions in this group.

Site Name	Trunk O Pipeline
Date Release Discovered	01/18/2026
Surface Owner	Private

Incident Details

Please answer all the questions in this group.

Incident Type	Release Other
Did this release result in a fire or is the result of a fire	No
Did this release result in any injuries	No
Has this release reached or does it have a reasonable probability of reaching a watercourse	No
Has this release endangered or does it have a reasonable probability of endangering public health	No
Has this release substantially damaged or will it substantially damage property or the environment	Yes
Is this release of a volume that is or may with reasonable probability be detrimental to fresh water	No

Nature and Volume of Release

Material(s) released, please answer all that apply below. Any calculations or specific justifications for the volumes provided should be attached to the follow-up C-141 submission.

Crude Oil Released (bbls) Details	Cause: Other Pipeline (Any) Crude Oil Released: 6 BBL Recovered: 0 BBL Lost: 6 BBL.
Produced Water Released (bbls) Details	Cause: Other Pipeline (Any) Produced Water Released: 15 BBL Recovered: 0 BBL Lost: 15 BBL.
Is the concentration of chloride in the produced water >10,000 mg/l	No
Condensate Released (bbls) Details	Not answered.
Natural Gas Vented (Mcf) Details	Cause: Other Pipeline (Any) Natural Gas Vented Released: 2 MCF Recovered: 0 MCF Lost: 2 MCF.
Natural Gas Flared (Mcf) Details	Not answered.
Other Released Details	Not answered.
Are there additional details for the questions above (i.e. any answer containing Other, Specify, Unknown, and/or Fire, or any negative lost amounts)	Pipeline is shut/in. Impact area is fenced off due to livestock in the area. Landowner is denying access to progress initial clean-up

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 2

Action 578500

QUESTIONS (continued)

Operator: ET Gathering & Processing, LLC 1025 Bounds Rd Loving, NM 88256	OGRID: 371183
	Action Number: 578500
	Action Type: [C-141] Site Char./Remediation Plan C-141 (C-141-v-Plan)

QUESTIONS

Nature and Volume of Release (continued)	
Is this a gas only submission (i.e. only significant Mcf values reported)	No, according to supplied volumes this does not appear to be a "gas only" report.
Was this a major release as defined by Subsection A of 19.15.29.7 NMAC	Yes
Reasons why this would be considered a submission for a notification of a major release	From paragraph A. "Major release" determine using: (2) an unauthorized release of a volume that: (d) substantially damages property or the environment.
With the implementation of the 19.15.27 NMAC (05/25/2021), venting and/or flaring of natural gas (i.e. gas only) are to be submitted on the C-129 form.	

Initial Response

The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury.

The source of the release has been stopped	True
The impacted area has been secured to protect human health and the environment	True
Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices	False
All free liquids and recoverable materials have been removed and managed appropriately	False
If all the actions described above have not been undertaken, explain why	Sent via text message from Greg Fuller Do what you need to stop the leak but DO NOT cover up or disturb anything till the OCD and Pipeline DOT review. We will need to review any clean up plans before starting work, and must be approved by state and federal agencies. This is in that pond low land area off of dumpground road, water is less than 30' deep. It will need to be checked and cored for any water contamination. Y'all no only wiping me out financially by not taking my gas you also wiping my ranch out and killing my cattle. We will be seeding this line in every spot there has been a leak. After we do a detailed clean up. Y'all will need to coordinate with our environmental group after submitting your cleanup plan.

Per Paragraph (4) of Subsection B of 19.15.29.8 NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please prepare and attach a narrative of actions to date in the follow-up C-141 submission. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see Subparagraph (a) of Paragraph (5) of Subsection A of 19.15.29.11 NMAC), please prepare and attach all information needed for closure evaluation in the follow-up C-141 submission.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

I hereby agree and sign off to the above statement	Name: Dean Ericson Title: Sr. Environmental Specialist Email: dean.ericson@energytransfer.com Date: 04/23/2026
--	---

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 3

Action 578500

QUESTIONS (continued)

Operator: ET Gathering & Processing, LLC 1025 Bounds Rd Loving, NM 88256	OGRID: 371183
	Action Number: 578500
	Action Type: [C-141] Site Char./Remediation Plan C-141 (C-141-v-Plan)

QUESTIONS

Site Characterization	
<i>Please answer all the questions in this group (only required when seeking remediation plan approval and beyond). This information must be provided to the appropriate district office no later than 90 days after the release discovery date.</i>	
What is the shallowest depth to groundwater beneath the area affected by the release in feet below ground surface (ft bgs)	Between 100 and 500 (ft.)
What method was used to determine the depth to ground water	NM OSE iWaters Database Search
Did this release impact groundwater or surface water	No
What is the minimum distance, between the closest lateral extents of the release and the following surface areas:	
A continuously flowing watercourse or any other significant watercourse	Greater than 5 (mi.)
Any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)	Between 1 and 5 (mi.)
An occupied permanent residence, school, hospital, institution, or church	Between 1000 (ft.) and ½ (mi.)
A spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes	Between 500 and 1000 (ft.)
Any other fresh water well or spring	Between 1000 (ft.) and ½ (mi.)
Incorporated municipal boundaries or a defined municipal fresh water well field	Between 1000 (ft.) and ½ (mi.)
A wetland	Between 1 and 5 (mi.)
A subsurface mine	Greater than 5 (mi.)
An (non-karst) unstable area	Greater than 5 (mi.)
Categorize the risk of this well / site being in a karst geology	Low
A 100-year floodplain	Between ½ and 1 (mi.)
Did the release impact areas not on an exploration, development, production, or storage site	No

Remediation Plan	
<i>Please answer all the questions that apply or are indicated. This information must be provided to the appropriate district office no later than 90 days after the release discovery date.</i>	
Requesting a remediation plan approval with this submission	Yes
<i>Attach a comprehensive report demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined, pursuant to 19.15.29.11 NMAC and 19.15.29.13 NMAC.</i>	
Have the lateral and vertical extents of contamination been fully delineated	Yes
Was this release entirely contained within a lined containment area	No
Soil Contamination Sampling: (Provide the highest observable value for each, in milligrams per kilograms.)	
Chloride (EPA 300.0 or SM4500 Cl B)	2320
TPH (GRO+DRO+MRO) (EPA SW-846 Method 8015M)	3665
GRO+DRO (EPA SW-846 Method 8015M)	3180
BTEX (EPA SW-846 Method 8021B or 8260B)	11.9
Benzene (EPA SW-846 Method 8021B or 8260B)	0.4
<i>Per Subsection B of 19.15.29.11 NMAC unless the site characterization report includes completed efforts at remediation, the report must include a proposed remediation plan in accordance with 19.15.29.12 NMAC, which includes the anticipated timelines for beginning and completing the remediation.</i>	
On what estimated date will the remediation commence	03/16/2026
On what date will (or did) the final sampling or liner inspection occur	03/30/2026
On what date will (or was) the remediation complete(d)	04/10/2026
What is the estimated surface area (in square feet) that will be reclaimed	3000
What is the estimated volume (in cubic yards) that will be reclaimed	564
What is the estimated surface area (in square feet) that will be remediated	3000
What is the estimated volume (in cubic yards) that will be remediated	564
<i>These estimated dates and measurements are recognized to be the best guess or calculation at the time of submission and may (be) change(d) over time as more remediation efforts are completed.</i>	
<i>The OCD recognizes that proposed remediation measures may have to be minimally adjusted in accordance with the physical realities encountered during remediation. If the responsible party has any need to significantly deviate from the remediation plan proposed, then it should consult with the division to determine if another remediation plan submission is required.</i>	

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 4

Action 578500

QUESTIONS (continued)

Operator: ET Gathering & Processing, LLC 1025 Bounds Rd Loving, NM 88256	OGRID: 371183
	Action Number: 578500
	Action Type: [C-141] Site Char./Remediation Plan C-141 (C-141-v-Plan)

QUESTIONS

Remediation Plan (continued)	
<i>Please answer all the questions that apply or are indicated. This information must be provided to the appropriate district office no later than 90 days after the release discovery date.</i>	
This remediation will (or is expected to) utilize the following processes to remediate / reduce contaminants:	
<i>(Select all answers below that apply.)</i>	
(Ex Situ) Excavation and off-site disposal (i.e. dig and haul, hydrovac, etc.)	Yes
Which OCD approved facility will be used for off-site disposal	fJEG1635837366 OWL LANDFILL JAL
OR which OCD approved well (API) will be used for off-site disposal	<i>Not answered.</i>
OR is the off-site disposal site, to be used, out-of-state	<i>Not answered.</i>
OR is the off-site disposal site, to be used, an NMED facility	<i>Not answered.</i>
(Ex Situ) Excavation and on-site remediation (i.e. On-Site Land Farms)	No
(In Situ) Soil Vapor Extraction	No
(In Situ) Chemical processing (i.e. Soil Shredding, Potassium Permanganate, etc.)	No
(In Situ) Biological processing (i.e. Microbes / Fertilizer, etc.)	No
(In Situ) Physical processing (i.e. Soil Washing, Gypsum, Disking, etc.)	No
Ground Water Abatement pursuant to 19.15.30 NMAC	No
OTHER (Non-listed remedial process)	No
<i>Per Subsection B of 19.15.29.11 NMAC unless the site characterization report includes completed efforts at remediation, the report must include a proposed remediation plan in accordance with 19.15.29.12 NMAC, which includes the anticipated timelines for beginning and completing the remediation.</i>	
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.	
I hereby agree and sign off to the above statement	Name: Dean Ericson Title: Sr. Environmental Specialist Email: dean.ericson@energytransfer.com Date: 04/23/2026
<i>The OCD recognizes that proposed remediation measures may have to be minimally adjusted in accordance with the physical realities encountered during remediation. If the responsible party has any need to significantly deviate from the remediation plan proposed, then it should consult with the division to determine if another remediation plan submission is required.</i>	

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 5

Action 578500

QUESTIONS (continued)

Operator: ET Gathering & Processing, LLC 1025 Bounds Rd Loving, NM 88256	OGRID: 371183
	Action Number: 578500
	Action Type: [C-141] Site Char./Remediation Plan C-141 (C-141-v-Plan)

QUESTIONS

Deferral Requests Only	
Only answer the questions in this group if seeking a deferral upon approval this submission. Each of the following items must be confirmed as part of any request for deferral of remediation.	
Requesting a deferral of the remediation closure due date with the approval of this submission	No

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 6

Action 578500

QUESTIONS (continued)

Operator: ET Gathering & Processing, LLC 1025 Bounds Rd Loving, NM 88256	OGRID: 371183
	Action Number: 578500
	Action Type: [C-141] Site Char./Remediation Plan C-141 (C-141-v-Plan)

QUESTIONS

Sampling Event Information	
Last sampling notification (C-141N) recorded	578425
Sampling date pursuant to Subparagraph (a) of Paragraph (1) of Subsection D of 19.15.29.12 NMAC	04/27/2026
What was the (estimated) number of samples that were to be gathered	8
What was the sampling surface area in square feet	800

Remediation Closure Request

Only answer the questions in this group if seeking remediation closure for this release because all remediation steps have been completed.

Requesting a remediation closure approval with this submission	No
--	----

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 578500

CONDITIONS

Operator: ET Gathering & Processing, LLC 1025 Bounds Rd Loving, NM 88256	OGRID: 371183
	Action Number: 578500
	Action Type: [C-141] Site Char./Remediation Plan C-141 (C-141-v-Plan)

CONDITIONS

Created By	Condition	Condition Date
scott.rodgers	The Remediation Plan is Conditionally Approved. All samples must be analyzed for all constituents listed in Table I of 19.15.29.12 NMAC. Floor confirmation samples should be delineated/excavated to meet closure criteria standards for site assessment/characterization/proven depth to water determination. Sidewall samples should be delineated/excavated to 600 mg/kg for chlorides and 100 mg/kg for TPH to define the edge of the release. Confirmation samples should be collected every 200 ft2. All off pad areas must meet reclamation standards set forth in the OCD Spill Rule. A two-business day Sampling Notification pursuant to 19.15.29.12.D.(1).(a) NMAC is required for all confirmation samples. The work will need to occur in 90 days after the work plan has been reviewed.	4/24/2026