

Standard Safety and Supply

<https://standardtx.com/>



Site Characterization, Remediation, and Reclamation Workplan

Operator: [16696] OXY USA INC.

Site Name: Corral Fly 35-26 Fed CTB

Incident ID: nAPP2604148672

32.161587, -103.952065

G-02-25S-29E

Lease ID: V033610001

Lessee: OXY USA WTP LIMITED PARTNERSHIP

Eddy County, New Mexico

Introduction

Standard Safety and Supply (Standard) on behalf of OXY USA INC (Oxy) is pleased to submit this Site Characterization, Remediation, and Reclamation Workplan. Attachment B: Figure 1 depicts the Site with respect to the nearest town and Figure 2 depicts the topography of the area.

Site Characterization and History

The release nAPP2604148672 was discovered on February 9th, 2026. According to New Mexico Oil Conservation Division (NMOCD) website, there were one thousand twenty-four (1,024) barrels (bbls) of produced water and one hundred sixteen (116) bbls of crude oil released while none were recovered as a result of a line strike.

Based on a site characterization desktop review the site is designated as a Medium Karst area. Furthermore, there is a riverine habitat located less than 100 feet away from the southern extent of the release area. Aside from the riverine, there are no other receptors [significant watercourse, lakebed, playa, sinkhole, an occupied residence, school, hospital, institution, church, freshwater spring for domestic or stock watering purposes, other fresh water well/spring, municipal water boundary, subsurface mine, and/or an unstable area] within the specified distance set forth in the New Mexico Administrative Code 19.15.29.12. The depth of groundwater in the area is estimated to be greater than one hundred (100) ft (feet) below ground surface (bgs). According to the office of the state engineer's website,



Standard Safety and Supply

<https://standardtx.com/>

there is a groundwater bore located approximately seven hundred (700) ft away from the site location. The groundwater determination bore (C-4949) was drilled to a depth of one hundred and ten (110) feet below ground surface (bgs) in 2025. No groundwater was encountered at any depth. The southern portion of the area of concern is located within a one hundred (100) year floodplain. The following closure criteria will be used:

NMAC Closure Criteria Remediation and Reclamation (NMAC 19.15.29.12 & 19.15.29.13)					
depths in feet (ft)	Benzene	BTEX	TPH (GRO-DRO)	TPH (GRO-DRO-MRO)	Chloride
0-Max depth (ft)	10 mg/kg	50mg/kg	---*	100 mg/kg	600 mg/kg
* Value must not exceed TPH (GRP-DRO-MRO) value					

Based on the web soil survey, the soils in and around the Site are classified as Tonuco loamy sand, Pajarito-Dune land complex & Kermit-Berino fine sands.

The documentation used to characterize the site can be found in the report under Attachment C: Site Characterization.

Cultural Properties Protection Rule

The areas that are subject to delineation are located outside of the boundaries of predisturbed areas. An Archaeological Records Management Section (ARMS) review took place. No previously recorded historic properties or isolated manifestations were identified within the survey area during the desktop review. A copy of the ARMS coversheet is provided under Attachment C: Site Characterization.

Biological Compliance

The areas that are subject to delineation are located outside of the boundaries of predisturbed areas. A natural resources survey report, including Special Status Plant Species (SSPS) survey was conducted prior to conducting any activities. The proposed remediation & reclamation area does not occur within any special-status species' critical habitat. During the natural resources survey of the proposed project area no animal species nor nests were observed within the survey area. A copy of the natural resources survey report is provided under Attachment C: Site Characterization.

Two types of wildlife crossings were identified within the project area: aboveground crossings constructed over flexible composite flowlines and subsurface tunnels, primarily used by lizard species. These structures will be avoided and preserved during remediation and reclamation activities, and no disturbance is expected. If the excavation extent



Standard Safety and Supply

<https://standardtx.com/>

requires expansion, coordination with Wildlife Biologists of the New Mexico State Land Office (NMSLO) will be conducted to determine appropriate measures for their protection or reconstruction.

Site Assessment

On March 2nd, 2026, Standard was onsite to investigate the area of concern. A total of twelve (12) vertical delineation sample points (V-1 to V-12) were installed in one (1) ft intervals from surface (0) ft to four and a half (4.5) ft bgs. Twelve (12) horizontal delineation sample points (H-1 to H-12) were installed from surface (0) ft to half a foot (0.5) ft bg. All samples were jarred into lab provided sample containers, stored on ice, and field screened, and submitted, under chain-of-custody protocol, to Eurofins Laboratories for the analysis of Benzene, Toluene, Ethylbenzene, and Xylenes (BTEX by EPA 8021B), Total Petroleum Hydrocarbons (TPH by EPA 8015M), and chlorides (by EPA 300.0). Analytical results indicated that impacts were not vertically delineated.

On March 12th & March 13th, 2026, Standard returned to the site to continue with vertical delineation of the area of concern. Eight (8) vertical delineation sample points (i.e., V-1 through V-3, V-6 through V-9 and V-12) were advanced in one (1) ft intervals from two (2) ft bgs up to eight (8) ft bgs. All samples were jarred into lab provided sample containers, stored on ice, and field screened, and submitted, under chain-of-custody protocol, to Envirotech Laboratories for the analysis of Benzene, Toluene, Ethylbenzene, and Xylenes (BTEX by EPA 8021B), Total Petroleum Hydrocarbons (TPH by EPA 8015M), and chlorides (by EPA 300.0). Analytical results indicated that impacts were not vertically delineated.

On April 30th, 2026, Standard returned to the site to continue with vertical delineation of the area of concern. Two (2) vertical delineation sample points (i.e., V-1 and V-11) were advanced in two (2) ft intervals from six (6) ft bgs up to ten (10) ft bgs. All samples were jarred into lab provided sample containers, stored on ice, and field screened, and submitted, under chain-of-custody protocol, to Envirotech Laboratories for the analysis of Benzene, Toluene, Ethylbenzene, and Xylenes (BTEX by EPA 8021B), Total Petroleum Hydrocarbons (TPH by EPA 8015M), and chlorides (by EPA 300.0). Analytical results indicated that complete vertical and horizontal delineation was achieved.

The site assessment sample locations can be found under Attachment B: Figures. The analytical data can be found under Attachment A: Table 1. Photographs of the site can be found under Attachment D: Photolog. The laboratory report can be found under Attachment E.



Standard Safety and Supply

<https://standardtx.com/>

Proposed Remediation Activities

Based on the assessment performed Standard proposes the following:

- Excavate the area of V-1 to ten (10) ft bgs.
- Excavate the area of V-2 to six (6) ft bgs.
- Excavate the areas of V-3 to four and a half (4.5) ft bgs.
- Excavate the areas of V-6, V-7, V-9 and V-12 to three (3) ft bgs.
- Excavate the areas of V-8 and V-11 to two (2) ft bgs.
- Excavate the area of V-4 to one (1) ft bgs.
- Excavate the area of V-5 to five (5) ft bgs.
- Perform the surface scrape up to half (0.5) ft bgs in areas of distressed vegetation at V-3, V-4 and H-12.
- After confirmation sampling is completed obtain backfill from a local pit with similar lithology to the site to backfill the open excavation.
 - Composite samples will be collected and analyzed for BTEX, TPH, and chloride from the source to confirm that the material is reclamation grade before hauling in the material for backfill.
- Backfill all open excavations with reclamation grade material, including a soil cover consisting of one (1) foot of suitable topsoil material.

There are approximately one thousand two hundred and eighty-three (1,283) cubic yards of impacted material that will be excavated and transported off to the closest approved disposal facility.

Confirmation samples will be taken at the base and sidewalls of the excavated areas. Samples collected will be comprised as a five-point composite sample and will represent an area no greater than 200 square feet. All samples will be jarred and placed on ice upon collection and delivered to an accredited lab under proper chain of custody protocol for the analysis of BTEX, TPH, and chloride. If any samples return above closure criteria, then further excavation and confirmation sampling will occur until all samples are below closure criteria.

Proposed Reclamation Activities

- Upon completion of remediation activities, reclamation activities will commence to revegetate and restore all areas impacted by this release.
- After topsoil cover is established, the area subject to reclamation will then be cross ripped to a maximum depth of twelve (12) inches with a furrow spacing of two (2) feet. These areas will be recontoured for initial seedbed preparation. The original landform will be restored, as near as possible.



Standard Safety and Supply

<https://standardtx.com/>

- A certified weed-free seed mix designed by the NMSLO to meet reclamation standards will be used. Based on the soils at the Site, the NMSLO Sandy seed mix will be used for seeding and will be planted at a rate of seventeen and seventy-five hundredths (17.75) pounds of live seed per acre. The seed mixture will be applied via drill box method.
- The Site is sloped therefore erosion controls will be required. Standard proposes to have the furrows installed perpendicular to stormwater flow as the main form of erosion control.
- The Site will be monitored for vegetative growth to ensure the reclamation activities performed were sufficient. Monitoring will include semiannual inspections of the area. If unsuccessful, the area will be assessed to determine what future actions can be taken to successfully reclaim the area.
- Through site visits, noxious and invasive weeds will be identified, inventoried, and treated by a licensed herbicide applicators or physically removed.

Schedule of Implementation

Work will begin by May 25th, 2026, once the Site Characterization, Remediation, and Reclamation Workplan is approved by both the NMSLO and operator (Oxy). The remediation and reclamation activities reports will be submitted on or before August 10th, 2026 (no later than 90 days after approval of the initial Site Characterization and Remediation workplan), after all proposed reclamation activities have been completed. Reclamation monitoring will be conducted bi-annually throughout the next three (3) years.

The reclamation and revegetation activities are expected to take one (1) to three years to complete.

- Week 1 to Week 4 (Year 1)
 - Complete proposed remediation activities.
 - Complete proposed reclamation activities.
- 6 months (Year 1)
 - Site inspection to document revegetation efforts and address any issues with revegetation.
- 12 Months (Year 1)
 - Site inspection to document revegetation efforts and address any issues with revegetation.
- 18 Months (Year 2)
 - Site inspection to document revegetation efforts and address any issues with revegetation.
- 24 Months (Year 2)



Standard Safety and Supply

<https://standardtx.com/>

- Site inspection to document revegetation efforts and address any issues with revegetation.
- 30 Months (Year 3)
 - Site inspection to document revegetation efforts and address any issues with revegetation.
- 36 Months (Year 3)
 - Site inspection to document revegetation efforts and address any issues with revegetation.

When revegetation efforts meet NMSLO approval for administrative site release a final Reclamation and Revegetation Report will be submitted.

Closing

If you have any questions regarding the Site Characterization, Remediation, and Reclamation Workplan for Corral Fly 35-26 Fed CTB, please contact us at the following:

Address: 2524 Trunk St, Odessa TX 79761

Contact: 254-266-5456



Standard Safety and Supply

<https://standardtx.com/>

Attachments

- Attachment A: Analytical Data Tables
 1. Table 1 Delineation Assessment Analytical Data Table
- Attachment B: Figures
 1. Site Location Map
 2. Topographic Map
 3. Site Assessment Map
 4. Proposed Excavation Map
- Attachment C: Site Characterization
 1. OCD Well map and Karst Potential
 2. OSE POD
 3. USGS Well Log
 4. Open Environment Wetlands
 5. Wetlands Inventory
 6. National Flood Hazard Layer
 7. Subsurface Mines
 8. Web Soil Survey
 9. ARMS and SSPS
- Attachment D: Photolog
- Attachment E: Laboratory Report and Chain-of-Custody Documentation



Standard Safety and Supply

<https://standardtx.com/>



ATTACHMENT A: TABLES



Table 1: Delineation Assessment Analytical Data Table
 OXY USA INC
 CORRAL FLY 35-26 CTB
 Eddy County, New Mexico



			Chloride	TPH Total (C6-C35)	GRO (C6-C12)	DRO (C12-C28)	GRO+DRO (C6-C28)	MRO (C28-C35)	Benzene	Toluene	Ethylbenzene	Xylenes	BTEX
Remediation (GW <50ft)			600 mg/Kg	100 mg/Kg	...**	...**	...**	...**	10 mg/Kg	...*	...*	...*	50 mg/Kg
Sample ID	Depth	Date											
H-1	0-6"	3/2/2026	21.6	<50.0	<50.0	<50.0	<50.0	<50.0	<0.00200	<0.00200	<0.00200	<0.00399	<0.00399
H-2	0-6"	3/2/2026	<10.1	<49.9	<49.9	<49.9	<49.9	<49.9	<0.00201	<0.00201	<0.00201	<0.00402	<0.00402
H-3	0-6"	3/2/2026	<9.90	<50.0	<50.0	<50.0	<50.0	<50.0	<0.00202	<0.00202	<0.00202	<0.00404	<0.00404
H-4	0-6"	3/2/2026	<10.1	<49.8	<49.8	<49.8	<49.8	<49.8	<0.00200	<0.00200	<0.00200	<0.00399	<0.00399
H-5	0-6"	3/2/2026	11.9	<50.0	<50.0	<50.0	<50.0	<50.0	<0.00199	<0.00199	<0.00199	<0.00398	<0.00398
H-6	0-6"	3/2/2026	<10.1	<49.9	<49.9	<49.9	<49.9	<49.9	<0.00198	<0.00198	<0.00198	<0.00396	<0.00396
H-7	0-6"	3/2/2026	38.8	<50.0	<50.0	<50.0	<50.0	<50.0	<0.00200	<0.00200	<0.00200	<0.00400	<0.00400
H-8	0-6"	3/2/2026	<9.92	<49.8	<49.8	<49.8	<49.8	<49.8	<0.00200	<0.00200	<0.00200	<0.00399	<0.00399
H-9	0-6"	3/2/2026	<9.94	<49.9	<49.9	<49.9	<49.9	<49.9	<0.00198	<0.00198	<0.00198	<0.00396	<0.00396
H-10	0-6"	3/2/2026	<10.1	<50.0	<50.0	<50.0	<50.0	<50.0	<0.00200	<0.00200	<0.00200	<0.00399	<0.00399
H-11	0-6"	3/2/2026	12.3	<49.8	<49.8	<49.8	<49.8	<49.8	<0.00201	<0.00201	<0.00201	<0.00402	<0.00402
H-12	0-6"	3/2/2026	54.5	<49.8	<49.8	<49.8	<49.8	<49.8	<0.00202	<0.00202	<0.00202	<0.00404	<0.00404
V-1	0-6"	3/2/2026	6640	<50.1	<50.1	<50.1	<50.1	<50.1	<0.00200	<0.00200	<0.00200	<0.00400	<0.00400
	1-1.5'	3/2/2026	6020	<50.0	<50.0	<50.0	<50.0	<50.0	<0.00200	<0.00200	<0.00200	<0.00399	<0.00399
	2-2.5'	3/12/2026	5,070	<50.0	<20.0	<25.0	<25.0	<50.0	<0.0250	<0.0250	<0.0250	<0.0500	<0.0500
	3-3.5'	3/12/2026	7,560	<50.0	<20.0	<25.0	<25.0	<50.0	<0.0250	<0.0250	<0.0250	<0.0500	<0.0500
	4-4.5'	3/13/2026	10,000	<50.0	<20.0	<25.0	<25.0	<50.0	<0.0250	<0.0250	<0.0250	<0.0500	<0.0500
	5-5.5'	3/13/2026	9,090	<50.0	<20.0	<25.0	<25.0	<50.0	<0.0250	<0.0250	<0.0250	<0.0500	<0.0500
	8-8.5'	3/13/2026	2,260	<50.0	<20.0	<25.0	<25.0	<50.0	<0.0250	<0.0250	<0.0250	<0.0500	<0.0500
10-10.5'	4/30/2026	51.7	<50.0	<20.0	<25.0	<25.0	<50.0	<0.0250	<0.0250	<0.0250	<0.0500	<0.0500	
V-2	0-6"	3/2/2026	4690	410	<49.9	410	<49.9	<49.9	<0.00201	<0.00201	<0.00201	<0.00402	<0.00402
	1-1.5'	3/2/2026	2960	<50.0	<50.0	<50.0	<50.0	<50.0	<0.00202	<0.00202	<0.00202	<0.00404	<0.00404
	2-2.5'	3/2/2026	1530	<49.8	<49.8	<49.8	<49.8	<49.8	<0.00199	<0.00199	<0.00199	<0.00398	<0.00398
	3-3.5'	3/2/2026	989	<49.8	<49.8	<49.8	<49.8	<49.8	<0.00198	<0.00198	<0.00198	<0.00396	<0.00396
	4.5-5'	3/13/2026	4,920	<50.0	<20.0	<25.0	<25.0	<50.0	<0.0250	<0.0250	<0.0250	<0.0500	<0.0500
	6-6.5'	4/30/2026	20.3	<50.0	<20.0	<25.0	<25.0	<50.0	<0.0250	<0.0250	<0.0250	<0.0500	<0.0500
V-3	0-6"	3/2/2026	4310	<50.1	<50.1	<50.1	<50.1	<50.1	<0.00200	<0.00200	<0.00200	<0.00399	<0.00399
	1-1.5'	3/2/2026	4160	<50.2	<50.2	<50.2	<50.2	<50.2	<0.00201	<0.00201	<0.00201	<0.00402	<0.00402
	2-2.5'	3/2/2026	6390	<50.0	<50.0	<50.0	<50.0	<50.0	<0.00202	<0.00202	<0.00202	<0.00404	<0.00404
	2.5-3'	3/2/2026	5520	<49.9	<49.9	<49.9	<49.9	<49.9	<0.00199	<0.00199	<0.00199	<0.00398	<0.00398
	3-3.5'	3/12/2026	1,720	<50.0	<20.0	<25.0	<25.0	<50.0	<0.0250	<0.0250	<0.0250	<0.0500	<0.0500
	3.5-4'	3/12/2026	680	<50.0	<20.0	<25.0	<25.0	<50.0	<0.0250	<0.0250	<0.0250	<0.0500	<0.0500
4-4.5'	3/12/2026	324	<50.0	<20.0	<25.0	<25.0	<50.0	<0.0250	<0.0250	<0.0250	<0.0500	<0.0500	
V-4	0-6"	3/2/2026	51.5	<50.0	<50.0	<50.0	<50.0	<50.0	<0.00198	<0.00198	<0.00198	<0.00396	<0.00396
	1-1.5'	3/2/2026	34.1	<50.0	<50.0	<50.0	<50.0	<50.0	<0.00200	<0.00200	<0.00200	<0.00399	<0.00399
	2-2.5'	3/2/2026	49.0	<49.8	<49.8	<49.8	<49.8	<49.8	<0.00201	<0.00201	<0.00201	<0.00402	<0.00402
V-5	0-6"	3/2/2026	<10.1	<49.8	<49.8	<49.8	<49.8	<49.8	<0.00200	<0.00200	<0.00200	<0.00401	<0.00401
	1-1.5'	3/2/2026	<10.0	<49.9	<49.9	<49.9	<49.9	<49.9	<0.00199	<0.00199	<0.00199	<0.00398	<0.00398
V-6	0-6"	3/2/2026	3470	<50.0	<50.0	<50.0	<50.0	<50.0	<0.00198	<0.00198	<0.00198	<0.00396	<0.00396
	1-1.5'	3/2/2026	3150	<49.9	<49.9	<49.9	<49.9	<49.9	<0.00200	<0.00200	<0.00200	<0.00399	<0.00399
	3-3.5'	3/13/2026	256	<50.0	<20.0	<25.0	<25.0	<50.0	<0.0250	<0.0250	<0.0250	<0.0500	<0.0500

Table 1: Delineation Assessment Analytical Data Table

OXY USA INC
CORRAL FLY 35-26 CTB
Eddy County, New Mexico

			Chloride	TPH Total (C6-C35)	GRO (C6-C12)	DRO (C12-C28)	GRO+DRO (C6-C28)	MRO (C28-C35)	Benzene	Toluene	Ethylbenzene	Xylenes	BTEX
Remediation (GW <50ft)			600 mg/Kg	100 mg/Kg	...**	...**	...**	...**	10 mg/Kg	...*	...*	...*	50 mg/Kg
Sample ID	Depth	Date											
V-7	0-6"	3/2/2026	3200	<50.0	<50.0	<50.0	<50.0	<50.0	<0.00201	<0.00201	<0.00201	<0.00402	<0.00402
	1-1.5'	3/2/2026	4240	<49.8	<49.8	<49.8	<49.8	<49.8	<0.00202	<0.00202	<0.00202	<0.00404	<0.00404
V-7	2-2.5'	3/2/2026	4030	<50.0	<50.0	<50.0	<50.0	<50.0	<0.00199	<0.00199	<0.00199	<0.00398	<0.00398
	3-3.5'	3/13/2026	91.5	<50.0	<20.0	<25.0	<25.0	<50.0	<0.0250	<0.0250	<0.0250	<0.0500	<0.0500
V-8	0-6"	3/2/2026	630	<49.9	<49.9	<49.9	<49.9	<49.9	<0.00200	<0.00200	<0.00200	<0.00399	<0.00399
	1-1.5'	3/2/2026	1420	<50.0	<50.0	<50.0	<50.0	<50.0	<0.00201	<0.00201	<0.00201	<0.00402	<0.00402
	2-2.5'	3/13/2026	93.7	<50.0	<20.0	<25.0	<25.0	<50.0	<0.0250	<0.0250	<0.0250	<0.0500	<0.0500
V-9	0-6"	3/2/2026	3370	<49.8	<49.8	<49.8	<49.8	<49.8	<0.00202	<0.00202	<0.00202	<0.00404	<0.00404
	1-1.5'	3/2/2026	5630	<49.9	<49.9	<49.9	<49.9	<49.9	<0.00199	<0.00199	<0.00199	<0.00398	<0.00398
	2-2.5'	3/2/2026	3450	<50.0	<50.0	<50.0	<50.0	<50.0	<0.00198	<0.00198	<0.00198	<0.00396	<0.00396
	3-3.5'	3/13/2026	311	<50.0	<20.0	<25.0	<25.0	<50.0	<0.0250	<0.0250	<0.0250	<0.0500	<0.0500
V-10	0-6"	3/2/2026	24.8	<49.8	<49.8	<49.8	<49.8	<49.8	<0.00200	<0.00200	<0.00200	<0.00399	<0.00399
	1-1.5'	3/2/2026	11.4	<49.8	<49.8	<49.8	<49.8	<49.8	<0.00201	<0.00201	<0.00201	<0.00402	<0.00402
	2-2.5'	3/2/2026	253	<50.0	<50.0	<50.0	<50.0	<50.0	<0.00202	<0.00202	<0.00202	<0.00404	<0.00404
V-11	0-6"	3/2/2026	6530	<50.0	<50.0	<50.0	<50.0	<50.0	<0.00199	<0.00199	<0.00199	<0.00398	<0.00398
	1-1.5'	3/2/2026	702	<49.9	<49.9	<49.9	<49.9	<49.9	<0.00200	<0.00200	<0.00200	<0.00400	<0.00400
	2-2.5'	3/2/2026	71.3	<50.0	<50.0	<50.0	<50.0	<50.0	<0.00200	<0.00200	<0.00200	<0.00399	<0.00399
	3-3.5'	3/2/2026	151	<50.0	<50.0	<50.0	<50.0	<50.0	<0.00201	<0.00201	<0.00201	<0.00402	<0.00402
	4-4.5'	3/2/2026	94.3	<49.8	<49.8	<49.8	<49.8	<49.8	<0.00202	<0.00202	<0.00202	<0.00404	<0.00404
V-12	0-6"	3/2/2026	3960	<49.8	<49.8	<49.8	<49.8	<49.8	<0.00199	<0.00199	<0.00199	<0.00398	<0.00398
	1-1.5'	3/2/2026	3280	<49.9	<49.9	<49.9	<49.9	<49.9	<0.00198	<0.00198	<0.00198	<0.00396	<0.00396
	1.5-2'	3/12/2026	832	<50.0	<20.0	<25.0	<25.0	<50.0	<0.0250	<0.0250	<0.0250	<0.0500	<0.0500
	2.5-3'	3/12/2026	211	<50.0	<20.0	<25.0	<25.0	<50.0	<0.0250	<0.0250	<0.0250	<0.0500	<0.0500

Notes

- 1. mg/kg - milligram per kilogram
- 2. TPH - Total Petroleum Hydrocarbons
- 3. (CS) - Confirmation Sample
- 4. (SW) - Sidewall Sample
- 5. * Indicates Value must be equal to or less than Total BTEX

- 6.** Indicates that total value must be equal to or less than total TPH
- 7.*** Indicates that total value must be equal to or less than GRO+DRO total
- 8.**** Indicates that Total value must be equal or less than total TPH
- 9. H = Horizontal Sample
- 10. V= Vertical Sample

- 11. Remediation Limits
- 12. Reclamation Limits (0-4ft below ground surface)


Standard Safety and Supply



<https://standardtx.com/>






ATTACHMENT B: FIGURES





	<h2>CORRAL FLY 35-26 FED CTB</h2> <h2>OXY USA INC.</h2>		
	<p>Figure 1: (Site Location Map) Release Date: 02/09/2026 Eddy County, New Mexico</p>	<p>2/10/2026</p>	
<p>Coordinates: 32.161587, -103.952065</p>			



	CORRAL FLY 35-26 FED CTB OXY USA INC.		
	Figure 2: (Topographic Map) Release Date: 02/09/2026 Eddy County, New Mexico	2/10/2026	
Coordinates: 32.161587, -103.952065			



**CORRAL FLY 35-26 FED CTB
OXY USA INC.**




Figure 3: (Site Assessment Map)
Release Date: 02/09/2026
Eddy County, New Mexico

2/10/2026



Coordinates: 32.161587, -103.952065


Scale: 1:1,650




**CORRAL FLY 35-26 FED CTB
OXY USA INC**





Figure 4A. (Proposed Excavation Map)
 Release Date: 02/09/2026
 Eddy County, New Mexico
 Coordinates: 32.161587, -103.952065

N

 05/11/2026



**CORRAL FLY 35-26 FED CTB
OXY USA INC**

	<p>Figure 4B. (Proposed Excavation Map) Release Date: 02/09/2026 Eddy County, New Mexico Coordinates: 32.161587, -103.952065</p>	<p>N  05/11/2026</p>
--	--	---

Proposed Excavation Map









Corral Fly 36-26 CTB
OXY USA Inc
32.161587,-103.952065
Eddy County, NM

Area of Orange: 769 sqft x 10ft ~ 285 CY
Area of Pink: 906 sqft x 6 ft ~ 201 CY
Area of Yellow: 4,760 sqft x 0.5 ft ~ 88 CY
Area of Green: 930 sqft x 4.5ft ~ 155 CY
Area of Red: 1,395 sqft x 2ft ~ 103 CY
Area of Blue: 2,130 sqft x 3ft ~ 237 CY

Total Volume: 1069 CY
Total Volume w/ 20% fluff: 1,283 CY

sqft - Square feet
CY - Cubic Yard

Legend

-  10 ft Excavation
-  2 ft Excavation
-  3 ft Excavation
-  4.5 ft Excavation
-  6 ft Excavation
-  Horizontal Delineation Sample Point
-  Surface Scrape
-  Vertical Delineation Sample Point



Standard Safety and Supply

<https://standardtx.com/>



ATTACHMENT C: SITE CHARACTERIZATION




OCD Well Locations




2/10/2026, 10:51:30 AM

- OSE Points of Diversion
- ▲ USGS Historical GW Wells
- Low
- OSE Streams
- Medium



BLM, OCD, New Mexico Tech, Vantor, USGS, NM OSE



National Flood Hazard Layer FIRMette



103°57'26"W 32°9'57"N



Legend

SEE FIS REPORT FOR DETAILED LEGEND AND INDEX MAP FOR FIRM PANEL LAYOUT

- | | | |
|------------------------------------|--|--|
| SPECIAL FLOOD HAZARD AREAS | | Without Base Flood Elevation (BFE)
<i>Zone A, V, A99</i> |
| | | With BFE or Depth <i>Zone AE, AO, AH, VE, AR</i> |
| | | Regulatory Floodway |
| OTHER AREAS OF FLOOD HAZARD | | 0.2% Annual Chance Flood Hazard, Areas of 1% annual chance flood with average depth less than one foot or with drainage areas of less than one square mile <i>Zone X</i> |
| | | Future Conditions 1% Annual Chance Flood Hazard <i>Zone X</i> |
| | | Area with Reduced Flood Risk due to Levee. See Notes. <i>Zone X</i> |
| | | Area with Flood Risk due to Levee <i>Zone D</i> |
| OTHER AREAS | | NO SCREEN Area of Minimal Flood Hazard <i>Zone X</i> |
| | | Effective LOMRs |
| GENERAL STRUCTURES | | Area of Undetermined Flood Hazard <i>Zone D</i> |
| | | Channel, Culvert, or Storm Sewer |
| | | Levee, Dike, or Floodwall |
| OTHER FEATURES | | 20.2 Cross Sections with 1% Annual Chance |
| | | 17.5 Water Surface Elevation |
| | | Coastal Transect |
| | | Base Flood Elevation Line (BFE) |
| | | Limit of Study |
| | | Jurisdiction Boundary |
| MAP PANELS | | Coastal Transect Baseline |
| | | Profile Baseline |
| | | Hydrographic Feature |
| | | Digital Data Available |
| | | No Digital Data Available |
| | | Unmapped |
| | | The pin displayed on the map is an approximate point selected by the user and does not represent an authoritative property location. |



This map complies with FEMA's standards for the use of digital flood maps if it is not void as described below. The basemap shown complies with FEMA's basemap accuracy standards

The flood hazard information is derived directly from the authoritative NFHL web services provided by FEMA. This map was exported on 2/10/2026 at 6:01 PM and does not reflect changes or amendments subsequent to this date and time. The NFHL and effective information may change or become superseded by new data over time.

This map image is void if the one or more of the following map elements do not appear: basemap imagery, flood zone labels, legend, scale bar, map creation date, community identifiers, FIRM panel number, and FIRM effective date. Map images for unmapped and unmodernized areas cannot be used for regulatory purposes.

Released to Imaging: 5/26/2026 11:20:51 AM

1:6,000

103°56'48"W 32°9'26"N



Wetlands Inventory



February 10, 2026

Wetlands

- Estuarine and Marine Deepwater
- Freshwater Emergent Wetland
- Lake
- Estuarine and Marine Wetland
- Freshwater Forested/Shrub Wetland
- Other
- Freshwater Pond
- Riverine

This map is for general reference only. The US Fish and Wildlife Service is not responsible for the accuracy or currentness of the base data shown on this map. All wetlands related data should be used in accordance with the layer metadata found on the Wetlands Mapper web site.



WELL RECORD & LOG

OFFICE OF THE STATE ENGINEER

www.ose.state.nm.us


1. GENERAL AND WELL LOCATION	OSE POD NO. (WELL NO.) C-4949-POD1		WELL TAG ID NO.		OSE FILE NO(S). C-4949			
	WELL OWNER NAME(S) OXY USA INC				PHONE (OPTIONAL) 575-390-2828			
	WELL OWNER MAILING ADDRESS PO BOX 4294				CITY HOUSTON	STATE TX	ZIP 77210	
	WELL LOCATION (FROM GPS)	DEGREES LATITUDE	MINUTES 9	SECONDS 45.2916	N	* ACCURACY REQUIRED: ONE TENTH OF A SECOND		
	LONGITUDE	-103	57	13.9716	W	* DATUM REQUIRED: WGS 84		
DESCRIPTION RELATING WELL LOCATION TO STREET ADDRESS AND COMMON LANDMARKS - PLSS (SECTION, TOWNSHIP, RANGE) WHERE AVAILABLE CORRAL FLY DTW BORING								
2. DRILLING & CASING INFORMATION	LICENSE NO. WD-1184		NAME OF LICENSED DRILLER LARRY KEITH			NAME OF WELL DRILLING COMPANY WEST TEXAS WATER WELL SERVICE		
	DRILLING STARTED 5/9/2025	DRILLING ENDED 5/9/2025	DEPTH OF COMPLETED WELL (FT) 110	BORE HOLE DEPTH (FT)	DEPTH WATER FIRST ENCOUNTERED (FT) N/A			
	COMPLETED WELL IS: <input type="checkbox"/> ARTESIAN <input checked="" type="checkbox"/> DRY HOLE <input type="checkbox"/> SHALLOW (UNCONFINED)					STATIC WATER LEVEL IN COMPLETED WELL (FT) N/A		
	DRILLING FLUID: <input checked="" type="checkbox"/> AIR <input type="checkbox"/> MUD ADDITIVES - SPECIFY:							
	DRILLING METHOD: <input checked="" type="checkbox"/> ROTARY <input type="checkbox"/> HAMMER <input type="checkbox"/> CABLE TOOL <input type="checkbox"/> OTHER - SPECIFY:							
	DEPTH (feet bgl)		BORE HOLE DIAM (inches)	CASING MATERIAL AND/OR GRADE (include each casing string, and note sections of screen)	CASING CONNECTION TYPE (add coupling diameter)	CASING INSIDE DIAM. (inches)	CASING WALL THICKNESS (inches)	SLOT SIZE (inches)
	FROM	TO						
				N/A				
3. ANNULAR MATERIAL	DEPTH (feet bgl)		BORE HOLE DIAM. (inches)	LIST ANNULAR SEAL MATERIAL AND GRAVEL PACK SIZE-RANGE BY INTERVAL	AMOUNT (cubic feet)	METHOD OF PLACEMENT		
	FROM	TO						
				N/A				

OSE DII ROSWELL NM
30 JUN '25 PM 2:18

FOR OSE INTERNAL USE		WR-20 WELL RECORD & LOG (Version 04/30/19)			
FILE NO. <u>C-4949</u>	POD NO. <u>POD1</u>	TRN NO. <u>781050</u>			
LOCATION <u>255 29E 02 132</u>	WELL TAG ID NO. <u> </u>	PAGE 1 OF 2			


4. HYDROGEOLOGIC LOG OF WELL	DEPTH (feet bgl)		THICKNESS (feet)	COLOR AND TYPE OF MATERIAL ENCOUNTERED - INCLUDE WATER-BEARING CAVITIES OR FRACTURE ZONES (attach supplemental sheets to fully describe all units)	WATER BEARING? (YES / NO)	ESTIMATED YIELD FOR WATER-BEARING ZONES (gpm)
	FROM	TO				
	0	2		CALICHE PAD	Y ✓ N	
	2	15		BROWN SAND	Y ✓ N	
	15	30		BROWN SAND AND BROKEN LIMESTONE	Y ✓ N	
	30	40		BROWN CLAY (DRY)	Y ✓ N	
	40	50		BROWN SANDSTONE	Y ✓ N	
	50	90		TAN SAND	Y ✓ N	
	90	95		TAN CLAY (DRY)	Y ✓ N	
	95	110		SOFT TAN SANDSTONE	Y ✓ N	
					Y N	
					Y N	
					Y N	
					Y N	
					Y N	
					Y N	
					Y N	
					Y N	
					Y N	
					Y N	
					Y N	
					Y N	
					Y N	
					Y N	
METHOD USED TO ESTIMATE YIELD OF WATER-BEARING STRATA: <input type="checkbox"/> PUMP <input checked="" type="checkbox"/> AIR LIFT <input type="checkbox"/> BAILER <input type="checkbox"/> OTHER - SPECIFY:					TOTAL ESTIMATED WELL YIELD (gpm): 0.00	

5. TEST; RIG SUPERVISION	WELL TEST	TEST RESULTS - ATTACH A COPY OF DATA COLLECTED DURING WELL TESTING, INCLUDING DISCHARGE METHOD, START TIME, END TIME, AND A TABLE SHOWING DISCHARGE AND DRAWDOWN OVER THE TESTING PERIOD.
	MISCELLANEOUS INFORMATION: DRY HOLE	
OSE DII ROSWELL NM 30 JUN '25 PM2:18		
PRINT NAME(S) OF DRILL RIG SUPERVISOR(S) THAT PROVIDED ONSITE SUPERVISION OF WELL CONSTRUCTION OTHER THAN LICENSEE: LARRY KEITH		

6. SIGNATURE	BY SIGNING BELOW, I CERTIFY THAT TO THE BEST OF MY KNOWLEDGE AND BELIEF, THE FOREGOING IS A TRUE AND CORRECT RECORD OF THE ABOVE DESCRIBED WELL. I ALSO CERTIFY THAT THE WELL TAG, IF REQUIRED, HAS BEEN INSTALLED AND THAT THIS WELL RECORD WILL ALSO BE FILED WITH THE PERMIT HOLDER WITHIN 30 DAYS AFTER THE COMPLETION OF WELL DRILLING.	
	 SIGNATURE OF DRILLER / PRINT SIGNEE NAME	LARRY KEITH DATE

FOR OSE INTERNAL USE		WR-20 WELL RECORD & LOG (Version 04/30/2019)	
FILE NO. <u>C-4949</u>	POD NO. <u>POPI</u>	TRN NO. <u>781056</u>	PAGE 2 OF 2
LOCATION <u>255 29E 00 132</u>	WELL TAG ID NO.		


Soil Map—Eddy Area, New Mexico



Soil Map—Eddy Area, New Mexico

MAP LEGEND

Area of Interest (AOI)

 Area of Interest (AOI)




















Soils







 Soil Map Unit Polygons

 Soil Map Unit Lines


 Soil Map Unit Points

Special Point Features






-  Blowout
-  Borrow Pit
-  Clay Spot
-  Closed Depression
-  Gravel Pit
-  Gravelly Spot
-  Landfill
-  Lava Flow
-  Marsh or swamp
-  Mine or Quarry
-  Miscellaneous Water
-  Perennial Water
-  Rock Outcrop
-  Saline Spot
-  Sandy Spot
-  Severely Eroded Spot
-  Sinkhole
-  Slide or Slip
-  Sodic Spot

-  Spoil Area
-  Stony Spot
-  Very Stony Spot
-  Wet Spot
-  Other
-  Special Line Features


Water Features

 Streams and Canals

Transportation

-  Rails
-  Interstate Highways
-  US Routes
-  Major Roads
-  Local Roads

Background

 Aerial Photography

MAP INFORMATION

The soil surveys that comprise your AOI were mapped at 1:20,000.

Warning: Soil Map may not be valid at this scale.

Enlargement of maps beyond the scale of mapping can cause misunderstanding of the detail of mapping and accuracy of soil line placement. The maps do not show the small areas of contrasting soils that could have been shown at a more detailed scale.

Please rely on the bar scale on each map sheet for map measurements.

Source of Map: Natural Resources Conservation Service
 Web Soil Survey URL:
 Coordinate System: Web Mercator (EPSG:3857)

Maps from the Web Soil Survey are based on the Web Mercator projection, which preserves direction and shape but distorts distance and area. A projection that preserves area, such as the Albers equal-area conic projection, should be used if more accurate calculations of distance or area are required.

This product is generated from the USDA-NRCS certified data as of the version date(s) listed below.

Soil Survey Area: Eddy Area, New Mexico
 Survey Area Data: Version 21, Sep 9, 2025

Soil map units are labeled (as space allows) for map scales 1:50,000 or larger.

Date(s) aerial images were photographed: Feb 7, 2020—May 12, 2020


The orthophoto or other base map on which the soil lines were compiled and digitized probably differs from the background imagery displayed on these maps. As a result, some minor shifting of map unit boundaries may be evident.

Soil Map—Eddy Area, New Mexico


Map Unit Legend


Map Unit Symbol	Map Unit Name	Acres in AOI	Percent of AOI
KM	Kermit-Berino fine sands, 0 to 3 percent slopes	4.1	15.3%
PD	Pajarito-Dune land complex, 0 to 3 percent slopes	2.7	10.1%
SA	Simona sandy loam, 0 to 3 percent slopes	0.0	0.0%
TC	Tonuco loamy sand, 0 to 3 percent slopes, eroded	19.9	74.6%
Totals for Area of Interest		26.6	100.0%

SSPS and Endangered Species Habitats




2/10/2026

Potential Habitat (Planning Area Only)  Wright's waterwillow

 Scheer's beehive cactus

 Tharp's blue-star

World_Hillshade



Esri, NASA, NGA, USGS, FEMA, Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, (c) OpenStreetMap contributors, and the GIS User



NMSLO Cultural Resources Cover Sheet

Survey Complete Form

To: Cultural Resources Office, New Mexico State Land Office, Santa Fe, New Mexico

Re: Proposed "Corral Gorge Line Strike Spill" project

Notification of Intent to Survey ID: N-20260210-003215

Cultural Resource Survey

NMCRIS Activity No.: 160545

Findings: Negative

Have avoidance and protection Measures been devised? Yes

Comments:

Submitted on: 2/23/2026 at 5:12 PM MDT

Proposed Project Details

Permitted Cultural Consultant Name: Resi Solutions

Permitted Cultural Consultant Phone Number:
(904) 415 - 4832

Permitted Cultural Consultant Email Address:
brandy@resi.solutions

Standard Safety & Supply has contracted Resi Solutions to conduct a cultural resources survey for a proposed project "Corral Gorge Line Strike Spill" located on New Mexico State Trust Lands in T25S R29E S02 in Eddy. The survey is estimated to begin on 02/24/2026. The total acreage of the proposed project area is 7.90. The Lead Agency for this project is NMSLO.

NMSLO Administrative Use Only:

NMSLO Lease Number: _____

Lease Analyst: _____



NATURAL RESOURCES SURVEY REPORT

To: Jillian Sessums, Wildlife Biologist
 New Mexico State Land Office
 310 Old Santa Fe Trail
 Santa Fe, New Mexico 87504

From: Saren Walls, Project Manager, Resi Solutions

Date: March 2026

Re: **Standard Safety & Supply’s Corral Gorge Line Strike Project, Eddy County, New Mexico / Resi Solutions Project No. 2026-050**

1 INTRODUCTION

Standard Safety & Supply (Standard) contracted Resi Solutions (Resi) to complete a natural resources survey for the Corral Gorge Line Strike project located in Eddy County, New Mexico. The proposed project would consist of one spill remediation (0.3 acre) (see Table 1, Figure 1 in Appendix A).

The spill is located on New Mexico State Land Office (NMSLO)-managed land. All surface disturbance would be reclaimed following remediation. Remediation of the spill is expected to begin immediately after applicable required federal, state, and local permits and approvals are obtained.

Table 1. Acres of Surface Disturbance for the Proposed Project

Project Element	Land Ownership	Short-Term Disturbance (acres)	Long-Term Disturbance (acres)	Total Surface Disturbance (acres)
Spill	NMSLO	0.3	0.0	0.3
Total				0.3

This Natural Resource Survey Report (NRSR) provides a description of general site characteristics, vegetation, wildlife, karst and aquatic resources within the proposed project area on NMSLO-managed land. This NRSR also evaluates the potential effects of the proposed project on 1) federally threatened or endangered species listed under the Endangered Species Act of 1973, as amended (16 United States Code [USC] 1531–1541 et seq.), including species listed as candidate and proposed; 2) Migratory Bird Treaty Act of 1918 (USFWS 2020) (16 USC 703-712); 3) New Mexico state threatened or endangered species listed under the New Mexico Wildlife Conservation Act (17-2-41 New Mexico Statutes Annotated [NMSA] 1978); and 4) New Mexico state endangered plant species (75-6-1 NMSA 1978); 5) Clean Water Act of 1977, as amended (30 USC 1251).

2 SURVEY METHODOLOGY

Before conducting the natural resources survey, Resi completed the desktop review of baseline data for the proposed project area, including: U.S. Geological Survey (USGS) 3D Hydrography Program (3DHP) geographic

information system (GIS) data and maps (USGS 2025), U.S. Fish and Wildlife Service (USFWS) National Wetlands Inventory (NWI) maps (USFWS 2025a), Federal Emergency Management Agency (FEMA) National Flood Hazard Layer (FEMA 2025), USFWS Information for Planning and Consultation system data (USFWS 2025b), New Mexico Department of Game and Fish (NMDGF) Biota Information System of New Mexico (BISON-M) data (BISON-M 2025), the New Mexico Rare Plants website (New Mexico Rare Plant Technical Council 1999), the New Mexico Energy, Minerals and Natural Resources Department (EMNRD) state endangered plant species list (EMNRD 2023) and the BLM-mapped potential Special Status Plant Species (SSPS) habitat (BLM 2025).

Resi biologist, Jazmin Mirabel, conducted a natural resources survey of the proposed project area in February 2026. The survey area consisted of a 100-foot-wide buffer around the proposed project area (see Figure 2 in Appendix A). This area was surveyed to assess habitat suitability for USFWS and state listed special-status species. Surrounding areas were inspected for nests, raptors, or past signs of raptor use (out to 200 meters [m]); active and inactive passerine nests and burrows were also recorded, if observed. Resi also noted general flora and fauna species present within and immediately surrounding the proposed project area, noted and mapped any observed noxious weeds listed by the United States Department of Agriculture (USDA) or New Mexico Department of Agriculture (NMDA), and surveyed for additional sensitive areas, such as surface hydrology.

3 RESULTS

3.1 General Landscape Characteristics

The proposed project is located in Section 2, Township 25 South, Range 29 East. The mean elevation of the proposed project area is approximately 3,056 feet above mean sea level (amsl). The overall proposed project area and surrounding landscape have been disturbed by oil and gas development activities, utility line corridors, and roads. Representative photographs of the proposed project area are included in Appendix B.

3.2 Vegetation

The proposed project area is located within the Chihuahuan Deserts: Chihuahuan Basins and Playas Level IV Ecoregion (Griffith et al. 2006). During the natural resources survey, a Resi biologist identified one vegetation community type within the proposed project area: Chihuahuan desert scrub (see Photographs 1 and 2 in Appendix B). Vegetative cover within and surrounding the proposed project area is approximately 40 percent. The dominant plant species within the Chihuahuan desert scrub vegetation community consist of honey mesquite (*Prosopis glandulosa*), Lehmann lovegrass (*Eragrostis lehmanniana*), mesa dropseed (*Sporobolus flexuosus*), and prickly Russian thistle (*Salsola tragus*). At the time of the natural resources survey, the vegetation communities within and/or surrounding the proposed project area had previous disturbance from oil and gas development activities, utility line corridors, and roads (see Photographs 3 and 4 in Appendix B). Plant species observed during the 2026 natural resources survey are listed in Table 2.

Table 2. Plant Species Observed during the Natural Resources Survey

Common Name	Scientific Name
Broom snakeweed	<i>Gutierrezia sarothrae</i>
Bush muhly	<i>Muhlenbergia porteri</i>
Catclaw acacia	<i>Senegalia greggii</i>
Christmas cholla	<i>Cylindropuntia leptocaulis</i>
Creosote bush	<i>Larrea tridentata</i>
Fourwing saltbush	<i>Atriplex canescens</i>
Honey mesquite*	<i>Prosopis glandulosa</i>

Common Name	Scientific Name
Javelina bush	<i>Condalia ericoides</i>
Large-spike bristlegrass	<i>Setaria macrostachya</i>
Lehmann lovegrass*	<i>Eragrostis lehmanniana</i>
Mesa dropseed	<i>Sporobolus flexuosus</i>
Pigweed	<i>Amaranthus</i> sp.
Plains blackfoot	<i>Melampodium leucanthum</i>
Prickly Russian thistle†	<i>Salsoa tragus</i>
Pricklypear	<i>Opuntia</i> sp.
Sand dropseed	<i>Sporobolus cryptandrus</i>
Silverleaf nightshade	<i>Solanum elaeagnifolium</i>
Threeawn	<i>Aristida</i> sp.
Western white clematis	<i>Clematis ligusticifolia</i>
Woody crinklemat	<i>Tiquilia canescens</i>
Yucca	<i>Yucca</i> sp.

Note: Nomenclature follows the PLANTS database (NRCS 2025)

* refers to dominant species

† refers to noxious weed (NMDA 2020, USDA 2010)

3.2.1 Special-Status Plant Species

During the desktop review, one special-status plant species, Tharp's blue-star (*Amsonia tharpii*) was found to have the potential to occur within the proposed project area.

Resi determined the need for SSPS survey as described by the BLM Carlsbad Field Office (CFO) Survey Standard Protocol for SSPS (BLM 2022) with approval by the New Mexico State Land Office botanist (NMSLO 2023). The survey area includes the spill within mapped SSPS habitat (see Figure 3 in Appendix A). Resi biologist, Jazmin Mirabel, conducted a species-specific survey for Tharp's blue-star on February 20, 2026. Tharp's blue-star is typically detectable from March through October (BLM 2022); however, based on NMSLO guidance, surveys conducted outside this period may proceed if calibration plants are observable and documentation is provided (NMSLO 2025). A calibration point for Tharp's blue-star was visited on February 3, 2026 (see Photograph 5 in Appendix A). Survey transects were spaced 20m apart. Data were collected utilizing an Android tablet, with accuracy up to 5m, utilizing the Mergin Maps data collection application.

THARP'S BLUE-STAR

No Tharp's blue-star individuals were observed during the SSPS survey. Photographs of the survey area within the Tharp's blue-star mapped potential habitat are included (see Photographs 3 and 4 in Appendix B).

3.3 Wildlife

During the 2026 natural resources survey of the proposed project area, one bird species, the white-crowned sparrow (*Zonotrichia leucophrys*) was observed (see Table 4); however, no nests were observed within the survey area.

3.3.1 Special-Status Wildlife Species

The proposed project area does not occur within any special-status species' critical habitat.

3.4 Hydrology

A survey was conducted to determine the presence of potential waters of the U.S., as defined by the U.S. Army Corps of Engineers (USACE), including adjacent wetlands, creeks, streams, rivers, lakes, ponds, ditches, and impoundments that ultimately flow into traditional navigable waters, or other special water features (USACE 2023). The presence of erosional features, playas and vegetated depressions was also investigated. Erosional features are defined as surface water features created by water erosion, or runoff, originating from an artificial or man-made landform.

Based on the desktop review of the USGS 3DHP and USFWS NWI data, there was one mapped drainage identified within 100 feet of the proposed project area (USGS 2025, USFWS 2025a). However, during the 2026 natural resources survey, the mapped drainage did not have channelized drainage, ordinary high water mark or banks within the survey area (Figure 4 and Photographs 7 and 8 in Appendix A).

The proposed project area crosses a 100-year FEMA floodplain (FEMA 2025) (Figure 4 and Photographs 9 and 10 in Appendix A).

3.5 Karst

The proposed project is located in a limestone karst terrain, a landform that is characterized by underground drainage through solutionally enlarged conduits. Limestone karst terrain may contain sinkholes, sinking streams, caves, springs and lineaments. These karst features, as well as occasional fissures and discontinuities in the bedrock, provide the primary sources for rapid recharge of the groundwater aquifers of the region. Lineaments, linear or curvilinear surface features that indicate joints or fractures at depth, which have reached the surface, may be present. In the Guadalupe Mountains, these features are often found in association with caves.

Sinkholes and cave entrances collect water and can accumulate rich organic materials and soils. This, in conjunction with the stable microclimate near cave entrances, supports a greater diversity and density of plant life, which provides habitat for a greater diversity and density of wildlife such as insects, rodents, mammals, and reptiles. The interior of many caves supports a large variety of troglobitic, or cave environment-dependent, species. These troglobitic species have adapted specifically to the cave environment due to constant temperatures, constant high humidity, and complete darkness. Many of the caves in this area contain fragile cave formations known as speleothems.

The BLM categorizes all areas within the CFO planning area as having either low, medium, high, or critical karst potential based on geology, occurrence of known caves, density of karst features, and potential impacts to freshwater aquifers. The proposed project area occurs within a medium karst potential area (see Figure 2 in Appendix A).

Areas of medium karst potential are defined as areas in known soluble rock types that exist at surface level or within 300 feet of the surface but may have a shallow insoluble overburden or soils that mask surface features. These areas may contain isolated karst features such as caves and sinkholes. Groundwater recharge may not be wholly dependent on karst features, but the karst features still provide the most rapid aquifer recharge in response to surface runoff.

There were no surface karst features observed in the project area during the desktop review conducted by Resi karst specialist, Jessie Hubbling.

4 LITERATURE CITED

Biota Information System of New Mexico (BISON-M). 2025. BISON-M Homepage. Available at: <http://bison-m.org/>.

Bureau of Land Management (BLM). 2022. Carlsbad Field Office Survey Standard Protocol for Special Status Plant Species (SSPS). Carlsbad Field Office, New Mexico. Received May 31, 2022.

———. 2025. Potential Habitat for Special Status Plants GIS Layer. Carlsbad Field Office, New Mexico. Dated September 2025.

Federal Emergency Management Agency (FEMA). 2026. National Flood Hazard Layer. Available at: <https://hazards.fema.gov/femaportal/wps/portal/NFHLWMS>.

Griffith, G.E., J.M. Omernik, M.M. McGraw, G.Z. Jacobi, C.M. Canavan, T.S. Schrader, D. Mercer, R. Hill, and B.C. Moran. 2006. Ecoregions of New Mexico (two-sided color poster with map, descriptive text, summary tables, and photographs). Scale 1:1,400,000. Reston, Virginia: U.S. Geological Survey.

Natural Resources Conservation Service (NRCS). 2026a. Soil Survey Geographic Database. Available at: <http://websoilsurvey.sc.egov.usda.gov/App/HomePage.htm>.

_____. 2026b. The PLANTS Database. Available at: <http://plants.usda.gov>.

New Mexico Department of Agriculture (NMDA). 2020. New Mexico Noxious Weed List Update. New Mexico State University. Available at: <https://nmdeptag.nmsu.edu/media/pdf/noxious-weed-memo-and-list-june-2020.pdf>.

New Mexico Energy, Minerals and Natural Resources Department (EMNRD). 2023. New Mexico State Endangered Plant Species (19.21.2.8 NMAC). Available at: https://www.emnrd.nm.gov/sfd/wp-content/uploads/sites/4/NM-ENDANGERED-PLANT-List_2023.pdf.

New Mexico Rare Plant Technical Council. 1999. New Mexico Rare Plants Website. Updated October 2025. Available at: <https://nmrareplants.unm.edu/>.

New Mexico State Land Office (NMSLO). 2023. Species specific surveys email communication. Katrina Adamczyk, SLO Biologist/Conservationist. State Land Office, New Mexico. Received June 21, 2023.

_____. 2025. Species specific surveys email communication. Jillian Sessums, SLO Biologist. State Land Office, New Mexico. Received November 11, 2025.

U.S. Army Corps of Engineers (USACE). 2023. Revised definition of "Waters of the United States". Rule 88-FR-61964. Available at: <https://www.govinfo.gov/content/pkg/FR-2023-09-08/pdf/2023-18929.pdf>.

U.S. Department of Agriculture (USDA). 2010. Federal Noxious Weed List. Updated December 10, 2010. Available at: http://www.aphis.usda.gov/plant_health/plant_pest_info/weeds/downloads/weedlist.pdf.

U.S. Fish and Wildlife Service (USFWS). 2020. Migratory Bird Program. Available at: <https://www.fws.gov/birds/policies-and-regulations/laws-legislations/migratory-bird-treaty-act.php>.

_____. 2025a. National Wetlands Inventory. Available at: <https://www.fws.gov/program/national-wetlands-inventory>.

_____. 2025b. Information for Planning and Consultation (IPaC). Available at: <https://ipac.ecosphere.fws.gov/>.

U.S. Geological Survey. 2025. USGS 3D Hydrography Program (3DHP) Data. Available at: <https://www.usgs.gov/index.php/3d-hydrography-program/access-3dhp-data-products>.

Appendix A

Project Area Maps




Figure 1. Project area map.



Figure 2. Project area map with natural resources.



Figure 3. Proposed project special-status plant species survey area overview.



Figure 4. Topographic project area map with hydrological resources.

Appendix B

Photographs



Photograph 1. Overview of Chihuahuan desert shrubland vegetation community within the proposed project area, facing east.



Photograph 2. Overview of Chihuahuan desert shrubland vegetation community within the proposed project area, facing west.



Photograph 3. Existing disturbance from utility lines adjacent to the proposed project area and within unsuitable mapped potential Tharp's blue-star habitat, facing north.



Photograph 4. Existing disturbance from oil and gas infrastructure within the proposed project area and within unsuitable mapped potential Tharp's blue-star habitat, facing west.



Photograph 5. Tharp's blue-star (*Amsonia tharpii*) calibration point specimen, observed February 3, 2026.



Photograph 6. Habitat overview of unsuitable mapped potential Tharp's blue-star habitat, facing south.



Photograph 7. Downstream view of unobserved mapped drainage within the survey area, facing east.



Photograph 8. Downstream view of unobserved mapped drainage within the survey area, facing west.



Photograph 9. View FEMA Flood Zone within the spill area, facing west.



Photograph 10. View FEMA Flood Zone within the spill area, facing east.

Standard Safety and Supply

<https://standardtx.com/>



ATTACHMENT D: PHOTOGRAPHIC LOG



Photo Log



Initial point of release.



Release in pasture.



Photo Log



Release in pasture.



Release along lease road.



Photo Log




Aerial Drone Photo.



Delineation Activities.



Photo Log



Delineation Activities.



Delineation Activities.



Standard Safety and Supply

<https://standardtx.com/>



ATTACHMENT E: LABORATORY ANALYTICAL METHOD DOCUMENTATION WITH CHAIN- OF-CUSTODY





Environment Testing

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

ANALYTICAL REPORT

PREPARED FOR

Attn: Ethan Sessums
 Standard Safety & Supply
 2524 Trunk St
 Odessa, Texas 79761

Generated 3/10/2026 9:44:00 AM

JOB DESCRIPTION

Corral Gorge Line Strike-9/2/2026

JOB NUMBER

890-9591-1

Eurofins Carlsbad
 1089 N Canal St.
 Carlsbad NM 88220




Eurofins Carlsbad

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

Analytical test results meet all requirements of the associated regulatory program (i.e., NELAC (TNI), DoD, and ISO 17025) unless otherwise noted under the individual analysis.

Authorization



Generated
3/10/2026 9:44:00 AM

Authorized for release by
Brianna Teel, Project Manager
Brianna.Teel@et.eurofinsus.com
(432)704-5440

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Client: Standard Safety & Supply
Project/Site: Corral Gorge Line Strike-9/2/2026

Laboratory Job ID: 890-9591-1

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Table of Contents

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	5
Client Sample Results	7
Surrogate Summary	45
QC Sample Results	48
QC Association Summary	61
Lab Chronicle	72
Certification Summary	87
Method Summary	88
Sample Summary	89
Chain of Custody	90
Receipt Checklists	101

Definitions/Glossary

Client: Standard Safety & Supply
Project/Site: Corral Gorge Line Strike-9/2/2026

Job ID: 890-9591-1

Qualifiers

GC VOA

Qualifier	Qualifier Description
*-	LCS and/or LCSD is outside acceptance limits, low biased.
*+	LCS and/or LCSD is outside acceptance limits, high biased.
F1	MS and/or MSD recovery exceeds control limits.
F2	MS/MSD RPD exceeds control limits
S1+	Surrogate recovery exceeds control limits, high biased.
U	Indicates the analyte was analyzed for but not detected.

GC Semi VOA

Qualifier	Qualifier Description
S1+	Surrogate recovery exceeds control limits, high biased.
U	Indicates the analyte was analyzed for but not detected.

HPLC/IC

Qualifier	Qualifier Description
F1	MS and/or MSD recovery exceeds control limits.
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Eurofins Carlsbad

Case Narrative

Client: Standard Safety & Supply
Project: Corral Gorge Line Strike-9/2/2026

Job ID: 890-9591-1

Job ID: 890-9591-1

Eurofins Carlsbad

Job Narrative 890-9591-1

The analytical test results presented in this report meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page, unless otherwise noted. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable. Regulated compliance samples (e.g. SDWA, NPDES) must comply with associated agency requirements/permits.

- Matrix-specific batch QC (e.g., MS, MSD, SD) may not be reported when insufficient sample volume is available or when site-specific QC samples are not submitted. In such cases, a Laboratory Control Sample Duplicate (LCSD) may be analyzed to provide precision data for the batch.
- For samples analyzed using surrogate and/or isotope dilution analytes, any recoveries falling outside of established acceptance criteria are re-prepared and/or re-analyzed to confirm results, unless the deviation is due to sample dilution or otherwise explained in the case narrative.

Receipt

The samples were received on 3/3/2026 4:33 PM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 0.0°C.

Receipt Exceptions

The following samples were received and analyzed from an unpreserved bulk soil jar: V - 1 (890-9591-1), V - 1 (890-9591-2), V - 2 (890-9591-3), V - 2 (890-9591-4), V - 2 (890-9591-5), V - 2 (890-9591-6), V - 3 (890-9591-7), V - 3 (890-9591-8), V - 3 (890-9591-9), V - 3 (890-9591-10), V - 4 (890-9591-11), V - 4 (890-9591-12), V - 4 (890-9591-13), V - 5 (890-9591-14), V - 5 (890-9591-15), V - 6 (890-9591-16), V - 6 (890-9591-17), V - 7 (890-9591-18), V - 7 (890-9591-19), V - 7 (890-9591-20), V - 8 (890-9591-21), V - 8 (890-9591-22), V - 9 (890-9591-23), V - 9 (890-9591-24), V - 9 (890-9591-25), V - 10 (890-9591-26), V - 10 (890-9591-27), V - 10 (890-9591-28), V - 11 (890-9591-29), V - 11 (890-9591-30), V - 11 (890-9591-31), V - 11 (890-9591-32), V - 11 (890-9591-33), V - 12 (890-9591-34), V - 12 (890-9591-35), H - 1 (890-9591-36), H - 2 (890-9591-37), H - 3 (890-9591-38), H - 4 (890-9591-39), H - 5 (890-9591-40), H - 6 (890-9591-41), H - 7 (890-9591-42), H - 8 (890-9591-43), H - 9 (890-9591-44), H - 10 (890-9591-45), H - 11 (890-9591-46) and H - 12 (890-9591-47).

GC VOA

Method 8021B: The laboratory control sample (LCS) associated with preparation batch 880-134183 and analytical batch 880-134136 was outside acceptance criteria. Re-extraction and/or re-analysis could not be performed; therefore, the data have been reported. The batch matrix spike/matrix spike duplicate (MS/MSD) was within acceptance limits and may be used to evaluate matrix performance.

Method 8021B: The matrix spike duplicate (MSD) recoveries for preparation batch 880-134079 and analytical batch 880-134134 were outside control limits. Non-homogeneity is suspected because the associated laboratory control sample (LCS) recovery was within acceptance limits.

Method 8021B: The continuing calibration verification (CCV) associated with batch 880-134134 recovered above the upper control limit for Ethylbenzene, m-Xylene & p-Xylene and o-Xylene. The samples associated with this CCV were ran within 12 hours of passing CCV; therefore, the data have been reported. The associated sample is:(CCV 880-134134/51).

Method 8021B: Surrogate recovery for the following samples were outside control limits: H - 6 (890-9591-41) and H - 7 (890-9591-42). Evidence of matrix interference is present; therefore, re-extraction and/or re-analysis was not performed.

Method 8021B: Surrogate recovery for the following samples were outside control limits: V - 8 (890-9591-21), V - 9 (890-9591-23), V - 9 (890-9591-24), V - 9 (890-9591-25), V - 10 (890-9591-26), V - 10 (890-9591-27), V - 11 (890-9591-29), V - 11 (890-9591-30), V - 11 (890-9591-31), V - 11 (890-9591-32), V - 12 (890-9591-34), V - 12 (890-9591-35), H - 1 (890-9591-36), H - 2 (890-9591-37) and (LCSD 880-134081/2-A). Evidence of matrix interference is present; therefore, re-extraction and/or re-analysis was not performed.

Method 8021B: Surrogate recovery for the following samples were outside control limits: H - 4 (890-9591-39), (LCS 880-134073/1-A) and (880-68994-A-1-F MSD). Evidence of matrix interference is present; therefore, re-extraction and/or re-analysis was not performed.

Method 8021B: The surrogate recovery for the blank associated with preparation batch 880-134073 and analytical batch 880-134135 was outside the upper control limits.

Eurofins Carlsbad

Case Narrative

Client: Standard Safety & Supply
Project: Corral Gorge Line Strike-9/2/2026

Job ID: 890-9591-1

Job ID: 890-9591-1 (Continued)

Eurofins Carlsbad

Method 8021B: The laboratory control sample duplicate (LCSD) associated with preparation batch 880-134081 and analytical batch 880-134029 was outside acceptance criteria. Re-extraction and/or re-analysis could not be performed; therefore, the data have been reported. The batch matrix spike/matrix spike duplicate (MS/MSD) was within acceptance limits and may be used to evaluate matrix performance.

Method 8021B: The laboratory control sample (LCS) for preparation batch 880-134073 and analytical batch 880-134135 recovered outside control limits for the following analytes: o-Xylene. Since only an acceptable LCS or LCSD is required per the method, the LCSD shows recovery for the batch therefore the data has been qualified and reported.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Diesel Range Organics

Method 8015B NM: Surrogate recovery for the following samples were outside control limits: V - 3 (890-9591-10), V - 4 (890-9591-11), V - 4 (890-9591-13), V - 11 (890-9591-30), V - 11 (890-9591-31), V - 11 (890-9591-32), V - 11 (890-9591-33), V - 12 (890-9591-35), H - 1 (890-9591-36), H - 3 (890-9591-38), H - 4 (890-9591-39), H - 5 (890-9591-40), H - 8 (890-9591-43) and H - 10 (890-9591-45). Evidence of matrix interferences is not obvious.

Method 8015B NM: Surrogate recovery for the following sample was outside control limits: (890-9591-A-9-B MS). Evidence of matrix interference is present; therefore, re-extraction and/or re-analysis was not performed.

Method 8015B NM: Surrogate recovery for the following samples were outside control limits: V - 9 (890-9591-23) and V - 12 (890-9591-34). Evidence of matrix interferences is not obvious.

Method 8015B NM: Surrogate recovery for the following sample was outside control limits: (LCS 880-133883/2-A). Evidence of matrix interference is present; therefore, re-extraction and/or re-analysis was not performed.

Method 8015B NM: Surrogate recovery for the following sample was outside control limits: V - 11 (890-9591-29). Evidence of matrix interferences is not obvious.

Method 8015B NM: Surrogate recovery for the following samples were outside control limits: V - 1 (890-9591-2) and V - 3 (890-9591-7). Evidence of matrix interferences is not obvious.

Method 8015B NM: Surrogate recovery for the following samples were outside control limits: V - 3 (890-9591-8) and (890-9590-A-3-A). Evidence of matrix interferences is not obvious.

Method 8015B NM: Surrogate recovery for the following sample was outside control limits: V - 2 (890-9591-3). Evidence of matrix interference is present; therefore, re-extraction and/or re-analysis was not performed.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

HPLC/IC

Method 300.0 - Soluble: The matrix spike / matrix spike duplicate (MS/MSD) recoveries for preparation batch 880-133918 and analytical batch 880-133980 were outside control limits for one or more analytes. See QC Sample Results for detail. Sample matrix interference and/or non-homogeneity are suspected because the associated laboratory control sample (LCS) recovery is within acceptance limits.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Carlsbad

Client Sample Results

Client: Standard Safety & Supply
 Project/Site: Corral Gorge Line Strike-9/2/2026

Job ID: 890-9591-1

Client Sample ID: V - 1

Lab Sample ID: 890-9591-1

Date Collected: 03/02/26 00:00

Matrix: Solid

Date Received: 03/03/26 16:33

Sample Depth: 0-6"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		03/06/26 11:30	03/08/26 09:56	1
Toluene	<0.00200	U	0.00200		mg/Kg		03/06/26 11:30	03/08/26 09:56	1
Ethylbenzene	<0.00200	U F2 F1	0.00200		mg/Kg		03/06/26 11:30	03/08/26 09:56	1
m-Xylene & p-Xylene	<0.00400	U F2 F1	0.00400		mg/Kg		03/06/26 11:30	03/08/26 09:56	1
o-Xylene	<0.00200	U F2 F1	0.00200		mg/Kg		03/06/26 11:30	03/08/26 09:56	1
Xylenes, Total	<0.00400	U F2 F1	0.00400		mg/Kg		03/06/26 11:30	03/08/26 09:56	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	92		70 - 130	03/06/26 11:30	03/08/26 09:56	1
1,4-Difluorobenzene (Surr)	88		70 - 130	03/06/26 11:30	03/08/26 09:56	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00400	U	0.00400		mg/Kg			03/08/26 09:56	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.1	U	50.1		mg/Kg			03/08/26 09:01	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.1	U	50.1		mg/Kg		03/04/26 17:26	03/08/26 09:01	1
Diesel Range Organics (Over C10-C28)	<50.1	U	50.1		mg/Kg		03/04/26 17:26	03/08/26 09:01	1
Oil Range Organics (Over C28-C36)	<50.1	U	50.1		mg/Kg		03/04/26 17:26	03/08/26 09:01	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	116		70 - 130	03/04/26 17:26	03/08/26 09:01	1
o-Terphenyl	127		70 - 130	03/04/26 17:26	03/08/26 09:01	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	6640	F1	99.4		mg/Kg			03/05/26 22:04	10

Client Sample ID: V - 1

Lab Sample ID: 890-9591-2

Date Collected: 03/02/26 00:00

Matrix: Solid

Date Received: 03/03/26 16:33

Sample Depth: 1-1.5

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		03/06/26 11:30	03/08/26 10:17	1
Toluene	<0.00200	U	0.00200		mg/Kg		03/06/26 11:30	03/08/26 10:17	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		03/06/26 11:30	03/08/26 10:17	1
m-Xylene & p-Xylene	<0.00399	U	0.00399		mg/Kg		03/06/26 11:30	03/08/26 10:17	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		03/06/26 11:30	03/08/26 10:17	1
Xylenes, Total	<0.00399	U	0.00399		mg/Kg		03/06/26 11:30	03/08/26 10:17	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	84		70 - 130	03/06/26 11:30	03/08/26 10:17	1

Eurofins Carlsbad

Client Sample Results

Client: Standard Safety & Supply
 Project/Site: Corral Gorge Line Strike-9/2/2026

Job ID: 890-9591-1

Client Sample ID: V - 1

Lab Sample ID: 890-9591-2

Date Collected: 03/02/26 00:00

Matrix: Solid

Date Received: 03/03/26 16:33

Sample Depth: 1-1.5

Method: SW846 8021B - Volatile Organic Compounds (GC) (Continued)

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,4-Difluorobenzene (Surr)	113		70 - 130	03/06/26 11:30	03/08/26 10:17	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00399	U	0.00399		mg/Kg			03/08/26 10:17	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			03/08/26 09:16	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		03/04/26 17:26	03/08/26 09:16	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		03/04/26 17:26	03/08/26 09:16	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		03/04/26 17:26	03/08/26 09:16	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	235	S1+	70 - 130	03/04/26 17:26	03/08/26 09:16	1
o-Terphenyl	239	S1+	70 - 130	03/04/26 17:26	03/08/26 09:16	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	6020		101		mg/Kg			03/05/26 22:18	10

Client Sample ID: V - 2

Lab Sample ID: 890-9591-3

Date Collected: 03/02/26 00:00

Matrix: Solid

Date Received: 03/03/26 16:33

Sample Depth: 0-6"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00201	U	0.00201		mg/Kg		03/06/26 11:30	03/08/26 10:37	1
Toluene	<0.00201	U	0.00201		mg/Kg		03/06/26 11:30	03/08/26 10:37	1
Ethylbenzene	<0.00201	U	0.00201		mg/Kg		03/06/26 11:30	03/08/26 10:37	1
m-Xylene & p-Xylene	<0.00402	U	0.00402		mg/Kg		03/06/26 11:30	03/08/26 10:37	1
o-Xylene	<0.00201	U	0.00201		mg/Kg		03/06/26 11:30	03/08/26 10:37	1
Xylenes, Total	<0.00402	U	0.00402		mg/Kg		03/06/26 11:30	03/08/26 10:37	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	76		70 - 130	03/06/26 11:30	03/08/26 10:37	1
1,4-Difluorobenzene (Surr)	92		70 - 130	03/06/26 11:30	03/08/26 10:37	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00402	U	0.00402		mg/Kg			03/08/26 10:37	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	410		49.9		mg/Kg			03/08/26 09:31	1

Eurofins Carlsbad

Client Sample Results

Client: Standard Safety & Supply
 Project/Site: Corral Gorge Line Strike-9/2/2026

Job ID: 890-9591-1

Client Sample ID: V - 2

Lab Sample ID: 890-9591-3

Date Collected: 03/02/26 00:00

Matrix: Solid

Date Received: 03/03/26 16:33

Sample Depth: 0-6"

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	49.9		mg/Kg		03/04/26 17:26	03/08/26 09:31	1
Diesel Range Organics (Over C10-C28)	410		49.9		mg/Kg		03/04/26 17:26	03/08/26 09:31	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		03/04/26 17:26	03/08/26 09:31	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	128		70 - 130				03/04/26 17:26	03/08/26 09:31	1
o-Terphenyl	143	S1+	70 - 130				03/04/26 17:26	03/08/26 09:31	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	4690		50.4		mg/Kg			03/05/26 22:23	5

Client Sample ID: V - 2

Lab Sample ID: 890-9591-4

Date Collected: 03/02/26 00:00

Matrix: Solid

Date Received: 03/03/26 16:33

Sample Depth: 1-1.5

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00202	U	0.00202		mg/Kg		03/06/26 11:30	03/08/26 10:57	1
Toluene	<0.00202	U	0.00202		mg/Kg		03/06/26 11:30	03/08/26 10:57	1
Ethylbenzene	<0.00202	U	0.00202		mg/Kg		03/06/26 11:30	03/08/26 10:57	1
m-Xylene & p-Xylene	<0.00404	U	0.00404		mg/Kg		03/06/26 11:30	03/08/26 10:57	1
o-Xylene	<0.00202	U	0.00202		mg/Kg		03/06/26 11:30	03/08/26 10:57	1
Xylenes, Total	<0.00404	U	0.00404		mg/Kg		03/06/26 11:30	03/08/26 10:57	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	102		70 - 130				03/06/26 11:30	03/08/26 10:57	1
1,4-Difluorobenzene (Surr)	89		70 - 130				03/06/26 11:30	03/08/26 10:57	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00404	U	0.00404		mg/Kg			03/08/26 10:57	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			03/08/26 09:45	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		03/04/26 17:26	03/08/26 09:45	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		03/04/26 17:26	03/08/26 09:45	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		03/04/26 17:26	03/08/26 09:45	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	119		70 - 130				03/04/26 17:26	03/08/26 09:45	1
o-Terphenyl	129		70 - 130				03/04/26 17:26	03/08/26 09:45	1

Eurofins Carlsbad

Client Sample Results

Client: Standard Safety & Supply
 Project/Site: Corral Gorge Line Strike-9/2/2026

Job ID: 890-9591-1

Client Sample ID: V - 2

Lab Sample ID: 890-9591-4

Date Collected: 03/02/26 00:00

Matrix: Solid

Date Received: 03/03/26 16:33

Sample Depth: 1-1.5

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	2960		50.3		mg/Kg			03/05/26 22:28	5

Client Sample ID: V - 2

Lab Sample ID: 890-9591-5

Date Collected: 03/02/26 00:00

Matrix: Solid

Date Received: 03/03/26 16:33

Sample Depth: 2-2.5

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		03/06/26 11:30	03/08/26 11:18	1
Toluene	<0.00199	U	0.00199		mg/Kg		03/06/26 11:30	03/08/26 11:18	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		03/06/26 11:30	03/08/26 11:18	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		03/06/26 11:30	03/08/26 11:18	1
o-Xylene	<0.00199	U	0.00199		mg/Kg		03/06/26 11:30	03/08/26 11:18	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		03/06/26 11:30	03/08/26 11:18	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	93		70 - 130				03/06/26 11:30	03/08/26 11:18	1
1,4-Difluorobenzene (Surr)	96		70 - 130				03/06/26 11:30	03/08/26 11:18	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			03/08/26 11:18	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.8	U	49.8		mg/Kg			03/08/26 10:02	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.8	U	49.8		mg/Kg		03/04/26 17:26	03/08/26 10:02	1
Diesel Range Organics (Over C10-C28)	<49.8	U	49.8		mg/Kg		03/04/26 17:26	03/08/26 10:02	1
Oil Range Organics (Over C28-C36)	<49.8	U	49.8		mg/Kg		03/04/26 17:26	03/08/26 10:02	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	111		70 - 130				03/04/26 17:26	03/08/26 10:02	1
o-Terphenyl	120		70 - 130				03/04/26 17:26	03/08/26 10:02	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	1530		50.1		mg/Kg			03/05/26 22:33	5

Eurofins Carlsbad

Client Sample Results

Client: Standard Safety & Supply
 Project/Site: Corral Gorge Line Strike-9/2/2026

Job ID: 890-9591-1

Client Sample ID: V - 2

Lab Sample ID: 890-9591-6

Date Collected: 03/02/26 00:00

Matrix: Solid

Date Received: 03/03/26 16:33

Sample Depth: 3-3.5

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00198	U	0.00198		mg/Kg		03/06/26 11:30	03/08/26 11:39	1
Toluene	<0.00198	U	0.00198		mg/Kg		03/06/26 11:30	03/08/26 11:39	1
Ethylbenzene	<0.00198	U	0.00198		mg/Kg		03/06/26 11:30	03/08/26 11:39	1
m-Xylene & p-Xylene	<0.00396	U	0.00396		mg/Kg		03/06/26 11:30	03/08/26 11:39	1
o-Xylene	<0.00198	U	0.00198		mg/Kg		03/06/26 11:30	03/08/26 11:39	1
Xylenes, Total	<0.00396	U	0.00396		mg/Kg		03/06/26 11:30	03/08/26 11:39	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	100		70 - 130				03/06/26 11:30	03/08/26 11:39	1
1,4-Difluorobenzene (Surr)	93		70 - 130				03/06/26 11:30	03/08/26 11:39	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00396	U	0.00396		mg/Kg			03/08/26 11:39	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.8	U	49.8		mg/Kg			03/08/26 10:16	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.8	U	49.8		mg/Kg		03/04/26 17:26	03/08/26 10:16	1
Diesel Range Organics (Over C10-C28)	<49.8	U	49.8		mg/Kg		03/04/26 17:26	03/08/26 10:16	1
Oil Range Organics (Over C28-C36)	<49.8	U	49.8		mg/Kg		03/04/26 17:26	03/08/26 10:16	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	113		70 - 130				03/04/26 17:26	03/08/26 10:16	1
o-Terphenyl	121		70 - 130				03/04/26 17:26	03/08/26 10:16	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	989		9.96		mg/Kg			03/05/26 22:47	1

Client Sample ID: V - 3

Lab Sample ID: 890-9591-7

Date Collected: 03/02/26 00:00

Matrix: Solid

Date Received: 03/03/26 16:33

Sample Depth: 0-6"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		03/06/26 11:30	03/08/26 11:59	1
Toluene	<0.00200	U	0.00200		mg/Kg		03/06/26 11:30	03/08/26 11:59	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		03/06/26 11:30	03/08/26 11:59	1
m-Xylene & p-Xylene	<0.00399	U	0.00399		mg/Kg		03/06/26 11:30	03/08/26 11:59	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		03/06/26 11:30	03/08/26 11:59	1
Xylenes, Total	<0.00399	U	0.00399		mg/Kg		03/06/26 11:30	03/08/26 11:59	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	100		70 - 130				03/06/26 11:30	03/08/26 11:59	1

Eurofins Carlsbad

Client Sample Results

Client: Standard Safety & Supply
 Project/Site: Corral Gorge Line Strike-9/2/2026

Job ID: 890-9591-1

Client Sample ID: V - 3

Lab Sample ID: 890-9591-7

Date Collected: 03/02/26 00:00

Matrix: Solid

Date Received: 03/03/26 16:33

Sample Depth: 0-6"

Method: SW846 8021B - Volatile Organic Compounds (GC) (Continued)

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,4-Difluorobenzene (Surr)	94		70 - 130	03/06/26 11:30	03/08/26 11:59	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00399	U	0.00399		mg/Kg			03/08/26 11:59	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.1	U	50.1		mg/Kg			03/08/26 10:32	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.1	U	50.1		mg/Kg		03/04/26 17:26	03/08/26 10:32	1
Diesel Range Organics (Over C10-C28)	<50.1	U	50.1		mg/Kg		03/04/26 17:26	03/08/26 10:32	1
Oil Range Organics (Over C28-C36)	<50.1	U	50.1		mg/Kg		03/04/26 17:26	03/08/26 10:32	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	167	S1+	70 - 130	03/04/26 17:26	03/08/26 10:32	1
o-Terphenyl	167	S1+	70 - 130	03/04/26 17:26	03/08/26 10:32	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	4310		50.5		mg/Kg			03/05/26 22:52	5

Client Sample ID: V - 3

Lab Sample ID: 890-9591-8

Date Collected: 03/02/26 00:00

Matrix: Solid

Date Received: 03/03/26 16:33

Sample Depth: 1-1.5

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00201	U	0.00201		mg/Kg		03/06/26 11:30	03/08/26 12:20	1
Toluene	<0.00201	U	0.00201		mg/Kg		03/06/26 11:30	03/08/26 12:20	1
Ethylbenzene	<0.00201	U	0.00201		mg/Kg		03/06/26 11:30	03/08/26 12:20	1
m-Xylene & p-Xylene	<0.00402	U	0.00402		mg/Kg		03/06/26 11:30	03/08/26 12:20	1
o-Xylene	<0.00201	U	0.00201		mg/Kg		03/06/26 11:30	03/08/26 12:20	1
Xylenes, Total	<0.00402	U	0.00402		mg/Kg		03/06/26 11:30	03/08/26 12:20	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	95		70 - 130	03/06/26 11:30	03/08/26 12:20	1
1,4-Difluorobenzene (Surr)	96		70 - 130	03/06/26 11:30	03/08/26 12:20	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00402	U	0.00402		mg/Kg			03/08/26 12:20	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.2	U	50.2		mg/Kg			03/08/26 10:47	1

Eurofins Carlsbad

Client Sample Results

Client: Standard Safety & Supply
 Project/Site: Corral Gorge Line Strike-9/2/2026

Job ID: 890-9591-1

Client Sample ID: V - 3

Lab Sample ID: 890-9591-8

Date Collected: 03/02/26 00:00

Matrix: Solid

Date Received: 03/03/26 16:33

Sample Depth: 1-1.5

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.2	U	50.2		mg/Kg		03/04/26 17:26	03/08/26 10:47	1
Diesel Range Organics (Over C10-C28)	<50.2	U	50.2		mg/Kg		03/04/26 17:26	03/08/26 10:47	1
Oil Range Organics (Over C28-C36)	<50.2	U	50.2		mg/Kg		03/04/26 17:26	03/08/26 10:47	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	118		70 - 130				03/04/26 17:26	03/08/26 10:47	1
o-Terphenyl	131	S1+	70 - 130				03/04/26 17:26	03/08/26 10:47	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	4160		50.5		mg/Kg			03/05/26 22:57	5

Client Sample ID: V - 3

Lab Sample ID: 890-9591-9

Date Collected: 03/02/26 00:00

Matrix: Solid

Date Received: 03/03/26 16:33

Sample Depth: 2-2.5

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00202	U	0.00202		mg/Kg		03/06/26 11:30	03/08/26 12:40	1
Toluene	<0.00202	U	0.00202		mg/Kg		03/06/26 11:30	03/08/26 12:40	1
Ethylbenzene	<0.00202	U	0.00202		mg/Kg		03/06/26 11:30	03/08/26 12:40	1
m-Xylene & p-Xylene	<0.00404	U	0.00404		mg/Kg		03/06/26 11:30	03/08/26 12:40	1
o-Xylene	<0.00202	U	0.00202		mg/Kg		03/06/26 11:30	03/08/26 12:40	1
Xylenes, Total	<0.00404	U	0.00404		mg/Kg		03/06/26 11:30	03/08/26 12:40	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	96		70 - 130				03/06/26 11:30	03/08/26 12:40	1
1,4-Difluorobenzene (Surr)	96		70 - 130				03/06/26 11:30	03/08/26 12:40	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00404	U	0.00404		mg/Kg			03/08/26 12:40	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			03/08/26 05:17	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		03/04/26 17:28	03/08/26 05:17	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		03/04/26 17:28	03/08/26 05:17	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		03/04/26 17:28	03/08/26 05:17	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	111		70 - 130				03/04/26 17:28	03/08/26 05:17	1
o-Terphenyl	130		70 - 130				03/04/26 17:28	03/08/26 05:17	1

Eurofins Carlsbad

Client Sample Results

Client: Standard Safety & Supply
 Project/Site: Corral Gorge Line Strike-9/2/2026

Job ID: 890-9591-1

Client Sample ID: V - 3

Lab Sample ID: 890-9591-9

Date Collected: 03/02/26 00:00

Matrix: Solid

Date Received: 03/03/26 16:33

Sample Depth: 2-2.5

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	6390		99.6		mg/Kg			03/05/26 23:02	10

Client Sample ID: V - 3

Lab Sample ID: 890-9591-10

Date Collected: 03/02/26 00:00

Matrix: Solid

Date Received: 03/03/26 16:33

Sample Depth: 2.5-3

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		03/06/26 11:30	03/08/26 13:01	1
Toluene	<0.00199	U	0.00199		mg/Kg		03/06/26 11:30	03/08/26 13:01	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		03/06/26 11:30	03/08/26 13:01	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		03/06/26 11:30	03/08/26 13:01	1
o-Xylene	<0.00199	U	0.00199		mg/Kg		03/06/26 11:30	03/08/26 13:01	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		03/06/26 11:30	03/08/26 13:01	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	99		70 - 130				03/06/26 11:30	03/08/26 13:01	1
1,4-Difluorobenzene (Surr)	94		70 - 130				03/06/26 11:30	03/08/26 13:01	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			03/08/26 13:01	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			03/08/26 06:03	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	49.9		mg/Kg		03/04/26 17:28	03/08/26 06:03	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		03/04/26 17:28	03/08/26 06:03	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		03/04/26 17:28	03/08/26 06:03	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	121		70 - 130				03/04/26 17:28	03/08/26 06:03	1
o-Terphenyl	143	S1+	70 - 130				03/04/26 17:28	03/08/26 06:03	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	5520		99.8		mg/Kg			03/05/26 23:07	10

Eurofins Carlsbad

Client Sample Results

Client: Standard Safety & Supply
 Project/Site: Corral Gorge Line Strike-9/2/2026

Job ID: 890-9591-1

Client Sample ID: V - 4

Lab Sample ID: 890-9591-11

Date Collected: 03/02/26 00:00

Matrix: Solid

Date Received: 03/03/26 16:33

Sample Depth: 0-6"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00198	U	0.00198		mg/Kg		03/06/26 11:30	03/08/26 15:03	1
Toluene	<0.00198	U	0.00198		mg/Kg		03/06/26 11:30	03/08/26 15:03	1
Ethylbenzene	<0.00198	U	0.00198		mg/Kg		03/06/26 11:30	03/08/26 15:03	1
m-Xylene & p-Xylene	<0.00396	U	0.00396		mg/Kg		03/06/26 11:30	03/08/26 15:03	1
o-Xylene	<0.00198	U	0.00198		mg/Kg		03/06/26 11:30	03/08/26 15:03	1
Xylenes, Total	<0.00396	U	0.00396		mg/Kg		03/06/26 11:30	03/08/26 15:03	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	104		70 - 130	03/06/26 11:30	03/08/26 15:03	1
1,4-Difluorobenzene (Surr)	91		70 - 130	03/06/26 11:30	03/08/26 15:03	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00396	U	0.00396		mg/Kg			03/08/26 15:03	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			03/08/26 06:17	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		03/04/26 17:28	03/08/26 06:17	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		03/04/26 17:28	03/08/26 06:17	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		03/04/26 17:28	03/08/26 06:17	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	105		70 - 130	03/04/26 17:28	03/08/26 06:17	1
o-Terphenyl	132	S1+	70 - 130	03/04/26 17:28	03/08/26 06:17	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	51.5		10.1		mg/Kg			03/05/26 23:12	1

Client Sample ID: V - 4

Lab Sample ID: 890-9591-12

Date Collected: 03/02/26 00:00

Matrix: Solid

Date Received: 03/03/26 16:33

Sample Depth: 1-1.5

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		03/06/26 11:30	03/08/26 15:23	1
Toluene	<0.00200	U	0.00200		mg/Kg		03/06/26 11:30	03/08/26 15:23	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		03/06/26 11:30	03/08/26 15:23	1
m-Xylene & p-Xylene	<0.00399	U	0.00399		mg/Kg		03/06/26 11:30	03/08/26 15:23	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		03/06/26 11:30	03/08/26 15:23	1
Xylenes, Total	<0.00399	U	0.00399		mg/Kg		03/06/26 11:30	03/08/26 15:23	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	95		70 - 130	03/06/26 11:30	03/08/26 15:23	1

Eurofins Carlsbad

Client Sample Results

Client: Standard Safety & Supply
 Project/Site: Corral Gorge Line Strike-9/2/2026

Job ID: 890-9591-1

Client Sample ID: V - 4

Lab Sample ID: 890-9591-12

Date Collected: 03/02/26 00:00

Matrix: Solid

Date Received: 03/03/26 16:33

Sample Depth: 1-1.5

Method: SW846 8021B - Volatile Organic Compounds (GC) (Continued)

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,4-Difluorobenzene (Surr)	103		70 - 130	03/06/26 11:30	03/08/26 15:23	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00399	U	0.00399		mg/Kg			03/08/26 15:23	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			03/08/26 06:33	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		03/04/26 17:28	03/08/26 06:33	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		03/04/26 17:28	03/08/26 06:33	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		03/04/26 17:28	03/08/26 06:33	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	111		70 - 130	03/04/26 17:28	03/08/26 06:33	1
o-Terphenyl	130		70 - 130	03/04/26 17:28	03/08/26 06:33	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	34.1		9.92		mg/Kg			03/05/26 23:26	1

Client Sample ID: V - 4

Lab Sample ID: 890-9591-13

Date Collected: 03/02/26 00:00

Matrix: Solid

Date Received: 03/03/26 16:33

Sample Depth: 2-2.5

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00201	U	0.00201		mg/Kg		03/06/26 11:30	03/08/26 15:44	1
Toluene	<0.00201	U	0.00201		mg/Kg		03/06/26 11:30	03/08/26 15:44	1
Ethylbenzene	<0.00201	U	0.00201		mg/Kg		03/06/26 11:30	03/08/26 15:44	1
m-Xylene & p-Xylene	<0.00402	U	0.00402		mg/Kg		03/06/26 11:30	03/08/26 15:44	1
o-Xylene	<0.00201	U	0.00201		mg/Kg		03/06/26 11:30	03/08/26 15:44	1
Xylenes, Total	<0.00402	U	0.00402		mg/Kg		03/06/26 11:30	03/08/26 15:44	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	87		70 - 130	03/06/26 11:30	03/08/26 15:44	1
1,4-Difluorobenzene (Surr)	94		70 - 130	03/06/26 11:30	03/08/26 15:44	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00402	U	0.00402		mg/Kg			03/08/26 15:44	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.8	U	49.8		mg/Kg			03/08/26 06:48	1

Eurofins Carlsbad

Client Sample Results

Client: Standard Safety & Supply
 Project/Site: Corral Gorge Line Strike-9/2/2026

Job ID: 890-9591-1

Client Sample ID: V - 4

Lab Sample ID: 890-9591-13

Date Collected: 03/02/26 00:00

Matrix: Solid

Date Received: 03/03/26 16:33

Sample Depth: 2-2.5

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.8	U	49.8		mg/Kg		03/04/26 17:28	03/08/26 06:48	1
Diesel Range Organics (Over C10-C28)	<49.8	U	49.8		mg/Kg		03/04/26 17:28	03/08/26 06:48	1
Oil Range Organics (Over C28-C36)	<49.8	U	49.8		mg/Kg		03/04/26 17:28	03/08/26 06:48	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	114		70 - 130				03/04/26 17:28	03/08/26 06:48	1
o-Terphenyl	133	S1+	70 - 130				03/04/26 17:28	03/08/26 06:48	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	49.0		9.90		mg/Kg			03/05/26 23:31	1

Client Sample ID: V - 5

Lab Sample ID: 890-9591-14

Date Collected: 03/02/26 00:00

Matrix: Solid

Date Received: 03/03/26 16:33

Sample Depth: 0-6"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		03/06/26 11:30	03/08/26 16:04	1
Toluene	<0.00200	U	0.00200		mg/Kg		03/06/26 11:30	03/08/26 16:04	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		03/06/26 11:30	03/08/26 16:04	1
m-Xylene & p-Xylene	<0.00401	U	0.00401		mg/Kg		03/06/26 11:30	03/08/26 16:04	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		03/06/26 11:30	03/08/26 16:04	1
Xylenes, Total	<0.00401	U	0.00401		mg/Kg		03/06/26 11:30	03/08/26 16:04	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	98		70 - 130				03/06/26 11:30	03/08/26 16:04	1
1,4-Difluorobenzene (Surr)	94		70 - 130				03/06/26 11:30	03/08/26 16:04	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00401	U	0.00401		mg/Kg			03/08/26 16:04	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.8	U	49.8		mg/Kg			03/08/26 07:03	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.8	U	49.8		mg/Kg		03/04/26 17:28	03/08/26 07:03	1
Diesel Range Organics (Over C10-C28)	<49.8	U	49.8		mg/Kg		03/04/26 17:28	03/08/26 07:03	1
Oil Range Organics (Over C28-C36)	<49.8	U	49.8		mg/Kg		03/04/26 17:28	03/08/26 07:03	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	102		70 - 130				03/04/26 17:28	03/08/26 07:03	1
o-Terphenyl	113		70 - 130				03/04/26 17:28	03/08/26 07:03	1

Eurofins Carlsbad

Client Sample Results

Client: Standard Safety & Supply
 Project/Site: Corral Gorge Line Strike-9/2/2026

Job ID: 890-9591-1

Client Sample ID: V - 5

Lab Sample ID: 890-9591-14

Date Collected: 03/02/26 00:00

Matrix: Solid

Date Received: 03/03/26 16:33

Sample Depth: 0-6"

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<10.1	U	10.1		mg/Kg			03/05/26 23:46	1

Client Sample ID: V - 5

Lab Sample ID: 890-9591-15

Date Collected: 03/02/26 00:00

Matrix: Solid

Date Received: 03/03/26 16:33

Sample Depth: 1-1.5

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		03/06/26 11:30	03/08/26 16:25	1
Toluene	<0.00199	U	0.00199		mg/Kg		03/06/26 11:30	03/08/26 16:25	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		03/06/26 11:30	03/08/26 16:25	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		03/06/26 11:30	03/08/26 16:25	1
o-Xylene	<0.00199	U	0.00199		mg/Kg		03/06/26 11:30	03/08/26 16:25	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		03/06/26 11:30	03/08/26 16:25	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	88		70 - 130				03/06/26 11:30	03/08/26 16:25	1
1,4-Difluorobenzene (Surr)	97		70 - 130				03/06/26 11:30	03/08/26 16:25	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			03/08/26 16:25	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			03/08/26 07:18	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	49.9		mg/Kg		03/04/26 17:28	03/08/26 07:18	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		03/04/26 17:28	03/08/26 07:18	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		03/04/26 17:28	03/08/26 07:18	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	111		70 - 130				03/04/26 17:28	03/08/26 07:18	1
o-Terphenyl	128		70 - 130				03/04/26 17:28	03/08/26 07:18	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<10.0	U	10.0		mg/Kg			03/05/26 23:50	1

Eurofins Carlsbad

Client Sample Results

Client: Standard Safety & Supply
 Project/Site: Corral Gorge Line Strike-9/2/2026

Job ID: 890-9591-1

Client Sample ID: V - 6

Lab Sample ID: 890-9591-16

Date Collected: 03/02/26 00:00

Matrix: Solid

Date Received: 03/03/26 16:33

Sample Depth: 0-6"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00198	U	0.00198		mg/Kg		03/06/26 11:30	03/08/26 16:45	1
Toluene	<0.00198	U	0.00198		mg/Kg		03/06/26 11:30	03/08/26 16:45	1
Ethylbenzene	<0.00198	U	0.00198		mg/Kg		03/06/26 11:30	03/08/26 16:45	1
m-Xylene & p-Xylene	<0.00396	U	0.00396		mg/Kg		03/06/26 11:30	03/08/26 16:45	1
o-Xylene	<0.00198	U	0.00198		mg/Kg		03/06/26 11:30	03/08/26 16:45	1
Xylenes, Total	<0.00396	U	0.00396		mg/Kg		03/06/26 11:30	03/08/26 16:45	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	98		70 - 130	03/06/26 11:30	03/08/26 16:45	1
1,4-Difluorobenzene (Surr)	95		70 - 130	03/06/26 11:30	03/08/26 16:45	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00396	U	0.00396		mg/Kg			03/08/26 16:45	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			03/08/26 07:32	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		03/04/26 17:28	03/08/26 07:32	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		03/04/26 17:28	03/08/26 07:32	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		03/04/26 17:28	03/08/26 07:32	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	113		70 - 130	03/04/26 17:28	03/08/26 07:32	1
o-Terphenyl	129		70 - 130	03/04/26 17:28	03/08/26 07:32	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	3470		50.1		mg/Kg			03/05/26 23:55	5

Client Sample ID: V - 6

Lab Sample ID: 890-9591-17

Date Collected: 03/02/26 00:00

Matrix: Solid

Date Received: 03/03/26 16:33

Sample Depth: 1-1.5

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		03/06/26 11:30	03/08/26 17:06	1
Toluene	<0.00200	U	0.00200		mg/Kg		03/06/26 11:30	03/08/26 17:06	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		03/06/26 11:30	03/08/26 17:06	1
m-Xylene & p-Xylene	<0.00399	U	0.00399		mg/Kg		03/06/26 11:30	03/08/26 17:06	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		03/06/26 11:30	03/08/26 17:06	1
Xylenes, Total	<0.00399	U	0.00399		mg/Kg		03/06/26 11:30	03/08/26 17:06	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	77		70 - 130	03/06/26 11:30	03/08/26 17:06	1

Eurofins Carlsbad

Client Sample Results

Client: Standard Safety & Supply
 Project/Site: Corral Gorge Line Strike-9/2/2026

Job ID: 890-9591-1

Client Sample ID: V - 6

Lab Sample ID: 890-9591-17

Date Collected: 03/02/26 00:00

Matrix: Solid

Date Received: 03/03/26 16:33

Sample Depth: 1-1.5

Method: SW846 8021B - Volatile Organic Compounds (GC) (Continued)

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,4-Difluorobenzene (Surr)	107		70 - 130	03/06/26 11:30	03/08/26 17:06	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00399	U	0.00399		mg/Kg			03/08/26 17:06	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			03/08/26 07:48	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	49.9		mg/Kg		03/04/26 17:28	03/08/26 07:48	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		03/04/26 17:28	03/08/26 07:48	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		03/04/26 17:28	03/08/26 07:48	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	105		70 - 130	03/04/26 17:28	03/08/26 07:48	1
o-Terphenyl	121		70 - 130	03/04/26 17:28	03/08/26 07:48	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	3150		49.9		mg/Kg			03/06/26 00:00	5

Client Sample ID: V - 7

Lab Sample ID: 890-9591-18

Date Collected: 03/02/26 00:00

Matrix: Solid

Date Received: 03/03/26 16:33

Sample Depth: 0-6"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00201	U	0.00201		mg/Kg		03/06/26 11:30	03/08/26 17:26	1
Toluene	<0.00201	U	0.00201		mg/Kg		03/06/26 11:30	03/08/26 17:26	1
Ethylbenzene	<0.00201	U	0.00201		mg/Kg		03/06/26 11:30	03/08/26 17:26	1
m-Xylene & p-Xylene	<0.00402	U	0.00402		mg/Kg		03/06/26 11:30	03/08/26 17:26	1
o-Xylene	<0.00201	U	0.00201		mg/Kg		03/06/26 11:30	03/08/26 17:26	1
Xylenes, Total	<0.00402	U	0.00402		mg/Kg		03/06/26 11:30	03/08/26 17:26	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	107		70 - 130	03/06/26 11:30	03/08/26 17:26	1
1,4-Difluorobenzene (Surr)	92		70 - 130	03/06/26 11:30	03/08/26 17:26	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00402	U	0.00402		mg/Kg			03/08/26 17:26	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			03/08/26 08:02	1

Eurofins Carlsbad

Client Sample Results

Client: Standard Safety & Supply
 Project/Site: Corral Gorge Line Strike-9/2/2026

Job ID: 890-9591-1

Client Sample ID: V - 7

Lab Sample ID: 890-9591-18

Date Collected: 03/02/26 00:00

Matrix: Solid

Date Received: 03/03/26 16:33

Sample Depth: 0-6"

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		03/04/26 17:28	03/08/26 08:02	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		03/04/26 17:28	03/08/26 08:02	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		03/04/26 17:28	03/08/26 08:02	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	108		70 - 130				03/04/26 17:28	03/08/26 08:02	1
o-Terphenyl	120		70 - 130				03/04/26 17:28	03/08/26 08:02	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	3200		50.1		mg/Kg			03/06/26 00:05	5

Client Sample ID: V - 7

Lab Sample ID: 890-9591-19

Date Collected: 03/02/26 00:00

Matrix: Solid

Date Received: 03/03/26 16:33

Sample Depth: 1-1.5

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00202	U	0.00202		mg/Kg		03/06/26 11:30	03/08/26 17:47	1
Toluene	<0.00202	U	0.00202		mg/Kg		03/06/26 11:30	03/08/26 17:47	1
Ethylbenzene	<0.00202	U	0.00202		mg/Kg		03/06/26 11:30	03/08/26 17:47	1
m-Xylene & p-Xylene	<0.00404	U	0.00404		mg/Kg		03/06/26 11:30	03/08/26 17:47	1
o-Xylene	<0.00202	U	0.00202		mg/Kg		03/06/26 11:30	03/08/26 17:47	1
Xylenes, Total	<0.00404	U	0.00404		mg/Kg		03/06/26 11:30	03/08/26 17:47	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	101		70 - 130				03/06/26 11:30	03/08/26 17:47	1
1,4-Difluorobenzene (Surr)	94		70 - 130				03/06/26 11:30	03/08/26 17:47	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00404	U	0.00404		mg/Kg			03/08/26 17:47	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.8	U	49.8		mg/Kg			03/08/26 08:32	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.8	U	49.8		mg/Kg		03/04/26 17:28	03/08/26 08:32	1
Diesel Range Organics (Over C10-C28)	<49.8	U	49.8		mg/Kg		03/04/26 17:28	03/08/26 08:32	1
Oil Range Organics (Over C28-C36)	<49.8	U	49.8		mg/Kg		03/04/26 17:28	03/08/26 08:32	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	107		70 - 130				03/04/26 17:28	03/08/26 08:32	1
o-Terphenyl	122		70 - 130				03/04/26 17:28	03/08/26 08:32	1

Eurofins Carlsbad

Client Sample Results

Client: Standard Safety & Supply
 Project/Site: Corral Gorge Line Strike-9/2/2026

Job ID: 890-9591-1

Client Sample ID: V - 7

Lab Sample ID: 890-9591-19

Date Collected: 03/02/26 00:00

Matrix: Solid

Date Received: 03/03/26 16:33

Sample Depth: 1-1.5

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	4240		49.6		mg/Kg			03/06/26 00:10	5

Client Sample ID: V - 7

Lab Sample ID: 890-9591-20

Date Collected: 03/02/26 00:00

Matrix: Solid

Date Received: 03/03/26 16:33

Sample Depth: 2-2.5

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		03/06/26 11:30	03/08/26 18:07	1
Toluene	<0.00199	U	0.00199		mg/Kg		03/06/26 11:30	03/08/26 18:07	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		03/06/26 11:30	03/08/26 18:07	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		03/06/26 11:30	03/08/26 18:07	1
o-Xylene	<0.00199	U	0.00199		mg/Kg		03/06/26 11:30	03/08/26 18:07	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		03/06/26 11:30	03/08/26 18:07	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	97		70 - 130				03/06/26 11:30	03/08/26 18:07	1
1,4-Difluorobenzene (Surr)	97		70 - 130				03/06/26 11:30	03/08/26 18:07	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			03/08/26 18:07	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			03/08/26 08:46	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		03/04/26 17:28	03/08/26 08:46	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		03/04/26 17:28	03/08/26 08:46	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		03/04/26 17:28	03/08/26 08:46	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	112		70 - 130				03/04/26 17:28	03/08/26 08:46	1
o-Terphenyl	126		70 - 130				03/04/26 17:28	03/08/26 08:46	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	4030		49.5		mg/Kg			03/06/26 00:14	5

Eurofins Carlsbad

Client Sample Results

Client: Standard Safety & Supply
 Project/Site: Corral Gorge Line Strike-9/2/2026

Job ID: 890-9591-1

Client Sample ID: V - 8

Lab Sample ID: 890-9591-21

Date Collected: 03/02/26 00:00

Matrix: Solid

Date Received: 03/03/26 16:33

Sample Depth: 0-6"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		03/06/26 11:36	03/07/26 10:11	1
Toluene	<0.00200	U	0.00200		mg/Kg		03/06/26 11:36	03/07/26 10:11	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		03/06/26 11:36	03/07/26 10:11	1
m-Xylene & p-Xylene	<0.00399	U	0.00399		mg/Kg		03/06/26 11:36	03/07/26 10:11	1
o-Xylene	<0.00200	U **	0.00200		mg/Kg		03/06/26 11:36	03/07/26 10:11	1
Xylenes, Total	<0.00399	U	0.00399		mg/Kg		03/06/26 11:36	03/07/26 10:11	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	135	S1+	70 - 130	03/06/26 11:36	03/07/26 10:11	1
1,4-Difluorobenzene (Surr)	94		70 - 130	03/06/26 11:36	03/07/26 10:11	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00399	U	0.00399		mg/Kg			03/07/26 10:11	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			03/08/26 09:01	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	49.9		mg/Kg		03/04/26 17:28	03/08/26 09:01	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		03/04/26 17:28	03/08/26 09:01	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		03/04/26 17:28	03/08/26 09:01	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	94		70 - 130	03/04/26 17:28	03/08/26 09:01	1
o-Terphenyl	114		70 - 130	03/04/26 17:28	03/08/26 09:01	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	630		9.96		mg/Kg			03/06/26 11:45	1

Client Sample ID: V - 8

Lab Sample ID: 890-9591-22

Date Collected: 03/02/26 00:00

Matrix: Solid

Date Received: 03/03/26 16:33

Sample Depth: 1-1.5

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00201	U	0.00201		mg/Kg		03/06/26 11:36	03/07/26 10:32	1
Toluene	<0.00201	U	0.00201		mg/Kg		03/06/26 11:36	03/07/26 10:32	1
Ethylbenzene	<0.00201	U	0.00201		mg/Kg		03/06/26 11:36	03/07/26 10:32	1
m-Xylene & p-Xylene	<0.00402	U	0.00402		mg/Kg		03/06/26 11:36	03/07/26 10:32	1
o-Xylene	<0.00201	U **	0.00201		mg/Kg		03/06/26 11:36	03/07/26 10:32	1
Xylenes, Total	<0.00402	U	0.00402		mg/Kg		03/06/26 11:36	03/07/26 10:32	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	125		70 - 130	03/06/26 11:36	03/07/26 10:32	1

Eurofins Carlsbad

Client Sample Results

Client: Standard Safety & Supply
 Project/Site: Corral Gorge Line Strike-9/2/2026

Job ID: 890-9591-1

Client Sample ID: V - 8

Lab Sample ID: 890-9591-22

Date Collected: 03/02/26 00:00

Matrix: Solid

Date Received: 03/03/26 16:33

Sample Depth: 1-1.5

Method: SW846 8021B - Volatile Organic Compounds (GC) (Continued)

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,4-Difluorobenzene (Surr)	93		70 - 130	03/06/26 11:36	03/07/26 10:32	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00402	U	0.00402		mg/Kg			03/07/26 10:32	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			03/08/26 09:16	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		03/04/26 17:28	03/08/26 09:16	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		03/04/26 17:28	03/08/26 09:16	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		03/04/26 17:28	03/08/26 09:16	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	76		70 - 130	03/04/26 17:28	03/08/26 09:16	1
o-Terphenyl	86		70 - 130	03/04/26 17:28	03/08/26 09:16	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	1420		50.4		mg/Kg			03/06/26 12:00	5

Client Sample ID: V - 9

Lab Sample ID: 890-9591-23

Date Collected: 03/02/26 00:00

Matrix: Solid

Date Received: 03/03/26 16:33

Sample Depth: 0-6"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00202	U	0.00202		mg/Kg		03/06/26 11:36	03/07/26 10:52	1
Toluene	<0.00202	U	0.00202		mg/Kg		03/06/26 11:36	03/07/26 10:52	1
Ethylbenzene	<0.00202	U	0.00202		mg/Kg		03/06/26 11:36	03/07/26 10:52	1
m-Xylene & p-Xylene	<0.00404	U	0.00404		mg/Kg		03/06/26 11:36	03/07/26 10:52	1
o-Xylene	<0.00202	U**	0.00202		mg/Kg		03/06/26 11:36	03/07/26 10:52	1
Xylenes, Total	<0.00404	U	0.00404		mg/Kg		03/06/26 11:36	03/07/26 10:52	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	141	S1+	70 - 130	03/06/26 11:36	03/07/26 10:52	1
1,4-Difluorobenzene (Surr)	91		70 - 130	03/06/26 11:36	03/07/26 10:52	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00404	U	0.00404		mg/Kg			03/07/26 10:52	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.8	U	49.8		mg/Kg			03/08/26 09:31	1

Eurofins Carlsbad

Client Sample Results

Client: Standard Safety & Supply
 Project/Site: Corral Gorge Line Strike-9/2/2026

Job ID: 890-9591-1

Client Sample ID: V - 9

Lab Sample ID: 890-9591-23

Date Collected: 03/02/26 00:00

Matrix: Solid

Date Received: 03/03/26 16:33

Sample Depth: 0-6"

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.8	U	49.8		mg/Kg		03/04/26 17:28	03/08/26 09:31	1
Diesel Range Organics (Over C10-C28)	<49.8	U	49.8		mg/Kg		03/04/26 17:28	03/08/26 09:31	1
Oil Range Organics (Over C28-C36)	<49.8	U	49.8		mg/Kg		03/04/26 17:28	03/08/26 09:31	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	232	S1+	70 - 130				03/04/26 17:28	03/08/26 09:31	1
o-Terphenyl	262	S1+	70 - 130				03/04/26 17:28	03/08/26 09:31	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	3370		50.1		mg/Kg			03/06/26 12:05	5

Client Sample ID: V - 9

Lab Sample ID: 890-9591-24

Date Collected: 03/02/26 00:00

Matrix: Solid

Date Received: 03/03/26 16:33

Sample Depth: 1-1.5

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		03/06/26 11:36	03/07/26 11:12	1
Toluene	<0.00199	U	0.00199		mg/Kg		03/06/26 11:36	03/07/26 11:12	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		03/06/26 11:36	03/07/26 11:12	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		03/06/26 11:36	03/07/26 11:12	1
o-Xylene	<0.00199	U *	0.00199		mg/Kg		03/06/26 11:36	03/07/26 11:12	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		03/06/26 11:36	03/07/26 11:12	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	132	S1+	70 - 130				03/06/26 11:36	03/07/26 11:12	1
1,4-Difluorobenzene (Surr)	93		70 - 130				03/06/26 11:36	03/07/26 11:12	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			03/07/26 11:12	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			03/08/26 09:45	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	49.9		mg/Kg		03/04/26 17:28	03/08/26 09:45	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		03/04/26 17:28	03/08/26 09:45	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		03/04/26 17:28	03/08/26 09:45	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	101		70 - 130				03/04/26 17:28	03/08/26 09:45	1
o-Terphenyl	121		70 - 130				03/04/26 17:28	03/08/26 09:45	1

Eurofins Carlsbad

Client Sample Results

Client: Standard Safety & Supply
 Project/Site: Corral Gorge Line Strike-9/2/2026

Job ID: 890-9591-1

Client Sample ID: V - 9

Lab Sample ID: 890-9591-24

Date Collected: 03/02/26 00:00

Matrix: Solid

Date Received: 03/03/26 16:33

Sample Depth: 1-1.5

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	5630		99.6		mg/Kg			03/06/26 12:09	10

Client Sample ID: V - 9

Lab Sample ID: 890-9591-25

Date Collected: 03/02/26 00:00

Matrix: Solid

Date Received: 03/03/26 16:33

Sample Depth: 2-2.5

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00198	U	0.00198		mg/Kg		03/06/26 11:36	03/07/26 11:33	1
Toluene	<0.00198	U	0.00198		mg/Kg		03/06/26 11:36	03/07/26 11:33	1
Ethylbenzene	<0.00198	U	0.00198		mg/Kg		03/06/26 11:36	03/07/26 11:33	1
m-Xylene & p-Xylene	<0.00396	U	0.00396		mg/Kg		03/06/26 11:36	03/07/26 11:33	1
o-Xylene	<0.00198	U *	0.00198		mg/Kg		03/06/26 11:36	03/07/26 11:33	1
Xylenes, Total	<0.00396	U	0.00396		mg/Kg		03/06/26 11:36	03/07/26 11:33	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	136	S1+	70 - 130				03/06/26 11:36	03/07/26 11:33	1
1,4-Difluorobenzene (Surr)	94		70 - 130				03/06/26 11:36	03/07/26 11:33	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00396	U	0.00396		mg/Kg			03/07/26 11:33	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			03/08/26 10:02	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		03/04/26 17:28	03/08/26 10:02	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		03/04/26 17:28	03/08/26 10:02	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		03/04/26 17:28	03/08/26 10:02	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	101		70 - 130				03/04/26 17:28	03/08/26 10:02	1
o-Terphenyl	122		70 - 130				03/04/26 17:28	03/08/26 10:02	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	3450		50.5		mg/Kg			03/06/26 12:14	5

Eurofins Carlsbad

Client Sample Results

Client: Standard Safety & Supply
 Project/Site: Corral Gorge Line Strike-9/2/2026

Job ID: 890-9591-1

Client Sample ID: V - 10

Lab Sample ID: 890-9591-26

Date Collected: 03/02/26 00:00

Matrix: Solid

Date Received: 03/03/26 16:33

Sample Depth: 0-6"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		03/06/26 11:36	03/07/26 11:53	1
Toluene	<0.00200	U	0.00200		mg/Kg		03/06/26 11:36	03/07/26 11:53	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		03/06/26 11:36	03/07/26 11:53	1
m-Xylene & p-Xylene	<0.00399	U	0.00399		mg/Kg		03/06/26 11:36	03/07/26 11:53	1
o-Xylene	<0.00200	U **	0.00200		mg/Kg		03/06/26 11:36	03/07/26 11:53	1
Xylenes, Total	<0.00399	U	0.00399		mg/Kg		03/06/26 11:36	03/07/26 11:53	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	148	S1+	70 - 130	03/06/26 11:36	03/07/26 11:53	1
1,4-Difluorobenzene (Surr)	92		70 - 130	03/06/26 11:36	03/07/26 11:53	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00399	U	0.00399		mg/Kg			03/07/26 11:53	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.8	U	49.8		mg/Kg			03/08/26 10:16	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.8	U	49.8		mg/Kg		03/04/26 17:28	03/08/26 10:16	1
Diesel Range Organics (Over C10-C28)	<49.8	U	49.8		mg/Kg		03/04/26 17:28	03/08/26 10:16	1
Oil Range Organics (Over C28-C36)	<49.8	U	49.8		mg/Kg		03/04/26 17:28	03/08/26 10:16	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	106		70 - 130	03/04/26 17:28	03/08/26 10:16	1
o-Terphenyl	120		70 - 130	03/04/26 17:28	03/08/26 10:16	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	24.8		10.1		mg/Kg			03/06/26 12:29	1

Client Sample ID: V - 10

Lab Sample ID: 890-9591-27

Date Collected: 03/02/26 00:00

Matrix: Solid

Date Received: 03/03/26 16:33

Sample Depth: 1-1.5

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00201	U	0.00201		mg/Kg		03/06/26 11:36	03/07/26 12:14	1
Toluene	<0.00201	U	0.00201		mg/Kg		03/06/26 11:36	03/07/26 12:14	1
Ethylbenzene	<0.00201	U	0.00201		mg/Kg		03/06/26 11:36	03/07/26 12:14	1
m-Xylene & p-Xylene	<0.00402	U	0.00402		mg/Kg		03/06/26 11:36	03/07/26 12:14	1
o-Xylene	<0.00201	U **	0.00201		mg/Kg		03/06/26 11:36	03/07/26 12:14	1
Xylenes, Total	<0.00402	U	0.00402		mg/Kg		03/06/26 11:36	03/07/26 12:14	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	136	S1+	70 - 130	03/06/26 11:36	03/07/26 12:14	1

Eurofins Carlsbad

Client Sample Results

Client: Standard Safety & Supply
 Project/Site: Corral Gorge Line Strike-9/2/2026

Job ID: 890-9591-1

Client Sample ID: V - 10

Lab Sample ID: 890-9591-27

Date Collected: 03/02/26 00:00

Matrix: Solid

Date Received: 03/03/26 16:33

Sample Depth: 1-1.5

Method: SW846 8021B - Volatile Organic Compounds (GC) (Continued)

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,4-Difluorobenzene (Surr)	84		70 - 130	03/06/26 11:36	03/07/26 12:14	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00402	U	0.00402		mg/Kg			03/07/26 12:14	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.8	U	49.8		mg/Kg			03/08/26 10:32	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.8	U	49.8		mg/Kg		03/04/26 17:28	03/08/26 10:32	1
Diesel Range Organics (Over C10-C28)	<49.8	U	49.8		mg/Kg		03/04/26 17:28	03/08/26 10:32	1
Oil Range Organics (Over C28-C36)	<49.8	U	49.8		mg/Kg		03/04/26 17:28	03/08/26 10:32	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	110		70 - 130	03/04/26 17:28	03/08/26 10:32	1
o-Terphenyl	129		70 - 130	03/04/26 17:28	03/08/26 10:32	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	11.4		9.96		mg/Kg			03/06/26 12:34	1

Client Sample ID: V - 10

Lab Sample ID: 890-9591-28

Date Collected: 03/02/26 00:00

Matrix: Solid

Date Received: 03/03/26 16:33

Sample Depth: 2-2.5

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00202	U	0.00202		mg/Kg		03/06/26 11:36	03/07/26 12:34	1
Toluene	<0.00202	U	0.00202		mg/Kg		03/06/26 11:36	03/07/26 12:34	1
Ethylbenzene	<0.00202	U	0.00202		mg/Kg		03/06/26 11:36	03/07/26 12:34	1
m-Xylene & p-Xylene	<0.00404	U	0.00404		mg/Kg		03/06/26 11:36	03/07/26 12:34	1
o-Xylene	<0.00202	U**	0.00202		mg/Kg		03/06/26 11:36	03/07/26 12:34	1
Xylenes, Total	<0.00404	U	0.00404		mg/Kg		03/06/26 11:36	03/07/26 12:34	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	129		70 - 130	03/06/26 11:36	03/07/26 12:34	1
1,4-Difluorobenzene (Surr)	95		70 - 130	03/06/26 11:36	03/07/26 12:34	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00404	U	0.00404		mg/Kg			03/07/26 12:34	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			03/08/26 10:47	1

Eurofins Carlsbad

Client Sample Results

Client: Standard Safety & Supply
 Project/Site: Corral Gorge Line Strike-9/2/2026

Job ID: 890-9591-1

Client Sample ID: V - 10

Lab Sample ID: 890-9591-28

Date Collected: 03/02/26 00:00

Matrix: Solid

Date Received: 03/03/26 16:33

Sample Depth: 2-2.5

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		03/04/26 17:28	03/08/26 10:47	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		03/04/26 17:28	03/08/26 10:47	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		03/04/26 17:28	03/08/26 10:47	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	105		70 - 130				03/04/26 17:28	03/08/26 10:47	1
o-Terphenyl	118		70 - 130				03/04/26 17:28	03/08/26 10:47	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	253		10.0		mg/Kg			03/06/26 12:39	1

Client Sample ID: V - 11

Lab Sample ID: 890-9591-29

Date Collected: 03/02/26 00:00

Matrix: Solid

Date Received: 03/03/26 16:33

Sample Depth: 0-6"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		03/06/26 11:36	03/07/26 12:55	1
Toluene	<0.00199	U	0.00199		mg/Kg		03/06/26 11:36	03/07/26 12:55	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		03/06/26 11:36	03/07/26 12:55	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		03/06/26 11:36	03/07/26 12:55	1
o-Xylene	<0.00199	U *	0.00199		mg/Kg		03/06/26 11:36	03/07/26 12:55	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		03/06/26 11:36	03/07/26 12:55	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	132	S1+	70 - 130				03/06/26 11:36	03/07/26 12:55	1
1,4-Difluorobenzene (Surr)	97		70 - 130				03/06/26 11:36	03/07/26 12:55	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			03/07/26 12:55	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			03/07/26 21:08	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		03/04/26 17:31	03/07/26 21:08	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		03/04/26 17:31	03/07/26 21:08	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		03/04/26 17:31	03/07/26 21:08	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	109		70 - 130				03/04/26 17:31	03/07/26 21:08	1
o-Terphenyl	131	S1+	70 - 130				03/04/26 17:31	03/07/26 21:08	1

Eurofins Carlsbad

Client Sample Results

Client: Standard Safety & Supply
 Project/Site: Corral Gorge Line Strike-9/2/2026

Job ID: 890-9591-1

Client Sample ID: V - 11

Lab Sample ID: 890-9591-29

Date Collected: 03/02/26 00:00

Matrix: Solid

Date Received: 03/03/26 16:33

Sample Depth: 0-6"

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	6530		100		mg/Kg			03/06/26 12:43	10

Client Sample ID: V - 11

Lab Sample ID: 890-9591-30

Date Collected: 03/02/26 00:00

Matrix: Solid

Date Received: 03/03/26 16:33

Sample Depth: 1-1.5

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		03/06/26 11:36	03/07/26 13:15	1
Toluene	<0.00200	U	0.00200		mg/Kg		03/06/26 11:36	03/07/26 13:15	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		03/06/26 11:36	03/07/26 13:15	1
m-Xylene & p-Xylene	<0.00400	U	0.00400		mg/Kg		03/06/26 11:36	03/07/26 13:15	1
o-Xylene	<0.00200	U *	0.00200		mg/Kg		03/06/26 11:36	03/07/26 13:15	1
Xylenes, Total	<0.00400	U	0.00400		mg/Kg		03/06/26 11:36	03/07/26 13:15	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	137	S1+	70 - 130	03/06/26 11:36	03/07/26 13:15	1
1,4-Difluorobenzene (Surr)	89		70 - 130	03/06/26 11:36	03/07/26 13:15	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00400	U	0.00400		mg/Kg			03/07/26 13:15	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			03/07/26 21:52	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	49.9		mg/Kg		03/04/26 17:31	03/07/26 21:52	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		03/04/26 17:31	03/07/26 21:52	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		03/04/26 17:31	03/07/26 21:52	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	121		70 - 130	03/04/26 17:31	03/07/26 21:52	1
o-Terphenyl	145	S1+	70 - 130	03/04/26 17:31	03/07/26 21:52	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	702		9.92		mg/Kg			03/06/26 12:48	1

Eurofins Carlsbad

Client Sample Results

Client: Standard Safety & Supply
 Project/Site: Corral Gorge Line Strike-9/2/2026

Job ID: 890-9591-1

Client Sample ID: V - 11

Lab Sample ID: 890-9591-31

Date Collected: 03/02/26 00:00

Matrix: Solid

Date Received: 03/03/26 16:33

Sample Depth: 2-2.5

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		03/06/26 11:36	03/07/26 14:49	1
Toluene	<0.00200	U	0.00200		mg/Kg		03/06/26 11:36	03/07/26 14:49	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		03/06/26 11:36	03/07/26 14:49	1
m-Xylene & p-Xylene	<0.00399	U	0.00399		mg/Kg		03/06/26 11:36	03/07/26 14:49	1
o-Xylene	<0.00200	U **	0.00200		mg/Kg		03/06/26 11:36	03/07/26 14:49	1
Xylenes, Total	<0.00399	U	0.00399		mg/Kg		03/06/26 11:36	03/07/26 14:49	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	143	S1+	70 - 130	03/06/26 11:36	03/07/26 14:49	1
1,4-Difluorobenzene (Surr)	97		70 - 130	03/06/26 11:36	03/07/26 14:49	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00399	U	0.00399		mg/Kg			03/07/26 14:49	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			03/07/26 22:07	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		03/04/26 17:31	03/07/26 22:07	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		03/04/26 17:31	03/07/26 22:07	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		03/04/26 17:31	03/07/26 22:07	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	113		70 - 130	03/04/26 17:31	03/07/26 22:07	1
o-Terphenyl	140	S1+	70 - 130	03/04/26 17:31	03/07/26 22:07	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	71.3		9.96		mg/Kg			03/06/26 12:53	1

Client Sample ID: V - 11

Lab Sample ID: 890-9591-32

Date Collected: 03/02/26 00:00

Matrix: Solid

Date Received: 03/03/26 16:33

Sample Depth: 3-3.5

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00201	U	0.00201		mg/Kg		03/06/26 11:36	03/07/26 15:10	1
Toluene	<0.00201	U	0.00201		mg/Kg		03/06/26 11:36	03/07/26 15:10	1
Ethylbenzene	<0.00201	U	0.00201		mg/Kg		03/06/26 11:36	03/07/26 15:10	1
m-Xylene & p-Xylene	<0.00402	U	0.00402		mg/Kg		03/06/26 11:36	03/07/26 15:10	1
o-Xylene	<0.00201	U **	0.00201		mg/Kg		03/06/26 11:36	03/07/26 15:10	1
Xylenes, Total	<0.00402	U	0.00402		mg/Kg		03/06/26 11:36	03/07/26 15:10	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	138	S1+	70 - 130	03/06/26 11:36	03/07/26 15:10	1

Eurofins Carlsbad

Client Sample Results

Client: Standard Safety & Supply
 Project/Site: Corral Gorge Line Strike-9/2/2026

Job ID: 890-9591-1

Client Sample ID: V - 11

Lab Sample ID: 890-9591-32

Date Collected: 03/02/26 00:00

Matrix: Solid

Date Received: 03/03/26 16:33

Sample Depth: 3-3.5

Method: SW846 8021B - Volatile Organic Compounds (GC) (Continued)

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,4-Difluorobenzene (Surr)	95		70 - 130	03/06/26 11:36	03/07/26 15:10	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00402	U	0.00402		mg/Kg			03/07/26 15:10	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			03/07/26 22:22	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		03/04/26 17:31	03/07/26 22:22	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		03/04/26 17:31	03/07/26 22:22	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		03/04/26 17:31	03/07/26 22:22	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	121		70 - 130	03/04/26 17:31	03/07/26 22:22	1
o-Terphenyl	152	S1+	70 - 130	03/04/26 17:31	03/07/26 22:22	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	151		10.1		mg/Kg			03/06/26 13:08	1

Client Sample ID: V - 11

Lab Sample ID: 890-9591-33

Date Collected: 03/02/26 00:00

Matrix: Solid

Date Received: 03/03/26 16:33

Sample Depth: 4-4.5

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00202	U	0.00202		mg/Kg		03/06/26 11:36	03/07/26 15:30	1
Toluene	<0.00202	U	0.00202		mg/Kg		03/06/26 11:36	03/07/26 15:30	1
Ethylbenzene	<0.00202	U	0.00202		mg/Kg		03/06/26 11:36	03/07/26 15:30	1
m-Xylene & p-Xylene	<0.00404	U	0.00404		mg/Kg		03/06/26 11:36	03/07/26 15:30	1
o-Xylene	<0.00202	U**	0.00202		mg/Kg		03/06/26 11:36	03/07/26 15:30	1
Xylenes, Total	<0.00404	U	0.00404		mg/Kg		03/06/26 11:36	03/07/26 15:30	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	124		70 - 130	03/06/26 11:36	03/07/26 15:30	1
1,4-Difluorobenzene (Surr)	97		70 - 130	03/06/26 11:36	03/07/26 15:30	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00404	U	0.00404		mg/Kg			03/07/26 15:30	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.8	U	49.8		mg/Kg			03/07/26 22:36	1

Eurofins Carlsbad

Client Sample Results

Client: Standard Safety & Supply
 Project/Site: Corral Gorge Line Strike-9/2/2026

Job ID: 890-9591-1

Client Sample ID: V - 11

Lab Sample ID: 890-9591-33

Date Collected: 03/02/26 00:00

Matrix: Solid

Date Received: 03/03/26 16:33

Sample Depth: 4-4.5

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.8	U	49.8		mg/Kg		03/04/26 17:31	03/07/26 22:36	1
Diesel Range Organics (Over C10-C28)	<49.8	U	49.8		mg/Kg		03/04/26 17:31	03/07/26 22:36	1
Oil Range Organics (Over C28-C36)	<49.8	U	49.8		mg/Kg		03/04/26 17:31	03/07/26 22:36	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	116		70 - 130				03/04/26 17:31	03/07/26 22:36	1
o-Terphenyl	147	S1+	70 - 130				03/04/26 17:31	03/07/26 22:36	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	94.3		10.1		mg/Kg			03/06/26 13:12	1

Client Sample ID: V - 12

Lab Sample ID: 890-9591-34

Date Collected: 03/02/26 00:00

Matrix: Solid

Date Received: 03/03/26 16:33

Sample Depth: 0-6"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		03/06/26 11:36	03/07/26 15:51	1
Toluene	<0.00199	U	0.00199		mg/Kg		03/06/26 11:36	03/07/26 15:51	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		03/06/26 11:36	03/07/26 15:51	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		03/06/26 11:36	03/07/26 15:51	1
o-Xylene	<0.00199	U *	0.00199		mg/Kg		03/06/26 11:36	03/07/26 15:51	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		03/06/26 11:36	03/07/26 15:51	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	146	S1+	70 - 130				03/06/26 11:36	03/07/26 15:51	1
1,4-Difluorobenzene (Surr)	89		70 - 130				03/06/26 11:36	03/07/26 15:51	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			03/07/26 15:51	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.8	U	49.8		mg/Kg			03/07/26 22:51	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.8	U	49.8		mg/Kg		03/04/26 17:31	03/07/26 22:51	1
Diesel Range Organics (Over C10-C28)	<49.8	U	49.8		mg/Kg		03/04/26 17:31	03/07/26 22:51	1
Oil Range Organics (Over C28-C36)	<49.8	U	49.8		mg/Kg		03/04/26 17:31	03/07/26 22:51	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	135	S1+	70 - 130				03/04/26 17:31	03/07/26 22:51	1
o-Terphenyl	156	S1+	70 - 130				03/04/26 17:31	03/07/26 22:51	1

Eurofins Carlsbad

Client Sample Results

Client: Standard Safety & Supply
 Project/Site: Corral Gorge Line Strike-9/2/2026

Job ID: 890-9591-1

Client Sample ID: V - 12

Lab Sample ID: 890-9591-34

Date Collected: 03/02/26 00:00

Matrix: Solid

Date Received: 03/03/26 16:33

Sample Depth: 0-6"

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	3960		50.1		mg/Kg			03/06/26 13:27	5

Client Sample ID: V - 12

Lab Sample ID: 890-9591-35

Date Collected: 03/02/26 00:00

Matrix: Solid

Date Received: 03/03/26 16:33

Sample Depth: 1-1.5

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00198	U	0.00198		mg/Kg		03/06/26 11:36	03/07/26 16:11	1
Toluene	<0.00198	U	0.00198		mg/Kg		03/06/26 11:36	03/07/26 16:11	1
Ethylbenzene	<0.00198	U	0.00198		mg/Kg		03/06/26 11:36	03/07/26 16:11	1
m-Xylene & p-Xylene	<0.00396	U	0.00396		mg/Kg		03/06/26 11:36	03/07/26 16:11	1
o-Xylene	<0.00198	U *	0.00198		mg/Kg		03/06/26 11:36	03/07/26 16:11	1
Xylenes, Total	<0.00396	U	0.00396		mg/Kg		03/06/26 11:36	03/07/26 16:11	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	146	S1+	70 - 130				03/06/26 11:36	03/07/26 16:11	1
1,4-Difluorobenzene (Surr)	92		70 - 130				03/06/26 11:36	03/07/26 16:11	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00396	U	0.00396		mg/Kg			03/07/26 16:11	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			03/07/26 23:06	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	49.9		mg/Kg		03/04/26 17:31	03/07/26 23:06	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		03/04/26 17:31	03/07/26 23:06	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		03/04/26 17:31	03/07/26 23:06	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	115		70 - 130				03/04/26 17:31	03/07/26 23:06	1
o-Terphenyl	138	S1+	70 - 130				03/04/26 17:31	03/07/26 23:06	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	3280		49.5		mg/Kg			03/06/26 13:32	5

Eurofins Carlsbad

Client Sample Results

Client: Standard Safety & Supply
 Project/Site: Corral Gorge Line Strike-9/2/2026

Job ID: 890-9591-1

Client Sample ID: H - 1

Lab Sample ID: 890-9591-36

Date Collected: 03/02/26 00:00

Matrix: Solid

Date Received: 03/03/26 16:33

Sample Depth: 0-6"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		03/06/26 11:36	03/07/26 16:32	1
Toluene	<0.00200	U	0.00200		mg/Kg		03/06/26 11:36	03/07/26 16:32	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		03/06/26 11:36	03/07/26 16:32	1
m-Xylene & p-Xylene	<0.00399	U	0.00399		mg/Kg		03/06/26 11:36	03/07/26 16:32	1
o-Xylene	<0.00200	U **	0.00200		mg/Kg		03/06/26 11:36	03/07/26 16:32	1
Xylenes, Total	<0.00399	U	0.00399		mg/Kg		03/06/26 11:36	03/07/26 16:32	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	139	S1+	70 - 130	03/06/26 11:36	03/07/26 16:32	1
1,4-Difluorobenzene (Surr)	92		70 - 130	03/06/26 11:36	03/07/26 16:32	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00399	U	0.00399		mg/Kg			03/07/26 16:32	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			03/07/26 23:20	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		03/04/26 17:31	03/07/26 23:20	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		03/04/26 17:31	03/07/26 23:20	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		03/04/26 17:31	03/07/26 23:20	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	116		70 - 130	03/04/26 17:31	03/07/26 23:20	1
o-Terphenyl	138	S1+	70 - 130	03/04/26 17:31	03/07/26 23:20	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	21.6		10.0		mg/Kg			03/06/26 13:37	1

Client Sample ID: H - 2

Lab Sample ID: 890-9591-37

Date Collected: 03/02/26 00:00

Matrix: Solid

Date Received: 03/03/26 16:33

Sample Depth: 0-6"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00201	U	0.00201		mg/Kg		03/06/26 11:36	03/07/26 16:52	1
Toluene	<0.00201	U	0.00201		mg/Kg		03/06/26 11:36	03/07/26 16:52	1
Ethylbenzene	<0.00201	U	0.00201		mg/Kg		03/06/26 11:36	03/07/26 16:52	1
m-Xylene & p-Xylene	<0.00402	U	0.00402		mg/Kg		03/06/26 11:36	03/07/26 16:52	1
o-Xylene	<0.00201	U **	0.00201		mg/Kg		03/06/26 11:36	03/07/26 16:52	1
Xylenes, Total	<0.00402	U	0.00402		mg/Kg		03/06/26 11:36	03/07/26 16:52	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	136	S1+	70 - 130	03/06/26 11:36	03/07/26 16:52	1

Eurofins Carlsbad

Client Sample Results

Client: Standard Safety & Supply
 Project/Site: Corral Gorge Line Strike-9/2/2026

Job ID: 890-9591-1

Client Sample ID: H - 2

Lab Sample ID: 890-9591-37

Date Collected: 03/02/26 00:00

Matrix: Solid

Date Received: 03/03/26 16:33

Sample Depth: 0-6"

Method: SW846 8021B - Volatile Organic Compounds (GC) (Continued)

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,4-Difluorobenzene (Surr)	94		70 - 130	03/06/26 11:36	03/07/26 16:52	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00402	U	0.00402		mg/Kg			03/07/26 16:52	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			03/07/26 23:35	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	49.9		mg/Kg		03/04/26 17:31	03/07/26 23:35	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		03/04/26 17:31	03/07/26 23:35	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		03/04/26 17:31	03/07/26 23:35	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	104		70 - 130	03/04/26 17:31	03/07/26 23:35	1
o-Terphenyl	124		70 - 130	03/04/26 17:31	03/07/26 23:35	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<10.1	U	10.1		mg/Kg			03/06/26 13:41	1

Client Sample ID: H - 3

Lab Sample ID: 890-9591-38

Date Collected: 03/02/26 00:00

Matrix: Solid

Date Received: 03/03/26 16:33

Sample Depth: 0-6"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00202	U	0.00202		mg/Kg		03/06/26 11:36	03/07/26 17:13	1
Toluene	<0.00202	U	0.00202		mg/Kg		03/06/26 11:36	03/07/26 17:13	1
Ethylbenzene	<0.00202	U	0.00202		mg/Kg		03/06/26 11:36	03/07/26 17:13	1
m-Xylene & p-Xylene	<0.00404	U	0.00404		mg/Kg		03/06/26 11:36	03/07/26 17:13	1
o-Xylene	<0.00202	U**	0.00202		mg/Kg		03/06/26 11:36	03/07/26 17:13	1
Xylenes, Total	<0.00404	U	0.00404		mg/Kg		03/06/26 11:36	03/07/26 17:13	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	118		70 - 130	03/06/26 11:36	03/07/26 17:13	1
1,4-Difluorobenzene (Surr)	83		70 - 130	03/06/26 11:36	03/07/26 17:13	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00404	U	0.00404		mg/Kg			03/07/26 17:13	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			03/07/26 23:49	1

Eurofins Carlsbad

Client Sample Results

Client: Standard Safety & Supply
 Project/Site: Corral Gorge Line Strike-9/2/2026

Job ID: 890-9591-1

Client Sample ID: H - 3

Lab Sample ID: 890-9591-38

Date Collected: 03/02/26 00:00

Matrix: Solid

Date Received: 03/03/26 16:33

Sample Depth: 0-6"

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		03/04/26 17:31	03/07/26 23:49	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		03/04/26 17:31	03/07/26 23:49	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		03/04/26 17:31	03/07/26 23:49	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	113		70 - 130				03/04/26 17:31	03/07/26 23:49	1
o-Terphenyl	133	S1+	70 - 130				03/04/26 17:31	03/07/26 23:49	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<9.90	U	9.90		mg/Kg			03/06/26 13:46	1

Client Sample ID: H - 4

Lab Sample ID: 890-9591-39

Date Collected: 03/02/26 00:00

Matrix: Solid

Date Received: 03/03/26 16:33

Sample Depth: 0-6"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		03/07/26 11:08	03/08/26 04:43	1
Toluene	<0.00200	U	0.00200		mg/Kg		03/07/26 11:08	03/08/26 04:43	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		03/07/26 11:08	03/08/26 04:43	1
m-Xylene & p-Xylene	<0.00399	U	0.00399		mg/Kg		03/07/26 11:08	03/08/26 04:43	1
o-Xylene	<0.00200	U *	0.00200		mg/Kg		03/07/26 11:08	03/08/26 04:43	1
Xylenes, Total	<0.00399	U	0.00399		mg/Kg		03/07/26 11:08	03/08/26 04:43	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	136	S1+	70 - 130				03/07/26 11:08	03/08/26 04:43	1
1,4-Difluorobenzene (Surr)	97		70 - 130				03/07/26 11:08	03/08/26 04:43	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00399	U	0.00399		mg/Kg			03/08/26 04:43	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.8	U	49.8		mg/Kg			03/08/26 00:19	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.8	U	49.8		mg/Kg		03/04/26 17:31	03/08/26 00:19	1
Diesel Range Organics (Over C10-C28)	<49.8	U	49.8		mg/Kg		03/04/26 17:31	03/08/26 00:19	1
Oil Range Organics (Over C28-C36)	<49.8	U	49.8		mg/Kg		03/04/26 17:31	03/08/26 00:19	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	118		70 - 130				03/04/26 17:31	03/08/26 00:19	1
o-Terphenyl	138	S1+	70 - 130				03/04/26 17:31	03/08/26 00:19	1

Eurofins Carlsbad

Client Sample Results

Client: Standard Safety & Supply
 Project/Site: Corral Gorge Line Strike-9/2/2026

Job ID: 890-9591-1

Client Sample ID: H - 4

Lab Sample ID: 890-9591-39

Date Collected: 03/02/26 00:00

Matrix: Solid

Date Received: 03/03/26 16:33

Sample Depth: 0-6"

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<10.1	U	10.1		mg/Kg			03/06/26 13:51	1

Client Sample ID: H - 5

Lab Sample ID: 890-9591-40

Date Collected: 03/02/26 00:00

Matrix: Solid

Date Received: 03/03/26 16:33

Sample Depth: 0-6"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		03/07/26 11:08	03/08/26 05:04	1
Toluene	<0.00199	U	0.00199		mg/Kg		03/07/26 11:08	03/08/26 05:04	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		03/07/26 11:08	03/08/26 05:04	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		03/07/26 11:08	03/08/26 05:04	1
o-Xylene	<0.00199	U *	0.00199		mg/Kg		03/07/26 11:08	03/08/26 05:04	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		03/07/26 11:08	03/08/26 05:04	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	129		70 - 130				03/07/26 11:08	03/08/26 05:04	1
1,4-Difluorobenzene (Surr)	94		70 - 130				03/07/26 11:08	03/08/26 05:04	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			03/08/26 05:04	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			03/08/26 00:34	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		03/04/26 17:31	03/08/26 00:34	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		03/04/26 17:31	03/08/26 00:34	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		03/04/26 17:31	03/08/26 00:34	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	106		70 - 130				03/04/26 17:31	03/08/26 00:34	1
o-Terphenyl	131	S1+	70 - 130				03/04/26 17:31	03/08/26 00:34	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	11.9		10.1		mg/Kg			03/06/26 13:56	1

Eurofins Carlsbad

Client Sample Results

Client: Standard Safety & Supply
 Project/Site: Corral Gorge Line Strike-9/2/2026

Job ID: 890-9591-1

Client Sample ID: H - 6

Lab Sample ID: 890-9591-41

Date Collected: 03/02/26 00:00

Matrix: Solid

Date Received: 03/03/26 16:33

Sample Depth: 0-6"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00198	U	0.00198		mg/Kg		03/06/26 12:13	03/07/26 06:05	1
Toluene	<0.00198	U	0.00198		mg/Kg		03/06/26 12:13	03/07/26 06:05	1
Ethylbenzene	<0.00198	U	0.00198		mg/Kg		03/06/26 12:13	03/07/26 06:05	1
m-Xylene & p-Xylene	<0.00396	U	0.00396		mg/Kg		03/06/26 12:13	03/07/26 06:05	1
o-Xylene	<0.00198	U	0.00198		mg/Kg		03/06/26 12:13	03/07/26 06:05	1
Xylenes, Total	<0.00396	U	0.00396		mg/Kg		03/06/26 12:13	03/07/26 06:05	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	133	S1+	70 - 130	03/06/26 12:13	03/07/26 06:05	1
1,4-Difluorobenzene (Surr)	95		70 - 130	03/06/26 12:13	03/07/26 06:05	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00396	U	0.00396		mg/Kg			03/07/26 06:05	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			03/08/26 00:50	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	49.9		mg/Kg		03/04/26 17:31	03/08/26 00:50	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		03/04/26 17:31	03/08/26 00:50	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		03/04/26 17:31	03/08/26 00:50	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	108		70 - 130	03/04/26 17:31	03/08/26 00:50	1
o-Terphenyl	126		70 - 130	03/04/26 17:31	03/08/26 00:50	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<10.1	U	10.1		mg/Kg			03/06/26 13:07	1

Client Sample ID: H - 7

Lab Sample ID: 890-9591-42

Date Collected: 03/02/26 00:00

Matrix: Solid

Date Received: 03/03/26 16:33

Sample Depth: 0-6"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		03/06/26 12:13	03/07/26 06:26	1
Toluene	<0.00200	U	0.00200		mg/Kg		03/06/26 12:13	03/07/26 06:26	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		03/06/26 12:13	03/07/26 06:26	1
m-Xylene & p-Xylene	<0.00400	U	0.00400		mg/Kg		03/06/26 12:13	03/07/26 06:26	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		03/06/26 12:13	03/07/26 06:26	1
Xylenes, Total	<0.00400	U	0.00400		mg/Kg		03/06/26 12:13	03/07/26 06:26	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	132	S1+	70 - 130	03/06/26 12:13	03/07/26 06:26	1

Eurofins Carlsbad

Client Sample Results

Client: Standard Safety & Supply
 Project/Site: Corral Gorge Line Strike-9/2/2026

Job ID: 890-9591-1

Client Sample ID: H - 7

Lab Sample ID: 890-9591-42

Date Collected: 03/02/26 00:00

Matrix: Solid

Date Received: 03/03/26 16:33

Sample Depth: 0-6"

Method: SW846 8021B - Volatile Organic Compounds (GC) (Continued)

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,4-Difluorobenzene (Surr)	94		70 - 130	03/06/26 12:13	03/07/26 06:26	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00400	U	0.00400		mg/Kg			03/07/26 06:26	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			03/08/26 01:04	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		03/04/26 17:31	03/08/26 01:04	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		03/04/26 17:31	03/08/26 01:04	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		03/04/26 17:31	03/08/26 01:04	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	107		70 - 130	03/04/26 17:31	03/08/26 01:04	1
o-Terphenyl	124		70 - 130	03/04/26 17:31	03/08/26 01:04	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	38.8		10.0		mg/Kg			03/06/26 13:13	1

Client Sample ID: H - 8

Lab Sample ID: 890-9591-43

Date Collected: 03/02/26 00:00

Matrix: Solid

Date Received: 03/03/26 16:33

Sample Depth: 0-6"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		03/06/26 12:13	03/07/26 06:46	1
Toluene	<0.00200	U	0.00200		mg/Kg		03/06/26 12:13	03/07/26 06:46	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		03/06/26 12:13	03/07/26 06:46	1
m-Xylene & p-Xylene	<0.00399	U	0.00399		mg/Kg		03/06/26 12:13	03/07/26 06:46	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		03/06/26 12:13	03/07/26 06:46	1
Xylenes, Total	<0.00399	U	0.00399		mg/Kg		03/06/26 12:13	03/07/26 06:46	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	126		70 - 130	03/06/26 12:13	03/07/26 06:46	1
1,4-Difluorobenzene (Surr)	95		70 - 130	03/06/26 12:13	03/07/26 06:46	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00399	U	0.00399		mg/Kg			03/07/26 06:46	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.8	U	49.8		mg/Kg			03/08/26 01:20	1

Eurofins Carlsbad

Client Sample Results

Client: Standard Safety & Supply
 Project/Site: Corral Gorge Line Strike-9/2/2026

Job ID: 890-9591-1

Client Sample ID: H - 8

Lab Sample ID: 890-9591-43

Date Collected: 03/02/26 00:00

Matrix: Solid

Date Received: 03/03/26 16:33

Sample Depth: 0-6"

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.8	U	49.8		mg/Kg		03/04/26 17:31	03/08/26 01:20	1
Diesel Range Organics (Over C10-C28)	<49.8	U	49.8		mg/Kg		03/04/26 17:31	03/08/26 01:20	1
Oil Range Organics (Over C28-C36)	<49.8	U	49.8		mg/Kg		03/04/26 17:31	03/08/26 01:20	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	111		70 - 130				03/04/26 17:31	03/08/26 01:20	1
o-Terphenyl	131	S1+	70 - 130				03/04/26 17:31	03/08/26 01:20	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<9.92	U	9.92		mg/Kg			03/06/26 13:20	1

Client Sample ID: H - 9

Lab Sample ID: 890-9591-44

Date Collected: 03/02/26 00:00

Matrix: Solid

Date Received: 03/03/26 16:33

Sample Depth: 0-6"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00198	U	0.00198		mg/Kg		03/07/26 09:20	03/08/26 16:04	1
Toluene	<0.00198	U	0.00198		mg/Kg		03/07/26 09:20	03/08/26 16:04	1
Ethylbenzene	<0.00198	U	0.00198		mg/Kg		03/07/26 09:20	03/08/26 16:04	1
m-Xylene & p-Xylene	<0.00396	U	0.00396		mg/Kg		03/07/26 09:20	03/08/26 16:04	1
o-Xylene	<0.00198	U *	0.00198		mg/Kg		03/07/26 09:20	03/08/26 16:04	1
Xylenes, Total	<0.00396	U	0.00396		mg/Kg		03/07/26 09:20	03/08/26 16:04	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	110		70 - 130				03/07/26 09:20	03/08/26 16:04	1
1,4-Difluorobenzene (Surr)	107		70 - 130				03/07/26 09:20	03/08/26 16:04	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00396	U	0.00396		mg/Kg			03/08/26 16:04	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			03/08/26 01:34	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	49.9		mg/Kg		03/04/26 17:31	03/08/26 01:34	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		03/04/26 17:31	03/08/26 01:34	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		03/04/26 17:31	03/08/26 01:34	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	99		70 - 130				03/04/26 17:31	03/08/26 01:34	1
o-Terphenyl	123		70 - 130				03/04/26 17:31	03/08/26 01:34	1

Eurofins Carlsbad

Client Sample Results

Client: Standard Safety & Supply
 Project/Site: Corral Gorge Line Strike-9/2/2026

Job ID: 890-9591-1

Client Sample ID: H - 9

Lab Sample ID: 890-9591-44

Date Collected: 03/02/26 00:00

Matrix: Solid

Date Received: 03/03/26 16:33

Sample Depth: 0-6"

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<9.94	U	9.94		mg/Kg			03/06/26 13:27	1

Client Sample ID: H - 10

Lab Sample ID: 890-9591-45

Date Collected: 03/02/26 00:00

Matrix: Solid

Date Received: 03/03/26 16:33

Sample Depth: 0-6"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		03/07/26 09:20	03/08/26 16:25	1
Toluene	<0.00200	U	0.00200		mg/Kg		03/07/26 09:20	03/08/26 16:25	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		03/07/26 09:20	03/08/26 16:25	1
m-Xylene & p-Xylene	<0.00399	U	0.00399		mg/Kg		03/07/26 09:20	03/08/26 16:25	1
o-Xylene	<0.00200	U *	0.00200		mg/Kg		03/07/26 09:20	03/08/26 16:25	1
Xylenes, Total	<0.00399	U	0.00399		mg/Kg		03/07/26 09:20	03/08/26 16:25	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	106		70 - 130				03/07/26 09:20	03/08/26 16:25	1
1,4-Difluorobenzene (Surr)	101		70 - 130				03/07/26 09:20	03/08/26 16:25	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00399	U	0.00399		mg/Kg			03/08/26 16:25	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			03/08/26 01:49	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		03/04/26 17:31	03/08/26 01:49	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		03/04/26 17:31	03/08/26 01:49	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		03/04/26 17:31	03/08/26 01:49	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	111		70 - 130				03/04/26 17:31	03/08/26 01:49	1
o-Terphenyl	131	S1+	70 - 130				03/04/26 17:31	03/08/26 01:49	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<10.1	U	10.1		mg/Kg			03/06/26 13:33	1

Client Sample Results

Client: Standard Safety & Supply
 Project/Site: Corral Gorge Line Strike-9/2/2026

Job ID: 890-9591-1

Client Sample ID: H - 11

Lab Sample ID: 890-9591-46

Date Collected: 03/02/26 00:00

Matrix: Solid

Date Received: 03/03/26 16:33

Sample Depth: 0-6"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00201	U	0.00201		mg/Kg		03/07/26 09:20	03/08/26 16:45	1
Toluene	<0.00201	U	0.00201		mg/Kg		03/07/26 09:20	03/08/26 16:45	1
Ethylbenzene	<0.00201	U	0.00201		mg/Kg		03/07/26 09:20	03/08/26 16:45	1
m-Xylene & p-Xylene	<0.00402	U	0.00402		mg/Kg		03/07/26 09:20	03/08/26 16:45	1
o-Xylene	<0.00201	U *	0.00201		mg/Kg		03/07/26 09:20	03/08/26 16:45	1
Xylenes, Total	<0.00402	U	0.00402		mg/Kg		03/07/26 09:20	03/08/26 16:45	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	105		70 - 130	03/07/26 09:20	03/08/26 16:45	1
1,4-Difluorobenzene (Surr)	109		70 - 130	03/07/26 09:20	03/08/26 16:45	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00402	U	0.00402		mg/Kg			03/08/26 16:45	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.8	U	49.8		mg/Kg			03/08/26 03:04	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.8	U	49.8		mg/Kg		03/04/26 17:31	03/08/26 03:04	1
Diesel Range Organics (Over C10-C28)	<49.8	U	49.8		mg/Kg		03/04/26 17:31	03/08/26 03:04	1
Oil Range Organics (Over C28-C36)	<49.8	U	49.8		mg/Kg		03/04/26 17:31	03/08/26 03:04	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	101		70 - 130	03/04/26 17:31	03/08/26 03:04	1
o-Terphenyl	120		70 - 130	03/04/26 17:31	03/08/26 03:04	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	12.3		10.0		mg/Kg			03/06/26 13:40	1

Client Sample ID: H - 12

Lab Sample ID: 890-9591-47

Date Collected: 03/02/26 00:00

Matrix: Solid

Date Received: 03/03/26 16:33

Sample Depth: 0-6"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00202	U	0.00202		mg/Kg		03/07/26 09:20	03/08/26 17:06	1
Toluene	<0.00202	U	0.00202		mg/Kg		03/07/26 09:20	03/08/26 17:06	1
Ethylbenzene	<0.00202	U	0.00202		mg/Kg		03/07/26 09:20	03/08/26 17:06	1
m-Xylene & p-Xylene	<0.00404	U	0.00404		mg/Kg		03/07/26 09:20	03/08/26 17:06	1
o-Xylene	<0.00202	U *	0.00202		mg/Kg		03/07/26 09:20	03/08/26 17:06	1
Xylenes, Total	<0.00404	U	0.00404		mg/Kg		03/07/26 09:20	03/08/26 17:06	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	97		70 - 130	03/07/26 09:20	03/08/26 17:06	1

Eurofins Carlsbad

Client Sample Results

Client: Standard Safety & Supply
 Project/Site: Corral Gorge Line Strike-9/2/2026

Job ID: 890-9591-1

Client Sample ID: H - 12

Lab Sample ID: 890-9591-47

Date Collected: 03/02/26 00:00

Matrix: Solid

Date Received: 03/03/26 16:33

Sample Depth: 0-6"

Method: SW846 8021B - Volatile Organic Compounds (GC) (Continued)

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,4-Difluorobenzene (Surr)	108		70 - 130	03/07/26 09:20	03/08/26 17:06	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00404	U	0.00404		mg/Kg			03/08/26 17:06	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.8	U	49.8		mg/Kg			03/08/26 03:19	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.8	U	49.8		mg/Kg		03/04/26 17:31	03/08/26 03:19	1
Diesel Range Organics (Over C10-C28)	<49.8	U	49.8		mg/Kg		03/04/26 17:31	03/08/26 03:19	1
Oil Range Organics (Over C28-C36)	<49.8	U	49.8		mg/Kg		03/04/26 17:31	03/08/26 03:19	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	106		70 - 130	03/04/26 17:31	03/08/26 03:19	1
o-Terphenyl	124		70 - 130	03/04/26 17:31	03/08/26 03:19	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	54.5		9.90		mg/Kg			03/06/26 13:47	1

Surrogate Summary

Client: Standard Safety & Supply
 Project/Site: Corral Gorge Line Strike-9/2/2026

Job ID: 890-9591-1

Method: 8021B - Volatile Organic Compounds (GC)

Matrix: Solid

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)	
		BFB1 (70-130)	DFBZ1 (70-130)
880-67886-A-26-A MB	Method Blank	119	96
890-9591-1	V - 1	92	88
890-9591-1 MS	V - 1	100	98
890-9591-1 MSD	V - 1	81	93
890-9591-2	V - 1	84	113
890-9591-3	V - 2	76	92
890-9591-4	V - 2	102	89
890-9591-5	V - 2	93	96
890-9591-6	V - 2	100	93
890-9591-7	V - 3	100	94
890-9591-8	V - 3	95	96
890-9591-9	V - 3	96	96
890-9591-10	V - 3	99	94
890-9591-11	V - 4	104	91
890-9591-12	V - 4	95	103
890-9591-13	V - 4	87	94
890-9591-14	V - 5	98	94
890-9591-15	V - 5	88	97
890-9591-16	V - 6	98	95
890-9591-17	V - 6	77	107
890-9591-18	V - 7	107	92
890-9591-19	V - 7	101	94
890-9591-20	V - 7	97	97
890-9591-21	V - 8	135 S1+	94
890-9591-21 MS	V - 8	128	94
890-9591-21 MSD	V - 8	117	91
890-9591-22	V - 8	125	93
890-9591-23	V - 9	141 S1+	91
890-9591-24	V - 9	132 S1+	93
890-9591-25	V - 9	136 S1+	94
890-9591-26	V - 10	148 S1+	92
890-9591-27	V - 10	136 S1+	84
890-9591-28	V - 10	129	95
890-9591-29	V - 11	132 S1+	97
890-9591-30	V - 11	137 S1+	89
890-9591-31	V - 11	143 S1+	97
890-9591-32	V - 11	138 S1+	95
890-9591-33	V - 11	124	97
890-9591-34	V - 12	146 S1+	89
890-9591-35	V - 12	146 S1+	92
890-9591-36	H - 1	139 S1+	92
890-9591-37	H - 2	136 S1+	94
890-9591-38	H - 3	118	83
890-9591-39	H - 4	136 S1+	97
890-9591-40	H - 5	129	94
890-9591-41	H - 6	133 S1+	95
890-9591-42	H - 7	132 S1+	94
890-9591-43	H - 8	126	95
890-9591-44	H - 9	110	107

Eurofins Carlsbad

Surrogate Summary

Client: Standard Safety & Supply

Job ID: 890-9591-1

Project/Site: Corral Gorge Line Strike-9/2/2026

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Matrix: Solid

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)	
		BFB1 (70-130)	DFBZ1 (70-130)
890-9591-45	H - 10	106	101
890-9591-46	H - 11	105	109
890-9591-47	H - 12	97	108
LCS 880-134073/1-A	Lab Control Sample	135 S1+	89
LCS 880-134079/1-A	Lab Control Sample	93	95
LCS 880-134081/1-A	Lab Control Sample	125	89
LCS 880-134086/1-A	Lab Control Sample	118	95
LCS 880-134183/1-A	Lab Control Sample	71	94
LCSD 880-134073/2-A	Lab Control Sample Dup	129	86
LCSD 880-134079/2-A	Lab Control Sample Dup	97	98
LCSD 880-134081/2-A	Lab Control Sample Dup	141 S1+	92
LCSD 880-134086/2-A	Lab Control Sample Dup	117	97
LCSD 880-134183/2-A	Lab Control Sample Dup	107	98
MB 880-133831/5-A	Method Blank	127	94
MB 880-134073/5-A	Method Blank	141 S1+	87
MB 880-134078/5-A	Method Blank	97	86
MB 880-134079/5-A	Method Blank	98	92
MB 880-134081/5-A	Method Blank	126	85
MB 880-134086/5-A	Method Blank	115	91
MB 880-134183/5-A	Method Blank	100	96

Surrogate Legend

BFB = 4-Bromofluorobenzene (Surr)

DFBZ = 1,4-Difluorobenzene (Surr)

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Matrix: Solid

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)	
		1CO1 (70-130)	OTPH1 (70-130)
890-9591-1	V - 1	116	127
890-9591-2	V - 1	235 S1+	239 S1+
890-9591-3	V - 2	128	143 S1+
890-9591-4	V - 2	119	129
890-9591-5	V - 2	111	120
890-9591-6	V - 2	113	121
890-9591-7	V - 3	167 S1+	167 S1+
890-9591-8	V - 3	118	131 S1+
890-9591-9	V - 3	111	130
890-9591-9 MS	V - 3	134 S1+	123
890-9591-9 MSD	V - 3	97	119
890-9591-10	V - 3	121	143 S1+
890-9591-11	V - 4	105	132 S1+
890-9591-12	V - 4	111	130
890-9591-13	V - 4	114	133 S1+
890-9591-14	V - 5	102	113
890-9591-15	V - 5	111	128
890-9591-16	V - 6	113	129
890-9591-17	V - 6	105	121
890-9591-18	V - 7	108	120

Eurofins Carlsbad

Surrogate Summary

Client: Standard Safety & Supply
 Project/Site: Corral Gorge Line Strike-9/2/2026

Job ID: 890-9591-1

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Matrix: Solid

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)	
		1CO1 (70-130)	OTPH1 (70-130)
890-9591-19	V - 7	107	122
890-9591-20	V - 7	112	126
890-9591-21	V - 8	94	114
890-9591-22	V - 8	76	86
890-9591-23	V - 9	232 S1+	262 S1+
890-9591-24	V - 9	101	121
890-9591-25	V - 9	101	122
890-9591-26	V - 10	106	120
890-9591-27	V - 10	110	129
890-9591-28	V - 10	105	118
890-9591-29	V - 11	109	131 S1+
890-9591-29 MS	V - 11	89	116
890-9591-29 MSD	V - 11	91	120
890-9591-30	V - 11	121	145 S1+
890-9591-31	V - 11	113	140 S1+
890-9591-32	V - 11	121	152 S1+
890-9591-33	V - 11	116	147 S1+
890-9591-34	V - 12	135 S1+	156 S1+
890-9591-35	V - 12	115	138 S1+
890-9591-36	H - 1	116	138 S1+
890-9591-37	H - 2	104	124
890-9591-38	H - 3	113	133 S1+
890-9591-39	H - 4	118	138 S1+
890-9591-40	H - 5	106	131 S1+
890-9591-41	H - 6	108	126
890-9591-42	H - 7	107	124
890-9591-43	H - 8	111	131 S1+
890-9591-44	H - 9	99	123
890-9591-45	H - 10	111	131 S1+
890-9591-46	H - 11	101	120
890-9591-47	H - 12	106	124
LCS 880-133881/2-A	Lab Control Sample	100	100
LCS 880-133882/2-A	Lab Control Sample	105	118
LCS 880-133883/2-A	Lab Control Sample	148 S1+	134 S1+
LCSD 880-133881/3-A	Lab Control Sample Dup	102	103
LCSD 880-133882/3-A	Lab Control Sample Dup	101	116
LCSD 880-133883/3-A	Lab Control Sample Dup	104	119
MB 880-133881/1-A	Method Blank	121	122
MB 880-133882/1-A	Method Blank	109	122
MB 880-133883/1-A	Method Blank	81	88

Surrogate Legend

1CO = 1-Chlorooctane
 OTPH = o-Terphenyl

QC Sample Results

Client: Standard Safety & Supply
 Project/Site: Corral Gorge Line Strike-9/2/2026

Job ID: 890-9591-1

Method: 8021B - Volatile Organic Compounds (GC)

Lab Sample ID: 880-67886-A-26-A MB
 Matrix: Solid
 Analysis Batch: 134028

Client Sample ID: Method Blank
 Prep Type: Total/NA
 Prep Batch: 133830

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Benzene	<0.00200	U	0.00200		mg/Kg		03/04/26 13:14	03/06/26 19:49	1
Toluene	<0.00200	U	0.00200		mg/Kg		03/04/26 13:14	03/06/26 19:49	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		03/04/26 13:14	03/06/26 19:49	1
m-Xylene & p-Xylene	<0.00400	U	0.00400		mg/Kg		03/04/26 13:14	03/06/26 19:49	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		03/04/26 13:14	03/06/26 19:49	1
Xylenes, Total	<0.00400	U	0.00400		mg/Kg		03/04/26 13:14	03/06/26 19:49	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	119		70 - 130				03/04/26 13:14	03/06/26 19:49	1
1,4-Difluorobenzene (Surr)	96		70 - 130				03/04/26 13:14	03/06/26 19:49	1

Lab Sample ID: MB 880-133831/5-A
 Matrix: Solid
 Analysis Batch: 134029

Client Sample ID: Method Blank
 Prep Type: Total/NA
 Prep Batch: 133831

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Benzene	<0.00200	U	0.00200		mg/Kg		03/04/26 13:23	03/06/26 22:52	1
Toluene	<0.00200	U	0.00200		mg/Kg		03/04/26 13:23	03/06/26 22:52	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		03/04/26 13:23	03/06/26 22:52	1
m-Xylene & p-Xylene	<0.00400	U	0.00400		mg/Kg		03/04/26 13:23	03/06/26 22:52	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		03/04/26 13:23	03/06/26 22:52	1
Xylenes, Total	<0.00400	U	0.00400		mg/Kg		03/04/26 13:23	03/06/26 22:52	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	127		70 - 130				03/04/26 13:23	03/06/26 22:52	1
1,4-Difluorobenzene (Surr)	94		70 - 130				03/04/26 13:23	03/06/26 22:52	1

Lab Sample ID: MB 880-134073/5-A
 Matrix: Solid
 Analysis Batch: 134135

Client Sample ID: Method Blank
 Prep Type: Total/NA
 Prep Batch: 134073

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Benzene	<0.00200	U	0.00200		mg/Kg		03/06/26 11:08	03/07/26 21:21	1
Toluene	<0.00200	U	0.00200		mg/Kg		03/06/26 11:08	03/07/26 21:21	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		03/06/26 11:08	03/07/26 21:21	1
m-Xylene & p-Xylene	<0.00400	U	0.00400		mg/Kg		03/06/26 11:08	03/07/26 21:21	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		03/06/26 11:08	03/07/26 21:21	1
Xylenes, Total	<0.00400	U	0.00400		mg/Kg		03/06/26 11:08	03/07/26 21:21	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	141	S1+	70 - 130				03/06/26 11:08	03/07/26 21:21	1
1,4-Difluorobenzene (Surr)	87		70 - 130				03/06/26 11:08	03/07/26 21:21	1

Eurofins Carlsbad

QC Sample Results

Client: Standard Safety & Supply
 Project/Site: Corral Gorge Line Strike-9/2/2026

Job ID: 890-9591-1

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: LCS 880-134073/1-A
 Matrix: Solid
 Analysis Batch: 134135

Client Sample ID: Lab Control Sample
 Prep Type: Total/NA
 Prep Batch: 134073

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	0.100	0.1103		mg/Kg		110	70 - 130
Toluene	0.100	0.1089		mg/Kg		109	70 - 130
Ethylbenzene	0.100	0.1113		mg/Kg		111	70 - 130
m-Xylene & p-Xylene	0.200	0.2563		mg/Kg		128	70 - 130
o-Xylene	0.100	0.1338	*+	mg/Kg		134	70 - 130

Surrogate	LCS LCS		Limits
	%Recovery	Qualifier	
4-Bromofluorobenzene (Surr)	135	S1+	70 - 130
1,4-Difluorobenzene (Surr)	89		70 - 130

Lab Sample ID: LCSD 880-134073/2-A
 Matrix: Solid
 Analysis Batch: 134135

Client Sample ID: Lab Control Sample Dup
 Prep Type: Total/NA
 Prep Batch: 134073

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	
								RPD	Limit
Benzene	0.100	0.1049		mg/Kg		105	70 - 130	5	35
Toluene	0.100	0.1088		mg/Kg		109	70 - 130	0	35
Ethylbenzene	0.100	0.1038		mg/Kg		104	70 - 130	7	35
m-Xylene & p-Xylene	0.200	0.2430		mg/Kg		121	70 - 130	5	35
o-Xylene	0.100	0.1267		mg/Kg		127	70 - 130	6	35

Surrogate	LCSD LCSD		Limits
	%Recovery	Qualifier	
4-Bromofluorobenzene (Surr)	129		70 - 130
1,4-Difluorobenzene (Surr)	86		70 - 130

Lab Sample ID: MB 880-134078/5-A
 Matrix: Solid
 Analysis Batch: 134134

Client Sample ID: Method Blank
 Prep Type: Total/NA
 Prep Batch: 134078

Analyte	MB MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Benzene	<0.00200	U	0.00200		mg/Kg		03/06/26 11:26	03/07/26 21:30	1
Toluene	<0.00200	U	0.00200		mg/Kg		03/06/26 11:26	03/07/26 21:30	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		03/06/26 11:26	03/07/26 21:30	1
m-Xylene & p-Xylene	<0.00400	U	0.00400		mg/Kg		03/06/26 11:26	03/07/26 21:30	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		03/06/26 11:26	03/07/26 21:30	1
Xylenes, Total	<0.00400	U	0.00400		mg/Kg		03/06/26 11:26	03/07/26 21:30	1

Surrogate	MB MB		Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
4-Bromofluorobenzene (Surr)	97		70 - 130	03/06/26 11:26	03/07/26 21:30	1
1,4-Difluorobenzene (Surr)	86		70 - 130	03/06/26 11:26	03/07/26 21:30	1

Lab Sample ID: MB 880-134079/5-A
 Matrix: Solid
 Analysis Batch: 134134

Client Sample ID: Method Blank
 Prep Type: Total/NA
 Prep Batch: 134079

Analyte	MB MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Benzene	<0.00200	U	0.00200		mg/Kg		03/06/26 11:30	03/08/26 09:34	1
Toluene	<0.00200	U	0.00200		mg/Kg		03/06/26 11:30	03/08/26 09:34	1

Eurofins Carlsbad

QC Sample Results

Client: Standard Safety & Supply
 Project/Site: Corral Gorge Line Strike-9/2/2026

Job ID: 890-9591-1

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: MB 880-134079/5-A

Client Sample ID: Method Blank

Matrix: Solid

Prep Type: Total/NA

Analysis Batch: 134134

Prep Batch: 134079

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		03/06/26 11:30	03/08/26 09:34	1
m-Xylene & p-Xylene	<0.00400	U	0.00400		mg/Kg		03/06/26 11:30	03/08/26 09:34	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		03/06/26 11:30	03/08/26 09:34	1
Xylenes, Total	<0.00400	U	0.00400		mg/Kg		03/06/26 11:30	03/08/26 09:34	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	98		70 - 130	03/06/26 11:30	03/08/26 09:34	1
1,4-Difluorobenzene (Surr)	92		70 - 130	03/06/26 11:30	03/08/26 09:34	1

Lab Sample ID: LCS 880-134079/1-A

Client Sample ID: Lab Control Sample

Matrix: Solid

Prep Type: Total/NA

Analysis Batch: 134134

Prep Batch: 134079

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	0.100	0.08929		mg/Kg		89	70 - 130
Toluene	0.100	0.09430		mg/Kg		94	70 - 130
Ethylbenzene	0.100	0.08349		mg/Kg		83	70 - 130
m-Xylene & p-Xylene	0.200	0.1690		mg/Kg		85	70 - 130
o-Xylene	0.100	0.08180		mg/Kg		82	70 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
4-Bromofluorobenzene (Surr)	93		70 - 130
1,4-Difluorobenzene (Surr)	95		70 - 130

Lab Sample ID: LCSD 880-134079/2-A

Client Sample ID: Lab Control Sample Dup

Matrix: Solid

Prep Type: Total/NA

Analysis Batch: 134134

Prep Batch: 134079

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Benzene	0.100	0.09363		mg/Kg		94	70 - 130	5	35
Toluene	0.100	0.09741		mg/Kg		97	70 - 130	3	35
Ethylbenzene	0.100	0.08669		mg/Kg		87	70 - 130	4	35
m-Xylene & p-Xylene	0.200	0.1748		mg/Kg		87	70 - 130	3	35
o-Xylene	0.100	0.08526		mg/Kg		85	70 - 130	4	35

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
4-Bromofluorobenzene (Surr)	97		70 - 130
1,4-Difluorobenzene (Surr)	98		70 - 130

Lab Sample ID: 890-9591-1 MS

Client Sample ID: V - 1

Matrix: Solid

Prep Type: Total/NA

Analysis Batch: 134134

Prep Batch: 134079

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	<0.00200	U	0.100	0.08700		mg/Kg		87	70 - 130
Toluene	<0.00200	U	0.100	0.09408		mg/Kg		94	70 - 130
Ethylbenzene	<0.00200	U F2 F1	0.100	0.08588		mg/Kg		86	70 - 130
m-Xylene & p-Xylene	<0.00400	U F2 F1	0.200	0.1739		mg/Kg		87	70 - 130

Eurofins Carlsbad

QC Sample Results

Client: Standard Safety & Supply
 Project/Site: Corral Gorge Line Strike-9/2/2026

Job ID: 890-9591-1

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: 890-9591-1 MS
Matrix: Solid
Analysis Batch: 134134

Client Sample ID: V - 1
Prep Type: Total/NA
Prep Batch: 134079

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
o-Xylene	<0.00200	U F2 F1	0.100	0.08388		mg/Kg		84	70 - 130
Surrogate									
	%Recovery	MS Qualifier	MS Limits						
4-Bromofluorobenzene (Surr)	100		70 - 130						
1,4-Difluorobenzene (Surr)	98		70 - 130						

Lab Sample ID: 890-9591-1 MSD
Matrix: Solid
Analysis Batch: 134134

Client Sample ID: V - 1
Prep Type: Total/NA
Prep Batch: 134079

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	Limit
Benzene	<0.00200	U	0.100	0.07091		mg/Kg		71	70 - 130	20	35
Toluene	<0.00200	U	0.100	0.06953		mg/Kg		70	70 - 130	30	35
Ethylbenzene	<0.00200	U F2 F1	0.100	0.05976	F2 F1	mg/Kg		60	70 - 130	36	35
m-Xylene & p-Xylene	<0.00400	U F2 F1	0.200	0.1095	F2 F1	mg/Kg		55	70 - 130	45	35
o-Xylene	<0.00200	U F2 F1	0.100	0.05327	F2 F1	mg/Kg		53	70 - 130	45	35
Surrogate											
	%Recovery	MSD Qualifier	MSD Limits								
4-Bromofluorobenzene (Surr)	81		70 - 130								
1,4-Difluorobenzene (Surr)	93		70 - 130								

Lab Sample ID: MB 880-134081/5-A
Matrix: Solid
Analysis Batch: 134029

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 134081

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		03/06/26 11:36	03/07/26 09:50	1
Toluene	<0.00200	U	0.00200		mg/Kg		03/06/26 11:36	03/07/26 09:50	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		03/06/26 11:36	03/07/26 09:50	1
m-Xylene & p-Xylene	<0.00400	U	0.00400		mg/Kg		03/06/26 11:36	03/07/26 09:50	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		03/06/26 11:36	03/07/26 09:50	1
Xylenes, Total	<0.00400	U	0.00400		mg/Kg		03/06/26 11:36	03/07/26 09:50	1
Surrogate									
	%Recovery	MB Qualifier	MB Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	126		70 - 130				03/06/26 11:36	03/07/26 09:50	1
1,4-Difluorobenzene (Surr)	85		70 - 130				03/06/26 11:36	03/07/26 09:50	1

Lab Sample ID: LCS 880-134081/1-A
Matrix: Solid
Analysis Batch: 134029

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 134081

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	0.100	0.1063		mg/Kg		106	70 - 130
Toluene	0.100	0.1043		mg/Kg		104	70 - 130
Ethylbenzene	0.100	0.1036		mg/Kg		104	70 - 130
m-Xylene & p-Xylene	0.200	0.2354		mg/Kg		118	70 - 130
o-Xylene	0.100	0.1233		mg/Kg		123	70 - 130

Eurofins Carlsbad

QC Sample Results

Client: Standard Safety & Supply
 Project/Site: Corral Gorge Line Strike-9/2/2026

Job ID: 890-9591-1

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: LCS 880-134081/1-A

Matrix: Solid

Analysis Batch: 134029

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 134081

Surrogate	LCS %Recovery	LCS Qualifier	Limits
4-Bromofluorobenzene (Surr)	125		70 - 130
1,4-Difluorobenzene (Surr)	89		70 - 130

Lab Sample ID: LCSD 880-134081/2-A

Matrix: Solid

Analysis Batch: 134029

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 134081

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Benzene	0.100	0.1131		mg/Kg		113	70 - 130	6	35
Toluene	0.100	0.1103		mg/Kg		110	70 - 130	6	35
Ethylbenzene	0.100	0.1094		mg/Kg		109	70 - 130	5	35
m-Xylene & p-Xylene	0.200	0.2544		mg/Kg		127	70 - 130	8	35
o-Xylene	0.100	0.1323	*+	mg/Kg		132	70 - 130	7	35

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
4-Bromofluorobenzene (Surr)	141	S1+	70 - 130
1,4-Difluorobenzene (Surr)	92		70 - 130

Lab Sample ID: 890-9591-21 MS

Matrix: Solid

Analysis Batch: 134029

Client Sample ID: V - 8

Prep Type: Total/NA

Prep Batch: 134081

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	<0.00200	U	0.100	0.1003		mg/Kg		100	70 - 130
Toluene	<0.00200	U	0.100	0.09563		mg/Kg		96	70 - 130
Ethylbenzene	<0.00200	U	0.100	0.09500		mg/Kg		95	70 - 130
m-Xylene & p-Xylene	<0.00399	U	0.200	0.2170		mg/Kg		109	70 - 130
o-Xylene	<0.00200	U *	0.100	0.1105		mg/Kg		111	70 - 130

Surrogate	MS %Recovery	MS Qualifier	Limits
4-Bromofluorobenzene (Surr)	128		70 - 130
1,4-Difluorobenzene (Surr)	94		70 - 130

Lab Sample ID: 890-9591-21 MSD

Matrix: Solid

Analysis Batch: 134029

Client Sample ID: V - 8

Prep Type: Total/NA

Prep Batch: 134081

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Benzene	<0.00200	U	0.100	0.09485		mg/Kg		95	70 - 130	6	35
Toluene	<0.00200	U	0.100	0.09124		mg/Kg		91	70 - 130	5	35
Ethylbenzene	<0.00200	U	0.100	0.09001		mg/Kg		90	70 - 130	5	35
m-Xylene & p-Xylene	<0.00399	U	0.200	0.2026		mg/Kg		101	70 - 130	7	35
o-Xylene	<0.00200	U *	0.100	0.1031		mg/Kg		103	70 - 130	7	35

Surrogate	MSD %Recovery	MSD Qualifier	Limits
4-Bromofluorobenzene (Surr)	117		70 - 130
1,4-Difluorobenzene (Surr)	91		70 - 130

Eurofins Carlsbad

QC Sample Results

Client: Standard Safety & Supply
 Project/Site: Corral Gorge Line Strike-9/2/2026

Job ID: 890-9591-1

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: MB 880-134086/5-A
 Matrix: Solid
 Analysis Batch: 134028

Client Sample ID: Method Blank
 Prep Type: Total/NA
 Prep Batch: 134086

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		03/06/26 12:13	03/07/26 01:16	1
Toluene	<0.00200	U	0.00200		mg/Kg		03/06/26 12:13	03/07/26 01:16	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		03/06/26 12:13	03/07/26 01:16	1
m-Xylene & p-Xylene	<0.00400	U	0.00400		mg/Kg		03/06/26 12:13	03/07/26 01:16	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		03/06/26 12:13	03/07/26 01:16	1
Xylenes, Total	<0.00400	U	0.00400		mg/Kg		03/06/26 12:13	03/07/26 01:16	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	115		70 - 130	03/06/26 12:13	03/07/26 01:16	1
1,4-Difluorobenzene (Surr)	91		70 - 130	03/06/26 12:13	03/07/26 01:16	1

Lab Sample ID: LCS 880-134086/1-A
 Matrix: Solid
 Analysis Batch: 134028

Client Sample ID: Lab Control Sample
 Prep Type: Total/NA
 Prep Batch: 134086

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	0.100	0.09400		mg/Kg		94	70 - 130
Toluene	0.100	0.08830		mg/Kg		88	70 - 130
Ethylbenzene	0.100	0.09856		mg/Kg		99	70 - 130
m-Xylene & p-Xylene	0.200	0.2047		mg/Kg		102	70 - 130
o-Xylene	0.100	0.1035		mg/Kg		103	70 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
4-Bromofluorobenzene (Surr)	118		70 - 130
1,4-Difluorobenzene (Surr)	95		70 - 130

Lab Sample ID: LCSD 880-134086/2-A
 Matrix: Solid
 Analysis Batch: 134028

Client Sample ID: Lab Control Sample Dup
 Prep Type: Total/NA
 Prep Batch: 134086

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Benzene	0.100	0.09663		mg/Kg		97	70 - 130	3	35
Toluene	0.100	0.08805		mg/Kg		88	70 - 130	0	35
Ethylbenzene	0.100	0.09640		mg/Kg		96	70 - 130	2	35
m-Xylene & p-Xylene	0.200	0.1976		mg/Kg		99	70 - 130	4	35
o-Xylene	0.100	0.09953		mg/Kg		100	70 - 130	4	35

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
4-Bromofluorobenzene (Surr)	117		70 - 130
1,4-Difluorobenzene (Surr)	97		70 - 130

Lab Sample ID: MB 880-134183/5-A
 Matrix: Solid
 Analysis Batch: 134136

Client Sample ID: Method Blank
 Prep Type: Total/NA
 Prep Batch: 134183

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		03/07/26 09:20	03/08/26 10:31	1
Toluene	<0.00200	U	0.00200		mg/Kg		03/07/26 09:20	03/08/26 10:31	1

Eurofins Carlsbad

QC Sample Results

Client: Standard Safety & Supply
 Project/Site: Corral Gorge Line Strike-9/2/2026

Job ID: 890-9591-1

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: MB 880-134183/5-A
 Matrix: Solid
 Analysis Batch: 134136

Client Sample ID: Method Blank
 Prep Type: Total/NA
 Prep Batch: 134183

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		03/07/26 09:20	03/08/26 10:31	1
m-Xylene & p-Xylene	<0.00400	U	0.00400		mg/Kg		03/07/26 09:20	03/08/26 10:31	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		03/07/26 09:20	03/08/26 10:31	1
Xylenes, Total	<0.00400	U	0.00400		mg/Kg		03/07/26 09:20	03/08/26 10:31	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	100		70 - 130	03/07/26 09:20	03/08/26 10:31	1
1,4-Difluorobenzene (Surr)	96		70 - 130	03/07/26 09:20	03/08/26 10:31	1

Lab Sample ID: LCS 880-134183/1-A
 Matrix: Solid
 Analysis Batch: 134136

Client Sample ID: Lab Control Sample
 Prep Type: Total/NA
 Prep Batch: 134183

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	0.100	0.08336		mg/Kg		83	70 - 130
Toluene	0.100	0.08871		mg/Kg		89	70 - 130
Ethylbenzene	0.100	0.07798		mg/Kg		78	70 - 130
m-Xylene & p-Xylene	0.200	0.1415		mg/Kg		71	70 - 130
o-Xylene	0.100	0.06943	*-	mg/Kg		69	70 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
4-Bromofluorobenzene (Surr)	71		70 - 130
1,4-Difluorobenzene (Surr)	94		70 - 130

Lab Sample ID: LCSD 880-134183/2-A
 Matrix: Solid
 Analysis Batch: 134136

Client Sample ID: Lab Control Sample Dup
 Prep Type: Total/NA
 Prep Batch: 134183

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Benzene	0.100	0.09565		mg/Kg		96	70 - 130	14	35
Toluene	0.100	0.09483		mg/Kg		95	70 - 130	7	35
Ethylbenzene	0.100	0.08488		mg/Kg		85	70 - 130	8	35
m-Xylene & p-Xylene	0.200	0.1637		mg/Kg		82	70 - 130	15	35
o-Xylene	0.100	0.08160		mg/Kg		82	70 - 130	16	35

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
4-Bromofluorobenzene (Surr)	107		70 - 130
1,4-Difluorobenzene (Surr)	98		70 - 130

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Lab Sample ID: MB 880-133881/1-A
 Matrix: Solid
 Analysis Batch: 134127

Client Sample ID: Method Blank
 Prep Type: Total/NA
 Prep Batch: 133881

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		03/04/26 17:26	03/08/26 04:33	1

Eurofins Carlsbad

QC Sample Results

Client: Standard Safety & Supply
 Project/Site: Corral Gorge Line Strike-9/2/2026

Job ID: 890-9591-1

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Lab Sample ID: MB 880-133881/1-A
Matrix: Solid
Analysis Batch: 134127

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 133881

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		03/04/26 17:26	03/08/26 04:33	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		03/04/26 17:26	03/08/26 04:33	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac	
1-Chlorooctane	121		70 - 130			03/04/26 17:26	03/08/26 04:33	1	
o-Terphenyl	122		70 - 130			03/04/26 17:26	03/08/26 04:33	1	

Lab Sample ID: LCS 880-133881/2-A
Matrix: Solid
Analysis Batch: 134127

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 133881

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Diesel Range Organics (Over C10-C28)	1000	1013		mg/Kg		101	70 - 130
Surrogate	%Recovery	Qualifier	Limits			%Rec	Limits
1-Chlorooctane	100		70 - 130				
o-Terphenyl	100		70 - 130				

Lab Sample ID: LCSD 880-133881/3-A
Matrix: Solid
Analysis Batch: 134127

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: 133881

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	
								RPD	Limit
Gasoline Range Organics (GRO)-C6-C10	1000	1113		mg/Kg		111	70 - 130	3	20
Diesel Range Organics (Over C10-C28)	1000	1066		mg/Kg		107	70 - 130	5	20
Surrogate	%Recovery	Qualifier	Limits			%Rec	Limits	RPD	Limit
1-Chlorooctane	102		70 - 130						
o-Terphenyl	103		70 - 130						

Lab Sample ID: MB 880-133882/1-A
Matrix: Solid
Analysis Batch: 134125

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 133882

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		03/04/26 17:28	03/08/26 04:33	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		03/04/26 17:28	03/08/26 04:33	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		03/04/26 17:28	03/08/26 04:33	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac	
1-Chlorooctane	109		70 - 130			03/04/26 17:28	03/08/26 04:33	1	

Eurofins Carlsbad

QC Sample Results

Client: Standard Safety & Supply
 Project/Site: Corral Gorge Line Strike-9/2/2026

Job ID: 890-9591-1

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Lab Sample ID: MB 880-133882/1-A
Matrix: Solid
Analysis Batch: 134125

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 133882

Surrogate	MB MB		Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
<i>o</i> -Terphenyl	122		70 - 130	03/04/26 17:28	03/08/26 04:33	1

Lab Sample ID: LCS 880-133882/2-A
Matrix: Solid
Analysis Batch: 134125

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 133882

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Gasoline Range Organics (GRO)-C6-C10	1000	969.7		mg/Kg		97	70 - 130
Diesel Range Organics (Over C10-C28)	1000	961.5		mg/Kg		96	70 - 130

Surrogate	LCS LCS		Limits
	%Recovery	Qualifier	
<i>1</i> -Chlorooctane	105		70 - 130
<i>o</i> -Terphenyl	118		70 - 130

Lab Sample ID: LCSD 880-133882/3-A
Matrix: Solid
Analysis Batch: 134125

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: 133882

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	
								RPD	Limit
Gasoline Range Organics (GRO)-C6-C10	1000	960.8		mg/Kg		96	70 - 130	1	20
Diesel Range Organics (Over C10-C28)	1000	941.9		mg/Kg		94	70 - 130	2	20

Surrogate	LCSD LCSD		Limits
	%Recovery	Qualifier	
<i>1</i> -Chlorooctane	101		70 - 130
<i>o</i> -Terphenyl	116		70 - 130

Lab Sample ID: 890-9591-9 MS
Matrix: Solid
Analysis Batch: 134125

Client Sample ID: V - 3
Prep Type: Total/NA
Prep Batch: 133882

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	998	1122		mg/Kg		112	70 - 130
Diesel Range Organics (Over C10-C28)	<50.0	U	998	1045		mg/Kg		105	70 - 130

Surrogate	MS MS		Limits
	%Recovery	Qualifier	
<i>1</i> -Chlorooctane	134	S1+	70 - 130
<i>o</i> -Terphenyl	123		70 - 130

Eurofins Carlsbad

QC Sample Results

Client: Standard Safety & Supply
 Project/Site: Corral Gorge Line Strike-9/2/2026

Job ID: 890-9591-1

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Lab Sample ID: 890-9591-9 MSD

Matrix: Solid

Analysis Batch: 134125

Client Sample ID: V - 3

Prep Type: Total/NA

Prep Batch: 133882

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	998	1092		mg/Kg		109	70 - 130	3	20
Diesel Range Organics (Over C10-C28)	<50.0	U	998	1078		mg/Kg		108	70 - 130	3	20
Surrogate	%Recovery	Qualifier	Limits								
1-Chlorooctane	97		70 - 130								
o-Terphenyl	119		70 - 130								

Lab Sample ID: MB 880-133883/1-A

Matrix: Solid

Analysis Batch: 134125

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 133883

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		03/04/26 17:31	03/07/26 19:50	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		03/04/26 17:31	03/07/26 19:50	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		03/04/26 17:31	03/07/26 19:50	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	81		70 - 130				03/04/26 17:31	03/07/26 19:50	1
o-Terphenyl	88		70 - 130				03/04/26 17:31	03/07/26 19:50	1

Lab Sample ID: LCS 880-133883/2-A

Matrix: Solid

Analysis Batch: 134125

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 133883

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Gasoline Range Organics (GRO)-C6-C10	1000	1105		mg/Kg		110	70 - 130
Diesel Range Organics (Over C10-C28)	1000	1003		mg/Kg		100	70 - 130
Surrogate	%Recovery	Qualifier	Limits				
1-Chlorooctane	148	S1+	70 - 130				
o-Terphenyl	134	S1+	70 - 130				

Lab Sample ID: LCSD 880-133883/3-A

Matrix: Solid

Analysis Batch: 134125

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 133883

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Gasoline Range Organics (GRO)-C6-C10	1000	1015		mg/Kg		101	70 - 130	9	20
Diesel Range Organics (Over C10-C28)	1000	963.2		mg/Kg		96	70 - 130	4	20

Eurofins Carlsbad

QC Sample Results

Client: Standard Safety & Supply
 Project/Site: Corral Gorge Line Strike-9/2/2026

Job ID: 890-9591-1

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Lab Sample ID: LCSD 880-133883/3-A
 Matrix: Solid
 Analysis Batch: 134125

Client Sample ID: Lab Control Sample Dup
 Prep Type: Total/NA
 Prep Batch: 133883

Surrogate	LCSD		Limits
	%Recovery	Qualifier	
1-Chlorooctane	104		70 - 130
o-Terphenyl	119		70 - 130

Lab Sample ID: 890-9591-29 MS
 Matrix: Solid
 Analysis Batch: 134125

Client Sample ID: V - 11
 Prep Type: Total/NA
 Prep Batch: 133883

Analyte	Sample	Sample	Spike	MS	MS	Unit	D	%Rec	%Rec	Limits
	Result	Qualifier	Added	Result	Qualifier					
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	998	1123		mg/Kg		113		70 - 130
Diesel Range Organics (Over C10-C28)	<50.0	U	998	1094		mg/Kg		110		70 - 130

Surrogate	MS		Limits
	%Recovery	Qualifier	
1-Chlorooctane	89		70 - 130
o-Terphenyl	116		70 - 130

Lab Sample ID: 890-9591-29 MSD
 Matrix: Solid
 Analysis Batch: 134125

Client Sample ID: V - 11
 Prep Type: Total/NA
 Prep Batch: 133883

Analyte	Sample	Sample	Spike	MSD	MSD	Unit	D	%Rec	%Rec	Limits	RPD	RPD	Limit
	Result	Qualifier	Added	Result	Qualifier								
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	998	1102		mg/Kg		110		70 - 130	2	20	
Diesel Range Organics (Over C10-C28)	<50.0	U	998	1116		mg/Kg		112		70 - 130	2	20	

Surrogate	MSD		Limits
	%Recovery	Qualifier	
1-Chlorooctane	91		70 - 130
o-Terphenyl	120		70 - 130

Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: MB 880-133919/1-A
 Matrix: Solid
 Analysis Batch: 133979

Client Sample ID: Method Blank
 Prep Type: Soluble

Analyte	MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil	Fac
	Result	Qualifier								
Chloride	<10.0	U	10.0		mg/Kg			03/06/26 11:31		1

Lab Sample ID: LCS 880-133919/2-A
 Matrix: Solid
 Analysis Batch: 133979

Client Sample ID: Lab Control Sample
 Prep Type: Soluble

Analyte	Spike	LCS	LCS	Unit	D	%Rec	%Rec	Limits
Chloride	250	235.6		mg/Kg		94		90 - 110

Eurofins Carlsbad

QC Sample Results

Client: Standard Safety & Supply
 Project/Site: Corral Gorge Line Strike-9/2/2026

Job ID: 890-9591-1

Method: 300.0 - Anions, Ion Chromatography (Continued)

Lab Sample ID: LCSD 880-133919/3-A
 Matrix: Solid
 Analysis Batch: 133979

Client Sample ID: Lab Control Sample Dup
 Prep Type: Soluble

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	250	236.9		mg/Kg		95	90 - 110	1	20

Lab Sample ID: 890-9591-21 MS
 Matrix: Solid
 Analysis Batch: 133979

Client Sample ID: V - 8
 Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	630		249	867.6		mg/Kg		95	90 - 110

Lab Sample ID: 890-9591-21 MSD
 Matrix: Solid
 Analysis Batch: 133979

Client Sample ID: V - 8
 Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	630		249	869.8		mg/Kg		96	90 - 110	0	20

Lab Sample ID: 890-9591-31 MS
 Matrix: Solid
 Analysis Batch: 133979

Client Sample ID: V - 11
 Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	71.3		249	306.8		mg/Kg		95	90 - 110

Lab Sample ID: 890-9591-31 MSD
 Matrix: Solid
 Analysis Batch: 133979

Client Sample ID: V - 11
 Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	71.3		249	307.9		mg/Kg		95	90 - 110	0	20

Lab Sample ID: MB 880-133918/1-A
 Matrix: Solid
 Analysis Batch: 133980

Client Sample ID: Method Blank
 Prep Type: Soluble

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<10.0	U	10.0		mg/Kg			03/05/26 21:49	1

Lab Sample ID: LCS 880-133918/2-A
 Matrix: Solid
 Analysis Batch: 133980

Client Sample ID: Lab Control Sample
 Prep Type: Soluble

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	250	230.1		mg/Kg		92	90 - 110

Lab Sample ID: LCSD 880-133918/3-A
 Matrix: Solid
 Analysis Batch: 133980

Client Sample ID: Lab Control Sample Dup
 Prep Type: Soluble

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	250	231.4		mg/Kg		93	90 - 110	1	20

Eurofins Carlsbad

QC Sample Results

Client: Standard Safety & Supply
 Project/Site: Corral Gorge Line Strike-9/2/2026

Job ID: 890-9591-1

Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: 890-9591-1 MS
 Matrix: Solid
 Analysis Batch: 133980

Client Sample ID: V - 1
 Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	6640	F1	2490	8803	F1	mg/Kg		87	90 - 110

Lab Sample ID: 890-9591-1 MSD
 Matrix: Solid
 Analysis Batch: 133980

Client Sample ID: V - 1
 Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	6640	F1	2490	8859	F1	mg/Kg		89	90 - 110	1	20

Lab Sample ID: 890-9591-11 MS
 Matrix: Solid
 Analysis Batch: 133980

Client Sample ID: V - 4
 Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	51.5		252	295.6		mg/Kg		97	90 - 110

Lab Sample ID: 890-9591-11 MSD
 Matrix: Solid
 Analysis Batch: 133980

Client Sample ID: V - 4
 Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	51.5		252	296.4		mg/Kg		97	90 - 110	0	20

Lab Sample ID: MB 880-133920/1-A
 Matrix: Solid
 Analysis Batch: 134041

Client Sample ID: Method Blank
 Prep Type: Soluble

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<10.0	U	10.0		mg/Kg			03/06/26 10:25	1

Lab Sample ID: LCS 880-133920/2-A
 Matrix: Solid
 Analysis Batch: 134041

Client Sample ID: Lab Control Sample
 Prep Type: Soluble

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	250	228.5		mg/Kg		91	90 - 110

Lab Sample ID: LCSD 880-133920/3-A
 Matrix: Solid
 Analysis Batch: 134041

Client Sample ID: Lab Control Sample Dup
 Prep Type: Soluble

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	250	232.5		mg/Kg		93	90 - 110	2	20

Eurofins Carlsbad

QC Association Summary

Client: Standard Safety & Supply
 Project/Site: Corral Gorge Line Strike-9/2/2026

Job ID: 890-9591-1

GC VOA

Prep Batch: 133830

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-67886-A-26-A MB	Method Blank	Total/NA	Solid	5035	

Prep Batch: 133831

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MB 880-133831/5-A	Method Blank	Total/NA	Solid	5035	

Analysis Batch: 134028

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-9591-41	H - 6	Total/NA	Solid	8021B	134086
890-9591-42	H - 7	Total/NA	Solid	8021B	134086
890-9591-43	H - 8	Total/NA	Solid	8021B	134086
880-67886-A-26-A MB	Method Blank	Total/NA	Solid	8021B	133830
MB 880-134086/5-A	Method Blank	Total/NA	Solid	8021B	134086
LCS 880-134086/1-A	Lab Control Sample	Total/NA	Solid	8021B	134086
LCS 880-134086/2-A	Lab Control Sample Dup	Total/NA	Solid	8021B	134086

Analysis Batch: 134029

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-9591-21	V - 8	Total/NA	Solid	8021B	134081
890-9591-22	V - 8	Total/NA	Solid	8021B	134081
890-9591-23	V - 9	Total/NA	Solid	8021B	134081
890-9591-24	V - 9	Total/NA	Solid	8021B	134081
890-9591-25	V - 9	Total/NA	Solid	8021B	134081
890-9591-26	V - 10	Total/NA	Solid	8021B	134081
890-9591-27	V - 10	Total/NA	Solid	8021B	134081
890-9591-28	V - 10	Total/NA	Solid	8021B	134081
890-9591-29	V - 11	Total/NA	Solid	8021B	134081
890-9591-30	V - 11	Total/NA	Solid	8021B	134081
890-9591-31	V - 11	Total/NA	Solid	8021B	134081
890-9591-32	V - 11	Total/NA	Solid	8021B	134081
890-9591-33	V - 11	Total/NA	Solid	8021B	134081
890-9591-34	V - 12	Total/NA	Solid	8021B	134081
890-9591-35	V - 12	Total/NA	Solid	8021B	134081
890-9591-36	H - 1	Total/NA	Solid	8021B	134081
890-9591-37	H - 2	Total/NA	Solid	8021B	134081
890-9591-38	H - 3	Total/NA	Solid	8021B	134081
MB 880-133831/5-A	Method Blank	Total/NA	Solid	8021B	133831
MB 880-134081/5-A	Method Blank	Total/NA	Solid	8021B	134081
LCS 880-134081/1-A	Lab Control Sample	Total/NA	Solid	8021B	134081
LCS 880-134081/2-A	Lab Control Sample Dup	Total/NA	Solid	8021B	134081
890-9591-21 MS	V - 8	Total/NA	Solid	8021B	134081
890-9591-21 MSD	V - 8	Total/NA	Solid	8021B	134081

Prep Batch: 134073

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-9591-39	H - 4	Total/NA	Solid	5035	
890-9591-40	H - 5	Total/NA	Solid	5035	
MB 880-134073/5-A	Method Blank	Total/NA	Solid	5035	
LCS 880-134073/1-A	Lab Control Sample	Total/NA	Solid	5035	
LCS 880-134073/2-A	Lab Control Sample Dup	Total/NA	Solid	5035	

Eurofins Carlsbad

QC Association Summary

Client: Standard Safety & Supply
 Project/Site: Corral Gorge Line Strike-9/2/2026

Job ID: 890-9591-1

GC VOA

Prep Batch: 134078

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MB 880-134078/5-A	Method Blank	Total/NA	Solid	5035	

Prep Batch: 134079

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-9591-1	V - 1	Total/NA	Solid	5035	
890-9591-2	V - 1	Total/NA	Solid	5035	
890-9591-3	V - 2	Total/NA	Solid	5035	
890-9591-4	V - 2	Total/NA	Solid	5035	
890-9591-5	V - 2	Total/NA	Solid	5035	
890-9591-6	V - 2	Total/NA	Solid	5035	
890-9591-7	V - 3	Total/NA	Solid	5035	
890-9591-8	V - 3	Total/NA	Solid	5035	
890-9591-9	V - 3	Total/NA	Solid	5035	
890-9591-10	V - 3	Total/NA	Solid	5035	
890-9591-11	V - 4	Total/NA	Solid	5035	
890-9591-12	V - 4	Total/NA	Solid	5035	
890-9591-13	V - 4	Total/NA	Solid	5035	
890-9591-14	V - 5	Total/NA	Solid	5035	
890-9591-15	V - 5	Total/NA	Solid	5035	
890-9591-16	V - 6	Total/NA	Solid	5035	
890-9591-17	V - 6	Total/NA	Solid	5035	
890-9591-18	V - 7	Total/NA	Solid	5035	
890-9591-19	V - 7	Total/NA	Solid	5035	
890-9591-20	V - 7	Total/NA	Solid	5035	
MB 880-134079/5-A	Method Blank	Total/NA	Solid	5035	
LCS 880-134079/1-A	Lab Control Sample	Total/NA	Solid	5035	
LCSD 880-134079/2-A	Lab Control Sample Dup	Total/NA	Solid	5035	
890-9591-1 MS	V - 1	Total/NA	Solid	5035	
890-9591-1 MSD	V - 1	Total/NA	Solid	5035	

Prep Batch: 134081

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-9591-21	V - 8	Total/NA	Solid	5035	
890-9591-22	V - 8	Total/NA	Solid	5035	
890-9591-23	V - 9	Total/NA	Solid	5035	
890-9591-24	V - 9	Total/NA	Solid	5035	
890-9591-25	V - 9	Total/NA	Solid	5035	
890-9591-26	V - 10	Total/NA	Solid	5035	
890-9591-27	V - 10	Total/NA	Solid	5035	
890-9591-28	V - 10	Total/NA	Solid	5035	
890-9591-29	V - 11	Total/NA	Solid	5035	
890-9591-30	V - 11	Total/NA	Solid	5035	
890-9591-31	V - 11	Total/NA	Solid	5035	
890-9591-32	V - 11	Total/NA	Solid	5035	
890-9591-33	V - 11	Total/NA	Solid	5035	
890-9591-34	V - 12	Total/NA	Solid	5035	
890-9591-35	V - 12	Total/NA	Solid	5035	
890-9591-36	H - 1	Total/NA	Solid	5035	
890-9591-37	H - 2	Total/NA	Solid	5035	
890-9591-38	H - 3	Total/NA	Solid	5035	
MB 880-134081/5-A	Method Blank	Total/NA	Solid	5035	

Eurofins Carlsbad

QC Association Summary

Client: Standard Safety & Supply
 Project/Site: Corral Gorge Line Strike-9/2/2026

Job ID: 890-9591-1

GC VOA (Continued)

Prep Batch: 134081 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
LCS 880-134081/1-A	Lab Control Sample	Total/NA	Solid	5035	
LCS 880-134081/2-A	Lab Control Sample Dup	Total/NA	Solid	5035	
890-9591-21 MS	V - 8	Total/NA	Solid	5035	
890-9591-21 MSD	V - 8	Total/NA	Solid	5035	

Prep Batch: 134086

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-9591-41	H - 6	Total/NA	Solid	5035	
890-9591-42	H - 7	Total/NA	Solid	5035	
890-9591-43	H - 8	Total/NA	Solid	5035	
MB 880-134086/5-A	Method Blank	Total/NA	Solid	5035	
LCS 880-134086/1-A	Lab Control Sample	Total/NA	Solid	5035	
LCS 880-134086/2-A	Lab Control Sample Dup	Total/NA	Solid	5035	

Analysis Batch: 134134

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-9591-1	V - 1	Total/NA	Solid	8021B	134079
890-9591-2	V - 1	Total/NA	Solid	8021B	134079
890-9591-3	V - 2	Total/NA	Solid	8021B	134079
890-9591-4	V - 2	Total/NA	Solid	8021B	134079
890-9591-5	V - 2	Total/NA	Solid	8021B	134079
890-9591-6	V - 2	Total/NA	Solid	8021B	134079
890-9591-7	V - 3	Total/NA	Solid	8021B	134079
890-9591-8	V - 3	Total/NA	Solid	8021B	134079
890-9591-9	V - 3	Total/NA	Solid	8021B	134079
890-9591-10	V - 3	Total/NA	Solid	8021B	134079
890-9591-11	V - 4	Total/NA	Solid	8021B	134079
890-9591-12	V - 4	Total/NA	Solid	8021B	134079
890-9591-13	V - 4	Total/NA	Solid	8021B	134079
890-9591-14	V - 5	Total/NA	Solid	8021B	134079
890-9591-15	V - 5	Total/NA	Solid	8021B	134079
890-9591-16	V - 6	Total/NA	Solid	8021B	134079
890-9591-17	V - 6	Total/NA	Solid	8021B	134079
890-9591-18	V - 7	Total/NA	Solid	8021B	134079
890-9591-19	V - 7	Total/NA	Solid	8021B	134079
890-9591-20	V - 7	Total/NA	Solid	8021B	134079
MB 880-134078/5-A	Method Blank	Total/NA	Solid	8021B	134078
MB 880-134079/5-A	Method Blank	Total/NA	Solid	8021B	134079
LCS 880-134079/1-A	Lab Control Sample	Total/NA	Solid	8021B	134079
LCS 880-134079/2-A	Lab Control Sample Dup	Total/NA	Solid	8021B	134079
890-9591-1 MS	V - 1	Total/NA	Solid	8021B	134079
890-9591-1 MSD	V - 1	Total/NA	Solid	8021B	134079

Analysis Batch: 134135

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-9591-39	H - 4	Total/NA	Solid	8021B	134073
890-9591-40	H - 5	Total/NA	Solid	8021B	134073
MB 880-134073/5-A	Method Blank	Total/NA	Solid	8021B	134073
LCS 880-134073/1-A	Lab Control Sample	Total/NA	Solid	8021B	134073
LCS 880-134073/2-A	Lab Control Sample Dup	Total/NA	Solid	8021B	134073

Eurofins Carlsbad

QC Association Summary

Client: Standard Safety & Supply
 Project/Site: Corral Gorge Line Strike-9/2/2026

Job ID: 890-9591-1

GC VOA

Analysis Batch: 134136

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-9591-44	H - 9	Total/NA	Solid	8021B	134183
890-9591-45	H - 10	Total/NA	Solid	8021B	134183
890-9591-46	H - 11	Total/NA	Solid	8021B	134183
890-9591-47	H - 12	Total/NA	Solid	8021B	134183
MB 880-134183/5-A	Method Blank	Total/NA	Solid	8021B	134183
LCS 880-134183/1-A	Lab Control Sample	Total/NA	Solid	8021B	134183
LCSD 880-134183/2-A	Lab Control Sample Dup	Total/NA	Solid	8021B	134183

Prep Batch: 134183

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-9591-44	H - 9	Total/NA	Solid	5035	
890-9591-45	H - 10	Total/NA	Solid	5035	
890-9591-46	H - 11	Total/NA	Solid	5035	
890-9591-47	H - 12	Total/NA	Solid	5035	
MB 880-134183/5-A	Method Blank	Total/NA	Solid	5035	
LCS 880-134183/1-A	Lab Control Sample	Total/NA	Solid	5035	
LCSD 880-134183/2-A	Lab Control Sample Dup	Total/NA	Solid	5035	

Analysis Batch: 134301

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-9591-1	V - 1	Total/NA	Solid	Total BTEX	
890-9591-2	V - 1	Total/NA	Solid	Total BTEX	
890-9591-3	V - 2	Total/NA	Solid	Total BTEX	
890-9591-4	V - 2	Total/NA	Solid	Total BTEX	
890-9591-5	V - 2	Total/NA	Solid	Total BTEX	
890-9591-6	V - 2	Total/NA	Solid	Total BTEX	
890-9591-7	V - 3	Total/NA	Solid	Total BTEX	
890-9591-8	V - 3	Total/NA	Solid	Total BTEX	
890-9591-9	V - 3	Total/NA	Solid	Total BTEX	
890-9591-10	V - 3	Total/NA	Solid	Total BTEX	
890-9591-11	V - 4	Total/NA	Solid	Total BTEX	
890-9591-12	V - 4	Total/NA	Solid	Total BTEX	
890-9591-13	V - 4	Total/NA	Solid	Total BTEX	
890-9591-14	V - 5	Total/NA	Solid	Total BTEX	
890-9591-15	V - 5	Total/NA	Solid	Total BTEX	
890-9591-16	V - 6	Total/NA	Solid	Total BTEX	
890-9591-17	V - 6	Total/NA	Solid	Total BTEX	
890-9591-18	V - 7	Total/NA	Solid	Total BTEX	
890-9591-19	V - 7	Total/NA	Solid	Total BTEX	
890-9591-20	V - 7	Total/NA	Solid	Total BTEX	
890-9591-21	V - 8	Total/NA	Solid	Total BTEX	
890-9591-22	V - 8	Total/NA	Solid	Total BTEX	
890-9591-23	V - 9	Total/NA	Solid	Total BTEX	
890-9591-24	V - 9	Total/NA	Solid	Total BTEX	
890-9591-25	V - 9	Total/NA	Solid	Total BTEX	
890-9591-26	V - 10	Total/NA	Solid	Total BTEX	
890-9591-27	V - 10	Total/NA	Solid	Total BTEX	
890-9591-28	V - 10	Total/NA	Solid	Total BTEX	
890-9591-29	V - 11	Total/NA	Solid	Total BTEX	
890-9591-30	V - 11	Total/NA	Solid	Total BTEX	
890-9591-31	V - 11	Total/NA	Solid	Total BTEX	

Eurofins Carlsbad

QC Association Summary

Client: Standard Safety & Supply
 Project/Site: Corral Gorge Line Strike-9/2/2026

Job ID: 890-9591-1

GC VOA (Continued)

Analysis Batch: 134301 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-9591-32	V - 11	Total/NA	Solid	Total BTEX	
890-9591-33	V - 11	Total/NA	Solid	Total BTEX	
890-9591-34	V - 12	Total/NA	Solid	Total BTEX	
890-9591-35	V - 12	Total/NA	Solid	Total BTEX	
890-9591-36	H - 1	Total/NA	Solid	Total BTEX	
890-9591-37	H - 2	Total/NA	Solid	Total BTEX	
890-9591-38	H - 3	Total/NA	Solid	Total BTEX	
890-9591-39	H - 4	Total/NA	Solid	Total BTEX	
890-9591-40	H - 5	Total/NA	Solid	Total BTEX	
890-9591-41	H - 6	Total/NA	Solid	Total BTEX	
890-9591-42	H - 7	Total/NA	Solid	Total BTEX	
890-9591-43	H - 8	Total/NA	Solid	Total BTEX	
890-9591-44	H - 9	Total/NA	Solid	Total BTEX	
890-9591-45	H - 10	Total/NA	Solid	Total BTEX	
890-9591-46	H - 11	Total/NA	Solid	Total BTEX	
890-9591-47	H - 12	Total/NA	Solid	Total BTEX	

GC Semi VOA

Prep Batch: 133881

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-9591-1	V - 1	Total/NA	Solid	8015NM Prep	
890-9591-2	V - 1	Total/NA	Solid	8015NM Prep	
890-9591-3	V - 2	Total/NA	Solid	8015NM Prep	
890-9591-4	V - 2	Total/NA	Solid	8015NM Prep	
890-9591-5	V - 2	Total/NA	Solid	8015NM Prep	
890-9591-6	V - 2	Total/NA	Solid	8015NM Prep	
890-9591-7	V - 3	Total/NA	Solid	8015NM Prep	
890-9591-8	V - 3	Total/NA	Solid	8015NM Prep	
MB 880-133881/1-A	Method Blank	Total/NA	Solid	8015NM Prep	
LCS 880-133881/2-A	Lab Control Sample	Total/NA	Solid	8015NM Prep	
LCSD 880-133881/3-A	Lab Control Sample Dup	Total/NA	Solid	8015NM Prep	

Prep Batch: 133882

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-9591-9	V - 3	Total/NA	Solid	8015NM Prep	
890-9591-10	V - 3	Total/NA	Solid	8015NM Prep	
890-9591-11	V - 4	Total/NA	Solid	8015NM Prep	
890-9591-12	V - 4	Total/NA	Solid	8015NM Prep	
890-9591-13	V - 4	Total/NA	Solid	8015NM Prep	
890-9591-14	V - 5	Total/NA	Solid	8015NM Prep	
890-9591-15	V - 5	Total/NA	Solid	8015NM Prep	
890-9591-16	V - 6	Total/NA	Solid	8015NM Prep	
890-9591-17	V - 6	Total/NA	Solid	8015NM Prep	
890-9591-18	V - 7	Total/NA	Solid	8015NM Prep	
890-9591-19	V - 7	Total/NA	Solid	8015NM Prep	
890-9591-20	V - 7	Total/NA	Solid	8015NM Prep	
890-9591-21	V - 8	Total/NA	Solid	8015NM Prep	
890-9591-22	V - 8	Total/NA	Solid	8015NM Prep	
890-9591-23	V - 9	Total/NA	Solid	8015NM Prep	
890-9591-24	V - 9	Total/NA	Solid	8015NM Prep	

Eurofins Carlsbad

QC Association Summary

Client: Standard Safety & Supply
 Project/Site: Corral Gorge Line Strike-9/2/2026

Job ID: 890-9591-1

GC Semi VOA (Continued)

Prep Batch: 133882 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-9591-25	V - 9	Total/NA	Solid	8015NM Prep	
890-9591-26	V - 10	Total/NA	Solid	8015NM Prep	
890-9591-27	V - 10	Total/NA	Solid	8015NM Prep	
890-9591-28	V - 10	Total/NA	Solid	8015NM Prep	
MB 880-133882/1-A	Method Blank	Total/NA	Solid	8015NM Prep	
LCS 880-133882/2-A	Lab Control Sample	Total/NA	Solid	8015NM Prep	
LCSD 880-133882/3-A	Lab Control Sample Dup	Total/NA	Solid	8015NM Prep	
890-9591-9 MS	V - 3	Total/NA	Solid	8015NM Prep	
890-9591-9 MSD	V - 3	Total/NA	Solid	8015NM Prep	

Prep Batch: 133883

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-9591-29	V - 11	Total/NA	Solid	8015NM Prep	
890-9591-30	V - 11	Total/NA	Solid	8015NM Prep	
890-9591-31	V - 11	Total/NA	Solid	8015NM Prep	
890-9591-32	V - 11	Total/NA	Solid	8015NM Prep	
890-9591-33	V - 11	Total/NA	Solid	8015NM Prep	
890-9591-34	V - 12	Total/NA	Solid	8015NM Prep	
890-9591-35	V - 12	Total/NA	Solid	8015NM Prep	
890-9591-36	H - 1	Total/NA	Solid	8015NM Prep	
890-9591-37	H - 2	Total/NA	Solid	8015NM Prep	
890-9591-38	H - 3	Total/NA	Solid	8015NM Prep	
890-9591-39	H - 4	Total/NA	Solid	8015NM Prep	
890-9591-40	H - 5	Total/NA	Solid	8015NM Prep	
890-9591-41	H - 6	Total/NA	Solid	8015NM Prep	
890-9591-42	H - 7	Total/NA	Solid	8015NM Prep	
890-9591-43	H - 8	Total/NA	Solid	8015NM Prep	
890-9591-44	H - 9	Total/NA	Solid	8015NM Prep	
890-9591-45	H - 10	Total/NA	Solid	8015NM Prep	
890-9591-46	H - 11	Total/NA	Solid	8015NM Prep	
890-9591-47	H - 12	Total/NA	Solid	8015NM Prep	
MB 880-133883/1-A	Method Blank	Total/NA	Solid	8015NM Prep	
LCS 880-133883/2-A	Lab Control Sample	Total/NA	Solid	8015NM Prep	
LCSD 880-133883/3-A	Lab Control Sample Dup	Total/NA	Solid	8015NM Prep	
890-9591-29 MS	V - 11	Total/NA	Solid	8015NM Prep	
890-9591-29 MSD	V - 11	Total/NA	Solid	8015NM Prep	

Analysis Batch: 134125

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-9591-9	V - 3	Total/NA	Solid	8015B NM	133882
890-9591-10	V - 3	Total/NA	Solid	8015B NM	133882
890-9591-11	V - 4	Total/NA	Solid	8015B NM	133882
890-9591-12	V - 4	Total/NA	Solid	8015B NM	133882
890-9591-13	V - 4	Total/NA	Solid	8015B NM	133882
890-9591-14	V - 5	Total/NA	Solid	8015B NM	133882
890-9591-15	V - 5	Total/NA	Solid	8015B NM	133882
890-9591-16	V - 6	Total/NA	Solid	8015B NM	133882
890-9591-17	V - 6	Total/NA	Solid	8015B NM	133882
890-9591-18	V - 7	Total/NA	Solid	8015B NM	133882
890-9591-19	V - 7	Total/NA	Solid	8015B NM	133882
890-9591-20	V - 7	Total/NA	Solid	8015B NM	133882

Eurofins Carlsbad

QC Association Summary

Client: Standard Safety & Supply
 Project/Site: Corral Gorge Line Strike-9/2/2026

Job ID: 890-9591-1

GC Semi VOA (Continued)

Analysis Batch: 134125 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-9591-21	V - 8	Total/NA	Solid	8015B NM	133882
890-9591-22	V - 8	Total/NA	Solid	8015B NM	133882
890-9591-23	V - 9	Total/NA	Solid	8015B NM	133882
890-9591-24	V - 9	Total/NA	Solid	8015B NM	133882
890-9591-25	V - 9	Total/NA	Solid	8015B NM	133882
890-9591-26	V - 10	Total/NA	Solid	8015B NM	133882
890-9591-27	V - 10	Total/NA	Solid	8015B NM	133882
890-9591-28	V - 10	Total/NA	Solid	8015B NM	133882
890-9591-29	V - 11	Total/NA	Solid	8015B NM	133883
890-9591-30	V - 11	Total/NA	Solid	8015B NM	133883
890-9591-31	V - 11	Total/NA	Solid	8015B NM	133883
890-9591-32	V - 11	Total/NA	Solid	8015B NM	133883
890-9591-33	V - 11	Total/NA	Solid	8015B NM	133883
890-9591-34	V - 12	Total/NA	Solid	8015B NM	133883
890-9591-35	V - 12	Total/NA	Solid	8015B NM	133883
890-9591-36	H - 1	Total/NA	Solid	8015B NM	133883
890-9591-37	H - 2	Total/NA	Solid	8015B NM	133883
890-9591-38	H - 3	Total/NA	Solid	8015B NM	133883
890-9591-39	H - 4	Total/NA	Solid	8015B NM	133883
890-9591-40	H - 5	Total/NA	Solid	8015B NM	133883
890-9591-41	H - 6	Total/NA	Solid	8015B NM	133883
890-9591-42	H - 7	Total/NA	Solid	8015B NM	133883
890-9591-43	H - 8	Total/NA	Solid	8015B NM	133883
890-9591-44	H - 9	Total/NA	Solid	8015B NM	133883
890-9591-45	H - 10	Total/NA	Solid	8015B NM	133883
890-9591-46	H - 11	Total/NA	Solid	8015B NM	133883
890-9591-47	H - 12	Total/NA	Solid	8015B NM	133883
MB 880-133882/1-A	Method Blank	Total/NA	Solid	8015B NM	133882
MB 880-133883/1-A	Method Blank	Total/NA	Solid	8015B NM	133883
LCS 880-133882/2-A	Lab Control Sample	Total/NA	Solid	8015B NM	133882
LCS 880-133883/2-A	Lab Control Sample	Total/NA	Solid	8015B NM	133883
LCSD 880-133882/3-A	Lab Control Sample Dup	Total/NA	Solid	8015B NM	133882
LCSD 880-133883/3-A	Lab Control Sample Dup	Total/NA	Solid	8015B NM	133883
890-9591-9 MS	V - 3	Total/NA	Solid	8015B NM	133882
890-9591-9 MSD	V - 3	Total/NA	Solid	8015B NM	133882
890-9591-29 MS	V - 11	Total/NA	Solid	8015B NM	133883
890-9591-29 MSD	V - 11	Total/NA	Solid	8015B NM	133883

Analysis Batch: 134127

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-9591-1	V - 1	Total/NA	Solid	8015B NM	133881
890-9591-2	V - 1	Total/NA	Solid	8015B NM	133881
890-9591-3	V - 2	Total/NA	Solid	8015B NM	133881
890-9591-4	V - 2	Total/NA	Solid	8015B NM	133881
890-9591-5	V - 2	Total/NA	Solid	8015B NM	133881
890-9591-6	V - 2	Total/NA	Solid	8015B NM	133881
890-9591-7	V - 3	Total/NA	Solid	8015B NM	133881
890-9591-8	V - 3	Total/NA	Solid	8015B NM	133881
MB 880-133881/1-A	Method Blank	Total/NA	Solid	8015B NM	133881
LCS 880-133881/2-A	Lab Control Sample	Total/NA	Solid	8015B NM	133881
LCSD 880-133881/3-A	Lab Control Sample Dup	Total/NA	Solid	8015B NM	133881

Eurofins Carlsbad

QC Association Summary

Client: Standard Safety & Supply
 Project/Site: Corral Gorge Line Strike-9/2/2026

Job ID: 890-9591-1

GC Semi VOA

Analysis Batch: 134251

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-9591-1	V - 1	Total/NA	Solid	8015 NM	
890-9591-2	V - 1	Total/NA	Solid	8015 NM	
890-9591-3	V - 2	Total/NA	Solid	8015 NM	
890-9591-4	V - 2	Total/NA	Solid	8015 NM	
890-9591-5	V - 2	Total/NA	Solid	8015 NM	
890-9591-6	V - 2	Total/NA	Solid	8015 NM	
890-9591-7	V - 3	Total/NA	Solid	8015 NM	
890-9591-8	V - 3	Total/NA	Solid	8015 NM	
890-9591-9	V - 3	Total/NA	Solid	8015 NM	
890-9591-10	V - 3	Total/NA	Solid	8015 NM	
890-9591-11	V - 4	Total/NA	Solid	8015 NM	
890-9591-12	V - 4	Total/NA	Solid	8015 NM	
890-9591-13	V - 4	Total/NA	Solid	8015 NM	
890-9591-14	V - 5	Total/NA	Solid	8015 NM	
890-9591-15	V - 5	Total/NA	Solid	8015 NM	
890-9591-16	V - 6	Total/NA	Solid	8015 NM	
890-9591-17	V - 6	Total/NA	Solid	8015 NM	
890-9591-18	V - 7	Total/NA	Solid	8015 NM	
890-9591-19	V - 7	Total/NA	Solid	8015 NM	
890-9591-20	V - 7	Total/NA	Solid	8015 NM	
890-9591-21	V - 8	Total/NA	Solid	8015 NM	
890-9591-22	V - 8	Total/NA	Solid	8015 NM	
890-9591-23	V - 9	Total/NA	Solid	8015 NM	
890-9591-24	V - 9	Total/NA	Solid	8015 NM	
890-9591-25	V - 9	Total/NA	Solid	8015 NM	
890-9591-26	V - 10	Total/NA	Solid	8015 NM	
890-9591-27	V - 10	Total/NA	Solid	8015 NM	
890-9591-28	V - 10	Total/NA	Solid	8015 NM	
890-9591-29	V - 11	Total/NA	Solid	8015 NM	
890-9591-30	V - 11	Total/NA	Solid	8015 NM	
890-9591-31	V - 11	Total/NA	Solid	8015 NM	
890-9591-32	V - 11	Total/NA	Solid	8015 NM	
890-9591-33	V - 11	Total/NA	Solid	8015 NM	
890-9591-34	V - 12	Total/NA	Solid	8015 NM	
890-9591-35	V - 12	Total/NA	Solid	8015 NM	
890-9591-36	H - 1	Total/NA	Solid	8015 NM	
890-9591-37	H - 2	Total/NA	Solid	8015 NM	
890-9591-38	H - 3	Total/NA	Solid	8015 NM	
890-9591-39	H - 4	Total/NA	Solid	8015 NM	
890-9591-40	H - 5	Total/NA	Solid	8015 NM	
890-9591-41	H - 6	Total/NA	Solid	8015 NM	
890-9591-42	H - 7	Total/NA	Solid	8015 NM	
890-9591-43	H - 8	Total/NA	Solid	8015 NM	
890-9591-44	H - 9	Total/NA	Solid	8015 NM	
890-9591-45	H - 10	Total/NA	Solid	8015 NM	
890-9591-46	H - 11	Total/NA	Solid	8015 NM	
890-9591-47	H - 12	Total/NA	Solid	8015 NM	

QC Association Summary

Client: Standard Safety & Supply
 Project/Site: Corral Gorge Line Strike-9/2/2026

Job ID: 890-9591-1

HPLC/IC

Leach Batch: 133918

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-9591-1	V - 1	Soluble	Solid	DI Leach	
890-9591-2	V - 1	Soluble	Solid	DI Leach	
890-9591-3	V - 2	Soluble	Solid	DI Leach	
890-9591-4	V - 2	Soluble	Solid	DI Leach	
890-9591-5	V - 2	Soluble	Solid	DI Leach	
890-9591-6	V - 2	Soluble	Solid	DI Leach	
890-9591-7	V - 3	Soluble	Solid	DI Leach	
890-9591-8	V - 3	Soluble	Solid	DI Leach	
890-9591-9	V - 3	Soluble	Solid	DI Leach	
890-9591-10	V - 3	Soluble	Solid	DI Leach	
890-9591-11	V - 4	Soluble	Solid	DI Leach	
890-9591-12	V - 4	Soluble	Solid	DI Leach	
890-9591-13	V - 4	Soluble	Solid	DI Leach	
890-9591-14	V - 5	Soluble	Solid	DI Leach	
890-9591-15	V - 5	Soluble	Solid	DI Leach	
890-9591-16	V - 6	Soluble	Solid	DI Leach	
890-9591-17	V - 6	Soluble	Solid	DI Leach	
890-9591-18	V - 7	Soluble	Solid	DI Leach	
890-9591-19	V - 7	Soluble	Solid	DI Leach	
890-9591-20	V - 7	Soluble	Solid	DI Leach	
MB 880-133918/1-A	Method Blank	Soluble	Solid	DI Leach	
LCS 880-133918/2-A	Lab Control Sample	Soluble	Solid	DI Leach	
LCS 880-133918/3-A	Lab Control Sample Dup	Soluble	Solid	DI Leach	
890-9591-1 MS	V - 1	Soluble	Solid	DI Leach	
890-9591-1 MSD	V - 1	Soluble	Solid	DI Leach	
890-9591-11 MS	V - 4	Soluble	Solid	DI Leach	
890-9591-11 MSD	V - 4	Soluble	Solid	DI Leach	

Leach Batch: 133919

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-9591-21	V - 8	Soluble	Solid	DI Leach	
890-9591-22	V - 8	Soluble	Solid	DI Leach	
890-9591-23	V - 9	Soluble	Solid	DI Leach	
890-9591-24	V - 9	Soluble	Solid	DI Leach	
890-9591-25	V - 9	Soluble	Solid	DI Leach	
890-9591-26	V - 10	Soluble	Solid	DI Leach	
890-9591-27	V - 10	Soluble	Solid	DI Leach	
890-9591-28	V - 10	Soluble	Solid	DI Leach	
890-9591-29	V - 11	Soluble	Solid	DI Leach	
890-9591-30	V - 11	Soluble	Solid	DI Leach	
890-9591-31	V - 11	Soluble	Solid	DI Leach	
890-9591-32	V - 11	Soluble	Solid	DI Leach	
890-9591-33	V - 11	Soluble	Solid	DI Leach	
890-9591-34	V - 12	Soluble	Solid	DI Leach	
890-9591-35	V - 12	Soluble	Solid	DI Leach	
890-9591-36	H - 1	Soluble	Solid	DI Leach	
890-9591-37	H - 2	Soluble	Solid	DI Leach	
890-9591-38	H - 3	Soluble	Solid	DI Leach	
890-9591-39	H - 4	Soluble	Solid	DI Leach	
890-9591-40	H - 5	Soluble	Solid	DI Leach	
MB 880-133919/1-A	Method Blank	Soluble	Solid	DI Leach	

Eurofins Carlsbad

QC Association Summary

Client: Standard Safety & Supply
Project/Site: Corral Gorge Line Strike-9/2/2026

Job ID: 890-9591-1

HPLC/IC (Continued)

Leach Batch: 133919 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
LCS 880-133919/2-A	Lab Control Sample	Soluble	Solid	DI Leach	
LCSD 880-133919/3-A	Lab Control Sample Dup	Soluble	Solid	DI Leach	
890-9591-21 MS	V - 8	Soluble	Solid	DI Leach	
890-9591-21 MSD	V - 8	Soluble	Solid	DI Leach	
890-9591-31 MS	V - 11	Soluble	Solid	DI Leach	
890-9591-31 MSD	V - 11	Soluble	Solid	DI Leach	

Leach Batch: 133920

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-9591-41	H - 6	Soluble	Solid	DI Leach	
890-9591-42	H - 7	Soluble	Solid	DI Leach	
890-9591-43	H - 8	Soluble	Solid	DI Leach	
890-9591-44	H - 9	Soluble	Solid	DI Leach	
890-9591-45	H - 10	Soluble	Solid	DI Leach	
890-9591-46	H - 11	Soluble	Solid	DI Leach	
890-9591-47	H - 12	Soluble	Solid	DI Leach	
MB 880-133920/1-A	Method Blank	Soluble	Solid	DI Leach	
LCS 880-133920/2-A	Lab Control Sample	Soluble	Solid	DI Leach	
LCSD 880-133920/3-A	Lab Control Sample Dup	Soluble	Solid	DI Leach	

Analysis Batch: 133979

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-9591-21	V - 8	Soluble	Solid	300.0	133919
890-9591-22	V - 8	Soluble	Solid	300.0	133919
890-9591-23	V - 9	Soluble	Solid	300.0	133919
890-9591-24	V - 9	Soluble	Solid	300.0	133919
890-9591-25	V - 9	Soluble	Solid	300.0	133919
890-9591-26	V - 10	Soluble	Solid	300.0	133919
890-9591-27	V - 10	Soluble	Solid	300.0	133919
890-9591-28	V - 10	Soluble	Solid	300.0	133919
890-9591-29	V - 11	Soluble	Solid	300.0	133919
890-9591-30	V - 11	Soluble	Solid	300.0	133919
890-9591-31	V - 11	Soluble	Solid	300.0	133919
890-9591-32	V - 11	Soluble	Solid	300.0	133919
890-9591-33	V - 11	Soluble	Solid	300.0	133919
890-9591-34	V - 12	Soluble	Solid	300.0	133919
890-9591-35	V - 12	Soluble	Solid	300.0	133919
890-9591-36	H - 1	Soluble	Solid	300.0	133919
890-9591-37	H - 2	Soluble	Solid	300.0	133919
890-9591-38	H - 3	Soluble	Solid	300.0	133919
890-9591-39	H - 4	Soluble	Solid	300.0	133919
890-9591-40	H - 5	Soluble	Solid	300.0	133919
MB 880-133919/1-A	Method Blank	Soluble	Solid	300.0	133919
LCS 880-133919/2-A	Lab Control Sample	Soluble	Solid	300.0	133919
LCSD 880-133919/3-A	Lab Control Sample Dup	Soluble	Solid	300.0	133919
890-9591-21 MS	V - 8	Soluble	Solid	300.0	133919
890-9591-21 MSD	V - 8	Soluble	Solid	300.0	133919
890-9591-31 MS	V - 11	Soluble	Solid	300.0	133919
890-9591-31 MSD	V - 11	Soluble	Solid	300.0	133919

Eurofins Carlsbad

QC Association Summary

Client: Standard Safety & Supply
 Project/Site: Corral Gorge Line Strike-9/2/2026

Job ID: 890-9591-1

HPLC/IC

Analysis Batch: 133980

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-9591-1	V - 1	Soluble	Solid	300.0	133918
890-9591-2	V - 1	Soluble	Solid	300.0	133918
890-9591-3	V - 2	Soluble	Solid	300.0	133918
890-9591-4	V - 2	Soluble	Solid	300.0	133918
890-9591-5	V - 2	Soluble	Solid	300.0	133918
890-9591-6	V - 2	Soluble	Solid	300.0	133918
890-9591-7	V - 3	Soluble	Solid	300.0	133918
890-9591-8	V - 3	Soluble	Solid	300.0	133918
890-9591-9	V - 3	Soluble	Solid	300.0	133918
890-9591-10	V - 3	Soluble	Solid	300.0	133918
890-9591-11	V - 4	Soluble	Solid	300.0	133918
890-9591-12	V - 4	Soluble	Solid	300.0	133918
890-9591-13	V - 4	Soluble	Solid	300.0	133918
890-9591-14	V - 5	Soluble	Solid	300.0	133918
890-9591-15	V - 5	Soluble	Solid	300.0	133918
890-9591-16	V - 6	Soluble	Solid	300.0	133918
890-9591-17	V - 6	Soluble	Solid	300.0	133918
890-9591-18	V - 7	Soluble	Solid	300.0	133918
890-9591-19	V - 7	Soluble	Solid	300.0	133918
890-9591-20	V - 7	Soluble	Solid	300.0	133918
MB 880-133918/1-A	Method Blank	Soluble	Solid	300.0	133918
LCS 880-133918/2-A	Lab Control Sample	Soluble	Solid	300.0	133918
LCSD 880-133918/3-A	Lab Control Sample Dup	Soluble	Solid	300.0	133918
890-9591-1 MS	V - 1	Soluble	Solid	300.0	133918
890-9591-1 MSD	V - 1	Soluble	Solid	300.0	133918
890-9591-11 MS	V - 4	Soluble	Solid	300.0	133918
890-9591-11 MSD	V - 4	Soluble	Solid	300.0	133918

Analysis Batch: 134041

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-9591-41	H - 6	Soluble	Solid	300.0	133920
890-9591-42	H - 7	Soluble	Solid	300.0	133920
890-9591-43	H - 8	Soluble	Solid	300.0	133920
890-9591-44	H - 9	Soluble	Solid	300.0	133920
890-9591-45	H - 10	Soluble	Solid	300.0	133920
890-9591-46	H - 11	Soluble	Solid	300.0	133920
890-9591-47	H - 12	Soluble	Solid	300.0	133920
MB 880-133920/1-A	Method Blank	Soluble	Solid	300.0	133920
LCS 880-133920/2-A	Lab Control Sample	Soluble	Solid	300.0	133920
LCSD 880-133920/3-A	Lab Control Sample Dup	Soluble	Solid	300.0	133920

Eurofins Carlsbad

Lab Chronicle

Client: Standard Safety & Supply
 Project/Site: Corral Gorge Line Strike-9/2/2026

Job ID: 890-9591-1

Client Sample ID: V - 1

Lab Sample ID: 890-9591-1

Date Collected: 03/02/26 00:00

Matrix: Solid

Date Received: 03/03/26 16:33

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.00 g	5 mL	134079	03/06/26 11:30	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	134134	03/08/26 09:56	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			134301	03/08/26 09:56	SA	EET MID
Total/NA	Analysis	8015 NM		1			134251	03/08/26 09:01	SA	EET MID
Total/NA	Prep	8015NM Prep			9.98 g	10.00 mL	133881	03/04/26 17:26	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	134127	03/08/26 09:01	FC	EET MID
Soluble	Leach	DI Leach			5.03 g	50 mL	133918	03/05/26 09:10	SI	EET MID
Soluble	Analysis	300.0		10			133980	03/05/26 22:04	CS	EET MID

Client Sample ID: V - 1

Lab Sample ID: 890-9591-2

Date Collected: 03/02/26 00:00

Matrix: Solid

Date Received: 03/03/26 16:33

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	134079	03/06/26 11:30	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	134134	03/08/26 10:17	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			134301	03/08/26 10:17	SA	EET MID
Total/NA	Analysis	8015 NM		1			134251	03/08/26 09:16	SA	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10.00 mL	133881	03/04/26 17:26	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	134127	03/08/26 09:16	FC	EET MID
Soluble	Leach	DI Leach			4.95 g	50 mL	133918	03/05/26 09:10	SI	EET MID
Soluble	Analysis	300.0		10			133980	03/05/26 22:18	CS	EET MID

Client Sample ID: V - 2

Lab Sample ID: 890-9591-3

Date Collected: 03/02/26 00:00

Matrix: Solid

Date Received: 03/03/26 16:33

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.98 g	5 mL	134079	03/06/26 11:30	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	134134	03/08/26 10:37	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			134301	03/08/26 10:37	SA	EET MID
Total/NA	Analysis	8015 NM		1			134251	03/08/26 09:31	SA	EET MID
Total/NA	Prep	8015NM Prep			10.03 g	10.00 mL	133881	03/04/26 17:26	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	134127	03/08/26 09:31	FC	EET MID
Soluble	Leach	DI Leach			4.96 g	50 mL	133918	03/05/26 09:10	SI	EET MID
Soluble	Analysis	300.0		5			133980	03/05/26 22:23	CS	EET MID

Client Sample ID: V - 2

Lab Sample ID: 890-9591-4

Date Collected: 03/02/26 00:00

Matrix: Solid

Date Received: 03/03/26 16:33

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.95 g	5 mL	134079	03/06/26 11:30	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	134134	03/08/26 10:57	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			134301	03/08/26 10:57	SA	EET MID

Eurofins Carlsbad

Lab Chronicle

Client: Standard Safety & Supply
 Project/Site: Corral Gorge Line Strike-9/2/2026

Job ID: 890-9591-1

Client Sample ID: V - 2

Lab Sample ID: 890-9591-4

Date Collected: 03/02/26 00:00

Matrix: Solid

Date Received: 03/03/26 16:33

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8015 NM		1			134251	03/08/26 09:45	SA	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10.00 mL	133881	03/04/26 17:26	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	134127	03/08/26 09:45	FC	EET MID
Soluble	Leach	DI Leach			4.97 g	50 mL	133918	03/05/26 09:10	SI	EET MID
Soluble	Analysis	300.0		5			133980	03/05/26 22:28	CS	EET MID

Client Sample ID: V - 2

Lab Sample ID: 890-9591-5

Date Collected: 03/02/26 00:00

Matrix: Solid

Date Received: 03/03/26 16:33

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.03 g	5 mL	134079	03/06/26 11:30	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	134134	03/08/26 11:18	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			134301	03/08/26 11:18	SA	EET MID
Total/NA	Analysis	8015 NM		1			134251	03/08/26 10:02	SA	EET MID
Total/NA	Prep	8015NM Prep			10.04 g	10.00 mL	133881	03/04/26 17:26	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	134127	03/08/26 10:02	FC	EET MID
Soluble	Leach	DI Leach			4.99 g	50 mL	133918	03/05/26 09:10	SI	EET MID
Soluble	Analysis	300.0		5			133980	03/05/26 22:33	CS	EET MID

Client Sample ID: V - 2

Lab Sample ID: 890-9591-6

Date Collected: 03/02/26 00:00

Matrix: Solid

Date Received: 03/03/26 16:33

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.05 g	5 mL	134079	03/06/26 11:30	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	134134	03/08/26 11:39	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			134301	03/08/26 11:39	SA	EET MID
Total/NA	Analysis	8015 NM		1			134251	03/08/26 10:16	SA	EET MID
Total/NA	Prep	8015NM Prep			10.05 g	10.00 mL	133881	03/04/26 17:26	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	134127	03/08/26 10:16	FC	EET MID
Soluble	Leach	DI Leach			5.02 g	50 mL	133918	03/05/26 09:10	SI	EET MID
Soluble	Analysis	300.0		1			133980	03/05/26 22:47	CS	EET MID

Client Sample ID: V - 3

Lab Sample ID: 890-9591-7

Date Collected: 03/02/26 00:00

Matrix: Solid

Date Received: 03/03/26 16:33

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	134079	03/06/26 11:30	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	134134	03/08/26 11:59	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			134301	03/08/26 11:59	SA	EET MID
Total/NA	Analysis	8015 NM		1			134251	03/08/26 10:32	SA	EET MID
Total/NA	Prep	8015NM Prep			9.99 g	10.00 mL	133881	03/04/26 17:26	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	134127	03/08/26 10:32	FC	EET MID

Eurofins Carlsbad

Lab Chronicle

Client: Standard Safety & Supply
 Project/Site: Corral Gorge Line Strike-9/2/2026

Job ID: 890-9591-1

Client Sample ID: V - 3

Lab Sample ID: 890-9591-7

Date Collected: 03/02/26 00:00

Matrix: Solid

Date Received: 03/03/26 16:33

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Soluble	Leach	DI Leach			4.95 g	50 mL	133918	03/05/26 09:10	SI	EET MID
Soluble	Analysis	300.0		5			133980	03/05/26 22:52	CS	EET MID

Client Sample ID: V - 3

Lab Sample ID: 890-9591-8

Date Collected: 03/02/26 00:00

Matrix: Solid

Date Received: 03/03/26 16:33

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.98 g	5 mL	134079	03/06/26 11:30	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	134134	03/08/26 12:20	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			134301	03/08/26 12:20	SA	EET MID
Total/NA	Analysis	8015 NM		1			134251	03/08/26 10:47	SA	EET MID
Total/NA	Prep	8015NM Prep			9.97 g	10.00 mL	133881	03/04/26 17:26	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	134127	03/08/26 10:47	FC	EET MID
Soluble	Leach	DI Leach			4.95 g	50 mL	133918	03/05/26 09:10	SI	EET MID
Soluble	Analysis	300.0		5			133980	03/05/26 22:57	CS	EET MID

Client Sample ID: V - 3

Lab Sample ID: 890-9591-9

Date Collected: 03/02/26 00:00

Matrix: Solid

Date Received: 03/03/26 16:33

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.95 g	5 mL	134079	03/06/26 11:30	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	134134	03/08/26 12:40	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			134301	03/08/26 12:40	SA	EET MID
Total/NA	Analysis	8015 NM		1			134251	03/08/26 05:17	SA	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10.00 mL	133882	03/04/26 17:28	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	134125	03/08/26 05:17	FC	EET MID
Soluble	Leach	DI Leach			5.02 g	50 mL	133918	03/05/26 09:10	SI	EET MID
Soluble	Analysis	300.0		10			133980	03/05/26 23:02	CS	EET MID

Client Sample ID: V - 3

Lab Sample ID: 890-9591-10

Date Collected: 03/02/26 00:00

Matrix: Solid

Date Received: 03/03/26 16:33

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.03 g	5 mL	134079	03/06/26 11:30	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	134134	03/08/26 13:01	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			134301	03/08/26 13:01	SA	EET MID
Total/NA	Analysis	8015 NM		1			134251	03/08/26 06:03	SA	EET MID
Total/NA	Prep	8015NM Prep			10.02 g	10.00 mL	133882	03/04/26 17:28	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	134125	03/08/26 06:03	FC	EET MID
Soluble	Leach	DI Leach			5.01 g	50 mL	133918	03/05/26 09:10	SI	EET MID
Soluble	Analysis	300.0		10			133980	03/05/26 23:07	CS	EET MID

Eurofins Carlsbad

Lab Chronicle

Client: Standard Safety & Supply
 Project/Site: Corral Gorge Line Strike-9/2/2026

Job ID: 890-9591-1

Client Sample ID: V - 4

Lab Sample ID: 890-9591-11

Date Collected: 03/02/26 00:00

Matrix: Solid

Date Received: 03/03/26 16:33

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.05 g	5 mL	134079	03/06/26 11:30	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	134134	03/08/26 15:03	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			134301	03/08/26 15:03	SA	EET MID
Total/NA	Analysis	8015 NM		1			134251	03/08/26 06:17	SA	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10.00 mL	133882	03/04/26 17:28	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	134125	03/08/26 06:17	FC	EET MID
Soluble	Leach	DI Leach			4.96 g	50 mL	133918	03/05/26 09:10	SI	EET MID
Soluble	Analysis	300.0		1			133980	03/05/26 23:12	CS	EET MID

Client Sample ID: V - 4

Lab Sample ID: 890-9591-12

Date Collected: 03/02/26 00:00

Matrix: Solid

Date Received: 03/03/26 16:33

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	134079	03/06/26 11:30	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	134134	03/08/26 15:23	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			134301	03/08/26 15:23	SA	EET MID
Total/NA	Analysis	8015 NM		1			134251	03/08/26 06:33	SA	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10.00 mL	133882	03/04/26 17:28	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	134125	03/08/26 06:33	FC	EET MID
Soluble	Leach	DI Leach			5.04 g	50 mL	133918	03/05/26 09:10	SI	EET MID
Soluble	Analysis	300.0		1			133980	03/05/26 23:26	CS	EET MID

Client Sample ID: V - 4

Lab Sample ID: 890-9591-13

Date Collected: 03/02/26 00:00

Matrix: Solid

Date Received: 03/03/26 16:33

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.97 g	5 mL	134079	03/06/26 11:30	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	134134	03/08/26 15:44	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			134301	03/08/26 15:44	SA	EET MID
Total/NA	Analysis	8015 NM		1			134251	03/08/26 06:48	SA	EET MID
Total/NA	Prep	8015NM Prep			10.04 g	10.00 mL	133882	03/04/26 17:28	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	134125	03/08/26 06:48	FC	EET MID
Soluble	Leach	DI Leach			5.05 g	50 mL	133918	03/05/26 09:10	SI	EET MID
Soluble	Analysis	300.0		1			133980	03/05/26 23:31	CS	EET MID

Client Sample ID: V - 5

Lab Sample ID: 890-9591-14

Date Collected: 03/02/26 00:00

Matrix: Solid

Date Received: 03/03/26 16:33

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.99 g	5 mL	134079	03/06/26 11:30	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	134134	03/08/26 16:04	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			134301	03/08/26 16:04	SA	EET MID

Eurofins Carlsbad

Lab Chronicle

Client: Standard Safety & Supply
 Project/Site: Corral Gorge Line Strike-9/2/2026

Job ID: 890-9591-1

Client Sample ID: V - 5

Lab Sample ID: 890-9591-14

Date Collected: 03/02/26 00:00

Matrix: Solid

Date Received: 03/03/26 16:33

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8015 NM		1			134251	03/08/26 07:03	SA	EET MID
Total/NA	Prep	8015NM Prep			10.05 g	10.00 mL	133882	03/04/26 17:28	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	134125	03/08/26 07:03	FC	EET MID
Soluble	Leach	DI Leach			4.96 g	50 mL	133918	03/05/26 09:10	SI	EET MID
Soluble	Analysis	300.0		1			133980	03/05/26 23:46	CS	EET MID

Client Sample ID: V - 5

Lab Sample ID: 890-9591-15

Date Collected: 03/02/26 00:00

Matrix: Solid

Date Received: 03/03/26 16:33

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.03 g	5 mL	134079	03/06/26 11:30	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	134134	03/08/26 16:25	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			134301	03/08/26 16:25	SA	EET MID
Total/NA	Analysis	8015 NM		1			134251	03/08/26 07:18	SA	EET MID
Total/NA	Prep	8015NM Prep			10.02 g	10.00 mL	133882	03/04/26 17:28	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	134125	03/08/26 07:18	FC	EET MID
Soluble	Leach	DI Leach			5.00 g	50 mL	133918	03/05/26 09:10	SI	EET MID
Soluble	Analysis	300.0		1			133980	03/05/26 23:50	CS	EET MID

Client Sample ID: V - 6

Lab Sample ID: 890-9591-16

Date Collected: 03/02/26 00:00

Matrix: Solid

Date Received: 03/03/26 16:33

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.05 g	5 mL	134079	03/06/26 11:30	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	134134	03/08/26 16:45	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			134301	03/08/26 16:45	SA	EET MID
Total/NA	Analysis	8015 NM		1			134251	03/08/26 07:32	SA	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10.00 mL	133882	03/04/26 17:28	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	134125	03/08/26 07:32	FC	EET MID
Soluble	Leach	DI Leach			4.99 g	50 mL	133918	03/05/26 09:10	SI	EET MID
Soluble	Analysis	300.0		5			133980	03/05/26 23:55	CS	EET MID

Client Sample ID: V - 6

Lab Sample ID: 890-9591-17

Date Collected: 03/02/26 00:00

Matrix: Solid

Date Received: 03/03/26 16:33

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	134079	03/06/26 11:30	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	134134	03/08/26 17:06	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			134301	03/08/26 17:06	SA	EET MID
Total/NA	Analysis	8015 NM		1			134251	03/08/26 07:48	SA	EET MID
Total/NA	Prep	8015NM Prep			10.03 g	10.00 mL	133882	03/04/26 17:28	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	134125	03/08/26 07:48	FC	EET MID

Eurofins Carlsbad

Lab Chronicle

Client: Standard Safety & Supply
 Project/Site: Corral Gorge Line Strike-9/2/2026

Job ID: 890-9591-1

Client Sample ID: V - 6

Lab Sample ID: 890-9591-17

Date Collected: 03/02/26 00:00

Matrix: Solid

Date Received: 03/03/26 16:33

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Soluble	Leach	DI Leach			5.01 g	50 mL	133918	03/05/26 09:10	SI	EET MID
Soluble	Analysis	300.0		5			133980	03/06/26 00:00	CS	EET MID

Client Sample ID: V - 7

Lab Sample ID: 890-9591-18

Date Collected: 03/02/26 00:00

Matrix: Solid

Date Received: 03/03/26 16:33

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.97 g	5 mL	134079	03/06/26 11:30	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	134134	03/08/26 17:26	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			134301	03/08/26 17:26	SA	EET MID
Total/NA	Analysis	8015 NM		1			134251	03/08/26 08:02	SA	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10.00 mL	133882	03/04/26 17:28	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	134125	03/08/26 08:02	FC	EET MID
Soluble	Leach	DI Leach			4.99 g	50 mL	133918	03/05/26 09:10	SI	EET MID
Soluble	Analysis	300.0		5			133980	03/06/26 00:05	CS	EET MID

Client Sample ID: V - 7

Lab Sample ID: 890-9591-19

Date Collected: 03/02/26 00:00

Matrix: Solid

Date Received: 03/03/26 16:33

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.95 g	5 mL	134079	03/06/26 11:30	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	134134	03/08/26 17:47	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			134301	03/08/26 17:47	SA	EET MID
Total/NA	Analysis	8015 NM		1			134251	03/08/26 08:32	SA	EET MID
Total/NA	Prep	8015NM Prep			10.04 g	10.00 mL	133882	03/04/26 17:28	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	134125	03/08/26 08:32	FC	EET MID
Soluble	Leach	DI Leach			5.04 g	50 mL	133918	03/05/26 09:10	SI	EET MID
Soluble	Analysis	300.0		5			133980	03/06/26 00:10	CS	EET MID

Client Sample ID: V - 7

Lab Sample ID: 890-9591-20

Date Collected: 03/02/26 00:00

Matrix: Solid

Date Received: 03/03/26 16:33

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.03 g	5 mL	134079	03/06/26 11:30	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	134134	03/08/26 18:07	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			134301	03/08/26 18:07	SA	EET MID
Total/NA	Analysis	8015 NM		1			134251	03/08/26 08:46	SA	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10.00 mL	133882	03/04/26 17:28	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	134125	03/08/26 08:46	FC	EET MID
Soluble	Leach	DI Leach			5.05 g	50 mL	133918	03/05/26 09:10	SI	EET MID
Soluble	Analysis	300.0		5			133980	03/06/26 00:14	CS	EET MID

Eurofins Carlsbad

Lab Chronicle

Client: Standard Safety & Supply
 Project/Site: Corral Gorge Line Strike-9/2/2026

Job ID: 890-9591-1

Client Sample ID: V - 8

Lab Sample ID: 890-9591-21

Date Collected: 03/02/26 00:00

Matrix: Solid

Date Received: 03/03/26 16:33

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	134081	03/06/26 11:36	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	134029	03/07/26 10:11	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			134301	03/07/26 10:11	SA	EET MID
Total/NA	Analysis	8015 NM		1			134251	03/08/26 09:01	SA	EET MID
Total/NA	Prep	8015NM Prep			10.02 g	10.00 mL	133882	03/04/26 17:28	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	134125	03/08/26 09:01	FC	EET MID
Soluble	Leach	DI Leach			5.02 g	50 mL	133919	03/05/26 09:12	SI	EET MID
Soluble	Analysis	300.0		1			133979	03/06/26 11:45	SMC	EET MID

Client Sample ID: V - 8

Lab Sample ID: 890-9591-22

Date Collected: 03/02/26 00:00

Matrix: Solid

Date Received: 03/03/26 16:33

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.98 g	5 mL	134081	03/06/26 11:36	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	134029	03/07/26 10:32	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			134301	03/07/26 10:32	SA	EET MID
Total/NA	Analysis	8015 NM		1			134251	03/08/26 09:16	SA	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10.00 mL	133882	03/04/26 17:28	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	134125	03/08/26 09:16	FC	EET MID
Soluble	Leach	DI Leach			4.96 g	50 mL	133919	03/05/26 09:12	SI	EET MID
Soluble	Analysis	300.0		5			133979	03/06/26 12:00	SMC	EET MID

Client Sample ID: V - 9

Lab Sample ID: 890-9591-23

Date Collected: 03/02/26 00:00

Matrix: Solid

Date Received: 03/03/26 16:33

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.95 g	5 mL	134081	03/06/26 11:36	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	134029	03/07/26 10:52	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			134301	03/07/26 10:52	SA	EET MID
Total/NA	Analysis	8015 NM		1			134251	03/08/26 09:31	SA	EET MID
Total/NA	Prep	8015NM Prep			10.04 g	10.00 mL	133882	03/04/26 17:28	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	134125	03/08/26 09:31	FC	EET MID
Soluble	Leach	DI Leach			4.99 g	50 mL	133919	03/05/26 09:12	SI	EET MID
Soluble	Analysis	300.0		5			133979	03/06/26 12:05	SMC	EET MID

Client Sample ID: V - 9

Lab Sample ID: 890-9591-24

Date Collected: 03/02/26 00:00

Matrix: Solid

Date Received: 03/03/26 16:33

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.03 g	5 mL	134081	03/06/26 11:36	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	134029	03/07/26 11:12	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			134301	03/07/26 11:12	SA	EET MID

Eurofins Carlsbad

Lab Chronicle

Client: Standard Safety & Supply
 Project/Site: Corral Gorge Line Strike-9/2/2026

Job ID: 890-9591-1

Client Sample ID: V - 9

Lab Sample ID: 890-9591-24

Date Collected: 03/02/26 00:00

Matrix: Solid

Date Received: 03/03/26 16:33

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8015 NM		1			134251	03/08/26 09:45	SA	EET MID
Total/NA	Prep	8015NM Prep			10.03 g	10.00 mL	133882	03/04/26 17:28	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	134125	03/08/26 09:45	FC	EET MID
Soluble	Leach	DI Leach			5.02 g	50 mL	133919	03/05/26 09:12	SI	EET MID
Soluble	Analysis	300.0		10			133979	03/06/26 12:09	SMC	EET MID

Client Sample ID: V - 9

Lab Sample ID: 890-9591-25

Date Collected: 03/02/26 00:00

Matrix: Solid

Date Received: 03/03/26 16:33

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.05 g	5 mL	134081	03/06/26 11:36	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	134029	03/07/26 11:33	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			134301	03/07/26 11:33	SA	EET MID
Total/NA	Analysis	8015 NM		1			134251	03/08/26 10:02	SA	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10.00 mL	133882	03/04/26 17:28	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	134125	03/08/26 10:02	FC	EET MID
Soluble	Leach	DI Leach			4.95 g	50 mL	133919	03/05/26 09:12	SI	EET MID
Soluble	Analysis	300.0		5			133979	03/06/26 12:14	SMC	EET MID

Client Sample ID: V - 10

Lab Sample ID: 890-9591-26

Date Collected: 03/02/26 00:00

Matrix: Solid

Date Received: 03/03/26 16:33

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	134081	03/06/26 11:36	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	134029	03/07/26 11:53	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			134301	03/07/26 11:53	SA	EET MID
Total/NA	Analysis	8015 NM		1			134251	03/08/26 10:16	SA	EET MID
Total/NA	Prep	8015NM Prep			10.04 g	10.00 mL	133882	03/04/26 17:28	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	134125	03/08/26 10:16	FC	EET MID
Soluble	Leach	DI Leach			4.97 g	50 mL	133919	03/05/26 09:12	SI	EET MID
Soluble	Analysis	300.0		1			133979	03/06/26 12:29	SMC	EET MID

Client Sample ID: V - 10

Lab Sample ID: 890-9591-27

Date Collected: 03/02/26 00:00

Matrix: Solid

Date Received: 03/03/26 16:33

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.97 g	5 mL	134081	03/06/26 11:36	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	134029	03/07/26 12:14	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			134301	03/07/26 12:14	SA	EET MID
Total/NA	Analysis	8015 NM		1			134251	03/08/26 10:32	SA	EET MID
Total/NA	Prep	8015NM Prep			10.05 g	10.00 mL	133882	03/04/26 17:28	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	134125	03/08/26 10:32	FC	EET MID

Eurofins Carlsbad

Lab Chronicle

Client: Standard Safety & Supply
 Project/Site: Corral Gorge Line Strike-9/2/2026

Job ID: 890-9591-1

Client Sample ID: V - 10

Lab Sample ID: 890-9591-27

Date Collected: 03/02/26 00:00

Matrix: Solid

Date Received: 03/03/26 16:33

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Soluble	Leach	DI Leach			5.02 g	50 mL	133919	03/05/26 09:12	SI	EET MID
Soluble	Analysis	300.0		1			133979	03/06/26 12:34	SMC	EET MID

Client Sample ID: V - 10

Lab Sample ID: 890-9591-28

Date Collected: 03/02/26 00:00

Matrix: Solid

Date Received: 03/03/26 16:33

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.95 g	5 mL	134081	03/06/26 11:36	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	134029	03/07/26 12:34	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			134301	03/07/26 12:34	SA	EET MID
Total/NA	Analysis	8015 NM		1			134251	03/08/26 10:47	SA	EET MID
Total/NA	Prep	8015NM Prep			10.00 g	10.00 mL	133882	03/04/26 17:28	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	134125	03/08/26 10:47	FC	EET MID
Soluble	Leach	DI Leach			5.00 g	50 mL	133919	03/05/26 09:12	SI	EET MID
Soluble	Analysis	300.0		1			133979	03/06/26 12:39	SMC	EET MID

Client Sample ID: V - 11

Lab Sample ID: 890-9591-29

Date Collected: 03/02/26 00:00

Matrix: Solid

Date Received: 03/03/26 16:33

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.03 g	5 mL	134081	03/06/26 11:36	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	134029	03/07/26 12:55	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			134301	03/07/26 12:55	SA	EET MID
Total/NA	Analysis	8015 NM		1			134251	03/07/26 21:08	SA	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10.00 mL	133883	03/04/26 17:31	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	134125	03/07/26 21:08	FC	EET MID
Soluble	Leach	DI Leach			4.99 g	50 mL	133919	03/05/26 09:12	SI	EET MID
Soluble	Analysis	300.0		10			133979	03/06/26 12:43	SMC	EET MID

Client Sample ID: V - 11

Lab Sample ID: 890-9591-30

Date Collected: 03/02/26 00:00

Matrix: Solid

Date Received: 03/03/26 16:33

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.00 g	5 mL	134081	03/06/26 11:36	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	134029	03/07/26 13:15	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			134301	03/07/26 13:15	SA	EET MID
Total/NA	Analysis	8015 NM		1			134251	03/07/26 21:52	SA	EET MID
Total/NA	Prep	8015NM Prep			10.02 g	10.00 mL	133883	03/04/26 17:31	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	134125	03/07/26 21:52	FC	EET MID
Soluble	Leach	DI Leach			5.04 g	50 mL	133919	03/05/26 09:12	SI	EET MID
Soluble	Analysis	300.0		1			133979	03/06/26 12:48	SMC	EET MID

Eurofins Carlsbad

Lab Chronicle

Client: Standard Safety & Supply
 Project/Site: Corral Gorge Line Strike-9/2/2026

Job ID: 890-9591-1

Client Sample ID: V - 11

Lab Sample ID: 890-9591-31

Date Collected: 03/02/26 00:00

Matrix: Solid

Date Received: 03/03/26 16:33

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	134081	03/06/26 11:36	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	134029	03/07/26 14:49	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			134301	03/07/26 14:49	SA	EET MID
Total/NA	Analysis	8015 NM		1			134251	03/07/26 22:07	SA	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10.00 mL	133883	03/04/26 17:31	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	134125	03/07/26 22:07	FC	EET MID
Soluble	Leach	DI Leach			5.02 g	50 mL	133919	03/05/26 09:12	SI	EET MID
Soluble	Analysis	300.0		1			133979	03/06/26 12:53	SMC	EET MID

Client Sample ID: V - 11

Lab Sample ID: 890-9591-32

Date Collected: 03/02/26 00:00

Matrix: Solid

Date Received: 03/03/26 16:33

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.97 g	5 mL	134081	03/06/26 11:36	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	134029	03/07/26 15:10	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			134301	03/07/26 15:10	SA	EET MID
Total/NA	Analysis	8015 NM		1			134251	03/07/26 22:22	SA	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10.00 mL	133883	03/04/26 17:31	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	134125	03/07/26 22:22	FC	EET MID
Soluble	Leach	DI Leach			4.95 g	50 mL	133919	03/05/26 09:12	SI	EET MID
Soluble	Analysis	300.0		1			133979	03/06/26 13:08	SMC	EET MID

Client Sample ID: V - 11

Lab Sample ID: 890-9591-33

Date Collected: 03/02/26 00:00

Matrix: Solid

Date Received: 03/03/26 16:33

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.95 g	5 mL	134081	03/06/26 11:36	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	134029	03/07/26 15:30	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			134301	03/07/26 15:30	SA	EET MID
Total/NA	Analysis	8015 NM		1			134251	03/07/26 22:36	SA	EET MID
Total/NA	Prep	8015NM Prep			10.04 g	10.00 mL	133883	03/04/26 17:31	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	134125	03/07/26 22:36	FC	EET MID
Soluble	Leach	DI Leach			4.97 g	50 mL	133919	03/05/26 09:12	SI	EET MID
Soluble	Analysis	300.0		1			133979	03/06/26 13:12	SMC	EET MID

Client Sample ID: V - 12

Lab Sample ID: 890-9591-34

Date Collected: 03/02/26 00:00

Matrix: Solid

Date Received: 03/03/26 16:33

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.03 g	5 mL	134081	03/06/26 11:36	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	134029	03/07/26 15:51	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			134301	03/07/26 15:51	SA	EET MID

Eurofins Carlsbad

Lab Chronicle

Client: Standard Safety & Supply
 Project/Site: Corral Gorge Line Strike-9/2/2026

Job ID: 890-9591-1

Client Sample ID: V - 12

Lab Sample ID: 890-9591-34

Date Collected: 03/02/26 00:00

Matrix: Solid

Date Received: 03/03/26 16:33

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8015 NM		1			134251	03/07/26 22:51	SA	EET MID
Total/NA	Prep	8015NM Prep			10.05 g	10.00 mL	133883	03/04/26 17:31	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	134125	03/07/26 22:51	FC	EET MID
Soluble	Leach	DI Leach			4.99 g	50 mL	133919	03/05/26 09:12	SI	EET MID
Soluble	Analysis	300.0		5			133979	03/06/26 13:27	SMC	EET MID

Client Sample ID: V - 12

Lab Sample ID: 890-9591-35

Date Collected: 03/02/26 00:00

Matrix: Solid

Date Received: 03/03/26 16:33

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.05 g	5 mL	134081	03/06/26 11:36	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	134029	03/07/26 16:11	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			134301	03/07/26 16:11	SA	EET MID
Total/NA	Analysis	8015 NM		1			134251	03/07/26 23:06	SA	EET MID
Total/NA	Prep	8015NM Prep			10.02 g	10.00 mL	133883	03/04/26 17:31	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	134125	03/07/26 23:06	FC	EET MID
Soluble	Leach	DI Leach			5.05 g	50 mL	133919	03/05/26 09:12	SI	EET MID
Soluble	Analysis	300.0		5			133979	03/06/26 13:32	SMC	EET MID

Client Sample ID: H - 1

Lab Sample ID: 890-9591-36

Date Collected: 03/02/26 00:00

Matrix: Solid

Date Received: 03/03/26 16:33

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	134081	03/06/26 11:36	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	134029	03/07/26 16:32	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			134301	03/07/26 16:32	SA	EET MID
Total/NA	Analysis	8015 NM		1			134251	03/07/26 23:20	SA	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10.00 mL	133883	03/04/26 17:31	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	134125	03/07/26 23:20	FC	EET MID
Soluble	Leach	DI Leach			4.98 g	50 mL	133919	03/05/26 09:12	SI	EET MID
Soluble	Analysis	300.0		1			133979	03/06/26 13:37	SMC	EET MID

Client Sample ID: H - 2

Lab Sample ID: 890-9591-37

Date Collected: 03/02/26 00:00

Matrix: Solid

Date Received: 03/03/26 16:33

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.97 g	5 mL	134081	03/06/26 11:36	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	134029	03/07/26 16:52	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			134301	03/07/26 16:52	SA	EET MID
Total/NA	Analysis	8015 NM		1			134251	03/07/26 23:35	SA	EET MID
Total/NA	Prep	8015NM Prep			10.03 g	10.00 mL	133883	03/04/26 17:31	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	134125	03/07/26 23:35	FC	EET MID

Eurofins Carlsbad

Lab Chronicle

Client: Standard Safety & Supply
 Project/Site: Corral Gorge Line Strike-9/2/2026

Job ID: 890-9591-1

Client Sample ID: H - 2

Lab Sample ID: 890-9591-37

Date Collected: 03/02/26 00:00

Matrix: Solid

Date Received: 03/03/26 16:33

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Soluble	Leach	DI Leach			4.97 g	50 mL	133919	03/05/26 09:12	SI	EET MID
Soluble	Analysis	300.0		1			133979	03/06/26 13:41	SMC	EET MID

Client Sample ID: H - 3

Lab Sample ID: 890-9591-38

Date Collected: 03/02/26 00:00

Matrix: Solid

Date Received: 03/03/26 16:33

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.95 g	5 mL	134081	03/06/26 11:36	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	134029	03/07/26 17:13	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			134301	03/07/26 17:13	SA	EET MID
Total/NA	Analysis	8015 NM		1			134251	03/07/26 23:49	SA	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10.00 mL	133883	03/04/26 17:31	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	134125	03/07/26 23:49	FC	EET MID
Soluble	Leach	DI Leach			5.05 g	50 mL	133919	03/05/26 09:12	SI	EET MID
Soluble	Analysis	300.0		1			133979	03/06/26 13:46	SMC	EET MID

Client Sample ID: H - 4

Lab Sample ID: 890-9591-39

Date Collected: 03/02/26 00:00

Matrix: Solid

Date Received: 03/03/26 16:33

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	134073	03/07/26 11:08	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	134135	03/08/26 04:43	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			134301	03/08/26 04:43	SA	EET MID
Total/NA	Analysis	8015 NM		1			134251	03/08/26 00:19	SA	EET MID
Total/NA	Prep	8015NM Prep			10.04 g	10.00 mL	133883	03/04/26 17:31	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	134125	03/08/26 00:19	FC	EET MID
Soluble	Leach	DI Leach			4.96 g	50 mL	133919	03/05/26 09:12	SI	EET MID
Soluble	Analysis	300.0		1			133979	03/06/26 13:51	SMC	EET MID

Client Sample ID: H - 5

Lab Sample ID: 890-9591-40

Date Collected: 03/02/26 00:00

Matrix: Solid

Date Received: 03/03/26 16:33

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.02 g	5 mL	134073	03/07/26 11:08	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	134135	03/08/26 05:04	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			134301	03/08/26 05:04	SA	EET MID
Total/NA	Analysis	8015 NM		1			134251	03/08/26 00:34	SA	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10.00 mL	133883	03/04/26 17:31	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	134125	03/08/26 00:34	FC	EET MID
Soluble	Leach	DI Leach			4.97 g	50 mL	133919	03/05/26 09:12	SI	EET MID
Soluble	Analysis	300.0		1			133979	03/06/26 13:56	SMC	EET MID

Eurofins Carlsbad

Lab Chronicle

Client: Standard Safety & Supply
 Project/Site: Corral Gorge Line Strike-9/2/2026

Job ID: 890-9591-1

Client Sample ID: H - 6

Lab Sample ID: 890-9591-41

Date Collected: 03/02/26 00:00

Matrix: Solid

Date Received: 03/03/26 16:33

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.05 g	5 mL	134086	03/06/26 12:13	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	134028	03/07/26 06:05	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			134301	03/07/26 06:05	SA	EET MID
Total/NA	Analysis	8015 NM		1			134251	03/08/26 00:50	SA	EET MID
Total/NA	Prep	8015NM Prep			10.02 g	10.00 mL	133883	03/04/26 17:31	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	134125	03/08/26 00:50	FC	EET MID
Soluble	Leach	DI Leach			4.97 g	50 mL	133920	03/05/26 09:14	SI	EET MID
Soluble	Analysis	300.0		1			134041	03/06/26 13:07	CS	EET MID

Client Sample ID: H - 7

Lab Sample ID: 890-9591-42

Date Collected: 03/02/26 00:00

Matrix: Solid

Date Received: 03/03/26 16:33

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.00 g	5 mL	134086	03/06/26 12:13	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	134028	03/07/26 06:26	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			134301	03/07/26 06:26	SA	EET MID
Total/NA	Analysis	8015 NM		1			134251	03/08/26 01:04	SA	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10.00 mL	133883	03/04/26 17:31	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	134125	03/08/26 01:04	FC	EET MID
Soluble	Leach	DI Leach			4.99 g	50 mL	133920	03/05/26 09:14	SI	EET MID
Soluble	Analysis	300.0		1			134041	03/06/26 13:13	CS	EET MID

Client Sample ID: H - 8

Lab Sample ID: 890-9591-43

Date Collected: 03/02/26 00:00

Matrix: Solid

Date Received: 03/03/26 16:33

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	134086	03/06/26 12:13	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	134028	03/07/26 06:46	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			134301	03/07/26 06:46	SA	EET MID
Total/NA	Analysis	8015 NM		1			134251	03/08/26 01:20	SA	EET MID
Total/NA	Prep	8015NM Prep			10.04 g	10.00 mL	133883	03/04/26 17:31	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	134125	03/08/26 01:20	FC	EET MID
Soluble	Leach	DI Leach			5.04 g	50 mL	133920	03/05/26 09:14	SI	EET MID
Soluble	Analysis	300.0		1			134041	03/06/26 13:20	CS	EET MID

Client Sample ID: H - 9

Lab Sample ID: 890-9591-44

Date Collected: 03/02/26 00:00

Matrix: Solid

Date Received: 03/03/26 16:33

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.05 g	5 mL	134183	03/07/26 09:20	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	134136	03/08/26 16:04	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			134301	03/08/26 16:04	SA	EET MID

Eurofins Carlsbad

Lab Chronicle

Client: Standard Safety & Supply
 Project/Site: Corral Gorge Line Strike-9/2/2026

Job ID: 890-9591-1

Client Sample ID: H - 9

Lab Sample ID: 890-9591-44

Date Collected: 03/02/26 00:00

Matrix: Solid

Date Received: 03/03/26 16:33

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8015 NM		1			134251	03/08/26 01:34	SA	EET MID
Total/NA	Prep	8015NM Prep			10.03 g	10.00 mL	133883	03/04/26 17:31	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	134125	03/08/26 01:34	FC	EET MID
Soluble	Leach	DI Leach			5.03 g	50 mL	133920	03/05/26 09:14	SI	EET MID
Soluble	Analysis	300.0		1			134041	03/06/26 13:27	CS	EET MID

Client Sample ID: H - 10

Lab Sample ID: 890-9591-45

Date Collected: 03/02/26 00:00

Matrix: Solid

Date Received: 03/03/26 16:33

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	134183	03/07/26 09:20	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	134136	03/08/26 16:25	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			134301	03/08/26 16:25	SA	EET MID
Total/NA	Analysis	8015 NM		1			134251	03/08/26 01:49	SA	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10.00 mL	133883	03/04/26 17:31	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	134125	03/08/26 01:49	FC	EET MID
Soluble	Leach	DI Leach			4.95 g	50 mL	133920	03/05/26 09:14	SI	EET MID
Soluble	Analysis	300.0		1			134041	03/06/26 13:33	CS	EET MID

Client Sample ID: H - 11

Lab Sample ID: 890-9591-46

Date Collected: 03/02/26 00:00

Matrix: Solid

Date Received: 03/03/26 16:33

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.98 g	5 mL	134183	03/07/26 09:20	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	134136	03/08/26 16:45	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			134301	03/08/26 16:45	SA	EET MID
Total/NA	Analysis	8015 NM		1			134251	03/08/26 03:04	SA	EET MID
Total/NA	Prep	8015NM Prep			10.04 g	10.00 mL	133883	03/04/26 17:31	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	134125	03/08/26 03:04	FC	EET MID
Soluble	Leach	DI Leach			4.99 g	50 mL	133920	03/05/26 09:14	SI	EET MID
Soluble	Analysis	300.0		1			134041	03/06/26 13:40	CS	EET MID

Client Sample ID: H - 12

Lab Sample ID: 890-9591-47

Date Collected: 03/02/26 00:00

Matrix: Solid

Date Received: 03/03/26 16:33

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.95 g	5 mL	134183	03/07/26 09:20	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	134136	03/08/26 17:06	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			134301	03/08/26 17:06	SA	EET MID
Total/NA	Analysis	8015 NM		1			134251	03/08/26 03:19	SA	EET MID
Total/NA	Prep	8015NM Prep			10.05 g	10.00 mL	133883	03/04/26 17:31	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	134125	03/08/26 03:19	FC	EET MID

Eurofins Carlsbad

Lab Chronicle

Client: Standard Safety & Supply
Project/Site: Corral Gorge Line Strike-9/2/2026

Job ID: 890-9591-1

Client Sample ID: H - 12

Lab Sample ID: 890-9591-47

Date Collected: 03/02/26 00:00

Matrix: Solid

Date Received: 03/03/26 16:33

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Soluble	Leach	DI Leach			5.05 g	50 mL	133920	03/05/26 09:14	SI	EET MID
Soluble	Analysis	300.0		1			134041	03/06/26 13:47	CS	EET MID

Laboratory References:

EET MID = Eurofins Midland, 1211 W. Florida Ave, Midland, TX 79701, TEL (432)704-5440

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Accreditation/Certification Summary

Client: Standard Safety & Supply
Project/Site: Corral Gorge Line Strike-9/2/2026

Job ID: 890-9591-1

Laboratory: Eurofins Midland

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
Texas	NELAP	T104704400	06-30-26

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

Analysis Method	Prep Method	Matrix	Analyte
8015 NM		Solid	Total TPH
Total BTEX		Solid	Total BTEX

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Method Summary

Client: Standard Safety & Supply
Project/Site: Corral Gorge Line Strike-9/2/2026

Job ID: 890-9591-1

Method	Method Description	Protocol	Laboratory
8021B	Volatile Organic Compounds (GC)	SW846	EET MID
Total BTEX	Total BTEX Calculation	TAL SOP	EET MID
8015 NM	Diesel Range Organics (DRO) (GC)	SW846	EET MID
8015B NM	Diesel Range Organics (DRO) (GC)	SW846	EET MID
300.0	Anions, Ion Chromatography	EPA	EET MID
5035	Closed System Purge and Trap	SW846	EET MID
8015NM Prep	Microextraction	SW846	EET MID
DI Leach	Deionized Water Leaching Procedure	ASTM	EET MID

Protocol References:

- ASTM = ASTM International
- EPA = US Environmental Protection Agency
- SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.
- TAL SOP = TestAmerica Laboratories, Standard Operating Procedure

Laboratory References:

- EET MID = Eurofins Midland, 1211 W. Florida Ave, Midland, TX 79701, TEL (432)704-5440




Sample Summary

Client: Standard Safety & Supply
 Project/Site: Corral Gorge Line Strike-9/2/2026

Job ID: 890-9591-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Depth
890-9591-1	V - 1	Solid	03/02/26 00:00	03/03/26 16:33	0-6"
890-9591-2	V - 1	Solid	03/02/26 00:00	03/03/26 16:33	1-1.5
890-9591-3	V - 2	Solid	03/02/26 00:00	03/03/26 16:33	0-6"
890-9591-4	V - 2	Solid	03/02/26 00:00	03/03/26 16:33	1-1.5
890-9591-5	V - 2	Solid	03/02/26 00:00	03/03/26 16:33	2-2.5
890-9591-6	V - 2	Solid	03/02/26 00:00	03/03/26 16:33	3-3.5
890-9591-7	V - 3	Solid	03/02/26 00:00	03/03/26 16:33	0-6"
890-9591-8	V - 3	Solid	03/02/26 00:00	03/03/26 16:33	1-1.5
890-9591-9	V - 3	Solid	03/02/26 00:00	03/03/26 16:33	2-2.5
890-9591-10	V - 3	Solid	03/02/26 00:00	03/03/26 16:33	2.5-3
890-9591-11	V - 4	Solid	03/02/26 00:00	03/03/26 16:33	0-6"
890-9591-12	V - 4	Solid	03/02/26 00:00	03/03/26 16:33	1-1.5
890-9591-13	V - 4	Solid	03/02/26 00:00	03/03/26 16:33	2-2.5
890-9591-14	V - 5	Solid	03/02/26 00:00	03/03/26 16:33	0-6"
890-9591-15	V - 5	Solid	03/02/26 00:00	03/03/26 16:33	1-1.5
890-9591-16	V - 6	Solid	03/02/26 00:00	03/03/26 16:33	0-6"
890-9591-17	V - 6	Solid	03/02/26 00:00	03/03/26 16:33	1-1.5
890-9591-18	V - 7	Solid	03/02/26 00:00	03/03/26 16:33	0-6"
890-9591-19	V - 7	Solid	03/02/26 00:00	03/03/26 16:33	1-1.5
890-9591-20	V - 7	Solid	03/02/26 00:00	03/03/26 16:33	2-2.5
890-9591-21	V - 8	Solid	03/02/26 00:00	03/03/26 16:33	0-6"
890-9591-22	V - 8	Solid	03/02/26 00:00	03/03/26 16:33	1-1.5
890-9591-23	V - 9	Solid	03/02/26 00:00	03/03/26 16:33	0-6"
890-9591-24	V - 9	Solid	03/02/26 00:00	03/03/26 16:33	1-1.5
890-9591-25	V - 9	Solid	03/02/26 00:00	03/03/26 16:33	2-2.5
890-9591-26	V - 10	Solid	03/02/26 00:00	03/03/26 16:33	0-6"
890-9591-27	V - 10	Solid	03/02/26 00:00	03/03/26 16:33	1-1.5
890-9591-28	V - 10	Solid	03/02/26 00:00	03/03/26 16:33	2-2.5
890-9591-29	V - 11	Solid	03/02/26 00:00	03/03/26 16:33	0-6"
890-9591-30	V - 11	Solid	03/02/26 00:00	03/03/26 16:33	1-1.5
890-9591-31	V - 11	Solid	03/02/26 00:00	03/03/26 16:33	2-2.5
890-9591-32	V - 11	Solid	03/02/26 00:00	03/03/26 16:33	3-3.5
890-9591-33	V - 11	Solid	03/02/26 00:00	03/03/26 16:33	4-4.5
890-9591-34	V - 12	Solid	03/02/26 00:00	03/03/26 16:33	0-6"
890-9591-35	V - 12	Solid	03/02/26 00:00	03/03/26 16:33	1-1.5
890-9591-36	H - 1	Solid	03/02/26 00:00	03/03/26 16:33	0-6"
890-9591-37	H - 2	Solid	03/02/26 00:00	03/03/26 16:33	0-6"
890-9591-38	H - 3	Solid	03/02/26 00:00	03/03/26 16:33	0-6"
890-9591-39	H - 4	Solid	03/02/26 00:00	03/03/26 16:33	0-6"
890-9591-40	H - 5	Solid	03/02/26 00:00	03/03/26 16:33	0-6"
890-9591-41	H - 6	Solid	03/02/26 00:00	03/03/26 16:33	0-6"
890-9591-42	H - 7	Solid	03/02/26 00:00	03/03/26 16:33	0-6"
890-9591-43	H - 8	Solid	03/02/26 00:00	03/03/26 16:33	0-6"
890-9591-44	H - 9	Solid	03/02/26 00:00	03/03/26 16:33	0-6"
890-9591-45	H - 10	Solid	03/02/26 00:00	03/03/26 16:33	0-6"
890-9591-46	H - 11	Solid	03/02/26 00:00	03/03/26 16:33	0-6"
890-9591-47	H - 12	Solid	03/02/26 00:00	03/03/26 16:33	0-6"

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14



Chain of Custody

Main Office: 2624 Trunk Street, Odessa Texas 79761
 Contact: (432) 653-0393
<https://standardtx.com/> Page 1 of 5

Project Manager: Ethan Sessums
Company Name: Standard Safety & Supply
Address: 2425 Trunk St.
City, State ZIP: Odessa, Texas, 79761
Phone: 254-266-5456
Email: Ethan.Sessums@standardtx.com

Project Name: Corral Gorge Line Strike - 9/2/2026
Project Number: [Blank]
Project Location: [Blank]
Sampler's Name: Dimitrii Nikanorov
PO #: HD-4575

Turn Around
 Routine Rush
Due Date: [Blank]
 TAT may vary based on lab start time.

Temp Blank: Yes No
Temp Blank: Yes No
Thermometer ID: [Blank]
Correction Factor: [Blank]
Temperature Reading: [Blank]
Corrected Temperature: 47

Wet Ice: Yes No
Thermometer ID: [Blank]
Correction Factor: [Blank]
Temperature Reading: [Blank]
Corrected Temperature: [Blank]

Preservative Codes
 None: NO DI Water: H₂O
 Cool: Cool MeOH: Me
 HCL: HC HNO₃: HN
 H₂SO₄: H₂ NaOH: Na
 H₃PO₄: HP
 NaHSO₄: NABIS
 Na₂S₂O₃: NaSO₃
 Zn Acetate+NaOH: Zn
 NaOH+Ascorbic Acid: SAPC

Barcode: 890-9591 Chain of Custody

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab # of Com	Relinquished by: (Signature)	Date/Time	Received by: (Signature)	Date/Time
V-1	0-6"	3/2/2026		S	Grab 1				
V-1	1-1.5	3/2/2026		S	Grab 1				
V-2	0-6"	3/2/2026		S	Grab 1				
V-2	1-1.5	3/2/2026		S	Grab 1				
V-2	2-2.5	3/2/2026		S	Grab 1				
V-2	3-3.5'	3/2/2026		S	Grab 1				
V-3	0-6"	3/2/2026		S	Grab 1				
V-3	1-1.5	3/2/2026		S	Grab 1				
V-3	2-2.5	3/2/2026		S	Grab 1				
V-3	2.5-3	3/2/2026		S	Grab 1				
Relinquished by: (Signature) <i>[Signature]</i>							Date/Time	Received by: (Signature)	Date/Time
1 Dimitrii Nikanorov									
3									
5									


Work Order Comments
 BTEX 8012B
 TPH 8015M (GRO-DRO-MRO)
 Chloride 4500 or EPA 300

Relinquished by: (Signature) *[Signature]* Date/Time: 3/3 1633
 Received by: (Signature) Date/Time:

1 Dimitrii Nikanorov
 3
 5

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14



Chain of Custody

Main Office: 2524 Trunk Street, Odessa, Texas 79761
Contact: (432) 653-0393
<https://standardtx.com/>

Page 2 of 5

Work Order Comments

Project Manager: Ethan Sessums	Bill to: (if different)				
Company Name: Standard Safety & Supply	Company Name:				
Address: 2425 Trunk St.	Address:				
City, State ZIP: Odessa, Texas, 79761	City, State ZIP:				
Phone: 254-266-5456	Email: Ethan.Sessums@standardtx.com				

Project Name: Corral Gorge Line Strike - 9/2/2026	Turn Around				
Project Number:	<input checked="" type="checkbox"/> Routine <input type="checkbox"/> Rush				
Project Location:	Due Date:				
Sampler's Name: Dimitrii Nikanorov	TAT may vary based on lab start time.				
PO #: HD-4575					


SAMPLE RECEIPT	Temp Blank: Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Wet Ice: Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>			
Samples Received Intact:	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Thermometer ID: <u>Timec</u>			
Cooler Custody Seals:	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Correction Factor: <u>-0.2</u>			
Sample Custody Seals:	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Temperature Reading: <u>-0.2</u>			
Total Containers:	47	Corrected Temperature: <u>0</u>			

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	ANALYSIS REQUEST						Preservative Codes
							TPH 8015M (GRO-DRO-MRO)	BTEX 8012B	Chloride 4500 or EPA 300				
V-4	0-6"	3/2/2026		S	Grab 1	X	X	X					None: NO DI Water: H ₂ O
V-4	1-1.5	3/2/2026		S	Grab 1	X	X	X					Cool: Cool MeOH: Me
V-4	2-2.5	3/2/2026		S	Grab 1	X	X	X					HCL: HC HNO ₃ : HN
V-5	0-6"	3/2/2026		S	Grab 1	X	X	X					H ₂ SO ₄ : H ₂ NaOH: Na
V-5	1-1.5	3/2/2026		S	Grab 1	X	X	X					H ₃ PO ₄ : HP
V-6	0-6"	3/2/2026		S	Grab 1	X	X	X					NaHSO ₄ : NABIS
V-6	1-1.5	3/2/2026		S	Grab 1	X	X	X					Na ₂ S ₂ O ₃ : NaSO ₃
V-7	0-6"	3/2/2026		S	Grab 1	X	X	X					Zn Acetate+NaOH: Zn
V-7	1-1.5	3/2/2026		S	Grab 1	X	X	X					NaOH+Ascorbic Acid: SAPC
V-7	2-2.5	3/2/2026		S	Grab 1	X	X	X					

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
	<i>Sessums</i>	3/3/1633			
1 Dimitrii Nikanorov					
3					
5					

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed






Chain of Custody

Main Office: 2524 Trunk Street, Odessa Texas 79761 Contact: (432) 653-0393 https://standardtx.com/		Page 3 of 5	
Project Manager: Ethan Sessums Company Name: Standard Safety & Supply Address: 2425 Trunk St. City, State ZIP: Odessa, Texas, 79761 Phone: 254-266-5456 Email: Ethan.Sessums@standardtx.com		Bill to: (if different) Company Name: Address: City, State ZIP:	
Project Name: Corral Gorge Line Strike - 9/2/2026 Project Number: Project Location: Dimitrii Nikanorov Sampler's Name: HD-4575 PO #:		Turn Around <input checked="" type="checkbox"/> Routine <input type="checkbox"/> Rush Due Date: TAT may vary based on lab start time.	
SAMPLE RECEIPT Samples Received Intact: Yes No <input checked="" type="checkbox"/> Yes <input checked="" type="checkbox"/> No Thermometer ID: Cooler Custody Seals: Yes No <input checked="" type="checkbox"/> Yes <input checked="" type="checkbox"/> No Correction Factor: -0.8 Sample Custody Seals: Yes No <input checked="" type="checkbox"/> Yes <input checked="" type="checkbox"/> No Temperature Reading: -0.2 Corrected Temperature: Total Containers: 47		Pres. Code Parameters	
ANALYSIS REQUEST		Preservative Codes None: NO DI Water: H ₂ O Cool: Cool MeOH: Me HCL: HC HNO ₃ : HN H ₂ SO ₄ : H ₂ H ₃ PO ₄ : HP NaHSO ₄ : NABIS Na ₂ S ₂ O ₃ : NaSO ₃ Zn Acetate+NaOH: Zn NaOH+Ascorbic Acid: SAPC	
Sample Identification V-8 V-8 V-9 V-9 V-9 V-10 V-10 V-10 V-11 V-11		Matrix S S S S S S S S S	
Date Sampled 3/2/2026 3/2/2026 3/2/2026 3/2/2026 3/2/2026 3/2/2026 3/2/2026 3/2/2026 3/2/2026		Depth 0-6" 1-1.5" 0-6" 1-1.5" 2-2.5" 0-6" 1-1.5" 2-2.5" 0-6" 1-1.5"	
Time Sampled Grab Grab Grab Grab Grab Grab Grab Grab Grab		# of Cont 1 1 1 1 1 1 1 1 1 1	
Relinquished by: (Signature) 1 Dimitrii Nikanorov		Relinquished by: (Signature) Received by: (Signature) Date/Time 3/2/2026 16:35	
Relinquished by: (Signature) 3		Relinquished by: (Signature) Date/Time 4	
Relinquished by: (Signature) 5		Relinquished by: (Signature) Date/Time 6	

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed





Chain of Custody

Main Office: 2624 Trunk Street, Odessa Texas 79761
 Contact: (432) 653-0393
<https://standardtx.com/>
 Page 4 of 5

Project Manager: Ethan Sessums
Company Name: Standard Safety & Supply
Address: 2425 Trunk St.
City, State ZIP: Odessa, Texas, 79761
Phone: 254-266-5456
Email: Ethan.Sessums@standardtx.com

Bill to: (if different)
Company Name:
Address:
City, State ZIP:

Work Order Comments

Project Name: Corral Gorge Line Strike - 9/2/2026

Project Number:

Project Location:

Sampler's Name: Dimitrii Nikanorov
 PO #: HD-4575

Turn Around
 Routine Rush
Due Date:
 TAT may vary based on lab start time.

Temp Blank: Yes No
Thermometer ID:
Correction Factor: -0.2
Temperature Reading: -0.2
Corrected Temperature:

SAMPLE RECEIPT
Samples Received Intact: Yes No
Cooler Custody Seals: Yes No
Sample Custody Seals: Yes No
Total Containers: 47

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	ANALYSIS REQUEST		Preservative Codes	Sample Comments	
							Pres. Code	Parameters			
V-11	2-2.5	3/2/2026		S	Grab 1	1			None: NO Cool: Cool HCL: HC H ₂ SO ₄ : H ₂ H ₃ PO ₄ : HP NaHSO ₄ : NABIS Na ₂ S ₂ O ₃ : NaSO ₃ Zn Acetate+NaOH: Zn NaOH+Ascorbic Acid: SAPC		
V-11	3-3.5	3/2/2026		S	Grab 1	1					
V-11	4-4.5	3/2/2026		S	Grab 1	1					
V-12	0-6"	3/2/2026		S	Grab 1	1					
V-12	1-1.5	3/2/2026		S	Grab 1	1					
H-1	0-6"	3/2/2026		S	Grab 1	1					
H-2	0-6"	3/2/2026		S	Grab 1	1					
H-3	0-6"	3/2/2026		S	Grab 1	1					
H-4	0-6"	3/2/2026		S	Grab 1	1					
H-5	0-6"	3/2/2026		S	Grab 1	1					
Relinquished by: (Signature) <i>[Signature]</i>							Date/Time	Relinquished by: (Signature)		Date/Time	
1 Dimitrii Nikanorov											
3											
5											

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Chain of Custody



Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
<https://standardtx.com/>

Page 5 of 5

Project Manager: Ethan Sessums
 Company Name: Standard Safety & Supply
 Address: 2425 Trunk St.
 City, State ZIP: Odessa, Texas, 79761
 Phone: 254-266-5456
 Email: Ethan.Sessums@standardtx.com

Bill to: (if different)
 Company Name:
 Address:
 City, State ZIP:

Work Order Comments

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab # of Com	ANALYSIS REQUEST			Preservative Codes	
						Parameters	Pres. Code	Sample Comments		
										Turn Around
H-6	0-6"	3/2/2026		S	Grab 1	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	None: NO DI Water: H ₂ O Cool: Cool MeOH: Me HCL: HC HNO ₃ : HN H ₂ SO ₄ : H ₂ NaOH: Na H ₃ PO ₄ : HP NaHSO ₄ : NABIS Na ₂ S ₂ O ₃ : NaSO ₃ Zn Acetate+NaOH: Zn NaOH+Ascorbic Acid: SAPC	
H-7	0-6"	3/2/2026		S	Grab 1					
H-8	0-6"	3/2/2026		S	Grab 1					
H-9	0-6"	3/2/2026		S	Grab 1					
H-10	0-6"	3/2/2026		S	Grab 1					
H-11	0-6"	3/2/2026		S	Grab 1					
H-12	0-6"	3/2/2026		S	Grab 1					
Relinquished by: (Signature)						Date/Time			Received by: (Signature)	
1 Dimitri Nikanorov						3/3 16:32			3/3 16:32	
3						4			6	

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Eurofins Carlsbad

1089 N Canal St
 Carlsbad, NM 86220
 Phone: 575-988-3199 Fax: 575-988-3199

Chain of Custody Record



eurofins
 Environment Testing

Client Information (Sub Contract Lab)

Client Contact:
 Shipping/Receiving
 Company: Eurofins Environment Testing South Cent

Sampler: N/A
 Phone: N/A
 Lab PM: Teel, Brianna

E-Mail: Brianna.Teel@eurofins.com
 Accreditations Required (See note): NELAP - Texas

Carrier Tracking No(s): N/A
 State of Origin: New Mexico

Page: Page 1 of 6
 Job #: 890-9591-1

COC No: 890-6611.1
 Preservation Codes:

Address: 1211 W. Florida Ave.
 City: Midland
 State Zip: TX, 79701
 Phone: 432-704-5440(Tel)
 Email: N/A
 Project Name: Corral Gorge Line Strike 9/2/2026
 Site: N/A

Due Date Requested: 3/9/2026
 TAT Requested (days): N/A

Analysis Requested

Other: N/A

Sample Identification - Client ID (Lab ID)	Sample Date	Sample Time	Sample Type (C=Comp, G=grab)	Matrix (W=Water, S=Solid, O=Overseal, BT=Tranq, A=Air)	Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)	Total BTEX_GCV	Total BTEX Calculation	8021B/5035FP_Calc	BTEX	300_ORGFM_28/DI_LEACH	Chloride	8015MOD_Calc	Diesel Range Organics (DRO) (GC)	8015MOD_NM/8015NM_S_Prep	8015 NM	Total Number of containers	Special Instructions/Note:
V - 1 (890-9591-1)	3/2/26		Mountain	G	X	X	X	X	X	X	X	X	X	X	X	X	1	
V - 1 (890-9591-2)	3/2/26		Mountain	G	X	X	X	X	X	X	X	X	X	X	X	X	1	
V - 2 (890-9591-3)	3/2/26		Mountain	G	X	X	X	X	X	X	X	X	X	X	X	X	1	
V - 2 (890-9591-4)	3/2/26		Mountain	G	X	X	X	X	X	X	X	X	X	X	X	X	1	
V - 2 (890-9591-5)	3/2/26		Mountain	G	X	X	X	X	X	X	X	X	X	X	X	X	1	
V - 2 (890-9591-6)	3/2/26		Mountain	G	X	X	X	X	X	X	X	X	X	X	X	X	1	
V - 3 (890-9591-7)	3/2/26		Mountain	G	X	X	X	X	X	X	X	X	X	X	X	X	1	
V - 3 (890-9591-8)	3/2/26		Mountain	G	X	X	X	X	X	X	X	X	X	X	X	X	1	
V - 3 (890-9591-9)	3/2/26		Mountain	G	X	X	X	X	X	X	X	X	X	X	X	X	1	

Note: Since laboratory accreditations are subject to change, Eurofins Environment Testing South Central, LLC places the ownership of method, analyte & accreditation compliance upon our subcontract laboratories. This sample shipment is forwarded under chain-of-custody. If the laboratory does not currently maintain accreditation in the State of Origin listed above for analysis/estimation being analyzed, the samples must be shipped back to the Eurofins Environment Testing South Central, LLC laboratory or other instructions will be provided. Any changes to accreditation status should be brought to Eurofins Environment Testing South Central, LLC attention immediately. If all requested accreditations are current to date, return the signed Chain of Custody attesting to said compliance to Eurofins Environment Testing South Central, LLC.

Possible Hazard Identification

Deliverable Requested: I, II, III, IV, Other (Specify)
 Primary Deliverable Rank: 2

Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)
 Return To Client Dispose By Lab Archive For _____ Months

Empty Kit Relinquished by:
 Date:
 Time:
 Method of Shipment:

Relinquished by: *Brown*
 Date/Time: 3/4/16 3:00
 Company:
 Received by: *[Signature]*
 Date/Time: 3-5-26 8:00
 Company:

Relinquished by:
 Date/Time:
 Company:

Custody Seals Intact:
 Custody Seal No.:
 Cooler Temperature(s) °C and Other Remarks:

Eurofins Carlsbad

1089 N Canal St
Carlsbad, NM 88220
Phone: 575-988-3199 Fax: 575-988-3199

Chain of Custody Record



Client Information (Sub Contract Lab)		Sampler: N/A	Lab PM: Teel, Brianna	COC No: 890-6611.2
Client Contact: Shipping/Receiving	Phone: N/A	E-Mail: Brianna.Teel@eurofins.com	Carrier Tracking No(s): N/A	Page: Page 2 of 6
Company: Eurofins Environment Testing South Cent	Address: 1211 W. Florida Ave.	Due Date Requested: 3/9/2026	Accreditations Required (See note): NELAP - Texas	Job #: 890-9591-1
City: Midland	State Zip: TX, 79701	TAT Requested (days): N/A	Analysis Requested	Preservation Codes:
Phone: 432-704-5440(Tel)	PO #: N/A	Project #: 89000250		
Email: N/A	WO #: N/A	SSOM#: N/A		
Project Name: Corral Gorge Line Strike-9/2/2026				
Site: N/A				
Sample Identification - Client ID (Lab ID)				
V - 3 (890-9591-10)	3/2/26	Mountain	G	Solid
V - 4 (890-9591-11)	3/2/26	Mountain	G	Solid
V - 4 (890-9591-12)	3/2/26	Mountain	G	Solid
V - 4 (890-9591-13)	3/2/26	Mountain	G	Solid
V - 5 (890-9591-14)	3/2/26	Mountain	G	Solid
V - 5 (890-9591-15)	3/2/26	Mountain	G	Solid
V - 6 (890-9591-16)	3/2/26	Mountain	G	Solid
V - 6 (890-9591-17)	3/2/26	Mountain	G	Solid
V - 7 (890-9591-18)	3/2/26	Mountain	G	Solid
<input checked="" type="checkbox"/> Field Filtered Sample (Yes or No) <input checked="" type="checkbox"/> Perform MS/MSD (Yes or No) Total_BTEX_GCV Total BTEX Calculation 8021B/5035FP_Calc BTEX 300_ORGFM_28D/DI_LEACH Chloride 8015MOD_Calc Diesel Range Organics (DRO) (GC) 8015MOD_NM/8015NM_S_Prep 8015 NM Total Number of containers: 1				
Special Instructions/Note:				
Possible Hazard Identification Unconfirmed Deliverable Requested: I, II, III, IV, Other (specify) Primary Deliverable Rank: 2 Sample Disposal (A fee may be assessed if samples are retained longer than 1 month) <input type="checkbox"/> Return To Client <input type="checkbox"/> Dispose By Lab <input type="checkbox"/> Archive For _____ Months				
Empty Kit Relinquished by:	Date: 3/9/2026	Time: 1630	Received by:	Date/Time: 3/5/26 800
Relinquished by:	Date/Time:	Company:	Received by:	Date/Time:
Relinquished by:	Date/Time:	Company:	Received by:	Date/Time:
Custody Seals Intact: <input checked="" type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Custody Seal No.:	Cooler Temperature(s) °C and Other Remarks:		

Eurofins Carlsbad

1089 N Canal St.
 Carlsbad, NM 88220
 Phone: 575-988-3199 Fax: 575-988-3199

Chain of Custody Record



Client Information (Sub Contract Lab)		Sampler:	N/A	Lab PM:	Teel, Brianna	Carrier Tracking No(s):	N/A	COC No:	890-6611.3
Client Contact:		Phone:	N/A	E-Mail:	Brianna.Teel@eurofins.com	State of Origin:	New Mexico	Page:	Page 3 of 6
Shipping/Receiving		Company:	N/A	Accreditations Required (See note):		NELAP - Texas		Job #:	890-9591-1
Eurofins Environment Testing South Cent		Due Date Requested:	3/9/2026	Analysis Requested				Preservation Codes:	
Address:		1211 W. Florida Ave.							
City:		Midland							
State Zip:		TX, 79701							
Phone:		432-704-5440(Tel)							
Email:		N/A							
Project Name:		Corral Gorge Line Strike-9/2/2026							
Site:		N/A							
SSCW#:		89000250							
Project #:		89000250							
Other:		N/A							

Sample Identification - Client ID (Lab ID)	Sample Date	Sample Time	Sample Type (C=Comp, G=grab)	Matrix (Water, Sediment, Overstabil, BI=Issue AVAL)	Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)	Total BTEX GC/Total BTEX Calculation	8021B/5035FP_CalcBTEX	300_ORGFM_28D/DI_LEACHChloride	8015MOD_CalcDiesel Range Organics (DRO) (GC)	8015MOD_NM/8015NM_S_Prep8015 NM	Total Number of containers	Special Instructions/Note:
V - 7 (890-9591-19)	3/2/26		G	Solid	X	X	X	X	X	X	X	1	
V - 7 (890-9591-20)	3/2/26		G	Solid	X	X	X	X	X	X	X	1	
V - 8 (890-9591-21)	3/2/26		G	Solid	X	X	X	X	X	X	X	1	
V - 8 (890-9591-22)	3/2/26		G	Solid	X	X	X	X	X	X	X	1	
V - 9 (890-9591-23)	3/2/26		G	Solid	X	X	X	X	X	X	X	1	
V - 9 (890-9591-24)	3/2/26		G	Solid	X	X	X	X	X	X	X	1	
V - 9 (890-9591-25)	3/2/26		G	Solid	X	X	X	X	X	X	X	1	
V - 10 (890-9591-26)	3/2/26		G	Solid	X	X	X	X	X	X	X	1	
V - 10 (890-9591-27)	3/2/26		G	Solid	X	X	X	X	X	X	X	1	

Note: Since laboratory accreditations are subject to change, Eurofins Environment Testing South Central, LLC places the ownership of method, analyte & accreditation compliance upon our subcontract laboratories. This sample shipment is forwarded under chain-of-custody. If the laboratory does not currently maintain accreditation in the State of Origin listed above for analysis/shipment being analyzed, the samples must be shipped back to the Eurofins Environment Testing South Central, LLC laboratory or other institutions will be provided. Any changes to accreditation status should be brought to Eurofins Environment Testing South Central, LLC attention immediately. If all requested accreditations are current to date, return the signed Chain of Custody attesting to said compliance to Eurofins Environment Testing South Central, LLC.

Possible Hazard Identification

Unconfirmed

Deliverable Requested: I, II, III, IV, Other (specify) _____ Primary Deliverable Rank: 2

Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)

Return To Client Disposal By Lab Archive For _____ Months

Special Instructions/OC Requirements: _____

Empty Kit Relinquished by:	Date:	Time:	Method of Shipment:
Relinquished by: <i>Burns</i>	3/14	16:30	
Relinquished by:	Date/Time:	Company:	
Relinquished by:	Date/Time:	Company:	
Custody Seals Intact:	Custody Seal No.:	Cooler Temperature(s) °C and Other Remarks:	
Δ Yes Δ No			

Eurofins Carlsbad

1089 N Canal St.
 Carlsbad, NM 88220
 Phone: 575-988-3199 Fax: 575-988-3199

Chain of Custody Record



Client Information (Sub Contract Lab)		Sampler: N/A	Lab PM: Teel, Brianna	Carrier Tracking No(s): N/A	COC No: 890-6511.4																																																																																																																																																																																																								
Client Contact: Shipping/Receiving	Phone: N/A	E-Mail: Brianna.Teel@eurofins.com	Accreditations Required (See note): NELAP - Texas	State of Origin: New Mexico	Page: Page 4 of 6																																																																																																																																																																																																								
Company: Eurofins Environment Testing South Cent	Due Date Requested: 3/9/2026	TAT Requested (days): N/A	Analysis Requested																																																																																																																																																																																																										
Address: 1211 W. Florida Ave.	City: Midland	State, Zip: TX, 79701	PO #: N/A	WO #: N/A	Project #: 89000250																																																																																																																																																																																																								
Phone: 432-704-5440(Tel)	Email: N/A	Project #: 89000250	SSONW#: N/A	Site: N/A	Other: N/A																																																																																																																																																																																																								
Project Name: Corral Gorge Line Strike-9/2/2026																																																																																																																																																																																																													
<p>Sample Identification - Client ID (Lab ID)</p> <table border="1"> <thead> <tr> <th>Sample ID</th> <th>Sample Date</th> <th>Sample Time</th> <th>Sample Type (C=Comp, G=grab)</th> <th>Matrix (W=Water, S=solid, O=soil, B=bitumen, A=air)</th> <th>Preservation Code</th> <th>Field Filtered Sample (Yes or No)</th> <th>Perform MS/MSD (Yes or No)</th> <th>Total BTEX_GCV</th> <th>Total BTEX Calculation</th> <th>8021B/5035FP_Calc</th> <th>BTEX</th> <th>300_ORGFM_28D/DI_LEACH</th> <th>Chloride</th> <th>8015MOD_Calc</th> <th>Diesel Range Organics (DRO) (GC)</th> <th>8015MOD_NM/8015NM_S_Prep</th> <th>8015 NM</th> <th>Total Number of containers</th> <th>Special Instructions/Note:</th> </tr> </thead> <tbody> <tr> <td>V - 10 (890-9591-28)</td> <td>3/2/26</td> <td></td> <td>G</td> <td>Solid</td> <td></td> <td>X</td> <td>X</td> <td>X</td> <td>X</td> <td>X</td> <td>X</td> <td>X</td> <td>X</td> <td>X</td> <td>X</td> <td>X</td> <td>X</td> <td>1</td> <td></td> </tr> <tr> <td>V - 11 (890-9591-29)</td> <td>3/2/26</td> <td></td> <td>G</td> <td>Solid</td> <td></td> <td>X</td> <td>X</td> <td>X</td> <td>X</td> <td>X</td> <td>X</td> <td>X</td> <td>X</td> <td>X</td> <td>X</td> <td>X</td> <td>X</td> <td>1</td> <td></td> </tr> <tr> <td>V - 11 (890-9591-30)</td> <td>3/2/26</td> <td></td> <td>G</td> <td>Solid</td> <td></td> <td>X</td> <td>X</td> <td>X</td> <td>X</td> <td>X</td> <td>X</td> <td>X</td> <td>X</td> <td>X</td> <td>X</td> <td>X</td> <td>X</td> <td>1</td> <td></td> </tr> <tr> <td>V - 11 (890-9591-31)</td> <td>3/2/26</td> <td></td> <td>G</td> <td>Solid</td> <td></td> <td>X</td> <td>X</td> <td>X</td> <td>X</td> <td>X</td> <td>X</td> <td>X</td> <td>X</td> <td>X</td> <td>X</td> <td>X</td> <td>X</td> <td>1</td> <td></td> </tr> <tr> <td>V - 11 (890-9591-32)</td> <td>3/2/26</td> <td></td> <td>G</td> <td>Solid</td> <td></td> <td>X</td> <td>X</td> <td>X</td> <td>X</td> <td>X</td> <td>X</td> <td>X</td> <td>X</td> <td>X</td> <td>X</td> <td>X</td> <td>X</td> <td>1</td> <td></td> </tr> <tr> <td>V - 11 (890-9591-33)</td> <td>3/2/26</td> <td></td> <td>G</td> <td>Solid</td> <td></td> <td>X</td> <td>X</td> <td>X</td> <td>X</td> <td>X</td> <td>X</td> <td>X</td> <td>X</td> <td>X</td> <td>X</td> <td>X</td> <td>X</td> <td>1</td> <td></td> </tr> <tr> <td>V - 12 (890-9591-34)</td> <td>3/2/26</td> <td></td> <td>G</td> <td>Solid</td> <td></td> <td>X</td> <td>X</td> <td>X</td> <td>X</td> <td>X</td> <td>X</td> <td>X</td> <td>X</td> <td>X</td> <td>X</td> <td>X</td> <td>X</td> <td>1</td> <td></td> </tr> <tr> <td>V - 12 (890-9591-35)</td> <td>3/2/26</td> <td></td> <td>G</td> <td>Solid</td> <td></td> <td>X</td> <td>X</td> <td>X</td> <td>X</td> <td>X</td> <td>X</td> <td>X</td> <td>X</td> <td>X</td> <td>X</td> <td>X</td> <td>X</td> <td>1</td> <td></td> </tr> <tr> <td>H - 1 (890-9591-36)</td> <td>3/2/26</td> <td></td> <td>G</td> <td>Solid</td> <td></td> <td>X</td> <td>X</td> <td>X</td> <td>X</td> <td>X</td> <td>X</td> <td>X</td> <td>X</td> <td>X</td> <td>X</td> <td>X</td> <td>X</td> <td>1</td> <td></td> </tr> </tbody> </table>						Sample ID	Sample Date	Sample Time	Sample Type (C=Comp, G=grab)	Matrix (W=Water, S=solid, O=soil, B=bitumen, A=air)	Preservation Code	Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)	Total BTEX_GCV	Total BTEX Calculation	8021B/5035FP_Calc	BTEX	300_ORGFM_28D/DI_LEACH	Chloride	8015MOD_Calc	Diesel Range Organics (DRO) (GC)	8015MOD_NM/8015NM_S_Prep	8015 NM	Total Number of containers	Special Instructions/Note:	V - 10 (890-9591-28)	3/2/26		G	Solid		X	X	X	X	X	X	X	X	X	X	X	X	1		V - 11 (890-9591-29)	3/2/26		G	Solid		X	X	X	X	X	X	X	X	X	X	X	X	1		V - 11 (890-9591-30)	3/2/26		G	Solid		X	X	X	X	X	X	X	X	X	X	X	X	1		V - 11 (890-9591-31)	3/2/26		G	Solid		X	X	X	X	X	X	X	X	X	X	X	X	1		V - 11 (890-9591-32)	3/2/26		G	Solid		X	X	X	X	X	X	X	X	X	X	X	X	1		V - 11 (890-9591-33)	3/2/26		G	Solid		X	X	X	X	X	X	X	X	X	X	X	X	1		V - 12 (890-9591-34)	3/2/26		G	Solid		X	X	X	X	X	X	X	X	X	X	X	X	1		V - 12 (890-9591-35)	3/2/26		G	Solid		X	X	X	X	X	X	X	X	X	X	X	X	1		H - 1 (890-9591-36)	3/2/26		G	Solid		X	X	X	X	X	X	X	X	X	X	X	X	1	
Sample ID	Sample Date	Sample Time	Sample Type (C=Comp, G=grab)	Matrix (W=Water, S=solid, O=soil, B=bitumen, A=air)	Preservation Code	Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)	Total BTEX_GCV	Total BTEX Calculation	8021B/5035FP_Calc	BTEX	300_ORGFM_28D/DI_LEACH	Chloride	8015MOD_Calc	Diesel Range Organics (DRO) (GC)	8015MOD_NM/8015NM_S_Prep	8015 NM	Total Number of containers	Special Instructions/Note:																																																																																																																																																																																										
V - 10 (890-9591-28)	3/2/26		G	Solid		X	X	X	X	X	X	X	X	X	X	X	X	1																																																																																																																																																																																											
V - 11 (890-9591-29)	3/2/26		G	Solid		X	X	X	X	X	X	X	X	X	X	X	X	1																																																																																																																																																																																											
V - 11 (890-9591-30)	3/2/26		G	Solid		X	X	X	X	X	X	X	X	X	X	X	X	1																																																																																																																																																																																											
V - 11 (890-9591-31)	3/2/26		G	Solid		X	X	X	X	X	X	X	X	X	X	X	X	1																																																																																																																																																																																											
V - 11 (890-9591-32)	3/2/26		G	Solid		X	X	X	X	X	X	X	X	X	X	X	X	1																																																																																																																																																																																											
V - 11 (890-9591-33)	3/2/26		G	Solid		X	X	X	X	X	X	X	X	X	X	X	X	1																																																																																																																																																																																											
V - 12 (890-9591-34)	3/2/26		G	Solid		X	X	X	X	X	X	X	X	X	X	X	X	1																																																																																																																																																																																											
V - 12 (890-9591-35)	3/2/26		G	Solid		X	X	X	X	X	X	X	X	X	X	X	X	1																																																																																																																																																																																											
H - 1 (890-9591-36)	3/2/26		G	Solid		X	X	X	X	X	X	X	X	X	X	X	X	1																																																																																																																																																																																											
<p>Possible Hazard Identification</p> <p>Deliverable Requested: I, II, III, IV, Other (specify) _____ Primary Deliverable Rank: 2</p> <p>Unconfirmed _____</p> <p>Empty Kit Relinquished by: _____ Date: _____</p> <p>Relinquished by: <i>Sumner S</i> Date/Time: <i>5/14 16:30</i> Company: _____</p> <p>Relinquished by: _____ Date/Time: _____ Company: _____</p> <p>Custody Seats Intact: <input type="checkbox"/> Yes <input type="checkbox"/> No Custody Seal No.: _____</p> <p>Relinquished by: _____ Date/Time: _____ Company: _____</p> <p>Received by: <i>[Signature]</i> Date/Time: <i>3.5.26 806</i> Company: _____</p> <p>Cooler Temperature(s) °C and Other Remarks: _____</p> <p>Method of Shipment: _____ Date/Time: _____ Company: _____</p> <p>Special Instructions/QC Requirements: _____</p> <p>Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)</p> <p><input type="checkbox"/> Return To Client <input type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months</p>																																																																																																																																																																																																													

Eurofins Carlsbad

1089 N Canal St.
 Carlsbad, NM 88220
 Phone: 575-988-3199 Fax: 575-988-3199

Chain of Custody Record



Environment Testing

Client Information (Sub Contract Lab)		Sampler:	N/A	Lab PM:	Teel, Brianna	COC No.:	890-6611.5
Client Contact:	Phone:	Due Date Requested:	3/9/2026	E-Mail:	Brianna.Teel@et.eurofins.com	Page:	Page 5 of 6
Shipping/Receiving	N/A	TAT Requested (days):	N/A	Accreditations Required (See note):	NELAP - Texas	Job #:	890-9591-1
Company:	Eurofins Environment Testing South Cent					Preservation Codes:	
Address:	1211 W. Florida Ave.						
City:	Midland						
State, Zip:	TX, 79701						
Phone:	432-704-5440(Tel)		PO #:	N/A			
Email:	N/A		WO #:	N/A			
Project Name:	Corral Gorge Line Strike-9/2/2026		Project #:	89000250			
Site:	N/A		SSOW#:	N/A			
Other:	N/A						

Sample Identification - Client ID (Lab ID)	Sample Date	Sample Time	Sample Type (G=Comp, G=grab)	Matrix (Water, Solid, Other)	Preservation Code:	Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)	Total BTEX_GCV	Total BTEX Calculation	8021B/5035FP_CalcBTEX	300_ORGFM_28D/DI_LEACHChloride	8015MOD_CalcDiesel Range Organics (DRO) (GC)	8015MOD_NM/8015NM_S_Prep	8015 NM	Total Number of containers	Special Instructions/Note:
H - 2 (890-9591-37)	3/2/26		G	Solid		X	X	X	X	X	X	X	X	X	1	
H - 3 (890-9591-38)	3/2/26		G	Solid		X	X	X	X	X	X	X	X	X	1	
H - 4 (890-9591-39)	3/2/26		G	Solid		X	X	X	X	X	X	X	X	X	1	
H - 5 (890-9591-40)	3/2/26		G	Solid		X	X	X	X	X	X	X	X	X	1	
H - 6 (890-9591-41)	3/2/26		G	Solid		X	X	X	X	X	X	X	X	X	1	
H - 7 (890-9591-42)	3/2/26		G	Solid		X	X	X	X	X	X	X	X	X	1	
H - 8 (890-9591-43)	3/2/26		G	Solid		X	X	X	X	X	X	X	X	X	1	
H - 9 (890-9591-44)	3/2/26		G	Solid		X	X	X	X	X	X	X	X	X	1	
H - 10 (890-9591-45)	3/2/26		G	Solid		X	X	X	X	X	X	X	X	X	1	

Note: Since laboratory accreditations are subject to change, Eurofins Environment Testing South Central, LLC places the ownership of method, analyte & accreditation compliance upon our subcontract laboratories. This sample shipment is forwarded under chain-of-custody. If the laboratory does not currently maintain accreditation in the State of Origin listed above for analysis/assessments, the samples must be shipped back to the Eurofins Environment Testing South Central, LLC laboratory or other instructions will be provided. Any changes to accreditation status should be brought to Eurofins Environment Testing South Central, LLC attention immediately. If all requested accreditations are current to date, return the signed Chain of Custody attesting to said compliance to Eurofins Environment Testing South Central, LLC.

Possible Hazard Identification

Unclassified

Deliverable Requested: I, II, III, IV, Other (specify) _____ Primary Deliverable Rank: 2

Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)

Return To Client Disposal By Lab Archive For _____ Months

Special Instructions/OC Requirements: _____

Empty Kit Relinquished by: *Suman &* Date: *3/4 16:30* Time: _____ Method of Shipment: _____

Relinquished by: _____ Date/Time: _____ Received by: _____ Date/Time: *3-5-26 8:00* Company: _____

Relinquished by: _____ Date/Time: _____ Received by: _____ Date/Time: _____ Company: _____

Custody Seals Intact: Yes No Custody Seal No.: _____ Cooler Temperature(s) °C and Other Remarks: _____

Login Sample Receipt Checklist

Client: Standard Safety & Supply

Job Number: 890-9591-1

Login Number: 9591

List Number: 1

Creator: Bruns, Shannon

List Source: Eurofins Carlsbad

Question	Answer	Comment
The cooler's custody seal, if present, is intact.	N/A	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Login Sample Receipt Checklist

Client: Standard Safety & Supply

Job Number: 890-9591-1

Login Number: 9591

List Number: 2

Creator: Laing, Edmundo

List Source: Eurofins Midland
List Creation: 03/05/26 08:33 AM

Question	Answer	Comment
The cooler's custody seal, if present, is intact.	N/A	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Report to:
Ethan Sessums



envirotech

Practical Solutions for a Better Tomorrow

Analytical Report

Standard Safety

Project Name: Corral Fly 35-26 Fed CTB

Work Order: E603233

Job Number: 21092-0001

Received: 3/19/2026

Revision: 1

Report Reviewed By:

Walter Hinchman
Laboratory Director
3/25/26

5796 U.S. Hwy 64
Farmington, NM 87401

Phone: (505) 632-1881
Envirotech-inc.com



Envirotech Inc. certifies the test results meet all requirements of TNI unless noted otherwise.
Statement of Data Authenticity: Envirotech Inc, attests the data reported has not been altered in any way.
Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech Inc.
Envirotech Inc, holds the Utah TNI certification NM00979 for data reported.
Envirotech Inc, holds the Texas TNI certification T104704557 for data reported.

Date Reported: 3/25/26

Ethan Sessums
P.O. Box 14987
Odessa, TX 79768



Project Name: Corral Fly 35-26 Fed CTB
Workorder: E603233
Date Received: 3/19/2026 7:30:00AM

Ethan Sessums,

Thank you for choosing Envirotech, Inc. as your analytical testing laboratory for the sample(s) received on, 3/19/2026 7:30:00AM, under the Project Name: Corral Fly 35-26 Fed CTB.

The analytical test results summarized in this report with the Project Name: Corral Fly 35-26 Fed CTB apply to the individual samples collected, identified and submitted bearing the project name on the enclosed chain-of-custody. Subcontracted sample analyses not conducted by Envirotech, Inc., are attached in full as issued by the subcontract laboratory.

Please review the Chain-of-Custody (COC) and Sample Receipt Checklist (SRC) for any issues regarding sample receipt temperature, containers, preservation etc. To best understand your test results, review the entire report summarizing your sample data and the associated quality control batch data.

All reported data in this analytical report were analyzed according to the referenced method(s) and are in compliance with the latest NELAC/TNI standards, unless otherwise noted. Samples or analytical quality control parameters not meeting specific QC criteria are qualified with a data flag. Data flag definitions are located in the Notes and Definitions section of this analytical report.

If you have any questions concerning this report, please feel free to contact Envirotech, Inc.

Respectfully,

Walter Hinchman
Laboratory Director
Office: 505-632-1881
Cell: 775-287-1762
whinchman@envirotech-inc.com

Raina Schwanz
Laboratory Administrator
Office: 505-632-1881
rainaschwanz@envirotech-inc.com

Field Offices:

Southern New Mexico Area

Lynn Jarboe
Laboratory Technical Representative
Office: 505-421-LABS(5227)
Cell: 505-320-4759
ljjarboe@envirotech-inc.com

Michelle Gonzales
Client Representative
Office: 505-421-LABS(5227)
Cell: 505-947-8222
mgonzales@envirotech-inc.com

Envirotech Web Address: www.envirotech-inc.com

Table of Contents

Title Page	1
Cover Page	2
Table of Contents	3
Sample Summary	5
Sample Data	6
V-1 2-2.5	6
V-1 3-3.5	7
V-1 4-4.5	8
V-1 5-5.5	9
V-1 8-8.5	10
V-2 4.5-5	11
V-3 3-3.5'	12
V-3 3.5-4'	13
V-3 4-4.5'	14
V-6 3-3.5'	15
V-7 3-3.5'	16
V-8 2-2.5'	17
V-9 2-2.5'	18
V-12 1.5-2'	19
V-12 2.5-3'	20
QC Summary Data	21
QC - Volatile Organics by EPA 8021B	21
QC - Nonhalogenated Organics by EPA 8015D - GRO	22
QC - Nonhalogenated Organics by EPA 8015D - DRO/ORO	23
QC - Anions by EPA 300.0/9056A	24

Table of Contents (continued)

Definitions and Notes	25
Chain of Custody etc.	26

Sample Summary

Standard Safety P.O. Box 14987 Odessa TX, 79768	Project Name: Corral Fly 35-26 Fed CTB Project Number: 21092-0001 Project Manager: Ethan Sessums	Reported: 03/25/26 08:14
---	--	------------------------------------

Client Sample ID	Lab Sample ID	Matrix	Sampled	Received	Container
V-1 2-2.5	E603233-01A	Soil	03/12/26	03/19/26	Glass Jar, 4 oz.
V-1 3-3.5	E603233-02A	Soil	03/12/26	03/19/26	Glass Jar, 4 oz.
V-1 4-4.5	E603233-03A	Soil	03/13/26	03/19/26	Glass Jar, 4 oz.
V-1 5-5.5	E603233-04A	Soil	03/13/26	03/19/26	Glass Jar, 4 oz.
V-1 8-8.5	E603233-05A	Soil	03/13/26	03/19/26	Glass Jar, 4 oz.
V-2 4.5-5	E603233-06A	Soil	03/13/26	03/19/26	Glass Jar, 4 oz.
V-3 3-3.5'	E603233-07A	Soil	03/12/26	03/19/26	Glass Jar, 4 oz.
V-3 3.5-4'	E603233-08A	Soil	03/12/26	03/19/26	Glass Jar, 4 oz.
V-3 4-4.5'	E603233-09A	Soil	03/12/26	03/19/26	Glass Jar, 4 oz.
V-6 3-3.5'	E603233-10A	Soil	03/13/26	03/19/26	Glass Jar, 4 oz.
V-7 3-3.5'	E603233-11A	Soil	03/13/26	03/19/26	Glass Jar, 4 oz.
V-8 2-2.5'	E603233-12A	Soil	03/13/26	03/19/26	Glass Jar, 4 oz.
V-9 2-2.5'	E603233-13A	Soil	03/13/26	03/19/26	Glass Jar, 4 oz.
V-12 1.5-2'	E603233-14A	Soil	03/12/26	03/19/26	Glass Jar, 4 oz.
V-12 2.5-3'	E603233-15A	Soil	03/12/26	03/19/26	Glass Jar, 4 oz.

Sample Data

Standard Safety P.O. Box 14987 Odessa TX, 79768	Project Name: Corral Fly 35-26 Fed CTB Project Number: 21092-0001 Project Manager: Ethan Sessums	Reported: 3/25/2026 8:14:17AM
---	--	---

V-1 2-2.5

E603233-01

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg		Analyst: SL		Batch: 2612143
Benzene	ND	0.0250	1	03/19/26	03/21/26	
Ethylbenzene	ND	0.0250	1	03/19/26	03/21/26	
Toluene	ND	0.0250	1	03/19/26	03/21/26	
o-Xylene	ND	0.0250	1	03/19/26	03/21/26	
p,m-Xylene	ND	0.0500	1	03/19/26	03/21/26	
Total Xylenes	ND	0.0250	1	03/19/26	03/21/26	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
		101 %	70-130	03/19/26	03/21/26	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: SL		Batch: 2612143
Gasoline Range Organics (C6-C10)	ND	20.0	1	03/19/26	03/21/26	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
		96.7 %	70-130	03/19/26	03/21/26	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: NV		Batch: 2612140
Diesel Range Organics (C10-C28)	ND	25.0	1	03/19/26	03/19/26	
Oil Range Organics (C28-C36)	ND	50.0	1	03/19/26	03/19/26	
<i>Surrogate: n-Nonane</i>						
		110 %	61-141	03/19/26	03/19/26	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: TP		Batch: 2612147
Chloride	5070	40.0	2	03/19/26	03/20/26	



Sample Data

Standard Safety P.O. Box 14987 Odessa TX, 79768	Project Name: Corral Fly 35-26 Fed CTB Project Number: 21092-0001 Project Manager: Ethan Sessums	Reported: 3/25/2026 8:14:17AM
---	--	---

V-1 3-3.5

E603233-02

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B	mg/kg	mg/kg		Analyst: SL		Batch: 2612143
Benzene	ND	0.0250	1	03/19/26	03/21/26	
Ethylbenzene	ND	0.0250	1	03/19/26	03/21/26	
Toluene	ND	0.0250	1	03/19/26	03/21/26	
o-Xylene	ND	0.0250	1	03/19/26	03/21/26	
p,m-Xylene	ND	0.0500	1	03/19/26	03/21/26	
Total Xylenes	ND	0.0250	1	03/19/26	03/21/26	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>		101 %	70-130	03/19/26	03/21/26	
Nonhalogenated Organics by EPA 8015D - GRO	mg/kg	mg/kg		Analyst: SL		Batch: 2612143
Gasoline Range Organics (C6-C10)	ND	20.0	1	03/19/26	03/21/26	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>		98.2 %	70-130	03/19/26	03/21/26	
Nonhalogenated Organics by EPA 8015D - DRO/ORO	mg/kg	mg/kg		Analyst: NV		Batch: 2612140
Diesel Range Organics (C10-C28)	ND	25.0	1	03/19/26	03/19/26	
Oil Range Organics (C28-C36)	ND	50.0	1	03/19/26	03/19/26	
<i>Surrogate: n-Nonane</i>		107 %	61-141	03/19/26	03/19/26	
Anions by EPA 300.0/9056A	mg/kg	mg/kg		Analyst: TP		Batch: 2612147
Chloride	7560	100	5	03/19/26	03/20/26	



Sample Data

Standard Safety P.O. Box 14987 Odessa TX, 79768	Project Name: Corral Fly 35-26 Fed CTB Project Number: 21092-0001 Project Manager: Ethan Sessums	Reported: 3/25/2026 8:14:17AM
---	--	---

V-1 4-4.5

E603233-03

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B	mg/kg	mg/kg		Analyst: SL		Batch: 2612143
Benzene	ND	0.0250	1	03/19/26	03/21/26	
Ethylbenzene	ND	0.0250	1	03/19/26	03/21/26	
Toluene	ND	0.0250	1	03/19/26	03/21/26	
o-Xylene	ND	0.0250	1	03/19/26	03/21/26	
p,m-Xylene	ND	0.0500	1	03/19/26	03/21/26	
Total Xylenes	ND	0.0250	1	03/19/26	03/21/26	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>		102 %	70-130	03/19/26	03/21/26	
Nonhalogenated Organics by EPA 8015D - GRO	mg/kg	mg/kg		Analyst: SL		Batch: 2612143
Gasoline Range Organics (C6-C10)	ND	20.0	1	03/19/26	03/21/26	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>		96.5 %	70-130	03/19/26	03/21/26	
Nonhalogenated Organics by EPA 8015D - DRO/ORO	mg/kg	mg/kg		Analyst: NV		Batch: 2612140
Diesel Range Organics (C10-C28)	ND	25.0	1	03/19/26	03/19/26	
Oil Range Organics (C28-C36)	ND	50.0	1	03/19/26	03/19/26	
<i>Surrogate: n-Nonane</i>		109 %	61-141	03/19/26	03/19/26	
Anions by EPA 300.0/9056A	mg/kg	mg/kg		Analyst: TP		Batch: 2612147
Chloride	10000	200	10	03/19/26	03/20/26	



Sample Data

Standard Safety P.O. Box 14987 Odessa TX, 79768	Project Name: Corral Fly 35-26 Fed CTB Project Number: 21092-0001 Project Manager: Ethan Sessums	Reported: 3/25/2026 8:14:17AM
---	--	---

V-1 5-5.5

E603233-04

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B	mg/kg	mg/kg		Analyst: SL		Batch: 2612143
Benzene	ND	0.0250	1	03/19/26	03/21/26	
Ethylbenzene	ND	0.0250	1	03/19/26	03/21/26	
Toluene	ND	0.0250	1	03/19/26	03/21/26	
o-Xylene	ND	0.0250	1	03/19/26	03/21/26	
p,m-Xylene	ND	0.0500	1	03/19/26	03/21/26	
Total Xylenes	ND	0.0250	1	03/19/26	03/21/26	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>		102 %	70-130	03/19/26	03/21/26	
Nonhalogenated Organics by EPA 8015D - GRO	mg/kg	mg/kg		Analyst: SL		Batch: 2612143
Gasoline Range Organics (C6-C10)	ND	20.0	1	03/19/26	03/21/26	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>		97.1 %	70-130	03/19/26	03/21/26	
Nonhalogenated Organics by EPA 8015D - DRO/ORO	mg/kg	mg/kg		Analyst: NV		Batch: 2612140
Diesel Range Organics (C10-C28)	ND	25.0	1	03/19/26	03/19/26	
Oil Range Organics (C28-C36)	ND	50.0	1	03/19/26	03/19/26	
<i>Surrogate: n-Nonane</i>		108 %	61-141	03/19/26	03/19/26	
Anions by EPA 300.0/9056A	mg/kg	mg/kg		Analyst: TP		Batch: 2612147
Chloride	9090	200	10	03/19/26	03/20/26	



Sample Data

Standard Safety P.O. Box 14987 Odessa TX, 79768	Project Name: Corral Fly 35-26 Fed CTB Project Number: 21092-0001 Project Manager: Ethan Sessums	Reported: 3/25/2026 8:14:17AM
---	--	---

V-1 8-8.5

E603233-05

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B	mg/kg	mg/kg		Analyst: SL		Batch: 2612143
Benzene	ND	0.0250	1	03/19/26	03/21/26	
Ethylbenzene	ND	0.0250	1	03/19/26	03/21/26	
Toluene	ND	0.0250	1	03/19/26	03/21/26	
o-Xylene	ND	0.0250	1	03/19/26	03/21/26	
p,m-Xylene	ND	0.0500	1	03/19/26	03/21/26	
Total Xylenes	ND	0.0250	1	03/19/26	03/21/26	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>		103 %	70-130	03/19/26	03/21/26	
Nonhalogenated Organics by EPA 8015D - GRO	mg/kg	mg/kg		Analyst: SL		Batch: 2612143
Gasoline Range Organics (C6-C10)	ND	20.0	1	03/19/26	03/21/26	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>		96.3 %	70-130	03/19/26	03/21/26	
Nonhalogenated Organics by EPA 8015D - DRO/ORO	mg/kg	mg/kg		Analyst: NV		Batch: 2612140
Diesel Range Organics (C10-C28)	ND	25.0	1	03/19/26	03/19/26	
Oil Range Organics (C28-C36)	ND	50.0	1	03/19/26	03/19/26	
<i>Surrogate: n-Nonane</i>		109 %	61-141	03/19/26	03/19/26	
Anions by EPA 300.0/9056A	mg/kg	mg/kg		Analyst: TP		Batch: 2612147
Chloride	2260	40.0	2	03/19/26	03/20/26	



Sample Data

Standard Safety P.O. Box 14987 Odessa TX, 79768	Project Name: Corral Fly 35-26 Fed CTB Project Number: 21092-0001 Project Manager: Ethan Sessums	Reported: 3/25/2026 8:14:17AM
---	--	---

V-2 4.5-5

E603233-06

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B	mg/kg	mg/kg		Analyst: SL		Batch: 2612143
Benzene	ND	0.0250	1	03/19/26	03/21/26	
Ethylbenzene	ND	0.0250	1	03/19/26	03/21/26	
Toluene	ND	0.0250	1	03/19/26	03/21/26	
o-Xylene	ND	0.0250	1	03/19/26	03/21/26	
p,m-Xylene	ND	0.0500	1	03/19/26	03/21/26	
Total Xylenes	ND	0.0250	1	03/19/26	03/21/26	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>		101 %	70-130	03/19/26	03/21/26	
Nonhalogenated Organics by EPA 8015D - GRO	mg/kg	mg/kg		Analyst: SL		Batch: 2612143
Gasoline Range Organics (C6-C10)	ND	20.0	1	03/19/26	03/21/26	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>		96.4 %	70-130	03/19/26	03/21/26	
Nonhalogenated Organics by EPA 8015D - DRO/ORO	mg/kg	mg/kg		Analyst: NV		Batch: 2612140
Diesel Range Organics (C10-C28)	ND	25.0	1	03/19/26	03/19/26	
Oil Range Organics (C28-C36)	ND	50.0	1	03/19/26	03/19/26	
<i>Surrogate: n-Nonane</i>		103 %	61-141	03/19/26	03/19/26	
Anions by EPA 300.0/9056A	mg/kg	mg/kg		Analyst: TP		Batch: 2612147
Chloride	4920	40.0	2	03/19/26	03/20/26	



Sample Data

Standard Safety P.O. Box 14987 Odessa TX, 79768	Project Name: Corral Fly 35-26 Fed CTB Project Number: 21092-0001 Project Manager: Ethan Sessums	Reported: 3/25/2026 8:14:17AM
---	--	---

V-3 3-3.5'

E603233-07

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B	mg/kg	mg/kg		Analyst: SL		Batch: 2612143
Benzene	ND	0.0250	1	03/19/26	03/21/26	
Ethylbenzene	ND	0.0250	1	03/19/26	03/21/26	
Toluene	ND	0.0250	1	03/19/26	03/21/26	
o-Xylene	ND	0.0250	1	03/19/26	03/21/26	
p,m-Xylene	ND	0.0500	1	03/19/26	03/21/26	
Total Xylenes	ND	0.0250	1	03/19/26	03/21/26	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>		96.2 %	70-130	03/19/26	03/21/26	
Nonhalogenated Organics by EPA 8015D - GRO	mg/kg	mg/kg		Analyst: SL		Batch: 2612143
Gasoline Range Organics (C6-C10)	ND	20.0	1	03/19/26	03/21/26	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>		96.1 %	70-130	03/19/26	03/21/26	
Nonhalogenated Organics by EPA 8015D - DRO/ORO	mg/kg	mg/kg		Analyst: NV		Batch: 2612140
Diesel Range Organics (C10-C28)	ND	25.0	1	03/19/26	03/19/26	
Oil Range Organics (C28-C36)	ND	50.0	1	03/19/26	03/19/26	
<i>Surrogate: n-Nonane</i>		109 %	61-141	03/19/26	03/19/26	
Anions by EPA 300.0/9056A	mg/kg	mg/kg		Analyst: TP		Batch: 2612147
Chloride	1720	20.0	1	03/19/26	03/20/26	



Sample Data

Standard Safety P.O. Box 14987 Odessa TX, 79768	Project Name: Corral Fly 35-26 Fed CTB Project Number: 21092-0001 Project Manager: Ethan Sessums	Reported: 3/25/2026 8:14:17AM
---	--	---

V-3 3.5-4'

E603233-08

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B	mg/kg	mg/kg		Analyst: SL		Batch: 2612143
Benzene	ND	0.0250	1	03/19/26	03/21/26	
Ethylbenzene	ND	0.0250	1	03/19/26	03/21/26	
Toluene	ND	0.0250	1	03/19/26	03/21/26	
o-Xylene	ND	0.0250	1	03/19/26	03/21/26	
p,m-Xylene	ND	0.0500	1	03/19/26	03/21/26	
Total Xylenes	ND	0.0250	1	03/19/26	03/21/26	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>		98.7 %	70-130	03/19/26	03/21/26	
Nonhalogenated Organics by EPA 8015D - GRO	mg/kg	mg/kg		Analyst: SL		Batch: 2612143
Gasoline Range Organics (C6-C10)	ND	20.0	1	03/19/26	03/21/26	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>		97.2 %	70-130	03/19/26	03/21/26	
Nonhalogenated Organics by EPA 8015D - DRO/ORO	mg/kg	mg/kg		Analyst: NV		Batch: 2612140
Diesel Range Organics (C10-C28)	ND	25.0	1	03/19/26	03/20/26	
Oil Range Organics (C28-C36)	ND	50.0	1	03/19/26	03/20/26	
<i>Surrogate: n-Nonane</i>		105 %	61-141	03/19/26	03/20/26	
Anions by EPA 300.0/9056A	mg/kg	mg/kg		Analyst: TP		Batch: 2612147
Chloride	680	20.0	1	03/19/26	03/20/26	



Sample Data

Standard Safety P.O. Box 14987 Odessa TX, 79768	Project Name: Corral Fly 35-26 Fed CTB Project Number: 21092-0001 Project Manager: Ethan Sessums	Reported: 3/25/2026 8:14:17AM
---	--	---

V-3 4-4.5'

E603233-09

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B	mg/kg	mg/kg		Analyst: SL		Batch: 2612143
Benzene	ND	0.0250	1	03/19/26	03/21/26	
Ethylbenzene	ND	0.0250	1	03/19/26	03/21/26	
Toluene	ND	0.0250	1	03/19/26	03/21/26	
o-Xylene	ND	0.0250	1	03/19/26	03/21/26	
p,m-Xylene	ND	0.0500	1	03/19/26	03/21/26	
Total Xylenes	ND	0.0250	1	03/19/26	03/21/26	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>		99.3 %	70-130	03/19/26	03/21/26	
Nonhalogenated Organics by EPA 8015D - GRO	mg/kg	mg/kg		Analyst: SL		Batch: 2612143
Gasoline Range Organics (C6-C10)	ND	20.0	1	03/19/26	03/21/26	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>		96.9 %	70-130	03/19/26	03/21/26	
Nonhalogenated Organics by EPA 8015D - DRO/ORO	mg/kg	mg/kg		Analyst: NV		Batch: 2612140
Diesel Range Organics (C10-C28)	ND	25.0	1	03/19/26	03/20/26	
Oil Range Organics (C28-C36)	ND	50.0	1	03/19/26	03/20/26	
<i>Surrogate: n-Nonane</i>		110 %	61-141	03/19/26	03/20/26	
Anions by EPA 300.0/9056A	mg/kg	mg/kg		Analyst: TP		Batch: 2612147
Chloride	324	20.0	1	03/19/26	03/20/26	



Sample Data

Standard Safety P.O. Box 14987 Odessa TX, 79768	Project Name: Corral Fly 35-26 Fed CTB Project Number: 21092-0001 Project Manager: Ethan Sessums	Reported: 3/25/2026 8:14:17AM
---	--	---

V-6 3-3.5'

E603233-10

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B	mg/kg	mg/kg		Analyst: SL		Batch: 2612143
Benzene	ND	0.0250	1	03/19/26	03/21/26	
Ethylbenzene	ND	0.0250	1	03/19/26	03/21/26	
Toluene	ND	0.0250	1	03/19/26	03/21/26	
o-Xylene	ND	0.0250	1	03/19/26	03/21/26	
p,m-Xylene	ND	0.0500	1	03/19/26	03/21/26	
Total Xylenes	ND	0.0250	1	03/19/26	03/21/26	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>		97.0 %	70-130	03/19/26	03/21/26	
Nonhalogenated Organics by EPA 8015D - GRO	mg/kg	mg/kg		Analyst: SL		Batch: 2612143
Gasoline Range Organics (C6-C10)	ND	20.0	1	03/19/26	03/21/26	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>		96.7 %	70-130	03/19/26	03/21/26	
Nonhalogenated Organics by EPA 8015D - DRO/ORO	mg/kg	mg/kg		Analyst: NV		Batch: 2612140
Diesel Range Organics (C10-C28)	ND	25.0	1	03/19/26	03/20/26	
Oil Range Organics (C28-C36)	ND	50.0	1	03/19/26	03/20/26	
<i>Surrogate: n-Nonane</i>		105 %	61-141	03/19/26	03/20/26	
Anions by EPA 300.0/9056A	mg/kg	mg/kg		Analyst: TP		Batch: 2612147
Chloride	256	20.0	1	03/19/26	03/20/26	



Sample Data

Standard Safety P.O. Box 14987 Odessa TX, 79768	Project Name: Corral Fly 35-26 Fed CTB Project Number: 21092-0001 Project Manager: Ethan Sessums	Reported: 3/25/2026 8:14:17AM
---	--	---

V-7 3-3.5'

E603233-11

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B	mg/kg	mg/kg		Analyst: SL		Batch: 2612143
Benzene	ND	0.0250	1	03/19/26	03/21/26	
Ethylbenzene	ND	0.0250	1	03/19/26	03/21/26	
Toluene	ND	0.0250	1	03/19/26	03/21/26	
o-Xylene	ND	0.0250	1	03/19/26	03/21/26	
p,m-Xylene	ND	0.0500	1	03/19/26	03/21/26	
Total Xylenes	ND	0.0250	1	03/19/26	03/21/26	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>		95.8 %	70-130	03/19/26	03/21/26	
Nonhalogenated Organics by EPA 8015D - GRO	mg/kg	mg/kg		Analyst: SL		Batch: 2612143
Gasoline Range Organics (C6-C10)	ND	20.0	1	03/19/26	03/21/26	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>		96.8 %	70-130	03/19/26	03/21/26	
Nonhalogenated Organics by EPA 8015D - DRO/ORO	mg/kg	mg/kg		Analyst: NV		Batch: 2612140
Diesel Range Organics (C10-C28)	ND	25.0	1	03/19/26	03/20/26	
Oil Range Organics (C28-C36)	ND	50.0	1	03/19/26	03/20/26	
<i>Surrogate: n-Nonane</i>		104 %	61-141	03/19/26	03/20/26	
Anions by EPA 300.0/9056A	mg/kg	mg/kg		Analyst: TP		Batch: 2612147
Chloride	91.5	20.0	1	03/19/26	03/20/26	



Sample Data

Standard Safety P.O. Box 14987 Odessa TX, 79768	Project Name: Corral Fly 35-26 Fed CTB Project Number: 21092-0001 Project Manager: Ethan Sessums	Reported: 3/25/2026 8:14:17AM
---	--	---

V-8 2-2.5'

E603233-12

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B	mg/kg	mg/kg		Analyst: SL		Batch: 2612143
Benzene	ND	0.0250	1	03/19/26	03/21/26	
Ethylbenzene	ND	0.0250	1	03/19/26	03/21/26	
Toluene	ND	0.0250	1	03/19/26	03/21/26	
o-Xylene	ND	0.0250	1	03/19/26	03/21/26	
p,m-Xylene	ND	0.0500	1	03/19/26	03/21/26	
Total Xylenes	ND	0.0250	1	03/19/26	03/21/26	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>		101 %	70-130	03/19/26	03/21/26	
Nonhalogenated Organics by EPA 8015D - GRO	mg/kg	mg/kg		Analyst: SL		Batch: 2612143
Gasoline Range Organics (C6-C10)	ND	20.0	1	03/19/26	03/21/26	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>		96.9 %	70-130	03/19/26	03/21/26	
Nonhalogenated Organics by EPA 8015D - DRO/ORO	mg/kg	mg/kg		Analyst: NV		Batch: 2612140
Diesel Range Organics (C10-C28)	ND	25.0	1	03/19/26	03/20/26	
Oil Range Organics (C28-C36)	ND	50.0	1	03/19/26	03/20/26	
<i>Surrogate: n-Nonane</i>		105 %	61-141	03/19/26	03/20/26	
Anions by EPA 300.0/9056A	mg/kg	mg/kg		Analyst: TP		Batch: 2612147
Chloride	93.7	20.0	1	03/19/26	03/20/26	



Sample Data

Standard Safety P.O. Box 14987 Odessa TX, 79768	Project Name: Corral Fly 35-26 Fed CTB Project Number: 21092-0001 Project Manager: Ethan Sessums	Reported: 3/25/2026 8:14:17AM
---	--	---

V-9 2-2.5'

E603233-13

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B	mg/kg	mg/kg		Analyst: SL		Batch: 2612143
Benzene	ND	0.0250	1	03/19/26	03/21/26	
Ethylbenzene	ND	0.0250	1	03/19/26	03/21/26	
Toluene	ND	0.0250	1	03/19/26	03/21/26	
o-Xylene	ND	0.0250	1	03/19/26	03/21/26	
p,m-Xylene	ND	0.0500	1	03/19/26	03/21/26	
Total Xylenes	ND	0.0250	1	03/19/26	03/21/26	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>		96.0 %	70-130	03/19/26	03/21/26	
Nonhalogenated Organics by EPA 8015D - GRO	mg/kg	mg/kg		Analyst: SL		Batch: 2612143
Gasoline Range Organics (C6-C10)	ND	20.0	1	03/19/26	03/21/26	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>		96.5 %	70-130	03/19/26	03/21/26	
Nonhalogenated Organics by EPA 8015D - DRO/ORO	mg/kg	mg/kg		Analyst: NV		Batch: 2612140
Diesel Range Organics (C10-C28)	ND	25.0	1	03/19/26	03/20/26	
Oil Range Organics (C28-C36)	ND	50.0	1	03/19/26	03/20/26	
<i>Surrogate: n-Nonane</i>		111 %	61-141	03/19/26	03/20/26	
Anions by EPA 300.0/9056A	mg/kg	mg/kg		Analyst: TP		Batch: 2612147
Chloride	311	20.0	1	03/19/26	03/20/26	



Sample Data

Standard Safety P.O. Box 14987 Odessa TX, 79768	Project Name: Corral Fly 35-26 Fed CTB Project Number: 21092-0001 Project Manager: Ethan Sessums	Reported: 3/25/2026 8:14:17AM
---	--	---

V-12 1.5-2'

E603233-14

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B	mg/kg	mg/kg		Analyst: SL		Batch: 2612143
Benzene	ND	0.0250	1	03/19/26	03/21/26	
Ethylbenzene	ND	0.0250	1	03/19/26	03/21/26	
Toluene	ND	0.0250	1	03/19/26	03/21/26	
o-Xylene	ND	0.0250	1	03/19/26	03/21/26	
p,m-Xylene	ND	0.0500	1	03/19/26	03/21/26	
Total Xylenes	ND	0.0250	1	03/19/26	03/21/26	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>		95.8 %	70-130	03/19/26	03/21/26	
Nonhalogenated Organics by EPA 8015D - GRO	mg/kg	mg/kg		Analyst: SL		Batch: 2612143
Gasoline Range Organics (C6-C10)	ND	20.0	1	03/19/26	03/21/26	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>		97.7 %	70-130	03/19/26	03/21/26	
Nonhalogenated Organics by EPA 8015D - DRO/ORO	mg/kg	mg/kg		Analyst: NV		Batch: 2612140
Diesel Range Organics (C10-C28)	ND	25.0	1	03/19/26	03/20/26	
Oil Range Organics (C28-C36)	ND	50.0	1	03/19/26	03/20/26	
<i>Surrogate: n-Nonane</i>		110 %	61-141	03/19/26	03/20/26	
Anions by EPA 300.0/9056A	mg/kg	mg/kg		Analyst: TP		Batch: 2612147
Chloride	832	20.0	1	03/19/26	03/20/26	



Sample Data

Standard Safety P.O. Box 14987 Odessa TX, 79768	Project Name: Corral Fly 35-26 Fed CTB Project Number: 21092-0001 Project Manager: Ethan Sessums	Reported: 3/25/2026 8:14:17AM
---	--	---

V-12 2.5-3'

E603233-15

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B	mg/kg	mg/kg		Analyst: SL		Batch: 2612143
Benzene	ND	0.0250	1	03/19/26	03/21/26	
Ethylbenzene	ND	0.0250	1	03/19/26	03/21/26	
Toluene	ND	0.0250	1	03/19/26	03/21/26	
o-Xylene	ND	0.0250	1	03/19/26	03/21/26	
p,m-Xylene	ND	0.0500	1	03/19/26	03/21/26	
Total Xylenes	ND	0.0250	1	03/19/26	03/21/26	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>		94.7 %	70-130	03/19/26	03/21/26	
Nonhalogenated Organics by EPA 8015D - GRO	mg/kg	mg/kg		Analyst: SL		Batch: 2612143
Gasoline Range Organics (C6-C10)	ND	20.0	1	03/19/26	03/21/26	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>		97.5 %	70-130	03/19/26	03/21/26	
Nonhalogenated Organics by EPA 8015D - DRO/ORO	mg/kg	mg/kg		Analyst: NV		Batch: 2612140
Diesel Range Organics (C10-C28)	ND	25.0	1	03/19/26	03/20/26	
Oil Range Organics (C28-C36)	ND	50.0	1	03/19/26	03/20/26	
<i>Surrogate: n-Nonane</i>		108 %	61-141	03/19/26	03/20/26	
Anions by EPA 300.0/9056A	mg/kg	mg/kg		Analyst: TP		Batch: 2612147
Chloride	211	20.0	1	03/19/26	03/20/26	



QC Summary Data

Standard Safety	Project Name: Corral Fly 35-26 Fed CTB	Reported: 3/25/2026 8:14:17AM
P.O. Box 14987	Project Number: 21092-0001	
Odessa TX, 79768	Project Manager: Ethan Sessums	

Volatile Organics by EPA 8021B

Analyst: SL

Analyte	Result	Reporting Limit	Spike Level	Source Result	Rec	Rec Limits	RPD	RPD Limit	Notes
	mg/kg	mg/kg	mg/kg	mg/kg	%	%	%	%	

Blank (2612143-BLK1)

Prepared: 03/19/26 Analyzed: 03/21/26

Benzene	ND	0.0250							
Ethylbenzene	ND	0.0250							
Toluene	ND	0.0250							
o-Xylene	ND	0.0250							
p,m-Xylene	ND	0.0500							
Total Xylenes	ND	0.0250							
Surrogate: 4-Bromochlorobenzene-PID	8.05		8.00		101	70-130			

LCS (2612143-BS1)

Prepared: 03/19/26 Analyzed: 03/21/26

Benzene	4.07	0.0250	5.00		81.3	70-130			
Ethylbenzene	3.85	0.0250	5.00		77.0	70-130			
Toluene	3.95	0.0250	5.00		79.0	70-130			
o-Xylene	3.86	0.0250	5.00		77.3	70-130			
p,m-Xylene	7.84	0.0500	10.0		78.4	70-130			
Total Xylenes	11.7	0.0250	15.0		78.0	70-130			
Surrogate: 4-Bromochlorobenzene-PID	8.11		8.00		101	70-130			

Matrix Spike (2612143-MS1)

Source: E603233-12

Prepared: 03/19/26 Analyzed: 03/21/26

Benzene	5.11	0.0250	5.00	ND	102	70-130			
Ethylbenzene	4.85	0.0250	5.00	ND	97.0	70-130			
Toluene	4.99	0.0250	5.00	ND	99.7	70-130			
o-Xylene	4.86	0.0250	5.00	ND	97.1	70-130			
p,m-Xylene	9.86	0.0500	10.0	ND	98.6	70-130			
Total Xylenes	14.7	0.0250	15.0	ND	98.1	70-130			
Surrogate: 4-Bromochlorobenzene-PID	8.04		8.00		101	70-130			

Matrix Spike Dup (2612143-MSD1)

Source: E603233-12

Prepared: 03/19/26 Analyzed: 03/21/26

Benzene	5.25	0.0250	5.00	ND	105	70-130	2.57	27	
Ethylbenzene	4.99	0.0250	5.00	ND	99.9	70-130	2.94	26	
Toluene	5.12	0.0250	5.00	ND	102	70-130	2.65	20	
o-Xylene	5.01	0.0250	5.00	ND	100	70-130	3.16	25	
p,m-Xylene	10.1	0.0500	10.0	ND	101	70-130	2.80	23	
Total Xylenes	15.2	0.0250	15.0	ND	101	70-130	2.92	26	
Surrogate: 4-Bromochlorobenzene-PID	8.03		8.00		100	70-130			



QC Summary Data

Standard Safety P.O. Box 14987 Odessa TX, 79768	Project Name: Corral Fly 35-26 Fed CTB Project Number: 21092-0001 Project Manager: Ethan Sessums	Reported: 3/25/2026 8:14:17AM
---	--	---

Nonhalogenated Organics by EPA 8015D - GRO

Analyst: SL

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

Blank (2612143-BLK1)

Prepared: 03/19/26 Analyzed: 03/21/26

Gasoline Range Organics (C6-C10)	ND	20.0							
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.81		8.00		97.6	70-130			

LCS (2612143-BS2)

Prepared: 03/19/26 Analyzed: 03/21/26

Gasoline Range Organics (C6-C10)	45.9	20.0	50.0		91.8	70-130			
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.81		8.00		97.6	70-130			

Matrix Spike (2612143-MS2)

Source: E603233-12

Prepared: 03/19/26 Analyzed: 03/21/26

Gasoline Range Organics (C6-C10)	51.3	20.0	50.0	ND	103	70-130			
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.80		8.00		97.5	70-130			

Matrix Spike Dup (2612143-MSD2)

Source: E603233-12

Prepared: 03/19/26 Analyzed: 03/21/26

Gasoline Range Organics (C6-C10)	54.2	20.0	50.0	ND	108	70-130	5.50	20	
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.84		8.00		98.0	70-130			



QC Summary Data

Standard Safety P.O. Box 14987 Odessa TX, 79768	Project Name: Corral Fly 35-26 Fed CTB Project Number: 21092-0001 Project Manager: Ethan Sessums	Reported: 3/25/2026 8:14:17AM
---	--	---

Nonhalogenated Organics by EPA 8015D - DRO/ORO

Analyst: NV

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

Blank (2612140-BLK1)

Prepared: 03/19/26 Analyzed: 03/19/26

Diesel Range Organics (C10-C28)	ND	25.0							
Oil Range Organics (C28-C36)	ND	50.0							
Surrogate: <i>n</i> -Nonane	53.2		50.0		106	61-141			

LCS (2612140-BS1)

Prepared: 03/19/26 Analyzed: 03/19/26

Diesel Range Organics (C10-C28)	269	25.0	250		108	66-144			
Surrogate: <i>n</i> -Nonane	52.3		50.0		105	61-141			

Matrix Spike (2612140-MS1)

Source: E603233-07

Prepared: 03/19/26 Analyzed: 03/19/26

Diesel Range Organics (C10-C28)	278	25.0	250	ND	111	56-156			
Surrogate: <i>n</i> -Nonane	54.2		50.0		108	61-141			

Matrix Spike Dup (2612140-MSD1)

Source: E603233-07

Prepared: 03/19/26 Analyzed: 03/19/26

Diesel Range Organics (C10-C28)	278	25.0	250	ND	111	56-156	0.134	20	
Surrogate: <i>n</i> -Nonane	54.7		50.0		109	61-141			



QC Summary Data

Standard Safety P.O. Box 14987 Odessa TX, 79768	Project Name: Corral Fly 35-26 Fed CTB Project Number: 21092-0001 Project Manager: Ethan Sessums	Reported: 3/25/2026 8:14:17AM
---	--	---

Anions by EPA 300.0/9056A

Analyst: TP

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

Blank (2612147-BLK1)

Prepared: 03/19/26 Analyzed: 03/20/26

Chloride	ND	20.0							
----------	----	------	--	--	--	--	--	--	--

LCS (2612147-BS1)

Prepared: 03/19/26 Analyzed: 03/20/26

Chloride	258	20.0	250		103	90-110			
----------	-----	------	-----	--	-----	--------	--	--	--

Matrix Spike (2612147-MS1)

Source: E603233-04

Prepared: 03/19/26 Analyzed: 03/20/26

Chloride	9200	200	250	9090	42.5	80-120			M4
----------	------	-----	-----	------	------	--------	--	--	----

Matrix Spike Dup (2612147-MSD1)

Source: E603233-04

Prepared: 03/19/26 Analyzed: 03/20/26

Chloride	9600	200	250	9090	201	80-120	4.22	20	M4
----------	------	-----	-----	------	-----	--------	------	----	----

QC Summary Report Comment:

Calculations are based off of the raw (non-rounded) data. However, for reporting purposes all QC data is rounded to three significant figures. Therefore, hand calculated values may differ slightly.



Definitions and Notes

Standard Safety	Project Name:	Corral Fly 35-26 Fed CTB	
P.O. Box 14987	Project Number:	21092-0001	Reported:
Odessa TX, 79768	Project Manager:	Ethan Sessums	03/25/26 08:14

M4 Matrix spike recovery value is suspect since the analyte concentration in the sample is disproportionate to the spike level. The associated LCS spike recovery was acceptable.

ND Analyte NOT DETECTED at or above the reporting limit

NR Not Reported

RPD Relative Percent Difference

DNI Did Not Ignite

DNR Did not react with the addition of acid or base.

Note (1): Methods marked with ** are non-accredited methods.

Note (2): Soil data is reported on an "as received" weight basis, unless reported otherwise.





Chain of Custody

Main Office: 2524 Trunk Street, Odessa Texas 79761
 Contact: (432) 653-0393
<https://standartrx.com/>
 Page 1 of 2

Project Manager:	Ethan Sessums	Bill to: (if different)	
Company Name:	Standard Safety & Supply	Company Name:	
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standartrx.com

Work Order Comments
 Lab wo# E603233
 Job # 23087-002
 21092-0001
 cm
 3/19/26

Project Name:	Corral Fly 35-26 Fed CTB	Turn Around		ANALYSIS REQUEST												Preservative Codes							
Project Number:		<input checked="" type="checkbox"/> Routine <input type="checkbox"/> Rush	Pres. Code															None: NO	DI Water: H ₂ O				
Project Location:	Eddy County, NM	Due Date:		Parameters	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300													Cool: Cool	MeOH: Me		
Sampler's Name:	Dmitrii Nikanorov	TAT may vary based on lab start time.																		HCL: HC	HNO ₃ : HN		
PO #:	HD-4631																			H ₂ SO ₄ : H ₂	NaOH: Na		
SAMPLE RECEIPT		Temp Blank:	Yes No					Wet Ice:	Yes No													H ₃ PO ₄ : HP	
Samples Received Intact:	Yes No	Thermometer ID:																		NaHSO ₄ : NABIS			

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300													Temp	Sample Comments
V-1	2-2.5	3/12/2026		S	Grab	1	x	x	x													1.1	1 Lab#
V-1	3-3.5	3/12/2026		S	Grab	1	x	x	x													1.9	2
V-1	4-4.5	3/13/2026		S	Grab	1	x	x	x													2.1	3
V-1	5-5.5	3/13/2026		S	Grab	1	x	x	x													2.7	4
V-1	8-8.5	3/13/2026		S	Grab	1	x	x	x													2.2	5
V-2	4.5-5	3/13/2026		S	Grab	1	x	x	x													2.9	6
V-3	3-3.5'	3/12/2026		S	Grab	1	x	x	x													3.3	7
V-3	3.5-4'	3/12/2026		S	Grab	1	x	x	x													2.7	8
V-3	4-4.5'	3/12/2026		S	Grab	1	x	x	x													2.4	9
V-6	3-3.5'	3/13/2026		S	Grab	1	x	x	x													2.5	10

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1 Dimitrii Nikanorov	Michelle Gonzales	3-18-26 1100	2 Michelle Gonzales	Marissa Gonzales	3-19-26 1500
3 Marissa Gonzales	Johnny Archuleta	3-18-26 1900	4 Johnny Archuleta	Ethan Maus	3-18-26 2300
5			6		3-19-26 7300

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Released to: Imaging - 5/24/2026 11:20:51 AM

Page 26 of 28

Received by: OCD - 5/13/2026 9:49:02 AM

Page 179 of 203



Chain of Custody

Main Office: 2524 Trunk Street, Odessa Texas 79761
 Contact: (432) 653-0393
<https://standardtx.com/>
 Page 2 of 2

Project Manager:	Ethan Sessums	Bill to: (if different)	
Company Name:	Standard Safety & Supply	Company Name:	
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments
 Lab wo # E603233
 Job # 21092-0001

Project Name:	Corral Fly 35-26 Fed CTB	Turn Around		ANALYSIS REQUEST										Preservative Codes				
Project Number:		<input checked="" type="checkbox"/> Routine <input type="checkbox"/> Rush	Pres. Code														None: NO	DI Water: H ₂ O
Project Location:	Eddy County, NM	Due Date:		Parameters	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300										Cool: Cool	MeOH: Me
Sampler's Name:	Dmitrii Nikanorov	TAT may vary based on lab start time.															HCL: HC	HNO ₃ : HN
PO #:	HD-4631																H ₂ SO ₄ : H ₂	NaOH: Na
SAMPLE RECEIPT		Temp Blank:	Yes No														Wet Ice:	Yes No
Temp Blank:	Yes No	Thermometer ID:														NaHSO ₄ : NABIS		
Sampler Custody Seals:	Yes No N/A	Correction Factor:														Na ₂ S ₂ O ₃ : NaSO ₃		
Sample Custody Seals:	Yes No N/A	Temperature Reading:														Zn Acetate+NaOH: Zn		
Al Containers:	15	Corrected Temperature:														NaOH+Ascorbic Acid: SAPC		

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300											Temp	Sample Comments
V-7	3-3.5'	3/13/2026		S	Grab	1	x	x	x											2.5	11 Lab #
V-8	2-2.5'	3/13/2026		S	Grab	1	x	x	x											2.2	12
V-9	2-2.5'	3/13/2026		S	Grab	1	x	x	x											2.0	13
V-12	1.5-2'	3/12/2026		S	Grab	1	x	x	x											2.1	14
V-12	2.5-3	3/12/2026		S	Grab	1	x	x	x											2.8	15

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1 Dimitrii Nikanorov <i>DN</i>	<i>Michelle Gonzales</i>	3-18-26 1100	2 <i>Michelle Gonzales</i>	<i>Marissa Gonzales</i>	3-18-26 1500
3 <i>Marissa Gonzales</i>	<i>Johnny Archuleta</i>	3-18-26 1900	4 <i>Johnny Archuleta</i>	<i>Auth man</i>	3-18-26 2300
5			6		3-19-26 7300

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Released to Imaging 5/26/2026 11:20:51 AM

Page 27 of 28

Received by: OCPD: 5/13/2026 9:49:02 AM

Page 180 of 203

Envirotech Analytical Laboratory

Printed: 3/19/2026 1:46:52PM

Sample Receipt Checklist (SRC)

Instructions: Please take note of any NO checkmarks.

If we receive no response concerning these items within 24 hours of the date of this notice, all the samples will be analyzed as requested.

Client: Standard Safety Date Received: 03/19/26 07:30 Work Order ID: E603233
Phone: 254-266-5456 Date Logged In: 03/19/26 09:41 Logged In By: Caitlin Mars
Email: ethan.sessums@standardtx.com Due Date: 03/25/26 17:00 (4 day TAT)

Chain of Custody (COC)

- 1. Does the sample ID match the COC? Yes
2. Does the number of samples per sampling site location match the COC? Yes
3. Were samples dropped off by client or carrier? Yes
4. Was the COC complete, i.e., signatures, dates/times, requested analyses? No
5. Were all samples received within holding time? Yes

Carrier: courier

Note: Analysis, such as pH which should be conducted in the field, i.e, 15 minute hold time, are not included in this discussion.

Sample Turn Around Time (TAT)

- 6. Did the COC indicate standard TAT, or Expedited TAT? Yes

Sample Cooler

- 7. Was a sample cooler received? Yes
8. If yes, was cooler received in good condition? Yes
9. Was the sample(s) received intact, i.e., not broken? Yes
10. Were custody/security seals present? No
11. If yes, were custody/security seals intact? NA
12. Was the sample received on ice? Yes

Note: Thermal preservation is not required, if samples are received within 15 minutes of sampling

- 13. See COC for individual sample temps. Samples outside of 0°C-6°C will be recorded in comments.

Sample Container

- 14. Are aqueous VOC samples present? No
15. Are VOC samples collected in VOA Vials? NA
16. Is the head space less than 6-8 mm (pea sized or less)? NA
17. Was a trip blank (TB) included for VOC analyses? NA
18. Are non-VOC samples collected in the correct containers? Yes
19. Is the appropriate volume/weight or number of sample containers collected? Yes

Field Label

- 20. Were field sample labels filled out with the minimum information:
Sample ID? Yes
Date/Time Collected? Yes
Collectors name? No

Sample Preservation

- 21. Does the COC or field labels indicate the samples were preserved? No
22. Are sample(s) correctly preserved? NA
24. Is lab filtration required and/or requested for dissolved metals? No

Multiphase Sample Matrix

- 26. Does the sample have more than one phase, i.e., multiphase? No
27. If yes, does the COC specify which phase(s) is to be analyzed? NA

Subcontract Laboratory

- 28. Are samples required to get sent to a subcontract laboratory? No
29. Was a subcontract laboratory specified by the client and if so who? NA Subcontract Lab: NA

Client Instruction

Empty box for client instruction.

Comments/Resolution

Time sampled not provided on COC.
L-NS
R-CM


Signature of client authorizing changes to the COC or sample disposition.

Date



envirotech Inc.

Report to:
Ethan Sessums



envirotech

Practical Solutions for a Better Tomorrow

Analytical Report

Standard Safety

Project Name: Corral Gorge Line Strike-9/2/2026

Work Order: E605027

Job Number: 21092-0001

Received: 5/5/2026

Revision: 1

Report Reviewed By:

Walter Hinchman
Laboratory Director
5/11/26

5796 U.S. Hwy 64
Farmington, NM 87401

Phone: (505) 632-1881
Envirotech-inc.com



Envirotech Inc. certifies the test results meet all requirements of TNI unless noted otherwise.
Statement of Data Authenticity: Envirotech Inc, attests the data reported has not been altered in any way.
Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech Inc.
Envirotech Inc, holds the Utah TNI certification NM00979 for data reported.
Envirotech Inc, holds the Texas TNI certification T104704557 for data reported.

Date Reported: 5/11/26

Ethan Sessums
P.O. Box 14987
Odessa, TX 79768



Project Name: Corral Gorge Line Strike-9/2/2026
Workorder: E605027
Date Received: 5/5/2026 6:45:00AM

Ethan Sessums,

Thank you for choosing Envirotech, Inc. as your analytical testing laboratory for the sample(s) received on, 5/5/2026 6:45:00AM, under the Project Name: Corral Gorge Line Strike-9/2/2026.

The analytical test results summarized in this report with the Project Name: Corral Gorge Line Strike-9/2/2026 apply to the individual samples collected, identified and submitted bearing the project name on the enclosed chain-of-custody. Subcontracted sample analyses not conducted by Envirotech, Inc., are attached in full as issued by the subcontract laboratory.

Please review the Chain-of-Custody (COC) and Sample Receipt Checklist (SRC) for any issues regarding sample receipt temperature, containers, preservation etc. To best understand your test results, review the entire report summarizing your sample data and the associated quality control batch data.

All reported data in this analytical report were analyzed according to the referenced method(s) and are in compliance with the latest NELAC/TNI standards, unless otherwise noted. Samples or analytical quality control parameters not meeting specific QC criteria are qualified with a data flag. Data flag definitions are located in the Notes and Definitions section of this analytical report.

If you have any questions concerning this report, please feel free to contact Envirotech, Inc.

Respectfully,

Walter Hinchman
Laboratory Director
Office: 505-632-1881
Cell: 775-287-1762
whinchman@envirotech-inc.com

Raina Schwanz
Laboratory Administrator
Office: 505-632-1881
rainaschwanz@envirotech-inc.com

Field Offices:

Southern New Mexico Area

Lynn Jarboe
Laboratory Technical Representative
Office: 505-421-LABS(5227)
Cell: 505-320-4759
ljjarboe@envirotech-inc.com

Michelle Gonzales
Client Representative
Office: 505-421-LABS(5227)
Cell: 505-947-8222
mgonzales@envirotech-inc.com

Envirotech Web Address: www.envirotech-inc.com

Table of Contents

Title Page	1
Cover Page	2
Table of Contents	3
Sample Summary	4
Sample Data	5
V-1 10-10.5	5
V-2 6-6.5	6
QC Summary Data	7
QC - Volatile Organics by EPA 8021B	7
QC - Nonhalogenated Organics by EPA 8015D - GRO	8
QC - Nonhalogenated Organics by EPA 8015D - DRO/ORO	9
QC - Anions by EPA 300.0/9056A	10
Definitions and Notes	11
Chain of Custody etc.	12

Sample Summary

Standard Safety P.O. Box 14987 Odessa TX, 79768	Project Name: Corral Gorge Line Strike-9/2/2026 Project Number: 21092-0001 Project Manager: Ethan Sessums	Reported: 05/11/26 08:29
---	---	------------------------------------

Client Sample ID	Lab Sample ID	Matrix	Sampled	Received	Container
V-1 10-10.5	E605027-01A	Soil	04/30/26	05/05/26	Glass Jar, 2 oz.
V-2 6-6.5	E605027-02A	Soil	04/30/26	05/05/26	Glass Jar, 2 oz.



Sample Data

Standard Safety P.O. Box 14987 Odessa TX, 79768	Project Name: Corral Gorge Line Strike-9/2/2026 Project Number: 21092-0001 Project Manager: Ethan Sessums	Reported: 5/11/2026 8:29:00AM
---	---	---

V-1 10-10.5

E605027-01

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B		mg/kg	mg/kg	Analyst: MB		Batch: 2619044
Benzene	ND	0.0250	1	05/05/26	05/06/26	
Ethylbenzene	ND	0.0250	1	05/05/26	05/06/26	
Toluene	ND	0.0250	1	05/05/26	05/06/26	
o-Xylene	ND	0.0250	1	05/05/26	05/06/26	
p,m-Xylene	ND	0.0500	1	05/05/26	05/06/26	
Total Xylenes	ND	0.0250	1	05/05/26	05/06/26	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>		100 %	70-130	05/05/26	05/06/26	
Nonhalogenated Organics by EPA 8015D - GRO		mg/kg	mg/kg	Analyst: MB		Batch: 2619044
Gasoline Range Organics (C6-C10)	ND	20.0	1	05/05/26	05/06/26	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>		84.7 %	70-130	05/05/26	05/06/26	
Nonhalogenated Organics by EPA 8015D - DRO/ORO		mg/kg	mg/kg	Analyst: NV		Batch: 2619060
Diesel Range Organics (C10-C28)	ND	25.0	1	05/05/26	05/06/26	
Oil Range Organics (C28-C36)	ND	50.0	1	05/05/26	05/06/26	
<i>Surrogate: n-Nonane</i>		97.1 %	69-135	05/05/26	05/06/26	
Anions by EPA 300.0/9056A		mg/kg	mg/kg	Analyst: DT		Batch: 2619062
Chloride	51.7	20.0	1	05/05/26	05/05/26	



Sample Data

Standard Safety P.O. Box 14987 Odessa TX, 79768	Project Name: Corral Gorge Line Strike-9/2/2026 Project Number: 21092-0001 Project Manager: Ethan Sessums	Reported: 5/11/2026 8:29:00AM
---	---	---

V-2 6-6.5

E605027-02

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B	mg/kg	mg/kg		Analyst: MB		Batch: 2619044
Benzene	ND	0.0250	1	05/05/26	05/06/26	
Ethylbenzene	ND	0.0250	1	05/05/26	05/06/26	
Toluene	ND	0.0250	1	05/05/26	05/06/26	
o-Xylene	ND	0.0250	1	05/05/26	05/06/26	
p,m-Xylene	ND	0.0500	1	05/05/26	05/06/26	
Total Xylenes	ND	0.0250	1	05/05/26	05/06/26	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>		97.3 %	70-130	05/05/26	05/06/26	
Nonhalogenated Organics by EPA 8015D - GRO	mg/kg	mg/kg		Analyst: MB		Batch: 2619044
Gasoline Range Organics (C6-C10)	ND	20.0	1	05/05/26	05/06/26	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>		84.9 %	70-130	05/05/26	05/06/26	
Nonhalogenated Organics by EPA 8015D - DRO/ORO	mg/kg	mg/kg		Analyst: NV		Batch: 2619060
Diesel Range Organics (C10-C28)	ND	25.0	1	05/05/26	05/06/26	
Oil Range Organics (C28-C36)	ND	50.0	1	05/05/26	05/06/26	
<i>Surrogate: n-Nonane</i>		97.1 %	69-135	05/05/26	05/06/26	
Anions by EPA 300.0/9056A	mg/kg	mg/kg		Analyst: DT		Batch: 2619062
Chloride	20.3	20.0	1	05/05/26	05/05/26	



QC Summary Data

Standard Safety P.O. Box 14987 Odessa TX, 79768	Project Name: Corral Gorge Line Strike-9/2/2026 Project Number: 21092-0001 Project Manager: Ethan Sessums	Reported: 5/11/2026 8:29:00AM
---	---	---

Volatile Organics by EPA 8021B

Analyst: MB

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

Blank (2619044-BLK1)

Prepared: 05/05/26 Analyzed: 05/06/26

Benzene	ND	0.0250							
Ethylbenzene	ND	0.0250							
Toluene	ND	0.0250							
o-Xylene	ND	0.0250							
p,m-Xylene	ND	0.0500							
Total Xylenes	ND	0.0250							
Surrogate: 4-Bromochlorobenzene-PID	7.97		8.00		99.6	70-130			

LCS (2619044-BS1)

Prepared: 05/05/26 Analyzed: 05/06/26

Benzene	4.53	0.0250	5.00		90.6	70-130			
Ethylbenzene	4.34	0.0250	5.00		86.9	70-130			
Toluene	4.43	0.0250	5.00		88.7	70-130			
o-Xylene	4.32	0.0250	5.00		86.5	70-130			
p,m-Xylene	8.73	0.0500	10.0		87.3	70-130			
Total Xylenes	13.1	0.0250	15.0		87.0	70-130			
Surrogate: 4-Bromochlorobenzene-PID	7.92		8.00		99.0	70-130			

Matrix Spike (2619044-MS1)

Source: E605030-04

Prepared: 05/05/26 Analyzed: 05/06/26

Benzene	5.47	0.0250	5.00	ND	109	70-130			
Ethylbenzene	5.21	0.0250	5.00	ND	104	70-130			
Toluene	5.34	0.0250	5.00	ND	107	70-130			
o-Xylene	5.19	0.0250	5.00	ND	104	70-130			
p,m-Xylene	10.4	0.0500	10.0	ND	104	70-130			
Total Xylenes	15.6	0.0250	15.0	ND	104	70-130			
Surrogate: 4-Bromochlorobenzene-PID	7.94		8.00		99.3	70-130			

Matrix Spike Dup (2619044-MSD1)

Source: E605030-04

Prepared: 05/05/26 Analyzed: 05/06/26

Benzene	5.55	0.0250	5.00	ND	111	70-130	1.57	20	
Ethylbenzene	5.32	0.0250	5.00	ND	106	70-130	2.02	20	
Toluene	5.42	0.0250	5.00	ND	108	70-130	1.45	20	
o-Xylene	5.30	0.0250	5.00	ND	106	70-130	2.19	20	
p,m-Xylene	10.7	0.0500	10.0	ND	107	70-130	2.07	20	
Total Xylenes	16.0	0.0250	15.0	ND	106	70-130	2.11	20	
Surrogate: 4-Bromochlorobenzene-PID	8.18		8.00		102	70-130			



QC Summary Data

Standard Safety P.O. Box 14987 Odessa TX, 79768	Project Name: Corral Gorge Line Strike-9/2/2026 Project Number: 21092-0001 Project Manager: Ethan Sessums	Reported: 5/11/2026 8:29:00AM
---	---	---

Nonhalogenated Organics by EPA 8015D - GRO

Analyst: MB

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec % %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	---------------	--------------------	----------	-------------------	-------

Blank (2619044-BLK1)

Prepared: 05/05/26 Analyzed: 05/06/26

Gasoline Range Organics (C6-C10)	ND	20.0							
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.44		8.00		93.0	70-130			

LCS (2619044-BS2)

Prepared: 05/05/26 Analyzed: 05/06/26

Gasoline Range Organics (C6-C10)	49.2	20.0	50.0		98.5	62-130			
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.31		8.00		91.4	70-130			

Matrix Spike (2619044-MS2)

Source: E605030-04

Prepared: 05/05/26 Analyzed: 05/06/26

Gasoline Range Organics (C6-C10)	50.1	20.0	50.0	ND	100	60-137			
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.13		8.00		89.2	70-130			

Matrix Spike Dup (2619044-MSD2)

Source: E605030-04

Prepared: 05/05/26 Analyzed: 05/06/26

Gasoline Range Organics (C6-C10)	50.7	20.0	50.0	ND	101	60-137	1.21	20	
Surrogate: 1-Chloro-4-fluorobenzene-FID	6.70		8.00		83.7	70-130			



QC Summary Data

Standard Safety P.O. Box 14987 Odessa TX, 79768	Project Name: Corral Gorge Line Strike-9/2/2026 Project Number: 21092-0001 Project Manager: Ethan Sessums	Reported: 5/11/2026 8:29:00AM
---	---	---

Nonhalogenated Organics by EPA 8015D - DRO/ORO

Analyst: NV

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

Blank (2619060-BLK1)

Prepared: 05/05/26 Analyzed: 05/05/26

Diesel Range Organics (C10-C28)	ND	25.0							
Oil Range Organics (C28-C36)	ND	50.0							
Surrogate: n-Nonane	48.7		50.0		97.3	69-135			

LCS (2619060-BS1)

Prepared: 05/05/26 Analyzed: 05/05/26

Diesel Range Organics (C10-C28)	240	25.0	250		96.2	70-131			
Surrogate: n-Nonane	46.8		50.0		93.7	69-135			

Matrix Spike (2619060-MS1)

Source: E605019-01

Prepared: 05/05/26 Analyzed: 05/05/26

Diesel Range Organics (C10-C28)	241	25.0	250	ND	96.3	62-151			
Surrogate: n-Nonane	46.6		50.0		93.1	69-135			

Matrix Spike Dup (2619060-MSD1)

Source: E605019-01

Prepared: 05/05/26 Analyzed: 05/05/26

Diesel Range Organics (C10-C28)	240	25.0	250	ND	96.1	62-151	0.212	20	
Surrogate: n-Nonane	46.8		50.0		93.7	69-135			



QC Summary Data

Standard Safety P.O. Box 14987 Odessa TX, 79768	Project Name: Corral Gorge Line Strike-9/2/2026 Project Number: 21092-0001 Project Manager: Ethan Sessums	Reported: 5/11/2026 8:29:00AM
---	---	---

Anions by EPA 300.0/9056A

Analyst: DT

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

Blank (2619062-BLK1)

Prepared: 05/05/26 Analyzed: 05/05/26

Chloride	ND	20.0							
----------	----	------	--	--	--	--	--	--	--

LCS (2619062-BS1)

Prepared: 05/05/26 Analyzed: 05/05/26

Chloride	264	20.0	250		105	90-110			
----------	-----	------	-----	--	-----	--------	--	--	--

Matrix Spike (2619062-MS1)

Source: E605027-01

Prepared: 05/05/26 Analyzed: 05/05/26

Chloride	318	20.0	250	51.7	107	80-120			
----------	-----	------	-----	------	-----	--------	--	--	--

Matrix Spike Dup (2619062-MSD1)

Source: E605027-01

Prepared: 05/05/26 Analyzed: 05/05/26

Chloride	316	20.0	250	51.7	106	80-120	0.807	20	
----------	-----	------	-----	------	-----	--------	-------	----	--

QC Summary Report Comment:

Calculations are based off of the raw (non-rounded) data. However, for reporting purposes all QC data is rounded to three significant figures. Therefore, hand calculated values may differ slightly.



Definitions and Notes

Standard Safety	Project Name:	Corral Gorge Line Strike-9/2/2026	
P.O. Box 14987	Project Number:	21092-0001	Reported:
Odessa TX, 79768	Project Manager:	Ethan Sessums	05/11/26 08:29

ND Analyte NOT DETECTED at or above the reporting limit

NR Not Reported

RPD Relative Percent Difference

DNI Did Not Ignite

DNR Did not react with the addition of acid or base.

Note (1): Methods marked with ** are non-accredited methods.

Note (2): Soil data is reported on an "as received" weight basis, unless reported otherwise.





Chain of Custody

Main Office: 2524 Trunk Street, Odessa Texas 79761

Contact: (432) 653-0393

https://standardtx.com/

Released for Imaging - 5/24/2026 11:20:51 AM

Received by OGD: 5/13/2026 9:49:02 AM

Project Manager: Ethan Sessums, Company Name: Standard Safety & Supply, Address: 2425 Trunk St., City, State ZIP: Odessa, Texas, 79761, Phone: 254-266-5456, Email: Ethan.Sessums@standardtx.com

Work Order Comments: Lab wo # E005027, Job # 21092 - 0001

Table with columns: Project Name, Turn Around, ANALYSIS REQUEST, Preservative Codes, SAMPLE RECEIPT, Sample Identification, Depth, Date Sampled, Time Sampled, Matrix, Grab Com, # of Cont, Parameters (BTEX 8012B, TPH 8015M, Chloride 4500 or EPA 300), Sample Comments. Includes handwritten entries for 'Yes' on wet ice and 'N/A' on custody seals.

Chain of Custody Signature Table with columns: Relinquished by: (Signature), Received by: (Signature), Date/Time. Includes handwritten signatures and dates for Dimitrii Nikanorov, Michelle Gonzales, and Johnny Archuleta.

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Envirotech Analytical Laboratory

Printed: 5/5/2026 9:09:26AM

Sample Receipt Checklist (SRC)

Instructions: Please take note of any NO checkmarks.

If we receive no response concerning these items within 24 hours of the date of this notice, all the samples will be analyzed as requested.

Client: Standard Safety	Date Received: 05/05/26 06:45	Work Order ID: E605027
Phone: 254-266-5456	Date Logged In: 05/04/26 14:12	Logged In By: Caitlin Mars
Email: ethan.sessums@standardtx.com	Due Date: 05/11/26 17:00 (4 day TAT)	

Chain of Custody (COC)

- 1. Does the sample ID match the COC? Yes
- 2. Does the number of samples per sampling site location match the COC? Yes
- 3. Were samples dropped off by client or carrier? Yes
- 4. Was the COC complete, i.e., signatures, dates/times, requested analyses? Yes
- 5. Were all samples received within holding time? Yes

Carrier: courier

Note: Analysis, such as pH which should be conducted in the field, i.e, 15 minute hold time, are not included in this discussion.

Comments/Resolution

L-NS
R-NV

Sample Turn Around Time (TAT)

- 6. Did the COC indicate standard TAT, or Expedited TAT? Yes

Sample Cooler

- 7. Was a sample cooler received? Yes
- 8. If yes, was cooler received in good condition? Yes
- 9. Was the sample(s) received intact, i.e., not broken? Yes
- 10. Were custody/security seals present? No
- 11. If yes, were custody/security seals intact? NA
- 12. Was the sample received on ice? Yes

Note: Thermal preservation is not required, if samples are received within 15 minutes of sampling

- 13. See COC for individual sample temps. Samples outside of 0°C-6°C will be recorded in comments.

Sample Container

- 14. Are aqueous VOC samples present? No
- 15. Are VOC samples collected in VOA Vials? NA
- 16. Is the head space less than 6-8 mm (pea sized or less)? NA
- 17. Was a trip blank (TB) included for VOC analyses? NA
- 18. Are non-VOC samples collected in the correct containers? Yes
- 19. Is the appropriate volume/weight or number of sample containers collected? Yes

Field Label

- 20. Were field sample labels filled out with the minimum information:
 - Sample ID? Yes
 - Date/Time Collected? No
 - Collectors name? No

Sample Preservation

- 21. Does the COC or field labels indicate the samples were preserved? No
- 22. Are sample(s) correctly preserved? NA
- 24. Is lab filtration required and/or requested for dissolved metals? No

Multiphase Sample Matrix

- 26. Does the sample have more than one phase, i.e., multiphase? No
- 27. If yes, does the COC specify which phase(s) is to be analyzed? NA

Subcontract Laboratory

- 28. Are samples required to get sent to a subcontract laboratory? No
- 29. Was a subcontract laboratory specified by the client and if so who? NA Subcontract Lab: NA

Client Instruction

Signature of client authorizing changes to the COC or sample disposition.

Date



envirotech Inc.

From: [Ethan Sessums](#)
To: [Wells, Shelly, EMNRD](#)
Cc: [NMProjectMgmt](#)
Subject: [EXTERNAL] RE: nAPP2604148672 CORRAL FLY 35-26 FED CTB
Date: Tuesday, May 26, 2026 10:55:37 AM
Attachments: [image001.png](#)

CAUTION: This email originated outside of our organization. Exercise caution prior to clicking on links or opening attachments.

Sorry for the typo. Based on laboratory analytics V-3 is the only sample point you mentioned that has any values over table 1 criteria. V-4 and H-12 will have the surface scraped to address distressed vegetation most likely due to the release in question.

V-3 - 4.5ft

V-4 – 0.5ft

H-12 – 0.5ft

Thank you, please let me know if you have any other questions.

Ethan Sessums
Environmental Regulatory Director
Standard Safety and Supply
Carlsbad, NM 88220
M: (254)-266-5456



From: Wells, Shelly, EMNRD <Shelly.Wells@emnrd.nm.gov>
Sent: Tuesday, May 26, 2026 10:49 AM
To: Ethan Sessums <ethan.sessums@standardtx.com>
Subject: nAPP2604148672 CORRAL FLY 35-26 FED CTB

Hi Ethan,

I am reviewing the remediation plan submitted for nAPP2604148672 CORRAL FLY 35-26 FED CTB and have a few questions for you regarding this. I found discrepancies between proposed depths of excavation. On pg. 4 of report it says, “Excavate the area of V-4 to one (1) ft bgs.” And then you say the following: “Perform the surface scrape up to half (0.5) ft bgs in areas of distressed vegetation at V-3, V-4 and H-12.” Can you confirm what depths you propose to excavate V-3 and V-4? In addition, can you confirm which

areas will receive the surface scrape?

Kind regards,

Shelly

Shelly Wells * Senior Environmental Scientist
Environmental Bureau
EMNRD-Oil Conservation Division
1220 S. St. Francis Drive|Santa Fe, NM 87505
(505)469-7520 Shelly.Wells@emnrd.nm.gov
<http://www.emnrd.state.nm.us/OCD/>

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS

Action 584530

QUESTIONS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 584530
	Action Type: [C-141] Site Char./Remediation Plan C-141 (C-141-v-Plan)

QUESTIONS

Prerequisites	
Incident ID (n#)	nAPP2604148672
Incident Name	NAPP2604148672 CORRAL FLY 35-26 FED CTB @ FAPP2126640243
Incident Type	Produced Water Release
Incident Status	Remediation Plan Received
Incident Facility	[fAPP2126640243] CORRAL FLY 35-26 CTB

Location of Release Source	
<i>Please answer all the questions in this group.</i>	
Site Name	CORRAL FLY 35-26 FED CTB
Date Release Discovered	02/09/2026
Surface Owner	State

Incident Details	
<i>Please answer all the questions in this group.</i>	
Incident Type	Produced Water Release
Did this release result in a fire or is the result of a fire	No
Did this release result in any injuries	No
Has this release reached or does it have a reasonable probability of reaching a watercourse	Yes
Has this release endangered or does it have a reasonable probability of endangering public health	No
Has this release substantially damaged or will it substantially damage property or the environment	No
Is this release of a volume that is or may with reasonable probability be detrimental to fresh water	No

Nature and Volume of Release	
<i>Material(s) released, please answer all that apply below. Any calculations or specific justifications for the volumes provided should be attached to the follow-up C-141 submission.</i>	
Crude Oil Released (bbls) Details	Cause: Other Valve Crude Oil Released: 116 BBL Recovered: 0 BBL Lost: 116 BBL.
Produced Water Released (bbls) Details	Cause: Other Other (Specify) Produced Water Released: 1,024 BBL Recovered: 0 BBL Lost: 1,024 BBL.
Is the concentration of chloride in the produced water >10,000 mg/l	Yes
Condensate Released (bbls) Details	Not answered.
Natural Gas Vented (Mcf) Details	Not answered.
Natural Gas Flared (Mcf) Details	Not answered.
Other Released Details	Not answered.
Are there additional details for the questions above (i.e. any answer containing Other, Specify, Unknown, and/or Fire, or any negative lost amounts)	Cause: Line Strike

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 2

Action 584530

QUESTIONS (continued)

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 584530
	Action Type: [C-141] Site Char./Remediation Plan C-141 (C-141-v-Plan)

QUESTIONS

Nature and Volume of Release (continued)	
Is this a gas only submission (i.e. only significant Mcf values reported)	No, according to supplied volumes this does not appear to be a "gas only" report.
Was this a major release as defined by Subsection A of 19.15.29.7 NMAC	Yes
Reasons why this would be considered a submission for a notification of a major release	From paragraph A. "Major release" determine using: (1) an unauthorized release of a volume, excluding gases, of 25 barrels or more; (2) an unauthorized release of a volume that: (b) may with reasonable probability reach a watercourse.
<i>With the implementation of the 19.15.27 NMAC (05/25/2021), venting and/or flaring of natural gas (i.e. gas only) are to be submitted on the C-129 form.</i>	

Initial Response

The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury.

The source of the release has been stopped	True
The impacted area has been secured to protect human health and the environment	True
Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices	True
All free liquids and recoverable materials have been removed and managed appropriately	True
If all the actions described above have not been undertaken, explain why	<i>Not answered.</i>

Per Paragraph (4) of Subsection B of 19.15.29.8 NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please prepare and attach a narrative of actions to date in the follow-up C-141 submission. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see Subparagraph (a) of Paragraph (5) of Subsection A of 19.15.29.11 NMAC), please prepare and attach all information needed for closure evaluation in the follow-up C-141 submission.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

I hereby agree and sign off to the above statement	Name: Standard Company Email: CarlsbadOffice@standardtx.com Date: 05/13/2026
--	---

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 3

Action 584530

QUESTIONS (continued)

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 584530
	Action Type: [C-141] Site Char./Remediation Plan C-141 (C-141-v-Plan)

QUESTIONS

Site Characterization
Please answer all the questions in this group (only required when seeking remediation plan approval and beyond). This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

What is the shallowest depth to groundwater beneath the area affected by the release in feet below ground surface (ft bgs)	Between 100 and 500 (ft.)
What method was used to determine the depth to ground water	NM OSE iWaters Database Search
Did this release impact groundwater or surface water	No
What is the minimum distance, between the closest lateral extents of the release and the following surface areas:	
A continuously flowing watercourse or any other significant watercourse	Between 1 and 5 (mi.)
Any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)	Between 1 and 5 (mi.)
An occupied permanent residence, school, hospital, institution, or church	Between 1 and 5 (mi.)
A spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes	Between 1 and 5 (mi.)
Any other fresh water well or spring	Between 1000 (ft.) and ½ (mi.)
Incorporated municipal boundaries or a defined municipal fresh water well field	Greater than 5 (mi.)
A wetland	Between 1 and 5 (mi.)
A subsurface mine	Greater than 5 (mi.)
An (non-karst) unstable area	Between 1 and 5 (mi.)
Categorize the risk of this well / site being in a karst geology	Medium
A 100-year floodplain	Between 100 and 200 (ft.)
Did the release impact areas not on an exploration, development, production, or storage site	Yes

Remediation Plan
Please answer all the questions that apply or are indicated. This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

Requesting a remediation plan approval with this submission	Yes
<i>Attach a comprehensive report demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined, pursuant to 19.15.29.11 NMAC and 19.15.29.13 NMAC.</i>	
Have the lateral and vertical extents of contamination been fully delineated	Yes
Was this release entirely contained within a lined containment area	No

Soil Contamination Sampling: (Provide the highest observable value for each, in milligrams per kilograms.)

Chloride (EPA 300.0 or SM4500 Cl B)	10000
TPH (GRO+DRO+MRO) (EPA SW-846 Method 8015M)	410
GRO+DRO (EPA SW-846 Method 8015M)	410
BTEX (EPA SW-846 Method 8021B or 8260B)	0
Benzene (EPA SW-846 Method 8021B or 8260B)	0

Per Subsection B of 19.15.29.11 NMAC unless the site characterization report includes completed efforts at remediation, the report must include a proposed remediation plan in accordance with 19.15.29.12 NMAC, which includes the anticipated timelines for beginning and completing the remediation.

On what estimated date will the remediation commence	05/25/2026
On what date will (or did) the final sampling or liner inspection occur	07/24/2026
On what date will (or was) the remediation complete(d)	08/14/2026
What is the estimated surface area (in square feet) that will be reclaimed	10890
What is the estimated volume (in cubic yards) that will be reclaimed	1283
What is the estimated surface area (in square feet) that will be remediated	10890
What is the estimated volume (in cubic yards) that will be remediated	1283

These estimated dates and measurements are recognized to be the best guess or calculation at the time of submission and may (be) change(d) over time as more remediation efforts are completed. The OCD recognizes that proposed remediation measures may have to be minimally adjusted in accordance with the physical realities encountered during remediation. If the responsible party has any need to significantly deviate from the remediation plan proposed, then it should consult with the division to determine if another remediation plan submission is required.

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 4

Action 584530

QUESTIONS (continued)

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 584530
	Action Type: [C-141] Site Char./Remediation Plan C-141 (C-141-v-Plan)

QUESTIONS

Remediation Plan (continued)

Please answer all the questions that apply or are indicated. This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

This remediation will (or is expected to) utilize the following processes to remediate / reduce contaminants:

(Select all answers below that apply.)

(Ex Situ) Excavation and off-site disposal (i.e. dig and haul, hydrovac, etc.)	Yes
Which OCD approved facility will be used for off-site disposal	FEEM0112342028 LEA LAND LANDFILL
OR which OCD approved well (API) will be used for off-site disposal	Not answered.
OR is the off-site disposal site, to be used, out-of-state	Not answered.
OR is the off-site disposal site, to be used, an NMED facility	Not answered.
(Ex Situ) Excavation and on-site remediation (i.e. On-Site Land Farms)	Not answered.
(In Situ) Soil Vapor Extraction	Not answered.
(In Situ) Chemical processing (i.e. Soil Shredding, Potassium Permanganate, etc.)	Not answered.
(In Situ) Biological processing (i.e. Microbes / Fertilizer, etc.)	Not answered.
(In Situ) Physical processing (i.e. Soil Washing, Gypsum, Disking, etc.)	Not answered.
Ground Water Abatement pursuant to 19.15.30 NMAC	Not answered.
OTHER (Non-listed remedial process)	Not answered.

Per Subsection B of 19.15.29.11 NMAC unless the site characterization report includes completed efforts at remediation, the report must include a proposed remediation plan in accordance with 19.15.29.12 NMAC, which includes the anticipated timelines for beginning and completing the remediation.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

I hereby agree and sign off to the above statement	Name: Standard Company Email: CarlsbadOffice@standardtx.com Date: 05/13/2026
--	--

The OCD recognizes that proposed remediation measures may have to be minimally adjusted in accordance with the physical realities encountered during remediation. If the responsible party has any need to significantly deviate from the remediation plan proposed, then it should consult with the division to determine if another remediation plan submission is required.

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 5

Action 584530

QUESTIONS (continued)

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 584530
	Action Type: [C-141] Site Char./Remediation Plan C-141 (C-141-v-Plan)

QUESTIONS

Deferral Requests Only	
<i>Only answer the questions in this group if seeking a deferral upon approval this submission. Each of the following items must be confirmed as part of any request for deferral of remediation.</i>	
Requesting a deferral of the remediation closure due date with the approval of this submission	No

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 6

Action 584530

QUESTIONS (continued)

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 584530
	Action Type: [C-141] Site Char./Remediation Plan C-141 (C-141-v-Plan)

QUESTIONS

Sampling Event Information	
Last sampling notification (C-141N) recorded	{Unavailable.}

Remediation Closure Request	
<i>Only answer the questions in this group if seeking remediation closure for this release because all remediation steps have been completed.</i>	
Requesting a remediation closure approval with this submission	No

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 584530

CONDITIONS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 584530
	Action Type: [C-141] Site Char./Remediation Plan C-141 (C-141-v-Plan)

CONDITIONS

Created By	Condition	Condition Date
scwells	Remediation plan is approved with the following conditions:	5/26/2026
scwells	1) Under the Site Characterization portion of the C-141 application, to the questions, "What is the minimum distance, between the closest lateral extents of the release and the following surface areas: A continuously flowing watercourse or any other significant watercourse" and "A wetland" was answered, "Between 1 and 5 (mi.)." According to 19.15.17 NMAC, a "significant watercourse" is a watercourse with a defined bed and bank either named or identified by a dashed blue line on a USGS 7.5 minute quadrangle map or the next lower order tributary with a defined bed and bank of such watercourse. Referring to USGS topoview maps and the National Wetlands Inventory Mapper, the nearest significant watercourse which is also a wetland riverine is located between 1-100 feet from V-11. These distances are required to be updated in the C-141 application during next report submission.	5/26/2026
scwells	2) Under the Site Characterization portion of the C-141 application, to the question, "What is the minimum distance, between the closest lateral extents of the release and the following surface areas: A 100-year floodplain," was answered, "Between 100 and 200 (ft.)." According to the FEMA National Flood Hazard Layer, V-11 is located within the floodplain. This distance must be updated during next C-141 submission.	5/26/2026
scwells	3) On pg. 3: "Two (2) vertical delineation sample points (i.e., V-1 and V-11) were advanced in two (2) ft intervals from six (6) ft bgs up to ten (10) ft bgs." Referring to Table 1, it appears you are referring to V-1 and V-2. If so, update this in the report prior to submitting your closure report.	5/26/2026
scwells	4) OCD requires that any base or wall that is exposed during excavation, even due to benching and sloping, have samples collected pursuant to 19.15.29 NMAC. Ensure sidewall samples are collected between the varying depths of excavation and clearly show these on the Figures in your closure report.	5/26/2026
scwells	5) Excavation must continue past the proposed depths of excavation if confirmation samples do not meet the applicable Table I Closure Criteria.	5/26/2026
scwells	Submit a complete and accurate report to OCD by 8/24/26.	5/26/2026