

	Sample Information
Sample Name	SALT FLAT CTB TRAIN 3 CHECK (FMP)
Technician	NOE GARCIA
Analyzer Make & Model	INFICON MICRO GC
Last Calibration/Validation Date	6/26/2025
Meter Number	18723C
Air temperature	79
Flow Rate (MCF/Day)	23592
Heat Tracing	Heated Hose & Gasifier
Sample description/mtr name	SALT FLAT CTB TRAIN 3 CHECK (FMP)
Sampling Method	fill and empty
Operator	AKM MEASUREMENT
State	New Mexico
Region Name	PERMIAN_RESOURCES
Lease name	SALT FLAT CTB TRAIN 3 CHECK (FMP)
System	WEST
FLOC	OP-L2116-BT002
Sample Sub Type	CTB
Sample Name Type	meter
Vendor	AKM MEASUREMENT
Cylinder #	38599
Sampled by	AUSTIN MCCOY
Sample date	6/18/2025
Analyzed date	6/26/2025
Method Name	C9
Injection Date	2025-06-26 12:26:45
Report Date	2025-06-26 12:40:54
EZReporter Configuration File	1-16-2023 OXY GPA C9+ H2S #2 (1) (1).cfgx
Source Data File	e755d9c4-b2a0-4099-9f6e-c61aea786761
NGA Phys. Property Data Source	GPA Standard 2145-16 (FPS)
Data Source	INFICON Fusion Connector

Component Results

Component Name	Peak Area	Raw Amount	Response Factor	Norm Mole%	Gross HV (Dry) (BTU / Ideal cu.ft.)	Relative Gas Density (Dry)	GPM (Dry) (Gal. / 1000 cu.ft.)	
Nitrogen	26859.5	1.8717	0.00006969	1.8722	0.0	0.01811	0.207	
Methane	857398.1	75.6371	0.00008822	75.6539	765.9	0.41905	12.871	
CO2	32510.4	1.8707	0.00005754	1.8711	0.0	0.02843	0.320	
Ethane	201864.6	11.2000	0.00005548	11.2025	198.7	0.11630	3.007	
H2S	0.0	0.0003	0.00000000	0.0003	0.0	0.00000	0.000	
Propane	134528.2	5.3472	0.00003975	5.3485	134.9	0.08143	1.479	
iso-butane	68480.0	0.6728	0.00000982	0.6730	21.9	0.01351	0.221	
n-Butane	174296.5	1.6939	0.00000972	1.6943	55.4	0.03400	0.536	
iso-pentane	47769.7	0.4156	0.00000870	0.4157	16.7	0.01036	0.153	
n-Pentane	58218.1	0.4843	0.00000832	0.4845	19.5	0.01207	0.176	
hexanes	48038.0	0.4185	0.00000871	0.4186	20.0	0.01246	0.173	
heptanes	46736.0	0.2483	0.00000531	0.2483	13.7	0.00859	0.115	
octanes	22936.0	0.1059	0.00000462	0.1059	6.6	0.00418	0.054	
nonanes+	5485.0	0.0112	0.00000204	0.0112	0.8	0.00050	0.006	
Total:		99.9775		100.0000	1254.0	0.75898	19.318	

Results Summary

Result	Dry	Sat.
Total Un-Normalized Mole%	99.9775	
Pressure Base (psia)	14.730	
Temperature Base (Deg. F)	60.00	
Flowing Temperature (Deg. F)	88.0	
Flowing Pressure (psia)	72.0	

Result	Dry	Sat.	
Gross Heating Value (BTU / Ideal cu.ft.)	1254.0	1232.2	
Gross Heating Value (BTU / Real cu.ft.)	1258.8	1237.4	
Relative Density (G), Real	0.7615	0.7595	

Monitored Parameter Report

Parameter	Value	Lower Limit	Upper Limit	Status	
Total un-normalized amount	99.9775	97.0000	103.0000	Pass	

**UPSET FLARING EVENT SPECIFIC JUSTIFICATIONS FORM****Facility Id#** fAPP2126563666**Facility:** Salt Flat CTB**Duration of Event:** 40 Minutes**Start Time:** 12:35 PM**Cause:** Emergency Flare > Multiple Compressor Equipment Issues > Cedar Canyon & Salt Flat Area**Method of Flared Gas Measurement:** Gas Flare Meter**Operator:** OXY USA, Inc.**Flare Date:** 06/18/2026**MCF Flared:** 560**End Time:** 01:15 PM**1. Reason why this event was beyond Operator's control:**

This emissions event was caused by the unforeseen, unexpected, sudden, and unavoidable breakdown of equipment or process that was beyond OXY's control and did not stem from activity that could have been foreseen and avoided, and could not have been avoided by good design, operation, and preventative maintenance practices. In this case, extreme heat in the area, with temperatures exceeding 100 degrees, contributed to sudden, simultaneous compressor equipment malfunctions at multiple facilities across the Cedar Canyon and Salt Flat Area, increasing field pressure and triggering flaring at the Salt Flat CTB. This event is beyond OXY's control as notwithstanding compressor engine design and operation, compressors are inherently dynamic and even the smallest alarms, whether false or true, can be sudden, reasonably unforeseeable and unexpected which can cause compression malfunctions to occur, especially in extreme weather conditions, thereby, triggering the unit's sensors to automatically shut down the unit to avoid catastrophic damage to the internal engine components. OXY's field and operations teams actively monitor facility conditions and field pressure across the affected area to promptly identify deviations from established operating parameters. Flaring is implemented as an essential safety protocol to manage excess gas resulting from operational disruptions caused by third-party downstream operators. This process allows us to control facility overpressure, safely combust excess gas, and mitigate potential risks including equipment damage, leaks, or explosions, thereby ensuring the protection of our operations, equipment, and field personnel. OXY's operations and facility equipment were operating normally and at full capacity prior to this event occurring.

2. Steps Taken to limit duration and magnitude of venting or flaring:

This facility is unmanned, except when OXY production techs are gathering data daily or conduct daily walk-throughs to ensure that there are no problems, circumstances and/or assist other personnel on-site for maintenance purposes. It is OXY's policy to route its stranded gas to a flare during an unforeseen and unavoidable emergency or malfunction, that is beyond OXY's control to avoid, prevent or foresee, to minimize emissions as much as possible as part of the overall steps taken to limit duration and magnitude of flaring. Internal OXY procedures ensure that upon unexpected emergency compressor equipment shutdowns, production technicians are instructed to assess the issue as soon as possible in order to take prompt corrective action to resolve the issue. OXY production technicians must assess whether a compressor unit shutdown is due to damage and immediate repair is needed, or whether there are other reasons for its cause. In this case, extreme heat in the area, with temperatures exceeding 100 degrees, contributed to sudden, simultaneous compressor equipment malfunctions at multiple facilities across the Cedar Canyon and Salt Flat Area, increasing field pressure and triggering flaring at the Salt Flat CTB. This event is beyond OXY's control as notwithstanding compressor engine design and operation, compressors are inherently dynamic and even the smallest alarms, whether false or true, can be sudden, reasonably unforeseeable and unexpected which can cause compression malfunctions to occur, especially in extreme weather conditions, thereby, triggering the unit's sensors to automatically shut down the unit to avoid catastrophic damage to the internal engine components. Flaring is implemented as an essential safety protocol to

manage excess gas resulting from operational disruptions caused by third-party downstream operators. This process allows us to control facility overpressure, safely combust excess gas, and mitigate potential risks including equipment damage, leaks, or explosions, thereby ensuring the protection of our operations, equipment, and field personnel. OXY's operations and facility equipment were operating normally and at full capacity before the event, and OXY took all feasible measures to effectively manage and minimize emissions.

3. Corrective Actions taken to eliminate the cause and reoccurrence of venting or flaring:

OXY's corrective actions to address unexpected compressor unit shutdowns caused by engine malfunction faults are limited. Regardless of compressor engine design and operation, compressors exhibit dynamic behavior—whether accurate or false—can occur abruptly and may not always be foreseeable, potentially resulting in sudden and unexpected compression malfunctions. This may activate sensors or trigger signals that initiate an automatic shutdown of the unit to prevent severe or catastrophic internal engine damage. Additionally, USA Compression, the owner of these units, is responsible for preventative maintenance and is the only authorized party to implement corrective measures aimed at addressing recurring issues such as these, if possible. The only actions OXY and its personnel can take is to consistently communicate and work with USA Compression and its personnel to ensure that the compressor units are maintained in a good working manner and its preventative maintenance work is completed timely. OXY continually strives to maintain and operate all its equipment in a manner consistent with good practices for minimizing emissions and reducing the number of emission events. OXY has a strong and positive equipment preventative maintenance program in place.

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

DEFINITIONS

Action 601379

DEFINITIONS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 601379
	Action Type: [C-129] Venting and/or Flaring (C-129)

DEFINITIONS

For the sake of brevity and completeness, please allow for the following in all groups of questions and for the rest of this application: • this application's operator, hereinafter "this operator"; • venting and/or flaring, hereinafter "vent or flare"; • any notification or report(s) of the C-129 form family, hereinafter "any C-129 forms"; • the statements in (and/or attached to) this, hereinafter "the statements in this"; • and the past tense will be used in lieu of mixed past/present tense questions and statements.

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS

Action 601379

QUESTIONS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 601379
	Action Type: [C-129] Venting and/or Flaring (C-129)

QUESTIONS

Prerequisites <i>Any messages presented in this section, will prevent submission of this application. Please resolve these issues before continuing with the rest of the questions.</i>	
Incident Well	Unavailable.
Incident Facility	[fAPP2126563666] SALT FLAT CTB

Determination of Reporting Requirements <i>Answer all questions that apply. The Reason(s) statements are calculated based on your answers and may provide additional guidance.</i>	
Was this vent or flare caused by an emergency or malfunction	Yes
Did this vent or flare last eight hours or more cumulatively within any 24-hour period from a single event	No
Is this considered a submission for a vent or flare event	Yes, major venting and/or flaring of natural gas.
<i>An operator shall file a form C-141 instead of a form C-129 for a release that, includes liquid during venting and/or flaring that is or may be a major or minor release under 19.15.29.7 NMAC.</i>	
Was there at least 50 MCF of natural gas vented and/or flared during this event	Yes
Did this vent or flare result in the release of ANY liquids (not fully and/or completely flared) that reached (or has a chance of reaching) the ground, a surface, a watercourse, or otherwise, with reasonable probability, endanger public health, the environment or fresh water	No
Was the vent or flare within an incorporated municipal boundary or within 300 feet from an occupied permanent residence, school, hospital, institution or church in existence	No

Equipment Involved	
Primary Equipment Involved	Other (Specify)
Additional details for Equipment Involved. Please specify	Emergency Flare > Multiple Compressor Equipment Issues > Cedar Canyon & Salt Flat Area

Representative Compositional Analysis of Vented or Flared Natural Gas <i>Please provide the mole percent for the percentage questions in this group.</i>	
Methane (CH4) percentage	76
Nitrogen (N2) percentage, if greater than one percent	2
Hydrogen Sulfide (H2S) PPM, rounded up	3
Carbon Dioxide (CO2) percentage, if greater than one percent	2
Oxygen (O2) percentage, if greater than one percent	0
<i>If you are venting and/or flaring because of Pipeline Specification, please provide the required specifications for each gas.</i>	
Methane (CH4) percentage quality requirement	Not answered.
Nitrogen (N2) percentage quality requirement	Not answered.
Hydrogen Sulfide (H2S) PPM quality requirement	Not answered.
Carbon Dioxide (CO2) percentage quality requirement	Not answered.
Oxygen (O2) percentage quality requirement	Not answered.

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 2

Action 601379

QUESTIONS (continued)

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 601379
	Action Type: [C-129] Venting and/or Flaring (C-129)

QUESTIONS

Date(s) and Time(s)	
Date vent or flare was discovered or commenced	06/18/2026
Time vent or flare was discovered or commenced	12:35 PM
Time vent or flare was terminated	01:15 PM
Cumulative hours during this event	1

Measured or Estimated Volume of Vented or Flared Natural Gas	
Natural Gas Vented (Mcf) Details	Not answered.
Natural Gas Flared (Mcf) Details	Cause: Equipment Failure Other (Specify) Natural Gas Flared Released: 560 Mcf Recovered: 0 Mcf Lost: 560 Mcf.
Other Released Details	Not answered.
Additional details for Measured or Estimated Volume(s). Please specify	Gas Flare Meter
Is this a gas only submission (i.e. only significant Mcf values reported)	Yes, according to supplied volumes this appears to be a "gas only" report.

Venting or Flaring Resulting from Downstream Activity	
Was this vent or flare a result of downstream activity	No
Was notification of downstream activity received by this operator	Not answered.
Downstream OGRID that should have notified this operator	Not answered.
Date notified of downstream activity requiring this vent or flare	Not answered.
Time notified of downstream activity requiring this vent or flare	Not answered.

Steps and Actions to Prevent Waste	
For this event, this operator could not have reasonably anticipated the current event and it was beyond this operator's control.	True
Please explain reason for why this event was beyond this operator's control	This emissions event was caused by the unforeseen, unexpected, sudden, and unavoidable breakdown of equipment or process that was beyond OXY's control and did not stem from activity that could have been foreseen and avoided, and could not have been avoided by good design, operation, and preventative maintenance practices.
Steps taken to limit the duration and magnitude of vent or flare	This facility is unmanned, except when OXY production techs are gathering data daily or conduct daily walk-throughs to ensure that there are no problems, circumstances and/or assist other personnel on-site for maintenance purposes.
Corrective actions taken to eliminate the cause and reoccurrence of vent or flare	OXY's corrective actions to address unexpected compressor unit shutdowns caused by engine malfunction faults are limited.

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 601379

ACKNOWLEDGMENTS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID:
	16696
	Action Number: 601379
	Action Type: [C-129] Venting and/or Flaring (C-129)

ACKNOWLEDGMENTS

☒	I acknowledge that I am authorized to submit a <i>Venting and/or Flaring</i> (C-129) report on behalf of this operator and understand that this report can be a complete C-129 submission per 19.15.27.8 and 19.15.28.8 NMAC.
☒	I acknowledge that upon submitting this application, I will be creating a new incident file (assigned to this operator) to track any C-129 forms, pursuant to 19.15.27.7 and 19.15.28.8 NMAC and understand that this submission meets the notification requirements of Paragraph (1) of Subsection G and F respectively.
☒	I hereby certify the statements in this report are true and correct to the best of my knowledge and acknowledge that any false statement may be subject to civil and criminal penalties under the Oil and Gas Act.
☒	I acknowledge that the acceptance of any C-129 forms by the OCD does not relieve this operator of liability should their operations have failed to adequately investigate, report, and remediate contamination that poses a threat to groundwater, surface water, human health, or the environment.
☒	I acknowledge that OCD acceptance of any C-129 forms does not relieve this operator of responsibility for compliance with any other applicable federal, state, or local laws and/or regulations.

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 601379

CONDITIONS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 601379
	Action Type: [C-129] Venting and/or Flaring (C-129)

CONDITIONS

Created By	Condition	Condition Date
marialuna2	If the information provided in this report requires an amendment, submit a [C-129] Amend Venting and/or Flaring Incident (C-129A), utilizing your incident number from this event.	7/3/2026