

narrow
Flowpath 1
200
95
0.5
142.5

Length of Release in Feet
Width of Release in Feet
Depth of Release in Inches (Average depth across release)
Barrels released

Flowpath 2
76
20
6
136.8

Length of Release in Feet
Width of Release in Feet
Depth of Release in Inches (Average depth across release)
Barrels released

Flowpath 3
0

Length of Release in Feet
Width of Release in Feet
Depth of Release in Inches (Average depth across release)
Barrels released

Flowpath 3
0

Length of Release in Feet
Width of Release in Feet
Depth of Release in Inches (Average depth across release)
Barrels released

279.3

Total Released Volume in BBLS (Calculates the total from each column)

Flowpath 3
0

Length of Release in Feet
Width of Release in Feet
Depth of Release in Inches (Average depth across release)
Barrels released

Oil was picked up by producers prior to plains arriving these are estimated based off vac truck total

Use the additional calculation columns when the release does not flow in a relatively straight path. If the release has a straight flowpath, use the first column and zero out the other columns.

ESTIMATING THE QUANTITY OF SPILLED/LEAKED OIL OR PRODUCT

- If the leak is from a pipeline and large enough to be detected on pressure recording devices, the quantity of fluid out can reasonably be determined by calculating the rate of pumping from the time of the pressure drop to shut down. To this add the volume that will drain by gravity from the leak site after the line is isolated. The line profile must be taken into consideration.
- Quantities of other leaks or spills can be estimated by the following formula:

l (ft) = Length in feet
w (ft) = Width in feet
d (in) = Depth in feet

Outage in Barrels =

$$l \text{ (ft)} \times w \text{ (ft)} \times d \text{ (ft)} \times \frac{1 \text{ ft}}{12 \text{ in}} \times \frac{7.48 \text{ gal}}{\text{ft}^3} \times \frac{1 \text{ BBL}}{42 \text{ gal}}$$

$$\text{So Outage (BBLS)} = l \text{ (ft)} \times w \text{ (ft)} \times d \text{ (in)} \times 0.015$$

More simply put (as on Site Entry Checklist):

$$\text{Length } ______ \text{ (ft)} \times \text{Width } ______ \text{ (ft)} \times \text{Depth } ______ \text{ (in)} \times 0.015 = ______ \text{ BBLS}$$

This is an "estimate only" for initial reporting requirements requested by various agencies –i.e. WyDEQ, Utah Water Quality. D.O.T., etc.

Standard Safety and Supply

7/1/2026

<https://standardtx.com/>

Site Characterization, Remediation, and Reclamation Workplan
Plains Marketing L.P.
Camacho LACT
nAPP2606454031
32.6338, -104.231
G-25-19S-27E
Lease ID: L006200006
Lessee: CROWN OIL PARTNERS VI, LLC

Introduction

Standard Safety and Supply (Standard) on behalf of Plains Marketing L.P (Plains) is pleased to submit this Remediation Workplan to the New Mexico State Land Office (NMSLO) Environmental Compliance Office (ECO) and the New Mexico Oil Conservation Division (NMOCD). Attachment B: Figure 1 depicts the Site with respect to the nearest town and Figure 2 depicts the topography of the area.

Site Characterization and History

Based on a site characterization desktop review the surrounding area is designated as a Medium Karst area. Furthermore, there are no receptors [lakebed, wetland, significant watercourse, playa, sinkhole, an occupied residence, school, hospital, institution, church, freshwater spring for domestic or stock watering purposes, other fresh water well/spring, municipal water boundary, subsurface mine, and/or an unstable area] within the specified distance set forth in the New Mexico Administrative Code 19.15.29.12. The depth of groundwater in the area is estimated to be between 75 and 100 feet (ft) below ground surface (bgs). However, since there is not a water well located within a half-mile radius of the site the following remediation criteria will be used.



Standard Safety and Supply

7/1/2026

https://standardtx.com/

NMAC Closure Criteria Remediation and Reclamation					
depth in feet (ft)	Benzene	BTEX ¹	(GRO ³ -DRO ⁴)	TPH ² (GRO ³ -DRO ⁴ -MRO ⁵)	Chloride
0- Max Depth(ft)	10 mg/kg	50mg/kg	---*	100 mg/kg	600 mg/kg
1: Benzene-Toluene-Ethylbenzene-Xylene 2: Total Petroleum Hydrocarbons 3: Gasoline Range Organics			4: Diesel Range Organics 5: Medium Range Organics * value must not exceed TPH (GRP-DRO-MRO) value		

Based on the web soil survey, the soils in and around the Site are classified as Kimbrough-Stegall loams.

Plains (OGRID #34053) is listed as the current operator of record for this spill and Permian Resources is the operator of the facility of which the Plains LACT unit was located on that caused the subject release. Data regarding the facility (Camacho 25-26 CTB) is currently unavailable and unlisted on the New Mexico Oil Conservation Division's (NMOCD) website. Per the C-141 Notification of Release (NOR), a spill [nAPP2606454031] occurred on March 5th, 2026, due to equipment failure. An approximate 280 barrels (bbls) of crude oil was released from the failed pump on the LACT unit, with approximately 190 bbls recovered during initial response actions, resulting in a net loss of 90 bbls.

The documentation used to characterize the site can be found in the report under Attachment C: Site Characterization.

Cultural Properties Protection Rule

The area that is subject to delineation is located within and outside the boundaries of the associated pad at the site. An Archaeological Records Management Section (ARMS) review took place, finding the area was covered by an existing survey. No previously recorded historic properties or isolated manifestations were identified within the survey area during the desktop review. A copy of the ARMS coversheet is provided under Attachment C: Site Characterization.

Biological Compliance

Special-status Species

The proposed project area does not occur within any special-status species' critical habitat.

Desktop review of available plant habitat data did not find suitable habitat for special-status plant species within the project area.

Migratory Bird Treaty Act



Standard Safety and Supply

7/1/2026

<https://standardtx.com/>

Most bird species are protected by the MBTA. Under the MBTA, unless permitted by regulations, it is unlawful to 1) pursue, hunt, take, capture, or kill; 2) attempt to take, capture, or kill; and 3) possess, offer to sell, barter, purchase, deliver, or cause to be shipped, exported, imported, transported, carried, or received any migratory bird, part, nest, egg, or product, manufactured or not.

Due to the location of the spill within previously disturbed land, preconstruction nest surveys are not recommended.

Bald and Golden Eagle Protection Act

Activities in the proposed project area are not expected to impact bald or golden eagles. Because the proposed project area lacks suitable nesting habitat for these two species, the proposed project is not anticipated to cause take of individual bald or golden eagles, their nests, or their eggs. Adult eagles would not likely be directly harmed by the proposed project because of their mobility and ability to avoid areas of human activity.

Hydrology

There are no surface water features, such as perennial creeks, rivers, arroyos, wetlands, springs, playas or vegetated depressions on the proposed project area.

Site Assessment

On April 24th, 2026, Standard was onsite to investigate the area of concern. A total of ten (10) vertical delineation sample points (V-1 to V-4, V-6 to V-10, and V-12) were installed in one (1) ft intervals from surface (0) ft to six and a half (6.5) ft bgs. V-5 was skipped due to infrastructure. Ten (10) horizontal delineation sample points (H-1 to H-5, and H-9 to H-13) were installed from surface (0) ft to half a foot (0.5) ft bgs. All samples were jarred into lab provided sample containers, stored on ice, and field screened, and submitted, under chain-of-custody protocol, to Envirotech Laboratories for the analysis of Benzene, Toluene, Ethylbenzene, and Xylenes (BTEX by EPA 8021B), Total Petroleum Hydrocarbons (TPH by EPA 8015M), and chlorides (by EPA 300.0).

On June 1st and June 2nd, 2026, Standard returned to the site to continue with vertical and horizontal delineation of the area of concern. Seven (7) vertical delineation sample points (V-1, V-3, V-8, and V-11 to V-14) were advanced in one (1) ft intervals from surface (0) ft bgs to approximately ten (10) ft bgs. Thirteen (13) horizontal delineation sample points (H-1 to H-13) were installed from surface (0) ft to half a foot (0.5) ft bgs. All samples were jarred into lab provided sample containers, stored on ice, and field screened, and submitted, under chain-of-custody protocol, to Eurofins Laboratories for the analysis of Benzene, Toluene, Ethylbenzene, and Xylenes (BTEX by EPA 8021B), Total Petroleum Hydrocarbons (TPH by EPA 8015M), and chlorides (by EPA 300.0).



Standard Safety and Supply

7/1/2026

<https://standardtx.com/>

On June 17th, 2026, Standard returned to the site to continue with horizontal delineation of the area of concern. Three (3) horizontal delineation sample points (H-3B, H-3C, and H-3D) were installed from surface (0) ft to half a foot (0.5) ft bgs. All samples were jarred into lab provided sample containers, stored on ice, and field screened, and submitted, under chain-of-custody protocol, to Eurofins Laboratories for the analysis of Benzene, Toluene, Ethylbenzene, and Xylenes (BTEX by EPA 8021B), Total Petroleum Hydrocarbons (TPH by EPA 8015M), and chlorides (by EPA 300.0).

Analytical results indicated that impacts were successfully vertically and horizontally delineated.

The site assessment sample locations can be found under Attachment B: Figures. The analytical data can be found under Attachment A: Table 1. Photographs of the site can be found under Attachment D: Photolog. The laboratory report can be found under Attachment E.

Proposed Remediation Activities

Based on the assessment performed Standard proposes the following:

- Excavate the area of V-2, V-4, V-6, V-7, V-9, V-10, H-2, H-4, H-5, H-10, H-11, H-12, and H-13, to one (1) ft bgs.
- Excavate the area of V-11 and V-13 to three (3) ft bgs.
- Excavate the areas of V-1, V-3, V-8, H-1, and H-9 to four (4) ft bgs.
- Excavate the areas of V-12, H-3 and H-3A to eight (8) ft bgs.
- Excavate the area of V-14 to nine (9) ft bgs.
- After confirmation sampling is completed obtain backfill from a local pit with similar lithology to the site to backfill the open excavation.
 - Composite samples will be collected and analyzed for BTEX, TPH, and chloride from the source to confirm that the material is reclamation grade before hauling in the material for backfill.
- Backfill all open excavations with reclamation grade material.

There are approximately two thousand six hundred and ninety-nine (2,699) cubic yards of impacted material that will be excavated and transported off to the closest approved disposal facility.

Confirmation samples will be taken at the base and sidewalls of the excavated areas. Samples collected will be comprised as a five-point composite sample and will represent an area no greater than 200 square feet. All samples will be jarred and placed on ice upon collection and delivered to an accredited lab under proper chain of custody protocol for the



Standard Safety and Supply

7/1/2026

<https://standardtx.com/>

analysis of BTEX, TPH, and chloride. If any samples return above closure criteria, then further excavation and confirmation sampling will occur until all samples are below closure criteria.

Proposed Reclamation Activities

- Upon completion of remediation activities, limited reclamation activities will begin to revegetate and restore all areas off pad that were impacted by this release.
- All other areas, including the pad, will not be reclaimed at this time as it is an active site. The reclamation activities in the remaining areas will be conducted once the site is no longer in use.
- After a topsoil cover is established, the area subject to reclamation will then be cross ripped to a maximum depth of twelve (12) inches with a furrow spacing of two (2) feet. These areas will be recontoured for initial seedbed preparation. The original landform will be restored.
- A certified weed-free seed mix designed by the NMSLO to meet reclamation standards will be used. Based on the soils at the Site, the NMSLO Loamy (L) seed mix will be used for seeding and will be planted at a rate of eighteen (18) pounds of live seed per acre. The seed mixture will be applied via drill box method.
- The area is generally level, so no erosion control is expected to be necessary.
- The Site will be monitored for vegetative growth to ensure the reclamation activities performed were sufficient. Monitoring will include semiannual inspections of the area. If unsuccessful, the area will be assessed to determine what future actions can be taken to successfully reclaim the area.
- Through site visits, noxious and invasive weeds will be identified, inventoried, and treated by a licensed herbicide applicators or physically removed.

Schedule of Implementation

Work will begin by July 21st, 2026, once the Site Characterization, Remediation, and Reclamation Workplan is approved by both the NMSLO ECO and the NMOCD. The remediation and reclamation activities reports will be submitted on or before October 19th, 2026 (no later than 90 days after approval of the initial Site Characterization and Remediation workplan), after all proposed reclamation activities have been completed. Reclamation monitoring will be conducted bi-annually throughout the next three (3) years.

The reclamation and revegetation activities are expected to take one (1) to three years to complete.

- Week 1 to Week 4 (Year 1)
 - Complete proposed remediation activities.
 - Complete proposed reclamation activities.



Standard Safety and Supply

7/1/2026

<https://standardtx.com/>

- 6 months (Year 1)
 - Site inspection to document revegetation efforts and address any issues with revegetation.
- 12 Months (Year 1)
 - Site inspection to document revegetation efforts and address any issues with revegetation.
- 18 Months (Year 2)
 - Site inspection to document revegetation efforts and address any issues with revegetation.
- 24 Months (Year 2)
 - Site inspection to document revegetation efforts and address any issues with revegetation.
- 30 Months (Year 3)
 - Site inspection to document revegetation efforts and address any issues with revegetation.
- 36 Months (Year 3)
 - Site inspection to document revegetation efforts and address any issues with revegetation.

When revegetation efforts meet NMSLO ECO approval for administrative site release a final Reclamation and Revegetation Report will be submitted.

Closing

If you have any questions regarding the Site Characterization, Remediation, and Reclamation Workplan for nAPP2606454031 - Camacho LACT, please contact us at the following:

Address: 2524 Trunk St, Odessa TX 79761

Contact: 254-266-5456



Standard Safety and Supply

7/1/2026

<https://standardtx.com/>

Attachments

- Attachment A: Analytical Data Tables
 1. Table 1 Delineation Assessment Analytical Data Table
- Attachment B: Figures
 1. Site Location Map
 2. Topographic Map
 3. Site Assessment Map
 4. Proposed Excavation Map
- Attachment C: Site Characterization
 1. OCD Well map and Karst Potential
 2. OSE POD
 3. USGS Well Log
 4. Open Environment Wetlands
 5. Wetlands Inventory
 6. National Flood Hazard Layer
 7. Web Soil Survey
 8. ARMS and SSPS
- Attachment D: Photolog
- Attachment E: Laboratory Report and Chain-of-Custody Documentation



Standard Safety and Supply

<https://standardtx.com/>



ATTACHMENT A: ANALYTICAL DATA TABLES



Table 1: Delineation Assessment Analytical Data Table
 Plains Marketing L.P.
 Camacho LACT
 Eddy County, New Mexico

			Chloride	TPH Total (C6-C35)	GRO (C6-C12)	DRO (C12-C28)	GRO+DRO (C6-C28)	MRO (C28-C35)	Benzene	Toluene	Ethylbenzene	Xylenes	BTEX
Remediation (GW <50ft)			600 mg/Kg	100 mg/Kg	... **	... **	... **	... **	10 mg/Kg	... *	... *	... *	50 mg/Kg
Sample ID	Depth (ft)	Date											
H-1	0-0.5'	4/24/2026	<20.0	619	<20.0	246	246	373	0.0603	0.0518	<0.0250	<0.0250	0.1121
H-1A	0-0.5'	6/1/2026	64.4	<50.0	<50.0	<50.0	<50.0	<0.00200	<0.00200	<0.00200	<0.00399	<0.00399	<0.00399
H-2	0-0.5'	4/24/2026	34.4	1359	<20.0	885	885	474	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250
H-2A	0-0.5'	6/1/2026	78.3	78.3	<50.1	78.3	78.3	<50.1	<0.00201	<0.00201	<0.00201	<0.00402	<0.00402
H-3	0-0.5'	4/24/2026	36.7	742	<20.0	474	474	268	<0.0250	0.189	0.145	0.463	0.797
H-3A	0-0.5'	6/1/2026	72.4	173	<50.1	173	173	<50.1	<0.00202	<0.00202	<0.00202	<0.00404	<0.00404
H-3B	0-0.5'	6/17/2026	16.0	<50.4	<50.4	<50.4	<50.4	<50.4	<0.00201	<0.00201	<0.00201	<0.00402	<0.00402
H-3C	0-0.5'	6/17/2026	36.6	<50.3	<50.3	<50.3	<50.3	<50.3	<0.00202	<0.00202	<0.00202	<0.00404	<0.00404
H-3D	0-0.5'	6/17/2026	18.9	<50.1	<50.1	<50.1	<50.1	<50.1	<0.00199	<0.00199	<0.00199	<0.00398	<0.00398
H-4	0-0.5'	4/24/2026	41.8	692	<20.0	455	455	237	<0.0250	0.197	0.146	0.465	0.808
H-4A	0-0.5'	6/1/2026	<10.0	<50.0	<50.0	<50.0	<50.0	<50.0	<0.00199	<0.00199	<0.00199	<0.00398	<0.00398
H-5	0-0.5'	4/24/2026	39.9	636	<20.0	420	420	216	<0.0250	0.227	0.169	0.55	0.946
H-5A	0-0.5'	6/1/2026	<10.1	<49.9	<49.9	<49.9	<49.9	<49.9	<0.00200	<0.00200	<0.00200	<0.00400	<0.00400
H-6	0-0.5'	6/1/2026	<10.1	<49.9	<49.9	<49.9	<49.9	<49.9	<0.00200	<0.00200	<0.00200	<0.00399	<0.00399
H-7	0-0.5'	6/1/2026	<10.1	<50.0	<50.0	<50.0	<50.0	<50.0	<0.00201	<0.00201	<0.00201	<0.00402	<0.00402
H-8	0-0.5'	6/1/2026	<9.98	<49.8	<49.8	<49.8	<49.8	<49.8	<0.00202	<0.00202	<0.00202	<0.00404	<0.00404
H-9	0-0.5'	4/24/2026	32.6	1203	<20.0	804	804	399	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250
H-9A	0-0.5'	6/1/2026	39.5	<49.8	<49.8	<49.8	<49.8	<49.8	<0.00199	<0.00199	<0.00199	<0.00398	<0.00398
H-10	0-0.5'	4/24/2026	36.6	1257	<20.0	828	828	429	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250
H-10A	0-0.5'	6/1/2026	29.3	<49.9	<49.9	<49.9	<49.9	<49.9	<0.00199	<0.00199	<0.00199	<0.00398	<0.00398
H-11	0-0.5'	4/24/2026	31.7	4750	<20.0	3160	3160	1590	0.217	0.463	<0.0250	0.112	0.792
H-11A	0-0.5'	6/1/2026	26.0	<50.0	<50.0	<50.0	<50.0	<50.0	<0.00200	<0.00200	<0.00200	<0.00399	<0.00399
H-12	0-0.5'	4/24/2026	36.4	5730	<20.0	3830	3830	1900	0.24	0.593	<0.0250	0.139	0.972
H-12A	0-0.5'	6/1/2026	29.9	<49.9	<49.9	<49.9	<49.9	<49.9	<0.00201	<0.00201	<0.00201	<0.00402	<0.00402
H-13	0-0.5'	4/24/2026	<20.0	487	<20.0	208	208	279	0.0623	0.0568	<0.0250	<0.0250	0.1191
H-13A	0-0.5'	6/1/2026	26.3	<50.0	<50.0	<50.0	<50.0	<50.0	<0.00200	<0.00200	<0.00200	<0.00401	<0.00401
V-1	0-0.5'	4/24/2026	74.9	25972.4	42.4	18000	18042.4	7930	<0.0250	0.168	0.204	1.7	2.072
	1-1.5'	4/24/2026	<20.0	<50.0	<20.0	<20.0	<25.0	<50.0	<0.0250	<0.0250	0.0537	0.221	0.2747
	2-2.5'	4/24/2026	<20.0	331.9	<20.0	236	236	95.9	<0.0250	0.105	0.13	0.698	0.933
	3-3.5'	4/24/2026	<20.0	666	<20.0	493	493	173	<0.0250	0.0451	0.0575	0.281	0.3836
	4-4.5'	6/1/2026	18.2	146	<49.8	146	146	<49.8	<0.00199	<0.00199	<0.00199	0.00785	0.00785
	5-5.5'	6/1/2026	16.0	<49.8	<49.8	<49.8	<49.8	<49.8	<0.00200	<0.00200	<0.00200	<0.00399	<0.00399
V-2	6-6.5'	6/1/2026	42.9	<49.9	<49.9	<49.9	<49.9	<49.9	<0.00201	<0.00201	<0.00201	<0.00402	<0.00402
	0-0.5'	4/24/2026	91.7	2350	<20.0	1590	1590	760	<0.0250	0.394	<0.0250	<0.0250	0.394
	1-1.5'	4/24/2026	<20.0	<50.0	<20.0	<20.0	<25.0	<50.0	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250
V-3	2-2.5'	4/24/2026	26.3	28.2	<20.0	28.2	28.2	<50.0	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250
	0-0.5'	4/24/2026	50.5	22518	58.0	16000	16058	6460	<0.0250	0.0414	0.217	2.43	2.6884
	1-1.5'	4/24/2026	41.8	172	<20.0	91.7	91.7	80.3	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250
	2-2.5'	4/24/2026	48.8	3546	103	2670	2773	773	<0.0250	0.659	1.83	8.88	11.369
	3-3.5'	4/24/2026	45.6	239.5	<20.0	188	188	51.5	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250
	4-4.5'	6/1/2026	33.7	<49.9	<49.9	<49.9	<49.9	<49.9	<0.00199	<0.00199	<0.00199	0.00548	0.00548

Table 1: Delineation Assessment Analytical Data Table
 Plains Marketing L.P.
 Camacho LACT
 Eddy County, New Mexico

			Chloride	TPH Total (C6-C35)	GRO (C6-C12)	DRO (C12-C28)	GRO+DRO (C6-C28)	MRO (C28-C35)	Benzene	Toluene	Ethylbenzene	Xylenes	BTEX
Remediation (GW <50ft)			600 mg/Kg	100 mg/Kg	... **	... **	... **	... **	10 mg/Kg	... *	... *	... *	50 mg/Kg
Sample ID	Depth (ft)	Date											
V-4	0-0.5'	4/24/2026	<20.0	769	<20.0	503	503	266	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250
	1-1.5'	4/24/2026	67.8	<50.0	<20.0	<20.0	<25.0	<50.0	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250
	2-2.5'	4/24/2026	20.2	<50.0	<20.0	<20.0	<25.0	<50.0	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250
V-6	0-0.5'	4/24/2026	162	5940	<20.0	4340	4340	1600	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250
	1-1.5'	4/24/2026	20.7	<50.0	<20.0	<20.0	<25.0	<50.0	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250
	2-2.5'	4/24/2026	41.6	34.4	<20.0	34.4	34.4	<50.0	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250
V-7	0-0.5'	4/24/2026	71.7	1588	<20.0	1110	1110	478	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250
	1-1.5'	4/24/2026	<20.0	51.7	<20.0	<20.0	<25.0	51.7	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250
	2-2.5'	4/24/2026	<20.0	<50.0	<20.0	<20.0	<25.0	<50.0	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250
V-8	0-0.5'	4/24/2026	50.4	33071.5	91.5	23100	23191.5	9880	0.428	4.58	2.15	8.79	15.948
	1-1.5'	4/24/2026	<20.0	6295.4	93.4	5280	5373.4	922	0.0604	4.21	2.33	8.0	14.6004
	2-2.5'	4/24/2026	<20.0	627	<20.0	486	486	141	<0.0250	0.0349	0.0437	0.219	0.2976
	3-3.5'	6/1/2026	26.4	160	<50.0	160	160	<50.0	<0.00200	0.00309	0.00588	0.0545	0.0635
	4-4.5'	6/1/2026	19.2	<49.9	<49.9	<49.9	<49.9	<49.9	<0.00198	<0.00198	<0.00198	<0.00396	<0.00396
	5-5.5'	6/2/2026	67.4	<49.9	<49.9	<49.9	<49.9	<49.9	<0.00198	<0.00198	<0.00198	<0.00396	<0.00396
V-9	0-0.5'	4/24/2026	130	9670	<20.0	6450	6450	3220	<0.0250	0.0466	<0.0250	0.0327	0.0793
	1-1.5'	4/24/2026	<20.0	<50.0	<20.0	<20.0	<25.0	<50.0	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250
	2-2.5'	4/24/2026	30.1	62.3	<20.0	62.3	62.3	<50.0	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250
V - 10	0-0.5'	4/24/2026	97.6	927	<20.0	633	633	294	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250
	1-1.5'	4/24/2026	<20.0	<50.0	<20.0	<20.0	<25.0	<50.0	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250
	2-2.5'	4/24/2026	<20.0	<50.0	<20.0	<20.0	<25.0	<50.0	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250
V - 11	0-0.5'	6/2/2026	<10.1	2867	557	2310	2867	<50.0	0.015	0.00434	0.127	84.0	84.1
	1-1.5'	6/2/2026	<9.94	2617	327	2290	2617	<49.9	0.00346	0.00206	0.0776	33.1	17.9
	2-2.5'	6/2/2026	<10.0	128	<49.9	128	128	<49.9	<0.00202	<0.00202	<0.00202	0.0567	0.0567
	3-3.5'	6/2/2026	<10.1	<50.0	<50.0	<50.0	<50.0	<50.0	<0.00199	<0.00199	<0.00199	<0.00398	<0.00398
V - 12	0-0.5'	4/24/2026	60.0	11640	<20.0	8160	8160	3480	<0.0250	0.142	0.0779	0.469	0.6889
	1-1.5'	4/24/2026	61.9	2328	215	1730	1945	383	<0.0250	3.9	4.52	16.9	25.32
	2-2.5'	4/24/2026	35.4	40.8	<20.0	40.8	40.8	<50.0	<0.0250	0.119	0.0833	0.365	0.5673
	3-3.5'	4/24/2026	22.2	<50.0	<20.0	<20.0	<25.0	<50.0	<0.0250	0.249	0.0506	0.452	0.7516
	4-4.5'	4/24/2026	21.6	554	<20.0	416	416	138	<0.0250	0.26	0.126	0.802	1.188
	5-5-5.5'	4/24/2026	21.6	1346	<20.0	1070	1070	276	<0.0250	0.238	0.128	0.681	1.047
	6-6.5'	4/24/2026	23.9	504	<20.0	381	381	123	<0.0250	0.92	0.824	3.43	5.174
	7-7.5'	6/1/2026	31.8	587	<50.0	587	587	<50.0	<0.00202	<0.00202	0.0153	0.132	0.147
V - 13	8-8.5'	6/2/2026	51.7	<50.0	<50.0	<50.0	<50.0	<50.0	<0.00200	<0.00200	<0.00200	<0.00400	<0.00400
	0-0.5'	6/2/2026	<9.90	1314	124	1190	1314	<50.1	<0.00200	0.142	3.48	26.2	29.8
	1-1.5'	6/2/2026	20.1	<50.2	<50.2	<50.2	<50.2	<50.2	<0.00201	<0.00201	0.00312	0.0172	0.0203
	2-2.5'	6/2/2026	45.3	260	<50.2	260	260	<50.2	<0.00200	<0.00200	0.00746	0.0796	0.0871
	3-3.5'	6/2/2026	61.8	<50.1	<50.1	<50.1	<50.1	<50.1	<0.00199	<0.00199	<0.00199	0.00945	0.00945

Table 1: Delineation Assessment Analytical Data Table
 Plains Marketing L.P.
 Camacho LACT
 Eddy County, New Mexico

			Chloride	TPH Total (C6-C35)	GRO (C6-C12)	DRO (C12-C28)	GRO+DRO (C6-C28)	MRO (C28-C35)	Benzene	Toluene	Ethylbenzene	Xylenes	BTEX
Remediation (GW <50ft)			600 mg/Kg	100 mg/Kg	---	---	---	---	10 mg/Kg	---	---	---	50 mg/Kg
Sample ID	Depth (ft)	Date											
V - 14	0-0.5'	6/2/2026	<9.98	17045	2540	13800	16340	705	0.0142	0.00449	0.15	63.7	63.9
	2-2.5'	6/2/2026	11.2	18379	4270	13600	17870	509	0.0538	0.00496	0.145	67.9	45.9
	3-3.5'	6/2/2026	<10.0	5010	820	4190	5010	<50.1	<0.00202	0.03	0.284	24.9	10.1
	4-4.5'	6/2/2026	<10.1	1770	<50.1	1770	1770	<50.1	<0.00199	0.005	0.0741	2.79	1.21
	5-5.5'	6/2/2026	<10.1	3600	310	3290	3600	<50.1	<0.00200	0.00567	0.123	32.6	13.1
	6-6.5'	6/2/2026	<10.1	78.7	<49.8	78.7	78.7	<49.8	<0.00200	<0.00200	<0.00200	0.0408	0.0408
	7-7.5'	6/2/2026	<10.1	<49.9	<49.9	<49.9	<49.9	<49.9	<0.00201	<0.00201	<0.00201	0.00527	0.00527
	8-8.5'	6/2/2026	<9.94	190	<50.0	190	190	<50.0	<0.00202	<0.00202	<0.00202	0.00517	0.00517
	9-9.5'	6/2/2026	<9.98	<49.8	<49.8	<49.8	<49.8	<49.8	<0.00199	<0.00199	<0.00199	0.00508	0.00508
	10-10.5'	6/2/2026	<9.92	<49.8	<49.8	<49.8	<49.8	<49.8	<0.00199	<0.00199	<0.00199	<0.00398	<0.00398

Notes

1. mg/kg - milligram per kilogram
2. TPH - Total Petroleum Hydrocarbons
3. (CS) - Confirmation Sample
4. (SW) - Sidewall Sample
5. * Indicates Value must be equal to or less than Total BTEX

- 6.** Indicates that total value must be equal to or less than total TPH
- 7.*** Indicates that total value must be equal to or less than GRO+DRO total
- 8.**** Indicates that Total value must be equal or less than total TPH
9. H = Horizontal Sample
10. V= Vertical Sample

11. Remediation Limits

12. Reclamation Limits (0-4ft below ground surface)

Standard Safety and Supply

<https://standardtx.com/>




ATTACHMENT B: FIGURES










	CAMACHO LACT PLAINS MARKETING L.P.		
	Figure 3: Site Assessment Map Eddy County, New Mexico	3/12/2026	
	Coordinates: 32.6338° N, -104.231° W	Scale: 1:550	



CAMACHO LACT PLAINS MARKETING L.P.

Figure 4. Proposed Excavation Map
Eddy County, New Mexico

7/1/2026

Coordinates: 32.6338°N, -104.231°W

Scale: 1:600



Legend


- 1 ft Excavation
- 3 ft Excavation
- 4 ft Excavation
- 8 ft Excavation
- 9 ft Excavation
- Horizontal Delineation Sample Point
- Vertical Delineation Sample Point

Proposed Excavation Map

Camacho LACT
 Plains All American Pipeline, L.P.
 32.6338, -104.231
 Eddy County, New Mexico

Yellow: 13,420 sqft x 1 ft = 497 CY
 Red: 2,435 sqft x 3 ft = 271 CY
 Blue: 3,993 sqft x 4 ft = 592 CY
 Green: 1,043 sqft x 8 ft = 309 CY
 Black: 1,744 sqft x 9 ft = 581 CY
 Total Estimated Volume: 2,250 CY
 Total Estimated Volume w/20% Fluff Factor: 2,699 CY

CY - Cubic Yards
 sqft - Square Feet
 ft - Feet



Standard Safety and Supply

<https://standardtx.com/>




ATTACHMENT C: SITE CHARACTERIZATION



New Mexico Site Characterization and Necessary Compliance Steps

Camacho LACT	1
Impact Groundwater?	No
Groundwater Depth	Between 75 and 100 (ft.)
Flowing or significant watercourse within 300ft?	No
Playas, wetlands, and/or lakebeds within 200ft?	No
Wetland within 300ft?	No
Within a 100 year flood plain?	No
Water well used by less than five households for domestic or stock watering purposes within 500ft?	No
Any other fresh water spring within 1,000ft?	No
Occupied permanent residence, school, hospital, institution, or church within 300ft?	No
Within an incorporated municipal boundaries or a defined municipal fresh water well field?	No
Within an (non-karst) unstable area	No
Within an area overlying a subsurface	No
Karst Potential	Medium
Did the release impact areas not on an exploration, development, production, or storage site	Yes
SSPS and ARMS Review required?	Yes, Biological Survey is Required

OCD Well Locations & Karst Potential



1:9,028

 Oil Cancelled Facility

 Gas, Active  Oil, New  Tank  PLSS Second Division
 Gas, Plugged  Oil, Plugged Karst Occurrence Potential  PLSS First Division
 Oil, Active  Medium

Esri, HERE, Garmin, iPC, Oil Conservation Division of the New Mexico Energy, Minerals and Natural Resources Department, BLM, OCD, New Mexico Tech, OCD, BLM, Vantor

OSE POD Locations Map




3/5/2026, 10:01:47 AM

GIS WATERS PODs

- | | | |
|---|---|---|
| <ul style="list-style-type: none">PendingActiveInactiveChanged Location of WellCapped | <ul style="list-style-type: none">PluggedUnknownPendingActiveInactive | <ul style="list-style-type: none">Changed Location of WellCappedPluggedUnknownWorld Imagery |
|---|---|---|

Low Resolution 15m Imagery
High Resolution 60cm Imagery
High Resolution 30cm Imagery
Citations
4.8m Resolution Metadata

1:18,824



Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, (c) OpenStreetMap contributors, and the GIS User Community, Vantor

Legend

All Layers On/Off

All Layer Transparency

NM Wetlands Mapping and Classification

NM Wetlands Mapping and Classification

Mapping Status

Riparian Habitat

Hydrogeomorphic Mapping (HGM) Linears

Hydrogeomorphic Mapping (HGM) Polygons

Landscape Position and Water Body (LLWW) Linears

Landscape Position and Water Body (LLWW) Polygons

Landform (LLWW)

Depressional

Flats

Lacustrine Fringe

Riverine

Slope

Lentic (LE)

Lotic River (LR)

Lotic Stream (LS)

Pond (PD)

River (RV)

Stream (ST)

Terrene (TE)

Lentic (LE)

Lake (LK)

Lotic River (LR)

Lotic Stream (LS)

Pond (PD)

River (RV)


Stream (ST)

Terrene (TE)

Basin

Flat

Floodplain



National Flood Hazard Layer FIRMette



104°14'W 32°38'17"N



0 250 500 1,000 1,500 2,000 Feet

1:6,000

104°13'23"W 32°37'47"N

Released to Imaging: 7/10/2026 8:38:24 AM

Basemap Imagery Source: USGS National Map 2023

Legend

SEE FIS REPORT FOR DETAILED LEGEND AND INDEX MAP FOR FIRM PANEL LAYOUT

SPECIAL FLOOD HAZARD AREAS		Without Base Flood Elevation (BFE) Zone A, V, A99
		With BFE or Depth Zone AE, AO, AH, VE, AR
		Regulatory Floodway
OTHER AREAS OF FLOOD HAZARD		0.2% Annual Chance Flood Hazard, Areas of 1% annual chance flood with average depth less than one foot or with drainage areas of less than one square mile Zone X
		Future Conditions 1% Annual Chance Flood Hazard Zone X
		Area with Reduced Flood Risk due to Levee. See Notes. Zone X
		Area with Flood Risk due to Levee Zone D
OTHER AREAS		NO SCREEN Area of Minimal Flood Hazard Zone X
		Effective LOMRs
		Area of Undetermined Flood Hazard Zone D
GENERAL STRUCTURES		Channel, Culvert, or Storm Sewer
		Levee, Dike, or Floodwall
OTHER FEATURES		20.2 Cross Sections with 1% Annual Chance Water Surface Elevation
		17.5 Cross Sections with 1% Annual Chance Water Surface Elevation
		Coastal Transect
		Base Flood Elevation Line (BFE)
		Limit of Study
		Jurisdiction Boundary
		Coastal Transect Baseline
MAP PANELS		Digital Data Available
		No Digital Data Available
		Unmapped



The pin displayed on the map is an approximate point selected by the user and does not represent an authoritative property location.

This map complies with FEMA's standards for the use of digital flood maps if it is not void as described below. The basemap shown complies with FEMA's basemap accuracy standards

The flood hazard information is derived directly from the authoritative NFHL web services provided by FEMA. This map was exported on 3/5/2026 at 5:14 PM and does not reflect changes or amendments subsequent to this date and time. The NFHL and effective information may change or become superseded by new data over time.

This map image is void if the one or more of the following map elements do not appear: basemap imagery, flood zone labels, legend, scale bar, map creation date, community identifiers, FIRM panel number, and FIRM effective date. Map images for unmapped and unmodernized areas cannot be used for regulatory purposes.

Soil Map—Eddy Area, New Mexico



Natural Resources
Conservation Service

Web Soil Survey
National Cooperative Soil Survey

3/5/2026
Page 1 of 3

Soil Map—Eddy Area, New Mexico

MAP LEGEND

Area of Interest (AOI)

 Area of Interest (AOI)

Soils

 Soil Map Unit Polygons

 Soil Map Unit Lines

 Soil Map Unit Points

Special Point Features



Blowout



Borrow Pit



Clay Spot



Closed Depression



Gravel Pit



Gravelly Spot



Landfill



Lava Flow



Marsh or swamp



Mine or Quarry



Miscellaneous Water



Perennial Water



Rock Outcrop



Saline Spot



Sandy Spot



Severely Eroded Spot



Sinkhole



Slide or Slip



Sodic Spot



Spoil Area



Stony Spot



Very Stony Spot



Wet Spot



Other



Special Line Features

Water Features



Streams and Canals

Transportation



Rails



Interstate Highways



US Routes



Major Roads



Local Roads

Background



Aerial Photography

MAP INFORMATION

The soil surveys that comprise your AOI were mapped at 1:20,000.

Warning: Soil Map may not be valid at this scale.

Enlargement of maps beyond the scale of mapping can cause misunderstanding of the detail of mapping and accuracy of soil line placement. The maps do not show the small areas of contrasting soils that could have been shown at a more detailed scale.

Please rely on the bar scale on each map sheet for map measurements.

Source of Map: Natural Resources Conservation Service

Web Soil Survey URL:

Coordinate System: Web Mercator (EPSG:3857)

Maps from the Web Soil Survey are based on the Web Mercator projection, which preserves direction and shape but distorts distance and area. A projection that preserves area, such as the Albers equal-area conic projection, should be used if more accurate calculations of distance or area are required.

This product is generated from the USDA-NRCS certified data as of the version date(s) listed below.

Soil Survey Area: Eddy Area, New Mexico

Survey Area Data: Version 21, Sep 9, 2025

Soil map units are labeled (as space allows) for map scales 1:50,000 or larger.

Date(s) aerial images were photographed: Mar 22, 2025—Apr 12, 2025

The orthophoto or other base map on which the soil lines were compiled and digitized probably differs from the background imagery displayed on these maps. As a result, some minor shifting of map unit boundaries may be evident.

Map Unit Legend

Map Unit Symbol	Map Unit Name	Acres in AOI	Percent of AOI
KT	Kimbrough-Stegall loams, 0 to 3 percent slopes	3.9	100.0%
Totals for Area of Interest		3.9	100.0%



NMSLO Cultural Resources Cover Sheet

ARMS Inspection/Review

To: Cultural Resources Office, New Mexico State Land Office, Santa Fe, New Mexico

Re: Proposed "Camacho 25-26 CTB Spill"

ARMS Inspection/Review ID: A-20260312-001336

Proposed Project Details

Permitted Cultural Consultant Name: Resi Solutions

Permitted Cultural Consultant Phone Number: (904) 415 - 4832

Permitted Cultural Consultant Email Address: brandy@resi.solutions

Standard Safety & Supply has contracted Resi Solutions to conduct an ARMS Inspection/Review for a proposed project "Camacho 25-26 CTB Spill" located on New Mexico State Trust Lands in T19S R27E Section 25 in Eddy county. The Lead Agency for this project is NMSLO.

The ARMS Inspection/Records Review associated with this project has been conducted per the pre-field requirements of 4.10.15.9 NMAC on 03/06/2026.

The review was conducted for the Area of Potential Effect (APE) and 500 meters surrounding the APE. Information regarding the review results can be found in the uploaded Table 1-Cultural Surveys within 500 meters of proposed project and Table 2-Cultural Resources within 500 meters of proposed project.

Results-Recommendation

The entire area of potential effect has been subject to archaeological survey. No cultural properties were identified. No additional survey or mitigation measures are necessary.

NMSLO Administrative Use Only:

NMSLO Lease Number: _____

Lease Analyst: _____

Standard Safety and Supply

<https://standardtx.com/>



ATTACHMENT D: PHOTOGRAPHIC LOG



Photographic Log



Aerial View of Spill



Area of Concern



Photographic Log



Area of Concern



Area of Concern



Photographic Log



Area of Concern



Area of Concern



Photographic Log



Delineation Activities




Delineation Activities



Photographic Log



Delineation Activities



Delineation Activities



Standard Safety and Supply




<https://standardtx.com/>



ATTACHMENT E: LABORATORY ANALYTICAL METHOD WITH CHAIN- OF-CUSTODY



Report to:
Ethan Sessums



5796 U.S. Hwy 64
Farmington, NM 87401

Phone: (505) 632-1881
Envirotech-inc.com



envirotech

Practical Solutions for a Better Tomorrow

Analytical Report

Standard Safety

Project Name: Camacho LACT

Work Order: E604358

Job Number: 21092-0001

Received: 4/29/2026

Revision: 1

Report Reviewed By:

Walter Hinchman
Laboratory Director
5/5/26

Envirotech Inc. certifies the test results meet all requirements of TNI unless noted otherwise.
Statement of Data Authenticity: Envirotech Inc. attests the data reported has not been altered in any way.
Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech Inc.
Envirotech Inc. holds the Utah TNI certification NM00979 for data reported.
Envirotech Inc. holds the Texas TNI certification T104704557 for data reported.

Date Reported: 5/5/26

Ethan Sessums
P.O. Box 14987
Odessa, TX 79768



Project Name: Camacho LACT
Workorder: E604358
Date Received: 4/29/2026 7:00:00AM

Ethan Sessums,

Thank you for choosing Envirotech, Inc. as your analytical testing laboratory for the sample(s) received on, 4/29/2026 7:00:00AM, under the Project Name: Camacho LACT.

The analytical test results summarized in this report with the Project Name: Camacho LACT apply to the individual samples collected, identified and submitted bearing the project name on the enclosed chain-of-custody. Subcontracted sample analyses not conducted by Envirotech, Inc., are attached in full as issued by the subcontract laboratory.

Please review the Chain-of-Custody (COC) and Sample Receipt Checklist (SRC) for any issues regarding sample receipt temperature, containers, preservation etc. To best understand your test results, review the entire report summarizing your sample data and the associated quality control batch data.

All reported data in this analytical report were analyzed according to the referenced method(s) and are in compliance with the latest NELAC/TNI standards, unless otherwise noted. Samples or analytical quality control parameters not meeting specific QC criteria are qualified with a data flag. Data flag definitions are located in the Notes and Definitions section of this analytical report.

If you have any questions concerning this report, please feel free to contact Envirotech, Inc.

Respectfully,

Walter Hinchman
Laboratory Director
Office: 505-632-1881
Cell: 775-287-1762
whinchman@envirotech-inc.com

Raina Schwanz
Laboratory Administrator
Office: 505-632-1881
rainaschwanz@envirotech-inc.com

Field Offices:

Southern New Mexico Area

Lynn Jarboe
Laboratory Technical Representative
Office: 505-421-LABS(5227)
Cell: 505-320-4759
ljjarboe@envirotech-inc.com

Michelle Gonzales
Client Representative
Office: 505-421-LABS(5227)
Cell: 505-947-8222
mgonzales@envirotech-inc.com

Envirotech Web Address: www.envirotech-inc.com

Table of Contents

Title Page	1
Cover Page	2
Table of Contents	3
Sample Summary	6
Sample Data	8
H-1 0-6"	8
H-2 0-6"	9
H-3 0-6"	10
H-4 0-6"	11
H-5 0-6"	12
H-9 0-6"	13
H-10 0-6"	14
H-11 0-6"	15
H-12 0-6"	16
H-13 0-6"	17
V-1 0-6"	18
V-1 1-1.5'	19
V-1 2-2.5'	20
V-1 3-3.5'	21
V-2 0-6"	22
V-2 1-1.5'	23
V-2 2-2.5'	24
V-3 0-6"	25
V-3 1-1.5'	26
V-3 2-2.5'	27

Table of Contents (continued)

V-3 3-3.5'	28
V-4 0-6"	29
V-4 1-1.5'	30
V-4 2-2.5'	31
V-6 0-6"	32
V-6 1-1.5'	33
V-6 2-2.5'	34
V-7 0-6"	35
V-7 1-1.5'	36
V-7 2-2.5'	37
V-8 0-6"	38
V-8 1-1.5'	39
V-8 2-2.5'	40
V-9 0-6"	41
V-9 1-1.5'	42
V-9 2-2.5'	43
V-10 0-6"	44
V-10 1-1.5'	45
V-10 2-2.5'	46
V-12 0-6"	47
V-12 1-1.5'	48
V-12 2-2.5'	49
V-12 3-3.5'	50
V-12 4-4.5'	51
V-12 5-5.5'	52

Table of Contents (continued)

V-12 6-6.5'	53
QC Summary Data	54
QC - Volatile Organics by EPA 8021B	54
QC - Nonhalogenated Organics by EPA 8015D - GRO	57
QC - Nonhalogenated Organics by EPA 8015D - DRO/ORO	60
QC - Anions by EPA 300.0/9056A	63
Definitions and Notes	66
Chain of Custody etc.	67

Sample Summary

Standard Safety	Project Name:	Camacho LACT	Reported: 05/05/26 16:55
P.O. Box 14987	Project Number:	21092-0001	
Odessa TX, 79768	Project Manager:	Ethan Sessums	

Client Sample ID	Lab Sample ID	Matrix	Sampled	Received	Container
H-1 0-6"	E604358-01A	Soil	04/24/26	04/29/26	Glass Jar, 4 oz.
H-2 0-6"	E604358-02A	Soil	04/24/26	04/29/26	Glass Jar, 4 oz.
H-3 0-6"	E604358-03A	Soil	04/24/26	04/29/26	Glass Jar, 4 oz.
H-4 0-6"	E604358-04A	Soil	04/24/26	04/29/26	Glass Jar, 4 oz.
H-5 0-6"	E604358-05A	Soil	04/24/26	04/29/26	Glass Jar, 4 oz.
H-9 0-6"	E604358-06A	Soil	04/24/26	04/29/26	Glass Jar, 4 oz.
H-10 0-6"	E604358-07A	Soil	04/24/26	04/29/26	Glass Jar, 4 oz.
H-11 0-6"	E604358-08A	Soil	04/24/26	04/29/26	Glass Jar, 4 oz.
H-12 0-6"	E604358-09A	Soil	04/24/26	04/29/26	Glass Jar, 4 oz.
H-13 0-6"	E604358-10A	Soil	04/24/26	04/29/26	Glass Jar, 4 oz.
V-1 0-6"	E604358-11A	Soil	04/24/26	04/29/26	Glass Jar, 4 oz.
V-1 1-1.5'	E604358-12A	Soil	04/24/26	04/29/26	Glass Jar, 4 oz.
V-1 2-2.5'	E604358-13A	Soil	04/24/26	04/29/26	Glass Jar, 4 oz.
V-1 3-3.5'	E604358-14A	Soil	04/24/26	04/29/26	Glass Jar, 4 oz.
V-2 0-6"	E604358-15A	Soil	04/24/26	04/29/26	Glass Jar, 4 oz.
V-2 1-1.5'	E604358-16A	Soil	04/24/26	04/29/26	Glass Jar, 4 oz.
V-2 2-2.5'	E604358-17A	Soil	04/24/26	04/29/26	Glass Jar, 4 oz.
V-3 0-6"	E604358-18A	Soil	04/24/26	04/29/26	Glass Jar, 4 oz.
V-3 1-1.5'	E604358-19A	Soil	04/24/26	04/29/26	Glass Jar, 4 oz.
V-3 2-2.5'	E604358-20A	Soil	04/24/26	04/29/26	Glass Jar, 4 oz.
V-3 3-3.5'	E604358-21A	Soil	04/24/26	04/29/26	Glass Jar, 4 oz.
V-4 0-6"	E604358-22A	Soil	04/24/26	04/29/26	Glass Jar, 4 oz.
V-4 1-1.5'	E604358-23A	Soil	04/24/26	04/29/26	Glass Jar, 4 oz.
V-4 2-2.5'	E604358-24A	Soil	04/24/26	04/29/26	Glass Jar, 4 oz.
V-6 0-6"	E604358-25A	Soil	04/24/26	04/29/26	Glass Jar, 4 oz.
V-6 1-1.5'	E604358-26A	Soil	04/24/26	04/29/26	Glass Jar, 4 oz.
V-6 2-2.5'	E604358-27A	Soil	04/24/26	04/29/26	Glass Jar, 4 oz.
V-7 0-6"	E604358-28A	Soil	04/24/26	04/29/26	Glass Jar, 4 oz.
V-7 1-1.5'	E604358-29A	Soil	04/24/26	04/29/26	Glass Jar, 4 oz.
V-7 2-2.5'	E604358-30A	Soil	04/24/26	04/29/26	Glass Jar, 4 oz.
V-8 0-6"	E604358-31A	Soil	04/24/26	04/29/26	Glass Jar, 4 oz.
V-8 1-1.5'	E604358-32A	Soil	04/24/26	04/29/26	Glass Jar, 4 oz.
V-8 2-2.5'	E604358-33A	Soil	04/24/26	04/29/26	Glass Jar, 4 oz.
V-9 0-6"	E604358-34A	Soil	04/24/26	04/29/26	Glass Jar, 4 oz.
V-9 1-1.5'	E604358-35A	Soil	04/24/26	04/29/26	Glass Jar, 4 oz.
V-9 2-2.5'	E604358-36A	Soil	04/24/26	04/29/26	Glass Jar, 4 oz.
V-10 0-6"	E604358-37A	Soil	04/24/26	04/29/26	Glass Jar, 4 oz.
V-10 1-1.5'	E604358-38A	Soil	04/24/26	04/29/26	Glass Jar, 4 oz.
V-10 2-2.5'	E604358-39A	Soil	04/24/26	04/29/26	Glass Jar, 4 oz.
V-12 0-6"	E604358-40A	Soil	04/24/26	04/29/26	Glass Jar, 4 oz.



Sample Summary

Standard Safety	Project Name:	Camacho LACT	Reported:
P.O. Box 14987	Project Number:	21092-0001	
Odessa TX, 79768	Project Manager:	Ethan Sessums	05/05/26 16:55

Client Sample ID	Lab Sample ID	Matrix	Sampled	Received	Container
V-12 1-1.5'	E604358-41A	Soil	04/24/26	04/29/26	Glass Jar, 4 oz.
V-12 2-2.5'	E604358-42A	Soil	04/24/26	04/29/26	Glass Jar, 4 oz.
V-12 3-3.5'	E604358-43A	Soil	04/24/26	04/29/26	Glass Jar, 4 oz.
V-12 4-4.5'	E604358-44A	Soil	04/24/26	04/29/26	Glass Jar, 4 oz.
V-12 5-5.5'	E604358-45A	Soil	04/24/26	04/29/26	Glass Jar, 4 oz.
V-12 6-6.5'	E604358-46A	Soil	04/24/26	04/29/26	Glass Jar, 4 oz.



Sample Data

Standard Safety
P.O. Box 14987
Odessa TX, 79768

Project Name: Camacho LACT
Project Number: 21092-0001
Project Manager: Ethan Sessums

Reported:
5/5/2026 4:55:37PM

H-1 0-6"

E604358-01

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B	mg/kg	mg/kg	Analyst: SL		Batch: 2618086	
Benzene	0.0603	0.0250	1	04/29/26	04/29/26	
Ethylbenzene	ND	0.0250	1	04/29/26	04/29/26	
Toluene	0.0518	0.0250	1	04/29/26	04/29/26	
o-Xylene	ND	0.0250	1	04/29/26	04/29/26	
p,m-Xylene	ND	0.0500	1	04/29/26	04/29/26	
Total Xylenes	ND	0.0250	1	04/29/26	04/29/26	
Surrogate: 4-Bromochlorobenzene-PID	92.7 %	70-130		04/29/26	04/29/26	
Nonhalogenated Organics by EPA 8015D - GRO	mg/kg	mg/kg	Analyst: SL		Batch: 2618086	
Gasoline Range Organics (C6-C10)	ND	20.0	1	04/29/26	04/29/26	
Surrogate: 1-Chloro-4-fluorobenzene-FID	87.0 %	70-130		04/29/26	04/29/26	
Nonhalogenated Organics by EPA 8015D - DRO/ORO	mg/kg	mg/kg	Analyst: KH		Batch: 2618113	
Diesel Range Organics (C10-C28)	246	25.0	1	04/30/26	04/30/26	
Oil Range Organics (C28-C36)	373	50.0	1	04/30/26	04/30/26	
Surrogate: n-Nonane	96.1 %	69-135		04/30/26	04/30/26	
Anions by EPA 300.0/9056A	mg/kg	mg/kg	Analyst: DT		Batch: 2618097	
Chloride	ND	20.0	1	04/29/26	04/29/26	



Sample Data

Standard Safety
P.O. Box 14987
Odessa TX, 79768

Project Name: Camacho LACT
Project Number: 21092-0001
Project Manager: Ethan Sessums

Reported:
5/5/2026 4:55:37PM

H-2 0-6"

E604358-02

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg		Analyst: SL		Batch: 2618086
Benzene	ND	0.0250	1	04/29/26	04/29/26	
Ethylbenzene	ND	0.0250	1	04/29/26	04/29/26	
Toluene	ND	0.0250	1	04/29/26	04/29/26	
o-Xylene	ND	0.0250	1	04/29/26	04/29/26	
p,m-Xylene	ND	0.0500	1	04/29/26	04/29/26	
Total Xylenes	ND	0.0250	1	04/29/26	04/29/26	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	92.8 %	70-130		04/29/26	04/29/26	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: SL		Batch: 2618086
Gasoline Range Organics (C6-C10)	ND	20.0	1	04/29/26	04/29/26	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	85.9 %	70-130		04/29/26	04/29/26	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: KH		Batch: 2618113
Diesel Range Organics (C10-C28)	885	25.0	1	04/30/26	04/30/26	
Oil Range Organics (C28-C36)	474	50.0	1	04/30/26	04/30/26	
<i>Surrogate: n-Nonane</i>						
	98.5 %	69-135		04/30/26	04/30/26	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: DT		Batch: 2618097
Chloride	34.4	20.0	1	04/29/26	04/29/26	



Sample Data

Standard Safety
P.O. Box 14987
Odessa TX, 79768

Project Name: Camacho LACT
Project Number: 21092-0001
Project Manager: Ethan Sessums

Reported:
5/5/2026 4:55:37PM

H-3 0-6"

E604358-03

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg		Analyst: SL		Batch: 2618086
Benzene	ND	0.0250	1	04/29/26	04/29/26	
Ethylbenzene	0.145	0.0250	1	04/29/26	04/29/26	
Toluene	0.189	0.0250	1	04/29/26	04/29/26	
o-Xylene	0.124	0.0250	1	04/29/26	04/29/26	
p,m-Xylene	0.340	0.0500	1	04/29/26	04/29/26	
Total Xylenes	0.463	0.0250	1	04/29/26	04/29/26	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	95.9 %	70-130		04/29/26	04/29/26	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: SL		Batch: 2618086
Gasoline Range Organics (C6-C10)	ND	20.0	1	04/29/26	04/29/26	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	84.0 %	70-130		04/29/26	04/29/26	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: KH		Batch: 2618113
Diesel Range Organics (C10-C28)	474	25.0	1	04/30/26	04/30/26	
Oil Range Organics (C28-C36)	268	50.0	1	04/30/26	04/30/26	
<i>Surrogate: n-Nonane</i>						
	97.5 %	69-135		04/30/26	04/30/26	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: DT		Batch: 2618097
Chloride	36.7	20.0	1	04/29/26	04/29/26	



Sample Data

Standard Safety
P.O. Box 14987
Odessa TX, 79768

Project Name: Camacho LACT
Project Number: 21092-0001
Project Manager: Ethan Sessums

Reported:
5/5/2026 4:55:37PM

H-4 0-6"

E604358-04

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B	mg/kg	mg/kg	Analyst: SL		Batch: 2618086	
Benzene	ND	0.0250	1	04/29/26	04/29/26	
Ethylbenzene	0.146	0.0250	1	04/29/26	04/29/26	
Toluene	0.197	0.0250	1	04/29/26	04/29/26	
o-Xylene	0.124	0.0250	1	04/29/26	04/29/26	
p,m-Xylene	0.341	0.0500	1	04/29/26	04/29/26	
Total Xylenes	0.465	0.0250	1	04/29/26	04/29/26	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>	92.9 %	70-130		04/29/26	04/29/26	
Nonhalogenated Organics by EPA 8015D - GRO	mg/kg	mg/kg	Analyst: SL		Batch: 2618086	
Gasoline Range Organics (C6-C10)	ND	20.0	1	04/29/26	04/29/26	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>	85.2 %	70-130		04/29/26	04/29/26	
Nonhalogenated Organics by EPA 8015D - DRO/ORO	mg/kg	mg/kg	Analyst: KH		Batch: 2618113	
Diesel Range Organics (C10-C28)	455	25.0	1	04/30/26	04/30/26	
Oil Range Organics (C28-C36)	237	50.0	1	04/30/26	04/30/26	
<i>Surrogate: n-Nonane</i>	98.3 %	69-135		04/30/26	04/30/26	
Anions by EPA 300.0/9056A	mg/kg	mg/kg	Analyst: DT		Batch: 2618097	
Chloride	41.8	20.0	1	04/29/26	04/29/26	



Sample Data

Standard Safety
P.O. Box 14987
Odessa TX, 79768

Project Name: Camacho LACT
Project Number: 21092-0001
Project Manager: Ethan Sessums

Reported:
5/5/2026 4:55:37PM

H-5 0-6"

E604358-05

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B	mg/kg	mg/kg	Analyst: SL		Batch: 2618086	
Benzene	ND	0.0250	1	04/29/26	04/30/26	
Ethylbenzene	0.169	0.0250	1	04/29/26	04/30/26	
Toluene	0.227	0.0250	1	04/29/26	04/30/26	
o-Xylene	0.147	0.0250	1	04/29/26	04/30/26	
p,m-Xylene	0.403	0.0500	1	04/29/26	04/30/26	
Total Xylenes	0.550	0.0250	1	04/29/26	04/30/26	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>	<i>93.8 %</i>	<i>70-130</i>		<i>04/29/26</i>	<i>04/30/26</i>	
Nonhalogenated Organics by EPA 8015D - GRO	mg/kg	mg/kg	Analyst: SL		Batch: 2618086	
Gasoline Range Organics (C6-C10)	ND	20.0	1	04/29/26	04/30/26	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>	<i>84.1 %</i>	<i>70-130</i>		<i>04/29/26</i>	<i>04/30/26</i>	
Nonhalogenated Organics by EPA 8015D - DRO/ORO	mg/kg	mg/kg	Analyst: KH		Batch: 2618113	
Diesel Range Organics (C10-C28)	420	25.0	1	04/30/26	04/30/26	
Oil Range Organics (C28-C36)	216	50.0	1	04/30/26	04/30/26	
<i>Surrogate: n-Nonane</i>	<i>94.6 %</i>	<i>69-135</i>		<i>04/30/26</i>	<i>04/30/26</i>	
Anions by EPA 300.0/9056A	mg/kg	mg/kg	Analyst: DT		Batch: 2618097	
Chloride	39.9	20.0	1	04/29/26	04/29/26	



Sample Data

Standard Safety	Project Name:	Camacho LACT	Reported: 5/5/2026 4:55:37PM
P.O. Box 14987	Project Number:	21092-0001	
Odessa TX, 79768	Project Manager:	Ethan Sessums	

H-9 0-6"

E604358-06

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg	Analyst: SL		Batch: 2618086	
Benzene	ND	0.0250	1	04/29/26	04/29/26	
Ethylbenzene	ND	0.0250	1	04/29/26	04/29/26	
Toluene	ND	0.0250	1	04/29/26	04/29/26	
o-Xylene	ND	0.0250	1	04/29/26	04/29/26	
p,m-Xylene	ND	0.0500	1	04/29/26	04/29/26	
Total Xylenes	ND	0.0250	1	04/29/26	04/29/26	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	91.4 %	70-130		04/29/26	04/29/26	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg	Analyst: SL		Batch: 2618086	
Gasoline Range Organics (C6-C10)	ND	20.0	1	04/29/26	04/29/26	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	87.9 %	70-130		04/29/26	04/29/26	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg	Analyst: KH		Batch: 2618113	
Diesel Range Organics (C10-C28)	804	25.0	1	04/30/26	04/30/26	
Oil Range Organics (C28-C36)	399	50.0	1	04/30/26	04/30/26	
<i>Surrogate: n-Nonane</i>						
	97.2 %	69-135		04/30/26	04/30/26	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg	Analyst: DT		Batch: 2618097	
Chloride	32.6	20.0	1	04/29/26	04/29/26	



Sample Data

Standard Safety
P.O. Box 14987
Odessa TX, 79768

Project Name: Camacho LACT
Project Number: 21092-0001
Project Manager: Ethan Sessums

Reported:
5/5/2026 4:55:37PM

H-10 0-6"

E604358-07

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg		Analyst: SL		Batch: 2618086
Benzene	ND	0.0250	1	04/29/26	04/30/26	
Ethylbenzene	ND	0.0250	1	04/29/26	04/30/26	
Toluene	ND	0.0250	1	04/29/26	04/30/26	
o-Xylene	ND	0.0250	1	04/29/26	04/30/26	
p,m-Xylene	ND	0.0500	1	04/29/26	04/30/26	
Total Xylenes	ND	0.0250	1	04/29/26	04/30/26	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	92.5 %	70-130		04/29/26	04/30/26	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: SL		Batch: 2618086
Gasoline Range Organics (C6-C10)	ND	20.0	1	04/29/26	04/30/26	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	83.4 %	70-130		04/29/26	04/30/26	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: KH		Batch: 2618113
Diesel Range Organics (C10-C28)	828	25.0	1	04/30/26	04/30/26	
Oil Range Organics (C28-C36)	429	50.0	1	04/30/26	04/30/26	
<i>Surrogate: n-Nonane</i>						
	95.6 %	69-135		04/30/26	04/30/26	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: DT		Batch: 2618097
Chloride	36.6	20.0	1	04/29/26	04/29/26	



Sample Data

Standard Safety	Project Name:	Camacho LACT	Reported: 5/5/2026 4:55:37PM
P.O. Box 14987	Project Number:	21092-0001	
Odessa TX, 79768	Project Manager:	Ethan Sessums	

H-11 0-6"

E604358-08

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg	Analyst: SL		Batch: 2618086	
Benzene	0.217	0.0250	1	04/29/26	04/30/26	
Ethylbenzene	ND	0.0250	1	04/29/26	04/30/26	
Toluene	0.463	0.0250	1	04/29/26	04/30/26	
o-Xylene	0.0532	0.0250	1	04/29/26	04/30/26	
p,m-Xylene	0.0584	0.0500	1	04/29/26	04/30/26	
Total Xylenes	0.112	0.0250	1	04/29/26	04/30/26	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	89.0 %	70-130		04/29/26	04/30/26	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg	Analyst: SL		Batch: 2618086	
Gasoline Range Organics (C6-C10)	ND	20.0	1	04/29/26	04/30/26	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	84.0 %	70-130		04/29/26	04/30/26	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg	Analyst: KH		Batch: 2618113	
Diesel Range Organics (C10-C28)	3160	25.0	1	04/30/26	04/30/26	
Oil Range Organics (C28-C36)	1590	50.0	1	04/30/26	04/30/26	
<i>Surrogate: n-Nonane</i>						
	96.0 %	69-135		04/30/26	04/30/26	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg	Analyst: DT		Batch: 2618097	
Chloride	31.7	20.0	1	04/29/26	04/29/26	



Sample Data

Standard Safety
P.O. Box 14987
Odessa TX, 79768

Project Name: Camacho LACT
Project Number: 21092-0001
Project Manager: Ethan Sessums

Reported:
5/5/2026 4:55:37PM

H-12 0-6"

E604358-09

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg	Analyst: SL		Batch: 2618086	
Benzene	0.240	0.0250	1	04/29/26	04/30/26	
Ethylbenzene	ND	0.0250	1	04/29/26	04/30/26	
Toluene	0.593	0.0250	1	04/29/26	04/30/26	
o-Xylene	0.0641	0.0250	1	04/29/26	04/30/26	
p,m-Xylene	0.0751	0.0500	1	04/29/26	04/30/26	
Total Xylenes	0.139	0.0250	1	04/29/26	04/30/26	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	98.4 %	70-130		04/29/26	04/30/26	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg	Analyst: SL		Batch: 2618086	
Gasoline Range Organics (C6-C10)	ND	20.0	1	04/29/26	04/30/26	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	82.6 %	70-130		04/29/26	04/30/26	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg	Analyst: KH		Batch: 2618113	
Diesel Range Organics (C10-C28)	3830	25.0	1	04/30/26	04/30/26	
Oil Range Organics (C28-C36)	1900	50.0	1	04/30/26	04/30/26	
<i>Surrogate: n-Nonane</i>						
	98.9 %	69-135		04/30/26	04/30/26	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg	Analyst: DT		Batch: 2618097	
Chloride	36.4	20.0	1	04/29/26	04/29/26	



Sample Data

Standard Safety P.O. Box 14987 Odessa TX, 79768	Project Name: Camacho LACT Project Number: 21092-0001 Project Manager: Ethan Sessums	Reported: 5/5/2026 4:55:37PM
---	--	---------------------------------

H-13 0-6"
E604358-10

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg	Analyst: SL		Batch: 2618086	
Benzene	0.0623	0.0250	1	04/29/26	04/30/26	
Ethylbenzene	ND	0.0250	1	04/29/26	04/30/26	
Toluene	0.0568	0.0250	1	04/29/26	04/30/26	
o-Xylene	ND	0.0250	1	04/29/26	04/30/26	
p,m-Xylene	ND	0.0500	1	04/29/26	04/30/26	
Total Xylenes	ND	0.0250	1	04/29/26	04/30/26	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
		101 %	70-130	04/29/26	04/30/26	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg	Analyst: SL		Batch: 2618086	
Gasoline Range Organics (C6-C10)	ND	20.0	1	04/29/26	04/30/26	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
		84.3 %	70-130	04/29/26	04/30/26	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg	Analyst: KH		Batch: 2618113	
Diesel Range Organics (C10-C28)	208	25.0	1	04/30/26	05/05/26	
Oil Range Organics (C28-C36)	279	50.0	1	04/30/26	05/05/26	
<i>Surrogate: n-Nonane</i>						
		92.0 %	69-135	04/30/26	05/05/26	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg	Analyst: DT		Batch: 2618097	
Chloride	ND	20.0	1	04/29/26	04/29/26	



Sample Data

Standard Safety
P.O. Box 14987
Odessa TX, 79768

Project Name: Camacho LACT
Project Number: 21092-0001
Project Manager: Ethan Sessums

Reported:
5/5/2026 4:55:37PM

V-1 0-6"

E604358-11

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg		Analyst: SL		Batch: 2618086
Benzene	ND	0.0250	1	04/29/26	04/30/26	
Ethylbenzene	0.204	0.0250	1	04/29/26	04/30/26	
Toluene	0.168	0.0250	1	04/29/26	04/30/26	
o-Xylene	0.615	0.0250	1	04/29/26	04/30/26	
p,m-Xylene	1.08	0.0500	1	04/29/26	04/30/26	
Total Xylenes	1.70	0.0250	1	04/29/26	04/30/26	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	94.8 %	70-130		04/29/26	04/30/26	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: SL		Batch: 2618086
Gasoline Range Organics (C6-C10)	42.4	20.0	1	04/29/26	04/30/26	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	83.3 %	70-130		04/29/26	04/30/26	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: KH		Batch: 2618113
Diesel Range Organics (C10-C28)	18000	500	20	04/30/26	05/05/26	
Oil Range Organics (C28-C36)	7930	1000	20	04/30/26	05/05/26	
<i>Surrogate: n-Nonane</i>						
	100 %	69-135		04/30/26	05/05/26	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: DT		Batch: 2618097
Chloride	74.9	20.0	1	04/29/26	04/29/26	



Sample Data

Standard Safety
P.O. Box 14987
Odessa TX, 79768

Project Name: Camacho LACT
Project Number: 21092-0001
Project Manager: Ethan Sessums

Reported:
5/5/2026 4:55:37PM

V-1 1-1.5'

E604358-12

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B	mg/kg	mg/kg	Analyst: SL		Batch: 2618086	
Benzene	ND	0.0250	1	04/29/26	04/30/26	
Ethylbenzene	0.0537	0.0250	1	04/29/26	04/30/26	
Toluene	ND	0.0250	1	04/29/26	04/30/26	
o-Xylene	0.0761	0.0250	1	04/29/26	04/30/26	
p,m-Xylene	0.145	0.0500	1	04/29/26	04/30/26	
Total Xylenes	0.221	0.0250	1	04/29/26	04/30/26	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>		104 %	70-130	04/29/26	04/30/26	
Nonhalogenated Organics by EPA 8015D - GRO	mg/kg	mg/kg	Analyst: SL		Batch: 2618086	
Gasoline Range Organics (C6-C10)	ND	20.0	1	04/29/26	04/30/26	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>		84.2 %	70-130	04/29/26	04/30/26	
Nonhalogenated Organics by EPA 8015D - DRO/ORO	mg/kg	mg/kg	Analyst: KH		Batch: 2618113	
Diesel Range Organics (C10-C28)	ND	25.0	1	04/30/26	05/05/26	
Oil Range Organics (C28-C36)	ND	50.0	1	04/30/26	05/05/26	
<i>Surrogate: n-Nonane</i>		91.4 %	69-135	04/30/26	05/05/26	
Anions by EPA 300.0/9056A	mg/kg	mg/kg	Analyst: DT		Batch: 2618097	
Chloride	ND	20.0	1	04/29/26	04/29/26	



Sample Data

Standard Safety
P.O. Box 14987
Odessa TX, 79768

Project Name: Camacho LACT
Project Number: 21092-0001
Project Manager: Ethan Sessums

Reported:
5/5/2026 4:55:37PM

V-1 2-2.5'

E604358-13

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg	Analyst: SL		Batch: 2618086	
Benzene	ND	0.0250	1	04/29/26	04/30/26	
Ethylbenzene	0.130	0.0250	1	04/29/26	04/30/26	
Toluene	0.105	0.0250	1	04/29/26	04/30/26	
o-Xylene	0.208	0.0250	1	04/29/26	04/30/26	
p,m-Xylene	0.490	0.0500	1	04/29/26	04/30/26	
Total Xylenes	0.698	0.0250	1	04/29/26	04/30/26	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	105 %	70-130		04/29/26	04/30/26	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg	Analyst: SL		Batch: 2618086	
Gasoline Range Organics (C6-C10)	ND	20.0	1	04/29/26	04/30/26	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	83.8 %	70-130		04/29/26	04/30/26	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg	Analyst: KH		Batch: 2618113	
Diesel Range Organics (C10-C28)	236	25.0	1	04/30/26	04/30/26	
Oil Range Organics (C28-C36)	95.9	50.0	1	04/30/26	04/30/26	
<i>Surrogate: n-Nonane</i>						
	99.9 %	69-135		04/30/26	04/30/26	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg	Analyst: DT		Batch: 2618097	
Chloride	ND	20.0	1	04/29/26	04/29/26	



Sample Data

Standard Safety
P.O. Box 14987
Odessa TX, 79768

Project Name: Camacho LACT
Project Number: 21092-0001
Project Manager: Ethan Sessums

Reported:
5/5/2026 4:55:37PM

V-1 3-3.5'

E604358-14

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg	Analyst: SL		Batch: 2618086	
Benzene	ND	0.0250	1	04/29/26	04/30/26	
Ethylbenzene	0.0575	0.0250	1	04/29/26	04/30/26	
Toluene	0.0451	0.0250	1	04/29/26	04/30/26	
o-Xylene	0.0913	0.0250	1	04/29/26	04/30/26	
p,m-Xylene	0.190	0.0500	1	04/29/26	04/30/26	
Total Xylenes	0.281	0.0250	1	04/29/26	04/30/26	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	95.5 %	70-130		04/29/26	04/30/26	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg	Analyst: SL		Batch: 2618086	
Gasoline Range Organics (C6-C10)	ND	20.0	1	04/29/26	04/30/26	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	83.7 %	70-130		04/29/26	04/30/26	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg	Analyst: KH		Batch: 2618113	
Diesel Range Organics (C10-C28)	493	25.0	1	04/30/26	04/30/26	
Oil Range Organics (C28-C36)	173	50.0	1	04/30/26	04/30/26	
<i>Surrogate: n-Nonane</i>						
	100 %	69-135		04/30/26	04/30/26	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg	Analyst: DT		Batch: 2618097	
Chloride	ND	20.0	1	04/29/26	04/29/26	



Sample Data

Standard Safety
P.O. Box 14987
Odessa TX, 79768

Project Name: Camacho LACT
Project Number: 21092-0001
Project Manager: Ethan Sessums

Reported:
5/5/2026 4:55:37PM

V-2 0-6"

E604358-15

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg	Analyst: SL		Batch: 2618086	
Benzene	ND	0.0250	1	04/29/26	04/30/26	
Ethylbenzene	ND	0.0250	1	04/29/26	04/30/26	
Toluene	0.0394	0.0250	1	04/29/26	04/30/26	
o-Xylene	ND	0.0250	1	04/29/26	04/30/26	
p,m-Xylene	ND	0.0500	1	04/29/26	04/30/26	
Total Xylenes	ND	0.0250	1	04/29/26	04/30/26	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	91.7 %	70-130		04/29/26	04/30/26	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg	Analyst: SL		Batch: 2618086	
Gasoline Range Organics (C6-C10)	ND	20.0	1	04/29/26	04/30/26	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	82.7 %	70-130		04/29/26	04/30/26	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg	Analyst: KH		Batch: 2618113	
Diesel Range Organics (C10-C28)	1590	25.0	1	04/30/26	04/30/26	
Oil Range Organics (C28-C36)	760	50.0	1	04/30/26	04/30/26	
<i>Surrogate: n-Nonane</i>						
	98.0 %	69-135		04/30/26	04/30/26	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg	Analyst: DT		Batch: 2618097	
Chloride	91.7	20.0	1	04/29/26	04/30/26	



Sample Data

Standard Safety
P.O. Box 14987
Odessa TX, 79768

Project Name: Camacho LACT
Project Number: 21092-0001
Project Manager: Ethan Sessums

Reported:
5/5/2026 4:55:37PM

V-2 1-1.5'

E604358-16

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg		Analyst: SL		Batch: 2618086
Benzene	ND	0.0250	1	04/29/26	04/30/26	
Ethylbenzene	ND	0.0250	1	04/29/26	04/30/26	
Toluene	ND	0.0250	1	04/29/26	04/30/26	
o-Xylene	ND	0.0250	1	04/29/26	04/30/26	
p,m-Xylene	ND	0.0500	1	04/29/26	04/30/26	
Total Xylenes	ND	0.0250	1	04/29/26	04/30/26	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	96.0 %	70-130		04/29/26	04/30/26	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: SL		Batch: 2618086
Gasoline Range Organics (C6-C10)	ND	20.0	1	04/29/26	04/30/26	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	82.7 %	70-130		04/29/26	04/30/26	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: KH		Batch: 2618113
Diesel Range Organics (C10-C28)	ND	25.0	1	04/30/26	05/01/26	
Oil Range Organics (C28-C36)	ND	50.0	1	04/30/26	05/01/26	
<i>Surrogate: n-Nonane</i>						
	98.2 %	69-135		04/30/26	05/01/26	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: DT		Batch: 2618097
Chloride	ND	20.0	1	04/29/26	04/30/26	



Sample Data

Standard Safety
P.O. Box 14987
Odessa TX, 79768

Project Name: Camacho LACT
Project Number: 21092-0001
Project Manager: Ethan Sessums

Reported:
5/5/2026 4:55:37PM

V-2 2-2.5'

E604358-17

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg		Analyst: SL		Batch: 2618086
Benzene	ND	0.0250	1	04/29/26	04/30/26	
Ethylbenzene	ND	0.0250	1	04/29/26	04/30/26	
Toluene	ND	0.0250	1	04/29/26	04/30/26	
o-Xylene	ND	0.0250	1	04/29/26	04/30/26	
p,m-Xylene	ND	0.0500	1	04/29/26	04/30/26	
Total Xylenes	ND	0.0250	1	04/29/26	04/30/26	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	92.1 %	70-130		04/29/26	04/30/26	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: SL		Batch: 2618086
Gasoline Range Organics (C6-C10)	ND	20.0	1	04/29/26	04/30/26	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	82.7 %	70-130		04/29/26	04/30/26	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: KH		Batch: 2618113
Diesel Range Organics (C10-C28)	28.2	25.0	1	04/30/26	05/01/26	
Oil Range Organics (C28-C36)	ND	50.0	1	04/30/26	05/01/26	
<i>Surrogate: n-Nonane</i>						
	99.8 %	69-135		04/30/26	05/01/26	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: DT		Batch: 2618097
Chloride	26.3	20.0	1	04/29/26	04/30/26	



Sample Data

Standard Safety
P.O. Box 14987
Odessa TX, 79768

Project Name: Camacho LACT
Project Number: 21092-0001
Project Manager: Ethan Sessums

Reported:
5/5/2026 4:55:37PM

V-3 0-6"

E604358-18

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg		Analyst: SL		Batch: 2618086
Benzene	ND	0.0250	1	04/29/26	04/30/26	
Ethylbenzene	0.217	0.0250	1	04/29/26	04/30/26	
Toluene	0.0414	0.0250	1	04/29/26	04/30/26	
o-Xylene	0.998	0.0250	1	04/29/26	04/30/26	
p,m-Xylene	1.44	0.0500	1	04/29/26	04/30/26	
Total Xylenes	2.43	0.0250	1	04/29/26	04/30/26	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	94.8 %	70-130		04/29/26	04/30/26	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: SL		Batch: 2618086
Gasoline Range Organics (C6-C10)	58.0	20.0	1	04/29/26	04/30/26	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	82.4 %	70-130		04/29/26	04/30/26	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: KH		Batch: 2618113
Diesel Range Organics (C10-C28)	16000	250	10	04/30/26	05/05/26	
Oil Range Organics (C28-C36)	6460	500	10	04/30/26	05/05/26	
<i>Surrogate: n-Nonane</i>						
	94.8 %	69-135		04/30/26	05/05/26	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: DT		Batch: 2618097
Chloride	50.5	20.0	1	04/29/26	04/30/26	



Sample Data

Standard Safety
P.O. Box 14987
Odessa TX, 79768

Project Name: Camacho LACT
Project Number: 21092-0001
Project Manager: Ethan Sessums

Reported:
5/5/2026 4:55:37PM

V-3 1-1.5'

E604358-19

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg		Analyst: SL		Batch: 2618086
Benzene	ND	0.0250	1	04/29/26	04/30/26	
Ethylbenzene	ND	0.0250	1	04/29/26	04/30/26	
Toluene	ND	0.0250	1	04/29/26	04/30/26	
o-Xylene	ND	0.0250	1	04/29/26	04/30/26	
p,m-Xylene	ND	0.0500	1	04/29/26	04/30/26	
Total Xylenes	ND	0.0250	1	04/29/26	04/30/26	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
		107 %	70-130	04/29/26	04/30/26	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: SL		Batch: 2618086
Gasoline Range Organics (C6-C10)	ND	20.0	1	04/29/26	04/30/26	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
		82.7 %	70-130	04/29/26	04/30/26	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: KH		Batch: 2618113
Diesel Range Organics (C10-C28)	91.7	25.0	1	04/30/26	05/01/26	
Oil Range Organics (C28-C36)	80.3	50.0	1	04/30/26	05/01/26	
<i>Surrogate: n-Nonane</i>						
		99.6 %	69-135	04/30/26	05/01/26	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: DT		Batch: 2618097
Chloride	41.8	20.0	1	04/29/26	04/30/26	



Sample Data

Standard Safety
P.O. Box 14987
Odessa TX, 79768

Project Name: Camacho LACT
Project Number: 21092-0001
Project Manager: Ethan Sessums

Reported:
5/5/2026 4:55:37PM

V-3 2-2.5'

E604358-20

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg	Analyst: SL		Batch: 2618086	
Benzene	ND	0.0250	1	04/29/26	04/30/26	
Ethylbenzene	1.83	0.0250	1	04/29/26	04/30/26	
Toluene	0.659	0.0250	1	04/29/26	04/30/26	
o-Xylene	2.71	0.0250	1	04/29/26	04/30/26	
p,m-Xylene	6.17	0.0500	1	04/29/26	04/30/26	
Total Xylenes	8.88	0.0250	1	04/29/26	04/30/26	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	102 %	70-130		04/29/26	04/30/26	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg	Analyst: SL		Batch: 2618086	
Gasoline Range Organics (C6-C10)	103	20.0	1	04/29/26	04/30/26	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	88.9 %	70-130		04/29/26	04/30/26	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg	Analyst: KH		Batch: 2618113	
Diesel Range Organics (C10-C28)	2670	25.0	1	04/30/26	05/01/26	
Oil Range Organics (C28-C36)	773	50.0	1	04/30/26	05/01/26	
<i>Surrogate: n-Nonane</i>						
	119 %	69-135		04/30/26	05/01/26	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg	Analyst: DT		Batch: 2618097	
Chloride	48.8	20.0	1	04/29/26	04/30/26	



Sample Data

Standard Safety
P.O. Box 14987
Odessa TX, 79768

Project Name: Camacho LACT
Project Number: 21092-0001
Project Manager: Ethan Sessums

Reported:
5/5/2026 4:55:37PM

V-3 3-3.5'

E604358-21

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg	Analyst: SL		Batch: 2618089	
Benzene	ND	0.0250	1	04/29/26	04/30/26	
Ethylbenzene	ND	0.0250	1	04/29/26	04/30/26	
Toluene	ND	0.0250	1	04/29/26	04/30/26	
o-Xylene	ND	0.0250	1	04/29/26	04/30/26	
p,m-Xylene	ND	0.0500	1	04/29/26	04/30/26	
Total Xylenes	ND	0.0250	1	04/29/26	04/30/26	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	88.7 %	70-130		04/29/26	04/30/26	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg	Analyst: SL		Batch: 2618089	
Gasoline Range Organics (C6-C10)	ND	20.0	1	04/29/26	04/30/26	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	86.5 %	70-130		04/29/26	04/30/26	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg	Analyst: CJB		Batch: 2618114	
Diesel Range Organics (C10-C28)	188	25.0	1	04/30/26	04/30/26	
Oil Range Organics (C28-C36)	51.5	50.0	1	04/30/26	04/30/26	
<i>Surrogate: n-Nonane</i>						
	99.3 %	69-135		04/30/26	04/30/26	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg	Analyst: DT		Batch: 2618111	
Chloride	45.6	20.0	1	04/30/26	04/30/26	



Sample Data

Standard Safety
P.O. Box 14987
Odessa TX, 79768

Project Name: Camacho LACT
Project Number: 21092-0001
Project Manager: Ethan Sessums

Reported:
5/5/2026 4:55:37PM

V-4 0-6"

E604358-22

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg	Analyst: SL		Batch: 2618089	
Benzene	ND	0.0250	1	04/29/26	04/30/26	
Ethylbenzene	ND	0.0250	1	04/29/26	04/30/26	
Toluene	ND	0.0250	1	04/29/26	04/30/26	
o-Xylene	ND	0.0250	1	04/29/26	04/30/26	
p,m-Xylene	ND	0.0500	1	04/29/26	04/30/26	
Total Xylenes	ND	0.0250	1	04/29/26	04/30/26	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	89.4 %	70-130		04/29/26	04/30/26	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg	Analyst: SL		Batch: 2618089	
Gasoline Range Organics (C6-C10)	ND	20.0	1	04/29/26	04/30/26	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	85.8 %	70-130		04/29/26	04/30/26	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg	Analyst: CJB		Batch: 2618114	
Diesel Range Organics (C10-C28)	503	25.0	1	04/30/26	04/30/26	
Oil Range Organics (C28-C36)	266	50.0	1	04/30/26	04/30/26	
<i>Surrogate: n-Nonane</i>						
	98.0 %	69-135		04/30/26	04/30/26	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg	Analyst: DT		Batch: 2618111	
Chloride	ND	20.0	1	04/30/26	04/30/26	



Sample Data

Standard Safety
P.O. Box 14987
Odessa TX, 79768

Project Name: Camacho LACT
Project Number: 21092-0001
Project Manager: Ethan Sessums

Reported:
5/5/2026 4:55:37PM

V-4 1-1.5'

E604358-23

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg		Analyst: SL		Batch: 2618089
Benzene	ND	0.0250	1	04/29/26	04/30/26	
Ethylbenzene	ND	0.0250	1	04/29/26	04/30/26	
Toluene	ND	0.0250	1	04/29/26	04/30/26	
o-Xylene	ND	0.0250	1	04/29/26	04/30/26	
p,m-Xylene	ND	0.0500	1	04/29/26	04/30/26	
Total Xylenes	ND	0.0250	1	04/29/26	04/30/26	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	89.7 %	70-130		04/29/26	04/30/26	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: SL		Batch: 2618089
Gasoline Range Organics (C6-C10)	ND	20.0	1	04/29/26	04/30/26	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	85.3 %	70-130		04/29/26	04/30/26	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: CJB		Batch: 2618114
Diesel Range Organics (C10-C28)	ND	25.0	1	04/30/26	04/30/26	
Oil Range Organics (C28-C36)	ND	50.0	1	04/30/26	04/30/26	
<i>Surrogate: n-Nonane</i>						
	98.1 %	69-135		04/30/26	04/30/26	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: DT		Batch: 2618111
Chloride	67.8	20.0	1	04/30/26	04/30/26	



Sample Data

Standard Safety
P.O. Box 14987
Odessa TX, 79768

Project Name: Camacho LACT
Project Number: 21092-0001
Project Manager: Ethan Sessums

Reported:
5/5/2026 4:55:37PM

V-4 2-2.5'

E604358-24

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B	mg/kg	mg/kg	Analyst: SL		Batch: 2618089	
Benzene	ND	0.0250	1	04/29/26	04/30/26	
Ethylbenzene	ND	0.0250	1	04/29/26	04/30/26	
Toluene	ND	0.0250	1	04/29/26	04/30/26	
o-Xylene	ND	0.0250	1	04/29/26	04/30/26	
p,m-Xylene	ND	0.0500	1	04/29/26	04/30/26	
Total Xylenes	ND	0.0250	1	04/29/26	04/30/26	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>	90.6 %	70-130		04/29/26	04/30/26	
Nonhalogenated Organics by EPA 8015D - GRO	mg/kg	mg/kg	Analyst: SL		Batch: 2618089	
Gasoline Range Organics (C6-C10)	ND	20.0	1	04/29/26	04/30/26	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>	85.9 %	70-130		04/29/26	04/30/26	
Nonhalogenated Organics by EPA 8015D - DRO/ORO	mg/kg	mg/kg	Analyst: CJB		Batch: 2618114	
Diesel Range Organics (C10-C28)	ND	25.0	1	04/30/26	04/30/26	
Oil Range Organics (C28-C36)	ND	50.0	1	04/30/26	04/30/26	
<i>Surrogate: n-Nonane</i>	97.2 %	69-135		04/30/26	04/30/26	
Anions by EPA 300.0/9056A	mg/kg	mg/kg	Analyst: DT		Batch: 2618111	
Chloride	20.2	20.0	1	04/30/26	04/30/26	



Sample Data

Standard Safety
P.O. Box 14987
Odessa TX, 79768

Project Name: Camacho LACT
Project Number: 21092-0001
Project Manager: Ethan Sessums

Reported:
5/5/2026 4:55:37PM

V-6 0-6"

E604358-25

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg		Analyst: SL		Batch: 2618089
Benzene	ND	0.0250	1	04/29/26	04/30/26	
Ethylbenzene	ND	0.0250	1	04/29/26	04/30/26	
Toluene	ND	0.0250	1	04/29/26	04/30/26	
o-Xylene	ND	0.0250	1	04/29/26	04/30/26	
p,m-Xylene	ND	0.0500	1	04/29/26	04/30/26	
Total Xylenes	ND	0.0250	1	04/29/26	04/30/26	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	86.7 %	70-130		04/29/26	04/30/26	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: SL		Batch: 2618089
Gasoline Range Organics (C6-C10)	ND	20.0	1	04/29/26	04/30/26	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	85.1 %	70-130		04/29/26	04/30/26	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: CJB		Batch: 2618114
Diesel Range Organics (C10-C28)	4340	25.0	1	04/30/26	04/30/26	
Oil Range Organics (C28-C36)	1600	50.0	1	04/30/26	04/30/26	
<i>Surrogate: n-Nonane</i>						
	96.3 %	69-135		04/30/26	04/30/26	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: DT		Batch: 2618111
Chloride	162	20.0	1	04/30/26	04/30/26	



Sample Data

Standard Safety
P.O. Box 14987
Odessa TX, 79768

Project Name: Camacho LACT
Project Number: 21092-0001
Project Manager: Ethan Sessums

Reported:
5/5/2026 4:55:37PM

V-6 1-1.5'

E604358-26

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg		Analyst: SL		Batch: 2618089
Benzene	ND	0.0250	1	04/29/26	04/30/26	
Ethylbenzene	ND	0.0250	1	04/29/26	04/30/26	
Toluene	ND	0.0250	1	04/29/26	04/30/26	
o-Xylene	ND	0.0250	1	04/29/26	04/30/26	
p,m-Xylene	ND	0.0500	1	04/29/26	04/30/26	
Total Xylenes	ND	0.0250	1	04/29/26	04/30/26	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	92.9 %	70-130		04/29/26	04/30/26	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: SL		Batch: 2618089
Gasoline Range Organics (C6-C10)	ND	20.0	1	04/29/26	04/30/26	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	86.9 %	70-130		04/29/26	04/30/26	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: CJB		Batch: 2618114
Diesel Range Organics (C10-C28)	ND	25.0	1	04/30/26	05/01/26	
Oil Range Organics (C28-C36)	ND	50.0	1	04/30/26	05/01/26	
<i>Surrogate: n-Nonane</i>						
	95.4 %	69-135		04/30/26	05/01/26	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: DT		Batch: 2618111
Chloride	20.7	20.0	1	04/30/26	04/30/26	



Sample Data

Standard Safety
P.O. Box 14987
Odessa TX, 79768

Project Name: Camacho LACT
Project Number: 21092-0001
Project Manager: Ethan Sessums

Reported:
5/5/2026 4:55:37PM

V-6 2-2.5'

E604358-27

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg	Analyst: SL		Batch: 2618089	
Benzene	ND	0.0250	1	04/29/26	04/30/26	
Ethylbenzene	ND	0.0250	1	04/29/26	04/30/26	
Toluene	ND	0.0250	1	04/29/26	04/30/26	
o-Xylene	ND	0.0250	1	04/29/26	04/30/26	
p,m-Xylene	ND	0.0500	1	04/29/26	04/30/26	
Total Xylenes	ND	0.0250	1	04/29/26	04/30/26	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	90.0 %	70-130		04/29/26	04/30/26	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg	Analyst: SL		Batch: 2618089	
Gasoline Range Organics (C6-C10)	ND	20.0	1	04/29/26	04/30/26	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	83.5 %	70-130		04/29/26	04/30/26	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg	Analyst: CJB		Batch: 2618114	
Diesel Range Organics (C10-C28)	34.4	25.0	1	04/30/26	04/30/26	
Oil Range Organics (C28-C36)	ND	50.0	1	04/30/26	04/30/26	
<i>Surrogate: n-Nonane</i>						
	101 %	69-135		04/30/26	04/30/26	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg	Analyst: DT		Batch: 2618111	
Chloride	41.6	20.0	1	04/30/26	04/30/26	



Sample Data

Standard Safety	Project Name:	Camacho LACT	Reported: 5/5/2026 4:55:37PM
P.O. Box 14987	Project Number:	21092-0001	
Odessa TX, 79768	Project Manager:	Ethan Sessums	

V-7 0-6"

E604358-28

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B	mg/kg	mg/kg	Analyst: SL		Batch: 2618089	
Benzene	ND	0.0250	1	04/29/26	04/30/26	
Ethylbenzene	ND	0.0250	1	04/29/26	04/30/26	
Toluene	ND	0.0250	1	04/29/26	04/30/26	
o-Xylene	ND	0.0250	1	04/29/26	04/30/26	
p,m-Xylene	ND	0.0500	1	04/29/26	04/30/26	
Total Xylenes	ND	0.0250	1	04/29/26	04/30/26	
Surrogate: 4-Bromochlorobenzene-PID	86.0 %	70-130		04/29/26	04/30/26	
Nonhalogenated Organics by EPA 8015D - GRO	mg/kg	mg/kg	Analyst: SL		Batch: 2618089	
Gasoline Range Organics (C6-C10)	ND	20.0	1	04/29/26	04/30/26	
Surrogate: 1-Chloro-4-fluorobenzene-FID	85.2 %	70-130		04/29/26	04/30/26	
Nonhalogenated Organics by EPA 8015D - DRO/ORO	mg/kg	mg/kg	Analyst: CJB		Batch: 2618114	
Diesel Range Organics (C10-C28)	1110	25.0	1	04/30/26	04/30/26	
Oil Range Organics (C28-C36)	478	50.0	1	04/30/26	04/30/26	
Surrogate: n-Nonane	97.7 %	69-135		04/30/26	04/30/26	
Anions by EPA 300.0/9056A	mg/kg	mg/kg	Analyst: DT		Batch: 2618111	
Chloride	71.7	20.0	1	04/30/26	04/30/26	



Sample Data

Standard Safety
P.O. Box 14987
Odessa TX, 79768

Project Name: Camacho LACT
Project Number: 21092-0001
Project Manager: Ethan Sessums

Reported:
5/5/2026 4:55:37PM

V-7 1-1.5'

E604358-29

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg		Analyst: SL		Batch: 2618089
Benzene	ND	0.0250	1	04/29/26	04/30/26	
Ethylbenzene	ND	0.0250	1	04/29/26	04/30/26	
Toluene	ND	0.0250	1	04/29/26	04/30/26	
o-Xylene	ND	0.0250	1	04/29/26	04/30/26	
p,m-Xylene	ND	0.0500	1	04/29/26	04/30/26	
Total Xylenes	ND	0.0250	1	04/29/26	04/30/26	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	89.9 %	70-130		04/29/26	04/30/26	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: SL		Batch: 2618089
Gasoline Range Organics (C6-C10)	ND	20.0	1	04/29/26	04/30/26	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	84.7 %	70-130		04/29/26	04/30/26	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: CJB		Batch: 2618114
Diesel Range Organics (C10-C28)	ND	25.0	1	04/30/26	04/30/26	
Oil Range Organics (C28-C36)	51.7	50.0	1	04/30/26	04/30/26	
<i>Surrogate: n-Nonane</i>						
	99.1 %	69-135		04/30/26	04/30/26	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: DT		Batch: 2618111
Chloride	ND	20.0	1	04/30/26	04/30/26	



Sample Data

Standard Safety	Project Name:	Camacho LACT	Reported: 5/5/2026 4:55:37PM
P.O. Box 14987	Project Number:	21092-0001	
Odessa TX, 79768	Project Manager:	Ethan Sessums	

V-7 2-2.5'

E604358-30

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B	mg/kg	mg/kg	Analyst: SL		Batch: 2618089	
Benzene	ND	0.0250	1	04/29/26	04/30/26	
Ethylbenzene	ND	0.0250	1	04/29/26	04/30/26	
Toluene	ND	0.0250	1	04/29/26	04/30/26	
o-Xylene	ND	0.0250	1	04/29/26	04/30/26	
p,m-Xylene	ND	0.0500	1	04/29/26	04/30/26	
Total Xylenes	ND	0.0250	1	04/29/26	04/30/26	
Surrogate: 4-Bromochlorobenzene-PID	89.2 %	70-130		04/29/26	04/30/26	
Nonhalogenated Organics by EPA 8015D - GRO	mg/kg	mg/kg	Analyst: SL		Batch: 2618089	
Gasoline Range Organics (C6-C10)	ND	20.0	1	04/29/26	04/30/26	
Surrogate: 1-Chloro-4-fluorobenzene-FID	85.8 %	70-130		04/29/26	04/30/26	
Nonhalogenated Organics by EPA 8015D - DRO/ORO	mg/kg	mg/kg	Analyst: CJB		Batch: 2618114	
Diesel Range Organics (C10-C28)	ND	25.0	1	04/30/26	05/01/26	
Oil Range Organics (C28-C36)	ND	50.0	1	04/30/26	05/01/26	
Surrogate: n-Nonane	93.1 %	69-135		04/30/26	05/01/26	
Anions by EPA 300.0/9056A	mg/kg	mg/kg	Analyst: DT		Batch: 2618111	
Chloride	ND	20.0	1	04/30/26	04/30/26	



Sample Data

Standard Safety
P.O. Box 14987
Odessa TX, 79768

Project Name: Camacho LACT
Project Number: 21092-0001
Project Manager: Ethan Sessums

Reported:
5/5/2026 4:55:37PM

V-8 0-6"

E604358-31

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg		Analyst: SL		Batch: 2618089
Benzene	0.428	0.0250	1	04/29/26	04/30/26	
Ethylbenzene	2.15	0.0250	1	04/29/26	04/30/26	
Toluene	4.58	0.0250	1	04/29/26	04/30/26	
o-Xylene	2.80	0.0250	1	04/29/26	04/30/26	
p,m-Xylene	5.99	0.0500	1	04/29/26	04/30/26	
Total Xylenes	8.79	0.0250	1	04/29/26	04/30/26	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	84.2 %	70-130		04/29/26	04/30/26	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: SL		Batch: 2618089
Gasoline Range Organics (C6-C10)	91.5	20.0	1	04/29/26	04/30/26	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	88.0 %	70-130		04/29/26	04/30/26	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: CJB		Batch: 2618114
Diesel Range Organics (C10-C28)	23100	50.0	2	04/30/26	04/30/26	
Oil Range Organics (C28-C36)	9880	100	2	04/30/26	04/30/26	
<i>Surrogate: n-Nonane</i>						
	101 %	69-135		04/30/26	04/30/26	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: DT		Batch: 2618111
Chloride	50.4	20.0	1	04/30/26	04/30/26	



Sample Data

Standard Safety
P.O. Box 14987
Odessa TX, 79768

Project Name: Camacho LACT
Project Number: 21092-0001
Project Manager: Ethan Sessums

Reported:
5/5/2026 4:55:37PM

V-8 1-1.5'

E604358-32

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg		Analyst: SL		Batch: 2618089
Benzene	0.0604	0.0250	1	04/29/26	05/01/26	
Ethylbenzene	2.33	0.0250	1	04/29/26	05/01/26	
Toluene	4.21	0.0250	1	04/29/26	05/01/26	
o-Xylene	2.07	0.0250	1	04/29/26	05/01/26	
p,m-Xylene	5.94	0.0500	1	04/29/26	05/01/26	
Total Xylenes	8.00	0.0250	1	04/29/26	05/01/26	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	91.8 %	70-130		04/29/26	05/01/26	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: SL		Batch: 2618089
Gasoline Range Organics (C6-C10)	93.4	20.0	1	04/29/26	05/01/26	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	95.1 %	70-130		04/29/26	05/01/26	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: CJB		Batch: 2618114
Diesel Range Organics (C10-C28)	5280	25.0	1	04/30/26	05/01/26	T9
Oil Range Organics (C28-C36)	922	50.0	1	04/30/26	05/01/26	
<i>Surrogate: n-Nonane</i>						
	199 %	69-135		04/30/26	05/01/26	S5
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: DT		Batch: 2618111
Chloride	ND	20.0	1	04/30/26	04/30/26	



Sample Data

Standard Safety
P.O. Box 14987
Odessa TX, 79768

Project Name: Camacho LACT
Project Number: 21092-0001
Project Manager: Ethan Sessums

Reported:
5/5/2026 4:55:37PM

V-8 2-2.5'

E604358-33

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg	Analyst: SL		Batch: 2618089	
Benzene	ND	0.0250	1	04/29/26	05/01/26	
Ethylbenzene	0.0437	0.0250	1	04/29/26	05/01/26	
Toluene	0.0349	0.0250	1	04/29/26	05/01/26	
o-Xylene	0.0703	0.0250	1	04/29/26	05/01/26	
p,m-Xylene	0.149	0.0500	1	04/29/26	05/01/26	
Total Xylenes	0.219	0.0250	1	04/29/26	05/01/26	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	88.2 %	70-130		04/29/26	05/01/26	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg	Analyst: SL		Batch: 2618089	
Gasoline Range Organics (C6-C10)	ND	20.0	1	04/29/26	05/01/26	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	87.9 %	70-130		04/29/26	05/01/26	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg	Analyst: CJB		Batch: 2618114	
Diesel Range Organics (C10-C28)	486	25.0	1	04/30/26	05/01/26	
Oil Range Organics (C28-C36)	141	50.0	1	04/30/26	05/01/26	
<i>Surrogate: n-Nonane</i>						
	100 %	69-135		04/30/26	05/01/26	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg	Analyst: DT		Batch: 2618111	
Chloride	ND	20.0	1	04/30/26	04/30/26	



Sample Data

Standard Safety
P.O. Box 14987
Odessa TX, 79768

Project Name: Camacho LACT
Project Number: 21092-0001
Project Manager: Ethan Sessums

Reported:
5/5/2026 4:55:37PM

V-9 0-6"

E604358-34

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B	mg/kg	mg/kg	Analyst: SL		Batch: 2618089	
Benzene	ND	0.0250	1	04/29/26	05/01/26	
Ethylbenzene	ND	0.0250	1	04/29/26	05/01/26	
Toluene	0.0466	0.0250	1	04/29/26	05/01/26	
o-Xylene	0.0327	0.0250	1	04/29/26	05/01/26	
p,m-Xylene	ND	0.0500	1	04/29/26	05/01/26	
Total Xylenes	0.0327	0.0250	1	04/29/26	05/01/26	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>	82.6 %	70-130		04/29/26	05/01/26	
Nonhalogenated Organics by EPA 8015D - GRO	mg/kg	mg/kg	Analyst: SL		Batch: 2618089	
Gasoline Range Organics (C6-C10)	ND	20.0	1	04/29/26	05/01/26	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>	87.0 %	70-130		04/29/26	05/01/26	
Nonhalogenated Organics by EPA 8015D - DRO/ORO	mg/kg	mg/kg	Analyst: CJB		Batch: 2618114	
Diesel Range Organics (C10-C28)	6450	25.0	1	04/30/26	05/01/26	
Oil Range Organics (C28-C36)	3220	50.0	1	04/30/26	05/01/26	
<i>Surrogate: n-Nonane</i>	96.7 %	69-135		04/30/26	05/01/26	
Anions by EPA 300.0/9056A	mg/kg	mg/kg	Analyst: DT		Batch: 2618111	
Chloride	130	20.0	1	04/30/26	04/30/26	



Sample Data

Standard Safety
P.O. Box 14987
Odessa TX, 79768

Project Name: Camacho LACT
Project Number: 21092-0001
Project Manager: Ethan Sessums

Reported:
5/5/2026 4:55:37PM

V-9 1-1.5'

E604358-35

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg		Analyst: SL		Batch: 2618089
Benzene	ND	0.0250	1	04/29/26	04/30/26	
Ethylbenzene	ND	0.0250	1	04/29/26	04/30/26	
Toluene	ND	0.0250	1	04/29/26	04/30/26	
o-Xylene	ND	0.0250	1	04/29/26	04/30/26	
p,m-Xylene	ND	0.0500	1	04/29/26	04/30/26	
Total Xylenes	ND	0.0250	1	04/29/26	04/30/26	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	92.9 %	70-130		04/29/26	04/30/26	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: SL		Batch: 2618089
Gasoline Range Organics (C6-C10)	ND	20.0	1	04/29/26	04/30/26	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	86.3 %	70-130		04/29/26	04/30/26	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: CJB		Batch: 2618114
Diesel Range Organics (C10-C28)	ND	25.0	1	04/30/26	05/01/26	
Oil Range Organics (C28-C36)	ND	50.0	1	04/30/26	05/01/26	
<i>Surrogate: n-Nonane</i>						
	98.3 %	69-135		04/30/26	05/01/26	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: DT		Batch: 2618111
Chloride	ND	20.0	1	04/30/26	04/30/26	



Sample Data

Standard Safety
P.O. Box 14987
Odessa TX, 79768

Project Name: Camacho LACT
Project Number: 21092-0001
Project Manager: Ethan Sessums

Reported:
5/5/2026 4:55:37PM

V-9 2-2.5'

E604358-36

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg	Analyst: SL		Batch: 2618089	
Benzene	ND	0.0250	1	04/29/26	04/30/26	
Ethylbenzene	ND	0.0250	1	04/29/26	04/30/26	
Toluene	ND	0.0250	1	04/29/26	04/30/26	
o-Xylene	ND	0.0250	1	04/29/26	04/30/26	
p,m-Xylene	ND	0.0500	1	04/29/26	04/30/26	
Total Xylenes	ND	0.0250	1	04/29/26	04/30/26	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	87.9 %	70-130		04/29/26	04/30/26	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg	Analyst: SL		Batch: 2618089	
Gasoline Range Organics (C6-C10)	ND	20.0	1	04/29/26	04/30/26	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	86.6 %	70-130		04/29/26	04/30/26	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg	Analyst: CJB		Batch: 2618114	
Diesel Range Organics (C10-C28)	62.3	25.0	1	04/30/26	05/01/26	
Oil Range Organics (C28-C36)	ND	50.0	1	04/30/26	05/01/26	
<i>Surrogate: n-Nonane</i>						
	100 %	69-135		04/30/26	05/01/26	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg	Analyst: DT		Batch: 2618111	
Chloride	30.1	20.0	1	04/30/26	04/30/26	



Sample Data

Standard Safety
P.O. Box 14987
Odessa TX, 79768

Project Name: Camacho LACT
Project Number: 21092-0001
Project Manager: Ethan Sessums

Reported:
5/5/2026 4:55:37PM

V-10 0-6"

E604358-37

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg		Analyst: SL		Batch: 2618089
Benzene	ND	0.0250	1	04/29/26	04/30/26	
Ethylbenzene	ND	0.0250	1	04/29/26	04/30/26	
Toluene	ND	0.0250	1	04/29/26	04/30/26	
o-Xylene	ND	0.0250	1	04/29/26	04/30/26	
p,m-Xylene	ND	0.0500	1	04/29/26	04/30/26	
Total Xylenes	ND	0.0250	1	04/29/26	04/30/26	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	87.7 %	70-130		04/29/26	04/30/26	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: SL		Batch: 2618089
Gasoline Range Organics (C6-C10)	ND	20.0	1	04/29/26	04/30/26	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	86.8 %	70-130		04/29/26	04/30/26	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: CJB		Batch: 2618114
Diesel Range Organics (C10-C28)	633	25.0	1	04/30/26	05/01/26	
Oil Range Organics (C28-C36)	294	50.0	1	04/30/26	05/01/26	
<i>Surrogate: n-Nonane</i>						
	96.2 %	69-135		04/30/26	05/01/26	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: DT		Batch: 2618111
Chloride	97.6	20.0	1	04/30/26	04/30/26	



Sample Data

Standard Safety
P.O. Box 14987
Odessa TX, 79768

Project Name: Camacho LACT
Project Number: 21092-0001
Project Manager: Ethan Sessums

Reported:
5/5/2026 4:55:37PM

V-10 1-1.5'

E604358-38

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg		Analyst: SL		Batch: 2618089
Benzene	ND	0.0250	1	04/29/26	04/30/26	
Ethylbenzene	ND	0.0250	1	04/29/26	04/30/26	
Toluene	ND	0.0250	1	04/29/26	04/30/26	
o-Xylene	ND	0.0250	1	04/29/26	04/30/26	
p,m-Xylene	ND	0.0500	1	04/29/26	04/30/26	
Total Xylenes	ND	0.0250	1	04/29/26	04/30/26	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	85.9 %	70-130		04/29/26	04/30/26	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: SL		Batch: 2618089
Gasoline Range Organics (C6-C10)	ND	20.0	1	04/29/26	04/30/26	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	87.9 %	70-130		04/29/26	04/30/26	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: CJB		Batch: 2618114
Diesel Range Organics (C10-C28)	ND	25.0	1	04/30/26	05/01/26	
Oil Range Organics (C28-C36)	ND	50.0	1	04/30/26	05/01/26	
<i>Surrogate: n-Nonane</i>						
	97.2 %	69-135		04/30/26	05/01/26	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: DT		Batch: 2618111
Chloride	ND	20.0	1	04/30/26	04/30/26	



Sample Data

Standard Safety
P.O. Box 14987
Odessa TX, 79768

Project Name: Camacho LACT
Project Number: 21092-0001
Project Manager: Ethan Sessums

Reported:
5/5/2026 4:55:37PM

V-10 2-2.5'

E604358-39

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg	Analyst: SL		Batch: 2618089	
Benzene	ND	0.0250	1	04/29/26	04/30/26	
Ethylbenzene	ND	0.0250	1	04/29/26	04/30/26	
Toluene	ND	0.0250	1	04/29/26	04/30/26	
o-Xylene	ND	0.0250	1	04/29/26	04/30/26	
p,m-Xylene	ND	0.0500	1	04/29/26	04/30/26	
Total Xylenes	ND	0.0250	1	04/29/26	04/30/26	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	87.3 %	70-130		04/29/26	04/30/26	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg	Analyst: SL		Batch: 2618089	
Gasoline Range Organics (C6-C10)	ND	20.0	1	04/29/26	04/30/26	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	86.6 %	70-130		04/29/26	04/30/26	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg	Analyst: CJB		Batch: 2618114	
Diesel Range Organics (C10-C28)	ND	25.0	1	04/30/26	05/01/26	
Oil Range Organics (C28-C36)	ND	50.0	1	04/30/26	05/01/26	
<i>Surrogate: n-Nonane</i>						
	97.4 %	69-135		04/30/26	05/01/26	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg	Analyst: DT		Batch: 2618111	
Chloride	ND	20.0	1	04/30/26	04/30/26	



Sample Data

Standard Safety P.O. Box 14987 Odessa TX, 79768	Project Name: Camacho LACT Project Number: 21092-0001 Project Manager: Ethan Sessums	Reported: 5/5/2026 4:55:37PM
---	--	---------------------------------

V-12 0-6"

E604358-40

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg	Analyst: SL		Batch: 2618089	
Benzene	ND	0.0250	1	04/29/26	04/30/26	
Ethylbenzene	0.0779	0.0250	1	04/29/26	04/30/26	
Toluene	0.142	0.0250	1	04/29/26	04/30/26	
o-Xylene	0.135	0.0250	1	04/29/26	04/30/26	
p,m-Xylene	0.334	0.0500	1	04/29/26	04/30/26	
Total Xylenes	0.469	0.0250	1	04/29/26	04/30/26	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	85.0 %	70-130		04/29/26	04/30/26	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg	Analyst: SL		Batch: 2618089	
Gasoline Range Organics (C6-C10)	ND	20.0	1	04/29/26	04/30/26	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	84.9 %	70-130		04/29/26	04/30/26	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg	Analyst: CJB		Batch: 2618114	
Diesel Range Organics (C10-C28)	8160	25.0	1	04/30/26	05/01/26	
Oil Range Organics (C28-C36)	3480	50.0	1	04/30/26	05/01/26	
<i>Surrogate: n-Nonane</i>						
	96.0 %	69-135		04/30/26	05/01/26	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg	Analyst: DT		Batch: 2618111	
Chloride	60.0	20.0	1	04/30/26	04/30/26	



Sample Data

Standard Safety
P.O. Box 14987
Odessa TX, 79768

Project Name: Camacho LACT
Project Number: 21092-0001
Project Manager: Ethan Sessums

Reported:
5/5/2026 4:55:37PM

V-12 1-1.5'

E604358-41

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg		Analyst: SL		Batch: 2618082
Benzene	ND	0.0250	1	04/29/26	05/04/26	
Ethylbenzene	4.52	0.0250	1	04/29/26	05/04/26	
Toluene	3.90	0.0250	1	04/29/26	05/04/26	
o-Xylene	4.82	0.0250	1	04/29/26	05/04/26	
p,m-Xylene	12.1	0.0500	1	04/29/26	05/04/26	
Total Xylenes	16.9	0.0250	1	04/29/26	05/04/26	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
		115 %	70-130	04/29/26	05/04/26	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: SL		Batch: 2618082
Gasoline Range Organics (C6-C10)	215	20.0	1	04/29/26	05/04/26	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
		137 %	70-130	04/29/26	05/04/26	S5
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: NV		Batch: 2618116
Diesel Range Organics (C10-C28)	1730	25.0	1	04/30/26	04/30/26	T9
Oil Range Organics (C28-C36)	383	50.0	1	04/30/26	04/30/26	
<i>Surrogate: n-Nonane</i>						
		142 %	69-135	04/30/26	04/30/26	S5
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: DT		Batch: 2618112
Chloride	61.9	20.0	1	04/30/26	04/30/26	



Sample Data

Standard Safety P.O. Box 14987 Odessa TX, 79768	Project Name: Camacho LACT Project Number: 21092-0001 Project Manager: Ethan Sessums	Reported: 5/5/2026 4:55:37PM
---	--	---------------------------------

V-12 2-2.5'
E604358-42

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg	Analyst: SL		Batch: 2618082	
Benzene	ND	0.0250	1	04/29/26	05/04/26	
Ethylbenzene	0.0833	0.0250	1	04/29/26	05/04/26	
Toluene	0.119	0.0250	1	04/29/26	05/04/26	
o-Xylene	0.121	0.0250	1	04/29/26	05/04/26	
p,m-Xylene	0.243	0.0500	1	04/29/26	05/04/26	
Total Xylenes	0.365	0.0250	1	04/29/26	05/04/26	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	98.7 %	70-130		04/29/26	05/04/26	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg	Analyst: SL		Batch: 2618082	
Gasoline Range Organics (C6-C10)	ND	20.0	1	04/29/26	05/04/26	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	118 %	70-130		04/29/26	05/04/26	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg	Analyst: NV		Batch: 2618116	
Diesel Range Organics (C10-C28)	40.8	25.0	1	04/30/26	04/30/26	
Oil Range Organics (C28-C36)	ND	50.0	1	04/30/26	04/30/26	
<i>Surrogate: n-Nonane</i>						
	103 %	69-135		04/30/26	04/30/26	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg	Analyst: DT		Batch: 2618112	
Chloride	35.4	20.0	1	04/30/26	04/30/26	



Sample Data

Standard Safety
P.O. Box 14987
Odessa TX, 79768

Project Name: Camacho LACT
Project Number: 21092-0001
Project Manager: Ethan Sessums

Reported:
5/5/2026 4:55:37PM

V-12 3-3.5'

E604358-43

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B	mg/kg	mg/kg	Analyst: SL		Batch: 2618082	
Benzene	ND	0.0250	1	04/29/26	05/04/26	
Ethylbenzene	0.0506	0.0250	1	04/29/26	05/04/26	
Toluene	0.249	0.0250	1	04/29/26	05/04/26	
o-Xylene	0.131	0.0250	1	04/29/26	05/04/26	
p,m-Xylene	0.320	0.0500	1	04/29/26	05/04/26	
Total Xylenes	0.452	0.0250	1	04/29/26	05/04/26	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>		104 %	70-130	04/29/26	05/04/26	
Nonhalogenated Organics by EPA 8015D - GRO	mg/kg	mg/kg	Analyst: SL		Batch: 2618082	
Gasoline Range Organics (C6-C10)	ND	20.0	1	04/29/26	05/04/26	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>		117 %	70-130	04/29/26	05/04/26	
Nonhalogenated Organics by EPA 8015D - DRO/ORO	mg/kg	mg/kg	Analyst: NV		Batch: 2618116	
Diesel Range Organics (C10-C28)	ND	25.0	1	04/30/26	04/30/26	
Oil Range Organics (C28-C36)	ND	50.0	1	04/30/26	04/30/26	
<i>Surrogate: n-Nonane</i>		105 %	69-135	04/30/26	04/30/26	
Anions by EPA 300.0/9056A	mg/kg	mg/kg	Analyst: DT		Batch: 2618112	
Chloride	22.2	20.0	1	04/30/26	04/30/26	



Sample Data

Standard Safety	Project Name:	Camacho LACT	Reported: 5/5/2026 4:55:37PM
P.O. Box 14987	Project Number:	21092-0001	
Odessa TX, 79768	Project Manager:	Ethan Sessums	

V-12 4-4.5'
E604358-44

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg	Analyst: SL		Batch: 2618082	
Benzene	ND	0.0250	1	04/29/26	05/04/26	
Ethylbenzene	0.126	0.0250	1	04/29/26	05/04/26	
Toluene	0.260	0.0250	1	04/29/26	05/04/26	
o-Xylene	0.241	0.0250	1	04/29/26	05/04/26	
p,m-Xylene	0.561	0.0500	1	04/29/26	05/04/26	
Total Xylenes	0.802	0.0250	1	04/29/26	05/04/26	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
		104 %	70-130	04/29/26	05/04/26	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg	Analyst: SL		Batch: 2618082	
Gasoline Range Organics (C6-C10)	ND	20.0	1	04/29/26	05/04/26	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
		118 %	70-130	04/29/26	05/04/26	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg	Analyst: NV		Batch: 2618116	
Diesel Range Organics (C10-C28)	416	25.0	1	04/30/26	04/30/26	
Oil Range Organics (C28-C36)	138	50.0	1	04/30/26	04/30/26	
<i>Surrogate: n-Nonane</i>						
		104 %	69-135	04/30/26	04/30/26	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg	Analyst: DT		Batch: 2618112	
Chloride	21.6	20.0	1	04/30/26	04/30/26	



Sample Data

Standard Safety
P.O. Box 14987
Odessa TX, 79768

Project Name: Camacho LACT
Project Number: 21092-0001
Project Manager: Ethan Sessums

Reported:
5/5/2026 4:55:37PM

V-12 5-5.5'

E604358-45

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg	Analyst: SL		Batch: 2618082	
Benzene	ND	0.0250	1	04/29/26	05/04/26	
Ethylbenzene	0.128	0.0250	1	04/29/26	05/04/26	
Toluene	0.238	0.0250	1	04/29/26	05/04/26	
o-Xylene	0.191	0.0250	1	04/29/26	05/04/26	
p,m-Xylene	0.489	0.0500	1	04/29/26	05/04/26	
Total Xylenes	0.681	0.0250	1	04/29/26	05/04/26	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	99.7 %	70-130		04/29/26	05/04/26	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg	Analyst: SL		Batch: 2618082	
Gasoline Range Organics (C6-C10)	ND	20.0	1	04/29/26	05/04/26	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	118 %	70-130		04/29/26	05/04/26	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg	Analyst: NV		Batch: 2618116	
Diesel Range Organics (C10-C28)	1070	25.0	1	04/30/26	04/30/26	
Oil Range Organics (C28-C36)	276	50.0	1	04/30/26	04/30/26	
<i>Surrogate: n-Nonane</i>						
	113 %	69-135		04/30/26	04/30/26	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg	Analyst: DT		Batch: 2618112	
Chloride	21.6	20.0	1	04/30/26	04/30/26	



Sample Data

Standard Safety	Project Name:	Camacho LACT	Reported: 5/5/2026 4:55:37PM
P.O. Box 14987	Project Number:	21092-0001	
Odessa TX, 79768	Project Manager:	Ethan Sessums	

V-12 6-6.5'
E604358-46

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg	Analyst: SL		Batch: 2618082	
Benzene	ND	0.0250	1	04/29/26	05/05/26	
Ethylbenzene	0.824	0.0250	1	04/29/26	05/05/26	
Toluene	0.920	0.0250	1	04/29/26	05/05/26	
o-Xylene	1.01	0.0250	1	04/29/26	05/05/26	
p,m-Xylene	2.42	0.0500	1	04/29/26	05/05/26	
Total Xylenes	3.43	0.0250	1	04/29/26	05/05/26	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
		107 %	70-130	04/29/26	05/05/26	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg	Analyst: SL		Batch: 2618082	
Gasoline Range Organics (C6-C10)	43.9	20.0	1	04/29/26	05/05/26	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
		119 %	70-130	04/29/26	05/05/26	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg	Analyst: NV		Batch: 2618116	
Diesel Range Organics (C10-C28)	381	25.0	1	04/30/26	04/30/26	
Oil Range Organics (C28-C36)	123	50.0	1	04/30/26	04/30/26	
<i>Surrogate: n-Nonane</i>						
		105 %	69-135	04/30/26	04/30/26	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg	Analyst: DT		Batch: 2618112	
Chloride	23.9	20.0	1	04/30/26	04/30/26	



QC Summary Data

Standard Safety	Project Name:	Camacho LACT	Reported:
P.O. Box 14987	Project Number:	21092-0001	
Odessa TX, 79768	Project Manager:	Ethan Sessums	5/5/2026 4:55:37PM

Volatile Organics by EPA 8021B

Analyst: SL

Analyte	Result	Reporting Limit	Spike Level	Source Result	Rec	Rec Limits	RPD	RPD Limit	Notes
	mg/kg	mg/kg	mg/kg	mg/kg	%	%	%	%	

Blank (2618082-BLK1) Prepared: 04/29/26 Analyzed: 05/04/26

Benzene	ND	0.0250							
Ethylbenzene	ND	0.0250							
Toluene	ND	0.0250							
o-Xylene	ND	0.0250							
p,m-Xylene	ND	0.0500							
Total Xylenes	ND	0.0250							
Surrogate: 4-Bromochlorobenzene-PID	7.79		8.00		97.4	70-130			

LCS (2618082-BS1) Prepared: 04/29/26 Analyzed: 05/04/26

Benzene	3.74	0.0250	5.00		74.8	70-130			
Ethylbenzene	3.78	0.0250	5.00		75.5	70-130			
Toluene	3.84	0.0250	5.00		76.9	70-130			
o-Xylene	3.83	0.0250	5.00		76.7	70-130			
p,m-Xylene	7.69	0.0500	10.0		76.9	70-130			
Total Xylenes	11.5	0.0250	15.0		76.8	70-130			
Surrogate: 4-Bromochlorobenzene-PID	7.72		8.00		96.5	70-130			

Matrix Spike (2618082-MS1) Source: E604357-04 Prepared: 04/29/26 Analyzed: 05/04/26

Benzene	4.17	0.0250	5.00	ND	83.4	70-130			
Ethylbenzene	4.23	0.0250	5.00	ND	84.5	70-130			
Toluene	4.28	0.0250	5.00	ND	85.7	70-130			
o-Xylene	4.20	0.0250	5.00	ND	84.0	70-130			
p,m-Xylene	8.56	0.0500	10.0	ND	85.6	70-130			
Total Xylenes	12.8	0.0250	15.0	ND	85.1	70-130			
Surrogate: 4-Bromochlorobenzene-PID	7.78		8.00		97.2	70-130			

Matrix Spike Dup (2618082-MSD1) Source: E604357-04 Prepared: 04/29/26 Analyzed: 05/04/26

Benzene	3.94	0.0250	5.00	ND	78.7	70-130	5.79	20	
Ethylbenzene	3.99	0.0250	5.00	ND	79.9	70-130	5.64	20	
Toluene	4.04	0.0250	5.00	ND	80.8	70-130	5.90	20	
o-Xylene	3.99	0.0250	5.00	ND	79.8	70-130	5.14	20	
p,m-Xylene	8.10	0.0500	10.0	ND	81.0	70-130	5.52	20	
Total Xylenes	12.1	0.0250	15.0	ND	80.6	70-130	5.39	20	
Surrogate: 4-Bromochlorobenzene-PID	7.73		8.00		96.7	70-130			



QC Summary Data

Standard Safety	Project Name:	Camacho LACT	Reported:
P.O. Box 14987	Project Number:	21092-0001	
Odessa TX, 79768	Project Manager:	Ethan Sessums	5/5/2026 4:55:37PM

Volatile Organics by EPA 8021B

Analyst: SL

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

Blank (2618086-BLK1)

Prepared: 04/29/26 Analyzed: 04/29/26

Benzene	ND	0.0250							
Ethylbenzene	ND	0.0250							
Toluene	ND	0.0250							
o-Xylene	ND	0.0250							
p,m-Xylene	ND	0.0500							
Total Xylenes	ND	0.0250							
Surrogate: 4-Bromochlorobenzene-PID	7.19		8.00		89.9	70-130			

LCS (2618086-BS1)

Prepared: 04/29/26 Analyzed: 04/29/26

Benzene	4.86	0.0250	5.00		97.2	70-130			
Ethylbenzene	4.57	0.0250	5.00		91.4	70-130			
Toluene	4.81	0.0250	5.00		96.3	70-130			
o-Xylene	4.65	0.0250	5.00		93.1	70-130			
p,m-Xylene	9.37	0.0500	10.0		93.7	70-130			
Total Xylenes	14.0	0.0250	15.0		93.5	70-130			
Surrogate: 4-Bromochlorobenzene-PID	7.24		8.00		90.5	70-130			

Matrix Spike (2618086-MS1)

Source: E604358-06

Prepared: 04/29/26 Analyzed: 04/29/26

Benzene	5.26	0.0250	5.00	ND	105	70-130			
Ethylbenzene	4.96	0.0250	5.00	ND	99.1	70-130			
Toluene	5.22	0.0250	5.00	ND	104	70-130			
o-Xylene	4.99	0.0250	5.00	ND	99.7	70-130			
p,m-Xylene	10.2	0.0500	10.0	ND	102	70-130			
Total Xylenes	15.1	0.0250	15.0	ND	101	70-130			
Surrogate: 4-Bromochlorobenzene-PID	7.39		8.00		92.4	70-130			

Matrix Spike Dup (2618086-MSD1)

Source: E604358-06

Prepared: 04/29/26 Analyzed: 04/29/26

Benzene	4.94	0.0250	5.00	ND	98.7	70-130	6.32	20	
Ethylbenzene	4.66	0.0250	5.00	ND	93.3	70-130	6.07	20	
Toluene	4.90	0.0250	5.00	ND	98.0	70-130	6.34	20	
o-Xylene	4.71	0.0250	5.00	ND	94.1	70-130	5.76	20	
p,m-Xylene	9.54	0.0500	10.0	ND	95.4	70-130	6.21	20	
Total Xylenes	14.2	0.0250	15.0	ND	95.0	70-130	6.06	20	
Surrogate: 4-Bromochlorobenzene-PID	7.52		8.00		94.0	70-130			



QC Summary Data

Standard Safety	Project Name:	Camacho LACT	Reported:
P.O. Box 14987	Project Number:	21092-0001	
Odessa TX, 79768	Project Manager:	Ethan Sessums	5/5/2026 4:55:37PM

Volatile Organics by EPA 8021B

Analyst: SL

Analyte	Result	Reporting Limit	Spike Level	Source Result	Rec	Rec Limits	RPD	RPD Limit	Notes
	mg/kg	mg/kg	mg/kg	mg/kg	%	%	%	%	

Blank (2618089-BLK1) Prepared: 04/29/26 Analyzed: 04/30/26

Benzene	ND	0.0250							
Ethylbenzene	ND	0.0250							
Toluene	ND	0.0250							
o-Xylene	ND	0.0250							
p,m-Xylene	ND	0.0500							
Total Xylenes	ND	0.0250							
Surrogate: 4-Bromochlorobenzene-PID	6.89		8.00		86.1	70-130			

LCS (2618089-BS1) Prepared: 04/29/26 Analyzed: 04/30/26

Benzene	5.23	0.0250	5.00		105	70-130			
Ethylbenzene	4.86	0.0250	5.00		97.1	70-130			
Toluene	5.18	0.0250	5.00		104	70-130			
o-Xylene	4.86	0.0250	5.00		97.1	70-130			
p,m-Xylene	9.87	0.0500	10.0		98.7	70-130			
Total Xylenes	14.7	0.0250	15.0		98.2	70-130			
Surrogate: 4-Bromochlorobenzene-PID	7.31		8.00		91.4	70-130			

Matrix Spike (2618089-MS1) Source: E604358-29 Prepared: 04/29/26 Analyzed: 04/30/26

Benzene	5.81	0.0250	5.00	ND	116	70-130			
Ethylbenzene	5.39	0.0250	5.00	ND	108	70-130			
Toluene	5.75	0.0250	5.00	ND	115	70-130			
o-Xylene	5.39	0.0250	5.00	ND	108	70-130			
p,m-Xylene	10.9	0.0500	10.0	ND	109	70-130			
Total Xylenes	16.3	0.0250	15.0	ND	109	70-130			
Surrogate: 4-Bromochlorobenzene-PID	6.95		8.00		86.8	70-130			

Matrix Spike Dup (2618089-MSD1) Source: E604358-29 Prepared: 04/29/26 Analyzed: 04/30/26

Benzene	5.53	0.0250	5.00	ND	111	70-130	4.88	20	
Ethylbenzene	5.14	0.0250	5.00	ND	103	70-130	4.82	20	
Toluene	5.48	0.0250	5.00	ND	110	70-130	4.83	20	
o-Xylene	5.14	0.0250	5.00	ND	103	70-130	4.82	20	
p,m-Xylene	10.4	0.0500	10.0	ND	104	70-130	4.65	20	
Total Xylenes	15.6	0.0250	15.0	ND	104	70-130	4.71	20	
Surrogate: 4-Bromochlorobenzene-PID	7.03		8.00		87.9	70-130			



QC Summary Data

Standard Safety	Project Name:	Camacho LACT	Reported:
P.O. Box 14987	Project Number:	21092-0001	
Odessa TX, 79768	Project Manager:	Ethan Sessums	5/5/2026 4:55:37PM

Nonhalogenated Organics by EPA 8015D - GRO

Analyst: SL

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

Blank (2618082-BLK1) Prepared: 04/29/26 Analyzed: 05/04/26

Gasoline Range Organics (C6-C10)	ND	20.0							
Surrogate: 1-Chloro-4-fluorobenzene-FID	9.37		8.00		117	70-130			

LCS (2618082-BS2) Prepared: 04/29/26 Analyzed: 04/30/26

Gasoline Range Organics (C6-C10)	45.6	20.0	50.0		91.3	62-130			
Surrogate: 1-Chloro-4-fluorobenzene-FID	9.42		8.00		118	70-130			

Matrix Spike (2618082-MS2) Source: E604357-04 Prepared: 04/29/26 Analyzed: 05/01/26

Gasoline Range Organics (C6-C10)	48.0	20.0	50.0	ND	95.9	60-137			
Surrogate: 1-Chloro-4-fluorobenzene-FID	9.43		8.00		118	70-130			

Matrix Spike Dup (2618082-MSD2) Source: E604357-04 Prepared: 04/29/26 Analyzed: 05/01/26

Gasoline Range Organics (C6-C10)	42.3	20.0	50.0	ND	84.6	60-137	12.6	20	
Surrogate: 1-Chloro-4-fluorobenzene-FID	9.41		8.00		118	70-130			



QC Summary Data

Standard Safety	Project Name:	Camacho LACT	Reported:
P.O. Box 14987	Project Number:	21092-0001	
Odessa TX, 79768	Project Manager:	Ethan Sessums	5/5/2026 4:55:37PM

Nonhalogenated Organics by EPA 8015D - GRO

Analyst: SL

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

Blank (2618086-BLK1) Prepared: 04/29/26 Analyzed: 04/29/26

Gasoline Range Organics (C6-C10)	ND	20.0							
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.08		8.00		88.6	70-130			

LCS (2618086-BS2) Prepared: 04/29/26 Analyzed: 04/29/26

Gasoline Range Organics (C6-C10)	42.4	20.0	50.0		84.7	62-130			
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.18		8.00		89.7	70-130			

Matrix Spike (2618086-MS2) Source: E604358-06 Prepared: 04/29/26 Analyzed: 04/29/26

Gasoline Range Organics (C6-C10)	52.5	20.0	50.0	ND	105	60-137			
Surrogate: 1-Chloro-4-fluorobenzene-FID	6.94		8.00		86.7	70-130			

Matrix Spike Dup (2618086-MSD2) Source: E604358-06 Prepared: 04/29/26 Analyzed: 04/29/26

Gasoline Range Organics (C6-C10)	55.0	20.0	50.0	ND	110	60-137	4.56	20	
Surrogate: 1-Chloro-4-fluorobenzene-FID	6.81		8.00		85.2	70-130			



QC Summary Data

Standard Safety	Project Name:	Camacho LACT	Reported:
P.O. Box 14987	Project Number:	21092-0001	
Odessa TX, 79768	Project Manager:	Ethan Sessums	5/5/2026 4:55:37PM

Nonhalogenated Organics by EPA 8015D - GRO

Analyst: SL

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

Blank (2618089-BLK1) Prepared: 04/29/26 Analyzed: 04/30/26

Gasoline Range Organics (C6-C10)	ND	20.0							
Surrogate: 1-Chloro-4-fluorobenzene-FID	6.73		8.00		84.1	70-130			

LCS (2618089-BS2) Prepared: 04/29/26 Analyzed: 04/30/26

Gasoline Range Organics (C6-C10)	48.2	20.0	50.0		96.4	62-130			
Surrogate: 1-Chloro-4-fluorobenzene-FID	6.73		8.00		84.2	70-130			

Matrix Spike (2618089-MS2) Source: E604358-29 Prepared: 04/29/26 Analyzed: 04/30/26

Gasoline Range Organics (C6-C10)	56.4	20.0	50.0	ND	113	60-137			
Surrogate: 1-Chloro-4-fluorobenzene-FID	6.90		8.00		86.3	70-130			

Matrix Spike Dup (2618089-MSD2) Source: E604358-29 Prepared: 04/29/26 Analyzed: 04/30/26

Gasoline Range Organics (C6-C10)	51.0	20.0	50.0	ND	102	60-137	10.1	20	
Surrogate: 1-Chloro-4-fluorobenzene-FID	6.87		8.00		85.9	70-130			



QC Summary Data

Standard Safety	Project Name:	Camacho LACT	Reported:
P.O. Box 14987	Project Number:	21092-0001	
Odessa TX, 79768	Project Manager:	Ethan Sessums	5/5/2026 4:55:37PM

Nonhalogenated Organics by EPA 8015D - DRO/ORO

Analyst: KH

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

Blank (2618113-BLK1)					Prepared: 04/30/26 Analyzed: 04/30/26				
Diesel Range Organics (C10-C28)	ND	25.0							
Oil Range Organics (C28-C36)	ND	50.0							
Surrogate: n-Nonane	46.3		50.0		92.7	69-135			

LCS (2618113-BS1)					Prepared: 04/30/26 Analyzed: 04/30/26				
Diesel Range Organics (C10-C28)	245	25.0	250		98.2	70-131			
Surrogate: n-Nonane	46.6		50.0		93.1	69-135			

Matrix Spike (2618113-MS1)					Source: E604358-05		Prepared: 04/30/26 Analyzed: 04/30/26		
Diesel Range Organics (C10-C28)	690	25.0	250	420	108	62-151			
Surrogate: n-Nonane	46.0		50.0		91.9	69-135			

Matrix Spike Dup (2618113-MSD1)					Source: E604358-05		Prepared: 04/30/26 Analyzed: 04/30/26		
Diesel Range Organics (C10-C28)	652	25.0	250	420	92.9	62-151	5.66	20	
Surrogate: n-Nonane	46.8		50.0		93.6	69-135			



QC Summary Data

Standard Safety	Project Name:	Camacho LACT	Reported:
P.O. Box 14987	Project Number:	21092-0001	
Odessa TX, 79768	Project Manager:	Ethan Sessums	5/5/2026 4:55:37PM

Nonhalogenated Organics by EPA 8015D - DRO/ORO

Analyst: CJB

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

Blank (2618114-BLK1)					Prepared: 04/30/26 Analyzed: 04/30/26				
Diesel Range Organics (C10-C28)	ND	25.0							
Oil Range Organics (C28-C36)	ND	50.0							
Surrogate: n-Nonane	49.2		50.0		98.5	69-135			

LCS (2618114-BS1)					Prepared: 04/30/26 Analyzed: 04/30/26				
Diesel Range Organics (C10-C28)	245	25.0	250		97.9	70-131			
Surrogate: n-Nonane	47.7		50.0		95.4	69-135			

Matrix Spike (2618114-MS1)					Source: E604358-26		Prepared: 04/30/26 Analyzed: 05/01/26		
Diesel Range Organics (C10-C28)	249	25.0	250	ND	99.6	62-151			
Surrogate: n-Nonane	47.2		50.0		94.5	69-135			

Matrix Spike Dup (2618114-MSD1)					Source: E604358-26		Prepared: 04/30/26 Analyzed: 05/01/26		
Diesel Range Organics (C10-C28)	253	25.0	250	ND	101	62-151	1.74	20	
Surrogate: n-Nonane	47.7		50.0		95.3	69-135			



QC Summary Data

Standard Safety	Project Name:	Camacho LACT	Reported:
P.O. Box 14987	Project Number:	21092-0001	
Odessa TX, 79768	Project Manager:	Ethan Sessums	5/5/2026 4:55:37PM

Nonhalogenated Organics by EPA 8015D - DRO/ORO

Analyst: NV

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

Blank (2618116-BLK1)

Prepared: 04/30/26 Analyzed: 04/30/26

Diesel Range Organics (C10-C28)	ND	25.0							
Oil Range Organics (C28-C36)	ND	50.0							
Surrogate: <i>n</i> -Nonane	50.7		50.0		101	69-135			

LCS (2618116-BS1)

Prepared: 04/30/26 Analyzed: 04/30/26

Diesel Range Organics (C10-C28)	263	25.0	250		105	70-131			
Surrogate: <i>n</i> -Nonane	50.0		50.0		100	69-135			

Matrix Spike (2618116-MS1)

Source: E604364-03

Prepared: 04/30/26 Analyzed: 04/30/26

Diesel Range Organics (C10-C28)	265	25.0	250	ND	106	62-151			
Surrogate: <i>n</i> -Nonane	48.4		50.0		96.8	69-135			

Matrix Spike Dup (2618116-MSD1)

Source: E604364-03

Prepared: 04/30/26 Analyzed: 04/30/26

Diesel Range Organics (C10-C28)	264	25.0	250	ND	106	62-151	0.232	20	
Surrogate: <i>n</i> -Nonane	51.3		50.0		103	69-135			



QC Summary Data

Standard Safety	Project Name:	Camacho LACT	Reported:
P.O. Box 14987	Project Number:	21092-0001	
Odessa TX, 79768	Project Manager:	Ethan Sessums	5/5/2026 4:55:37PM

Anions by EPA 300.0/9056A

Analyst: DT

Analyte	Result	Reporting Limit	Spike Level	Source Result	Rec	Rec Limits	RPD	RPD Limit	Notes
	mg/kg	mg/kg	mg/kg	mg/kg	%	%	%	%	

Blank (2618097-BLK1)					Prepared: 04/29/26 Analyzed: 04/29/26				
Chloride	ND	20.0							
LCS (2618097-BS1)					Prepared: 04/29/26 Analyzed: 04/29/26				
Chloride	249	20.0	250		99.6	90-110			
Matrix Spike (2618097-MS1)					Source: E604358-03		Prepared: 04/29/26 Analyzed: 04/29/26		
Chloride	297	20.0	250	36.7	104	80-120			
Matrix Spike Dup (2618097-MSD1)					Source: E604358-03		Prepared: 04/29/26 Analyzed: 04/29/26		
Chloride	297	20.0	250	36.7	104	80-120	0.0505	20	



QC Summary Data

Standard Safety	Project Name:	Camacho LACT	Reported:
P.O. Box 14987	Project Number:	21092-0001	
Odessa TX, 79768	Project Manager:	Ethan Sessums	5/5/2026 4:55:37PM

Anions by EPA 300.0/9056A

Analyst: DT

Analyte	Result	Reporting Limit	Spike Level	Source Result	Rec	Rec Limits	RPD	RPD Limit	Notes
	mg/kg	mg/kg	mg/kg	mg/kg	%	%	%	%	

Blank (2618111-BLK1)					Prepared: 04/30/26 Analyzed: 04/30/26				
Chloride	ND	20.0							
LCS (2618111-BS1)					Prepared: 04/30/26 Analyzed: 04/30/26				
Chloride	268	20.0	250		107	90-110			
Matrix Spike (2618111-MS1)					Source: E604358-26		Prepared: 04/30/26 Analyzed: 04/30/26		
Chloride	277	20.0	250	20.7	103	80-120			
Matrix Spike Dup (2618111-MSD1)					Source: E604358-26		Prepared: 04/30/26 Analyzed: 04/30/26		
Chloride	276	20.0	250	20.7	102	80-120	0.493	20	



QC Summary Data

Standard Safety	Project Name:	Camacho LACT	Reported:
P.O. Box 14987	Project Number:	21092-0001	
Odessa TX, 79768	Project Manager:	Ethan Sessums	5/5/2026 4:55:37PM

Anions by EPA 300.0/9056A

Analyst: DT

Analyte	Result	Reporting Limit	Spike Level	Source Result	Rec	Rec Limits	RPD	RPD Limit	Notes
	mg/kg	mg/kg	mg/kg	mg/kg	%	%	%	%	

Blank (2618112-BLK1)					Prepared: 04/30/26 Analyzed: 04/30/26				
Chloride	ND	20.0							
LCS (2618112-BS1)					Prepared: 04/30/26 Analyzed: 04/30/26				
Chloride	258	20.0	250		103	90-110			
Matrix Spike (2618112-MS1)					Source: E604358-43		Prepared: 04/30/26 Analyzed: 04/30/26		
Chloride	283	20.0	250	22.2	104	80-120			
Matrix Spike Dup (2618112-MSD1)					Source: E604358-43		Prepared: 04/30/26 Analyzed: 04/30/26		
Chloride	285	20.0	250	22.2	105	80-120	0.685	20	

QC Summary Report Comment:
Calculations are based off of the raw (non-rounded) data. However, for reporting purposes all QC data is rounded to three significant figures.
Therefore, hand calculated values may differ slightly.



Definitions and Notes

Standard Safety	Project Name:	Camacho LACT	
P.O. Box 14987	Project Number:	21092-0001	Reported:
Odessa TX, 79768	Project Manager:	Ethan Sessums	05/05/26 16:55

- S5 Surrogate spike recovery exceeded acceptance limits due to interfering target and/or non-target analytes.
- T9 DRO includes undifferentiated early eluting analytes characteristic of GRO.
- ND Analyte NOT DETECTED at or above the reporting limit
- NR Not Reported
- RPD Relative Percent Difference
- DNI Did Not Ignite
- DNR Did not react with the addition of acid or base.

Note (1): Methods marked with ** are non-accredited methods.

Note (2): Soil data is reported on an "as received" weight basis, unless reported otherwise.





Chain of Custody

Main Office: 2524 Trunk Street, Odessa Texas 79761

Contact: (432) 653-0393

<https://standardtx.com/>

Page 1 of 5

Work Order Comments

Lab wo # - E604358

Job # - 21092-0001

Project Manager:	Ethan Sessums	Bill to: (if different)	
Company Name:	Standard Safety & Supply	Company Name:	Plains
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Project Name:	Camacho LACT	Turn Around		ANALYSIS REQUEST												Preservative Codes				
Project Number:		☒ Routine ☐ Rush	Pres. Code														None: NO	DI Water: H ₂ O		
Project Location:	Eddy County, New Mexico	Due Date:	5 Day	Parameters	BTX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300										Cool: Cool	MeOH: Me		
Sampler's Name:	Josh James	TAT may vary based on lab start time.															HCL: HC	HNO ₃ : HN		
PO #:	HD-4811																H ₂ SO ₄ : H ₂	NaOH: Na		
SAMPLE RECEIPT		Temp Blank:	Yes No														Wet Ice:	☒ Yes ☐ No	H ₃ PO ₄ : HP	
Samples Received Intact:	☒ Yes ☐ No	Thermometer ID:																	NaHSO ₄ : NABIS	
Sampler Custody Seals:	Yes No ☒ N/A	Correction Factor:				Na ₂ S ₂ O ₃ : NaSO ₃														
Sample Custody Seals:	Yes No ☒ N/A	Temperature Reading:				Zn Acetate+NaOH: Zn														
Lab Containers:	46	Corrected Temperature:				NaOH+Ascorbic Acid: SAPC														
Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont												Sample Comments		
H-1	0-6"	4/24/2026	9:00	Soil	Grab	1	x	x	x									Temp. 2.5°		
H-2	0-6"	4/24/2026	9:02	Soil	Grab	1	x	x	x									4.1°		
H-3	0-6"	4/24/2026	9:04	Soil	Grab	1	x	x	x									2.7°		
H-4	0-6"	4/24/2026	9:06	Soil	Grab	1	x	x	x									3.5°		
H-5	0-6"	4/24/2026	9:08	Soil	Grab	1	x	x	x									4.6°		
H-9	0-6"	4/24/2026	9:10	Soil	Grab	1	x	x	x									3.5°		
H-10	0-6"	4/24/2026	9:12	Soil	Grab	1	x	x	x									3.6°		
H-11	0-6"	4/24/2026	9:14	Soil	Grab	1	x	x	x									3.4°		
H-12	0-6"	4/24/2026	9:16	Soil	Grab	1	x	x	x									3.1°		
H-13	0-6"	4/24/2026	9:18	Soil	Grab	1	x	x	x									2.8°		
Relinquished by: (Signature)		Received by: (Signature)		Date/Time		Relinquished by: (Signature)		Received by: (Signature)		Date/Time										
1. Josh James		Michelle Gonzales		4-28-26 1000		2. Michelle Gonzales		Mariassa Gonzales		4-28-26 1415										
3. Mariassa Gonzales		Brett B...		4-28-26 1935		4. Brett B...		Cath Mars		4-29-26 700										
5.						6.														

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Released to: Imaging - 7/10/2026 9:58:24 AM

Page 67 of 77

Received by: OCD - 7/8/2026 1:02:02 PM

Page 102 of 253



Chain of Custody

Main Office: 2524 Trunk Street, Odessa Texas 79761

Contact: (432) 653-0393

<https://standardtx.com/>

Page 2 of 5

Work Order Comments

Lab wo # - E604358

Job # - 21092-0001

Project Manager:	Ethan Sessums	Bill to: (if different)	
Company Name:	Standard Safety & Supply	Company Name:	Plains
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Project Name:	Camacho LACT	Turn Around		ANALYSIS REQUEST																Preservative Codes		
Project Number:		☒ Routine ☐ Rush		Pres. Code															None: NO	DI Water: H ₂ O		
Project Location:	Eddy County, New Mexico	Due Date:	5 Day	Parameters	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300												Cool: Cool	MeOH: Me		
Sampler's Name:	Josh James	TAT may vary based on lab start time.																	HCL: HC	HNO ₃ : HN		
PO #:	HD-4811																		H ₂ SO ₄ : H ₂	NaOH: Na		
SAMPLE RECEIPT		Temp Blank:	Yes No																Wet Ice:	Yes No	H ₃ PO ₄ : HP	
Compl. Received Intact:	Yes No	Thermometer ID:																			NaHSO ₄ : NABIS	
Sampler Custody Seals:	Yes No	N/A	Correction Factor:															Na ₂ S ₂ O ₃ : NaSO ₃				
Sample Custody Seals:	Yes No	N/A	Temperature Reading:																Zn Acetate+NaOH: Zn			
Seal Containers:	46	Corrected Temperature:																	NaOH+Ascorbic Acid: SAPC			
Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont													Sample Comments			
V-1	0-6"	4/24/2026	10:00	Soil	Grab	1	x	x	x										11 Temp. 3.8°			
V-1	1-1.5'	4/24/2026	10:02	Soil	Grab	1	x	x	x										12 3.9°			
V-1	2-2.5'	4/24/2026	10:04	Soil	Grab	1	x	x	x										13 2.4°			
V-1	3-3.5'	4/24/2026	10:06	Soil	Grab	1	x	x	x										14 3.6°			
V-2	0-6"	4/24/2026	10:08	Soil	Grab	1	x	x	x										15 2.9°			
V-2	1-1.5'	4/24/2026	10:10	Soil	Grab	1	x	x	x										16 2.5°			
V-2	2-2.5'	4/24/2026	10:12	Soil	Grab	1	x	x	x										17 3.6°			
V-3	0-6"	4/24/2026	10:14	Soil	Grab	1	x	x	x										18 0.9°			
V-3	1-1.5'	4/24/2026	10:16	Soil	Grab	1	x	x	x										19 2.1°			
V-3	2-2.5'	4/24/2026	10:18	Soil	Grab	1	x	x	x										20 1.5°			
Relinquished by: (Signature)		Received by: (Signature)				Date/Time		Relinquished by: (Signature)				Received by: (Signature)				Date/Time						
1. Josh James		Michelle Gonzales				4-28-26 1000		2. Michelle Gonzales				Marissa Gonzales				4-28-26 1415						
3. Marissa Gonzales		Brett Bann				4-28-26 1905		4. Brett Bann				Caiti Marx				4-29-26 700						
5.																						

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Released to: Imaging - 7/10/2026 8:58:24 AM

Received by: OCD: 7/8/2026 1:02:02 PM

Page 103 of 253



Chain of Custody

Main Office: 2524 Trunk Street, Odessa Texas 79761

Contact: (432) 653-0393

<https://standardtx.com/>

Page 3 of 5

Work Order Comments

Lab WO# - E604358

Job# - 21092-0001

Project Manager:	Ethan Sessums	Bill to: (if different)	
Company Name:	Standard Safety & Supply	Company Name:	Plains
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Project Name:	Camacho LACT	Turn Around		ANALYSIS REQUEST																Preservative Codes		
Project Number:		☒ Routine ☐ Rush	Pres. Code																None: NO	DI Water: H ₂ O		
Project Location:	Eddy County, New Mexico	Due Date:	5 Day	Parameters	BTX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300												Cool: Cool	MeOH: Me		
Sampler's Name:	Josh James	TAT may vary based on lab start time.																	HCL: HC	HNO ₃ : HN		
PO #:	HD-4811																		H ₂ SO ₄ : H ₂	NaOH: Na		
SAMPLE RECEIPT		Temp Blank:	Yes No																Wet Ice:	Yes No	H ₃ PO ₄ : HP	
Samples Received Intact:	Yes No	Thermometer ID:																			NaHSO ₄ : NABIS	
Sampler Custody Seals:	Yes No	Correction Factor:				Na ₂ S ₂ O ₃ : NaSO ₃																
Sample Custody Seals:	Yes No	Temperature Reading:				Zn Acetate+NaOH: Zn																
Seal Containers:	46	Corrected Temperature:				NaOH+Ascorbic Acid: SAPC																
Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont													Sample Comments			
V-3	3-3.5'	4/24/2026	10:20	Soil	Grab	1	x	x	x										21 Temp. 1.8°			
V-4	0-6"	4/24/2026	11:02	Soil	Grab	1	x	x	x										22 2.0°			
V-4	1-1.5'	4/24/2026	11:04	Soil	Grab	1	x	x	x										23 1.3°			
V-4	2-2.5'	4/24/2026	11:06	Soil	Grab	1	x	x	x										24 2.5°			
V-6	0-6"	4/24/2026	11:08	Soil	Grab	1	x	x	x										25 4.3°			
V-6	1-1.5'	4/24/2026	11:10	Soil	Grab	1	x	x	x										26 2.1°			
V-6	2-2.5'	4/24/2026	11:12	Soil	Grab	1	x	x	x										27 3.9°			
V-7	0-6"	4/24/2026	11:14	Soil	Grab	1	x	x	x										28 4.8°			
V-7	1-1.5'	4/24/2026	11:16	Soil	Grab	1	x	x	x										29 3.7°			
V-7	2-2.5'	4/24/2026	11:18	Soil	Grab	1	x	x	x										30 4.1°			
Relinquished by: (Signature)		Received by: (Signature)		Date/Time		Relinquished by: (Signature)		Received by: (Signature)		Date/Time												
1. Josh James		Michelle Gonzales		4-28-26 1000		2. Michelle Gonzales		Marissa Gonzales		4-28-26 1415												
3. Marissa Gonzales		Brett Brown		4-28-26 1905		4. Brett Brown		Caitlin Mann		4-29-26 700												
5.						6.																

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



Chain of Custody

Main Office: 2524 Trunk Street, Odessa Texas 79761

Contact: (432) 653-0393

<https://standardtx.com/>

Page 4 of 5

Work Order Comments

Lab WO # - E604358

Job # - 21092-0001

Project Manager:	Ethan Sessums	Bill to: (if different)	
Company Name:	Standard Safety & Supply	Company Name:	Plains,
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Project Name:	Camacho LACT	Turn Around		ANALYSIS REQUEST												Preservative Codes							
Project Number:		☒ Routine ☐ Rush		Pres. Code													None: NO	DI Water: H ₂ O					
Project Location:	Eddy County, New Mexico	Due Date:	5 Day	Parameters	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300										Cool: Cool	MeOH: Me					
Sampler's Name:	Josh James	TAT may vary based on lab start time.															HCL: HC	HNO ₃ : HN					
PO #:	HD-4811																H ₂ SO ₄ : H ₂	NaOH: Na					
SAMPLE RECEIPT		Temp Blank:	Yes No														Wet Ice:	Yes No	H ₃ PO ₄ : HP				
Samples Received Intact:	Yes No	Thermometer ID:																	NaHSO ₄ : NABIS				
Sampler Custody Seals:	Yes No	Correction Factor:				Na ₂ S ₂ O ₃ : NaSO ₃																	
Sample Custody Seals:	Yes No	Temperature Reading:				Zn Acetate+NaOH: Zn																	
Seal Containers:	46	Corrected Temperature:				NaOH+Ascorbic Acid: SAPC																	
Sample Identification				Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont													Sample Comments	
V-8				0-6"	4/24/2026	13:00	Soil	Grab	1	x	x	x						31 Temp. 1.0°					
V-8				1-1.5'	4/24/2026	13:02	Soil	Grab	1	x	x	x						32 1.2°					
V-8				2-2.5'	4/24/2026	13:04	Soil	Grab	1	x	x	x						33 1.1°					
V-9				0-6"	4/24/2026	13:06	Soil	Grab	1	x	x	x						34 3.4°					
V-9				1-1.5'	4/24/2026	13:08	Soil	Grab	1	x	x	x						35 3.8°					
V-9				2-2.5'	4/24/2026	13:10	Soil	Grab	1	x	x	x						36 3.3°					
V-10				0-6"	4/24/2026	13:12	Soil	Grab	1	x	x	x						37 4.1°					
V-10				1-1.5'	4/24/2026	13:14	Soil	Grab	1	x	x	x						38 4.2°					
V-10				2-2.5'	4/24/2026	13:16	Soil	Grab	1	x	x	x						39 3.9°					
V-12				0-6"	4/24/2026	13:18	Soil	Grab	1	x	x	x						40 3.0°					

Relinquished by: (Signature)		Received by: (Signature)		Date/Time	Relinquished by: (Signature)		Received by: (Signature)		Date/Time
1. Josh James		Michelle Gonzales		4-28-26 1000	2. Michelle Gonzales		Marissa Gonzales		4-28-26 1415
3. Marissa Gonzales		Brett Burr		4-28-26 1705	4. Brett Burr		Caitlin Man		4-29-26 700
5.					6.				

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Released to Imaging: 7/10/2026 8:58:24 AM

Received by: OCD: 7/8/2026 1:02:02 PM

Page 105 of 253



Chain of Custody

Main Office: 2524 Trunk Street, Odessa Texas 79761

Contact: (432) 653-0393

<https://standardtx.com/>

Page 5 of 5

Work Order Comments

Lab wo # - E604358

Job # - 21092-0001

Project Manager:	Ethan Sessums	Bill to: (if different)	
Company Name:	Standard Safety & Supply	Company Name:	Plains
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Project Name:	Camacho LACT	Turn Around		ANALYSIS REQUEST																Preservative Codes			
Project Number:		☒ Routine ☐ Rush	Pres. Code																None: NO	DI Water: H ₂ O			
Project Location:	Eddy County, New Mexico	Due Date:	5 Day																Cool: Cool	MeOH: Me			
Sampler's Name:	Josh James	TAT may vary based on lab start time.																	HCL: HC	HNO ₃ : HN			
PO #:	HD-4811																		H ₂ SO ₄ : H ₂	NaOH: Na			
SAMPLE RECEIPT				Temp Blank:	Yes No	Wet Ice:	Yes No	Parameters BTX 8012B TPH 8015M (GRO-DRO-MRO) Chloride 4500 or EPA 300												#927		Sample Comments	
Samples Received Intact:	Yes No	Thermometer ID:																					
Seal Custody Seals:	Yes No N/A	Correction Factor:																					
Seal Custody Seals:	Yes No N/A	Temperature Reading:																					
Seal Containers:	46	Corrected Temperature:																					
Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont																	
V-12	1-1.5'	4/24/2026	15:00	Soil	Grab	1	x	x	x										41	Temp 3.3°			
V-12	2-2.5'	4/24/2026	15:02	Soil	Grab	1	x	x	x										42	3.0°			
V-12	3-3.5'	4/24/2026	15:04	Soil	Grab	1	x	x	x										43	3.1°			
V-12	4-4.5'	4/24/2026	15:06	Soil	Grab	1	x	x	x										44	4.2°			
V-12	5-5.5'	4/24/2026	15:08	Soil	Grab	1	x	x	x										45	4.3°			
V-12	5-5.5'	4/24/2026	15:10	Soil	Grab	1	x	x	x										46	2.4°			

Relinquished by: (Signature)		Received by: (Signature)		Date/Time		Relinquished by: (Signature)		Received by: (Signature)		Date/Time	
1. Josh James		Michelle Gonzales		4-28-26 1000		2. Michelle Gonzales		Marissa Gonzales		4-28-26 1415	
3. Marissa Gonzales		Brett Brown		4-28-26 1925		4. Brett Brown		Caitlin Man		4-29-26 700	
5.						6.					

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Envirotech Analytical Laboratory

Printed: 4/29/2026 11:36:47AM

Sample Receipt Checklist (SRC)

Instructions: Please take note of any NO checkmarks.

If we receive no response concerning these items within 24 hours of the date of this notice, all the samples will be analyzed as requested.

Client:	Standard Safety	Date Received:	04/29/26 07:00	Work Order ID:	E604358
Phone:	254-266-5456	Date Logged In:	04/29/26 08:13	Logged In By:	Caitlin Mars
Email:	ethan.sessums@standardtx.com	Due Date:	05/05/26 17:00 (4 day TAT)		

Chain of Custody (COC)

1. Does the sample ID match the COC? No
2. Does the number of samples per sampling site location match the COC? Yes
3. Were samples dropped off by client or carrier? Yes
4. Was the COC complete, i.e., signatures, dates/times, requested analyses? Yes
5. Were all samples received within holding time? Yes

Note: Analysis, such as pH which should be conducted in the field, i.e., 15 minute hold time, are not included in this discussion.

Carrier: courierComments/ResolutionSample Turn Around Time (TAT)

6. Did the COC indicate standard TAT, or Expedited TAT? Yes

Sample Cooler

7. Was a sample cooler received? Yes
8. If yes, was cooler received in good condition? Yes
9. Was the sample(s) received intact, i.e., not broken? Yes
10. Were custody/security seals present? No
11. If yes, were custody/security seals intact? NA
12. Was the sample received on ice? Yes

Note: Thermal preservation is not required, if samples are received within 15 minutes of sampling

13. See COC for individual sample temps. Samples outside of 0°C-6°C will be recorded in comments.

Sample Container

14. Are aqueous VOC samples present? No
15. Are VOC samples collected in VOA Vials? NA
16. Is the head space less than 6-8 mm (pea sized or less)? NA
17. Was a trip blank (TB) included for VOC analyses? NA
18. Are non-VOC samples collected in the correct containers? Yes
19. Is the appropriate volume/weight or number of sample containers collected? Yes

Field Label

20. Were field sample labels filled out with the minimum information:
 - Sample ID? Yes
 - Date/Time Collected? Yes
 - Collectors name? No

Sample Preservation

21. Does the COC or field labels indicate the samples were preserved? No
22. Are sample(s) correctly preserved? NA
24. Is lab filtration required and/or requested for dissolved metals? No

Multiphase Sample Matrix

26. Does the sample have more than one phase, i.e., multiphase? No
27. If yes, does the COC specify which phase(s) is to be analyzed? NA

Subcontract Laboratory

28. Are samples required to get sent to a subcontract laboratory? No
29. Was a subcontract laboratory specified by the client and if so who? NA Subcontract Lab: NA


Client Instruction

Signature of client authorizing changes to the COC or sample disposition.

Date



envirotech Inc.





Chain of Custody

Main Office: 2524 Trunk Street, Odessa Texas 79761

Contact: (432) 653-0393

https://standardtx.com/

Page 2 of 5

Project Manager:	Ethan Sessums	Bill to: (if different)	
Company Name:	Standard Safety & Supply	Company Name:	Plains*
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments


Lab wo # - E604358

Job # - 21092-0001

Project Name:		Turn Around		ANALYSIS REQUEST												Preservative Codes				
Project Number:		☒ Routine ☐ Rush		Pres. Code																
Project Location:		Due Date:	5 Day																	
Sampler's Name:		TAT may vary based on lab start time.																		
PO #:		HD-4811																		
SAMPLE RECEIPT		Temp Blank:	Yes No	Wet Ice:	Yes No															
Samples Received Intact:		(Yes) No	Thermometer ID:																	
Cooler Custody Seals:		Yes No	N/A	Correction Factor:																
Sample Custody Seals:		Yes No	N/A	Temperature Reading:																
Total Containers:		46		Corrected Temperature:																
Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300											
V-1	0-6"	4/24/2026	10:00	Soil	Grab	1	x	x	x											
V-1	1-1.5'	4/24/2026	10:02	Soil	Grab	1	x	x	x											
V-1	2-2.5'	4/24/2026	10:04	Soil	Grab	1	x	x	x											
V-1	3-3.5'	4/24/2026	10:06	Soil	Grab	1	x	x	x											
V-2	0-6"	4/24/2026	10:08	Soil	Grab	1	x	x	x											
V-2	1-1.5'	4/24/2026	10:10	Soil	Grab	1	x	x	x											
V-2	2-2.5'	4/24/2026	10:12	Soil	Grab	1	x	x	x											
V-3	0-6"	4/24/2026	10:14	Soil	Grab	1	x	x	x											
V-3	1-1.5'	4/24/2026	10:16	Soil	Grab	1	x	x	x											
V-3	2-2.5'	4/24/2026	10:18	Soil	Grab	1	x	x	x											
Relinquished by: (Signature)		Received by: (Signature)		Date/Time		Relinquished by: (Signature)		Received by: (Signature)		Date/Time										
1 Josh James		Michelle Gonzales		4-28-26 1000		2 Michelle Gonzales		Marissa Gonzales		4-28-26 1415										
3 Marissa Gonzales		Bobbie B...		4-28-26 1935		4 B...		Caiti Mann		4-29-26 700										
5						6														

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Corrected #46 Sample name to match Container per DN 4/29/26 cm



Page 3 of 5

Work Order Comments

Job# - 21092-0001

Project Name:

Camacho LACT

Project Number:

Project Location:

Eddy County, New Mexico

Sampler's Name:

Josh James

PO #:

HD-4811

SAMPLE RECEIPT

Temp Blank:

Yes No

Samples Received Intact:

Yes No

Cooler Custody Seals:

Yes No

Sample Custody Seals:

Yes No

Total Containers:

46

Yes No

Wet Ice:

Yes No

Thermometer ID:

Correction Factor:

Temperature Reading:

Corrected Temperature:

Due Date:

5 Day

TAT may vary based on lab start time.

Turn Around

☒ Routine
☐ Rush

Pres. Code

Parameters

BTEX 8012B

TPH 8015M (GRO-DRO-MRO)

Chloride 4500 or EPA 300

ANALYSIS REQUEST

Preservative Codes

None: NO

DI Water: H₂O

Cool: Cool

MeOH: Me

HCL: HC

HNO₃: HN

H₂SO₄: H₂

NaOH: Na

H₃PO₄: HP

NaHSO₄: NABIS

Na₂S₂O₃: NaSO₃

Zn Acetate+NaOH: Zn

NaOH+Ascorbic Acid: SAPC

Lab #

21

Sample Comments

Temp. 1.8°

22

2.0°

23

1.3°

24

2.5°

25

4.3°

26

2.1°

27

3.4°

28

4.9°

29

3.7°

30

4.1°

Sample Identification

Depth

Date Sampled

Time Sampled

Matrix

Grab Com

of Cont

V-3

3-3.5'

4/24/2026

10:20

Soil

Grab

1

V-4

0-6"

4/24/2026

11:02

Soil

Grab

1

V-4

1-1.5'

4/24/2026

11:04

Soil

Grab

1

V-4

2-2.5'

4/24/2026

11:06

Soil

Grab

1

V-6

0-6"

4/24/2026

11:08

Soil

Grab

1

V-6

1-1.5'

4/24/2026

11:10

Soil

Grab

1

V-6

2-2.5'

4/24/2026

11:12

Soil

Grab

1

V-7

0-6"

4/24/2026

11:14

Soil

Grab

1

V-7

1-1.5'

4/24/2026

11:16

Soil

Grab

1

V-7

2-2.5'

4/24/2026

11:18

Soil

Grab

1

Relinquished by: (Signature)

Received by: (Signature)

Date/Time

Relinquished by: (Signature)

Received by: (Signature)

Date/Time

1 Josh James

Michelle Gonzales

4-28-26 1000

2 Michelle Gonzales

Marissa Gonzales

4-28-26 1415

3 Marissa Gonzales

Bratt Ben

4-28-26 1905

4 Bratt Ben

Caiti Man

4-29-26 700

5

6

Page 75 of 77

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Corrected Sample #46 name to match Container per DN 4/29/20 Cm



Chain of Custody

Main Office: 2524 Trunk Street, Odessa Texas 79761

Contact: (432) 653-0393

<https://standardtx.com/>

Page 4 of 5

Project Manager:	Ethan Sessums	Bill to: (if different)	
Company Name:	Standard Safety & Supply	Company Name:	Plains,
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments


Lab wo # - E604358

Job # - 21092-0001

Project Name:		Turn Around		ANALYSIS REQUEST																Preservative Codes																	
Project Number:		☒ Routine ☐ Rush		Parameters																None: NO DI Water: H ₂ O																	
Project Location:		Due Date:		TAT may vary based on lab start time.																Cool: Cool MeOH: Me																	
Sampler's Name:		5 Day		HCL: HC HNO ₃ : HN																H ₂ SO ₄ : H ₂ NaOH: Na																	
PO #:				H ₃ PO ₄ : HP																NaHSO ₄ : NABIS																	
SAMPLE RECEIPT		Temp Blank:		Yes No		Wet Ice:		Yes No		Na ₂ S ₂ O ₃ : NaSO ₃																Zn Acetate+NaOH: Zn											
Samples Received Intact:		☒ Yes ☐ No		Thermometer ID:						#																NaOH+Ascorbic Acid: SAPC											
Cooler Custody Seals:		Yes No		N/A		Correction Factor:																															
Sample Custody Seals:		Yes No		N/A		Temperature Reading:																															
Total Containers:		46		Corrected Temperature:																																	
Sample Identification		Depth		Date Sampled		Time Sampled		Matrix		Grab Com		# of Cont		BTEX 8012B		TPH 8015M (GRO-DRO-MRO)		Chloride 4500 or EPA 300																		Sample Comments	
V-8		0-6"		4/24/2026		13:00		Soil		Grab		1		x		x		x																		31 Temp. 1.0°	
V-8		1-1.5'		4/24/2026		13:02		Soil		Grab		1		x		x		x																		32 1.2°	
V-8		2-2.5'		4/24/2026		13:04		Soil		Grab		1		x		x		x																		33 1.1°	
V-9		0-6"		4/24/2026		13:06		Soil		Grab		1		x		x		x																		34 3.4°	
V-9		1-1.5'		4/24/2026		13:08		Soil		Grab		1		x		x		x																		35 3.8°	
V-9		2-2.5'		4/24/2026		13:10		Soil		Grab		1		x		x		x																		36 3.3°	
V-10		0-6"		4/24/2026		13:12		Soil		Grab		1		x		x		x																		37 4.1°	
V-10		1-1.5'		4/24/2026		13:14		Soil		Grab		1		x		x		x																		38 4.2°	
V-10		2-2.5'		4/24/2026		13:16		Soil		Grab		1		x		x		x																		39 3.9°	
V-12		0-6"		4/24/2026		13:18		Soil		Grab		1		x		x		x																		40 3.0°	
Relinquished by: (Signature)		Received by: (Signature)		Date/Time		Relinquished by: (Signature)		Received by: (Signature)		Date/Time																											
1 Josh James		Michelle Gonzales		4-28-26 1000		2 Michelle Gonzales		Marissa Gonzales		4-28-26 1415																											
3 Marissa Gonzales		Brett Burr		4-28-26 1705		4 Brett Burr		Keith Man		4-29-26 700																											
5						6																															

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Corrected Sample # 46 name to match Container. Per DN 4/29/26 CM



Page 5 of 5

Work Order Comments
Lab wo # - E604358
Job # - 21092-0001

Corrected sample #46 name to match Container per DN 4/29/26 CM



Environment Testing

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

ANALYTICAL REPORT

PREPARED FOR

Attn: Ethan Sessums
Standard Safety & Supply
2524 Trunk St
Odessa, Texas 79761

Generated 6/24/2026 1:58:44 PM

JOB DESCRIPTION

Camacho LACT
Eddy County, New Mexico

JOB NUMBER

890-10113-1

Eurofins Carlsbad
1089 N Canal St.
Carlsbad NM 88220


Eurofins Carlsbad

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

Analytical test results meet all requirements of the associated regulatory program (i.e., NELAC (TNI), DoD, and ISO 17025) unless otherwise noted under the individual analysis.

Authorization



Generated
6/24/2026 1:58:44 PM

Authorized for release by
Brianna Teel, Project Manager
Brianna.Teel@et.eurofinsus.com
(432)704-5440

Client: Standard Safety & Supply
Project/Site: Camacho LACT

Laboratory Job ID: 890-10113-1
SDG: Eddy County, New Mexico

Table of Contents

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	5
Client Sample Results	6
Surrogate Summary	9
QC Sample Results	10
QC Association Summary	13
Lab Chronicle	15
Certification Summary	16
Method Summary	17
Sample Summary	18
Chain of Custody	19
Receipt Checklists	20

1

2

3

4

5

6

7

8

9

10

11

12

13

14

Definitions/Glossary

Client: Standard Safety & Supply
Project/Site: Camacho LACT

Job ID: 890-10113-1
SDG: Eddy County, New Mexico

Qualifiers

GC VOA

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

GC Semi VOA

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

HPLC/IC

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
SQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: Standard Safety & Supply
Project: Camacho LACT

Job ID: 890-10113-1

Job ID: 890-10113-1

Eurofins Carlsbad

Job Narrative 890-10113-1

The analytical test results presented in this report meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page, unless otherwise noted. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable. Regulated compliance samples (e.g. SDWA, NPDES) must comply with associated agency requirements/permits.

- Matrix-specific batch QC (e.g., MS, MSD, SD) may not be reported when insufficient sample volume is available or when site-specific QC samples are not submitted. In such cases, a Laboratory Control Sample Duplicate (LCSD) may be analyzed to provide precision data for the batch.
- For samples analyzed using surrogate and/or isotope dilution analytes, any recoveries falling outside of established acceptance criteria are re-prepared and/or re-analyzed to confirm results, unless the deviation is due to sample dilution or otherwise explained in the case narrative.

Receipt

The samples were received on 6/17/2026 8:52 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was -3.8°C.

Receipt Exceptions

The following samples were received and analyzed from an unpreserved bulk soil jar: H-3B (890-10113-1), H-3C (890-10113-2) and H-3D (890-10113-3).

GC VOA

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Diesel Range Organics

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

HPLC/IC

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Carlsbad

Client Sample Results

Client: Standard Safety & Supply
Project/Site: Camacho LACT

Job ID: 890-10113-1
SDG: Eddy County, New Mexico

Client Sample ID: H-3B

Lab Sample ID: 890-10113-1

Date Collected: 06/17/26 06:50

Matrix: Solid

Date Received: 06/17/26 08:52

Sample Depth: 0-0.6"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00201	U	0.00201		mg/Kg		06/22/26 11:53	06/23/26 19:05	1
Toluene	<0.00201	U	0.00201		mg/Kg		06/22/26 11:53	06/23/26 19:05	1
Ethylbenzene	<0.00201	U	0.00201		mg/Kg		06/22/26 11:53	06/23/26 19:05	1
m-Xylene & p-Xylene	<0.00402	U	0.00402		mg/Kg		06/22/26 11:53	06/23/26 19:05	1
o-Xylene	<0.00201	U	0.00201		mg/Kg		06/22/26 11:53	06/23/26 19:05	1
Xylenes, Total	<0.00402	U	0.00402		mg/Kg		06/22/26 11:53	06/23/26 19:05	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	106		70 - 130				06/22/26 11:53	06/23/26 19:05	1
1,4-Difluorobenzene (Surr)	100		70 - 130				06/22/26 11:53	06/23/26 19:05	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00402	U	0.00402		mg/Kg			06/23/26 19:05	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.4	U	50.4		mg/Kg			06/24/26 02:31	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.4	U	50.4		mg/Kg		06/19/26 08:08	06/24/26 02:31	1
Diesel Range Organics (Over C10-C28)	<50.4	U	50.4		mg/Kg		06/19/26 08:08	06/24/26 02:31	1
Oil Range Organics (Over C28-C36)	<50.4	U	50.4		mg/Kg		06/19/26 08:08	06/24/26 02:31	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	81		70 - 130				06/19/26 08:08	06/24/26 02:31	1
o-Terphenyl	92		70 - 130				06/19/26 08:08	06/24/26 02:31	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	16.0		10.0		mg/Kg			06/23/26 01:05	1

Client Sample ID: H-3C

Lab Sample ID: 890-10113-2

Date Collected: 06/17/26 06:55

Matrix: Solid

Date Received: 06/17/26 08:52

Sample Depth: 0-0.6"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00202	U	0.00202		mg/Kg		06/22/26 11:53	06/23/26 19:26	1
Toluene	<0.00202	U	0.00202		mg/Kg		06/22/26 11:53	06/23/26 19:26	1
Ethylbenzene	<0.00202	U	0.00202		mg/Kg		06/22/26 11:53	06/23/26 19:26	1
m-Xylene & p-Xylene	<0.00404	U	0.00404		mg/Kg		06/22/26 11:53	06/23/26 19:26	1
o-Xylene	<0.00202	U	0.00202		mg/Kg		06/22/26 11:53	06/23/26 19:26	1
Xylenes, Total	<0.00404	U	0.00404		mg/Kg		06/22/26 11:53	06/23/26 19:26	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	107		70 - 130				06/22/26 11:53	06/23/26 19:26	1

Eurofins Carlsbad

Client Sample Results

Client: Standard Safety & Supply
Project/Site: Camacho LACT

Job ID: 890-10113-1
SDG: Eddy County, New Mexico

Client Sample ID: H-3C

Lab Sample ID: 890-10113-2

Date Collected: 06/17/26 06:55

Matrix: Solid

Date Received: 06/17/26 08:52

Sample Depth: 0-0.6"

Method: SW846 8021B - Volatile Organic Compounds (GC) (Continued)

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,4-Difluorobenzene (Surr)	106		70 - 130	06/22/26 11:53	06/23/26 19:26	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00404	U	0.00404		mg/Kg			06/23/26 19:26	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.3	U	50.3		mg/Kg			06/24/26 03:17	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.3	U	50.3		mg/Kg		06/19/26 08:08	06/24/26 03:17	1
Diesel Range Organics (Over C10-C28)	<50.3	U	50.3		mg/Kg		06/19/26 08:08	06/24/26 03:17	1
Oil Range Organics (Over C28-C36)	<50.3	U	50.3		mg/Kg		06/19/26 08:08	06/24/26 03:17	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	97		70 - 130				06/19/26 08:08	06/24/26 03:17	1
o-Terphenyl	97		70 - 130				06/19/26 08:08	06/24/26 03:17	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	36.6		10.0		mg/Kg			06/23/26 01:09	1

Client Sample ID: H-3D

Lab Sample ID: 890-10113-3

Date Collected: 06/17/26 07:00

Matrix: Solid

Date Received: 06/17/26 08:52

Sample Depth: 0-0.6"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		06/22/26 11:53	06/23/26 19:47	1
Toluene	<0.00199	U	0.00199		mg/Kg		06/22/26 11:53	06/23/26 19:47	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		06/22/26 11:53	06/23/26 19:47	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		06/22/26 11:53	06/23/26 19:47	1
o-Xylene	<0.00199	U	0.00199		mg/Kg		06/22/26 11:53	06/23/26 19:47	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		06/22/26 11:53	06/23/26 19:47	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	102		70 - 130	06/22/26 11:53	06/23/26 19:47	1
1,4-Difluorobenzene (Surr)	104		70 - 130	06/22/26 11:53	06/23/26 19:47	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			06/23/26 19:47	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.1	U	50.1		mg/Kg			06/24/26 03:33	1

Eurofins Carlsbad

Client Sample Results

Client: Standard Safety & Supply
Project/Site: Camacho LACT

Job ID: 890-10113-1
SDG: Eddy County, New Mexico

Client Sample ID: H-3D
Date Collected: 06/17/26 07:00
Date Received: 06/17/26 08:52
Sample Depth: 0-0.6"

Lab Sample ID: 890-10113-3
Matrix: Solid

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)										
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac	
Gasoline Range Organics (GRO)-C6-C10	<50.1	U	50.1		mg/Kg		06/19/26 08:08	06/24/26 03:33	1	
Diesel Range Organics (Over C10-C28)	<50.1	U	50.1		mg/Kg		06/19/26 08:08	06/24/26 03:33	1	
Oil Range Organics (Over C28-C36)	<50.1	U	50.1		mg/Kg		06/19/26 08:08	06/24/26 03:33	1	
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac	
1-Chlorooctane	95		70 - 130				06/19/26 08:08	06/24/26 03:33	1	
o-Terphenyl	99		70 - 130				06/19/26 08:08	06/24/26 03:33	1	

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble										
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac	
Chloride	18.9		9.96		mg/Kg			06/23/26 01:14	1	

Surrogate Summary

Client: Standard Safety & Supply
Project/Site: Camacho LACT

Job ID: 890-10113-1
SDG: Eddy County, New Mexico

Method: 8021B - Volatile Organic Compounds (GC)

Matrix: Solid

Prep Type: Total/NA

		Percent Surrogate Recovery (Acceptance Limits)	
Lab Sample ID	Client Sample ID	BFB1 (70-130)	DFBZ1 (70-130)
890-10113-1	H-3B	106	100
890-10113-2	H-3C	107	106
890-10113-3	H-3D	102	104
LCS 880-144332/1-A	Lab Control Sample	99	103
LCSD 880-144332/2-A	Lab Control Sample Dup	100	104
MB 880-144332/5-A	Method Blank	96	99
Surrogate Legend			
BFB = 4-Bromofluorobenzene (Surr)			
DFBZ = 1,4-Difluorobenzene (Surr)			

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Matrix: Solid

Prep Type: Total/NA

		Percent Surrogate Recovery (Acceptance Limits)	
Lab Sample ID	Client Sample ID	1CO1 (70-130)	OTPH1 (70-130)
890-10113-1	H-3B	81	92
890-10113-1 MS	H-3B	85	92
890-10113-1 MSD	H-3B	86	93
890-10113-2	H-3C	97	97
890-10113-3	H-3D	95	99
LCS 880-144081/2-A	Lab Control Sample	87	87
LCSD 880-144081/3-A	Lab Control Sample Dup	89	89
MB 880-144081/1-A	Method Blank	111	102
Surrogate Legend			
1CO = 1-Chlorooctane			
OTPH = o-Terphenyl			

QC Sample Results

Client: Standard Safety & Supply
Project/Site: Camacho LACT

Job ID: 890-10113-1
SDG: Eddy County, New Mexico

Method: 8021B - Volatile Organic Compounds (GC)

Lab Sample ID: MB 880-144332/5-A

Matrix: Solid

Analysis Batch: 144418

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 144332

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		06/22/26 11:53	06/23/26 11:59	1
Toluene	<0.00200	U	0.00200		mg/Kg		06/22/26 11:53	06/23/26 11:59	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		06/22/26 11:53	06/23/26 11:59	1
m-Xylene & p-Xylene	<0.00400	U	0.00400		mg/Kg		06/22/26 11:53	06/23/26 11:59	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		06/22/26 11:53	06/23/26 11:59	1
Xylenes, Total	<0.00400	U	0.00400		mg/Kg		06/22/26 11:53	06/23/26 11:59	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	96		70 - 130	06/22/26 11:53	06/23/26 11:59	1
1,4-Difluorobenzene (Surr)	99		70 - 130	06/22/26 11:53	06/23/26 11:59	1

Lab Sample ID: LCS 880-144332/1-A

Matrix: Solid

Analysis Batch: 144418

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 144332

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	0.100	0.09833		mg/Kg		98	70 - 130
Toluene	0.100	0.09696		mg/Kg		97	70 - 130
Ethylbenzene	0.100	0.09696		mg/Kg		97	70 - 130
m-Xylene & p-Xylene	0.200	0.1894		mg/Kg		95	70 - 130
o-Xylene	0.100	0.09444		mg/Kg		94	70 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
4-Bromofluorobenzene (Surr)	99		70 - 130
1,4-Difluorobenzene (Surr)	103		70 - 130

Lab Sample ID: LCSD 880-144332/2-A

Matrix: Solid

Analysis Batch: 144418

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 144332

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Benzene	0.100	0.09713		mg/Kg		97	70 - 130	1	35
Toluene	0.100	0.09579		mg/Kg		96	70 - 130	1	35
Ethylbenzene	0.100	0.09791		mg/Kg		98	70 - 130	1	35
m-Xylene & p-Xylene	0.200	0.1894		mg/Kg		95	70 - 130	0	35
o-Xylene	0.100	0.09486		mg/Kg		95	70 - 130	0	35

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
4-Bromofluorobenzene (Surr)	100		70 - 130
1,4-Difluorobenzene (Surr)	104		70 - 130

Eurofins Carlsbad

QC Sample Results

Client: Standard Safety & Supply
Project/Site: Camacho LACT

Job ID: 890-10113-1
SDG: Eddy County, New Mexico

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Lab Sample ID: MB 880-144081/1-A

Matrix: Solid

Analysis Batch: 144442

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 144081

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		06/19/26 08:08	06/24/26 01:44	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		06/19/26 08:08	06/24/26 01:44	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		06/19/26 08:08	06/24/26 01:44	1
Surrogate	MB %Recovery	MB Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	111		70 - 130				06/19/26 08:08	06/24/26 01:44	1
o-Terphenyl	102		70 - 130				06/19/26 08:08	06/24/26 01:44	1

Lab Sample ID: LCS 880-144081/2-A

Matrix: Solid

Analysis Batch: 144442

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 144081

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Gasoline Range Organics (GRO)-C6-C10	1000	897.0		mg/Kg		90	70 - 130
Diesel Range Organics (Over C10-C28)	1000	899.4		mg/Kg		90	70 - 130
Surrogate	LCS %Recovery	LCS Qualifier	Limits				
1-Chlorooctane	87		70 - 130				
o-Terphenyl	87		70 - 130				

Lab Sample ID: LCSD 880-144081/3-A

Matrix: Solid

Analysis Batch: 144442

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 144081

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Gasoline Range Organics (GRO)-C6-C10	1000	938.4		mg/Kg		94	70 - 130	5	20
Diesel Range Organics (Over C10-C28)	1000	910.8		mg/Kg		91	70 - 130	1	20
Surrogate	LCSD %Recovery	LCSD Qualifier	Limits						
1-Chlorooctane	89		70 - 130						
o-Terphenyl	89		70 - 130						

Lab Sample ID: 890-10113-1 MS

Matrix: Solid

Analysis Batch: 144442

Client Sample ID: H-3B

Prep Type: Total/NA

Prep Batch: 144081

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Gasoline Range Organics (GRO)-C6-C10	<50.4	U	1000	844.8		mg/Kg		82	70 - 130
Diesel Range Organics (Over C10-C28)	<50.4	U	1000	836.8		mg/Kg		84	70 - 130

Eurofins Carlsbad

QC Sample Results

Client: Standard Safety & Supply
Project/Site: Camacho LACT

Job ID: 890-10113-1
SDG: Eddy County, New Mexico

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Lab Sample ID: 890-10113-1 MS

Matrix: Solid

Analysis Batch: 144442

Client Sample ID: H-3B

Prep Type: Total/NA

Prep Batch: 144081

	MS	MS	
Surrogate	%Recovery	Qualifier	Limits
1-Chlorooctane	85		70 - 130
o-Terphenyl	92		70 - 130

Lab Sample ID: 890-10113-1 MSD

Matrix: Solid

Analysis Batch: 144442

Client Sample ID: H-3B

Prep Type: Total/NA

Prep Batch: 144081

	Sample	Sample	Spike	MSD	MSD				%Rec		RPD
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit
Gasoline Range Organics (GRO)-C6-C10	<50.4	U	1000	848.0		mg/Kg		83	70 - 130	0	20
Diesel Range Organics (Over C10-C28)	<50.4	U	1000	858.2		mg/Kg		86	70 - 130	3	20
	MSD	MSD									
Surrogate	%Recovery	Qualifier	Limits								
1-Chlorooctane	86		70 - 130								
o-Terphenyl	93		70 - 130								

Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: MB 880-144180/1-A

Matrix: Solid

Analysis Batch: 144289

Client Sample ID: Method Blank

Prep Type: Soluble

	MB	MB								
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac	
Chloride	<10.0	U	10.0		mg/Kg			06/23/26 00:32	1	

Lab Sample ID: LCS 880-144180/2-A

Matrix: Solid

Analysis Batch: 144289

Client Sample ID: Lab Control Sample

Prep Type: Soluble

	Spike	LCS	LCS					%Rec		
Analyte	Added	Result	Qualifier	Unit	D	%Rec	Limits			
Chloride	250	249.8		mg/Kg		100	90 - 110			

Lab Sample ID: LCSD 880-144180/3-A

Matrix: Solid

Analysis Batch: 144289

Client Sample ID: Lab Control Sample Dup

Prep Type: Soluble

	Spike	LCSD	LCSD					%Rec		RPD
Analyte	Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit	
Chloride	250	251.4		mg/Kg		101	90 - 110	1	20	

Eurofins Carlsbad

QC Association Summary

Client: Standard Safety & Supply
Project/Site: Camacho LACT

Job ID: 890-10113-1
SDG: Eddy County, New Mexico

GC VOA

Prep Batch: 144332

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-10113-1	H-3B	Total/NA	Solid	5035	
890-10113-2	H-3C	Total/NA	Solid	5035	
890-10113-3	H-3D	Total/NA	Solid	5035	
MB 880-144332/5-A	Method Blank	Total/NA	Solid	5035	
LCS 880-144332/1-A	Lab Control Sample	Total/NA	Solid	5035	
LCSD 880-144332/2-A	Lab Control Sample Dup	Total/NA	Solid	5035	

Analysis Batch: 144418

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-10113-1	H-3B	Total/NA	Solid	8021B	144332
890-10113-2	H-3C	Total/NA	Solid	8021B	144332
890-10113-3	H-3D	Total/NA	Solid	8021B	144332
MB 880-144332/5-A	Method Blank	Total/NA	Solid	8021B	144332
LCS 880-144332/1-A	Lab Control Sample	Total/NA	Solid	8021B	144332
LCSD 880-144332/2-A	Lab Control Sample Dup	Total/NA	Solid	8021B	144332

Analysis Batch: 144607

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-10113-1	H-3B	Total/NA	Solid	Total BTEX	
890-10113-2	H-3C	Total/NA	Solid	Total BTEX	
890-10113-3	H-3D	Total/NA	Solid	Total BTEX	

GC Semi VOA

Prep Batch: 144081

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-10113-1	H-3B	Total/NA	Solid	8015NM Prep	
890-10113-2	H-3C	Total/NA	Solid	8015NM Prep	
890-10113-3	H-3D	Total/NA	Solid	8015NM Prep	
MB 880-144081/1-A	Method Blank	Total/NA	Solid	8015NM Prep	
LCS 880-144081/2-A	Lab Control Sample	Total/NA	Solid	8015NM Prep	
LCSD 880-144081/3-A	Lab Control Sample Dup	Total/NA	Solid	8015NM Prep	
890-10113-1 MS	H-3B	Total/NA	Solid	8015NM Prep	
890-10113-1 MSD	H-3B	Total/NA	Solid	8015NM Prep	

Analysis Batch: 144442

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-10113-1	H-3B	Total/NA	Solid	8015B NM	144081
890-10113-2	H-3C	Total/NA	Solid	8015B NM	144081
890-10113-3	H-3D	Total/NA	Solid	8015B NM	144081
MB 880-144081/1-A	Method Blank	Total/NA	Solid	8015B NM	144081
LCS 880-144081/2-A	Lab Control Sample	Total/NA	Solid	8015B NM	144081
LCSD 880-144081/3-A	Lab Control Sample Dup	Total/NA	Solid	8015B NM	144081
890-10113-1 MS	H-3B	Total/NA	Solid	8015B NM	144081
890-10113-1 MSD	H-3B	Total/NA	Solid	8015B NM	144081

Analysis Batch: 144558

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-10113-1	H-3B	Total/NA	Solid	8015 NM	
890-10113-2	H-3C	Total/NA	Solid	8015 NM	
890-10113-3	H-3D	Total/NA	Solid	8015 NM	

Eurofins Carlsbad

QC Association Summary

Client: Standard Safety & Supply
Project/Site: Camacho LACT

Job ID: 890-10113-1
SDG: Eddy County, New Mexico

HPLC/IC

Leach Batch: 144180

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-10113-1	H-3B	Soluble	Solid	DI Leach	
890-10113-2	H-3C	Soluble	Solid	DI Leach	
890-10113-3	H-3D	Soluble	Solid	DI Leach	
MB 880-144180/1-A	Method Blank	Soluble	Solid	DI Leach	
LCS 880-144180/2-A	Lab Control Sample	Soluble	Solid	DI Leach	
LCSD 880-144180/3-A	Lab Control Sample Dup	Soluble	Solid	DI Leach	

Analysis Batch: 144289

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-10113-1	H-3B	Soluble	Solid	300.0	144180
890-10113-2	H-3C	Soluble	Solid	300.0	144180
890-10113-3	H-3D	Soluble	Solid	300.0	144180
MB 880-144180/1-A	Method Blank	Soluble	Solid	300.0	144180
LCS 880-144180/2-A	Lab Control Sample	Soluble	Solid	300.0	144180
LCSD 880-144180/3-A	Lab Control Sample Dup	Soluble	Solid	300.0	144180

Lab Chronicle

Client: Standard Safety & Supply
Project/Site: Camacho LACT

Job ID: 890-10113-1
SDG: Eddy County, New Mexico

Client Sample ID: H-3B

Lab Sample ID: 890-10113-1

Date Collected: 06/17/26 06:50

Matrix: Solid

Date Received: 06/17/26 08:52

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.97 g	5 mL	144332	06/22/26 11:53	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	144418	06/23/26 19:05	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			144607	06/23/26 19:05	SA	EET MID
Total/NA	Analysis	8015 NM		1			144558	06/24/26 02:31	SA	EET MID
Total/NA	Prep	8015NM Prep			9.93 g	10.00 mL	144081	06/19/26 08:08	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	144442	06/24/26 02:31	FC	EET MID
Soluble	Leach	DI Leach			4.98 g	50 mL	144180	06/19/26 14:42	SMC	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	144289	06/23/26 01:05	CS	EET MID

Client Sample ID: H-3C

Lab Sample ID: 890-10113-2

Date Collected: 06/17/26 06:55

Matrix: Solid

Date Received: 06/17/26 08:52

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.95 g	5 mL	144332	06/22/26 11:53	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	144418	06/23/26 19:26	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			144607	06/23/26 19:26	SA	EET MID
Total/NA	Analysis	8015 NM		1			144558	06/24/26 03:17	SA	EET MID
Total/NA	Prep	8015NM Prep			9.94 g	10.00 mL	144081	06/19/26 08:08	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	144442	06/24/26 03:17	FC	EET MID
Soluble	Leach	DI Leach			4.99 g	50 mL	144180	06/19/26 14:42	SMC	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	144289	06/23/26 01:09	CS	EET MID

Client Sample ID: H-3D

Lab Sample ID: 890-10113-3

Date Collected: 06/17/26 07:00

Matrix: Solid

Date Received: 06/17/26 08:52

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.03 g	5 mL	144332	06/22/26 11:53	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	144418	06/23/26 19:47	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			144607	06/23/26 19:47	SA	EET MID
Total/NA	Analysis	8015 NM		1			144558	06/24/26 03:33	SA	EET MID
Total/NA	Prep	8015NM Prep			9.99 g	10.00 mL	144081	06/19/26 08:08	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	144442	06/24/26 03:33	FC	EET MID
Soluble	Leach	DI Leach			5.02 g	50 mL	144180	06/19/26 14:42	SMC	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	144289	06/23/26 01:14	CS	EET MID

Laboratory References:

EET MID = Eurofins Midland, 1211 W. Florida Ave, Midland, TX 79701, TEL (432)704-5440

Eurofins Carlsbad

Accreditation/Certification Summary

Client: Standard Safety & Supply
Project/Site: Camacho LACT

Job ID: 890-10113-1
SDG: Eddy County, New Mexico

Laboratory: Eurofins Midland

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
Texas	NELAP	T104704400	06-30-26
The following analytes are included in this report, but the laboratory is not certified by Texas NELAP T 104704400. This list may include analytes for which the agency does not offer certification :			
Analysis Method	Prep Method	Matrix	Analyte
8015 NM		Solid	Total TPH
Total BTEX		Solid	Total BTEX

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Method Summary

Client: Standard Safety & Supply
Project/Site: Camacho LACT

Job ID: 890-10113-1
SDG: Eddy County, New Mexico

Method	Method Description	Protocol	Laboratory
8021B	Volatile Organic Compounds (GC)	SW846	EET MID
Total BTEX	Total BTEX Calculation	TAL SOP	EET MID
8015 NM	Diesel Range Organics (DRO) (GC)	SW846	EET MID
8015B NM	Diesel Range Organics (DRO) (GC)	SW846	EET MID
300.0	Anions, Ion Chromatography	EPA	EET MID
5035	Closed System Purge and Trap	SW846	EET MID
8015NM Prep	Microextraction	SW846	EET MID
DI Leach	Deionized Water Leaching Procedure	ASTM	EET MID

Protocol References:

- ASTM = ASTM International
- EPA = US Environmental Protection Agency
- SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.
- TAL SOP = TestAmerica Laboratories, Standard Operating Procedure

Laboratory References:

- EET MID = Eurofins Midland, 1211 W. Florida Ave, Midland, TX 79701, TEL (432)704-5440

Sample Summary

Client: Standard Safety & Supply
Project/Site: Camacho LACT

Job ID: 890-10113-1
SDG: Eddy County, New Mexico

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Depth
890-10113-1	H-3B	Solid	06/17/26 06:50	06/17/26 08:52	0-0.6"
890-10113-2	H-3C	Solid	06/17/26 06:55	06/17/26 08:52	0-0.6"
890-10113-3	H-3D	Solid	06/17/26 07:00	06/17/26 08:52	0-0.6"

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Chain of Custody									
 Main Office: 2524 Trunk Street, Odessa Texas 79761 Contact: (432) 653-0393 https://standardtx.com/									
Project Manager: Ethan Sessums Company Name: Standard Safety & Supply Address: 2425 Trunk St. City, State ZIP: Odessa, Texas, 79761 Phone: 254-266-5456 Bill to: (if different) Company Name: Address: City, State ZIP: Email: Ethan.Sessums@standardtx.com									
Project Name: Camacho LACT Project Number: Project Location: Eddy County, New Mexico Sampler's Name: J. Aguirre, E. Bartlett PO #: HD-4937 Turn Around ☒ Routine ☐ Rush Due Date: 5 Day TAT may vary based on lab start time.									
SAMPLE RECEIPT Samples Received Intact: ☒ Yes ☐ No Cooler Custody Seals: ☒ Yes ☐ No Sample Custody Seals: ☒ Yes ☐ No Total Containers: 40 Temp Blank: ☒ Yes ☐ No Thermometer ID: Tm001 Correction Factor: -0.8 Temperature Reading: -4.0 Corrected Temperature: -3.8									
ANALYSIS REQUEST Pres. Code Parameters # of Cont 890-10113 Chain of Custody Chloride 4500 or EPA 300 TPH 8015M (GRO-DRO-MRO) BTEX 8012B									
Preservative Codes None: NO Cool: Cool HCL: HC H₂SO₄: H₂ H₃PO₄: HP NaHSO₄: NABIS Na₂S₂O₃: NaSO₃ Zn Acetate+NaOH: Zn NaOH+Ascorbic Acid: SAPC Sample Comments									
Relinquished by: (Signature) Received by: (Signature) Date/Time 6/17/26 8:58a									
1 Joselyn Azuine 3 5 4 6									
Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed									

Login Sample Receipt Checklist

Client: Standard Safety & Supply

Job Number: 890-10113-1

SDG Number: Eddy County, New Mexico

Login Number: 10113

List Number: 1

Creator: Bruns, Shannon

List Source: Eurofins Carlsbad

Question	Answer	Comment
The cooler's custody seal, if present, is intact.	N/A	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	

Login Sample Receipt Checklist

Client: Standard Safety & Supply

Job Number: 890-10113-1
SDG Number: Eddy County, New Mexico

Login Number: 10113

List Number: 2

Creator: Laing, Edmundo

List Source: Eurofins Midland

List Creation: 06/18/26 09:24 AM

Question	Answer	Comment
The cooler's custody seal, if present, is intact.	N/A	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	



Environment Testing

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

ANALYTICAL REPORT

PREPARED FOR

Attn: Ethan Sessums
Standard Safety & Supply
2524 Trunk St
Odessa, Texas 79761

Generated 6/30/2026 3:24:30 PM Revision 2

JOB DESCRIPTION

Camacho LACT
Eddy County, New Mexico

JOB NUMBER

890-10040-1

Eurofins Carlsbad
1089 N Canal St.
Carlsbad NM 88220


Eurofins Carlsbad

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

Analytical test results meet all requirements of the associated regulatory program (i.e., NELAC (TNI), DoD, and ISO 17025) unless otherwise noted under the individual analysis.

Authorization



Authorized for release by
Brianna Teel, Project Manager
Brianna.Teel@et.eurofinsus.com
(432)704-5440

Generated
6/30/2026 3:24:30 PM
Revision 2

Client: Standard Safety & Supply
Project/Site: Camacho LACT

Laboratory Job ID: 890-10040-1
SDG: Eddy County, New Mexico

Table of Contents

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	6
Client Sample Results	8
Surrogate Summary	40
QC Sample Results	43
QC Association Summary	59
Lab Chronicle	70
Certification Summary	83
Method Summary	84
Sample Summary	85
Chain of Custody	86
Receipt Checklists	91

1

2

3

4

5

6

7

8

9

10

11

12

13

14

Definitions/Glossary

Client: Standard Safety & Supply
Project/Site: Camacho LACT

Job ID: 890-10040-1
SDG: Eddy County, New Mexico

Qualifiers

GC VOA

Qualifier	Qualifier Description
*+	LCS and/or LCSD is outside acceptance limits, high biased.
F1	MS and/or MSD recovery exceeds control limits.
F2	MS/MSD RPD exceeds control limits
S1+	Surrogate recovery exceeds control limits, high biased.
U	Indicates the analyte was analyzed for but not detected.

GC Semi VOA

Qualifier	Qualifier Description
*1	LCS/LCSD RPD exceeds control limits.
4	MS, MSD: The analyte present in the original sample is greater than 4 times the matrix spike concentration; therefore, control limits are not applicable.
F1	MS and/or MSD recovery exceeds control limits.
F2	MS/MSD RPD exceeds control limits
S1-	Surrogate recovery exceeds control limits, low biased.
S1+	Surrogate recovery exceeds control limits, high biased.
U	Indicates the analyte was analyzed for but not detected.

HPLC/IC

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)

Eurofins Carlsbad

Definitions/Glossary

Client: Standard Safety & Supply
Project/Site: Camacho LACT

Job ID: 890-10040-1
SDG: Eddy County, New Mexico

Glossary (Continued)

Abbreviation	These commonly used abbreviations may or may not be present in this report.
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Case Narrative

Client: Standard Safety & Supply
Project: Camacho LACT

Job ID: 890-10040-1

Job ID: 890-10040-1

Eurofins Carlsbad

Job Narrative
890-10040-1

REVISION

The report being provided is a revision of the original report sent on 6/16/2026. The report (revision 2) is being revised due to Revised to add corrected COC to report to fix sample 017 V-1 at 7-7.5ft to V-12 at 7-7.5ft.

Report revision history

Revision 1 - 6/16/2026 - Reason - Revised to change V-1 (7-7.5') to V-12 (7-7.5') and samples from "HA" to "H" per client email.

The analytical test results presented in this report meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page, unless otherwise noted. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable. Regulated compliance samples (e.g. SDWA, NPDES) must comply with associated agency requirements/permits.

- Matrix-specific batch QC (e.g., MS, MSD, SD) may not be reported when insufficient sample volume is available or when site-specific QC samples are not submitted. In such cases, a Laboratory Control Sample Duplicate (LCSD) may be analyzed to provide precision data for the batch.
- For samples analyzed using surrogate and/or isotope dilution analytes, any recoveries falling outside of established acceptance criteria are re-prepared and/or re-analyzed to confirm results, unless the deviation is due to sample dilution or otherwise explained in the case narrative.

Receipt

The samples were received on 6/3/2026 9:59 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was -0.6°C.

Receipt Exceptions

The following samples were received and analyzed from an unpreserved bulk soil jar: H - 1 A (890-10040-1), H - 2 A (890-10040-2), H - 3 A (890-10040-3), H - 4 A (890-10040-4), H - 5 A (890-10040-5), H - 6 (890-10040-6), H - 7 (890-10040-7), H - 8 (890-10040-8), H - 9 A (890-10040-9), H - 10 A (890-10040-10), H - 11 A (890-10040-11), H - 12 A (890-10040-12), H - 13 A (890-10040-13), V - 1 (890-10040-14), V - 1 (890-10040-15), V - 1 (890-10040-16), V - 12 (890-10040-17), V - 3 (890-10040-18), V - 8 (890-10040-19), V - 8 (890-10040-20), V - 14 (890-10040-21), V - 14 (890-10040-22), V - 14 (890-10040-23), V - 14 (890-10040-24), V - 14 (890-10040-25), V - 14 (890-10040-26), V - 14 (890-10040-27), V - 14 (890-10040-28), V - 14 (890-10040-29), V - 14 (890-10040-30), V - 13 (890-10040-31), V - 13 (890-10040-32), V - 13 (890-10040-33), V - 13 (890-10040-34), V - 11 (890-10040-35), V - 11 (890-10040-36), V - 11 (890-10040-37), V - 11 (890-10040-38), V - 12 (890-10040-39) and V - 8 (890-10040-40).

GC VOA

Method 8021B: Surrogate recovery for the following samples were outside control limits: V - 14 (890-10040-21), V - 14 (890-10040-22), V - 14 (890-10040-23), V - 14 (890-10040-24), V - 14 (890-10040-25), V - 13 (890-10040-31), V - 13 (890-10040-33), V - 11 (890-10040-35) and V - 11 (890-10040-36). Evidence of matrix interferences is not obvious.

Method 8021B: Surrogate recovery for the following sample was outside control limits: V - 12 (890-10040-17). Evidence of matrix interferences is not obvious.

Method 8021B: The native sample, matrix spike, and matrix spike duplicate (MS/MSD) associated with preparation batch 880-143253 and analytical batch 880-143349 were performed at the same dilution. Due to the additional level of analyte present in the spiked samples, the concentration of m-Xylene & p-Xylene and o-Xylene in the MS/MSD was above the instrument calibration range. The data have been reported and qualified.

Method 8021B: Surrogate recovery for the following samples were outside control limits: V - 14 (890-10040-23) and V - 14 (890-10040-24). Evidence of matrix interferences is not obvious.

Method 8021B: Surrogate recovery for the following samples were outside control limits: V - 14 (890-10040-25), V - 13 (890-10040-31), V - 11 (890-10040-35) and V - 11 (890-10040-36). Evidence of matrix interferences is not obvious.

Method 8021B: The laboratory control sample duplicate (LCSD) associated with preparation batch 880-143520 and analytical

Eurofins Carlsbad

Case Narrative

Client: Standard Safety & Supply
Project: Camacho LACT

Job ID: 890-10040-1

Job ID: 890-10040-1 (Continued)

Eurofins Carlsbad

batch 880-143513 was outside acceptance criteria. Re-extraction and/or re-analysis could not be performed; therefore, the data have been reported. The batch matrix spike/matrix spike duplicate (MS/MSD) was within acceptance limits and may be used to evaluate matrix performance.

Method 8021B: The surrogate recovery for the blank associated with preparation batch 880-143520 and analytical batch 880-143513 was outside the upper control limits.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Diesel Range Organics

Method 8015B NM: Surrogate recovery for the following sample was outside control limits: (LCS 880-142569/2-A). Evidence of matrix interferences is not obvious.

Method 8015B NM: Surrogate recovery for the following samples were outside control limits: (890-10040-A-23-B MS) and (890-10040-A-23-C MSD). Evidence of matrix interference is present; therefore, re-extraction and/or re-analysis was not performed.

Method 8015B NM: Surrogate recovery for the following sample was outside control limits: V - 14 (890-10040-27). Evidence of matrix interferences is not obvious.

Method 8015B NM: Surrogate recovery for the following samples were outside control limits: V - 11 (890-10040-38) and V - 12 (890-10040-39). Evidence of matrix interferences is not obvious.

Method 8015B NM: Surrogate recovery for the following sample was outside control limits: V - 11 (890-10040-37). Evidence of matrix interference is present; therefore, re-extraction and/or re-analysis was not performed.

Method 8015B NM: The matrix spike / matrix spike duplicate (MS/MSD) recoveries and precision for preparation batch 880-142569 and analytical batch 880-142799 were outside control limits. Sample matrix interference and/or non-homogeneity are suspected because the associated laboratory control sample / laboratory sample control duplicate (LCS/LCSD) precision was within acceptance limits.

Method 8015B NM: The RPD of the laboratory control sample (LCS) and laboratory control sample duplicate (LCSD) for preparation batch 880-142569 and analytical batch 880-142799 recovered outside control limits for the following analytes: Gasoline Range Organics (GRO)-C6-C10.

Method 8015B NM: Surrogate recovery for the following samples were outside control limits: V - 14 (890-10040-21), V - 14 (890-10040-22), (890-10040-A-3-B MS) and (890-10040-A-3-C MSD). Evidence of matrix interference is present; therefore, re-extraction and/or re-analysis was not performed.

Method 8015B NM: Surrogate recovery for the following sample was outside control limits: (LCSD 880-142567/3-A). Evidence of matrix interferences is not obvious.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

HPLC/IC

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Carlsbad

Client Sample Results

Client: Standard Safety & Supply
Project/Site: Camacho LACT

Job ID: 890-10040-1
SDG: Eddy County, New Mexico

Client Sample ID: H - 1 A

Lab Sample ID: 890-10040-1

Date Collected: 06/01/26 08:30

Matrix: Solid

Date Received: 06/03/26 09:59

Sample Depth: 0-0.5'

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		06/10/26 19:07	06/10/26 22:13	1
Toluene	<0.00200	U	0.00200		mg/Kg		06/10/26 19:07	06/10/26 22:13	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		06/10/26 19:07	06/10/26 22:13	1
m-Xylene & p-Xylene	<0.00399	U	0.00399		mg/Kg		06/10/26 19:07	06/10/26 22:13	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		06/10/26 19:07	06/10/26 22:13	1
Xylenes, Total	<0.00399	U	0.00399		mg/Kg		06/10/26 19:07	06/10/26 22:13	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	108		70 - 130	06/10/26 19:07	06/10/26 22:13	1
1,4-Difluorobenzene (Surr)	95		70 - 130	06/10/26 19:07	06/10/26 22:13	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00399	U	0.00399		mg/Kg			06/10/26 22:13	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			06/09/26 06:07	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		06/03/26 17:54	06/09/26 06:07	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		06/03/26 17:54	06/09/26 06:07	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		06/03/26 17:54	06/09/26 06:07	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	105		70 - 130	06/03/26 17:54	06/09/26 06:07	1
o-Terphenyl	87		70 - 130	06/03/26 17:54	06/09/26 06:07	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	64.4		9.96		mg/Kg			06/06/26 17:13	1

Client Sample ID: H - 2 A

Lab Sample ID: 890-10040-2

Date Collected: 06/01/26 08:45

Matrix: Solid

Date Received: 06/03/26 09:59

Sample Depth: 0-0.5'

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00201	U	0.00201		mg/Kg		06/10/26 19:07	06/10/26 22:33	1
Toluene	<0.00201	U	0.00201		mg/Kg		06/10/26 19:07	06/10/26 22:33	1
Ethylbenzene	<0.00201	U	0.00201		mg/Kg		06/10/26 19:07	06/10/26 22:33	1
m-Xylene & p-Xylene	<0.00402	U	0.00402		mg/Kg		06/10/26 19:07	06/10/26 22:33	1
o-Xylene	<0.00201	U	0.00201		mg/Kg		06/10/26 19:07	06/10/26 22:33	1
Xylenes, Total	<0.00402	U	0.00402		mg/Kg		06/10/26 19:07	06/10/26 22:33	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	106		70 - 130	06/10/26 19:07	06/10/26 22:33	1

Eurofins Carlsbad

Client Sample Results

Client: Standard Safety & Supply
Project/Site: Camacho LACT

Job ID: 890-10040-1
SDG: Eddy County, New Mexico

Client Sample ID: H - 2 A

Lab Sample ID: 890-10040-2

Date Collected: 06/01/26 08:45

Matrix: Solid

Date Received: 06/03/26 09:59

Sample Depth: 0-0.5'

Method: SW846 8021B - Volatile Organic Compounds (GC) (Continued)

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,4-Difluorobenzene (Surr)	95		70 - 130	06/10/26 19:07	06/10/26 22:33	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00402	U	0.00402		mg/Kg			06/10/26 22:33	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	78.3		50.1		mg/Kg			06/09/26 06:23	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.1	U	50.1		mg/Kg		06/03/26 17:54	06/09/26 06:23	1
Diesel Range Organics (Over C10-C28)	78.3		50.1		mg/Kg		06/03/26 17:54	06/09/26 06:23	1
Oil Range Organics (Over C28-C36)	<50.1	U	50.1		mg/Kg		06/03/26 17:54	06/09/26 06:23	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	114		70 - 130				06/03/26 17:54	06/09/26 06:23	1
o-Terphenyl	89		70 - 130				06/03/26 17:54	06/09/26 06:23	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	78.3		9.94		mg/Kg			06/06/26 17:27	1

Client Sample ID: H - 3 A

Lab Sample ID: 890-10040-3

Date Collected: 06/01/26 09:00

Matrix: Solid

Date Received: 06/03/26 09:59

Sample Depth: 0-0.5'

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00202	U	0.00202		mg/Kg		06/10/26 19:07	06/10/26 22:54	1
Toluene	<0.00202	U	0.00202		mg/Kg		06/10/26 19:07	06/10/26 22:54	1
Ethylbenzene	<0.00202	U	0.00202		mg/Kg		06/10/26 19:07	06/10/26 22:54	1
m-Xylene & p-Xylene	<0.00404	U	0.00404		mg/Kg		06/10/26 19:07	06/10/26 22:54	1
o-Xylene	<0.00202	U	0.00202		mg/Kg		06/10/26 19:07	06/10/26 22:54	1
Xylenes, Total	<0.00404	U	0.00404		mg/Kg		06/10/26 19:07	06/10/26 22:54	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	112		70 - 130	06/10/26 19:07	06/10/26 22:54	1
1,4-Difluorobenzene (Surr)	95		70 - 130	06/10/26 19:07	06/10/26 22:54	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00404	U	0.00404		mg/Kg			06/10/26 22:54	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	173		50.1		mg/Kg			06/09/26 01:03	1

Eurofins Carlsbad

Client Sample Results

Client: Standard Safety & Supply
Project/Site: Camacho LACT

Job ID: 890-10040-1
SDG: Eddy County, New Mexico

Client Sample ID: H - 3 A

Lab Sample ID: 890-10040-3

Date Collected: 06/01/26 09:00

Matrix: Solid

Date Received: 06/03/26 09:59

Sample Depth: 0-0.5'

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.1	U	50.1		mg/Kg		06/03/26 17:56	06/09/26 01:03	1
Diesel Range Organics (Over C10-C28)	173		50.1		mg/Kg		06/03/26 17:56	06/09/26 01:03	1
Oil Range Organics (Over C28-C36)	<50.1	U	50.1		mg/Kg		06/03/26 17:56	06/09/26 01:03	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	114		70 - 130				06/03/26 17:56	06/09/26 01:03	1
o-Terphenyl	99		70 - 130				06/03/26 17:56	06/09/26 01:03	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	72.4		9.96		mg/Kg			06/06/26 17:31	1

Client Sample ID: H - 4 A

Lab Sample ID: 890-10040-4

Date Collected: 06/01/26 09:15

Matrix: Solid

Date Received: 06/03/26 09:59

Sample Depth: 0-0.5'

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		06/10/26 19:07	06/10/26 23:14	1
Toluene	<0.00199	U	0.00199		mg/Kg		06/10/26 19:07	06/10/26 23:14	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		06/10/26 19:07	06/10/26 23:14	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		06/10/26 19:07	06/10/26 23:14	1
o-Xylene	<0.00199	U	0.00199		mg/Kg		06/10/26 19:07	06/10/26 23:14	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		06/10/26 19:07	06/10/26 23:14	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	100		70 - 130				06/10/26 19:07	06/10/26 23:14	1
1,4-Difluorobenzene (Surr)	98		70 - 130				06/10/26 19:07	06/10/26 23:14	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			06/10/26 23:14	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			06/09/26 01:46	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		06/03/26 17:56	06/09/26 01:46	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		06/03/26 17:56	06/09/26 01:46	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		06/03/26 17:56	06/09/26 01:46	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	121		70 - 130				06/03/26 17:56	06/09/26 01:46	1
o-Terphenyl	111		70 - 130				06/03/26 17:56	06/09/26 01:46	1

Eurofins Carlsbad

Client Sample Results

Client: Standard Safety & Supply
Project/Site: Camacho LACT

Job ID: 890-10040-1
SDG: Eddy County, New Mexico

Client Sample ID: H - 4 A

Date Collected: 06/01/26 09:15

Date Received: 06/03/26 09:59

Sample Depth: 0-0.5'

Lab Sample ID: 890-10040-4

Matrix: Solid

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<10.0	U	10.0		mg/Kg			06/06/26 17:36	1

Client Sample ID: H - 5 A

Date Collected: 06/01/26 09:30

Date Received: 06/03/26 09:59

Sample Depth: 0-0.5'

Lab Sample ID: 890-10040-5

Matrix: Solid

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		06/10/26 19:07	06/10/26 23:35	1
Toluene	<0.00200	U	0.00200		mg/Kg		06/10/26 19:07	06/10/26 23:35	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		06/10/26 19:07	06/10/26 23:35	1
m-Xylene & p-Xylene	<0.00400	U	0.00400		mg/Kg		06/10/26 19:07	06/10/26 23:35	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		06/10/26 19:07	06/10/26 23:35	1
Xylenes, Total	<0.00400	U	0.00400		mg/Kg		06/10/26 19:07	06/10/26 23:35	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	104		70 - 130	06/10/26 19:07	06/10/26 23:35	1
1,4-Difluorobenzene (Surr)	95		70 - 130	06/10/26 19:07	06/10/26 23:35	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00400	U	0.00400		mg/Kg			06/10/26 23:35	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			06/09/26 02:01	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	49.9		mg/Kg		06/03/26 17:56	06/09/26 02:01	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		06/03/26 17:56	06/09/26 02:01	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		06/03/26 17:56	06/09/26 02:01	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	125		70 - 130	06/03/26 17:56	06/09/26 02:01	1
o-Terphenyl	111		70 - 130	06/03/26 17:56	06/09/26 02:01	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<10.1	U	10.1		mg/Kg			06/06/26 17:41	1

Eurofins Carlsbad

Client Sample Results

Client: Standard Safety & Supply
Project/Site: Camacho LACT

Job ID: 890-10040-1
SDG: Eddy County, New Mexico

Client Sample ID: H - 6

Lab Sample ID: 890-10040-6

Date Collected: 06/01/26 09:45

Matrix: Solid

Date Received: 06/03/26 09:59

Sample Depth: 0-0.5'

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		06/10/26 19:07	06/10/26 23:55	1
Toluene	<0.00200	U	0.00200		mg/Kg		06/10/26 19:07	06/10/26 23:55	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		06/10/26 19:07	06/10/26 23:55	1
m-Xylene & p-Xylene	<0.00399	U	0.00399		mg/Kg		06/10/26 19:07	06/10/26 23:55	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		06/10/26 19:07	06/10/26 23:55	1
Xylenes, Total	<0.00399	U	0.00399		mg/Kg		06/10/26 19:07	06/10/26 23:55	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	106		70 - 130	06/10/26 19:07	06/10/26 23:55	1
1,4-Difluorobenzene (Surr)	94		70 - 130	06/10/26 19:07	06/10/26 23:55	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00399	U	0.00399		mg/Kg			06/10/26 23:55	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			06/09/26 02:15	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	49.9		mg/Kg		06/03/26 17:56	06/09/26 02:15	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		06/03/26 17:56	06/09/26 02:15	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		06/03/26 17:56	06/09/26 02:15	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	129		70 - 130	06/03/26 17:56	06/09/26 02:15	1
o-Terphenyl	106		70 - 130	06/03/26 17:56	06/09/26 02:15	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<10.1	U	10.1		mg/Kg			06/06/26 17:55	1

Client Sample ID: H - 7

Lab Sample ID: 890-10040-7

Date Collected: 06/01/26 10:00

Matrix: Solid

Date Received: 06/03/26 09:59

Sample Depth: 0-0.5'

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00201	U	0.00201		mg/Kg		06/10/26 19:07	06/11/26 00:16	1
Toluene	<0.00201	U	0.00201		mg/Kg		06/10/26 19:07	06/11/26 00:16	1
Ethylbenzene	<0.00201	U	0.00201		mg/Kg		06/10/26 19:07	06/11/26 00:16	1
m-Xylene & p-Xylene	<0.00402	U	0.00402		mg/Kg		06/10/26 19:07	06/11/26 00:16	1
o-Xylene	<0.00201	U	0.00201		mg/Kg		06/10/26 19:07	06/11/26 00:16	1
Xylenes, Total	<0.00402	U	0.00402		mg/Kg		06/10/26 19:07	06/11/26 00:16	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	101		70 - 130	06/10/26 19:07	06/11/26 00:16	1

Eurofins Carlsbad

Client Sample Results

Client: Standard Safety & Supply
Project/Site: Camacho LACT

Job ID: 890-10040-1
SDG: Eddy County, New Mexico

Client Sample ID: H - 7

Lab Sample ID: 890-10040-7

Date Collected: 06/01/26 10:00

Matrix: Solid

Date Received: 06/03/26 09:59

Sample Depth: 0-0.5'

Method: SW846 8021B - Volatile Organic Compounds (GC) (Continued)

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,4-Difluorobenzene (Surr)	98		70 - 130	06/10/26 19:07	06/11/26 00:16	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00402	U	0.00402		mg/Kg			06/11/26 00:16	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			06/09/26 02:29	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		06/03/26 17:56	06/09/26 02:29	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		06/03/26 17:56	06/09/26 02:29	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		06/03/26 17:56	06/09/26 02:29	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	122		70 - 130				06/03/26 17:56	06/09/26 02:29	1
o-Terphenyl	81		70 - 130				06/03/26 17:56	06/09/26 02:29	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<10.1	U	10.1		mg/Kg			06/06/26 17:59	1

Client Sample ID: H - 8

Lab Sample ID: 890-10040-8

Date Collected: 06/01/26 10:15

Matrix: Solid

Date Received: 06/03/26 09:59

Sample Depth: 0-0.5'

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00202	U	0.00202		mg/Kg		06/10/26 19:07	06/11/26 00:36	1
Toluene	<0.00202	U	0.00202		mg/Kg		06/10/26 19:07	06/11/26 00:36	1
Ethylbenzene	<0.00202	U	0.00202		mg/Kg		06/10/26 19:07	06/11/26 00:36	1
m-Xylene & p-Xylene	<0.00404	U	0.00404		mg/Kg		06/10/26 19:07	06/11/26 00:36	1
o-Xylene	<0.00202	U	0.00202		mg/Kg		06/10/26 19:07	06/11/26 00:36	1
Xylenes, Total	<0.00404	U	0.00404		mg/Kg		06/10/26 19:07	06/11/26 00:36	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	109		70 - 130	06/10/26 19:07	06/11/26 00:36	1
1,4-Difluorobenzene (Surr)	96		70 - 130	06/10/26 19:07	06/11/26 00:36	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00404	U	0.00404		mg/Kg			06/11/26 00:36	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.8	U	49.8		mg/Kg			06/09/26 02:43	1

Eurofins Carlsbad

Client Sample Results

Client: Standard Safety & Supply
Project/Site: Camacho LACT

Job ID: 890-10040-1
SDG: Eddy County, New Mexico

Client Sample ID: H - 8

Lab Sample ID: 890-10040-8

Date Collected: 06/01/26 10:15

Matrix: Solid

Date Received: 06/03/26 09:59

Sample Depth: 0-0.5'

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.8	U	49.8		mg/Kg		06/03/26 17:56	06/09/26 02:43	1
Diesel Range Organics (Over C10-C28)	<49.8	U	49.8		mg/Kg		06/03/26 17:56	06/09/26 02:43	1
Oil Range Organics (Over C28-C36)	<49.8	U	49.8		mg/Kg		06/03/26 17:56	06/09/26 02:43	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	101		70 - 130				06/03/26 17:56	06/09/26 02:43	1
o-Terphenyl	89		70 - 130				06/03/26 17:56	06/09/26 02:43	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<9.98	U	9.98		mg/Kg			06/06/26 18:04	1

Client Sample ID: H - 9 A

Lab Sample ID: 890-10040-9

Date Collected: 06/01/26 10:30

Matrix: Solid

Date Received: 06/03/26 09:59

Sample Depth: 0-0.5'

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		06/10/26 19:07	06/11/26 00:57	1
Toluene	<0.00199	U	0.00199		mg/Kg		06/10/26 19:07	06/11/26 00:57	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		06/10/26 19:07	06/11/26 00:57	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		06/10/26 19:07	06/11/26 00:57	1
o-Xylene	<0.00199	U	0.00199		mg/Kg		06/10/26 19:07	06/11/26 00:57	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		06/10/26 19:07	06/11/26 00:57	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	109		70 - 130				06/10/26 19:07	06/11/26 00:57	1
1,4-Difluorobenzene (Surr)	95		70 - 130				06/10/26 19:07	06/11/26 00:57	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			06/11/26 00:57	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.8	U	49.8		mg/Kg			06/09/26 02:58	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.8	U	49.8		mg/Kg		06/03/26 17:56	06/09/26 02:58	1
Diesel Range Organics (Over C10-C28)	<49.8	U	49.8		mg/Kg		06/03/26 17:56	06/09/26 02:58	1
Oil Range Organics (Over C28-C36)	<49.8	U	49.8		mg/Kg		06/03/26 17:56	06/09/26 02:58	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	97		70 - 130				06/03/26 17:56	06/09/26 02:58	1
o-Terphenyl	100		70 - 130				06/03/26 17:56	06/09/26 02:58	1

Eurofins Carlsbad

Client Sample Results

Client: Standard Safety & Supply
Project/Site: Camacho LACT

Job ID: 890-10040-1
SDG: Eddy County, New Mexico

Client Sample ID: H - 9 A

Lab Sample ID: 890-10040-9

Date Collected: 06/01/26 10:30

Matrix: Solid

Date Received: 06/03/26 09:59

Sample Depth: 0-0.5'

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	39.5		9.94		mg/Kg			06/06/26 18:09	1

Client Sample ID: H - 10 A

Lab Sample ID: 890-10040-10

Date Collected: 06/01/26 10:45

Matrix: Solid

Date Received: 06/03/26 09:59

Sample Depth: 0-0.5'

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		06/10/26 19:07	06/11/26 01:17	1
Toluene	<0.00199	U	0.00199		mg/Kg		06/10/26 19:07	06/11/26 01:17	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		06/10/26 19:07	06/11/26 01:17	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		06/10/26 19:07	06/11/26 01:17	1
o-Xylene	<0.00199	U	0.00199		mg/Kg		06/10/26 19:07	06/11/26 01:17	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		06/10/26 19:07	06/11/26 01:17	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	100		70 - 130				06/10/26 19:07	06/11/26 01:17	1
1,4-Difluorobenzene (Surr)	99		70 - 130				06/10/26 19:07	06/11/26 01:17	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			06/11/26 01:17	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			06/09/26 03:13	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	49.9		mg/Kg		06/03/26 17:56	06/09/26 03:13	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		06/03/26 17:56	06/09/26 03:13	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		06/03/26 17:56	06/09/26 03:13	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	113		70 - 130				06/03/26 17:56	06/09/26 03:13	1
o-Terphenyl	116		70 - 130				06/03/26 17:56	06/09/26 03:13	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	29.3		9.90		mg/Kg			06/06/26 18:13	1

Eurofins Carlsbad

Client Sample Results

Client: Standard Safety & Supply
Project/Site: Camacho LACT

Job ID: 890-10040-1
SDG: Eddy County, New Mexico

Client Sample ID: H - 11 A

Lab Sample ID: 890-10040-11

Date Collected: 06/01/26 11:00

Matrix: Solid

Date Received: 06/03/26 09:59

Sample Depth: 0-0.5'

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		06/10/26 19:07	06/11/26 02:40	1
Toluene	<0.00200	U	0.00200		mg/Kg		06/10/26 19:07	06/11/26 02:40	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		06/10/26 19:07	06/11/26 02:40	1
m-Xylene & p-Xylene	<0.00399	U	0.00399		mg/Kg		06/10/26 19:07	06/11/26 02:40	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		06/10/26 19:07	06/11/26 02:40	1
Xylenes, Total	<0.00399	U	0.00399		mg/Kg		06/10/26 19:07	06/11/26 02:40	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	111		70 - 130	06/10/26 19:07	06/11/26 02:40	1
1,4-Difluorobenzene (Surr)	95		70 - 130	06/10/26 19:07	06/11/26 02:40	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00399	U	0.00399		mg/Kg			06/11/26 02:40	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			06/09/26 03:27	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		06/03/26 17:56	06/09/26 03:27	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		06/03/26 17:56	06/09/26 03:27	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		06/03/26 17:56	06/09/26 03:27	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	97		70 - 130	06/03/26 17:56	06/09/26 03:27	1
o-Terphenyl	104		70 - 130	06/03/26 17:56	06/09/26 03:27	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	26.0		10.0		mg/Kg			06/06/26 18:18	1

Client Sample ID: H - 12 A

Lab Sample ID: 890-10040-12

Date Collected: 06/01/26 11:15

Matrix: Solid

Date Received: 06/03/26 09:59

Sample Depth: 0-0.5'

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00201	U	0.00201		mg/Kg		06/10/26 19:07	06/11/26 03:01	1
Toluene	<0.00201	U	0.00201		mg/Kg		06/10/26 19:07	06/11/26 03:01	1
Ethylbenzene	<0.00201	U	0.00201		mg/Kg		06/10/26 19:07	06/11/26 03:01	1
m-Xylene & p-Xylene	<0.00402	U	0.00402		mg/Kg		06/10/26 19:07	06/11/26 03:01	1
o-Xylene	<0.00201	U	0.00201		mg/Kg		06/10/26 19:07	06/11/26 03:01	1
Xylenes, Total	<0.00402	U	0.00402		mg/Kg		06/10/26 19:07	06/11/26 03:01	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	108		70 - 130	06/10/26 19:07	06/11/26 03:01	1

Eurofins Carlsbad

Client Sample Results

Client: Standard Safety & Supply
Project/Site: Camacho LACT

Job ID: 890-10040-1
SDG: Eddy County, New Mexico

Client Sample ID: H - 12 A

Lab Sample ID: 890-10040-12

Date Collected: 06/01/26 11:15

Matrix: Solid

Date Received: 06/03/26 09:59

Sample Depth: 0-0.5'

Method: SW846 8021B - Volatile Organic Compounds (GC) (Continued)

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,4-Difluorobenzene (Surr)	96		70 - 130	06/10/26 19:07	06/11/26 03:01	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00402	U	0.00402		mg/Kg			06/11/26 03:01	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			06/09/26 03:41	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	49.9		mg/Kg		06/03/26 17:56	06/09/26 03:41	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		06/03/26 17:56	06/09/26 03:41	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		06/03/26 17:56	06/09/26 03:41	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	107		70 - 130				06/03/26 17:56	06/09/26 03:41	1
o-Terphenyl	104		70 - 130				06/03/26 17:56	06/09/26 03:41	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	29.9		10.1		mg/Kg			06/06/26 18:32	1

Client Sample ID: H - 13 A

Lab Sample ID: 890-10040-13

Date Collected: 06/01/26 11:30

Matrix: Solid

Date Received: 06/03/26 09:59

Sample Depth: 0-0.5'

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		06/10/26 19:07	06/11/26 03:21	1
Toluene	<0.00200	U	0.00200		mg/Kg		06/10/26 19:07	06/11/26 03:21	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		06/10/26 19:07	06/11/26 03:21	1
m-Xylene & p-Xylene	<0.00401	U	0.00401		mg/Kg		06/10/26 19:07	06/11/26 03:21	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		06/10/26 19:07	06/11/26 03:21	1
Xylenes, Total	<0.00401	U	0.00401		mg/Kg		06/10/26 19:07	06/11/26 03:21	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	104		70 - 130	06/10/26 19:07	06/11/26 03:21	1
1,4-Difluorobenzene (Surr)	97		70 - 130	06/10/26 19:07	06/11/26 03:21	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00401	U	0.00401		mg/Kg			06/11/26 03:21	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			06/09/26 04:10	1

Eurofins Carlsbad

Client Sample Results

Client: Standard Safety & Supply
Project/Site: Camacho LACT

Job ID: 890-10040-1
SDG: Eddy County, New Mexico

Client Sample ID: H - 13 A

Lab Sample ID: 890-10040-13

Date Collected: 06/01/26 11:30

Matrix: Solid

Date Received: 06/03/26 09:59

Sample Depth: 0-0.5'

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		06/03/26 17:56	06/09/26 04:10	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		06/03/26 17:56	06/09/26 04:10	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		06/03/26 17:56	06/09/26 04:10	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	113		70 - 130				06/03/26 17:56	06/09/26 04:10	1
o-Terphenyl	111		70 - 130				06/03/26 17:56	06/09/26 04:10	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	26.3		10.0		mg/Kg			06/06/26 18:36	1

Client Sample ID: V - 1

Lab Sample ID: 890-10040-14

Date Collected: 06/01/26 11:45

Matrix: Solid

Date Received: 06/03/26 09:59

Sample Depth: 4-4.5'

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		06/10/26 19:07	06/11/26 03:42	1
Toluene	<0.00199	U	0.00199		mg/Kg		06/10/26 19:07	06/11/26 03:42	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		06/10/26 19:07	06/11/26 03:42	1
m-Xylene & p-Xylene	0.00442		0.00398		mg/Kg		06/10/26 19:07	06/11/26 03:42	1
o-Xylene	0.00343		0.00199		mg/Kg		06/10/26 19:07	06/11/26 03:42	1
Xylenes, Total	0.00785		0.00398		mg/Kg		06/10/26 19:07	06/11/26 03:42	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	114		70 - 130				06/10/26 19:07	06/11/26 03:42	1
1,4-Difluorobenzene (Surr)	100		70 - 130				06/10/26 19:07	06/11/26 03:42	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	0.00785		0.00398		mg/Kg			06/11/26 03:42	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	146		49.8		mg/Kg			06/09/26 04:24	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.8	U	49.8		mg/Kg		06/03/26 17:56	06/09/26 04:24	1
Diesel Range Organics (Over C10-C28)	146		49.8		mg/Kg		06/03/26 17:56	06/09/26 04:24	1
Oil Range Organics (Over C28-C36)	<49.8	U	49.8		mg/Kg		06/03/26 17:56	06/09/26 04:24	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	104		70 - 130				06/03/26 17:56	06/09/26 04:24	1
o-Terphenyl	110		70 - 130				06/03/26 17:56	06/09/26 04:24	1

Eurofins Carlsbad

Client Sample Results

Client: Standard Safety & Supply
Project/Site: Camacho LACT

Job ID: 890-10040-1
SDG: Eddy County, New Mexico

Client Sample ID: V - 1

Lab Sample ID: 890-10040-14

Date Collected: 06/01/26 11:45

Matrix: Solid

Date Received: 06/03/26 09:59

Sample Depth: 4-4.5'

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	18.2		9.98		mg/Kg			06/06/26 18:50	1

Client Sample ID: V - 1

Lab Sample ID: 890-10040-15

Date Collected: 06/01/26 12:00

Matrix: Solid

Date Received: 06/03/26 09:59

Sample Depth: 5-5.5'

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		06/10/26 19:07	06/11/26 04:02	1
Toluene	<0.00200	U	0.00200		mg/Kg		06/10/26 19:07	06/11/26 04:02	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		06/10/26 19:07	06/11/26 04:02	1
m-Xylene & p-Xylene	<0.00399	U	0.00399		mg/Kg		06/10/26 19:07	06/11/26 04:02	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		06/10/26 19:07	06/11/26 04:02	1
Xylenes, Total	<0.00399	U	0.00399		mg/Kg		06/10/26 19:07	06/11/26 04:02	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	108		70 - 130				06/10/26 19:07	06/11/26 04:02	1
1,4-Difluorobenzene (Surr)	102		70 - 130				06/10/26 19:07	06/11/26 04:02	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00399	U	0.00399		mg/Kg			06/11/26 04:02	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.8	U	49.8		mg/Kg			06/09/26 04:39	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.8	U	49.8		mg/Kg		06/03/26 17:56	06/09/26 04:39	1
Diesel Range Organics (Over C10-C28)	<49.8	U	49.8		mg/Kg		06/03/26 17:56	06/09/26 04:39	1
Oil Range Organics (Over C28-C36)	<49.8	U	49.8		mg/Kg		06/03/26 17:56	06/09/26 04:39	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	97		70 - 130				06/03/26 17:56	06/09/26 04:39	1
o-Terphenyl	98		70 - 130				06/03/26 17:56	06/09/26 04:39	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	16.0		9.92		mg/Kg			06/06/26 18:55	1

Eurofins Carlsbad

Client Sample Results

Client: Standard Safety & Supply
Project/Site: Camacho LACT

Job ID: 890-10040-1
SDG: Eddy County, New Mexico

Client Sample ID: V - 1

Lab Sample ID: 890-10040-16

Date Collected: 06/01/26 12:15

Matrix: Solid

Date Received: 06/03/26 09:59

Sample Depth: 6-6.5'

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00201	U	0.00201		mg/Kg		06/10/26 19:07	06/11/26 04:23	1
Toluene	<0.00201	U	0.00201		mg/Kg		06/10/26 19:07	06/11/26 04:23	1
Ethylbenzene	<0.00201	U	0.00201		mg/Kg		06/10/26 19:07	06/11/26 04:23	1
m-Xylene & p-Xylene	<0.00402	U	0.00402		mg/Kg		06/10/26 19:07	06/11/26 04:23	1
o-Xylene	<0.00201	U	0.00201		mg/Kg		06/10/26 19:07	06/11/26 04:23	1
Xylenes, Total	<0.00402	U	0.00402		mg/Kg		06/10/26 19:07	06/11/26 04:23	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	110		70 - 130	06/10/26 19:07	06/11/26 04:23	1
1,4-Difluorobenzene (Surr)	95		70 - 130	06/10/26 19:07	06/11/26 04:23	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00402	U	0.00402		mg/Kg			06/11/26 04:23	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			06/09/26 04:53	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	49.9		mg/Kg		06/03/26 17:56	06/09/26 04:53	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		06/03/26 17:56	06/09/26 04:53	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		06/03/26 17:56	06/09/26 04:53	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	117		70 - 130	06/03/26 17:56	06/09/26 04:53	1
o-Terphenyl	117		70 - 130	06/03/26 17:56	06/09/26 04:53	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	42.9		9.94		mg/Kg			06/06/26 19:00	1

Client Sample ID: V - 12

Lab Sample ID: 890-10040-17

Date Collected: 06/01/26 12:30

Matrix: Solid

Date Received: 06/03/26 09:59

Sample Depth: 7-7.5'

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00202	U	0.00202		mg/Kg		06/10/26 19:07	06/11/26 04:43	1
Toluene	<0.00202	U	0.00202		mg/Kg		06/10/26 19:07	06/11/26 04:43	1
Ethylbenzene	0.0153		0.00202		mg/Kg		06/10/26 19:07	06/11/26 04:43	1
m-Xylene & p-Xylene	0.0780		0.00404		mg/Kg		06/10/26 19:07	06/11/26 04:43	1
o-Xylene	0.0536		0.00202		mg/Kg		06/10/26 19:07	06/11/26 04:43	1
Xylenes, Total	0.132		0.00404		mg/Kg		06/10/26 19:07	06/11/26 04:43	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	135	S1+	70 - 130	06/10/26 19:07	06/11/26 04:43	1

Eurofins Carlsbad

Client Sample Results

Client: Standard Safety & Supply
Project/Site: Camacho LACT

Job ID: 890-10040-1
SDG: Eddy County, New Mexico

Client Sample ID: V - 12

Lab Sample ID: 890-10040-17

Date Collected: 06/01/26 12:30

Matrix: Solid

Date Received: 06/03/26 09:59

Sample Depth: 7-7.5'

Method: SW846 8021B - Volatile Organic Compounds (GC) (Continued)

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,4-Difluorobenzene (Surr)	103		70 - 130	06/10/26 19:07	06/11/26 04:43	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	0.147		0.00404		mg/Kg			06/11/26 04:43	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	587		50.0		mg/Kg			06/09/26 05:08	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		06/03/26 17:56	06/09/26 05:08	1
Diesel Range Organics (Over C10-C28)	587		50.0		mg/Kg		06/03/26 17:56	06/09/26 05:08	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		06/03/26 17:56	06/09/26 05:08	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	124		70 - 130				06/03/26 17:56	06/09/26 05:08	1
o-Terphenyl	128		70 - 130				06/03/26 17:56	06/09/26 05:08	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	31.8		9.94		mg/Kg			06/06/26 19:04	1

Client Sample ID: V - 3

Lab Sample ID: 890-10040-18

Date Collected: 06/01/26 12:45

Matrix: Solid

Date Received: 06/03/26 09:59

Sample Depth: 4-4.5'

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		06/10/26 19:07	06/11/26 05:04	1
Toluene	<0.00199	U	0.00199		mg/Kg		06/10/26 19:07	06/11/26 05:04	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		06/10/26 19:07	06/11/26 05:04	1
m-Xylene & p-Xylene	0.00548		0.00398		mg/Kg		06/10/26 19:07	06/11/26 05:04	1
o-Xylene	<0.00199	U	0.00199		mg/Kg		06/10/26 19:07	06/11/26 05:04	1
Xylenes, Total	0.00548		0.00398		mg/Kg		06/10/26 19:07	06/11/26 05:04	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	122		70 - 130	06/10/26 19:07	06/11/26 05:04	1
1,4-Difluorobenzene (Surr)	100		70 - 130	06/10/26 19:07	06/11/26 05:04	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	0.00548		0.00398		mg/Kg			06/11/26 05:04	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			06/09/26 05:22	1

Eurofins Carlsbad

Client Sample Results

Client: Standard Safety & Supply
Project/Site: Camacho LACT

Job ID: 890-10040-1
SDG: Eddy County, New Mexico

Client Sample ID: V - 3

Lab Sample ID: 890-10040-18

Date Collected: 06/01/26 12:45

Matrix: Solid

Date Received: 06/03/26 09:59

Sample Depth: 4-4.5'

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	49.9		mg/Kg		06/03/26 17:56	06/09/26 05:22	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		06/03/26 17:56	06/09/26 05:22	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		06/03/26 17:56	06/09/26 05:22	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	72		70 - 130				06/03/26 17:56	06/09/26 05:22	1
o-Terphenyl	82		70 - 130				06/03/26 17:56	06/09/26 05:22	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	33.7		9.96		mg/Kg			06/06/26 19:09	1

Client Sample ID: V - 8

Lab Sample ID: 890-10040-19

Date Collected: 06/01/26 13:00

Matrix: Solid

Date Received: 06/03/26 09:59

Sample Depth: 3-3.5'

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		06/10/26 19:07	06/11/26 05:24	1
Toluene	0.00309		0.00200		mg/Kg		06/10/26 19:07	06/11/26 05:24	1
Ethylbenzene	0.00588		0.00200		mg/Kg		06/10/26 19:07	06/11/26 05:24	1
m-Xylene & p-Xylene	0.00810		0.00400		mg/Kg		06/10/26 19:07	06/11/26 05:24	1
o-Xylene	0.0464		0.00200		mg/Kg		06/10/26 19:07	06/11/26 05:24	1
Xylenes, Total	0.0545		0.00400		mg/Kg		06/10/26 19:07	06/11/26 05:24	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	120		70 - 130				06/10/26 19:07	06/11/26 05:24	1
1,4-Difluorobenzene (Surr)	100		70 - 130				06/10/26 19:07	06/11/26 05:24	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	0.0635		0.00400		mg/Kg			06/11/26 05:24	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	160		50.0		mg/Kg			06/09/26 05:36	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		06/03/26 17:56	06/09/26 05:36	1
Diesel Range Organics (Over C10-C28)	160		50.0		mg/Kg		06/03/26 17:56	06/09/26 05:36	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		06/03/26 17:56	06/09/26 05:36	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	115		70 - 130				06/03/26 17:56	06/09/26 05:36	1
o-Terphenyl	119		70 - 130				06/03/26 17:56	06/09/26 05:36	1

Eurofins Carlsbad

Client Sample Results

Client: Standard Safety & Supply
Project/Site: Camacho LACT

Job ID: 890-10040-1
SDG: Eddy County, New Mexico

Client Sample ID: V - 8

Lab Sample ID: 890-10040-19

Date Collected: 06/01/26 13:00

Matrix: Solid

Date Received: 06/03/26 09:59

Sample Depth: 3-3.5'

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	26.4		10.0		mg/Kg			06/06/26 19:14	1

Client Sample ID: V - 8

Lab Sample ID: 890-10040-20

Date Collected: 06/01/26 13:15

Matrix: Solid

Date Received: 06/03/26 09:59

Sample Depth: 4-4.5'

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00198	U	0.00198		mg/Kg		06/10/26 19:07	06/11/26 05:45	1
Toluene	<0.00198	U	0.00198		mg/Kg		06/10/26 19:07	06/11/26 05:45	1
Ethylbenzene	<0.00198	U	0.00198		mg/Kg		06/10/26 19:07	06/11/26 05:45	1
m-Xylene & p-Xylene	<0.00396	U	0.00396		mg/Kg		06/10/26 19:07	06/11/26 05:45	1
o-Xylene	0.00207		0.00198		mg/Kg		06/10/26 19:07	06/11/26 05:45	1
Xylenes, Total	<0.00396	U	0.00396		mg/Kg		06/10/26 19:07	06/11/26 05:45	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	107		70 - 130				06/10/26 19:07	06/11/26 05:45	1
1,4-Difluorobenzene (Surr)	101		70 - 130				06/10/26 19:07	06/11/26 05:45	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00396	U	0.00396		mg/Kg			06/11/26 05:45	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			06/09/26 05:50	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	49.9		mg/Kg		06/03/26 17:56	06/09/26 05:50	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		06/03/26 17:56	06/09/26 05:50	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		06/03/26 17:56	06/09/26 05:50	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	105		70 - 130				06/03/26 17:56	06/09/26 05:50	1
o-Terphenyl	110		70 - 130				06/03/26 17:56	06/09/26 05:50	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	19.2		9.94		mg/Kg			06/06/26 19:18	1

Eurofins Carlsbad

Client Sample Results

Client: Standard Safety & Supply
Project/Site: Camacho LACT

Job ID: 890-10040-1
SDG: Eddy County, New Mexico

Client Sample ID: V - 14

Lab Sample ID: 890-10040-21

Date Collected: 06/02/26 12:00

Matrix: Solid

Date Received: 06/03/26 09:59

Sample Depth: 0-0.5'

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	0.0142	F2 F1	0.00200		mg/Kg		06/11/26 13:20	06/12/26 21:57	1
Toluene	0.00449	F2 F1	0.00200		mg/Kg		06/11/26 13:20	06/12/26 21:57	1
Ethylbenzene	0.150	F2 F1	0.00200		mg/Kg		06/11/26 13:20	06/12/26 21:57	1
m-Xylene & p-Xylene	40.4		0.803		mg/Kg		06/15/26 17:26	06/16/26 03:08	200
o-Xylene	23.3		0.402		mg/Kg		06/15/26 17:26	06/16/26 03:08	200
Xylenes, Total	63.7		0.803		mg/Kg		06/15/26 17:26	06/16/26 03:08	200

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	455	S1+	70 - 130	06/11/26 13:20	06/12/26 21:57	1
1,4-Difluorobenzene (Surr)	120		70 - 130	06/11/26 13:20	06/12/26 21:57	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	63.9		0.803		mg/Kg			06/16/26 03:08	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	17000		500		mg/Kg			06/09/26 21:09	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	2540		50.0		mg/Kg		06/03/26 17:56	06/09/26 06:04	1
Diesel Range Organics (Over C10-C28)	13800		500		mg/Kg		06/09/26 15:37	06/09/26 21:09	10
Oil Range Organics (Over C28-C36)	705		50.0		mg/Kg		06/03/26 17:56	06/09/26 06:04	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	204	S1+	70 - 130	06/03/26 17:56	06/09/26 06:04	1
o-Terphenyl	233	S1+	70 - 130	06/03/26 17:56	06/09/26 06:04	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<9.98	U	9.98		mg/Kg			06/06/26 20:04	1

Client Sample ID: V - 14

Lab Sample ID: 890-10040-22

Date Collected: 06/02/26 12:10

Matrix: Solid

Date Received: 06/03/26 09:59

Sample Depth: 2-2.5'

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	0.0538		0.00201		mg/Kg		06/11/26 13:20	06/12/26 22:17	1
Toluene	0.00496		0.00201		mg/Kg		06/11/26 13:20	06/12/26 22:17	1
Ethylbenzene	0.145		0.00201		mg/Kg		06/11/26 13:20	06/12/26 22:17	1
m-Xylene & p-Xylene	0.130		0.00402		mg/Kg		06/11/26 13:20	06/12/26 22:17	1
o-Xylene	45.6		0.497		mg/Kg		06/15/26 09:10	06/15/26 19:28	250
Xylenes, Total	67.9		0.994		mg/Kg		06/15/26 09:10	06/15/26 19:28	250

Eurofins Carlsbad

Client Sample Results

Client: Standard Safety & Supply
Project/Site: Camacho LACT

Job ID: 890-10040-1
SDG: Eddy County, New Mexico

Client Sample ID: V - 14

Lab Sample ID: 890-10040-22

Date Collected: 06/02/26 12:10

Matrix: Solid

Date Received: 06/03/26 09:59

Sample Depth: 2-2.5'

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	603	S1+	70 - 130	06/11/26 13:20	06/12/26 22:17	1
1,4-Difluorobenzene (Surr)	95		70 - 130	06/11/26 13:20	06/12/26 22:17	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	45.9		0.00402		mg/Kg			06/15/26 19:28	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	18400		498		mg/Kg			06/09/26 21:24	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	4270		50.1		mg/Kg		06/03/26 17:56	06/09/26 06:20	1
Diesel Range Organics (Over C10-C28)	13600		498		mg/Kg		06/09/26 15:37	06/09/26 21:24	10
Oil Range Organics (Over C28-C36)	509		50.1		mg/Kg		06/03/26 17:56	06/09/26 06:20	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	219	S1+	70 - 130	06/03/26 17:56	06/09/26 06:20	1
o-Terphenyl	216	S1+	70 - 130	06/03/26 17:56	06/09/26 06:20	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	11.2		10.0		mg/Kg			06/06/26 20:19	1

Client Sample ID: V - 14

Lab Sample ID: 890-10040-23

Date Collected: 06/02/26 12:20

Matrix: Solid

Date Received: 06/03/26 09:59

Sample Depth: 3-3.5'

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00202	U	0.00202		mg/Kg		06/11/26 13:20	06/12/26 22:38	1
Toluene	0.0300		0.00202		mg/Kg		06/11/26 13:20	06/12/26 22:38	1
Ethylbenzene	0.284		0.00202		mg/Kg		06/11/26 13:20	06/12/26 22:38	1
m-Xylene & p-Xylene	0.0455		0.00404		mg/Kg		06/11/26 13:20	06/12/26 22:38	1
o-Xylene	9.77		0.0503		mg/Kg		06/15/26 09:10	06/15/26 16:23	25
Xylenes, Total	24.9		0.101		mg/Kg		06/15/26 09:10	06/15/26 16:23	25

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	516	S1+	70 - 130	06/11/26 13:20	06/12/26 22:38	1
1,4-Difluorobenzene (Surr)	90		70 - 130	06/11/26 13:20	06/12/26 22:38	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	10.1		0.00404		mg/Kg			06/15/26 16:23	1

Eurofins Carlsbad

Client Sample Results

Client: Standard Safety & Supply
Project/Site: Camacho LACT

Job ID: 890-10040-1
SDG: Eddy County, New Mexico

Client Sample ID: V - 14

Lab Sample ID: 890-10040-23

Date Collected: 06/02/26 12:20

Matrix: Solid

Date Received: 06/03/26 09:59

Sample Depth: 3-3.5'

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	5010		50.1		mg/Kg			06/05/26 19:17	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	820	*1 F1 F2	50.1		mg/Kg		06/03/26 17:58	06/05/26 19:17	1
Diesel Range Organics (Over C10-C28)	4190		50.1		mg/Kg		06/03/26 17:58	06/05/26 19:17	1
Oil Range Organics (Over C28-C36)	<50.1	U	50.1		mg/Kg		06/03/26 17:58	06/05/26 19:17	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	125		70 - 130				06/03/26 17:58	06/05/26 19:17	1
o-Terphenyl	123		70 - 130				06/03/26 17:58	06/05/26 19:17	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<10.0	U	10.0		mg/Kg			06/06/26 20:24	1

Client Sample ID: V - 14

Lab Sample ID: 890-10040-24

Date Collected: 06/02/26 12:30

Matrix: Solid

Date Received: 06/03/26 09:59

Sample Depth: 4-4.5'

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		06/11/26 13:20	06/12/26 22:59	1
Toluene	0.00500		0.00199		mg/Kg		06/11/26 13:20	06/12/26 22:59	1
Ethylbenzene	0.0741		0.00199		mg/Kg		06/11/26 13:20	06/12/26 22:59	1
m-Xylene & p-Xylene	0.0214		0.00398		mg/Kg		06/11/26 13:20	06/12/26 22:59	1
o-Xylene	1.11		0.0199		mg/Kg		06/15/26 09:10	06/15/26 16:43	10
Xylenes, Total	2.79		0.0398		mg/Kg		06/15/26 09:10	06/15/26 16:43	10
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	263	S1+	70 - 130				06/11/26 13:20	06/12/26 22:59	1
1,4-Difluorobenzene (Surr)	103		70 - 130				06/11/26 13:20	06/12/26 22:59	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	1.21		0.00398		mg/Kg			06/15/26 16:43	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	1770		50.1		mg/Kg			06/05/26 20:18	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.1	U *1	50.1		mg/Kg		06/03/26 17:58	06/05/26 20:18	1
Diesel Range Organics (Over C10-C28)	1770		50.1		mg/Kg		06/03/26 17:58	06/05/26 20:18	1
Oil Range Organics (Over C28-C36)	<50.1	U	50.1		mg/Kg		06/03/26 17:58	06/05/26 20:18	1

Eurofins Carlsbad

Client Sample Results

Client: Standard Safety & Supply
Project/Site: Camacho LACT

Job ID: 890-10040-1
SDG: Eddy County, New Mexico

Client Sample ID: V - 14

Lab Sample ID: 890-10040-24

Date Collected: 06/02/26 12:30

Matrix: Solid

Date Received: 06/03/26 09:59

Sample Depth: 4-4.5'

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	115		70 - 130	06/03/26 17:58	06/05/26 20:18	1
o-Terphenyl	121		70 - 130	06/03/26 17:58	06/05/26 20:18	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<10.1	U	10.1		mg/Kg			06/06/26 20:29	1

Client Sample ID: V - 14

Lab Sample ID: 890-10040-25

Date Collected: 06/02/26 12:40

Matrix: Solid

Date Received: 06/03/26 09:59

Sample Depth: 5-5.5'

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		06/11/26 13:20	06/12/26 23:20	1
Toluene	0.00567		0.00200		mg/Kg		06/11/26 13:20	06/12/26 23:20	1
Ethylbenzene	0.123		0.00200		mg/Kg		06/11/26 13:20	06/12/26 23:20	1
m-Xylene & p-Xylene	0.0522		0.00400		mg/Kg		06/11/26 13:20	06/12/26 23:20	1
o-Xylene	12.9		0.402		mg/Kg		06/15/26 09:39	06/15/26 19:08	200
Xylenes, Total	32.6		0.803		mg/Kg		06/15/26 09:39	06/15/26 19:08	200

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	417	S1+	70 - 130	06/11/26 13:20	06/12/26 23:20	1
1,4-Difluorobenzene (Surr)	107		70 - 130	06/11/26 13:20	06/12/26 23:20	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	13.1		0.00400		mg/Kg			06/15/26 19:08	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	3600		50.1		mg/Kg			06/05/26 20:38	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	310	*1	50.1		mg/Kg		06/03/26 17:58	06/05/26 20:38	1
Diesel Range Organics (Over C10-C28)	3290		50.1		mg/Kg		06/03/26 17:58	06/05/26 20:38	1
Oil Range Organics (Over C28-C36)	<50.1	U	50.1		mg/Kg		06/03/26 17:58	06/05/26 20:38	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	117		70 - 130	06/03/26 17:58	06/05/26 20:38	1
o-Terphenyl	116		70 - 130	06/03/26 17:58	06/05/26 20:38	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<10.1	U	10.1		mg/Kg			06/06/26 20:34	1

Eurofins Carlsbad

Client Sample Results

Client: Standard Safety & Supply
Project/Site: Camacho LACT

Job ID: 890-10040-1
SDG: Eddy County, New Mexico

Client Sample ID: V - 14

Lab Sample ID: 890-10040-26

Date Collected: 06/02/26 12:50

Matrix: Solid

Date Received: 06/03/26 09:59

Sample Depth: 6-6.5'

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		06/11/26 13:20	06/12/26 23:41	1
Toluene	<0.00200	U	0.00200		mg/Kg		06/11/26 13:20	06/12/26 23:41	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		06/11/26 13:20	06/12/26 23:41	1
m-Xylene & p-Xylene	<0.00399	U	0.00399		mg/Kg		06/11/26 13:20	06/12/26 23:41	1
o-Xylene	0.0408		0.00200		mg/Kg		06/11/26 13:20	06/12/26 23:41	1
Xylenes, Total	0.0408		0.00399		mg/Kg		06/11/26 13:20	06/12/26 23:41	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	102		70 - 130	06/11/26 13:20	06/12/26 23:41	1
1,4-Difluorobenzene (Surr)	102		70 - 130	06/11/26 13:20	06/12/26 23:41	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	0.0408		0.00399		mg/Kg			06/12/26 23:41	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	78.7		49.8		mg/Kg			06/05/26 20:59	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.8	U *1	49.8		mg/Kg		06/03/26 17:58	06/05/26 20:59	1
Diesel Range Organics (Over C10-C28)	78.7		49.8		mg/Kg		06/03/26 17:58	06/05/26 20:59	1
Oil Range Organics (Over C28-C36)	<49.8	U	49.8		mg/Kg		06/03/26 17:58	06/05/26 20:59	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	97		70 - 130	06/03/26 17:58	06/05/26 20:59	1
o-Terphenyl	115		70 - 130	06/03/26 17:58	06/05/26 20:59	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<10.1	U	10.1		mg/Kg			06/06/26 20:49	1

Client Sample ID: V - 14

Lab Sample ID: 890-10040-27

Date Collected: 06/02/26 13:00

Matrix: Solid

Date Received: 06/03/26 09:59

Sample Depth: 7-7.5'

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00201	U	0.00201		mg/Kg		06/11/26 13:20	06/13/26 00:02	1
Toluene	<0.00201	U	0.00201		mg/Kg		06/11/26 13:20	06/13/26 00:02	1
Ethylbenzene	<0.00201	U	0.00201		mg/Kg		06/11/26 13:20	06/13/26 00:02	1
m-Xylene & p-Xylene	<0.00402	U	0.00402		mg/Kg		06/11/26 13:20	06/13/26 00:02	1
o-Xylene	0.00527		0.00201		mg/Kg		06/11/26 13:20	06/13/26 00:02	1
Xylenes, Total	0.00527		0.00402		mg/Kg		06/11/26 13:20	06/13/26 00:02	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	107		70 - 130	06/11/26 13:20	06/13/26 00:02	1

Eurofins Carlsbad

Client Sample Results

Client: Standard Safety & Supply
Project/Site: Camacho LACT

Job ID: 890-10040-1
SDG: Eddy County, New Mexico

Client Sample ID: V - 14

Lab Sample ID: 890-10040-27

Date Collected: 06/02/26 13:00

Matrix: Solid

Date Received: 06/03/26 09:59

Sample Depth: 7-7.5'

Method: SW846 8021B - Volatile Organic Compounds (GC) (Continued)

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,4-Difluorobenzene (Surr)	102		70 - 130	06/11/26 13:20	06/13/26 00:02	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	0.00527		0.00402		mg/Kg			06/13/26 00:02	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			06/05/26 21:19	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U *1	49.9		mg/Kg		06/03/26 17:58	06/05/26 21:19	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		06/03/26 17:58	06/05/26 21:19	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		06/03/26 17:58	06/05/26 21:19	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	114		70 - 130				06/03/26 17:58	06/05/26 21:19	1
o-Terphenyl	137	S1+	70 - 130				06/03/26 17:58	06/05/26 21:19	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<10.1	U	10.1		mg/Kg			06/06/26 20:54	1

Client Sample ID: V - 14

Lab Sample ID: 890-10040-28

Date Collected: 06/02/26 13:10

Matrix: Solid

Date Received: 06/03/26 09:59

Sample Depth: 8-8.5'

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00202	U	0.00202		mg/Kg		06/11/26 13:20	06/13/26 00:23	1
Toluene	<0.00202	U	0.00202		mg/Kg		06/11/26 13:20	06/13/26 00:23	1
Ethylbenzene	<0.00202	U	0.00202		mg/Kg		06/11/26 13:20	06/13/26 00:23	1
m-Xylene & p-Xylene	<0.00404	U	0.00404		mg/Kg		06/11/26 13:20	06/13/26 00:23	1
o-Xylene	0.00517		0.00202		mg/Kg		06/11/26 13:20	06/13/26 00:23	1
Xylenes, Total	0.00517		0.00404		mg/Kg		06/11/26 13:20	06/13/26 00:23	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	108		70 - 130	06/11/26 13:20	06/13/26 00:23	1
1,4-Difluorobenzene (Surr)	95		70 - 130	06/11/26 13:20	06/13/26 00:23	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	0.00517		0.00404		mg/Kg			06/13/26 00:23	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	190		50.0		mg/Kg			06/05/26 21:40	1

Eurofins Carlsbad

Client Sample Results

Client: Standard Safety & Supply
Project/Site: Camacho LACT

Job ID: 890-10040-1
SDG: Eddy County, New Mexico

Client Sample ID: V - 14

Lab Sample ID: 890-10040-28

Date Collected: 06/02/26 13:10

Matrix: Solid

Date Received: 06/03/26 09:59

Sample Depth: 8-8.5'

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U *1	50.0		mg/Kg		06/03/26 17:58	06/05/26 21:40	1
Diesel Range Organics (Over C10-C28)	190		50.0		mg/Kg		06/03/26 17:58	06/05/26 21:40	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		06/03/26 17:58	06/05/26 21:40	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	116		70 - 130				06/03/26 17:58	06/05/26 21:40	1
o-Terphenyl	127		70 - 130				06/03/26 17:58	06/05/26 21:40	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<9.94	U	9.94		mg/Kg			06/06/26 20:59	1

Client Sample ID: V - 14

Lab Sample ID: 890-10040-29

Date Collected: 06/02/26 13:20

Matrix: Solid

Date Received: 06/03/26 09:59

Sample Depth: 9-9.5'

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		06/11/26 13:20	06/13/26 00:43	1
Toluene	<0.00199	U	0.00199		mg/Kg		06/11/26 13:20	06/13/26 00:43	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		06/11/26 13:20	06/13/26 00:43	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		06/11/26 13:20	06/13/26 00:43	1
o-Xylene	0.00508		0.00199		mg/Kg		06/11/26 13:20	06/13/26 00:43	1
Xylenes, Total	0.00508		0.00398		mg/Kg		06/11/26 13:20	06/13/26 00:43	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	114		70 - 130				06/11/26 13:20	06/13/26 00:43	1
1,4-Difluorobenzene (Surr)	102		70 - 130				06/11/26 13:20	06/13/26 00:43	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	0.00508		0.00398		mg/Kg			06/13/26 00:43	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.8	U	49.8		mg/Kg			06/05/26 22:00	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.8	U *1	49.8		mg/Kg		06/03/26 17:58	06/05/26 22:00	1
Diesel Range Organics (Over C10-C28)	<49.8	U	49.8		mg/Kg		06/03/26 17:58	06/05/26 22:00	1
Oil Range Organics (Over C28-C36)	<49.8	U	49.8		mg/Kg		06/03/26 17:58	06/05/26 22:00	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	116		70 - 130				06/03/26 17:58	06/05/26 22:00	1
o-Terphenyl	127		70 - 130				06/03/26 17:58	06/05/26 22:00	1

Eurofins Carlsbad

Client Sample Results

Client: Standard Safety & Supply
Project/Site: Camacho LACT

Job ID: 890-10040-1
SDG: Eddy County, New Mexico

Client Sample ID: V - 14

Lab Sample ID: 890-10040-29

Date Collected: 06/02/26 13:20

Matrix: Solid

Date Received: 06/03/26 09:59

Sample Depth: 9-9.5'

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<9.98	U	9.98		mg/Kg			06/06/26 21:04	1

Client Sample ID: V - 14

Lab Sample ID: 890-10040-30

Date Collected: 06/02/26 13:30

Matrix: Solid

Date Received: 06/03/26 09:59

Sample Depth: 10-10.5'

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		06/11/26 13:20	06/13/26 01:04	1
Toluene	<0.00199	U	0.00199		mg/Kg		06/11/26 13:20	06/13/26 01:04	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		06/11/26 13:20	06/13/26 01:04	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		06/11/26 13:20	06/13/26 01:04	1
o-Xylene	0.00255		0.00199		mg/Kg		06/11/26 13:20	06/13/26 01:04	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		06/11/26 13:20	06/13/26 01:04	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	113		70 - 130	06/11/26 13:20	06/13/26 01:04	1
1,4-Difluorobenzene (Surr)	107		70 - 130	06/11/26 13:20	06/13/26 01:04	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			06/13/26 01:04	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.8	U	49.8		mg/Kg			06/05/26 22:22	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.8	U *1	49.8		mg/Kg		06/03/26 17:58	06/05/26 22:22	1
Diesel Range Organics (Over C10-C28)	<49.8	U	49.8		mg/Kg		06/03/26 17:58	06/05/26 22:22	1
Oil Range Organics (Over C28-C36)	<49.8	U	49.8		mg/Kg		06/03/26 17:58	06/05/26 22:22	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	72		70 - 130	06/03/26 17:58	06/05/26 22:22	1
o-Terphenyl	93		70 - 130	06/03/26 17:58	06/05/26 22:22	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<9.92	U	9.92		mg/Kg			06/06/26 21:09	1

Eurofins Carlsbad

Client Sample Results

Client: Standard Safety & Supply
Project/Site: Camacho LACT

Job ID: 890-10040-1
SDG: Eddy County, New Mexico

Client Sample ID: V - 13

Lab Sample ID: 890-10040-31

Date Collected: 06/02/26 13:40

Matrix: Solid

Date Received: 06/03/26 09:59

Sample Depth: 0-0.5'

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		06/11/26 13:20	06/13/26 02:29	1
Toluene	0.142		0.00200		mg/Kg		06/11/26 13:20	06/13/26 02:29	1
Ethylbenzene	3.48		0.398		mg/Kg		06/15/26 09:39	06/15/26 19:28	200
m-Xylene & p-Xylene	15.7		0.797		mg/Kg		06/15/26 09:39	06/15/26 19:28	200
o-Xylene	10.5		0.398		mg/Kg		06/15/26 09:39	06/15/26 19:28	200
Xylenes, Total	26.2		0.797		mg/Kg		06/15/26 09:39	06/15/26 19:28	200

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	492	S1+	70 - 130	06/11/26 13:20	06/13/26 02:29	1
1,4-Difluorobenzene (Surr)	98		70 - 130	06/11/26 13:20	06/13/26 02:29	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	29.8		0.797		mg/Kg			06/15/26 19:28	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	1310		50.1		mg/Kg			06/05/26 22:42	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	124	*1	50.1		mg/Kg		06/03/26 17:58	06/05/26 22:42	1
Diesel Range Organics (Over C10-C28)	1190		50.1		mg/Kg		06/03/26 17:58	06/05/26 22:42	1
Oil Range Organics (Over C28-C36)	<50.1	U	50.1		mg/Kg		06/03/26 17:58	06/05/26 22:42	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	85		70 - 130	06/03/26 17:58	06/05/26 22:42	1
o-Terphenyl	91		70 - 130	06/03/26 17:58	06/05/26 22:42	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<9.90	U	9.90		mg/Kg			06/06/26 21:14	1

Client Sample ID: V - 13

Lab Sample ID: 890-10040-32

Date Collected: 06/02/26 13:50

Matrix: Solid

Date Received: 06/03/26 09:59

Sample Depth: 1-1.5'

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00201	U	0.00201		mg/Kg		06/11/26 13:20	06/13/26 02:49	1
Toluene	<0.00201	U	0.00201		mg/Kg		06/11/26 13:20	06/13/26 02:49	1
Ethylbenzene	0.00312		0.00201		mg/Kg		06/11/26 13:20	06/13/26 02:49	1
m-Xylene & p-Xylene	0.0108		0.00402		mg/Kg		06/11/26 13:20	06/13/26 02:49	1
o-Xylene	0.00641		0.00201		mg/Kg		06/11/26 13:20	06/13/26 02:49	1
Xylenes, Total	0.0172		0.00402		mg/Kg		06/11/26 13:20	06/13/26 02:49	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	107		70 - 130	06/11/26 13:20	06/13/26 02:49	1

Eurofins Carlsbad

Client Sample Results

Client: Standard Safety & Supply
Project/Site: Camacho LACT

Job ID: 890-10040-1
SDG: Eddy County, New Mexico

Client Sample ID: V - 13

Lab Sample ID: 890-10040-32

Date Collected: 06/02/26 13:50

Matrix: Solid

Date Received: 06/03/26 09:59

Sample Depth: 1-1.5'

Method: SW846 8021B - Volatile Organic Compounds (GC) (Continued)

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,4-Difluorobenzene (Surr)	102		70 - 130	06/11/26 13:20	06/13/26 02:49	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	0.0203		0.00402		mg/Kg			06/13/26 02:49	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.2	U	50.2		mg/Kg			06/05/26 23:03	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.2	U *1	50.2		mg/Kg		06/03/26 17:58	06/05/26 23:03	1
Diesel Range Organics (Over C10-C28)	<50.2	U	50.2		mg/Kg		06/03/26 17:58	06/05/26 23:03	1
Oil Range Organics (Over C28-C36)	<50.2	U	50.2		mg/Kg		06/03/26 17:58	06/05/26 23:03	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	108		70 - 130				06/03/26 17:58	06/05/26 23:03	1
o-Terphenyl	124		70 - 130				06/03/26 17:58	06/05/26 23:03	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	20.1		10.0		mg/Kg			06/06/26 21:29	1

Client Sample ID: V - 13

Lab Sample ID: 890-10040-33

Date Collected: 06/02/26 14:00

Matrix: Solid

Date Received: 06/03/26 09:59

Sample Depth: 2-2.5'

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		06/11/26 13:20	06/13/26 03:10	1
Toluene	<0.00200	U	0.00200		mg/Kg		06/11/26 13:20	06/13/26 03:10	1
Ethylbenzene	0.00746		0.00200		mg/Kg		06/11/26 13:20	06/13/26 03:10	1
m-Xylene & p-Xylene	0.00902		0.00401		mg/Kg		06/11/26 13:20	06/13/26 03:10	1
o-Xylene	0.0706		0.00200		mg/Kg		06/11/26 13:20	06/13/26 03:10	1
Xylenes, Total	0.0796		0.00401		mg/Kg		06/11/26 13:20	06/13/26 03:10	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	152	S1+	70 - 130	06/11/26 13:20	06/13/26 03:10	1
1,4-Difluorobenzene (Surr)	94		70 - 130	06/11/26 13:20	06/13/26 03:10	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	0.0871		0.00401		mg/Kg			06/13/26 03:10	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	260		50.2		mg/Kg			06/05/26 23:43	1

Eurofins Carlsbad

Client Sample Results

Client: Standard Safety & Supply
Project/Site: Camacho LACT

Job ID: 890-10040-1
SDG: Eddy County, New Mexico

Client Sample ID: V - 13

Lab Sample ID: 890-10040-33

Date Collected: 06/02/26 14:00

Matrix: Solid

Date Received: 06/03/26 09:59

Sample Depth: 2-2.5'

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.2	U *1	50.2		mg/Kg		06/03/26 17:58	06/05/26 23:43	1
Diesel Range Organics (Over C10-C28)	260		50.2		mg/Kg		06/03/26 17:58	06/05/26 23:43	1
Oil Range Organics (Over C28-C36)	<50.2	U	50.2		mg/Kg		06/03/26 17:58	06/05/26 23:43	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	107		70 - 130				06/03/26 17:58	06/05/26 23:43	1
o-Terphenyl	128		70 - 130				06/03/26 17:58	06/05/26 23:43	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	45.3		10.0		mg/Kg			06/06/26 21:34	1

Client Sample ID: V - 13

Lab Sample ID: 890-10040-34

Date Collected: 06/02/26 14:10

Matrix: Solid

Date Received: 06/03/26 09:59

Sample Depth: 3-3.5'

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		06/11/26 13:20	06/13/26 03:31	1
Toluene	<0.00199	U	0.00199		mg/Kg		06/11/26 13:20	06/13/26 03:31	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		06/11/26 13:20	06/13/26 03:31	1
m-Xylene & p-Xylene	0.00429		0.00398		mg/Kg		06/11/26 13:20	06/13/26 03:31	1
o-Xylene	0.00516		0.00199		mg/Kg		06/11/26 13:20	06/13/26 03:31	1
Xylenes, Total	0.00945		0.00398		mg/Kg		06/11/26 13:20	06/13/26 03:31	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	101		70 - 130				06/11/26 13:20	06/13/26 03:31	1
1,4-Difluorobenzene (Surr)	96		70 - 130				06/11/26 13:20	06/13/26 03:31	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	0.00945		0.00398		mg/Kg			06/13/26 03:31	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.1	U	50.1		mg/Kg			06/06/26 00:04	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.1	U *1	50.1		mg/Kg		06/03/26 17:58	06/06/26 00:04	1
Diesel Range Organics (Over C10-C28)	<50.1	U	50.1		mg/Kg		06/03/26 17:58	06/06/26 00:04	1
Oil Range Organics (Over C28-C36)	<50.1	U	50.1		mg/Kg		06/03/26 17:58	06/06/26 00:04	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	104		70 - 130				06/03/26 17:58	06/06/26 00:04	1
o-Terphenyl	122		70 - 130				06/03/26 17:58	06/06/26 00:04	1

Eurofins Carlsbad

Client Sample Results

Client: Standard Safety & Supply
Project/Site: Camacho LACT

Job ID: 890-10040-1
SDG: Eddy County, New Mexico

Client Sample ID: V - 13

Lab Sample ID: 890-10040-34

Date Collected: 06/02/26 14:10

Matrix: Solid

Date Received: 06/03/26 09:59

Sample Depth: 3-3.5'

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	61.8		10.1		mg/Kg			06/06/26 21:49	1

Client Sample ID: V - 11

Lab Sample ID: 890-10040-35

Date Collected: 06/02/26 14:20

Matrix: Solid

Date Received: 06/03/26 09:59

Sample Depth: 0-0.5'

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	0.0150		0.00200		mg/Kg		06/11/26 13:20	06/13/26 03:52	1
Toluene	0.00434		0.00200		mg/Kg		06/11/26 13:20	06/13/26 03:52	1
Ethylbenzene	0.127		0.00200		mg/Kg		06/11/26 13:20	06/13/26 03:52	1
m-Xylene & p-Xylene	49.9		1.00		mg/Kg		06/16/26 09:52	06/16/26 11:42	250
o-Xylene	34.1		0.502		mg/Kg		06/16/26 09:52	06/16/26 11:42	250
Xylenes, Total	84.0		1.00		mg/Kg		06/16/26 09:52	06/16/26 11:42	250
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	429	S1+	70 - 130				06/11/26 13:20	06/13/26 03:52	1
1,4-Difluorobenzene (Surr)	132	S1+	70 - 130				06/11/26 13:20	06/13/26 03:52	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	84.1		1.00		mg/Kg			06/16/26 11:42	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	2870		50.0		mg/Kg			06/06/26 00:24	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	557	*1	50.0		mg/Kg		06/03/26 17:58	06/06/26 00:24	1
Diesel Range Organics (Over C10-C28)	2310		50.0		mg/Kg		06/03/26 17:58	06/06/26 00:24	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		06/03/26 17:58	06/06/26 00:24	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	92		70 - 130				06/03/26 17:58	06/06/26 00:24	1
o-Terphenyl	91		70 - 130				06/03/26 17:58	06/06/26 00:24	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<10.1	U	10.1		mg/Kg			06/06/26 21:53	1

Eurofins Carlsbad

Client Sample Results

Client: Standard Safety & Supply
Project/Site: Camacho LACT

Job ID: 890-10040-1
SDG: Eddy County, New Mexico

Client Sample ID: V - 11

Lab Sample ID: 890-10040-36

Date Collected: 06/02/26 14:30

Matrix: Solid

Date Received: 06/03/26 09:59

Sample Depth: 1-1.5'

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	0.00346		0.00201		mg/Kg		06/11/26 13:20	06/13/26 04:13	1
Toluene	0.00206		0.00201		mg/Kg		06/11/26 13:20	06/13/26 04:13	1
Ethylbenzene	0.0776		0.00201		mg/Kg		06/11/26 13:20	06/13/26 04:13	1
m-Xylene & p-Xylene	0.786		0.00402		mg/Kg		06/11/26 13:20	06/13/26 04:13	1
o-Xylene	17.0		0.505		mg/Kg		06/16/26 09:52	06/16/26 12:17	250
Xylenes, Total	33.1		1.01		mg/Kg		06/16/26 09:52	06/16/26 12:17	250

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	297	S1+	70 - 130	06/11/26 13:20	06/13/26 04:13	1
1,4-Difluorobenzene (Surr)	110		70 - 130	06/11/26 13:20	06/13/26 04:13	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	17.9		0.00402		mg/Kg			06/16/26 12:17	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	2620		49.9		mg/Kg			06/06/26 00:44	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	327	*1	49.9		mg/Kg		06/03/26 17:58	06/06/26 00:44	1
Diesel Range Organics (Over C10-C28)	2290		49.9		mg/Kg		06/03/26 17:58	06/06/26 00:44	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		06/03/26 17:58	06/06/26 00:44	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	104		70 - 130	06/03/26 17:58	06/06/26 00:44	1
o-Terphenyl	108		70 - 130	06/03/26 17:58	06/06/26 00:44	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<9.94	U	9.94		mg/Kg			06/06/26 21:58	1

Client Sample ID: V - 11

Lab Sample ID: 890-10040-37

Date Collected: 06/02/26 14:40

Matrix: Solid

Date Received: 06/03/26 09:59

Sample Depth: 2-2.5'

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00202	U	0.00202		mg/Kg		06/11/26 13:20	06/13/26 04:33	1
Toluene	<0.00202	U	0.00202		mg/Kg		06/11/26 13:20	06/13/26 04:33	1
Ethylbenzene	<0.00202	U	0.00202		mg/Kg		06/11/26 13:20	06/13/26 04:33	1
m-Xylene & p-Xylene	0.00646		0.00404		mg/Kg		06/11/26 13:20	06/13/26 04:33	1
o-Xylene	0.0502		0.00202		mg/Kg		06/11/26 13:20	06/13/26 04:33	1
Xylenes, Total	0.0567		0.00404		mg/Kg		06/11/26 13:20	06/13/26 04:33	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	121		70 - 130	06/11/26 13:20	06/13/26 04:33	1

Eurofins Carlsbad

Client Sample Results

Client: Standard Safety & Supply
Project/Site: Camacho LACT

Job ID: 890-10040-1
SDG: Eddy County, New Mexico

Client Sample ID: V - 11

Lab Sample ID: 890-10040-37

Date Collected: 06/02/26 14:40

Matrix: Solid

Date Received: 06/03/26 09:59

Sample Depth: 2-2.5'

Method: SW846 8021B - Volatile Organic Compounds (GC) (Continued)

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,4-Difluorobenzene (Surr)	106		70 - 130	06/11/26 13:20	06/13/26 04:33	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	0.0567		0.00404		mg/Kg			06/13/26 04:33	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	128		49.9		mg/Kg			06/06/26 01:04	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U *1	49.9		mg/Kg		06/03/26 17:58	06/06/26 01:04	1
Diesel Range Organics (Over C10-C28)	128		49.9		mg/Kg		06/03/26 17:58	06/06/26 01:04	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		06/03/26 17:58	06/06/26 01:04	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	118		70 - 130				06/03/26 17:58	06/06/26 01:04	1
o-Terphenyl	141	S1+	70 - 130				06/03/26 17:58	06/06/26 01:04	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<10.0	U	10.0		mg/Kg			06/06/26 22:03	1

Client Sample ID: V - 11

Lab Sample ID: 890-10040-38

Date Collected: 06/02/26 14:50

Matrix: Solid

Date Received: 06/03/26 09:59

Sample Depth: 3-3.5'

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		06/11/26 13:20	06/13/26 04:54	1
Toluene	<0.00199	U	0.00199		mg/Kg		06/11/26 13:20	06/13/26 04:54	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		06/11/26 13:20	06/13/26 04:54	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		06/11/26 13:20	06/13/26 04:54	1
o-Xylene	0.00299		0.00199		mg/Kg		06/11/26 13:20	06/13/26 04:54	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		06/11/26 13:20	06/13/26 04:54	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	104		70 - 130	06/11/26 13:20	06/13/26 04:54	1
1,4-Difluorobenzene (Surr)	96		70 - 130	06/11/26 13:20	06/13/26 04:54	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			06/13/26 04:54	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			06/06/26 01:25	1

Eurofins Carlsbad

Client Sample Results

Client: Standard Safety & Supply
Project/Site: Camacho LACT

Job ID: 890-10040-1
SDG: Eddy County, New Mexico

Client Sample ID: V - 11

Lab Sample ID: 890-10040-38

Date Collected: 06/02/26 14:50

Matrix: Solid

Date Received: 06/03/26 09:59

Sample Depth: 3-3.5'

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U *1	50.0		mg/Kg		06/03/26 17:58	06/06/26 01:25	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		06/03/26 17:58	06/06/26 01:25	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		06/03/26 17:58	06/06/26 01:25	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	116		70 - 130				06/03/26 17:58	06/06/26 01:25	1
o-Terphenyl	135	S1+	70 - 130				06/03/26 17:58	06/06/26 01:25	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<10.1	U	10.1		mg/Kg			06/06/26 22:08	1

Client Sample ID: V - 12

Lab Sample ID: 890-10040-39

Date Collected: 06/02/26 15:00

Matrix: Solid

Date Received: 06/03/26 09:59

Sample Depth: 8-8.5'

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		06/11/26 13:20	06/13/26 05:15	1
Toluene	<0.00200	U	0.00200		mg/Kg		06/11/26 13:20	06/13/26 05:15	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		06/11/26 13:20	06/13/26 05:15	1
m-Xylene & p-Xylene	<0.00400	U	0.00400		mg/Kg		06/11/26 13:20	06/13/26 05:15	1
o-Xylene	0.00269		0.00200		mg/Kg		06/11/26 13:20	06/13/26 05:15	1
Xylenes, Total	<0.00400	U	0.00400		mg/Kg		06/11/26 13:20	06/13/26 05:15	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	112		70 - 130				06/11/26 13:20	06/13/26 05:15	1
1,4-Difluorobenzene (Surr)	104		70 - 130				06/11/26 13:20	06/13/26 05:15	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00400	U	0.00400		mg/Kg			06/13/26 05:15	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			06/06/26 01:45	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U *1	50.0		mg/Kg		06/03/26 17:58	06/06/26 01:45	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		06/03/26 17:58	06/06/26 01:45	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		06/03/26 17:58	06/06/26 01:45	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	120		70 - 130				06/03/26 17:58	06/06/26 01:45	1
o-Terphenyl	137	S1+	70 - 130				06/03/26 17:58	06/06/26 01:45	1

Eurofins Carlsbad

Client Sample Results

Client: Standard Safety & Supply
Project/Site: Camacho LACT

Job ID: 890-10040-1
SDG: Eddy County, New Mexico

Client Sample ID: V - 12

Lab Sample ID: 890-10040-39

Date Collected: 06/02/26 15:00

Matrix: Solid

Date Received: 06/03/26 09:59

Sample Depth: 8-8.5'

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	51.7		10.1		mg/Kg			06/06/26 22:13	1

Client Sample ID: V - 8

Lab Sample ID: 890-10040-40

Date Collected: 06/02/26 15:10

Matrix: Solid

Date Received: 06/03/26 09:59

Sample Depth: 5-5.5'

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00198	U	0.00198		mg/Kg		06/11/26 13:20	06/13/26 05:36	1
Toluene	<0.00198	U	0.00198		mg/Kg		06/11/26 13:20	06/13/26 05:36	1
Ethylbenzene	<0.00198	U	0.00198		mg/Kg		06/11/26 13:20	06/13/26 05:36	1
m-Xylene & p-Xylene	<0.00396	U	0.00396		mg/Kg		06/11/26 13:20	06/13/26 05:36	1
o-Xylene	<0.00198	U	0.00198		mg/Kg		06/11/26 13:20	06/13/26 05:36	1
Xylenes, Total	<0.00396	U	0.00396		mg/Kg		06/11/26 13:20	06/13/26 05:36	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	109		70 - 130				06/11/26 13:20	06/13/26 05:36	1
1,4-Difluorobenzene (Surr)	93		70 - 130				06/11/26 13:20	06/13/26 05:36	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00396	U	0.00396		mg/Kg			06/13/26 05:36	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			06/06/26 02:06	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U *1	49.9		mg/Kg		06/03/26 17:58	06/06/26 02:06	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		06/03/26 17:58	06/06/26 02:06	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		06/03/26 17:58	06/06/26 02:06	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	108		70 - 130				06/03/26 17:58	06/06/26 02:06	1
o-Terphenyl	126		70 - 130				06/03/26 17:58	06/06/26 02:06	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	67.4		10.1		mg/Kg			06/06/26 22:18	1

Eurofins Carlsbad

Surrogate Summary

Client: Standard Safety & Supply
Project/Site: Camacho LACT

Job ID: 890-10040-1
SDG: Eddy County, New Mexico

Method: 8021B - Volatile Organic Compounds (GC)

Matrix: Solid

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)	
		BFB1 (70-130)	DFBZ1 (70-130)
890-10040-1	H - 1 A	108	95
890-10040-1 MS	H - 1 A	107	98
890-10040-1 MSD	H - 1 A	109	98
890-10040-2	H - 2 A	106	95
890-10040-3	H - 3 A	112	95
890-10040-4	H - 4 A	100	98
890-10040-5	H - 5 A	104	95
890-10040-6	H - 6	106	94
890-10040-7	H - 7	101	98
890-10040-8	H - 8	109	96
890-10040-9	H - 9 A	109	95
890-10040-10	H - 10 A	100	99
890-10040-11	H - 11 A	111	95
890-10040-12	H - 12 A	108	96
890-10040-13	H - 13 A	104	97
890-10040-14	V - 1	114	100
890-10040-15	V - 1	108	102
890-10040-16	V - 1	110	95
890-10040-17	V - 12	135 S1+	103
890-10040-18	V - 3	122	100
890-10040-19	V - 8	120	100
890-10040-20	V - 8	107	101
890-10040-21	V - 14	455 S1+	120
890-10040-21 MS	V - 14	288 S1+	98
890-10040-21 MSD	V - 14	545 S1+	125
890-10040-22	V - 14	603 S1+	95
890-10040-23	V - 14	516 S1+	90
890-10040-24	V - 14	263 S1+	103
890-10040-25	V - 14	417 S1+	107
890-10040-26	V - 14	102	102
890-10040-27	V - 14	107	102
890-10040-28	V - 14	108	95
890-10040-29	V - 14	114	102
890-10040-30	V - 14	113	107
890-10040-31	V - 13	492 S1+	98
890-10040-32	V - 13	107	102
890-10040-33	V - 13	152 S1+	94
890-10040-34	V - 13	101	96
890-10040-35	V - 11	429 S1+	132 S1+
890-10040-36	V - 11	297 S1+	110
890-10040-37	V - 11	121	106
890-10040-38	V - 11	104	96
890-10040-39	V - 12	112	104
890-10040-40	V - 8	109	93
LCS 880-143176/1-A	Lab Control Sample	104	99
LCS 880-143253/1-A	Lab Control Sample	102	101
LCS 880-143520/1-A	Lab Control Sample	105	121
LCS 880-143523/1-A	Lab Control Sample	106	98
LCS 880-143527/1-A	Lab Control Sample	117	96

Eurofins Carlsbad

Surrogate Summary

Client: Standard Safety & Supply
Project/Site: Camacho LACT

Job ID: 890-10040-1
SDG: Eddy County, New Mexico

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Matrix: Solid

Prep Type: Total/NA

		Percent Surrogate Recovery (Acceptance Limits)	
Lab Sample ID	Client Sample ID	BFB1 (70-130)	DFBZ1 (70-130)
LCS 880-143529/1-A	Lab Control Sample	81	80
LCS 880-143627/1-A	Lab Control Sample	89	106
LCS 880-143671/1-A	Lab Control Sample	94	107
LCSD 880-143176/2-A	Lab Control Sample Dup	106	102
LCSD 880-143253/2-A	Lab Control Sample Dup	104	101
LCSD 880-143520/2-A	Lab Control Sample Dup	119	102
LCSD 880-143523/2-A	Lab Control Sample Dup	113	94
LCSD 880-143527/2-A	Lab Control Sample Dup	107	98
LCSD 880-143529/2-A	Lab Control Sample Dup	111	90
LCSD 880-143627/2-A	Lab Control Sample Dup	87	96
LCSD 880-143671/2-A	Lab Control Sample Dup	102	103
MB 880-143080/5-A	Method Blank	101	92
MB 880-143176/5-A	Method Blank	100	89
MB 880-143253/5-A	Method Blank	104	103
MB 880-143387/5-A	Method Blank	93	94
MB 880-143520/5-A	Method Blank	314 S1+	113
MB 880-143523/5-A	Method Blank	109	92
MB 880-143527/5-A	Method Blank	106	87
MB 880-143529/5-A	Method Blank	111	84
MB 880-143627/5-A	Method Blank	98	78
MB 880-143671/5-A	Method Blank	106	95

Surrogate Legend

BFB = 4-Bromofluorobenzene (Surr)

DFBZ = 1,4-Difluorobenzene (Surr)

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Matrix: Solid

Prep Type: Total/NA

		Percent Surrogate Recovery (Acceptance Limits)	
Lab Sample ID	Client Sample ID	1CO1 (70-130)	OTPH1 (70-130)
890-10040-1	H - 1 A	105	87
890-10040-2	H - 2 A	114	89
890-10040-3	H - 3 A	114	99
890-10040-3 MS	H - 3 A	134 S1+	114
890-10040-3 MSD	H - 3 A	136 S1+	116
890-10040-4	H - 4 A	121	111
890-10040-5	H - 5 A	125	111
890-10040-6	H - 6	129	106
890-10040-7	H - 7	122	81
890-10040-8	H - 8	101	89
890-10040-9	H - 9 A	97	100
890-10040-10	H - 10 A	113	116
890-10040-11	H - 11 A	97	104
890-10040-12	H - 12 A	107	104
890-10040-13	H - 13 A	113	111
890-10040-14	V - 1	104	110
890-10040-15	V - 1	97	98
890-10040-16	V - 1	117	117
890-10040-17	V - 12	124	128

Eurofins Carlsbad

Surrogate Summary

Client: Standard Safety & Supply

Job ID: 890-10040-1

Project/Site: Camacho LACT

SDG: Eddy County, New Mexico

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)
Matrix: Solid
Prep Type: Total/NA

		Percent Surrogate Recovery (Acceptance Limits)	
Lab Sample ID	Client Sample ID	1CO1 (70-130)	OTPH1 (70-130)
890-10040-18	V - 3	72	82
890-10040-19	V - 8	115	119
890-10040-20	V - 8	105	110
890-10040-21	V - 14	204 S1+	233 S1+
890-10040-22	V - 14	219 S1+	216 S1+
890-10040-23	V - 14	125	123
890-10040-23 MS	V - 14	143 S1+	128
890-10040-23 MSD	V - 14	132 S1+	117
890-10040-24	V - 14	115	121
890-10040-25	V - 14	117	116
890-10040-26	V - 14	97	115
890-10040-27	V - 14	114	137 S1+
890-10040-28	V - 14	116	127
890-10040-29	V - 14	116	127
890-10040-30	V - 14	72	93
890-10040-31	V - 13	85	91
890-10040-32	V - 13	108	124
890-10040-33	V - 13	107	128
890-10040-34	V - 13	104	122
890-10040-35	V - 11	92	91
890-10040-36	V - 11	104	108
890-10040-37	V - 11	118	141 S1+
890-10040-38	V - 11	116	135 S1+
890-10040-39	V - 12	120	137 S1+
890-10040-40	V - 8	108	126
LCS 880-142567/2-A	Lab Control Sample	77	74
LCS 880-142568/2-A	Lab Control Sample	91	78
LCS 880-142569/2-A	Lab Control Sample	169 S1+	156 S1+
LCS 880-143021/2-A	Lab Control Sample	80	79
LCSD 880-142567/3-A	Lab Control Sample Dup	79	69 S1-
LCSD 880-142568/3-A	Lab Control Sample Dup	84	71
LCSD 880-142569/3-A	Lab Control Sample Dup	115	110
LCSD 880-143021/3-A	Lab Control Sample Dup	83	80
MB 880-142567/1-A	Method Blank	108	94
MB 880-142568/1-A	Method Blank	108	101
MB 880-142569/1-A	Method Blank	99	95
MB 880-143021/1-A	Method Blank	96	88

Surrogate Legend

1CO = 1-Chlorooctane

OTPH = o-Terphenyl

Eurofins Carlsbad

QC Sample Results

Client: Standard Safety & Supply
Project/Site: Camacho LACT

Job ID: 890-10040-1
SDG: Eddy County, New Mexico

Method: 8021B - Volatile Organic Compounds (GC)

Lab Sample ID: MB 880-143080/5-A

Matrix: Solid

Analysis Batch: 143066

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 143080

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		06/10/26 09:41	06/10/26 11:32	1
Toluene	<0.00200	U	0.00200		mg/Kg		06/10/26 09:41	06/10/26 11:32	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		06/10/26 09:41	06/10/26 11:32	1
m-Xylene & p-Xylene	<0.00400	U	0.00400		mg/Kg		06/10/26 09:41	06/10/26 11:32	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		06/10/26 09:41	06/10/26 11:32	1
Xylenes, Total	<0.00400	U	0.00400		mg/Kg		06/10/26 09:41	06/10/26 11:32	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	101		70 - 130	06/10/26 09:41	06/10/26 11:32	1
1,4-Difluorobenzene (Surr)	92		70 - 130	06/10/26 09:41	06/10/26 11:32	1

Lab Sample ID: MB 880-143176/5-A

Matrix: Solid

Analysis Batch: 143066

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 143176

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		06/10/26 19:07	06/10/26 21:51	1
Toluene	<0.00200	U	0.00200		mg/Kg		06/10/26 19:07	06/10/26 21:51	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		06/10/26 19:07	06/10/26 21:51	1
m-Xylene & p-Xylene	<0.00400	U	0.00400		mg/Kg		06/10/26 19:07	06/10/26 21:51	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		06/10/26 19:07	06/10/26 21:51	1
Xylenes, Total	<0.00400	U	0.00400		mg/Kg		06/10/26 19:07	06/10/26 21:51	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	100		70 - 130	06/10/26 19:07	06/10/26 21:51	1
1,4-Difluorobenzene (Surr)	89		70 - 130	06/10/26 19:07	06/10/26 21:51	1

Lab Sample ID: LCS 880-143176/1-A

Matrix: Solid

Analysis Batch: 143066

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 143176

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	0.100	0.08606		mg/Kg		86	70 - 130
Toluene	0.100	0.08931		mg/Kg		89	70 - 130
Ethylbenzene	0.100	0.09117		mg/Kg		91	70 - 130
m-Xylene & p-Xylene	0.200	0.1912		mg/Kg		96	70 - 130
o-Xylene	0.100	0.09843		mg/Kg		98	70 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
4-Bromofluorobenzene (Surr)	104		70 - 130
1,4-Difluorobenzene (Surr)	99		70 - 130

Lab Sample ID: LCSD 880-143176/2-A

Matrix: Solid

Analysis Batch: 143066

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 143176

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Benzene	0.100	0.07796		mg/Kg		78	70 - 130	10	35

Eurofins Carlsbad

QC Sample Results

Client: Standard Safety & Supply
Project/Site: Camacho LACT

Job ID: 890-10040-1
SDG: Eddy County, New Mexico

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: LCSD 880-143176/2-A

Matrix: Solid

Analysis Batch: 143066

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 143176

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Toluene	0.100	0.08153		mg/Kg		82	70 - 130	9	35
Ethylbenzene	0.100	0.08358		mg/Kg		84	70 - 130	9	35
m-Xylene & p-Xylene	0.200	0.1773		mg/Kg		89	70 - 130	8	35
o-Xylene	0.100	0.09212		mg/Kg		92	70 - 130	7	35

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
4-Bromofluorobenzene (Surr)	106		70 - 130
1,4-Difluorobenzene (Surr)	102		70 - 130

Lab Sample ID: 890-10040-1 MS

Matrix: Solid

Analysis Batch: 143066

Client Sample ID: H - 1 A

Prep Type: Total/NA

Prep Batch: 143176

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	<0.00200	U	0.100	0.08375		mg/Kg		84	70 - 130
Toluene	<0.00200	U	0.100	0.08706		mg/Kg		87	70 - 130
Ethylbenzene	<0.00200	U	0.100	0.08856		mg/Kg		89	70 - 130
m-Xylene & p-Xylene	<0.00399	U	0.200	0.1851		mg/Kg		91	70 - 130
o-Xylene	<0.00200	U	0.100	0.09641		mg/Kg		96	70 - 130

Surrogate	MS %Recovery	MS Qualifier	Limits
4-Bromofluorobenzene (Surr)	107		70 - 130
1,4-Difluorobenzene (Surr)	98		70 - 130

Lab Sample ID: 890-10040-1 MSD

Matrix: Solid

Analysis Batch: 143066

Client Sample ID: H - 1 A

Prep Type: Total/NA

Prep Batch: 143176

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Benzene	<0.00200	U	0.100	0.08323		mg/Kg		83	70 - 130	1	35
Toluene	<0.00200	U	0.100	0.08828		mg/Kg		88	70 - 130	1	35
Ethylbenzene	<0.00200	U	0.100	0.09111		mg/Kg		91	70 - 130	3	35
m-Xylene & p-Xylene	<0.00399	U	0.200	0.1940		mg/Kg		96	70 - 130	5	35
o-Xylene	<0.00200	U	0.100	0.09987		mg/Kg		100	70 - 130	4	35

Surrogate	MSD %Recovery	MSD Qualifier	Limits
4-Bromofluorobenzene (Surr)	109		70 - 130
1,4-Difluorobenzene (Surr)	98		70 - 130

Lab Sample ID: MB 880-143253/5-A

Matrix: Solid

Analysis Batch: 143349

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 143253

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		06/11/26 13:20	06/12/26 21:35	1
Toluene	<0.00200	U	0.00200		mg/Kg		06/11/26 13:20	06/12/26 21:35	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		06/11/26 13:20	06/12/26 21:35	1
m-Xylene & p-Xylene	<0.00400	U	0.00400		mg/Kg		06/11/26 13:20	06/12/26 21:35	1

Eurofins Carlsbad

QC Sample Results

Client: Standard Safety & Supply
Project/Site: Camacho LACT

Job ID: 890-10040-1
SDG: Eddy County, New Mexico

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: MB 880-143253/5-A

Matrix: Solid

Analysis Batch: 143349

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 143253

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
o-Xylene	<0.00200	U	0.00200		mg/Kg		06/11/26 13:20	06/12/26 21:35	1
Xylenes, Total	<0.00400	U	0.00400		mg/Kg		06/11/26 13:20	06/12/26 21:35	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	104		70 - 130	06/11/26 13:20	06/12/26 21:35	1
1,4-Difluorobenzene (Surr)	103		70 - 130	06/11/26 13:20	06/12/26 21:35	1

Lab Sample ID: LCS 880-143253/1-A

Matrix: Solid

Analysis Batch: 143349

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 143253

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	0.100	0.09920		mg/Kg		99	70 - 130
Toluene	0.100	0.1064		mg/Kg		106	70 - 130
Ethylbenzene	0.100	0.1043		mg/Kg		104	70 - 130
m-Xylene & p-Xylene	0.200	0.2169		mg/Kg		108	70 - 130
o-Xylene	0.100	0.1061		mg/Kg		106	70 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
4-Bromofluorobenzene (Surr)	102		70 - 130
1,4-Difluorobenzene (Surr)	101		70 - 130

Lab Sample ID: LCSD 880-143253/2-A

Matrix: Solid

Analysis Batch: 143349

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 143253

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	Limit
Benzene	0.100	0.09185		mg/Kg		92	70 - 130	8	35
Toluene	0.100	0.09690		mg/Kg		97	70 - 130	9	35
Ethylbenzene	0.100	0.09600		mg/Kg		96	70 - 130	8	35
m-Xylene & p-Xylene	0.200	0.1975		mg/Kg		99	70 - 130	9	35
o-Xylene	0.100	0.09884		mg/Kg		99	70 - 130	7	35

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
4-Bromofluorobenzene (Surr)	104		70 - 130
1,4-Difluorobenzene (Surr)	101		70 - 130

Lab Sample ID: 890-10040-21 MS

Matrix: Solid

Analysis Batch: 143349

Client Sample ID: V - 14

Prep Type: Total/NA

Prep Batch: 143253

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	0.0142	F2 F1	0.100	0.01491	F1	mg/Kg		0.7	70 - 130
Toluene	0.00449	F2 F1	0.100	0.04521	F1	mg/Kg		41	70 - 130
Ethylbenzene	0.150	F2 F1	0.100	0.09897	F1	mg/Kg		-51	70 - 130

Eurofins Carlsbad

QC Sample Results

Client: Standard Safety & Supply
Project/Site: Camacho LACT

Job ID: 890-10040-1
SDG: Eddy County, New Mexico

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: 890-10040-21 MS

Matrix: Solid

Analysis Batch: 143349

Client Sample ID: V - 14

Prep Type: Total/NA

Prep Batch: 143253

	MS	MS	
Surrogate	%Recovery	Qualifier	Limits
4-Bromofluorobenzene (Surr)	288	S1+	70 - 130
1,4-Difluorobenzene (Surr)	98		70 - 130

Lab Sample ID: 890-10040-21 MSD

Matrix: Solid

Analysis Batch: 143349

Client Sample ID: V - 14

Prep Type: Total/NA

Prep Batch: 143253

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Benzene	0.0142	F2 F1	0.100	0.02481	F2 F1	mg/Kg		11	70 - 130	50	35
Toluene	0.00449	F2 F1	0.100	0.01007	F2 F1	mg/Kg		6	70 - 130	127	35
Ethylbenzene	0.150	F2 F1	0.100	0.1688	F2 F1	mg/Kg		19	70 - 130	52	35

	MSD	MSD	
Surrogate	%Recovery	Qualifier	Limits
4-Bromofluorobenzene (Surr)	545	S1+	70 - 130
1,4-Difluorobenzene (Surr)	125		70 - 130

Lab Sample ID: MB 880-143387/5-A

Matrix: Solid

Analysis Batch: 143349

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 143387

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		06/12/26 08:00	06/12/26 10:47	1
Toluene	<0.00200	U	0.00200		mg/Kg		06/12/26 08:00	06/12/26 10:47	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		06/12/26 08:00	06/12/26 10:47	1
m-Xylene & p-Xylene	<0.00400	U	0.00400		mg/Kg		06/12/26 08:00	06/12/26 10:47	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		06/12/26 08:00	06/12/26 10:47	1
Xylenes, Total	<0.00400	U	0.00400		mg/Kg		06/12/26 08:00	06/12/26 10:47	1

	MB	MB					Prepared	Analyzed	Dil Fac
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	93		70 - 130				06/12/26 08:00	06/12/26 10:47	1
1,4-Difluorobenzene (Surr)	94		70 - 130				06/12/26 08:00	06/12/26 10:47	1

Lab Sample ID: MB 880-143520/5-A

Matrix: Solid

Analysis Batch: 143513

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 143520

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		06/15/26 09:05	06/15/26 12:28	1
Toluene	<0.00200	U	0.00200		mg/Kg		06/15/26 09:05	06/15/26 12:28	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		06/15/26 09:05	06/15/26 12:28	1
m-Xylene & p-Xylene	<0.00400	U	0.00400		mg/Kg		06/15/26 09:05	06/15/26 12:28	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		06/15/26 09:05	06/15/26 12:28	1
Xylenes, Total	<0.00400	U	0.00400		mg/Kg		06/15/26 09:05	06/15/26 12:28	1

	MB	MB					Prepared	Analyzed	Dil Fac
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	314	S1+	70 - 130				06/15/26 09:05	06/15/26 12:28	1
1,4-Difluorobenzene (Surr)	113		70 - 130				06/15/26 09:05	06/15/26 12:28	1

Eurofins Carlsbad

QC Sample Results

Client: Standard Safety & Supply
Project/Site: Camacho LACT

Job ID: 890-10040-1
SDG: Eddy County, New Mexico

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: LCS 880-143520/1-A

Matrix: Solid

Analysis Batch: 143513

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 143520

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	0.100	0.1134		mg/Kg		113	70 - 130
Toluene	0.100	0.09928		mg/Kg		99	70 - 130
Ethylbenzene	0.100	0.09025		mg/Kg		90	70 - 130
m-Xylene & p-Xylene	0.200	0.2376		mg/Kg		119	70 - 130
o-Xylene	0.100	0.1221		mg/Kg		122	70 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
4-Bromofluorobenzene (Surr)	105		70 - 130
1,4-Difluorobenzene (Surr)	121		70 - 130

Lab Sample ID: LCSD 880-143520/2-A

Matrix: Solid

Analysis Batch: 143513

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 143520

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Benzene	0.100	0.1055		mg/Kg		105	70 - 130	7	35
Toluene	0.100	0.1078		mg/Kg		108	70 - 130	8	35
Ethylbenzene	0.100	0.1020		mg/Kg		102	70 - 130	12	35
m-Xylene & p-Xylene	0.200	0.2636	*+	mg/Kg		132	70 - 130	10	35
o-Xylene	0.100	0.1343	*+	mg/Kg		134	70 - 130	9	35

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
4-Bromofluorobenzene (Surr)	119		70 - 130
1,4-Difluorobenzene (Surr)	102		70 - 130

Lab Sample ID: MB 880-143523/5-A

Matrix: Solid

Analysis Batch: 143516

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 143523

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		06/15/26 09:10	06/15/26 11:49	1
Toluene	<0.00200	U	0.00200		mg/Kg		06/15/26 09:10	06/15/26 11:49	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		06/15/26 09:10	06/15/26 11:49	1
m-Xylene & p-Xylene	<0.00400	U	0.00400		mg/Kg		06/15/26 09:10	06/15/26 11:49	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		06/15/26 09:10	06/15/26 11:49	1
Xylenes, Total	<0.00400	U	0.00400		mg/Kg		06/15/26 09:10	06/15/26 11:49	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	109		70 - 130	06/15/26 09:10	06/15/26 11:49	1
1,4-Difluorobenzene (Surr)	92		70 - 130	06/15/26 09:10	06/15/26 11:49	1

Lab Sample ID: LCS 880-143523/1-A

Matrix: Solid

Analysis Batch: 143516

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 143523

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	0.100	0.09673		mg/Kg		97	70 - 130
Toluene	0.100	0.09561		mg/Kg		96	70 - 130

Eurofins Carlsbad

QC Sample Results

Client: Standard Safety & Supply
Project/Site: Camacho LACT

Job ID: 890-10040-1
SDG: Eddy County, New Mexico

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: LCS 880-143523/1-A

Matrix: Solid

Analysis Batch: 143516

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 143523

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Ethylbenzene	0.100	0.1101		mg/Kg		110	70 - 130
m-Xylene & p-Xylene	0.200	0.2297		mg/Kg		115	70 - 130
o-Xylene	0.100	0.1116		mg/Kg		112	70 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
4-Bromofluorobenzene (Surr)	106		70 - 130
1,4-Difluorobenzene (Surr)	98		70 - 130

Lab Sample ID: LCSD 880-143523/2-A

Matrix: Solid

Analysis Batch: 143516

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 143523

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	Limit
Benzene	0.100	0.09415		mg/Kg		94	70 - 130	3	35
Toluene	0.100	0.09741		mg/Kg		97	70 - 130	2	35
Ethylbenzene	0.100	0.1147		mg/Kg		115	70 - 130	4	35
m-Xylene & p-Xylene	0.200	0.2391		mg/Kg		120	70 - 130	4	35
o-Xylene	0.100	0.1171		mg/Kg		117	70 - 130	5	35

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
4-Bromofluorobenzene (Surr)	113		70 - 130
1,4-Difluorobenzene (Surr)	94		70 - 130

Lab Sample ID: MB 880-143527/5-A

Matrix: Solid

Analysis Batch: 143511

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 143527

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		06/15/26 09:39	06/15/26 11:54	1
Toluene	<0.00200	U	0.00200		mg/Kg		06/15/26 09:39	06/15/26 11:54	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		06/15/26 09:39	06/15/26 11:54	1
m-Xylene & p-Xylene	<0.00400	U	0.00400		mg/Kg		06/15/26 09:39	06/15/26 11:54	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		06/15/26 09:39	06/15/26 11:54	1
Xylenes, Total	<0.00400	U	0.00400		mg/Kg		06/15/26 09:39	06/15/26 11:54	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	106		70 - 130	06/15/26 09:39	06/15/26 11:54	1
1,4-Difluorobenzene (Surr)	87		70 - 130	06/15/26 09:39	06/15/26 11:54	1

Lab Sample ID: LCS 880-143527/1-A

Matrix: Solid

Analysis Batch: 143511

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 143527

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	0.100	0.08956		mg/Kg		90	70 - 130
Toluene	0.100	0.09958		mg/Kg		100	70 - 130
Ethylbenzene	0.100	0.1081		mg/Kg		108	70 - 130
m-Xylene & p-Xylene	0.200	0.2375		mg/Kg		119	70 - 130

Eurofins Carlsbad

QC Sample Results

Client: Standard Safety & Supply
Project/Site: Camacho LACT

Job ID: 890-10040-1
SDG: Eddy County, New Mexico

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: LCS 880-143527/1-A

Matrix: Solid

Analysis Batch: 143511

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 143527

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
o-Xylene	0.100	0.1200		mg/Kg		120	70 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
4-Bromofluorobenzene (Surr)	117		70 - 130
1,4-Difluorobenzene (Surr)	96		70 - 130

Lab Sample ID: LCSD 880-143527/2-A

Matrix: Solid

Analysis Batch: 143511

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 143527

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	Limit
Benzene	0.100	0.08953		mg/Kg		90	70 - 130	0	35
Toluene	0.100	0.09766		mg/Kg		98	70 - 130	2	35
Ethylbenzene	0.100	0.09830		mg/Kg		98	70 - 130	9	35
m-Xylene & p-Xylene	0.200	0.2114		mg/Kg		106	70 - 130	12	35
o-Xylene	0.100	0.1093		mg/Kg		109	70 - 130	9	35

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
4-Bromofluorobenzene (Surr)	107		70 - 130
1,4-Difluorobenzene (Surr)	98		70 - 130

Lab Sample ID: MB 880-143529/5-A

Matrix: Solid

Analysis Batch: 143515

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 143529

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		06/15/26 09:47	06/15/26 11:51	1
Toluene	<0.00200	U	0.00200		mg/Kg		06/15/26 09:47	06/15/26 11:51	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		06/15/26 09:47	06/15/26 11:51	1
m-Xylene & p-Xylene	<0.00400	U	0.00400		mg/Kg		06/15/26 09:47	06/15/26 11:51	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		06/15/26 09:47	06/15/26 11:51	1
Xylenes, Total	<0.00400	U	0.00400		mg/Kg		06/15/26 09:47	06/15/26 11:51	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	111		70 - 130	06/15/26 09:47	06/15/26 11:51	1
1,4-Difluorobenzene (Surr)	84		70 - 130	06/15/26 09:47	06/15/26 11:51	1

Lab Sample ID: LCS 880-143529/1-A

Matrix: Solid

Analysis Batch: 143515

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 143529

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	0.100	0.09132		mg/Kg		91	70 - 130
Toluene	0.100	0.08798		mg/Kg		88	70 - 130
Ethylbenzene	0.100	0.09748		mg/Kg		97	70 - 130
m-Xylene & p-Xylene	0.200	0.1719		mg/Kg		86	70 - 130
o-Xylene	0.100	0.08252		mg/Kg		83	70 - 130

Eurofins Carlsbad

QC Sample Results

Client: Standard Safety & Supply
Project/Site: Camacho LACT

Job ID: 890-10040-1
SDG: Eddy County, New Mexico

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: LCS 880-143529/1-A

Matrix: Solid

Analysis Batch: 143515

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 143529

Surrogate	LCS %Recovery	LCS Qualifier	Limits
4-Bromofluorobenzene (Surr)	81		70 - 130
1,4-Difluorobenzene (Surr)	80		70 - 130

Lab Sample ID: LCSD 880-143529/2-A

Matrix: Solid

Analysis Batch: 143515

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 143529

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Benzene	0.100	0.1103		mg/Kg		110	70 - 130	19	35
Toluene	0.100	0.1094		mg/Kg		109	70 - 130	22	35
Ethylbenzene	0.100	0.09990		mg/Kg		100	70 - 130	2	35
m-Xylene & p-Xylene	0.200	0.1990		mg/Kg		99	70 - 130	15	35
o-Xylene	0.100	0.1010		mg/Kg		101	70 - 130	20	35

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
4-Bromofluorobenzene (Surr)	111		70 - 130
1,4-Difluorobenzene (Surr)	90		70 - 130

Lab Sample ID: MB 880-143627/5-A

Matrix: Solid

Analysis Batch: 143626

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 143627

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		06/15/26 17:26	06/15/26 20:05	1
Toluene	<0.00200	U	0.00200		mg/Kg		06/15/26 17:26	06/15/26 20:05	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		06/15/26 17:26	06/15/26 20:05	1
m-Xylene & p-Xylene	<0.00400	U	0.00400		mg/Kg		06/15/26 17:26	06/15/26 20:05	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		06/15/26 17:26	06/15/26 20:05	1
Xylenes, Total	<0.00400	U	0.00400		mg/Kg		06/15/26 17:26	06/15/26 20:05	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	98		70 - 130	06/15/26 17:26	06/15/26 20:05	1
1,4-Difluorobenzene (Surr)	78		70 - 130	06/15/26 17:26	06/15/26 20:05	1

Lab Sample ID: LCS 880-143627/1-A

Matrix: Solid

Analysis Batch: 143626

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 143627

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	0.100	0.09003		mg/Kg		90	70 - 130
Toluene	0.100	0.09500		mg/Kg		95	70 - 130
Ethylbenzene	0.100	0.09758		mg/Kg		98	70 - 130
m-Xylene & p-Xylene	0.200	0.1942		mg/Kg		97	70 - 130
o-Xylene	0.100	0.09833		mg/Kg		98	70 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
4-Bromofluorobenzene (Surr)	89		70 - 130

Eurofins Carlsbad

QC Sample Results

Client: Standard Safety & Supply
Project/Site: Camacho LACT

Job ID: 890-10040-1
SDG: Eddy County, New Mexico

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: LCS 880-143627/1-A

Matrix: Solid

Analysis Batch: 143626

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 143627

	LCS	LCS	
Surrogate	%Recovery	Qualifier	Limits
1,4-Difluorobenzene (Surr)	106		70 - 130

Lab Sample ID: LCSD 880-143627/2-A

Matrix: Solid

Analysis Batch: 143626

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 143627

			Spike	LCSD	LCSD				%Rec	RPD	
Analyte			Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit
Benzene			0.100	0.08695		mg/Kg		87	70 - 130	3	35
Toluene			0.100	0.09325		mg/Kg		93	70 - 130	2	35
Ethylbenzene			0.100	0.09562		mg/Kg		96	70 - 130	2	35
m-Xylene & p-Xylene			0.200	0.1907		mg/Kg		95	70 - 130	2	35
o-Xylene			0.100	0.09656		mg/Kg		97	70 - 130	2	35

	LCSD	LCSD	
Surrogate	%Recovery	Qualifier	Limits
4-Bromofluorobenzene (Surr)	87		70 - 130
1,4-Difluorobenzene (Surr)	96		70 - 130

Lab Sample ID: MB 880-143671/5-A

Matrix: Solid

Analysis Batch: 143646

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 143671

	MB	MB							
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		06/16/26 08:00	06/16/26 11:00	1
Toluene	<0.00200	U	0.00200		mg/Kg		06/16/26 08:00	06/16/26 11:00	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		06/16/26 08:00	06/16/26 11:00	1
m-Xylene & p-Xylene	<0.00400	U	0.00400		mg/Kg		06/16/26 08:00	06/16/26 11:00	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		06/16/26 08:00	06/16/26 11:00	1
Xylenes, Total	<0.00400	U	0.00400		mg/Kg		06/16/26 08:00	06/16/26 11:00	1

	MB	MB				
Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	106		70 - 130	06/16/26 08:00	06/16/26 11:00	1
1,4-Difluorobenzene (Surr)	95		70 - 130	06/16/26 08:00	06/16/26 11:00	1

Lab Sample ID: LCS 880-143671/1-A

Matrix: Solid

Analysis Batch: 143646

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 143671

			Spike	LCS	LCS					
Analyte			Added	Result	Qualifier	Unit	D	%Rec	%Rec	
									Limits	
Benzene			0.100	0.1116		mg/Kg		112	70 - 130	
Toluene			0.100	0.09397		mg/Kg		94	70 - 130	
Ethylbenzene			0.100	0.09931		mg/Kg		99	70 - 130	
m-Xylene & p-Xylene			0.200	0.1989		mg/Kg		99	70 - 130	
o-Xylene			0.100	0.09822		mg/Kg		98	70 - 130	

	LCS	LCS	
Surrogate	%Recovery	Qualifier	Limits
4-Bromofluorobenzene (Surr)	94		70 - 130
1,4-Difluorobenzene (Surr)	107		70 - 130

Eurofins Carlsbad

QC Sample Results

Client: Standard Safety & Supply
Project/Site: Camacho LACT

Job ID: 890-10040-1
SDG: Eddy County, New Mexico

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: LCSD 880-143671/2-A

Matrix: Solid

Analysis Batch: 143646

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 143671

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Benzene	0.100	0.1044		mg/Kg		104	70 - 130	7	35
Toluene	0.100	0.09763		mg/Kg		98	70 - 130	4	35
Ethylbenzene	0.100	0.1061		mg/Kg		106	70 - 130	7	35
m-Xylene & p-Xylene	0.200	0.2178		mg/Kg		109	70 - 130	9	35
o-Xylene	0.100	0.1070		mg/Kg		107	70 - 130	9	35

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
4-Bromofluorobenzene (Surr)	102		70 - 130
1,4-Difluorobenzene (Surr)	103		70 - 130

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Lab Sample ID: MB 880-142567/1-A

Matrix: Solid

Analysis Batch: 142829

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 142567

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		06/03/26 17:54	06/09/26 00:00	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		06/03/26 17:54	06/09/26 00:00	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		06/03/26 17:54	06/09/26 00:00	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	108		70 - 130	06/03/26 17:54	06/09/26 00:00	1
o-Terphenyl	94		70 - 130	06/03/26 17:54	06/09/26 00:00	1

Lab Sample ID: LCS 880-142567/2-A

Matrix: Solid

Analysis Batch: 142829

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 142567

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Gasoline Range Organics (GRO)-C6-C10	1000	892.1		mg/Kg		89	70 - 130
Diesel Range Organics (Over C10-C28)	1000	810.7		mg/Kg		81	70 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1-Chlorooctane	77		70 - 130
o-Terphenyl	74		70 - 130

Lab Sample ID: LCSD 880-142567/3-A

Matrix: Solid

Analysis Batch: 142829

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 142567

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Gasoline Range Organics (GRO)-C6-C10	1000	924.4		mg/Kg		92	70 - 130	4	20

Eurofins Carlsbad

QC Sample Results

Client: Standard Safety & Supply
Project/Site: Camacho LACT

Job ID: 890-10040-1
SDG: Eddy County, New Mexico

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Lab Sample ID: LCSD 880-142567/3-A

Matrix: Solid

Analysis Batch: 142829

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 142567

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Diesel Range Organics (Over C10-C28)	1000	787.5		mg/Kg		79	70 - 130	3	20
Surrogate	%Recovery	LCSD Qualifier	Limits						
1-Chlorooctane	79		70 - 130						
o-Terphenyl	69	S1-	70 - 130						

Lab Sample ID: MB 880-142568/1-A

Matrix: Solid

Analysis Batch: 142839

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 142568

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		06/03/26 17:56	06/09/26 00:20	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		06/03/26 17:56	06/09/26 00:20	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		06/03/26 17:56	06/09/26 00:20	1
Surrogate	%Recovery	MB Qualifier	Limits						
1-Chlorooctane	108		70 - 130						
o-Terphenyl	101		70 - 130						

Lab Sample ID: LCS 880-142568/2-A

Matrix: Solid

Analysis Batch: 142839

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 142568

Analyte			Spike	LCS	LCS	Unit	D	%Rec	%Rec		
			Added	Result	Qualifier			Limits	Limits		
Gasoline Range Organics (GRO)-C6-C10			1000	921.0		mg/Kg		92	70 - 130		
Diesel Range Organics (Over C10-C28)			1000	961.8		mg/Kg		96	70 - 130		
Surrogate	LCS	LCS	Limits								
	%Recovery	Qualifier									
1-Chlorooctane	91		70 - 130								
o-Terphenyl	78		70 - 130								

Lab Sample ID: LCSD 880-142568/3-A

Matrix: Solid

Analysis Batch: 142839

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 142568

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Gasoline Range Organics (GRO)-C6-C10	1000	851.7		mg/Kg		85	70 - 130	8	20
Diesel Range Organics (Over C10-C28)	1000	880.6		mg/Kg		88	70 - 130	9	20
Surrogate	%Recovery	LCSD Qualifier	Limits						
1-Chlorooctane	84		70 - 130						
o-Terphenyl	71		70 - 130						

Eurofins Carlsbad

QC Sample Results

Client: Standard Safety & Supply
Project/Site: Camacho LACT

Job ID: 890-10040-1
SDG: Eddy County, New Mexico

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Lab Sample ID: 890-10040-3 MS

Matrix: Solid

Analysis Batch: 142839

Client Sample ID: H - 3 A

Prep Type: Total/NA

Prep Batch: 142568

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Gasoline Range Organics (GRO)-C6-C10	<50.1	U	997	1123		mg/Kg		113	70 - 130
Diesel Range Organics (Over C10-C28)	173		997	1389		mg/Kg		122	70 - 130
Surrogate	MS %Recovery	MS Qualifier	Limits						
1-Chlorooctane	134	S1+	70 - 130						
o-Terphenyl	114		70 - 130						

Lab Sample ID: 890-10040-3 MSD

Matrix: Solid

Analysis Batch: 142839

Client Sample ID: H - 3 A

Prep Type: Total/NA

Prep Batch: 142568

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Gasoline Range Organics (GRO)-C6-C10	<50.1	U	997	1133		mg/Kg		114	70 - 130	1	20
Diesel Range Organics (Over C10-C28)	173		997	1441		mg/Kg		127	70 - 130	4	20
Surrogate	MSD %Recovery	MSD Qualifier	Limits								
1-Chlorooctane	136	S1+	70 - 130								
o-Terphenyl	116		70 - 130								

Lab Sample ID: MB 880-142569/1-A

Matrix: Solid

Analysis Batch: 142799

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 142569

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		06/03/26 17:58	06/05/26 16:55	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		06/03/26 17:58	06/05/26 16:55	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		06/03/26 17:58	06/05/26 16:55	1
Surrogate	MB %Recovery	MB Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	99		70 - 130				06/03/26 17:58	06/05/26 16:55	1
o-Terphenyl	95		70 - 130				06/03/26 17:58	06/05/26 16:55	1

Lab Sample ID: LCS 880-142569/2-A

Matrix: Solid

Analysis Batch: 142799

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 142569

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Gasoline Range Organics (GRO)-C6-C10	1000	1079		mg/Kg		108	70 - 130
Diesel Range Organics (Over C10-C28)	1000	1271		mg/Kg		127	70 - 130

Eurofins Carlsbad

QC Sample Results

Client: Standard Safety & Supply
Project/Site: Camacho LACT

Job ID: 890-10040-1
SDG: Eddy County, New Mexico

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Lab Sample ID: LCS 880-142569/2-A

Matrix: Solid

Analysis Batch: 142799

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 142569

	LCS	LCS	
Surrogate	%Recovery	Qualifier	Limits
1-Chlorooctane	169	S1+	70 - 130
o-Terphenyl	156	S1+	70 - 130

Lab Sample ID: LCSD 880-142569/3-A

Matrix: Solid

Analysis Batch: 142799

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 142569

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Gasoline Range Organics (GRO)-C6-C10	1000	867.5	*1	mg/Kg		87	70 - 130	22	20
Diesel Range Organics (Over C10-C28)	1000	1216		mg/Kg		122	70 - 130	4	20

	LCSD	LCSD	
Surrogate	%Recovery	Qualifier	Limits
1-Chlorooctane	115		70 - 130
o-Terphenyl	110		70 - 130

Lab Sample ID: 890-10040-23 MS

Matrix: Solid

Analysis Batch: 142799

Client Sample ID: V - 14

Prep Type: Total/NA

Prep Batch: 142569

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Gasoline Range Organics (GRO)-C6-C10	820	*1 F1 F2	1000	2540	F1	mg/Kg		172	70 - 130
Diesel Range Organics (Over C10-C28)	4190		1000	4196	4	mg/Kg		0.5	70 - 130

	MS	MS	
Surrogate	%Recovery	Qualifier	Limits
1-Chlorooctane	143	S1+	70 - 130
o-Terphenyl	128		70 - 130

Lab Sample ID: 890-10040-23 MSD

Matrix: Solid

Analysis Batch: 142799

Client Sample ID: V - 14

Prep Type: Total/NA

Prep Batch: 142569

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Gasoline Range Organics (GRO)-C6-C10	820	*1 F1 F2	1000	1321	F1 F2	mg/Kg		50	70 - 130	63	20
Diesel Range Organics (Over C10-C28)	4190		1000	3884	4	mg/Kg		-31	70 - 130	8	20

	MSD	MSD	
Surrogate	%Recovery	Qualifier	Limits
1-Chlorooctane	132	S1+	70 - 130
o-Terphenyl	117		70 - 130

Eurofins Carlsbad

QC Sample Results

Client: Standard Safety & Supply
Project/Site: Camacho LACT

Job ID: 890-10040-1
SDG: Eddy County, New Mexico

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Lab Sample ID: MB 880-143021/1-A

Matrix: Solid

Analysis Batch: 142943

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 143021

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		06/09/26 15:37	06/09/26 17:00	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		06/09/26 15:37	06/09/26 17:00	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		06/09/26 15:37	06/09/26 17:00	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	96		70 - 130	06/09/26 15:37	06/09/26 17:00	1
o-Terphenyl	88		70 - 130	06/09/26 15:37	06/09/26 17:00	1

Lab Sample ID: LCS 880-143021/2-A

Matrix: Solid

Analysis Batch: 142943

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 143021

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Gasoline Range Organics (GRO)-C6-C10	1000	883.2		mg/Kg		88	70 - 130
Diesel Range Organics (Over C10-C28)	1000	849.8		mg/Kg		85	70 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1-Chlorooctane	80		70 - 130
o-Terphenyl	79		70 - 130

Lab Sample ID: LCSD 880-143021/3-A

Matrix: Solid

Analysis Batch: 142943

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 143021

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Gasoline Range Organics (GRO)-C6-C10	1000	916.4		mg/Kg		92	70 - 130	4	20
Diesel Range Organics (Over C10-C28)	1000	860.0		mg/Kg		86	70 - 130	1	20

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
1-Chlorooctane	83		70 - 130
o-Terphenyl	80		70 - 130

Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: MB 880-142640/1-A

Matrix: Solid

Analysis Batch: 142741

Client Sample ID: Method Blank

Prep Type: Soluble

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<10.0	U	10.0		mg/Kg			06/06/26 16:59	1

Eurofins Carlsbad

QC Sample Results

Client: Standard Safety & Supply
Project/Site: Camacho LACT

Job ID: 890-10040-1
SDG: Eddy County, New Mexico

Method: 300.0 - Anions, Ion Chromatography (Continued)

Lab Sample ID: LCS 880-142640/2-A

Matrix: Solid

Analysis Batch: 142741

Client Sample ID: Lab Control Sample

Prep Type: Soluble

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	250	251.3		mg/Kg		101	90 - 110

Lab Sample ID: LCSD 880-142640/3-A

Matrix: Solid

Analysis Batch: 142741

Client Sample ID: Lab Control Sample Dup

Prep Type: Soluble

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	250	250.4		mg/Kg		100	90 - 110	0	20

Lab Sample ID: 890-10040-1 MS

Matrix: Solid

Analysis Batch: 142741

Client Sample ID: H - 1 A

Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	64.4		249	337.8		mg/Kg		110	90 - 110

Lab Sample ID: 890-10040-1 MSD

Matrix: Solid

Analysis Batch: 142741

Client Sample ID: H - 1 A

Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	64.4		249	332.9		mg/Kg		108	90 - 110	1	20

Lab Sample ID: 890-10040-11 MS

Matrix: Solid

Analysis Batch: 142741

Client Sample ID: H - 11 A

Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	26.0		251	289.7		mg/Kg		105	90 - 110

Lab Sample ID: 890-10040-11 MSD

Matrix: Solid

Analysis Batch: 142741

Client Sample ID: H - 11 A

Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	26.0		251	287.9		mg/Kg		104	90 - 110	1	20

Lab Sample ID: MB 880-142641/1-A

Matrix: Solid

Analysis Batch: 142803

Client Sample ID: Method Blank

Prep Type: Soluble

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<10.0	U	10.0		mg/Kg			06/06/26 19:49	1

Lab Sample ID: LCS 880-142641/2-A

Matrix: Solid

Analysis Batch: 142803

Client Sample ID: Lab Control Sample

Prep Type: Soluble

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	250	230.6		mg/Kg		92	90 - 110

Eurofins Carlsbad

QC Sample Results

Client: Standard Safety & Supply
Project/Site: Camacho LACT

Job ID: 890-10040-1
SDG: Eddy County, New Mexico

Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: LCSD 880-142641/3-A

Matrix: Solid

Analysis Batch: 142803

Client Sample ID: Lab Control Sample Dup

Prep Type: Soluble

Analyte			Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride			250	260.7		mg/Kg		104	90 - 110	12	20

Lab Sample ID: 890-10040-21 MS

Matrix: Solid

Analysis Batch: 142803

Client Sample ID: V - 14

Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits		
Chloride	<9.98	U	250	271.8		mg/Kg		108	90 - 110		

Lab Sample ID: 890-10040-21 MSD

Matrix: Solid

Analysis Batch: 142803

Client Sample ID: V - 14

Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	<9.98	U	250	274.2		mg/Kg		109	90 - 110	1	20

Lab Sample ID: 890-10040-31 MS

Matrix: Solid

Analysis Batch: 142803

Client Sample ID: V - 13

Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits		
Chloride	<9.90	U	248	242.8		mg/Kg		96	90 - 110		

Lab Sample ID: 890-10040-31 MSD

Matrix: Solid

Analysis Batch: 142803

Client Sample ID: V - 13

Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	<9.90	U	248	274.5		mg/Kg		109	90 - 110	12	20

Eurofins Carlsbad

QC Association Summary

Client: Standard Safety & Supply
Project/Site: Camacho LACT

Job ID: 890-10040-1
SDG: Eddy County, New Mexico

GC VOA

Analysis Batch: 143066

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-10040-1	H - 1 A	Total/NA	Solid	8021B	143176
890-10040-2	H - 2 A	Total/NA	Solid	8021B	143176
890-10040-3	H - 3 A	Total/NA	Solid	8021B	143176
890-10040-4	H - 4 A	Total/NA	Solid	8021B	143176
890-10040-5	H - 5 A	Total/NA	Solid	8021B	143176
890-10040-6	H - 6	Total/NA	Solid	8021B	143176
890-10040-7	H - 7	Total/NA	Solid	8021B	143176
890-10040-8	H - 8	Total/NA	Solid	8021B	143176
890-10040-9	H - 9 A	Total/NA	Solid	8021B	143176
890-10040-10	H - 10 A	Total/NA	Solid	8021B	143176
890-10040-11	H - 11 A	Total/NA	Solid	8021B	143176
890-10040-12	H - 12 A	Total/NA	Solid	8021B	143176
890-10040-13	H - 13 A	Total/NA	Solid	8021B	143176
890-10040-14	V - 1	Total/NA	Solid	8021B	143176
890-10040-15	V - 1	Total/NA	Solid	8021B	143176
890-10040-16	V - 1	Total/NA	Solid	8021B	143176
890-10040-17	V - 12	Total/NA	Solid	8021B	143176
890-10040-18	V - 3	Total/NA	Solid	8021B	143176
890-10040-19	V - 8	Total/NA	Solid	8021B	143176
890-10040-20	V - 8	Total/NA	Solid	8021B	143176
MB 880-143080/5-A	Method Blank	Total/NA	Solid	8021B	143080
MB 880-143176/5-A	Method Blank	Total/NA	Solid	8021B	143176
LCS 880-143176/1-A	Lab Control Sample	Total/NA	Solid	8021B	143176
LCSD 880-143176/2-A	Lab Control Sample Dup	Total/NA	Solid	8021B	143176
890-10040-1 MS	H - 1 A	Total/NA	Solid	8021B	143176
890-10040-1 MSD	H - 1 A	Total/NA	Solid	8021B	143176

Prep Batch: 143080

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MB 880-143080/5-A	Method Blank	Total/NA	Solid	5035	

Prep Batch: 143176

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-10040-1	H - 1 A	Total/NA	Solid	5035	
890-10040-2	H - 2 A	Total/NA	Solid	5035	
890-10040-3	H - 3 A	Total/NA	Solid	5035	
890-10040-4	H - 4 A	Total/NA	Solid	5035	
890-10040-5	H - 5 A	Total/NA	Solid	5035	
890-10040-6	H - 6	Total/NA	Solid	5035	
890-10040-7	H - 7	Total/NA	Solid	5035	
890-10040-8	H - 8	Total/NA	Solid	5035	
890-10040-9	H - 9 A	Total/NA	Solid	5035	
890-10040-10	H - 10 A	Total/NA	Solid	5035	
890-10040-11	H - 11 A	Total/NA	Solid	5035	
890-10040-12	H - 12 A	Total/NA	Solid	5035	
890-10040-13	H - 13 A	Total/NA	Solid	5035	
890-10040-14	V - 1	Total/NA	Solid	5035	
890-10040-15	V - 1	Total/NA	Solid	5035	
890-10040-16	V - 1	Total/NA	Solid	5035	
890-10040-17	V - 12	Total/NA	Solid	5035	
890-10040-18	V - 3	Total/NA	Solid	5035	

Eurofins Carlsbad

QC Association Summary

Client: Standard Safety & Supply
Project/Site: Camacho LACT

Job ID: 890-10040-1
SDG: Eddy County, New Mexico

GC VOA (Continued)

Prep Batch: 143176 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-10040-19	V - 8	Total/NA	Solid	5035	
890-10040-20	V - 8	Total/NA	Solid	5035	
MB 880-143176/5-A	Method Blank	Total/NA	Solid	5035	
LCS 880-143176/1-A	Lab Control Sample	Total/NA	Solid	5035	
LCSD 880-143176/2-A	Lab Control Sample Dup	Total/NA	Solid	5035	
890-10040-1 MS	H - 1 A	Total/NA	Solid	5035	
890-10040-1 MSD	H - 1 A	Total/NA	Solid	5035	

Prep Batch: 143253

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-10040-21	V - 14	Total/NA	Solid	5035	
890-10040-22	V - 14	Total/NA	Solid	5035	
890-10040-23	V - 14	Total/NA	Solid	5035	
890-10040-24	V - 14	Total/NA	Solid	5035	
890-10040-25	V - 14	Total/NA	Solid	5035	
890-10040-26	V - 14	Total/NA	Solid	5035	
890-10040-27	V - 14	Total/NA	Solid	5035	
890-10040-28	V - 14	Total/NA	Solid	5035	
890-10040-29	V - 14	Total/NA	Solid	5035	
890-10040-30	V - 14	Total/NA	Solid	5035	
890-10040-31	V - 13	Total/NA	Solid	5035	
890-10040-32	V - 13	Total/NA	Solid	5035	
890-10040-33	V - 13	Total/NA	Solid	5035	
890-10040-34	V - 13	Total/NA	Solid	5035	
890-10040-35	V - 11	Total/NA	Solid	5035	
890-10040-36	V - 11	Total/NA	Solid	5035	
890-10040-37	V - 11	Total/NA	Solid	5035	
890-10040-38	V - 11	Total/NA	Solid	5035	
890-10040-39	V - 12	Total/NA	Solid	5035	
890-10040-40	V - 8	Total/NA	Solid	5035	
MB 880-143253/5-A	Method Blank	Total/NA	Solid	5035	
LCS 880-143253/1-A	Lab Control Sample	Total/NA	Solid	5035	
LCSD 880-143253/2-A	Lab Control Sample Dup	Total/NA	Solid	5035	
890-10040-21 MS	V - 14	Total/NA	Solid	5035	
890-10040-21 MSD	V - 14	Total/NA	Solid	5035	

Analysis Batch: 143349

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-10040-21	V - 14	Total/NA	Solid	8021B	143253
890-10040-22	V - 14	Total/NA	Solid	8021B	143253
890-10040-23	V - 14	Total/NA	Solid	8021B	143253
890-10040-24	V - 14	Total/NA	Solid	8021B	143253
890-10040-25	V - 14	Total/NA	Solid	8021B	143253
890-10040-26	V - 14	Total/NA	Solid	8021B	143253
890-10040-27	V - 14	Total/NA	Solid	8021B	143253
890-10040-28	V - 14	Total/NA	Solid	8021B	143253
890-10040-29	V - 14	Total/NA	Solid	8021B	143253
890-10040-30	V - 14	Total/NA	Solid	8021B	143253
890-10040-31	V - 13	Total/NA	Solid	8021B	143253
890-10040-32	V - 13	Total/NA	Solid	8021B	143253
890-10040-33	V - 13	Total/NA	Solid	8021B	143253

Eurofins Carlsbad

QC Association Summary

Client: Standard Safety & Supply
Project/Site: Camacho LACT

Job ID: 890-10040-1
SDG: Eddy County, New Mexico

GC VOA (Continued)

Analysis Batch: 143349 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-10040-34	V - 13	Total/NA	Solid	8021B	143253
890-10040-35	V - 11	Total/NA	Solid	8021B	143253
890-10040-36	V - 11	Total/NA	Solid	8021B	143253
890-10040-37	V - 11	Total/NA	Solid	8021B	143253
890-10040-38	V - 11	Total/NA	Solid	8021B	143253
890-10040-39	V - 12	Total/NA	Solid	8021B	143253
890-10040-40	V - 8	Total/NA	Solid	8021B	143253
MB 880-143253/5-A	Method Blank	Total/NA	Solid	8021B	143253
MB 880-143387/5-A	Method Blank	Total/NA	Solid	8021B	143387
LCS 880-143253/1-A	Lab Control Sample	Total/NA	Solid	8021B	143253
LCSD 880-143253/2-A	Lab Control Sample Dup	Total/NA	Solid	8021B	143253
890-10040-21 MS	V - 14	Total/NA	Solid	8021B	143253
890-10040-21 MSD	V - 14	Total/NA	Solid	8021B	143253

Prep Batch: 143387

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MB 880-143387/5-A	Method Blank	Total/NA	Solid	5035	

Analysis Batch: 143511

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-10040-25	V - 14	Total/NA	Solid	8021B	143527
890-10040-31	V - 13	Total/NA	Solid	8021B	143527
MB 880-143527/5-A	Method Blank	Total/NA	Solid	8021B	143527
LCS 880-143527/1-A	Lab Control Sample	Total/NA	Solid	8021B	143527
LCSD 880-143527/2-A	Lab Control Sample Dup	Total/NA	Solid	8021B	143527

Analysis Batch: 143513

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MB 880-143520/5-A	Method Blank	Total/NA	Solid	8021B	143520
LCS 880-143520/1-A	Lab Control Sample	Total/NA	Solid	8021B	143520
LCSD 880-143520/2-A	Lab Control Sample Dup	Total/NA	Solid	8021B	143520

Analysis Batch: 143515

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MB 880-143529/5-A	Method Blank	Total/NA	Solid	8021B	143529
LCS 880-143529/1-A	Lab Control Sample	Total/NA	Solid	8021B	143529
LCSD 880-143529/2-A	Lab Control Sample Dup	Total/NA	Solid	8021B	143529

Analysis Batch: 143516

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-10040-22	V - 14	Total/NA	Solid	8021B	143523
890-10040-23	V - 14	Total/NA	Solid	8021B	143523
890-10040-24	V - 14	Total/NA	Solid	8021B	143523
MB 880-143523/5-A	Method Blank	Total/NA	Solid	8021B	143523
LCS 880-143523/1-A	Lab Control Sample	Total/NA	Solid	8021B	143523
LCSD 880-143523/2-A	Lab Control Sample Dup	Total/NA	Solid	8021B	143523

Prep Batch: 143520

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MB 880-143520/5-A	Method Blank	Total/NA	Solid	5035	
LCS 880-143520/1-A	Lab Control Sample	Total/NA	Solid	5035	

Eurofins Carlsbad

QC Association Summary

Client: Standard Safety & Supply
Project/Site: Camacho LACT

Job ID: 890-10040-1
SDG: Eddy County, New Mexico

GC VOA (Continued)

Prep Batch: 143520 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
LCSD 880-143520/2-A	Lab Control Sample Dup	Total/NA	Solid	5035	

Prep Batch: 143523

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-10040-22	V - 14	Total/NA	Solid	5035	
890-10040-23	V - 14	Total/NA	Solid	5035	
890-10040-24	V - 14	Total/NA	Solid	5035	
MB 880-143523/5-A	Method Blank	Total/NA	Solid	5035	
LCS 880-143523/1-A	Lab Control Sample	Total/NA	Solid	5035	
LCSD 880-143523/2-A	Lab Control Sample Dup	Total/NA	Solid	5035	

Prep Batch: 143527

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-10040-25	V - 14	Total/NA	Solid	5035	
890-10040-31	V - 13	Total/NA	Solid	5035	
MB 880-143527/5-A	Method Blank	Total/NA	Solid	5035	
LCS 880-143527/1-A	Lab Control Sample	Total/NA	Solid	5035	
LCSD 880-143527/2-A	Lab Control Sample Dup	Total/NA	Solid	5035	

Prep Batch: 143529

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MB 880-143529/5-A	Method Blank	Total/NA	Solid	5035	
LCS 880-143529/1-A	Lab Control Sample	Total/NA	Solid	5035	
LCSD 880-143529/2-A	Lab Control Sample Dup	Total/NA	Solid	5035	

Analysis Batch: 143557

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-10040-1	H - 1 A	Total/NA	Solid	Total BTEX	
890-10040-2	H - 2 A	Total/NA	Solid	Total BTEX	
890-10040-3	H - 3 A	Total/NA	Solid	Total BTEX	
890-10040-4	H - 4 A	Total/NA	Solid	Total BTEX	
890-10040-5	H - 5 A	Total/NA	Solid	Total BTEX	
890-10040-6	H - 6	Total/NA	Solid	Total BTEX	
890-10040-7	H - 7	Total/NA	Solid	Total BTEX	
890-10040-8	H - 8	Total/NA	Solid	Total BTEX	
890-10040-9	H - 9 A	Total/NA	Solid	Total BTEX	
890-10040-10	H - 10 A	Total/NA	Solid	Total BTEX	
890-10040-11	H - 11 A	Total/NA	Solid	Total BTEX	
890-10040-12	H - 12 A	Total/NA	Solid	Total BTEX	
890-10040-13	H - 13 A	Total/NA	Solid	Total BTEX	
890-10040-14	V - 1	Total/NA	Solid	Total BTEX	
890-10040-15	V - 1	Total/NA	Solid	Total BTEX	
890-10040-16	V - 1	Total/NA	Solid	Total BTEX	
890-10040-17	V - 12	Total/NA	Solid	Total BTEX	
890-10040-18	V - 3	Total/NA	Solid	Total BTEX	
890-10040-19	V - 8	Total/NA	Solid	Total BTEX	
890-10040-20	V - 8	Total/NA	Solid	Total BTEX	
890-10040-21	V - 14	Total/NA	Solid	Total BTEX	
890-10040-22	V - 14	Total/NA	Solid	Total BTEX	
890-10040-23	V - 14	Total/NA	Solid	Total BTEX	
890-10040-24	V - 14	Total/NA	Solid	Total BTEX	

Eurofins Carlsbad

QC Association Summary

Client: Standard Safety & Supply
Project/Site: Camacho LACT

Job ID: 890-10040-1
SDG: Eddy County, New Mexico

GC VOA (Continued)

Analysis Batch: 143557 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-10040-25	V - 14	Total/NA	Solid	Total BTEX	
890-10040-26	V - 14	Total/NA	Solid	Total BTEX	
890-10040-27	V - 14	Total/NA	Solid	Total BTEX	
890-10040-28	V - 14	Total/NA	Solid	Total BTEX	
890-10040-29	V - 14	Total/NA	Solid	Total BTEX	
890-10040-30	V - 14	Total/NA	Solid	Total BTEX	
890-10040-31	V - 13	Total/NA	Solid	Total BTEX	
890-10040-32	V - 13	Total/NA	Solid	Total BTEX	
890-10040-33	V - 13	Total/NA	Solid	Total BTEX	
890-10040-34	V - 13	Total/NA	Solid	Total BTEX	
890-10040-35	V - 11	Total/NA	Solid	Total BTEX	
890-10040-36	V - 11	Total/NA	Solid	Total BTEX	
890-10040-37	V - 11	Total/NA	Solid	Total BTEX	
890-10040-38	V - 11	Total/NA	Solid	Total BTEX	
890-10040-39	V - 12	Total/NA	Solid	Total BTEX	
890-10040-40	V - 8	Total/NA	Solid	Total BTEX	

Analysis Batch: 143626

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-10040-21	V - 14	Total/NA	Solid	8021B	143627
MB 880-143627/5-A	Method Blank	Total/NA	Solid	8021B	143627
LCS 880-143627/1-A	Lab Control Sample	Total/NA	Solid	8021B	143627
LCSD 880-143627/2-A	Lab Control Sample Dup	Total/NA	Solid	8021B	143627

Prep Batch: 143627

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-10040-21	V - 14	Total/NA	Solid	5035	
MB 880-143627/5-A	Method Blank	Total/NA	Solid	5035	
LCS 880-143627/1-A	Lab Control Sample	Total/NA	Solid	5035	
LCSD 880-143627/2-A	Lab Control Sample Dup	Total/NA	Solid	5035	

Analysis Batch: 143646

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-10040-35	V - 11	Total/NA	Solid	8021B	143671
890-10040-36	V - 11	Total/NA	Solid	8021B	143671
MB 880-143671/5-A	Method Blank	Total/NA	Solid	8021B	143671
LCS 880-143671/1-A	Lab Control Sample	Total/NA	Solid	8021B	143671
LCSD 880-143671/2-A	Lab Control Sample Dup	Total/NA	Solid	8021B	143671

Prep Batch: 143671

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-10040-35	V - 11	Total/NA	Solid	5035	
890-10040-36	V - 11	Total/NA	Solid	5035	
MB 880-143671/5-A	Method Blank	Total/NA	Solid	5035	
LCS 880-143671/1-A	Lab Control Sample	Total/NA	Solid	5035	
LCSD 880-143671/2-A	Lab Control Sample Dup	Total/NA	Solid	5035	

Eurofins Carlsbad

QC Association Summary

Client: Standard Safety & Supply
Project/Site: Camacho LACT

Job ID: 890-10040-1
SDG: Eddy County, New Mexico

GC Semi VOA

Prep Batch: 142567

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-10040-1	H - 1 A	Total/NA	Solid	8015NM Prep	
890-10040-2	H - 2 A	Total/NA	Solid	8015NM Prep	
MB 880-142567/1-A	Method Blank	Total/NA	Solid	8015NM Prep	
LCS 880-142567/2-A	Lab Control Sample	Total/NA	Solid	8015NM Prep	
LCSD 880-142567/3-A	Lab Control Sample Dup	Total/NA	Solid	8015NM Prep	

Prep Batch: 142568

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-10040-3	H - 3 A	Total/NA	Solid	8015NM Prep	
890-10040-4	H - 4 A	Total/NA	Solid	8015NM Prep	
890-10040-5	H - 5 A	Total/NA	Solid	8015NM Prep	
890-10040-6	H - 6	Total/NA	Solid	8015NM Prep	
890-10040-7	H - 7	Total/NA	Solid	8015NM Prep	
890-10040-8	H - 8	Total/NA	Solid	8015NM Prep	
890-10040-9	H - 9 A	Total/NA	Solid	8015NM Prep	
890-10040-10	H - 10 A	Total/NA	Solid	8015NM Prep	
890-10040-11	H - 11 A	Total/NA	Solid	8015NM Prep	
890-10040-12	H - 12 A	Total/NA	Solid	8015NM Prep	
890-10040-13	H - 13 A	Total/NA	Solid	8015NM Prep	
890-10040-14	V - 1	Total/NA	Solid	8015NM Prep	
890-10040-15	V - 1	Total/NA	Solid	8015NM Prep	
890-10040-16	V - 1	Total/NA	Solid	8015NM Prep	
890-10040-17	V - 12	Total/NA	Solid	8015NM Prep	
890-10040-18	V - 3	Total/NA	Solid	8015NM Prep	
890-10040-19	V - 8	Total/NA	Solid	8015NM Prep	
890-10040-20	V - 8	Total/NA	Solid	8015NM Prep	
890-10040-21	V - 14	Total/NA	Solid	8015NM Prep	
890-10040-22	V - 14	Total/NA	Solid	8015NM Prep	
MB 880-142568/1-A	Method Blank	Total/NA	Solid	8015NM Prep	
LCS 880-142568/2-A	Lab Control Sample	Total/NA	Solid	8015NM Prep	
LCSD 880-142568/3-A	Lab Control Sample Dup	Total/NA	Solid	8015NM Prep	
890-10040-3 MS	H - 3 A	Total/NA	Solid	8015NM Prep	
890-10040-3 MSD	H - 3 A	Total/NA	Solid	8015NM Prep	

Prep Batch: 142569

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-10040-23	V - 14	Total/NA	Solid	8015NM Prep	
890-10040-24	V - 14	Total/NA	Solid	8015NM Prep	
890-10040-25	V - 14	Total/NA	Solid	8015NM Prep	
890-10040-26	V - 14	Total/NA	Solid	8015NM Prep	
890-10040-27	V - 14	Total/NA	Solid	8015NM Prep	
890-10040-28	V - 14	Total/NA	Solid	8015NM Prep	
890-10040-29	V - 14	Total/NA	Solid	8015NM Prep	
890-10040-30	V - 14	Total/NA	Solid	8015NM Prep	
890-10040-31	V - 13	Total/NA	Solid	8015NM Prep	
890-10040-32	V - 13	Total/NA	Solid	8015NM Prep	
890-10040-33	V - 13	Total/NA	Solid	8015NM Prep	
890-10040-34	V - 13	Total/NA	Solid	8015NM Prep	
890-10040-35	V - 11	Total/NA	Solid	8015NM Prep	
890-10040-36	V - 11	Total/NA	Solid	8015NM Prep	
890-10040-37	V - 11	Total/NA	Solid	8015NM Prep	

Eurofins Carlsbad

QC Association Summary

Client: Standard Safety & Supply
Project/Site: Camacho LACT

Job ID: 890-10040-1
SDG: Eddy County, New Mexico

GC Semi VOA (Continued)

Prep Batch: 142569 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-10040-38	V - 11	Total/NA	Solid	8015NM Prep	
890-10040-39	V - 12	Total/NA	Solid	8015NM Prep	
890-10040-40	V - 8	Total/NA	Solid	8015NM Prep	
MB 880-142569/1-A	Method Blank	Total/NA	Solid	8015NM Prep	
LCS 880-142569/2-A	Lab Control Sample	Total/NA	Solid	8015NM Prep	
LCSD 880-142569/3-A	Lab Control Sample Dup	Total/NA	Solid	8015NM Prep	
890-10040-23 MS	V - 14	Total/NA	Solid	8015NM Prep	
890-10040-23 MSD	V - 14	Total/NA	Solid	8015NM Prep	

Analysis Batch: 142799

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-10040-23	V - 14	Total/NA	Solid	8015B NM	142569
890-10040-24	V - 14	Total/NA	Solid	8015B NM	142569
890-10040-25	V - 14	Total/NA	Solid	8015B NM	142569
890-10040-26	V - 14	Total/NA	Solid	8015B NM	142569
890-10040-27	V - 14	Total/NA	Solid	8015B NM	142569
890-10040-28	V - 14	Total/NA	Solid	8015B NM	142569
890-10040-29	V - 14	Total/NA	Solid	8015B NM	142569
890-10040-30	V - 14	Total/NA	Solid	8015B NM	142569
890-10040-31	V - 13	Total/NA	Solid	8015B NM	142569
890-10040-32	V - 13	Total/NA	Solid	8015B NM	142569
890-10040-33	V - 13	Total/NA	Solid	8015B NM	142569
890-10040-34	V - 13	Total/NA	Solid	8015B NM	142569
890-10040-35	V - 11	Total/NA	Solid	8015B NM	142569
890-10040-36	V - 11	Total/NA	Solid	8015B NM	142569
890-10040-37	V - 11	Total/NA	Solid	8015B NM	142569
890-10040-38	V - 11	Total/NA	Solid	8015B NM	142569
890-10040-39	V - 12	Total/NA	Solid	8015B NM	142569
890-10040-40	V - 8	Total/NA	Solid	8015B NM	142569
MB 880-142569/1-A	Method Blank	Total/NA	Solid	8015B NM	142569
LCS 880-142569/2-A	Lab Control Sample	Total/NA	Solid	8015B NM	142569
LCSD 880-142569/3-A	Lab Control Sample Dup	Total/NA	Solid	8015B NM	142569
890-10040-23 MS	V - 14	Total/NA	Solid	8015B NM	142569
890-10040-23 MSD	V - 14	Total/NA	Solid	8015B NM	142569

Analysis Batch: 142829

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-10040-1	H - 1 A	Total/NA	Solid	8015B NM	142567
890-10040-2	H - 2 A	Total/NA	Solid	8015B NM	142567
MB 880-142567/1-A	Method Blank	Total/NA	Solid	8015B NM	142567
LCS 880-142567/2-A	Lab Control Sample	Total/NA	Solid	8015B NM	142567
LCSD 880-142567/3-A	Lab Control Sample Dup	Total/NA	Solid	8015B NM	142567

Analysis Batch: 142839

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-10040-3	H - 3 A	Total/NA	Solid	8015B NM	142568
890-10040-4	H - 4 A	Total/NA	Solid	8015B NM	142568
890-10040-5	H - 5 A	Total/NA	Solid	8015B NM	142568
890-10040-6	H - 6	Total/NA	Solid	8015B NM	142568
890-10040-7	H - 7	Total/NA	Solid	8015B NM	142568
890-10040-8	H - 8	Total/NA	Solid	8015B NM	142568

Eurofins Carlsbad

QC Association Summary

Client: Standard Safety & Supply
Project/Site: Camacho LACT

Job ID: 890-10040-1
SDG: Eddy County, New Mexico

GC Semi VOA (Continued)

Analysis Batch: 142839 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-10040-9	H - 9 A	Total/NA	Solid	8015B NM	142568
890-10040-10	H - 10 A	Total/NA	Solid	8015B NM	142568
890-10040-11	H - 11 A	Total/NA	Solid	8015B NM	142568
890-10040-12	H - 12 A	Total/NA	Solid	8015B NM	142568
890-10040-13	H - 13 A	Total/NA	Solid	8015B NM	142568
890-10040-14	V - 1	Total/NA	Solid	8015B NM	142568
890-10040-15	V - 1	Total/NA	Solid	8015B NM	142568
890-10040-16	V - 1	Total/NA	Solid	8015B NM	142568
890-10040-17	V - 12	Total/NA	Solid	8015B NM	142568
890-10040-18	V - 3	Total/NA	Solid	8015B NM	142568
890-10040-19	V - 8	Total/NA	Solid	8015B NM	142568
890-10040-20	V - 8	Total/NA	Solid	8015B NM	142568
890-10040-21	V - 14	Total/NA	Solid	8015B NM	142568
890-10040-22	V - 14	Total/NA	Solid	8015B NM	142568
MB 880-142568/1-A	Method Blank	Total/NA	Solid	8015B NM	142568
LCS 880-142568/2-A	Lab Control Sample	Total/NA	Solid	8015B NM	142568
LCSD 880-142568/3-A	Lab Control Sample Dup	Total/NA	Solid	8015B NM	142568
890-10040-3 MS	H - 3 A	Total/NA	Solid	8015B NM	142568
890-10040-3 MSD	H - 3 A	Total/NA	Solid	8015B NM	142568

Analysis Batch: 142913

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-10040-1	H - 1 A	Total/NA	Solid	8015 NM	
890-10040-2	H - 2 A	Total/NA	Solid	8015 NM	
890-10040-3	H - 3 A	Total/NA	Solid	8015 NM	
890-10040-4	H - 4 A	Total/NA	Solid	8015 NM	
890-10040-5	H - 5 A	Total/NA	Solid	8015 NM	
890-10040-6	H - 6	Total/NA	Solid	8015 NM	
890-10040-7	H - 7	Total/NA	Solid	8015 NM	
890-10040-8	H - 8	Total/NA	Solid	8015 NM	
890-10040-9	H - 9 A	Total/NA	Solid	8015 NM	
890-10040-10	H - 10 A	Total/NA	Solid	8015 NM	
890-10040-11	H - 11 A	Total/NA	Solid	8015 NM	
890-10040-12	H - 12 A	Total/NA	Solid	8015 NM	
890-10040-13	H - 13 A	Total/NA	Solid	8015 NM	
890-10040-14	V - 1	Total/NA	Solid	8015 NM	
890-10040-15	V - 1	Total/NA	Solid	8015 NM	
890-10040-16	V - 1	Total/NA	Solid	8015 NM	
890-10040-17	V - 12	Total/NA	Solid	8015 NM	
890-10040-18	V - 3	Total/NA	Solid	8015 NM	
890-10040-19	V - 8	Total/NA	Solid	8015 NM	
890-10040-20	V - 8	Total/NA	Solid	8015 NM	
890-10040-21	V - 14	Total/NA	Solid	8015 NM	
890-10040-22	V - 14	Total/NA	Solid	8015 NM	
890-10040-23	V - 14	Total/NA	Solid	8015 NM	
890-10040-24	V - 14	Total/NA	Solid	8015 NM	
890-10040-25	V - 14	Total/NA	Solid	8015 NM	
890-10040-26	V - 14	Total/NA	Solid	8015 NM	
890-10040-27	V - 14	Total/NA	Solid	8015 NM	
890-10040-28	V - 14	Total/NA	Solid	8015 NM	
890-10040-29	V - 14	Total/NA	Solid	8015 NM	

Eurofins Carlsbad

QC Association Summary

Client: Standard Safety & Supply
Project/Site: Camacho LACT

Job ID: 890-10040-1
SDG: Eddy County, New Mexico

GC Semi VOA (Continued)

Analysis Batch: 142913 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-10040-30	V - 14	Total/NA	Solid	8015 NM	
890-10040-31	V - 13	Total/NA	Solid	8015 NM	
890-10040-32	V - 13	Total/NA	Solid	8015 NM	
890-10040-33	V - 13	Total/NA	Solid	8015 NM	
890-10040-34	V - 13	Total/NA	Solid	8015 NM	
890-10040-35	V - 11	Total/NA	Solid	8015 NM	
890-10040-36	V - 11	Total/NA	Solid	8015 NM	
890-10040-37	V - 11	Total/NA	Solid	8015 NM	
890-10040-38	V - 11	Total/NA	Solid	8015 NM	
890-10040-39	V - 12	Total/NA	Solid	8015 NM	
890-10040-40	V - 8	Total/NA	Solid	8015 NM	

Analysis Batch: 142943

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-10040-21	V - 14	Total/NA	Solid	8015B NM	143021
890-10040-22	V - 14	Total/NA	Solid	8015B NM	143021
MB 880-143021/1-A	Method Blank	Total/NA	Solid	8015B NM	143021
LCS 880-143021/2-A	Lab Control Sample	Total/NA	Solid	8015B NM	143021
LCSD 880-143021/3-A	Lab Control Sample Dup	Total/NA	Solid	8015B NM	143021

Prep Batch: 143021

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-10040-21	V - 14	Total/NA	Solid	8015NM Prep	
890-10040-22	V - 14	Total/NA	Solid	8015NM Prep	
MB 880-143021/1-A	Method Blank	Total/NA	Solid	8015NM Prep	
LCS 880-143021/2-A	Lab Control Sample	Total/NA	Solid	8015NM Prep	
LCSD 880-143021/3-A	Lab Control Sample Dup	Total/NA	Solid	8015NM Prep	

HPLC/IC

Leach Batch: 142640

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-10040-1	H - 1 A	Soluble	Solid	DI Leach	
890-10040-2	H - 2 A	Soluble	Solid	DI Leach	
890-10040-3	H - 3 A	Soluble	Solid	DI Leach	
890-10040-4	H - 4 A	Soluble	Solid	DI Leach	
890-10040-5	H - 5 A	Soluble	Solid	DI Leach	
890-10040-6	H - 6	Soluble	Solid	DI Leach	
890-10040-7	H - 7	Soluble	Solid	DI Leach	
890-10040-8	H - 8	Soluble	Solid	DI Leach	
890-10040-9	H - 9 A	Soluble	Solid	DI Leach	
890-10040-10	H - 10 A	Soluble	Solid	DI Leach	
890-10040-11	H - 11 A	Soluble	Solid	DI Leach	
890-10040-12	H - 12 A	Soluble	Solid	DI Leach	
890-10040-13	H - 13 A	Soluble	Solid	DI Leach	
890-10040-14	V - 1	Soluble	Solid	DI Leach	
890-10040-15	V - 1	Soluble	Solid	DI Leach	
890-10040-16	V - 1	Soluble	Solid	DI Leach	
890-10040-17	V - 12	Soluble	Solid	DI Leach	
890-10040-18	V - 3	Soluble	Solid	DI Leach	
890-10040-19	V - 8	Soluble	Solid	DI Leach	

Eurofins Carlsbad

QC Association Summary

Client: Standard Safety & Supply
Project/Site: Camacho LACT

Job ID: 890-10040-1
SDG: Eddy County, New Mexico

HPLC/IC (Continued)

Leach Batch: 142640 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-10040-20	V - 8	Soluble	Solid	DI Leach	
MB 880-142640/1-A	Method Blank	Soluble	Solid	DI Leach	
LCS 880-142640/2-A	Lab Control Sample	Soluble	Solid	DI Leach	
LCSD 880-142640/3-A	Lab Control Sample Dup	Soluble	Solid	DI Leach	
890-10040-1 MS	H - 1 A	Soluble	Solid	DI Leach	
890-10040-1 MSD	H - 1 A	Soluble	Solid	DI Leach	
890-10040-11 MS	H - 11 A	Soluble	Solid	DI Leach	
890-10040-11 MSD	H - 11 A	Soluble	Solid	DI Leach	

Leach Batch: 142641

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-10040-21	V - 14	Soluble	Solid	DI Leach	
890-10040-22	V - 14	Soluble	Solid	DI Leach	
890-10040-23	V - 14	Soluble	Solid	DI Leach	
890-10040-24	V - 14	Soluble	Solid	DI Leach	
890-10040-25	V - 14	Soluble	Solid	DI Leach	
890-10040-26	V - 14	Soluble	Solid	DI Leach	
890-10040-27	V - 14	Soluble	Solid	DI Leach	
890-10040-28	V - 14	Soluble	Solid	DI Leach	
890-10040-29	V - 14	Soluble	Solid	DI Leach	
890-10040-30	V - 14	Soluble	Solid	DI Leach	
890-10040-31	V - 13	Soluble	Solid	DI Leach	
890-10040-32	V - 13	Soluble	Solid	DI Leach	
890-10040-33	V - 13	Soluble	Solid	DI Leach	
890-10040-34	V - 13	Soluble	Solid	DI Leach	
890-10040-35	V - 11	Soluble	Solid	DI Leach	
890-10040-36	V - 11	Soluble	Solid	DI Leach	
890-10040-37	V - 11	Soluble	Solid	DI Leach	
890-10040-38	V - 11	Soluble	Solid	DI Leach	
890-10040-39	V - 12	Soluble	Solid	DI Leach	
890-10040-40	V - 8	Soluble	Solid	DI Leach	
MB 880-142641/1-A	Method Blank	Soluble	Solid	DI Leach	
LCS 880-142641/2-A	Lab Control Sample	Soluble	Solid	DI Leach	
LCSD 880-142641/3-A	Lab Control Sample Dup	Soluble	Solid	DI Leach	
890-10040-21 MS	V - 14	Soluble	Solid	DI Leach	
890-10040-21 MSD	V - 14	Soluble	Solid	DI Leach	
890-10040-31 MS	V - 13	Soluble	Solid	DI Leach	
890-10040-31 MSD	V - 13	Soluble	Solid	DI Leach	

Analysis Batch: 142741

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-10040-1	H - 1 A	Soluble	Solid	300.0	142640
890-10040-2	H - 2 A	Soluble	Solid	300.0	142640
890-10040-3	H - 3 A	Soluble	Solid	300.0	142640
890-10040-4	H - 4 A	Soluble	Solid	300.0	142640
890-10040-5	H - 5 A	Soluble	Solid	300.0	142640
890-10040-6	H - 6	Soluble	Solid	300.0	142640
890-10040-7	H - 7	Soluble	Solid	300.0	142640
890-10040-8	H - 8	Soluble	Solid	300.0	142640
890-10040-9	H - 9 A	Soluble	Solid	300.0	142640
890-10040-10	H - 10 A	Soluble	Solid	300.0	142640

Eurofins Carlsbad

QC Association Summary

Client: Standard Safety & Supply
Project/Site: Camacho LACT

Job ID: 890-10040-1
SDG: Eddy County, New Mexico

HPLC/IC (Continued)

Analysis Batch: 142741 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-10040-11	H - 11 A	Soluble	Solid	300.0	142640
890-10040-12	H - 12 A	Soluble	Solid	300.0	142640
890-10040-13	H - 13 A	Soluble	Solid	300.0	142640
890-10040-14	V - 1	Soluble	Solid	300.0	142640
890-10040-15	V - 1	Soluble	Solid	300.0	142640
890-10040-16	V - 1	Soluble	Solid	300.0	142640
890-10040-17	V - 12	Soluble	Solid	300.0	142640
890-10040-18	V - 3	Soluble	Solid	300.0	142640
890-10040-19	V - 8	Soluble	Solid	300.0	142640
890-10040-20	V - 8	Soluble	Solid	300.0	142640
MB 880-142640/1-A	Method Blank	Soluble	Solid	300.0	142640
LCS 880-142640/2-A	Lab Control Sample	Soluble	Solid	300.0	142640
LCSD 880-142640/3-A	Lab Control Sample Dup	Soluble	Solid	300.0	142640
890-10040-1 MS	H - 1 A	Soluble	Solid	300.0	142640
890-10040-1 MSD	H - 1 A	Soluble	Solid	300.0	142640
890-10040-11 MS	H - 11 A	Soluble	Solid	300.0	142640
890-10040-11 MSD	H - 11 A	Soluble	Solid	300.0	142640

Analysis Batch: 142803

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-10040-21	V - 14	Soluble	Solid	300.0	142641
890-10040-22	V - 14	Soluble	Solid	300.0	142641
890-10040-23	V - 14	Soluble	Solid	300.0	142641
890-10040-24	V - 14	Soluble	Solid	300.0	142641
890-10040-25	V - 14	Soluble	Solid	300.0	142641
890-10040-26	V - 14	Soluble	Solid	300.0	142641
890-10040-27	V - 14	Soluble	Solid	300.0	142641
890-10040-28	V - 14	Soluble	Solid	300.0	142641
890-10040-29	V - 14	Soluble	Solid	300.0	142641
890-10040-30	V - 14	Soluble	Solid	300.0	142641
890-10040-31	V - 13	Soluble	Solid	300.0	142641
890-10040-32	V - 13	Soluble	Solid	300.0	142641
890-10040-33	V - 13	Soluble	Solid	300.0	142641
890-10040-34	V - 13	Soluble	Solid	300.0	142641
890-10040-35	V - 11	Soluble	Solid	300.0	142641
890-10040-36	V - 11	Soluble	Solid	300.0	142641
890-10040-37	V - 11	Soluble	Solid	300.0	142641
890-10040-38	V - 11	Soluble	Solid	300.0	142641
890-10040-39	V - 12	Soluble	Solid	300.0	142641
890-10040-40	V - 8	Soluble	Solid	300.0	142641
MB 880-142641/1-A	Method Blank	Soluble	Solid	300.0	142641
LCS 880-142641/2-A	Lab Control Sample	Soluble	Solid	300.0	142641
LCSD 880-142641/3-A	Lab Control Sample Dup	Soluble	Solid	300.0	142641
890-10040-21 MS	V - 14	Soluble	Solid	300.0	142641
890-10040-21 MSD	V - 14	Soluble	Solid	300.0	142641
890-10040-31 MS	V - 13	Soluble	Solid	300.0	142641
890-10040-31 MSD	V - 13	Soluble	Solid	300.0	142641

Eurofins Carlsbad

Lab Chronicle

Client: Standard Safety & Supply
Project/Site: Camacho LACT

Job ID: 890-10040-1
SDG: Eddy County, New Mexico

Client Sample ID: H - 1 A**Lab Sample ID: 890-10040-1****Date Collected: 06/01/26 08:30****Matrix: Solid****Date Received: 06/03/26 09:59**

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	143176	06/10/26 19:07	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	143066	06/10/26 22:13	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			143557	06/10/26 22:13	SA	EET MID
Total/NA	Analysis	8015 NM		1			142913	06/09/26 06:07	SA	EET MID
Total/NA	Prep	8015NM Prep			10.00 g	10.00 mL	142567	06/03/26 17:54	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	142829	06/09/26 06:07	SA	EET MID
Soluble	Leach	DI Leach			5.02 g	50 mL	142640	06/04/26 15:07	SMC	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	142741	06/06/26 17:13	CS	EET MID

Client Sample ID: H - 2 A**Lab Sample ID: 890-10040-2****Date Collected: 06/01/26 08:45****Matrix: Solid****Date Received: 06/03/26 09:59**

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.98 g	5 mL	143176	06/10/26 19:07	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	143066	06/10/26 22:33	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			143557	06/10/26 22:33	SA	EET MID
Total/NA	Analysis	8015 NM		1			142913	06/09/26 06:23	SA	EET MID
Total/NA	Prep	8015NM Prep			9.99 g	10.00 mL	142567	06/03/26 17:54	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	142829	06/09/26 06:23	SA	EET MID
Soluble	Leach	DI Leach			5.03 g	50 mL	142640	06/04/26 15:07	SMC	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	142741	06/06/26 17:27	CS	EET MID

Client Sample ID: H - 3 A**Lab Sample ID: 890-10040-3****Date Collected: 06/01/26 09:00****Matrix: Solid****Date Received: 06/03/26 09:59**

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.95 g	5 mL	143176	06/10/26 19:07	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	143066	06/10/26 22:54	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			143557	06/10/26 22:54	SA	EET MID
Total/NA	Analysis	8015 NM		1			142913	06/09/26 01:03	SA	EET MID
Total/NA	Prep	8015NM Prep			9.99 g	10.00 mL	142568	06/03/26 17:56	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	142839	06/09/26 01:03	SA	EET MID
Soluble	Leach	DI Leach			5.02 g	50 mL	142640	06/04/26 15:07	SMC	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	142741	06/06/26 17:31	CS	EET MID

Client Sample ID: H - 4 A**Lab Sample ID: 890-10040-4****Date Collected: 06/01/26 09:15****Matrix: Solid****Date Received: 06/03/26 09:59**

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.03 g	5 mL	143176	06/10/26 19:07	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	143066	06/10/26 23:14	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			143557	06/10/26 23:14	SA	EET MID

Eurofins Carlsbad

Lab Chronicle

Client: Standard Safety & Supply
Project/Site: Camacho LACT

Job ID: 890-10040-1
SDG: Eddy County, New Mexico

Client Sample ID: H - 4 A**Lab Sample ID: 890-10040-4****Date Collected: 06/01/26 09:15****Matrix: Solid****Date Received: 06/03/26 09:59**

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8015 NM		1			142913	06/09/26 01:46	SA	EET MID
Total/NA	Prep	8015NM Prep			10.00 g	10.00 mL	142568	06/03/26 17:56	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	142839	06/09/26 01:46	SA	EET MID
Soluble	Leach	DI Leach			4.98 g	50 mL	142640	06/04/26 15:07	SMC	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	142741	06/06/26 17:36	CS	EET MID

Client Sample ID: H - 5 A**Lab Sample ID: 890-10040-5****Date Collected: 06/01/26 09:30****Matrix: Solid****Date Received: 06/03/26 09:59**

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.00 g	5 mL	143176	06/10/26 19:07	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	143066	06/10/26 23:35	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			143557	06/10/26 23:35	SA	EET MID
Total/NA	Analysis	8015 NM		1			142913	06/09/26 02:01	SA	EET MID
Total/NA	Prep	8015NM Prep			10.02 g	10.00 mL	142568	06/03/26 17:56	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	142839	06/09/26 02:01	SA	EET MID
Soluble	Leach	DI Leach			4.96 g	50 mL	142640	06/04/26 15:07	SMC	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	142741	06/06/26 17:41	CS	EET MID

Client Sample ID: H - 6**Lab Sample ID: 890-10040-6****Date Collected: 06/01/26 09:45****Matrix: Solid****Date Received: 06/03/26 09:59**

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	143176	06/10/26 19:07	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	143066	06/10/26 23:55	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			143557	06/10/26 23:55	SA	EET MID
Total/NA	Analysis	8015 NM		1			142913	06/09/26 02:15	SA	EET MID
Total/NA	Prep	8015NM Prep			10.03 g	10.00 mL	142568	06/03/26 17:56	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	142839	06/09/26 02:15	SA	EET MID
Soluble	Leach	DI Leach			4.96 g	50 mL	142640	06/04/26 15:07	SMC	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	142741	06/06/26 17:55	CS	EET MID

Client Sample ID: H - 7**Lab Sample ID: 890-10040-7****Date Collected: 06/01/26 10:00****Matrix: Solid****Date Received: 06/03/26 09:59**

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.97 g	5 mL	143176	06/10/26 19:07	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	143066	06/11/26 00:16	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			143557	06/11/26 00:16	SA	EET MID
Total/NA	Analysis	8015 NM		1			142913	06/09/26 02:29	SA	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10.00 mL	142568	06/03/26 17:56	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	142839	06/09/26 02:29	SA	EET MID

Eurofins Carlsbad

Lab Chronicle

Client: Standard Safety & Supply
Project/Site: Camacho LACT

Job ID: 890-10040-1
SDG: Eddy County, New Mexico

Client Sample ID: H - 7

Lab Sample ID: 890-10040-7

Date Collected: 06/01/26 10:00

Matrix: Solid

Date Received: 06/03/26 09:59

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Soluble	Leach	DI Leach			4.96 g	50 mL	142640	06/04/26 15:07	SMC	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	142741	06/06/26 17:59	CS	EET MID

Client Sample ID: H - 8

Lab Sample ID: 890-10040-8

Date Collected: 06/01/26 10:15

Matrix: Solid

Date Received: 06/03/26 09:59

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.95 g	5 mL	143176	06/10/26 19:07	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	143066	06/11/26 00:36	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			143557	06/11/26 00:36	SA	EET MID
Total/NA	Analysis	8015 NM		1			142913	06/09/26 02:43	SA	EET MID
Total/NA	Prep	8015NM Prep			10.04 g	10.00 mL	142568	06/03/26 17:56	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	142839	06/09/26 02:43	SA	EET MID
Soluble	Leach	DI Leach			5.01 g	50 mL	142640	06/04/26 15:07	SMC	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	142741	06/06/26 18:04	CS	EET MID

Client Sample ID: H - 9 A

Lab Sample ID: 890-10040-9

Date Collected: 06/01/26 10:30

Matrix: Solid

Date Received: 06/03/26 09:59

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.03 g	5 mL	143176	06/10/26 19:07	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	143066	06/11/26 00:57	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			143557	06/11/26 00:57	SA	EET MID
Total/NA	Analysis	8015 NM		1			142913	06/09/26 02:58	SA	EET MID
Total/NA	Prep	8015NM Prep			10.05 g	10.00 mL	142568	06/03/26 17:56	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	142839	06/09/26 02:58	SA	EET MID
Soluble	Leach	DI Leach			5.03 g	50 mL	142640	06/04/26 15:07	SMC	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	142741	06/06/26 18:09	CS	EET MID

Client Sample ID: H - 10 A

Lab Sample ID: 890-10040-10

Date Collected: 06/01/26 10:45

Matrix: Solid

Date Received: 06/03/26 09:59

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.03 g	5 mL	143176	06/10/26 19:07	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	143066	06/11/26 01:17	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			143557	06/11/26 01:17	SA	EET MID
Total/NA	Analysis	8015 NM		1			142913	06/09/26 03:13	SA	EET MID
Total/NA	Prep	8015NM Prep			10.03 g	10.00 mL	142568	06/03/26 17:56	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	142839	06/09/26 03:13	SA	EET MID
Soluble	Leach	DI Leach			5.05 g	50 mL	142640	06/04/26 15:07	SMC	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	142741	06/06/26 18:13	CS	EET MID

Eurofins Carlsbad

Lab Chronicle

Client: Standard Safety & Supply
Project/Site: Camacho LACT

Job ID: 890-10040-1
SDG: Eddy County, New Mexico

Client Sample ID: H - 11 A

Lab Sample ID: 890-10040-11

Date Collected: 06/01/26 11:00

Matrix: Solid

Date Received: 06/03/26 09:59

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	143176	06/10/26 19:07	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	143066	06/11/26 02:40	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			143557	06/11/26 02:40	SA	EET MID
Total/NA	Analysis	8015 NM		1			142913	06/09/26 03:27	SA	EET MID
Total/NA	Prep	8015NM Prep			10.00 g	10.00 mL	142568	06/03/26 17:56	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	142839	06/09/26 03:27	SA	EET MID
Soluble	Leach	DI Leach			4.98 g	50 mL	142640	06/04/26 15:07	SMC	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	142741	06/06/26 18:18	CS	EET MID

Client Sample ID: H - 12 A

Lab Sample ID: 890-10040-12

Date Collected: 06/01/26 11:15

Matrix: Solid

Date Received: 06/03/26 09:59

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.97 g	5 mL	143176	06/10/26 19:07	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	143066	06/11/26 03:01	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			143557	06/11/26 03:01	SA	EET MID
Total/NA	Analysis	8015 NM		1			142913	06/09/26 03:41	SA	EET MID
Total/NA	Prep	8015NM Prep			10.02 g	10.00 mL	142568	06/03/26 17:56	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	142839	06/09/26 03:41	SA	EET MID
Soluble	Leach	DI Leach			4.97 g	50 mL	142640	06/04/26 15:07	SMC	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	142741	06/06/26 18:32	CS	EET MID

Client Sample ID: H - 13 A

Lab Sample ID: 890-10040-13

Date Collected: 06/01/26 11:30

Matrix: Solid

Date Received: 06/03/26 09:59

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.99 g	5 mL	143176	06/10/26 19:07	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	143066	06/11/26 03:21	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			143557	06/11/26 03:21	SA	EET MID
Total/NA	Analysis	8015 NM		1			142913	06/09/26 04:10	SA	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10.00 mL	142568	06/03/26 17:56	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	142839	06/09/26 04:10	SA	EET MID
Soluble	Leach	DI Leach			5.00 g	50 mL	142640	06/04/26 15:07	SMC	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	142741	06/06/26 18:36	CS	EET MID

Client Sample ID: V - 1

Lab Sample ID: 890-10040-14

Date Collected: 06/01/26 11:45

Matrix: Solid

Date Received: 06/03/26 09:59

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.03 g	5 mL	143176	06/10/26 19:07	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	143066	06/11/26 03:42	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			143557	06/11/26 03:42	SA	EET MID

Eurofins Carlsbad

Lab Chronicle

Client: Standard Safety & Supply
Project/Site: Camacho LACT

Job ID: 890-10040-1
SDG: Eddy County, New Mexico

Client Sample ID: V - 1

Lab Sample ID: 890-10040-14

Date Collected: 06/01/26 11:45

Matrix: Solid

Date Received: 06/03/26 09:59

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8015 NM		1			142913	06/09/26 04:24	SA	EET MID
Total/NA	Prep	8015NM Prep			10.04 g	10.00 mL	142568	06/03/26 17:56	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	142839	06/09/26 04:24	SA	EET MID
Soluble	Leach	DI Leach			5.01 g	50 mL	142640	06/04/26 15:07	SMC	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	142741	06/06/26 18:50	CS	EET MID

Client Sample ID: V - 1

Lab Sample ID: 890-10040-15

Date Collected: 06/01/26 12:00

Matrix: Solid

Date Received: 06/03/26 09:59

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	143176	06/10/26 19:07	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	143066	06/11/26 04:02	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			143557	06/11/26 04:02	SA	EET MID
Total/NA	Analysis	8015 NM		1			142913	06/09/26 04:39	SA	EET MID
Total/NA	Prep	8015NM Prep			10.05 g	10.00 mL	142568	06/03/26 17:56	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	142839	06/09/26 04:39	SA	EET MID
Soluble	Leach	DI Leach			5.04 g	50 mL	142640	06/04/26 15:07	SMC	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	142741	06/06/26 18:55	CS	EET MID

Client Sample ID: V - 1

Lab Sample ID: 890-10040-16

Date Collected: 06/01/26 12:15

Matrix: Solid

Date Received: 06/03/26 09:59

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.97 g	5 mL	143176	06/10/26 19:07	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	143066	06/11/26 04:23	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			143557	06/11/26 04:23	SA	EET MID
Total/NA	Analysis	8015 NM		1			142913	06/09/26 04:53	SA	EET MID
Total/NA	Prep	8015NM Prep			10.03 g	10.00 mL	142568	06/03/26 17:56	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	142839	06/09/26 04:53	SA	EET MID
Soluble	Leach	DI Leach			5.03 g	50 mL	142640	06/04/26 15:07	SMC	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	142741	06/06/26 19:00	CS	EET MID

Client Sample ID: V - 12

Lab Sample ID: 890-10040-17

Date Collected: 06/01/26 12:30

Matrix: Solid

Date Received: 06/03/26 09:59

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.95 g	5 mL	143176	06/10/26 19:07	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	143066	06/11/26 04:43	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			143557	06/11/26 04:43	SA	EET MID
Total/NA	Analysis	8015 NM		1			142913	06/09/26 05:08	SA	EET MID
Total/NA	Prep	8015NM Prep			10.00 g	10.00 mL	142568	06/03/26 17:56	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	142839	06/09/26 05:08	SA	EET MID

Eurofins Carlsbad

Lab Chronicle

Client: Standard Safety & Supply
Project/Site: Camacho LACT

Job ID: 890-10040-1
SDG: Eddy County, New Mexico

Client Sample ID: V - 12

Lab Sample ID: 890-10040-17

Date Collected: 06/01/26 12:30

Matrix: Solid

Date Received: 06/03/26 09:59

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Soluble	Leach	DI Leach			5.03 g	50 mL	142640	06/04/26 15:07	SMC	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	142741	06/06/26 19:04	CS	EET MID

Client Sample ID: V - 3

Lab Sample ID: 890-10040-18

Date Collected: 06/01/26 12:45

Matrix: Solid

Date Received: 06/03/26 09:59

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.03 g	5 mL	143176	06/10/26 19:07	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	143066	06/11/26 05:04	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			143557	06/11/26 05:04	SA	EET MID
Total/NA	Analysis	8015 NM		1			142913	06/09/26 05:22	SA	EET MID
Total/NA	Prep	8015NM Prep			10.02 g	10.00 mL	142568	06/03/26 17:56	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	142839	06/09/26 05:22	SA	EET MID
Soluble	Leach	DI Leach			5.02 g	50 mL	142640	06/04/26 15:07	SMC	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	142741	06/06/26 19:09	CS	EET MID

Client Sample ID: V - 8

Lab Sample ID: 890-10040-19

Date Collected: 06/01/26 13:00

Matrix: Solid

Date Received: 06/03/26 09:59

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.00 g	5 mL	143176	06/10/26 19:07	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	143066	06/11/26 05:24	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			143557	06/11/26 05:24	SA	EET MID
Total/NA	Analysis	8015 NM		1			142913	06/09/26 05:36	SA	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10.00 mL	142568	06/03/26 17:56	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	142839	06/09/26 05:36	SA	EET MID
Soluble	Leach	DI Leach			5.00 g	50 mL	142640	06/04/26 15:07	SMC	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	142741	06/06/26 19:14	CS	EET MID

Client Sample ID: V - 8

Lab Sample ID: 890-10040-20

Date Collected: 06/01/26 13:15

Matrix: Solid

Date Received: 06/03/26 09:59

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.05 g	5 mL	143176	06/10/26 19:07	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	143066	06/11/26 05:45	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			143557	06/11/26 05:45	SA	EET MID
Total/NA	Analysis	8015 NM		1			142913	06/09/26 05:50	SA	EET MID
Total/NA	Prep	8015NM Prep			10.02 g	10.00 mL	142568	06/03/26 17:56	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	142839	06/09/26 05:50	SA	EET MID
Soluble	Leach	DI Leach			5.03 g	50 mL	142640	06/04/26 15:07	SMC	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	142741	06/06/26 19:18	CS	EET MID

Eurofins Carlsbad

Lab Chronicle

Client: Standard Safety & Supply
Project/Site: Camacho LACT

Job ID: 890-10040-1
SDG: Eddy County, New Mexico

Client Sample ID: V - 14

Lab Sample ID: 890-10040-21

Date Collected: 06/02/26 12:00

Matrix: Solid

Date Received: 06/03/26 09:59

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	143253	06/11/26 13:20	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	143349	06/12/26 21:57	MNR	EET MID
Total/NA	Prep	5035			4.98 g	5 mL	143627	06/15/26 17:26	MNR	EET MID
Total/NA	Analysis	8021B		200	5 mL	5 mL	143626	06/16/26 03:08	SA	EET MID
Total/NA	Analysis	Total BTEX		1			143557	06/16/26 03:08	SA	EET MID
Total/NA	Analysis	8015 NM		1			142913	06/09/26 21:09	SA	EET MID
Total/NA	Prep	8015NM Prep			10.00 g	10.00 mL	142568	06/03/26 17:56	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	142839	06/09/26 06:04	SA	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10.00 mL	143021	06/09/26 15:37	EL	EET MID
Total/NA	Analysis	8015B NM		10	1 uL	1 uL	142943	06/09/26 21:09	FC	EET MID
Soluble	Leach	DI Leach			5.01 g	50 mL	142641	06/04/26 15:10	SMC	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	142803	06/06/26 20:04	CS	EET MID

Client Sample ID: V - 14

Lab Sample ID: 890-10040-22

Date Collected: 06/02/26 12:10

Matrix: Solid

Date Received: 06/03/26 09:59

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.98 g	5 mL	143253	06/11/26 13:20	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	143349	06/12/26 22:17	MNR	EET MID
Total/NA	Prep	5035			5.03 g	5 mL	143523	06/15/26 09:10	AA	EET MID
Total/NA	Analysis	8021B		250	5 mL	5 mL	143516	06/15/26 19:28	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			143557	06/15/26 19:28	SA	EET MID
Total/NA	Analysis	8015 NM		1			142913	06/09/26 21:24	SA	EET MID
Total/NA	Prep	8015NM Prep			9.99 g	10.00 mL	142568	06/03/26 17:56	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	142839	06/09/26 06:20	SA	EET MID
Total/NA	Prep	8015NM Prep			10.04 g	10.00 mL	143021	06/09/26 15:37	EL	EET MID
Total/NA	Analysis	8015B NM		10	1 uL	1 uL	142943	06/09/26 21:24	FC	EET MID
Soluble	Leach	DI Leach			4.99 g	50 mL	142641	06/04/26 15:10	SMC	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	142803	06/06/26 20:19	CS	EET MID

Client Sample ID: V - 14

Lab Sample ID: 890-10040-23

Date Collected: 06/02/26 12:20

Matrix: Solid

Date Received: 06/03/26 09:59

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.95 g	5 mL	143253	06/11/26 13:20	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	143349	06/12/26 22:38	MNR	EET MID
Total/NA	Prep	5035			4.97 g	5 mL	143523	06/15/26 09:10	AA	EET MID
Total/NA	Analysis	8021B		25	5 mL	5 mL	143516	06/15/26 16:23	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			143557	06/15/26 16:23	SA	EET MID
Total/NA	Analysis	8015 NM		1			142913	06/05/26 19:17	SA	EET MID
Total/NA	Prep	8015NM Prep			9.99 g	10.00 mL	142569	06/03/26 17:58	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	142799	06/05/26 19:17	FC	EET MID

Eurofins Carlsbad

Lab Chronicle

Client: Standard Safety & Supply
Project/Site: Camacho LACT

Job ID: 890-10040-1
SDG: Eddy County, New Mexico

Client Sample ID: V - 14

Lab Sample ID: 890-10040-23

Date Collected: 06/02/26 12:20

Matrix: Solid

Date Received: 06/03/26 09:59

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Soluble	Leach	DI Leach			4.99 g	50 mL	142641	06/04/26 15:10	SMC	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	142803	06/06/26 20:24	CS	EET MID

Client Sample ID: V - 14

Lab Sample ID: 890-10040-24

Date Collected: 06/02/26 12:30

Matrix: Solid

Date Received: 06/03/26 09:59

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.03 g	5 mL	143253	06/11/26 13:20	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	143349	06/12/26 22:59	MNR	EET MID
Total/NA	Prep	5035			5.02 g	5 mL	143523	06/15/26 09:10	AA	EET MID
Total/NA	Analysis	8021B		10	5 mL	5 mL	143516	06/15/26 16:43	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			143557	06/15/26 16:43	SA	EET MID
Total/NA	Analysis	8015 NM		1			142913	06/05/26 20:18	SA	EET MID
Total/NA	Prep	8015NM Prep			9.98 g	10.00 mL	142569	06/03/26 17:58	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	142799	06/05/26 20:18	FC	EET MID
Soluble	Leach	DI Leach			4.97 g	50 mL	142641	06/04/26 15:10	SMC	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	142803	06/06/26 20:29	CS	EET MID

Client Sample ID: V - 14

Lab Sample ID: 890-10040-25

Date Collected: 06/02/26 12:40

Matrix: Solid

Date Received: 06/03/26 09:59

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.00 g	5 mL	143253	06/11/26 13:20	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	143349	06/12/26 23:20	MNR	EET MID
Total/NA	Prep	5035			4.98 g	5 mL	143527	06/15/26 09:39	AA	EET MID
Total/NA	Analysis	8021B		200	5 mL	5 mL	143511	06/15/26 19:08	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			143557	06/15/26 19:08	SA	EET MID
Total/NA	Analysis	8015 NM		1			142913	06/05/26 20:38	SA	EET MID
Total/NA	Prep	8015NM Prep			9.99 g	10.00 mL	142569	06/03/26 17:58	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	142799	06/05/26 20:38	FC	EET MID
Soluble	Leach	DI Leach			4.96 g	50 mL	142641	06/04/26 15:10	SMC	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	142803	06/06/26 20:34	CS	EET MID

Client Sample ID: V - 14

Lab Sample ID: 890-10040-26

Date Collected: 06/02/26 12:50

Matrix: Solid

Date Received: 06/03/26 09:59

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	143253	06/11/26 13:20	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	143349	06/12/26 23:41	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			143557	06/12/26 23:41	SA	EET MID
Total/NA	Analysis	8015 NM		1			142913	06/05/26 20:59	SA	EET MID

Eurofins Carlsbad

Lab Chronicle

Client: Standard Safety & Supply
Project/Site: Camacho LACT

Job ID: 890-10040-1
SDG: Eddy County, New Mexico

Client Sample ID: V - 14

Lab Sample ID: 890-10040-26

Date Collected: 06/02/26 12:50

Matrix: Solid

Date Received: 06/03/26 09:59

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	8015NM Prep			10.04 g	10.00 mL	142569	06/03/26 17:58	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	142799	06/05/26 20:59	FC	EET MID
Soluble	Leach	DI Leach			4.95 g	50 mL	142641	06/04/26 15:10	SMC	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	142803	06/06/26 20:49	CS	EET MID

Client Sample ID: V - 14

Lab Sample ID: 890-10040-27

Date Collected: 06/02/26 13:00

Matrix: Solid

Date Received: 06/03/26 09:59

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.97 g	5 mL	143253	06/11/26 13:20	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	143349	06/13/26 00:02	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			143557	06/13/26 00:02	SA	EET MID
Total/NA	Analysis	8015 NM		1			142913	06/05/26 21:19	SA	EET MID
Total/NA	Prep	8015NM Prep			10.02 g	10.00 mL	142569	06/03/26 17:58	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	142799	06/05/26 21:19	FC	EET MID
Soluble	Leach	DI Leach			4.97 g	50 mL	142641	06/04/26 15:10	SMC	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	142803	06/06/26 20:54	CS	EET MID

Client Sample ID: V - 14

Lab Sample ID: 890-10040-28

Date Collected: 06/02/26 13:10

Matrix: Solid

Date Received: 06/03/26 09:59

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.95 g	5 mL	143253	06/11/26 13:20	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	143349	06/13/26 00:23	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			143557	06/13/26 00:23	SA	EET MID
Total/NA	Analysis	8015 NM		1			142913	06/05/26 21:40	SA	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10.00 mL	142569	06/03/26 17:58	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	142799	06/05/26 21:40	FC	EET MID
Soluble	Leach	DI Leach			5.03 g	50 mL	142641	06/04/26 15:10	SMC	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	142803	06/06/26 20:59	CS	EET MID

Client Sample ID: V - 14

Lab Sample ID: 890-10040-29

Date Collected: 06/02/26 13:20

Matrix: Solid

Date Received: 06/03/26 09:59

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.03 g	5 mL	143253	06/11/26 13:20	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	143349	06/13/26 00:43	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			143557	06/13/26 00:43	SA	EET MID
Total/NA	Analysis	8015 NM		1			142913	06/05/26 22:00	SA	EET MID
Total/NA	Prep	8015NM Prep			10.04 g	10.00 mL	142569	06/03/26 17:58	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	142799	06/05/26 22:00	FC	EET MID

Eurofins Carlsbad

Lab Chronicle

Client: Standard Safety & Supply
Project/Site: Camacho LACT

Job ID: 890-10040-1
SDG: Eddy County, New Mexico

Client Sample ID: V - 14

Lab Sample ID: 890-10040-29

Date Collected: 06/02/26 13:20

Matrix: Solid

Date Received: 06/03/26 09:59

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Soluble	Leach	DI Leach			5.01 g	50 mL	142641	06/04/26 15:10	SMC	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	142803	06/06/26 21:04	CS	EET MID

Client Sample ID: V - 14

Lab Sample ID: 890-10040-30

Date Collected: 06/02/26 13:30

Matrix: Solid

Date Received: 06/03/26 09:59

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.03 g	5 mL	143253	06/11/26 13:20	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	143349	06/13/26 01:04	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			143557	06/13/26 01:04	SA	EET MID
Total/NA	Analysis	8015 NM		1			142913	06/05/26 22:22	SA	EET MID
Total/NA	Prep	8015NM Prep			10.05 g	10.00 mL	142569	06/03/26 17:58	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	142799	06/05/26 22:22	FC	EET MID
Soluble	Leach	DI Leach			5.04 g	50 mL	142641	06/04/26 15:10	SMC	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	142803	06/06/26 21:09	CS	EET MID

Client Sample ID: V - 13

Lab Sample ID: 890-10040-31

Date Collected: 06/02/26 13:40

Matrix: Solid

Date Received: 06/03/26 09:59

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	143253	06/11/26 13:20	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	143349	06/13/26 02:29	MNR	EET MID
Total/NA	Prep	5035			5.02 g	5 mL	143527	06/15/26 09:39	AA	EET MID
Total/NA	Analysis	8021B		200	5 mL	5 mL	143511	06/15/26 19:28	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			143557	06/15/26 19:28	SA	EET MID
Total/NA	Analysis	8015 NM		1			142913	06/05/26 22:42	SA	EET MID
Total/NA	Prep	8015NM Prep			9.99 g	10.00 mL	142569	06/03/26 17:58	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	142799	06/05/26 22:42	FC	EET MID
Soluble	Leach	DI Leach			5.05 g	50 mL	142641	06/04/26 15:10	SMC	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	142803	06/06/26 21:14	CS	EET MID

Client Sample ID: V - 13

Lab Sample ID: 890-10040-32

Date Collected: 06/02/26 13:50

Matrix: Solid

Date Received: 06/03/26 09:59

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.97 g	5 mL	143253	06/11/26 13:20	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	143349	06/13/26 02:49	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			143557	06/13/26 02:49	SA	EET MID
Total/NA	Analysis	8015 NM		1			142913	06/05/26 23:03	SA	EET MID
Total/NA	Prep	8015NM Prep			9.96 g	10.00 mL	142569	06/03/26 17:58	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	142799	06/05/26 23:03	FC	EET MID

Eurofins Carlsbad

Lab Chronicle

Client: Standard Safety & Supply
Project/Site: Camacho LACT

Job ID: 890-10040-1
SDG: Eddy County, New Mexico

Client Sample ID: V - 13**Lab Sample ID: 890-10040-32****Date Collected: 06/02/26 13:50****Matrix: Solid****Date Received: 06/03/26 09:59**

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Soluble	Leach	DI Leach			4.99 g	50 mL	142641	06/04/26 15:10	SMC	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	142803	06/06/26 21:29	CS	EET MID

Client Sample ID: V - 13**Lab Sample ID: 890-10040-33****Date Collected: 06/02/26 14:00****Matrix: Solid****Date Received: 06/03/26 09:59**

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.99 g	5 mL	143253	06/11/26 13:20	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	143349	06/13/26 03:10	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			143557	06/13/26 03:10	SA	EET MID
Total/NA	Analysis	8015 NM		1			142913	06/05/26 23:43	SA	EET MID
Total/NA	Prep	8015NM Prep			9.97 g	10.00 mL	142569	06/03/26 17:58	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	142799	06/05/26 23:43	FC	EET MID
Soluble	Leach	DI Leach			4.98 g	50 mL	142641	06/04/26 15:10	SMC	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	142803	06/06/26 21:34	CS	EET MID

Client Sample ID: V - 13**Lab Sample ID: 890-10040-34****Date Collected: 06/02/26 14:10****Matrix: Solid****Date Received: 06/03/26 09:59**

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.03 g	5 mL	143253	06/11/26 13:20	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	143349	06/13/26 03:31	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			143557	06/13/26 03:31	SA	EET MID
Total/NA	Analysis	8015 NM		1			142913	06/06/26 00:04	SA	EET MID
Total/NA	Prep	8015NM Prep			9.99 g	10.00 mL	142569	06/03/26 17:58	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	142799	06/06/26 00:04	FC	EET MID
Soluble	Leach	DI Leach			4.96 g	50 mL	142641	06/04/26 15:10	SMC	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	142803	06/06/26 21:49	CS	EET MID

Client Sample ID: V - 11**Lab Sample ID: 890-10040-35****Date Collected: 06/02/26 14:20****Matrix: Solid****Date Received: 06/03/26 09:59**

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	143253	06/11/26 13:20	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	143349	06/13/26 03:52	MNR	EET MID
Total/NA	Prep	5035			4.98 g	5 mL	143671	06/16/26 09:52	MNR	EET MID
Total/NA	Analysis	8021B		250	5 mL	5 mL	143646	06/16/26 11:42	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			143557	06/16/26 11:42	SA	EET MID
Total/NA	Analysis	8015 NM		1			142913	06/06/26 00:24	SA	EET MID
Total/NA	Prep	8015NM Prep			10.00 g	10.00 mL	142569	06/03/26 17:58	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	142799	06/06/26 00:24	FC	EET MID

Eurofins Carlsbad

Lab Chronicle

Client: Standard Safety & Supply
Project/Site: Camacho LACT

Job ID: 890-10040-1
SDG: Eddy County, New Mexico

Client Sample ID: V - 11

Lab Sample ID: 890-10040-35

Date Collected: 06/02/26 14:20

Matrix: Solid

Date Received: 06/03/26 09:59

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Soluble	Leach	DI Leach			4.96 g	50 mL	142641	06/04/26 15:10	SMC	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	142803	06/06/26 21:53	CS	EET MID

Client Sample ID: V - 11

Lab Sample ID: 890-10040-36

Date Collected: 06/02/26 14:30

Matrix: Solid

Date Received: 06/03/26 09:59

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.97 g	5 mL	143253	06/11/26 13:20	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	143349	06/13/26 04:13	MNR	EET MID
Total/NA	Prep	5035			4.95 g	5 mL	143671	06/16/26 09:52	MNR	EET MID
Total/NA	Analysis	8021B		250	5 mL	5 mL	143646	06/16/26 12:17	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			143557	06/16/26 12:17	SA	EET MID
Total/NA	Analysis	8015 NM		1			142913	06/06/26 00:44	SA	EET MID
Total/NA	Prep	8015NM Prep			10.02 g	10.00 mL	142569	06/03/26 17:58	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	142799	06/06/26 00:44	FC	EET MID
Soluble	Leach	DI Leach			5.03 g	50 mL	142641	06/04/26 15:10	SMC	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	142803	06/06/26 21:58	CS	EET MID

Client Sample ID: V - 11

Lab Sample ID: 890-10040-37

Date Collected: 06/02/26 14:40

Matrix: Solid

Date Received: 06/03/26 09:59

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.95 g	5 mL	143253	06/11/26 13:20	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	143349	06/13/26 04:33	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			143557	06/13/26 04:33	SA	EET MID
Total/NA	Analysis	8015 NM		1			142913	06/06/26 01:04	SA	EET MID
Total/NA	Prep	8015NM Prep			10.02 g	10.00 mL	142569	06/03/26 17:58	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	142799	06/06/26 01:04	FC	EET MID
Soluble	Leach	DI Leach			5.00 g	50 mL	142641	06/04/26 15:10	SMC	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	142803	06/06/26 22:03	CS	EET MID

Client Sample ID: V - 11

Lab Sample ID: 890-10040-38

Date Collected: 06/02/26 14:50

Matrix: Solid

Date Received: 06/03/26 09:59

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.03 g	5 mL	143253	06/11/26 13:20	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	143349	06/13/26 04:54	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			143557	06/13/26 04:54	SA	EET MID
Total/NA	Analysis	8015 NM		1			142913	06/06/26 01:25	SA	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10.00 mL	142569	06/03/26 17:58	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	142799	06/06/26 01:25	FC	EET MID

Eurofins Carlsbad

Lab Chronicle

Client: Standard Safety & Supply
Project/Site: Camacho LACT

Job ID: 890-10040-1
SDG: Eddy County, New Mexico

Client Sample ID: V - 11

Lab Sample ID: 890-10040-38

Date Collected: 06/02/26 14:50

Matrix: Solid

Date Received: 06/03/26 09:59

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Soluble	Leach	DI Leach			4.97 g	50 mL	142641	06/04/26 15:10	SMC	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	142803	06/06/26 22:08	CS	EET MID

Client Sample ID: V - 12

Lab Sample ID: 890-10040-39

Date Collected: 06/02/26 15:00

Matrix: Solid

Date Received: 06/03/26 09:59

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.00 g	5 mL	143253	06/11/26 13:20	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	143349	06/13/26 05:15	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			143557	06/13/26 05:15	SA	EET MID
Total/NA	Analysis	8015 NM		1			142913	06/06/26 01:45	SA	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10.00 mL	142569	06/03/26 17:58	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	142799	06/06/26 01:45	FC	EET MID
Soluble	Leach	DI Leach			4.95 g	50 mL	142641	06/04/26 15:10	SMC	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	142803	06/06/26 22:13	CS	EET MID

Client Sample ID: V - 8

Lab Sample ID: 890-10040-40

Date Collected: 06/02/26 15:10

Matrix: Solid

Date Received: 06/03/26 09:59

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.05 g	5 mL	143253	06/11/26 13:20	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	143349	06/13/26 05:36	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			143557	06/13/26 05:36	SA	EET MID
Total/NA	Analysis	8015 NM		1			142913	06/06/26 02:06	SA	EET MID
Total/NA	Prep	8015NM Prep			10.02 g	10.00 mL	142569	06/03/26 17:58	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	142799	06/06/26 02:06	FC	EET MID
Soluble	Leach	DI Leach			4.96 g	50 mL	142641	06/04/26 15:10	SMC	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	142803	06/06/26 22:18	CS	EET MID

Laboratory References:

EET MID = Eurofins Midland, 1211 W. Florida Ave, Midland, TX 79701, TEL (432)704-5440

Eurofins Carlsbad

Accreditation/Certification Summary

Client: Standard Safety & Supply
Project/Site: Camacho LACT

Job ID: 890-10040-1
SDG: Eddy County, New Mexico

Laboratory: Eurofins Midland

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
Texas	NELAP	T104704400	06-30-26
The following analytes are included in this report, but the laboratory is not certified by Texas NELAP T104704400. This list may include analytes for which the agency does not offer certification:			
Analysis Method	Prep Method	Matrix	Analyte
8015 NM		Solid	Total TPH
Total BTEX		Solid	Total BTEX

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Method Summary

Client: Standard Safety & Supply
Project/Site: Camacho LACT

Job ID: 890-10040-1
SDG: Eddy County, New Mexico

Method	Method Description	Protocol	Laboratory
8021B	Volatile Organic Compounds (GC)	SW846	EET MID
Total BTEX	Total BTEX Calculation	TAL SOP	EET MID
8015 NM	Diesel Range Organics (DRO) (GC)	SW846	EET MID
8015B NM	Diesel Range Organics (DRO) (GC)	SW846	EET MID
300.0	Anions, Ion Chromatography	EPA	EET MID
5035	Closed System Purge and Trap	SW846	EET MID
8015NM Prep	Microextraction	SW846	EET MID
DI Leach	Deionized Water Leaching Procedure	ASTM	EET MID

Protocol References:

- ASTM = ASTM International
- EPA = US Environmental Protection Agency
- SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.
- TAL SOP = TestAmerica Laboratories, Standard Operating Procedure

Laboratory References:

- EET MID = Eurofins Midland, 1211 W. Florida Ave, Midland, TX 79701, TEL (432)704-5440

Sample Summary

Client: Standard Safety & Supply
Project/Site: Camacho LACT

Job ID: 890-10040-1
SDG: Eddy County, New Mexico

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Depth
890-10040-1	H - 1 A	Solid	06/01/26 08:30	06/03/26 09:59	0-0.5'
890-10040-2	H - 2 A	Solid	06/01/26 08:45	06/03/26 09:59	0-0.5'
890-10040-3	H - 3 A	Solid	06/01/26 09:00	06/03/26 09:59	0-0.5'
890-10040-4	H - 4 A	Solid	06/01/26 09:15	06/03/26 09:59	0-0.5'
890-10040-5	H - 5 A	Solid	06/01/26 09:30	06/03/26 09:59	0-0.5'
890-10040-6	H - 6	Solid	06/01/26 09:45	06/03/26 09:59	0-0.5'
890-10040-7	H - 7	Solid	06/01/26 10:00	06/03/26 09:59	0-0.5'
890-10040-8	H - 8	Solid	06/01/26 10:15	06/03/26 09:59	0-0.5'
890-10040-9	H - 9 A	Solid	06/01/26 10:30	06/03/26 09:59	0-0.5'
890-10040-10	H - 10 A	Solid	06/01/26 10:45	06/03/26 09:59	0-0.5'
890-10040-11	H - 11 A	Solid	06/01/26 11:00	06/03/26 09:59	0-0.5'
890-10040-12	H - 12 A	Solid	06/01/26 11:15	06/03/26 09:59	0-0.5'
890-10040-13	H - 13 A	Solid	06/01/26 11:30	06/03/26 09:59	0-0.5'
890-10040-14	V - 1	Solid	06/01/26 11:45	06/03/26 09:59	4-4.5'
890-10040-15	V - 1	Solid	06/01/26 12:00	06/03/26 09:59	5-5.5'
890-10040-16	V - 1	Solid	06/01/26 12:15	06/03/26 09:59	6-6.5'
890-10040-17	V - 12	Solid	06/01/26 12:30	06/03/26 09:59	7-7.5'
890-10040-18	V - 3	Solid	06/01/26 12:45	06/03/26 09:59	4-4.5'
890-10040-19	V - 8	Solid	06/01/26 13:00	06/03/26 09:59	3-3.5'
890-10040-20	V - 8	Solid	06/01/26 13:15	06/03/26 09:59	4-4.5'
890-10040-21	V - 14	Solid	06/02/26 12:00	06/03/26 09:59	0-0.5'
890-10040-22	V - 14	Solid	06/02/26 12:10	06/03/26 09:59	2-2.5'
890-10040-23	V - 14	Solid	06/02/26 12:20	06/03/26 09:59	3-3.5'
890-10040-24	V - 14	Solid	06/02/26 12:30	06/03/26 09:59	4-4.5'
890-10040-25	V - 14	Solid	06/02/26 12:40	06/03/26 09:59	5-5.5'
890-10040-26	V - 14	Solid	06/02/26 12:50	06/03/26 09:59	6-6.5'
890-10040-27	V - 14	Solid	06/02/26 13:00	06/03/26 09:59	7-7.5'
890-10040-28	V - 14	Solid	06/02/26 13:10	06/03/26 09:59	8-8.5'
890-10040-29	V - 14	Solid	06/02/26 13:20	06/03/26 09:59	9-9.5'
890-10040-30	V - 14	Solid	06/02/26 13:30	06/03/26 09:59	10-10.5'
890-10040-31	V - 13	Solid	06/02/26 13:40	06/03/26 09:59	0-0.5'
890-10040-32	V - 13	Solid	06/02/26 13:50	06/03/26 09:59	1-1.5'
890-10040-33	V - 13	Solid	06/02/26 14:00	06/03/26 09:59	2-2.5'
890-10040-34	V - 13	Solid	06/02/26 14:10	06/03/26 09:59	3-3.5'
890-10040-35	V - 11	Solid	06/02/26 14:20	06/03/26 09:59	0-0.5'
890-10040-36	V - 11	Solid	06/02/26 14:30	06/03/26 09:59	1-1.5'
890-10040-37	V - 11	Solid	06/02/26 14:40	06/03/26 09:59	2-2.5'
890-10040-38	V - 11	Solid	06/02/26 14:50	06/03/26 09:59	3-3.5'
890-10040-39	V - 12	Solid	06/02/26 15:00	06/03/26 09:59	8-8.5'
890-10040-40	V - 8	Solid	06/02/26 15:10	06/03/26 09:59	5-5.5'

Eurofins Carlsbad

Chain of Custody									
 STANDARD & SUPPLY SAFETY Main Office: 2524 Trunk Street, Odessa Texas 79761 Contact: (432) 653-0393 https://standardtx.com/									
Project Manager: Ethan Sessums Company Name: Standard Safety & Supply Address: 2425 Trunk St. City, State ZIP: Odessa, Texas, 79761 Phone: 254-266-5456 Bill to: (if different) Company Name: Address: City, State ZIP: Email: Ethan.Sessums@standardtx.com									
Project Name: Camacho LACT Project Number: Project Location: Eddy County, New Mexico Sampler's Name: D. Nikanorov, J. Aguirre, E. Bartlett PO #: HD-4937 Turn Around ☒ Routine ☐ Rush Due Date: TAT may vary based on lab start time. Pres. Code Parameters Grab Com # of Cont									
SAMPLE RECEIPT Samples Received Intact: Yes No Cooler Custody Seals: Yes No Sample Custody Seals: Yes No Total Containers: 40 Temp Blank: Yes No Thermometer ID: T-0.2 Correction Factor: -0.8 Temperature Reading: -0.6 Corrected Temperature: Wet Ice: Yes No Date Sampled: 6/1/2026 Time Sampled: 8:30 Depth: 0-0.5'									
ANALYSIS REQUEST 890-10040 Chain of Custody Preservative Codes None: NO Cool: Cool HCL: HC H₂SO₄: H₂ H₃PO₄: HP NaHSO₄: NABIS Na₂S₂O₃: NaSO₃ Zn Acetate+NaOH: Zn NaOH+Ascorbic Acid: SAPC									
Sample Identification Date Sampled: 6/1/2026 Time Sampled: 8:30 Depth: 0-0.5' Grab Com: 1 Matrix: S									
H-1A 6/1/2026 8:30									
H-2A 6/1/2026 8:45									
H-3A 6/1/2026 9:00									
H-4A 6/1/2026 9:15									
H-5A 6/1/2026 9:30									
H-6 6/1/2026 9:45									
H-7 6/1/2026 10:00									
H-8 6/1/2026 10:15									
H-9A 6/1/2026 10:30									
H-10A 6/1/2026 10:45									
Relinquished by: (Signature) Received by: (Signature) Date/Time									
Signature Signature 6/3 9:54									
4 6 6									
10 11 12									
13 14 15									
16 17 18									
19 20 21									
22 23 24									
25 26 27									
28 29 30									
31 32 33									
34 35 36									
37 38 39									
40 41 42									
43 44 45									
46 47 48									
49 50 51									
52 53 54									
55 56 57									
58 59 60									
61 62 63									
64 65 66									
67 68 69									
70 71 72									
73 74 75									
76 77 78									
79 80 81									
82 83 84									
85 86 87									
88 89 90									
91 92 93									
94 95 96									
97 98 99									
100 101 102									
103 104 105									
106 107 108									
109 110 111									
112 113 114									
115 116 117									
118 119 120									
121 122 123									
124 125 126									
127 128 129									
130 131 132									
133 134 135									
136 137 138									
139 140 141									
142 143 144									
145 146 147									
148 149 150									
151 152 153									
154 155 156									
157 158 159									
160 161 162									
163 164 165									
166 167 168									
169 170 171									
172 173 174									
175 176 177									
178 179 180									
181 182 183									
184 185 186									
187 188 189									
190 191 192									
193 194 195									
196 197 198									
199 200 201									
202 203 204									
205 206 207									
208 209 210									
211 212 213									
214 215 216									
217 218 219									
220 221 222									
223 224 225									
226 227 228									
229 230 231									
232 233 234									
235 236 237									
238 239 240									
241 242 243									
244 245 246									
247 248 249									
250 251 252									
253 254 255									
256 257 258									
259 260 261									
262 263 264									
265 266 267									
268 269 270									
271 272 273									
274 275 276									
277 278 279									
280 281 282									
283 284 285									
286 287 288									
289 290 291									
292 293 294									
295 296 297									
298 299 300									
301 302 303									
304 305 306									
307 308 309									
310 311 312									
313 314 315									
316 317 318									
319 320 321									
322 323 324									
325 326 327									
328 329 330									
331 332 333									
334 335 336									
337 338 339									
340 341 342									
343 344 345									
346 347 348									
349 350 351									
352 353 354									
355 356 357									
358 359 360									
361 362 363									
364 365 366									
367 368 369									

Chain of Custody									
 Main Office: 2524 Trunk Street, Odessa Texas 79761 Contact: (432) 653-0393 https://standardtx.com/									
Project Manager: Ethan Sessums Company Name: Standard Safety & Supply Address: 2425 Trunk St. City, State ZIP: Odessa, Texas, 79761 Phone: 254-266-5456 Bill to: (if different) Company Name: Address: City, State ZIP: Email: Ethan.Sessums@standardtx.com									
Project Name: Camacho LACT Project Number: Project Location: Eddy County, New Mexico Sampler's Name: D. Nikanorov, J. Aguirre, E. Bartlett PO #: HD-4937 Turn Around ☒ Routine ☐ Rush Due Date: TAT may vary based on lab start time.									
SAMPLE RECEIPT Samples Received Intact: Yes No Cooler Custody Seals: Yes No Sample Custody Seals: Yes No Total Containers: 40 Temp Blank: Yes No Thermometer ID: Correction Factor: Temperature Reading: Corrected Temperature: 40 Wet Ice: Yes No Thermometer ID: Correction Factor: Temperature Reading: Corrected Temperature: 40									
ANALYSIS REQUEST Pres. Code									
Parameters # of Cont									
Grab Matrix Time Sampled Date Sampled Depth Sample Identification									
Grab Matrix Time Sampled Date Sampled Depth Sample Identification									
Grab Matrix Time Sampled Date Sampled Depth Sample Identification									
Grab Matrix Time Sampled Date Sampled Depth Sample Identification									
Grab Matrix Time Sampled Date Sampled Depth Sample Identification									
Grab Matrix Time Sampled Date Sampled Depth Sample Identification									
Grab Matrix Time Sampled Date Sampled Depth Sample Identification									
Grab Matrix Time Sampled Date Sampled Depth Sample Identification									
Grab Matrix Time Sampled Date Sampled Depth Sample Identification									
Grab Matrix Time Sampled Date Sampled Depth Sample Identification									
Grab Matrix Time Sampled Date Sampled Depth Sample Identification									
Grab Matrix Time Sampled Date Sampled Depth Sample Identification									
Grab Matrix Time Sampled Date Sampled Depth Sample Identification									
Grab Matrix Time Sampled Date Sampled Depth Sample Identification									
Grab Matrix Time Sampled Date Sampled Depth Sample Identification									
Grab Matrix Time Sampled Date Sampled Depth Sample Identification									
Grab Matrix Time Sampled Date Sampled Depth Sample Identification									
Grab Matrix Time Sampled Date Sampled Depth Sample Identification									
Grab Matrix Time Sampled Date Sampled Depth Sample Identification									
Grab Matrix Time Sampled Date Sampled Depth Sample Identification									
Grab Matrix Time Sampled Date Sampled Depth Sample Identification									
Grab Matrix Time Sampled Date Sampled Depth Sample Identification									
Grab Matrix Time Sampled Date Sampled Depth Sample Identification									
Grab Matrix Time Sampled Date Sampled Depth Sample Identification									
Grab Matrix Time Sampled Date Sampled Depth Sample Identification									
Grab Matrix Time Sampled Date Sampled Depth Sample Identification									
Grab Matrix Time Sampled Date Sampled Depth Sample Identification									
Grab Matrix Time Sampled Date Sampled Depth Sample Identification									
Grab Matrix Time Sampled Date Sampled Depth Sample Identification									
Grab Matrix Time Sampled Date Sampled Depth Sample Identification									
Grab Matrix Time Sampled Date Sampled Depth Sample Identification									
Grab Matrix Time Sampled Date Sampled Depth Sample Identification									
Grab Matrix Time Sampled Date Sampled Depth Sample Identification									
Grab Matrix Time Sampled Date Sampled Depth Sample Identification									
Grab Matrix Time Sampled Date Sampled Depth Sample Identification									
Grab Matrix Time Sampled Date Sampled Depth Sample Identification									
Grab Matrix Time Sampled Date Sampled Depth Sample Identification									
Grab Matrix Time Sampled Date Sampled Depth Sample Identification									
Grab Matrix Time Sampled Date Sampled Depth Sample Identification									
Grab Matrix Time Sampled Date Sampled Depth Sample Identification									
Grab Matrix Time Sampled Date Sampled Depth Sample Identification									
Grab Matrix Time Sampled Date Sampled Depth Sample Identification									
Grab Matrix Time Sampled Date Sampled Depth Sample Identification									
Grab Matrix Time Sampled Date Sampled Depth Sample Identification									
Grab Matrix Time Sampled Date Sampled Depth Sample Identification									
Grab Matrix Time Sampled Date Sampled Depth Sample Identification									
Grab Matrix Time Sampled Date Sampled Depth Sample Identification									
Grab Matrix Time Sampled Date Sampled Depth Sample Identification									
Grab Matrix Time Sampled Date Sampled Depth Sample Identification									
Grab Matrix Time Sampled Date Sampled Depth Sample Identification									
Grab Matrix Time Sampled Date Sampled Depth Sample Identification									
Grab Matrix Time Sampled Date Sampled Depth Sample Identification									
Grab Matrix Time Sampled Date Sampled Depth Sample Identification									
Grab Matrix Time Sampled Date Sampled Depth Sample Identification									
Grab Matrix Time Sampled Date Sampled Depth Sample Identification									
Grab Matrix Time Sampled Date Sampled Depth Sample Identification									
Grab Matrix Time Sampled Date Sampled Depth Sample Identification									
Grab Matrix Time Sampled Date Sampled Depth Sample Identification									
Grab Matrix Time Sampled Date Sampled Depth Sample Identification									
Grab Matrix Time Sampled Date Sampled Depth Sample Identification									
Grab Matrix Time Sampled Date Sampled Depth Sample Identification									
Grab Matrix Time Sampled Date Sampled Depth Sample Identification									
Grab Matrix Time Sampled Date Sampled Depth Sample Identification									
Grab Matrix Time Sampled Date Sampled Depth Sample Identification									
Grab Matrix Time Sampled Date Sampled Depth Sample Identification									
Grab Matrix Time Sampled Date Sampled Depth Sample Identification									
Grab Matrix Time Sampled Date Sampled Depth Sample Identification									
Grab Matrix Time Sampled Date Sampled Depth Sample Identification									
Grab Matrix Time Sampled Date Sampled Depth Sample Identification									
Grab Matrix Time Sampled Date Sampled Depth Sample Identification									
Grab Matrix Time Sampled Date Sampled Depth Sample Identification									
Grab Matrix Time Sampled Date Sampled Depth Sample Identification									
Grab Matrix Time Sampled Date Sampled Depth Sample Identification									
Grab Matrix Time Sampled Date Sampled Depth Sample Identification									
Grab Matrix Time Sampled Date Sampled Depth Sample Identification									
Grab Matrix Time Sampled Date Sampled Depth Sample Identification									
Grab Matrix Time Sampled Date Sampled Depth Sample Identification									
Grab Matrix Time Sampled Date Sampled Depth Sample Identification									
Grab Matrix Time Sampled Date Sampled Depth Sample Identification									
Grab Matrix Time Sampled Date Sampled Depth Sample Identification									
Grab Matrix Time Sampled Date Sampled Depth Sample Identification									
Grab Matrix Time Sampled Date Sampled Depth Sample Identification									
Grab Matrix Time Sampled Date Sampled Depth Sample Identification									
Grab Matrix Time Sampled Date Sampled Depth Sample Identification									
Grab Matrix Time Sampled Date Sampled Depth Sample Identification									
Grab Matrix Time Sampled Date Sampled Depth Sample Identification									
Grab Matrix Time Sampled Date Sampled Depth Sample Identification									
Grab Matrix Time Sampled Date Sampled Depth Sample Identification									
Grab Matrix Time Sampled Date Sampled Depth Sample Identification									
Grab Matrix Time Sampled Date Sampled Depth Sample Identification									
Grab Matrix Time Sampled Date Sampled Depth Sample Identification									
Grab Matrix Time Sampled Date Sampled Depth Sample Identification									
Grab									


Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Eurofins Carlsbad

1089 N Canal St.
Carlsbad, NM 88220
Phone 575-988-3199 Fax: 575-988-3199

Chain of Custody Record



Environment Testing

Client Information (Sub Contract Lab)										Sampler	Lab PM	Carrier Tracking No(s)	COC No:										
Client Contact:										N/A	Teel, Brianna	N/A	890-8991 1										
Shipping/Receiving										Phone:	Brianna Teel@teel-eurofins.com	State of Origin:	Page 1 of 5										
Company:										N/A		New Mexico											
Eurofins Environment Testing South Cent										Due Date Requested:		Job #:		COC No:									
Address:										1211 W. Florida Ave.		6/9/2026		890-10040-1									
City:										Midland		TAT Requested (days)		Preservation Codes:									
State Zip:										TX, 79701		N/A											
Phone:										432-704-5440(Tel)		PO #:											
Email:										N/A		WO #:											
Project Name:										CAMACHO LACT		Project #:											
Site:										SSCOW#:		89000250											
N/A										N/A		N/A											
Sample Identification - Client ID (Lab ID)										Sample Date	Sample Time	Sample Type (G=Comp, G=grab)	Matrix (W=Water, S=sediment, O=Other)	Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)	Total BTEX GCV/Total BTEX Calculation	8021B/5035FP_CalcBTEX	300_ORGFMDI_28D/DI_LEACHChloride	8015MOD_CalcDiesel Range Organics (DRO) (GC)	8015MOD_NM/8015NM_S_Prep8015 NM	Total Number of containers	Special Instructions/Note:	
HA - 1 A (890-10040-1)										6/1/26	08:30	G	Solid	X	X	X	X	X	X	X	X	1	
HA - 2 A (890-10040-2)										6/1/26	08:45	G	Solid	X	X	X	X	X	X	X	X	1	
HA - 3 A (890-10040-3)										6/1/26	09:00	G	Solid	X	X	X	X	X	X	X	X	1	
HA - 4 A (890-10040-4)										6/1/26	09:15	G	Solid	X	X	X	X	X	X	X	X	1	
HA - 5 A (890-10040-5)										6/1/26	09:30	G	Solid	X	X	X	X	X	X	X	X	1	
HA - 6 (890-10040-6)										6/1/26	09:45	G	Solid	X	X	X	X	X	X	X	X	1	
HA - 7 (890-10040-7)										6/1/26	10:00	G	Solid	X	X	X	X	X	X	X	X	1	
HA - 8 (890-10040-8)										6/1/26	10:15	G	Solid	X	X	X	X	X	X	X	X	1	
HA - 9 A (890-10040-9)										6/1/26	10:30	G	Solid	X	X	X	X	X	X	X	X	1	
Note: Since laboratory accreditations are subject to change, Eurofins Environment Testing South Cent, LLC places the ownership of method, analyte & accreditation compliance upon our subcontract laboratories. This sample shipment is forwarded under chain-of-custody. If the laboratory does not currently maintain accreditation in the State of Origin listed above for analytes/methods being analyzed, the samples must be shipped back to the Eurofins Environment Testing South Cent, LLC laboratory or other instructions will be provided. Any changes to accreditation status should be brought to Eurofins Environment Testing South Cent, LLC attention immediately. If all requested accreditations are current to date, return the signed Chain of Custody attesting to Eurofins Environment Testing South Cent, LLC.																							
Possible Hazard Identification										Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)													
Unconfirmed										☐ Return To Client ☐ Disposal By Lab ☐ Archive For Months													
Deliverable Requested I, II, III, IV, Other (Specify)										Primary Deliverable Rank: 2													
Empty Kit Relinquished by:										Date													
Relinquished by:										Date/Time													
Relinquished by:										Date/Time													
Relinquished by:										Date/Time													
Custody Seals Intact:										Custody Seal No													
A Yes A No																							

Login Sample Receipt Checklist

Client: Standard Safety & Supply

Job Number: 890-10040-1

SDG Number: Eddy County, New Mexico

Login Number: 10040**List Number: 1****Creator: Bruns, Shannon****List Source: Eurofins Carlsbad**

Question	Answer	Comment
The cooler's custody seal, if present, is intact.	N/A	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	

Login Sample Receipt Checklist

Client: Standard Safety & Supply

Job Number: 890-10040-1

SDG Number: Eddy County, New Mexico

Login Number: 10040**List Number: 2****Creator: Laing, Edmundo****List Source: Eurofins Midland****List Creation: 06/04/26 07:47 AM**

Question	Answer	Comment
The cooler's custody seal, if present, is intact.	N/A	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	



Environment Testing

1

2

3

4

5

6

7

8

9

10

11

12

13

14

ANALYTICAL REPORT

PREPARED FOR

Attn: Ethan Sessums
Standard Safety & Supply
2524 Trunk St
Odessa, Texas 79761

Generated 6/24/2026 1:58:44 PM

JOB DESCRIPTION

Camacho LACT
Eddy County, New Mexico

JOB NUMBER

890-10113-1

Eurofins Carlsbad
1089 N Canal St.
Carlsbad NM 88220


Eurofins Carlsbad

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

Analytical test results meet all requirements of the associated regulatory program (i.e., NELAC (TNI), DoD, and ISO 17025) unless otherwise noted under the individual analysis.

Authorization



Generated
6/24/2026 1:58:44 PM

Authorized for release by
Brianna Teel, Project Manager
Brianna.Teel@et.eurofinsus.com
(432)704-5440

Client: Standard Safety & Supply
Project/Site: Camacho LACT

Laboratory Job ID: 890-10113-1
SDG: Eddy County, New Mexico

Table of Contents

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	5
Client Sample Results	6
Surrogate Summary	9
QC Sample Results	10
QC Association Summary	13
Lab Chronicle	15
Certification Summary	16
Method Summary	17
Sample Summary	18
Chain of Custody	19
Receipt Checklists	20

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Definitions/Glossary

Client: Standard Safety & Supply
Project/Site: Camacho LACT

Job ID: 890-10113-1
SDG: Eddy County, New Mexico

Qualifiers

GC VOA

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

GC Semi VOA

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

HPLC/IC

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
SQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: Standard Safety & Supply
Project: Camacho LACT

Job ID: 890-10113-1

Job ID: 890-10113-1

Eurofins Carlsbad

Job Narrative 890-10113-1

The analytical test results presented in this report meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page, unless otherwise noted. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable. Regulated compliance samples (e.g. SDWA, NPDES) must comply with associated agency requirements/permits.

- Matrix-specific batch QC (e.g., MS, MSD, SD) may not be reported when insufficient sample volume is available or when site-specific QC samples are not submitted. In such cases, a Laboratory Control Sample Duplicate (LCSD) may be analyzed to provide precision data for the batch.
- For samples analyzed using surrogate and/or isotope dilution analytes, any recoveries falling outside of established acceptance criteria are re-prepared and/or re-analyzed to confirm results, unless the deviation is due to sample dilution or otherwise explained in the case narrative.

Receipt

The samples were received on 6/17/2026 8:52 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was -3.8°C.

Receipt Exceptions

The following samples were received and analyzed from an unpreserved bulk soil jar: H-3B (890-10113-1), H-3C (890-10113-2) and H-3D (890-10113-3).

GC VOA

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Diesel Range Organics

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

HPLC/IC

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Carlsbad

Client Sample Results

Client: Standard Safety & Supply
Project/Site: Camacho LACT

Job ID: 890-10113-1
SDG: Eddy County, New Mexico

Client Sample ID: H-3B

Lab Sample ID: 890-10113-1

Date Collected: 06/17/26 06:50

Matrix: Solid

Date Received: 06/17/26 08:52

Sample Depth: 0-0.6"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00201	U	0.00201		mg/Kg		06/22/26 11:53	06/23/26 19:05	1
Toluene	<0.00201	U	0.00201		mg/Kg		06/22/26 11:53	06/23/26 19:05	1
Ethylbenzene	<0.00201	U	0.00201		mg/Kg		06/22/26 11:53	06/23/26 19:05	1
m-Xylene & p-Xylene	<0.00402	U	0.00402		mg/Kg		06/22/26 11:53	06/23/26 19:05	1
o-Xylene	<0.00201	U	0.00201		mg/Kg		06/22/26 11:53	06/23/26 19:05	1
Xylenes, Total	<0.00402	U	0.00402		mg/Kg		06/22/26 11:53	06/23/26 19:05	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	106		70 - 130	06/22/26 11:53	06/23/26 19:05	1
1,4-Difluorobenzene (Surr)	100		70 - 130	06/22/26 11:53	06/23/26 19:05	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00402	U	0.00402		mg/Kg			06/23/26 19:05	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.4	U	50.4		mg/Kg			06/24/26 02:31	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.4	U	50.4		mg/Kg		06/19/26 08:08	06/24/26 02:31	1
Diesel Range Organics (Over C10-C28)	<50.4	U	50.4		mg/Kg		06/19/26 08:08	06/24/26 02:31	1
Oil Range Organics (Over C28-C36)	<50.4	U	50.4		mg/Kg		06/19/26 08:08	06/24/26 02:31	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	81		70 - 130	06/19/26 08:08	06/24/26 02:31	1
o-Terphenyl	92		70 - 130	06/19/26 08:08	06/24/26 02:31	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	16.0		10.0		mg/Kg			06/23/26 01:05	1

Client Sample ID: H-3C

Lab Sample ID: 890-10113-2

Date Collected: 06/17/26 06:55

Matrix: Solid

Date Received: 06/17/26 08:52

Sample Depth: 0-0.6"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00202	U	0.00202		mg/Kg		06/22/26 11:53	06/23/26 19:26	1
Toluene	<0.00202	U	0.00202		mg/Kg		06/22/26 11:53	06/23/26 19:26	1
Ethylbenzene	<0.00202	U	0.00202		mg/Kg		06/22/26 11:53	06/23/26 19:26	1
m-Xylene & p-Xylene	<0.00404	U	0.00404		mg/Kg		06/22/26 11:53	06/23/26 19:26	1
o-Xylene	<0.00202	U	0.00202		mg/Kg		06/22/26 11:53	06/23/26 19:26	1
Xylenes, Total	<0.00404	U	0.00404		mg/Kg		06/22/26 11:53	06/23/26 19:26	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	107		70 - 130	06/22/26 11:53	06/23/26 19:26	1

Eurofins Carlsbad

Client Sample Results

Client: Standard Safety & Supply
Project/Site: Camacho LACT

Job ID: 890-10113-1
SDG: Eddy County, New Mexico

Client Sample ID: H-3C

Lab Sample ID: 890-10113-2

Date Collected: 06/17/26 06:55

Matrix: Solid

Date Received: 06/17/26 08:52

Sample Depth: 0-0.6"

Method: SW846 8021B - Volatile Organic Compounds (GC) (Continued)

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,4-Difluorobenzene (Surr)	106		70 - 130	06/22/26 11:53	06/23/26 19:26	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00404	U	0.00404		mg/Kg			06/23/26 19:26	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.3	U	50.3		mg/Kg			06/24/26 03:17	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.3	U	50.3		mg/Kg		06/19/26 08:08	06/24/26 03:17	1
Diesel Range Organics (Over C10-C28)	<50.3	U	50.3		mg/Kg		06/19/26 08:08	06/24/26 03:17	1
Oil Range Organics (Over C28-C36)	<50.3	U	50.3		mg/Kg		06/19/26 08:08	06/24/26 03:17	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	97		70 - 130				06/19/26 08:08	06/24/26 03:17	1
o-Terphenyl	97		70 - 130				06/19/26 08:08	06/24/26 03:17	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	36.6		10.0		mg/Kg			06/23/26 01:09	1

Client Sample ID: H-3D

Lab Sample ID: 890-10113-3

Date Collected: 06/17/26 07:00

Matrix: Solid

Date Received: 06/17/26 08:52

Sample Depth: 0-0.6"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		06/22/26 11:53	06/23/26 19:47	1
Toluene	<0.00199	U	0.00199		mg/Kg		06/22/26 11:53	06/23/26 19:47	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		06/22/26 11:53	06/23/26 19:47	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		06/22/26 11:53	06/23/26 19:47	1
o-Xylene	<0.00199	U	0.00199		mg/Kg		06/22/26 11:53	06/23/26 19:47	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		06/22/26 11:53	06/23/26 19:47	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	102		70 - 130	06/22/26 11:53	06/23/26 19:47	1
1,4-Difluorobenzene (Surr)	104		70 - 130	06/22/26 11:53	06/23/26 19:47	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			06/23/26 19:47	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.1	U	50.1		mg/Kg			06/24/26 03:33	1

Eurofins Carlsbad

Client Sample Results

Client: Standard Safety & Supply
Project/Site: Camacho LACT

Job ID: 890-10113-1
SDG: Eddy County, New Mexico

Client Sample ID: H-3D

Lab Sample ID: 890-10113-3

Date Collected: 06/17/26 07:00

Matrix: Solid

Date Received: 06/17/26 08:52

Sample Depth: 0-0.6"

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.1	U	50.1		mg/Kg		06/19/26 08:08	06/24/26 03:33	1
Diesel Range Organics (Over C10-C28)	<50.1	U	50.1		mg/Kg		06/19/26 08:08	06/24/26 03:33	1
Oil Range Organics (Over C28-C36)	<50.1	U	50.1		mg/Kg		06/19/26 08:08	06/24/26 03:33	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	95		70 - 130				06/19/26 08:08	06/24/26 03:33	1
o-Terphenyl	99		70 - 130				06/19/26 08:08	06/24/26 03:33	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	18.9		9.96		mg/Kg			06/23/26 01:14	1

Surrogate Summary

Client: Standard Safety & Supply
Project/Site: Camacho LACT

Job ID: 890-10113-1
SDG: Eddy County, New Mexico

Method: 8021B - Volatile Organic Compounds (GC)

Matrix: Solid

Prep Type: Total/NA

		Percent Surrogate Recovery (Acceptance Limits)	
Lab Sample ID	Client Sample ID	BFB1 (70-130)	DFBZ1 (70-130)
890-10113-1	H-3B	106	100
890-10113-2	H-3C	107	106
890-10113-3	H-3D	102	104
LCS 880-144332/1-A	Lab Control Sample	99	103
LCSD 880-144332/2-A	Lab Control Sample Dup	100	104
MB 880-144332/5-A	Method Blank	96	99
Surrogate Legend			
BFB = 4-Bromofluorobenzene (Surr)			
DFBZ = 1,4-Difluorobenzene (Surr)			

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Matrix: Solid

Prep Type: Total/NA

		Percent Surrogate Recovery (Acceptance Limits)	
Lab Sample ID	Client Sample ID	1CO1 (70-130)	OTPH1 (70-130)
890-10113-1	H-3B	81	92
890-10113-1 MS	H-3B	85	92
890-10113-1 MSD	H-3B	86	93
890-10113-2	H-3C	97	97
890-10113-3	H-3D	95	99
LCS 880-144081/2-A	Lab Control Sample	87	87
LCSD 880-144081/3-A	Lab Control Sample Dup	89	89
MB 880-144081/1-A	Method Blank	111	102
Surrogate Legend			
1CO = 1-Chlorooctane			
OTPH = o-Terphenyl			

QC Sample Results

Client: Standard Safety & Supply
Project/Site: Camacho LACT

Job ID: 890-10113-1
SDG: Eddy County, New Mexico

Method: 8021B - Volatile Organic Compounds (GC)

Lab Sample ID: MB 880-144332/5-A

Matrix: Solid

Analysis Batch: 144418

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 144332

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		06/22/26 11:53	06/23/26 11:59	1
Toluene	<0.00200	U	0.00200		mg/Kg		06/22/26 11:53	06/23/26 11:59	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		06/22/26 11:53	06/23/26 11:59	1
m-Xylene & p-Xylene	<0.00400	U	0.00400		mg/Kg		06/22/26 11:53	06/23/26 11:59	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		06/22/26 11:53	06/23/26 11:59	1
Xylenes, Total	<0.00400	U	0.00400		mg/Kg		06/22/26 11:53	06/23/26 11:59	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	96		70 - 130	06/22/26 11:53	06/23/26 11:59	1
1,4-Difluorobenzene (Surr)	99		70 - 130	06/22/26 11:53	06/23/26 11:59	1

Lab Sample ID: LCS 880-144332/1-A

Matrix: Solid

Analysis Batch: 144418

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 144332

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	0.100	0.09833		mg/Kg		98	70 - 130
Toluene	0.100	0.09696		mg/Kg		97	70 - 130
Ethylbenzene	0.100	0.09696		mg/Kg		97	70 - 130
m-Xylene & p-Xylene	0.200	0.1894		mg/Kg		95	70 - 130
o-Xylene	0.100	0.09444		mg/Kg		94	70 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
4-Bromofluorobenzene (Surr)	99		70 - 130
1,4-Difluorobenzene (Surr)	103		70 - 130

Lab Sample ID: LCSD 880-144332/2-A

Matrix: Solid

Analysis Batch: 144418

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 144332

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Benzene	0.100	0.09713		mg/Kg		97	70 - 130	1	35
Toluene	0.100	0.09579		mg/Kg		96	70 - 130	1	35
Ethylbenzene	0.100	0.09791		mg/Kg		98	70 - 130	1	35
m-Xylene & p-Xylene	0.200	0.1894		mg/Kg		95	70 - 130	0	35
o-Xylene	0.100	0.09486		mg/Kg		95	70 - 130	0	35

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
4-Bromofluorobenzene (Surr)	100		70 - 130
1,4-Difluorobenzene (Surr)	104		70 - 130

Eurofins Carlsbad

QC Sample Results

Client: Standard Safety & Supply
Project/Site: Camacho LACT

Job ID: 890-10113-1
SDG: Eddy County, New Mexico

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Lab Sample ID: MB 880-144081/1-A

Matrix: Solid

Analysis Batch: 144442

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 144081

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		06/19/26 08:08	06/24/26 01:44	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		06/19/26 08:08	06/24/26 01:44	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		06/19/26 08:08	06/24/26 01:44	1
Surrogate	%Recovery	MB Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	111		70 - 130				06/19/26 08:08	06/24/26 01:44	1
o-Terphenyl	102		70 - 130				06/19/26 08:08	06/24/26 01:44	1

Lab Sample ID: LCS 880-144081/2-A

Matrix: Solid

Analysis Batch: 144442

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 144081

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Gasoline Range Organics (GRO)-C6-C10	1000	897.0		mg/Kg		90	70 - 130
Diesel Range Organics (Over C10-C28)	1000	899.4		mg/Kg		90	70 - 130
Surrogate	%Recovery	LCS Qualifier	Limits				
1-Chlorooctane	87		70 - 130				
o-Terphenyl	87		70 - 130				

Lab Sample ID: LCSD 880-144081/3-A

Matrix: Solid

Analysis Batch: 144442

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 144081

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Gasoline Range Organics (GRO)-C6-C10	1000	938.4		mg/Kg		94	70 - 130	5	20
Diesel Range Organics (Over C10-C28)	1000	910.8		mg/Kg		91	70 - 130	1	20
Surrogate	%Recovery	LCSD Qualifier	Limits						
1-Chlorooctane	89		70 - 130						
o-Terphenyl	89		70 - 130						

Lab Sample ID: 890-10113-1 MS

Matrix: Solid

Analysis Batch: 144442

Client Sample ID: H-3B

Prep Type: Total/NA

Prep Batch: 144081

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Gasoline Range Organics (GRO)-C6-C10	<50.4	U	1000	844.8		mg/Kg		82	70 - 130
Diesel Range Organics (Over C10-C28)	<50.4	U	1000	836.8		mg/Kg		84	70 - 130

Eurofins Carlsbad

QC Sample Results

Client: Standard Safety & Supply
Project/Site: Camacho LACT

Job ID: 890-10113-1
SDG: Eddy County, New Mexico

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Lab Sample ID: 890-10113-1 MS

Matrix: Solid

Analysis Batch: 144442

Client Sample ID: H-3B

Prep Type: Total/NA

Prep Batch: 144081

	MS	MS	
Surrogate	%Recovery	Qualifier	Limits
1-Chlorooctane	85		70 - 130
o-Terphenyl	92		70 - 130

Lab Sample ID: 890-10113-1 MSD

Matrix: Solid

Analysis Batch: 144442

Client Sample ID: H-3B

Prep Type: Total/NA

Prep Batch: 144081

	Sample	Sample	Spike	MSD	MSD				%Rec		RPD
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit
Gasoline Range Organics (GRO)-C6-C10	<50.4	U	1000	848.0		mg/Kg		83	70 - 130	0	20
Diesel Range Organics (Over C10-C28)	<50.4	U	1000	858.2		mg/Kg		86	70 - 130	3	20
	MSD	MSD									
Surrogate	%Recovery	Qualifier	Limits								
1-Chlorooctane	86		70 - 130								
o-Terphenyl	93		70 - 130								

Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: MB 880-144180/1-A

Matrix: Solid

Analysis Batch: 144289

Client Sample ID: Method Blank

Prep Type: Soluble

	MB	MB								
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac	
Chloride	<10.0	U	10.0		mg/Kg			06/23/26 00:32	1	

Lab Sample ID: LCS 880-144180/2-A

Matrix: Solid

Analysis Batch: 144289

Client Sample ID: Lab Control Sample

Prep Type: Soluble

	Spike	LCS	LCS					%Rec		
Analyte	Added	Result	Qualifier	Unit	D	%Rec	Limits			
Chloride	250	249.8		mg/Kg		100	90 - 110			

Lab Sample ID: LCSD 880-144180/3-A

Matrix: Solid

Analysis Batch: 144289

Client Sample ID: Lab Control Sample Dup

Prep Type: Soluble

	Spike	LCSD	LCSD					%Rec		RPD
Analyte	Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit	
Chloride	250	251.4		mg/Kg		101	90 - 110	1	20	

Eurofins Carlsbad

QC Association Summary

Client: Standard Safety & Supply
Project/Site: Camacho LACT

Job ID: 890-10113-1
SDG: Eddy County, New Mexico

GC VOA

Prep Batch: 144332

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-10113-1	H-3B	Total/NA	Solid	5035	
890-10113-2	H-3C	Total/NA	Solid	5035	
890-10113-3	H-3D	Total/NA	Solid	5035	
MB 880-144332/5-A	Method Blank	Total/NA	Solid	5035	
LCS 880-144332/1-A	Lab Control Sample	Total/NA	Solid	5035	
LCSD 880-144332/2-A	Lab Control Sample Dup	Total/NA	Solid	5035	

Analysis Batch: 144418

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-10113-1	H-3B	Total/NA	Solid	8021B	144332
890-10113-2	H-3C	Total/NA	Solid	8021B	144332
890-10113-3	H-3D	Total/NA	Solid	8021B	144332
MB 880-144332/5-A	Method Blank	Total/NA	Solid	8021B	144332
LCS 880-144332/1-A	Lab Control Sample	Total/NA	Solid	8021B	144332
LCSD 880-144332/2-A	Lab Control Sample Dup	Total/NA	Solid	8021B	144332

Analysis Batch: 144607

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-10113-1	H-3B	Total/NA	Solid	Total BTEX	
890-10113-2	H-3C	Total/NA	Solid	Total BTEX	
890-10113-3	H-3D	Total/NA	Solid	Total BTEX	

GC Semi VOA

Prep Batch: 144081

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-10113-1	H-3B	Total/NA	Solid	8015NM Prep	
890-10113-2	H-3C	Total/NA	Solid	8015NM Prep	
890-10113-3	H-3D	Total/NA	Solid	8015NM Prep	
MB 880-144081/1-A	Method Blank	Total/NA	Solid	8015NM Prep	
LCS 880-144081/2-A	Lab Control Sample	Total/NA	Solid	8015NM Prep	
LCSD 880-144081/3-A	Lab Control Sample Dup	Total/NA	Solid	8015NM Prep	
890-10113-1 MS	H-3B	Total/NA	Solid	8015NM Prep	
890-10113-1 MSD	H-3B	Total/NA	Solid	8015NM Prep	

Analysis Batch: 144442

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-10113-1	H-3B	Total/NA	Solid	8015B NM	144081
890-10113-2	H-3C	Total/NA	Solid	8015B NM	144081
890-10113-3	H-3D	Total/NA	Solid	8015B NM	144081
MB 880-144081/1-A	Method Blank	Total/NA	Solid	8015B NM	144081
LCS 880-144081/2-A	Lab Control Sample	Total/NA	Solid	8015B NM	144081
LCSD 880-144081/3-A	Lab Control Sample Dup	Total/NA	Solid	8015B NM	144081
890-10113-1 MS	H-3B	Total/NA	Solid	8015B NM	144081
890-10113-1 MSD	H-3B	Total/NA	Solid	8015B NM	144081

Analysis Batch: 144558

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-10113-1	H-3B	Total/NA	Solid	8015 NM	
890-10113-2	H-3C	Total/NA	Solid	8015 NM	
890-10113-3	H-3D	Total/NA	Solid	8015 NM	

Eurofins Carlsbad

QC Association Summary

Client: Standard Safety & Supply
Project/Site: Camacho LACT

Job ID: 890-10113-1
SDG: Eddy County, New Mexico

HPLC/IC

Leach Batch: 144180

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-10113-1	H-3B	Soluble	Solid	DI Leach	
890-10113-2	H-3C	Soluble	Solid	DI Leach	
890-10113-3	H-3D	Soluble	Solid	DI Leach	
MB 880-144180/1-A	Method Blank	Soluble	Solid	DI Leach	
LCS 880-144180/2-A	Lab Control Sample	Soluble	Solid	DI Leach	
LCSD 880-144180/3-A	Lab Control Sample Dup	Soluble	Solid	DI Leach	

Analysis Batch: 144289

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-10113-1	H-3B	Soluble	Solid	300.0	144180
890-10113-2	H-3C	Soluble	Solid	300.0	144180
890-10113-3	H-3D	Soluble	Solid	300.0	144180
MB 880-144180/1-A	Method Blank	Soluble	Solid	300.0	144180
LCS 880-144180/2-A	Lab Control Sample	Soluble	Solid	300.0	144180
LCSD 880-144180/3-A	Lab Control Sample Dup	Soluble	Solid	300.0	144180

Lab Chronicle

Client: Standard Safety & Supply
Project/Site: Camacho LACT

Job ID: 890-10113-1
SDG: Eddy County, New Mexico

Client Sample ID: H-3B

Lab Sample ID: 890-10113-1

Date Collected: 06/17/26 06:50

Matrix: Solid

Date Received: 06/17/26 08:52

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.97 g	5 mL	144332	06/22/26 11:53	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	144418	06/23/26 19:05	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			144607	06/23/26 19:05	SA	EET MID
Total/NA	Analysis	8015 NM		1			144558	06/24/26 02:31	SA	EET MID
Total/NA	Prep	8015NM Prep			9.93 g	10.00 mL	144081	06/19/26 08:08	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	144442	06/24/26 02:31	FC	EET MID
Soluble	Leach	DI Leach			4.98 g	50 mL	144180	06/19/26 14:42	SMC	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	144289	06/23/26 01:05	CS	EET MID

Client Sample ID: H-3C

Lab Sample ID: 890-10113-2

Date Collected: 06/17/26 06:55

Matrix: Solid

Date Received: 06/17/26 08:52

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.95 g	5 mL	144332	06/22/26 11:53	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	144418	06/23/26 19:26	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			144607	06/23/26 19:26	SA	EET MID
Total/NA	Analysis	8015 NM		1			144558	06/24/26 03:17	SA	EET MID
Total/NA	Prep	8015NM Prep			9.94 g	10.00 mL	144081	06/19/26 08:08	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	144442	06/24/26 03:17	FC	EET MID
Soluble	Leach	DI Leach			4.99 g	50 mL	144180	06/19/26 14:42	SMC	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	144289	06/23/26 01:09	CS	EET MID

Client Sample ID: H-3D

Lab Sample ID: 890-10113-3

Date Collected: 06/17/26 07:00

Matrix: Solid

Date Received: 06/17/26 08:52

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.03 g	5 mL	144332	06/22/26 11:53	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	144418	06/23/26 19:47	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			144607	06/23/26 19:47	SA	EET MID
Total/NA	Analysis	8015 NM		1			144558	06/24/26 03:33	SA	EET MID
Total/NA	Prep	8015NM Prep			9.99 g	10.00 mL	144081	06/19/26 08:08	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	144442	06/24/26 03:33	FC	EET MID
Soluble	Leach	DI Leach			5.02 g	50 mL	144180	06/19/26 14:42	SMC	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	144289	06/23/26 01:14	CS	EET MID

Laboratory References:

EET MID = Eurofins Midland, 1211 W. Florida Ave, Midland, TX 79701, TEL (432)704-5440

Eurofins Carlsbad

Accreditation/Certification Summary

Client: Standard Safety & Supply
Project/Site: Camacho LACT

Job ID: 890-10113-1
SDG: Eddy County, New Mexico

Laboratory: Eurofins Midland

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
Texas	NELAP	T104704400	06-30-26
The following analytes are included in this report, but the laboratory is not certified by Texas NELAP T 104704400. This list may include analytes for which the agency does not offer certification :			
Analysis Method	Prep Method	Matrix	Analyte
8015 NM		Solid	Total TPH
Total BTEX		Solid	Total BTEX

1
2
3
4
5
6
7
8
9
10
11
12
13
14

Method Summary

Client: Standard Safety & Supply
Project/Site: Camacho LACT

Job ID: 890-10113-1
SDG: Eddy County, New Mexico

Method	Method Description	Protocol	Laboratory
8021B	Volatile Organic Compounds (GC)	SW846	EET MID
Total BTEX	Total BTEX Calculation	TAL SOP	EET MID
8015 NM	Diesel Range Organics (DRO) (GC)	SW846	EET MID
8015B NM	Diesel Range Organics (DRO) (GC)	SW846	EET MID
300.0	Anions, Ion Chromatography	EPA	EET MID
5035	Closed System Purge and Trap	SW846	EET MID
8015NM Prep	Microextraction	SW846	EET MID
DI Leach	Deionized Water Leaching Procedure	ASTM	EET MID

Protocol References:

ASTM = ASTM International

EPA = US Environmental Protection Agency

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

TAL SOP = TestAmerica Laboratories, Standard Operating Procedure

Laboratory References:

EET MID = Eurofins Midland, 1211 W. Florida Ave, Midland, TX 79701, TEL (432)704-5440

Eurofins Carlsbad

Sample Summary

Client: Standard Safety & Supply
Project/Site: Camacho LACT

Job ID: 890-10113-1
SDG: Eddy County, New Mexico

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Depth
890-10113-1	H-3B	Solid	06/17/26 06:50	06/17/26 08:52	0-0.6"
890-10113-2	H-3C	Solid	06/17/26 06:55	06/17/26 08:52	0-0.6"
890-10113-3	H-3D	Solid	06/17/26 07:00	06/17/26 08:52	0-0.6"

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Chain of Custody									
 Main Office: 2524 Trunk Street, Odessa Texas 79761 Contact: (432) 653-0393 https://standardtx.com/									
Project Manager: Ethan Sessums Company Name: Standard Safety & Supply Address: 2425 Trunk St. City, State ZIP: Odessa, Texas, 79761 Phone: 254-266-5456 Bill to: (if different) Company Name: Address: City, State ZIP: Email: Ethan.Sessums@standardtx.com									
Project Name: Camacho LACT Project Number: Project Location: Eddy County, New Mexico Sampler's Name: J. Aguirre, E. Bartlett PO #: HD-4937 Turn Around ☒ Routine ☐ Rush Due Date: 5 Day TAT may vary based on lab start time.									
SAMPLE RECEIPT Samples Received Intact: ☒ Yes ☐ No Cooler Custody Seals: ☒ Yes ☐ No Sample Custody Seals: ☒ Yes ☐ No Total Containers: 40 Temp Blank: ☒ Yes ☐ No Thermometer ID: Tm001 Correction Factor: -0.8 Temperature Reading: -4.0 Corrected Temperature: -3.8									
ANALYSIS REQUEST Pres. Code Parameters # of Cont 890-10113 Chain of Custody Chloride 4500 or EPA 300 TPH 8015M (GRO-DRO-MRO) BTEX 8012B									
Preservative Codes None: NO Cool: Cool HCL: HC H₂SO₄: H₂ H₃PO₄: HP NaHSO₄: NABIS Na₂S₂O₃: NaSO₃ Zn Acetate+NaOH: Zn NaOH+Ascorbic Acid: SAPC Sample Comments									
Relinquished by: (Signature) Received by: (Signature) Date/Time 6/17/26 8:58a									
1 Joselyn Azuine 3 5 4 6									
Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed									

Login Sample Receipt Checklist

Client: Standard Safety & Supply

Job Number: 890-10113-1

SDG Number: Eddy County, New Mexico

Login Number: 10113

List Number: 1

Creator: Bruns, Shannon

List Source: Eurofins Carlsbad

Question	Answer	Comment
The cooler's custody seal, if present, is intact.	N/A	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	

Login Sample Receipt Checklist

Client: Standard Safety & Supply

Job Number: 890-10113-1
SDG Number: Eddy County, New Mexico

Login Number: 10113

List Number: 2

Creator: Laing, Edmundo

List Source: Eurofins Midland

List Creation: 06/18/26 09:24 AM

Question	Answer	Comment
The cooler's custody seal, if present, is intact.	N/A	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS

Action 602252

QUESTIONS

Operator: PLAINS MARKETING L.P. 333 Clay Street Suite 1900 Houston, TX 77002	OGRID: 34053
	Action Number: 602252
	Action Type: [C-141] Site Char./Remediation Plan C-141 (C-141-v-Plan)

QUESTIONS

Prerequisites	
Incident ID (n#)	nAPP2606454031
Incident Name	NAPP2606454031 CAMACHO LACT @ G-25-19S-27E
Incident Type	Oil Release
Incident Status	Remediation Plan Received

Location of Release Source	
<i>Please answer all the questions in this group.</i>	
Site Name	Camacho LACT
Date Release Discovered	03/05/2026
Surface Owner	State

Incident Details	
<i>Please answer all the questions in this group.</i>	
Incident Type	Oil Release
Did this release result in a fire or is the result of a fire	No
Did this release result in any injuries	No
Has this release reached or does it have a reasonable probability of reaching a watercourse	No
Has this release endangered or does it have a reasonable probability of endangering public health	No
Has this release substantially damaged or will it substantially damage property or the environment	No
Is this release of a volume that is or may with reasonable probability be detrimental to fresh water	No

Nature and Volume of Release	
<i>Material(s) released, please answer all that apply below. Any calculations or specific justifications for the volumes provided should be attached to the follow-up C-141 submission.</i>	
Crude Oil Released (bbls) Details	Cause: Equipment Failure Pump Crude Oil Released: 280 BBL Recovered: 190 BBL Lost: 90 BBL.
Produced Water Released (bbls) Details	Not answered.
Is the concentration of chloride in the produced water >10,000 mg/l	No
Condensate Released (bbls) Details	Not answered.
Natural Gas Vented (Mcf) Details	Not answered.
Natural Gas Flared (Mcf) Details	Not answered.
Other Released Details	Not answered.
Are there additional details for the questions above (i.e. any answer containing Other, Specify, Unknown, and/or Fire, or any negative lost amounts)	Not answered.

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 2

Action 602252

QUESTIONS (continued)

Operator: PLAINS MARKETING L.P. 333 Clay Street Suite 1900 Houston, TX 77002	OGRID: 34053
	Action Number: 602252
	Action Type: [C-141] Site Char./Remediation Plan C-141 (C-141-v-Plan)

QUESTIONS

Nature and Volume of Release (continued)	
Is this a gas only submission (i.e. only significant Mcf values reported)	No, according to supplied volumes this does not appear to be a "gas only" report.
Was this a major release as defined by Subsection A of 19.15.29.7 NMAC	Yes
Reasons why this would be considered a submission for a notification of a major release	From paragraph A. "Major release" determine using: (1) an unauthorized release of a volume, excluding gases, of 25 barrels or more.
With the implementation of the 19.15.27 NMAC (05/25/2021), venting and/or flaring of natural gas (i.e. gas only) are to be submitted on the C-129 form.	

Initial Response

The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury.

The source of the release has been stopped	True
The impacted area has been secured to protect human health and the environment	True
Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices	True
All free liquids and recoverable materials have been removed and managed appropriately	True
If all the actions described above have not been undertaken, explain why	Not answered.

Per Paragraph (4) of Subsection B of 19.15.29.8 NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please prepare and attach a narrative of actions to date in the follow-up C-141 submission. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see Subparagraph (a) of Paragraph (5) of Subsection A of 19.15.29.11 NMAC), please prepare and attach all information needed for closure evaluation in the follow-up C-141 submission.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

I hereby agree and sign off to the above statement	Name: Karolanne Hudgens Title: HSE Remediation Specialist II Email: karolanne.hudgens@plains.com Date: 07/06/2026
--	--

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 3

Action 602252

QUESTIONS (continued)

Operator: PLAINS MARKETING L.P. 333 Clay Street Suite 1900 Houston, TX 77002	OGRID: 34053
	Action Number: 602252
	Action Type: [C-141] Site Char./Remediation Plan C-141 (C-141-v-Plan)

QUESTIONS

Site Characterization	
<i>Please answer all the questions in this group (only required when seeking remediation plan approval and beyond). This information must be provided to the appropriate district office no later than 90 days after the release discovery date.</i>	
What is the shallowest depth to groundwater beneath the area affected by the release in feet below ground surface (ft bgs)	Between 75 and 100 (ft.)
What method was used to determine the depth to ground water	NM OSE iWaters Database Search
Did this release impact groundwater or surface water	No
What is the minimum distance, between the closest lateral extents of the release and the following surface areas:	
A continuously flowing watercourse or any other significant watercourse	Between 1 and 5 (mi.)
Any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)	Between 1000 (ft.) and ½ (mi.)
An occupied permanent residence, school, hospital, institution, or church	Greater than 5 (mi.)
A spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes	Between 500 and 1000 (ft.)
Any other fresh water well or spring	Between 1000 (ft.) and ½ (mi.)
Incorporated municipal boundaries or a defined municipal fresh water well field	Greater than 5 (mi.)
A wetland	Between 1000 (ft.) and ½ (mi.)
A subsurface mine	Greater than 5 (mi.)
An (non-karst) unstable area	Greater than 5 (mi.)
Categorize the risk of this well / site being in a karst geology	Medium
A 100-year floodplain	Greater than 5 (mi.)
Did the release impact areas not on an exploration, development, production, or storage site	Yes

Remediation Plan	
<i>Please answer all the questions that apply or are indicated. This information must be provided to the appropriate district office no later than 90 days after the release discovery date.</i>	
Requesting a remediation plan approval with this submission	Yes
<i>Attach a comprehensive report demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined, pursuant to 19.15.29.11 NMAC and 19.15.29.13 NMAC.</i>	
Have the lateral and vertical extents of contamination been fully delineated	Yes
Was this release entirely contained within a lined containment area	No
Soil Contamination Sampling: (Provide the highest observable value for each, in milligrams per kilograms.)	
Chloride (EPA 300.0 or SM4500 Cl B)	162
TPH (GRO+DRO+MRO) (EPA SW-846 Method 8015M)	33071.5
GRO+DRO (EPA SW-846 Method 8015M)	23191.5
BTEX (EPA SW-846 Method 8021B or 8260B)	84.1
Benzene (EPA SW-846 Method 8021B or 8260B)	0.4
<i>Per Subsection B of 19.15.29.11 NMAC unless the site characterization report includes completed efforts at remediation, the report must include a proposed remediation plan in accordance with 19.15.29.12 NMAC, which includes the anticipated timelines for beginning and completing the remediation.</i>	
On what estimated date will the remediation commence	07/21/2026
On what date will (or did) the final sampling or liner inspection occur	08/24/2026
On what date will (or was) the remediation complete(d)	09/28/2026
What is the estimated surface area (in square feet) that will be reclaimed	4500
What is the estimated volume (in cubic yards) that will be reclaimed	600
What is the estimated surface area (in square feet) that will be remediated	22500
What is the estimated volume (in cubic yards) that will be remediated	2669
<i>These estimated dates and measurements are recognized to be the best guess or calculation at the time of submission and may (be) change(d) over time as more remediation efforts are completed.</i>	
<i>The OCD recognizes that proposed remediation measures may have to be minimally adjusted in accordance with the physical realities encountered during remediation. If the responsible party has any need to significantly deviate from the remediation plan proposed, then it should consult with the division to determine if another remediation plan submission is required.</i>	

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 4

Action 602252

QUESTIONS (continued)

Operator: PLAINS MARKETING L.P. 333 Clay Street Suite 1900 Houston, TX 77002	OGRID: 34053
	Action Number: 602252
	Action Type: [C-141] Site Char./Remediation Plan C-141 (C-141-v-Plan)

QUESTIONS

Remediation Plan (continued)	
<i>Please answer all the questions that apply or are indicated. This information must be provided to the appropriate district office no later than 90 days after the release discovery date.</i>	
This remediation will (or is expected to) utilize the following processes to remediate / reduce contaminants:	
<i>(Select all answers below that apply.)</i>	
(Ex Situ) Excavation and off-site disposal (i.e. dig and haul, hydrovac, etc.)	Yes
Which OCD approved facility will be used for off-site disposal	fEEM0112342028 LEA LAND LANDFILL
OR which OCD approved well (API) will be used for off-site disposal	Not answered.
OR is the off-site disposal site, to be used, out-of-state	Not answered.
OR is the off-site disposal site, to be used, an NMED facility	Not answered.
(Ex Situ) Excavation and on-site remediation (i.e. On-Site Land Farms)	No
(In Situ) Soil Vapor Extraction	No
(In Situ) Chemical processing (i.e. Soil Shredding, Potassium Permanganate, etc.)	No
(In Situ) Biological processing (i.e. Microbes / Fertilizer, etc.)	No
(In Situ) Physical processing (i.e. Soil Washing, Gypsum, Disking, etc.)	No
Ground Water Abatement pursuant to 19.15.30 NMAC	No
OTHER (Non-listed remedial process)	No
<i>Per Subsection B of 19.15.29.11 NMAC unless the site characterization report includes completed efforts at remediation, the report must include a proposed remediation plan in accordance with 19.15.29.12 NMAC, which includes the anticipated timelines for beginning and completing the remediation.</i>	
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.	
I hereby agree and sign off to the above statement	Name: Karolanne Hudgens Title: HSE Remediation Specialist II Email: karolanne.hudgens@plains.com Date: 07/08/2026
<i>The OCD recognizes that proposed remediation measures may have to be minimally adjusted in accordance with the physical realities encountered during remediation. If the responsible party has any need to significantly deviate from the remediation plan proposed, then it should consult with the division to determine if another remediation plan submission is required.</i>	

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 5

Action 602252

QUESTIONS (continued)

Operator: PLAINS MARKETING L.P. 333 Clay Street Suite 1900 Houston, TX 77002	OGRID: 34053
	Action Number: 602252
	Action Type: [C-141] Site Char./Remediation Plan C-141 (C-141-v-Plan)

QUESTIONS

Deferral Requests Only	
Only answer the questions in this group if seeking a deferral upon approval this submission. Each of the following items must be confirmed as part of any request for deferral of remediation.	
Requesting a deferral of the remediation closure due date with the approval of this submission	No

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 6

Action 602252

QUESTIONS (continued)

Operator: PLAINS MARKETING L.P. 333 Clay Street Suite 1900 Houston, TX 77002	OGRID: 34053
	Action Number: 602252
	Action Type: [C-141] Site Char./Remediation Plan C-141 (C-141-v-Plan)

QUESTIONS

Sampling Event Information	
Last sampling notification (C-141N) recorded	{Unavailable.}

Remediation Closure Request

Only answer the questions in this group if seeking remediation closure for this release because all remediation steps have been completed.

Requesting a remediation closure approval with this submission	No
--	----

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 602252

CONDITIONS

Operator: PLAINS MARKETING L.P. 333 Clay Street Suite 1900 Houston, TX 77002	OGRID: 34053
	Action Number: 602252
	Action Type: [C-141] Site Char./Remediation Plan C-141 (C-141-v-Plan)

CONDITIONS

Created By	Condition	Condition Date
rhamlet	The Remediation Plan is Conditionally Approved. Due to medium karst and the lack of groundwater data within ½ mile of the release area, the site will need to be remediated to the strictest closure criteria from Table 1 of the OCD Spill Rule. All samples must be analyzed for all constituents listed in Table I of 19.15.29.12 NMAC. Please collect confirmation samples, representing no more than 200 ft2.	7/10/2026
rhamlet	Step-out samples are not allowed if any part of the release is considered off-pad. All off-pad areas must meet reclamation standards in the OCD Spill Rule. All sidewall samples should be taken from the sidewall of the excavation. Sidewall samples should be delineated/excavated to 600 mg/kg for chlorides and 100 mg/kg for TPH to define the edge of the release. Please make sure that the edge of the release extent is accurately defined, especially around equipment/pipelines. Samples will need to be taken up against equipment/pipelines to verify contaminants didn't go underneath. The work will need to be completed in 90 days after the report has been reviewed.	7/10/2026