

UU LINE LEAK

Remediation Summary & Closure Report

NMOCD Incident No. nAPP2218244166
UL "B", Sec. 13, T17S, R34E
32.84242°, -103.5129°
Lea County, New Mexico

July 17, 2026



PREPARED ON BEHALF OF

DCP Operating Company, LP
411 S. Keeler Avenue
Suite 207 Adams Building
Bartlesville, OK 74006



PREPARED BY

Tasman, Inc.
2620 W. Marland Blvd.
Hobbs, NM 88240





July 17, 2026

DCP Operating Company, LP c/o Phillips 66 Company
411 S. Keeler Ave. Suite 207 Adams Building
Bartlesville, Oklahoma 74006

Attn: Ms. Becky Hesslen
Email: becky.l.hesslen@p66.com

Re: Remediation Summary & Closure Report
UU Line Leak
UL "B", Section 13, Township 17 South, Range 34 East
Lea County, New Mexico
NMOCD Incident No. nAPP2218244166
Tasman Project No. 3228

Dear Ms. Hesslen,

Tasman, Inc. (Tasman) is pleased to submit this Remediation Summary and Closure Report for the above referenced site. Remediation activities were executed in accordance with the New Mexico Oil Conservation Division (NMOCD) regulations concerning the remediation of releases of natural gas condensate to the environment.

Tasman conducted initial assessment activities, identifying an approximately 947 square foot (ft²) area, that had been impacted by the release. Heavy equipment was used to remove approximately 648 cubic yards of impacted material from the release area. Based on laboratory analytical results from soil samples collected during confirmation sampling activities, impacted soil within the release area has been remediated below the applicable NMOCD Action Levels and in accordance with NMOCD standards. Additional project details are provided in the attached summary report.

Tasman appreciates the opportunity to provide environmental services to DCP Operating Company, LP. Should you have any questions or require additional information, please do not hesitate to contact the undersigned.

Sincerely,
Tasman, Inc.

Kendon Stark
Project Manager
kstark@tasman-geo.com

Kyle Norman
SW Regional Manager
knorman@tasman-geo.com



TABLE OF CONTENTS

1.0 INTRODUCTION	1
1.1 Site Description	1
1.2 Release Detail and Initial Response	1
2.0 SITE CHARACTERISTICS	1
2.1 Depth to Groundwater	1
2.2 Karst Potential & Subsurface Mines	2
2.3 Distance to Nearest Potable Water Well	2
2.4 Distance to Nearest Surface Water	2
2.5 100-year Floodplain	2
2.6 Residence, School, Hospital, or Institution	2
2.7 Proximity to Sensitive Receptors and Site Characteristics Summary	3
3.0 REMEDIATION ACTION LEVELS	3
3.1 Reclamation Levels	3
4.0 SOIL SAMPLING PROCEDURES	4
4.1 Soil Sampling Procedures for Laboratory Analysis	4
4.2 Soil Analytical Methods	4
5.0 SUMMARY OF REMEDIAL ACTIVITIES	4
5.1 Remedial Activities	4
5.2 Confirmation Data Evaluation	5
6.0 RESTORATION AND RECLAMATION	5
7.0 SITE CLOSURE REQUEST	6

Figures

- Figure 1 – Site Location & Characteristics Map
- Figure 2 – Karst Potential & Subsurface Mine Map
- Figure 3 – Surface Water Map
- Figure 4 – FEMA FIRMetete Map
- Figure 5 – Excavation Overview Map

Tables

- Table 1 – Soil Sample Analytical Summary – Confirmation Soil Samples

Appendix A – NMOCD Notifications

Appendix B – Depth to Groundwater Information

Appendix C – Photographic Log

Appendix D – Certified Laboratory Analytical Reports

UU Line Leak (NMOCD Incident No. nAPP2218244166)
Remediation Summary and Closure Report



1.0 INTRODUCTION

Tasman, Inc. (Tasman) is pleased to submit this Remediation Summary and Closure Report for the UU Line Leak (site) on behalf of DCP Operating Company, LP (DCP), documenting the results of field activities conducted in response to a release of natural gas condensate to environmental media.

1.1 Site Description

The site is located in Unit Letter “B” of Section 13, Township 17 South, Range 34 East in Lea County, New Mexico. The release occurred from the UU natural gas pipeline on property held by Angel Land and Livestock, LLC. The site and surrounding area are primarily comprised of undeveloped pastureland and oil and gas infrastructure.

1.2 Release Detail and Initial Response

On May 19, 2021, the UU pipeline was discovered by DCP personnel to have failed due to internal corrosion. A Notification of Release (NOR) was provided to the NMOCD via online portal on July 1, 2022. The incident resulted in the release of approximately 12 barrels (bbls) of natural gas condensate to the surrounding environmental media. DCP personnel shut in the pipeline to isolate the release. The line was repaired and returned to service. No natural gas condensate was recovered.

Copies of the NMOCD notifications are provided in Appendix A.

2.0 SITE CHARACTERISTICS

2.1 Depth to Groundwater

Tasman reviewed available depth to groundwater information available through the New Mexico Office of the State Engineer (NMOSE) and U.S. Geological Survey (USGS) for registered water wells within a one-mile radius of the site. The nearest registered water well, identified as L-15993 – POD 1, is located 0.14 miles (740 feet) from the site. Groundwater was not encountered at its terminal depth of 105 feet below ground surface on December 2, 2025. One additional well, L-03007, is also located within 1,000 feet of the site. Both L-15993 and L-03007 are plugged and abandoned.

The Site Location and Characteristics Map included as Figure 1 illustrates the location of the registered water wells within the vicinity of the site, and a summary of depth to groundwater



UU Line Leak (NMOCD Incident No. nAPP2218244166)
Remediation Summary and Closure Report

information as well as plugging records are provided as Appendix B.

2.2 Karst Potential & Subsurface Mines

Tasman utilized the publicly available karst potential map published by the Bureau of Land Management (BLM) Carlsbad Field Office (CFO) to determine the potential for encountering karst formations beneath the site. Review of the BLM CFO karst potential map indicates that the site is located in an area of low potential to encounter karstic features.

Tasman utilized the USGS Mineral Resources database to determine that there are no subsurface mines beneath or in the vicinity of the site.

Areas of karst potential and subsurface mine locations are illustrated on Figure 2.

2.3 Distance to Nearest Potable Water Well

The nearest potable water well is assumed to be L-13291 POD 1, located 0.86 miles from the site. Tasman did not visually confirm the presence or use of the well. The location of L-13291 POD 1 is shown on the attached Figure 1 and the well log is provided in Appendix B.

2.4 Distance to Nearest Surface Water

Tasman reviewed aerial imagery and the National Wetland Inventory Map, published by the U.S. Fish and Wildlife Service, for wetlands and surface water in the vicinity of the site. The nearest wetland, a freshwater pond, is located approximately 0.42 miles from the site. The nearest significant surface water was identified as White Lake, located 7.34 miles from the site. The location of the nearest surface water body can be seen on Figures 1 and 3, respectively.

2.5 100-year Floodplain

Review of flood map data published by the Federal Emergency Management Agency (FEMA) indicates the site is not located within a 100-year floodplain. A copy of the FEMA FIRMet Map can be found attached as Figure 4.

2.6 Residence, School, Hospital, or Institution

Review of aerial imagery did not show that the site is within 300 feet of an occupied permanent residence, school, hospital, or institution.

UU Line Leak (NMOCD Incident No. nAPP2218244166)
Remediation Summary and Closure Report



2.7 Proximity to Sensitive Receptors and Site Characteristics Summary

The table below denotes if the site is located within the minimum allowable distance from a sensitive receptor, as defined in 19.15.29 New Mexico Administrative Code (NMAC).

Site Characteristics Summary		
Approximate depth to groundwater:	>105 ft bgs	
Within an area of high karst potential?	☐ Yes	☒ No
Within 300 ft. of any continuously flowing of significant watercourse?	☐ Yes	☒ No
Within 200 ft. of any lakebed, sinkhole, or playa lake?	☐ Yes	☒ No
Within 300 ft. of an occupied permanent residence, school, hospital, or institution?	☐ Yes	☒ No
Within 500 ft. of a spring or private, domestic fresh water well?	☐ Yes	☒ No
Within 1,000 ft. of any fresh water well?	☐ Yes	☒ No
Within the incorporated municipal boundaries or within a municipal well field?	☐ Yes	☒ No
Within 300 ft. of a wetland?	☐ Yes	☒ No
Within the area overlying a subsurface mine?	☐ Yes	☒ No
Within an unstable area?	☐ Yes	☒ No
Within a 100-year floodplain?	☐ Yes	☒ No

3.0 REMEDIATION ACTION LEVELS

NMOCD assessment and cleanup levels for hydrocarbon and produced water releases are based on depth to groundwater and proximity to sensitive receptors as established in 19.15.29 NMAC. Based on site characteristics described in Section 2.0, the NMOCD Action Levels for a site with a depth to groundwater greater than 100 feet were utilized; these Action Levels are summarized in the following table:

Constituent	Remediation Action Level
Chloride	20,000 mg/kg
TPH (GRO+DRO+MRO)	2,500 mg/kg
TPH (GRO+DRO)	1,000 mg/kg
BTEX	50 mg/kg
Benzene	10 mg/kg

TPH – total petroleum hydrocarbons

DRO – diesel range organics

BTEX – benzene, toluene, ethylbenzene, total xylenes

GRO – gasoline range organics

MRO – motor/lube oil range organics

mg/kg – milligrams per kilogram

3.1 Reclamation Levels

19.15.29.13(D) NMAC codifies, and the *Procedures for Implementation of the Spill Rule*, dated September 6, 2019, clarifies that the top four feet of the remediated area shall be non-waste containing. Therefore, the NMOCD Reclamation Standards are applied to the top four feet of any area impacted by a release that is not located within an active production facility. NMOCD Reclamation Standards are summarized in the following table:

UU Line Leak (NMOCD Incident No. nAPP2218244166)
Remediation Summary and Closure Report



Constituent	Reclamation Standard
Chloride	600 mg/kg
TPH (GRO+DRO+MRO)	100 mg/kg
BTEX	50 mg/kg
Benzene	10 mg/kg

TPH – total petroleum hydrocarbons

DRO – diesel range organics

BTEX – benzene, toluene, ethylbenzene, total xylenes

GRO – gasoline range organics

MRO – motor/lube oil range organics

mg/kg – milligrams per kilogram

4.0 SOIL SAMPLING PROCEDURES

4.1 Soil Sampling Procedures for Laboratory Analysis

The collection of soil samples for laboratory analysis was conducted in accordance with NMOCD criteria and generally approved industry standards. Soil samples collected were placed in laboratory provided containers, properly labeled, and preserved on ice pending delivery under chain of custody procedures to Eurofins Environment Testing in Midland, Texas.

4.2 Soil Analytical Methods

Each soil sample was analyzed using Environmental Protection Agency (EPA) methods or other NMOCD-approved methods. Laboratory analytical methods are as follows:

- Chloride – EPA Method 300.
- Total Petroleum Hydrocarbons (TPH) – gasoline, diesel, and motor/lube oil range organics (GRO+DRO+MRO) – EPA Method 8015M Extended.
- Benzene, toluene, ethylbenzene, and total xylenes (BTEX) – EPA Method 8021B.

5.0 SUMMARY OF REMEDIAL ACTIVITIES

5.1 Remedial Activities

Between September 15 and September 30, 2021, and on April 28 and 29, 2026, Tasman completed excavation activities to remove impacted soil from within the release margins. Excavated material was stockpiled on-site atop a polyethylene liner pending transportation to an NMOCD approved disposal facility.

The final excavation extent was approximately 2,140 ft² ranging in depth from 6 to 17 feet bgs. A total of 648 cubic yards of excavated material was exported to South Monument Surface Waste Facility (SMSWF) in Monument, New Mexico.



Copies of solid waste manifests are available upon request and a photographic log is included as Appendix C.

5.2 Confirmation Data Evaluation

Tasman provided two 48-hour mobilization notices to the NMOCD Portal (Appendix A). On April 30, 2026, and May 7, 2026, Tasman mobilized to the site to collect confirmation soil samples from depths ranging between 6 ft and 17 ft bgs. Twenty-six confirmation soil samples were collected from the excavation extents. Each confirmation soil sample was collected as a five-point composite representing approximately 200 ft² or less of excavation base or sidewall area.

Laboratory analytical results indicated that constituent concentrations in all confirmation soil samples were below NMOCD Action Levels.

It should be noted that soil sample W-12 had a detection of total TPH concentrations below NMOCD Action Levels for a site with a depth to groundwater of 50 feet or greater as listed in Table 1 of 19.15.29.12 NMAC. The exact depth of soil sample W-12 was not recorded on the chain of custody. However, based on the location of soil sample W-12 within the excavation, the depth of the sample location is greater than 4-feet (Figure 5). Additionally, soil sample W-12 is not a lateral extent sidewall sample, and therefore adherence to 600 milligrams per kilogram (mg/kg) for chloride and 100 mg/kg for total TPH is not warranted as horizontal delineation is maintained.

A summary of soil analytical results is provided as Table 1 and the certified laboratory analytical reports are provided in Appendix D. Confirmation soil sample locations and excavation extents are illustrated on Figure 5.

6.0 RESTORATION AND RECLAMATION

On March 15, 2026, one five-point composite sample was collected from the backfill material (Backfill-1) to confirm a clean source. Laboratory analytical results confirm that backfill material does not contain concentrations of chemicals of concern greater than NMOCD Action Levels.

Areas affected by the release and associated remediation activities were restored to the condition which existed prior to the release to the maximum extent possible. The landowner was consulted about their preferred seed mix and on March 28, 2026, Tasman returned to the site to seed the disturbed area. The seed was sown using a seed drill using the manufacture's recommended application rate.


UU Line Leak (NMOCD Incident No. nAPP2218244166)
Remediation Summary and Closure Report



7.0 SITE CLOSURE REQUEST

Based on laboratory analytical results from confirmation soil samples collected during excavation remedial activities, impacted soil within the release area has been remediated below the applicable NMOCD Action Levels in accordance with 19.15.29 NMAC. As such, Tasman, on behalf of DCP, respectfully requests that the site be granted closure.

Figures



DATE:	May 2026
DESIGNED BY:	B. Dennis
DRAWN BY:	C. Flores




Tasman, Inc.
2620 W Marland Blvd.
Hobbs, NM 88240

DCP Operating Company LP
UU Line Leak - nAPP2218244166
UL "B", Sec. 13, T17S, R34E
Lea County, New Mexico

Site Location & Characteristics
Map

Figure
1



DATE:	January 2026
DESIGNED BY:	C. Flores
DRAWN BY:	C. Flores




Tasman, Inc.
2620 W. Marland Blvd.
Hobbs, NM 88240

DCP Operating Company LP
UU Line Leak - nAPP2218244166
UL "B", Sec. 13, T17S, R34E
Lea County, New Mexico

Karst Potential & Subsurface
Mine Map

Figure
2



DATE:	February 2026
DESIGNED BY:	C. Flores
DRAWN BY:	C. Flores



Tasman, Inc.
 2620 W. Marland Blvd.
 Hobbs, NM 88240

DCP Operating Company, LP
UU Line Leak - nAPP2218244166
 UL "B", Sec. 13, T17S, R34E
 Lea County, New Mexico


Surface Water Map

Figure
3

National Flood Hazard Layer FIRMette



103°31'5"W 32°50'48"N



1:6,000

103°30'28"W 32°50'18"N

Basemap Imagery Source: USGS National Map 2023

Legend

Figure

SEE FIS REPORT FOR DETAILED LEGEND AND INDEX MAP FOR FIRM PANEL LAYOUT

SPECIAL FLOOD HAZARD AREAS		Without Base Flood Elevation (BFE) Zone A, V, A99
		With BFE or Depth Zone AE, AO, AH, VE, AR
		Regulatory Floodway
OTHER AREAS OF FLOOD HAZARD		0.2% Annual Chance Flood Hazard, Areas of 1% annual chance flood with average depth less than one foot or with drainage areas of less than one square mile Zone X
		Future Conditions 1% Annual Chance Flood Hazard Zone X
		Area with Reduced Flood Risk due to Levee. See Notes. Zone X
		Area with Flood Risk due to Levee Zone X
OTHER AREAS		NO SCREEN Area of Minimal Flood Hazard Zone X
		Effective LOMRs
GENERAL STRUCTURES		Area of Undetermined Flood Hazard Zone D
		Channel, Culvert, or Storm Sewer
OTHER FEATURES		Levee, Dike, or Floodwall
		20.2 Cross Sections with 1% Annual Chance Water Surface Elevation
		17.5 Cross Sections with 1% Annual Chance Water Surface Elevation
		Coastal Transect
		Base Flood Elevation Line (BFE)
		Limit of Study
		Jurisdiction Boundary
		Coastal Transect Baseline
		Profile Baseline
		Hydrographic Feature
MAP PANELS		Digital Data Available
		No Digital Data Available
		Unmapped

The pin displayed on the map is an approximate point selected by the user and does not represent an authoritative property location.


This map complies with FEMA's standards for the use of digital flood maps if it is not void as described below. The basemap shown complies with FEMA's basemap accuracy standards

The flood hazard information is derived directly from the authoritative NFHL web services provided by FEMA. This map was exported on **1/8/2026 at 6:12 PM** and does not reflect changes or amendments subsequent to this date and time. The NFHL and effective information may change or become superseded by new data over time.

This map image is void if the one or more of the following map elements do not appear: basemap imagery, flood zone labels, legend, scale bar, map creation date, community identifiers, FIRM panel number, and FIRM effective date. Map images for unmapped and unmodernized areas cannot be used for regulatory purposes.

Released to Imaging: 8/7/2026 3:12:06 PM

Received by OCD: 7/24/2026 10:30:09 AM



DATE: May 2026	 Tasman, Inc. 2620 W. Marland Blvd. Hobbs, NM 88240	DCP Operating Company, LP UU Line Leak - nAPP2218244166 UL "B", Sec. 13, T17S, R34E Lea County, New Mexico	Excavation Overview Map	Figure 5
DESIGNED BY: C. Flores				
DRAWN BY: C. Flores				

Table

TABLE 1
SOIL SAMPLE ANALYTICAL SUMMARY - CONFIRMATION SOIL SAMPLES
DCP Operating Company, LP
UU Line Leak - nAPP2218244166

Sample ID	Sample Depth (bgs)	Sample Date	Soil Status	PID (ppm)	Field Chloride (mg/kg)	Benzene	Total BTEX ¹ (mg/kg)	TPH ² (mg/kg)				Chloride ³ (mg/kg)
								GRO	DRO	MRO	TOTAL	
Confirmation Soil Samples												
FL-1	6'	4/30/2026	In-Situ	0.2	89	<0.00138	<0.00227	<14.5	<15.1	<15.1	<15.1	5.08 J
FL-2	6'	4/30/2026	In-Situ	0.2	91	<0.00141	<0.00231	<14.5	<15.1	<15.1	<15.1	3.28 J
FL-3	6'	4/30/2026	In-Situ	0.1	90	<0.00138	<0.00227	<14.5	<15.1	<15.1	<15.1	2.90 J
FL-4	6'	4/30/2026	In-Situ	0.4	91	<0.00139	<0.00228	<14.6	<15.2	<15.2	<15.2	<0.393
FL-5	6'	4/30/2026	In-Situ	0.1	90	<0.00140	<0.00229	<14.5	<15.1	<15.1	<15.1	6.35 J
FL-6	6'	4/30/2026	In-Situ	0.1	150	<0.00141	<0.00231	<14.5	<15.1	<15.1	<15.1	17.3
FL-7	6'	4/30/2026	In-Situ	0.7	90	<0.00138	<0.00227	<14.5	<15.1	<15.1	<15.1	2.48 J
FL-8	6'	4/30/2026	In-Situ	2.1	89	<0.00139	<0.00229	<14.5	<15.1	<15.1	<15.1	24.4
FL-9	7'	4/30/2026	In-Situ	3.7	89	<0.00139	<0.00228	<14.5	372	<15.1	372	4.30 J
FL-10	17'	4/30/2026	In-Situ	0.2	89	<0.00140	<0.00229	<14.5	<15.1	<15.1	<15.1	2.12 J
FL-11	6'	5/7/2026	In-Situ	1.2	89	<0.00139	<0.00228	<14.5	<15.1	24.3 J B	24.3 J	55.0
FL-12	6'	5/7/2026	In-Situ	0.8	150	<0.00140	<0.00229	<14.5	<15.1	19.2 J B	19.2 J	28.2
W-1	---	4/30/2026	In-Situ	0.7	89	<0.00141	<0.00231	<14.5	<15.1	<15.1	<15.1	16.6
W-2	---	4/30/2026	In-Situ	1.6	90	<0.00138	<0.00227	<14.5	<15.1	<15.1	<15.1	9.57 J
W-3	---	4/30/2026	In-Situ	0.9	89	<0.00139	<0.00228	<14.5	<15.1	<15.1	<15.1	5.48 J
W-4	---	4/30/2026	In-Situ	0.7	90	<0.00139	<0.00229	<14.5	<15.1	<15.1	<15.1	55.7
W-5	---	4/30/2026	In-Situ	0.9	87	<0.00138	<0.00227	<14.5	<15.1	<15.1	<15.1	4.58 J
W-6	---	4/30/2026	In-Situ	0.2	90	<0.00139	<0.00229	<14.5	<15.1	<15.1	<15.1	30.6
W-7	---	4/30/2026	In-Situ	0.1	90	<0.00139	<0.00228	<14.5	<15.1	<15.1	<15.1	95.9
W-8	---	4/30/2026	In-Situ	0.4	150	<0.00140	<0.00230	<14.5	<15.1	<15.1	<15.1	3.87 J
W-9	---	4/30/2026	In-Situ	1.1	150	<0.00139	<0.00228	<14.7	<15.3	<15.3	<15.3	10.6
W-10	---	4/30/2026	In-Situ	1.7	89	<0.00140	<0.00229	<14.6	<15.2	<15.2	<15.2	3.31 J
NMOCD Reclamation Standards ⁴ (Applicable for soils less than 4 ft. below grade surface)				N/A	N/A	10	50	N/A			100	600
NMOCD Remediation and Delineation Standards ⁵ (Applicable for soils greater than 4 ft. below grade surface)				N/A	N/A	10	50	1,000		N/A	2,500	20,000

TABLE 1
SOIL SAMPLE ANALYTICAL SUMMARY - CONFIRMATION SOIL SAMPLES
DCP Operating Company, LP
UU Line Leak - nAPP2218244166

Sample ID	Sample Depth (bgs)	Sample Date	Soil Status	PID (ppm)	Field Chloride (mg/kg)	Benzene	Total BTEX ¹ (mg/kg)	TPH ² (mg/kg)				Chloride ³ (mg/kg)
								GRO	DRO	MRO	TOTAL	
Confirmation Soil Samples												
W-11	---	4/30/2026	In-Situ	1.0	90	<0.00141	<0.00231	<14.5	<15.1	<15.1	<15.1	<0.393
W-12	---	5/7/2026	In-Situ	10.0	89	<0.00141	<0.00231	<14.5	249	15.8 J B	265	<0.394
W-13	---	5/7/2026	In-Situ	2.1	89	<0.00138	<0.00227	<14.5	<15.1	30.3 J B	30.3 J	<0.394
W-14	---	5/7/2026	In-Situ	2.3	148	<0.00139	<0.00229	<14.5	<15.1	19.7 J B	19.7 J	<0.393
Backfill-1	---	5/15/2026	In-Situ	---	---	<0.00200	<0.00399	<49.8	<49.8	<49.8	<49.8	<9.96
NMOCD Reclamation Standards ⁴ (Applicable for soils less than 4 ft. below grade surface)				N/A	N/A	10	50	N/A			100	600
NMOCD Remediation and Delineation Standards ⁵ (Applicable for soils greater than 4 ft. below grade surface)				N/A	N/A	10	50	1,000		N/A	2,500	20,000

Notes:

1. BTEX = Benzene, toluene, ethylbenzene, and total xylenes by EPA method 8021B
2. TPH = Total petroleum hydrocarbons analyzed by method EPA 8015M (GRO/DRO/MRO)
3. Chloride - Analyzed by EPA method SM4500
4. New Mexico Administrative Code (NMAC) 19.15.29.13(D) - Restoration, Reclamation, and Re-vegetation (Reclamation for areas no longer in use) for soils extending to 4 ft. below grade surface (bgs).
5. New Mexico Oil Conservation Division (NMOCD) Remediation and Delineation Standards (NMAC 19.15.29.12(N))

Bold values denote concentrations above laboratory MDL

Red values denote concentrations above NMOCD Action Levels

ppm = Parts per million

mg/kg = Milligrams per kilogram

J = Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value

BGS = Below ground surface

GRO = Gasoline range organics

DRO = Diesel range organics

MRO = Motor/lube oil range organics

PID = Photoionization detector

--- = Sample was not analyzed for this analyte

<MDL = The analyte was not detected above the laboratory method detection limit (MDL)

N/A = Not applicable

Ft. = Feet

B = Compound was found in the laboratory method blank and sample

Appendix A – NMOCD Notifications

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS

Action 122347

QUESTIONS

Operator: DCP OPERATING COMPANY, LP 6900 E. Layton Ave Denver, CO 80237	OGRID: 36785
	Action Number: 122347
	Action Type: [NOTIFY] Notification Of Release (NOR)

QUESTIONS

Location of Release Source	
<i>Please answer all of the questions in this group.</i>	
Site Name	UU Line
Date Release Discovered	05/19/2021
Surface Owner	Private

Incident Details	
<i>Please answer all of the questions in this group.</i>	
Incident Type	Natural Gas Release
Did this release result in a fire or is the result of a fire	No
Has this release reached or does it have a reasonable probability of reaching a watercourse	No
Has this release endangered or does it have a reasonable probability of endangering public health	No
Has this release substantially damaged or will it substantially damage property or the environment	No
Is this release of a volume that is or may with reasonable probability be detrimental to fresh water	No

Nature and Volume of Release	
<i>Material(s) released, please answer all that apply below. Any calculations or specific justifications for the volumes provided should be attached to the follow-up C-141 submission.</i>	
Crude Oil Released (bbls) Details	Not answered.
Produced Water Released (bbls) Details	Not answered.
Is the concentration of dissolved chloride in the produced water >10,000 mg/l	Not answered.
Condensate Released (bbls) Details	Cause: Corrosion Pipeline (Any) Condensate Released: 12 BBL Recovered: 0 BBL Lost: 12 BBL]
Natural Gas Vented (Mcf) Details	Not answered.
Natural Gas Flared (Mcf) Details	Not answered.
Other Released Details	Not answered.
Are there additional details for the questions above (i.e. any answer containing Other, Specify, Unknown, and/or Fire, or any negative lost amounts)	The original leak was not thought to have triggered reporting but due to further investigation the overall affects will trigger reporting

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 2

Action 122347

QUESTIONS (continued)

Operator: DCP OPERATING COMPANY, LP 6900 E. Layton Ave Denver, CO 80237	OGRID: 36785
	Action Number: 122347
	Action Type: [NOTIFY] Notification Of Release (NOR)

QUESTIONS

Nature and Volume of Release (continued)	
Is this a gas only submission (i.e. only significant Mcf values reported)	No, according to supplied volumes this does not appear to be a "gas only" report.
Was this a major release as defined by 19.15.29.7(A) NMAC	No, minor release.
Reasons why this would be considered a submission for a notification of a major release	
If YES, was immediate notice given to the OCD, by whom	<i>Not answered.</i>
If YES, was immediate notice given to the OCD, to whom	<i>Not answered.</i>
If YES, was immediate notice given to the OCD, when	<i>Not answered.</i>
If YES, was immediate notice given to the OCD, by what means (phone, email, etc.)	<i>Not answered.</i>
<i>With the implementation of the 19.15.27 NMAC (05/25/2021), venting and/or flaring of natural gas (i.e. gas only) are to be submitted on the C-129 form.</i>	

Initial Response

The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury.

The source of the release has been stopped	True
The impacted area has been secured to protect human health and the environment	True
Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices	True
All free liquids and recoverable materials have been removed and managed appropriately	True
If all the actions described above have not been undertaken, explain why	<i>Not answered.</i>

Per 19.15.29.8 B. (4) NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please prepare and attach a narrative of actions to date in the follow-up C-141 submission. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see 19.15.29.11(A)(5)(a) NMAC), please prepare and attach all information needed for closure evaluation in the follow-up C-141 submission.

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 122347

ACKNOWLEDGMENTS

Operator: DCP OPERATING COMPANY, LP 6900 E. Layton Ave Denver, CO 80237	OGRID: 36785
	Action Number: 122347
	Action Type: [NOTIFY] Notification Of Release (NOR)

ACKNOWLEDGMENTS

☒	I acknowledge that I am authorized to submit notification of a releases on behalf of my operator.
☒	I acknowledge that upon submitting this application, I will be creating a new incident file (assigned to my operator) to track the notification(s) and corrective action(s) for a release, pursuant to NMAC 19.15.29.
☒	I acknowledge that creating a new incident file will require my operator to file subsequent submission(s) of form "C-141, Application for administrative approval of a release notification and corrective action", pursuant to NMAC 19.15.29.
☒	I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment.
☒	I acknowledge the fact that the acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment.
☒	I acknowledge the fact that, in addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 122347

CONDITIONS

Operator: DCP OPERATING COMPANY, LP 6900 E. Layton Ave Denver, CO 80237	OGRID: 36785
	Action Number: 122347
	Action Type: [NOTIFY] Notification Of Release (NOR)

CONDITIONS

Created By	Condition	Condition Date
knorman	When submitting future reports regarding this release, please submit the calculations used or specific justification for the volumes reported on the initial C-141.	7/1/2022

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS

Action 579739

QUESTIONS

Operator: DCP OPERATING COMPANY, LP 2331 Citywest Blvd Houston, TX 77042	OGRID: 36785
	Action Number: 579739
	Action Type: [NOTIFY] Notification Of Sampling (C-141N)

QUESTIONS

Prerequisites	
Incident ID (n#)	nAPP2218244166
Incident Name	NAPP2218244166 UU LINE @ B-13-17S-34E
Incident Type	Natural Gas Release
Incident Status	Remediation Plan Received

Location of Release Source	
Site Name	UU Line
Date Release Discovered	05/19/2021
Surface Owner	Private

Sampling Event General Information	
<i>Please answer all the questions in this group.</i>	
What is the sampling surface area in square feet	2,500
What is the estimated number of samples that will be gathered	20
Sampling date pursuant to Subparagraph (a) of Paragraph (1) of Subsection D of 19.15.29.12 NMAC	04/30/2026
Time sampling will commence	10:15 AM
Please provide any information necessary for observers to contact samplers	Location 32.842319 -103.512951
Please provide any information necessary for navigation to sampling site	Contact Kendon Stark 8063174707

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/oed/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 579739

CONDITIONS

Operator: DCP OPERATING COMPANY, LP 2331 Citywest Blvd Houston, TX 77042	OGRID: 36785
	Action Number: 579739
	Action Type: [NOTIFY] Notification Of Sampling (C-141N)

CONDITIONS

Created By	Condition	Condition Date
knorman	Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation closure samples not being accepted.	4/28/2026
knorman	If confirmation sampling is going to take place over multiple days, individual C-141N applications must be submitted for each sampling date. Date ranges are not currently accepted on the C-141N application.	4/28/2026

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS

Action 581749

QUESTIONS

Operator: DCP OPERATING COMPANY, LP 2331 Citywest Blvd Houston, TX 77042	OGRID: 36785
	Action Number: 581749
	Action Type: [NOTIFY] Notification Of Sampling (C-141N)

QUESTIONS

Prerequisites	
Incident ID (n#)	nAPP2218244166
Incident Name	NAPP2218244166 UU LINE @ B-13-17S-34E
Incident Type	Natural Gas Release
Incident Status	Remediation Plan Received

Location of Release Source	
Site Name	UU Line
Date Release Discovered	05/19/2021
Surface Owner	Private

Sampling Event General Information	
<i>Please answer all the questions in this group.</i>	
What is the sampling surface area in square feet	1,200
What is the estimated number of samples that will be gathered	6
Sampling date pursuant to Subparagraph (a) of Paragraph (1) of Subsection D of 19.15.29.12 NMAC	05/07/2026
Time sampling will commence	08:00 AM
Please provide any information necessary for observers to contact samplers	Kendon Stark : 8063174707
Please provide any information necessary for navigation to sampling site	GPS: 32.842319, -103.512951

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 581749

CONDITIONS

Operator: DCP OPERATING COMPANY, LP 2331 Citywest Blvd Houston, TX 77042	OGRID: 36785
	Action Number: 581749
	Action Type: [NOTIFY] Notification Of Sampling (C-141N)

CONDITIONS

Created By	Condition	Condition Date
knorman	Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation closure samples not being accepted.	5/4/2026
knorman	If confirmation sampling is going to take place over multiple days, individual C-141N applications must be submitted for each sampling date. Date ranges are not currently accepted on the C-141N application.	5/4/2026

Appendix B – Depth to Groundwater Information

3007 4918.72

Section 1

Drilling was completed.....October 26 19 55

(Plat of 640 acres)

State whether well is shallow or artesian Shallow Depth to water upon completion 70

Section 2

PRINCIPAL WATER-BEARING STRATA

No.	Depth in Feet		Thickness in Feet	Description of Water-Bearing Formation
	From	To		
1	85	110	25	Water Sand
2				
3				
4				
5				

Section 3

RECORD OF CASING

[illegible]

Section 4

RECORD OF MUDDING AND CEMENTING

Depth in Feet		Diameter Hole in in.	Tons Clay	No. Sacks of Cement	Methods Used
From	To				

Section 5

PLUGGING RECORD

Plugging approved by: _____ Cement Plugs were placed as follows:

Cement Plugs were placed as follows:

No.	Depth of Plug		No. of Sacks Used
	From	To	
	11/12	NOV 20 1955	
			PM
	712	1, 12, 12, 3, 4, 5, 6	

Basin Supervisor

FOR USE OF STATE ENGINEER-ONLY

FILED

Date Received

NOV 10 1955

OFFICE
GROUND WATER SUPERVISOR
ROSWell, NEW MEXICO

File No. *L-3007*

Use *20*

Location No. 17 34 13 2/D

LOG OF WELL

The undersigned hereby certifies that, to the best of his knowledge and belief, the foregoing is a true and correct record of the above described well.

Jack Cayton
Well Driller

WELL RECORD

INSTRUCTIONS: This form should be executed in triplicate, preferably typewritten, and submitted to the nearest district office of the State Engineer. All sections, except Section 5, shall be answered as completely and accurately as possible when any well is drilled, repaired or deepened. When this form is used as a plugging record, only Section 1A and Section 5 need be completed.

Section 1

(Plat of 640 acres)

(A) Owner of well Donnelly Drilling Company, Inc.Street and Number Box 433City Artesia State New MexicoWell was drilled under Permit No. L-3007 and is located in the1/4 NW 1/4 NE 1/4 of Section 13 Twp. 17S Rge. 34E

(B) Drilling Contractor _____ License No. _____

Street and Number _____

City _____ State _____

Drilling was commenced _____ 19. _____

Drilling was completed _____ 19. _____

Elevation at top of casing in feet above sea level _____ Total depth of well _____

State whether well is shallow or artesian _____ Depth to water upon completion _____

Section 2

PRINCIPAL WATER-BEARING STRATA

No.	Depth in Feet		Thickness in Feet	Description of Water-Bearing Formation
	From	To		
1				
2				
3				
4				
5				

Section 3

RECORD OF CASING

Dia in.	Pounds ft.	Threads in	Depth		Feet	Type Shoe	Perforations	
			Top	Bottom			From	To

Section 4

RECORD OF MUDDING AND CEMENTING

Depth in Feet		Diameter Hole in in.	Tons Clay	No. Sacks of Cement	Methods Used
From	To				

Section 5

PLUGGING RECORD

Name of Plugging Contractor Owner-Donnelly Drilling Co., Inc. License No. _____Street and Number Box 433 City Artesia State New Mexico

Tons of Clay used _____ Tons of Roughage used _____ Type of roughage _____

Plugging method used Bridged at 15' by hand Date Plugged April 28, 19 58

Plugging approved by: _____

Cement Plugs were placed as follows:

Robert C. Hulse
H. H. Basin Supervisor

FOR USE OF STATE ENGINEER ONLY

APR 30 1958

OFFICE
GROUND WATER SUPERVISOR
ROSWELL, NEW MEXICO

Date Received _____

File No. L-3007 Use P. 20 P. Location No. 17-34-13-210

No.	Depth of Plug		No. of Sacks Used
	From	To	
	0	15	1 sx Acquagel &
			3 sx cement.
			Round cement mound
			as cap

LOG OF WELL

The undersigned hereby certifies that, to the best of his knowledge and belief, the foregoing is a true and correct record of the above described well.

Well Driller



PLUGGING RECORD



NOTE: A Well Plugging Plan of Operations shall be approved by the State Engineer prior to plugging - 19.27.4 NMAC

I. GENERAL / WELL OWNERSHIP:

State Engineer Well Number: L-15993 - POD1

Well owner: Cross Timbers Energy, LLC

Phone No.: _____

Mailing address: 400W. 7th St.

City: Ft. Worth State: TX Zip code: 76102

II. WELL PLUGGING INFORMATION:

1) Name of well drilling company that plugged well: H&R Enterprises, LLC.

2) New Mexico Well Driller License No.: WD-1862 Expiration Date: 6-16-27

3) Well plugging activities were supervised by the following well driller(s)/rig supervisor(s):
Nathan Smelcer

4) Date well plugging began: 12-8-25 Date well plugging concluded: 12-8-25

5) GPS Well Location: Latitude: 32 deg, 50 min, 25.70 sec
Longitude: 103 deg, 30 min, 44.84 sec, WGS 84

6) Depth of well confirmed at initiation of plugging as: 105' ft below ground level (bgl),
by the following manner: well sounder

7) Static water level measured at initiation of plugging: N/A ft bgl

8) Date well plugging plan of operations was approved by the State Engineer: 10-21-25

9) Were all plugging activities consistent with an approved plugging plan? yes If not, please describe differences between the approved plugging plan and the well as it was plugged (attach additional pages as needed):

OSE DII ROSWELL NM
15 DEC '25 AM10:06

- For each interval plugged, describe within the following columns:**

OSE DII ROSWELL NM
15 DEC '25 AM 10:06

MULTIPLY		BY		AND OBTAIN
cubic feet	x	7.4805	=	gallons
cubic yards	x	201.97	=	gallons

I, James Hawley, say that I am familiar with the rules of the Office of the State Engineer pertaining to the plugging of wells and that each and all of the statements in this Plugging Record and attachments are true to the best of my knowledge and belief.

lieft.

Signature of Well Driller

12-8-25

Date _____



WELL RECORD & LOG

OFFICE OF THE STATE ENGINEER

www.ose.state.nm.us

STATE ENGINEER OFFICE
ROSWELL, NEW MEXICO

2014 SEP -9 AM 10: 28

1. GENERAL AND WELL LOCATION	OSE POD NUMBER (WELL NUMBER) L 13291 POD 1			OSE FILE NUMBER(S) L 13291			
	WELL OWNER NAME(S) Eidson Ranch			PHONE (OPTIONAL)			
	WELL OWNER MAILING ADDRESS PO Box 1286			CITY STATE ZIP Lovington NM 88260			
	WELL LOCATION (FROM GPS)	DEGREES LATITUDE 32	MINUTES 50.698	SECONDS 4.88	* ACCURACY REQUIRED: ONE TENTH OF A SECOND		
	LONGITUDE 103	29.912	54.72	* DATUM REQUIRED: WGS 84			
DESCRIPTION RELATING WELL LOCATION TO STREET ADDRESS AND COMMON LANDMARKS - PLSS (SECTION, TOWNSHIP, RANGE) WHERE AVAILABLE NE SE SW Sect 7 Township 17S Range 35E							
2. DRILLING & CASING INFORMATION	LICENSE NUMBER W01626		NAME OF LICENSED DRILLER Roy A. Taylor		NAME OF WELL DRILLING COMPANY Eco/Enviro Drilling LLC		
	DRILLING STARTED 8-26-14	DRILLING ENDED 8-26-14	DEPTH OF COMPLETED WELL (FT) 210	BORE HOLE DEPTH (FT) 210	DEPTH WATER FIRST ENCOUNTERED (FT) 86		
	COMPLETED WELL IS: ☐ ARTESIAN ☐ DRY HOLE ☒ SHALLOW (UNCONFINED)				STATIC WATER LEVEL IN COMPLETED WELL (FT) 86		
	DRILLING FLUID: ☐ AIR ☒ MUD ☐ ADDITIVES - SPECIFY:						
	DRILLING METHOD: ☒ ROTARY ☐ HAMMER ☐ CABLE TOOL ☐ OTHER - SPECIFY:						
	DEPTH (feet bgl) FROM TO		BORE HOLE DIAM (inches)	CASING MATERIAL AND/OR GRADE (include each casing string, and note sections of screen)	CASING CONNECTION TYPE	CASING INSIDE DIAM. (inches)	CASING WALL THICKNESS (inches)
	0 170		10	PVC	Glue	5.135	0.214
	170 210		10	PVC	Glue	5.033	0.265
3. ANNULAR MATERIAL	DEPTH (feet bgl) FROM TO		BORE HOLE DIAM. (inches)	LIST ANNULAR SEAL MATERIAL AND GRAVEL PACK SIZE-RANGE BY INTERVAL	AMOUNT (cubic feet)	METHOD OF PLACEMENT	
	10 210		10	3/8 artesian	66	Hand	

FOR OSE INTERNAL USE

WR-20 WELL RECORD & LOG (Version 06/08/2012)

FILE NUMBER	L 13291	POD NUMBER		TRN NUMBER	553072
LOCATION	17S.35E.7.3.4.2			Livestock	

4. HYDROGEOLOGIC LOG OF WELL

LOCATION

Appendix C – Photographic Log

DCP Operating Company, LP

UU Line Leak_nAPP2218244166





DCP Operating Company, LP

UU Line Leak_nAPP2218244166



DCP Operating Company, LP

UU Line Leak_nAPP2218244166



DCP Operating Company, LP

UU Line Leak_nAPP2218244166



DCP Operating Company, LP

UU Line Leak_nAPP2218244166



DCP Operating Company, LP

UU Line Leak_nAPP2218244166



Appendix D – Certified Laboratory Analytical Reports



Environment Testing

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

ANALYTICAL REPORT

PREPARED FOR

Attn: Kyle Norman
Tasman Geosciences Inc
2620 W. Marland Blvd.
Hobbs, New Mexico 88240

Generated 5/8/2026 4:38:13 PM

JOB DESCRIPTION

3228_UU Line Leak
3228

JOB NUMBER

880-71693-1

Eurofins Midland
1211 W. Florida Ave
Midland TX 79701

Released to Imaging: 8/7/2026 5:12:00 PM



Eurofins Midland

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

Analytical test results meet all requirements of the associated regulatory program (i.e., NELAC (TNI), DoD, and ISO 17025) unless otherwise noted under the individual analysis.

Authorization



Generated
5/8/2026 4:38:13 PM

Authorized for release by
Jessica Kramer, Project Manager
Jessica.Kramer@et.eurofinsus.com
(432)704-5440

Client: Tasman Geosciences Inc
Project/Site: 3228_UU Line Leak

Laboratory Job ID: 880-71693-1
SDG: 3228

Table of Contents

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	5
Client Sample Results	7
Surrogate Summary	21
QC Sample Results	23
QC Association Summary	28
Lab Chronicle	33
Certification Summary	39
Method Summary	40
Sample Summary	41
Chain of Custody	42
Receipt Checklists	45

1

2

3

4

5

6

7

8

9

10

11

12

13

14

Definitions/Glossary

Client: Tasman Geosciences Inc
Project/Site: 3228_UU Line Leak

Job ID: 880-71693-1
SDG: 3228

Qualifiers

GC VOA

Qualifier	Qualifier Description
F1	MS and/or MSD recovery exceeds control limits.
U	Indicates the analyte was analyzed for but not detected.

GC Semi VOA

Qualifier	Qualifier Description
S1+	Surrogate recovery exceeds control limits, high biased.
U	Indicates the analyte was analyzed for but not detected.

HPLC/IC

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: Tasman Geosciences Inc
Project: 3228_UU Line Leak

Job ID: 880-71693-1

Job ID: 880-71693-1

Eurofins Midland

Job Narrative 880-71693-1

The analytical test results presented in this report meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page, unless otherwise noted. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable. Regulated compliance samples (e.g. SDWA, NPDES) must comply with associated agency requirements/permits.

- Matrix-specific batch QC (e.g., MS, MSD, SD) may not be reported when insufficient sample volume is available or when site-specific QC samples are not submitted. In such cases, a Laboratory Control Sample Duplicate (LCSD) may be analyzed to provide precision data for the batch.
- For samples analyzed using surrogate and/or isotope dilution analytes, any recoveries falling outside of established acceptance criteria are re-prepared and/or re-analyzed to confirm results, unless the deviation is due to sample dilution or otherwise explained in the case narrative.

Receipt

The samples were received on 4/30/2026 3:10 PM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 4.4°C.

Receipt Exceptions

The following samples were received and analyzed from an unpreserved bulk soil jar: FL-1 (880-71693-1), FL-2 (880-71693-2), FL-3 (880-71693-3), FL-4 (880-71693-4), FL-5 (880-71693-5), FL-6 (880-71693-6), FL-7 (880-71693-7), FL-8 (880-71693-8), FL-9 (880-71693-9), FL-10 (880-71693-10), W-1 (880-71693-11), W-2 (880-71693-12), W-3 (880-71693-13), W-4 (880-71693-14), W-5 (880-71693-15), W-6 (880-71693-16), W-7 (880-71693-17), W-8 (880-71693-18), W-9 (880-71693-19), W-10 (880-71693-20) and W-11 (880-71693-21).

GC VOA

Method 8021B: The matrix spike / matrix spike duplicate (MS/MSD) recoveries for preparation batch 880-139934 and analytical batch 880-140240 were outside control limits for one or more analytes. See QC Sample Results for detail. Sample matrix interference and/or non-homogeneity are suspected because the associated laboratory control sample (LCS) recovery is within acceptance limits.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Diesel Range Organics

Method 8015B NM: The continuing calibration verification (CCV) associated with batch 880-140108 recovered above the upper control limit for Diesel Range Organics (Over C10-C28). An acceptable CCV was ran within the 12 hour window, therefore the data has been qualified and reported. The associated sample is:(CCV 880-140108/110).

Method 8015B NM: Surrogate recovery for the following samples were outside control limits: (LCS 880-139609/2-A), (LCSD 880-139609/3-A), (880-71691-A-6-B MS) and (880-71691-A-6-C MSD). Evidence of matrix interferences is not obvious.

Method 8015B NM: The surrogate recovery for the blank associated with preparation batch 880-139609 and analytical batch 880-140108 was outside the upper control limits.

Method 8015B NM: Surrogate recovery for the following samples were outside control limits: FL-1 (880-71693-1), FL-2 (880-71693-2), FL-3 (880-71693-3) and (880-71691-A-6-A). Evidence of matrix interferences is not obvious.

Method 8015B NM: Surrogate recovery for the following samples were outside control limits: FL-5 (880-71693-5) and FL-6 (880-71693-6). Evidence of matrix interferences is not obvious.

Method 8015B NM: Surrogate recovery for the following samples were outside control limits: FL-8 (880-71693-8), FL-9 (880-71693-9), FL-10 (880-71693-10), W-2 (880-71693-12) and W-6 (880-71693-16). Evidence of matrix interferences is not obvious.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

HPLC/IC

Method 300.0 - Soluble: The matrix spike / matrix spike duplicate (MS/MSD) recoveries for preparation batch 880-139678 and

Eurofins Midland

Case Narrative

Client: Tasman Geosciences Inc

Project: 3228_UU Line Leak

Job ID: 880-71693-1

Job ID: 880-71693-1 (Continued)

Eurofins Midland

analytical batch 880-139754 were outside control limits for Chloride . See QC Sample Results for detail. Sample matrix interference and/or non-homogeneity are suspected because the associated laboratory control sample (LCS) recovery is within acceptance limits.

The associated samples are: FL-1 (880-71693-1), FL-2 (880-71693-2), FL-3 (880-71693-3), (880-71691-A-1-B), (880-71691-A-1-C MS) and (880-71691-A-1-D MSD).

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Midland

1
2
3
4
5
6
7
8
9
10
11
12
13
14

Client Sample Results

Client: Tasman Geosciences Inc
Project/Site: 3228_UU Line Leak

Job ID: 880-71693-1
SDG: 3228

Client Sample ID: FL-1

Lab Sample ID: 880-71693-1

Date Collected: 04/30/26 11:28

Matrix: Solid

Date Received: 04/30/26 15:10

Sample Depth: 6'

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00138	U F1	0.00198	0.00138	mg/Kg	-	05/05/26 11:49	05/08/26 06:53	1
Toluene	<0.00198	U F1	0.00198	0.00198	mg/Kg	-	05/05/26 11:49	05/08/26 06:53	1
Ethylbenzene	<0.00108	U F1	0.00198	0.00108	mg/Kg	-	05/05/26 11:49	05/08/26 06:53	1
m-Xylene & p-Xylene	<0.00227	U F1	0.00397	0.00227	mg/Kg	-	05/05/26 11:49	05/08/26 06:53	1
o-Xylene	<0.00157	U F1	0.00198	0.00157	mg/Kg	-	05/05/26 11:49	05/08/26 06:53	1
Xylenes, Total	<0.00227	U F1	0.00397	0.00227	mg/Kg	-	05/05/26 11:49	05/08/26 06:53	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	107		70 - 130	05/05/26 11:49	05/08/26 06:53	1
1,4-Difluorobenzene (Surr)	107		70 - 130	05/05/26 11:49	05/08/26 06:53	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00227	U	0.00397	0.00227	mg/Kg	-		05/08/26 06:53	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<15.1	U	49.8	15.1	mg/Kg	-		05/07/26 07:19	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<14.5	U	49.8	14.5	mg/Kg	-	05/01/26 09:57	05/07/26 07:19	1
Diesel Range Organics (Over C10-C28)	<15.1	U	49.8	15.1	mg/Kg	-	05/01/26 09:57	05/07/26 07:19	1
Oil Range Organics (Over C28-C36)	<15.1	U	49.8	15.1	mg/Kg	-	05/01/26 09:57	05/07/26 07:19	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	143	S1+	70 - 130	05/01/26 09:57	05/07/26 07:19	1
o-Terphenyl	146	S1+	70 - 130	05/01/26 09:57	05/07/26 07:19	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	5.08	J	10.1	0.398	mg/Kg	-		05/04/26 21:05	1

Client Sample ID: FL-2

Lab Sample ID: 880-71693-2

Date Collected: 04/30/26 11:32

Matrix: Solid

Date Received: 04/30/26 15:10

Sample Depth: 6'

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00141	U	0.00202	0.00141	mg/Kg	-	05/05/26 11:49	05/08/26 07:13	1
Toluene	<0.00202	U	0.00202	0.00202	mg/Kg	-	05/05/26 11:49	05/08/26 07:13	1
Ethylbenzene	<0.00110	U	0.00202	0.00110	mg/Kg	-	05/05/26 11:49	05/08/26 07:13	1
m-Xylene & p-Xylene	<0.00231	U	0.00404	0.00231	mg/Kg	-	05/05/26 11:49	05/08/26 07:13	1
o-Xylene	<0.00160	U	0.00202	0.00160	mg/Kg	-	05/05/26 11:49	05/08/26 07:13	1
Xylenes, Total	<0.00231	U	0.00404	0.00231	mg/Kg	-	05/05/26 11:49	05/08/26 07:13	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	94		70 - 130	05/05/26 11:49	05/08/26 07:13	1

Eurofins Midland

Client Sample Results

Client: Tasman Geosciences Inc
Project/Site: 3228_UU Line Leak

Job ID: 880-71693-1
SDG: 3228

Client Sample ID: FL-2

Lab Sample ID: 880-71693-2

Date Collected: 04/30/26 11:32

Matrix: Solid

Date Received: 04/30/26 15:10

Sample Depth: 6'

Method: SW846 8021B - Volatile Organic Compounds (GC) (Continued)

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,4-Difluorobenzene (Surr)	86		70 - 130	05/05/26 11:49	05/08/26 07:13	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00231	U	0.00404	0.00231	mg/Kg			05/08/26 07:13	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<15.1	U	49.9	15.1	mg/Kg			05/07/26 07:39	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<14.5	U	49.9	14.5	mg/Kg		05/01/26 09:57	05/07/26 07:39	1
Diesel Range Organics (Over C10-C28)	<15.1	U	49.9	15.1	mg/Kg		05/01/26 09:57	05/07/26 07:39	1
Oil Range Organics (Over C28-C36)	<15.1	U	49.9	15.1	mg/Kg		05/01/26 09:57	05/07/26 07:39	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	112		70 - 130				05/01/26 09:57	05/07/26 07:39	1
o-Terphenyl	115		70 - 130				05/01/26 09:57	05/07/26 07:39	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	3.28	J	9.96	0.393	mg/Kg			05/04/26 21:10	1

Client Sample ID: FL-3

Lab Sample ID: 880-71693-3

Date Collected: 04/30/26 11:44

Matrix: Solid

Date Received: 04/30/26 15:10

Sample Depth: 6'

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00138	U	0.00199	0.00138	mg/Kg		05/05/26 11:49	05/08/26 07:34	1
Toluene	<0.00199	U	0.00199	0.00199	mg/Kg		05/05/26 11:49	05/08/26 07:34	1
Ethylbenzene	<0.00108	U	0.00199	0.00108	mg/Kg		05/05/26 11:49	05/08/26 07:34	1
m-Xylene & p-Xylene	<0.00227	U	0.00398	0.00227	mg/Kg		05/05/26 11:49	05/08/26 07:34	1
o-Xylene	<0.00157	U	0.00199	0.00157	mg/Kg		05/05/26 11:49	05/08/26 07:34	1
Xylenes, Total	<0.00227	U	0.00398	0.00227	mg/Kg		05/05/26 11:49	05/08/26 07:34	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	108		70 - 130	05/05/26 11:49	05/08/26 07:34	1
1,4-Difluorobenzene (Surr)	106		70 - 130	05/05/26 11:49	05/08/26 07:34	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00227	U	0.00398	0.00227	mg/Kg			05/08/26 07:34	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<15.1	U	50.1	15.1	mg/Kg			05/07/26 07:59	1

Eurofins Midland

Client Sample Results

Client: Tasman Geosciences Inc
Project/Site: 3228_UU Line Leak

Job ID: 880-71693-1
SDG: 3228

Client Sample ID: FL-3

Lab Sample ID: 880-71693-3

Date Collected: 04/30/26 11:44

Matrix: Solid

Date Received: 04/30/26 15:10

Sample Depth: 6'

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<14.5	U	50.1	14.5	mg/Kg		05/01/26 09:57	05/07/26 07:59	1
Diesel Range Organics (Over C10-C28)	<15.1	U	50.1	15.1	mg/Kg		05/01/26 09:57	05/07/26 07:59	1
Oil Range Organics (Over C28-C36)	<15.1	U	50.1	15.1	mg/Kg		05/01/26 09:57	05/07/26 07:59	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	135	S1+	70 - 130				05/01/26 09:57	05/07/26 07:59	1
o-Terphenyl	137	S1+	70 - 130				05/01/26 09:57	05/07/26 07:59	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	2.90	J	9.92	0.392	mg/Kg			05/04/26 21:14	1

Client Sample ID: FL-4

Lab Sample ID: 880-71693-4

Date Collected: 04/30/26 11:06

Matrix: Solid

Date Received: 04/30/26 15:10

Sample Depth: 6'

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00139	U	0.00200	0.00139	mg/Kg		05/05/26 11:49	05/08/26 07:54	1
Toluene	<0.00200	U	0.00200	0.00200	mg/Kg		05/05/26 11:49	05/08/26 07:54	1
Ethylbenzene	<0.00109	U	0.00200	0.00109	mg/Kg		05/05/26 11:49	05/08/26 07:54	1
m-Xylene & p-Xylene	<0.00228	U	0.00399	0.00228	mg/Kg		05/05/26 11:49	05/08/26 07:54	1
o-Xylene	<0.00158	U	0.00200	0.00158	mg/Kg		05/05/26 11:49	05/08/26 07:54	1
Xylenes, Total	<0.00228	U	0.00399	0.00228	mg/Kg		05/05/26 11:49	05/08/26 07:54	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	100		70 - 130				05/05/26 11:49	05/08/26 07:54	1
1,4-Difluorobenzene (Surr)	106		70 - 130				05/05/26 11:49	05/08/26 07:54	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00228	U	0.00399	0.00228	mg/Kg			05/08/26 07:54	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<15.2	U	50.1	15.2	mg/Kg			05/07/26 08:19	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<14.6	U	50.1	14.6	mg/Kg		05/01/26 09:57	05/07/26 08:19	1
Diesel Range Organics (Over C10-C28)	<15.2	U	50.1	15.2	mg/Kg		05/01/26 09:57	05/07/26 08:19	1
Oil Range Organics (Over C28-C36)	<15.2	U	50.1	15.2	mg/Kg		05/01/26 09:57	05/07/26 08:19	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	122		70 - 130				05/01/26 09:57	05/07/26 08:19	1
o-Terphenyl	129		70 - 130				05/01/26 09:57	05/07/26 08:19	1

Eurofins Midland

Client Sample Results

Client: Tasman Geosciences Inc
Project/Site: 3228_UU Line Leak

Job ID: 880-71693-1
SDG: 3228

Client Sample ID: FL-4

Lab Sample ID: 880-71693-4

Date Collected: 04/30/26 11:06

Matrix: Solid

Date Received: 04/30/26 15:10

Sample Depth: 6'

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<0.393	U	9.96	0.393	mg/Kg			05/04/26 15:03	1

Client Sample ID: FL-5

Lab Sample ID: 880-71693-5

Date Collected: 04/30/26 11:16

Matrix: Solid

Date Received: 04/30/26 15:10

Sample Depth: 6'

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00140	U	0.00201	0.00140	mg/Kg		05/05/26 11:49	05/08/26 08:15	1
Toluene	<0.00201	U	0.00201	0.00201	mg/Kg		05/05/26 11:49	05/08/26 08:15	1
Ethylbenzene	<0.00109	U	0.00201	0.00109	mg/Kg		05/05/26 11:49	05/08/26 08:15	1
m-Xylene & p-Xylene	<0.00229	U	0.00402	0.00229	mg/Kg		05/05/26 11:49	05/08/26 08:15	1
o-Xylene	<0.00159	U	0.00201	0.00159	mg/Kg		05/05/26 11:49	05/08/26 08:15	1
Xylenes, Total	<0.00229	U	0.00402	0.00229	mg/Kg		05/05/26 11:49	05/08/26 08:15	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	110		70 - 130				05/05/26 11:49	05/08/26 08:15	1
1,4-Difluorobenzene (Surr)	106		70 - 130				05/05/26 11:49	05/08/26 08:15	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00229	U	0.00402	0.00229	mg/Kg			05/08/26 08:15	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<15.1	U	50.1	15.1	mg/Kg			05/07/26 08:39	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<14.5	U	50.1	14.5	mg/Kg		05/01/26 09:57	05/07/26 08:39	1
Diesel Range Organics (Over C10-C28)	<15.1	U	50.1	15.1	mg/Kg		05/01/26 09:57	05/07/26 08:39	1
Oil Range Organics (Over C28-C36)	<15.1	U	50.1	15.1	mg/Kg		05/01/26 09:57	05/07/26 08:39	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	135	S1+	70 - 130				05/01/26 09:57	05/07/26 08:39	1
o-Terphenyl	128		70 - 130				05/01/26 09:57	05/07/26 08:39	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	6.35	J	9.96	0.393	mg/Kg			05/04/26 15:18	1

Eurofins Midland

Client Sample Results

Client: Tasman Geosciences Inc
Project/Site: 3228_UU Line Leak

Job ID: 880-71693-1
SDG: 3228

Client Sample ID: FL-6

Lab Sample ID: 880-71693-6

Date Collected: 04/30/26 11:40

Matrix: Solid

Date Received: 04/30/26 15:10

Sample Depth: 6'

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00141	U	0.00202	0.00141	mg/Kg	-	05/05/26 11:49	05/08/26 08:35	1
Toluene	<0.00202	U	0.00202	0.00202	mg/Kg	-	05/05/26 11:49	05/08/26 08:35	1
Ethylbenzene	<0.00110	U	0.00202	0.00110	mg/Kg	-	05/05/26 11:49	05/08/26 08:35	1
m-Xylene & p-Xylene	<0.00231	U	0.00404	0.00231	mg/Kg	-	05/05/26 11:49	05/08/26 08:35	1
o-Xylene	<0.00160	U	0.00202	0.00160	mg/Kg	-	05/05/26 11:49	05/08/26 08:35	1
Xylenes, Total	<0.00231	U	0.00404	0.00231	mg/Kg	-	05/05/26 11:49	05/08/26 08:35	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	91		70 - 130	05/05/26 11:49	05/08/26 08:35	1
1,4-Difluorobenzene (Surr)	94		70 - 130	05/05/26 11:49	05/08/26 08:35	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00231	U	0.00404	0.00231	mg/Kg	-		05/08/26 08:35	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<15.1	U	50.0	15.1	mg/Kg	-		05/07/26 08:59	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<14.5	U	50.0	14.5	mg/Kg	-	05/01/26 09:57	05/07/26 08:59	1
Diesel Range Organics (Over C10-C28)	<15.1	U	50.0	15.1	mg/Kg	-	05/01/26 09:57	05/07/26 08:59	1
Oil Range Organics (Over C28-C36)	<15.1	U	50.0	15.1	mg/Kg	-	05/01/26 09:57	05/07/26 08:59	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	133	S1+	70 - 130	05/01/26 09:57	05/07/26 08:59	1
o-Terphenyl	133	S1+	70 - 130	05/01/26 09:57	05/07/26 08:59	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	17.3		9.92	0.392	mg/Kg	-		05/04/26 15:23	1

Client Sample ID: FL-7

Lab Sample ID: 880-71693-7

Date Collected: 04/30/26 11:53

Matrix: Solid

Date Received: 04/30/26 15:10

Sample Depth: 6'

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00138	U	0.00199	0.00138	mg/Kg	-	05/05/26 11:49	05/08/26 08:56	1
Toluene	<0.00199	U	0.00199	0.00199	mg/Kg	-	05/05/26 11:49	05/08/26 08:56	1
Ethylbenzene	<0.00108	U	0.00199	0.00108	mg/Kg	-	05/05/26 11:49	05/08/26 08:56	1
m-Xylene & p-Xylene	<0.00227	U	0.00398	0.00227	mg/Kg	-	05/05/26 11:49	05/08/26 08:56	1
o-Xylene	<0.00157	U	0.00199	0.00157	mg/Kg	-	05/05/26 11:49	05/08/26 08:56	1
Xylenes, Total	<0.00227	U	0.00398	0.00227	mg/Kg	-	05/05/26 11:49	05/08/26 08:56	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	104		70 - 130	05/05/26 11:49	05/08/26 08:56	1

Eurofins Midland

Client Sample Results

Client: Tasman Geosciences Inc
Project/Site: 3228_UU Line Leak

Job ID: 880-71693-1
SDG: 3228

Client Sample ID: FL-7

Lab Sample ID: 880-71693-7

Date Collected: 04/30/26 11:53

Matrix: Solid

Date Received: 04/30/26 15:10

Sample Depth: 6'

Method: SW846 8021B - Volatile Organic Compounds (GC) (Continued)

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,4-Difluorobenzene (Surr)	105		70 - 130	05/05/26 11:49	05/08/26 08:56	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00227	U	0.00398	0.00227	mg/Kg			05/08/26 08:56	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<15.1	U	49.8	15.1	mg/Kg			05/07/26 09:20	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<14.5	U	49.8	14.5	mg/Kg	-	05/01/26 09:57	05/07/26 09:20	1
Diesel Range Organics (Over C10-C28)	<15.1	U	49.8	15.1	mg/Kg		05/01/26 09:57	05/07/26 09:20	1
Oil Range Organics (Over C28-C36)	<15.1	U	49.8	15.1	mg/Kg		05/01/26 09:57	05/07/26 09:20	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	119		70 - 130				05/01/26 09:57	05/07/26 09:20	1
o-Terphenyl	125		70 - 130				05/01/26 09:57	05/07/26 09:20	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	2.48	J	9.92	0.392	mg/Kg			05/04/26 15:28	1

Client Sample ID: FL-8

Lab Sample ID: 880-71693-8

Date Collected: 04/30/26 10:55

Matrix: Solid

Date Received: 04/30/26 15:10

Sample Depth: 6'

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00139	U	0.00200	0.00139	mg/Kg		05/05/26 11:49	05/08/26 09:16	1
Toluene	<0.00200	U	0.00200	0.00200	mg/Kg		05/05/26 11:49	05/08/26 09:16	1
Ethylbenzene	<0.00109	U	0.00200	0.00109	mg/Kg		05/05/26 11:49	05/08/26 09:16	1
m-Xylene & p-Xylene	<0.00229	U	0.00400	0.00229	mg/Kg		05/05/26 11:49	05/08/26 09:16	1
o-Xylene	<0.00158	U	0.00200	0.00158	mg/Kg		05/05/26 11:49	05/08/26 09:16	1
Xylenes, Total	<0.00229	U	0.00400	0.00229	mg/Kg		05/05/26 11:49	05/08/26 09:16	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	103		70 - 130	05/05/26 11:49	05/08/26 09:16	1
1,4-Difluorobenzene (Surr)	98		70 - 130	05/05/26 11:49	05/08/26 09:16	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00229	U	0.00400	0.00229	mg/Kg			05/08/26 09:16	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<15.1	U	49.9	15.1	mg/Kg			05/07/26 09:40	1

Eurofins Midland

Client Sample Results

Client: Tasman Geosciences Inc
Project/Site: 3228_UU Line Leak

Job ID: 880-71693-1
SDG: 3228

Client Sample ID: FL-8

Lab Sample ID: 880-71693-8

Date Collected: 04/30/26 10:55

Matrix: Solid

Date Received: 04/30/26 15:10

Sample Depth: 6'

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<14.5	U	49.9	14.5	mg/Kg		05/01/26 09:57	05/07/26 09:40	1
Diesel Range Organics (Over C10-C28)	<15.1	U	49.9	15.1	mg/Kg		05/01/26 09:57	05/07/26 09:40	1
Oil Range Organics (Over C28-C36)	<15.1	U	49.9	15.1	mg/Kg		05/01/26 09:57	05/07/26 09:40	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	134	S1+	70 - 130				05/01/26 09:57	05/07/26 09:40	1
o-Terphenyl	128		70 - 130				05/01/26 09:57	05/07/26 09:40	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	24.4		9.98	0.394	mg/Kg			05/04/26 15:33	1

Client Sample ID: FL-9

Lab Sample ID: 880-71693-9

Date Collected: 04/30/26 10:47

Matrix: Solid

Date Received: 04/30/26 15:10

Sample Depth: 7'

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00139	U	0.00200	0.00139	mg/Kg		05/05/26 11:49	05/08/26 09:37	1
Toluene	<0.00200	U	0.00200	0.00200	mg/Kg		05/05/26 11:49	05/08/26 09:37	1
Ethylbenzene	<0.00109	U	0.00200	0.00109	mg/Kg		05/05/26 11:49	05/08/26 09:37	1
m-Xylene & p-Xylene	<0.00228	U	0.00399	0.00228	mg/Kg		05/05/26 11:49	05/08/26 09:37	1
o-Xylene	<0.00158	U	0.00200	0.00158	mg/Kg		05/05/26 11:49	05/08/26 09:37	1
Xylenes, Total	<0.00228	U	0.00399	0.00228	mg/Kg		05/05/26 11:49	05/08/26 09:37	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	101		70 - 130				05/05/26 11:49	05/08/26 09:37	1
1,4-Difluorobenzene (Surr)	103		70 - 130				05/05/26 11:49	05/08/26 09:37	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00228	U	0.00399	0.00228	mg/Kg			05/08/26 09:37	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	372		49.9	15.1	mg/Kg			05/07/26 10:20	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<14.5	U	49.9	14.5	mg/Kg		05/01/26 09:57	05/07/26 10:20	1
Diesel Range Organics (Over C10-C28)	372		49.9	15.1	mg/Kg		05/01/26 09:57	05/07/26 10:20	1
Oil Range Organics (Over C28-C36)	<15.1	U	49.9	15.1	mg/Kg		05/01/26 09:57	05/07/26 10:20	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	134	S1+	70 - 130				05/01/26 09:57	05/07/26 10:20	1
o-Terphenyl	159	S1+	70 - 130				05/01/26 09:57	05/07/26 10:20	1

Eurofins Midland

Client Sample Results

Client: Tasman Geosciences Inc
Project/Site: 3228_UU Line Leak

Job ID: 880-71693-1
SDG: 3228

Client Sample ID: FL-9

Lab Sample ID: 880-71693-9

Date Collected: 04/30/26 10:47

Matrix: Solid

Date Received: 04/30/26 15:10

Sample Depth: 7'

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	4.30	J	10.0	0.397	mg/Kg			05/04/26 15:47	1

Client Sample ID: FL-10

Lab Sample ID: 880-71693-10

Date Collected: 04/30/26 10:19

Matrix: Solid

Date Received: 04/30/26 15:10

Sample Depth: 17'

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00140	U	0.00201	0.00140	mg/Kg		05/05/26 11:49	05/08/26 09:57	1
Toluene	<0.00201	U	0.00201	0.00201	mg/Kg		05/05/26 11:49	05/08/26 09:57	1
Ethylbenzene	<0.00109	U	0.00201	0.00109	mg/Kg		05/05/26 11:49	05/08/26 09:57	1
m-Xylene & p-Xylene	<0.00229	U	0.00402	0.00229	mg/Kg		05/05/26 11:49	05/08/26 09:57	1
o-Xylene	<0.00159	U	0.00201	0.00159	mg/Kg		05/05/26 11:49	05/08/26 09:57	1
Xylenes, Total	<0.00229	U	0.00402	0.00229	mg/Kg		05/05/26 11:49	05/08/26 09:57	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	104		70 - 130				05/05/26 11:49	05/08/26 09:57	1
1,4-Difluorobenzene (Surr)	102		70 - 130				05/05/26 11:49	05/08/26 09:57	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00229	U	0.00402	0.00229	mg/Kg			05/08/26 09:57	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<15.1	U	50.0	15.1	mg/Kg			05/07/26 10:41	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<14.5	U	50.0	14.5	mg/Kg		05/01/26 09:57	05/07/26 10:41	1
Diesel Range Organics (Over C10-C28)	<15.1	U	50.0	15.1	mg/Kg		05/01/26 09:57	05/07/26 10:41	1
Oil Range Organics (Over C28-C36)	<15.1	U	50.0	15.1	mg/Kg		05/01/26 09:57	05/07/26 10:41	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	113		70 - 130				05/01/26 09:57	05/07/26 10:41	1
o-Terphenyl	156	S1+	70 - 130				05/01/26 09:57	05/07/26 10:41	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	2.12	J	10.1	0.398	mg/Kg			05/04/26 15:52	1

Client Sample ID: W-1

Lab Sample ID: 880-71693-11

Date Collected: 04/30/26 11:46

Matrix: Solid

Date Received: 04/30/26 15:10

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00141	U	0.00202	0.00141	mg/Kg		05/05/26 11:49	05/08/26 11:31	1

Eurofins Midland

Client Sample Results

Client: Tasman Geosciences Inc
Project/Site: 3228_UU Line Leak

Job ID: 880-71693-1
SDG: 3228

Client Sample ID: W-1

Lab Sample ID: 880-71693-11

Date Collected: 04/30/26 11:46

Matrix: Solid

Date Received: 04/30/26 15:10

Method: SW846 8021B - Volatile Organic Compounds (GC) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Toluene	<0.00202	U	0.00202	0.00202	mg/Kg		05/05/26 11:49	05/08/26 11:31	1
Ethylbenzene	<0.00110	U	0.00202	0.00110	mg/Kg		05/05/26 11:49	05/08/26 11:31	1
m-Xylene & p-Xylene	<0.00231	U	0.00404	0.00231	mg/Kg		05/05/26 11:49	05/08/26 11:31	1
o-Xylene	<0.00160	U	0.00202	0.00160	mg/Kg		05/05/26 11:49	05/08/26 11:31	1
Xylenes, Total	<0.00231	U	0.00404	0.00231	mg/Kg		05/05/26 11:49	05/08/26 11:31	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	108		70 - 130	05/05/26 11:49	05/08/26 11:31	1
1,4-Difluorobenzene (Surr)	103		70 - 130	05/05/26 11:49	05/08/26 11:31	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00231	U	0.00404	0.00231	mg/Kg			05/08/26 11:31	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<15.1	U	49.8	15.1	mg/Kg			05/07/26 11:01	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<14.5	U	49.8	14.5	mg/Kg		05/01/26 09:57	05/07/26 11:01	1
Diesel Range Organics (Over C10-C28)	<15.1	U	49.8	15.1	mg/Kg		05/01/26 09:57	05/07/26 11:01	1
Oil Range Organics (Over C28-C36)	<15.1	U	49.8	15.1	mg/Kg		05/01/26 09:57	05/07/26 11:01	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	112		70 - 130				05/01/26 09:57	05/07/26 11:01	1
o-Terphenyl	122		70 - 130				05/01/26 09:57	05/07/26 11:01	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	16.6		9.94	0.393	mg/Kg			05/04/26 15:57	1

Client Sample ID: W-2

Lab Sample ID: 880-71693-12

Date Collected: 04/30/26 11:52

Matrix: Solid

Date Received: 04/30/26 15:10

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00138	U	0.00199	0.00138	mg/Kg		05/05/26 11:49	05/08/26 11:52	1
Toluene	<0.00199	U	0.00199	0.00199	mg/Kg		05/05/26 11:49	05/08/26 11:52	1
Ethylbenzene	<0.00108	U	0.00199	0.00108	mg/Kg		05/05/26 11:49	05/08/26 11:52	1
m-Xylene & p-Xylene	<0.00227	U	0.00398	0.00227	mg/Kg		05/05/26 11:49	05/08/26 11:52	1
o-Xylene	<0.00157	U	0.00199	0.00157	mg/Kg		05/05/26 11:49	05/08/26 11:52	1
Xylenes, Total	<0.00227	U	0.00398	0.00227	mg/Kg		05/05/26 11:49	05/08/26 11:52	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	95		70 - 130	05/05/26 11:49	05/08/26 11:52	1
1,4-Difluorobenzene (Surr)	80		70 - 130	05/05/26 11:49	05/08/26 11:52	1

Eurofins Midland

Client Sample Results

Client: Tasman Geosciences Inc
Project/Site: 3228_UU Line Leak

Job ID: 880-71693-1
SDG: 3228

Client Sample ID: W-2

Lab Sample ID: 880-71693-12

Date Collected: 04/30/26 11:52

Matrix: Solid

Date Received: 04/30/26 15:10

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00227	U	0.00398	0.00227	mg/Kg			05/08/26 11:52	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<15.1	U	49.9	15.1	mg/Kg			05/07/26 11:21	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<14.5	U	49.9	14.5	mg/Kg		05/01/26 09:57	05/07/26 11:21	1
Diesel Range Organics (Over C10-C28)	<15.1	U	49.9	15.1	mg/Kg		05/01/26 09:57	05/07/26 11:21	1
Oil Range Organics (Over C28-C36)	<15.1	U	49.9	15.1	mg/Kg		05/01/26 09:57	05/07/26 11:21	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	128		70 - 130				05/01/26 09:57	05/07/26 11:21	1
o-Terphenyl	133	S1+	70 - 130				05/01/26 09:57	05/07/26 11:21	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	9.57	J	9.92	0.392	mg/Kg			05/04/26 16:02	1

Client Sample ID: W-3

Lab Sample ID: 880-71693-13

Date Collected: 04/30/26 11:54

Matrix: Solid

Date Received: 04/30/26 15:10

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00139	U	0.00200	0.00139	mg/Kg		05/05/26 11:49	05/08/26 12:12	1
Toluene	<0.00200	U	0.00200	0.00200	mg/Kg		05/05/26 11:49	05/08/26 12:12	1
Ethylbenzene	<0.00109	U	0.00200	0.00109	mg/Kg		05/05/26 11:49	05/08/26 12:12	1
m-Xylene & p-Xylene	<0.00228	U	0.00399	0.00228	mg/Kg		05/05/26 11:49	05/08/26 12:12	1
o-Xylene	<0.00158	U	0.00200	0.00158	mg/Kg		05/05/26 11:49	05/08/26 12:12	1
Xylenes, Total	<0.00228	U	0.00399	0.00228	mg/Kg		05/05/26 11:49	05/08/26 12:12	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	94		70 - 130				05/05/26 11:49	05/08/26 12:12	1
1,4-Difluorobenzene (Surr)	89		70 - 130				05/05/26 11:49	05/08/26 12:12	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00228	U	0.00399	0.00228	mg/Kg			05/08/26 12:12	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<15.1	U	50.0	15.1	mg/Kg			05/07/26 11:42	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<14.5	U	50.0	14.5	mg/Kg		05/01/26 09:57	05/07/26 11:42	1
Diesel Range Organics (Over C10-C28)	<15.1	U	50.0	15.1	mg/Kg		05/01/26 09:57	05/07/26 11:42	1

Eurofins Midland

Client Sample Results

Client: Tasman Geosciences Inc
Project/Site: 3228_UU Line Leak

Job ID: 880-71693-1
SDG: 3228

Client Sample ID: W-3

Lab Sample ID: 880-71693-13

Date Collected: 04/30/26 11:54

Matrix: Solid

Date Received: 04/30/26 15:10

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Oil Range Organics (Over C28-C36)	<15.1	U	50.0	15.1	mg/Kg		05/01/26 09:57	05/07/26 11:42	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	127		70 - 130				05/01/26 09:57	05/07/26 11:42	1
o-Terphenyl	126		70 - 130				05/01/26 09:57	05/07/26 11:42	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	5.48	J	9.92	0.392	mg/Kg			05/04/26 16:07	1

Client Sample ID: W-4

Lab Sample ID: 880-71693-14

Date Collected: 04/30/26 11:56

Matrix: Solid

Date Received: 04/30/26 15:10

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00139	U	0.00200	0.00139	mg/Kg		05/05/26 11:49	05/08/26 12:32	1
Toluene	<0.00200	U	0.00200	0.00200	mg/Kg		05/05/26 11:49	05/08/26 12:32	1
Ethylbenzene	<0.00109	U	0.00200	0.00109	mg/Kg		05/05/26 11:49	05/08/26 12:32	1
m-Xylene & p-Xylene	<0.00229	U	0.00401	0.00229	mg/Kg		05/05/26 11:49	05/08/26 12:32	1
o-Xylene	<0.00159	U	0.00200	0.00159	mg/Kg		05/05/26 11:49	05/08/26 12:32	1
Xylenes, Total	<0.00229	U	0.00401	0.00229	mg/Kg		05/05/26 11:49	05/08/26 12:32	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	103		70 - 130				05/05/26 11:49	05/08/26 12:32	1
1,4-Difluorobenzene (Surr)	104		70 - 130				05/05/26 11:49	05/08/26 12:32	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00229	U	0.00401	0.00229	mg/Kg			05/08/26 12:32	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<15.1	U	49.8	15.1	mg/Kg			05/07/26 12:02	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<14.5	U	49.8	14.5	mg/Kg		05/01/26 09:57	05/07/26 12:02	1
Diesel Range Organics (Over C10-C28)	<15.1	U	49.8	15.1	mg/Kg		05/01/26 09:57	05/07/26 12:02	1
Oil Range Organics (Over C28-C36)	<15.1	U	49.8	15.1	mg/Kg		05/01/26 09:57	05/07/26 12:02	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	125		70 - 130				05/01/26 09:57	05/07/26 12:02	1
o-Terphenyl	126		70 - 130				05/01/26 09:57	05/07/26 12:02	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	55.7		9.98	0.394	mg/Kg			05/04/26 16:12	1

Eurofins Midland

Client Sample Results

Client: Tasman Geosciences Inc
Project/Site: 3228_UU Line Leak

Job ID: 880-71693-1
SDG: 3228

Client Sample ID: W-5

Lab Sample ID: 880-71693-15

Date Collected: 04/30/26 12:01

Matrix: Solid

Date Received: 04/30/26 15:10

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00138	U	0.00199	0.00138	mg/Kg	-	05/05/26 11:49	05/08/26 12:53	1
Toluene	<0.00199	U	0.00199	0.00199	mg/Kg	-	05/05/26 11:49	05/08/26 12:53	1
Ethylbenzene	<0.00108	U	0.00199	0.00108	mg/Kg	-	05/05/26 11:49	05/08/26 12:53	1
m-Xylene & p-Xylene	<0.00227	U	0.00398	0.00227	mg/Kg	-	05/05/26 11:49	05/08/26 12:53	1
o-Xylene	<0.00157	U	0.00199	0.00157	mg/Kg	-	05/05/26 11:49	05/08/26 12:53	1
Xylenes, Total	<0.00227	U	0.00398	0.00227	mg/Kg	-	05/05/26 11:49	05/08/26 12:53	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	111		70 - 130	05/05/26 11:49	05/08/26 12:53	1
1,4-Difluorobenzene (Surr)	104		70 - 130	05/05/26 11:49	05/08/26 12:53	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00227	U	0.00398	0.00227	mg/Kg	-		05/08/26 12:53	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<15.1	U	50.0	15.1	mg/Kg	-		05/07/26 12:22	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<14.5	U	50.0	14.5	mg/Kg	-	05/01/26 09:57	05/07/26 12:22	1
Diesel Range Organics (Over C10-C28)	<15.1	U	50.0	15.1	mg/Kg	-	05/01/26 09:57	05/07/26 12:22	1
Oil Range Organics (Over C28-C36)	<15.1	U	50.0	15.1	mg/Kg	-	05/01/26 09:57	05/07/26 12:22	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	119		70 - 130	05/01/26 09:57	05/07/26 12:22	1
o-Terphenyl	129		70 - 130	05/01/26 09:57	05/07/26 12:22	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	4.58	J	9.92	0.392	mg/Kg	-		05/04/26 16:27	1

Client Sample ID: W-6

Lab Sample ID: 880-71693-16

Date Collected: 04/30/26 10:50

Matrix: Solid

Date Received: 04/30/26 15:10

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00139	U	0.00200	0.00139	mg/Kg	-	05/05/26 11:49	05/08/26 13:13	1
Toluene	<0.00200	U	0.00200	0.00200	mg/Kg	-	05/05/26 11:49	05/08/26 13:13	1
Ethylbenzene	<0.00109	U	0.00200	0.00109	mg/Kg	-	05/05/26 11:49	05/08/26 13:13	1
m-Xylene & p-Xylene	<0.00229	U	0.00400	0.00229	mg/Kg	-	05/05/26 11:49	05/08/26 13:13	1
o-Xylene	<0.00158	U	0.00200	0.00158	mg/Kg	-	05/05/26 11:49	05/08/26 13:13	1
Xylenes, Total	<0.00229	U	0.00400	0.00229	mg/Kg	-	05/05/26 11:49	05/08/26 13:13	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	90		70 - 130	05/05/26 11:49	05/08/26 13:13	1
1,4-Difluorobenzene (Surr)	92		70 - 130	05/05/26 11:49	05/08/26 13:13	1

Eurofins Midland

Client Sample Results

Client: Tasman Geosciences Inc
Project/Site: 3228_UU Line Leak

Job ID: 880-71693-1
SDG: 3228

Client Sample ID: W-6

Lab Sample ID: 880-71693-16

Date Collected: 04/30/26 10:50

Matrix: Solid

Date Received: 04/30/26 15:10

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00229	U	0.00400	0.00229	mg/Kg			05/08/26 13:13	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<15.1	U	49.9	15.1	mg/Kg			05/07/26 12:42	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<14.5	U	49.9	14.5	mg/Kg		05/01/26 09:57	05/07/26 12:42	1
Diesel Range Organics (Over C10-C28)	<15.1	U	49.9	15.1	mg/Kg		05/01/26 09:57	05/07/26 12:42	1
Oil Range Organics (Over C28-C36)	<15.1	U	49.9	15.1	mg/Kg		05/01/26 09:57	05/07/26 12:42	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	127		70 - 130				05/01/26 09:57	05/07/26 12:42	1
o-Terphenyl	137	S1+	70 - 130				05/01/26 09:57	05/07/26 12:42	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	30.6		10.0	0.397	mg/Kg			05/04/26 16:32	1

Client Sample ID: W-7

Lab Sample ID: 880-71693-17

Date Collected: 04/30/26 10:58

Matrix: Solid

Date Received: 04/30/26 15:10

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00139	U	0.00200	0.00139	mg/Kg		05/05/26 11:49	05/08/26 13:34	1
Toluene	<0.00200	U	0.00200	0.00200	mg/Kg		05/05/26 11:49	05/08/26 13:34	1
Ethylbenzene	<0.00109	U	0.00200	0.00109	mg/Kg		05/05/26 11:49	05/08/26 13:34	1
m-Xylene & p-Xylene	<0.00228	U	0.00399	0.00228	mg/Kg		05/05/26 11:49	05/08/26 13:34	1
o-Xylene	<0.00158	U	0.00200	0.00158	mg/Kg		05/05/26 11:49	05/08/26 13:34	1
Xylenes, Total	<0.00228	U	0.00399	0.00228	mg/Kg		05/05/26 11:49	05/08/26 13:34	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	95		70 - 130				05/05/26 11:49	05/08/26 13:34	1
1,4-Difluorobenzene (Surr)	84		70 - 130				05/05/26 11:49	05/08/26 13:34	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00228	U	0.00399	0.00228	mg/Kg			05/08/26 13:34	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<15.1	U	49.8	15.1	mg/Kg			05/07/26 13:03	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<14.5	U	49.8	14.5	mg/Kg		05/01/26 09:57	05/07/26 13:03	1
Diesel Range Organics (Over C10-C28)	<15.1	U	49.8	15.1	mg/Kg		05/01/26 09:57	05/07/26 13:03	1

Eurofins Midland

Client Sample Results

Client: Tasman Geosciences Inc
Project/Site: 3228_UU Line Leak

Job ID: 880-71693-1
SDG: 3228

Client Sample ID: W-7

Lab Sample ID: 880-71693-17

Date Collected: 04/30/26 10:58

Matrix: Solid

Date Received: 04/30/26 15:10

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Oil Range Organics (Over C28-C36)	<15.1	U	49.8	15.1	mg/Kg		05/01/26 09:57	05/07/26 13:03	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	126		70 - 130				05/01/26 09:57	05/07/26 13:03	1
o-Terphenyl	127		70 - 130				05/01/26 09:57	05/07/26 13:03	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	95.9		10.1	0.398	mg/Kg			05/04/26 16:47	1

Client Sample ID: W-8

Lab Sample ID: 880-71693-18

Date Collected: 04/30/26 10:23

Matrix: Solid

Date Received: 04/30/26 15:10

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00140	U	0.00201	0.00140	mg/Kg		05/05/26 11:49	05/08/26 13:54	1
Toluene	<0.00201	U	0.00201	0.00201	mg/Kg		05/05/26 11:49	05/08/26 13:54	1
Ethylbenzene	<0.00110	U	0.00201	0.00110	mg/Kg		05/05/26 11:49	05/08/26 13:54	1
m-Xylene & p-Xylene	<0.00230	U	0.00402	0.00230	mg/Kg		05/05/26 11:49	05/08/26 13:54	1
o-Xylene	<0.00159	U	0.00201	0.00159	mg/Kg		05/05/26 11:49	05/08/26 13:54	1
Xylenes, Total	<0.00230	U	0.00402	0.00230	mg/Kg		05/05/26 11:49	05/08/26 13:54	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	101		70 - 130				05/05/26 11:49	05/08/26 13:54	1
1,4-Difluorobenzene (Surr)	100		70 - 130				05/05/26 11:49	05/08/26 13:54	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00230	U	0.00402	0.00230	mg/Kg			05/08/26 13:54	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<15.1	U	50.1	15.1	mg/Kg			05/07/26 13:23	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<14.5	U	50.1	14.5	mg/Kg		05/01/26 09:57	05/07/26 13:23	1
Diesel Range Organics (Over C10-C28)	<15.1	U	50.1	15.1	mg/Kg		05/01/26 09:57	05/07/26 13:23	1
Oil Range Organics (Over C28-C36)	<15.1	U	50.1	15.1	mg/Kg		05/01/26 09:57	05/07/26 13:23	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	125		70 - 130				05/01/26 09:57	05/07/26 13:23	1
o-Terphenyl	130		70 - 130				05/01/26 09:57	05/07/26 13:23	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	3.87	J	9.94	0.393	mg/Kg			05/04/26 16:52	1

Eurofins Midland

Surrogate Summary

Client: Tasman Geosciences Inc
Project/Site: 3228_UU Line Leak

Job ID: 880-71693-1
SDG: 3228

Method: 8021B - Volatile Organic Compounds (GC)

Matrix: Solid

Prep Type: Total/NA

		Percent Surrogate Recovery (Acceptance Limits)	
Lab Sample ID	Client Sample ID	BFB1 (70-130)	DFBZ1 (70-130)
880-71693-1	FL-1	107	107
880-71693-1 MS	FL-1	102	102
880-71693-1 MSD	FL-1	96	103
880-71693-2	FL-2	94	86
880-71693-3	FL-3	108	106
880-71693-4	FL-4	100	106
880-71693-5	FL-5	110	106
880-71693-6	FL-6	91	94
880-71693-7	FL-7	104	105
880-71693-8	FL-8	103	98
880-71693-9	FL-9	101	103
880-71693-10	FL-10	104	102
880-71693-11	W-1	108	103
880-71693-12	W-2	95	80
880-71693-13	W-3	94	89
880-71693-14	W-4	103	104
880-71693-15	W-5	111	104
880-71693-16	W-6	90	92
880-71693-17	W-7	95	84
880-71693-18	W-8	101	100
LCS 880-139934/1-A	Lab Control Sample	98	105
LCSD 880-139934/2-A	Lab Control Sample Dup	102	104
MB 880-139844/5-A	Method Blank	110	102
MB 880-139934/5-A	Method Blank	105	95
Surrogate Legend			
BFB = 4-Bromofluorobenzene (Surr)			
DFBZ = 1,4-Difluorobenzene (Surr)			

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Matrix: Solid

Prep Type: Total/NA

		Percent Surrogate Recovery (Acceptance Limits)	
Lab Sample ID	Client Sample ID	1CO1 (70-130)	OTPH1 (70-130)
880-71693-1	FL-1	143 S1+	146 S1+
880-71693-2	FL-2	112	115
880-71693-3	FL-3	135 S1+	137 S1+
880-71693-4	FL-4	122	129
880-71693-5	FL-5	135 S1+	128
880-71693-6	FL-6	133 S1+	133 S1+
880-71693-7	FL-7	119	125
880-71693-8	FL-8	134 S1+	128
880-71693-9	FL-9	134 S1+	159 S1+
880-71693-10	FL-10	113	156 S1+
880-71693-11	W-1	112	122
880-71693-12	W-2	128	133 S1+
880-71693-13	W-3	127	126
880-71693-14	W-4	125	126
880-71693-15	W-5	119	129

Eurofins Midland

Surrogate Summary

Client: Tasman Geosciences Inc

Job ID: 880-71693-1

Project/Site: 3228_UU Line Leak

SDG: 3228

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Matrix: Solid

Prep Type: Total/NA

		Percent Surrogate Recovery (Acceptance Limits)	
Lab Sample ID	Client Sample ID	1CO1 (70-130)	OTPH1 (70-130)
880-71693-16	W-6	127	137 S1+
880-71693-17	W-7	126	127
880-71693-18	W-8	125	130
LCS 880-139609/2-A	Lab Control Sample	137 S1+	141 S1+
LCSD 880-139609/3-A	Lab Control Sample Dup	143 S1+	140 S1+
MB 880-139609/1-A	Method Blank	153 S1+	153 S1+
Surrogate Legend			
1CO = 1-Chlorooctane			
OTPH = o-Terphenyl			

QC Sample Results

Client: Tasman Geosciences Inc
Project/Site: 3228_UU Line Leak

Job ID: 880-71693-1
SDG: 3228

Method: 8021B - Volatile Organic Compounds (GC)

Lab Sample ID: MB 880-139844/5-A

Matrix: Solid

Analysis Batch: 140240

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 139844

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00139	U	0.00200	0.00139	mg/Kg		05/04/26 15:59	05/07/26 19:34	1
Toluene	<0.00200	U	0.00200	0.00200	mg/Kg		05/04/26 15:59	05/07/26 19:34	1
Ethylbenzene	<0.00109	U	0.00200	0.00109	mg/Kg		05/04/26 15:59	05/07/26 19:34	1
m-Xylene & p-Xylene	<0.00229	U	0.00400	0.00229	mg/Kg		05/04/26 15:59	05/07/26 19:34	1
o-Xylene	<0.00158	U	0.00200	0.00158	mg/Kg		05/04/26 15:59	05/07/26 19:34	1
Xylenes, Total	<0.00229	U	0.00400	0.00229	mg/Kg		05/04/26 15:59	05/07/26 19:34	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	110		70 - 130	05/04/26 15:59	05/07/26 19:34	1
1,4-Difluorobenzene (Surr)	102		70 - 130	05/04/26 15:59	05/07/26 19:34	1

Lab Sample ID: MB 880-139934/5-A

Matrix: Solid

Analysis Batch: 140240

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 139934

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00139	U	0.00200	0.00139	mg/Kg		05/05/26 11:49	05/08/26 06:31	1
Toluene	<0.00200	U	0.00200	0.00200	mg/Kg		05/05/26 11:49	05/08/26 06:31	1
Ethylbenzene	<0.00109	U	0.00200	0.00109	mg/Kg		05/05/26 11:49	05/08/26 06:31	1
m-Xylene & p-Xylene	<0.00229	U	0.00400	0.00229	mg/Kg		05/05/26 11:49	05/08/26 06:31	1
o-Xylene	<0.00158	U	0.00200	0.00158	mg/Kg		05/05/26 11:49	05/08/26 06:31	1
Xylenes, Total	<0.00229	U	0.00400	0.00229	mg/Kg		05/05/26 11:49	05/08/26 06:31	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	105		70 - 130	05/05/26 11:49	05/08/26 06:31	1
1,4-Difluorobenzene (Surr)	95		70 - 130	05/05/26 11:49	05/08/26 06:31	1

Lab Sample ID: LCS 880-139934/1-A

Matrix: Solid

Analysis Batch: 140240

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 139934

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	0.100	0.08260		mg/Kg		83	70 - 130
Toluene	0.100	0.08244		mg/Kg		82	70 - 130
Ethylbenzene	0.100	0.07699		mg/Kg		77	70 - 130
m-Xylene & p-Xylene	0.200	0.1506		mg/Kg		75	70 - 130
o-Xylene	0.100	0.07615		mg/Kg		76	70 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
4-Bromofluorobenzene (Surr)	98		70 - 130
1,4-Difluorobenzene (Surr)	105		70 - 130

Lab Sample ID: LCSD 880-139934/2-A

Matrix: Solid

Analysis Batch: 140240

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 139934

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Benzene	0.100	0.08823		mg/Kg		88	70 - 130	7	35

Eurofins Midland

QC Sample Results

Client: Tasman Geosciences Inc
Project/Site: 3228_UU Line Leak

Job ID: 880-71693-1
SDG: 3228

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: LCSD 880-139934/2-A

Matrix: Solid

Analysis Batch: 140240

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 139934

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Toluene	0.100	0.08528		mg/Kg		85	70 - 130	3	35
Ethylbenzene	0.100	0.08032		mg/Kg		80	70 - 130	4	35
m-Xylene & p-Xylene	0.200	0.1575		mg/Kg		79	70 - 130	4	35
o-Xylene	0.100	0.08067		mg/Kg		81	70 - 130	6	35

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
4-Bromofluorobenzene (Surr)	102		70 - 130
1,4-Difluorobenzene (Surr)	104		70 - 130

Lab Sample ID: 880-71693-1 MS

Matrix: Solid

Analysis Batch: 140240

Client Sample ID: FL-1

Prep Type: Total/NA

Prep Batch: 139934

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	<0.00138	U F1	0.100	0.06580	F1	mg/Kg		66	70 - 130
Toluene	<0.00198	U F1	0.100	0.06067	F1	mg/Kg		61	70 - 130
Ethylbenzene	<0.00108	U F1	0.100	0.05948	F1	mg/Kg		59	70 - 130
m-Xylene & p-Xylene	<0.00227	U F1	0.200	0.1187	F1	mg/Kg		59	70 - 130
o-Xylene	<0.00157	U F1	0.100	0.06611	F1	mg/Kg		66	70 - 130

Surrogate	MS %Recovery	MS Qualifier	Limits
4-Bromofluorobenzene (Surr)	102		70 - 130
1,4-Difluorobenzene (Surr)	102		70 - 130

Lab Sample ID: 880-71693-1 MSD

Matrix: Solid

Analysis Batch: 140240

Client Sample ID: FL-1

Prep Type: Total/NA

Prep Batch: 139934

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Benzene	<0.00138	U F1	0.100	0.06664	F1	mg/Kg		67	70 - 130	1	35
Toluene	<0.00198	U F1	0.100	0.06276	F1	mg/Kg		63	70 - 130	3	35
Ethylbenzene	<0.00108	U F1	0.100	0.05995	F1	mg/Kg		60	70 - 130	1	35
m-Xylene & p-Xylene	<0.00227	U F1	0.200	0.1218	F1	mg/Kg		61	70 - 130	3	35
o-Xylene	<0.00157	U F1	0.100	0.06531	F1	mg/Kg		65	70 - 130	1	35

Surrogate	MSD %Recovery	MSD Qualifier	Limits
4-Bromofluorobenzene (Surr)	96		70 - 130
1,4-Difluorobenzene (Surr)	103		70 - 130

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Lab Sample ID: MB 880-139609/1-A

Matrix: Solid

Analysis Batch: 140108

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 139609

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<14.5	U	50.0	14.5	mg/Kg		05/01/26 09:56	05/07/26 04:57	1

Eurofins Midland

QC Sample Results

Client: Tasman Geosciences Inc
Project/Site: 3228_UU Line Leak

Job ID: 880-71693-1
SDG: 3228

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Lab Sample ID: MB 880-139609/1-A

Matrix: Solid

Analysis Batch: 140108

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 139609

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics (Over C10-C28)	<15.1	U	50.0	15.1	mg/Kg		05/01/26 09:56	05/07/26 04:57	1
Oil Range Organics (Over C28-C36)	<15.1	U	50.0	15.1	mg/Kg		05/01/26 09:56	05/07/26 04:57	1
Surrogate	MB %Recovery	MB Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	153	S1+	70 - 130				05/01/26 09:56	05/07/26 04:57	1
o-Terphenyl	153	S1+	70 - 130				05/01/26 09:56	05/07/26 04:57	1

Lab Sample ID: LCS 880-139609/2-A

Matrix: Solid

Analysis Batch: 140108

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 139609

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Gasoline Range Organics (GRO)-C6-C10	1000	1051		mg/Kg		105	70 - 130
Diesel Range Organics (Over C10-C28)	1000	1254		mg/Kg		125	70 - 130
Surrogate	LCS %Recovery	LCS Qualifier	Limits				
1-Chlorooctane	137	S1+	70 - 130				
o-Terphenyl	141	S1+	70 - 130				

Lab Sample ID: LCSD 880-139609/3-A

Matrix: Solid

Analysis Batch: 140108

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 139609

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Gasoline Range Organics (GRO)-C6-C10	1000	1099		mg/Kg		110	70 - 130	5	20
Diesel Range Organics (Over C10-C28)	1000	1249		mg/Kg		125	70 - 130	0	20
Surrogate	LCSD %Recovery	LCSD Qualifier	Limits						
1-Chlorooctane	143	S1+	70 - 130						
o-Terphenyl	140	S1+	70 - 130						

Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: MB 880-139679/1-A

Matrix: Solid

Analysis Batch: 139753

Client Sample ID: Method Blank

Prep Type: Soluble

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<0.395	U	10.0	0.395	mg/Kg			05/04/26 14:48	1

Eurofins Midland

QC Sample Results

Client: Tasman Geosciences Inc
Project/Site: 3228_UU Line Leak

Job ID: 880-71693-1
SDG: 3228

Method: 300.0 - Anions, Ion Chromatography (Continued)

Lab Sample ID: LCS 880-139679/2-A

Matrix: Solid

Analysis Batch: 139753

Client Sample ID: Lab Control Sample

Prep Type: Soluble

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	250	242.0		mg/Kg		97	90 - 110

Lab Sample ID: LCSD 880-139679/3-A

Matrix: Solid

Analysis Batch: 139753

Client Sample ID: Lab Control Sample Dup

Prep Type: Soluble

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	250	242.2		mg/Kg		97	90 - 110	0	20

Lab Sample ID: 880-71693-4 MS

Matrix: Solid

Analysis Batch: 139753

Client Sample ID: FL-4

Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	<0.393	U	249	268.2		mg/Kg		108	90 - 110

Lab Sample ID: 880-71693-4 MSD

Matrix: Solid

Analysis Batch: 139753

Client Sample ID: FL-4

Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	<0.393	U	249	269.4		mg/Kg		108	90 - 110	0	20

Lab Sample ID: 880-71693-14 MS

Matrix: Solid

Analysis Batch: 139753

Client Sample ID: W-4

Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	55.7		250	328.7		mg/Kg		109	90 - 110

Lab Sample ID: 880-71693-14 MSD

Matrix: Solid

Analysis Batch: 139753

Client Sample ID: W-4

Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	55.7		250	329.7		mg/Kg		110	90 - 110	0	20

Lab Sample ID: MB 880-139678/1-A

Matrix: Solid

Analysis Batch: 139754

Client Sample ID: Method Blank

Prep Type: Soluble

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<0.395	U	10.0	0.395	mg/Kg			05/04/26 18:49	1

Lab Sample ID: LCS 880-139678/2-A

Matrix: Solid

Analysis Batch: 139754

Client Sample ID: Lab Control Sample

Prep Type: Soluble

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	250	229.0		mg/Kg		92	90 - 110

Eurofins Midland

QC Sample Results

Client: Tasman Geosciences Inc
Project/Site: 3228_UU Line Leak

Job ID: 880-71693-1
SDG: 3228

Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: LCSD 880-139678/3-A				Client Sample ID: Lab Control Sample Dup							
Matrix: Solid				Prep Type: Soluble							
Analysis Batch: 139754											
Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit		
Chloride	250	226.1		mg/Kg		90	90 - 110	1	20		

QC Association Summary

Client: Tasman Geosciences Inc
Project/Site: 3228_UU Line Leak

Job ID: 880-71693-1
SDG: 3228

GC VOA

Prep Batch: 139844

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MB 880-139844/5-A	Method Blank	Total/NA	Solid	5035	

Prep Batch: 139934

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-71693-1	FL-1	Total/NA	Solid	5035	
880-71693-2	FL-2	Total/NA	Solid	5035	
880-71693-3	FL-3	Total/NA	Solid	5035	
880-71693-4	FL-4	Total/NA	Solid	5035	
880-71693-5	FL-5	Total/NA	Solid	5035	
880-71693-6	FL-6	Total/NA	Solid	5035	
880-71693-7	FL-7	Total/NA	Solid	5035	
880-71693-8	FL-8	Total/NA	Solid	5035	
880-71693-9	FL-9	Total/NA	Solid	5035	
880-71693-10	FL-10	Total/NA	Solid	5035	
880-71693-11	W-1	Total/NA	Solid	5035	
880-71693-12	W-2	Total/NA	Solid	5035	
880-71693-13	W-3	Total/NA	Solid	5035	
880-71693-14	W-4	Total/NA	Solid	5035	
880-71693-15	W-5	Total/NA	Solid	5035	
880-71693-16	W-6	Total/NA	Solid	5035	
880-71693-17	W-7	Total/NA	Solid	5035	
880-71693-18	W-8	Total/NA	Solid	5035	
MB 880-139934/5-A	Method Blank	Total/NA	Solid	5035	
LCS 880-139934/1-A	Lab Control Sample	Total/NA	Solid	5035	
LCSD 880-139934/2-A	Lab Control Sample Dup	Total/NA	Solid	5035	
880-71693-1 MS	FL-1	Total/NA	Solid	5035	
880-71693-1 MSD	FL-1	Total/NA	Solid	5035	

Analysis Batch: 140240

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-71693-1	FL-1	Total/NA	Solid	8021B	139934
880-71693-2	FL-2	Total/NA	Solid	8021B	139934
880-71693-3	FL-3	Total/NA	Solid	8021B	139934
880-71693-4	FL-4	Total/NA	Solid	8021B	139934
880-71693-5	FL-5	Total/NA	Solid	8021B	139934
880-71693-6	FL-6	Total/NA	Solid	8021B	139934
880-71693-7	FL-7	Total/NA	Solid	8021B	139934
880-71693-8	FL-8	Total/NA	Solid	8021B	139934
880-71693-9	FL-9	Total/NA	Solid	8021B	139934
880-71693-10	FL-10	Total/NA	Solid	8021B	139934
880-71693-11	W-1	Total/NA	Solid	8021B	139934
880-71693-12	W-2	Total/NA	Solid	8021B	139934
880-71693-13	W-3	Total/NA	Solid	8021B	139934
880-71693-14	W-4	Total/NA	Solid	8021B	139934
880-71693-15	W-5	Total/NA	Solid	8021B	139934
880-71693-16	W-6	Total/NA	Solid	8021B	139934
880-71693-17	W-7	Total/NA	Solid	8021B	139934
880-71693-18	W-8	Total/NA	Solid	8021B	139934
MB 880-139844/5-A	Method Blank	Total/NA	Solid	8021B	139844
MB 880-139934/5-A	Method Blank	Total/NA	Solid	8021B	139934
LCS 880-139934/1-A	Lab Control Sample	Total/NA	Solid	8021B	139934

Eurofins Midland

QC Association Summary

Client: Tasman Geosciences Inc
Project/Site: 3228_UU Line Leak

Job ID: 880-71693-1
SDG: 3228

GC VOA (Continued)

Analysis Batch: 140240 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
LCSD 880-139934/2-A	Lab Control Sample Dup	Total/NA	Solid	8021B	139934
880-71693-1 MS	FL-1	Total/NA	Solid	8021B	139934
880-71693-1 MSD	FL-1	Total/NA	Solid	8021B	139934

Analysis Batch: 140326

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-71693-1	FL-1	Total/NA	Solid	Total BTEX	
880-71693-2	FL-2	Total/NA	Solid	Total BTEX	
880-71693-3	FL-3	Total/NA	Solid	Total BTEX	
880-71693-4	FL-4	Total/NA	Solid	Total BTEX	
880-71693-5	FL-5	Total/NA	Solid	Total BTEX	
880-71693-6	FL-6	Total/NA	Solid	Total BTEX	
880-71693-7	FL-7	Total/NA	Solid	Total BTEX	
880-71693-8	FL-8	Total/NA	Solid	Total BTEX	
880-71693-9	FL-9	Total/NA	Solid	Total BTEX	
880-71693-10	FL-10	Total/NA	Solid	Total BTEX	
880-71693-11	W-1	Total/NA	Solid	Total BTEX	
880-71693-12	W-2	Total/NA	Solid	Total BTEX	
880-71693-13	W-3	Total/NA	Solid	Total BTEX	
880-71693-14	W-4	Total/NA	Solid	Total BTEX	
880-71693-15	W-5	Total/NA	Solid	Total BTEX	
880-71693-16	W-6	Total/NA	Solid	Total BTEX	
880-71693-17	W-7	Total/NA	Solid	Total BTEX	
880-71693-18	W-8	Total/NA	Solid	Total BTEX	

GC Semi VOA

Prep Batch: 139609

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-71693-1	FL-1	Total/NA	Solid	8015NM Prep	
880-71693-2	FL-2	Total/NA	Solid	8015NM Prep	
880-71693-3	FL-3	Total/NA	Solid	8015NM Prep	
880-71693-4	FL-4	Total/NA	Solid	8015NM Prep	
880-71693-5	FL-5	Total/NA	Solid	8015NM Prep	
880-71693-6	FL-6	Total/NA	Solid	8015NM Prep	
880-71693-7	FL-7	Total/NA	Solid	8015NM Prep	
880-71693-8	FL-8	Total/NA	Solid	8015NM Prep	
880-71693-9	FL-9	Total/NA	Solid	8015NM Prep	
880-71693-10	FL-10	Total/NA	Solid	8015NM Prep	
880-71693-11	W-1	Total/NA	Solid	8015NM Prep	
880-71693-12	W-2	Total/NA	Solid	8015NM Prep	
880-71693-13	W-3	Total/NA	Solid	8015NM Prep	
880-71693-14	W-4	Total/NA	Solid	8015NM Prep	
880-71693-15	W-5	Total/NA	Solid	8015NM Prep	
880-71693-16	W-6	Total/NA	Solid	8015NM Prep	
880-71693-17	W-7	Total/NA	Solid	8015NM Prep	
880-71693-18	W-8	Total/NA	Solid	8015NM Prep	
MB 880-139609/1-A	Method Blank	Total/NA	Solid	8015NM Prep	
LCS 880-139609/2-A	Lab Control Sample	Total/NA	Solid	8015NM Prep	
LCSD 880-139609/3-A	Lab Control Sample Dup	Total/NA	Solid	8015NM Prep	

Eurofins Midland

QC Association Summary

Client: Tasman Geosciences Inc
Project/Site: 3228_UU Line Leak

Job ID: 880-71693-1
SDG: 3228

GC Semi VOA

Analysis Batch: 140108

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-71693-1	FL-1	Total/NA	Solid	8015B NM	139609
880-71693-2	FL-2	Total/NA	Solid	8015B NM	139609
880-71693-3	FL-3	Total/NA	Solid	8015B NM	139609
880-71693-4	FL-4	Total/NA	Solid	8015B NM	139609
880-71693-5	FL-5	Total/NA	Solid	8015B NM	139609
880-71693-6	FL-6	Total/NA	Solid	8015B NM	139609
880-71693-7	FL-7	Total/NA	Solid	8015B NM	139609
880-71693-8	FL-8	Total/NA	Solid	8015B NM	139609
880-71693-9	FL-9	Total/NA	Solid	8015B NM	139609
880-71693-10	FL-10	Total/NA	Solid	8015B NM	139609
880-71693-11	W-1	Total/NA	Solid	8015B NM	139609
880-71693-12	W-2	Total/NA	Solid	8015B NM	139609
880-71693-13	W-3	Total/NA	Solid	8015B NM	139609
880-71693-14	W-4	Total/NA	Solid	8015B NM	139609
880-71693-15	W-5	Total/NA	Solid	8015B NM	139609
880-71693-16	W-6	Total/NA	Solid	8015B NM	139609
880-71693-17	W-7	Total/NA	Solid	8015B NM	139609
880-71693-18	W-8	Total/NA	Solid	8015B NM	139609
MB 880-139609/1-A	Method Blank	Total/NA	Solid	8015B NM	139609
LCS 880-139609/2-A	Lab Control Sample	Total/NA	Solid	8015B NM	139609
LCSD 880-139609/3-A	Lab Control Sample Dup	Total/NA	Solid	8015B NM	139609

Analysis Batch: 140287

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-71693-1	FL-1	Total/NA	Solid	8015 NM	
880-71693-2	FL-2	Total/NA	Solid	8015 NM	
880-71693-3	FL-3	Total/NA	Solid	8015 NM	
880-71693-4	FL-4	Total/NA	Solid	8015 NM	
880-71693-5	FL-5	Total/NA	Solid	8015 NM	
880-71693-6	FL-6	Total/NA	Solid	8015 NM	
880-71693-7	FL-7	Total/NA	Solid	8015 NM	
880-71693-8	FL-8	Total/NA	Solid	8015 NM	
880-71693-9	FL-9	Total/NA	Solid	8015 NM	
880-71693-10	FL-10	Total/NA	Solid	8015 NM	
880-71693-11	W-1	Total/NA	Solid	8015 NM	
880-71693-12	W-2	Total/NA	Solid	8015 NM	
880-71693-13	W-3	Total/NA	Solid	8015 NM	
880-71693-14	W-4	Total/NA	Solid	8015 NM	
880-71693-15	W-5	Total/NA	Solid	8015 NM	
880-71693-16	W-6	Total/NA	Solid	8015 NM	
880-71693-17	W-7	Total/NA	Solid	8015 NM	
880-71693-18	W-8	Total/NA	Solid	8015 NM	

HPLC/IC

Leach Batch: 139678

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-71693-1	FL-1	Soluble	Solid	DI Leach	
880-71693-2	FL-2	Soluble	Solid	DI Leach	
880-71693-3	FL-3	Soluble	Solid	DI Leach	
MB 880-139678/1-A	Method Blank	Soluble	Solid	DI Leach	

Eurofins Midland

QC Association Summary

Client: Tasman Geosciences Inc
Project/Site: 3228_UU Line Leak

Job ID: 880-71693-1
SDG: 3228

HPLC/IC (Continued)

Leach Batch: 139678 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
LCS 880-139678/2-A	Lab Control Sample	Soluble	Solid	DI Leach	
LCSD 880-139678/3-A	Lab Control Sample Dup	Soluble	Solid	DI Leach	

Leach Batch: 139679

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-71693-4	FL-4	Soluble	Solid	DI Leach	
880-71693-5	FL-5	Soluble	Solid	DI Leach	
880-71693-6	FL-6	Soluble	Solid	DI Leach	
880-71693-7	FL-7	Soluble	Solid	DI Leach	
880-71693-8	FL-8	Soluble	Solid	DI Leach	
880-71693-9	FL-9	Soluble	Solid	DI Leach	
880-71693-10	FL-10	Soluble	Solid	DI Leach	
880-71693-11	W-1	Soluble	Solid	DI Leach	
880-71693-12	W-2	Soluble	Solid	DI Leach	
880-71693-13	W-3	Soluble	Solid	DI Leach	
880-71693-14	W-4	Soluble	Solid	DI Leach	
880-71693-15	W-5	Soluble	Solid	DI Leach	
880-71693-16	W-6	Soluble	Solid	DI Leach	
880-71693-17	W-7	Soluble	Solid	DI Leach	
880-71693-18	W-8	Soluble	Solid	DI Leach	
MB 880-139679/1-A	Method Blank	Soluble	Solid	DI Leach	
LCS 880-139679/2-A	Lab Control Sample	Soluble	Solid	DI Leach	
LCSD 880-139679/3-A	Lab Control Sample Dup	Soluble	Solid	DI Leach	
880-71693-4 MS	FL-4	Soluble	Solid	DI Leach	
880-71693-4 MSD	FL-4	Soluble	Solid	DI Leach	
880-71693-14 MS	W-4	Soluble	Solid	DI Leach	
880-71693-14 MSD	W-4	Soluble	Solid	DI Leach	

Analysis Batch: 139753

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-71693-4	FL-4	Soluble	Solid	300.0	139679
880-71693-5	FL-5	Soluble	Solid	300.0	139679
880-71693-6	FL-6	Soluble	Solid	300.0	139679
880-71693-7	FL-7	Soluble	Solid	300.0	139679
880-71693-8	FL-8	Soluble	Solid	300.0	139679
880-71693-9	FL-9	Soluble	Solid	300.0	139679
880-71693-10	FL-10	Soluble	Solid	300.0	139679
880-71693-11	W-1	Soluble	Solid	300.0	139679
880-71693-12	W-2	Soluble	Solid	300.0	139679
880-71693-13	W-3	Soluble	Solid	300.0	139679
880-71693-14	W-4	Soluble	Solid	300.0	139679
880-71693-15	W-5	Soluble	Solid	300.0	139679
880-71693-16	W-6	Soluble	Solid	300.0	139679
880-71693-17	W-7	Soluble	Solid	300.0	139679
880-71693-18	W-8	Soluble	Solid	300.0	139679
MB 880-139679/1-A	Method Blank	Soluble	Solid	300.0	139679
LCS 880-139679/2-A	Lab Control Sample	Soluble	Solid	300.0	139679
LCSD 880-139679/3-A	Lab Control Sample Dup	Soluble	Solid	300.0	139679
880-71693-4 MS	FL-4	Soluble	Solid	300.0	139679
880-71693-4 MSD	FL-4	Soluble	Solid	300.0	139679
880-71693-14 MS	W-4	Soluble	Solid	300.0	139679

Eurofins Midland

QC Association Summary

Client: Tasman Geosciences Inc
Project/Site: 3228_UU Line Leak

Job ID: 880-71693-1
SDG: 3228

HPLC/IC (Continued)

Analysis Batch: 139753 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-71693-14 MSD	W-4	Soluble	Solid	300.0	139679

Analysis Batch: 139754

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-71693-1	FL-1	Soluble	Solid	300.0	139678
880-71693-2	FL-2	Soluble	Solid	300.0	139678
880-71693-3	FL-3	Soluble	Solid	300.0	139678
MB 880-139678/1-A	Method Blank	Soluble	Solid	300.0	139678
LCS 880-139678/2-A	Lab Control Sample	Soluble	Solid	300.0	139678
LCSD 880-139678/3-A	Lab Control Sample Dup	Soluble	Solid	300.0	139678

Lab Chronicle

Client: Tasman Geosciences Inc
Project/Site: 3228_UU Line Leak

Job ID: 880-71693-1
SDG: 3228

Client Sample ID: FL-1
Date Collected: 04/30/26 11:28
Date Received: 04/30/26 15:10

Lab Sample ID: 880-71693-1
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.04 g	5 mL	139934	05/05/26 11:49	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	140240	05/08/26 06:53	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			140326	05/08/26 06:53	SA	EET MID
Total/NA	Analysis	8015 NM		1			140287	05/07/26 07:19	SA	EET MID
Total/NA	Prep	8015NM Prep			10.04 g	10.00 mL	139609	05/01/26 09:57	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	140108	05/07/26 07:19	SA	EET MID
Soluble	Leach	DI Leach			4.96 g	50 mL	139678	05/01/26 15:18	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	139754	05/04/26 21:05	SMC	EET MID

Client Sample ID: FL-2
Date Collected: 04/30/26 11:32
Date Received: 04/30/26 15:10

Lab Sample ID: 880-71693-2
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.95 g	5 mL	139934	05/05/26 11:49	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	140240	05/08/26 07:13	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			140326	05/08/26 07:13	SA	EET MID
Total/NA	Analysis	8015 NM		1			140287	05/07/26 07:39	SA	EET MID
Total/NA	Prep	8015NM Prep			10.02 g	10.00 mL	139609	05/01/26 09:57	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	140108	05/07/26 07:39	SA	EET MID
Soluble	Leach	DI Leach			5.02 g	50 mL	139678	05/01/26 15:18	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	139754	05/04/26 21:10	SMC	EET MID

Client Sample ID: FL-3
Date Collected: 04/30/26 11:44
Date Received: 04/30/26 15:10

Lab Sample ID: 880-71693-3
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.03 g	5 mL	139934	05/05/26 11:49	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	140240	05/08/26 07:34	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			140326	05/08/26 07:34	SA	EET MID
Total/NA	Analysis	8015 NM		1			140287	05/07/26 07:59	SA	EET MID
Total/NA	Prep	8015NM Prep			9.99 g	10.00 mL	139609	05/01/26 09:57	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	140108	05/07/26 07:59	SA	EET MID
Soluble	Leach	DI Leach			5.04 g	50 mL	139678	05/01/26 15:18	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	139754	05/04/26 21:14	SMC	EET MID

Client Sample ID: FL-4
Date Collected: 04/30/26 11:06
Date Received: 04/30/26 15:10

Lab Sample ID: 880-71693-4
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	139934	05/05/26 11:49	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	140240	05/08/26 07:54	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			140326	05/08/26 07:54	SA	EET MID

Eurofins Midland

Lab Chronicle

Client: Tasman Geosciences Inc
Project/Site: 3228_UU Line Leak

Job ID: 880-71693-1
SDG: 3228

Client Sample ID: FL-4

Lab Sample ID: 880-71693-4

Date Collected: 04/30/26 11:06

Matrix: Solid

Date Received: 04/30/26 15:10

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8015 NM		1			140287	05/07/26 08:19	SA	EET MID
Total/NA	Prep	8015NM Prep			9.98 g	10.00 mL	139609	05/01/26 09:57	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	140108	05/07/26 08:19	SA	EET MID
Soluble	Leach	DI Leach			5.02 g	50 mL	139679	05/01/26 15:21	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	139753	05/04/26 15:03	SMC	EET MID

Client Sample ID: FL-5

Lab Sample ID: 880-71693-5

Date Collected: 04/30/26 11:16

Matrix: Solid

Date Received: 04/30/26 15:10

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.98 g	5 mL	139934	05/05/26 11:49	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	140240	05/08/26 08:15	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			140326	05/08/26 08:15	SA	EET MID
Total/NA	Analysis	8015 NM		1			140287	05/07/26 08:39	SA	EET MID
Total/NA	Prep	8015NM Prep			9.99 g	10.00 mL	139609	05/01/26 09:57	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	140108	05/07/26 08:39	SA	EET MID
Soluble	Leach	DI Leach			5.02 g	50 mL	139679	05/01/26 15:21	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	139753	05/04/26 15:18	SMC	EET MID

Client Sample ID: FL-6

Lab Sample ID: 880-71693-6

Date Collected: 04/30/26 11:40

Matrix: Solid

Date Received: 04/30/26 15:10

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.95 g	5 mL	139934	05/05/26 11:49	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	140240	05/08/26 08:35	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			140326	05/08/26 08:35	SA	EET MID
Total/NA	Analysis	8015 NM		1			140287	05/07/26 08:59	SA	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10.00 mL	139609	05/01/26 09:57	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	140108	05/07/26 08:59	SA	EET MID
Soluble	Leach	DI Leach			5.04 g	50 mL	139679	05/01/26 15:21	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	139753	05/04/26 15:23	SMC	EET MID

Client Sample ID: FL-7

Lab Sample ID: 880-71693-7

Date Collected: 04/30/26 11:53

Matrix: Solid

Date Received: 04/30/26 15:10

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.03 g	5 mL	139934	05/05/26 11:49	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	140240	05/08/26 08:56	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			140326	05/08/26 08:56	SA	EET MID
Total/NA	Analysis	8015 NM		1			140287	05/07/26 09:20	SA	EET MID
Total/NA	Prep	8015NM Prep			10.04 g	10.00 mL	139609	05/01/26 09:57	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	140108	05/07/26 09:20	SA	EET MID

Eurofins Midland

Lab Chronicle

Client: Tasman Geosciences Inc
Project/Site: 3228_UU Line Leak

Job ID: 880-71693-1
SDG: 3228

Client Sample ID: FL-7
Date Collected: 04/30/26 11:53
Date Received: 04/30/26 15:10

Lab Sample ID: 880-71693-7
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Soluble	Leach	DI Leach			5.04 g	50 mL	139679	05/01/26 15:21	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	139753	05/04/26 15:28	SMC	EET MID

Client Sample ID: FL-8
Date Collected: 04/30/26 10:55
Date Received: 04/30/26 15:10

Lab Sample ID: 880-71693-8
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.00 g	5 mL	139934	05/05/26 11:49	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	140240	05/08/26 09:16	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			140326	05/08/26 09:16	SA	EET MID
Total/NA	Analysis	8015 NM		1			140287	05/07/26 09:40	SA	EET MID
Total/NA	Prep	8015NM Prep			10.02 g	10.00 mL	139609	05/01/26 09:57	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	140108	05/07/26 09:40	SA	EET MID
Soluble	Leach	DI Leach			5.01 g	50 mL	139679	05/01/26 15:21	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	139753	05/04/26 15:33	SMC	EET MID

Client Sample ID: FL-9
Date Collected: 04/30/26 10:47
Date Received: 04/30/26 15:10

Lab Sample ID: 880-71693-9
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	139934	05/05/26 11:49	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	140240	05/08/26 09:37	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			140326	05/08/26 09:37	SA	EET MID
Total/NA	Analysis	8015 NM		1			140287	05/07/26 10:20	SA	EET MID
Total/NA	Prep	8015NM Prep			10.03 g	10.00 mL	139609	05/01/26 09:57	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	140108	05/07/26 10:20	SA	EET MID
Soluble	Leach	DI Leach			4.98 g	50 mL	139679	05/01/26 15:21	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	139753	05/04/26 15:47	SMC	EET MID

Client Sample ID: FL-10
Date Collected: 04/30/26 10:19
Date Received: 04/30/26 15:10

Lab Sample ID: 880-71693-10
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.98 g	5 mL	139934	05/05/26 11:49	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	140240	05/08/26 09:57	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			140326	05/08/26 09:57	SA	EET MID
Total/NA	Analysis	8015 NM		1			140287	05/07/26 10:41	SA	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10.00 mL	139609	05/01/26 09:57	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	140108	05/07/26 10:41	SA	EET MID
Soluble	Leach	DI Leach			4.96 g	50 mL	139679	05/01/26 15:21	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	139753	05/04/26 15:52	SMC	EET MID

Lab Chronicle

Client: Tasman Geosciences Inc
Project/Site: 3228_UU Line Leak

Job ID: 880-71693-1
SDG: 3228

Client Sample ID: W-1
Date Collected: 04/30/26 11:46
Date Received: 04/30/26 15:10

Lab Sample ID: 880-71693-11
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.95 g	5 mL	139934	05/05/26 11:49	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	140240	05/08/26 11:31	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			140326	05/08/26 11:31	SA	EET MID
Total/NA	Analysis	8015 NM		1			140287	05/07/26 11:01	SA	EET MID
Total/NA	Prep	8015NM Prep			10.04 g	10.00 mL	139609	05/01/26 09:57	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	140108	05/07/26 11:01	SA	EET MID
Soluble	Leach	DI Leach			5.03 g	50 mL	139679	05/01/26 15:21	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	139753	05/04/26 15:57	SMC	EET MID

Client Sample ID: W-2
Date Collected: 04/30/26 11:52
Date Received: 04/30/26 15:10

Lab Sample ID: 880-71693-12
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.03 g	5 mL	139934	05/05/26 11:49	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	140240	05/08/26 11:52	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			140326	05/08/26 11:52	SA	EET MID
Total/NA	Analysis	8015 NM		1			140287	05/07/26 11:21	SA	EET MID
Total/NA	Prep	8015NM Prep			10.02 g	10.00 mL	139609	05/01/26 09:57	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	140108	05/07/26 11:21	SA	EET MID
Soluble	Leach	DI Leach			5.04 g	50 mL	139679	05/01/26 15:21	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	139753	05/04/26 16:02	SMC	EET MID

Client Sample ID: W-3
Date Collected: 04/30/26 11:54
Date Received: 04/30/26 15:10

Lab Sample ID: 880-71693-13
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	139934	05/05/26 11:49	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	140240	05/08/26 12:12	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			140326	05/08/26 12:12	SA	EET MID
Total/NA	Analysis	8015 NM		1			140287	05/07/26 11:42	SA	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10.00 mL	139609	05/01/26 09:57	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	140108	05/07/26 11:42	SA	EET MID
Soluble	Leach	DI Leach			5.04 g	50 mL	139679	05/01/26 15:21	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	139753	05/04/26 16:07	SMC	EET MID

Client Sample ID: W-4
Date Collected: 04/30/26 11:56
Date Received: 04/30/26 15:10

Lab Sample ID: 880-71693-14
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.99 g	5 mL	139934	05/05/26 11:49	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	140240	05/08/26 12:32	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			140326	05/08/26 12:32	SA	EET MID

Eurofins Midland

Lab Chronicle

Client: Tasman Geosciences Inc
Project/Site: 3228_UU Line Leak

Job ID: 880-71693-1
SDG: 3228

Client Sample ID: W-4
Date Collected: 04/30/26 11:56
Date Received: 04/30/26 15:10

Lab Sample ID: 880-71693-14
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8015 NM		1			140287	05/07/26 12:02	SA	EET MID
Total/NA	Prep	8015NM Prep			10.04 g	10.00 mL	139609	05/01/26 09:57	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	140108	05/07/26 12:02	SA	EET MID
Soluble	Leach	DI Leach			5.01 g	50 mL	139679	05/01/26 15:21	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	139753	05/04/26 16:12	SMC	EET MID

Client Sample ID: W-5
Date Collected: 04/30/26 12:01
Date Received: 04/30/26 15:10

Lab Sample ID: 880-71693-15
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.03 g	5 mL	139934	05/05/26 11:49	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	140240	05/08/26 12:53	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			140326	05/08/26 12:53	SA	EET MID
Total/NA	Analysis	8015 NM		1			140287	05/07/26 12:22	SA	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10.00 mL	139609	05/01/26 09:57	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	140108	05/07/26 12:22	SA	EET MID
Soluble	Leach	DI Leach			5.04 g	50 mL	139679	05/01/26 15:21	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	139753	05/04/26 16:27	SMC	EET MID

Client Sample ID: W-6
Date Collected: 04/30/26 10:50
Date Received: 04/30/26 15:10

Lab Sample ID: 880-71693-16
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.00 g	5 mL	139934	05/05/26 11:49	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	140240	05/08/26 13:13	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			140326	05/08/26 13:13	SA	EET MID
Total/NA	Analysis	8015 NM		1			140287	05/07/26 12:42	SA	EET MID
Total/NA	Prep	8015NM Prep			10.02 g	10.00 mL	139609	05/01/26 09:57	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	140108	05/07/26 12:42	SA	EET MID
Soluble	Leach	DI Leach			4.98 g	50 mL	139679	05/01/26 15:21	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	139753	05/04/26 16:32	SMC	EET MID

Client Sample ID: W-7
Date Collected: 04/30/26 10:58
Date Received: 04/30/26 15:10

Lab Sample ID: 880-71693-17
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	139934	05/05/26 11:49	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	140240	05/08/26 13:34	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			140326	05/08/26 13:34	SA	EET MID
Total/NA	Analysis	8015 NM		1			140287	05/07/26 13:03	SA	EET MID
Total/NA	Prep	8015NM Prep			10.04 g	10.00 mL	139609	05/01/26 09:57	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	140108	05/07/26 13:03	SA	EET MID

Eurofins Midland

Lab Chronicle

Client: Tasman Geosciences Inc
Project/Site: 3228_UU Line Leak

Job ID: 880-71693-1
SDG: 3228

Client Sample ID: W-7
Date Collected: 04/30/26 10:58
Date Received: 04/30/26 15:10

Lab Sample ID: 880-71693-17
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Soluble	Leach	DI Leach			4.96 g	50 mL	139679	05/01/26 15:21	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	139753	05/04/26 16:47	SMC	EET MID

Client Sample ID: W-8
Date Collected: 04/30/26 10:23
Date Received: 04/30/26 15:10

Lab Sample ID: 880-71693-18
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.97 g	5 mL	139934	05/05/26 11:49	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	140240	05/08/26 13:54	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			140326	05/08/26 13:54	SA	EET MID
Total/NA	Analysis	8015 NM		1			140287	05/07/26 13:23	SA	EET MID
Total/NA	Prep	8015NM Prep			9.99 g	10.00 mL	139609	05/01/26 09:57	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	140108	05/07/26 13:23	SA	EET MID
Soluble	Leach	DI Leach			5.03 g	50 mL	139679	05/01/26 15:21	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	139753	05/04/26 16:52	SMC	EET MID

Laboratory References:
EET MID = Eurofins Midland, 1211 W. Florida Ave, Midland, TX 79701, TEL (432)704-5440

Accreditation/Certification Summary

Client: Tasman Geosciences Inc
Project/Site: 3228_UU Line Leak

Job ID: 880-71693-1
SDG: 3228

Laboratory: Eurofins Midland

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
Texas	NELAP	T104704400	06-30-26
The following analytes are included in this report, but the laboratory is not certified by Texas NELAP T104704400. This list may include analytes for which the agency does not offer certification :			
Analysis Method	Prep Method	Matrix	Analyte
8015 NM		Solid	Total TPH
Total BTEX		Solid	Total BTEX

Method Summary

Client: Tasman Geosciences Inc
Project/Site: 3228_UU Line Leak

Job ID: 880-71693-1
SDG: 3228

Method	Method Description	Protocol	Laboratory
8021B	Volatile Organic Compounds (GC)	SW846	EET MID
Total BTEX	Total BTEX Calculation	TAL SOP	EET MID
8015 NM	Diesel Range Organics (DRO) (GC)	SW846	EET MID
8015B NM	Diesel Range Organics (DRO) (GC)	SW846	EET MID
300.0	Anions, Ion Chromatography	EPA	EET MID
5035	Closed System Purge and Trap	SW846	EET MID
8015NM Prep	Microextraction	SW846	EET MID
DI Leach	Deionized Water Leaching Procedure	ASTM	EET MID

Protocol References:

- ASTM = ASTM International
- EPA = US Environmental Protection Agency
- SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.
- TAL SOP = TestAmerica Laboratories, Standard Operating Procedure

Laboratory References:

- EET MID = Eurofins Midland, 1211 W. Florida Ave, Midland, TX 79701, TEL (432)704-5440

Sample Summary

Client: Tasman Geosciences Inc
Project/Site: 3228_UU Line Leak

Job ID: 880-71693-1
SDG: 3228

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Depth
880-71693-1	FL-1	Solid	04/30/26 11:28	04/30/26 15:10	6'
880-71693-2	FL-2	Solid	04/30/26 11:32	04/30/26 15:10	6'
880-71693-3	FL-3	Solid	04/30/26 11:44	04/30/26 15:10	6'
880-71693-4	FL-4	Solid	04/30/26 11:06	04/30/26 15:10	6'
880-71693-5	FL-5	Solid	04/30/26 11:16	04/30/26 15:10	6'
880-71693-6	FL-6	Solid	04/30/26 11:40	04/30/26 15:10	6'
880-71693-7	FL-7	Solid	04/30/26 11:53	04/30/26 15:10	6'
880-71693-8	FL-8	Solid	04/30/26 10:55	04/30/26 15:10	6'
880-71693-9	FL-9	Solid	04/30/26 10:47	04/30/26 15:10	7'
880-71693-10	FL-10	Solid	04/30/26 10:19	04/30/26 15:10	17'
880-71693-11	W-1	Solid	04/30/26 11:46	04/30/26 15:10	
880-71693-12	W-2	Solid	04/30/26 11:52	04/30/26 15:10	
880-71693-13	W-3	Solid	04/30/26 11:54	04/30/26 15:10	
880-71693-14	W-4	Solid	04/30/26 11:56	04/30/26 15:10	
880-71693-15	W-5	Solid	04/30/26 12:01	04/30/26 15:10	
880-71693-16	W-6	Solid	04/30/26 10:50	04/30/26 15:10	
880-71693-17	W-7	Solid	04/30/26 10:58	04/30/26 15:10	
880-71693-18	W-8	Solid	04/30/26 10:23	04/30/26 15:10	



Environment Testing
Xenco

Chain of Custody

Houston, TX (281) 240-4200, Dallas, TX (214) 902-0300
Midland, TX (432) 704-5440, San Antonio, TX (210) 509-3334
EL Paso, TX (915) 585-3443, Lubbock, TX (806) 794-1296
Hobbs, NM (575) 392-7550, Carlsbad, NM (575) 988-3199

Work Order No: _____

www.xenco.com Page 2 of 3

Project Manager:	Kyle Norman	Bill to: (if different)	
Company Name:	Tasman, Inc.	Company Name:	
Address:	2620 W. Marland Blvd	Address:	
City, State ZIP:	Hobbs, New Mexico 88240	City, State ZIP:	
Phone:	575-318-5017	Email:	NMData@tasman-geo.com; Albert.L.Hyman@p66.com 145

Work Order Comments	
Program: UST/PST ☐ PRP ☐ Brownfields ☐ RC ☐ Superfund ☐	
State of Project:	
Reporting: Level II ☐ Level III ☐ PST/UST ☐ TRRP ☐ Level IV ☐	
Deliverables: EDD ☐ ADaPT ☐ Other:	


Project Name: <u>3228- UU Line Leak</u>		Turn Around		ANALYSIS REQUEST												Preservative Codes		
Project Number: <u>3228</u>		☒ Routine ☐ Rush		Pres. Code													None: NO	DI Water: H ₂ O
Project Location:		Due Date:		Parameters	BTX (EPA Method 8021B)	Chlorides (EPA Method 300)	TPH (EPA Method 8015M Extended)	Hold									Cool: Cool	MeOH: Me
Sampler's Name: <u>Bianca Martinez</u>		TAT starts the day received by the lab, if received by 4:30pm															HCL: HC	HNO ₃ : HN
PO #: <u>N/A</u>																	H ₂ SO ₄ : H ₂	NaOH: Na
																	H ₃ PO ₄ : HP	
																	NaHSO ₄ : NABIS	
SAMPLE RECEIPT		Temp Blank: <u>Yes</u> <u>No</u>	Wet Ice: <u>Yes</u> <u>No</u>														Na ₂ S ₂ O ₃ : NaSO ₃	
Samples Received Intact: <u>Yes</u> <u>No</u>		Thermometer ID: <u>113</u>															Zn Acetate+NaOH: Zn	
Cooler Custody Seals: <u>Yes</u> <u>No</u> <u>N/A</u>		Correction Factor: <u>1</u>															NaOH+Ascorbic Acid: SAPC	
Sample Custody Seals: <u>Yes</u> <u>No</u> <u>N/A</u>		Temperature Reading: <u>4.3</u>																
Total Containers:		Corrected Temperature: <u>4.4</u>																
Sample Identification	Matrix	Date Sampled	Time Sampled	Depth	Grab/Comp	# of Cont												Sample Comments
W-1	S	4/30/24	11:46		C	1	X	X	X									
W-2	S		11:52		C	1	X	X	X									
W-3	S		11:54		C	1	X	X	X									
W-4	S		11:56		C	1	X	X	X									
W-5	S		12:01		C	1	X	X	X									
W-6	S		10:50		C	1	X	X	X									
W-7	S		10:58		C	1	X	X	X									
W-8	S		10:23		C	1	X	X	X									
W-9	S		10:44		C	1			X									24 HR Rush
W-10	S		10:23		C	1			X									24 HR Rush

Total 200.7 / 6010	200.8 / 6020:	8RCRA 13PPM Texas 11 Al Sb As Ba Be B Cd Ca Cr Co Cu Fe Pb Mg Mn Mo Ni K Se Ag SiO ₂ Na Sr Ti Sn U V Zn
Circle Method(s) and Metal(s) to be analyzed		TCLP / SPLP 6010: 8RCRA Sb As Ba Be Cd Cr Co Cu Pb Mn Mo Ni Se Ag TI U Hg: 1631 / 245.1 / 7470 / 7471

Notice: Signature of this document and relinquishment of samples constitutes a valid purchase order from client company to Eurofins Xenco, its affiliates and subcontractors. It assigns standard terms and conditions of service. Eurofins Xenco will be liable only for the cost of samples and shall not assume any responsibility for any losses or expenses incurred by the client if such losses are due to circumstances beyond the control of Eurofins Xenco. A minimum charge of \$85.00 will be applied to each project and a charge of \$5 for each sample submitted to Eurofins Xenco, but not analyzed. These terms will be enforced unless previously negotiated.

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1 <u>Bianca Martinez</u>	<u>[Signature]</u>	4:50-26 5:10	2		
3			4		
5			6		

Revised Date: 08/25/2020 Rev. 2020.2



Login Sample Receipt Checklist

Client: Tasman Geosciences Inc

Job Number: 880-71693-1

SDG Number: 3228

Login Number: 71693

List Number: 1

Creator: Juarez, Leticia

List Source: Eurofins Midland

Question	Answer	Comment
The cooler's custody seal, if present, is intact.	N/A	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	

This receipt checklist is generated for all samples received in this Login. It may not be applicable to all Jobs associated with this Login.

Eurofins Midland



Environment Testing

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

ANALYTICAL REPORT

PREPARED FOR

Attn: Kyle Norman
Tasman Geosciences Inc
2620 W. Marland Blvd.
Hobbs, New Mexico 88240

Generated 5/11/2026 6:08:09 PM

JOB DESCRIPTION

3228_UU Line Leak
3228

JOB NUMBER

880-71693-3

Eurofins Midland
1211 W. Florida Ave
Midland TX 79701



Eurofins Midland

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

Analytical test results meet all requirements of the associated regulatory program (i.e., NELAC (TNI), DoD, and ISO 17025) unless otherwise noted under the individual analysis.

Authorization



Generated
5/11/2026 6:08:09 PM

Authorized for release by
Jessica Kramer, Project Manager
Jessica.Kramer@et.eurofinsus.com
(432)704-5440

Client: Tasman Geosciences Inc
Project/Site: 3228_UU Line Leak

Laboratory Job ID: 880-71693-3
SDG: 3228

Table of Contents

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	5
Client Sample Results	6
Surrogate Summary	8
QC Sample Results	9
QC Association Summary	11
Lab Chronicle	12
Certification Summary	13
Method Summary	14
Sample Summary	15
Chain of Custody	16
Receipt Checklists	19

1

2

3

4

5

6

7

8

9

10

11

12

13

14

Definitions/Glossary

Client: Tasman Geosciences Inc
Project/Site: 3228_UU Line Leak

Job ID: 880-71693-3
SDG: 3228

Qualifiers

GC VOA

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

HPLC/IC

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
SQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: Tasman Geosciences Inc
Project: 3228_UU Line Leak

Job ID: 880-71693-3

Job ID: 880-71693-3

Eurofins Midland

Job Narrative 880-71693-3

The analytical test results presented in this report meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page, unless otherwise noted. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable. Regulated compliance samples (e.g. SDWA, NPDES) must comply with associated agency requirements/permits.

- Matrix-specific batch QC (e.g., MS, MSD, SD) may not be reported when insufficient sample volume is available or when site-specific QC samples are not submitted. In such cases, a Laboratory Control Sample Duplicate (LCSD) may be analyzed to provide precision data for the batch.
- For samples analyzed using surrogate and/or isotope dilution analytes, any recoveries falling outside of established acceptance criteria are re-prepared and/or re-analyzed to confirm results, unless the deviation is due to sample dilution or otherwise explained in the case narrative.

Receipt

The samples were received on 4/30/2026 3:10 PM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 4.4°C.

Receipt Exceptions

The following samples were received and analyzed from an unpreserved bulk soil jar: FL-1 (880-71693-1), FL-2 (880-71693-2), FL-3 (880-71693-3), FL-4 (880-71693-4), FL-5 (880-71693-5), FL-6 (880-71693-6), FL-7 (880-71693-7), FL-8 (880-71693-8), FL-9 (880-71693-9), FL-10 (880-71693-10), W-1 (880-71693-11), W-2 (880-71693-12), W-3 (880-71693-13), W-4 (880-71693-14), W-5 (880-71693-15), W-6 (880-71693-16), W-7 (880-71693-17), W-8 (880-71693-18), W-9 (880-71693-19), W-10 (880-71693-20) and W-11 (880-71693-21).

GC VOA

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

HPLC/IC

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Midland

Client Sample Results

Client: Tasman Geosciences Inc
Project/Site: 3228_UU Line Leak

Job ID: 880-71693-3
SDG: 3228

Client Sample ID: W-9

Lab Sample ID: 880-71693-19

Date Collected: 04/30/26 10:44

Matrix: Solid

Date Received: 04/30/26 15:10

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00139	U	0.00200	0.00139	mg/Kg		05/11/26 09:56	05/11/26 12:11	1
Toluene	<0.00200	U	0.00200	0.00200	mg/Kg		05/11/26 09:56	05/11/26 12:11	1
Ethylbenzene	<0.00109	U	0.00200	0.00109	mg/Kg		05/11/26 09:56	05/11/26 12:11	1
m-Xylene & p-Xylene	<0.00228	U	0.00399	0.00228	mg/Kg		05/11/26 09:56	05/11/26 12:11	1
o-Xylene	<0.00158	U	0.00200	0.00158	mg/Kg		05/11/26 09:56	05/11/26 12:11	1
Xylenes, Total	<0.00228	U	0.00399	0.00228	mg/Kg		05/11/26 09:56	05/11/26 12:11	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	104		70 - 130	05/11/26 09:56	05/11/26 12:11	1
1,4-Difluorobenzene (Surr)	99		70 - 130	05/11/26 09:56	05/11/26 12:11	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00228	U	0.00399	0.00228	mg/Kg			05/11/26 12:11	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	10.6		10.1	0.398	mg/Kg			05/11/26 10:59	1

Client Sample ID: W-10

Lab Sample ID: 880-71693-20

Date Collected: 04/30/26 10:23

Matrix: Solid

Date Received: 04/30/26 15:10

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00140	U	0.00201	0.00140	mg/Kg		05/11/26 09:56	05/11/26 12:31	1
Toluene	<0.00201	U	0.00201	0.00201	mg/Kg		05/11/26 09:56	05/11/26 12:31	1
Ethylbenzene	<0.00109	U	0.00201	0.00109	mg/Kg		05/11/26 09:56	05/11/26 12:31	1
m-Xylene & p-Xylene	<0.00229	U	0.00402	0.00229	mg/Kg		05/11/26 09:56	05/11/26 12:31	1
o-Xylene	<0.00159	U	0.00201	0.00159	mg/Kg		05/11/26 09:56	05/11/26 12:31	1
Xylenes, Total	<0.00229	U	0.00402	0.00229	mg/Kg		05/11/26 09:56	05/11/26 12:31	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	109		70 - 130	05/11/26 09:56	05/11/26 12:31	1
1,4-Difluorobenzene (Surr)	108		70 - 130	05/11/26 09:56	05/11/26 12:31	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00229	U	0.00402	0.00229	mg/Kg			05/11/26 12:31	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	3.31	J	10.0	0.397	mg/Kg			05/11/26 11:04	1

Client Sample ID: W-11

Lab Sample ID: 880-71693-21

Date Collected: 04/30/26 11:37

Matrix: Solid

Date Received: 04/30/26 15:10

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00141	U	0.00202	0.00141	mg/Kg		05/11/26 09:56	05/11/26 12:52	1
Toluene	<0.00202	U	0.00202	0.00202	mg/Kg		05/11/26 09:56	05/11/26 12:52	1

Eurofins Midland

Client Sample Results

Client: Tasman Geosciences Inc
Project/Site: 3228_UU Line Leak

Job ID: 880-71693-3
SDG: 3228

Client Sample ID: W-11

Lab Sample ID: 880-71693-21

Date Collected: 04/30/26 11:37

Matrix: Solid

Date Received: 04/30/26 15:10

Method: SW846 8021B - Volatile Organic Compounds (GC) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ethylbenzene	<0.00110	U	0.00202	0.00110	mg/Kg		05/11/26 09:56	05/11/26 12:52	1
m-Xylene & p-Xylene	<0.00231	U	0.00404	0.00231	mg/Kg		05/11/26 09:56	05/11/26 12:52	1
o-Xylene	<0.00160	U	0.00202	0.00160	mg/Kg		05/11/26 09:56	05/11/26 12:52	1
Xylenes, Total	<0.00231	U	0.00404	0.00231	mg/Kg		05/11/26 09:56	05/11/26 12:52	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	111		70 - 130				05/11/26 09:56	05/11/26 12:52	1
1,4-Difluorobenzene (Surr)	106		70 - 130				05/11/26 09:56	05/11/26 12:52	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00231	U	0.00404	0.00231	mg/Kg			05/11/26 12:52	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<0.393	U	9.96	0.393	mg/Kg			05/11/26 11:19	1

Surrogate Summary

Client: Tasman Geosciences Inc
Project/Site: 3228_UU Line Leak

Job ID: 880-71693-3
SDG: 3228

Method: 8021B - Volatile Organic Compounds (GC)
Matrix: Solid

Prep Type: Total/NA

		Percent Surrogate Recovery (Acceptance Limits)			
Lab Sample ID	Client Sample ID	BFB1	DFBZ1		
		(70-130)	(70-130)		
880-71693-19	W-9	104	99		
880-71693-20	W-10	109	108		
880-71693-21	W-11	111	106		
LCS 880-140410/1-A	Lab Control Sample	101	100		
LCSD 880-140410/2-A	Lab Control Sample Dup	105	105		
MB 880-140410/5-A	Method Blank	95	94		
Surrogate Legend					
BFB = 4-Bromofluorobenzene (Surr)					
DFBZ = 1,4-Difluorobenzene (Surr)					

QC Sample Results

Client: Tasman Geosciences Inc
Project/Site: 3228_UU Line Leak

Job ID: 880-71693-3
SDG: 3228

Method: 8021B - Volatile Organic Compounds (GC)

Lab Sample ID: MB 880-140410/5-A

Matrix: Solid

Analysis Batch: 140392

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 140410

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00139	U	0.00200	0.00139	mg/Kg		05/11/26 09:56	05/11/26 11:28	1
Toluene	<0.00200	U	0.00200	0.00200	mg/Kg		05/11/26 09:56	05/11/26 11:28	1
Ethylbenzene	<0.00109	U	0.00200	0.00109	mg/Kg		05/11/26 09:56	05/11/26 11:28	1
m-Xylene & p-Xylene	<0.00229	U	0.00400	0.00229	mg/Kg		05/11/26 09:56	05/11/26 11:28	1
o-Xylene	<0.00158	U	0.00200	0.00158	mg/Kg		05/11/26 09:56	05/11/26 11:28	1
Xylenes, Total	<0.00229	U	0.00400	0.00229	mg/Kg		05/11/26 09:56	05/11/26 11:28	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	95		70 - 130	05/11/26 09:56	05/11/26 11:28	1
1,4-Difluorobenzene (Surr)	94		70 - 130	05/11/26 09:56	05/11/26 11:28	1

Lab Sample ID: LCS 880-140410/1-A

Matrix: Solid

Analysis Batch: 140392

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 140410

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	0.100	0.1050		mg/Kg		105	70 - 130
Toluene	0.100	0.1001		mg/Kg		100	70 - 130
Ethylbenzene	0.100	0.09965		mg/Kg		100	70 - 130
m-Xylene & p-Xylene	0.200	0.2020		mg/Kg		101	70 - 130
o-Xylene	0.100	0.09991		mg/Kg		100	70 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
4-Bromofluorobenzene (Surr)	101		70 - 130
1,4-Difluorobenzene (Surr)	100		70 - 130

Lab Sample ID: LCSD 880-140410/2-A

Matrix: Solid

Analysis Batch: 140392

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 140410

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Benzene	0.100	0.1273		mg/Kg		127	70 - 130	19	35
Toluene	0.100	0.1200		mg/Kg		120	70 - 130	18	35
Ethylbenzene	0.100	0.1182		mg/Kg		118	70 - 130	17	35
m-Xylene & p-Xylene	0.200	0.2442		mg/Kg		122	70 - 130	19	35
o-Xylene	0.100	0.1215		mg/Kg		122	70 - 130	20	35

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
4-Bromofluorobenzene (Surr)	105		70 - 130
1,4-Difluorobenzene (Surr)	105		70 - 130

Eurofins Midland

QC Sample Results

Client: Tasman Geosciences Inc
Project/Site: 3228_UU Line Leak

Job ID: 880-71693-3
SDG: 3228

Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: MB 880-140367/1-A

Matrix: Solid

Analysis Batch: 140398

Client Sample ID: Method Blank

Prep Type: Soluble

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<0.395	U	10.0	0.395	mg/Kg			05/11/26 09:17	1

Lab Sample ID: LCS 880-140367/2-A

Matrix: Solid

Analysis Batch: 140398

Client Sample ID: Lab Control Sample

Prep Type: Soluble

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	250	234.5		mg/Kg		94	90 - 110

Lab Sample ID: LCSD 880-140367/3-A

Matrix: Solid

Analysis Batch: 140398

Client Sample ID: Lab Control Sample Dup

Prep Type: Soluble

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	250	242.6		mg/Kg		97	90 - 110	3	20

QC Association Summary

Client: Tasman Geosciences Inc
Project/Site: 3228_UU Line Leak

Job ID: 880-71693-3
SDG: 3228

GC VOA

Analysis Batch: 140392

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-71693-19	W-9	Total/NA	Solid	8021B	140410
880-71693-20	W-10	Total/NA	Solid	8021B	140410
880-71693-21	W-11	Total/NA	Solid	8021B	140410
MB 880-140410/5-A	Method Blank	Total/NA	Solid	8021B	140410
LCS 880-140410/1-A	Lab Control Sample	Total/NA	Solid	8021B	140410
LCSD 880-140410/2-A	Lab Control Sample Dup	Total/NA	Solid	8021B	140410

Prep Batch: 140410

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-71693-19	W-9	Total/NA	Solid	5035	
880-71693-20	W-10	Total/NA	Solid	5035	
880-71693-21	W-11	Total/NA	Solid	5035	
MB 880-140410/5-A	Method Blank	Total/NA	Solid	5035	
LCS 880-140410/1-A	Lab Control Sample	Total/NA	Solid	5035	
LCSD 880-140410/2-A	Lab Control Sample Dup	Total/NA	Solid	5035	

Analysis Batch: 140530

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-71693-19	W-9	Total/NA	Solid	Total BTEX	
880-71693-20	W-10	Total/NA	Solid	Total BTEX	
880-71693-21	W-11	Total/NA	Solid	Total BTEX	

HPLC/IC

Leach Batch: 140367

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-71693-19	W-9	Soluble	Solid	DI Leach	
880-71693-20	W-10	Soluble	Solid	DI Leach	
880-71693-21	W-11	Soluble	Solid	DI Leach	
MB 880-140367/1-A	Method Blank	Soluble	Solid	DI Leach	
LCS 880-140367/2-A	Lab Control Sample	Soluble	Solid	DI Leach	
LCSD 880-140367/3-A	Lab Control Sample Dup	Soluble	Solid	DI Leach	

Analysis Batch: 140398

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-71693-19	W-9	Soluble	Solid	300.0	140367
880-71693-20	W-10	Soluble	Solid	300.0	140367
880-71693-21	W-11	Soluble	Solid	300.0	140367
MB 880-140367/1-A	Method Blank	Soluble	Solid	300.0	140367
LCS 880-140367/2-A	Lab Control Sample	Soluble	Solid	300.0	140367
LCSD 880-140367/3-A	Lab Control Sample Dup	Soluble	Solid	300.0	140367

Eurofins Midland

Lab Chronicle

Client: Tasman Geosciences Inc
Project/Site: 3228_UU Line Leak

Job ID: 880-71693-3
SDG: 3228

Client Sample ID: W-9

Lab Sample ID: 880-71693-19

Date Collected: 04/30/26 10:44

Matrix: Solid

Date Received: 04/30/26 15:10

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	140410	05/11/26 09:56	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	140392	05/11/26 12:11	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			140530	05/11/26 12:11	SA	EET MID
Soluble	Leach	DI Leach			4.96 g	50 mL	140367	05/11/26 08:43	SMC	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	140398	05/11/26 10:59	CS	EET MID

Client Sample ID: W-10

Lab Sample ID: 880-71693-20

Date Collected: 04/30/26 10:23

Matrix: Solid

Date Received: 04/30/26 15:10

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.98 g	5 mL	140410	05/11/26 09:56	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	140392	05/11/26 12:31	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			140530	05/11/26 12:31	SA	EET MID
Soluble	Leach	DI Leach			4.98 g	50 mL	140367	05/11/26 08:43	SMC	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	140398	05/11/26 11:04	CS	EET MID

Client Sample ID: W-11

Lab Sample ID: 880-71693-21

Date Collected: 04/30/26 11:37

Matrix: Solid

Date Received: 04/30/26 15:10

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.95 g	5 mL	140410	05/11/26 09:56	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	140392	05/11/26 12:52	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			140530	05/11/26 12:52	SA	EET MID
Soluble	Leach	DI Leach			5.02 g	50 mL	140367	05/11/26 08:43	SMC	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	140398	05/11/26 11:19	CS	EET MID

Laboratory References:

EET MID = Eurofins Midland, 1211 W. Florida Ave, Midland, TX 79701, TEL (432)704-5440

Accreditation/Certification Summary

Client: Tasman Geosciences Inc
Project/Site: 3228_UU Line Leak

Job ID: 880-71693-3
SDG: 3228

Laboratory: Eurofins Midland

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
Texas	NELAP	T104704400	06-30-26
The following analytes are included in this report, but the laboratory is not certified by Texas NELAP T 104704400. This list may include analytes for which the agency does not offer certification :			
Analysis Method	Prep Method	Matrix	Analyte
Total BTEX		Solid	Total BTEX

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Method Summary

Client: Tasman Geosciences Inc
Project/Site: 3228_UU Line Leak

Job ID: 880-71693-3
SDG: 3228

Method	Method Description	Protocol	Laboratory
8021B	Volatile Organic Compounds (GC)	SW846	EET MID
Total BTEX	Total BTEX Calculation	TAL SOP	EET MID
300.0	Anions, Ion Chromatography	EPA	EET MID
5035	Closed System Purge and Trap	SW846	EET MID
DI Leach	Deionized Water Leaching Procedure	ASTM	EET MID

Protocol References:

- ASTM = ASTM International
- EPA = US Environmental Protection Agency
- SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.
- TAL SOP = TestAmerica Laboratories, Standard Operating Procedure

Laboratory References:

- EET MID = Eurofins Midland, 1211 W. Florida Ave, Midland, TX 79701, TEL (432)704-5440


Sample Summary


Client: Tasman Geosciences Inc
Project/Site: 3228_UU Line Leak

Job ID: 880-71693-3
SDG: 3228

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Sample Origin
880-71693-19	W-9	Solid	04/30/26 10:44	04/30/26 15:10	Texas
880-71693-20	W-10	Solid	04/30/26 10:23	04/30/26 15:10	Texas
880-71693-21	W-11	Solid	04/30/26 11:37	04/30/26 15:10	Texas

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14





Login Sample Receipt Checklist

Client: Tasman Geosciences Inc

Job Number: 880-71693-3

SDG Number: 3228

Login Number: 71693

List Number: 1

Creator: Juarez, Leticia

List Source: Eurofins Midland

Question	Answer	Comment
The cooler's custody seal, if present, is intact.	N/A	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	

This receipt checklist is generated for all samples received in this Login. It may not be applicable to all Jobs associated with this Login.

Eurofins Midland



Environment Testing

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

ANALYTICAL REPORT

PREPARED FOR

Attn: NM Data
Tasman Geosciences Inc
2620 W. Marland Blvd.
Hobbs, New Mexico 88240

Generated 5/8/2026 2:13:04 PM

JOB DESCRIPTION

3228_UU line leak
3228

JOB NUMBER

880-72027-1

Eurofins Midland
1211 W. Florida Ave
Midland TX 79701

Eurofins Midland

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

Analytical test results meet all requirements of the associated regulatory program (i.e., NELAC (TNI), DoD, and ISO 17025) unless otherwise noted under the individual analysis.

Authorization



Generated
5/8/2026 2:13:04 PM

Authorized for release by
Jessica Kramer, Project Manager
Jessica.Kramer@et.eurofinsus.com
(432)704-5440

Client: Tasman Geosciences Inc
Project/Site: 3228_UU line leak

Laboratory Job ID: 880-72027-1
SDG: 3228

Table of Contents

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	5
Client Sample Results	6
Surrogate Summary	11
QC Sample Results	12
QC Association Summary	16
Lab Chronicle	18
Certification Summary	20
Method Summary	21
Sample Summary	22
Chain of Custody	23
Receipt Checklists	24

1

2

3

4

5

6

7

8

9

10

11

12

13

14

Definitions/Glossary

Client: Tasman Geosciences Inc
Project/Site: 3228_UU line leak

Job ID: 880-72027-1
SDG: 3228

Qualifiers

GC VOA

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

GC Semi VOA

Qualifier	Qualifier Description
B	Compound was found in the blank and sample.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
U	Indicates the analyte was analyzed for but not detected.

HPLC/IC

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: Tasman Geosciences Inc
Project: 3228_UU line leak

Job ID: 880-72027-1

Job ID: 880-72027-1

Eurofins Midland

Job Narrative 880-72027-1

The analytical test results presented in this report meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page, unless otherwise noted. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable. Regulated compliance samples (e.g. SDWA, NPDES) must comply with associated agency requirements/permits.

- Matrix-specific batch QC (e.g., MS, MSD, SD) may not be reported when insufficient sample volume is available or when site-specific QC samples are not submitted. In such cases, a Laboratory Control Sample Duplicate (LCSD) may be analyzed to provide precision data for the batch.
- For samples analyzed using surrogate and/or isotope dilution analytes, any recoveries falling outside of established acceptance criteria are re-prepared and/or re-analyzed to confirm results, unless the deviation is due to sample dilution or otherwise explained in the case narrative.

Receipt

The samples were received on 5/7/2026 12:10 PM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 3.3°C.

GC VOA

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Diesel Range Organics

Method 8015B NM: The method blank for preparation batch 880-140262 and analytical batch 880-140272 contained Oil Range Organics (Over C28-C36) above the method detection limit. This target analyte concentration was less than the reporting limit (RL) in the method blank; therefore, re-extraction and/or re-analysis of samples was not performed.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

HPLC/IC

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Midland

Client Sample Results

Client: Tasman Geosciences Inc
Project/Site: 3228_UU line leak

Job ID: 880-72027-1
SDG: 3228

Client Sample ID: FL-11

Lab Sample ID: 880-72027-1

Date Collected: 05/07/26 10:05

Matrix: Solid

Date Received: 05/07/26 12:10

Sample Depth: 6

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00139	U	0.00200	0.00139	mg/Kg		05/08/26 05:08	05/08/26 10:47	1
Toluene	<0.00200	U	0.00200	0.00200	mg/Kg		05/08/26 05:08	05/08/26 10:47	1
Ethylbenzene	<0.00109	U	0.00200	0.00109	mg/Kg		05/08/26 05:08	05/08/26 10:47	1
m-Xylene & p-Xylene	<0.00228	U	0.00399	0.00228	mg/Kg		05/08/26 05:08	05/08/26 10:47	1
o-Xylene	<0.00158	U	0.00200	0.00158	mg/Kg		05/08/26 05:08	05/08/26 10:47	1
Xylenes, Total	<0.00228	U	0.00399	0.00228	mg/Kg		05/08/26 05:08	05/08/26 10:47	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	103		70 - 130	05/08/26 05:08	05/08/26 10:47	1
1,4-Difluorobenzene (Surr)	94		70 - 130	05/08/26 05:08	05/08/26 10:47	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00228	U	0.00399	0.00228	mg/Kg			05/08/26 10:47	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	24.3	J	50.1	15.1	mg/Kg			05/08/26 09:41	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<14.5	U	50.1	14.5	mg/Kg		05/08/26 08:01	05/08/26 09:41	1
Diesel Range Organics (Over C10-C28)	<15.1	U	50.1	15.1	mg/Kg		05/08/26 08:01	05/08/26 09:41	1
Oil Range Organics (Over C28-C36)	24.3	J B	50.1	15.1	mg/Kg		05/08/26 08:01	05/08/26 09:41	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	89		70 - 130	05/08/26 08:01	05/08/26 09:41	1
o-Terphenyl	94		70 - 130	05/08/26 08:01	05/08/26 09:41	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	55.0		9.96	0.393	mg/Kg			05/08/26 09:56	1

Client Sample ID: FL-12

Lab Sample ID: 880-72027-2

Date Collected: 05/07/26 10:00

Matrix: Solid

Date Received: 05/07/26 12:10

Sample Depth: 6

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00140	U	0.00201	0.00140	mg/Kg		05/08/26 05:08	05/08/26 11:08	1
Toluene	<0.00201	U	0.00201	0.00201	mg/Kg		05/08/26 05:08	05/08/26 11:08	1
Ethylbenzene	<0.00109	U	0.00201	0.00109	mg/Kg		05/08/26 05:08	05/08/26 11:08	1
m-Xylene & p-Xylene	<0.00229	U	0.00402	0.00229	mg/Kg		05/08/26 05:08	05/08/26 11:08	1
o-Xylene	<0.00159	U	0.00201	0.00159	mg/Kg		05/08/26 05:08	05/08/26 11:08	1
Xylenes, Total	<0.00229	U	0.00402	0.00229	mg/Kg		05/08/26 05:08	05/08/26 11:08	1

Eurofins Midland

Client Sample Results

Client: Tasman Geosciences Inc
Project/Site: 3228_UU line leak

Job ID: 880-72027-1
SDG: 3228

Client Sample ID: FL-12

Lab Sample ID: 880-72027-2

Date Collected: 05/07/26 10:00

Matrix: Solid

Date Received: 05/07/26 12:10

Sample Depth: 6

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	111		70 - 130	05/08/26 05:08	05/08/26 11:08	1
1,4-Difluorobenzene (Surr)	99		70 - 130	05/08/26 05:08	05/08/26 11:08	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00229	U	0.00402	0.00229	mg/Kg			05/08/26 11:08	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	19.2	J	50.0	15.1	mg/Kg			05/08/26 10:23	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<14.5	U	50.0	14.5	mg/Kg		05/08/26 08:01	05/08/26 10:23	1
Diesel Range Organics (Over C10-C28)	<15.1	U	50.0	15.1	mg/Kg		05/08/26 08:01	05/08/26 10:23	1
Oil Range Organics (Over C28-C36)	19.2	J B	50.0	15.1	mg/Kg		05/08/26 08:01	05/08/26 10:23	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	89		70 - 130	05/08/26 08:01	05/08/26 10:23	1
o-Terphenyl	91		70 - 130	05/08/26 08:01	05/08/26 10:23	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	28.2		10.0	0.397	mg/Kg			05/08/26 10:00	1

Client Sample ID: W-12

Lab Sample ID: 880-72027-3

Date Collected: 05/07/26 09:42

Matrix: Solid

Date Received: 05/07/26 12:10

Sample Depth: -

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00141	U	0.00202	0.00141	mg/Kg		05/08/26 05:08	05/08/26 11:29	1
Toluene	<0.00202	U	0.00202	0.00202	mg/Kg		05/08/26 05:08	05/08/26 11:29	1
Ethylbenzene	<0.00110	U	0.00202	0.00110	mg/Kg		05/08/26 05:08	05/08/26 11:29	1
m-Xylene & p-Xylene	<0.00231	U	0.00404	0.00231	mg/Kg		05/08/26 05:08	05/08/26 11:29	1
o-Xylene	<0.00160	U	0.00202	0.00160	mg/Kg		05/08/26 05:08	05/08/26 11:29	1
Xylenes, Total	<0.00231	U	0.00404	0.00231	mg/Kg		05/08/26 05:08	05/08/26 11:29	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	108		70 - 130	05/08/26 05:08	05/08/26 11:29	1
1,4-Difluorobenzene (Surr)	94		70 - 130	05/08/26 05:08	05/08/26 11:29	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00231	U	0.00404	0.00231	mg/Kg			05/08/26 11:29	1

Eurofins Midland

Client Sample Results

Client: Tasman Geosciences Inc
Project/Site: 3228_UU line leak

Job ID: 880-72027-1
SDG: 3228

Client Sample ID: W-12

Lab Sample ID: 880-72027-3

Date Collected: 05/07/26 09:42

Matrix: Solid

Date Received: 05/07/26 12:10

Sample Depth: -

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	265		49.9	15.1	mg/Kg			05/08/26 10:38	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<14.5	U	49.9	14.5	mg/Kg		05/08/26 08:01	05/08/26 10:38	1
Diesel Range Organics (Over C10-C28)	249		49.9	15.1	mg/Kg		05/08/26 08:01	05/08/26 10:38	1
Oil Range Organics (Over C28-C36)	15.8	J B	49.9	15.1	mg/Kg		05/08/26 08:01	05/08/26 10:38	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	95		70 - 130				05/08/26 08:01	05/08/26 10:38	1
o-Terphenyl	98		70 - 130				05/08/26 08:01	05/08/26 10:38	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<0.394	U	9.98	0.394	mg/Kg			05/08/26 10:05	1

Client Sample ID: W-13

Lab Sample ID: 880-72027-4

Date Collected: 05/07/26 09:45

Matrix: Solid

Date Received: 05/07/26 12:10

Sample Depth: -

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00138	U	0.00199	0.00138	mg/Kg		05/08/26 05:08	05/08/26 11:50	1
Toluene	<0.00199	U	0.00199	0.00199	mg/Kg		05/08/26 05:08	05/08/26 11:50	1
Ethylbenzene	<0.00108	U	0.00199	0.00108	mg/Kg		05/08/26 05:08	05/08/26 11:50	1
m-Xylene & p-Xylene	<0.00227	U	0.00398	0.00227	mg/Kg		05/08/26 05:08	05/08/26 11:50	1
o-Xylene	<0.00157	U	0.00199	0.00157	mg/Kg		05/08/26 05:08	05/08/26 11:50	1
Xylenes, Total	<0.00227	U	0.00398	0.00227	mg/Kg		05/08/26 05:08	05/08/26 11:50	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	109		70 - 130				05/08/26 05:08	05/08/26 11:50	1
1,4-Difluorobenzene (Surr)	99		70 - 130				05/08/26 05:08	05/08/26 11:50	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00227	U	0.00398	0.00227	mg/Kg			05/08/26 11:50	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	30.3	J	50.0	15.1	mg/Kg			05/08/26 10:53	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<14.5	U	50.0	14.5	mg/Kg		05/08/26 08:01	05/08/26 10:53	1
Diesel Range Organics (Over C10-C28)	<15.1	U	50.0	15.1	mg/Kg		05/08/26 08:01	05/08/26 10:53	1

Eurofins Midland

Client Sample Results

Client: Tasman Geosciences Inc
Project/Site: 3228_UU line leak

Job ID: 880-72027-1
SDG: 3228

Client Sample ID: W-13

Lab Sample ID: 880-72027-4

Date Collected: 05/07/26 09:45

Matrix: Solid

Date Received: 05/07/26 12:10

Sample Depth: -

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Oil Range Organics (Over C28-C36)	30.3	J B	50.0	15.1	mg/Kg	-	05/08/26 08:01	05/08/26 10:53	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	91		70 - 130				05/08/26 08:01	05/08/26 10:53	1
o-Terphenyl	94		70 - 130				05/08/26 08:01	05/08/26 10:53	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<0.394	U	9.98	0.394	mg/Kg	-		05/08/26 10:20	1

Client Sample ID: W-14

Lab Sample ID: 880-72027-5

Date Collected: 05/07/26 09:53

Matrix: Solid

Date Received: 05/07/26 12:10

Sample Depth: -

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00139	U	0.00200	0.00139	mg/Kg	-	05/08/26 05:08	05/08/26 12:10	1
Toluene	<0.00200	U	0.00200	0.00200	mg/Kg	-	05/08/26 05:08	05/08/26 12:10	1
Ethylbenzene	<0.00109	U	0.00200	0.00109	mg/Kg	-	05/08/26 05:08	05/08/26 12:10	1
m-Xylene & p-Xylene	<0.00229	U	0.00400	0.00229	mg/Kg	-	05/08/26 05:08	05/08/26 12:10	1
o-Xylene	<0.00158	U	0.00200	0.00158	mg/Kg	-	05/08/26 05:08	05/08/26 12:10	1
Xylenes, Total	<0.00229	U	0.00400	0.00229	mg/Kg	-	05/08/26 05:08	05/08/26 12:10	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	108		70 - 130				05/08/26 05:08	05/08/26 12:10	1
1,4-Difluorobenzene (Surr)	99		70 - 130				05/08/26 05:08	05/08/26 12:10	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00229	U	0.00400	0.00229	mg/Kg	-		05/08/26 12:10	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	19.7	J	49.8	15.1	mg/Kg	-		05/08/26 11:07	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<14.5	U	49.8	14.5	mg/Kg	-	05/08/26 08:01	05/08/26 11:07	1
Diesel Range Organics (Over C10-C28)	<15.1	U	49.8	15.1	mg/Kg	-	05/08/26 08:01	05/08/26 11:07	1
Oil Range Organics (Over C28-C36)	19.7	J B	49.8	15.1	mg/Kg	-	05/08/26 08:01	05/08/26 11:07	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	98		70 - 130				05/08/26 08:01	05/08/26 11:07	1
o-Terphenyl	101		70 - 130				05/08/26 08:01	05/08/26 11:07	1

Eurofins Midland

Client Sample Results

Client: Tasman Geosciences Inc
Project/Site: 3228_UU line leak

Job ID: 880-72027-1
SDG: 3228

Client Sample ID: W-14
Date Collected: 05/07/26 09:53
Date Received: 05/07/26 12:10
Sample Depth: -

Lab Sample ID: 880-72027-5
Matrix: Solid

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<0.393	U	9.94	0.393	mg/Kg	-		05/08/26 10:30	1

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Surrogate Summary

Client: Tasman Geosciences Inc
Project/Site: 3228_UU line leak

Job ID: 880-72027-1
SDG: 3228

Method: 8021B - Volatile Organic Compounds (GC)

Matrix: Solid

Prep Type: Total/NA

		Percent Surrogate Recovery (Acceptance Limits)	
Lab Sample ID	Client Sample ID	BFB1 (70-130)	DFBZ1 (70-130)
880-72027-1	FL-11	103	94
880-72027-1 MS	FL-11	100	98
880-72027-1 MSD	FL-11	104	99
880-72027-2	FL-12	111	99
880-72027-3	W-12	108	94
880-72027-4	W-13	109	99
880-72027-5	W-14	108	99
LCS 880-139958/1-A	Lab Control Sample	101	95
LCSD 880-139958/2-A	Lab Control Sample Dup	104	96
MB 880-139958/5-A	Method Blank	102	91
Surrogate Legend			
BFB = 4-Bromofluorobenzene (Surr)			
DFBZ = 1,4-Difluorobenzene (Surr)			

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Matrix: Solid

Prep Type: Total/NA

		Percent Surrogate Recovery (Acceptance Limits)	
Lab Sample ID	Client Sample ID	1CO1 (70-130)	OTPH1 (70-130)
880-72027-1	FL-11	89	94
880-72027-1 MS	FL-11	102	97
880-72027-1 MSD	FL-11	101	98
880-72027-2	FL-12	89	91
880-72027-3	W-12	95	98
880-72027-4	W-13	91	94
880-72027-5	W-14	98	101
LCS 880-140262/2-A	Lab Control Sample	95	90
LCSD 880-140262/3-A	Lab Control Sample Dup	83	90
MB 880-140262/1-A	Method Blank	80	86
Surrogate Legend			
1CO = 1-Chlorooctane			
OTPH = o-Terphenyl			

QC Sample Results

Client: Tasman Geosciences Inc
Project/Site: 3228_UU line leak

Job ID: 880-72027-1
SDG: 3228

Method: 8021B - Volatile Organic Compounds (GC)

Lab Sample ID: MB 880-139958/5-A

Matrix: Solid

Analysis Batch: 140267

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 139958

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00139	U	0.00200	0.00139	mg/Kg		05/05/26 13:25	05/08/26 10:26	1
Toluene	<0.00200	U	0.00200	0.00200	mg/Kg		05/05/26 13:25	05/08/26 10:26	1
Ethylbenzene	<0.00109	U	0.00200	0.00109	mg/Kg		05/05/26 13:25	05/08/26 10:26	1
m-Xylene & p-Xylene	<0.00229	U	0.00400	0.00229	mg/Kg		05/05/26 13:25	05/08/26 10:26	1
o-Xylene	<0.00158	U	0.00200	0.00158	mg/Kg		05/05/26 13:25	05/08/26 10:26	1
Xylenes, Total	<0.00229	U	0.00400	0.00229	mg/Kg		05/05/26 13:25	05/08/26 10:26	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	102		70 - 130	05/05/26 13:25	05/08/26 10:26	1
1,4-Difluorobenzene (Surr)	91		70 - 130	05/05/26 13:25	05/08/26 10:26	1

Lab Sample ID: LCS 880-139958/1-A

Matrix: Solid

Analysis Batch: 140267

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 139958

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	0.100	0.1112		mg/Kg		111	70 - 130
Toluene	0.100	0.1076		mg/Kg		108	70 - 130
Ethylbenzene	0.100	0.1038		mg/Kg		104	70 - 130
m-Xylene & p-Xylene	0.200	0.2095		mg/Kg		105	70 - 130
o-Xylene	0.100	0.1075		mg/Kg		108	70 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
4-Bromofluorobenzene (Surr)	101		70 - 130
1,4-Difluorobenzene (Surr)	95		70 - 130

Lab Sample ID: LCSD 880-139958/2-A

Matrix: Solid

Analysis Batch: 140267

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 139958

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Benzene	0.100	0.1121		mg/Kg		112	70 - 130	1	35
Toluene	0.100	0.1086		mg/Kg		109	70 - 130	1	35
Ethylbenzene	0.100	0.1089		mg/Kg		109	70 - 130	5	35
m-Xylene & p-Xylene	0.200	0.2196		mg/Kg		110	70 - 130	5	35
o-Xylene	0.100	0.1097		mg/Kg		110	70 - 130	2	35

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
4-Bromofluorobenzene (Surr)	104		70 - 130
1,4-Difluorobenzene (Surr)	96		70 - 130

Lab Sample ID: 880-72027-1 MS

Matrix: Solid

Analysis Batch: 140267

Client Sample ID: FL-11

Prep Type: Total/NA

Prep Batch: 139958

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	<0.00139	U	0.100	0.1117		mg/Kg		112	70 - 130
Toluene	<0.00200	U	0.100	0.1083		mg/Kg		108	70 - 130

Eurofins Midland

QC Sample Results

Client: Tasman Geosciences Inc
Project/Site: 3228_UU line leak

Job ID: 880-72027-1
SDG: 3228

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: 880-72027-1 MS

Matrix: Solid

Analysis Batch: 140267

Client Sample ID: FL-11

Prep Type: Total/NA

Prep Batch: 139958

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Ethylbenzene	<0.00109	U	0.100	0.1070		mg/Kg		107	70 - 130
m-Xylene & p-Xylene	<0.00228	U	0.200	0.2170		mg/Kg		108	70 - 130
o-Xylene	<0.00158	U	0.100	0.1065		mg/Kg		107	70 - 130

Surrogate	MS %Recovery	MS Qualifier	Limits
4-Bromofluorobenzene (Surr)	100		70 - 130
1,4-Difluorobenzene (Surr)	98		70 - 130

Lab Sample ID: 880-72027-1 MSD

Matrix: Solid

Analysis Batch: 140267

Client Sample ID: FL-11

Prep Type: Total/NA

Prep Batch: 139958

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Benzene	<0.00139	U	0.100	0.1163		mg/Kg		116	70 - 130	4	35
Toluene	<0.00200	U	0.100	0.1117		mg/Kg		112	70 - 130	3	35
Ethylbenzene	<0.00109	U	0.100	0.1117		mg/Kg		112	70 - 130	4	35
m-Xylene & p-Xylene	<0.00228	U	0.200	0.2226		mg/Kg		111	70 - 130	3	35
o-Xylene	<0.00158	U	0.100	0.1124		mg/Kg		112	70 - 130	5	35

Surrogate	MSD %Recovery	MSD Qualifier	Limits
4-Bromofluorobenzene (Surr)	104		70 - 130
1,4-Difluorobenzene (Surr)	99		70 - 130

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Lab Sample ID: MB 880-140262/1-A

Matrix: Solid

Analysis Batch: 140272

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 140262

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<14.5	U	50.0	14.5	mg/Kg		05/08/26 08:01	05/08/26 05:01	1
Diesel Range Organics (Over C10-C28)	<15.1	U	50.0	15.1	mg/Kg		05/08/26 08:01	05/08/26 05:01	1
Oil Range Organics (Over C28-C36)	21.89	J	50.0	15.1	mg/Kg		05/08/26 08:01	05/08/26 05:01	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	80		70 - 130	05/08/26 08:01	05/08/26 05:01	1
o-Terphenyl	86		70 - 130	05/08/26 08:01	05/08/26 05:01	1

Lab Sample ID: LCS 880-140262/2-A

Matrix: Solid

Analysis Batch: 140272

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 140262

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Gasoline Range Organics (GRO)-C6-C10	1000	780.8		mg/Kg		78	70 - 130
Diesel Range Organics (Over C10-C28)	1000	794.9		mg/Kg		79	70 - 130

Eurofins Midland

QC Sample Results

Client: Tasman Geosciences Inc
Project/Site: 3228_UU line leak

Job ID: 880-72027-1
SDG: 3228

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Lab Sample ID: LCS 880-140262/2-A

Matrix: Solid

Analysis Batch: 140272

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 140262

	LCS	LCS	
Surrogate	%Recovery	Qualifier	Limits
1-Chlorooctane	95		70 - 130
o-Terphenyl	90		70 - 130

Lab Sample ID: LCSD 880-140262/3-A

Matrix: Solid

Analysis Batch: 140272

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 140262

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Gasoline Range Organics (GRO)-C6-C10	1000	781.2		mg/Kg		78	70 - 130	0	20
Diesel Range Organics (Over C10-C28)	1000	846.0		mg/Kg		85	70 - 130	6	20

	LCSD	LCSD	
Surrogate	%Recovery	Qualifier	Limits
1-Chlorooctane	83		70 - 130
o-Terphenyl	90		70 - 130

Lab Sample ID: 880-72027-1 MS

Matrix: Solid

Analysis Batch: 140272

Client Sample ID: FL-11

Prep Type: Total/NA

Prep Batch: 140262

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Gasoline Range Organics (GRO)-C6-C10	<14.5	U	1000	735.7		mg/Kg		74	70 - 130
Diesel Range Organics (Over C10-C28)	<15.1	U	1000	779.0		mg/Kg		78	70 - 130

	MS	MS	
Surrogate	%Recovery	Qualifier	Limits
1-Chlorooctane	102		70 - 130
o-Terphenyl	97		70 - 130

Lab Sample ID: 880-72027-1 MSD

Matrix: Solid

Analysis Batch: 140272

Client Sample ID: FL-11

Prep Type: Total/NA

Prep Batch: 140262

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Gasoline Range Organics (GRO)-C6-C10	<14.5	U	1000	717.8		mg/Kg		72	70 - 130	2	20
Diesel Range Organics (Over C10-C28)	<15.1	U	1000	789.4		mg/Kg		79	70 - 130	1	20

	MSD	MSD	
Surrogate	%Recovery	Qualifier	Limits
1-Chlorooctane	101		70 - 130
o-Terphenyl	98		70 - 130

Eurofins Midland

QC Sample Results

Client: Tasman Geosciences Inc
Project/Site: 3228_UU line leak

Job ID: 880-72027-1
SDG: 3228

Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: MB 880-140243/1-A					Client Sample ID: Method Blank				
Matrix: Solid					Prep Type: Soluble				
Analysis Batch: 140275									
Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<0.395	U	10.0	0.395	mg/Kg			05/08/26 08:59	1

Lab Sample ID: LCS 880-140243/2-A					Client Sample ID: Lab Control Sample				
Matrix: Solid					Prep Type: Soluble				
Analysis Batch: 140275									
Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits		
Chloride	250	241.2		mg/Kg		96	90 - 110		

Lab Sample ID: LCSD 880-140243/3-A					Client Sample ID: Lab Control Sample Dup				
Matrix: Solid					Prep Type: Soluble				
Analysis Batch: 140275									
Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	250	235.5		mg/Kg		94	90 - 110	2	20

QC Association Summary

Client: Tasman Geosciences Inc
Project/Site: 3228_UU line leak

Job ID: 880-72027-1
SDG: 3228

GC VOA

Prep Batch: 139958

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-72027-1	FL-11	Total/NA	Solid	5035	
880-72027-2	FL-12	Total/NA	Solid	5035	
880-72027-3	W-12	Total/NA	Solid	5035	
880-72027-4	W-13	Total/NA	Solid	5035	
880-72027-5	W-14	Total/NA	Solid	5035	
MB 880-139958/5-A	Method Blank	Total/NA	Solid	5035	
LCS 880-139958/1-A	Lab Control Sample	Total/NA	Solid	5035	
LCSD 880-139958/2-A	Lab Control Sample Dup	Total/NA	Solid	5035	
880-72027-1 MS	FL-11	Total/NA	Solid	5035	
880-72027-1 MSD	FL-11	Total/NA	Solid	5035	

Analysis Batch: 140267

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-72027-1	FL-11	Total/NA	Solid	8021B	139958
880-72027-2	FL-12	Total/NA	Solid	8021B	139958
880-72027-3	W-12	Total/NA	Solid	8021B	139958
880-72027-4	W-13	Total/NA	Solid	8021B	139958
880-72027-5	W-14	Total/NA	Solid	8021B	139958
MB 880-139958/5-A	Method Blank	Total/NA	Solid	8021B	139958
LCS 880-139958/1-A	Lab Control Sample	Total/NA	Solid	8021B	139958
LCSD 880-139958/2-A	Lab Control Sample Dup	Total/NA	Solid	8021B	139958
880-72027-1 MS	FL-11	Total/NA	Solid	8021B	139958
880-72027-1 MSD	FL-11	Total/NA	Solid	8021B	139958

Analysis Batch: 140315

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-72027-1	FL-11	Total/NA	Solid	Total BTEX	
880-72027-2	FL-12	Total/NA	Solid	Total BTEX	
880-72027-3	W-12	Total/NA	Solid	Total BTEX	
880-72027-4	W-13	Total/NA	Solid	Total BTEX	
880-72027-5	W-14	Total/NA	Solid	Total BTEX	

GC Semi VOA

Prep Batch: 140262

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-72027-1	FL-11	Total/NA	Solid	8015NM Prep	
880-72027-2	FL-12	Total/NA	Solid	8015NM Prep	
880-72027-3	W-12	Total/NA	Solid	8015NM Prep	
880-72027-4	W-13	Total/NA	Solid	8015NM Prep	
880-72027-5	W-14	Total/NA	Solid	8015NM Prep	
MB 880-140262/1-A	Method Blank	Total/NA	Solid	8015NM Prep	
LCS 880-140262/2-A	Lab Control Sample	Total/NA	Solid	8015NM Prep	
LCSD 880-140262/3-A	Lab Control Sample Dup	Total/NA	Solid	8015NM Prep	
880-72027-1 MS	FL-11	Total/NA	Solid	8015NM Prep	
880-72027-1 MSD	FL-11	Total/NA	Solid	8015NM Prep	

Analysis Batch: 140272

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-72027-1	FL-11	Total/NA	Solid	8015B NM	140262
880-72027-2	FL-12	Total/NA	Solid	8015B NM	140262

Eurofins Midland

QC Association Summary

Client: Tasman Geosciences Inc
Project/Site: 3228_UU line leak

Job ID: 880-72027-1
SDG: 3228

GC Semi VOA (Continued)

Analysis Batch: 140272 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-72027-3	W-12	Total/NA	Solid	8015B NM	140262
880-72027-4	W-13	Total/NA	Solid	8015B NM	140262
880-72027-5	W-14	Total/NA	Solid	8015B NM	140262
MB 880-140262/1-A	Method Blank	Total/NA	Solid	8015B NM	140262
LCS 880-140262/2-A	Lab Control Sample	Total/NA	Solid	8015B NM	140262
LCSD 880-140262/3-A	Lab Control Sample Dup	Total/NA	Solid	8015B NM	140262
880-72027-1 MS	FL-11	Total/NA	Solid	8015B NM	140262
880-72027-1 MSD	FL-11	Total/NA	Solid	8015B NM	140262

Analysis Batch: 140294

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-72027-1	FL-11	Total/NA	Solid	8015 NM	
880-72027-2	FL-12	Total/NA	Solid	8015 NM	
880-72027-3	W-12	Total/NA	Solid	8015 NM	
880-72027-4	W-13	Total/NA	Solid	8015 NM	
880-72027-5	W-14	Total/NA	Solid	8015 NM	

HPLC/IC

Leach Batch: 140243

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-72027-1	FL-11	Soluble	Solid	DI Leach	
880-72027-2	FL-12	Soluble	Solid	DI Leach	
880-72027-3	W-12	Soluble	Solid	DI Leach	
880-72027-4	W-13	Soluble	Solid	DI Leach	
880-72027-5	W-14	Soluble	Solid	DI Leach	
MB 880-140243/1-A	Method Blank	Soluble	Solid	DI Leach	
LCS 880-140243/2-A	Lab Control Sample	Soluble	Solid	DI Leach	
LCSD 880-140243/3-A	Lab Control Sample Dup	Soluble	Solid	DI Leach	

Analysis Batch: 140275

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-72027-1	FL-11	Soluble	Solid	300.0	140243
880-72027-2	FL-12	Soluble	Solid	300.0	140243
880-72027-3	W-12	Soluble	Solid	300.0	140243
880-72027-4	W-13	Soluble	Solid	300.0	140243
880-72027-5	W-14	Soluble	Solid	300.0	140243
MB 880-140243/1-A	Method Blank	Soluble	Solid	300.0	140243
LCS 880-140243/2-A	Lab Control Sample	Soluble	Solid	300.0	140243
LCSD 880-140243/3-A	Lab Control Sample Dup	Soluble	Solid	300.0	140243

Lab Chronicle

Client: Tasman Geosciences Inc
Project/Site: 3228_UU line leak

Job ID: 880-72027-1
SDG: 3228

Client Sample ID: FL-11

Lab Sample ID: 880-72027-1

Date Collected: 05/07/26 10:05

Matrix: Solid

Date Received: 05/07/26 12:10

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	139958	05/08/26 05:08	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	140267	05/08/26 10:47	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			140315	05/08/26 10:47	SA	EET MID
Total/NA	Analysis	8015 NM		1			140294	05/08/26 09:41	SA	EET MID
Total/NA	Prep	8015NM Prep			9.99 g	10.00 mL	140262	05/08/26 08:01	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	140272	05/08/26 09:41	SA	EET MID
Soluble	Leach	DI Leach			5.02 g	50 mL	140243	05/07/26 17:30	SMC	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	140275	05/08/26 09:56	CS	EET MID

Client Sample ID: FL-12

Lab Sample ID: 880-72027-2

Date Collected: 05/07/26 10:00

Matrix: Solid

Date Received: 05/07/26 12:10

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.98 g	5 mL	139958	05/08/26 05:08	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	140267	05/08/26 11:08	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			140315	05/08/26 11:08	SA	EET MID
Total/NA	Analysis	8015 NM		1			140294	05/08/26 10:23	SA	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10.00 mL	140262	05/08/26 08:01	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	140272	05/08/26 10:23	SA	EET MID
Soluble	Leach	DI Leach			4.98 g	50 mL	140243	05/07/26 17:30	SMC	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	140275	05/08/26 10:00	CS	EET MID

Client Sample ID: W-12

Lab Sample ID: 880-72027-3

Date Collected: 05/07/26 09:42

Matrix: Solid

Date Received: 05/07/26 12:10

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.95 g	5 mL	139958	05/08/26 05:08	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	140267	05/08/26 11:29	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			140315	05/08/26 11:29	SA	EET MID
Total/NA	Analysis	8015 NM		1			140294	05/08/26 10:38	SA	EET MID
Total/NA	Prep	8015NM Prep			10.02 g	10.00 mL	140262	05/08/26 08:01	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	140272	05/08/26 10:38	SA	EET MID
Soluble	Leach	DI Leach			5.01 g	50 mL	140243	05/07/26 17:30	SMC	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	140275	05/08/26 10:05	CS	EET MID

Client Sample ID: W-13

Lab Sample ID: 880-72027-4

Date Collected: 05/07/26 09:45

Matrix: Solid

Date Received: 05/07/26 12:10

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.03 g	5 mL	139958	05/08/26 05:08	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	140267	05/08/26 11:50	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			140315	05/08/26 11:50	SA	EET MID

Eurofins Midland

Lab Chronicle

Client: Tasman Geosciences Inc
Project/Site: 3228_UU line leak

Job ID: 880-72027-1
SDG: 3228

Client Sample ID: W-13
Date Collected: 05/07/26 09:45
Date Received: 05/07/26 12:10

Lab Sample ID: 880-72027-4
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8015 NM		1			140294	05/08/26 10:53	SA	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10.00 mL	140262	05/08/26 08:01	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	140272	05/08/26 10:53	SA	EET MID
Soluble	Leach	DI Leach			5.01 g	50 mL	140243	05/07/26 17:30	SMC	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	140275	05/08/26 10:20	CS	EET MID

Client Sample ID: W-14
Date Collected: 05/07/26 09:53
Date Received: 05/07/26 12:10

Lab Sample ID: 880-72027-5
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.00 g	5 mL	139958	05/08/26 05:08	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	140267	05/08/26 12:10	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			140315	05/08/26 12:10	SA	EET MID
Total/NA	Analysis	8015 NM		1			140294	05/08/26 11:07	SA	EET MID
Total/NA	Prep	8015NM Prep			10.04 g	10.00 mL	140262	05/08/26 08:01	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	140272	05/08/26 11:07	SA	EET MID
Soluble	Leach	DI Leach			5.03 g	50 mL	140243	05/07/26 17:30	SMC	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	140275	05/08/26 10:30	CS	EET MID

Laboratory References:

EET MID = Eurofins Midland, 1211 W. Florida Ave, Midland, TX 79701, TEL (432)704-5440

Accreditation/Certification Summary

Client: Tasman Geosciences Inc
Project/Site: 3228_UU line leak

Job ID: 880-72027-1
SDG: 3228

Laboratory: Eurofins Midland

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
Texas	NELAP	T104704400	06-30-26
The following analytes are included in this report, but the laboratory is not certified by Texas NELAP T104704400. This list may include analytes for which the agency does not offer certification :			
Analysis Method	Prep Method	Matrix	Analyte
8015 NM		Solid	Total TPH
Total BTEX		Solid	Total BTEX

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Method Summary

Client: Tasman Geosciences Inc
Project/Site: 3228_UU line leak

Job ID: 880-72027-1
SDG: 3228

Method	Method Description	Protocol	Laboratory
8021B	Volatile Organic Compounds (GC)	SW846	EET MID
Total BTEX	Total BTEX Calculation	TAL SOP	EET MID
8015 NM	Diesel Range Organics (DRO) (GC)	SW846	EET MID
8015B NM	Diesel Range Organics (DRO) (GC)	SW846	EET MID
300.0	Anions, Ion Chromatography	EPA	EET MID
5035	Closed System Purge and Trap	SW846	EET MID
8015NM Prep	Microextraction	SW846	EET MID
DI Leach	Deionized Water Leaching Procedure	ASTM	EET MID

Protocol References:

ASTM = ASTM International

EPA = US Environmental Protection Agency

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

TAL SOP = TestAmerica Laboratories, Standard Operating Procedure

Laboratory References:

EET MID = Eurofins Midland, 1211 W. Florida Ave, Midland, TX 79701, TEL (432)704-5440

Sample Summary

Client: Tasman Geosciences Inc
Project/Site: 3228_UU line leak

Job ID: 880-72027-1
SDG: 3228

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Depth
880-72027-1	FL-11	Solid	05/07/26 10:05	05/07/26 12:10	6
880-72027-2	FL-12	Solid	05/07/26 10:00	05/07/26 12:10	6
880-72027-3	W-12	Solid	05/07/26 09:42	05/07/26 12:10	-
880-72027-4	W-13	Solid	05/07/26 09:45	05/07/26 12:10	-
880-72027-5	W-14	Solid	05/07/26 09:53	05/07/26 12:10	-

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14



Environment Testing
Xenco

Chain of Custody

Houston, TX (281) 240-4200, Dallas, TX (214) 902-0300
Midland, TX (432) 704-5440, San Antonio, TX (210) 509-3334
EL Paso, TX (915) 585-3443, Lubbock, TX (806) 794-1296
Hobbs, NM (575) 392-7550, Carlsbad, NM (575) 988-3199



880-72027 Chain of Custody



880-72027 / COC

www.xenco.com Page 1 of 1

Project Manager:	Kyle Norman	Bill to: (if different)	
Company Name:	Tasman, Inc.	Company Name:	
Address:	2620 W. Marland Blvd	Address:	
City, State ZIP:	Hobbs, New Mexico 88240	City, State ZIP:	
Phone:	575-318-5017	Email:	☒ P66 RM ☐ P66 OPS

Work Order Comments	
Program:	UST/PST ☐ PRP ☐ Brownfields ☐ RC ☐ Superfund ☐
State of Project:	
Reporting:	Level II ☐ Level III ☐ PST/UST ☐ TRRP ☐ Level IV ☐
Deliverables:	EDD ☐ ADaPT ☐ Other: ☐

Project Name:		3228 UULinc Leak TR Turn Around		ANALYSIS REQUEST												Preservative Codes							
Project Number:		3228		☒ Routine ☒ Rush														None: NO DI Water: H ₂ O					
Project Location:				Due Date:		14 Hrs														Cool: Cool MeOH: Me			
Sampler's Name:		Thelma Rangel		TAT starts the day received by the lab, if received by 4:30pm														HCL: HC HNO ₃ : HN					
PO #:		N/A																H ₂ SO ₄ : H ₂ NaOH: Na					
SAMPLE RECEIPT		Temp Blank:		Yes ☒ No ☐		Wet Ice:		Yes ☐ No ☒														H ₃ PO ₄ : HP	
Samples Received Intact:		Yes ☒ No ☐		Thermometer ID:		1P5														NaHSO ₄ : NABIS			
Cooler Custody Seals:		Yes ☐ No ☒ N/A		Correction Factor:		.1														Na ₂ S ₂ O ₃ : NaSO ₃			
Sample Custody Seals:		Yes ☐ No ☒ N/A		Temperature Reading:		3.2														Zn Acetate+NaOH: Zn			
Total Containers:				Corrected Temperature:		3.3														NaOH+Ascorbic Acid: SAPC			
Sample Identification	Matrix	Date Sampled	Time Sampled	Depth	Grab/Comp	# of Cont	BTEX (EPA Method 8021B)	Chlorides (EPA Method 300)	TPH (EPA Method 8015M Extended)	Hold												Sample Comments	
FL-11	S	5/7/26	10:05	6	C	1	X	X	X														
FL-12	S		10:00	6	C	1	X	X	X														
W-12	S	5/7/26	9:42	-	C	1	X	X	X														
W-13	S		9:45	-	C	1	X	X	X														
W-14	S		9:53	-	C	1	X	X	X														

Total 200.7 / 6010 200.8 / 6020:	8RCRA 13PPM Texas 11 Al Sb As Ba Be B Cd Ca Cr Co Cu Fe Pb Mg Mn Mo Ni K Se Ag SiO ₂ Na Sr Ti Sn U V Zn
Circle Method(s) and Metal(s) to be analyzed	TCLP / SPLP 6010: 8RCRA Sb As Ba Be Cd Cr Co Cu Pb Mn Mo Ni Se Ag Ti U Hg: 1631 / 245.1 / 7470 / 7471

Notice: Signature of this document and relinquishment of samples constitutes a valid purchase order from client company to Eurofins Xenco, its affiliates and subcontractors. It assigns standard terms and conditions of service. Eurofins Xenco will be liable only for the cost of samples and shall not assume any responsibility for any losses or expenses incurred by the client if such losses are due to circumstances beyond the control of Eurofins Xenco. A minimum charge of \$85.00 will be applied to each project and a charge of \$5 for each sample submitted to Eurofins Xenco, but not analyzed. These terms will be enforced unless previously negotiated.

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
Thelma Rangel		5-7-26 12/10			
3					
5					

Revised Date: 08/25/2020 Rev. 2020.2

Login Sample Receipt Checklist

Client: Tasman Geosciences Inc

Job Number: 880-72027-1

SDG Number: 3228

Login Number: 72027

List Number: 1

Creator: Neeld, Linsey

List Source: Eurofins Midland

Question	Answer	Comment
The cooler's custody seal, if present, is intact.	N/A	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	N/A	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	



Environment Testing

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

ANALYTICAL REPORT

PREPARED FOR

Attn: NM Data
Tasman Geosciences Inc
2620 W. Marland Blvd.
Hobbs, New Mexico 88240
Generated 5/21/2026 2:48:10 PM Revision 1

JOB DESCRIPTION

3228_UU Line Leak
3228

JOB NUMBER

880-72391-1

Eurofins Midland
1211 W. Florida Ave
Midland TX 79701



Eurofins Midland

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

Analytical test results meet all requirements of the associated regulatory program (i.e., NELAC (TNI), DoD, and ISO 17025) unless otherwise noted under the individual analysis.

Authorization



Authorized for release by
Jessica Kramer, Project Manager
Jessica.Kramer@et.eurofinsus.com
(432)704-5440

Generated
5/21/2026 2:48:10 PM
Revision 1

Client: Tasman Geosciences Inc
Project/Site: 3228_UU Line Leak

Laboratory Job ID: 880-72391-1
SDG: 3228

Table of Contents

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	5
Client Sample Results	6
Surrogate Summary	7
QC Sample Results	8
QC Association Summary	12
Lab Chronicle	14
Certification Summary	15
Method Summary	16
Sample Summary	17
Chain of Custody	18
Receipt Checklists	19

1

2

3

4

5

6

7

8

9

10

11

12

13

14

Definitions/Glossary

Client: Tasman Geosciences Inc
Project/Site: 3228_UU Line Leak

Job ID: 880-72391-1
SDG: 3228

Qualifiers

GC VOA

Qualifier	Qualifier Description
S1+	Surrogate recovery exceeds control limits, high biased.
U	Indicates the analyte was analyzed for but not detected.

GC Semi VOA

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

HPLC/IC

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: Tasman Geosciences Inc
Project: 3228_UU Line Leak

Job ID: 880-72391-1

Job ID: 880-72391-1

Eurofins Midland

**Job Narrative
880-72391-1**

REVISION

The report being provided is a revision of the original report sent on 5/21/2026. The report (revision 1) is being revised due to Per client email, requesting project name correction.

The analytical test results presented in this report meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page, unless otherwise noted. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable. Regulated compliance samples (e.g. SDWA, NPDES) must comply with associated agency requirements/permits.

- Matrix-specific batch QC (e.g., MS, MSD, SD) may not be reported when insufficient sample volume is available or when site-specific QC samples are not submitted. In such cases, a Laboratory Control Sample Duplicate (LCSD) may be analyzed to provide precision data for the batch.
- For samples analyzed using surrogate and/or isotope dilution analytes, any recoveries falling outside of established acceptance criteria are re-prepared and/or re-analyzed to confirm results, unless the deviation is due to sample dilution or otherwise explained in the case narrative.

Receipt

The sample was received on 5/15/2026 2:47 PM. Unless otherwise noted below, the sample arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 4.9°C.

Receipt Exceptions

The following sample was received and analyzed from an unpreserved bulk soil jar: Backfill-1 (880-72391-1).

GC VOA

Method 8021B: The surrogate recovery for the blank associated with preparation batch 880-141063 and analytical batch 880-141029 was outside the upper control limits.

Method 8021B: The surrogate recovery for the blank associated with analytical batch 880-141029 was outside the upper control limits.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Diesel Range Organics

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

HPLC/IC

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Midland

Client Sample Results

Client: Tasman Geosciences Inc
Project/Site: 3228_UU Line Leak

Job ID: 880-72391-1
SDG: 3228

Client Sample ID: Backfill-1

Lab Sample ID: 880-72391-1

Date Collected: 05/15/26 13:55

Matrix: Solid

Date Received: 05/15/26 14:47

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		05/18/26 15:15	05/18/26 18:02	1
Toluene	<0.00200	U	0.00200		mg/Kg		05/18/26 15:15	05/18/26 18:02	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		05/18/26 15:15	05/18/26 18:02	1
m-Xylene & p-Xylene	<0.00399	U	0.00399		mg/Kg		05/18/26 15:15	05/18/26 18:02	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		05/18/26 15:15	05/18/26 18:02	1
Xylenes, Total	<0.00399	U	0.00399		mg/Kg		05/18/26 15:15	05/18/26 18:02	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	85		70 - 130	05/18/26 15:15	05/18/26 18:02	1
1,4-Difluorobenzene (Surr)	79		70 - 130	05/18/26 15:15	05/18/26 18:02	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00399	U	0.00399		mg/Kg			05/18/26 18:02	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.8	U	49.8		mg/Kg			05/19/26 21:43	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.8	U	49.8		mg/Kg		05/15/26 08:38	05/19/26 21:43	1
Diesel Range Organics (Over C10-C28)	<49.8	U	49.8		mg/Kg		05/15/26 08:38	05/19/26 21:43	1
Oil Range Organics (Over C28-C36)	<49.8	U	49.8		mg/Kg		05/15/26 08:38	05/19/26 21:43	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	85		70 - 130	05/15/26 08:38	05/19/26 21:43	1
o-Terphenyl	90		70 - 130	05/15/26 08:38	05/19/26 21:43	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<9.96	U	9.96		mg/Kg			05/18/26 17:42	1

Eurofins Midland

Surrogate Summary

Client: Tasman Geosciences Inc
Project/Site: 3228_UU Line Leak

Job ID: 880-72391-1
SDG: 3228

Method: 8021B - Volatile Organic Compounds (GC)

Matrix: Solid

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	BFB1	DFBZ1
		(70-130)	(70-130)
880-72003-A-17 MB	Method Blank	114	95
880-72391-1	Backfill-1	85	79
880-72391-1 MS	Backfill-1	97	103
880-72391-1 MSD	Backfill-1	104	93
LCS 880-141063/1-A	Lab Control Sample	93	115
LCSD 880-141063/2-A	Lab Control Sample Dup	117	82
MB 880-141063/5-A	Method Blank	279 S1+	124

Surrogate Legend

BFB = 4-Bromofluorobenzene (Surr)

DFBZ = 1,4-Difluorobenzene (Surr)

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Matrix: Solid

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	1CO1	OTPH1
		(70-130)	(70-130)
880-72391-1	Backfill-1	85	90
LCS 880-140926/2-A	Lab Control Sample	109	101
LCSD 880-140926/3-A	Lab Control Sample Dup	107	106
MB 880-140926/1-A	Method Blank	103	110

Surrogate Legend

1CO = 1-Chlorooctane

OTPH = o-Terphenyl

QC Sample Results

Client: Tasman Geosciences Inc
Project/Site: 3228_UU Line Leak

Job ID: 880-72391-1
SDG: 3228

Method: 8021B - Volatile Organic Compounds (GC)

Lab Sample ID: 880-72003-A-17 MB

Matrix: Solid

Analysis Batch: 141029

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg			05/18/26 14:22	1
Toluene	<0.00200	U	0.00200		mg/Kg			05/18/26 14:22	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg			05/18/26 14:22	1
m-Xylene & p-Xylene	<0.00400	U	0.00400		mg/Kg			05/18/26 14:22	1
o-Xylene	<0.00200	U	0.00200		mg/Kg			05/18/26 14:22	1
Xylenes, Total	<0.00400	U	0.00400		mg/Kg			05/18/26 14:22	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	114		70 - 130		05/18/26 14:22	1
1,4-Difluorobenzene (Surr)	95		70 - 130		05/18/26 14:22	1

Lab Sample ID: MB 880-141063/5-A

Matrix: Solid

Analysis Batch: 141029

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 141063

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		05/18/26 10:30	05/18/26 17:33	1
Toluene	<0.00200	U	0.00200		mg/Kg		05/18/26 10:30	05/18/26 17:33	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		05/18/26 10:30	05/18/26 17:33	1
m-Xylene & p-Xylene	<0.00400	U	0.00400		mg/Kg		05/18/26 10:30	05/18/26 17:33	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		05/18/26 10:30	05/18/26 17:33	1
Xylenes, Total	<0.00400	U	0.00400		mg/Kg		05/18/26 10:30	05/18/26 17:33	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	279	S1+	70 - 130	05/18/26 10:30	05/18/26 17:33	1
1,4-Difluorobenzene (Surr)	124		70 - 130	05/18/26 10:30	05/18/26 17:33	1

Lab Sample ID: LCS 880-141063/1-A

Matrix: Solid

Analysis Batch: 141029

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 141063

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	0.100	0.1041		mg/Kg		104	70 - 130
Toluene	0.100	0.08262		mg/Kg		83	70 - 130
Ethylbenzene	0.100	0.09537		mg/Kg		95	70 - 130
m-Xylene & p-Xylene	0.200	0.1861		mg/Kg		93	70 - 130
o-Xylene	0.100	0.1060		mg/Kg		106	70 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
4-Bromofluorobenzene (Surr)	93		70 - 130
1,4-Difluorobenzene (Surr)	115		70 - 130

Lab Sample ID: LCSD 880-141063/2-A

Matrix: Solid

Analysis Batch: 141029

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 141063

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Benzene	0.100	0.07696		mg/Kg		77	70 - 130	30	35

Eurofins Midland

QC Sample Results

Client: Tasman Geosciences Inc
Project/Site: 3228_UU Line Leak

Job ID: 880-72391-1
SDG: 3228

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: LCSD 880-141063/2-A

Matrix: Solid

Analysis Batch: 141029

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 141063

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Toluene	0.100	0.09010		mg/Kg		90	70 - 130	9	35
Ethylbenzene	0.100	0.09921		mg/Kg		99	70 - 130	4	35
m-Xylene & p-Xylene	0.200	0.2149		mg/Kg		107	70 - 130	14	35
o-Xylene	0.100	0.1247		mg/Kg		125	70 - 130	16	35

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
4-Bromofluorobenzene (Surr)	117		70 - 130
1,4-Difluorobenzene (Surr)	82		70 - 130

Lab Sample ID: 880-72391-1 MS

Matrix: Solid

Analysis Batch: 141029

Client Sample ID: Backfill-1

Prep Type: Total/NA

Prep Batch: 141063

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	<0.00200	U	0.100	0.09558		mg/Kg		96	70 - 130
Toluene	<0.00200	U	0.100	0.07893		mg/Kg		79	70 - 130
Ethylbenzene	<0.00200	U	0.100	0.08281		mg/Kg		83	70 - 130
m-Xylene & p-Xylene	<0.00399	U	0.200	0.1649		mg/Kg		82	70 - 130
o-Xylene	<0.00200	U	0.100	0.09478		mg/Kg		95	70 - 130

Surrogate	MS %Recovery	MS Qualifier	Limits
4-Bromofluorobenzene (Surr)	97		70 - 130
1,4-Difluorobenzene (Surr)	103		70 - 130

Lab Sample ID: 880-72391-1 MSD

Matrix: Solid

Analysis Batch: 141029

Client Sample ID: Backfill-1

Prep Type: Total/NA

Prep Batch: 141063

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Benzene	<0.00200	U	0.100	0.08704		mg/Kg		87	70 - 130	9	35
Toluene	<0.00200	U	0.100	0.08025		mg/Kg		80	70 - 130	2	35
Ethylbenzene	<0.00200	U	0.100	0.08762		mg/Kg		88	70 - 130	6	35
m-Xylene & p-Xylene	<0.00399	U	0.200	0.1661		mg/Kg		83	70 - 130	1	35
o-Xylene	<0.00200	U	0.100	0.09542		mg/Kg		95	70 - 130	1	35

Surrogate	MSD %Recovery	MSD Qualifier	Limits
4-Bromofluorobenzene (Surr)	104		70 - 130
1,4-Difluorobenzene (Surr)	93		70 - 130

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Lab Sample ID: MB 880-140926/1-A

Matrix: Solid

Analysis Batch: 141218

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 140926

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		05/15/26 08:38	05/19/26 19:02	1

Eurofins Midland

QC Sample Results

Client: Tasman Geosciences Inc
Project/Site: 3228_UU Line Leak

Job ID: 880-72391-1
SDG: 3228

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Lab Sample ID: MB 880-140926/1-A

Matrix: Solid

Analysis Batch: 141218

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 140926

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		05/15/26 08:38	05/19/26 19:02	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		05/15/26 08:38	05/19/26 19:02	1
Surrogate	MB %Recovery	MB Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	103		70 - 130				05/15/26 08:38	05/19/26 19:02	1
o-Terphenyl	110		70 - 130				05/15/26 08:38	05/19/26 19:02	1

Lab Sample ID: LCS 880-140926/2-A

Matrix: Solid

Analysis Batch: 141218

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 140926

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Gasoline Range Organics (GRO)-C6-C10	1000	948.4		mg/Kg		95	70 - 130
Diesel Range Organics (Over C10-C28)	1000	1053		mg/Kg		105	70 - 130
Surrogate	LCS %Recovery	LCS Qualifier	Limits				
1-Chlorooctane	109		70 - 130				
o-Terphenyl	101		70 - 130				

Lab Sample ID: LCSD 880-140926/3-A

Matrix: Solid

Analysis Batch: 141218

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 140926

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Gasoline Range Organics (GRO)-C6-C10	1000	928.0		mg/Kg		93	70 - 130	2	20
Diesel Range Organics (Over C10-C28)	1000	1009		mg/Kg		101	70 - 130	4	20
Surrogate	LCSD %Recovery	LCSD Qualifier	Limits						
1-Chlorooctane	107		70 - 130						
o-Terphenyl	106		70 - 130						

Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: MB 880-141066/1-A

Matrix: Solid

Analysis Batch: 141104

Client Sample ID: Method Blank

Prep Type: Soluble

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<10.0	U	10.0		mg/Kg			05/18/26 17:27	1

Eurofins Midland

QC Sample Results

Client: Tasman Geosciences Inc
Project/Site: 3228_UU Line Leak

Job ID: 880-72391-1
SDG: 3228

Method: 300.0 - Anions, Ion Chromatography (Continued)

Lab Sample ID: LCS 880-141066/2-A
Matrix: Solid
Analysis Batch: 141104

Client Sample ID: Lab Control Sample
Prep Type: Soluble

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	250	239.6		mg/Kg		96	90 - 110

Lab Sample ID: LCSD 880-141066/3-A
Matrix: Solid
Analysis Batch: 141104

Client Sample ID: Lab Control Sample Dup
Prep Type: Soluble

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	250	236.0		mg/Kg		94	90 - 110	2	20

Lab Sample ID: 880-72391-1 MS
Matrix: Solid
Analysis Batch: 141104

Client Sample ID: Backfill-1
Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	<9.96	U	249	259.8		mg/Kg		102	90 - 110

Lab Sample ID: 880-72391-1 MSD
Matrix: Solid
Analysis Batch: 141104

Client Sample ID: Backfill-1
Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	<9.96	U	249	255.4		mg/Kg		100	90 - 110	2	20

QC Association Summary

Client: Tasman Geosciences Inc
Project/Site: 3228_UU Line Leak

Job ID: 880-72391-1
SDG: 3228

GC VOA

Analysis Batch: 141029

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-72391-1	Backfill-1	Total/NA	Solid	8021B	141063
880-72003-A-17 MB	Method Blank	Total/NA	Solid	8021B	
MB 880-141063/5-A	Method Blank	Total/NA	Solid	8021B	141063
LCS 880-141063/1-A	Lab Control Sample	Total/NA	Solid	8021B	141063
LCSD 880-141063/2-A	Lab Control Sample Dup	Total/NA	Solid	8021B	141063
880-72391-1 MS	Backfill-1	Total/NA	Solid	8021B	141063
880-72391-1 MSD	Backfill-1	Total/NA	Solid	8021B	141063

Prep Batch: 141063

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-72391-1	Backfill-1	Total/NA	Solid	5035	
MB 880-141063/5-A	Method Blank	Total/NA	Solid	5035	
LCS 880-141063/1-A	Lab Control Sample	Total/NA	Solid	5035	
LCSD 880-141063/2-A	Lab Control Sample Dup	Total/NA	Solid	5035	
880-72391-1 MS	Backfill-1	Total/NA	Solid	5035	
880-72391-1 MSD	Backfill-1	Total/NA	Solid	5035	

Analysis Batch: 141181

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-72391-1	Backfill-1	Total/NA	Solid	Total BTEX	

GC Semi VOA

Prep Batch: 140926

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-72391-1	Backfill-1	Total/NA	Solid	8015NM Prep	
MB 880-140926/1-A	Method Blank	Total/NA	Solid	8015NM Prep	
LCS 880-140926/2-A	Lab Control Sample	Total/NA	Solid	8015NM Prep	
LCSD 880-140926/3-A	Lab Control Sample Dup	Total/NA	Solid	8015NM Prep	

Analysis Batch: 141218

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-72391-1	Backfill-1	Total/NA	Solid	8015B NM	140926
MB 880-140926/1-A	Method Blank	Total/NA	Solid	8015B NM	140926
LCS 880-140926/2-A	Lab Control Sample	Total/NA	Solid	8015B NM	140926
LCSD 880-140926/3-A	Lab Control Sample Dup	Total/NA	Solid	8015B NM	140926

Analysis Batch: 141457

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-72391-1	Backfill-1	Total/NA	Solid	8015 NM	

HPLC/IC

Leach Batch: 141066

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-72391-1	Backfill-1	Soluble	Solid	DI Leach	
MB 880-141066/1-A	Method Blank	Soluble	Solid	DI Leach	
LCS 880-141066/2-A	Lab Control Sample	Soluble	Solid	DI Leach	
LCSD 880-141066/3-A	Lab Control Sample Dup	Soluble	Solid	DI Leach	
880-72391-1 MS	Backfill-1	Soluble	Solid	DI Leach	
880-72391-1 MSD	Backfill-1	Soluble	Solid	DI Leach	

Eurofins Midland

QC Association Summary

Client: Tasman Geosciences Inc
Project/Site: 3228_UU Line Leak

Job ID: 880-72391-1
SDG: 3228

HPLC/IC

Analysis Batch: 141104

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-72391-1	Backfill-1	Soluble	Solid	300.0	141066
MB 880-141066/1-A	Method Blank	Soluble	Solid	300.0	141066
LCS 880-141066/2-A	Lab Control Sample	Soluble	Solid	300.0	141066
LCSD 880-141066/3-A	Lab Control Sample Dup	Soluble	Solid	300.0	141066
880-72391-1 MS	Backfill-1	Soluble	Solid	300.0	141066
880-72391-1 MSD	Backfill-1	Soluble	Solid	300.0	141066

Lab Chronicle

Client: Tasman Geosciences Inc
Project/Site: 3228_UU Line Leak

Job ID: 880-72391-1
SDG: 3228

Client Sample ID: Backfill-1
Date Collected: 05/15/26 13:55
Date Received: 05/15/26 14:47

Lab Sample ID: 880-72391-1
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	141063	05/18/26 15:15	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	141029	05/18/26 18:02	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			141181	05/18/26 18:02	SA	EET MID
Total/NA	Analysis	8015 NM		1			141457	05/19/26 21:43	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.04 g	10.00 mL	140926	05/15/26 08:38	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	141218	05/19/26 21:43	FC	EET MID
Soluble	Leach	DI Leach			5.02 g	50 mL	141066	05/18/26 10:41	SI	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	141104	05/18/26 17:42	CS	EET MID

Laboratory References:
EET MID = Eurofins Midland, 1211 W. Florida Ave, Midland, TX 79701, TEL (432)704-5440

Accreditation/Certification Summary

Client: Tasman Geosciences Inc
Project/Site: 3228_UU Line Leak

Job ID: 880-72391-1
SDG: 3228

Laboratory: Eurofins Midland

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
Texas	NELAP	T104704400	06-30-26
The following analytes are included in this report, but the laboratory is not certified by Texas NELAP T104704400. This list may include analytes for which the agency does not offer certification:			
Analysis Method	Prep Method	Matrix	Analyte
8015 NM		Solid	Total TPH
Total BTEX		Solid	Total BTEX

Method Summary

Client: Tasman Geosciences Inc
Project/Site: 3228_UU Line Leak

Job ID: 880-72391-1
SDG: 3228

Method	Method Description	Protocol	Laboratory
8021B	Volatile Organic Compounds (GC)	SW846	EET MID
Total BTEX	Total BTEX Calculation	TAL SOP	EET MID
8015 NM	Diesel Range Organics (DRO) (GC)	SW846	EET MID
8015B NM	Diesel Range Organics (DRO) (GC)	SW846	EET MID
300.0	Anions, Ion Chromatography	EPA	EET MID
5035	Closed System Purge and Trap	SW846	EET MID
8015NM Prep	Microextraction	SW846	EET MID
DI Leach	Deionized Water Leaching Procedure	ASTM	EET MID

Protocol References:

- ASTM = ASTM International
- EPA = US Environmental Protection Agency
- SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.
- TAL SOP = TestAmerica Laboratories, Standard Operating Procedure

Laboratory References:

- EET MID = Eurofins Midland, 1211 W. Florida Ave, Midland, TX 79701, TEL (432)704-5440

Sample Summary

Client: Tasman Geosciences Inc
Project/Site: 3228_UU Line Leak

Job ID: 880-72391-1
SDG: 3228

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Sample Origin
880-72391-1	Backfill-1	Solid	05/15/26 13:55	05/15/26 14:47	Texas

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Revised Date: 08/25/2020 Rev. 2020.2

Login Sample Receipt Checklist

Client: Tasman Geosciences Inc

Job Number: 880-72391-1

SDG Number: 3228

Login Number: 72391**List Number: 1****Creator: Juarez, Leticia****List Source: Eurofins Midland**

Question	Answer	Comment
The cooler's custody seal, if present, is intact.	N/A	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS

Action 607685

QUESTIONS

Operator: DCP OPERATING COMPANY, LP 2331 Citywest Blvd Houston, TX 77042	OGRID: 36785
	Action Number: 607685
	Action Type: [C-141] Reclamation Report C-141 (C-141-v-Reclamation)

QUESTIONS

Prerequisites	
Incident ID (n#)	nAPP2218244166
Incident Name	NAPP2218244166 UU LINE @ B-13-17S-34E
Incident Type	Natural Gas Release
Incident Status	Reclamation Report Received

Location of Release Source

Please answer all the questions in this group.

Site Name	UU LINE
Date Release Discovered	05/19/2021
Surface Owner	Private

Incident Details

Please answer all the questions in this group.

Incident Type	Natural Gas Release
Did this release result in a fire or is the result of a fire	No
Did this release result in any injuries	No
Has this release reached or does it have a reasonable probability of reaching a watercourse	No
Has this release endangered or does it have a reasonable probability of endangering public health	No
Has this release substantially damaged or will it substantially damage property or the environment	No
Is this release of a volume that is or may with reasonable probability be detrimental to fresh water	No

Nature and Volume of Release

Material(s) released, please answer all that apply below. Any calculations or specific justifications for the volumes provided should be attached to the follow-up C-141 submission.

Crude Oil Released (bbls) Details	Not answered.
Produced Water Released (bbls) Details	Not answered.
Is the concentration of chloride in the produced water >10,000 mg/l	No
Condensate Released (bbls) Details	Cause: Corrosion Pipeline (Any) Condensate Released: 12 BBL Recovered: 0 BBL Lost: 12 BBL.
Natural Gas Vented (Mcf) Details	Not answered.
Natural Gas Flared (Mcf) Details	Not answered.
Other Released Details	Not answered.
Are there additional details for the questions above (i.e. any answer containing Other, Specify, Unknown, and/or Fire, or any negative lost amounts)	The original leak was not thought to have triggered reporting but due to further investigation the overall affects will trigger reporting

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 2

Action 607685

QUESTIONS (continued)

Operator: DCP OPERATING COMPANY, LP 2331 Citywest Blvd Houston, TX 77042	OGRID: 36785
	Action Number: 607685
	Action Type: [C-141] Reclamation Report C-141 (C-141-v-Reclamation)

QUESTIONS

Nature and Volume of Release (continued)	
Is this a gas only submission (i.e. only significant Mcf values reported)	No, according to supplied volumes this does not appear to be a "gas only" report.
Was this a major release as defined by Subsection A of 19.15.29.7 NMAC	No
Reasons why this would be considered a submission for a notification of a major release	<i>Unavailable.</i>
<i>With the implementation of the 19.15.27 NMAC (05/25/2021), venting and/or flaring of natural gas (i.e. gas only) are to be submitted on the C-129 form.</i>	

Initial Response

The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury.

The source of the release has been stopped	True
The impacted area has been secured to protect human health and the environment	True
Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices	True
All free liquids and recoverable materials have been removed and managed appropriately	True
If all the actions described above have not been undertaken, explain why	<i>Not answered.</i>

Per Paragraph (4) of Subsection B of 19.15.29.8 NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please prepare and attach a narrative of actions to date in the follow-up C-141 submission. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see Subparagraph (a) of Paragraph (5) of Subsection A of 19.15.29.11 NMAC), please prepare and attach all information needed for closure evaluation in the follow-up C-141 submission.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

I hereby agree and sign off to the above statement	Name: Becky Hesslen Title: Sr Specialist, Remediation Management Email: becky.l.hesslen@p66.com Date: 07/24/2026
--	---

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 3

Action 607685

QUESTIONS (continued)

Operator: DCP OPERATING COMPANY, LP 2331 Citywest Blvd Houston, TX 77042	OGRID: 36785
	Action Number: 607685
	Action Type: [C-141] Reclamation Report C-141 (C-141-v-Reclamation)

QUESTIONS

Site Characterization	
<i>Please answer all the questions in this group (only required when seeking remediation plan approval and beyond). This information must be provided to the appropriate district office no later than 90 days after the release discovery date.</i>	
What is the shallowest depth to groundwater beneath the area affected by the release in feet below ground surface (ft bgs)	Between 100 and 500 (ft.)
What method was used to determine the depth to ground water	NM OSE iWaters Database Search
Did this release impact groundwater or surface water	No
What is the minimum distance, between the closest lateral extents of the release and the following surface areas:	
A continuously flowing watercourse or any other significant watercourse	Greater than 5 (mi.)
Any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)	Between 1000 (ft.) and ½ (mi.)
An occupied permanent residence, school, hospital, institution, or church	Greater than 5 (mi.)
A spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes	Between ½ and 1 (mi.)
Any other fresh water well or spring	Between ½ and 1 (mi.)
Incorporated municipal boundaries or a defined municipal fresh water well field	Greater than 5 (mi.)
A wetland	Between 1000 (ft.) and ½ (mi.)
A subsurface mine	Greater than 5 (mi.)
An (non-karst) unstable area	Greater than 5 (mi.)
Categorize the risk of this well / site being in a karst geology	Low
A 100-year floodplain	Greater than 5 (mi.)
Did the release impact areas not on an exploration, development, production, or storage site	Yes

Remediation Plan	
<i>Please answer all the questions that apply or are indicated. This information must be provided to the appropriate district office no later than 90 days after the release discovery date.</i>	
Requesting a remediation plan approval with this submission	Yes
<i>Attach a comprehensive report demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined, pursuant to 19.15.29.11 NMAC and 19.15.29.13 NMAC.</i>	
Have the lateral and vertical extents of contamination been fully delineated	Yes
Was this release entirely contained within a lined containment area	No
Soil Contamination Sampling: (Provide the highest observable value for each, in milligrams per kilograms.)	
Chloride (EPA 300.0 or SM4500 Cl B)	928
TPH (GRO+DRO+MRO) (EPA SW-846 Method 8015M)	3183
GRO+DRO (EPA SW-846 Method 8015M)	3080
BTEX (EPA SW-846 Method 8021B or 8260B)	358
Benzene (EPA SW-846 Method 8021B or 8260B)	0
<i>Per Subsection B of 19.15.29.11 NMAC unless the site characterization report includes completed efforts at remediation, the report must include a proposed remediation plan in accordance with 19.15.29.12 NMAC, which includes the anticipated timelines for beginning and completing the remediation.</i>	
On what estimated date will the remediation commence	04/27/2026
On what date will (or did) the final sampling or liner inspection occur	05/15/2026
On what date will (or was) the remediation complete(d)	05/25/2026
What is the estimated surface area (in square feet) that will be reclaimed	2500
What is the estimated volume (in cubic yards) that will be reclaimed	370
What is the estimated surface area (in square feet) that will be remediated	2500
What is the estimated volume (in cubic yards) that will be remediated	400
<i>These estimated dates and measurements are recognized to be the best guess or calculation at the time of submission and may (be) change(d) over time as more remediation efforts are completed.</i>	
<i>The OCD recognizes that proposed remediation measures may have to be minimally adjusted in accordance with the physical realities encountered during remediation. If the responsible party has any need to significantly deviate from the remediation plan proposed, then it should consult with the division to determine if another remediation plan submission is required.</i>	

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 4

Action 607685

QUESTIONS (continued)

Operator: DCP OPERATING COMPANY, LP 2331 Citywest Blvd Houston, TX 77042	OGRID: 36785
	Action Number: 607685
	Action Type: [C-141] Reclamation Report C-141 (C-141-v-Reclamation)

QUESTIONS

Remediation Plan (continued)	
<i>Please answer all the questions that apply or are indicated. This information must be provided to the appropriate district office no later than 90 days after the release discovery date.</i>	
This remediation will (or is expected to) utilize the following processes to remediate / reduce contaminants:	
<i>(Select all answers below that apply.)</i>	
(Ex Situ) Excavation and off-site disposal (i.e. dig and haul, hydrovac, etc.)	Yes
Which OCD approved facility will be used for off-site disposal	fEEM0112341194 SOUTH MONUMENT LANDFARM
OR which OCD approved well (API) will be used for off-site disposal	Not answered.
OR is the off-site disposal site, to be used, out-of-state	No
OR is the off-site disposal site, to be used, an NMED facility	No
(Ex Situ) Excavation and on-site remediation (i.e. On-Site Land Farms)	No
(In Situ) Soil Vapor Extraction	No
(In Situ) Chemical processing (i.e. Soil Shredding, Potassium Permanganate, etc.)	No
(In Situ) Biological processing (i.e. Microbes / Fertilizer, etc.)	No
(In Situ) Physical processing (i.e. Soil Washing, Gypsum, Disking, etc.)	No
Ground Water Abatement pursuant to 19.15.30 NMAC	No
OTHER (Non-listed remedial process)	No
<i>Per Subsection B of 19.15.29.11 NMAC unless the site characterization report includes completed efforts at remediation, the report must include a proposed remediation plan in accordance with 19.15.29.12 NMAC, which includes the anticipated timelines for beginning and completing the remediation.</i>	
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.	
I hereby agree and sign off to the above statement	Name: Becky Hesslen Title: Sr Specialist, Remediation Management Email: becky.l.hesslen@p66.com Date: 07/24/2026
<i>The OCD recognizes that proposed remediation measures may have to be minimally adjusted in accordance with the physical realities encountered during remediation. If the responsible party has any need to significantly deviate from the remediation plan proposed, then it should consult with the division to determine if another remediation plan submission is required.</i>	

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 5

Action 607685

QUESTIONS (continued)

Operator: DCP OPERATING COMPANY, LP 2331 Citywest Blvd Houston, TX 77042	OGRID: 36785
	Action Number: 607685
	Action Type: [C-141] Reclamation Report C-141 (C-141-v-Reclamation)

QUESTIONS

Deferral Requests Only	
Only answer the questions in this group if seeking a deferral upon approval this submission. Each of the following items must be confirmed as part of any request for deferral of remediation.	
Requesting a deferral of the remediation closure due date with the approval of this submission	No

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 6

Action 607685

QUESTIONS (continued)

Operator: DCP OPERATING COMPANY, LP 2331 Citywest Blvd Houston, TX 77042	OGRID: 36785
	Action Number: 607685
	Action Type: [C-141] Reclamation Report C-141 (C-141-v-Reclamation)

QUESTIONS

Sampling Event Information	
Last sampling notification (C-141N) recorded	581749
Sampling date pursuant to Subparagraph (a) of Paragraph (1) of Subsection D of 19.15.29.12 NMAC	05/07/2026
What was the (estimated) number of samples that were to be gathered	6
What was the sampling surface area in square feet	1200

Remediation Closure Request

Only answer the questions in this group if seeking remediation closure for this release because all remediation steps have been completed.

Requesting a remediation closure approval with this submission	Yes
Have the lateral and vertical extents of contamination been fully delineated	Yes
Was this release entirely contained within a lined containment area	No
All areas reasonably needed for production or subsequent drilling operations have been stabilized, returned to the sites existing grade, and have a soil cover that prevents ponding of water, minimizing dust and erosion	Yes
What was the total surface area (in square feet) remediated	2140
What was the total volume (cubic yards) remediated	648
All areas not reasonably needed for production or subsequent drilling operations have been reclaimed to contain a minimum of four feet of non-waste contain earthen material with concentrations less than 600 mg/kg chlorides, 100 mg/kg TPH, 50 mg/kg BTEX, and 10 mg/kg Benzene	Yes
What was the total surface area (in square feet) reclaimed	2140
What was the total volume (in cubic yards) reclaimed	412
Summarize any additional remediation activities not included by answers (above)	NA

The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (in .pdf format) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. The responsible party acknowledges they must substantially restore, reclaim, and re-vegetate the impacted surface area to the conditions that existed prior to the release or their final land use in accordance with 19.15.29.13 NMAC including notification to the OCD when reclamation and re-vegetation are complete.

I hereby agree and sign off to the above statement	Name: Becky Hesslen Title: Sr Specialist, Remediation Management Email: becky.l.hesslen@p66.com Date: 07/24/2026
--	---

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 7

Action 607685

QUESTIONS (continued)

Operator: DCP OPERATING COMPANY, LP 2331 Citywest Blvd Houston, TX 77042	OGRID: 36785
	Action Number: 607685
	Action Type: [C-141] Reclamation Report C-141 (C-141-v-Reclamation)

QUESTIONS

Reclamation Report	
<i>Only answer the questions in this group if all reclamation steps have been completed.</i>	
Requesting a reclamation approval with this submission	Yes
What was the total reclamation surface area (in square feet) for this site	2140
What was the total volume of replacement material (in cubic yards) for this site	648
<i>Per Paragraph (1) of Subsection D of 19.15.29.13 NMAC the reclamation must contain a minimum of four feet of non-waste containing, uncontaminated, earthen material with chloride concentrations less than 600 mg/kg as analyzed by EPA Method 300.0, or other test methods approved by the division. The soil cover must include a top layer, which is either the background thickness of topsoil or one foot of suitable material to establish vegetation at the site, whichever is greater.</i>	
Is the soil top layer complete and is it suitable material to establish vegetation	Yes
On what (estimated) date will (or was) the reseedling commence(d)	03/28/2026
Summarize any additional reclamation activities not included by answers (above)	NA
<i>The responsible party must attach information demonstrating they have complied with all applicable reclamation requirements and any conditions or directives of the OCD. This demonstration should be in the form of attachments (in .pdf format) including a scaled site map, any proposed reseedling plans or relevant field notes, photographs of reclaimed area, and a narrative of the reclamation activities. Refer to 19.15.29.13 NMAC.</i>	
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. The responsible party acknowledges they must substantially restore, reclaim, and re-vegetate the impacted surface area to the conditions that existed prior to the release or their final land use in accordance with 19.15.29.13 NMAC including notification to the OCD when reclamation and re-vegetation are complete.	
I hereby agree and sign off to the above statement	Name: Becky Hesslen Title: Sr Specialist, Remediation Management Email: becky.l.hesslen@p66.com Date: 07/24/2026

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 8

Action 607685

QUESTIONS (continued)

Operator: DCP OPERATING COMPANY, LP 2331 Citywest Blvd Houston, TX 77042	OGRID: 36785
	Action Number: 607685
	Action Type: [C-141] Reclamation Report C-141 (C-141-v-Reclamation)

QUESTIONS

Revegetation Report	
Only answer the questions in this group if all surface restoration, reclamation and re-vegetation obligations have been satisfied.	
Requesting a restoration complete approval with this submission	No
Per Paragraph (4) of Subsection (D) of 19.15.29.13 NMAC for any major or minor release containing liquids, the responsible party must notify the division when reclamation and re-vegetation are complete.	

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 607685

CONDITIONS

Operator: DCP OPERATING COMPANY, LP 2331 Citywest Blvd Houston, TX 77042	OGRID: 36785
	Action Number: 607685
	Action Type: [C-141] Reclamation Report C-141 (C-141-v-Reclamation)

CONDITIONS

Created By	Condition	Condition Date
nvez	Remediation closure and reclamation report approved, release resolved. Pending re-vegetation report.	8/7/2026