



2904 W 2nd St.
Roswell, NM 88201
voice: 575.624.2420
fax: 575.624.2421
www.atkinseng.com

August 5, 2026

Mr. Terry Townsend
General Manager, Production Waste Solutions, LLC
PO Box 627, Andrews, TX 79714

Re: Summary Letter for BGT Removal and Soil Sampling Activities at PWS Sandpoint Facility,
Eddy County, New Mexico.

Dear Mr. Townsend:

Atkins Engineering Associates, Inc. (AEA), on behalf of Production Waste Solution (PWS), LLC, is pleased to submit this summary letter that describes tank removal and soil sampling activities conducted on July 6, 2026, and July 22, 2026, at the PWS Sandpoint Oil Treatment Facility, Eddy County, New Mexico.

The PWS Sandpoint Oil Treatment Facility (Facility) is an existing waste treatment facility that has been operating since 2021 under New Mexico Oil Conservation Division (NMOCD) Recycling Facility No. fVV2130741319. The facility is owned by PWS, LLC and operated and maintained by Orla Processing, Inc. (Orla).

The Facility is located at mile marker 47.5 on U.S. Highway 62, approximately 12 miles northeast of the City of Carlsbad, New Mexico, within Eddy County, as indicated on Figure 1. The property is located within Section 02, Township 21 South, Range 28 East, and consists of a 10± acre parcel owned by PWS, LLC.

Tank Removal Activities

(AEA) observed the removal of two (2) below-grade unloading tanks, both 500-barrel (bbl) processing tanks situated within secondary containment for processing of material delivered to the facility. To collect confirmation soil samples guided by the Souder Miller & Associates (SMA) submitted Closure Plan submitted to NMOCD. AEA personnel supervised the final excavation, removal operations performed on July 6th, 2026, and additional excavation and sampling on July 22, 2026.

AEA field personnel met on site at 7:30 am with Mr. Paul Marron of Orla and Ms. Minnix of the NMOCD. AEA field personnel used a MultiREA Quad Gas to check the excavation area for LEL (Lower Explosive Limit); no LEL was detected.

The first BGT (T1), a 500bbl tank and the northernmost tank, was pulled from six (6) feet BGS at 8:20 am. The tank was inspected for cracks, stains and abrasions by AEA none were evident.

The second BGT (T2), a 500bbl tank and the southernmost tank, was pulled from six (6) feet BGS at 8:27am. The tank was inspected for cracks, stains and abrasions by AEA, none were evident

The overflow line associated with the BGTs (TC) was removed prior to this sampling event and was a steel line located directly atop the BGTs.

While removing the southern tank T2, water was found atop the 40-MIL High Density Polyethylene (HDPE) liner, which functioned as secondary containment. The water was presumed to be from a recent rain event, but this was not confirmed by AEA. A vacuum truck was called to collect the fluids, and 3bbl were collected and disposed of at the neighboring SWD; the haul ticket is attached.

At 11:15, the 40-MIL High Density Polyethylene (HDPE) liner, which functioned as secondary containment, was removed. AEA witnessed the removal of the half foot (0.5ft) of soil above and below the liner. All soils recovered and the liner was hauled to Lea Land Landfill for disposal.

Soil Sampling Activities

AEA personnel selected three (3) bottom hole sample locations, T1, T2, and TC, one (1) under each of the removed BGTs and one (1) under the overflow line between the two tanks. Also, eight (8) sidewall Soil samples were collected from the excavation. AEA returned July 22, 2026, to collect two (2) samples from under the soil staging areas P1 and P2 after the soils were hauled off to Lea Land Disposal. All samples were visually inspected for staining and field-screened for volatile organic vapors using a calibrated MiniRae 3000 photo-ionization detector (PID). The MiniRae 3000 was bump tested on site using 100 ppm of isobutane test gas and reported a positive test result of 102 ppm at 8:13 am. The MiniRae 3000 was not tested for soil moisture because the excavation had been open to the summer heat and was dry. All screening results are included in Table 1 – Soil Analytical Summary.

The soil sample locations are presented on the attached Site Map (Figure1), and photographs of each location are in the attached photo log. Soil sample locations were excavated to the desired sample depths of 7 – 8 feet below ground surface (BGS) using a trackhoe; the bottom-hole samples are summarized below:

1. Soil Sample Location (T1) was in the northeast corner of the property beneath the former tank. The sample was collected at 7 feet BGS at 14:44. On-site PID results were 15.0. Details of the subsurface soil conditions are included in the site photos.
 - a. The sample (T1) was recollected after additional excavation on July 22, 2026 at 9:58
2. Soil Sample Location (T2) was in the northeast corner of the property beneath the former southern tank. The sample was collected at 7 feet BGS at 14:13. On-site PID results were 12.0. Details of the subsurface soil conditions are included in the site photos.
 - a. The sample (T2) was recollected after additional excavation on July 22, 2026 at 10:02
3. Soil Sample Location (TC) was in the northeast corner of the property beneath the former tank overflow. The sample was collected at 7 feet BGS at 13:53. On-site PID results were 2.0. Details of the subsurface soil conditions are included in the site photos.




On July 6th, AEA placed all samples in the sample fridge at the Carlsbad office, and then on July 7, 2026, soil samples were transported by lab courier under chain of custody procedures and delivered the following day to Envirotech Laboratory in Farmington, New Mexico, with an arrival temperature of less than 6°C. All samples were analyzed within the proper holding times. AEA has no concerns regarding the quality of the laboratory results.

On July 22nd, AEA placed all samples in the sample fridge, and then on July 23, 2026, soil samples were transported by lab courier under chain-of-custody procedures and delivered the following day to Envirotech Laboratory in Farmington, New Mexico, with an arrival temperature of less than 6°C. All samples were analyzed within the proper holding times. AEA has no concerns regarding the quality of the laboratory results.

A handwritten signature in black ink, reading "J. Austin Weyant". The signature is written in a cursive, flowing style.

Austin Weyant, Geoscientist

Cc: Mr. Matt Earthman, by email



KJ Environmental Mgt., Inc.
500 Moseley Road
Cross Roads, Texas 76227
Phone (940) 387-0805



CROSS-SECTION PLAN III
C-137 PERMIT APPLICATION
ORLA PROCESSING
EDDY COUNTY, NEW MEXICO

DATE:
04/07/2025

THIS
DRAWING
IS FOR
PERMIT
PURPOSES
ONLY

SHEET:


FIGURE 3



FIGURE 1
Excavation Area
Sandpoint BGT removals

LEGEND

- Excavation Area
- Closure Sample Location



Sandpoint Oil Treatment

JOB No. sandpoint_env_23

DATE FIELD: 7/06/2026 DRAWN LCM

DATE DRAWN: 8/5/2026 REVIEW JAW

Atkins
ENGINEERING ASSOCIATES

Sample ID	Sample Date	Depth (feet bgs)	Description	BTEX mg/Kg	GRO mg/Kg	DRO mg/Kg	MRO mg/Kg	Total TPH mg/Kg	Cl- mg/Kg
NMOCD 19.15.17.13 Guidance				50	1000			(SW)100(C)2500	(SW) 600 (C)20000
T1	7/6/2026	7	North Tank	<0.150	<20	378	344	692	411
T1	7/22/2026	8	North Tank	<0.150	<20	102	84.3	186.3	<20.0
TC	7/6/2026	7	Center Ex	<0.150	<20	<25	<50	<100	32.8
T2	7/6/2026	7	South Tank	<0.150	<20	91.9	440	201.9	419
T2	7/22/2026	8	South Tank	<0.150	<20	66.5	56.4	122.9	<20.0
SW1	7/6/2026	0-7	sidewall	<0.150	<20	84.8	216	300.8	377
SW1	7/22/2026	0-7	sidewall	<0.150	<20	895	405	1300	71.5
SW2	7/6/2026	0-7	sidewall	<0.150	<20	408	446	254	979
SW2	7/22/2026	0-7	sidewall	<0.150	<20	26.9	<50.0	26.9	32.8
SW3	7/6/2026	0-7	sidewall	<0.150	<20	460	474	334	4480
SW3	7/22/2026	0-7	sidewall	<0.150	<20	<25.0	<50.0	<95.0	309
SW4	7/6/2026	0-7	sidewall	<0.150	<20	<25	<50	<95	815
SW4	7/22/2026	0-7	sidewall	<0.150	<20	619	475	1094	148
SW5	7/6/2026	0-7	sidewall	<0.150	<20	229	244	443	399
SW5	7/22/2026	0-7	sidewall	<0.150	<20	<25.0	<50.0	<95.0	960
SW6	7/6/2026	0-7	sidewall	<0.150	<20	4470	4380	2850	4840
SW6	7/22/2026	0-7	sidewall	<0.150	<20	76.6	77.8	154.4	1710
SW7	7/6/2026	0-7	sidewall	<0.150	<20	207	320	527	64.8
SW7	7/22/2026	0-7	sidewall	0.13643	<20	<25.0	<50.0	<95.0	1630
SW8	7/6/2026	0-7	sidewall	<0.150	<20	623	708	1334	32.8
SW8	7/22/2026	0-7	sidewall	<0.150	<20	<25.0	<50.0	<95.0	1050
P1	7/22/2026	0.5	Under Pile	<0.150	<20	<25.0	<50.0	<95.0	<20.0
P2	7/22/2026	0.5	Under Pile	<0.150	<20	37.2	<50.0	37.2	21.6

Sandpoint PWS— Tank
7:30 am netting pulled
Pull



Sandpoint PWS— Tank Pull (North Side of the Tank BGT T1)(Soil Sampling Photos)

- No abrasions or cracks on West side of the tank
- No hits on quad gas

North Elevation

☼ 182°S (T) ☉ 32°30'57"N, 104°3'37"W ±19ft ▲ 331



Sandpoint PWS— Tank Pull (West Side of the Tank BGT T1)(Soil Sampling Photos)

- No abrasions or cracks on East side of the tank
- No hits on quad gas

North Elevation

☉ 171°S (T) ● 32°30'57"N, 104°3'37"W ±19ft ▲ 3316ft



06 Jul 2026

Sandpoint PWS— Tank Pull (South Side of the Tank BGT T1)(Soil Sampling Photos)

- No abrasions or cracks on lines
- No hits on quad gas

West Elevation

☉ 89°E (T) ☉ 32°30'57"N, 104°3'37"W ±22ft ▲ 3317ft



Sandpoint PWS— Tank Pull (East Side of the Tank BGT T1)(Soil Sampling Photos)

- No hits on quad gas
- No abrasions or cracks on lines

North Elevation


172°S (T) ● 32°30'57"N, 104°3'37"W ±19ft ▲ 3313ft



06 Jul 2026

Sandpoint PWS— Tank Pull (North Side of the Tank BGT T2)(Soil Sampling Photos)

- No hits on quad gas
- No abrasions or cracks on lines



Sandpoint PWS— Tank Pull (West Side of the Tank BGT T2)(Soil Sampling Photos)

- No hits on quad gas
- No abrasions or cracks on lines




Sandpoint PWS— Tank Pull (East Side of the Tank BGT T2)(Soil Sampling Photos)

- No hits on quad gas
- No abrasions or cracks on lines



Sandpoint PWS— Tank Pull (South Side of the Tank BGT T2)(Soil Sampling Photos)


- No hits on quad gas
- No abrasions or cracks on lines



- 3bbl recovered
- Liner removed after

- 3bbl recovered
- Liner removed after

Sandpoint PWS— Tank Pull (Excavation)



S

180

SW

210

240

W


270

300

Page 17 of 73

☀ 236°SW (T) ☉ 32°30'57"N, 104°3'38"W ±19ft ▲ 3314ft

Samples T1 and TC




Samples SW1 and SW2





Samples SW3 and SW4






Samples SW5 and SW6



Samples SW7 and SW8



Report to:
Austin Weyant



envirotech

Practical Solutions for a Better Tomorrow

Analytical Report

Atkins Engineering Associates Inc.

Project Name: Sandpoint

Work Order: E607067

Job Number: 20071-0001

Received: 7/8/2026

Revision: 1

Report Reviewed By:

Walter Hinchman
Laboratory Director
7/9/26

5796 U.S. Hwy 64
Farmington, NM 87401

Phone: (505) 632-1881
Envirotech-inc.com



Envirotech Inc. certifies the test results meet all requirements of TNI unless noted otherwise.
Statement of Data Authenticity: Envirotech Inc. attests the data reported has not been altered in any way.
Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech Inc.
Envirotech Inc. holds the Utah TNI certification NM00979 for data reported.
Envirotech Inc. holds the Texas TNI certification T104704557 for data reported.

Date Reported: 7/9/26

Austin Weyant
2904 W. 2nd
Roswell, NM 88201



Project Name: Sandpoint
Workorder: E607067
Date Received: 7/8/2026 7:30:00AM

Austin Weyant,

Thank you for choosing Envirotech, Inc. as your analytical testing laboratory for the sample(s) received on, 7/8/2026 7:30:00AM, under the Project Name: Sandpoint.

The analytical test results summarized in this report with the Project Name: Sandpoint apply to the individual samples collected, identified and submitted bearing the project name on the enclosed chain-of-custody. Subcontracted sample analyses not conducted by Envirotech, Inc., are attached in full as issued by the subcontract laboratory.

Please review the Chain-of-Custody (COC) and Sample Receipt Checklist (SRC) for any issues regarding sample receipt temperature, containers, preservation etc. To best understand your test results, review the entire report summarizing your sample data and the associated quality control batch data.

All reported data in this analytical report were analyzed according to the referenced method(s) and are in compliance with the latest NELAC/TNI standards, unless otherwise noted. Samples or analytical quality control parameters not meeting specific QC criteria are qualified with a data flag. Data flag definitions are located in the Notes and Definitions section of this analytical report.

If you have any questions concerning this report, please feel free to contact Envirotech, Inc.

Respectfully,

Walter Hinchman
Laboratory Director
Office: 505-632-1881
Cell: 775-287-1762
whinchman@envirotech-inc.com

Raina Schwanz
Laboratory Administrator
Office: 505-632-1881
rainaschwanz@envirotech-inc.com

Field Offices:

Southern New Mexico Area

Lynn Jarboe
Laboratory Technical Representative
Office: 505-421-LABS(5227)
Cell: 505-320-4759
ljjarboe@envirotech-inc.com

Michelle Gonzales
Client Representative
Office: 505-421-LABS(5227)
Cell: 505-947-8222
mgonzales@envirotech-inc.com

Envirotech Web Address: www.envirotech-inc.com

Table of Contents

Title Page	1
Cover Page	2
Table of Contents	3
Sample Summary	4
Sample Data	5
SW1	5
SW2	6
SW3	7
SW4	8
SW5	9
SW6	10
SW7	11
SW8	12
T1	13
TC	14
T2	15
QC Summary Data	16
QC - Volatile Organics by EPA 8021B	16
QC - Nonhalogenated Organics by EPA 8015D - GRO	17
QC - Nonhalogenated Organics by EPA 8015D - DRO/ORO	18
QC - Anions by EPA 300.0/9056A	19
Definitions and Notes	20
Chain of Custody etc.	21

Sample Summary

Atkins Engineering Associates Inc.	Project Name:	Sandpoint	Reported:
2904 W. 2nd	Project Number:	20071-0001	
Roswell NM, 88201	Project Manager:	Austin Weyant	07/09/26 11:16

Client Sample ID	Lab Sample ID	Matrix	Sampled	Received	Container
SW1	E607067-01A	Soil	07/06/26	07/08/26	Glass Jar, 2 oz.
SW2	E607067-02A	Soil	07/06/26	07/08/26	Glass Jar, 2 oz.
SW3	E607067-03A	Soil	07/06/26	07/08/26	Glass Jar, 2 oz.
SW4	E607067-04A	Soil	07/06/26	07/08/26	Glass Jar, 2 oz.
SW5	E607067-05A	Soil	07/06/26	07/08/26	Glass Jar, 2 oz.
SW6	E607067-06A	Soil	07/06/26	07/08/26	Glass Jar, 2 oz.
SW7	E607067-07A	Soil	07/06/26	07/08/26	Glass Jar, 2 oz.
SW8	E607067-08A	Soil	07/06/26	07/08/26	Glass Jar, 2 oz.
T1	E607067-09A	Soil	07/06/26	07/08/26	Glass Jar, 2 oz.
TC	E607067-10A	Soil	07/06/26	07/08/26	Glass Jar, 2 oz.
T2	E607067-11A	Soil	07/06/26	07/08/26	Glass Jar, 2 oz.



Sample Data

Atkins Engineering Associates Inc. 2904 W. 2nd Roswell NM, 88201	Project Name: Sandpoint Project Number: 20071-0001 Project Manager: Austin Weyant	Reported: 7/9/2026 11:16:31AM
--	---	----------------------------------

SW1

E607067-01

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B	mg/kg	mg/kg		Analyst: MB		Batch: 2628091
Benzene	ND	0.0250	1	07/08/26	07/08/26	
Ethylbenzene	ND	0.0250	1	07/08/26	07/08/26	
Toluene	ND	0.0250	1	07/08/26	07/08/26	
o-Xylene	ND	0.0250	1	07/08/26	07/08/26	
p,m-Xylene	ND	0.0500	1	07/08/26	07/08/26	
Total Xylenes	ND	0.0250	1	07/08/26	07/08/26	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>		96.8 %	70-130	07/08/26	07/08/26	
Nonhalogenated Organics by EPA 8015D - GRO	mg/kg	mg/kg		Analyst: MB		Batch: 2628091
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/08/26	07/08/26	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>		91.5 %	70-130	07/08/26	07/08/26	
Nonhalogenated Organics by EPA 8015D - DRO/ORO	mg/kg	mg/kg		Analyst: KH		Batch: 2628094
Diesel Range Organics (C10-C28)	84.8	50.0	2	07/08/26	07/08/26	
Oil Range Organics (C28-C36)	216	100	2	07/08/26	07/08/26	
<i>Surrogate: n-Nonane</i>		110 %	69-135	07/08/26	07/08/26	
Anions by EPA 300.0/9056A	mg/kg	mg/kg		Analyst: IY		Batch: 2628090
Chloride	377	20.0	1	07/08/26	07/08/26	



Sample Data

Atkins Engineering Associates Inc.
2904 W. 2nd
Roswell NM, 88201

Project Name: Sandpoint
Project Number: 20071-0001
Project Manager: Austin Weyant

Reported:
7/9/2026 11:16:31AM

SW2

E607067-02

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B	mg/kg	mg/kg	Analyst: MB		Batch: 2628091	
Benzene	ND	0.0250	1	07/08/26	07/08/26	
Ethylbenzene	ND	0.0250	1	07/08/26	07/08/26	
Toluene	ND	0.0250	1	07/08/26	07/08/26	
o-Xylene	ND	0.0250	1	07/08/26	07/08/26	
p,m-Xylene	ND	0.0500	1	07/08/26	07/08/26	
Total Xylenes	ND	0.0250	1	07/08/26	07/08/26	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>	98.0 %	70-130		07/08/26	07/08/26	
Nonhalogenated Organics by EPA 8015D - GRO	mg/kg	mg/kg	Analyst: MB		Batch: 2628091	
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/08/26	07/08/26	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>	89.4 %	70-130		07/08/26	07/08/26	
Nonhalogenated Organics by EPA 8015D - DRO/ORO	mg/kg	mg/kg	Analyst: KH		Batch: 2628094	
Diesel Range Organics (C10-C28)	108	25.0	1	07/08/26	07/08/26	
Oil Range Organics (C28-C36)	146	50.0	1	07/08/26	07/08/26	
<i>Surrogate: n-Nonane</i>	115 %	69-135		07/08/26	07/08/26	
Anions by EPA 300.0/9056A	mg/kg	mg/kg	Analyst: IY		Batch: 2628090	
Chloride	979	20.0	1	07/08/26	07/08/26	



Sample Data

Atkins Engineering Associates Inc.
2904 W. 2nd
Roswell NM, 88201

Project Name: Sandpoint
Project Number: 20071-0001
Project Manager: Austin Weyant

Reported:
7/9/2026 11:16:31AM

SW3

E607067-03

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg		Analyst: MB		Batch: 2628091
Benzene	ND	0.0250	1	07/08/26	07/08/26	
Ethylbenzene	ND	0.0250	1	07/08/26	07/08/26	
Toluene	ND	0.0250	1	07/08/26	07/08/26	
o-Xylene	ND	0.0250	1	07/08/26	07/08/26	
p,m-Xylene	ND	0.0500	1	07/08/26	07/08/26	
Total Xylenes	ND	0.0250	1	07/08/26	07/08/26	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	99.7 %	70-130		07/08/26	07/08/26	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: MB		Batch: 2628091
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/08/26	07/08/26	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	90.4 %	70-130		07/08/26	07/08/26	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: KH		Batch: 2628094
Diesel Range Organics (C10-C28)	160	25.0	1	07/08/26	07/08/26	
Oil Range Organics (C28-C36)	171	50.0	1	07/08/26	07/08/26	
<i>Surrogate: n-Nonane</i>						
	115 %	69-135		07/08/26	07/08/26	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: IY		Batch: 2628090
Chloride	1180	20.0	1	07/08/26	07/08/26	



Sample Data

Atkins Engineering Associates Inc.
2904 W. 2nd
Roswell NM, 88201

Project Name: Sandpoint
Project Number: 20071-0001
Project Manager: Austin Weyant

Reported:
7/9/2026 11:16:31AM

SW4

E607067-04

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B	mg/kg	mg/kg	Analyst: MB		Batch: 2628091	
Benzene	ND	0.0250	1	07/08/26	07/08/26	
Ethylbenzene	ND	0.0250	1	07/08/26	07/08/26	
Toluene	ND	0.0250	1	07/08/26	07/08/26	
o-Xylene	ND	0.0250	1	07/08/26	07/08/26	
p,m-Xylene	ND	0.0500	1	07/08/26	07/08/26	
Total Xylenes	ND	0.0250	1	07/08/26	07/08/26	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>		100 %	70-130	07/08/26	07/08/26	
Nonhalogenated Organics by EPA 8015D - GRO	mg/kg	mg/kg	Analyst: MB		Batch: 2628091	
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/08/26	07/08/26	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>		89.0 %	70-130	07/08/26	07/08/26	
Nonhalogenated Organics by EPA 8015D - DRO/ORO	mg/kg	mg/kg	Analyst: KH		Batch: 2628094	
Diesel Range Organics (C10-C28)	ND	25.0	1	07/08/26	07/08/26	
Oil Range Organics (C28-C36)	ND	50.0	1	07/08/26	07/08/26	
<i>Surrogate: n-Nonane</i>		114 %	69-135	07/08/26	07/08/26	
Anions by EPA 300.0/9056A	mg/kg	mg/kg	Analyst: IY		Batch: 2628090	
Chloride	815	20.0	1	07/08/26	07/08/26	



Sample Data

Atkins Engineering Associates Inc.
2904 W. 2nd
Roswell NM, 88201

Project Name: Sandpoint
Project Number: 20071-0001
Project Manager: Austin Weyant

Reported:
7/9/2026 11:16:31AM

SW5

E607067-05

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg		Analyst: MB		Batch: 2628091
Benzene	ND	0.0250	1	07/08/26	07/08/26	
Ethylbenzene	ND	0.0250	1	07/08/26	07/08/26	
Toluene	ND	0.0250	1	07/08/26	07/08/26	
o-Xylene	ND	0.0250	1	07/08/26	07/08/26	
p,m-Xylene	ND	0.0500	1	07/08/26	07/08/26	
Total Xylenes	ND	0.0250	1	07/08/26	07/08/26	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	99.9 %	70-130		07/08/26	07/08/26	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: MB		Batch: 2628091
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/08/26	07/08/26	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	89.5 %	70-130		07/08/26	07/08/26	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: KH		Batch: 2628094
Diesel Range Organics (C10-C28)	229	25.0	1	07/08/26	07/08/26	
Oil Range Organics (C28-C36)	214	50.0	1	07/08/26	07/08/26	
<i>Surrogate: n-Nonane</i>						
	114 %	69-135		07/08/26	07/08/26	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: IY		Batch: 2628090
Chloride	399	20.0	1	07/08/26	07/08/26	



Sample Data

Atkins Engineering Associates Inc.
2904 W. 2nd
Roswell NM, 88201

Project Name: Sandpoint
Project Number: 20071-0001
Project Manager: Austin Weyant

Reported:
7/9/2026 11:16:31AM

SW6

E607067-06

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg		Analyst: MB		Batch: 2628091
Benzene	ND	0.0250	1	07/08/26	07/08/26	
Ethylbenzene	ND	0.0250	1	07/08/26	07/08/26	
Toluene	ND	0.0250	1	07/08/26	07/08/26	
o-Xylene	ND	0.0250	1	07/08/26	07/08/26	
p,m-Xylene	ND	0.0500	1	07/08/26	07/08/26	
Total Xylenes	ND	0.0250	1	07/08/26	07/08/26	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
		100 %	70-130	07/08/26	07/08/26	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: MB		Batch: 2628091
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/08/26	07/08/26	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
		89.2 %	70-130	07/08/26	07/08/26	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: KH		Batch: 2628094
Diesel Range Organics (C10-C28)	1470	50.0	2	07/08/26	07/08/26	
Oil Range Organics (C28-C36)	1380	100	2	07/08/26	07/08/26	
<i>Surrogate: n-Nonane</i>						
		113 %	69-135	07/08/26	07/08/26	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: IY		Batch: 2628090
Chloride	1840	40.0	2	07/08/26	07/08/26	



Sample Data

Atkins Engineering Associates Inc.
2904 W. 2nd
Roswell NM, 88201

Project Name: Sandpoint
Project Number: 20071-0001
Project Manager: Austin Weyant

Reported:
7/9/2026 11:16:31AM

SW7

E607067-07

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B	mg/kg	mg/kg	Analyst: MB		Batch: 2628091	
Benzene	ND	0.0250	1	07/08/26	07/08/26	
Ethylbenzene	ND	0.0250	1	07/08/26	07/08/26	
Toluene	ND	0.0250	1	07/08/26	07/08/26	
o-Xylene	ND	0.0250	1	07/08/26	07/08/26	
p,m-Xylene	ND	0.0500	1	07/08/26	07/08/26	
Total Xylenes	ND	0.0250	1	07/08/26	07/08/26	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>	99.5 %	70-130		07/08/26	07/08/26	
Nonhalogenated Organics by EPA 8015D - GRO	mg/kg	mg/kg	Analyst: MB		Batch: 2628091	
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/08/26	07/08/26	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>	88.7 %	70-130		07/08/26	07/08/26	
Nonhalogenated Organics by EPA 8015D - DRO/ORO	mg/kg	mg/kg	Analyst: KH		Batch: 2628094	
Diesel Range Organics (C10-C28)	207	25.0	1	07/08/26	07/08/26	
Oil Range Organics (C28-C36)	320	50.0	1	07/08/26	07/08/26	
<i>Surrogate: n-Nonane</i>	116 %	69-135		07/08/26	07/08/26	
Anions by EPA 300.0/9056A	mg/kg	mg/kg	Analyst: IY		Batch: 2628090	
Chloride	64.8	20.0	1	07/08/26	07/08/26	



Sample Data

Atkins Engineering Associates Inc.
2904 W. 2nd
Roswell NM, 88201

Project Name: Sandpoint
Project Number: 20071-0001
Project Manager: Austin Weyant

Reported:
7/9/2026 11:16:31AM

SW8

E607067-08

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg		Analyst: MB		Batch: 2628091
Benzene	ND	0.0250	1	07/08/26	07/08/26	
Ethylbenzene	ND	0.0250	1	07/08/26	07/08/26	
Toluene	ND	0.0250	1	07/08/26	07/08/26	
o-Xylene	ND	0.0250	1	07/08/26	07/08/26	
p,m-Xylene	ND	0.0500	1	07/08/26	07/08/26	
Total Xylenes	ND	0.0250	1	07/08/26	07/08/26	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	99.9 %	70-130		07/08/26	07/08/26	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: MB		Batch: 2628091
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/08/26	07/08/26	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	91.9 %	70-130		07/08/26	07/08/26	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: KH		Batch: 2628094
Diesel Range Organics (C10-C28)	623	25.0	1	07/08/26	07/09/26	
Oil Range Organics (C28-C36)	708	50.0	1	07/08/26	07/09/26	
<i>Surrogate: n-Nonane</i>						
	112 %	69-135		07/08/26	07/09/26	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: IY		Batch: 2628090
Chloride	32.8	20.0	1	07/08/26	07/08/26	



Sample Data

Atkins Engineering Associates Inc.
2904 W. 2nd
Roswell NM, 88201

Project Name: Sandpoint
Project Number: 20071-0001
Project Manager: Austin Weyant

Reported:
7/9/2026 11:16:31AM

T1

E607067-09

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B	mg/kg	mg/kg	Analyst: MB		Batch: 2628091	
Benzene	ND	0.0250	1	07/08/26	07/08/26	
Ethylbenzene	ND	0.0250	1	07/08/26	07/08/26	
Toluene	ND	0.0250	1	07/08/26	07/08/26	
o-Xylene	ND	0.0250	1	07/08/26	07/08/26	
p,m-Xylene	ND	0.0500	1	07/08/26	07/08/26	
Total Xylenes	ND	0.0250	1	07/08/26	07/08/26	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>		100 %	70-130	07/08/26	07/08/26	
Nonhalogenated Organics by EPA 8015D - GRO	mg/kg	mg/kg	Analyst: MB		Batch: 2628091	
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/08/26	07/08/26	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>		92.2 %	70-130	07/08/26	07/08/26	
Nonhalogenated Organics by EPA 8015D - DRO/ORO	mg/kg	mg/kg	Analyst: KH		Batch: 2628094	
Diesel Range Organics (C10-C28)	378	25.0	1	07/08/26	07/09/26	
Oil Range Organics (C28-C36)	314	50.0	1	07/08/26	07/09/26	
<i>Surrogate: n-Nonane</i>		114 %	69-135	07/08/26	07/09/26	
Anions by EPA 300.0/9056A	mg/kg	mg/kg	Analyst: IY		Batch: 2628090	
Chloride	111	20.0	1	07/08/26	07/09/26	



Sample Data

Atkins Engineering Associates Inc.
2904 W. 2nd
Roswell NM, 88201

Project Name: Sandpoint
Project Number: 20071-0001
Project Manager: Austin Weyant

Reported:
7/9/2026 11:16:31AM

TC

E607067-10

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B	mg/kg	mg/kg	Analyst: MB		Batch: 2628091	
Benzene	ND	0.0250	1	07/08/26	07/08/26	
Ethylbenzene	ND	0.0250	1	07/08/26	07/08/26	
Toluene	ND	0.0250	1	07/08/26	07/08/26	
o-Xylene	ND	0.0250	1	07/08/26	07/08/26	
p,m-Xylene	ND	0.0500	1	07/08/26	07/08/26	
Total Xylenes	ND	0.0250	1	07/08/26	07/08/26	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>	99.7 %	70-130		07/08/26	07/08/26	
Nonhalogenated Organics by EPA 8015D - GRO	mg/kg	mg/kg	Analyst: MB		Batch: 2628091	
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/08/26	07/08/26	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>	89.3 %	70-130		07/08/26	07/08/26	
Nonhalogenated Organics by EPA 8015D - DRO/ORO	mg/kg	mg/kg	Analyst: KH		Batch: 2628094	
Diesel Range Organics (C10-C28)	ND	25.0	1	07/08/26	07/09/26	
Oil Range Organics (C28-C36)	ND	50.0	1	07/08/26	07/09/26	
<i>Surrogate: n-Nonane</i>	117 %	69-135		07/08/26	07/09/26	
Anions by EPA 300.0/9056A	mg/kg	mg/kg	Analyst: IY		Batch: 2628090	
Chloride	32.8	20.0	1	07/08/26	07/09/26	



Sample Data

Atkins Engineering Associates Inc.
2904 W. 2nd
Roswell NM, 88201

Project Name: Sandpoint
Project Number: 20071-0001
Project Manager: Austin Weyant

Reported:
7/9/2026 11:16:31AM

T2

E607067-11

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B	mg/kg	mg/kg	Analyst: MB		Batch: 2628091	
Benzene	ND	0.0250	1	07/08/26	07/08/26	
Ethylbenzene	ND	0.0250	1	07/08/26	07/08/26	
Toluene	ND	0.0250	1	07/08/26	07/08/26	
o-Xylene	ND	0.0250	1	07/08/26	07/08/26	
p,m-Xylene	ND	0.0500	1	07/08/26	07/08/26	
Total Xylenes	ND	0.0250	1	07/08/26	07/08/26	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>	97.2 %	70-130		07/08/26	07/08/26	
Nonhalogenated Organics by EPA 8015D - GRO	mg/kg	mg/kg	Analyst: MB		Batch: 2628091	
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/08/26	07/08/26	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>	90.8 %	70-130		07/08/26	07/08/26	
Nonhalogenated Organics by EPA 8015D - DRO/ORO	mg/kg	mg/kg	Analyst: KH		Batch: 2628094	
Diesel Range Organics (C10-C28)	91.9	25.0	1	07/08/26	07/09/26	
Oil Range Organics (C28-C36)	110	50.0	1	07/08/26	07/09/26	
<i>Surrogate: n-Nonane</i>	115 %	69-135		07/08/26	07/09/26	
Anions by EPA 300.0/9056A	mg/kg	mg/kg	Analyst: IY		Batch: 2628090	
Chloride	119	20.0	1	07/08/26	07/09/26	



QC Summary Data

Atkins Engineering Associates Inc.	Project Name:	Sandpoint	Reported:
2904 W. 2nd	Project Number:	20071-0001	
Roswell NM, 88201	Project Manager:	Austin Weyant	7/9/2026 11:16:31AM

Volatile Organics by EPA 8021B

Analyst: MB

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

Blank (2628091-BLK1)

Prepared: 07/08/26 Analyzed: 07/08/26

Benzene	ND	0.0250							
Ethylbenzene	ND	0.0250							
Toluene	ND	0.0250							
o-Xylene	ND	0.0250							
p,m-Xylene	ND	0.0500							
Total Xylenes	ND	0.0250							
Surrogate: 4-Bromochlorobenzene-PID	7.40		8.00		92.4	70-130			

LCS (2628091-BS1)

Prepared: 07/08/26 Analyzed: 07/08/26

Benzene	4.60	0.0250	5.00		91.9	70-130			
Ethylbenzene	4.45	0.0250	5.00		89.1	70-130			
Toluene	4.53	0.0250	5.00		90.7	70-130			
o-Xylene	4.41	0.0250	5.00		88.2	70-130			
p,m-Xylene	8.98	0.0500	10.0		89.8	70-130			
Total Xylenes	13.4	0.0250	15.0		89.3	70-130			
Surrogate: 4-Bromochlorobenzene-PID	7.67		8.00		95.9	70-130			

Matrix Spike (2628091-MS1)

Source: E607067-01

Prepared: 07/08/26 Analyzed: 07/08/26

Benzene	4.88	0.0250	5.00	ND	97.6	70-130			
Ethylbenzene	4.72	0.0250	5.00	ND	94.3	70-130			
Toluene	4.80	0.0250	5.00	ND	96.1	70-130			
o-Xylene	4.68	0.0250	5.00	ND	93.6	70-130			
p,m-Xylene	9.49	0.0500	10.0	ND	94.9	70-130			
Total Xylenes	14.2	0.0250	15.0	ND	94.5	70-130			
Surrogate: 4-Bromochlorobenzene-PID	7.76		8.00		97.0	70-130			

Matrix Spike Dup (2628091-MSD1)

Source: E607067-01

Prepared: 07/08/26 Analyzed: 07/08/26

Benzene	4.85	0.0250	5.00	ND	97.1	70-130	0.578	20	
Ethylbenzene	4.70	0.0250	5.00	ND	93.9	70-130	0.426	20	
Toluene	4.78	0.0250	5.00	ND	95.5	70-130	0.540	20	
o-Xylene	4.67	0.0250	5.00	ND	93.3	70-130	0.336	20	
p,m-Xylene	9.45	0.0500	10.0	ND	94.5	70-130	0.421	20	
Total Xylenes	14.1	0.0250	15.0	ND	94.1	70-130	0.393	20	
Surrogate: 4-Bromochlorobenzene-PID	7.89		8.00		98.6	70-130			



QC Summary Data

Atkins Engineering Associates Inc.	Project Name:	Sandpoint	Reported:
2904 W. 2nd	Project Number:	20071-0001	
Roswell NM, 88201	Project Manager:	Austin Weyant	7/9/2026 11:16:31AM

Nonhalogenated Organics by EPA 8015D - GRO

Analyst: MB

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

Blank (2628091-BLK1) Prepared: 07/08/26 Analyzed: 07/08/26

Gasoline Range Organics (C6-C10)	ND	20.0							
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.51		8.00		93.9	70-130			

LCS (2628091-BS2) Prepared: 07/08/26 Analyzed: 07/08/26

Gasoline Range Organics (C6-C10)	48.8	20.0	50.0		97.7	62-130			
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.29		8.00		91.2	70-130			

Matrix Spike (2628091-MS2) Source: E607067-01 Prepared: 07/08/26 Analyzed: 07/08/26

Gasoline Range Organics (C6-C10)	48.9	20.0	50.0	ND	97.9	60-137			
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.20		8.00		90.0	70-130			

Matrix Spike Dup (2628091-MSD2) Source: E607067-01 Prepared: 07/08/26 Analyzed: 07/08/26

Gasoline Range Organics (C6-C10)	49.9	20.0	50.0	ND	99.8	60-137	1.99	20	
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.35		8.00		91.9	70-130			



QC Summary Data

Atkins Engineering Associates Inc.	Project Name:	Sandpoint	Reported:
2904 W. 2nd	Project Number:	20071-0001	
Roswell NM, 88201	Project Manager:	Austin Weyant	7/9/2026 11:16:31AM

Nonhalogenated Organics by EPA 8015D - DRO/ORO

Analyst: KH

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

Blank (2628094-BLK1)					Prepared: 07/08/26 Analyzed: 07/08/26				
Diesel Range Organics (C10-C28)	ND	25.0							
Oil Range Organics (C28-C36)	ND	50.0							
Surrogate: n-Nonane	54.8		50.0		110	69-135			

LCS (2628094-BS1)					Prepared: 07/08/26 Analyzed: 07/08/26				
Diesel Range Organics (C10-C28)	235	25.0	250		94.1	70-131			
Surrogate: n-Nonane	55.3		50.0		111	69-135			

Matrix Spike (2628094-MS1)					Source: E607067-06		Prepared: 07/08/26 Analyzed: 07/08/26		
Diesel Range Organics (C10-C28)	2010	50.0	250	1470	219	62-151			M4
Surrogate: n-Nonane	54.6		50.0		109	69-135			

Matrix Spike Dup (2628094-MSD1)					Source: E607067-06		Prepared: 07/08/26 Analyzed: 07/08/26		
Diesel Range Organics (C10-C28)	2240	50.0	250	1470	309	62-151	10.6	20	M4
Surrogate: n-Nonane	55.4		50.0		111	69-135			



QC Summary Data

Atkins Engineering Associates Inc.	Project Name:	Sandpoint	Reported:
2904 W. 2nd	Project Number:	20071-0001	
Roswell NM, 88201	Project Manager:	Austin Weyant	7/9/2026 11:16:31AM

Anions by EPA 300.0/9056A

Analyst: IY

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

Blank (2628090-BLK1)					Prepared: 07/08/26 Analyzed: 07/08/26				
Chloride	ND	20.0							
LCS (2628090-BS1)					Prepared: 07/08/26 Analyzed: 07/08/26				
Chloride	258	20.0	250		103	90-110			
Matrix Spike (2628090-MS1)					Source: E607067-02		Prepared: 07/08/26 Analyzed: 07/08/26		
Chloride	1460	20.0	250	979	193	80-120			M2
Matrix Spike Dup (2628090-MSD1)					Source: E607067-02		Prepared: 07/08/26 Analyzed: 07/08/26		
Chloride	1350	20.0	250	979	148	80-120	8.00	20	M2

QC Summary Report Comment:
Calculations are based off of the raw (non-rounded) data. However, for reporting purposes all QC data is rounded to three significant figures.
Therefore, hand calculated values may differ slightly.



Definitions and Notes

Atkins Engineering Associates Inc.	Project Name:	Sandpoint	
2904 W. 2nd	Project Number:	20071-0001	Reported:
Roswell NM, 88201	Project Manager:	Austin Weyant	07/09/26 11:16

- M2 Matrix spike recovery was outside quality control limits. The associated LCS spike recovery was acceptable.
- M4 Matrix spike recovery value is suspect since the analyte concentration in the sample is disproportionate to the spike level. The associated LCS spike recovery was acceptable.
- ND Analyte NOT DETECTED at or above the reporting limit
- NR Not Reported
- RPD Relative Percent Difference
- DNI Did Not Ignite
- DNR Did not react with the addition of acid or base.

Note (1): Methods marked with ** are non-accredited methods.

Note (2): Soil data is reported on an "as received" weight basis, unless reported otherwise.



envirotech

Page 2 of 2


envirotech

Envirotech Analytical Laboratory

Printed: 7/8/2026 11:13:28AM

Sample Receipt Checklist (SRC)

Instructions: Please take note of any NO checkmarks.

If we receive no response concerning these items within 24 hours of the date of this notice, all the samples will be analyzed as requested.

Client:	Atkins Engineering Associates Inc.	Date Received:	07/08/26 07:30	Work Order ID:	E607067
Phone:	(575) 626-3993	Date Logged In:	07/08/26 08:28	Logged In By:	Caitlin Mars
Email:	austin@atkinseng.com	Due Date:	07/09/26 17:00 (1 day TAT)		

Chain of Custody (COC)

1. Does the sample ID match the COC? Yes
2. Does the number of samples per sampling site location match the COC? Yes
3. Were samples dropped off by client or carrier? Yes
4. Was the COC complete, i.e., signatures, dates/times, requested analyses? Yes
5. Were all samples received within holding time? Yes

Note: Analysis, such as pH which should be conducted in the field, i.e., 15 minute hold time, are not included in this discussion.

Carrier: CourierComments/ResolutionSample Turn Around Time (TAT)

6. Did the COC indicate standard TAT, or Expedited TAT? Yes

Sample Cooler

7. Was a sample cooler received? Yes
8. If yes, was cooler received in good condition? Yes
9. Was the sample(s) received intact, i.e., not broken? Yes
10. Were custody/security seals present? No
11. If yes, were custody/security seals intact? NA
12. Was the sample received on ice? Yes

Note: Thermal preservation is not required, if samples are received within 15 minutes of sampling

13. See COC for individual sample temps. Samples outside of 0°C-6°C will be recorded in comments.

Sample Container

14. Are aqueous VOC samples present? No
15. Are VOC samples collected in VOA Vials? NA
16. Is the head space less than 6-8 mm (pea sized or less)? NA
17. Was a trip blank (TB) included for VOC analyses? NA
18. Are non-VOC samples collected in the correct containers? Yes
19. Is the appropriate volume/weight or number of sample containers collected? Yes

Field Label

20. Were field sample labels filled out with the minimum information:
 - Sample ID? Yes
 - Date/Time Collected? Yes
 - Collectors name? No

Sample Preservation

21. Does the COC or field labels indicate the samples were preserved? No
22. Are sample(s) correctly preserved? NA
24. Is lab filtration required and/or requested for dissolved metals? No

Multiphase Sample Matrix

26. Does the sample have more than one phase, i.e., multiphase? No
27. If yes, does the COC specify which phase(s) is to be analyzed? NA

Subcontract Laboratory

28. Are samples required to get sent to a subcontract laboratory? No
29. Was a subcontract laboratory specified by the client and if so who? NA Subcontract Lab: NA

Client Instruction


Signature of client authorizing changes to the COC or sample disposition.

Date



envirotech Inc.

Report to:
Austin Weyant



envirotech

Practical Solutions for a Better Tomorrow

Analytical Report

Atkins Engineering Associates Inc.

Project Name: Sandpoint

Work Order: E607239

Job Number: 20071-0001

Received: 7/24/2026

Revision: 2

Report Reviewed By:

Walter Hinchman
Laboratory Director
7/27/26

5796 U.S. Hwy 64
Farmington, NM 87401

Phone: (505) 632-1881
Envirotech-inc.com



Envirotech Inc. certifies the test results meet all requirements of TNI unless noted otherwise.
Statement of Data Authenticity: Envirotech Inc. attests the data reported has not been altered in any way.
Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech Inc.
Envirotech Inc. holds the Utah TNI certification NM00979 for data reported.
Envirotech Inc. holds the Texas TNI certification T104704557 for data reported.

Date Reported: 7/27/26

Austin Weyant
2904 W. 2nd
Roswell, NM 88201



Project Name: Sandpoint
Workorder: E607239
Date Received: 7/24/2026 12:00:00AM

Austin Weyant,

Thank you for choosing Envirotech, Inc. as your analytical testing laboratory for the sample(s) received on, 7/24/2026 12:00:00AM, under the Project Name: Sandpoint.

The analytical test results summarized in this report with the Project Name: Sandpoint apply to the individual samples collected, identified and submitted bearing the project name on the enclosed chain-of-custody. Subcontracted sample analyses not conducted by Envirotech, Inc., are attached in full as issued by the subcontract laboratory.

Please review the Chain-of-Custody (COC) and Sample Receipt Checklist (SRC) for any issues regarding sample receipt temperature, containers, preservation etc. To best understand your test results, review the entire report summarizing your sample data and the associated quality control batch data.

All reported data in this analytical report were analyzed according to the referenced method(s) and are in compliance with the latest NELAC/TNI standards, unless otherwise noted. Samples or analytical quality control parameters not meeting specific QC criteria are qualified with a data flag. Data flag definitions are located in the Notes and Definitions section of this analytical report.

If you have any questions concerning this report, please feel free to contact Envirotech, Inc.

Respectfully,

Walter Hinchman
Laboratory Director
Office: 505-632-1881
Cell: 775-287-1762
whinchman@envirotech-inc.com

Raina Schwanz
Laboratory Administrator
Office: 505-632-1881
rainaschwanz@envirotech-inc.com

Field Offices:

Southern New Mexico Area

Lynn Jarboe
Laboratory Technical Representative
Office: 505-421-LABS(5227)
Cell: 505-320-4759
ljjarboe@envirotech-inc.com

Michelle Gonzales
Client Representative
Office: 505-421-LABS(5227)
Cell: 505-947-8222
mgonzales@envirotech-inc.com

Envirotech Web Address: www.envirotech-inc.com

Table of Contents

Title Page	1
Cover Page	2
Table of Contents	3
Sample Summary	4
Sample Data	5
T1	5
T2	6
P1	7
P2	8
SW1	9
SW2	10
SW3	11
SW4	12
SW5	13
SW6	14
SW7	15
SW8	16
QC Summary Data	17
QC - Volatile Organics by EPA 8021B	17
QC - Nonhalogenated Organics by EPA 8015D - GRO	18
QC - Nonhalogenated Organics by EPA 8015D - DRO/ORO	19
QC - Anions by EPA 300.0/9056A	20
Definitions and Notes	21
Chain of Custody etc.	22

Sample Summary

Atkins Engineering Associates Inc. 2904 W. 2nd Roswell NM, 88201	Project Name: Sandpoint Project Number: 20071-0001 Project Manager: Austin Weyant	Reported: 07/27/26 16:29
--	---	-----------------------------

Client Sample ID	Lab Sample ID	Matrix	Sampled	Received	Container
T1	E607239-01A	Soil	07/22/26	07/24/26	Glass Jar, 2 oz.
T2	E607239-02A	Soil	07/22/26	07/24/26	Glass Jar, 2 oz.
P1	E607239-03A	Soil	07/22/26	07/24/26	Glass Jar, 2 oz.
P2	E607239-04A	Soil	07/22/26	07/24/26	Glass Jar, 2 oz.
SW1	E607239-05A	Soil	07/22/26	07/24/26	Glass Jar, 2 oz.
SW2	E607239-06A	Soil	07/22/26	07/24/26	Glass Jar, 2 oz.
SW3	E607239-07A	Soil	07/22/26	07/24/26	Glass Jar, 2 oz.
SW4	E607239-08A	Soil	07/22/26	07/24/26	Glass Jar, 2 oz.
SW5	E607239-09A	Soil	07/22/26	07/24/26	Glass Jar, 2 oz.
SW6	E607239-10A	Soil	07/22/26	07/24/26	Glass Jar, 2 oz.
SW7	E607239-11A	Soil	07/22/26	07/24/26	Glass Jar, 2 oz.
SW8	E607239-12A	Soil	07/22/26	07/24/26	Glass Jar, 2 oz.



Sample Data

Atkins Engineering Associates Inc. 2904 W. 2nd Roswell NM, 88201	Project Name: Sandpoint Project Number: 20071-0001 Project Manager: Austin Weyant	Reported: 7/27/2026 4:29:21PM
--	---	----------------------------------

T1

E607239-01

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B	mg/kg	mg/kg	Analyst: BA		Batch: 2630105	
Benzene	ND	0.0250	1	07/24/26	07/24/26	
Ethylbenzene	ND	0.0250	1	07/24/26	07/24/26	
Toluene	ND	0.0250	1	07/24/26	07/24/26	
o-Xylene	ND	0.0250	1	07/24/26	07/24/26	
p,m-Xylene	ND	0.0500	1	07/24/26	07/24/26	
Total Xylenes	ND	0.0250	1	07/24/26	07/24/26	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>		104 %	70-130	07/24/26	07/24/26	
Nonhalogenated Organics by EPA 8015D - GRO	mg/kg	mg/kg	Analyst: BA		Batch: 2630105	
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/24/26	07/24/26	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>		89.7 %	70-130	07/24/26	07/24/26	
Nonhalogenated Organics by EPA 8015D - DRO/ORO	mg/kg	mg/kg	Analyst: KH		Batch: 2630106	
Diesel Range Organics (C10-C28)	102	25.0	1	07/24/26	07/24/26	
Oil Range Organics (C28-C36)	84.3	50.0	1	07/24/26	07/24/26	
<i>Surrogate: n-Nonane</i>		97.2 %	69-135	07/24/26	07/24/26	
Anions by EPA 300.0/9056A	mg/kg	mg/kg	Analyst: DT		Batch: 2630104	
Chloride	ND	20.0	1	07/24/26	07/24/26	



Sample Data

Atkins Engineering Associates Inc.
2904 W. 2nd
Roswell NM, 88201

Project Name: Sandpoint
Project Number: 20071-0001
Project Manager: Austin Weyant

Reported:
7/27/2026 4:29:21PM

T2

E607239-02

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B	mg/kg	mg/kg	Analyst: BA		Batch: 2630105	
Benzene	ND	0.0250	1	07/24/26	07/24/26	
Ethylbenzene	ND	0.0250	1	07/24/26	07/24/26	
Toluene	ND	0.0250	1	07/24/26	07/24/26	
o-Xylene	ND	0.0250	1	07/24/26	07/24/26	
p,m-Xylene	ND	0.0500	1	07/24/26	07/24/26	
Total Xylenes	ND	0.0250	1	07/24/26	07/24/26	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>		103 %	70-130	07/24/26	07/24/26	
Nonhalogenated Organics by EPA 8015D - GRO	mg/kg	mg/kg	Analyst: BA		Batch: 2630105	
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/24/26	07/24/26	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>		89.0 %	70-130	07/24/26	07/24/26	
Nonhalogenated Organics by EPA 8015D - DRO/ORO	mg/kg	mg/kg	Analyst: KH		Batch: 2630106	
Diesel Range Organics (C10-C28)	66.5	25.0	1	07/24/26	07/24/26	
Oil Range Organics (C28-C36)	56.4	50.0	1	07/24/26	07/24/26	
<i>Surrogate: n-Nonane</i>		98.8 %	69-135	07/24/26	07/24/26	
Anions by EPA 300.0/9056A	mg/kg	mg/kg	Analyst: DT		Batch: 2630104	
Chloride	ND	20.0	1	07/24/26	07/24/26	



Sample Data

Atkins Engineering Associates Inc.
2904 W. 2nd
Roswell NM, 88201

Project Name: Sandpoint
Project Number: 20071-0001
Project Manager: Austin Weyant

Reported:
7/27/2026 4:29:21PM

P1

E607239-03

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B	mg/kg	mg/kg	Analyst: BA		Batch: 2630105	
Benzene	ND	0.0250	1	07/24/26	07/24/26	
Ethylbenzene	ND	0.0250	1	07/24/26	07/24/26	
Toluene	ND	0.0250	1	07/24/26	07/24/26	
o-Xylene	ND	0.0250	1	07/24/26	07/24/26	
p,m-Xylene	ND	0.0500	1	07/24/26	07/24/26	
Total Xylenes	ND	0.0250	1	07/24/26	07/24/26	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>		105 %	70-130	07/24/26	07/24/26	
Nonhalogenated Organics by EPA 8015D - GRO	mg/kg	mg/kg	Analyst: BA		Batch: 2630105	
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/24/26	07/24/26	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>		91.1 %	70-130	07/24/26	07/24/26	
Nonhalogenated Organics by EPA 8015D - DRO/ORO	mg/kg	mg/kg	Analyst: KH		Batch: 2630106	
Diesel Range Organics (C10-C28)	ND	25.0	1	07/24/26	07/24/26	
Oil Range Organics (C28-C36)	ND	50.0	1	07/24/26	07/24/26	
<i>Surrogate: n-Nonane</i>		99.2 %	69-135	07/24/26	07/24/26	
Anions by EPA 300.0/9056A	mg/kg	mg/kg	Analyst: DT		Batch: 2630104	
Chloride	ND	20.0	1	07/24/26	07/24/26	



Sample Data

Atkins Engineering Associates Inc.
2904 W. 2nd
Roswell NM, 88201

Project Name: Sandpoint
Project Number: 20071-0001
Project Manager: Austin Weyant

Reported:
7/27/2026 4:29:21PM

P2

E607239-04

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B	mg/kg	mg/kg	Analyst: BA		Batch: 2630105	
Benzene	ND	0.0250	1	07/24/26	07/24/26	
Ethylbenzene	ND	0.0250	1	07/24/26	07/24/26	
Toluene	ND	0.0250	1	07/24/26	07/24/26	
o-Xylene	ND	0.0250	1	07/24/26	07/24/26	
p,m-Xylene	ND	0.0500	1	07/24/26	07/24/26	
Total Xylenes	ND	0.0250	1	07/24/26	07/24/26	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>		105 %	70-130	07/24/26	07/24/26	
Nonhalogenated Organics by EPA 8015D - GRO	mg/kg	mg/kg	Analyst: BA		Batch: 2630105	
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/24/26	07/24/26	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>		90.1 %	70-130	07/24/26	07/24/26	
Nonhalogenated Organics by EPA 8015D - DRO/ORO	mg/kg	mg/kg	Analyst: KH		Batch: 2630106	
Diesel Range Organics (C10-C28)	37.2	25.0	1	07/24/26	07/24/26	
Oil Range Organics (C28-C36)	ND	50.0	1	07/24/26	07/24/26	
<i>Surrogate: n-Nonane</i>		99.1 %	69-135	07/24/26	07/24/26	
Anions by EPA 300.0/9056A	mg/kg	mg/kg	Analyst: DT		Batch: 2630104	
Chloride	21.6	20.0	1	07/24/26	07/24/26	



Sample Data

Atkins Engineering Associates Inc.
2904 W. 2nd
Roswell NM, 88201

Project Name: Sandpoint
Project Number: 20071-0001
Project Manager: Austin Weyant

Reported:
7/27/2026 4:29:21PM

SW1

E607239-05

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B	mg/kg	mg/kg	Analyst: BA		Batch: 2630105	
Benzene	ND	0.0250	1	07/24/26	07/24/26	
Ethylbenzene	ND	0.0250	1	07/24/26	07/24/26	
Toluene	ND	0.0250	1	07/24/26	07/24/26	
o-Xylene	ND	0.0250	1	07/24/26	07/24/26	
p,m-Xylene	ND	0.0500	1	07/24/26	07/24/26	
Total Xylenes	ND	0.0250	1	07/24/26	07/24/26	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>		102 %	70-130	07/24/26	07/24/26	
Nonhalogenated Organics by EPA 8015D - GRO	mg/kg	mg/kg	Analyst: BA		Batch: 2630105	
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/24/26	07/24/26	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>		89.3 %	70-130	07/24/26	07/24/26	
Nonhalogenated Organics by EPA 8015D - DRO/ORO	mg/kg	mg/kg	Analyst: KH		Batch: 2630106	
Diesel Range Organics (C10-C28)	895	25.0	1	07/24/26	07/24/26	
Oil Range Organics (C28-C36)	405	50.0	1	07/24/26	07/24/26	
<i>Surrogate: n-Nonane</i>		104 %	69-135	07/24/26	07/24/26	
Anions by EPA 300.0/9056A	mg/kg	mg/kg	Analyst: DT		Batch: 2630104	
Chloride	71.5	20.0	1	07/24/26	07/24/26	



Sample Data

Atkins Engineering Associates Inc.
2904 W. 2nd
Roswell NM, 88201

Project Name: Sandpoint
Project Number: 20071-0001
Project Manager: Austin Weyant

Reported:
7/27/2026 4:29:21PM

SW2

E607239-06

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B	mg/kg	mg/kg	Analyst: BA		Batch: 2630105	
Benzene	ND	0.0250	1	07/24/26	07/24/26	
Ethylbenzene	ND	0.0250	1	07/24/26	07/24/26	
Toluene	ND	0.0250	1	07/24/26	07/24/26	
o-Xylene	ND	0.0250	1	07/24/26	07/24/26	
p,m-Xylene	ND	0.0500	1	07/24/26	07/24/26	
Total Xylenes	ND	0.0250	1	07/24/26	07/24/26	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>		105 %	70-130	07/24/26	07/24/26	
Nonhalogenated Organics by EPA 8015D - GRO	mg/kg	mg/kg	Analyst: BA		Batch: 2630105	
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/24/26	07/24/26	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>		87.3 %	70-130	07/24/26	07/24/26	
Nonhalogenated Organics by EPA 8015D - DRO/ORO	mg/kg	mg/kg	Analyst: KH		Batch: 2630106	
Diesel Range Organics (C10-C28)	26.9	25.0	1	07/24/26	07/24/26	
Oil Range Organics (C28-C36)	ND	50.0	1	07/24/26	07/24/26	
<i>Surrogate: n-Nonane</i>		103 %	69-135	07/24/26	07/24/26	
Anions by EPA 300.0/9056A	mg/kg	mg/kg	Analyst: DT		Batch: 2630104	
Chloride	32.8	20.0	1	07/24/26	07/24/26	



Sample Data

Atkins Engineering Associates Inc.
2904 W. 2nd
Roswell NM, 88201

Project Name: Sandpoint
Project Number: 20071-0001
Project Manager: Austin Weyant

Reported:
7/27/2026 4:29:21PM

SW3

E607239-07

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B	mg/kg	mg/kg	Analyst: BA		Batch: 2630105	
Benzene	ND	0.0250	1	07/24/26	07/24/26	
Ethylbenzene	ND	0.0250	1	07/24/26	07/24/26	
Toluene	ND	0.0250	1	07/24/26	07/24/26	
o-Xylene	ND	0.0250	1	07/24/26	07/24/26	
p,m-Xylene	ND	0.0500	1	07/24/26	07/24/26	
Total Xylenes	ND	0.0250	1	07/24/26	07/24/26	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>		104 %	70-130	07/24/26	07/24/26	
Nonhalogenated Organics by EPA 8015D - GRO	mg/kg	mg/kg	Analyst: BA		Batch: 2630105	
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/24/26	07/24/26	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>		88.9 %	70-130	07/24/26	07/24/26	
Nonhalogenated Organics by EPA 8015D - DRO/ORO	mg/kg	mg/kg	Analyst: KH		Batch: 2630106	
Diesel Range Organics (C10-C28)	ND	25.0	1	07/24/26	07/24/26	
Oil Range Organics (C28-C36)	ND	50.0	1	07/24/26	07/24/26	
<i>Surrogate: n-Nonane</i>		103 %	69-135	07/24/26	07/24/26	
Anions by EPA 300.0/9056A	mg/kg	mg/kg	Analyst: DT		Batch: 2630104	
Chloride	309	20.0	1	07/24/26	07/24/26	



Sample Data

Atkins Engineering Associates Inc.
2904 W. 2nd
Roswell NM, 88201

Project Name: Sandpoint
Project Number: 20071-0001
Project Manager: Austin Weyant

Reported:
7/27/2026 4:29:21PM

SW4

E607239-08

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg	Analyst: BA		Batch: 2630105	
Benzene	ND	0.0250	1	07/24/26	07/24/26	
Ethylbenzene	ND	0.0250	1	07/24/26	07/24/26	
Toluene	ND	0.0250	1	07/24/26	07/24/26	
o-Xylene	ND	0.0250	1	07/24/26	07/24/26	
p,m-Xylene	ND	0.0500	1	07/24/26	07/24/26	
Total Xylenes	ND	0.0250	1	07/24/26	07/24/26	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
		104 %	70-130	07/24/26	07/24/26	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg	Analyst: BA		Batch: 2630105	
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/24/26	07/24/26	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
		89.8 %	70-130	07/24/26	07/24/26	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg	Analyst: KH		Batch: 2630106	
Diesel Range Organics (C10-C28)	619	25.0	1	07/24/26	07/25/26	
Oil Range Organics (C28-C36)	475	50.0	1	07/24/26	07/25/26	
<i>Surrogate: n-Nonane</i>						
		101 %	69-135	07/24/26	07/25/26	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg	Analyst: DT		Batch: 2630104	
Chloride	148	20.0	1	07/24/26	07/24/26	



Sample Data

Atkins Engineering Associates Inc.
2904 W. 2nd
Roswell NM, 88201

Project Name: Sandpoint
Project Number: 20071-0001
Project Manager: Austin Weyant

Reported:
7/27/2026 4:29:21PM

SW5

E607239-09

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B	mg/kg	mg/kg	Analyst: BA		Batch: 2630105	
Benzene	ND	0.0250	1	07/24/26	07/24/26	
Ethylbenzene	ND	0.0250	1	07/24/26	07/24/26	
Toluene	ND	0.0250	1	07/24/26	07/24/26	
o-Xylene	ND	0.0250	1	07/24/26	07/24/26	
p,m-Xylene	ND	0.0500	1	07/24/26	07/24/26	
Total Xylenes	ND	0.0250	1	07/24/26	07/24/26	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>		105 %	70-130	07/24/26	07/24/26	
Nonhalogenated Organics by EPA 8015D - GRO	mg/kg	mg/kg	Analyst: BA		Batch: 2630105	
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/24/26	07/24/26	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>		88.3 %	70-130	07/24/26	07/24/26	
Nonhalogenated Organics by EPA 8015D - DRO/ORO	mg/kg	mg/kg	Analyst: KH		Batch: 2630106	
Diesel Range Organics (C10-C28)	ND	25.0	1	07/24/26	07/25/26	
Oil Range Organics (C28-C36)	ND	50.0	1	07/24/26	07/25/26	
<i>Surrogate: n-Nonane</i>		105 %	69-135	07/24/26	07/25/26	
Anions by EPA 300.0/9056A	mg/kg	mg/kg	Analyst: DT		Batch: 2630104	
Chloride	960	20.0	1	07/24/26	07/24/26	



Sample Data

Atkins Engineering Associates Inc.
2904 W. 2nd
Roswell NM, 88201

Project Name: Sandpoint
Project Number: 20071-0001
Project Manager: Austin Weyant

Reported:
7/27/2026 4:29:21PM

SW6

E607239-10

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg	Analyst: BA		Batch: 2630105	
Benzene	ND	0.0250	1	07/24/26	07/24/26	
Ethylbenzene	ND	0.0250	1	07/24/26	07/24/26	
Toluene	ND	0.0250	1	07/24/26	07/24/26	
o-Xylene	ND	0.0250	1	07/24/26	07/24/26	
p,m-Xylene	ND	0.0500	1	07/24/26	07/24/26	
Total Xylenes	ND	0.0250	1	07/24/26	07/24/26	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
		104 %	70-130	07/24/26	07/24/26	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg	Analyst: BA		Batch: 2630105	
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/24/26	07/24/26	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
		86.9 %	70-130	07/24/26	07/24/26	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg	Analyst: KH		Batch: 2630106	
Diesel Range Organics (C10-C28)	76.6	25.0	1	07/24/26	07/25/26	
Oil Range Organics (C28-C36)	77.8	50.0	1	07/24/26	07/25/26	
<i>Surrogate: n-Nonane</i>						
		102 %	69-135	07/24/26	07/25/26	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg	Analyst: DT		Batch: 2630104	
Chloride	1710	20.0	1	07/24/26	07/24/26	



Sample Data

Atkins Engineering Associates Inc.
2904 W. 2nd
Roswell NM, 88201

Project Name: Sandpoint
Project Number: 20071-0001
Project Manager: Austin Weyant

Reported:
7/27/2026 4:29:21PM

SW7

E607239-11

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B	mg/kg	mg/kg	Analyst: BA		Batch: 2630105	
Benzene	ND	0.0250	1	07/24/26	07/24/26	
Ethylbenzene	ND	0.0250	1	07/24/26	07/24/26	
Toluene	0.0256	0.0250	1	07/24/26	07/24/26	
o-Xylene	0.0553	0.0250	1	07/24/26	07/24/26	
p,m-Xylene	ND	0.0500	1	07/24/26	07/24/26	
Total Xylenes	0.0553	0.0250	1	07/24/26	07/24/26	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
		103 %	70-130	07/24/26	07/24/26	
Nonhalogenated Organics by EPA 8015D - GRO	mg/kg	mg/kg	Analyst: BA		Batch: 2630105	
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/24/26	07/24/26	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
		88.8 %	70-130	07/24/26	07/24/26	
Nonhalogenated Organics by EPA 8015D - DRO/ORO	mg/kg	mg/kg	Analyst: KH		Batch: 2630106	
Diesel Range Organics (C10-C28)	ND	25.0	1	07/24/26	07/25/26	
Oil Range Organics (C28-C36)	ND	50.0	1	07/24/26	07/25/26	
<i>Surrogate: n-Nonane</i>						
		103 %	69-135	07/24/26	07/25/26	
Anions by EPA 300.0/9056A	mg/kg	mg/kg	Analyst: DT		Batch: 2630104	
Chloride	1630	20.0	1	07/24/26	07/24/26	



Sample Data

Atkins Engineering Associates Inc.
2904 W. 2nd
Roswell NM, 88201

Project Name: Sandpoint
Project Number: 20071-0001
Project Manager: Austin Weyant

Reported:
7/27/2026 4:29:21PM

SW8

E607239-12

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B	mg/kg	mg/kg	Analyst: BA		Batch: 2630105	
Benzene	ND	0.0250	1	07/24/26	07/24/26	
Ethylbenzene	ND	0.0250	1	07/24/26	07/24/26	
Toluene	ND	0.0250	1	07/24/26	07/24/26	
o-Xylene	ND	0.0250	1	07/24/26	07/24/26	
p,m-Xylene	ND	0.0500	1	07/24/26	07/24/26	
Total Xylenes	ND	0.0250	1	07/24/26	07/24/26	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>		105 %	70-130	07/24/26	07/24/26	
Nonhalogenated Organics by EPA 8015D - GRO	mg/kg	mg/kg	Analyst: BA		Batch: 2630105	
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/24/26	07/24/26	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>		88.2 %	70-130	07/24/26	07/24/26	
Nonhalogenated Organics by EPA 8015D - DRO/ORO	mg/kg	mg/kg	Analyst: KH		Batch: 2630106	
Diesel Range Organics (C10-C28)	ND	25.0	1	07/24/26	07/25/26	
Oil Range Organics (C28-C36)	ND	50.0	1	07/24/26	07/25/26	
<i>Surrogate: n-Nonane</i>		100 %	69-135	07/24/26	07/25/26	
Anions by EPA 300.0/9056A	mg/kg	mg/kg	Analyst: DT		Batch: 2630104	
Chloride	1050	20.0	1	07/24/26	07/24/26	



QC Summary Data

Atkins Engineering Associates Inc.	Project Name:	Sandpoint	Reported:
2904 W. 2nd	Project Number:	20071-0001	
Roswell NM, 88201	Project Manager:	Austin Weyant	7/27/2026 4:29:21PM

Volatile Organics by EPA 8021B

Analyst: BA

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

Blank (2630105-BLK1)

Prepared: 07/24/26 Analyzed: 07/27/26

Benzene	ND	0.0250							
Ethylbenzene	ND	0.0250							
Toluene	ND	0.0250							
o-Xylene	ND	0.0250							
p,m-Xylene	ND	0.0500							
Total Xylenes	ND	0.0250							
Surrogate: 4-Bromochlorobenzene-PID	8.04		8.00		100	70-130			

LCS (2630105-BS1)

Prepared: 07/24/26 Analyzed: 07/24/26

Benzene	4.83	0.0250	5.00		96.5	70-130			
Ethylbenzene	4.66	0.0250	5.00		93.2	70-130			
Toluene	4.75	0.0250	5.00		94.9	70-130			
o-Xylene	4.72	0.0250	5.00		94.4	70-130			
p,m-Xylene	9.50	0.0500	10.0		95.0	70-130			
Total Xylenes	14.2	0.0250	15.0		94.8	70-130			
Surrogate: 4-Bromochlorobenzene-PID	8.13		8.00		102	70-130			

Matrix Spike (2630105-MS1)

Source: E607227-04

Prepared: 07/24/26 Analyzed: 07/24/26

Benzene	5.36	0.0250	5.00	ND	107	70-130			
Ethylbenzene	5.16	0.0250	5.00	ND	103	70-130			
Toluene	5.24	0.0250	5.00	ND	105	70-130			
o-Xylene	5.16	0.0250	5.00	ND	103	70-130			
p,m-Xylene	10.5	0.0500	10.0	ND	105	70-130			
Total Xylenes	15.7	0.0250	15.0	ND	104	70-130			
Surrogate: 4-Bromochlorobenzene-PID	8.17		8.00		102	70-130			

Matrix Spike Dup (2630105-MSD1)

Source: E607227-04

Prepared: 07/24/26 Analyzed: 07/24/26

Benzene	5.72	0.0250	5.00	ND	114	70-130	6.43	20	
Ethylbenzene	5.51	0.0250	5.00	ND	110	70-130	6.52	20	
Toluene	5.56	0.0250	5.00	ND	111	70-130	5.95	20	
o-Xylene	5.51	0.0250	5.00	ND	110	70-130	6.71	20	
p,m-Xylene	11.2	0.0500	10.0	ND	112	70-130	6.23	20	
Total Xylenes	16.7	0.0250	15.0	ND	111	70-130	6.39	20	
Surrogate: 4-Bromochlorobenzene-PID	8.35		8.00		104	70-130			



QC Summary Data

Atkins Engineering Associates Inc. 2904 W. 2nd Roswell NM, 88201	Project Name: Sandpoint Project Number: 20071-0001 Project Manager: Austin Weyant	Reported: 7/27/2026 4:29:21PM
--	---	--------------------------------------

Nonhalogenated Organics by EPA 8015D - GRO

Analyst: BA

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

Blank (2630105-BLK1)

Prepared: 07/24/26 Analyzed: 07/27/26

Gasoline Range Organics (C6-C10)	ND	20.0							
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.30		8.00		91.2	70-130			

LCS (2630105-BS2)

Prepared: 07/24/26 Analyzed: 07/24/26

Gasoline Range Organics (C6-C10)	36.6	20.0	50.0		73.2	62-130			
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.26		8.00		90.8	70-130			

Matrix Spike (2630105-MS2)

Source: E607227-04

Prepared: 07/24/26 Analyzed: 07/24/26

Gasoline Range Organics (C6-C10)	44.3	20.0	50.0	ND	88.5	60-137			
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.42		8.00		92.8	70-130			

Matrix Spike Dup (2630105-MSD2)

Source: E607227-04

Prepared: 07/24/26 Analyzed: 07/24/26

Gasoline Range Organics (C6-C10)	41.3	20.0	50.0	ND	82.5	60-137	7.01	20	
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.17		8.00		89.6	70-130			



QC Summary Data

Atkins Engineering Associates Inc.	Project Name:	Sandpoint	Reported:
2904 W. 2nd	Project Number:	20071-0001	
Roswell NM, 88201	Project Manager:	Austin Weyant	7/27/2026 4:29:21PM

Nonhalogenated Organics by EPA 8015D - DRO/ORO

Analyst: KH

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

Blank (2630106-BLK1)					Prepared: 07/24/26 Analyzed: 07/24/26				
Diesel Range Organics (C10-C28)	ND	25.0							
Oil Range Organics (C28-C36)	ND	50.0							
Surrogate: n-Nonane	52.4		50.0		105	69-135			

LCS (2630106-BS1)					Prepared: 07/24/26 Analyzed: 07/24/26				
Diesel Range Organics (C10-C28)	245	25.0	250		97.8	70-131			
Surrogate: n-Nonane	49.7		50.0		99.4	69-135			

Matrix Spike (2630106-MS1)					Source: E607239-05		Prepared: 07/24/26 Analyzed: 07/24/26		
Diesel Range Organics (C10-C28)	1040	25.0	250	895	58.5	62-151			M2
Surrogate: n-Nonane	50.3		50.0		101	69-135			

Matrix Spike Dup (2630106-MSD1)					Source: E607239-05		Prepared: 07/24/26 Analyzed: 07/24/26		
Diesel Range Organics (C10-C28)	1310	25.0	250	895	164	62-151	22.5	20	M2, R3
Surrogate: n-Nonane	49.8		50.0		99.6	69-135			



QC Summary Data

Atkins Engineering Associates Inc.	Project Name:	Sandpoint	Reported:
2904 W. 2nd	Project Number:	20071-0001	
Roswell NM, 88201	Project Manager:	Austin Weyant	7/27/2026 4:29:21PM

Anions by EPA 300.0/9056A

Analyst: IY

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

Blank (2630104-BLK1)					Prepared: 07/24/26 Analyzed: 07/24/26				
Chloride	ND	20.0							
LCS (2630104-BS1)					Prepared: 07/24/26 Analyzed: 07/24/26				
Chloride	256	20.0	250		102	90-110			
Matrix Spike (2630104-MS1)					Source: E607239-02		Prepared: 07/24/26 Analyzed: 07/24/26		
Chloride	275	20.0	250	ND	110	80-120			
Matrix Spike Dup (2630104-MSD1)					Source: E607239-02		Prepared: 07/24/26 Analyzed: 07/24/26		
Chloride	272	20.0	250	ND	109	80-120	1.19	20	

QC Summary Report Comment:
Calculations are based off of the raw (non-rounded) data. However, for reporting purposes all QC data is rounded to three significant figures.
Therefore, hand calculated values may differ slightly.



Definitions and Notes

Atkins Engineering Associates Inc.	Project Name:	Sandpoint	
2904 W. 2nd	Project Number:	20071-0001	Reported:
Roswell NM, 88201	Project Manager:	Austin Weyant	07/27/26 16:29

- M2 Matrix spike recovery was outside quality control limits. The associated LCS spike recovery was acceptable.
- R3 The RPD exceeded the acceptance limit. LCS spike recovery met acceptance criteria.
- ND Analyte NOT DETECTED at or above the reporting limit
- NR Not Reported
- RPD Relative Percent Difference
- DNI Did Not Ignite
- DNR Did not react with the addition of acid or base.

Note (1): Methods marked with ** are non-accredited methods.

Note (2): Soil data is reported on an "as received" weight basis, unless reported otherwise.

Client Information				Invoice Information				Lab Use Only				TAT				State											
Client: <u>Atkins Env</u>				Company: _____				Lab WO# <u>EL07239</u>		Job Number <u>26071-0001</u>		1D ☒		2D ☒		3D ☐		Std ☐		NM ☐		CO ☐		UT ☐		TX ☐	
Project Name: <u>Sand Point</u>				Address: _____																							
Project Manager: <u>JAW</u>				City, State, Zip: _____																							
Address: <u>2904 W 2nd</u>				Phone: _____																							
City, State, Zip: <u>Roswell</u>				Email: _____																							
Phone: _____				Miscellaneous: _____																							
Email: <u>Sampling@ATKINSENV6.COM</u>																											
Sample Information										Analysis and Method										EPA Program							
Time Sampled	Date Sampled	Matrix	No. of Containers	Sample ID	Field	Filter	Lab Number	DRO/ORO by 8015	GRO/DRO by 8015	BTEX by 8021	VOC by 8260	Chloride 300.0	BGDOC - NM	TCEQ 1005 - TX	RCRA 8 Metals	SDWA	CWA	RCRA	Compliance	Y	or	N	PWSID #	Remarks			
9:58	7/22/26	S	1	T1			1	X	X	X		X													3.9		
10:02		S	1	T2			2	X	X	X		X													3.7		
10:07		S	1	P1			3	X	X	X		X													4.2		
10:08		S	1	P2			4	X	X	X		X													4.0		
10:31		S	1	SW1			5	X	X	X		X													4.9		
10:32		S	1	SW2			6	X	X	X		X													4.7		
10:35		S	1	SW3			7	X	X	X		X													4.3		
10:37		S	1	SW4			8	X	X	X		X													4.2		
10:39		S	1	SW5			9	X	X	X		X													4.1		
10:41		S	1	SW6			10	X	X	X		X													4.7		
Additional Instructions:																											
I, (field sampler), attest to the validity and authenticity of this sample. I am aware that tampering with or intentionally mislabeling the sample location, date or time of collection is considered fraud and may be grounds for legal action.																											
Sampled by: <u>Nicholas Chavez</u>																											
Relinquished by: (Signature)		Date		Time		Received by: (Signature)		Date		Time		Samples requiring thermal preservation must be received on ice the day they are sampled or received packed in ice at an avg temp above 0 but less than 6 °C on subsequent days. Lab Use Only Received on ice: <u>Y</u> N T1 _____ T2 _____ T3 _____ AVG Temp °C _____															
Relinquished by: (Signature)		Date		Time		Received by: (Signature)		Date		Time																	
Relinquished by: (Signature)		Date		Time		Received by: (Signature)		Date		Time																	
Relinquished by: (Signature)		Date		Time		Received by: (Signature)		Date		Time																	
Relinquished by: (Signature)		Date		Time		Received by: (Signature)		Date		Time																	
Sample Matrix: S - Soil, Sd - Solid, Sg - Sludge, A - Aqueous, O - Other <u>S N.C</u> Container Type: g - glass, p - poly/plastic, ag - amber glass, v - VOA <u>g</u>																											
Note: Samples are discarded 14 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at the client expense. The report for the analysis of the above samples is applicable only to those samples received by the laboratory with this COC. The liability of the laboratory is limited to the amount paid for on the report.																											



1. 2 of 2



envirotech

Envirotech Analytical Laboratory

Printed: 7/24/2026 10:58:08AM

Sample Receipt Checklist (SRC)

Instructions: Please take note of any NO checkmarks.

If we receive no response concerning these items within 24 hours of the date of this notice, all the samples will be analyzed as requested.

Client:	Atkins Engineering Associates Inc.	Date Received:	07/24/26 00:00	Work Order ID:	E607239
Phone:	(575) 626-3993	Date Logged In:	07/23/26 17:08	Logged In By:	Caitlin Mars
Email:	austin@atkinseng.com	Due Date:	07/27/26 17:00 (1 day TAT)		

Chain of Custody (COC)

1. Does the sample ID match the COC? Yes
2. Does the number of samples per sampling site location match the COC? Yes
3. Were samples dropped off by client or carrier? Yes
4. Was the COC complete, i.e., signatures, dates/times, requested analyses? Yes
5. Were all samples received within holding time? Yes

Note: Analysis, such as pH which should be conducted in the field, i.e., 15 minute hold time, are not included in this discussion.

Carrier: CourierComments/ResolutionSample Turn Around Time (TAT)

6. Did the COC indicate standard TAT, or Expedited TAT? Yes

Sample Cooler

7. Was a sample cooler received? Yes
8. If yes, was cooler received in good condition? Yes
9. Was the sample(s) received intact, i.e., not broken? Yes
10. Were custody/security seals present? No
11. If yes, were custody/security seals intact? NA
12. Was the sample received on ice? Yes

Note: Thermal preservation is not required, if samples are received within 15 minutes of sampling

13. See COC for individual sample temps. Samples outside of 0°C-6°C will be recorded in comments.

Sample Container

14. Are aqueous VOC samples present? No
15. Are VOC samples collected in VOA Vials? NA
16. Is the head space less than 6-8 mm (pea sized or less)? NA
17. Was a trip blank (TB) included for VOC analyses? NA
18. Are non-VOC samples collected in the correct containers? Yes
19. Is the appropriate volume/weight or number of sample containers collected? Yes

Field Label

20. Were field sample labels filled out with the minimum information:
 - Sample ID? Yes
 - Date/Time Collected? Yes
 - Collectors name? No

Sample Preservation

21. Does the COC or field labels indicate the samples were preserved? No
22. Are sample(s) correctly preserved? NA
24. Is lab filtration required and/or requested for dissolved metals? No

Multiphase Sample Matrix

26. Does the sample have more than one phase, i.e., multiphase? No
27. If yes, does the COC specify which phase(s) is to be analyzed? NA

Subcontract Laboratory

28. Are samples required to get sent to a subcontract laboratory? No
29. Was a subcontract laboratory specified by the client and if so who? NA Subcontract Lab: NA

Client Instruction

Signature of client authorizing changes to the COC or sample disposition.

Date



envirotech Inc.

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS

Action 612455

QUESTIONS

Operator: PRODUCTION WASTE SOLUTIONS LLC 1101 SE Mustang Dr Andrews, TX 79714	OGRID: 371912
	Action Number: 612455
	Action Type: [C-141] Initial C-141 (C-141-v-Initial)

QUESTIONS

Prerequisites	
Incident ID (n#)	nAPP2622255335
Incident Name	NAPP2622255335 PWS SANDPOINT FACILITY - FORMER BGTS @ FVV2130741319
Incident Type	Release Other
Incident Status	Initial C-141 Received
Incident Facility	[FVV2130741319] SANDPOINT RECLAMATION FACILITY PWS

Location of Release Source*Please answer all the questions in this group.*

Site Name	PWS Sandpoint Facility - Former BGT's
Date Release Discovered	08/05/2026
Surface Owner	Private

Incident Details*Please answer all the questions in this group.*

Incident Type	Release Other
Did this release result in a fire or is the result of a fire	No
Did this release result in any injuries	No
Has this release reached or does it have a reasonable probability of reaching a watercourse	No
Has this release endangered or does it have a reasonable probability of endangering public health	No
Has this release substantially damaged or will it substantially damage property or the environment	No
Is this release of a volume that is or may with reasonable probability be detrimental to fresh water	No

Nature and Volume of Release*Material(s) released, please answer all that apply below. Any calculations or specific justifications for the volumes provided should be attached to the follow-up C-141 submission.*

Crude Oil Released (bbls) Details	Cause: Normal Operations Unknown Crude Oil Released: 0 BBL (Unknown Released Amount) Recovered: 0 BBL Lost: 0 BBL.
Produced Water Released (bbls) Details	Not answered.
Is the concentration of chloride in the produced water >10,000 mg/l	No
Condensate Released (bbls) Details	Not answered.
Natural Gas Vented (Mcf) Details	Not answered.
Natural Gas Flared (Mcf) Details	Not answered.
Other Released Details	Not answered.
Are there additional details for the questions above (i.e. any answer containing Other, Specify, Unknown, and/or Fire, or any negative lost amounts)	Release is thought to be historical in nature. Concentrations of TPH and Chloride were detected in sidewall samples collected during BGT tank removal that are in excess of 19.15.29 remediation standards for sites within 1,000 feet of a fresh water well. The contamination is not a result of a recent, known incident so quantity, source, and type of released material is unknown. Additionally, the contamination appears to be beneath the existing concrete slab bay. Therefore, it seems reasonable to presume this would be deferred to the facility closing at a later date.

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 2

Action 612455

QUESTIONS (continued)

Operator: PRODUCTION WASTE SOLUTIONS LLC 1101 SE Mustang Dr Andrews, TX 79714	OGRID: 371912
	Action Number: 612455
	Action Type: [C-141] Initial C-141 (C-141-v-Initial)

QUESTIONS

Nature and Volume of Release (continued)	
Is this a gas only submission (i.e. only significant Mcf values reported)	No, according to supplied volumes this does not appear to be a "gas only" report.
Was this a major release as defined by Subsection A of 19.15.29.7 NMAC	Yes
Reasons why this would be considered a submission for a notification of a major release	From paragraph A. "Major release" determine using: (1) an unauthorized release of a volume, excluding gases, of 25 barrels or more.
With the implementation of the 19.15.27 NMAC (05/25/2021), venting and/or flaring of natural gas (i.e. gas only) are to be submitted on the C-129 form.	

Initial Response

The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury.

The source of the release has been stopped	True
The impacted area has been secured to protect human health and the environment	True
Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices	False
All free liquids and recoverable materials have been removed and managed appropriately	True
If all the actions described above have not been undertaken, explain why	Release is historical in nature and not the result of any recent, known incident. The BGTs have been removed from the Facility. No released materials are present on the surface, all contamination has been discovered in subsurface soil sampling conducted between 0-7 feet below ground surface. Additionally, the contamination appears to be beneath the existing concrete slab bay. Therefore, it seems reasonable to presume this would be deferred to the facility closing at a later date.

Per Paragraph (4) of Subsection B of 19.15.29.8 NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please prepare and attach a narrative of actions to date in the follow-up C-141 submission. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see Subparagraph (a) of Paragraph (5) of Subsection A of 19.15.29.11 NMAC), please prepare and attach all information needed for closure evaluation in the follow-up C-141 submission.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

I hereby agree and sign off to the above statement	Name: Linette Ramirez Title: Regulatory Admin Email: linette@productionwaste.com Date: 08/10/2026
--	--

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 3

Action 612455

QUESTIONS (continued)

Operator: PRODUCTION WASTE SOLUTIONS LLC 1101 SE Mustang Dr Andrews, TX 79714	OGRID: 371912
	Action Number: 612455
	Action Type: [C-141] Initial C-141 (C-141-v-Initial)

QUESTIONS

Site Characterization	
<i>Please answer all the questions in this group (only required when seeking remediation plan approval and beyond). This information must be provided to the appropriate district office no later than 90 days after the release discovery date.</i>	
What is the shallowest depth to groundwater beneath the area affected by the release in feet below ground surface (ft bgs)	Not answered.
What method was used to determine the depth to ground water	Not answered.
Did this release impact groundwater or surface water	Not answered.
What is the minimum distance, between the closest lateral extents of the release and the following surface areas:	
A continuously flowing watercourse or any other significant watercourse	Not answered.
Any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)	Not answered.
An occupied permanent residence, school, hospital, institution, or church	Not answered.
A spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes	Not answered.
Any other fresh water well or spring	Not answered.
Incorporated municipal boundaries or a defined municipal fresh water well field	Not answered.
A wetland	Not answered.
A subsurface mine	Not answered.
An (non-karst) unstable area	Not answered.
Categorize the risk of this well / site being in a karst geology	Not answered.
A 100-year floodplain	Not answered.
Did the release impact areas not on an exploration, development, production, or storage site	Not answered.

Remediation Plan	
<i>Please answer all the questions that apply or are indicated. This information must be provided to the appropriate district office no later than 90 days after the release discovery date.</i>	
Requesting a remediation plan approval with this submission	No
<i>The OCD recognizes that proposed remediation measures may have to be minimally adjusted in accordance with the physical realities encountered during remediation. If the responsible party has any need to significantly deviate from the remediation plan proposed, then it should consult with the division to determine if another remediation plan submission is required.</i>	

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/oed/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 612455

CONDITIONS

Operator: PRODUCTION WASTE SOLUTIONS LLC 1101 SE Mustang Dr Andrews, TX 79714	OGRID: 371912
	Action Number: 612455
	Action Type: [C-141] Initial C-141 (C-141-v-Initial)

CONDITIONS

Created By	Condition	Condition Date
scott.rodgers	None	8/11/2026