

PERMIAN

R E S O U R C E S

OUTLAND 14 23 STATE BATTERY

Closure Report

Incident No. nAPP2512531470

D-14-21S-34E

NMSLO Lease E019230000

32.485488,-103.44553 NAD83



2525 NW County Rd
Hobbs, NM 88240
[\(575\) 392-9996](tel:5753929996)

Table of Contents

Introduction	1
Site Information	1
Incident History	2
Cultural and Biological Review	2
Water Resources and Remediation Considerations	4
Soil Remediation Standards	6
Remediation Activities	6
Deferral Request	9
Conclusion	11

Appendices

Appendix A Depth to Groundwater and Topographical Information
Appendix B Site Delineation Mapping and Summary Report
Appendix C Site Photography and Field Notes
Appendix D Communications and Historical Records
Appendix E Environmental Resources Review
Appendix F Lab Results Originals

Introduction

Diamondback Disposal Services, Inc. (Diamondback) has prepared this Remediation Closure Report and Deferral Request for the Outland 14/23 State Battery release site, identified under NMOCD Incident No. nAPP2512531470, in Lea County, New Mexico. This report documents the site characterization, remediation activities, confirmation sampling, and reclamation activities completed in response to the release and requests deferral of the remaining impacts pursuant to 19.15.29.12(C)(2) NMAC.

The remediation activities were conducted in accordance with 19.15.29 NMAC and the applicable New Mexico State Land Office requirements for oil and gas operations on State trust lands. Remediation of the release and restoration of the affected surface were performed in consideration of the spill cleanup and remediation requirements of 19.2.100.66 NMAC and the surface reclamation requirements of 19.2.100.67 NMAC. Activities were also conducted in consideration of 19.2.24 NMAC, the Cultural Properties Protection Rule, to ensure protection of cultural resources during ground disturbing activities.

Site Information

Operator of Record: Permian Resources Operating, LLC

Responsible Party: Permian Resources Operating, LLC

Facility Name: Outland 14/23 State Battery

Facility ID: fAPP2123833289

Facility Type: Tank Battery

Facility Status: Active

Incident No.: nAPP2512531470

GPS Coordinates: 32.4857095, -103.4451811 (NAD83)

PLSS: Unit D, Section 14, Township 21 South, Range 34 East

County: Lea County, New Mexico

Surface Managing Agency: New Mexico State Land Office

Oil and Gas Lease: E019230000, ConocoPhillips Company

Agricultural Lease: GT31530000, Merchant Livestock Company

The site can be accessed from the intersection of Sims Road and NM 176:

- Head east on NM 176 for approximately 0.15 mile.
- Turn right onto the lease road and continue for approximately 0.86 mile.
- Turn right at the location entrance and continue north through the location for approximately 0.11 mile.

A directional map is provided on the first page of Appendix A.

Incident History

- On May 5, 2025, Permian Resources Operating, LLC discovered a produced water release at the Outland 14/23 State Battery. The release was attributed to corrosion of a pipeline and was reported under NMOCD Incident No. nAPP2512531470. Approximately 32 barrels of produced water were released, of which 25 barrels were recovered and 7 barrels were reported as lost.
- The release was classified as a major release under 19.15.29.7(A) NMAC because the unauthorized release volume exceeded 25 barrels. Upon discovery, the source was stopped, the affected area was secured, released material was contained, and recoverable liquids and materials were removed and managed appropriately.
- The initial C 141 was submitted for the incident on May 5, 2025. The incident was identified as a produced water release on State surface at the Outland 14/23 State Battery.
- Vertex Resource Services subsequently completed site characterization activities during June and July 2025. The characterization identified impacts on the western and southwestern portions of the production pad and within the adjacent pasture. Vertex prepared a remediation work plan dated July 24, 2025 that proposed excavation of the identified impacted areas followed by confirmation sampling and restoration.

Cultural and Biological Review

(See Appendix E for reference materials)

A review of the U.S. Fish and Wildlife Service Information for Planning and Consultation (IPaC) system, the New Mexico Crucial Habitat Assessment Tool (NM CHAT), Bureau of Land Management sensitive wildlife receptor mapping, and NatureServe Explorer was conducted to identify federally listed species and other sensitive biological resources within the project area.

- The New Mexico Crucial Habitat Assessment Tool classified the project area as Level 3 within the six level statewide screening system. This ranking is intended for planning purposes and is not a regulatory determination.
- Bureau of Land Management sensitive wildlife receptor mapping indicates that the project area does not overlap any of the mapped BLM sensitive wildlife receptors shown on the reviewed mapping.
- A review of the U.S. Fish and Wildlife Service IPaC system identified the Northern Aplomado Falcon (*Falco femoralis septentrionalis*), Experimental, Non Essential, and Monarch Butterfly (*Danaus plexippus*), Proposed Threatened, as species that may occur within the broader project vicinity. No designated or proposed critical habitat for these species overlaps the project area.
- NatureServe Explorer was also reviewed to evaluate documented sensitive species and element occurrences within the project vicinity.
- Remediation activities were confined to the existing developed tank battery and release footprint. No new surface disturbance occurred outside the existing facility footprint.
- Remediation and reclamation activities associated with the release were conducted with consideration for applicable biological resource protection requirements. The project area was also evaluated in accordance with applicable New Mexico State Land Office requirements and 19.2.24 NMAC, the Cultural Properties Protection Rule, for the protection of cultural resources on State trust lands.

Water Resources and Remediation Considerations

(See Appendix A for topographical information and mapping)

- Groundwater beneath the release area was evaluated through a New Mexico Office of the State Engineer iWaters Database search. The shallowest applicable groundwater reference identified was CP-01848, located approximately 1 mile southwest of the excavation area, where groundwater was encountered at approximately 80 feet below ground surface. The resulting groundwater depth category is between 75 and 100 feet below ground surface. Although this well is used only as a reference, the site was evaluated using the most stringent Table I closure criteria applicable to groundwater depths less than 50 feet below ground surface pursuant to the agreement with Merchant Livestock Company. No groundwater or surface water impacts were identified.
- The nearest qualifying continuously flowing or significant watercourse is an unnamed perennial stream approximately 24.742 miles south-southeast of the release area. The feature is identified by the USGS National Hydrography Dataset as a continuously flowing stream and is represented as a solid blue stream line on a USGS 7.5-minute quadrangle map. This places the receptor in the greater than 5 mile category under 19.15.29.12(C)(4)(a)(i) NMAC, with the applicable watercourse definition provided in 19.15.2.7(W)(4) NMAC.
- A probable playa is mapped approximately 1.811 miles southwest of the release area. Based on this distance, the nearest lakebed, sinkhole, or playa lake falls within the between 1 and 5 mile category under 19.15.29.12(C)(4)(d) NMAC. The applicable definition is identified in 19.15.2.7(U)(6) NMAC.
- The nearest occupied permanent residence is approximately 1.700 miles west of the release area. This places the nearest occupied residence, school, hospital, institution, or church receptor within the between 1 and 5 mile category established by 19.15.29.12(C)(4)(b) NMAC, with the applicable definition provided in 19.15.2.7(W)(8) NMAC.
- OSE POD CP-00489, identified for stock-water use, is approximately 2.281 miles northwest of the release area. The same well represents both the nearest spring or private domestic fresh water well used by fewer than five households for domestic or stock watering purposes and the nearest other fresh water well or spring. Accordingly, CP-00489 satisfies both receptor

categories and falls within the between 1 and 5 mile category under 19.15.29.12(C)(4)(c)(i) and 19.15.29.12(C)(4)(c)(ii) NMAC. The applicable definition is provided in 19.15.2.7(W)(8) NMAC.

- Monument MDWCA is the nearest identified municipal freshwater system and is located approximately 12.261 miles northeast of the release area. This places the nearest incorporated municipal boundary or defined municipal fresh water well field within the greater than 5 mile category under 19.15.29.12(C)(4)(d) NMAC. The applicable definition is identified in 19.15.2.7(F)(3) NMAC.
- The nearest mapped wetland is a riverine wetland classified as R4SBJ approximately 0.799 mile west-northwest of the release area. This places the wetland receptor within the between 1/2 and 1 mile category under 19.15.29.12(C)(4)(e) NMAC. Wetland criteria are defined in 19.15.2.7(W)(9) NMAC.
- The nearest identified subsurface mine is the Intrepid East Mine, a potash mine approximately 19.684 miles west of the release area. The mine therefore falls within the greater than 5 mile category under 19.15.29.12(C)(4)(f) NMAC.
- Available karst mapping classifies the site as Low karst potential. Karst and unstable-area considerations are evaluated under 19.15.29.12(C)(4)(g) NMAC using the applicable unstable-area definition in 19.15.2.7(U)(6) NMAC.
- The nearest FEMA-mapped 100-year floodplain is Zone A, approximately 16.851 miles east-southeast of the release area. This places the floodplain receptor within the greater than 5 mile category under 19.15.29.12(C)(4)(h) NMAC. The applicable floodplain definition is provided in 19.15.17.7(H) NMAC.
- The release also impacted an area outside the exploration, development, production, or storage site. As a result, the affected area was subject to the applicable reclamation requirements in addition to the remediation and closure requirements addressed in this report.

Soil Remediation Standards

Soil remediation and closure criteria were applied in accordance with Table I of 19.15.29.12 NMAC. Although available groundwater information indicates a depth to groundwater between 75 and 100 feet below ground surface and the site is classified as having low karst potential, the most stringent Table I criteria applicable to groundwater depths less than 50 feet below ground surface were applied at all depths throughout the remediation area pursuant to an agreement with Merchant Livestock Company, the agricultural leaseholder.

(See Table Below)

Table 1: NMAC 19.15.29.12 Closure Criteria

Groundwater Depth	BTEX (mg/kg)	Benzene (mg/kg)	TPH GRO+DRO+MRO (mg/kg)	GRO+DRO (mg/kg)	Chloride (mg/kg)
<50 feet	50	10	100	N/A	600

Remediation / Reclamation Activities

Prior to Diamondback Disposal Services, Inc. beginning remediation activities, Vertex Resource Services completed site characterization and delineation of the release and prepared the subsequently approved remediation work plan. The Vertex investigation evaluated the horizontal and vertical extent of impacts through soil borings and test pits completed within and around the release footprint. The Vertex initial characterization analytical results and Characterization Sampling Site Schematic are provided in Appendix B alongside Diamondback's remediation and confirmation sampling maps to document the initial horizontal and vertical delineation and subsequent progression of remediation and closure sampling.

Diamondback conducted the primary excavation from February 18 through February 23, 2026. Impacted soil was excavated from accessible portions of the release footprint based on the approved remediation plan, field observations, and analytical results. The total surface area subjected to remediation was approximately 9,448 square feet, including areas where full excavation was completed and areas proposed for deferral where accessible impacted soil was removed from the surface.

Prior to final confirmation sampling, the New Mexico Oil Conservation Division was provided the required two business day notice in accordance with 19.15.29.12(D)(1)(a) NMAC through submission of C 141N Notifications of Sampling. These notifications provided the Division an opportunity to observe final sampling activities. Evidence of the sampling notifications is provided in Appendix D, Communications and Historical Records.

Confirmation sampling was conducted as excavation progressed from February 19 through February 25, 2026. In accordance with 19.15.29.12(D)(1) NMAC, representative five point composite samples were collected from the excavation floors and sidewalls. Diamondback utilized the confirmation sampling frequency provided by 19.15.29.12(D)(1)(c) NMAC, with each composite sample representing no more than 200 square feet of remediated surface area.

Samples were collected using clean, decontaminated sampling equipment, with equipment decontaminated between sample locations to minimize the potential for cross contamination. Samples were placed directly into clean laboratory supplied containers, properly labeled, preserved on ice, and submitted under chain of custody to an accredited laboratory for analysis of chloride, total petroleum hydrocarbons, and BTEX compounds.

Analytical results from the initial confirmation sampling identified B44 and B52 as requiring additional remediation. Diamondback returned to these locations and conducted targeted additional excavation from March 10 through March 11, 2026. Following removal of the additional impacted soil, B44 and B52 were resampled using the same confirmation sampling procedures to verify compliance with the applicable Table I closure criteria.

Final confirmation sampling was completed on March 25, 2026 following the additional remediation activities. The final analytical results confirmed that the completed excavation areas met the applicable Table I closure criteria. Remediation of the accessible impacted areas was therefore considered complete following receipt and evaluation of the final confirmation sampling results.

In total, approximately 660 cubic yards of impacted soil were removed from the site in 55 dump truck loads and transported off site for disposal at the Leland LLC disposal facility. Final confirmation

analytical results were evaluated against the most stringent Table I closure criteria established by 19.15.29.12 NMAC. In accordance with 19.15.29.12(D)(2) NMAC, areas demonstrating composite and grab sample concentrations at or below the applicable Table I criteria were considered suitable for backfilling.

The site has been fully delineated horizontally and vertically through the initial Vertex characterization and subsequent Diamondback excavation and confirmation sampling. Final confirmation results demonstrate that the completed excavation areas meet the applicable Table I closure criteria. Areas proposed for deferral are addressed separately in the following Deferral Request section.

Prior to placement of imported restoration material, Diamondback collected backfill source samples BFS1 and BFS2 on March 11, 2026. BFS1 represents caliche purchased from Merchant Livestock Company, and BFS2 represents topsoil purchased from Merchant Livestock Company. Analytical results demonstrated that both imported materials met the applicable criteria prior to placement. BFS1 contained 32 mg/kg chloride and BFS2 contained 80 mg/kg chloride, while Total TPH was reported below 10.0 mg/kg and Total BTEX below 0.300 mg/kg in both samples.

Restoration and reclamation activities were conducted from March 12 through April 15, 2026. Approximately 492 cubic yards of analytically verified caliche purchased from Merchant Livestock Company were imported and placed to restore the remediated portions of the production area to the appropriate grade. Approximately 40 cubic yards of analytically verified topsoil, also purchased from Merchant Livestock Company, were placed within the reclaimed area to provide suitable material for revegetation.

The approximately 9,448 square foot remediation area was reclaimed in accordance with 19.15.29.13 NMAC and applicable New Mexico State Land Office requirements. The reclaimed area was restored with compliant non waste containing earthen material, returned to the surrounding grade, and provided with a suitable top layer to support revegetation and minimize ponding, erosion, and dust.

On August 18, 2026, the reclaimed area was seeded using the NMSLO Type “S” Sandy Sites Seed Mixture. Selection of the Type “S” mixture was based on the NRCS Web Soil Survey evaluation of the

project area, which identified sandy soil characteristics applicable to the reclaimed area. The supporting Web Soil Survey documentation is provided in the appendix. The seed was applied by hand broadcasting to promote establishment of native vegetation consistent with site soil conditions and applicable NMSLO reclamation requirements. See chart below for the NMSLO Type “S” seed mixture used for reclamation.

Sandy (S) Sites Seed Mixture			
COMMON NAME	VARIETY APPLICATION	RATE (PLS/Acre)	Drill Box
Grasses:			
Sand bluestem	Elida, VNS, So.	2	F
Little bluestem	Cimarron, Pastura	3	F
Black grama	VNS, Southern	1	D
Sand dropseed	VNS, Southern	4	S
Plains bristlegrass	VNS, Southern	2	D
Forbs:			
Firewheel (Gaillardia)	VNS, Southern	1	D
Annual Sunflower	VNS, Southern	1	D
Shrubs:			
Fourwing Saltbush	VNS, Southern	1	F
Total PLS/acre		15	

Deferral Request

Diamondback Disposal Services, Inc. requests written approval from the New Mexico Oil Conservation Division to defer final remediation, restoration, and reclamation of the remaining impacts beneath and immediately around active production equipment at the Outland 14/23 State Battery pursuant to 19.15.29.12(C)(2) NMAC. The requested deferral applies to Facility ID fAPP2123833289 and NMOCD Incident No. nAPP2512531470. The OCD incident record identifies fAPP2123833289 as the Outland 14 23 State Battery facility associated with the release.

The proposed deferral area encompasses approximately 1,623 square feet. During remediation activities, approximately 6 inches of accessible impacted soil were removed from the deferral area. Based on an approximate remaining impacted thickness of 1.5 feet, approximately 90 cubic yards of impacted soil are estimated to remain in situ. Further excavation would require removal or substantial deconstruction of active production equipment, piping, structural supports, and associated facility infrastructure.

The remaining impacts are fully delineated horizontally and vertically. Vertical delineation was established through the initial Vertex characterization and subsequent Diamondback remediation and confirmation sampling. The proposed deferral consists of a narrow area associated with active production infrastructure that could not be fully excavated without major facility deconstruction.

During remediation, the areas immediately adjacent to both sides of the narrow deferral area were excavated, allowing confirmation samples to be collected from the excavation bases directly adjacent to the remaining impacts. These adjacent excavation base samples met the most stringent Table I closure criteria and establish compliant soil along the lateral boundaries of the deferral area. As shown on the remediation and deferral sampling map, the compliant excavation base samples bound the remaining impacts from the surrounding remediated areas and demonstrate that the deferred impacts do not extend laterally beyond the identified deferral footprint.

Vertical delineation was established through the initial Vertex characterization and subsequent Diamondback excavation and confirmation sampling. Together, the characterization results, compliant excavation base samples adjacent to the deferral area, and subsequent confirmation sampling demonstrate that the remaining impacts are fully delineated horizontally and vertically.

The remaining contamination does not present an imminent risk to human health, the environment, or groundwater. The remaining impacts are confined to soil beneath and immediately around active production infrastructure, are fully delineated horizontally and vertically, and available site characterization and remediation data indicate that groundwater and surface water have not been impacted.

Diamondback respectfully requests that NMOCD approve deferral of final remediation, restoration, and reclamation of the approximately 1,623 square foot area pursuant to 19.15.29.12(C)(2) NMAC. Final remediation, restoration, and reclamation of the deferred area will be completed when the obstructing equipment is removed during other operations or when the associated facility is decommissioned or abandoned, whichever occurs first.

Conclusion

Remediation and reclamation activities at the Outland 14/23 State Battery were conducted in response to NMOCD Incident No. nAPP2512531470. Approximately 9,448 square feet were subjected to remediation, and approximately 660 cubic yards of impacted soil were removed and transported off site for disposal. Confirmation sampling demonstrated compliance with the applicable Table I closure criteria established by 19.15.29.12 NMAC within the completed excavation areas.

Following remediation, approximately 492 cubic yards of analytically verified caliche and approximately 40 cubic yards of analytically verified topsoil purchased from Merchant Livestock Company were used to restore the affected areas. The off pad reclamation area was returned to grade and seeded on August 18, 2026, using the NMSLO Type "S" Sandy Sites Seed Mixture applied by hand broadcasting.

Approximately 1,623 square feet remain within the proposed deferral area beneath and immediately around active production infrastructure. Approximately 6 inches of accessible impacted soil were removed from this area during remediation, leaving an estimated 90 cubic yards of impacted soil in situ. The remaining impacts are fully delineated horizontally and vertically and do not present an imminent risk to human health, the environment, groundwater, or surface water.

Diamondback Disposal Services, Inc. respectfully requests approval of the completed remediation and reclamation activities and written approval to defer final remediation of the remaining impacts pursuant to 19.15.29.12(C)(2) NMAC. Final remediation, restoration, and reclamation of the deferred area will be completed when the obstructing equipment is removed during other operations or when the associated facility is decommissioned or abandoned, whichever occurs first.

Appendix A

Depth to Groundwater

Topographical Information

Map Contents:
Driving Directions




Permian Resources Operating, LLC
Outland 14 23 State Battery
Incident #nAPP2512531470
32.485488,-103.44553 NAD83
NMSLO Lease E019230000



Diamondback Disposal
Services, Inc
P.O. Box 2491
Hobbs, NM 88241
575-392-9996

Map ID:
Depth to Groundwater Verification
Nearest Significant Watercourse
Nearest NWI Mapped Wetland
Feature

- ↓ Release Point
- OSE Points of Diversion
- No Depth Reported
 - < 50ft BGS
 - 50 to 99ft BGS
 - >100ft BGS
- USGS DLG Hydrography
- Perennial stream
 - - - Intermittent stream
 - - - Wash or ephemeral drain
 - - - Ditch or canal
 - - - Aqueduct or siphon
 - Lake or pond boundary
 - Dam or spillway





Permian Resources Operating, LLC
Outland 14 23 State Battery
Incident #nAPP2512531470
32.485488,-103.44553 NAD83
NMSLO Lease E019230000



Diamondback Disposal
Services, Inc
P.O. Box 2491
Hobbs, NM 88241
575-392-9996


Map Contents:
Nearest Playa Lake
Nearest Stock / Other Freshwater Well



Permian Resources Operating, LLC
Outland 14 23 State Battery
Incident #nAPP2512531470
32.485488,-103.44553 NAD83
NMSLO Lease E019230000



Diamondback Disposal
Services, Inc
P.O. Box 2491
Hobbs, NM 88241
575-392-9996



Map Contents:

- Nearest Municipal Freshwater System
- Nearest 100 Year Floodplain
- Nearest Subsurface Mine

Constructors Lea County

Pit C0-436

Hobbs Airport Pit

Hobbs Municipal Water Supply

Monument MDWCA

Pit C0-528

Pit C0-529

Pit C0-556

Pit C0-552

C0-1192-0 Water Tower Pit

West Well Pit

Pit C0-554

Pit C0-586-0 Pit C0-586-1 C0-1191-0 Hamilton West Pit

Pit C0-586-2 East Pasture Pit

C0-1200-0 Dagger West Pit

Pit C0-592

Pit C0-591

Northcutt

Pit C0-595

Pit C0-600-0

Pit C0-565

Pit C0-561-0

C0-0564-1

C0-0564-0

Eunice Water Supply System

Pit C0-599

Intrepid East Mill
Intrepid East Mine

19.69 mi


12.26 mi

16.85 mi

Permian Resources Operating, LLC
 Outland 14 23 State Battery
 Incident #nAPP2512531470
 32.485488,-103.44553 NAD83
 NMSLO Lease E019230000



Diamondback Disposal
 Services, Inc
 P.O. Box 2491
 Hobbs, NM 88241
 575-392-9996



Map Contents:
Karst Potential
Nearest Significant Watercourse

5 Mile Radius

24.74mi



Permian Resources Operating, LLC
Outland 14 23 State Battery
Incident #nAPP2512531470
32.485488,-103.44553 NAD83
NMSLO Lease E019230000



Diamondback Disposal
Services, Inc
P.O. Box 2491
Hobbs, NM 88241
575-392-9996

Appendix B

Site Delineation Mapping and Summary Report

Outland 14 23 State Battery – nAPP2512531470
G – Deferment Summary

SAMPLE ID	LAB ID NUMBER	SAMPLE DATE	BENZENE	TOLUENE (mg/kg)	ETHYL-BENZENE (mg/kg)	TOTAL XYLENES (mg/kg)	TOTAL BTEX (mg/kg)	GRO C6-C10 (mg/kg)	DRO C10-C28 (mg/kg)	EXT DRO C28-C36 (mg/kg)	TOTAL TPH C6-C36 (mg/kg)	CHLORIDE
DP1	H261078-01	2/25/26	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	16.5	<10.0	16.5	1540
DP2	H261078-02	2/25/26	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	176	66.7	242.7	4920
DP3	H261078-03	2/25/26	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	177	62.7	239.7	5160
DP4	H261078-04	2/25/26	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	126	33.4	159.4	1410
DP5	H261078-05	2/25/26	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	276	81.5	357.5	944
DP6	H261078-06	2/25/26	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	709	134	843	288
DP7	H261078-07	2/25/26	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	20.4	10.8	31.2	1090
DP8	H261078-08	2/25/26	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	384

Numbers shown in red indicate areas exceeding RRALs for which deferment is being requested, as remediation would require facility deconstruction.

- ↓ Release Point
- ★ Deferment Point "DP"
- Deferment Area
- 6" Excavation
- 2' Excavation
- 17' Excavation



Permian Resources Operating, LLC
Outland 14 23 State Battery
Incident #nAPP2512531470
32.485488,-103.44553 NAD83
NMSLO Lease E019230000



0 25 50 ft

Diamondback Disposal
Services, Inc
P.O. Box 2491
Hobbs, NM 88241
575-392-9996

Outland 14 23 State Battery – nAPP2512531470
5PC – Side Wall Summary

SAMPLE ID	LAB ID NUMBER	SAMPLE DATE	BENZENE	TOLUENE (mg/kg)	ETHYL- BENZENE (mg/kg)	TOTAL XYLENES (mg/kg)	TOTAL BTEX (mg/kg)	GRO C6-C10 (mg/kg)	DRO C10-C28 (mg/kg)	EXT DRO C28-C36 (mg/kg)	TOTAL TPH C6-C36 (mg/kg)	CHLORIDE
W1 @ 2'	H261077-01	2/25/26	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	16
W2 @ 6"	H261077-02	2/25/26	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	208
W3 @ 6"	H261077-03	2/25/26	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	128
W4 @ 2'	H261077-04	2/25/26	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	32
W5 @ 2'	H261077-05	2/25/26	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	48
W6 @ 2'	H261077-06	2/25/26	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	320
W7 @ 2'-17'	H261077-07	2/25/26	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	464

 Release Point

-  W1
-  W2
-  W3
-  W4
-  W5
-  W6
-  W7



Permian Resources Operating, LLC
 Outland 14 23 State Battery
 Incident #nAPP2512531470
 32.485488,-103.44553 NAD83
 NMSLO Lease E019230000



0 25 50 ft



Diamondback Disposal
 Services, Inc
 P.O. Box 2491
 Hobbs, NM 88241
 575-392-9996

Outland 14 23 State Battery – nAPP2512531470
5PC – Excavation Base Summary

SAMPLE ID	LAB ID NUMBER	SAMPLE DATE	BENZENE	TOLUENE (mg/kg)	ETHYL- BENZENE (mg/kg)	TOTAL XYLENES (mg/kg)	TOTAL BTEX (mg/kg)	GRO C6-C10 (mg/kg)	DRO C10-C28 (mg/kg)	EXT DRO C28-C36 (mg/kg)	TOTAL TPH C6-C36 (mg/kg)	CHLORIDE
B1 @ 2'	H261076-01	2/25/26	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	416
B2 @ 2'	H261076-02	2/25/26	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	416
B3 @ 6"	H261076-03	2/25/26	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	160
B4 @ 6"	H261076-04	2/25/26	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	192
B5 @ 6"	H261076-05	2/25/26	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	160
B6 @ 6"	H261076-06	2/25/26	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	176
B7 @ 6"	H261076-07	2/25/26	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	224
B8 @ 1'	H261076-08	2/25/26	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	192
B9 @ 6"	H261076-09	2/25/26	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	192
B10 @ 6"	H261076-10	2/25/26	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	192
B11 @ 6"	H261076-11	2/25/26	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	224
B12 @ 2'	H261076-12	2/25/26	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	224
B13 @ 2'	H261076-13	2/25/26	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	208
B14 @ 2'	H261076-14	2/25/26	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	192
B15 @ 2'	H261076-15	2/25/26	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	224
B16 @ 2'	H261076-16	2/25/26	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	176
B17 @ 2'	H261076-17	2/25/26	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	224
B18 @ 2'	H261076-18	2/25/26	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	192
B19 @ 2'	H261076-19	2/25/26	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	208
B20 @ 2'	H261076-20	2/25/26	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	176
B21 @ 2'	H261076-21	2/25/26	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	208
B22 @ 2'	H261076-22	2/25/26	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	240
B23 @ 2'	H261076-23	2/25/26	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	240
B24 @ 2'	H261076-24	2/25/26	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	224
B25 @ 2'	H261076-25	2/25/26	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	352
B26 @ 2'	H261076-26	2/25/26	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	384
B27 @ 2'	H261076-27	2/25/26	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	336
B28 @ 2'	H261076-28	2/25/26	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	272
B29 @ 2'	H261076-29	2/25/26	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	240
B30 @ 2'	H261076-30	2/25/26	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	336
B31 @ 2'	H261076-31	2/25/26	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	272
B32 @ 2'	H261076-32	2/25/26	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	256
B33 @ 2'	H261076-33	2/25/26	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	288
B34 @ 2'	H261076-34	2/25/26	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	240
B35 @ 2'	H261076-35	2/25/26	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	272
B36 @ 2'	H261076-36	2/25/26	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	208
B37 @ 2'	H261076-37	2/25/26	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	32
B38 @ 2'	H261076-38	2/25/26	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	96
B39 @ 2'	H261076-39	2/25/26	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	80
B40 @ 2'	H261076-40	2/25/26	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	400
B41 @ 2'	H261076-41	2/25/26	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	192
B42 @ 2'	H261076-42	2/25/26	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	112
B43 @ 2'	H261076-43	2/25/26	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	15.8	<10.0	15.8	96
B44 @ 2'	H261076-44	02/25/26	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	133	<10.0	133	160
B44 @ 3'	H261426-01	3/13/26	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	32
B45 @ 2'	H261076-45	2/25/26	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	160
B46 @ 2'	H261076-46	2/25/26	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	112
B47 @ 2'	H261076-47	2/25/26	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	112
B48 @ 2'	H261076-48	2/25/26	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	240

Outland 14 23 State Battery – nAPP2512531470
5PC – Excavation Base Summary

SAMPLE ID	LAB ID NUMBER	SAMPLE DATE	BENZENE	TOLUENE (mg/kg)	ETHYL-BENZENE (mg/kg)	TOTAL XYLENES (mg/kg)	TOTAL BTEX (mg/kg)	GRO C6-C10 (mg/kg)	DRO C10-C28 (mg/kg)	EXT DRO C28-C36 (mg/kg)	TOTAL TPH C6-C36 (mg/kg)	CHLORIDE
B49 @ 2'	H261076-49	2/25/26	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	176
B50 @ 2'	H261076-50	2/25/26	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	160
B51 @ 2'	H261076-51	2/25/26	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	48
B52 @ 2'	H261076-52	02/25/26	<0.050	0.539	2.17	7.74	10.5	70.7	595	93	758.7	32
B52 @ 3'	H261426-02	3/13/26	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	48
B53 @ 2'	H261076-53	2/25/26	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	128
B54 @ 2'	H261076-54	2/25/26	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	112
B55 @ 2'	H261076-55	2/25/26	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	96
B56 @ 2'	H261076-56	2/25/26	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	64
B57 @ 17'	H261076-57	2/25/26	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	512

Highlighted rows matching this cell indicate areas exceeding RRALs that have been excavated and resampled; all others remain in situ.

-  Release Point
-  Excavation Base "B"
-  Deferment Area
-  6" Excavation
-  2' Excavation
-  17' Excavation



Permian Resources Operating, LLC
 Outland 14 23 State Battery
 Incident #nAPP2512531470
 32.485488,-103.44553 NAD83
 NMSLO Lease E019230000



0 25 50 ft



Diamondback Disposal
 Services, Inc
 P.O. Box 2491
 Hobbs, NM 88241
 575-392-9996

Outland 14 23 State Battery – nAPP2512531470
5PC – Backfill Summary

SAMPLE ID	LAB ID NUMBER	SAMPLE DATE	BENZENE	TOLUENE (mg/kg)	ETHYL- BENZENE (mg/kg)	TOTAL XYLENES (mg/kg)	TOTAL BTEX (mg/kg)	GRO C6-C10 (mg/kg)	DRO C10-C28 (mg/kg)	EXT DRO C28-C36 (mg/kg)	TOTAL TPH C6-C36 (mg/kg)	CHLORIDE
BFS1	H261398-01	3/11/26	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	32
BFS2	H261398-02	3/11/26	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	80

Client Name: Permian Resources
 Site Name: Outland 14 23 State Battery
 NMOCD Tracking #: nAPP2512531470
 Project #: 25A-03091
 Lab Report: H253550, H254165


Table 1. Initial Characterization Laboratory Results													
Sample Description			Field Screening			Petroleum Hydrocarbons							Inorganic
Sample ID	Depth (ft)	Sample Date	Volatile Organic Compounds (PID)	Extractable Organic Compounds (PetroFlag)	Chloride Concentration	Volatile		Extractable					
						Benzene	BTEX (Total)	Gasoline Range Organics (GRO)	Diesel Range Organics (DRO)	Motor Oil Range Organics (MRO)	(GRO + DRO)	Total Petroleum Hydrocarbons (TPH)	
			(ppm)	(ppm)	(ppm)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	
Depth to Groundwater <50													
BH24-01	0	June 12,2025	-	77	680	ND	ND	ND	ND	ND	ND	ND	608
	2	June 13, 2025	-	47	158	ND	ND	ND	ND	ND	ND	ND	16
BH25-02	0	June 12,2025	-	323	2,200	ND	ND	ND	36.8	ND	36.8	36.8	1,840
	2	June 13, 2025	-	EEEE	245	ND	ND	67.6	2,650	10.9	2,717.6	2,728.5	528
BH25-03	0	June 12,2025	-	49	167	ND	ND	ND	ND	ND	ND	ND	48
	2	June 12,2025	-	28	2,500	ND	ND	ND	ND	ND	ND	ND	2,680
BH25-04	0	June 12,2025	-	107	450	ND	ND	ND	ND	ND	ND	ND	240
BH25-05	0	June 12,2025	-	790	1,087	ND	ND	ND	244	62.4	244.0	306.4	800
	2	June 13, 2025	-	145	722	ND	0.6	13.2	28.2	ND	41.4	41.4	448
	4	June 13, 2025	-	192	1,025	0.63	53	291	68.7	ND	359.7	359.7	1,090
BH25-06	0	June 12,2025	-	43	167	ND	ND	ND	ND	ND	ND	ND	224
	2	June 12,2025	-	33	112	ND	ND	ND	ND	ND	ND	ND	16
BH25-07	0	June 12,2025	-	79	210	ND	ND	ND	ND	ND	ND	ND	48
	2	June 12,2025	-	22	155	ND	ND	ND	ND	ND	ND	ND	48
	4	June 12,2025		24	112	ND	ND	ND	ND	ND	ND	ND	64
BH25-08	0	June 12,2025	-	95	165	ND	ND	ND	ND	ND	ND	ND	ND
	2	June 12,2025	-	39	120	ND	ND	ND	ND	ND	ND	ND	ND
BH25-09	0	June 12,2025	-	58	187	ND	ND	ND	ND	ND	ND	ND	16
	2	June 12,2025	-	28	140	ND	ND	ND	ND	ND	ND	ND	16
BH25-10	0	June 13, 2025	-	73	660	ND	ND	ND	ND	ND	ND	ND	ND
	2	June 13, 2025	-	39	157	ND	ND	ND	ND	ND	ND	ND	144
TP25-01	4	July 10, 2025	-	12	152	ND	ND	ND	19.2	ND	19.2	19.2	128
	6	July 10, 2025	-	10	142	-	-	-	-	-	-	-	-
TP25-02	6	July 10, 2025	-	10	1,580	ND	ND	ND	ND	ND	ND	ND	912
	8	July 10, 2025	-	12	3,210	ND	ND	ND	ND	ND	ND	ND	2,400
	10	July 10, 2025	-	15	2,647	ND	ND	ND	ND	ND	ND	ND	2,030
	12	July 10, 2025	-	11	2,630	ND	ND	ND	ND	ND	ND	ND	1,500
	14	July 10, 2025	-	-	1,725	ND	ND	ND	ND	ND	ND	ND	1,310
	16	July 10, 2025	-	-	895	ND	ND	ND	ND	ND	ND	ND	768

"ND" Not Detected at the Reporting Limit

"-" indicates not analyzed/assessed

Bold and grey shaded indicates exceedance outside of NMOCD Closure Criteria (on-pad)

Bold and green shaded indicates exceedance outside of NMOCD Reclamation Criteria (off-pad)



Map Center:
Lat/Long: 32.485544°N, 103.445458°W
Date: Jul 25/25
NAD 1983 StatePlane New Mexico East FIPS 3001 Feet



Characterization Sampling Site Schematic Outland 14 23 State Battery

FIGURE:

1

PERMIAN
RESOURCES

Geospatial data presented in this figure may be derived from external sources and Vertex does not assume any liability for inaccuracies. This figure is intended for reference use only and is not certified for legal, survey, or engineering purposes.


Note: Georeferenced image from Esri, 2025. Site features from GPS, Vertex, 2025.

VERSATILITY. EXPERTISE.


Appendix C Site Photography And Field Notes

Map ID:
Final Excavation Photos

↓ Release Point



Permian Resources Operating, LLC
Outland 14 23 State Battery
Incident #nAPP2512531470
32.485488,-103.44553 NAD83
NMSLO Lease E019230000



Diamondback Disposal
Services, Inc
P.O. Box 2491
Hobbs, NM 88241
575-392-9996

OUTLAND 14 23 STATE BATTERY – nAPP2512531470
Final Excavation 1-7

Photo E1



Photo E2



Photo E3



Photo E4



Photo E5




Photo E6



Photo E7

OUTLAND 14 23 STATE BATTERY – nAPP2512531470
Final Excavation 8-14



Photo E8



Photo E9



Photo E10



Photo E11



Photo E12



Photo E13



Photo E14

Appendix D

Communications / Historical Records



Home / Searches / Incidents / Incident Details

Searches - Operator Data -

Hearing Fee Application -

Request for Hearing

Request for Continuance

nAPP2512531470 OUTLAND 14 23 STATE BATTERY

General Incident Information

Well: [nAPP2123833289] OUTLAND 14-23 STATE BATTERY
Facility: [272163] Permian Resources Operating, LLC
Operator: [272163] Permian Resources Operating, LLC
Status: Active
Stage: Initial C-141 Approval, Pending submission of Site Characterization / Remediation Plan OR Remediation Closure Report from the operator
Type: Produced Water Release
Severity: Major

Incident Location: D-14-2715-34E 0 FNL 0 FFL
Lat/Long: 32.485486,-103.44553 NAD83

District: Hobbs County: Lea (29)
Surface Owner: State

Severity Indicators

Resulted In Fire: ☐
Endangered Public Health: ☐
Fresh Water Contamination: ☐
Resulted In Injury: ☐
Will or Has Reached Watercourse: ☐
Property Or Environmental Damage: ☐

Notes

Source of Referral: Industry Rep Action / Escalation:

Contact Details

Contact Name: Contact Title:

Event Dates

Date of Discovery: 03/03/2025 Initial C-141 Report Due: 5/20/2025
Remediation Closure Report Due: 08/04/2025

Incident Dates

19.15.29 NMAG - RELEASES

Type	Action	Received	Denied	Approved
Sampling Notice	[585428]	03/23/2026		03/23/2026
Sampling Notice	[581597]	03/19/2026		03/19/2026
Sampling Notice	[559856]	03/04/2026		03/04/2026
Sampling Notice	[536389]	02/23/2026		02/23/2026
Sampling Notice	[536385]	02/23/2026		02/23/2026
Initial C-141 Report	[458330]	05/05/2025		05/05/2025
Notification	[458323]	05/05/2025		05/05/2025

19.15.30 NMAG - REMEDIATION

Type	Action	Received	Denied	Approved
------	--------	----------	--------	----------

Compositional Analysis of Vented and/or Flared Natural Gas

No Compositional Analysis Found

Incident Materials

Cause	Source	Material	Volume				Units
			Unk.	Released	Recovered	Lost	
Corrosion	Pipeline (Any)	Produced Water	☐	32	25	7	BBL
The concentration of dissolved chloride in the produced water >10,000 mg/l: ☐ Yes ☒ No							

Incident Events

Date	Detail
03/23/2026	The (03/23/2026, C-141N) application [585428] was assigned to this incident.
03/19/2026	The (03/19/2026, C-141N) application [581597] was assigned to this incident.
03/04/2026	The (03/04/2026, C-141N) application [559856] was assigned to this incident.
02/23/2026	The (02/23/2026, C-141N) application [536389] was assigned to this incident.
02/23/2026	The (02/23/2026, C-141N) application [536385] was assigned to this incident.
05/05/2025	The (05/05/2025, C-141) application [458330] was accepted by OCD. The operator was emailed with details of this event.
05/05/2025	An application [458330] was submitted to OCD for review. It was submitted, indicating that it was an: [C-141]Application for administrative approval of a release notification and corrective action The operator was emailed confirmation of this event.
05/05/2025	The (05/05/2025, C-141) application [458330] was assigned to this incident.
05/05/2025	The (05/05/2025, NOR) application [458323] was assigned to this incident.
05/03/2025	Release discovered by the operator.

Quick Links

- General Incident Information
- Materials
- Events
- Owners
- Action Status

Associated Images

- Facility Files (172)
- Incident Files (7)

New Searches

- New Facility Search
- New Incident Search
- New Operator Search
- New Pit Search
- New Well Search

Major release as defined by 19.15.29.7(A) NMAC?

☒ Yes ☐ No

From paragraph A, "Major release" determine using:

(1) an unauthorized release of a volume, excluding gases, of 25 barrels or more.

Incident Corrective Actions

Initial Response

☒ The source of the release has been stopped.

☒ The impacted area has been secured to protect human health and the environment.

☒ Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices.

☒ All free liquids and recoverable materials have been removed and managed appropriately.

If all the actions described above have not been undertaken, explain why:

No site characterization data was found for this incident.

Remediation Plan

Have the lateral and vertical extents of contamination been fully delineated?

☐ Yes ☒ No

On what estimated date will the remediation commence?

On what date will (or did) the final sampling occur?

On what date will (or was) the remediation complete(s)?

Release is indicated as not yet fully delineated. Any Deferral Requests received may not be granted for this incident.

No remediation closure report data was found for this incident.

No reclamation report data was found for this incident.

No re-vegetation report data was found for this incident.

Orders

No orders available for this well.

Released to Imaging: 8/24/2026 4:03:05 PM

48 Hour Notice of Confirmation Sampling – Permian Resources Operating, LLC – Incident nAPP2512531470

Bcc: justinr@diamondbacknm.com, bprice_112@yahoo.com, jacobt@diamondbacknm.com, stormyf@diamondbacknm.com, yesenial@diamondbacknm.com, kimberlyv@diamondbacknm.com

From: jasono@diamondbacknm.com

To: ECO Reporting for SLO <eco@nmslo.gov>

Cc: Matthew Taylor <Matthew.Taylor@permianres.com>

Date: Mon, 23 Feb 2026 10:31:54 -0700

ECO Division,

On behalf of Permian Resources Operating, LLC, this correspondence serves as formal 48 hour notice of confirmation sampling activities associated with Incident ID nAPP2512531470, located on State Trust Land.

Site Information

Incident ID: nAPP2512531470

Operator: Permian Resources Operating, LLC

Surface Location: D-14-21S-34E, 0 FNL, 0 FEL

County: Lea County, New Mexico

Coordinates: 32.485488, -103.44553

Sampling Schedule

Sampling will be conducted on February 25, 2026 beginning at 8:00 AM.

Additional confirmation sampling will occur on February 26, 2026 beginning at 8:00 AM.

Scope of Work

Confirmation soil sampling will be conducted in accordance with 19.15.29.12.D NMAC and the approved sampling plan. Samples will be collected from excavation limits on a grid not to exceed 200 square feet per sample location to evaluate compliance with applicable closure criteria. Field documentation and photographic records will be maintained, and analytical results will be submitted under separate cover. Diamondback Disposal Services, Inc. will perform the sampling activities. I will be onsite and can be reached at 575.602.5998.

Respectfully,

--



Jason Owsley
Project Manager

E: JasonO@Diamondbacknm.com

P: [\(575\) 602-5998](tel:5756025998)

A: [2525 NW County Rd.](http://2525NWCountyRd.com)

Sent (Local): 2026-02-23 07:36:34 MST
From: "OCDOnline@emnrd.nm.gov" <OCDOnline@emnrd.nm.gov>
To: Matthew Taylor <Matthew.Taylor@permianres.com>
Cc:
Subject: -EXTERNAL- The Oil Conservation Division (OCD) has accepted the application, Application ID: 556565
Source: -EXTERNAL- The Oil Conservation Division _OCD_ has accepted the application, Application ID: 556565

To whom it may concern (c/o Matthew Taylor for Permian Resources Operating, LLC),

The OCD has received the submitted *Notification for (Final) Sampling of a Release* (C-141N), for incident ID (n#) nAPP2512531470.

The sampling event is expected to take place:

When: 02/25/2026 @ 08:00

Where: D-14-21S-34E 0 FNL 0 FEL (32.485488,-103.44553)

Additional Information: Jason Owsley
575.602.5998

Additional Instructions: 32.485488,-103.44553

An OCD representative may be available onsite at the date and time reported. In the absence or presence of an OCD representative, sampling pursuant to 19.15.29.12.D NMAC is required. Sampling must be performed following an approved sampling plan or pursuant to 19.15.29.12.D.(1).(c) NMAC. Should there be a change in the scheduled date and time of the sampling event, then another notification should be resubmitted through OCD permitting as soon as possible.

- **Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation closure samples not being accepted.**
- **If confirmation sampling is going to take place over multiple days, individual C-141N applications must be submitted for each sampling date. Date ranges are not currently accepted on the C-141N application.**

If you have any questions regarding this application, or don't know why you have received this email, please contact us.

New Mexico Energy, Minerals and Natural Resources Department
1220 South St. Francis Drive
Santa Fe, NM 87505

CAUTION: This email originated from outside of the organization. If it appears to be internal, check directly with assumed source

Sent (Local): 2026-02-23 07:39:08 MST
From: "OCDOnline@emnrd.nm.gov" <OCDOnline@emnrd.nm.gov>
To: Matthew Taylor <Matthew.Taylor@permianres.com>
Cc:
Subject: -EXTERNAL- The Oil Conservation Division (OCD) has accepted the application, Application ID: 556569
Source: -EXTERNAL- The Oil Conservation Division _OCD_ has accepted the application, Application ID: 556569

To whom it may concern (c/o Matthew Taylor for Permian Resources Operating, LLC),

The OCD has received the submitted *Notification for (Final) Sampling of a Release* (C-141N), for incident ID (n#) nAPP2512531470.

The sampling event is expected to take place:

When: 02/26/2026 @ 08:00

Where: D-14-21S-34E 0 FNL 0 FEL (32.485488,-103.44553)

Additional Information: Jason Owsley
575.602.5998

Additional Instructions: 32.485488,-103.44553

An OCD representative may be available onsite at the date and time reported. In the absence or presence of an OCD representative, sampling pursuant to 19.15.29.12.D NMAC is required. Sampling must be performed following an approved sampling plan or pursuant to 19.15.29.12.D.(1).(c) NMAC. Should there be a change in the scheduled date and time of the sampling event, then another notification should be resubmitted through OCD permitting as soon as possible.

- **Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D. (1).(a) NMAC, may result in the remediation closure samples not being accepted.**
- **If confirmation sampling is going to take place over multiple days, individual C-141N applications must be submitted for each sampling date. Date ranges are not currently accepted on the C-141N application.**

If you have any questions regarding this application, or don't know why you have received this email, please contact us.

New Mexico Energy, Minerals and Natural Resources Department
1220 South St. Francis Drive
Santa Fe, NM 87505

CAUTION: This email originated from outside of the organization. If it appears to be internal, check directly with assumed source

Sent (Local): 2026-03-10 14:43:14 MDT
From: "OCDOnline@emnrd.nm.gov" <OCDOnline@emnrd.nm.gov>
To: Matthew Taylor <Matthew.Taylor@permianres.com>
Cc:
Subject: -EXTERNAL- The Oil Conservation Division (OCD) has accepted the application, Application ID: 561507
Source: -EXTERNAL- The Oil Conservation Division _OCD_ has accepted the application, Application ID: 561507

To whom it may concern (c/o Matthew Taylor for Permian Resources Operating, LLC),

The OCD has received the submitted *Notification for (Final) Sampling of a Release* (C-141N), for incident ID (n#) nAPP2512531470.

The sampling event is expected to take place:

When: 03/13/2026 @ 08:00

Where: D-14-21S-34E 0 FNL 0 FEL (32.485488,-103.44553)

Additional Information: Jason Owsley
575.495.9976

Additional Instructions: 32.485488,-103.44553

An OCD representative may be available onsite at the date and time reported. In the absence or presence of an OCD representative, sampling pursuant to 19.15.29.12.D NMAC is required. Sampling must be performed following an approved sampling plan or pursuant to 19.15.29.12.D.(1).(c) NMAC. Should there be a change in the scheduled date and time of the sampling event, then another notification should be resubmitted through OCD permitting as soon as possible.

- **Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D. (1).(a) NMAC, may result in the remediation closure samples not being accepted.**
- **If confirmation sampling is going to take place over multiple days, individual C-141N applications must be submitted for each sampling date. Date ranges are not currently accepted on the C-141N application.**

If you have any questions regarding this application, or don't know why you have received this email, please contact us.

New Mexico Energy, Minerals and Natural Resources Department
1220 South St. Francis Drive
Santa Fe, NM 87505

CAUTION: This email originated from outside of the organization. If it appears to be internal, check directly with assumed source

Sent (Local): 2026-03-23 08:41:09 MDT
From: "OCDOnline@emnrd.nm.gov" <OCDOnline@emnrd.nm.gov>
To: Matthew Taylor <Matthew.Taylor@permianres.com>
Cc:
Subject: -EXTERNAL- The Oil Conservation Division (OCD) has accepted the application, Application ID: 565428
Source: -EXTERNAL- The Oil Conservation Division _OCD_ has accepted the application, Application ID: 565428

To whom it may concern (c/o Matthew Taylor for Permian Resources Operating, LLC),

The OCD has received the submitted *Notification for (Final) Sampling of a Release* (C-141N), for incident ID (n#) nAPP2512531470.

The sampling event is expected to take place:

When: 03/25/2026 @ 09:00

Where: D-14-21S-34E 0 FNL 0 FEL (32.485488,-103.44553)

Additional Information: Jason Owsley
575.495.9976

Additional Instructions: 32.485488,-103.44553

An OCD representative may be available onsite at the date and time reported. In the absence or presence of an OCD representative, sampling pursuant to 19.15.29.12.D NMAC is required. Sampling must be performed following an approved sampling plan or pursuant to 19.15.29.12.D.(1).(c) NMAC. Should there be a change in the scheduled date and time of the sampling event, then another notification should be resubmitted through OCD permitting as soon as possible.

- **Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D. (1).(a) NMAC, may result in the remediation closure samples not being accepted.**
- **If confirmation sampling is going to take place over multiple days, individual C-141N applications must be submitted for each sampling date. Date ranges are not currently accepted on the C-141N application.**

If you have any questions regarding this application, or don't know why you have received this email, please contact us.

New Mexico Energy, Minerals and Natural Resources Department
1220 South St. Francis Drive
Santa Fe, NM 87505

CAUTION: This email originated from outside of the organization. If it appears to be internal, check directly with assumed source

Appendix E

Environmental Resources Review

Map Contents:
BLM Sensitive Areas

↓ Release Point

BLM Sensitive Areas

- Allred's Flax
- Guadalupe Mountains and Foothills
- Gypsum milkvetch
- Gypsum wild buckwheat
- Kuenzler's hedgehog cactus
- Lee's pincushion cactus
- Scheer's beehive cactus
- Tharp's blue-star
- Wright's waterwillow
- Dunes Sage Brush Lizard Habitat
- Core Management Area
- Habitat Evaluation Area
- Isolated Population Area
- Primary Population Area
- Sparse and Scattered Population Area
- Lesser Prairie Chicken TR



Permian Resources Operating, LLC
Outland 14 23 State Battery
Incident #nAPP2512531470
32.485488,-103.44553 NAD83
NMSLO Lease E019230000



Diamondback Disposal
Services, Inc
P.O. Box 2491
Hobbs, NM 88241
575-392-9996

Map Contents:
Crucial Habitat Assessment Tool



Permian Resources Operating, LLC
Outland 14 23 State Battery
Incident #nAPP2512531470
32.485488,-103.44553 NAD83
NMSLO Lease E019230000



Diamondback Disposal
Services, Inc
P.O. Box 2491
Hobbs, NM 88241
575-392-9996



United States Department of the Interior

FISH AND WILDLIFE SERVICE
New Mexico Ecological Services Field Office
2105 Osuna Road Ne
Albuquerque, NM 87113-1001
Phone: (505) 346-2525 Fax: (505) 346-2542



In Reply Refer To:
Project Code: 2026-0066350
Project Name: Outlander State 14

03/23/2026 17:34:40 UTC

Subject: List of threatened and endangered species that may occur in your proposed project location or may be affected by your proposed project

To Whom It May Concern:

Thank you for your recent request for information on federally listed species and important wildlife habitats that may occur in your project area. The U.S. Fish and Wildlife Service (Service) has responsibility for certain species of New Mexico wildlife under the Endangered Species Act (ESA) of 1973 as amended (16 USC 1531 et seq.), the Migratory Bird Treaty Act as amended (16 USC 701-715), and the Bald and Golden Eagle Protection Act as amended (16 USC 668-668(c)). We are providing the following guidance to assist you in determining which federally imperiled species may or may not occur within your project area, and to recommend some conservation measures that can be included in your project design.

The enclosed species list identifies threatened, endangered, proposed and candidate species, as well as proposed and final designated critical habitat, that may occur within the boundary of your proposed project and/or may be affected by your proposed project. The species list fulfills the requirements of the U.S. Fish and Wildlife Service (Service) under section 7(c) of the ESA of 1973, as amended (16 U.S.C. 1531 et seq.).

New information based on updated surveys, changes in the abundance and distribution of species, changed habitat conditions, or other factors could change this list. Please feel free to contact us if you need more current information or assistance regarding the potential impacts to federally proposed, listed, and candidate species and federally designated and proposed critical habitat. Please note that under 50 CFR 402.12(e) of the regulations implementing section 7 of the ESA, the accuracy of this species list should be verified after 90 days. The Service recommends that verification be completed by visiting the IPaC website at regular intervals during project planning and implementation for updates to species lists and information. An updated list may be requested through the IPaC system by completing the same process used to receive the enclosed list.

The purpose of the ESA is to provide a means whereby threatened and endangered species and

the ecosystems upon which they depend may be conserved. Under sections 7(a)(1) and 7(a)(2) of the ESA and its implementing regulations (50 CFR 402 *et seq.*), Federal agencies are required to utilize their authorities to carry out programs for the conservation of threatened and endangered species and to determine whether projects may affect threatened and endangered species and/or designated critical habitat.

A Biological Assessment is required for construction projects (or other undertakings having similar physical impacts) that are major Federal actions significantly affecting the quality of the human environment as defined in the National Environmental Policy Act (NEPA; 42 USC 4332(2) (c)). For projects other than major construction activities, the Service suggests that a biological evaluation similar to a Biological Assessment be prepared to determine whether the project may affect listed or proposed species and/or designated or proposed critical habitat. Recommended contents of a Biological Assessment are described at 50 CFR 402.12.

If a Federal agency determines, based on the Biological Assessment or biological evaluation, that listed species and/or designated critical habitat may be affected by the proposed project, the agency is required to consult with the Service pursuant to 50 CFR 402. In addition, the Service recommends that candidate species, proposed species and proposed critical habitat be addressed within the consultation. More information on the regulations and procedures for section 7 consultation, including the role of permit or license applicants, can be found in the "Endangered Species Consultation Handbook" at <https://www.fws.gov/sites/default/files/documents/endangered-species-consultation-handbook.pdf>.

Candidate Species and Other Sensitive Species

A list of candidate and other sensitive species in your area is also attached. Candidate species and other sensitive species are species that have no legal protection under the ESA, although we recommend that candidate and other sensitive species be included in your surveys and considered for planning purposes. The Service monitors the status of these species. If significant declines occur, these species could potentially be listed. Therefore, actions that may contribute to their decline should be avoided.

Lists of sensitive species including State-listed endangered and threatened species are compiled by New Mexico State agencies. These lists, along with species information, can be found at the following websites.

Biota Information System of New Mexico (BISON-M): www.bison-m.org

New Mexico State Forestry. The New Mexico Endangered Plant Program:
<https://www.emnrd.nm.gov/sfd/rare-plants/>

New Mexico Rare Plant Technical Council, New Mexico Rare Plants: nmrareplants.unm.edu

Natural Heritage New Mexico, online species database: nhnm.unm.edu

WETLANDS AND FLOODPLAINS

Under Executive Orders 11988 and 11990, Federal agencies are required to minimize the destruction, loss, or degradation of wetlands and floodplains, and preserve and enhance their natural and beneficial values. These habitats should be conserved through avoidance, or mitigated to ensure that there would be no net loss of wetlands function and value.

We encourage you to use the National Wetland Inventory (NWI) maps in conjunction with ground-truthing to identify wetlands occurring in your project area. The Service's NWI program website, www.fws.gov/wetlands/Data/Mapper.html, integrates digital map data with other resource information. We also recommend you contact the U.S. Army Corps of Engineers for permitting requirements under section 404 of the Clean Water Act if your proposed action could impact floodplains or wetlands.

MIGRATORY BIRDS

In addition to responsibilities to protect threatened and endangered species under the ESA, there are additional responsibilities under the Migratory Bird Treaty Act (MBTA) and the Bald and Golden Eagle Protection Act (BGEPA) to protect native birds from project-related impacts. Any activity resulting in take of migratory birds, including eagles, is prohibited unless otherwise permitted by the Service (50 CFR 10.12 and 16 USC 668(a)). For more information regarding these Acts, see <https://www.fws.gov/program/migratory-bird-permit/what-we-do>.

It is the responsibility of the project proponent to comply with these Acts by identifying potential impacts to migratory birds and eagles within applicable NEPA documents (when there is a Federal nexus) or a Bird/Eagle Conservation Plan (when there is no Federal nexus). Proponents should implement conservation measures to avoid or minimize the production of project-related stressors or minimize the exposure of birds and their resources to the project-related stressors. For more information on avian stressors and recommended conservation measures, see <https://www.fws.gov/library/collections/threats-birds>. We also recommend review of the Birds of Conservation Concern list (<https://www.fws.gov/media/birds-conservation-concern-2021>) to fully evaluate the effects to the birds at your site. This list identifies migratory and non-migratory bird species (beyond those already designated as federally threatened or endangered) that represent top conservation priorities for the Service, and are potentially threatened by disturbance, habitat impacts, or other project development activities.

In addition to MBTA and BGEPA, Executive Order 13186: *Responsibilities of Federal Agencies to Protect Migratory Birds*, obligates all Federal agencies that engage in or authorize activities that might affect migratory birds, to minimize those effects and encourage conservation measures that will improve bird populations. Executive Order 13186 thereby provides additional protection for both migratory birds and migratory bird habitat. Please visit <https://www.fws.gov/partner/council-conservation-migratory-birds> for information regarding the implementation of Executive Order 13186.

We suggest you contact the New Mexico Department of Game and Fish, and the New Mexico

Project code: 2026-0066350

03/23/2026 17:34:40 UTC

Energy, Minerals, and Natural Resources Department, Forestry Division for information regarding State protected and at-risk species fish, wildlife, and plants.

For further consultation with the Service we recommend submitting inquiries or assessments electronically to our incoming email box at nmesfo@fws.gov, where it will be more promptly routed to the appropriate biologist for review.

We appreciate your concern for threatened and endangered species. The Service encourages Federal agencies to include conservation of threatened and endangered species into their project planning to further the purposes of the Act. Please include the Consultation Code in the header of this letter with any request for consultation or correspondence about your project that you submit to our office.

Attachment(s):

- Official Species List

OFFICIAL SPECIES LIST

This list is provided pursuant to Section 7 of the Endangered Species Act, and fulfills the requirement for Federal agencies to "request of the Secretary of the Interior information whether any species which is listed or proposed to be listed may be present in the area of a proposed action".

This species list is provided by:

New Mexico Ecological Services Field Office

2105 Osuna Road Ne

Albuquerque, NM 87113-1001

(505) 346-2525


Project code: 2026-0066350

03/23/2026 17:34:40 UTC

PROJECT SUMMARY

Project Code: 2026-0066350
Project Name: Outlander State 14
Project Type: Non-NPL Site Remediation
Project Description: Remediation
Project Location:

The approximate location of the project can be viewed in Google Maps: <https://www.google.com/maps/@32.4857095,-103.4451811,14z>



Counties: Lea County, New Mexico

ENDANGERED SPECIES ACT SPECIES

There is a total of 2 threatened, endangered, or candidate species on this species list.

Species on this list should be considered in an effects analysis for your project and could include species that exist in another geographic area. For example, certain fish may appear on the species list because a project could affect downstream species.

IPaC does not display listed species or critical habitats under the sole jurisdiction of NOAA Fisheries¹, as USFWS does not have the authority to speak on behalf of NOAA and the Department of Commerce.

See the "Critical habitats" section below for those critical habitats that lie wholly or partially within your project area under this office's jurisdiction. Please contact the designated FWS office if you have questions.

-
1. [NOAA Fisheries](#), also known as the National Marine Fisheries Service (NMFS), is an office of the National Oceanic and Atmospheric Administration within the Department of Commerce.

Project code: 2026-0066350

03/23/2026 17:34:40 UTC

BIRDS

NAME	STATUS
Northern Aplomado Falcon <i>Falco femoralis septentrionalis</i> Population: U.S.A (AZ, NM) No critical habitat has been designated for this species. Species profile: https://ecos.fws.gov/ecp/species/1923 General project design guidelines: https://ipac.ecosphere.fws.gov/project/6BTRNU6PA5H3FMK7GEA5GNSIJE/documents/generated/8928.pdf	Experimental Population, Non- Essential

INSECTS

NAME	STATUS
Monarch Butterfly <i>Danaus plexippus</i> There is proposed critical habitat for this species. Your location does not overlap the critical habitat. Species profile: https://ecos.fws.gov/ecp/species/9743	Proposed Threatened

CRITICAL HABITATS

THERE ARE NO CRITICAL HABITATS WITHIN YOUR PROJECT AREA UNDER THIS OFFICE'S JURISDICTION.

YOU ARE STILL REQUIRED TO DETERMINE IF YOUR PROJECT(S) MAY HAVE EFFECTS ON ALL ABOVE LISTED SPECIES.

Project code: 2026-0066350


03/23/2026 17:34:40 UTC

IPAC USER CONTACT INFORMATION

Agency: Private Entity
Name: Stormy Fisher
Address: 2525 NW County Road
City: Hobbs
State: NM
Zip: 88240
Email: stormyf@diamondbacknm.com
Phone: 4325571884




Biodiversity Report for Selected Area




LEGEND

Summarized Documented Species (NatureServe, 2026)

Species Count



Hexagons Searched



Selected Area



Current Search Criteria

Data Source: NatureServe Network Data

Area: Outlander State 14-Selected Shape 0 (+100 m)

Counts of public data within the hexagons intersecting the searched area:

Species: 1

Observations: 0

Element occurrences: 2

Please refer to [NatureServe Explorer map details](#) for important metadata about how the precision level of distribution data can affect search results.

This report does not satisfy or replace regulatory review requirements. More information may be available from these NatureServe Network programs:

- [Natural Heritage New Mexico](#)
(<https://nmert.org/>)

Counts of public data within the hexagons intersecting the searched area:

Species: 1

Observations: 0

Element occurrences: 2

Rows per page: 10 ▾ 1–1 of 1

Documented Species	Informal Taxonomy	Rounded NatureServe Global Status ▾	Legal Status	Element Occurrence Count	Observation Count	Species Map
Sceloporus arenicolus Dunes Sagebrush Lizard	Reptiles	G1: Critically Imperiled	USESA: 'E'	2	0	VIEW MAP

Rows per page: 10 ▾ 1–1 of 1

Sources

NatureServe Network Programs:

- [Natural Heritage New Mexico](#)
(<https://nmert.org/>)



United States
Department of
Agriculture

NRCS

Natural
Resources
Conservation
Service

A product of the National
Cooperative Soil Survey,
a joint effort of the United
States Department of
Agriculture and other
Federal agencies, State
agencies including the
Agricultural Experiment
Stations, and local
participants

Custom Soil Resource Report for Lea County, New Mexico



March 23, 2026

Preface

Soil surveys contain information that affects land use planning in survey areas. They highlight soil limitations that affect various land uses and provide information about the properties of the soils in the survey areas. Soil surveys are designed for many different users, including farmers, ranchers, foresters, agronomists, urban planners, community officials, engineers, developers, builders, and home buyers. Also, conservationists, teachers, students, and specialists in recreation, waste disposal, and pollution control can use the surveys to help them understand, protect, or enhance the environment.

Various land use regulations of Federal, State, and local governments may impose special restrictions on land use or land treatment. Soil surveys identify soil properties that are used in making various land use or land treatment decisions. The information is intended to help the land users identify and reduce the effects of soil limitations on various land uses. The landowner or user is responsible for identifying and complying with existing laws and regulations.

Although soil survey information can be used for general farm, local, and wider area planning, onsite investigation is needed to supplement this information in some cases. Examples include soil quality assessments (<http://www.nrcs.usda.gov/wps/portal/nrcs/main/soils/health/>) and certain conservation and engineering applications. For more detailed information, contact your local USDA Service Center (<https://offices.sc.egov.usda.gov/locator/app?agency=nrcs>) or your NRCS State Soil Scientist (http://www.nrcs.usda.gov/wps/portal/nrcs/detail/soils/contactus/?cid=nrcs142p2_053951).

Great differences in soil properties can occur within short distances. Some soils are seasonally wet or subject to flooding. Some are too unstable to be used as a foundation for buildings or roads. Clayey or wet soils are poorly suited to use as septic tank absorption fields. A high water table makes a soil poorly suited to basements or underground installations.

The National Cooperative Soil Survey is a joint effort of the United States Department of Agriculture and other Federal agencies, State agencies including the Agricultural Experiment Stations, and local agencies. The Natural Resources Conservation Service (NRCS) has leadership for the Federal part of the National Cooperative Soil Survey.

Information about soils is updated periodically. Updated information is available through the NRCS Web Soil Survey, the site for official soil survey information.

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, age, disability, and where applicable, sex, marital status, familial status, parental status, religion, sexual orientation, genetic information, political beliefs, reprisal, or because all or a part of an individual's income is derived from any public assistance program. (Not all prohibited bases apply to all programs.) Persons with disabilities who require

alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at (202) 720-2600 (voice and TDD). To file a complaint of discrimination, write to USDA, Director, Office of Civil Rights, 1400 Independence Avenue, S.W., Washington, D.C. 20250-9410 or call (800) 795-3272 (voice) or (202) 720-6382 (TDD). USDA is an equal opportunity provider and employer.

Contents

Preface..... 2

How Soil Surveys Are Made.....5

Soil Map..... 8

 Soil Map.....9

 Legend.....10

 Map Unit Legend..... 11

 Map Unit Descriptions.....11

 Lea County, New Mexico..... 13

 TF—Tonuco loamy fine sand, 0 to 3 percent slopes..... 13

References..... 15

How Soil Surveys Are Made

Soil surveys are made to provide information about the soils and miscellaneous areas in a specific area. They include a description of the soils and miscellaneous areas and their location on the landscape and tables that show soil properties and limitations affecting various uses. Soil scientists observed the steepness, length, and shape of the slopes; the general pattern of drainage; the kinds of crops and native plants; and the kinds of bedrock. They observed and described many soil profiles. A soil profile is the sequence of natural layers, or horizons, in a soil. The profile extends from the surface down into the unconsolidated material in which the soil formed or from the surface down to bedrock. The unconsolidated material is devoid of roots and other living organisms and has not been changed by other biological activity.

Currently, soils are mapped according to the boundaries of major land resource areas (MLRAs). MLRAs are geographically associated land resource units that share common characteristics related to physiography, geology, climate, water resources, soils, biological resources, and land uses (USDA, 2006). Soil survey areas typically consist of parts of one or more MLRA.

The soils and miscellaneous areas in a survey area occur in an orderly pattern that is related to the geology, landforms, relief, climate, and natural vegetation of the area. Each kind of soil and miscellaneous area is associated with a particular kind of landform or with a segment of the landform. By observing the soils and miscellaneous areas in the survey area and relating their position to specific segments of the landform, a soil scientist develops a concept, or model, of how they were formed. Thus, during mapping, this model enables the soil scientist to predict with a considerable degree of accuracy the kind of soil or miscellaneous area at a specific location on the landscape.

Commonly, individual soils on the landscape merge into one another as their characteristics gradually change. To construct an accurate soil map, however, soil scientists must determine the boundaries between the soils. They can observe only a limited number of soil profiles. Nevertheless, these observations, supplemented by an understanding of the soil-vegetation-landscape relationship, are sufficient to verify predictions of the kinds of soil in an area and to determine the boundaries.

Soil scientists recorded the characteristics of the soil profiles that they studied. They noted soil color, texture, size and shape of soil aggregates, kind and amount of rock fragments, distribution of plant roots, reaction, and other features that enable them to identify soils. After describing the soils in the survey area and determining their properties, the soil scientists assigned the soils to taxonomic classes (units). Taxonomic classes are concepts. Each taxonomic class has a set of soil characteristics with precisely defined limits. The classes are used as a basis for comparison to classify soils systematically. Soil taxonomy, the system of taxonomic classification used in the United States, is based mainly on the kind and character of soil properties and the arrangement of horizons within the profile. After the soil

Custom Soil Resource Report

scientists classified and named the soils in the survey area, they compared the individual soils with similar soils in the same taxonomic class in other areas so that they could confirm data and assemble additional data based on experience and research.

The objective of soil mapping is not to delineate pure map unit components; the objective is to separate the landscape into landforms or landform segments that have similar use and management requirements. Each map unit is defined by a unique combination of soil components and/or miscellaneous areas in predictable proportions. Some components may be highly contrasting to the other components of the map unit. The presence of minor components in a map unit in no way diminishes the usefulness or accuracy of the data. The delineation of such landforms and landform segments on the map provides sufficient information for the development of resource plans. If intensive use of small areas is planned, onsite investigation is needed to define and locate the soils and miscellaneous areas.

Soil scientists make many field observations in the process of producing a soil map. The frequency of observation is dependent upon several factors, including scale of mapping, intensity of mapping, design of map units, complexity of the landscape, and experience of the soil scientist. Observations are made to test and refine the soil-landscape model and predictions and to verify the classification of the soils at specific locations. Once the soil-landscape model is refined, a significantly smaller number of measurements of individual soil properties are made and recorded. These measurements may include field measurements, such as those for color, depth to bedrock, and texture, and laboratory measurements, such as those for content of sand, silt, clay, salt, and other components. Properties of each soil typically vary from one point to another across the landscape.

Observations for map unit components are aggregated to develop ranges of characteristics for the components. The aggregated values are presented. Direct measurements do not exist for every property presented for every map unit component. Values for some properties are estimated from combinations of other properties.

While a soil survey is in progress, samples of some of the soils in the area generally are collected for laboratory analyses and for engineering tests. Soil scientists interpret the data from these analyses and tests as well as the field-observed characteristics and the soil properties to determine the expected behavior of the soils under different uses. Interpretations for all of the soils are field tested through observation of the soils in different uses and under different levels of management. Some interpretations are modified to fit local conditions, and some new interpretations are developed to meet local needs. Data are assembled from other sources, such as research information, production records, and field experience of specialists. For example, data on crop yields under defined levels of management are assembled from farm records and from field or plot experiments on the same kinds of soil.

Predictions about soil behavior are based not only on soil properties but also on such variables as climate and biological activity. Soil conditions are predictable over long periods of time, but they are not predictable from year to year. For example, soil scientists can predict with a fairly high degree of accuracy that a given soil will have a high water table within certain depths in most years, but they cannot predict that a high water table will always be at a specific level in the soil on a specific date.

After soil scientists located and identified the significant natural bodies of soil in the survey area, they drew the boundaries of these bodies on aerial photographs and

Custom Soil Resource Report

identified each as a specific map unit. Aerial photographs show trees, buildings, fields, roads, and rivers, all of which help in locating boundaries accurately.

Soil Map

The soil map section includes the soil map for the defined area of interest, a list of soil map units on the map and extent of each map unit, and cartographic symbols displayed on the map. Also presented are various metadata about data used to produce the map, and a description of each soil map unit.

Custom Soil Resource Report
Soil Map

Custom Soil Resource Report

MAP LEGEND

Area of Interest (AOI)

 Area of Interest (AOI)

Soils

 Soil Map Unit Polygons

 Soil Map Unit Lines

 Soil Map Unit Points

Special Point Features

 Blowout

 Borrow Pit

 Clay Spot

 Closed Depression

 Gravel Pit

 Gravelly Spot

 Landfill

 Lava Flow

 Marsh or swamp

 Mine or Quarry

 Miscellaneous Water

 Perennial Water

 Rock Outcrop

 Saline Spot

 Sandy Spot

 Severely Eroded Spot

 Sinkhole

 Slide or Slip

 Sodic Spot

 Spoil Area

 Stony Spot

 Very Stony Spot

 Wet Spot

 Other

 Special Line Features

Water Features

 Streams and Canals

Transportation

 Rails

 Interstate Highways

 US Routes

 Major Roads

 Local Roads

Background

 Aerial Photography

MAP INFORMATION

The soil surveys that comprise your AOI were mapped at 1:20,000.

Warning: Soil Map may not be valid at this scale.

Enlargement of maps beyond the scale of mapping can cause misunderstanding of the detail of mapping and accuracy of soil line placement. The maps do not show the small areas of contrasting soils that could have been shown at a more detailed scale.

Please rely on the bar scale on each map sheet for map measurements.

Source of Map: Natural Resources Conservation Service
Web Soil Survey URL:
Coordinate System: Web Mercator (EPSG:3857)

Maps from the Web Soil Survey are based on the Web Mercator projection, which preserves direction and shape but distorts distance and area. A projection that preserves area, such as the Albers equal-area conic projection, should be used if more accurate calculations of distance or area are required.

This product is generated from the USDA-NRCS certified data as of the version date(s) listed below.

Soil Survey Area: Lea County, New Mexico
Survey Area Data: Version 22, Sep 9, 2025

Soil map units are labeled (as space allows) for map scales 1:50,000 or larger.

Date(s) aerial images were photographed: Feb 7, 2020—May 12, 2020

The orthophoto or other base map on which the soil lines were compiled and digitized probably differs from the background imagery displayed on these maps. As a result, some minor shifting of map unit boundaries may be evident.

Custom Soil Resource Report

Map Unit Legend

Map Unit Symbol	Map Unit Name	Acres in AOI	Percent of AOI
TF	Tonuco loamy fine sand, 0 to 3 percent slopes	5.9	100.0%
Totals for Area of Interest		5.9	100.0%

Map Unit Descriptions

The map units delineated on the detailed soil maps in a soil survey represent the soils or miscellaneous areas in the survey area. The map unit descriptions, along with the maps, can be used to determine the composition and properties of a unit.

A map unit delineation on a soil map represents an area dominated by one or more major kinds of soil or miscellaneous areas. A map unit is identified and named according to the taxonomic classification of the dominant soils. Within a taxonomic class there are precisely defined limits for the properties of the soils. On the landscape, however, the soils are natural phenomena, and they have the characteristic variability of all natural phenomena. Thus, the range of some observed properties may extend beyond the limits defined for a taxonomic class. Areas of soils of a single taxonomic class rarely, if ever, can be mapped without including areas of other taxonomic classes. Consequently, every map unit is made up of the soils or miscellaneous areas for which it is named and some minor components that belong to taxonomic classes other than those of the major soils.

Most minor soils have properties similar to those of the dominant soil or soils in the map unit, and thus they do not affect use and management. These are called noncontrasting, or similar, components. They may or may not be mentioned in a particular map unit description. Other minor components, however, have properties and behavioral characteristics divergent enough to affect use or to require different management. These are called contrasting, or dissimilar, components. They generally are in small areas and could not be mapped separately because of the scale used. Some small areas of strongly contrasting soils or miscellaneous areas are identified by a special symbol on the maps. If included in the database for a given area, the contrasting minor components are identified in the map unit descriptions along with some characteristics of each. A few areas of minor components may not have been observed, and consequently they are not mentioned in the descriptions, especially where the pattern was so complex that it was impractical to make enough observations to identify all the soils and miscellaneous areas on the landscape.

The presence of minor components in a map unit in no way diminishes the usefulness or accuracy of the data. The objective of mapping is not to delineate pure taxonomic classes but rather to separate the landscape into landforms or landform segments that have similar use and management requirements. The delineation of such segments on the map provides sufficient information for the development of resource plans. If intensive use of small areas is planned, however, onsite investigation is needed to define and locate the soils and miscellaneous areas.

Custom Soil Resource Report

An identifying symbol precedes the map unit name in the map unit descriptions. Each description includes general facts about the unit and gives important soil properties and qualities.

Soils that have profiles that are almost alike make up a *soil series*. Except for differences in texture of the surface layer, all the soils of a series have major horizons that are similar in composition, thickness, and arrangement.

Soils of one series can differ in texture of the surface layer, slope, stoniness, salinity, degree of erosion, and other characteristics that affect their use. On the basis of such differences, a soil series is divided into *soil phases*. Most of the areas shown on the detailed soil maps are phases of soil series. The name of a soil phase commonly indicates a feature that affects use or management. For example, Alpha silt loam, 0 to 2 percent slopes, is a phase of the Alpha series.

Some map units are made up of two or more major soils or miscellaneous areas. These map units are complexes, associations, or undifferentiated groups.

A *complex* consists of two or more soils or miscellaneous areas in such an intricate pattern or in such small areas that they cannot be shown separately on the maps. The pattern and proportion of the soils or miscellaneous areas are somewhat similar in all areas. Alpha-Beta complex, 0 to 6 percent slopes, is an example.

An *association* is made up of two or more geographically associated soils or miscellaneous areas that are shown as one unit on the maps. Because of present or anticipated uses of the map units in the survey area, it was not considered practical or necessary to map the soils or miscellaneous areas separately. The pattern and relative proportion of the soils or miscellaneous areas are somewhat similar. Alpha-Beta association, 0 to 2 percent slopes, is an example.

An *undifferentiated group* is made up of two or more soils or miscellaneous areas that could be mapped individually but are mapped as one unit because similar interpretations can be made for use and management. The pattern and proportion of the soils or miscellaneous areas in a mapped area are not uniform. An area can be made up of only one of the major soils or miscellaneous areas, or it can be made up of all of them. Alpha and Beta soils, 0 to 2 percent slopes, is an example.

Some surveys include *miscellaneous areas*. Such areas have little or no soil material and support little or no vegetation. Rock outcrop is an example.

Custom Soil Resource Report

Lea County, New Mexico**TF—Tonuco loamy fine sand, 0 to 3 percent slopes****Map Unit Setting**

National map unit symbol: 2tw3c
Landscape: Plateaus
Elevation: 3,280 to 4,460 feet
Mean annual precipitation: 10 to 16 inches
Mean annual air temperature: 59 to 64 degrees F
Frost-free period: 180 to 220 days
Farmland classification: Not prime farmland

Map Unit Composition

Tonuco and similar soils: 70 percent
Minor components: 30 percent
Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Tonuco**Setting**

Landscape: Plateaus
Landform: Plains, Ridges
Landform position (two-dimensional): Shoulder
Landform position (three-dimensional): Rise
Down-slope shape: Linear, convex
Across-slope shape: Linear
Parent material: Sandy eolian deposits

Typical profile

A - 0 to 12 inches: loamy fine sand
Bw - 12 to 17 inches: loamy sand
Bkkm - 17 to 39 inches: cemented material

Properties and qualities

Slope: 0 to 3 percent
Depth to restrictive feature: 12 to 20 inches to petrocalcic
Drainage class: Excessively drained
Runoff class: Very high
Capacity of the most limiting layer to transmit water (Ksat): Very low to moderately low (0.00 to 0.06 in/hr)
Depth to water table: More than 80 inches
Frequency of flooding: None
Frequency of ponding: None
Calcium carbonate, maximum content: 2 percent
Gypsum, maximum content: 1 percent
Maximum salinity: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)
Sodium adsorption ratio, maximum: 2.0
Available water supply, 0 to 60 inches: Very low (about 1.4 inches)

Interpretive groups

Land capability classification (irrigated): None specified
Land capability classification (nonirrigated): 7e
Hydrologic Soil Group: D
Ecological site: R077DY048TX - Shallow 12-17" PZ

Custom Soil Resource Report

Hydric soil rating: No

Minor Components**Simona**

Percent of map unit: 15 percent
Landscape: Plateaus
Landform: Plains, Ridges
Landform position (two-dimensional): Shoulder
Landform position (three-dimensional): Rise
Down-slope shape: Linear, convex
Across-slope shape: Linear
Ecological site: R070BD002NM - Shallow Sandy
Hydric soil rating: No

Berino

Percent of map unit: 10 percent
Landscape: Plateaus
Landform: Plains, Ridges
Landform position (two-dimensional): Shoulder
Landform position (three-dimensional): Rise
Down-slope shape: Linear, convex
Across-slope shape: Linear
Ecological site: R070BD003NM - Loamy Sand
Hydric soil rating: No

Cacique

Percent of map unit: 5 percent
Landscape: Plateaus
Landform: Plains, Ridges
Landform position (two-dimensional): Shoulder
Landform position (three-dimensional): Rise
Down-slope shape: Linear, convex
Across-slope shape: Linear
Ecological site: R070BD004NM - Sandy
Hydric soil rating: No

References

- American Association of State Highway and Transportation Officials (AASHTO). 2004. Standard specifications for transportation materials and methods of sampling and testing. 24th edition.
- American Society for Testing and Materials (ASTM). 2005. Standard classification of soils for engineering purposes. ASTM Standard D2487-00.
- Cowardin, L.M., V. Carter, F.C. Golet, and E.T. LaRoe. 1979. Classification of wetlands and deep-water habitats of the United States. U.S. Fish and Wildlife Service FWS/OBS-79/31.
- Federal Register. July 13, 1994. Changes in hydric soils of the United States.
- Federal Register. September 18, 2002. Hydric soils of the United States.
- Hurt, G.W., and L.M. Vasilas, editors. Version 6.0, 2006. Field indicators of hydric soils in the United States.
- National Research Council. 1995. Wetlands: Characteristics and boundaries.
- Soil Survey Division Staff. 1993. Soil survey manual. Soil Conservation Service. U.S. Department of Agriculture Handbook 18. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/soils/?cid=nrcs142p2_054262
- Soil Survey Staff. 1999. Soil taxonomy: A basic system of soil classification for making and interpreting soil surveys. 2nd edition. Natural Resources Conservation Service, U.S. Department of Agriculture Handbook 436. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/soils/?cid=nrcs142p2_053577
- Soil Survey Staff. 2010. Keys to soil taxonomy. 11th edition. U.S. Department of Agriculture, Natural Resources Conservation Service. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/soils/?cid=nrcs142p2_053580
- Tiner, R.W., Jr. 1985. Wetlands of Delaware. U.S. Fish and Wildlife Service and Delaware Department of Natural Resources and Environmental Control, Wetlands Section.
- United States Army Corps of Engineers, Environmental Laboratory. 1987. Corps of Engineers wetlands delineation manual. Waterways Experiment Station Technical Report Y-87-1.
- United States Department of Agriculture, Natural Resources Conservation Service. National forestry manual. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/soils/home/?cid=nrcs142p2_053374
- United States Department of Agriculture, Natural Resources Conservation Service. National range and pasture handbook. <http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/landuse/rangepasture/?cid=stelprdb1043084>

Custom Soil Resource Report

United States Department of Agriculture, Natural Resources Conservation Service. National soil survey handbook, title 430-VI. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/soils/scientists/?cid=nrcs142p2_054242

United States Department of Agriculture, Natural Resources Conservation Service. 2006. Land resource regions and major land resource areas of the United States, the Caribbean, and the Pacific Basin. U.S. Department of Agriculture Handbook 296. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/soils/?cid=nrcs142p2_053624

United States Department of Agriculture, Soil Conservation Service. 1961. Land capability classification. U.S. Department of Agriculture Handbook 210. http://www.nrcs.usda.gov/Internet/FSE_DOCUMENTS/nrcs142p2_052290.pdf

Appendix F Lab Results Originals



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

March 03, 2026

JUSTIN ROBERTS

DIAMONDBACK DISPOSAL SERVICE INC.

P. O. BOX 2491

HOBBS, NM 88241

RE: OUTLAND 14/23 STATE BATTERY

Enclosed are the results of analyses for samples received by the laboratory on 02/25/26 16:59.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C25-00101. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Celey D. Keene". The signature is written in a cursive, flowing style.

Celey D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	02/25/2026	Sampling Date:	02/25/2026
Reported:	03/03/2026	Sampling Type:	Soil
Project Name:	OUTLAND 14/23 STATE BATTERY	Sampling Condition:	Cool & Intact
Project Number:	PRS - 148	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.485091-103.446193		

Sample ID: B 1 @ 2' (H261076-01)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	02/26/2026	ND	1.96	98.1	2.00	1.05	
Toluene*	<0.050	0.050	02/26/2026	ND	1.86	93.1	2.00	8.63	
Ethylbenzene*	<0.050	0.050	02/26/2026	ND	1.91	95.5	2.00	11.7	
Total Xylenes*	<0.150	0.150	02/26/2026	ND	5.50	91.7	6.00	12.0	
Total BTX	<0.300	0.300	02/26/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.7 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	416	16.0	02/26/2026	ND	432	108	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/26/2026	ND	215	108	200	8.77	
DRO >C10-C28*	<10.0	10.0	02/26/2026	ND	186	93.1	200	9.23	
EXT DRO >C28-C36	<10.0	10.0	02/26/2026	ND					

Surrogate: 1-Chlorooctane 71.8 % 52.4-130

Surrogate: 1-Chlorooctadecane 73.7 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	02/25/2026	Sampling Date:	02/25/2026
Reported:	03/03/2026	Sampling Type:	Soil
Project Name:	OUTLAND 14/23 STATE BATTERY	Sampling Condition:	Cool & Intact
Project Number:	PRS - 148	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.485091-103.446193		

Sample ID: B 2 @ 2' (H261076-02)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	02/26/2026	ND	1.96	98.1	2.00	1.05		
Toluene*	<0.050	0.050	02/26/2026	ND	1.86	93.1	2.00	8.63		
Ethylbenzene*	<0.050	0.050	02/26/2026	ND	1.91	95.5	2.00	11.7		
Total Xylenes*	<0.150	0.150	02/26/2026	ND	5.50	91.7	6.00	12.0		
Total BTEX	<0.300	0.300	02/26/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 96.2 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	416	16.0	02/26/2026	ND	432	108	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/26/2026	ND	215	108	200	8.77	
DRO >C10-C28*	<10.0	10.0	02/26/2026	ND	186	93.1	200	9.23	
EXT DRO >C28-C36	<10.0	10.0	02/26/2026	ND					

Surrogate: 1-Chlorooctane 77.6 % 52.4-130

Surrogate: 1-Chlorooctadecane 75.8 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	02/25/2026	Sampling Date:	02/25/2026
Reported:	03/03/2026	Sampling Type:	Soil
Project Name:	OUTLAND 14/23 STATE BATTERY	Sampling Condition:	Cool & Intact
Project Number:	PRS - 148	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.485091-103.446193		

Sample ID: B 3 @ 6" (H261076-03)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	02/26/2026	ND	1.96	98.1	2.00	1.05		
Toluene*	<0.050	0.050	02/26/2026	ND	1.86	93.1	2.00	8.63		
Ethylbenzene*	<0.050	0.050	02/26/2026	ND	1.91	95.5	2.00	11.7		
Total Xylenes*	<0.150	0.150	02/26/2026	ND	5.50	91.7	6.00	12.0		
Total BTEX	<0.300	0.300	02/26/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 98.7 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	160	16.0	02/26/2026	ND	432	108	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/26/2026	ND	215	108	200	8.77	
DRO >C10-C28*	<10.0	10.0	02/26/2026	ND	186	93.1	200	9.23	
EXT DRO >C28-C36	<10.0	10.0	02/26/2026	ND					

Surrogate: 1-Chlorooctane 86.5 % 52.4-130

Surrogate: 1-Chlorooctadecane 83.8 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received: 02/25/2026
 Reported: 03/03/2026
 Project Name: OUTLAND 14/23 STATE BATTERY
 Project Number: PRS - 148
 Project Location: PERMIAN 32.485091-103.446193

Sampling Date: 02/25/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: B 4 @ 6" (H261076-04)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	02/26/2026	ND	1.96	98.1	2.00	1.05		
Toluene*	<0.050	0.050	02/26/2026	ND	1.86	93.1	2.00	8.63		
Ethylbenzene*	<0.050	0.050	02/26/2026	ND	1.91	95.5	2.00	11.7		
Total Xylenes*	<0.150	0.150	02/26/2026	ND	5.50	91.7	6.00	12.0		
Total BTEX	<0.300	0.300	02/26/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 98.2 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	192	16.0	02/26/2026	ND	432	108	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/26/2026	ND	215	108	200	8.77	
DRO >C10-C28*	<10.0	10.0	02/26/2026	ND	186	93.1	200	9.23	
EXT DRO >C28-C36	<10.0	10.0	02/26/2026	ND					

Surrogate: 1-Chlorooctane 83.6 % 52.4-130

Surrogate: 1-Chlorooctadecane 80.7 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	02/25/2026	Sampling Date:	02/25/2026
Reported:	03/03/2026	Sampling Type:	Soil
Project Name:	OUTLAND 14/23 STATE BATTERY	Sampling Condition:	Cool & Intact
Project Number:	PRS - 148	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.485091-103.446193		

Sample ID: B 5 @ 6" (H261076-05)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	02/26/2026	ND	1.96	98.1	2.00	1.05		
Toluene*	<0.050	0.050	02/26/2026	ND	1.86	93.1	2.00	8.63		
Ethylbenzene*	<0.050	0.050	02/26/2026	ND	1.91	95.5	2.00	11.7		
Total Xylenes*	<0.150	0.150	02/26/2026	ND	5.50	91.7	6.00	12.0		
Total BTEX	<0.300	0.300	02/26/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 97.9 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	160	16.0	02/26/2026	ND	432	108	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/26/2026	ND	215	108	200	8.77	
DRO >C10-C28*	<10.0	10.0	02/26/2026	ND	186	93.1	200	9.23	
EXT DRO >C28-C36	<10.0	10.0	02/26/2026	ND					

Surrogate: 1-Chlorooctane 84.5 % 52.4-130

Surrogate: 1-Chlorooctadecane 81.9 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	02/25/2026	Sampling Date:	02/25/2026
Reported:	03/03/2026	Sampling Type:	Soil
Project Name:	OUTLAND 14/23 STATE BATTERY	Sampling Condition:	Cool & Intact
Project Number:	PRS - 148	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.485091-103.446193		

Sample ID: B 6 @ 6" (H261076-06)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	02/26/2026	ND	1.96	98.1	2.00	1.05		
Toluene*	<0.050	0.050	02/26/2026	ND	1.86	93.1	2.00	8.63		
Ethylbenzene*	<0.050	0.050	02/26/2026	ND	1.91	95.5	2.00	11.7		
Total Xylenes*	<0.150	0.150	02/26/2026	ND	5.50	91.7	6.00	12.0		
Total BTEX	<0.300	0.300	02/26/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 105 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	176	16.0	02/26/2026	ND	432	108	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/26/2026	ND	215	108	200	8.77	
DRO >C10-C28*	<10.0	10.0	02/26/2026	ND	186	93.1	200	9.23	
EXT DRO >C28-C36	<10.0	10.0	02/26/2026	ND					

Surrogate: 1-Chlorooctane 80.2 % 52.4-130

Surrogate: 1-Chlorooctadecane 77.4 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	02/25/2026	Sampling Date:	02/25/2026
Reported:	03/03/2026	Sampling Type:	Soil
Project Name:	OUTLAND 14/23 STATE BATTERY	Sampling Condition:	Cool & Intact
Project Number:	PRS - 148	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.485091-103.446193		

Sample ID: B 7 @ 6" (H261076-07)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	02/26/2026	ND	1.96	98.1	2.00	1.05		
Toluene*	<0.050	0.050	02/26/2026	ND	1.86	93.1	2.00	8.63		
Ethylbenzene*	<0.050	0.050	02/26/2026	ND	1.91	95.5	2.00	11.7		
Total Xylenes*	<0.150	0.150	02/26/2026	ND	5.50	91.7	6.00	12.0		
Total BTEX	<0.300	0.300	02/26/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 95.5 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	224	16.0	02/26/2026	ND	432	108	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/26/2026	ND	215	108	200	8.77	
DRO >C10-C28*	<10.0	10.0	02/26/2026	ND	186	93.1	200	9.23	
EXT DRO >C28-C36	<10.0	10.0	02/26/2026	ND					

Surrogate: 1-Chlorooctane 85.3 % 52.4-130

Surrogate: 1-Chlorooctadecane 82.3 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	02/25/2026	Sampling Date:	02/25/2026
Reported:	03/03/2026	Sampling Type:	Soil
Project Name:	OUTLAND 14/23 STATE BATTERY	Sampling Condition:	Cool & Intact
Project Number:	PRS - 148	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.485091-103.446193		

Sample ID: B 8 @ 1' (H261076-08)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	02/26/2026	ND	1.96	98.1	2.00	1.05		
Toluene*	<0.050	0.050	02/26/2026	ND	1.86	93.1	2.00	8.63		
Ethylbenzene*	<0.050	0.050	02/26/2026	ND	1.91	95.5	2.00	11.7		
Total Xylenes*	<0.150	0.150	02/26/2026	ND	5.50	91.7	6.00	12.0		
Total BTEX	<0.300	0.300	02/26/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 108 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	192	16.0	02/26/2026	ND	432	108	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/26/2026	ND	215	108	200	8.77	
DRO >C10-C28*	<10.0	10.0	02/26/2026	ND	186	93.1	200	9.23	
EXT DRO >C28-C36	<10.0	10.0	02/26/2026	ND					

Surrogate: 1-Chlorooctane 89.4 % 52.4-130

Surrogate: 1-Chlorooctadecane 86.8 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	02/25/2026	Sampling Date:	02/25/2026
Reported:	03/03/2026	Sampling Type:	Soil
Project Name:	OUTLAND 14/23 STATE BATTERY	Sampling Condition:	Cool & Intact
Project Number:	PRS - 148	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.485091-103.446193		

Sample ID: B 9 @ 6" (H261076-09)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	02/26/2026	ND	1.96	98.1	2.00	1.05		
Toluene*	<0.050	0.050	02/26/2026	ND	1.86	93.1	2.00	8.63		
Ethylbenzene*	<0.050	0.050	02/26/2026	ND	1.91	95.5	2.00	11.7		
Total Xylenes*	<0.150	0.150	02/26/2026	ND	5.50	91.7	6.00	12.0		
Total BTEX	<0.300	0.300	02/26/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 93.1 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	192	16.0	02/26/2026	ND	432	108	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/26/2026	ND	215	108	200	8.77	
DRO >C10-C28*	<10.0	10.0	02/26/2026	ND	186	93.1	200	9.23	
EXT DRO >C28-C36	<10.0	10.0	02/26/2026	ND					

Surrogate: 1-Chlorooctane 84.6 % 52.4-130

Surrogate: 1-Chlorooctadecane 82.2 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	02/25/2026	Sampling Date:	02/25/2026
Reported:	03/03/2026	Sampling Type:	Soil
Project Name:	OUTLAND 14/23 STATE BATTERY	Sampling Condition:	Cool & Intact
Project Number:	PRS - 148	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.485091-103.446193		

Sample ID: B 10 @ 6" (H261076-10)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	02/26/2026	ND	1.96	98.1	2.00	1.05		
Toluene*	<0.050	0.050	02/26/2026	ND	1.86	93.1	2.00	8.63		
Ethylbenzene*	<0.050	0.050	02/26/2026	ND	1.91	95.5	2.00	11.7		
Total Xylenes*	<0.150	0.150	02/26/2026	ND	5.50	91.7	6.00	12.0		
Total BTEX	<0.300	0.300	02/26/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 105 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	192	16.0	02/26/2026	ND	432	108	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/26/2026	ND	215	108	200	8.77	
DRO >C10-C28*	<10.0	10.0	02/26/2026	ND	186	93.1	200	9.23	
EXT DRO >C28-C36	<10.0	10.0	02/26/2026	ND					

Surrogate: 1-Chlorooctane 86.2 % 52.4-130

Surrogate: 1-Chlorooctadecane 82.7 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	02/25/2026	Sampling Date:	02/25/2026
Reported:	03/03/2026	Sampling Type:	Soil
Project Name:	OUTLAND 14/23 STATE BATTERY	Sampling Condition:	Cool & Intact
Project Number:	PRS - 148	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.485091-103.446193		

Sample ID: B 11 @ 6" (H261076-11)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	02/26/2026	ND	1.96	98.1	2.00	1.05		
Toluene*	<0.050	0.050	02/26/2026	ND	1.86	93.1	2.00	8.63		
Ethylbenzene*	<0.050	0.050	02/26/2026	ND	1.91	95.5	2.00	11.7		
Total Xylenes*	<0.150	0.150	02/26/2026	ND	5.50	91.7	6.00	12.0		
Total BTEX	<0.300	0.300	02/26/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 93.8 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	224	16.0	02/26/2026	ND	432	108	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/26/2026	ND	215	108	200	8.77	
DRO >C10-C28*	<10.0	10.0	02/26/2026	ND	186	93.1	200	9.23	
EXT DRO >C28-C36	<10.0	10.0	02/26/2026	ND					

Surrogate: 1-Chlorooctane 78.8 % 52.4-130

Surrogate: 1-Chlorooctadecane 76.4 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	02/25/2026	Sampling Date:	02/25/2026
Reported:	03/03/2026	Sampling Type:	Soil
Project Name:	OUTLAND 14/23 STATE BATTERY	Sampling Condition:	Cool & Intact
Project Number:	PRS - 148	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.485091-103.446193		

Sample ID: B 12 @ 2' (H261076-12)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	02/26/2026	ND	1.96	98.1	2.00	1.05		
Toluene*	<0.050	0.050	02/26/2026	ND	1.86	93.1	2.00	8.63		
Ethylbenzene*	<0.050	0.050	02/26/2026	ND	1.91	95.5	2.00	11.7		
Total Xylenes*	<0.150	0.150	02/26/2026	ND	5.50	91.7	6.00	12.0		
Total BTEX	<0.300	0.300	02/26/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 103 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	224	16.0	02/26/2026	ND	432	108	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/26/2026	ND	215	108	200	8.77	
DRO >C10-C28*	<10.0	10.0	02/26/2026	ND	186	93.1	200	9.23	
EXT DRO >C28-C36	<10.0	10.0	02/26/2026	ND					

Surrogate: 1-Chlorooctane 83.7 % 52.4-130

Surrogate: 1-Chlorooctadecane 80.7 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	02/25/2026	Sampling Date:	02/25/2026
Reported:	03/03/2026	Sampling Type:	Soil
Project Name:	OUTLAND 14/23 STATE BATTERY	Sampling Condition:	Cool & Intact
Project Number:	PRS - 148	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.485091-103.446193		

Sample ID: B 13 @ 2' (H261076-13)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	02/26/2026	ND	1.96	98.1	2.00	1.05		
Toluene*	<0.050	0.050	02/26/2026	ND	1.86	93.1	2.00	8.63		
Ethylbenzene*	<0.050	0.050	02/26/2026	ND	1.91	95.5	2.00	11.7		
Total Xylenes*	<0.150	0.150	02/26/2026	ND	5.50	91.7	6.00	12.0		
Total BTEX	<0.300	0.300	02/26/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 93.1 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	208	16.0	02/26/2026	ND	432	108	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/26/2026	ND	215	108	200	8.77	
DRO >C10-C28*	<10.0	10.0	02/26/2026	ND	186	93.1	200	9.23	
EXT DRO >C28-C36	<10.0	10.0	02/26/2026	ND					

Surrogate: 1-Chlorooctane 85.9 % 52.4-130

Surrogate: 1-Chlorooctadecane 83.5 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	02/25/2026	Sampling Date:	02/25/2026
Reported:	03/03/2026	Sampling Type:	Soil
Project Name:	OUTLAND 14/23 STATE BATTERY	Sampling Condition:	Cool & Intact
Project Number:	PRS - 148	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.485091-103.446193		

Sample ID: B 14 @ 2' (H261076-14)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	02/26/2026	ND	1.96	98.1	2.00	1.05		
Toluene*	<0.050	0.050	02/26/2026	ND	1.86	93.1	2.00	8.63		
Ethylbenzene*	<0.050	0.050	02/26/2026	ND	1.91	95.5	2.00	11.7		
Total Xylenes*	<0.150	0.150	02/26/2026	ND	5.50	91.7	6.00	12.0		
Total BTEX	<0.300	0.300	02/26/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 102 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	192	16.0	02/26/2026	ND	432	108	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/26/2026	ND	215	108	200	8.77	
DRO >C10-C28*	<10.0	10.0	02/26/2026	ND	186	93.1	200	9.23	
EXT DRO >C28-C36	<10.0	10.0	02/26/2026	ND					

Surrogate: 1-Chlorooctane 85.5 % 52.4-130

Surrogate: 1-Chlorooctadecane 82.2 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received: 02/25/2026
 Reported: 03/03/2026
 Project Name: OUTLAND 14/23 STATE BATTERY
 Project Number: PRS - 148
 Project Location: PERMIAN 32.485091-103.446193

Sampling Date: 02/25/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: B 15 @ 2' (H261076-15)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	02/27/2026	ND	1.96	98.1	2.00	1.05		
Toluene*	<0.050	0.050	02/27/2026	ND	1.86	93.1	2.00	8.63		
Ethylbenzene*	<0.050	0.050	02/27/2026	ND	1.91	95.5	2.00	11.7		
Total Xylenes*	<0.150	0.150	02/27/2026	ND	5.50	91.7	6.00	12.0		
Total BTEX	<0.300	0.300	02/27/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 99.2 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	224	16.0	02/26/2026	ND	432	108	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/26/2026	ND	215	108	200	8.77	
DRO >C10-C28*	<10.0	10.0	02/26/2026	ND	186	93.1	200	9.23	
EXT DRO >C28-C36	<10.0	10.0	02/26/2026	ND					

Surrogate: 1-Chlorooctane 86.6 % 52.4-130

Surrogate: 1-Chlorooctadecane 83.7 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	02/25/2026	Sampling Date:	02/25/2026
Reported:	03/03/2026	Sampling Type:	Soil
Project Name:	OUTLAND 14/23 STATE BATTERY	Sampling Condition:	Cool & Intact
Project Number:	PRS - 148	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.485091-103.446193		

Sample ID: B 16 @ 2' (H261076-16)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	02/27/2026	ND	1.96	98.1	2.00	1.05		
Toluene*	<0.050	0.050	02/27/2026	ND	1.86	93.1	2.00	8.63		
Ethylbenzene*	<0.050	0.050	02/27/2026	ND	1.91	95.5	2.00	11.7		
Total Xylenes*	<0.150	0.150	02/27/2026	ND	5.50	91.7	6.00	12.0		
Total BTEX	<0.300	0.300	02/27/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 101 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	176	16.0	02/26/2026	ND	432	108	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/26/2026	ND	215	108	200	8.77	
DRO >C10-C28*	<10.0	10.0	02/26/2026	ND	186	93.1	200	9.23	
EXT DRO >C28-C36	<10.0	10.0	02/26/2026	ND					

Surrogate: 1-Chlorooctane 85.1 % 52.4-130

Surrogate: 1-Chlorooctadecane 82.9 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	02/25/2026	Sampling Date:	02/25/2026
Reported:	03/03/2026	Sampling Type:	Soil
Project Name:	OUTLAND 14/23 STATE BATTERY	Sampling Condition:	Cool & Intact
Project Number:	PRS - 148	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.485091-103.446193		

Sample ID: B 17 @ 2' (H261076-17)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	02/27/2026	ND	1.96	98.1	2.00	1.05		
Toluene*	<0.050	0.050	02/27/2026	ND	1.86	93.1	2.00	8.63		
Ethylbenzene*	<0.050	0.050	02/27/2026	ND	1.91	95.5	2.00	11.7		
Total Xylenes*	<0.150	0.150	02/27/2026	ND	5.50	91.7	6.00	12.0		
Total BTEX	<0.300	0.300	02/27/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 96.4 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	224	16.0	02/26/2026	ND	432	108	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/26/2026	ND	215	108	200	8.77	
DRO >C10-C28*	<10.0	10.0	02/26/2026	ND	186	93.1	200	9.23	
EXT DRO >C28-C36	<10.0	10.0	02/26/2026	ND					

Surrogate: 1-Chlorooctane 85.2 % 52.4-130

Surrogate: 1-Chlorooctadecane 83.3 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received: 02/25/2026
 Reported: 03/03/2026
 Project Name: OUTLAND 14/23 STATE BATTERY
 Project Number: PRS - 148
 Project Location: PERMIAN 32.485091-103.446193

Sampling Date: 02/25/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: B 18 @ 2' (H261076-18)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	02/27/2026	ND	1.96	98.1	2.00	1.05		
Toluene*	<0.050	0.050	02/27/2026	ND	1.86	93.1	2.00	8.63		
Ethylbenzene*	<0.050	0.050	02/27/2026	ND	1.91	95.5	2.00	11.7		
Total Xylenes*	<0.150	0.150	02/27/2026	ND	5.50	91.7	6.00	12.0		
Total BTEX	<0.300	0.300	02/27/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 100 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	192	16.0	02/26/2026	ND	432	108	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/26/2026	ND	215	108	200	8.77	
DRO >C10-C28*	<10.0	10.0	02/26/2026	ND	186	93.1	200	9.23	
EXT DRO >C28-C36	<10.0	10.0	02/26/2026	ND					

Surrogate: 1-Chlorooctane 86.7 % 52.4-130

Surrogate: 1-Chlorooctadecane 83.6 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	02/25/2026	Sampling Date:	02/25/2026
Reported:	03/03/2026	Sampling Type:	Soil
Project Name:	OUTLAND 14/23 STATE BATTERY	Sampling Condition:	Cool & Intact
Project Number:	PRS - 148	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.485091-103.446193		

Sample ID: B 19 @ 2' (H261076-19)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	02/27/2026	ND	1.96	98.1	2.00	1.05		
Toluene*	<0.050	0.050	02/27/2026	ND	1.86	93.1	2.00	8.63		
Ethylbenzene*	<0.050	0.050	02/27/2026	ND	1.91	95.5	2.00	11.7		
Total Xylenes*	<0.150	0.150	02/27/2026	ND	5.50	91.7	6.00	12.0		
Total BTEX	<0.300	0.300	02/27/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 102 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	208	16.0	02/26/2026	ND	432	108	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/26/2026	ND	215	108	200	8.77	
DRO >C10-C28*	<10.0	10.0	02/26/2026	ND	186	93.1	200	9.23	
EXT DRO >C28-C36	<10.0	10.0	02/26/2026	ND					

Surrogate: 1-Chlorooctane 86.0 % 52.4-130

Surrogate: 1-Chlorooctadecane 82.8 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	02/25/2026	Sampling Date:	02/25/2026
Reported:	03/03/2026	Sampling Type:	Soil
Project Name:	OUTLAND 14/23 STATE BATTERY	Sampling Condition:	Cool & Intact
Project Number:	PRS - 148	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.485091-103.446193		

Sample ID: B 20 @ 2' (H261076-20)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	02/27/2026	ND	1.96	98.1	2.00	1.05		
Toluene*	<0.050	0.050	02/27/2026	ND	1.86	93.1	2.00	8.63		
Ethylbenzene*	<0.050	0.050	02/27/2026	ND	1.91	95.5	2.00	11.7		
Total Xylenes*	<0.150	0.150	02/27/2026	ND	5.50	91.7	6.00	12.0		
Total BTEX	<0.300	0.300	02/27/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 95.5 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	176	16.0	02/26/2026	ND	432	108	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/26/2026	ND	215	108	200	8.77	
DRO >C10-C28*	<10.0	10.0	02/26/2026	ND	186	93.1	200	9.23	
EXT DRO >C28-C36	<10.0	10.0	02/26/2026	ND					

Surrogate: 1-Chlorooctane 85.7 % 52.4-130

Surrogate: 1-Chlorooctadecane 83.1 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	02/25/2026	Sampling Date:	02/25/2026
Reported:	03/03/2026	Sampling Type:	Soil
Project Name:	OUTLAND 14/23 STATE BATTERY	Sampling Condition:	Cool & Intact
Project Number:	PRS - 148	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.485091-103.446193		

Sample ID: B 21 @ 2' (H261076-21)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	02/26/2026	ND	2.07	104	2.00	2.88		
Toluene*	<0.050	0.050	02/26/2026	ND	1.96	97.9	2.00	1.56		
Ethylbenzene*	<0.050	0.050	02/26/2026	ND	1.87	93.7	2.00	3.38		
Total Xylenes*	<0.150	0.150	02/26/2026	ND	5.73	95.6	6.00	3.62		
Total BTEX	<0.300	0.300	02/26/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 111 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	208	16.0	02/26/2026	ND	432	108	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/26/2026	ND	184	91.8	200	0.199	
DRO >C10-C28*	<10.0	10.0	02/26/2026	ND	201	100	200	0.119	
EXT DRO >C28-C36	<10.0	10.0	02/26/2026	ND					

Surrogate: 1-Chlorooctane 72.1 % 52.4-130

Surrogate: 1-Chlorooctadecane 70.5 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	02/25/2026	Sampling Date:	02/25/2026
Reported:	03/03/2026	Sampling Type:	Soil
Project Name:	OUTLAND 14/23 STATE BATTERY	Sampling Condition:	Cool & Intact
Project Number:	PRS - 148	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.485091-103.446193		

Sample ID: B 22 @ 2' (H261076-22)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	02/26/2026	ND	2.07	104	2.00	2.88		
Toluene*	<0.050	0.050	02/26/2026	ND	1.96	97.9	2.00	1.56		
Ethylbenzene*	<0.050	0.050	02/26/2026	ND	1.87	93.7	2.00	3.38		
Total Xylenes*	<0.150	0.150	02/26/2026	ND	5.73	95.6	6.00	3.62		
Total BTEX	<0.300	0.300	02/26/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 108 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	240	16.0	02/26/2026	ND	432	108	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/26/2026	ND	184	91.8	200	0.199	
DRO >C10-C28*	<10.0	10.0	02/26/2026	ND	201	100	200	0.119	
EXT DRO >C28-C36	<10.0	10.0	02/26/2026	ND					

Surrogate: 1-Chlorooctane 72.3 % 52.4-130

Surrogate: 1-Chlorooctadecane 72.9 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	02/25/2026	Sampling Date:	02/25/2026
Reported:	03/03/2026	Sampling Type:	Soil
Project Name:	OUTLAND 14/23 STATE BATTERY	Sampling Condition:	Cool & Intact
Project Number:	PRS - 148	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.485091-103.446193		

Sample ID: B 23 @ 2' (H261076-23)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	02/26/2026	ND	2.07	104	2.00	2.88		
Toluene*	<0.050	0.050	02/26/2026	ND	1.96	97.9	2.00	1.56		
Ethylbenzene*	<0.050	0.050	02/26/2026	ND	1.87	93.7	2.00	3.38		
Total Xylenes*	<0.150	0.150	02/26/2026	ND	5.73	95.6	6.00	3.62		
Total BTEX	<0.300	0.300	02/26/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 107 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	240	16.0	02/26/2026	ND	432	108	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/26/2026	ND	184	91.8	200	0.199	
DRO >C10-C28*	<10.0	10.0	02/26/2026	ND	201	100	200	0.119	
EXT DRO >C28-C36	<10.0	10.0	02/26/2026	ND					

Surrogate: 1-Chlorooctane 77.2 % 52.4-130

Surrogate: 1-Chlorooctadecane 77.0 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	02/25/2026	Sampling Date:	02/25/2026
Reported:	03/03/2026	Sampling Type:	Soil
Project Name:	OUTLAND 14/23 STATE BATTERY	Sampling Condition:	Cool & Intact
Project Number:	PRS - 148	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.485091-103.446193		

Sample ID: B 24 @ 2' (H261076-24)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	02/27/2026	ND	2.07	104	2.00	2.88		
Toluene*	<0.050	0.050	02/27/2026	ND	1.96	97.9	2.00	1.56		
Ethylbenzene*	<0.050	0.050	02/27/2026	ND	1.87	93.7	2.00	3.38		
Total Xylenes*	<0.150	0.150	02/27/2026	ND	5.73	95.6	6.00	3.62		
Total BTEX	<0.300	0.300	02/27/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 107 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	224	16.0	02/26/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/26/2026	ND	184	91.8	200	0.199	
DRO >C10-C28*	<10.0	10.0	02/26/2026	ND	201	100	200	0.119	
EXT DRO >C28-C36	<10.0	10.0	02/26/2026	ND					

Surrogate: 1-Chlorooctane 79.2 % 52.4-130

Surrogate: 1-Chlorooctadecane 79.6 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	02/25/2026	Sampling Date:	02/25/2026
Reported:	03/03/2026	Sampling Type:	Soil
Project Name:	OUTLAND 14/23 STATE BATTERY	Sampling Condition:	Cool & Intact
Project Number:	PRS - 148	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.485091-103.446193		

Sample ID: B 25 @ 2' (H261076-25)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	02/27/2026	ND	2.07	104	2.00	2.88		
Toluene*	<0.050	0.050	02/27/2026	ND	1.96	97.9	2.00	1.56		
Ethylbenzene*	<0.050	0.050	02/27/2026	ND	1.87	93.7	2.00	3.38		
Total Xylenes*	<0.150	0.150	02/27/2026	ND	5.73	95.6	6.00	3.62		
Total BTEX	<0.300	0.300	02/27/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 109 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	352	16.0	02/26/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/26/2026	ND	184	91.8	200	0.199	
DRO >C10-C28*	<10.0	10.0	02/26/2026	ND	201	100	200	0.119	
EXT DRO >C28-C36	<10.0	10.0	02/26/2026	ND					

Surrogate: 1-Chlorooctane 75.1 % 52.4-130

Surrogate: 1-Chlorooctadecane 75.1 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	02/25/2026	Sampling Date:	02/25/2026
Reported:	03/03/2026	Sampling Type:	Soil
Project Name:	OUTLAND 14/23 STATE BATTERY	Sampling Condition:	Cool & Intact
Project Number:	PRS - 148	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.485091-103.446193		

Sample ID: B 26 @ 2' (H261076-26)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	02/27/2026	ND	2.07	104	2.00	2.88		
Toluene*	<0.050	0.050	02/27/2026	ND	1.96	97.9	2.00	1.56		
Ethylbenzene*	<0.050	0.050	02/27/2026	ND	1.87	93.7	2.00	3.38		
Total Xylenes*	<0.150	0.150	02/27/2026	ND	5.73	95.6	6.00	3.62		
Total BTEX	<0.300	0.300	02/27/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 112 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	384	16.0	02/26/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/26/2026	ND	184	91.8	200	0.199	
DRO >C10-C28*	<10.0	10.0	02/26/2026	ND	201	100	200	0.119	
EXT DRO >C28-C36	<10.0	10.0	02/26/2026	ND					

Surrogate: 1-Chlorooctane 73.1 % 52.4-130

Surrogate: 1-Chlorooctadecane 72.9 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	02/25/2026	Sampling Date:	02/25/2026
Reported:	03/03/2026	Sampling Type:	Soil
Project Name:	OUTLAND 14/23 STATE BATTERY	Sampling Condition:	Cool & Intact
Project Number:	PRS - 148	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.485091-103.446193		

Sample ID: B 27 @ 2' (H261076-27)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	02/27/2026	ND	2.07	104	2.00	2.88		
Toluene*	<0.050	0.050	02/27/2026	ND	1.96	97.9	2.00	1.56		
Ethylbenzene*	<0.050	0.050	02/27/2026	ND	1.87	93.7	2.00	3.38		
Total Xylenes*	<0.150	0.150	02/27/2026	ND	5.73	95.6	6.00	3.62		
Total BTEX	<0.300	0.300	02/27/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 107 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	336	16.0	02/26/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/26/2026	ND	184	91.8	200	0.199	
DRO >C10-C28*	<10.0	10.0	02/26/2026	ND	201	100	200	0.119	
EXT DRO >C28-C36	<10.0	10.0	02/26/2026	ND					

Surrogate: 1-Chlorooctane 76.2 % 52.4-130

Surrogate: 1-Chlorooctadecane 76.5 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	02/25/2026	Sampling Date:	02/25/2026
Reported:	03/03/2026	Sampling Type:	Soil
Project Name:	OUTLAND 14/23 STATE BATTERY	Sampling Condition:	Cool & Intact
Project Number:	PRS - 148	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.485091-103.446193		

Sample ID: B 28 @ 2' (H261076-28)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	02/27/2026	ND	2.07	104	2.00	2.88		
Toluene*	<0.050	0.050	02/27/2026	ND	1.96	97.9	2.00	1.56		
Ethylbenzene*	<0.050	0.050	02/27/2026	ND	1.87	93.7	2.00	3.38		
Total Xylenes*	<0.150	0.150	02/27/2026	ND	5.73	95.6	6.00	3.62		
Total BTEX	<0.300	0.300	02/27/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 117 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	272	16.0	02/26/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/26/2026	ND	184	91.8	200	0.199	
DRO >C10-C28*	<10.0	10.0	02/26/2026	ND	201	100	200	0.119	
EXT DRO >C28-C36	<10.0	10.0	02/26/2026	ND					

Surrogate: 1-Chlorooctane 74.2 % 52.4-130

Surrogate: 1-Chlorooctadecane 73.4 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	02/25/2026	Sampling Date:	02/25/2026
Reported:	03/03/2026	Sampling Type:	Soil
Project Name:	OUTLAND 14/23 STATE BATTERY	Sampling Condition:	Cool & Intact
Project Number:	PRS - 148	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.485091-103.446193		

Sample ID: B 29 @ 2' (H261076-29)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	02/27/2026	ND	2.07	104	2.00	2.88		
Toluene*	<0.050	0.050	02/27/2026	ND	1.96	97.9	2.00	1.56		
Ethylbenzene*	<0.050	0.050	02/27/2026	ND	1.87	93.7	2.00	3.38		
Total Xylenes*	<0.150	0.150	02/27/2026	ND	5.73	95.6	6.00	3.62		
Total BTEX	<0.300	0.300	02/27/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 110 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	240	16.0	02/26/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/26/2026	ND	184	91.8	200	0.199	
DRO >C10-C28*	<10.0	10.0	02/26/2026	ND	201	100	200	0.119	
EXT DRO >C28-C36	<10.0	10.0	02/26/2026	ND					

Surrogate: 1-Chlorooctane 76.6 % 52.4-130

Surrogate: 1-Chlorooctadecane 76.4 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	02/25/2026	Sampling Date:	02/25/2026
Reported:	03/03/2026	Sampling Type:	Soil
Project Name:	OUTLAND 14/23 STATE BATTERY	Sampling Condition:	Cool & Intact
Project Number:	PRS - 148	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.485091-103.446193		

Sample ID: B 30 @ 2' (H261076-30)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	02/27/2026	ND	2.07	104	2.00	2.88		
Toluene*	<0.050	0.050	02/27/2026	ND	1.96	97.9	2.00	1.56		
Ethylbenzene*	<0.050	0.050	02/27/2026	ND	1.87	93.7	2.00	3.38		
Total Xylenes*	<0.150	0.150	02/27/2026	ND	5.73	95.6	6.00	3.62		
Total BTEX	<0.300	0.300	02/27/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 109 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	336	16.0	02/26/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/26/2026	ND	184	91.8	200	0.199	
DRO >C10-C28*	<10.0	10.0	02/26/2026	ND	201	100	200	0.119	
EXT DRO >C28-C36	<10.0	10.0	02/26/2026	ND					

Surrogate: 1-Chlorooctane 75.5 % 52.4-130

Surrogate: 1-Chlorooctadecane 74.2 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	02/25/2026	Sampling Date:	02/25/2026
Reported:	03/03/2026	Sampling Type:	Soil
Project Name:	OUTLAND 14/23 STATE BATTERY	Sampling Condition:	Cool & Intact
Project Number:	PRS - 148	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.485091-103.446193		

Sample ID: B 31 @ 2' (H261076-31)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	02/27/2026	ND	2.07	104	2.00	2.88	
Toluene*	<0.050	0.050	02/27/2026	ND	1.96	97.9	2.00	1.56	
Ethylbenzene*	<0.050	0.050	02/27/2026	ND	1.87	93.7	2.00	3.38	
Total Xylenes*	<0.150	0.150	02/27/2026	ND	5.73	95.6	6.00	3.62	
Total BTEX	<0.300	0.300	02/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 110 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	272	16.0	02/26/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/26/2026	ND	184	91.8	200	0.199	
DRO >C10-C28*	<10.0	10.0	02/26/2026	ND	201	100	200	0.119	
EXT DRO >C28-C36	<10.0	10.0	02/26/2026	ND					

Surrogate: 1-Chlorooctane 71.0 % 52.4-130

Surrogate: 1-Chlorooctadecane 70.8 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	02/25/2026	Sampling Date:	02/25/2026
Reported:	03/03/2026	Sampling Type:	Soil
Project Name:	OUTLAND 14/23 STATE BATTERY	Sampling Condition:	Cool & Intact
Project Number:	PRS - 148	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.485091-103.446193		

Sample ID: B 32 @ 2' (H261076-32)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	02/27/2026	ND	2.07	104	2.00	2.88		
Toluene*	<0.050	0.050	02/27/2026	ND	1.96	97.9	2.00	1.56		
Ethylbenzene*	<0.050	0.050	02/27/2026	ND	1.87	93.7	2.00	3.38		
Total Xylenes*	<0.150	0.150	02/27/2026	ND	5.73	95.6	6.00	3.62		
Total BTEX	<0.300	0.300	02/27/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 105 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	256	16.0	02/26/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/26/2026	ND	184	91.8	200	0.199	
DRO >C10-C28*	<10.0	10.0	02/26/2026	ND	201	100	200	0.119	
EXT DRO >C28-C36	<10.0	10.0	02/26/2026	ND					

Surrogate: 1-Chlorooctane 72.4 % 52.4-130

Surrogate: 1-Chlorooctadecane 72.7 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	02/25/2026	Sampling Date:	02/25/2026
Reported:	03/03/2026	Sampling Type:	Soil
Project Name:	OUTLAND 14/23 STATE BATTERY	Sampling Condition:	Cool & Intact
Project Number:	PRS - 148	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.485091-103.446193		

Sample ID: B 33 @ 2' (H261076-33)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	02/27/2026	ND	2.07	104	2.00	2.88	
Toluene*	<0.050	0.050	02/27/2026	ND	1.96	97.9	2.00	1.56	
Ethylbenzene*	<0.050	0.050	02/27/2026	ND	1.87	93.7	2.00	3.38	
Total Xylenes*	<0.150	0.150	02/27/2026	ND	5.73	95.6	6.00	3.62	
Total BTEX	<0.300	0.300	02/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 113 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	288	16.0	02/26/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/26/2026	ND	184	91.8	200	0.199	
DRO >C10-C28*	<10.0	10.0	02/26/2026	ND	201	100	200	0.119	
EXT DRO >C28-C36	<10.0	10.0	02/26/2026	ND					

Surrogate: 1-Chlorooctane 71.4 % 52.4-130

Surrogate: 1-Chlorooctadecane 71.1 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	02/25/2026	Sampling Date:	02/25/2026
Reported:	03/03/2026	Sampling Type:	Soil
Project Name:	OUTLAND 14/23 STATE BATTERY	Sampling Condition:	Cool & Intact
Project Number:	PRS - 148	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.485091-103.446193		

Sample ID: B 34 @ 2' (H261076-34)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	02/27/2026	ND	2.07	104	2.00	2.88		
Toluene*	<0.050	0.050	02/27/2026	ND	1.96	97.9	2.00	1.56		
Ethylbenzene*	<0.050	0.050	02/27/2026	ND	1.87	93.7	2.00	3.38		
Total Xylenes*	<0.150	0.150	02/27/2026	ND	5.73	95.6	6.00	3.62		
Total BTEX	<0.300	0.300	02/27/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 106 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	240	16.0	02/26/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/26/2026	ND	184	91.8	200	0.199	
DRO >C10-C28*	<10.0	10.0	02/26/2026	ND	201	100	200	0.119	
EXT DRO >C28-C36	<10.0	10.0	02/26/2026	ND					

Surrogate: 1-Chlorooctane 73.0 % 52.4-130

Surrogate: 1-Chlorooctadecane 73.4 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	02/25/2026	Sampling Date:	02/25/2026
Reported:	03/03/2026	Sampling Type:	Soil
Project Name:	OUTLAND 14/23 STATE BATTERY	Sampling Condition:	Cool & Intact
Project Number:	PRS - 148	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.485091-103.446193		

Sample ID: B 35 @ 2' (H261076-35)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	02/27/2026	ND	2.07	104	2.00	2.88		
Toluene*	<0.050	0.050	02/27/2026	ND	1.96	97.9	2.00	1.56		
Ethylbenzene*	<0.050	0.050	02/27/2026	ND	1.87	93.7	2.00	3.38		
Total Xylenes*	<0.150	0.150	02/27/2026	ND	5.73	95.6	6.00	3.62		
Total BTEX	<0.300	0.300	02/27/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 115 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	272	16.0	02/26/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/26/2026	ND	184	91.8	200	0.199	
DRO >C10-C28*	<10.0	10.0	02/26/2026	ND	201	100	200	0.119	
EXT DRO >C28-C36	<10.0	10.0	02/26/2026	ND					

Surrogate: 1-Chlorooctane 74.0 % 52.4-130

Surrogate: 1-Chlorooctadecane 72.6 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	02/25/2026	Sampling Date:	02/25/2026
Reported:	03/03/2026	Sampling Type:	Soil
Project Name:	OUTLAND 14/23 STATE BATTERY	Sampling Condition:	Cool & Intact
Project Number:	PRS - 148	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.485091-103.446193		

Sample ID: B 36 @ 2' (H261076-36)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	02/27/2026	ND	2.07	104	2.00	2.88		
Toluene*	<0.050	0.050	02/27/2026	ND	1.96	97.9	2.00	1.56		
Ethylbenzene*	<0.050	0.050	02/27/2026	ND	1.87	93.7	2.00	3.38		
Total Xylenes*	<0.150	0.150	02/27/2026	ND	5.73	95.6	6.00	3.62		
Total BTEX	<0.300	0.300	02/27/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 108 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	208	16.0	02/26/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/26/2026	ND	184	91.8	200	0.199	
DRO >C10-C28*	<10.0	10.0	02/26/2026	ND	201	100	200	0.119	
EXT DRO >C28-C36	<10.0	10.0	02/26/2026	ND					

Surrogate: 1-Chlorooctane 73.6 % 52.4-130

Surrogate: 1-Chlorooctadecane 73.9 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	02/25/2026	Sampling Date:	02/25/2026
Reported:	03/03/2026	Sampling Type:	Soil
Project Name:	OUTLAND 14/23 STATE BATTERY	Sampling Condition:	Cool & Intact
Project Number:	PRS - 148	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.485091-103.446193		

Sample ID: B 37 @ 2' (H261076-37)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	02/27/2026	ND	2.07	104	2.00	2.88		
Toluene*	<0.050	0.050	02/27/2026	ND	1.96	97.9	2.00	1.56		
Ethylbenzene*	<0.050	0.050	02/27/2026	ND	1.87	93.7	2.00	3.38		
Total Xylenes*	<0.150	0.150	02/27/2026	ND	5.73	95.6	6.00	3.62		
Total BTEX	<0.300	0.300	02/27/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 114 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	32.0	16.0	02/26/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/26/2026	ND	184	91.8	200	0.199	
DRO >C10-C28*	<10.0	10.0	02/26/2026	ND	201	100	200	0.119	
EXT DRO >C28-C36	<10.0	10.0	02/26/2026	ND					

Surrogate: 1-Chlorooctane 75.9 % 52.4-130

Surrogate: 1-Chlorooctadecane 74.9 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	02/25/2026	Sampling Date:	02/25/2026
Reported:	03/03/2026	Sampling Type:	Soil
Project Name:	OUTLAND 14/23 STATE BATTERY	Sampling Condition:	Cool & Intact
Project Number:	PRS - 148	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.485091-103.446193		

Sample ID: B 38 @ 2' (H261076-38)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	02/27/2026	ND	2.07	104	2.00	2.88		
Toluene*	<0.050	0.050	02/27/2026	ND	1.96	97.9	2.00	1.56		
Ethylbenzene*	<0.050	0.050	02/27/2026	ND	1.87	93.7	2.00	3.38		
Total Xylenes*	<0.150	0.150	02/27/2026	ND	5.73	95.6	6.00	3.62		
Total BTEX	<0.300	0.300	02/27/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 111 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	96.0	16.0	02/26/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/26/2026	ND	184	91.8	200	0.199	
DRO >C10-C28*	<10.0	10.0	02/26/2026	ND	201	100	200	0.119	
EXT DRO >C28-C36	<10.0	10.0	02/26/2026	ND					

Surrogate: 1-Chlorooctane 74.5 % 52.4-130

Surrogate: 1-Chlorooctadecane 74.2 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	02/25/2026	Sampling Date:	02/25/2026
Reported:	03/03/2026	Sampling Type:	Soil
Project Name:	OUTLAND 14/23 STATE BATTERY	Sampling Condition:	Cool & Intact
Project Number:	PRS - 148	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.485091-103.446193		

Sample ID: B 39 @ 2' (H261076-39)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	02/27/2026	ND	2.07	104	2.00	2.88		
Toluene*	<0.050	0.050	02/27/2026	ND	1.96	97.9	2.00	1.56		
Ethylbenzene*	<0.050	0.050	02/27/2026	ND	1.87	93.7	2.00	3.38		
Total Xylenes*	<0.150	0.150	02/27/2026	ND	5.73	95.6	6.00	3.62		
Total BTEX	<0.300	0.300	02/27/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 109 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	80.0	16.0	02/26/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/26/2026	ND	184	91.8	200	0.199	
DRO >C10-C28*	<10.0	10.0	02/26/2026	ND	201	100	200	0.119	
EXT DRO >C28-C36	<10.0	10.0	02/26/2026	ND					

Surrogate: 1-Chlorooctane 74.7 % 52.4-130

Surrogate: 1-Chlorooctadecane 73.9 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	02/25/2026	Sampling Date:	02/25/2026
Reported:	03/03/2026	Sampling Type:	Soil
Project Name:	OUTLAND 14/23 STATE BATTERY	Sampling Condition:	Cool & Intact
Project Number:	PRS - 148	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.485091-103.446193		

Sample ID: B 40 @ 2' (H261076-40)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	02/27/2026	ND	2.07	104	2.00	2.88		
Toluene*	<0.050	0.050	02/27/2026	ND	1.96	97.9	2.00	1.56		
Ethylbenzene*	<0.050	0.050	02/27/2026	ND	1.87	93.7	2.00	3.38		
Total Xylenes*	<0.150	0.150	02/27/2026	ND	5.73	95.6	6.00	3.62		
Total BTEX	<0.300	0.300	02/27/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 110 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	400	16.0	02/26/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/26/2026	ND	184	91.8	200	0.199	
DRO >C10-C28*	<10.0	10.0	02/26/2026	ND	201	100	200	0.119	
EXT DRO >C28-C36	<10.0	10.0	02/26/2026	ND					

Surrogate: 1-Chlorooctane 68.4 % 52.4-130

Surrogate: 1-Chlorooctadecane 68.0 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	02/25/2026	Sampling Date:	02/25/2026
Reported:	03/03/2026	Sampling Type:	Soil
Project Name:	OUTLAND 14/23 STATE BATTERY	Sampling Condition:	Cool & Intact
Project Number:	PRS - 148	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.485091-103.446193		

Sample ID: B 41 @ 2' (H261076-41)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	02/27/2026	ND	2.07	104	2.00	1.60		
Toluene*	<0.050	0.050	02/27/2026	ND	2.05	102	2.00	1.50		
Ethylbenzene*	<0.050	0.050	02/27/2026	ND	2.11	106	2.00	1.11		
Total Xylenes*	<0.150	0.150	02/27/2026	ND	6.34	106	6.00	1.06		
Total BTEX	<0.300	0.300	02/27/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 96.9 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	192	16.0	02/26/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/26/2026	ND	207	103	200	2.51	
DRO >C10-C28*	<10.0	10.0	02/26/2026	ND	198	99.0	200	1.86	
EXT DRO >C28-C36	<10.0	10.0	02/26/2026	ND					

Surrogate: 1-Chlorooctane 73.1 % 52.4-130

Surrogate: 1-Chlorooctadecane 74.9 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received: 02/25/2026
 Reported: 03/03/2026
 Project Name: OUTLAND 14/23 STATE BATTERY
 Project Number: PRS - 148
 Project Location: PERMIAN 32.485091-103.446193

Sampling Date: 02/25/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: B 42 @ 2' (H261076-42)

BTEx 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	02/27/2026	ND	2.07	104	2.00	1.60	
Toluene*	<0.050	0.050	02/27/2026	ND	2.05	102	2.00	1.50	
Ethylbenzene*	<0.050	0.050	02/27/2026	ND	2.11	106	2.00	1.11	
Total Xylenes*	<0.150	0.150	02/27/2026	ND	6.34	106	6.00	1.06	
Total BTEX	<0.300	0.300	02/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 98.5 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	112	16.0	02/26/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/26/2026	ND	207	103	200	2.51	
DRO >C10-C28*	<10.0	10.0	02/26/2026	ND	198	99.0	200	1.86	
EXT DRO >C28-C36	<10.0	10.0	02/26/2026	ND					

Surrogate: 1-Chlorooctane 75.7 % 52.4-130

Surrogate: 1-Chlorooctadecane 80.1 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	02/25/2026	Sampling Date:	02/25/2026
Reported:	03/03/2026	Sampling Type:	Soil
Project Name:	OUTLAND 14/23 STATE BATTERY	Sampling Condition:	Cool & Intact
Project Number:	PRS - 148	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.485091-103.446193		

Sample ID: B 43 @ 2' (H261076-43)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	02/27/2026	ND	2.07	104	2.00	1.60		
Toluene*	<0.050	0.050	02/27/2026	ND	2.05	102	2.00	1.50		
Ethylbenzene*	<0.050	0.050	02/27/2026	ND	2.11	106	2.00	1.11		
Total Xylenes*	<0.150	0.150	02/27/2026	ND	6.34	106	6.00	1.06		
Total BTEX	<0.300	0.300	02/27/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 101 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	96.0	16.0	02/26/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/26/2026	ND	207	103	200	2.51	
DRO >C10-C28*	15.8	10.0	02/26/2026	ND	198	99.0	200	1.86	
EXT DRO >C28-C36	<10.0	10.0	02/26/2026	ND					

Surrogate: 1-Chlorooctane 77.9 % 52.4-130

Surrogate: 1-Chlorooctadecane 84.8 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	02/25/2026	Sampling Date:	02/25/2026
Reported:	03/03/2026	Sampling Type:	Soil
Project Name:	OUTLAND 14/23 STATE BATTERY	Sampling Condition:	Cool & Intact
Project Number:	PRS - 148	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.485091-103.446193		

Sample ID: B 44 @ 2' (H261076-44)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	02/27/2026	ND	2.07	104	2.00	1.60		
Toluene*	<0.050	0.050	02/27/2026	ND	2.05	102	2.00	1.50		
Ethylbenzene*	<0.050	0.050	02/27/2026	ND	2.11	106	2.00	1.11		
Total Xylenes*	<0.150	0.150	02/27/2026	ND	6.34	106	6.00	1.06		
Total BTEX	<0.300	0.300	02/27/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 117 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	160	16.0	02/26/2026	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/26/2026	ND	207	103	200	2.51	
DRO >C10-C28*	133	10.0	02/26/2026	ND	198	99.0	200	1.86	
EXT DRO >C28-C36	<10.0	10.0	02/26/2026	ND					

Surrogate: 1-Chlorooctane 73.4 % 52.4-130

Surrogate: 1-Chlorooctadecane 82.5 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	02/25/2026	Sampling Date:	02/25/2026
Reported:	03/03/2026	Sampling Type:	Soil
Project Name:	OUTLAND 14/23 STATE BATTERY	Sampling Condition:	Cool & Intact
Project Number:	PRS - 148	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.485091-103.446193		

Sample ID: B 45 @ 2' (H261076-45)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	02/27/2026	ND	2.07	104	2.00	1.60		
Toluene*	<0.050	0.050	02/27/2026	ND	2.05	102	2.00	1.50		
Ethylbenzene*	<0.050	0.050	02/27/2026	ND	2.11	106	2.00	1.11		
Total Xylenes*	<0.150	0.150	02/27/2026	ND	6.34	106	6.00	1.06		
Total BTEx	<0.300	0.300	02/27/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 93.4 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	160	16.0	02/26/2026	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/26/2026	ND	207	103	200	2.51	
DRO >C10-C28*	<10.0	10.0	02/26/2026	ND	198	99.0	200	1.86	
EXT DRO >C28-C36	<10.0	10.0	02/26/2026	ND					

Surrogate: 1-Chlorooctane 73.7 % 52.4-130

Surrogate: 1-Chlorooctadecane 78.5 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	02/25/2026	Sampling Date:	02/25/2026
Reported:	03/03/2026	Sampling Type:	Soil
Project Name:	OUTLAND 14/23 STATE BATTERY	Sampling Condition:	Cool & Intact
Project Number:	PRS - 148	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.485091-103.446193		

Sample ID: B 46 @ 2' (H261076-46)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	02/27/2026	ND	2.07	104	2.00	1.60		
Toluene*	<0.050	0.050	02/27/2026	ND	2.05	102	2.00	1.50		
Ethylbenzene*	<0.050	0.050	02/27/2026	ND	2.11	106	2.00	1.11		
Total Xylenes*	<0.150	0.150	02/27/2026	ND	6.34	106	6.00	1.06		
Total BTEx	<0.300	0.300	02/27/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 92.4 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	112	16.0	02/26/2026	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/26/2026	ND	207	103	200	2.51	
DRO >C10-C28*	<10.0	10.0	02/26/2026	ND	198	99.0	200	1.86	
EXT DRO >C28-C36	<10.0	10.0	02/26/2026	ND					

Surrogate: 1-Chlorooctane 77.3 % 52.4-130

Surrogate: 1-Chlorooctadecane 81.8 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	02/25/2026	Sampling Date:	02/25/2026
Reported:	03/03/2026	Sampling Type:	Soil
Project Name:	OUTLAND 14/23 STATE BATTERY	Sampling Condition:	Cool & Intact
Project Number:	PRS - 148	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.485091-103.446193		

Sample ID: B 47 @ 2' (H261076-47)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	02/27/2026	ND	2.07	104	2.00	1.60		
Toluene*	<0.050	0.050	02/27/2026	ND	2.05	102	2.00	1.50		
Ethylbenzene*	<0.050	0.050	02/27/2026	ND	2.11	106	2.00	1.11		
Total Xylenes*	<0.150	0.150	02/27/2026	ND	6.34	106	6.00	1.06		
Total BTEX	<0.300	0.300	02/27/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 98.1 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	112	16.0	02/26/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/26/2026	ND	207	103	200	2.51	
DRO >C10-C28*	<10.0	10.0	02/26/2026	ND	198	99.0	200	1.86	
EXT DRO >C28-C36	<10.0	10.0	02/26/2026	ND					

Surrogate: 1-Chlorooctane 78.6 % 52.4-130

Surrogate: 1-Chlorooctadecane 83.8 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	02/25/2026	Sampling Date:	02/25/2026
Reported:	03/03/2026	Sampling Type:	Soil
Project Name:	OUTLAND 14/23 STATE BATTERY	Sampling Condition:	Cool & Intact
Project Number:	PRS - 148	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.485091-103.446193		

Sample ID: B 48 @ 2' (H261076-48)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	02/27/2026	ND	2.07	104	2.00	1.60		
Toluene*	<0.050	0.050	02/27/2026	ND	2.05	102	2.00	1.50		
Ethylbenzene*	<0.050	0.050	02/27/2026	ND	2.11	106	2.00	1.11		
Total Xylenes*	<0.150	0.150	02/27/2026	ND	6.34	106	6.00	1.06		
Total BTEx	<0.300	0.300	02/27/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 90.5 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	240	16.0	02/26/2026	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/26/2026	ND	207	103	200	2.51	
DRO >C10-C28*	<10.0	10.0	02/26/2026	ND	198	99.0	200	1.86	
EXT DRO >C28-C36	<10.0	10.0	02/26/2026	ND					

Surrogate: 1-Chlorooctane 78.4 % 52.4-130

Surrogate: 1-Chlorooctadecane 83.7 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	02/25/2026	Sampling Date:	02/25/2026
Reported:	03/03/2026	Sampling Type:	Soil
Project Name:	OUTLAND 14/23 STATE BATTERY	Sampling Condition:	Cool & Intact
Project Number:	PRS - 148	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.485091-103.446193		

Sample ID: B 49 @ 2' (H261076-49)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	02/27/2026	ND	2.07	104	2.00	1.60		
Toluene*	<0.050	0.050	02/27/2026	ND	2.05	102	2.00	1.50		
Ethylbenzene*	<0.050	0.050	02/27/2026	ND	2.11	106	2.00	1.11		
Total Xylenes*	<0.150	0.150	02/27/2026	ND	6.34	106	6.00	1.06		
Total BTEX	<0.300	0.300	02/27/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 102 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	176	16.0	02/26/2026	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/26/2026	ND	207	103	200	2.51	
DRO >C10-C28*	<10.0	10.0	02/26/2026	ND	198	99.0	200	1.86	
EXT DRO >C28-C36	<10.0	10.0	02/26/2026	ND					

Surrogate: 1-Chlorooctane 77.3 % 52.4-130

Surrogate: 1-Chlorooctadecane 81.7 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	02/25/2026	Sampling Date:	02/25/2026
Reported:	03/03/2026	Sampling Type:	Soil
Project Name:	OUTLAND 14/23 STATE BATTERY	Sampling Condition:	Cool & Intact
Project Number:	PRS - 148	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.485091-103.446193		

Sample ID: B 50 @ 2' (H261076-50)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	02/27/2026	ND	2.07	104	2.00	1.60		
Toluene*	<0.050	0.050	02/27/2026	ND	2.05	102	2.00	1.50		
Ethylbenzene*	<0.050	0.050	02/27/2026	ND	2.11	106	2.00	1.11		
Total Xylenes*	<0.150	0.150	02/27/2026	ND	6.34	106	6.00	1.06		
Total BTEX	<0.300	0.300	02/27/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 121 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	160	16.0	02/26/2026	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/26/2026	ND	207	103	200	2.51	
DRO >C10-C28*	<10.0	10.0	02/26/2026	ND	198	99.0	200	1.86	
EXT DRO >C28-C36	<10.0	10.0	02/26/2026	ND					

Surrogate: 1-Chlorooctane 75.0 % 52.4-130

Surrogate: 1-Chlorooctadecane 79.4 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	02/25/2026	Sampling Date:	02/25/2026
Reported:	03/03/2026	Sampling Type:	Soil
Project Name:	OUTLAND 14/23 STATE BATTERY	Sampling Condition:	Cool & Intact
Project Number:	PRS - 148	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.485091-103.446193		

Sample ID: B 51 @ 2' (H261076-51)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	02/27/2026	ND	2.07	104	2.00	1.60		
Toluene*	<0.050	0.050	02/27/2026	ND	2.05	102	2.00	1.50		
Ethylbenzene*	<0.050	0.050	02/27/2026	ND	2.11	106	2.00	1.11		
Total Xylenes*	<0.150	0.150	02/27/2026	ND	6.34	106	6.00	1.06		
Total BTEX	<0.300	0.300	02/27/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 97.9 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	48.0	16.0	02/26/2026	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/26/2026	ND	207	103	200	2.51	
DRO >C10-C28*	<10.0	10.0	02/26/2026	ND	198	99.0	200	1.86	
EXT DRO >C28-C36	<10.0	10.0	02/26/2026	ND					

Surrogate: 1-Chlorooctane 82.1 % 52.4-130

Surrogate: 1-Chlorooctadecane 95.9 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	02/25/2026	Sampling Date:	02/25/2026
Reported:	03/03/2026	Sampling Type:	Soil
Project Name:	OUTLAND 14/23 STATE BATTERY	Sampling Condition:	Cool & Intact
Project Number:	PRS - 148	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.485091-103.446193		

Sample ID: B 52 @ 2' (H261076-52)

BTEx 8021B		mg/kg	Analyzed By: JH					S-04	
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	02/27/2026	ND	2.07	104	2.00	1.60	
Toluene*	0.539	0.050	02/27/2026	ND	2.05	102	2.00	1.50	
Ethylbenzene*	2.17	0.050	02/27/2026	ND	2.11	106	2.00	1.11	
Total Xylenes*	7.74	0.150	02/27/2026	ND	6.34	106	6.00	1.06	GC-NC1
Total BTEX	10.5	0.300	02/27/2026	ND					GC-NC1

Surrogate: 4-Bromofluorobenzene (PID) 183 % 70.4-141

Chloride, SM4500Cl-B		mg/kg	Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	32.0	16.0	02/26/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg	Analyzed By: JF						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	70.7	10.0	02/26/2026	ND	207	103	200	2.51	
DRO >C10-C28*	595	10.0	02/26/2026	ND	198	99.0	200	1.86	
EXT DRO >C28-C36	93.0	10.0	02/26/2026	ND					

Surrogate: 1-Chlorooctane 90.6 % 52.4-130

Surrogate: 1-Chlorooctadecane 97.3 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	02/25/2026	Sampling Date:	02/25/2026
Reported:	03/03/2026	Sampling Type:	Soil
Project Name:	OUTLAND 14/23 STATE BATTERY	Sampling Condition:	Cool & Intact
Project Number:	PRS - 148	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.485091-103.446193		

Sample ID: B 53 @ 2' (H261076-53)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	02/27/2026	ND	2.07	104	2.00	1.60		
Toluene*	<0.050	0.050	02/27/2026	ND	2.05	102	2.00	1.50		
Ethylbenzene*	<0.050	0.050	02/27/2026	ND	2.11	106	2.00	1.11		
Total Xylenes*	<0.150	0.150	02/27/2026	ND	6.34	106	6.00	1.06		
Total BTEx	<0.300	0.300	02/27/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 97.3 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	128	16.0	02/26/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/26/2026	ND	207	103	200	2.51	
DRO >C10-C28*	<10.0	10.0	02/26/2026	ND	198	99.0	200	1.86	
EXT DRO >C28-C36	<10.0	10.0	02/26/2026	ND					

Surrogate: 1-Chlorooctane 76.8 % 52.4-130

Surrogate: 1-Chlorooctadecane 82.4 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	02/25/2026	Sampling Date:	02/25/2026
Reported:	03/03/2026	Sampling Type:	Soil
Project Name:	OUTLAND 14/23 STATE BATTERY	Sampling Condition:	Cool & Intact
Project Number:	PRS - 148	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.485091-103.446193		

Sample ID: B 54 @ 2' (H261076-54)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	02/27/2026	ND	2.07	104	2.00	1.60		
Toluene*	<0.050	0.050	02/27/2026	ND	2.05	102	2.00	1.50		
Ethylbenzene*	<0.050	0.050	02/27/2026	ND	2.11	106	2.00	1.11		
Total Xylenes*	<0.150	0.150	02/27/2026	ND	6.34	106	6.00	1.06		
Total BTEX	<0.300	0.300	02/27/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 115 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	112	16.0	02/26/2026	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/26/2026	ND	207	103	200	2.51	
DRO >C10-C28*	<10.0	10.0	02/26/2026	ND	198	99.0	200	1.86	
EXT DRO >C28-C36	<10.0	10.0	02/26/2026	ND					

Surrogate: 1-Chlorooctane 78.5 % 52.4-130

Surrogate: 1-Chlorooctadecane 83.6 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	02/25/2026	Sampling Date:	02/25/2026
Reported:	03/03/2026	Sampling Type:	Soil
Project Name:	OUTLAND 14/23 STATE BATTERY	Sampling Condition:	Cool & Intact
Project Number:	PRS - 148	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.485091-103.446193		

Sample ID: B 55 @ 2' (H261076-55)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	02/27/2026	ND	2.07	104	2.00	1.60		
Toluene*	<0.050	0.050	02/27/2026	ND	2.05	102	2.00	1.50		
Ethylbenzene*	<0.050	0.050	02/27/2026	ND	2.11	106	2.00	1.11		
Total Xylenes*	<0.150	0.150	02/27/2026	ND	6.34	106	6.00	1.06		
Total BTEX	<0.300	0.300	02/27/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 104 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	96.0	16.0	02/26/2026	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/26/2026	ND	207	103	200	2.51	
DRO >C10-C28*	<10.0	10.0	02/26/2026	ND	198	99.0	200	1.86	
EXT DRO >C28-C36	<10.0	10.0	02/26/2026	ND					

Surrogate: 1-Chlorooctane 80.0 % 52.4-130

Surrogate: 1-Chlorooctadecane 85.0 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	02/25/2026	Sampling Date:	02/25/2026
Reported:	03/03/2026	Sampling Type:	Soil
Project Name:	OUTLAND 14/23 STATE BATTERY	Sampling Condition:	Cool & Intact
Project Number:	PRS - 148	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.485091-103.446193		

Sample ID: B 56 @ 2' (H261076-56)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	02/27/2026	ND	2.07	104	2.00	1.60		
Toluene*	<0.050	0.050	02/27/2026	ND	2.05	102	2.00	1.50		
Ethylbenzene*	<0.050	0.050	02/27/2026	ND	2.11	106	2.00	1.11		
Total Xylenes*	<0.150	0.150	02/27/2026	ND	6.34	106	6.00	1.06		
Total BTEX	<0.300	0.300	02/27/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 111 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	64.0	16.0	02/26/2026	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/26/2026	ND	207	103	200	2.51	
DRO >C10-C28*	<10.0	10.0	02/26/2026	ND	198	99.0	200	1.86	
EXT DRO >C28-C36	<10.0	10.0	02/26/2026	ND					

Surrogate: 1-Chlorooctane 76.2 % 52.4-130

Surrogate: 1-Chlorooctadecane 86.1 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	02/25/2026	Sampling Date:	02/25/2026
Reported:	03/03/2026	Sampling Type:	Soil
Project Name:	OUTLAND 14/23 STATE BATTERY	Sampling Condition:	Cool & Intact
Project Number:	PRS - 148	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.485091-103.446193		

Sample ID: B 57 @ 17' (H261076-57)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	02/27/2026	ND	2.07	104	2.00	1.60		
Toluene*	<0.050	0.050	02/27/2026	ND	2.05	102	2.00	1.50		
Ethylbenzene*	<0.050	0.050	02/27/2026	ND	2.11	106	2.00	1.11		
Total Xylenes*	<0.150	0.150	02/27/2026	ND	6.34	106	6.00	1.06		
Total BTEx	<0.300	0.300	02/27/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 94.5 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	512	16.0	02/26/2026	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/26/2026	ND	207	103	200	2.51	
DRO >C10-C28*	<10.0	10.0	02/26/2026	ND	198	99.0	200	1.86	
EXT DRO >C28-C36	<10.0	10.0	02/26/2026	ND					

Surrogate: 1-Chlorooctane 75.5 % 52.4-130

Surrogate: 1-Chlorooctadecane 80.4 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

S-04	The surrogate recovery for this sample is outside of established control limits due to a sample matrix effect.
GC-NC1	8260 confirmation analysis was performed; initial GC results were not supported by GC/MS analysis and are biased high with interfering compounds.
ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

A handwritten signature in black ink, appearing to read "C. D. Keene", is written over a horizontal line.

Celey D. Keene, Lab Director/Quality Manager



101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Company Name: Diamondback Disposal Services		P.O. #:		BILL TO								ANALYSIS REQUEST																											
Project Manager: Justin Roberts		Company: Permian Resources																																					
Address: 2525 NW County Rd.		City: Hobbs		State: NM		Zip: 88240		Attn: Matthew Taylor																															
Phone #: (575)-392-9996		Fax #: (575)-392-9996		Project Owner: PRS-148		City:		State:		Zip:																													
Project Name: Outland 14/23 State Battery		Project location: 32.485091 -103.446193		Phone #:		Fax #:		PRESERV.		SAMPLING																													
Sample Name: Cristian Barrientos		FOR LAB USE ONLY		Matrix		PRESERV.		SAMPLING																															
Lab I.D.		Sample I.D.		(G)RAB OR (C)OMP.		# CONTAINERS		GROUNDWATER		WASTEWATER		SOIL		OIL		SLUDGE		OTHER :		ACID/BASE:		ICE / COOL		OTHER :		DATE		TIME		CL		BTX		EXT TPH		FULL TCLIP		NORM	
1		B1@6"		C 1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1			
2		B2@2"		C 1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1			
3		B3@6"		C 1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1			
4		B4@6"		C 1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1			
5		B5@6"		C 1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1			
6		B6@6"		C 1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1			
7		B7@6"		C 1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1			
8		B8@1"		C 1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1			
9		B9@6"		C 1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1			
10		B10@6"		C 1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1			

PLEASE NOTE: Liability and Damages. Cardinal's liability and clients' exclusions remain for any claim arising from the use of the amount paid by the client for the analysis. All claims including those for negligence and any other causes whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Relinquished By: *[Signature]* Date: 8/5/26 Received By: *[Signature]* Date: 8/5/26

Relinquished By: *[Signature]* Date: 8/5/26 Received By: *[Signature]* Date: 8/5/26

Delivered By: (Circle One) Observed Temp. °C 4.2 Sample Condition Cool Intact ☒ Yes ☐ No Checked By: (Initials) *[Signature]*

Sampler - UPS - Bus - Other: Corrected Temp. °C 4.3

Turnaround Time: Standard ☒ Rush ☐ Bacteria (only) Sample Condition Cool Intact ☐ Yes ☐ No Observed Temp. °C Corrected Temp. °C

Thermometer ID #140 Correction Factor +0.1°C

Verbal Result: ☐ Yes ☐ No Add'l Phone #: *CS 70402401K*

Environmental@Diamondbacknm.com

REMARKS:

E-MAIL RESULTS

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com



101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Company Name: Diamondback Disposal Services							P.O. #:																				
Project Manager: Justin Roberts							Company: Permian Resources																				
Address: 2525 NW County Rd.							Attn: Matthew Taylor																				
City: Hobbs State: NM Zip: 88240							Address:																				
Phone #: (575)392-9996 Fax #:							City:																				
Project #: PRS-148 Project Owner:							State: Zip:																				
Project Name: Outland 14123 State Battery							Phone #:																				
Project Location: 32.485091 -103.446193							Fax #:																				
Sample Name: Cristian Barrientos																											
FOR LAB USE ONLY																											
Lab I.D. Sample I.D.							(G)RAB OR (C)OMP.			MATRIX			PRESERV.			SAMPLING											
							# CONTAINERS	GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :	ACID/BASE: ICE / COOL OTHER :	DATE	TIME	CL	BTEX	EXT TPH	FULL TCLIP	NORM						
Bx1074 B11@6"							C	1						ICE / COOL 2-25	9:20 AM	✓	✓	✓									
B12@2'							C	1						ICE / COOL 2-25	9:22 AM	✓	✓	✓									
B13@2'							C	1						ICE / COOL 2-25	9:24 AM	✓	✓	✓									
B14@2'							C	1						ICE / COOL 2-25	9:26 AM	✓	✓	✓									
B15@2'							C	1						ICE / COOL 2-25	9:28 AM	✓	✓	✓									
B16@2'							C	1						ICE / COOL 2-25	9:30 AM	✓	✓	✓									
B17@2'							C	1						ICE / COOL 2-25	9:32 AM	✓	✓	✓									
B18@2'							C	1						ICE / COOL 2-25	9:34 AM	✓	✓	✓									
B19@2'							C	1						ICE / COOL 2-25	9:36 AM	✓	✓	✓									
B20@2'							C	1						ICE / COOL 2-25	9:38 AM	✓	✓	✓									
PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the test code.																											
analysis. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruption, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors acting out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.																											
Relinquished By: [Signature]							Received By: [Signature]			Verbal Result: ☐ Yes ☒ No Add'l Phone #:																	
Date: 8/25/26 Time: 10:59							All Results are emailed. Please provide Email address: Environmental@Diamondbacknm.com																				
Remarks: REMARKS:							E MAIL RESULTS																				
Turnaround Time: Standard Rush							Bacteria (only) Sample Condition Cool Intact Observed Temp. °C Corrected Temp. °C																				



101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Company Name: Diamondback Disposal Services		BILL TO		ANALYSIS REQUEST															
Project Manager: Justin Roberts		P.O. #:																	
Address: 2525 NW County Rd.		Company: Permian Resources																	
City: Hobbs		Attn: Mathew Taylor																	
Phone #: (575)392-9996		Address:																	
Project #: PRS-148		City:																	
Project Name: Outland 14123 State Battery		State:																	
Project Location: 32.485091 -103.446193		Phone #:																	
Sampler Name: Cristian Barrientos		Fax #:																	
FOR LAB USE ONLY		PRESERV.		SAMPLING															
Lab I.D.	Sample I.D.	(G)RAB OR (C)OMP.	# CONTAINERS	GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :	ACID/BASE:	ICE / COOL	OTHER :	DATE	TIME	CL	BTEX	EXT TPH	FULL TCLIP	NORM
21	B21@2'	C	1	1									9:40 AM	1	1	1			
22	B22@2'	C	1	1									9:42 AM	1	1	1			
23	B23@2'	C	1	1									9:44 AM	1	1	1			
24	B24@2'	C	1	1									9:46 AM	1	1	1			
25	B25@2'	C	1	1									9:48 AM	1	1	1			
26	B26@2'	C	1	1									9:50 AM	1	1	1			
27	B27@2'	C	1	1									9:52 AM	1	1	1			
28	B28@2'	C	1	1									9:54 AM	1	1	1			
29	B29@2'	C	1	1									9:56 AM	1	1	1			
30	B30@2'	C	1	1									9:58 AM	1	1	1			

PLEASE NOTE: Liability and Damages. Cardinal's liability and clients exclusive remedy for any claim arising from this contract or tort, shall be limited to the amount paid by the client for the analysis. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruption, loss of data, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated theories or otherwise.

Relinquished By: *[Signature]* Date: 8-25-20 Received By: *[Signature]* Date: 8-25-20

Relinquished By: *[Signature]* Date: 10-09-20 Received By: *[Signature]* Date: 10-09-20

Delivered By: (Circle One) Observed Temp. °C 43.5 Sample Condition Cool Intact ☒ Yes ☐ No Checked By: (Initials) 9-2-20

Sampler - UPS - Bus - Other: Corrected Temp. °C 43.0

Turnaround Time: Thermometer ID #140 Correction Factor +0.1°C Standard ☒ Rush ☐ Bacteria (only) Sample Condition Cool Intact ☒ Yes ☐ No Observed Temp. °C Corrected Temp. °C

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

Verbal Result: ☐ Yes ☐ No Add'l Phone #: 310403401K

REMARKS: Environmental@Diamondbacknm.com

E MAIL RESULTS



101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Company Name: Diamondback Disposal Services		BILL TO		ANALYSIS REQUEST			
Project Manager: Justin Roberts	P.O. #:						
Address: 2525 NW County Rd.	Company: Permian Resources						
City: Hobbs	State: NM	Zip: 88240	Attn: Matthew Taylor				
Phone #: (575)392-9996	Fax #:	Address:					
Project #: PRS-148	Project Owner:	City:					
Project Name: Outland 14123 State Battery	State:	Zip:					
Project Location: 32.485091 -103.446193	Phone #:						
Sampler Name: Cristian Barrientos	Fax #:						
FOR LAB USE ONLY							
Lab I.D.	Sample I.D.	(G)RAB OR (C)OMP.	MATRIX		PRESERV.	SAMPLING	
		# CONTAINERS	GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE
			OTHER :	ACID/BASE:	ICE / COOL	OTHER :	DATE
							TIME
41	B41@2'	C 1	1		ICE / COOL	11:16 AM	1
42	B42@2'	C 1	1		ICE / COOL	10:36 AM	1
43	B43@2'	C 1	1		ICE / COOL	10:38 AM	1
44	B44@2'	C 1	1		ICE / COOL	10:40 AM	1
45	B45@2'	C 1	1		ICE / COOL	10:42 AM	1
46	B46@2'	C 1	1		ICE / COOL	10:44 AM	1
47	B47@2'	C 1	1		ICE / COOL	10:48 AM	1
48	B48@2'	C 1	1		ICE / COOL	10:50 AM	1
49	B49@2'	C 1	1		ICE / COOL	10:52 AM	1
50	B50@2'	C 1	1		ICE / COOL	10:54 AM	1
PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising from this contract or tort, shall be limited to the amount paid by the client. analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruption, loss of data, or loss of profits, incurred by client. Its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated theories or otherwise.							
Relinquished By:	Date: 4-25-26	Received By:					
Time: 11:59	Date:	Received By:					
Time:		Received By:					
Delivered By: (Circle One)	Observed Temp. °C 43	Sample Condition	CHECKED BY: (Initials)	Turnaround Time:	Standard	Bacteria (only)	Sample Condition
Sampler - UPS - Bus - Other:	Corrected Temp. °C 43	Cool ☒ Intact ☒		Thermometer ID #140	Rush ☒	Cool ☒ Intact ☒	Observed Temp. °C
		Yes ☒ No ☒		Correction Factor +0.1°C		Yes ☒ No ☒	Corrected Temp. °C
Verbal Result: ☐ Yes ☐ No ☐ Add'l Phone #: All Results are emailed. Please provide Email address: Environmental@Diamondbacknm.com REMARKS: E MAIL RESULTS							

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com



101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

[illegible]



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

March 03, 2026

JUSTIN ROBERTS

DIAMONDBACK DISPOSAL SERVICE INC.

P. O. BOX 2491

HOBBS, NM 88241

RE: OUTLAND 14/23 STATE BATTERY

Enclosed are the results of analyses for samples received by the laboratory on 02/25/26 16:59.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C25-00101. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Celey D. Keene". The signature is written in a cursive style with a large, stylized 'C' and 'K'.

Celey D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	02/25/2026	Sampling Date:	02/25/2026
Reported:	03/03/2026	Sampling Type:	Soil
Project Name:	OUTLAND 14/23 STATE BATTERY	Sampling Condition:	Cool & Intact
Project Number:	PRS - 148	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.485091-103.446193		

Sample ID: W 1 @ 2' (H261077-01)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	02/27/2026	ND	2.07	104	2.00	1.60	
Toluene*	<0.050	0.050	02/27/2026	ND	2.05	102	2.00	1.50	
Ethylbenzene*	<0.050	0.050	02/27/2026	ND	2.11	106	2.00	1.11	
Total Xylenes*	<0.150	0.150	02/27/2026	ND	6.34	106	6.00	1.06	
Total BTX	<0.300	0.300	02/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 103 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	02/26/2026	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/26/2026	ND	207	103	200	2.51	
DRO >C10-C28*	<10.0	10.0	02/26/2026	ND	198	99.0	200	1.86	
EXT DRO >C28-C36	<10.0	10.0	02/26/2026	ND					

Surrogate: 1-Chlorooctane 78.8 % 52.4-130

Surrogate: 1-Chlorooctadecane 83.8 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	02/25/2026	Sampling Date:	02/25/2026
Reported:	03/03/2026	Sampling Type:	Soil
Project Name:	OUTLAND 14/23 STATE BATTERY	Sampling Condition:	Cool & Intact
Project Number:	PRS - 148	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.485091-103.446193		

Sample ID: W 2 @ 6" (H261077-02)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	02/27/2026	ND	2.07	104	2.00	1.60		
Toluene*	<0.050	0.050	02/27/2026	ND	2.05	102	2.00	1.50		
Ethylbenzene*	<0.050	0.050	02/27/2026	ND	2.11	106	2.00	1.11		
Total Xylenes*	<0.150	0.150	02/27/2026	ND	6.34	106	6.00	1.06		
Total BTEX	<0.300	0.300	02/27/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 115 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	208	16.0	02/26/2026	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/26/2026	ND	207	103	200	2.51	
DRO >C10-C28*	<10.0	10.0	02/26/2026	ND	198	99.0	200	1.86	
EXT DRO >C28-C36	<10.0	10.0	02/26/2026	ND					

Surrogate: 1-Chlorooctane 75.5 % 52.4-130

Surrogate: 1-Chlorooctadecane 79.5 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	02/25/2026	Sampling Date:	02/25/2026
Reported:	03/03/2026	Sampling Type:	Soil
Project Name:	OUTLAND 14/23 STATE BATTERY	Sampling Condition:	Cool & Intact
Project Number:	PRS - 148	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.485091-103.446193		

Sample ID: W 3 @ 6" (H261077-03)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	02/27/2026	ND	2.07	104	2.00	1.60	
Toluene*	<0.050	0.050	02/27/2026	ND	2.05	102	2.00	1.50	
Ethylbenzene*	<0.050	0.050	02/27/2026	ND	2.11	106	2.00	1.11	
Total Xylenes*	<0.150	0.150	02/27/2026	ND	6.34	106	6.00	1.06	
Total BTX	<0.300	0.300	02/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 101 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	128	16.0	02/26/2026	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/26/2026	ND	207	103	200	2.51	
DRO >C10-C28*	<10.0	10.0	02/26/2026	ND	198	99.0	200	1.86	
EXT DRO >C28-C36	<10.0	10.0	02/26/2026	ND					

Surrogate: 1-Chlorooctane 78.2 % 52.4-130

Surrogate: 1-Chlorooctadecane 81.6 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	02/25/2026	Sampling Date:	02/25/2026
Reported:	03/03/2026	Sampling Type:	Soil
Project Name:	OUTLAND 14/23 STATE BATTERY	Sampling Condition:	Cool & Intact
Project Number:	PRS - 148	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.485091-103.446193		

Sample ID: W 4 @ 2' (H261077-04)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	02/27/2026	ND	1.95	97.5	2.00	2.85		
Toluene*	<0.050	0.050	02/27/2026	ND	1.92	96.0	2.00	7.84		
Ethylbenzene*	<0.050	0.050	02/27/2026	ND	1.96	98.2	2.00	9.59		
Total Xylenes*	<0.150	0.150	02/27/2026	ND	5.69	94.9	6.00	8.03		
Total BTEX	<0.300	0.300	02/27/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 98.4 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	32.0	16.0	02/26/2026	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/27/2026	ND	189	94.6	200	1.56	
DRO >C10-C28*	<10.0	10.0	02/27/2026	ND	195	97.4	200	0.192	
EXT DRO >C28-C36	<10.0	10.0	02/27/2026	ND					

Surrogate: 1-Chlorooctane 54.6 % 52.4-130

Surrogate: 1-Chlorooctadecane 52.3 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	02/25/2026	Sampling Date:	02/25/2026
Reported:	03/03/2026	Sampling Type:	Soil
Project Name:	OUTLAND 14/23 STATE BATTERY	Sampling Condition:	Cool & Intact
Project Number:	PRS - 148	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.485091-103.446193		

Sample ID: W 5 @ 2' (H261077-05)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	02/27/2026	ND	1.95	97.5	2.00	2.85		
Toluene*	<0.050	0.050	02/27/2026	ND	1.92	96.0	2.00	7.84		
Ethylbenzene*	<0.050	0.050	02/27/2026	ND	1.96	98.2	2.00	9.59		
Total Xylenes*	<0.150	0.150	02/27/2026	ND	5.69	94.9	6.00	8.03		
Total BTEX	<0.300	0.300	02/27/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 98.0 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	48.0	16.0	02/26/2026	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/26/2026	ND	189	94.6	200	1.56	
DRO >C10-C28*	<10.0	10.0	02/26/2026	ND	195	97.4	200	0.192	
EXT DRO >C28-C36	<10.0	10.0	02/26/2026	ND					

Surrogate: 1-Chlorooctane 76.9 % 52.4-130

Surrogate: 1-Chlorooctadecane 72.8 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	02/25/2026	Sampling Date:	02/25/2026
Reported:	03/03/2026	Sampling Type:	Soil
Project Name:	OUTLAND 14/23 STATE BATTERY	Sampling Condition:	Cool & Intact
Project Number:	PRS - 148	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.485091-103.446193		

Sample ID: W 6 @ 2' (H261077-06)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	02/27/2026	ND	1.95	97.5	2.00	2.85		
Toluene*	<0.050	0.050	02/27/2026	ND	1.92	96.0	2.00	7.84		
Ethylbenzene*	<0.050	0.050	02/27/2026	ND	1.96	98.2	2.00	9.59		
Total Xylenes*	<0.150	0.150	02/27/2026	ND	5.69	94.9	6.00	8.03		
Total BTEX	<0.300	0.300	02/27/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 98.6 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	320	16.0	02/26/2026	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/26/2026	ND	189	94.6	200	1.56	
DRO >C10-C28*	<10.0	10.0	02/26/2026	ND	195	97.4	200	0.192	
EXT DRO >C28-C36	<10.0	10.0	02/26/2026	ND					

Surrogate: 1-Chlorooctane 88.4 % 52.4-130

Surrogate: 1-Chlorooctadecane 84.8 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	02/25/2026	Sampling Date:	02/25/2026
Reported:	03/03/2026	Sampling Type:	Soil
Project Name:	OUTLAND 14/23 STATE BATTERY	Sampling Condition:	Cool & Intact
Project Number:	PRS - 148	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.485091-103.446193		

Sample ID: W 7 @ 2'-17' (H261077-07)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	02/27/2026	ND	1.95	97.5	2.00	2.85		
Toluene*	<0.050	0.050	02/27/2026	ND	1.92	96.0	2.00	7.84		
Ethylbenzene*	<0.050	0.050	02/27/2026	ND	1.96	98.2	2.00	9.59		
Total Xylenes*	<0.150	0.150	02/27/2026	ND	5.69	94.9	6.00	8.03		
Total BTEX	<0.300	0.300	02/27/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 99.8 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	464	16.0	02/26/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/26/2026	ND	189	94.6	200	1.56	
DRO >C10-C28*	<10.0	10.0	02/26/2026	ND	195	97.4	200	0.192	
EXT DRO >C28-C36	<10.0	10.0	02/26/2026	ND					

Surrogate: 1-Chlorooctane 86.6 % 52.4-130

Surrogate: 1-Chlorooctadecane 83.6 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

A handwritten signature in black ink, appearing to read "Celey D. Keene".

Celey D. Keene, Lab Director/Quality Manager

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

[illegible]



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

March 03, 2026

JUSTIN ROBERTS

DIAMONDBACK DISPOSAL SERVICE INC.

P. O. BOX 2491

HOBBS, NM 88241

RE: OUTLAND 14/23 STATE BATTERY

Enclosed are the results of analyses for samples received by the laboratory on 02/25/26 16:59.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C25-00101. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Celey D. Keene". The signature is written in a cursive style with a large, stylized 'C' and 'K'.

Celey D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	02/25/2026	Sampling Date:	02/25/2026
Reported:	03/03/2026	Sampling Type:	Soil
Project Name:	OUTLAND 14/23 STATE BATTERY	Sampling Condition:	Cool & Intact
Project Number:	PRS - 148	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.485091-103.446193		

Sample ID: DP 1 (H261078-01)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	02/27/2026	ND	1.95	97.5	2.00	2.85	
Toluene*	<0.050	0.050	02/27/2026	ND	1.92	96.0	2.00	7.84	
Ethylbenzene*	<0.050	0.050	02/27/2026	ND	1.96	98.2	2.00	9.59	
Total Xylenes*	<0.150	0.150	02/27/2026	ND	5.69	94.9	6.00	8.03	
Total BTX	<0.300	0.300	02/27/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 107 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	1540	16.0	02/26/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/26/2026	ND	189	94.6	200	1.56	
DRO >C10-C28*	16.5	10.0	02/26/2026	ND	195	97.4	200	0.192	
EXT DRO >C28-C36	<10.0	10.0	02/26/2026	ND					

Surrogate: 1-Chlorooctane 71.3 % 52.4-130

Surrogate: 1-Chlorooctadecane 67.6 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	02/25/2026	Sampling Date:	02/25/2026
Reported:	03/03/2026	Sampling Type:	Soil
Project Name:	OUTLAND 14/23 STATE BATTERY	Sampling Condition:	Cool & Intact
Project Number:	PRS - 148	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.485091-103.446193		

Sample ID: DP 2 (H261078-02)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	02/27/2026	ND	1.95	97.5	2.00	2.85		
Toluene*	<0.050	0.050	02/27/2026	ND	1.92	96.0	2.00	7.84		
Ethylbenzene*	<0.050	0.050	02/27/2026	ND	1.96	98.2	2.00	9.59		
Total Xylenes*	<0.150	0.150	02/27/2026	ND	5.69	94.9	6.00	8.03		
Total BTEX	<0.300	0.300	02/27/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 107 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	4920	16.0	02/26/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/26/2026	ND	189	94.6	200	1.56	
DRO >C10-C28*	176	10.0	02/26/2026	ND	195	97.4	200	0.192	
EXT DRO >C28-C36	66.7	10.0	02/26/2026	ND					

Surrogate: 1-Chlorooctane 76.8 % 52.4-130

Surrogate: 1-Chlorooctadecane 85.3 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	02/25/2026	Sampling Date:	02/25/2026
Reported:	03/03/2026	Sampling Type:	Soil
Project Name:	OUTLAND 14/23 STATE BATTERY	Sampling Condition:	Cool & Intact
Project Number:	PRS - 148	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.485091-103.446193		

Sample ID: DP 3 (H261078-03)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	02/27/2026	ND	1.95	97.5	2.00	2.85		
Toluene*	<0.050	0.050	02/27/2026	ND	1.92	96.0	2.00	7.84		
Ethylbenzene*	<0.050	0.050	02/27/2026	ND	1.96	98.2	2.00	9.59		
Total Xylenes*	<0.150	0.150	02/27/2026	ND	5.69	94.9	6.00	8.03		
Total BTEX	<0.300	0.300	02/27/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 103 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	5160	16.0	02/26/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/26/2026	ND	189	94.6	200	1.56	
DRO >C10-C28*	177	10.0	02/26/2026	ND	195	97.4	200	0.192	
EXT DRO >C28-C36	62.7	10.0	02/26/2026	ND					

Surrogate: 1-Chlorooctane 79.0 % 52.4-130

Surrogate: 1-Chlorooctadecane 93.5 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	02/25/2026	Sampling Date:	02/25/2026
Reported:	03/03/2026	Sampling Type:	Soil
Project Name:	OUTLAND 14/23 STATE BATTERY	Sampling Condition:	Cool & Intact
Project Number:	PRS - 148	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.485091-103.446193		

Sample ID: DP 4 (H261078-04)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	02/27/2026	ND	1.95	97.5	2.00	2.85		
Toluene*	<0.050	0.050	02/27/2026	ND	1.92	96.0	2.00	7.84		
Ethylbenzene*	<0.050	0.050	02/27/2026	ND	1.96	98.2	2.00	9.59		
Total Xylenes*	<0.150	0.150	02/27/2026	ND	5.69	94.9	6.00	8.03		
Total BTEX	<0.300	0.300	02/27/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 108 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	1410	16.0	02/26/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/26/2026	ND	189	94.6	200	1.56	
DRO >C10-C28*	126	10.0	02/26/2026	ND	195	97.4	200	0.192	
EXT DRO >C28-C36	33.4	10.0	02/26/2026	ND					

Surrogate: 1-Chlorooctane 82.2 % 52.4-130

Surrogate: 1-Chlorooctadecane 86.0 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	02/25/2026	Sampling Date:	02/25/2026
Reported:	03/03/2026	Sampling Type:	Soil
Project Name:	OUTLAND 14/23 STATE BATTERY	Sampling Condition:	Cool & Intact
Project Number:	PRS - 148	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.485091-103.446193		

Sample ID: DP 5 (H261078-05)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	02/27/2026	ND	1.95	97.5	2.00	2.85		
Toluene*	<0.050	0.050	02/27/2026	ND	1.92	96.0	2.00	7.84		
Ethylbenzene*	<0.050	0.050	02/27/2026	ND	1.96	98.2	2.00	9.59		
Total Xylenes*	<0.150	0.150	02/27/2026	ND	5.69	94.9	6.00	8.03		
Total BTEX	<0.300	0.300	02/27/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 111 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	944	16.0	02/26/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/26/2026	ND	189	94.6	200	1.56	
DRO >C10-C28*	276	10.0	02/26/2026	ND	195	97.4	200	0.192	
EXT DRO >C28-C36	81.5	10.0	02/26/2026	ND					

Surrogate: 1-Chlorooctane 83.7 % 52.4-130

Surrogate: 1-Chlorooctadecane 92.9 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	02/25/2026	Sampling Date:	02/25/2026
Reported:	03/03/2026	Sampling Type:	Soil
Project Name:	OUTLAND 14/23 STATE BATTERY	Sampling Condition:	Cool & Intact
Project Number:	PRS - 148	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.485091-103.446193		

Sample ID: DP 6 (H261078-06)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	02/27/2026	ND	1.95	97.5	2.00	2.85		
Toluene*	<0.050	0.050	02/27/2026	ND	1.92	96.0	2.00	7.84		
Ethylbenzene*	<0.050	0.050	02/27/2026	ND	1.96	98.2	2.00	9.59		
Total Xylenes*	<0.150	0.150	02/27/2026	ND	5.69	94.9	6.00	8.03		
Total BTEX	<0.300	0.300	02/27/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 112 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	288	16.0	02/26/2026	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/26/2026	ND	189	94.6	200	1.56	
DRO >C10-C28*	709	10.0	02/26/2026	ND	195	97.4	200	0.192	
EXT DRO >C28-C36	134	10.0	02/26/2026	ND					

Surrogate: 1-Chlorooctane 70.5 % 52.4-130

Surrogate: 1-Chlorooctadecane 101 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	02/25/2026	Sampling Date:	02/25/2026
Reported:	03/03/2026	Sampling Type:	Soil
Project Name:	OUTLAND 14/23 STATE BATTERY	Sampling Condition:	Cool & Intact
Project Number:	PRS - 148	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.485091-103.446193		

Sample ID: DP 7 (H261078-07)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	02/27/2026	ND	1.95	97.5	2.00	2.85		
Toluene*	<0.050	0.050	02/27/2026	ND	1.92	96.0	2.00	7.84		
Ethylbenzene*	<0.050	0.050	02/27/2026	ND	1.96	98.2	2.00	9.59		
Total Xylenes*	<0.150	0.150	02/27/2026	ND	5.69	94.9	6.00	8.03		
Total BTEx	<0.300	0.300	02/27/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 106 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	1090	16.0	02/26/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/26/2026	ND	189	94.6	200	1.56	
DRO >C10-C28*	20.4	10.0	02/26/2026	ND	195	97.4	200	0.192	
EXT DRO >C28-C36	10.8	10.0	02/26/2026	ND					

Surrogate: 1-Chlorooctane 85.1 % 52.4-130

Surrogate: 1-Chlorooctadecane 84.0 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	02/25/2026	Sampling Date:	02/25/2026
Reported:	03/03/2026	Sampling Type:	Soil
Project Name:	OUTLAND 14/23 STATE BATTERY	Sampling Condition:	Cool & Intact
Project Number:	PRS - 148	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.485091-103.446193		

Sample ID: DP 8 (H261078-08)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	02/27/2026	ND	1.95	97.5	2.00	2.85		
Toluene*	<0.050	0.050	02/27/2026	ND	1.92	96.0	2.00	7.84		
Ethylbenzene*	<0.050	0.050	02/27/2026	ND	1.96	98.2	2.00	9.59		
Total Xylenes*	<0.150	0.150	02/27/2026	ND	5.69	94.9	6.00	8.03		
Total BTEX	<0.300	0.300	02/27/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 105 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	384	16.0	02/26/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/26/2026	ND	189	94.6	200	1.56	
DRO >C10-C28*	<10.0	10.0	02/26/2026	ND	195	97.4	200	0.192	
EXT DRO >C28-C36	<10.0	10.0	02/26/2026	ND					

Surrogate: 1-Chlorooctane 82.7 % 52.4-130

Surrogate: 1-Chlorooctadecane 80.3 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

A handwritten signature in black ink, appearing to read "Celey D. Keene".

Celey D. Keene, Lab Director/Quality Manager



101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

[illegible]



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

March 18, 2026

JUSTIN ROBERTS

DIAMONDBACK DISPOSAL SERVICE INC.

P. O. BOX 2491

HOBBS, NM 88241

RE: OUTLAND 14/23 STATE BATTERY

Enclosed are the results of analyses for samples received by the laboratory on 03/12/26 11:15.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C25-00101. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Celey D. Keene". The signature is written in a cursive, flowing style.

Celey D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	03/12/2026	Sampling Date:	03/11/2026
Reported:	03/18/2026	Sampling Type:	Soil
Project Name:	OUTLAND 14/23 STATE BATTERY	Sampling Condition:	Cool & Intact
Project Number:	PRS - 148	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.485091-103.446193		

Sample ID: BFS 1 (H261398-01)

BTX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	03/13/2026	ND	2.01	101	2.00	1.64		
Toluene*	<0.050	0.050	03/13/2026	ND	1.82	91.0	2.00	2.08		
Ethylbenzene*	<0.050	0.050	03/13/2026	ND	1.79	89.6	2.00	2.53		
Total Xylenes*	<0.150	0.150	03/13/2026	ND	5.28	88.0	6.00	2.38		
Total BTX	<0.300	0.300	03/13/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 91.4 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	32.0	16.0	03/12/2026	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/12/2026	ND	201	101	200	1.11	
DRO >C10-C28*	<10.0	10.0	03/12/2026	ND	177	88.5	200	0.464	
EXT DRO >C28-C36	<10.0	10.0	03/12/2026	ND					

Surrogate: 1-Chlorooctane 77.8 % 52.4-130

Surrogate: 1-Chlorooctadecane 68.8 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received: 03/12/2026
 Reported: 03/18/2026
 Project Name: OUTLAND 14/23 STATE BATTERY
 Project Number: PRS - 148
 Project Location: PERMIAN 32.485091-103.446193

Sampling Date: 03/11/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: BFS 2 (H261398-02)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	03/13/2026	ND	2.01	101	2.00	1.64		
Toluene*	<0.050	0.050	03/13/2026	ND	1.82	91.0	2.00	2.08		
Ethylbenzene*	<0.050	0.050	03/13/2026	ND	1.79	89.6	2.00	2.53		
Total Xylenes*	<0.150	0.150	03/13/2026	ND	5.28	88.0	6.00	2.38		
Total BTEX	<0.300	0.300	03/13/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 92.4 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	80.0	16.0	03/12/2026	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/12/2026	ND	201	101	200	1.11	
DRO >C10-C28*	<10.0	10.0	03/12/2026	ND	177	88.5	200	0.464	
EXT DRO >C28-C36	<10.0	10.0	03/12/2026	ND					

Surrogate: 1-Chlorooctane 88.2 % 52.4-130

Surrogate: 1-Chlorooctadecane 78.9 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

QR-03	The RPD value for the sample duplicate or MS/MSD was outside of QC acceptance limits due to matrix interference. QC batch accepted based on LCS and/or LCSD recovery and/or RPD values.
QM-07	The spike recovery was outside acceptance limits for the MS and/or MSD. The batch was accepted based on acceptable LCS recovery.
ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

A handwritten signature in black ink, appearing to read "Celey D. Keene".

Celey D. Keene, Lab Director/Quality Manager



101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

[illegible]



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

March 19, 2026

JUSTIN ROBERTS

DIAMONDBACK DISPOSAL SERVICE INC.

P. O. BOX 2491

HOBBS, NM 88241

RE: OUTLAND 14/23 STATE BATTERY

Enclosed are the results of analyses for samples received by the laboratory on 03/13/26 8:35.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C25-00101. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Celey D. Keene". The signature is written in a cursive style with a large, stylized 'C' and 'K'.

Celey D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	03/13/2026	Sampling Date:	03/13/2026
Reported:	03/19/2026	Sampling Type:	Soil
Project Name:	OUTLAND 14/23 STATE BATTERY	Sampling Condition:	Cool & Intact
Project Number:	PRS - 148	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.485091-103.446193		

Sample ID: B 44 @ 3' (H261426-01)

BTX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/13/2026	ND	2.06	103	2.00	0.741	
Toluene*	<0.050	0.050	03/13/2026	ND	1.98	99.0	2.00	1.36	
Ethylbenzene*	<0.050	0.050	03/13/2026	ND	2.06	103	2.00	2.64	
Total Xylenes*	<0.150	0.150	03/13/2026	ND	6.21	104	6.00	2.92	
Total BTX	<0.300	0.300	03/13/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID) 109 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	32.0	16.0	03/13/2026	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/13/2026	ND	199	99.4	200	2.80	
DRO >C10-C28*	<10.0	10.0	03/13/2026	ND	207	104	200	5.81	
EXT DRO >C28-C36	<10.0	10.0	03/13/2026	ND					

Surrogate: 1-Chlorooctane 82.1 % 52.4-130

Surrogate: 1-Chlorooctadecane 81.6 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received: 03/13/2026
 Reported: 03/19/2026
 Project Name: OUTLAND 14/23 STATE BATTERY
 Project Number: PRS - 148
 Project Location: PERMIAN 32.485091-103.446193

Sampling Date: 03/13/2026
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: B 52 @ 3' (H261426-02)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	03/13/2026	ND	2.06	103	2.00	0.741		
Toluene*	<0.050	0.050	03/13/2026	ND	1.98	99.0	2.00	1.36		
Ethylbenzene*	<0.050	0.050	03/13/2026	ND	2.06	103	2.00	2.64		
Total Xylenes*	<0.150	0.150	03/13/2026	ND	6.21	104	6.00	2.92		
Total BTEx	<0.300	0.300	03/13/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 115 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	48.0	16.0	03/13/2026	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/13/2026	ND	199	99.4	200	2.80	
DRO >C10-C28*	<10.0	10.0	03/13/2026	ND	207	104	200	5.81	
EXT DRO >C28-C36	<10.0	10.0	03/13/2026	ND					

Surrogate: 1-Chlorooctane 86.6 % 52.4-130

Surrogate: 1-Chlorooctadecane 85.8 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

A handwritten signature in black ink, appearing to read "Celey D. Keene".

Celey D. Keene, Lab Director/Quality Manager



101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

[illegible]



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

March 31, 2026

JUSTIN ROBERTS

DIAMONDBACK DISPOSAL SERVICE INC.

P. O. BOX 2491

HOBBS, NM 88241

RE: OUTLAND 14/23 STATE BATTERY

Enclosed are the results of analyses for samples received by the laboratory on 03/25/26 16:32.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C25-00101. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Celey D. Keene". The signature is written in a cursive, flowing style.

Celey D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	03/25/2026	Sampling Date:	03/25/2026
Reported:	03/31/2026	Sampling Type:	Soil
Project Name:	OUTLAND 14/23 STATE BATTERY	Sampling Condition:	Cool & Intact
Project Number:	PRS - 148	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.485091-103.446193		

Sample ID: W 8 @ 2'-17' (H261670-01)

BTX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	03/26/2026	ND	2.13	106	2.00	0.489		
Toluene*	<0.050	0.050	03/26/2026	ND	2.12	106	2.00	0.0319		
Ethylbenzene*	<0.050	0.050	03/26/2026	ND	2.21	111	2.00	0.170		
Total Xylenes*	<0.150	0.150	03/26/2026	ND	6.66	111	6.00	0.289		
Total BTX	<0.300	0.300	03/26/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 101 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	64.0	16.0	03/26/2026	ND	480	120	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/26/2026	ND	201	101	200	4.21	
DRO >C10-C28*	<10.0	10.0	03/26/2026	ND	222	111	200	5.79	
EXT DRO >C28-C36	<10.0	10.0	03/26/2026	ND					

Surrogate: 1-Chlorooctane 85.4 % 52.4-130

Surrogate: 1-Chlorooctadecane 80.5 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	03/25/2026	Sampling Date:	03/25/2026
Reported:	03/31/2026	Sampling Type:	Soil
Project Name:	OUTLAND 14/23 STATE BATTERY	Sampling Condition:	Cool & Intact
Project Number:	PRS - 148	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.485091-103.446193		

Sample ID: W 9 @ 2'-17' (H261670-02)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	03/26/2026	ND	2.13	106	2.00	0.489		
Toluene*	<0.050	0.050	03/26/2026	ND	2.12	106	2.00	0.0319		
Ethylbenzene*	<0.050	0.050	03/26/2026	ND	2.21	111	2.00	0.170		
Total Xylenes*	<0.150	0.150	03/26/2026	ND	6.66	111	6.00	0.289		
Total BTEX	<0.300	0.300	03/26/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 97.7 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	03/26/2026	ND	480	120	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/26/2026	ND	201	101	200	4.21	
DRO >C10-C28*	<10.0	10.0	03/26/2026	ND	222	111	200	5.79	
EXT DRO >C28-C36	<10.0	10.0	03/26/2026	ND					

Surrogate: 1-Chlorooctane 83.1 % 52.4-130

Surrogate: 1-Chlorooctadecane 76.5 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	03/25/2026	Sampling Date:	03/25/2026
Reported:	03/31/2026	Sampling Type:	Soil
Project Name:	OUTLAND 14/23 STATE BATTERY	Sampling Condition:	Cool & Intact
Project Number:	PRS - 148	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.485091-103.446193		

Sample ID: W 10 @ 2'-17' (H261670-03)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	03/26/2026	ND	2.13	106	2.00	0.489		
Toluene*	<0.050	0.050	03/26/2026	ND	2.12	106	2.00	0.0319		
Ethylbenzene*	<0.050	0.050	03/26/2026	ND	2.21	111	2.00	0.170		
Total Xylenes*	<0.150	0.150	03/26/2026	ND	6.66	111	6.00	0.289		
Total BTEX	<0.300	0.300	03/26/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 98.7 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	64.0	16.0	03/26/2026	ND	480	120	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/26/2026	ND	201	101	200	4.21	
DRO >C10-C28*	<10.0	10.0	03/26/2026	ND	222	111	200	5.79	
EXT DRO >C28-C36	<10.0	10.0	03/26/2026	ND					

Surrogate: 1-Chlorooctane 81.2 % 52.4-130

Surrogate: 1-Chlorooctadecane 75.5 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	03/25/2026	Sampling Date:	03/25/2026
Reported:	03/31/2026	Sampling Type:	Soil
Project Name:	OUTLAND 14/23 STATE BATTERY	Sampling Condition:	Cool & Intact
Project Number:	PRS - 148	Sample Received By:	Tamara Oldaker
Project Location:	PERMIAN 32.485091-103.446193		

Sample ID: W 11 @ 2'-17' (H261670-04)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	03/26/2026	ND	2.13	106	2.00	0.489		
Toluene*	<0.050	0.050	03/26/2026	ND	2.12	106	2.00	0.0319		
Ethylbenzene*	<0.050	0.050	03/26/2026	ND	2.21	111	2.00	0.170		
Total Xylenes*	<0.150	0.150	03/26/2026	ND	6.66	111	6.00	0.289		
Total BTEX	<0.300	0.300	03/26/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 98.0 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	48.0	16.0	03/26/2026	ND	480	120	400	0.00	

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/26/2026	ND	201	101	200	4.21	
DRO >C10-C28*	<10.0	10.0	03/26/2026	ND	222	111	200	5.79	
EXT DRO >C28-C36	<10.0	10.0	03/26/2026	ND					

Surrogate: 1-Chlorooctane 84.3 % 52.4-130

Surrogate: 1-Chlorooctadecane 77.9 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

A handwritten signature in black ink, appearing to read "Celey D. Keene", written over a horizontal line.

Celey D. Keene, Lab Director/Quality Manager



101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

[illegible]



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

April 22, 2026

JUSTIN ROBERTS

DIAMONDBACK DISPOSAL SERVICE INC.

P. O. BOX 2491

HOBBS, NM 88241

RE: OUTLAND 14/23 STATE BATTERY

Enclosed are the results of analyses for samples received by the laboratory on 04/16/26 8:35.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C25-00101. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Celey D. Keene". The signature is written in a cursive, flowing style.

Celey D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

DIAMONDBACK DISPOSAL SERVICE INC.
 JUSTIN ROBERTS
 P. O. BOX 2491
 HOBBS NM, 88241
 Fax To: (575) 392-9376

Received:	04/16/2026	Sampling Date:	04/15/2026
Reported:	04/22/2026	Sampling Type:	Soil
Project Name:	OUTLAND 14/23 STATE BATTERY	Sampling Condition:	Cool & Intact
Project Number:	PRS - 148	Sample Received By:	Alyssa Parras
Project Location:	PERMIAN 32.485091-103.446193		

Sample ID: BT 1 (H262188-01)

BTEx 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	04/19/2026	ND	2.12	106	2.00	1.04		
Toluene*	<0.050	0.050	04/19/2026	ND	1.97	98.3	2.00	1.34		
Ethylbenzene*	<0.050	0.050	04/19/2026	ND	1.91	95.3	2.00	1.51		
Total Xylenes*	<0.150	0.150	04/19/2026	ND	5.54	92.3	6.00	1.67		
Total BTEX	<0.300	0.300	04/19/2026	ND						

Surrogate: 4-Bromofluorobenzene (PID) 96.5 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	04/17/2026	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: JF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	04/17/2026	ND	193	96.4	200	7.78	
DRO >C10-C28*	<10.0	10.0	04/17/2026	ND	182	91.1	200	14.4	
EXT DRO >C28-C36	<10.0	10.0	04/17/2026	ND					

Surrogate: 1-Chlorooctane 72.4 % 52.4-130

Surrogate: 1-Chlorooctadecane 65.3 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

QR-04	The RPD for the BS/BSD was outside of historical limits.
ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

A handwritten signature in black ink, appearing to read "Celey D. Keene", is written over a horizontal line.

Celey D. Keene, Lab Director/Quality Manager



101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

[illegible]

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS

Action 615954

QUESTIONS

Operator: Permian Resources Operating, LLC 300 N. Marienfeld St Ste 1000 Midland, TX 79701	OGRID: 372165
	Action Number: 615954
	Action Type: [C-141] Deferral Request C-141 (C-141-v-Deferral)

QUESTIONS

Prerequisites	
Incident ID (n#)	nAPP2512531470
Incident Name	NAPP2512531470 OUTLAND 14 23 STATE BATTERY @ FAPP2123833289
Incident Type	Produced Water Release
Incident Status	Deferral Request Received
Incident Facility	[fAPP2123833289] OUTLAND 14-23 STATE BATTERY

Location of Release Source	
<i>Please answer all the questions in this group.</i>	
Site Name	OUTLAND 14 23 STATE BATTERY
Date Release Discovered	05/05/2025
Surface Owner	State

Incident Details	
<i>Please answer all the questions in this group.</i>	
Incident Type	Produced Water Release
Did this release result in a fire or is the result of a fire	No
Did this release result in any injuries	No
Has this release reached or does it have a reasonable probability of reaching a watercourse	No
Has this release endangered or does it have a reasonable probability of endangering public health	No
Has this release substantially damaged or will it substantially damage property or the environment	No
Is this release of a volume that is or may with reasonable probability be detrimental to fresh water	No

Nature and Volume of Release	
<i>Material(s) released, please answer all that apply below. Any calculations or specific justifications for the volumes provided should be attached to the follow-up C-141 submission.</i>	
Crude Oil Released (bbls) Details	Not answered.
Produced Water Released (bbls) Details	Cause: Corrosion Pipeline (Any) Produced Water Released: 32 BBL Recovered: 25 BBL Lost: 7 BBL.
Is the concentration of chloride in the produced water >10,000 mg/l	No
Condensate Released (bbls) Details	Not answered.
Natural Gas Vented (Mcf) Details	Not answered.
Natural Gas Flared (Mcf) Details	Not answered.
Other Released Details	Not answered.
Are there additional details for the questions above (i.e. any answer containing Other, Specify, Unknown, and/or Fire, or any negative lost amounts)	Not answered.

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 2

Action 615954

QUESTIONS (continued)

Operator: Permian Resources Operating, LLC 300 N. Marienfeld St Ste 1000 Midland, TX 79701	OGRID: 372165
	Action Number: 615954
	Action Type: [C-141] Deferral Request C-141 (C-141-v-Deferral)

QUESTIONS

Nature and Volume of Release (continued)	
Is this a gas only submission (i.e. only significant Mcf values reported)	No, according to supplied volumes this does not appear to be a "gas only" report.
Was this a major release as defined by Subsection A of 19.15.29.7 NMAC	Yes
Reasons why this would be considered a submission for a notification of a major release	From paragraph A. "Major release" determine using: (1) an unauthorized release of a volume, excluding gases, of 25 barrels or more.
With the implementation of the 19.15.27 NMAC (05/25/2021), venting and/or flaring of natural gas (i.e. gas only) are to be submitted on the C-129 form.	

Initial Response

The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury.

The source of the release has been stopped	True
The impacted area has been secured to protect human health and the environment	True
Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices	True
All free liquids and recoverable materials have been removed and managed appropriately	True
If all the actions described above have not been undertaken, explain why	Not answered.

Per Paragraph (4) of Subsection B of 19.15.29.8 NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please prepare and attach a narrative of actions to date in the follow-up C-141 submission. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see Subparagraph (a) of Paragraph (5) of Subsection A of 19.15.29.11 NMAC), please prepare and attach all information needed for closure evaluation in the follow-up C-141 submission.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

I hereby agree and sign off to the above statement	Name: Matthew Taylor Title: Environmental Coordinator Email: matthew.taylor@permianres.com Date: 08/19/2026
--	--

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 3

Action 615954

QUESTIONS (continued)

Operator: Permian Resources Operating, LLC 300 N. Marienfeld St Ste 1000 Midland, TX 79701	OGRID: 372165
	Action Number: 615954
	Action Type: [C-141] Deferral Request C-141 (C-141-v-Deferral)

QUESTIONS

Site Characterization	
<i>Please answer all the questions in this group (only required when seeking remediation plan approval and beyond). This information must be provided to the appropriate district office no later than 90 days after the release discovery date.</i>	
What is the shallowest depth to groundwater beneath the area affected by the release in feet below ground surface (ft bgs)	Between 75 and 100 (ft.)
What method was used to determine the depth to ground water	NM OSE iWaters Database Search
Did this release impact groundwater or surface water	No
What is the minimum distance, between the closest lateral extents of the release and the following surface areas:	
A continuously flowing watercourse or any other significant watercourse	Between 1 and 5 (mi.)
Any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)	Between 1000 (ft.) and ½ (mi.)
An occupied permanent residence, school, hospital, institution, or church	Between 1 and 5 (mi.)
A spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes	Between 1 and 5 (mi.)
Any other fresh water well or spring	Between 1 and 5 (mi.)
Incorporated municipal boundaries or a defined municipal fresh water well field	Greater than 5 (mi.)
A wetland	Between ½ and 1 (mi.)
A subsurface mine	Greater than 5 (mi.)
An (non-karst) unstable area	Greater than 5 (mi.)
Categorize the risk of this well / site being in a karst geology	Low
A 100-year floodplain	Greater than 5 (mi.)
Did the release impact areas not on an exploration, development, production, or storage site	Yes

Remediation Plan	
<i>Please answer all the questions that apply or are indicated. This information must be provided to the appropriate district office no later than 90 days after the release discovery date.</i>	
Requesting a remediation plan approval with this submission	Yes
<i>Attach a comprehensive report demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined, pursuant to 19.15.29.11 NMAC and 19.15.29.13 NMAC.</i>	
Have the lateral and vertical extents of contamination been fully delineated	Yes
Was this release entirely contained within a lined containment area	No
Soil Contamination Sampling: (Provide the highest observable value for each, in milligrams per kilograms.)	
Chloride (EPA 300.0 or SM4500 Cl B)	5160
TPH (GRO+DRO+MRO) (EPA SW-846 Method 8015M)	843
GRO+DRO (EPA SW-846 Method 8015M)	709
BTEX (EPA SW-846 Method 8021B or 8260B)	10.5
Benzene (EPA SW-846 Method 8021B or 8260B)	0
<i>Per Subsection B of 19.15.29.11 NMAC unless the site characterization report includes completed efforts at remediation, the report must include a proposed remediation plan in accordance with 19.15.29.12 NMAC, which includes the anticipated timelines for beginning and completing the remediation.</i>	
On what estimated date will the remediation commence	02/19/2026
On what date will (or did) the final sampling or liner inspection occur	03/25/2026
On what date will (or was) the remediation complete(d)	03/25/2026
What is the estimated surface area (in square feet) that will be reclaimed	9448
What is the estimated volume (in cubic yards) that will be reclaimed	532
What is the estimated surface area (in square feet) that will be remediated	9448
What is the estimated volume (in cubic yards) that will be remediated	660
<i>These estimated dates and measurements are recognized to be the best guess or calculation at the time of submission and may (be) change(d) over time as more remediation efforts are completed.</i>	
<i>The OCD recognizes that proposed remediation measures may have to be minimally adjusted in accordance with the physical realities encountered during remediation. If the responsible party has any need to significantly deviate from the remediation plan proposed, then it should consult with the division to determine if another remediation plan submission is required.</i>	

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 4

Action 615954

QUESTIONS (continued)

Operator: Permian Resources Operating, LLC 300 N. Marienfeld St Ste 1000 Midland, TX 79701	OGRID: 372165
	Action Number: 615954
	Action Type: [C-141] Deferral Request C-141 (C-141-v-Deferral)

QUESTIONS

Remediation Plan (continued)	
<i>Please answer all the questions that apply or are indicated. This information must be provided to the appropriate district office no later than 90 days after the release discovery date.</i>	
This remediation will (or is expected to) utilize the following processes to remediate / reduce contaminants:	
<i>(Select all answers below that apply.)</i>	
(Ex Situ) Excavation and off-site disposal (i.e. dig and haul, hydrovac, etc.)	Yes
Which OCD approved facility will be used for off-site disposal	fEEM0112342028 LEA LAND LANDFILL
OR which OCD approved well (API) will be used for off-site disposal	Not answered.
OR is the off-site disposal site, to be used, out-of-state	Not answered.
OR is the off-site disposal site, to be used, an NMED facility	Not answered.
(Ex Situ) Excavation and on-site remediation (i.e. On-Site Land Farms)	Not answered.
(In Situ) Soil Vapor Extraction	Not answered.
(In Situ) Chemical processing (i.e. Soil Shredding, Potassium Permanganate, etc.)	Not answered.
(In Situ) Biological processing (i.e. Microbes / Fertilizer, etc.)	Not answered.
(In Situ) Physical processing (i.e. Soil Washing, Gypsum, Disking, etc.)	Not answered.
Ground Water Abatement pursuant to 19.15.30 NMAC	Not answered.
OTHER (Non-listed remedial process)	Not answered.
<i>Per Subsection B of 19.15.29.11 NMAC unless the site characterization report includes completed efforts at remediation, the report must include a proposed remediation plan in accordance with 19.15.29.12 NMAC, which includes the anticipated timelines for beginning and completing the remediation.</i>	
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.	
I hereby agree and sign off to the above statement	Name: Matthew Taylor Title: Environmental Coordinator Email: matthew.taylor@permianres.com Date: 08/19/2026
<i>The OCD recognizes that proposed remediation measures may have to be minimally adjusted in accordance with the physical realities encountered during remediation. If the responsible party has any need to significantly deviate from the remediation plan proposed, then it should consult with the division to determine if another remediation plan submission is required.</i>	

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 5

Action 615954

QUESTIONS (continued)

Operator: Permian Resources Operating, LLC 300 N. Marienfeld St Ste 1000 Midland, TX 79701	OGRID: 372165
	Action Number: 615954
	Action Type: [C-141] Deferral Request C-141 (C-141-v-Deferral)

QUESTIONS

Deferral Requests Only	
<i>Only answer the questions in this group if seeking a deferral upon approval this submission. Each of the following items must be confirmed as part of any request for deferral of remediation.</i>	
Requesting a deferral of the remediation closure due date with the approval of this submission	Yes
Have the lateral and vertical extents of contamination been fully delineated	Yes
Is the remaining contamination in areas immediately under or around production equipment where remediation could cause a major facility deconstruction	Yes
Please list or describe the production equipment and how (re)moving the equipment would cause major facility deconstruction	The removal of the separators, flare lines, and other above ground flowlines would result in a major facility deconstruction.
What is the remaining surface area (in square feet) that will still need to be remediated if a deferral is granted	1623
What is the remaining volume (in cubic yards) that will still need to be remediated if a deferral is granted	90
<i>Per Paragraph (2) of Subsection C of 19.15.29.12 NMAC if contamination is located in areas immediately under or around production equipment such as production tanks, wellheads and pipelines where remediation could cause a major facility deconstruction, the remediation, restoration and reclamation may be deferred with division written approval until the equipment is removed during other operations, or when the well or facility is plugged or abandoned, whichever comes first.</i>	
Enter the facility ID (f#) on which this deferral should be granted	fAPP2123833289 OUTLAND 14-23 STATE BATTERY
Enter the well API (30-) on which this deferral should be granted	Not answered.
Contamination does not cause an imminent risk to human health, the environment, or groundwater	True
<i>Per Subsection B of 19.15.29.11 NMAC unless the site characterization report includes completed efforts at remediation, the report must include a proposed remediation plan in accordance with 19.15.29.12 NMAC, which includes the anticipated timelines for beginning and completing the remediation.</i>	
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.	
I hereby agree and sign off to the above statement	Name: Matthew Taylor Title: Environmental Coordinator Email: matthew.taylor@permianres.com Date: 08/19/2026

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 6

Action 615954

QUESTIONS (continued)

Operator: Permian Resources Operating, LLC 300 N. Marienfeld St Ste 1000 Midland, TX 79701	OGRID: 372165
	Action Number: 615954
	Action Type: [C-141] Deferral Request C-141 (C-141-v-Deferral)

QUESTIONS

Sampling Event Information	
Last sampling notification (C-141N) recorded	565428
Sampling date pursuant to Subparagraph (a) of Paragraph (1) of Subsection D of 19.15.29.12 NMAC	03/25/2026
What was the (estimated) number of samples that were to be gathered	4
What was the sampling surface area in square feet	800

Remediation Closure Request	
Only answer the questions in this group if seeking remediation closure for this release because all remediation steps have been completed.	
Requesting a remediation closure approval with this submission	No

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/oed/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 615954

CONDITIONS

Operator: Permian Resources Operating, LLC 300 N. Marienfeld St Ste 1000 Midland, TX 79701	OGRID: 372165
	Action Number: 615954
	Action Type: [C-141] Deferral Request C-141 (C-141-v-Deferral)

CONDITIONS

Created By	Condition	Condition Date
scott.rodgers	Deferral approved. Deferral of DP01-DP08 is approved until plugging and abandonment or a major facility deconstruction, whichever comes first. A complete and accurate remediation report and/or reclamation report will need to be submitted at that time.	8/24/2026