

REMEDATION CLOSURE REPORT

INTRODUCTION

- Responsible Party: Maverick Permian, LLC
- Responsible Party and Document Submitter Contact Info:
 - Maverick Permian, LLC – Bryce Wagoner @ bwagoner@dgoc.com
 - KSUE Environmental, LLC – Tom Bynum @ tombynum@gmail.com
- Site Name: Leamex 32
- API #: 30-025-27651
- NMOCD Incident #: NAPP2616324498
- PLSS and County: F – 24 – 17S – 33E Lea County
- Latitude and Longitude: 32.82176°, -103.61733°
- Reason for the project: Remediation of release discovered on June 11, 2026

SITE/INCIDENT HISTORY

- NMOCD Records: An initial Notice of Release was submitted to the NMOCD on June 12, 2026, with the nature and volume of release being equipment failure of a production flowline; crude oil released was three barrels; produced water released was three barrels. No fluid was recovered. This NOR was approved by the NMOCD the same day.
- This well site has had no other reported releases and only one compliance violation for a new sign which was resolved on July 3, 2003.

BIOLOGICAL COMPLIANCE STATEMENT

Readily available data was reviewed to determine if the Site lies within biologically sensitive areas. The U.S. Fish and Wildlife Services (USFWS) Information for Planning and Consultation (IPaC) and the New Mexico Department of Game and Fish (NMDGF) Environmental Review Tool (ERT) were queried to determine if biologically sensitive wildlife or plant species are present at the Site. The Site is not located within biologically sensitive plant or animal habitats.

SITE CHARACTERIZATION INFORMATION

The Site is in Lea County, NM approximately eight and a half miles southeast of Maljamar, NM. The release area is in Unit F, Section 24, Township 17S, Range 33E, at GPS coordinates 32.82176° latitude and -103.61733° longitude. It can be accessed by the main lease road that travels from east to west. The nearest residence is between one half and one mile away.

Per the New Mexico Bureau of Geology and Mineral Resources, the geology in this area is Ogallala Formation. Alluvial and eolian deposits, and petrocalcic soils of the southern High Plains. Locally includes Qoa.

The soil in this area, according to the United States Department of Agriculture Natural Resources Conservation Service soil survey, is made up of 100% Kimbrough gravelly loam, dry, 0 to 3 percent slopes. The typical profiles are gravelly loam and loam. The drainage course for this soil type is well drained. The Site lies within a low karst potential zone and is greater than five miles away from the nearest medium karst zone.

According to the New Mexico Office of the State Engineer, depth to the nearest groundwater in this area is 180 feet below grade surface. This data was recorded from L-14594-POD1, in 2019, which is located approximately 0.46 miles away from the Site. According to the United States Geological Survey, well water data from USGS 324942103364501 17S.33E.13.43444 records depth to the nearest groundwater at 175 feet below grade surface, with the last gauge being conducted in 1990. This well is approximately 0.48 miles away from the Site.

The nearest surface water feature is an Unnamed Pond located approximately 6.56 miles away. The U.S. Fish and Wildlife Service National Wetlands Inventory identified the nearest wetland to be a Riverine that is approximately 0.2 miles southwest. According to FEMA's National Flood Hazard Layer search, the Site is situated in Zone D – Area of Undetermined Flood Hazard and is greater than five miles away from a recorded flood zone.

Closure criteria for this release area are as follows:

Benzene < 10 mg/kg; BTEX < 50 mg/kg; TPH (GRO+DRO+ORO) < 100 mg/kg; Chlorides < 600 mg/kg

REMEDIATION ACTIVITIES

On June 25, 2026, heavy equipment crews mobilized personnel and equipment to the site to begin remediation activities as per Maverick's request for an at-risk remediation. They began excavating the area utilizing mechanical equipment with the intent of removing all visibly contaminated soil.

As the excavation progressed, the total area affected by the release was calculated to be approximately 2,271 square feet. The total volume of contaminated soil removed was approximately 126 cubic yards.

On July 1, 2026, after the required sampling notification was submitted, 5-point composite confirmation soil samples were collected from the excavation. Twelve composite samples were collected from the base of the excavation while five composite samples were collected from the walls of the excavation.

Each confirmation sample collected represented no more than 200 square feet. All samples were put on ice, prepared for delivery, then delivered to Envirotech Analytical Laboratory where they were analyzed for all the constituents listed in Table 1 19.15.29.12 NMAC by the following methods:

- o Volatile Organics are tested by EPA 8021B
- o Nonhalogenated Organics are tested by EPA 8015D – GRO (C6-C10)
- o Nonhalogenated Organics are tested by EPA 8015D – DRO/ORO (C10-C28/C28-C36)
- o Anions are tested by EPA 300.0/9056A

On July 9, 2026, the analytical report for the confirmation sampling event was received and revealed contamination levels at sample points 3, 9, 10, and 11 were still over the regulatory limits of the closure criteria mentioned above. These sample points were advanced vertically, and an additional 15 cubic yards of contaminated soil were removed.

On July 16, 2026, after the required sampling notification was submitted, 5-point composite confirmation soil samples were collected from the advanced sample points. These samples were immediately put on ice, prepared for delivery, then delivered to Envirotech Analytical Laboratory where they were analyzed for all the constituents listed in Table 1 19.15.29.12 NMAC and by the methods mentioned above.

On July 24, 2026, the analytical report for the additional confirmation sampling event was received and revealed contamination levels at all sample points were now under the regulatory limits of the closure criteria mentioned above. The area was then backfilled and prepared for seeding and will be seeded with the approved seed mixture for Loamy (L) sites.

CONCLUSION

This Remediation Closure Report presents a comprehensive, detailed description of events for the remediation of the impacted material that was encountered. If this is acceptable, and it is agreed that Maverick has complied with all regulation requirements associated with this incident, then Maverick requests approval of this closure report for the remediation of incident ID NAPP2616324498.


ATTACHMENTS**Figures:**

- 1- Topographic Map
- 2- Location Map
- 3- Karst Potential Map
- 4- Confirmation Sample Map
- 5- Data Tables

Photographic Documentation**Biological Compliance Documentation****Site Characterization Documentation****Sampling Notifications****Analytical Reports**

Maverick Permian
API #30-025-27651
Lea County, NM
NAPP2616324498
Topographic Map

Leamex 32 POR




Leamex 32

Maverick Permian
API #30-025-27651
Lea County, NM
NAPP2616324498
Location Map

Legend

▲ Leamex 32 POR



Google Earth

Leamex 32

Maverick Permian
API #30-025-27651
Lea County, NM
NAPP2616324498
Karst Map

Legend

-  High Karst
-  Leamex 32 POR
-  Low Karst
-  Medium Karst

Leamex 32 POR 

Google Earth

Image © 2026 Airbus



3 mi

Leamex 32


Maverick Permian
API #30-025-27651
Lea County, NM
NAPP2616324498
Confirmation Sample Map

Legend

- 1.5' Excavation - 126 cubic yards
- 2' Excavation - 15 cubic yards
- Composite confirmation base samples
- Composite confirmation wall samples
- Leamex 32 POR

32.821817, -103.617298

Leamex 32 POR



Google Earth



100 ft

NMOCD Table 1 Closure Criteria 19.15.29 NMAC (Depth to Groundwater is >100')									
Maverick Permian - Leamex #32 - NAPP2616324498 - NM-Approved Laboratory Results									
Sample ID	Date	Depth (BGS)	Benzene mg/kg	BTEX mg/kg	GRO mg/kg	DRO mg/kg	ORO mg/kg	Total TPH mg/kg	Chlorides mg/kg
1-1.5'	7/1/2026	1.5'	ND	ND	ND	29.4	ND	29.4	27.7
2-1.5'	7/1/2026	1.5'	ND	ND	ND	ND	ND	ND	173
3-1.5'	7/1/2026	1.5'	ND	ND	ND	75.1	55.7	130.8	107
4-1.5'	7/1/2026	1.5'	ND	ND	ND	54.8	ND	54.8	172
5-1.5'	7/1/2026	1.5'	ND	ND	ND	31.1	ND	31.1	29.6
6-1.5'	7/1/2026	1.5'	ND	ND	ND	64.1	ND	64.1	134
7-1.5'	7/1/2026	1.5'	ND	ND	ND	ND	ND	ND	41.9
8-1.5'	7/1/2026	1.5'	ND	ND	ND	ND	ND	ND	179
9-1.5'	7/1/2026	1.5'	ND	ND	ND	316	204	520	246
10-1.5'	7/1/2026	1.5'	ND	ND	ND	75.5	57.4	132.9	76.9
11-1.5'	7/1/2026	1.5'	ND	ND	ND	279	182	461	199
12-1.5'	7/1/2026	1.5'	ND	ND	ND	ND	ND	ND	76.1
W1-1.5'	7/1/2026	1.5'	ND	ND	ND	ND	ND	ND	77
W2-1.5'	7/1/2026	1.5'	ND	ND	ND	ND	ND	ND	77.1
W3-1.5'	7/1/2026	1.5'	ND	ND	ND	ND	ND	ND	77.4
W4-1.5'	7/1/2026	1.5'	ND	ND	ND	ND	ND	ND	93
W5-1.5'	7/1/2026	1.5'	ND	ND	ND	ND	ND	ND	97

NMOCD Table 1 Closure Criteria 19.15.29 NMAC (Depth to Groundwater is >100')									
Maverick Permian - Leamex #32 - NAPP2616324498 - NM-Approved Laboratory Results									
Sample ID	Date	Depth (BGS)	Benzene mg/kg	BTEX mg/kg	GRO mg/kg	DRO mg/kg	ORO mg/kg	Total TPH mg/kg	Chlorides mg/kg
3-2'	7/16/2026	2'	ND	ND	ND	ND	ND	ND	ND
9-2'	7/16/2026	2'	ND	ND	ND	ND	ND	ND	ND
10-2'	7/16/2026	2'	ND	ND	ND	ND	ND	ND	ND
11-2'	7/16/2026	2'	ND	ND	ND	ND	ND	ND	ND

Initial Release 6/11/2026



Begin Excavation 6/25/2026




Complete backfill & seed 8/3/2026



Site Name	Leamex 32
Incident# or #'s	NAPP2616324498
Report Type:	Closure Report
What is the shallowest depth to groundwater beneath the area affected by the release in feet below ground surface (ft bgs)	Between 100 and 500 (ft.)
What method was used to determine the depth to ground water?	NM OSE iWaters Database Search
Did this release impact groundwater or surface water	No
What is the minimum distance, between the closest lateral extents of the release and the following surface areas:	
A continuously flowing watercourse or any other significant watercourse	Between 1000 and 1/2 mile
Any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)	Between 1000 and 1/2 mile
An occupied permanent residence, school, hospital, institution, or church	Between 1/2 and 1 mile
A spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes	Between 1000 and 1/2 mile
Any other fresh water well or spring	Between 1000 and 1/2 mile
Incorporated municipal boundaries or a defined municipal fresh water well field	Between 1 and 5 miles
A wetland	Between 1000 and 1/2 mile
A subsurface mine	Greater than 5 miles
An (non-karst) unstable area	Greater than 5 miles
Categorize the risk of this well / site being in a karst geology	Low
A 100-year floodplain	Greater than 5 miles
Did the release impact areas not on an exploration, development, production, or storage site	Yes
Requesting a remediation plan approval with this submission	Yes
Have the lateral and vertical extents of contamination been fully delineated	Yes
Was this release entirely contained within a lined containment area	No
Sampling Values	
Chloride	246
TPH (GRO+DRO+MRO)	520
GRO+DRO	316
BTEX	0
Benzene	0
On what estimated date will the remediation commence	6/25/2026
On what date will (or did) the final sampling or liner inspection occur	7/16/2026
On what date will (or was) the remediation complete(d)	8/3/2026
What is the estimated surface area (in square feet) that will be reclaimed	2,271
What is the estimated volume (in cubic yards) that will be reclaimed	141
What is the estimated surface area (in square feet) that will be remediated	2,271
What is the estimated volume (in cubic yards) that will be remediated	141
Is (or was) there affected material present needing to be removed	X
Is (or was) there a power wash of the lined containment area (to be) performed	
OTHER (Non-listed remedial process)	
(Ex Situ) Excavation and off-site disposal (i.e. dig and haul, hydrovac, etc.)	X - R360 Half-Way Site
(Ex Situ) Excavation and on-site remediation (i.e. On-Site Land Farms)	
(In Situ) Soil Vapor Extraction	
(In Situ) Chemical processing (i.e. Soil Shredding, Potassium Permanganate, etc.)	
(In Situ) Biological processing (i.e. Microbes / Fertilizer, etc.)	
(In Situ) Physical processing (i.e. Soil Washing, Gypsum, Disking, etc.)	
Ground Water Abatement pursuant to 19.15.30 NMAC	
OTHER (Non-listed remedial process)	


Deferral Requests	
Have the lateral and vertical extents of contamination been fully delineated	
Is the remaining contamination in areas immediately under or around production equipment where remediation could cause a major facility deconstruction	If YES > Please list or describe the production equipment and how (re)moving the equipment would cause major facility deconstruction
What is the remaining surface area (in square feet) that will still need to be remediated if a deferral is granted	
What is the remaining volume (in cubic yards) that will still need to be remediated if a deferral is granted	
Enter the facility ID (f#) on which this deferral should be granted, or API.	
Enter the well API (30-) on which this deferral should be granted	
Contamination does not cause an imminent risk to human health, the environment, or groundwater	
Remediation Closure Requests (Report must include Closure Request: Scaled Site Map, Photographs,	
Have the lateral and vertical extents of contamination been fully delineated	Yes
Was this release entirely contained within a lined containment area	No
All areas reasonably needed for production or subsequent drilling operations have been stabilized, returned to the sites existing grade, and have a soil cover that prevents ponding of water, minimizing dust and erosion	Yes
What was the total surface area (in square feet) remediated	2,271
What was the total volume (cubic yards) remediated	141
All areas not reasonably needed for production or subsequent drilling operations have been reclaimed to contain a minimum of four feet of non-waste contain earthen material with concentrations less than 600 mg/kg chlorides, 100 mg/kg TPH, 50 mg/kg BTEX, and 10 mg/kg Benzene	Yes
What was the total surface area (in square feet) reclaimed	2271
What was the total volume (in cubic yards) reclaimed	141
Summarize any additional remediation activities not included by answers (above)	DTGW = >100 feet

Special Status Plant/Wildlife Map



6/12/2026

-  Dunes Sage Brush Lizard Habitat
-  Isolated Population Area
-  Lesser Prairie Chicken Habitat
-  Lesser Prairie Chicken TR
-  Habitat Evaluation Area



Bureau of Land Management - New Mexico State Office, Earthstar Geographics



New Mexico Office of the State Engineer

Water Column/Average Depth to Water

(A CLW##### in the POD suffix indicates the POD has been replaced & no longer serves a water right file.)

(R=POD has been replaced, O=orphaned, C=the file is closed)

(quarters are smallest to largest)

(meters)

(In feet)

POD Number	Code	Sub basin	County	Q64	Q16	Q4	Sec	Tws	Range	X	Y	Map	Distance	Well Depth	Depth Water	Water Column
L 14594 POD1		L	LE	SE	SE	SW	13	17S	33E	629386.9	3633116.3		743	300	180	120
L 01880 POD9		L	LE	SE	SW	SE	13	17S	33E	629828.4	3633044.5		781	260		
L 01880 POD9	R	L	LE	SE	SW	SE	13	17S	33E	629828.4	3633044.5		781	260		
L 01880 POD17		L	LE	SE	SW	SE	13	17S	33E	629834.6	3633042.4		782	280	189	91
L 01882		L	LE	SE	SW	SE	13	17S	33E	629785.0	3633112.0 *		820	245		
L 01882	R	L	LE	SE	SW	SE	13	17S	33E	629785.0	3633112.0 *		820	245		
L 01880		L	LE	SW	SE	SW	13	17S	33E	629082.5	3633180.7		878	245		
L 01880	R	L	LE	SW	SE	SW	13	17S	33E	629082.5	3633180.7		878	245		
L 01880 POD11		L	LE	SW	SE	SW	13	17S	33E	629099.3	3633191.1		881	280	185	95
L 01884		L	LE	NW	SE	SW	13	17S	33E	629181.0	3633306.0 *		964	250		
L 01884	R	L	LE	NW	SE	SW	13	17S	33E	629181.0	3633306.0 *		964	250		

Average Depth to Water: 184 feet

Minimum Depth: 180 feet

Maximum Depth: 189 feet

Record Count: 11

Basin/County Search:

County: LE

UTM Filters (in meters):

Easting: 629428.44

Northing: 3632373.50

Radius: 01000

* UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

Point of Diversion Summary

quarters are 1=NW 2=NE 3=SW 4=SE
quarters are smallest to largest

NAD83 UTM in meters

Well Tag	POD Nbr	Q64	Q16	Q4	Sec	Tws	Rng	X	Y	Map
NA	L 14594 POD1	SE	SE	SW	13	17S	33E	629386.9	3633116.3	

* UTM location was derived from PLSS - see Help

Driller License:	1261	Driller Company:	DARRELL CRASS DRILLING CO., INC		
Driller Name:	CRASS, DARRELL				
Drill Start Date:	2019-02-25	Drill Finish Date:	2019-02-28	Plug Date:	
Log File Date:	2019-05-13	PCW Rcv Date:		Source:	Shallow
Pump Type:		Pipe Discharge Size:		Estimated Yield:	
Casing Size:	8.62	Depth Well:	300	Depth Water:	180

Water Bearing Stratifications:

Top	Bottom	Description
180	200	Sandstone/Gravel/Conglomerate
200	240	Sandstone/Gravel/Conglomerate
240	260	Sandstone/Gravel/Conglomerate

Casing Perforations:

Top	Bottom
160	260

Meter Information

Meter Number:	19933	Meter Make:	OCTAVE
Meter Serial Number:	21116365	Meter Multiplier:	1.0000
Number of Dials:	9	Meter Type:	Diversion
Unit of Measure:	Gallons	Reading Frequency:	Monthly

Meter Readings (in Acre-Feet)

Read Date	Year	Mtr Reading	Flag	Rdr	Comment	Mtr Amount	Online
2019-06-30	2019	103147.000	A	RPT	initial reading	0.000	
2019-07-31	2019	150160.000	A	RPT		14.428	
2019-08-31	2019	196658.000	A	RPT		14.270	
2019-09-30	2019	241252.000	A	RPT		13.685	
2019-10-31	2019	384674.000	A	RPT		44.015	
2019-12-31	2019	497548.000	A	RPT		34.640	
2020-01-31	2020	556980.000	A	RPT		18.239	
2020-03-31	2020	667857.000	A	RPT		34.027	
2020-04-30	2020	736380.000	A	RPT		21.029	
2020-05-31	2020	786938.000	A	RPT		15.516	
2020-08-31	2020	955102.000	A	RPT		51.608	
2020-09-30	2020	1014048.000	A	RPT		18.090	
2020-10-31	2020	1064590.000	A	RPT		15.511	
2020-11-30	2020	1123471.000	A	RPT		18.070	
2020-12-31	2020	1159572.000	A	RPT		11.079	
2021-03-31	2021	1347616.000	A	RPT		57.709	
2021-04-30	2021	1450797.000	A	RPT		31.665	
2021-05-31	2021	1543582.000	A	RPT		28.475	
2021-06-30	2021	1655239.000	A	RPT		34.266	
2021-07-31	2021	1761485.000	A	RPT		32.606	
2021-08-31	2021	1884431.000	A	RPT		37.731	
2021-09-30	2021	1994810.000	A	RPT		33.874	
2021-10-31	2021	2090551.000	A	RPT		29.382	
2021-11-30	2021	2188943.000	A	RPT		30.195	
2021-12-31	2021	2293377.000	A	RPT		32.050	
2022-01-31	2022	2420779.000	A	RPT		39.098	
2022-02-28	2022	2509811.000	A	RPT		27.323	
2022-03-31	2022	2611268.000	A	RPT		31.136	
2022-06-30	2022	2672116.000	A	RPT		18.674	

Read Date	Year	Mtr Reading	Flag	Rdr	Comment	Mtr Amount	Online
2022-08-31	2022	2672116.000	A	dd		0.000	
2022-09-30	2022	2672116.000	A	dd		0.000	
2022-10-31	2022	2672116.000	A	dd		0.000	
2022-11-30	2022	2672116.000	A	dd		0.000	
2022-12-31	2022	2672116.000	A	RPT		0.000	
2023-01-31	2023	2672116.000	A	RPT		0.000	
2023-02-28	2023	2672116.000	A	RPT		0.000	
2023-03-31	2023	2672116.000	A	RPT		0.000	
2023-04-30	2023	2672116.000	A	jb		0.000	
2023-05-31	2023	2672141.000	A	jb		0.008	
2023-07-31	2023	2672278.000	A	jb		0.042	
2023-08-31	2023	2672278.000	A	jb		0.000	
2023-09-22	2023	2672278.000	A	jb		0.000	
2023-09-30	2023	0.000	A	jb		0.000	
2023-10-31	2023	0.000	A	jb		0.000	
2023-12-31	2023	0.000	A	RPT		0.000	
2024-02-29	2024	0.000	A	RPT		0.000	

YTD Meter Amounts:

Year	Amount
2019	121.038
2020	203.169
2021	347.953
2022	116.231
2023	0.050
2024	0.000

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

6/12/26 9:18 AM MST

Point of Diversion Summary


©2024 New Mexico Office of the State Engineer, All Rights Reserved. | [Disclaimer](#) | [Contact Us](#) | [Help](#) | [Home](#) |

Leamex 32

Maverick Permian
API #30-025-27651
Lea County, NM
NAPP2616324498
NMOSE POD Map

Legend

- 0.46 Miles
- L-14594-POD1
- Leamex 32 POR



Google Earth

Monitoring location

17S.33E.13.43444 - USGS-324942103364501

☐ 1 year

☐ 10 years

☒ Period of record

Scale


Linear

Log

Field measurements

17S.33E.13.43444 - USGS-324942103364501

November 17, 1948 - June 12, 2026
Depth to water level, feet below land surface



IMPORTANT Data may be [provisional](#)

Show legend ▾

Hide graph details ^

	Value	Status	
	Selected field measurement 175.72	Approved Static	Dec 11, 1990 05:00:00 AM MST

Hide graph details ^

Change time span

Download data

View tabular data

Available data

Select data types to graph from categories based on the way the data were collected.
[Learn about the data collection categories](#)

Expand all data collections

Continuous data
0 data types available

Daily data
0 data types available

Field measurements
3 data types available - data from 1948-11-17 to 1990-12-11

Show these data types

Discrete sample data
0 observed properties (data types) available

Questions or Comments

Statistical tables for select daily data types
0 data types available


Location details and information

Show location details

Monitoring locations with continuous data in last 120 days

No locations found

Zoom out to see link to My Favorites
[Use Explore USGS Water Data to discover additional data near this location](#)



Interested in understanding how to access the upstream/downstream data? [Learn about the Network-Linked Data Index \(NLDI\)](#)



National Water Information System: Mapper



Leamex 32

Maverick Permian
API #30-025-27651
Lea County, NM
NAPP2616324498
Surface Water Map

Legend

- 6.56 Miles
- Leamex 32 POR
- Unnamed Pond

Leamex 32 POR

Unnamed Pond

Buckeye

Google Earth

3 mi



National Flood Hazard Layer FIRMette



103°37'20"W 32°49'33"N



0 250 500 1,000 1,500 2,000 Feet

1:6,000

103°36'42"W 32°49'3"N

Released to Imaging: 9/2/2026 3:38:24 PM

Basemap Imagery Source: USGS National Map 2023

Legend

SEE FIS REPORT FOR DETAILED LEGEND AND INDEX MAP FOR FIRM PANEL LAYOUT

SPECIAL FLOOD HAZARD AREAS		Without Base Flood Elevation (BFE) Zone A, V, A99
		With BFE or Depth Zone AE, AO, AH, VE, AR
		Regulatory Floodway
OTHER AREAS OF FLOOD HAZARD		0.2% Annual Chance Flood Hazard, Areas of 1% annual chance flood with average depth less than one foot or with drainage areas of less than one square mile Zone X
		Future Conditions 1% Annual Chance Flood Hazard Zone X
		Area with Reduced Flood Risk due to Levee. See Notes. Zone X
		Area with Flood Risk due to Levee Zone D
OTHER AREAS		NO SCREEN Area of Minimal Flood Hazard Zone X
		Effective LOMRs
		Area of Undetermined Flood Hazard Zone D
GENERAL STRUCTURES		Channel, Culvert, or Storm Sewer
		Levee, Dike, or Floodwall
OTHER FEATURES		20.2 Cross Sections with 1% Annual Chance Water Surface Elevation
		17.5 Cross Sections with 1% Annual Chance Water Surface Elevation
		Coastal Transect
		Base Flood Elevation Line (BFE)
		Limit of Study
		Jurisdiction Boundary
		Coastal Transect Baseline
MAP PANELS		Digital Data Available
		No Digital Data Available
		Unmapped



The pin displayed on the map is an approximate point selected by the user and does not represent an authoritative property location.

This map complies with FEMA's standards for the use of digital flood maps if it is not void as described below. The basemap shown complies with FEMA's basemap accuracy standards

The flood hazard information is derived directly from the authoritative NFHL web services provided by FEMA. This map was exported on 6/12/2026 at 3:30 PM and does not reflect changes or amendments subsequent to this date and time. The NFHL and effective information may change or become superseded by new data over time.

This map image is void if the one or more of the following map elements do not appear: basemap imagery, flood zone labels, legend, scale bar, map creation date, community identifiers, FIRM panel number, and FIRM effective date. Map images for unmapped and unmodernized areas cannot be used for regulatory purposes.



Wetlands Map



June 12, 2026

Wetlands

- Estuarine and Marine Deepwater
- Estuarine and Marine Wetland

- Freshwater Emergent Wetland
- Freshwater Forested/Shrub Wetland
- Freshwater Pond

- Lake
- Other
- Riverine

This map is for general reference only. The US Fish and Wildlife Service is not responsible for the accuracy or currentness of the base data shown on this map. All wetlands related data should be used in accordance with the layer metadata found on the Wetlands Mapper web site.

Map Unit Description: Kimbrough gravelly loam, dry, 0 to 3 percent slopes---Lea County, New Mexico

Lea County, New Mexico

KO—Kimbrough gravelly loam, dry, 0 to 3 percent slopes

Map Unit Setting

National map unit symbol: 2tw43

Landscape: Plateaus

Elevation: 2,500 to 4,800 feet

Mean annual precipitation: 14 to 16 inches

Mean annual air temperature: 57 to 63 degrees F

Frost-free period: 180 to 220 days

Farmland classification: Not prime farmland

Map Unit Composition

Kimbrough, dry, and similar soils: 80 percent

Minor components: 20 percent

Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Kimbrough, Dry

Setting

Landscape: Plateaus

Landform: Plains, Playa rims

Down-slope shape: Linear, convex

Across-slope shape: Linear, concave

Parent material: Loamy eolian deposits derived from sedimentary rock

Typical profile

A - 0 to 3 inches: gravelly loam

Bw - 3 to 10 inches: loam

Bkkm1 - 10 to 16 inches: cemented material

Bkkm2 - 16 to 80 inches: cemented material

Properties and qualities

Slope: 0 to 3 percent

Depth to restrictive feature: 4 to 18 inches to petrocalcic

Drainage class: Well drained

Runoff class: Very high

Capacity of the most limiting layer to transmit water (Ksat): Very low to moderately low (0.00 to 0.01 in/hr)

Depth to water table: More than 80 inches

Frequency of flooding: None

Frequency of ponding: None

Calcium carbonate, maximum content: 95 percent

Maximum salinity: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)

Sodium adsorption ratio, maximum: 1.0

Available water supply, 0 to 60 inches: Very low (about 1.4 inches)

Map Unit Description: Kimbrough gravelly loam, dry, 0 to 3 percent slopes---Lea County, New Mexico

Interpretive groups

Land capability classification (irrigated): None specified

Land capability classification (nonirrigated): 7s

Hydrologic Soil Group: D

Ecological site: R077DY049TX - Very Shallow 12-17" PZ

Hydric soil rating: No

Minor Components**Eunice**

Percent of map unit: 10 percent

Landscape: Plateaus

Landform: Plains

Down-slope shape: Linear

Across-slope shape: Convex

Ecological site: R077DY049TX - Very Shallow 12-17" PZ

Hydric soil rating: No

Spraberry

Percent of map unit: 6 percent

Landscape: Plateaus

Landform: Plains, Playa rims

Down-slope shape: Linear, convex

Across-slope shape: Linear

Ecological site: R077DY049TX - Very Shallow 12-17" PZ

Hydric soil rating: No

Kenhill

Percent of map unit: 4 percent

Landscape: Plateaus

Landform: Plains

Down-slope shape: Linear

Across-slope shape: Linear

Ecological site: R077DY038TX - Clay Loam 12-17" PZ


Hydric soil rating: No

Data Source Information

Soil Survey Area: Lea County, New Mexico

Survey Area Data: Version 22, Sep 9, 2025

Soil Map—Lea County, New Mexico



Natural Resources
Conservation Service

Web Soil Survey
National Cooperative Soil Survey

6/12/2026
Page 1 of 3

Soil Map—Lea County, New Mexico

MAP LEGEND

Area of Interest (AOI)

 Area of Interest (AOI)

Soils

 Soil Map Unit Polygons

 Soil Map Unit Lines

 Soil Map Unit Points

Special Point Features



Blowout



Borrow Pit



Clay Spot



Closed Depression



Gravel Pit



Gravelly Spot



Landfill



Lava Flow



Marsh or swamp



Mine or Quarry



Miscellaneous Water



Perennial Water



Rock Outcrop



Saline Spot



Sandy Spot



Severely Eroded Spot



Sinkhole



Slide or Slip



Sodic Spot



Spoil Area



Stony Spot



Very Stony Spot



Wet Spot



Other



Special Line Features

Water Features



Streams and Canals

Transportation



Rails



Interstate Highways



US Routes



Major Roads



Local Roads

Background



Aerial Photography

MAP INFORMATION

The soil surveys that comprise your AOI were mapped at 1:20,000.

Warning: Soil Map may not be valid at this scale.

Enlargement of maps beyond the scale of mapping can cause misunderstanding of the detail of mapping and accuracy of soil line placement. The maps do not show the small areas of contrasting soils that could have been shown at a more detailed scale.

Please rely on the bar scale on each map sheet for map measurements.

Source of Map: Natural Resources Conservation Service

Web Soil Survey URL:

Coordinate System: Web Mercator (EPSG:3857)

Maps from the Web Soil Survey are based on the Web Mercator projection, which preserves direction and shape but distorts distance and area. A projection that preserves area, such as the Albers equal-area conic projection, should be used if more accurate calculations of distance or area are required.

This product is generated from the USDA-NRCS certified data as of the version date(s) listed below.

Soil Survey Area: Lea County, New Mexico

Survey Area Data: Version 22, Sep 9, 2025

Soil map units are labeled (as space allows) for map scales 1:50,000 or larger.

Date(s) aerial images were photographed: Feb 7, 2020—May 12, 2020

The orthophoto or other base map on which the soil lines were compiled and digitized probably differs from the background imagery displayed on these maps. As a result, some minor shifting of map unit boundaries may be evident.

Map Unit Legend

Map Unit Symbol	Map Unit Name	Acres in AOI	Percent of AOI
KO	Kimbrough gravelly loam, dry, 0 to 3 percent slopes	2.3	100.0%
Totals for Area of Interest		2.3	100.0%

Leamex 32

Maverick Permian
API #30-025-27651
Lea County, NM
NAPP2616324498
Geologic Unit Map

Legend

-  Eolian and piedmont deposits
-  Leamex 32 POR
-  Ogallala Formation
-  Piedmont alluvial deposits

Leamex 32 POR 

Google Earth

3 mi



NMSLO Seed Mix**Loamy (L)****LOAMY (L) SITES SEED MIXTURE:**

COMMON NAME	VARIETY	APPLICATION RATE (PLS/Acre)	DRILL BOX
Grasses:			
Black grama	VNS, Southern	1.0	D
Blue grama	Lovington	1.0	D
Sideoats grama	Vaughn, El Reno	4.0	F
Sand dropseed	VNS, Southern	2.0	S
Alkali sacaton	VNS, Southern	1.0	
Little bluestem	Cimarron, Pastura	1.5	F
Forbs:			
Firewheel (<i>Gaillardia</i>)	VNS, Southern	1.0	D
Shrubs:			
Fourwing saltbush	Marana, Santa Rita	1.0	D
Common winterfat	VNS, Southern	0.5	F
Total PLS/acre		18.0	

S = Small seed drill box, D = Standard seed drill box, F = Fluffy seed drill box

VNS = Variety Not Stated, PLS = Pure Live Seed

- Seed mixes should be provided in bags separating seed types into the three categories: small (S), standard (D) and fluffy (F).
- VNS, Southern – Seed should be from a southern latitude collection of this species.
- Double seed application rate for broadcast or hydroseeding.
- If one species is not available, contact the SLO for an approved substitute; alternatively the SLO may require other species proportionately increased.
- Additional information on these seed species can be found on the USDA Plants Database website at <http://plants.usda.gov>.



Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS

Action 599990

QUESTIONS

Operator: Maverick Permian LLC 500 Dallas Street, Suite 2300 Houston, TX 77002	OGRID: 331199
	Action Number: 599990
	Action Type: [NOTIFY] Notification Of Sampling (C-141N)

QUESTIONS

Prerequisites	
Incident ID (n#)	nAPP2616324498
Incident Name	NAPP2616324498 LEAMEX 32 @ F-24-17S-33E
Incident Type	Release Other
Incident Status	Notification Accepted

Location of Release Source	
Site Name	Leamex 32
Date Release Discovered	06/11/2026
Surface Owner	Private

Sampling Event General Information	
Please answer all the questions in this group.	
What is the sampling surface area in square feet	2,271
What is the estimated number of samples that will be gathered	17
Sampling date pursuant to Subparagraph (a) of Paragraph (1) of Subsection D of 19.15.29.12 NMAC	07/01/2026
Time sampling will commence	11:00 AM
Please provide any information necessary for observers to contact samplers	Wild West (361) 219-2353
Please provide any information necessary for navigation to sampling site	32.821817, -103.617298

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 599990

CONDITIONS

Operator: Maverick Permian LLC 500 Dallas Street, Suite 2300 Houston, TX 77002	OGRID: 331199
	Action Number: 599990
	Action Type: [NOTIFY] Notification Of Sampling (C-141N)

CONDITIONS

Created By	Condition	Condition Date
cstraub	Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation closure samples not being accepted.	6/29/2026
cstraub	If confirmation sampling is going to take place over multiple days, individual C-141N applications must be submitted for each sampling date. Date ranges are not currently accepted on the C-141N application.	6/29/2026

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS

Action 604489

QUESTIONS

Operator: Maverick Permian LLC 500 Dallas Street, Suite 2300 Houston, TX 77002	OGRID: 331199
	Action Number: 604489
	Action Type: [NOTIFY] Notification Of Sampling (C-141N)

QUESTIONS

Prerequisites	
Incident ID (n#)	nAPP2616324498
Incident Name	NAPP2616324498 LEAMEX 32 @ F-24-17S-33E
Incident Type	Release Other
Incident Status	Notification Accepted

Location of Release Source	
Site Name	Leamex 32
Date Release Discovered	06/11/2026
Surface Owner	Private

Sampling Event General Information	
Please answer all the questions in this group.	
What is the sampling surface area in square feet	800
What is the estimated number of samples that will be gathered	4
Sampling date pursuant to Subparagraph (a) of Paragraph (1) of Subsection D of 19.15.29.12 NMAC	07/16/2026
Time sampling will commence	03:30 PM
Please provide any information necessary for observers to contact samplers	Wild West (361) 219-2353
Please provide any information necessary for navigation to sampling site	32.821817, -103.617298

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 604489

CONDITIONS

Operator: Maverick Permian LLC 500 Dallas Street, Suite 2300 Houston, TX 77002	OGRID: 331199
	Action Number: 604489
	Action Type: [NOTIFY] Notification Of Sampling (C-141N)

CONDITIONS

Created By	Condition	Condition Date
cterhune	Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation closure samples not being accepted.	7/14/2026
cterhune	If confirmation sampling is going to take place over multiple days, individual C-141N applications must be submitted for each sampling date. Date ranges are not currently accepted on the C-141N application.	7/14/2026



envirotech

Practical Solutions for a Better Tomorrow

Analytical Report

KSUE Environmental LLC

Report to: Tom Bynum

Project Name: Leamex #32

Work Order: E607017

Job Number: 25021-0001

Received: 7/5/2026

Revision: 1 7/9/26

Report Reviewed By:

Walter Hinchman
Laboratory Director

5796 U.S. Hwy 64
Farmington, NM 87401
Phone: (505) 632-1881



Envirotech Inc. certifies the test results meet all requirements of TNI unless noted otherwise.
Statement of Data Authenticity: Envirotech Inc. attests the data reported has not been altered in any way.
Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech Inc.
Envirotech Inc. holds the Utah TNI certification NM00979 for data reported.
Envirotech Inc. holds the Texas TNI certification T104704557 for data reported.

Table of Contents

Title Page	1
Cover Page	2
Table of Contents	2
Sample Summary	4
Sample Data	5
1-1.5'	5
2-1.5'	6
3-1.5'	7
4-1.5'	8
5-1.5'	9
6-1.5'	10
7-1.5'	11
8-1.5'	12
9-1.5'	13
10-1.5'	14
11-1.5'	15
12-1.5'	16
W1-1.5'	17
W2-1.5'	18
W3-1.5'	19
W4-1.5'	20
W5-1.5'	21
QC Summary Data	22
QC - Volatile Organics by EPA 8021B	22
QC - Nonhalogenated Organics by EPA 8015D - GRO	23

Table of Contents (continued)

QC - Nonhalogenated Organics by EPA 8015D - DRO/ORO	24
QC - Anions by EPA 300.0/9056A	25
Definitions and Notes	26
Chain of Custody etc.	27

Sample Summary

KSUE Environmental LLC	Project Name:	Leamex #32	Reported:
311 N Elm St	Project Number:	25021-0001	
Temple OK, 73568	Project Manager:	Tom Bynum	07/09/26 16:56

Client Sample ID	Lab Sample ID	Matrix	Sampled	Received	Container
1-1.5'	E607017-01A	Soil	07/01/26	07/05/26	Glass Jar, 2 oz.
2-1.5'	E607017-02A	Soil	07/01/26	07/05/26	Glass Jar, 2 oz.
3-1.5'	E607017-03A	Soil	07/01/26	07/05/26	Glass Jar, 2 oz.
4-1.5'	E607017-04A	Soil	07/01/26	07/05/26	Glass Jar, 2 oz.
5-1.5'	E607017-05A	Soil	07/01/26	07/05/26	Glass Jar, 2 oz.
6-1.5'	E607017-06A	Soil	07/01/26	07/05/26	Glass Jar, 2 oz.
7-1.5'	E607017-07A	Soil	07/01/26	07/05/26	Glass Jar, 2 oz.
8-1.5'	E607017-08A	Soil	07/01/26	07/05/26	Glass Jar, 2 oz.
9-1.5'	E607017-09A	Soil	07/01/26	07/05/26	Glass Jar, 2 oz.
10-1.5'	E607017-10A	Soil	07/01/26	07/05/26	Glass Jar, 2 oz.
11-1.5'	E607017-11A	Soil	07/01/26	07/05/26	Glass Jar, 2 oz.
12-1.5'	E607017-12A	Soil	07/01/26	07/05/26	Glass Jar, 2 oz.
W1-1.5'	E607017-13A	Soil	07/01/26	07/05/26	Glass Jar, 2 oz.
W2-1.5'	E607017-14A	Soil	07/01/26	07/05/26	Glass Jar, 2 oz.
W3-1.5'	E607017-15A	Soil	07/01/26	07/05/26	Glass Jar, 2 oz.
W4-1.5'	E607017-16A	Soil	07/01/26	07/05/26	Glass Jar, 2 oz.
W5-1.5'	E607017-17A	Soil	07/01/26	07/05/26	Glass Jar, 2 oz.



Sample Data

KSUE Environmental LLC
311 N Elm St
Temple OK, 73568

Project Name: Leamex #32
Project Number: 25021-0001
Project Manager: Tom Bynum

Reported:
7/9/2026 4:56:04PM

1-1.5' E607017-01

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B	mg/kg	mg/kg	Analyst: BA		Batch: 2628011	
Benzene	ND	0.0250	1	07/06/26	07/06/26	
Ethylbenzene	ND	0.0250	1	07/06/26	07/06/26	
Toluene	ND	0.0250	1	07/06/26	07/06/26	
o-Xylene	ND	0.0250	1	07/06/26	07/06/26	
p,m-Xylene	ND	0.0500	1	07/06/26	07/06/26	
Total Xylenes	ND	0.0250	1	07/06/26	07/06/26	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
		113 %	70-130	07/06/26	07/06/26	
Nonhalogenated Organics by EPA 8015D - GRO	mg/kg	mg/kg	Analyst: BA		Batch: 2628011	
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/06/26	07/06/26	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
		98.5 %	70-130	07/06/26	07/06/26	
Nonhalogenated Organics by EPA 8015D - DRO/ORO	mg/kg	mg/kg	Analyst: KH		Batch: 2628027	
Diesel Range Organics (C10-C28)	29.4	25.0	1	07/06/26	07/07/26	
Oil Range Organics (C28-C36)	ND	50.0	1	07/06/26	07/07/26	
<i>Surrogate: n-Nonane</i>						
		117 %	69-135	07/06/26	07/07/26	
Anions by EPA 300.0/9056A	mg/kg	mg/kg	Analyst: DT		Batch: 2628021	
Chloride	27.7	20.0	1	07/06/26	07/06/26	



Sample Data

KSUE Environmental LLC
311 N Elm St
Temple OK, 73568

Project Name: Leamex #32
Project Number: 25021-0001
Project Manager: Tom Bynum

Reported:
7/9/2026 4:56:04PM

2-1.5'

E607017-02

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg		Analyst: BA		Batch: 2628011
Benzene	ND	0.0250	1	07/06/26	07/06/26	
Ethylbenzene	ND	0.0250	1	07/06/26	07/06/26	
Toluene	ND	0.0250	1	07/06/26	07/06/26	
o-Xylene	ND	0.0250	1	07/06/26	07/06/26	
p,m-Xylene	ND	0.0500	1	07/06/26	07/06/26	
Total Xylenes	ND	0.0250	1	07/06/26	07/06/26	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
		112 %	70-130	07/06/26	07/06/26	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: BA		Batch: 2628011
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/06/26	07/06/26	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
		98.7 %	70-130	07/06/26	07/06/26	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: KH		Batch: 2628027
Diesel Range Organics (C10-C28)	ND	25.0	1	07/06/26	07/07/26	
Oil Range Organics (C28-C36)	ND	50.0	1	07/06/26	07/07/26	
<i>Surrogate: n-Nonane</i>						
		117 %	69-135	07/06/26	07/07/26	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: DT		Batch: 2628021
Chloride	173	20.0	1	07/06/26	07/06/26	



Sample Data

KSUE Environmental LLC
311 N Elm St
Temple OK, 73568

Project Name: Leamex #32
Project Number: 25021-0001
Project Manager: Tom Bynum

Reported:
7/9/2026 4:56:04PM

3-1.5'

E607017-03

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg	Analyst: BA		Batch: 2628011	
Benzene	ND	0.0250	1	07/06/26	07/06/26	
Ethylbenzene	ND	0.0250	1	07/06/26	07/06/26	
Toluene	ND	0.0250	1	07/06/26	07/06/26	
o-Xylene	ND	0.0250	1	07/06/26	07/06/26	
p,m-Xylene	ND	0.0500	1	07/06/26	07/06/26	
Total Xylenes	ND	0.0250	1	07/06/26	07/06/26	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
		112 %	70-130	07/06/26	07/06/26	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg	Analyst: BA		Batch: 2628011	
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/06/26	07/06/26	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
		97.7 %	70-130	07/06/26	07/06/26	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg	Analyst: KH		Batch: 2628027	
Diesel Range Organics (C10-C28)	75.1	25.0	1	07/06/26	07/07/26	
Oil Range Organics (C28-C36)	55.7	50.0	1	07/06/26	07/07/26	
<i>Surrogate: n-Nonane</i>						
		120 %	69-135	07/06/26	07/07/26	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg	Analyst: DT		Batch: 2628021	
Chloride	107	20.0	1	07/06/26	07/06/26	



Sample Data

KSUE Environmental LLC
311 N Elm St
Temple OK, 73568

Project Name: Leamex #32
Project Number: 25021-0001
Project Manager: Tom Bynum

Reported:
7/9/2026 4:56:04PM

4-1.5'

E607017-04

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg		Analyst: BA		Batch: 2628011
Benzene	ND	0.0250	1	07/06/26	07/06/26	
Ethylbenzene	ND	0.0250	1	07/06/26	07/06/26	
Toluene	ND	0.0250	1	07/06/26	07/06/26	
o-Xylene	ND	0.0250	1	07/06/26	07/06/26	
p,m-Xylene	ND	0.0500	1	07/06/26	07/06/26	
Total Xylenes	ND	0.0250	1	07/06/26	07/06/26	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
		113 %	70-130	07/06/26	07/06/26	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: BA		Batch: 2628011
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/06/26	07/06/26	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
		98.0 %	70-130	07/06/26	07/06/26	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: KH		Batch: 2628027
Diesel Range Organics (C10-C28)	54.8	25.0	1	07/06/26	07/07/26	
Oil Range Organics (C28-C36)	ND	50.0	1	07/06/26	07/07/26	
<i>Surrogate: n-Nonane</i>						
		119 %	69-135	07/06/26	07/07/26	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: DT		Batch: 2628021
Chloride	172	20.0	1	07/06/26	07/06/26	



Sample Data

KSUE Environmental LLC
311 N Elm St
Temple OK, 73568

Project Name: Leamex #32
Project Number: 25021-0001
Project Manager: Tom Bynum

Reported:
7/9/2026 4:56:04PM

5-1.5'

E607017-05

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg		Analyst: BA		Batch: 2628011
Benzene	ND	0.0250	1	07/06/26	07/06/26	
Ethylbenzene	ND	0.0250	1	07/06/26	07/06/26	
Toluene	ND	0.0250	1	07/06/26	07/06/26	
o-Xylene	ND	0.0250	1	07/06/26	07/06/26	
p,m-Xylene	ND	0.0500	1	07/06/26	07/06/26	
Total Xylenes	ND	0.0250	1	07/06/26	07/06/26	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
		113 %	70-130	07/06/26	07/06/26	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: BA		Batch: 2628011
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/06/26	07/06/26	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
		97.2 %	70-130	07/06/26	07/06/26	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: KH		Batch: 2628027
Diesel Range Organics (C10-C28)	31.1	25.0	1	07/06/26	07/07/26	
Oil Range Organics (C28-C36)	ND	50.0	1	07/06/26	07/07/26	
<i>Surrogate: n-Nonane</i>						
		117 %	69-135	07/06/26	07/07/26	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: DT		Batch: 2628021
Chloride	29.6	20.0	1	07/06/26	07/06/26	



Sample Data

KSUE Environmental LLC
311 N Elm St
Temple OK, 73568

Project Name: Leamex #32
Project Number: 25021-0001
Project Manager: Tom Bynum

Reported:
7/9/2026 4:56:04PM

6-1.5'

E607017-06

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg		Analyst: BA		Batch: 2628011
Benzene	ND	0.0250	1	07/06/26	07/06/26	
Ethylbenzene	ND	0.0250	1	07/06/26	07/06/26	
Toluene	ND	0.0250	1	07/06/26	07/06/26	
o-Xylene	ND	0.0250	1	07/06/26	07/06/26	
p,m-Xylene	ND	0.0500	1	07/06/26	07/06/26	
Total Xylenes	ND	0.0250	1	07/06/26	07/06/26	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
		113 %	70-130	07/06/26	07/06/26	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: BA		Batch: 2628011
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/06/26	07/06/26	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
		97.2 %	70-130	07/06/26	07/06/26	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: KH		Batch: 2628027
Diesel Range Organics (C10-C28)	64.1	25.0	1	07/06/26	07/08/26	
Oil Range Organics (C28-C36)	ND	50.0	1	07/06/26	07/08/26	
<i>Surrogate: n-Nonane</i>						
		120 %	69-135	07/06/26	07/08/26	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: DT		Batch: 2628021
Chloride	134	20.0	1	07/06/26	07/06/26	



Sample Data

KSUE Environmental LLC
311 N Elm St
Temple OK, 73568

Project Name: Leamex #32
Project Number: 25021-0001
Project Manager: Tom Bynum

Reported:
7/9/2026 4:56:04PM

7-1.5'

E607017-07

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg	Analyst: BA		Batch: 2628011	
Benzene	ND	0.0250	1	07/06/26	07/06/26	
Ethylbenzene	ND	0.0250	1	07/06/26	07/06/26	
Toluene	ND	0.0250	1	07/06/26	07/06/26	
o-Xylene	ND	0.0250	1	07/06/26	07/06/26	
p,m-Xylene	ND	0.0500	1	07/06/26	07/06/26	
Total Xylenes	ND	0.0250	1	07/06/26	07/06/26	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
		112 %	70-130	07/06/26	07/06/26	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg	Analyst: BA		Batch: 2628011	
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/06/26	07/06/26	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
		98.5 %	70-130	07/06/26	07/06/26	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg	Analyst: KH		Batch: 2628027	
Diesel Range Organics (C10-C28)	ND	25.0	1	07/06/26	07/08/26	
Oil Range Organics (C28-C36)	ND	50.0	1	07/06/26	07/08/26	
<i>Surrogate: n-Nonane</i>						
		121 %	69-135	07/06/26	07/08/26	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg	Analyst: DT		Batch: 2628021	
Chloride	41.9	20.0	1	07/06/26	07/06/26	



Sample Data

KSUE Environmental LLC
311 N Elm St
Temple OK, 73568

Project Name: Leamex #32
Project Number: 25021-0001
Project Manager: Tom Bynum

Reported:
7/9/2026 4:56:04PM

8-1.5'

E607017-08

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg		Analyst: BA		Batch: 2628011
Benzene	ND	0.0250	1	07/06/26	07/06/26	
Ethylbenzene	ND	0.0250	1	07/06/26	07/06/26	
Toluene	ND	0.0250	1	07/06/26	07/06/26	
o-Xylene	ND	0.0250	1	07/06/26	07/06/26	
p,m-Xylene	ND	0.0500	1	07/06/26	07/06/26	
Total Xylenes	ND	0.0250	1	07/06/26	07/06/26	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
		113 %	70-130	07/06/26	07/06/26	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: BA		Batch: 2628011
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/06/26	07/06/26	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
		99.0 %	70-130	07/06/26	07/06/26	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: KH		Batch: 2628027
Diesel Range Organics (C10-C28)	ND	25.0	1	07/06/26	07/08/26	
Oil Range Organics (C28-C36)	ND	50.0	1	07/06/26	07/08/26	
<i>Surrogate: n-Nonane</i>						
		120 %	69-135	07/06/26	07/08/26	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: DT		Batch: 2628021
Chloride	179	20.0	1	07/06/26	07/06/26	



Sample Data

KSUE Environmental LLC
311 N Elm St
Temple OK, 73568

Project Name: Leamex #32
Project Number: 25021-0001
Project Manager: Tom Bynum

Reported:
7/9/2026 4:56:04PM

9-1.5'

E607017-09

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg		Analyst: BA		Batch: 2628011
Benzene	ND	0.0250	1	07/06/26	07/06/26	
Ethylbenzene	ND	0.0250	1	07/06/26	07/06/26	
Toluene	ND	0.0250	1	07/06/26	07/06/26	
o-Xylene	ND	0.0250	1	07/06/26	07/06/26	
p,m-Xylene	ND	0.0500	1	07/06/26	07/06/26	
Total Xylenes	ND	0.0250	1	07/06/26	07/06/26	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
		111 %	70-130	07/06/26	07/06/26	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: BA		Batch: 2628011
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/06/26	07/06/26	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
		98.4 %	70-130	07/06/26	07/06/26	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: KH		Batch: 2628027
Diesel Range Organics (C10-C28)	316	25.0	1	07/06/26	07/08/26	
Oil Range Organics (C28-C36)	204	50.0	1	07/06/26	07/08/26	
<i>Surrogate: n-Nonane</i>						
		117 %	69-135	07/06/26	07/08/26	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: DT		Batch: 2628021
Chloride	246	20.0	1	07/06/26	07/06/26	



Sample Data

KSUE Environmental LLC
311 N Elm St
Temple OK, 73568

Project Name: Leamex #32
Project Number: 25021-0001
Project Manager: Tom Bynum

Reported:
7/9/2026 4:56:04PM

10-1.5'

E607017-10

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg		Analyst: BA		Batch: 2628011
Benzene	ND	0.0250	1	07/06/26	07/06/26	
Ethylbenzene	ND	0.0250	1	07/06/26	07/06/26	
Toluene	ND	0.0250	1	07/06/26	07/06/26	
o-Xylene	ND	0.0250	1	07/06/26	07/06/26	
p,m-Xylene	ND	0.0500	1	07/06/26	07/06/26	
Total Xylenes	ND	0.0250	1	07/06/26	07/06/26	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
		112 %	70-130	07/06/26	07/06/26	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: BA		Batch: 2628011
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/06/26	07/06/26	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
		98.1 %	70-130	07/06/26	07/06/26	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: KH		Batch: 2628027
Diesel Range Organics (C10-C28)	75.5	25.0	1	07/06/26	07/08/26	
Oil Range Organics (C28-C36)	57.4	50.0	1	07/06/26	07/08/26	
<i>Surrogate: n-Nonane</i>						
		114 %	69-135	07/06/26	07/08/26	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: DT		Batch: 2628021
Chloride	76.9	20.0	1	07/06/26	07/06/26	



Sample Data

KSUE Environmental LLC
311 N Elm St
Temple OK, 73568

Project Name: Leamex #32
Project Number: 25021-0001
Project Manager: Tom Bynum

Reported:
7/9/2026 4:56:04PM

11-1.5'

E607017-11

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg		Analyst: BA		Batch: 2628011
Benzene	ND	0.0250	1	07/06/26	07/06/26	
Ethylbenzene	ND	0.0250	1	07/06/26	07/06/26	
Toluene	ND	0.0250	1	07/06/26	07/06/26	
o-Xylene	ND	0.0250	1	07/06/26	07/06/26	
p,m-Xylene	ND	0.0500	1	07/06/26	07/06/26	
Total Xylenes	ND	0.0250	1	07/06/26	07/06/26	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
		110 %	70-130	07/06/26	07/06/26	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: BA		Batch: 2628011
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/06/26	07/06/26	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
		99.6 %	70-130	07/06/26	07/06/26	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: KH		Batch: 2628027
Diesel Range Organics (C10-C28)	279	25.0	1	07/06/26	07/08/26	
Oil Range Organics (C28-C36)	182	50.0	1	07/06/26	07/08/26	
<i>Surrogate: n-Nonane</i>						
		119 %	69-135	07/06/26	07/08/26	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: DT		Batch: 2628021
Chloride	199	20.0	1	07/06/26	07/06/26	



Sample Data

KSUE Environmental LLC
311 N Elm St
Temple OK, 73568

Project Name: Leamex #32
Project Number: 25021-0001
Project Manager: Tom Bynum

Reported:
7/9/2026 4:56:04PM

12-1.5'

E607017-12

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg	Analyst: BA		Batch: 2628011	
Benzene	ND	0.0250	1	07/06/26	07/06/26	
Ethylbenzene	ND	0.0250	1	07/06/26	07/06/26	
Toluene	ND	0.0250	1	07/06/26	07/06/26	
o-Xylene	ND	0.0250	1	07/06/26	07/06/26	
p,m-Xylene	ND	0.0500	1	07/06/26	07/06/26	
Total Xylenes	ND	0.0250	1	07/06/26	07/06/26	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
		109 %	70-130	07/06/26	07/06/26	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg	Analyst: BA		Batch: 2628011	
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/06/26	07/06/26	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
		99.1 %	70-130	07/06/26	07/06/26	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg	Analyst: KH		Batch: 2628027	
Diesel Range Organics (C10-C28)	ND	25.0	1	07/06/26	07/08/26	
Oil Range Organics (C28-C36)	ND	50.0	1	07/06/26	07/08/26	
<i>Surrogate: n-Nonane</i>						
		125 %	69-135	07/06/26	07/08/26	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg	Analyst: DT		Batch: 2628021	
Chloride	76.1	20.0	1	07/06/26	07/06/26	



Sample Data

KSUE Environmental LLC
311 N Elm St
Temple OK, 73568

Project Name: Leamex #32
Project Number: 25021-0001
Project Manager: Tom Bynum

Reported:
7/9/2026 4:56:04PM

W1-1.5'

E607017-13

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg		Analyst: BA		Batch: 2628011
Benzene	ND	0.0250	1	07/06/26	07/06/26	
Ethylbenzene	ND	0.0250	1	07/06/26	07/06/26	
Toluene	ND	0.0250	1	07/06/26	07/06/26	
o-Xylene	ND	0.0250	1	07/06/26	07/06/26	
p,m-Xylene	ND	0.0500	1	07/06/26	07/06/26	
Total Xylenes	ND	0.0250	1	07/06/26	07/06/26	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
		112 %	70-130	07/06/26	07/06/26	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: BA		Batch: 2628011
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/06/26	07/06/26	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
		98.8 %	70-130	07/06/26	07/06/26	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: KH		Batch: 2628027
Diesel Range Organics (C10-C28)	ND	25.0	1	07/06/26	07/08/26	
Oil Range Organics (C28-C36)	ND	50.0	1	07/06/26	07/08/26	
<i>Surrogate: n-Nonane</i>						
		117 %	69-135	07/06/26	07/08/26	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: DT		Batch: 2628021
Chloride	77.0	20.0	1	07/06/26	07/06/26	



Sample Data

KSUE Environmental LLC
311 N Elm St
Temple OK, 73568

Project Name: Leamex #32
Project Number: 25021-0001
Project Manager: Tom Bynum

Reported:
7/9/2026 4:56:04PM

W2-1.5'

E607017-14

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg		Analyst: BA		Batch: 2628011
Benzene	ND	0.0250	1	07/06/26	07/06/26	
Ethylbenzene	ND	0.0250	1	07/06/26	07/06/26	
Toluene	ND	0.0250	1	07/06/26	07/06/26	
o-Xylene	ND	0.0250	1	07/06/26	07/06/26	
p,m-Xylene	ND	0.0500	1	07/06/26	07/06/26	
Total Xylenes	ND	0.0250	1	07/06/26	07/06/26	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
		111 %	70-130	07/06/26	07/06/26	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: BA		Batch: 2628011
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/06/26	07/06/26	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
		98.9 %	70-130	07/06/26	07/06/26	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: KH		Batch: 2628027
Diesel Range Organics (C10-C28)	ND	25.0	1	07/06/26	07/08/26	
Oil Range Organics (C28-C36)	ND	50.0	1	07/06/26	07/08/26	
<i>Surrogate: n-Nonane</i>						
		116 %	69-135	07/06/26	07/08/26	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: DT		Batch: 2628021
Chloride	77.1	20.0	1	07/06/26	07/06/26	



Sample Data

KSUE Environmental LLC
311 N Elm St
Temple OK, 73568

Project Name: Leamex #32
Project Number: 25021-0001
Project Manager: Tom Bynum

Reported:
7/9/2026 4:56:04PM

W3-1.5'

E607017-15

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg	Analyst: BA		Batch: 2628011	
Benzene	ND	0.0250	1	07/06/26	07/06/26	
Ethylbenzene	ND	0.0250	1	07/06/26	07/06/26	
Toluene	ND	0.0250	1	07/06/26	07/06/26	
o-Xylene	ND	0.0250	1	07/06/26	07/06/26	
p,m-Xylene	ND	0.0500	1	07/06/26	07/06/26	
Total Xylenes	ND	0.0250	1	07/06/26	07/06/26	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
		109 %	70-130	07/06/26	07/06/26	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg	Analyst: BA		Batch: 2628011	
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/06/26	07/06/26	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
		98.2 %	70-130	07/06/26	07/06/26	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg	Analyst: KH		Batch: 2628027	
Diesel Range Organics (C10-C28)	ND	25.0	1	07/06/26	07/08/26	
Oil Range Organics (C28-C36)	ND	50.0	1	07/06/26	07/08/26	
<i>Surrogate: n-Nonane</i>						
		121 %	69-135	07/06/26	07/08/26	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg	Analyst: DT		Batch: 2628021	
Chloride	77.4	20.0	1	07/06/26	07/06/26	



Sample Data

KSUE Environmental LLC
311 N Elm St
Temple OK, 73568

Project Name: Leamex #32
Project Number: 25021-0001
Project Manager: Tom Bynum

Reported:
7/9/2026 4:56:04PM

W4-1.5'

E607017-16

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg		Analyst: BA		Batch: 2628011
Benzene	ND	0.0250	1	07/06/26	07/06/26	
Ethylbenzene	ND	0.0250	1	07/06/26	07/06/26	
Toluene	ND	0.0250	1	07/06/26	07/06/26	
o-Xylene	ND	0.0250	1	07/06/26	07/06/26	
p,m-Xylene	ND	0.0500	1	07/06/26	07/06/26	
Total Xylenes	ND	0.0250	1	07/06/26	07/06/26	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
		109 %	70-130	07/06/26	07/06/26	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: BA		Batch: 2628011
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/06/26	07/06/26	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
		98.4 %	70-130	07/06/26	07/06/26	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: KH		Batch: 2628027
Diesel Range Organics (C10-C28)	ND	25.0	1	07/06/26	07/08/26	
Oil Range Organics (C28-C36)	ND	50.0	1	07/06/26	07/08/26	
<i>Surrogate: n-Nonane</i>						
		123 %	69-135	07/06/26	07/08/26	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: DT		Batch: 2628021
Chloride	93.0	20.0	1	07/06/26	07/06/26	



Sample Data

KSUE Environmental LLC
311 N Elm St
Temple OK, 73568

Project Name: Leamex #32
Project Number: 25021-0001
Project Manager: Tom Bynum

Reported:
7/9/2026 4:56:04PM

W5-1.5'

E607017-17

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg		Analyst: BA		Batch: 2628011
Benzene	ND	0.0250	1	07/06/26	07/06/26	
Ethylbenzene	ND	0.0250	1	07/06/26	07/06/26	
Toluene	ND	0.0250	1	07/06/26	07/06/26	
o-Xylene	ND	0.0250	1	07/06/26	07/06/26	
p,m-Xylene	ND	0.0500	1	07/06/26	07/06/26	
Total Xylenes	ND	0.0250	1	07/06/26	07/06/26	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
		108 %	70-130	07/06/26	07/06/26	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: BA		Batch: 2628011
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/06/26	07/06/26	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
		98.6 %	70-130	07/06/26	07/06/26	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: KH		Batch: 2628027
Diesel Range Organics (C10-C28)	ND	25.0	1	07/06/26	07/08/26	
Oil Range Organics (C28-C36)	ND	50.0	1	07/06/26	07/08/26	
<i>Surrogate: n-Nonane</i>						
		120 %	69-135	07/06/26	07/08/26	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: DT		Batch: 2628021
Chloride	97.0	20.0	1	07/06/26	07/06/26	



QC Summary Data

KSUE Environmental LLC	Project Name:	Leamex #32	Reported:
311 N Elm St	Project Number:	25021-0001	
Temple OK, 73568	Project Manager:	Tom Bynum	7/9/2026 4:56:04PM

Volatile Organics by EPA 8021B

Analyst: BA

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

Blank (2628011-BLK1)

Prepared: 07/06/26 Analyzed: 07/06/26

Benzene	ND	0.0250							
Ethylbenzene	ND	0.0250							
Toluene	ND	0.0250							
o-Xylene	ND	0.0250							
p,m-Xylene	ND	0.0500							
Total Xylenes	ND	0.0250							
Surrogate: 4-Bromochlorobenzene-PID	8.61		8.00		108	70-130			

LCS (2628011-BS1)

Prepared: 07/06/26 Analyzed: 07/06/26

Benzene	4.38	0.0250	5.00		87.6	70-130			
Ethylbenzene	4.40	0.0250	5.00		88.1	70-130			
Toluene	4.48	0.0250	5.00		89.6	70-130			
o-Xylene	4.48	0.0250	5.00		89.5	70-130			
p,m-Xylene	8.96	0.0500	10.0		89.6	70-130			
Total Xylenes	13.4	0.0250	15.0		89.6	70-130			
Surrogate: 4-Bromochlorobenzene-PID	8.59		8.00		107	70-130			

Matrix Spike (2628011-MS1)

Source: E607017-12

Prepared: 07/06/26 Analyzed: 07/06/26

Benzene	4.61	0.0250	5.00	ND	92.2	70-130			
Ethylbenzene	4.63	0.0250	5.00	ND	92.6	70-130			
Toluene	4.71	0.0250	5.00	ND	94.2	70-130			
o-Xylene	4.71	0.0250	5.00	ND	94.2	70-130			
p,m-Xylene	9.40	0.0500	10.0	ND	94.0	70-130			
Total Xylenes	14.1	0.0250	15.0	ND	94.1	70-130			
Surrogate: 4-Bromochlorobenzene-PID	8.87		8.00		111	70-130			

Matrix Spike Dup (2628011-MSD1)

Source: E607017-12

Prepared: 07/06/26 Analyzed: 07/06/26

Benzene	4.40	0.0250	5.00	ND	88.0	70-130	4.70	20	
Ethylbenzene	4.45	0.0250	5.00	ND	89.0	70-130	3.95	20	
Toluene	4.51	0.0250	5.00	ND	90.1	70-130	4.45	20	
o-Xylene	4.53	0.0250	5.00	ND	90.7	70-130	3.87	20	
p,m-Xylene	9.04	0.0500	10.0	ND	90.4	70-130	3.92	20	
Total Xylenes	13.6	0.0250	15.0	ND	90.5	70-130	3.90	20	
Surrogate: 4-Bromochlorobenzene-PID	8.93		8.00		112	70-130			



QC Summary Data

KSUE Environmental LLC	Project Name:	Leamex #32	Reported:
311 N Elm St	Project Number:	25021-0001	
Temple OK, 73568	Project Manager:	Tom Bynum	7/9/2026 4:56:04PM

Nonhalogenated Organics by EPA 8015D - GRO

Analyst: BA

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

Blank (2628011-BLK1) Prepared: 07/06/26 Analyzed: 07/06/26

Gasoline Range Organics (C6-C10)	ND	20.0							
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.86		8.00		98.2	70-130			

LCS (2628011-BS2) Prepared: 07/06/26 Analyzed: 07/06/26

Gasoline Range Organics (C6-C10)	49.4	20.0	50.0		98.9	62-130			
Surrogate: 1-Chloro-4-fluorobenzene-FID	8.05		8.00		101	70-130			

Matrix Spike (2628011-MS2) Source: E607017-12 Prepared: 07/06/26 Analyzed: 07/06/26

Gasoline Range Organics (C6-C10)	48.8	20.0	50.0	ND	97.7	60-137			
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.95		8.00		99.4	70-130			

Matrix Spike Dup (2628011-MSD2) Source: E607017-12 Prepared: 07/06/26 Analyzed: 07/06/26

Gasoline Range Organics (C6-C10)	51.5	20.0	50.0	ND	103	60-137	5.35	20	
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.93		8.00		99.1	70-130			



QC Summary Data

KSUE Environmental LLC	Project Name:	Leamex #32	Reported:
311 N Elm St	Project Number:	25021-0001	
Temple OK, 73568	Project Manager:	Tom Bynum	7/9/2026 4:56:04PM

Nonhalogenated Organics by EPA 8015D - DRO/ORO

Analyst: KH

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

Blank (2628027-BLK1)					Prepared: 07/06/26 Analyzed: 07/07/26				
Diesel Range Organics (C10-C28)	ND	25.0							
Oil Range Organics (C28-C36)	ND	50.0							
Surrogate: n-Nonane	56.0		50.0		112	69-135			

LCS (2628027-BS1)					Prepared: 07/06/26 Analyzed: 07/07/26				
Diesel Range Organics (C10-C28)	249	25.0	250		99.4	70-131			
Surrogate: n-Nonane	56.3		50.0		113	69-135			

Matrix Spike (2628027-MS1)					Source: E607017-08		Prepared: 07/06/26 Analyzed: 07/07/26		
Diesel Range Organics (C10-C28)	268	25.0	250	ND	107	62-151			
Surrogate: n-Nonane	59.8		50.0		120	69-135			

Matrix Spike Dup (2628027-MSD1)					Source: E607017-08		Prepared: 07/06/26 Analyzed: 07/07/26		
Diesel Range Organics (C10-C28)	265	25.0	250	ND	106	62-151	1.35	20	
Surrogate: n-Nonane	58.7		50.0		117	69-135			



QC Summary Data

KSUE Environmental LLC	Project Name:	Leamex #32	Reported:
311 N Elm St	Project Number:	25021-0001	
Temple OK, 73568	Project Manager:	Tom Bynum	7/9/2026 4:56:04PM

Anions by EPA 300.0/9056A

Analyst: DT

Analyte	Result	Reporting Limit	Spike Level	Source Result	Rec	Rec Limits	RPD	RPD Limit	Notes
	mg/kg	mg/kg	mg/kg	mg/kg	%	%	%	%	

Blank (2628021-BLK1)					Prepared: 07/06/26 Analyzed: 07/06/26				
Chloride	ND	20.0							
LCS (2628021-BS1)					Prepared: 07/06/26 Analyzed: 07/06/26				
Chloride	254	20.0	250		101	90-110			
Matrix Spike (2628021-MS1)					Source: E607017-05		Prepared: 07/06/26 Analyzed: 07/06/26		
Chloride	286	20.0	250	29.6	103	80-120			
Matrix Spike Dup (2628021-MSD1)					Source: E607017-05		Prepared: 07/06/26 Analyzed: 07/06/26		
Chloride	286	20.0	250	29.6	102	80-120	0.128	20	

QC Summary Report Comment:
Calculations are based off of the raw (non-rounded) data. However, for reporting purposes all QC data is rounded to three significant figures.
Therefore, hand calculated values may differ slightly.



Definitions and Notes

KSUE Environmental LLC	Project Name:	Leamex #32	
311 N Elm St	Project Number:	25021-0001	Reported:
Temple OK, 73568	Project Manager:	Tom Bynum	07/09/26 16:56

- ND Analyte NOT DETECTED at or above the reporting limit
- NR Not Reported
- RPD Relative Percent Difference
- DNI Did Not Ignite
- DNR Did not react with the addition of acid or base.
- Note (1): Methods marked with ** are non-accredited methods.
- Note (2): Soil data is reported on an "as received" weight basis, unless reported otherwise.





Chain of Custody

Page 1 of 2

Client Information				Invoice Information		Lab Use Only		TAT				State								
Client: KSUE Environmental, LLC				Company: Wild West Services, LLC		Lab WO#	Job Number	1D	2D	3D	Std	NM	CO	UT	TX					
Project Name: Leamex #32				Bill Category: 1076		E607017	25021.0001				X	X								
Project Manager: Tom Bynum				Property Code: 1237365.01																
Address: 311 N Elm St				C/O: Jeremy Gonzales																
City, State, Zip: Temple, OK 73568				Email: wildwestservicesllc@gmail.com																
Phone: 580-748-1613				Miscellaneous: Project 4-134																
Email: tombynum@gmail.com																				
Sample Information						Analysis and Method								EPA Program						
Time Sampled	Date Sampled	Matrix	No. of Containers	Sample ID	Field Filter	Lab Number	DRO/DRO by 8015	GRO/DRO by 8015	BTEX by 8021	VOC by 8260	Chloride 300.0	TCED 1005 - TX	RCRA 8 Metals	BGDOC - NM	BGDOC - TX	SDWA	CWA	RCRA		
																	Compliance	Y	or	N
																	PWSID #			
																	Sample Temp			Remarks
11:00	7/1/2026	S	1	1 - 1.5'		1								X			4.7			
11:04	7/1/2026	S	1	2 - 1.5'		2								X			4.9			
11:08	7/1/2026	S	1	3 - 1.5'		3								X			4.9			
11:11	7/1/2026	S	1	4 - 1.5'		4								X			4.0			
11:15	7/1/2026	S	1	5 - 1.5'		5								X			4.0			
11:20	7/1/2026	S	1	6 - 1.5'		6								X			3.6			
11:24	7/1/2026	S	1	7 - 1.5'		7								X			3.5			
11:30	7/1/2026	S	1	8 - 1.5'		8								X			3.6			
11:36	7/1/2026	S	1	9 - 1.5'		9								X			4.2			
11:40	7/1/2026	S	1	10 - 1.5'		10								X			4.7			
Additional Instructions: NMOCD Incident ID NAPP2616324498																				
I, (field sampler), attest to the validity and authenticity of the sample. I am aware that tampering with or intentionally mislabeling the sample location, date or time of collection is considered fraud and may be grounds for legal action.																				
Sampled by: <u>Barbrie Cagle</u>																				
Relinquished by: (Signature)				Date		Time		Received by: (Signature)				Date		Time		Samples requiring thermal preservation must be received on ice the day they are sampled or received packed on ice at a temp above 0 but less than 6°C on subsequent days. Lab Use Only Received on ice: ☒ Y ☐ N				
<u>Barbrie Cagle</u>				7-2-26		1:00		<u>Michelle Gonzales</u>				7-2-26		1300						
Relinquished by: (Signature)				Date		Time		Received by: (Signature)				Date		Time						
<u>Michelle Gonzales</u>				7-2-26		1445		<u>Marissa Gonzales</u>				7-2-26		1445						
Relinquished by: (Signature)				Date		Time		Received by: (Signature)				Date		Time						
<u>Marissa Gonzales</u>				7-2-26		1920		<u>Johnny Archuleta</u>				7-2-26		1920						
Relinquished by: (Signature)				Date		Time		Received by: (Signature)				Date		Time						
<u>Johnny Archuleta</u>				7-2-26		2345		<u>Carla Mann</u>				7-5-26		1200						
Relinquished by: (Signature)				Date		Time		Received by: (Signature)				Date		Time						
Sample Matrix: S - Soil, Sd - Solid, Sg - Sludge, A - Aqueous, O - Other										Container Type: g - glass, p - poly/plastic, ag - amber glass, v - VOA										
Note: Samples are discarded 14 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at the client expense. The report for the analysis of the above samples is applicable only to those samples received by the laboratory with this COC. The liability of the laboratory is limited to the amount paid for on the report.																				



Chain of Custody

Page 2 of 2

Client Information				Invoice Information		Lab Use Only		TAT				State						
Client: KSUE Environmental, LLC				Company: Wild West Services, LLC		Lab WO#		1D 2D 3D Std				NM CO UT TX						
Project Name: Leamex #32				Bill Category: 1076		Job Number						X						
Project Manager: Tom Bynum				Property Code: 1237365.01		E607017		25021-0001										
Address: 311 N Elm St				C/O: Jeremy Gonzales														
City, State, Zip: Temple, OK 73568				Email: wildwestservicesllc@gmail.com														
Phone: 580-748-1613				Miscellaneous: Project 4-134														
Email: tombynum@gmail.com																		
Sample Information						Analysis and Method								EPA Program				
Time Sampled	Date Sampled	Matrix	No. of Containers	Sample ID	Field Filter	Lab Number	DRO/DRO by 8015	GRO/DRO by 8015	BTEX by 8021	VOC by 8260	Chloride 300.0	TCEQ 1005 - TX	RCRA 8 Metals	BGDQC - NM	BGDQC - TX	SDWA	CWA	RCRA
11:43	7/1/2026	S	1	11 - 1.5'		11								X				
11:45	7/1/2026	S	1	12 - 1.5'		12								X				
12:00	7/1/2026	S	1	W1 - 1.5'		13								X				
12:02	7/1/2026	S	1	W2 - 1.5'		14								X				
12:05	7/1/2026	S	1	W3 - 1.5'		15								X				
12:08	7/1/2026	S	1	W4 - 1.5'		16								X				
12:10	7/1/2026	S	1	W5 - 1.5'		17								X				
Additional Instructions: NMOCD Incident ID NAPP2616324498																		
I, (field sampler), attest to the validity and authenticity of this sample. I am aware that tampering with or intentionally mislabeling the sample location, date or time of collection is considered fraud and may be grounds for legal action.																		
Sampled by: <u>Bartine Cagle</u>																		
Relinquished by: (Signature) <u>Bartine Cagle</u>				Date <u>7-2-26</u>		Time <u>1:00</u>		Received by: (Signature) <u>Michelle Gonzales</u>				Date <u>7-2-26</u>		Time <u>1300</u>		Samples requiring thermal preservation must be received on ice the day they are sampled or received packed on ice at a temp above 0 but less than 6°C on subsequent days.		
Relinquished by: (Signature) <u>Michelle Gonzales</u>				Date <u>7-2-26</u>		Time <u>1445</u>		Received by: (Signature) <u>Marissa Gonzales</u>				Date <u>7-2-26</u>		Time <u>1445</u>				
Relinquished by: (Signature) <u>Marissa Gonzales</u>				Date <u>7-2-26</u>		Time <u>1920</u>		Received by: (Signature) <u>Johnny Archuleta</u>				Date <u>7-2-26</u>		Time <u>1920</u>				
Relinquished by: (Signature) <u>Johnny Archuleta</u>				Date <u>7-2-26</u>		Time <u>2345</u>		Received by: (Signature) <u>Carth Man</u>				Date <u>7-5-26</u>		Time <u>1200</u>				
Relinquished by: (Signature)				Date		Time		Received by: (Signature)				Date		Time		Lab Use Only		
																Received on ice: <u>(Y)</u> N		
Sample Matrix: S - Soil, sd - Solid, sg - Sludge, A - Aqueous, O - Other																		
Container Type: g - glass, p - poly/plastic, ag - amber glass, v - VOA																		
Note: Samples are discarded 14 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at the client expense. The report for the analysis of the above samples is applicable only to those samples received by the laboratory with this COC. The liability of the laboratory is limited to the amount paid for on the report.																		

Envirotech Analytical Laboratory

Printed: 7/6/2026 10:13:48AM

Sample Receipt Checklist (SRC)

Instructions: Please take note of any NO checkmarks.

If we receive no response concerning these items within 24 hours of the date of this notice, all the samples will be analyzed as requested.

Client:	KSUE Environmental LLC	Date Received:	07/05/26 12:00	Work Order ID:	E607017
Phone:	(580) 748-1613	Date Logged In:	07/05/26 12:40	Logged In By:	Caitlin Mars
Email:	tombynum@gmail.com	Due Date:	07/10/26 17:00 (4 day TAT)		

Chain of Custody (COC)

1. Does the sample ID match the COC? Yes
2. Does the number of samples per sampling site location match the COC? Yes
3. Were samples dropped off by client or carrier? Yes
4. Was the COC complete, i.e., signatures, dates/times, requested analyses? Yes
5. Were all samples received within holding time? Yes

Note: Analysis, such as pH which should be conducted in the field, i.e., 15 minute hold time, are not included in this discussion.

Carrier: CourierComments/ResolutionSample Turn Around Time (TAT)

6. Did the COC indicate standard TAT, or Expedited TAT? Yes

Sample Cooler

7. Was a sample cooler received? Yes
8. If yes, was cooler received in good condition? Yes
9. Was the sample(s) received intact, i.e., not broken? Yes
10. Were custody/security seals present? No
11. If yes, were custody/security seals intact? NA
12. Was the sample received on ice? Yes

Note: Thermal preservation is not required, if samples are received within 15 minutes of sampling

13. See COC for individual sample temps. Samples outside of 0°C-6°C will be recorded in comments.

Sample Container

14. Are aqueous VOC samples present? No
15. Are VOC samples collected in VOA Vials? NA
16. Is the head space less than 6-8 mm (pea sized or less)? NA
17. Was a trip blank (TB) included for VOC analyses? NA
18. Are non-VOC samples collected in the correct containers? Yes
19. Is the appropriate volume/weight or number of sample containers collected? Yes

Field Label

20. Were field sample labels filled out with the minimum information:
 - Sample ID? Yes
 - Date/Time Collected? Yes
 - Collectors name? No

Sample Preservation

21. Does the COC or field labels indicate the samples were preserved? No
22. Are sample(s) correctly preserved? NA
24. Is lab filtration required and/or requested for dissolved metals? No

Multiphase Sample Matrix

26. Does the sample have more than one phase, i.e., multiphase? No
27. If yes, does the COC specify which phase(s) is to be analyzed? NA

Subcontract Laboratory

28. Are samples required to get sent to a subcontract laboratory? No
29. Was a subcontract laboratory specified by the client and if so who? NA Subcontract Lab: NA

Client Instruction

Signature of client authorizing changes to the COC or sample disposition.

Date



envirotech Inc.



envirotech

Practical Solutions for a Better Tomorrow

Analytical Report

KSUE Environmental LLC

Report to: Tom Bynum

Project Name: Leamex #32

Work Order: E607174

Job Number: 25021-0001

Received: 7/20/2026

Revision: 1 7/24/26

Report Reviewed By:

Walter Hinchman
Laboratory Director

5796 U.S. Hwy 64
Farmington, NM 87401
Phone: (505) 632-1881



Envirotech Inc. certifies the test results meet all requirements of TNI unless noted otherwise.
Statement of Data Authenticity: Envirotech Inc. attests the data reported has not been altered in any way.
Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech Inc.
Envirotech Inc. holds the Utah TNI certification NM00979 for data reported.
Envirotech Inc. holds the Texas TNI certification T104704557 for data reported.

Table of Contents

Title Page	1
Cover Page	2
Table of Contents	2
Sample Summary	3
Sample Data	4
3-2'	4
9-2'	5
10-2'	6
11-2'	7
QC Summary Data	8
QC - Volatile Organics by EPA 8021B	8
QC - Nonhalogenated Organics by EPA 8015D - GRO	9
QC - Nonhalogenated Organics by EPA 8015D - DRO/ORO	10
QC - Anions by EPA 300.0/9056A	11
Definitions and Notes	12
Chain of Custody etc.	13

Sample Summary

KSUE Environmental LLC	Project Name:	Leamex #32	Reported: 07/24/26 09:24
311 N Elm St	Project Number:	25021-0001	
Temple OK, 73568	Project Manager:	Tom Bynum	

Client Sample ID	Lab Sample ID	Matrix	Sampled	Received	Container
3-2'	E607174-01A	Soil	07/16/26	07/20/26	Glass Jar, 2 oz.
9-2'	E607174-02A	Soil	07/16/26	07/20/26	Glass Jar, 2 oz.
10-2'	E607174-03A	Soil	07/16/26	07/20/26	Glass Jar, 2 oz.
11-2'	E607174-04A	Soil	07/16/26	07/20/26	Glass Jar, 2 oz.



Sample Data

KSUE Environmental LLC
311 N Elm St
Temple OK, 73568

Project Name: Leamex #32
Project Number: 25021-0001
Project Manager: Tom Bynum

Reported:
7/24/2026 9:24:13AM

3-2'

E607174-01

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B	mg/kg	mg/kg	Analyst: BA		Batch: 2630005	
Benzene	ND	0.0250	1	07/20/26	07/21/26	
Ethylbenzene	ND	0.0250	1	07/20/26	07/21/26	
Toluene	ND	0.0250	1	07/20/26	07/21/26	
o-Xylene	ND	0.0250	1	07/20/26	07/21/26	
p,m-Xylene	ND	0.0500	1	07/20/26	07/21/26	
Total Xylenes	ND	0.0250	1	07/20/26	07/21/26	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>		110 %	70-130	07/20/26	07/21/26	
Nonhalogenated Organics by EPA 8015D - GRO	mg/kg	mg/kg	Analyst: BA		Batch: 2630005	
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/20/26	07/21/26	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>		92.8 %	70-130	07/20/26	07/21/26	
Nonhalogenated Organics by EPA 8015D - DRO/ORO	mg/kg	mg/kg	Analyst: KH		Batch: 2630043	
Diesel Range Organics (C10-C28)	ND	25.0	1	07/21/26	07/22/26	
Oil Range Organics (C28-C36)	ND	50.0	1	07/21/26	07/22/26	
<i>Surrogate: n-Nonane</i>		104 %	69-135	07/21/26	07/22/26	
Anions by EPA 300.0/9056A	mg/kg	mg/kg	Analyst: BWD		Batch: 2630004	
Chloride	ND	20.0	1	07/20/26	07/20/26	



Sample Data

KSUE Environmental LLC
311 N Elm St
Temple OK, 73568

Project Name: Leamex #32
Project Number: 25021-0001
Project Manager: Tom Bynum

Reported:
7/24/2026 9:24:13AM

9-2'

E607174-02

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg	Analyst: BA		Batch: 2630005	
Benzene	ND	0.0250	1	07/20/26	07/21/26	
Ethylbenzene	ND	0.0250	1	07/20/26	07/21/26	
Toluene	ND	0.0250	1	07/20/26	07/21/26	
o-Xylene	ND	0.0250	1	07/20/26	07/21/26	
p,m-Xylene	ND	0.0500	1	07/20/26	07/21/26	
Total Xylenes	ND	0.0250	1	07/20/26	07/21/26	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
		110 %	70-130	07/20/26	07/21/26	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg	Analyst: BA		Batch: 2630005	
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/20/26	07/21/26	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
		94.0 %	70-130	07/20/26	07/21/26	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg	Analyst: KH		Batch: 2630043	
Diesel Range Organics (C10-C28)	ND	25.0	1	07/21/26	07/22/26	
Oil Range Organics (C28-C36)	ND	50.0	1	07/21/26	07/22/26	
<i>Surrogate: n-Nonane</i>						
		107 %	69-135	07/21/26	07/22/26	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg	Analyst: BWD		Batch: 2630004	
Chloride	ND	20.0	1	07/20/26	07/20/26	



Sample Data

KSUE Environmental LLC
311 N Elm St
Temple OK, 73568

Project Name: Leamex #32
Project Number: 25021-0001
Project Manager: Tom Bynum

Reported:
7/24/2026 9:24:13AM

10-2'

E607174-03

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg	Analyst: BA		Batch: 2630005	
Benzene	ND	0.0250	1	07/20/26	07/21/26	
Ethylbenzene	ND	0.0250	1	07/20/26	07/21/26	
Toluene	ND	0.0250	1	07/20/26	07/21/26	
o-Xylene	ND	0.0250	1	07/20/26	07/21/26	
p,m-Xylene	ND	0.0500	1	07/20/26	07/21/26	
Total Xylenes	ND	0.0250	1	07/20/26	07/21/26	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
	109 %	70-130		07/20/26	07/21/26	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg	Analyst: BA		Batch: 2630005	
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/20/26	07/21/26	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
	92.8 %	70-130		07/20/26	07/21/26	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg	Analyst: KH		Batch: 2630043	
Diesel Range Organics (C10-C28)	ND	25.0	1	07/21/26	07/22/26	
Oil Range Organics (C28-C36)	ND	50.0	1	07/21/26	07/22/26	
<i>Surrogate: n-Nonane</i>						
	106 %	69-135		07/21/26	07/22/26	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg	Analyst: BWD		Batch: 2630004	
Chloride	ND	20.0	1	07/20/26	07/20/26	



Sample Data

KSUE Environmental LLC
311 N Elm St
Temple OK, 73568

Project Name: Leamex #32
Project Number: 25021-0001
Project Manager: Tom Bynum

Reported:
7/24/2026 9:24:13AM

11-2'

E607174-04

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg	Analyst: BA		Batch: 2630005	
Benzene	ND	0.0250	1	07/20/26	07/21/26	
Ethylbenzene	ND	0.0250	1	07/20/26	07/21/26	
Toluene	ND	0.0250	1	07/20/26	07/21/26	
o-Xylene	ND	0.0250	1	07/20/26	07/21/26	
p,m-Xylene	ND	0.0500	1	07/20/26	07/21/26	
Total Xylenes	ND	0.0250	1	07/20/26	07/21/26	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
		110 %	70-130	07/20/26	07/21/26	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg	Analyst: BA		Batch: 2630005	
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/20/26	07/21/26	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
		91.9 %	70-130	07/20/26	07/21/26	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg	Analyst: KH		Batch: 2630043	
Diesel Range Organics (C10-C28)	ND	25.0	1	07/21/26	07/22/26	
Oil Range Organics (C28-C36)	ND	50.0	1	07/21/26	07/22/26	
<i>Surrogate: n-Nonane</i>						
		107 %	69-135	07/21/26	07/22/26	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg	Analyst: BWD		Batch: 2630004	
Chloride	ND	20.0	1	07/20/26	07/20/26	



QC Summary Data

KSUE Environmental LLC	Project Name:	Leamex #32	Reported:
311 N Elm St	Project Number:	25021-0001	
Temple OK, 73568	Project Manager:	Tom Bynum	7/24/2026 9:24:13AM

Volatile Organics by EPA 8021B

Analyst: BA

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

Blank (2630005-BLK1)

Prepared: 07/20/26 Analyzed: 07/20/26

Benzene	ND	0.0250							
Ethylbenzene	ND	0.0250							
Toluene	ND	0.0250							
o-Xylene	ND	0.0250							
p,m-Xylene	ND	0.0500							
Total Xylenes	ND	0.0250							
Surrogate: 4-Bromochlorobenzene-PID	8.51		8.00		106	70-130			

LCS (2630005-BS1)

Prepared: 07/20/26 Analyzed: 07/20/26

Benzene	4.28	0.0250	5.00		85.6	70-130			
Ethylbenzene	4.16	0.0250	5.00		83.3	70-130			
Toluene	4.33	0.0250	5.00		86.5	70-130			
o-Xylene	4.23	0.0250	5.00		84.7	70-130			
p,m-Xylene	8.48	0.0500	10.0		84.8	70-130			
Total Xylenes	12.7	0.0250	15.0		84.8	70-130			
Surrogate: 4-Bromochlorobenzene-PID	8.64		8.00		108	70-130			

Matrix Spike (2630005-MS1)

Source: E607170-10

Prepared: 07/20/26 Analyzed: 07/20/26

Benzene	4.93	0.0250	5.00	ND	98.6	70-130			
Ethylbenzene	4.78	0.0250	5.00	ND	95.6	70-130			
Toluene	4.93	0.0250	5.00	ND	98.6	70-130			
o-Xylene	4.86	0.0250	5.00	ND	97.2	70-130			
p,m-Xylene	9.68	0.0500	10.0	ND	96.8	70-130			
Total Xylenes	14.5	0.0250	15.0	ND	96.9	70-130			
Surrogate: 4-Bromochlorobenzene-PID	8.85		8.00		111	70-130			

Matrix Spike Dup (2630005-MSD1)

Source: E607170-10

Prepared: 07/20/26 Analyzed: 07/20/26

Benzene	4.66	0.0250	5.00	ND	93.1	70-130	5.69	20	
Ethylbenzene	4.53	0.0250	5.00	ND	90.6	70-130	5.29	20	
Toluene	4.65	0.0250	5.00	ND	93.1	70-130	5.72	20	
o-Xylene	4.62	0.0250	5.00	ND	92.4	70-130	5.06	20	
p,m-Xylene	9.20	0.0500	10.0	ND	92.0	70-130	5.14	20	
Total Xylenes	13.8	0.0250	15.0	ND	92.1	70-130	5.11	20	
Surrogate: 4-Bromochlorobenzene-PID	8.93		8.00		112	70-130			



QC Summary Data

KSUE Environmental LLC	Project Name:	Leamex #32	Reported:
311 N Elm St	Project Number:	25021-0001	
Temple OK, 73568	Project Manager:	Tom Bynum	7/24/2026 9:24:13AM

Nonhalogenated Organics by EPA 8015D - GRO

Analyst: BA

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

Blank (2630005-BLK1) Prepared: 07/20/26 Analyzed: 07/20/26

Gasoline Range Organics (C6-C10)	ND	20.0							
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.61		8.00		95.1	70-130			

LCS (2630005-BS2) Prepared: 07/20/26 Analyzed: 07/20/26

Gasoline Range Organics (C6-C10)	45.4	20.0	50.0		90.7	62-130			
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.62		8.00		95.3	70-130			

Matrix Spike (2630005-MS2) Source: E607170-10 Prepared: 07/20/26 Analyzed: 07/20/26

Gasoline Range Organics (C6-C10)	46.9	20.0	50.0	ND	93.7	60-137			
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.70		8.00		96.2	70-130			

Matrix Spike Dup (2630005-MSD2) Source: E607170-10 Prepared: 07/20/26 Analyzed: 07/20/26

Gasoline Range Organics (C6-C10)	53.2	20.0	50.0	ND	106	60-137	12.7	20	
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.71		8.00		96.4	70-130			



QC Summary Data

KSUE Environmental LLC	Project Name:	Leamex #32	Reported:
311 N Elm St	Project Number:	25021-0001	
Temple OK, 73568	Project Manager:	Tom Bynum	7/24/2026 9:24:13AM

Nonhalogenated Organics by EPA 8015D - DRO/ORO

Analyst: KH

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

Blank (2630043-BLK1)					Prepared: 07/21/26 Analyzed: 07/22/26				
Diesel Range Organics (C10-C28)	ND	25.0							
Oil Range Organics (C28-C36)	ND	50.0							
Surrogate: n-Nonane	51.2		50.0		102	69-135			

LCS (2630043-BS1)					Prepared: 07/21/26 Analyzed: 07/22/26				
Diesel Range Organics (C10-C28)	234	25.0	250		93.5	70-131			
Surrogate: n-Nonane	51.1		50.0		102	69-135			

Matrix Spike (2630043-MS1)					Source: E607176-04		Prepared: 07/21/26 Analyzed: 07/22/26		
Diesel Range Organics (C10-C28)	242	25.0	250	ND	96.7	62-151			
Surrogate: n-Nonane	52.1		50.0		104	69-135			

Matrix Spike Dup (2630043-MSD1)					Source: E607176-04		Prepared: 07/21/26 Analyzed: 07/22/26		
Diesel Range Organics (C10-C28)	243	25.0	250	ND	97.3	62-151	0.611	20	
Surrogate: n-Nonane	52.7		50.0		105	69-135			



QC Summary Data

KSUE Environmental LLC	Project Name:	Leamex #32	Reported:
311 N Elm St	Project Number:	25021-0001	
Temple OK, 73568	Project Manager:	Tom Bynum	7/24/2026 9:24:13AM

Anions by EPA 300.0/9056A

Analyst: BWD

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

Blank (2630004-BLK1)

Prepared: 07/20/26 Analyzed: 07/20/26

Chloride ND 20.0

LCS (2630004-BS1)

Prepared: 07/20/26 Analyzed: 07/20/26

Chloride 270 20.0 250 108 90-110

Matrix Spike (2630004-MS1)

Source: E607169-08

Prepared: 07/20/26 Analyzed: 07/20/26

Chloride 6220 100 250 5550 268 80-120 M4

Matrix Spike Dup (2630004-MSD1)

Source: E607169-08

Prepared: 07/20/26 Analyzed: 07/20/26

Chloride 6180 100 250 5550 252 80-120 0.623 20 M4

QC Summary Report Comment:

Calculations are based off of the raw (non-rounded) data. However, for reporting purposes all QC data is rounded to three significant figures. Therefore, hand calculated values may differ slightly.



Definitions and Notes

KSUE Environmental LLC	Project Name:	Leamex #32	
311 N Elm St	Project Number:	25021-0001	Reported:
Temple OK, 73568	Project Manager:	Tom Bynum	07/24/26 09:24

- M4 Matrix spike recovery value is suspect since the analyte concentration in the sample is disproportionate to the spike level. The associated LCS spike recovery was acceptable.
- ND Analyte NOT DETECTED at or above the reporting limit
- NR Not Reported
- RPD Relative Percent Difference
- DNI Did Not Ignite
- DNR Did not react with the addition of acid or base.

Note (1): Methods marked with ** are non-accredited methods.

Note (2): Soil data is reported on an "as received" weight basis, unless reported otherwise.





Chain of Custody

[illegible]

Envirotech Analytical Laboratory

Printed: 7/20/2026 8:45:12AM

Sample Receipt Checklist (SRC)

Instructions: Please take note of any NO checkmarks.

If we receive no response concerning these items within 24 hours of the date of this notice, all the samples will be analyzed as requested.

Client:	KSUE Environmental LLC	Date Received:	07/20/26 07:30	Work Order ID:	E607174
Phone:	(580) 748-1613	Date Logged In:	07/17/26 15:42	Logged In By:	Caitlin Mars
Email:	tombynum@gmail.com	Due Date:	07/24/26 17:00 (4 day TAT)		

Chain of Custody (COC)

1. Does the sample ID match the COC? Yes
2. Does the number of samples per sampling site location match the COC? Yes
3. Were samples dropped off by client or carrier? Yes
4. Was the COC complete, i.e., signatures, dates/times, requested analyses? Yes
5. Were all samples received within holding time? Yes

Note: Analysis, such as pH which should be conducted in the field, i.e., 15 minute hold time, are not included in this discussion.

Carrier: CourierComments/ResolutionSample Turn Around Time (TAT)

6. Did the COC indicate standard TAT, or Expedited TAT? Yes

Sample Cooler

7. Was a sample cooler received? Yes
8. If yes, was cooler received in good condition? Yes
9. Was the sample(s) received intact, i.e., not broken? Yes
10. Were custody/security seals present? No
11. If yes, were custody/security seals intact? NA
12. Was the sample received on ice? Yes

Note: Thermal preservation is not required, if samples are received within 15 minutes of sampling

13. See COC for individual sample temps. Samples outside of 0°C-6°C will be recorded in comments.

Sample Container

14. Are aqueous VOC samples present? No
15. Are VOC samples collected in VOA Vials? NA
16. Is the head space less than 6-8 mm (pea sized or less)? NA
17. Was a trip blank (TB) included for VOC analyses? NA
18. Are non-VOC samples collected in the correct containers? Yes
19. Is the appropriate volume/weight or number of sample containers collected? Yes

Field Label

20. Were field sample labels filled out with the minimum information:
 - Sample ID? Yes
 - Date/Time Collected? Yes
 - Collectors name? Yes

Sample Preservation

21. Does the COC or field labels indicate the samples were preserved? No
22. Are sample(s) correctly preserved? NA
24. Is lab filtration required and/or requested for dissolved metals? No

Multiphase Sample Matrix

26. Does the sample have more than one phase, i.e., multiphase? No
27. If yes, does the COC specify which phase(s) is to be analyzed? NA

Subcontract Laboratory

28. Are samples required to get sent to a subcontract laboratory? No
29. Was a subcontract laboratory specified by the client and if so who? NA Subcontract Lab: NA

Client Instruction

Signature of client authorizing changes to the COC or sample disposition.

Date



envirotech Inc.

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS

Action 620304

QUESTIONS

Operator: Maverick Permian LLC 500 Dallas Street, Suite 2300 Houston, TX 77002	OGRID: 331199
	Action Number: 620304
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

QUESTIONS

Prerequisites	
Incident ID (n#)	nAPP2616324498
Incident Name	NAPP2616324498 LEAMEX 32 @ F-24-17S-33E
Incident Type	Release Other
Incident Status	Remediation Closure Report Received

Location of Release Source

Please answer all the questions in this group.

Site Name	Leamex 32
Date Release Discovered	06/11/2026
Surface Owner	Private

Incident Details

Please answer all the questions in this group.

Incident Type	Release Other
Did this release result in a fire or is the result of a fire	No
Did this release result in any injuries	No
Has this release reached or does it have a reasonable probability of reaching a watercourse	No
Has this release endangered or does it have a reasonable probability of endangering public health	No
Has this release substantially damaged or will it substantially damage property or the environment	No
Is this release of a volume that is or may with reasonable probability be detrimental to fresh water	No

Nature and Volume of Release

Material(s) released, please answer all that apply below. Any calculations or specific justifications for the volumes provided should be attached to the follow-up C-141 submission.

Crude Oil Released (bbls) Details	Cause: Equipment Failure Flow Line - Production Crude Oil Released: 3 BBL Recovered: 0 BBL Lost: 3 BBL.
Produced Water Released (bbls) Details	Cause: Equipment Failure Flow Line - Production Produced Water Released: 3 BBL Recovered: 0 BBL Lost: 3 BBL.
Is the concentration of chloride in the produced water >10,000 mg/l	No
Condensate Released (bbls) Details	Not answered.
Natural Gas Vented (Mcf) Details	Not answered.
Natural Gas Flared (Mcf) Details	Not answered.
Other Released Details	Not answered.
Are there additional details for the questions above (i.e. any answer containing Other, Specify, Unknown, and/or Fire, or any negative lost amounts)	Not answered.

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 2

Action 620304

QUESTIONS (continued)

Operator: Maverick Permian LLC 500 Dallas Street, Suite 2300 Houston, TX 77002	OGRID: 331199
	Action Number: 620304
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

QUESTIONS

Nature and Volume of Release (continued)	
Is this a gas only submission (i.e. only significant Mcf values reported)	No, according to supplied volumes this does not appear to be a "gas only" report.
Was this a major release as defined by Subsection A of 19.15.29.7 NMAC	No
Reasons why this would be considered a submission for a notification of a major release	<i>Unavailable.</i>
<i>With the implementation of the 19.15.27 NMAC (05/25/2021), venting and/or flaring of natural gas (i.e. gas only) are to be submitted on the C-129 form.</i>	

Initial Response

The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury.

The source of the release has been stopped	True
The impacted area has been secured to protect human health and the environment	True
Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices	True
All free liquids and recoverable materials have been removed and managed appropriately	True
If all the actions described above have not been undertaken, explain why	<i>Not answered.</i>

Per Paragraph (4) of Subsection B of 19.15.29.8 NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please prepare and attach a narrative of actions to date in the follow-up C-141 submission. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see Subparagraph (a) of Paragraph (5) of Subsection A of 19.15.29.11 NMAC), please prepare and attach all information needed for closure evaluation in the follow-up C-141 submission.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

I hereby agree and sign off to the above statement	Name: Chuck Terhune Title: Program Manager Email: chuck.terhune@tetrattech.com Date: 09/02/2026
--	--

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 3

Action 620304

QUESTIONS (continued)

Operator: Maverick Permian LLC 500 Dallas Street, Suite 2300 Houston, TX 77002	OGRID: 331199
	Action Number: 620304
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

QUESTIONS

Site Characterization	
<i>Please answer all the questions in this group (only required when seeking remediation plan approval and beyond). This information must be provided to the appropriate district office no later than 90 days after the release discovery date.</i>	
What is the shallowest depth to groundwater beneath the area affected by the release in feet below ground surface (ft bgs)	Between 100 and 500 (ft.)
What method was used to determine the depth to ground water	NM OSE iWaters Database Search
Did this release impact groundwater or surface water	No
What is the minimum distance, between the closest lateral extents of the release and the following surface areas:	
A continuously flowing watercourse or any other significant watercourse	Between 1000 (ft.) and ½ (mi.)
Any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)	Between 1000 (ft.) and ½ (mi.)
An occupied permanent residence, school, hospital, institution, or church	Between ½ and 1 (mi.)
A spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes	Between 1000 (ft.) and ½ (mi.)
Any other fresh water well or spring	Between 1000 (ft.) and ½ (mi.)
Incorporated municipal boundaries or a defined municipal fresh water well field	Between 1 and 5 (mi.)
A wetland	Between 1000 (ft.) and ½ (mi.)
A subsurface mine	Greater than 5 (mi.)
An (non-karst) unstable area	Greater than 5 (mi.)
Categorize the risk of this well / site being in a karst geology	Low
A 100-year floodplain	Greater than 5 (mi.)
Did the release impact areas not on an exploration, development, production, or storage site	Yes

Remediation Plan	
<i>Please answer all the questions that apply or are indicated. This information must be provided to the appropriate district office no later than 90 days after the release discovery date.</i>	
Requesting a remediation plan approval with this submission	Yes
<i>Attach a comprehensive report demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined, pursuant to 19.15.29.11 NMAC and 19.15.29.13 NMAC.</i>	
Have the lateral and vertical extents of contamination been fully delineated	Yes
Was this release entirely contained within a lined containment area	No
Soil Contamination Sampling: (Provide the highest observable value for each, in milligrams per kilograms.)	
Chloride (EPA 300.0 or SM4500 Cl B)	246
TPH (GRO+DRO+MRO) (EPA SW-846 Method 8015M)	520
GRO+DRO (EPA SW-846 Method 8015M)	316
BTEX (EPA SW-846 Method 8021B or 8260B)	0
Benzene (EPA SW-846 Method 8021B or 8260B)	0
<i>Per Subsection B of 19.15.29.11 NMAC unless the site characterization report includes completed efforts at remediation, the report must include a proposed remediation plan in accordance with 19.15.29.12 NMAC, which includes the anticipated timelines for beginning and completing the remediation.</i>	
On what estimated date will the remediation commence	06/25/2026
On what date will (or did) the final sampling or liner inspection occur	07/16/2026
On what date will (or was) the remediation complete(d)	08/03/2026
What is the estimated surface area (in square feet) that will be reclaimed	2271
What is the estimated volume (in cubic yards) that will be reclaimed	141
What is the estimated surface area (in square feet) that will be remediated	2271
What is the estimated volume (in cubic yards) that will be remediated	141
<i>These estimated dates and measurements are recognized to be the best guess or calculation at the time of submission and may (be) change(d) over time as more remediation efforts are completed.</i>	
<i>The OCD recognizes that proposed remediation measures may have to be minimally adjusted in accordance with the physical realities encountered during remediation. If the responsible party has any need to significantly deviate from the remediation plan proposed, then it should consult with the division to determine if another remediation plan submission is required.</i>	

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 4

Action 620304

QUESTIONS (continued)

Operator: Maverick Permian LLC 500 Dallas Street, Suite 2300 Houston, TX 77002	OGRID: 331199
	Action Number: 620304
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

QUESTIONS

Remediation Plan (continued)	
<i>Please answer all the questions that apply or are indicated. This information must be provided to the appropriate district office no later than 90 days after the release discovery date.</i>	
This remediation will (or is expected to) utilize the following processes to remediate / reduce contaminants:	
<i>(Select all answers below that apply.)</i>	
(Ex Situ) Excavation and off-site disposal (i.e. dig and haul, hydrovac, etc.)	Yes
Which OCD approved facility will be used for off-site disposal	fEEM0112334510 HALFWAY DISPOSAL AND LANDFILL
OR which OCD approved well (API) will be used for off-site disposal	Not answered.
OR is the off-site disposal site, to be used, out-of-state	Not answered.
OR is the off-site disposal site, to be used, an NMED facility	Not answered.
(Ex Situ) Excavation and on-site remediation (i.e. On-Site Land Farms)	Not answered.
(In Situ) Soil Vapor Extraction	Not answered.
(In Situ) Chemical processing (i.e. Soil Shredding, Potassium Permanganate, etc.)	Not answered.
(In Situ) Biological processing (i.e. Microbes / Fertilizer, etc.)	Not answered.
(In Situ) Physical processing (i.e. Soil Washing, Gypsum, Disking, etc.)	Not answered.
Ground Water Abatement pursuant to 19.15.30 NMAC	Not answered.
OTHER (Non-listed remedial process)	Not answered.
<i>Per Subsection B of 19.15.29.11 NMAC unless the site characterization report includes completed efforts at remediation, the report must include a proposed remediation plan in accordance with 19.15.29.12 NMAC, which includes the anticipated timelines for beginning and completing the remediation.</i>	
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.	
I hereby agree and sign off to the above statement	Name: Chuck Terhune Title: Program Manager Email: chuck.terhune@tetrattech.com Date: 09/02/2026
<i>The OCD recognizes that proposed remediation measures may have to be minimally adjusted in accordance with the physical realities encountered during remediation. If the responsible party has any need to significantly deviate from the remediation plan proposed, then it should consult with the division to determine if another remediation plan submission is required.</i>	

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 5

Action 620304

QUESTIONS (continued)

Operator: Maverick Permian LLC 500 Dallas Street, Suite 2300 Houston, TX 77002	OGRID: 331199
	Action Number: 620304
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

QUESTIONS

Deferral Requests Only	
Only answer the questions in this group if seeking a deferral upon approval this submission. Each of the following items must be confirmed as part of any request for deferral of remediation.	
Requesting a deferral of the remediation closure due date with the approval of this submission	No

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 6

Action 620304

QUESTIONS (continued)

Operator: Maverick Permian LLC 500 Dallas Street, Suite 2300 Houston, TX 77002	OGRID: 331199
	Action Number: 620304
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

QUESTIONS

Sampling Event Information	
Last sampling notification (C-141N) recorded	604489
Sampling date pursuant to Subparagraph (a) of Paragraph (1) of Subsection D of 19.15.29.12 NMAC	07/16/2026
What was the (estimated) number of samples that were to be gathered	4
What was the sampling surface area in square feet	800

Remediation Closure Request

Only answer the questions in this group if seeking remediation closure for this release because all remediation steps have been completed.

Requesting a remediation closure approval with this submission	Yes
Have the lateral and vertical extents of contamination been fully delineated	Yes
Was this release entirely contained within a lined containment area	No
All areas reasonably needed for production or subsequent drilling operations have been stabilized, returned to the sites existing grade, and have a soil cover that prevents ponding of water, minimizing dust and erosion	Yes
What was the total surface area (in square feet) remediated	2271
What was the total volume (cubic yards) remediated	141
All areas not reasonably needed for production or subsequent drilling operations have been reclaimed to contain a minimum of four feet of non-waste contain earthen material with concentrations less than 600 mg/kg chlorides, 100 mg/kg TPH, 50 mg/kg BTEX, and 10 mg/kg Benzene	Yes
What was the total surface area (in square feet) reclaimed	2271
What was the total volume (in cubic yards) reclaimed	141
Summarize any additional remediation activities not included by answers (above)	Gross impacts were scraped/excavated to 1.5 feet bgs immediately following the release, and material was hauled offsite for disposal at R360 Halfway. soil sampling at the site was not conducted until it was believed clean margins had been achieved, therefore the maximum observed chloride and TPH concentrations from the laboratory data are much less than might be expected, however it is the only data available to be reported.

The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (in .pdf format) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. The responsible party acknowledges they must substantially restore, reclaim, and re-vegetate the impacted surface area to the conditions that existed prior to the release or their final land use in accordance with 19.15.29.13 NMAC including notification to the OCD when reclamation and re-vegetation are complete.

I hereby agree and sign off to the above statement	Name: Chuck Terhune Title: Program Manager Email: chuck.terhune@tetrattech.com Date: 09/02/2026
--	--

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 7

Action 620304

QUESTIONS (continued)

Operator: Maverick Permian LLC 500 Dallas Street, Suite 2300 Houston, TX 77002	OGRID: 331199
	Action Number: 620304
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

QUESTIONS

Reclamation Report	
Only answer the questions in this group if all reclamation steps have been completed.	
Requesting a reclamation approval with this submission	No

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 620304

CONDITIONS

Operator: Maverick Permian LLC 500 Dallas Street, Suite 2300 Houston, TX 77002	OGRID: 331199
	Action Number: 620304
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

CONDITIONS

Created By	Condition	Condition Date
rhamlet	We have received your Remediation Closure Report for Incident #nAPP2616324498 Leamex 32, thank you. This Remediation Closure Report is approved.	9/2/2026